Christina Curran - FW: Delilah

From:"David H. Cohen" <dcohen@moritthock.com>To:<jbswarto@gw.dec.state.ny.us>Date:7/31/2008 9:48 AMSubject:FW: Delilah

john, per my earlier voice mail and e-mail, attached are the results from the testing of the wells.

please call me upon your receipt of this e-mail.

thanks

From: Karen Price Sent: Thursday, July 31, 2008 9:44 AM To: David H. Cohen Subject: Delilah



Karen Price Legal Assistant to David H. Cohen, Dylan Saperman & Ellen Seo 400 Garden City Plaza Garden City, NY 11530 Phone: (516) 873-2000 • Fax: (516) 873-2010 Long Island • Manhattan kprice@moritthock.com • www.moritthock.com

CONFIDENTIALITY NOTICE:

This email and the information contained herein and attachments hereto are legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this email is not the intended recipient, you are hereby notified that any forwarding, dissemination, distribution or copying of this email and/or its attachments, or the taking of any action in reliance on the contents thereof is strictly prohibited. If you have received this email in error, please immediately notify the sender and delete the email and any attachments and destroy any tangible manifestation thereof. Thank you.

U.S. Treasury Circular 230 Notice: To the extent that there is any tax advice contained in this communication (including any attachments), it was not intended or written to be used, and cannot be used, for the purpose of (a) avoiding penalties that may be imposed under the Internal Revenue Code or by any other applicable tax authority or (b) promoting, marketing or recommending to another party any tax-related matter addressed herein. We provide this disclosure on all outbound e-mails from our practice group to assure compliance with new standards of professional practice regarding conformity of our tax advice to certain requirements as to form and substance.



TOMORROWS ANALYTICAL SOLUTIONS TODAY"

NYSDOH ELAP# 11693 USEPA# NY01273 CTDOH# PH-0284 AlHA# 164450 NJDEP# NY012 PADEP# 68-2943 「「「「「「「「「「「」」」」」」「「「「「」」」」」」

なななたのというななない

「「「「「「「「「「「「「「「「「「」」」」」」」

LONG ISLAND ANALYTICAL LABORATORIES, INC. DATA REPORTING FLAGS

For reporting results, the following "Flags" are used:

A: Time not supplied by client, may have exceeded holding time

B: Holding time exceeded, results cannot be used for regulatory purposes

C: Minimum detection limit raised due to matrix interference

D: Minimum detection limit raised due to target compound interference

E: Minimum detection limit raised due to non-target compound interference

F: Minimum detection limit raised due to insufficient sample volume

G: Sample received in incorrect container

H: Sample not preserved, corrected upon receipt

I: Dilution Water does not meet QC Criteria

J: Estimated concentration, exceeds calibration range

K: Target compound found in blank

L: Subcontractor ELAP #11398

M: Subcontractor ELAP #10320

N: Subcontractor NVLAP #102047.0

O: Subcontractor AIHA #103005

P: Subcontractor A2LA 2004-01

Q: Subcontractor ELAP #11026

R: Subcontractor ELAP #10155

S: Subcontractor ELAP #11501

T: Subcontractor CTC

U: Subcontractor ELAP #11685

V: QC affected by matrix

W: Subcontractor ELAP #10248

X: QC does not meet acceptance criteria

Y: Sample container received with head space

Z: Insufficient sample volume received

AA: Preliminary results, cannot be used for regulatory purposes.

BB: Spike recovery does not meet QC criteria due to high target concentration

CC: Date reported below the lower limit of quantitation and should be considered to have an increased quantitative uncertainty.

DD: Sampling information not supplied and/or sample not taken by qualified technician, therefore verifiability of the report is limited to results only. Report cannot be used for regulatory purposes. EE: Subcontractor ELAP : #11777

FF: Unable to verify that the wipe samples submitted conform to ASTM E1792 or specifications issued by the EPA.

GG: Level found exceeds the maximum contaminant level (MCL) as set by local, state or federal agencies.

HH; Subcontractor ELAP #10750

II Subcontractor ELAP #10145

110 Colin Drive • Holbrook, New York 11741 Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

L.I. ANALYTICAL LABS, INC



TOMORNOWS ANALYTICAL SOLUTIONS TODAY! 1 of 9 pages ななたのではないのであるのである

July 29, 2008

Moritt, Hock, Hamroff & Horowitz David Cohen 400 Garden City Plaza Garden City, NY 11530

Re: 480 Keith Lane, West Islip

Dear Mr. Cohen:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on July 25, 2008. Long Island Analytical Laboratories analyzed the samples on July 28, 2008 for the following:

CLIENT ID	ANALYSIS
MW9 DTW 9'3" DTB 14'7"	EPA 8260, EPA 8270
MW6 DTW 8'2" DTB 19'3"	EPA 8260, EPA 8270

Samples received at 3°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

Long Island Analytical Laboratories, Inc.

110 Colin Drive • Holbrook, New York 11741 Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

P.02/10

e31 415 8202

UNI SHALLCAL LABS. INC

1.14

Client: Moritt, Hock, Hamroff, Horowitz	Client ID: 480 Keith Lane, West Islip (MW9 DTW 9'3" DTB 14'7")
Date received: 7/25/08	Laboratory ID: 1161467
Date extracted: 7/25/08	Matrix: Liquid
Date analyzed: 7/25/08	ELAP #: 11693

EPA METHOD 8260B

PARAMETER	CAS No.	MDL	RESULTS ug/L	FLAG
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/L	< <u></u>	
CHLOROMETHANE	74-87-3	5 ug/L	<5	
VINYL CHLORIDE	75-01-4	5 ug/L	<5	,
BROMOMETHANE	74-83-9	5 ug/L	<5	
CHLOROETHANE	75-00-3	5 ug/L	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/L	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/L	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/L	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/L	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/L	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/L	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/L	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/L	<5	
CHLOROFORM	67-66-3	5 ug/L	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/L	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/L	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/L	<5	
BENZENE	71-43-2	0.7 ug/L	<0.7	
1,2-DICHLOROETHANE	107-06-2	5 ug/L	<5	
TRICHLOROETHENE	79-01-6	5 ug/L	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/L	<5	
DIBROMOMETHANE	74-95-3	5 ug/L	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/L	<5	
cis-1.3-DICHLOROPROPENE	10061-01-5	5 ug/L	<5	
TOLUENE	108-88-3	5 ug/L	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/L	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/L	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/L	34	
1,3-DICHLOROPROPANE	142-28-9	5 ug/L	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/L	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/L	<5	
CHLOROBENZENE	108-90-7	5 ug/L	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/L	<5	
ETHYLBENZENE	100-41-4	5 ug/L	<5	
STYRENE	100-42-5	5 ug/L	<5	
BROMOFORM	75-25-2	5 ug/L	<5	

MDL = Minimum Detection Limit.



110 Colin Drive · Holbrook, New York 11741

TOTAG ANALYTICAL SOLUTIONS TODAY 01/2016 8202 6102/10 Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

L.I. ANALYTICAL LABS.INC

10-20-2008 II:58

.

Client ID: 480 Keith Lane, West Islip (MW9 DTW 9'3" DTB 14'7")
Laboratory ID: 1161467
Matrix: Liquid
ELAP #: 11693

EPA METHOD 8260B

PARAMETER	CAS No.	MDL	RESULTS ug/L	FLAG
ISOPROPYLBENZENE	98-82-8	5 ug/L	<5	
BROMOBENZENE	108-86-1	5 ug/L	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/L	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/L	<5	
n-PROPYLBENZENE	103-65-1	5 ug/L	<5	
2-CHLOROTOLUENE	95-49-8	5 ug/L	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/L	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/L	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/L	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/L	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/L	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/L	<5	····
P-ISOPROPYLTOLUENE	99-87-6	5 ug/L	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/L	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/L	<5	
n-BUTYLBENZENE	104-51-8	5 ug/L	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/L	<5	······································
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/L	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	<5	••••••
NAPHTHALENE	91-20-3	5 ug/L	<5	
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/L	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/L	<5	
ACETONE	67-64-1	50 ug/L	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/L	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/L	<5	
p & m-XYLENES	1330-20-7	10 ug/L	<10	
o-XYLENE	1330-20-7	5 ug/L	<5	
CARBON DISULFIDE	751-15-0	5 ug/L	<5	
MTBE	1634-04-4	5 ug/L	<5	
VINYL ACETATE	108-05-4	5 ug/L	<5	
2-HEXANONE	591-78-6	5 ug/L	<5	

MDL = Minimum Detection Limit.

Michael Venald:

Michael Veraldi-Laboratory Director



110 Colin Drive · Holbrook, New York 11741

TOMOREOWS ANALYTICAL SOLUTIONS TODAY" P.04/10 937 412 8202

L.I. ANALYTICAL LABS.INC

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com 10-20-2008 11:28 のないないないないない

i Iş

Client: Moritt, Hock, Hamroff, Horowitz	Client ID: 480 Keith Lane, West Islip (MW9 DTW 9'3" DTB 14'7")
Date received: 7/25/08	Laboratory ID; 1161467
Date extracted: 7/28/08	Matrix: Liquid
Date analyzed: 7/28/08	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/L	Flag
N-NITROSODIMETHYLAMINE	62-75-9	5 ug/L	<5	
PHENOL	108-95-2	5 ug/L	<5	
ANILINE	62-53-3	5 ug/L	<5	
2-CHLOROPHENOL	95-57-8	5 ug/L	<5	****
Bis(2-CHLOROETHYL)ETHER	111-44-4	5 ug/L	<5	• ••••
1,3-DICHLOROBENZENE	541-73-1	5 ug/L	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/L	<5	····
BENZYL ALCOHOL	100-51-6	5 ug/L	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/L	<5	
2-METHYLPHENOL	95-48-7	5 ug/L	<5	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	5 ug/L	<5	
HEXACHLOROETHANE	67-72-1	5 ug/L	<5	
3+4-METHYLPHENOL	15831-10-4	5 ug/L	<5	
N-NITROSODI-n-PROPYL AMINE	621-64-7	5 ug/L	<5	
NITROBENZENE	98-95-3	5 ug/L	<5	
ISOPHORONE	78-59-1	5 ug/L	<5	
2-NITROPHENOL	88-75-5	5 ug/L	<5	
2,4-DIMETHYLPHENOL	105-67-9	5 ug/L	<5.	
BENZOIC ACID	65-80-8	5 ug/L	<5	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	5 ug/L	<5	• • • • • • • • • • • • • • • • • • • •
2,4-DICHLOROPHENOL	102-83-2	5 ug/L	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/L	<5	
NAPHTHALENE	91-20-3	5 ug/L	<5	
4-CHLOROANILINE	106-47-8	5 ug/L	<5	·····
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	<5	
4-CHLORO-3-METHYLPHENOL	59-50-7	5 ug/L	<5	
2-METHYLNAPHTHALENE	91-57-6	5 ug/L	<5	
HEXACHLOROCYCLOPENTADIENE	77-47-4	5 ug/L	<5	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	<5	
2,4.5-TRICHLOROPHENOL	95-95-4	5 ug/L	<5	
2-CHLORONAPHTHALENE	91-58-7	5 ug/L	<5	·····
2-NITROANILINE	88-74-4	5 ug/L	<5	
DIMETHYLPHTHALATE	131-11-3	5 ug/L	<5	
ACENAPHTHYLENE	208-96-8	5 ug/L	<5	
2.6-DINITROTOLUENE	606-20-2	5 ug/L	<5	
3-NITROANILINE	99-09-2	5 ug/L	<5	· · · · · · · · · · · · · · · · · · ·

MDL = Minimum Detection Limit.



110 Colin Drive · Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY" 01/S0.9 e37 412 8202

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com L.I. ANALYTICAL LABS.INC

20-20-2008 11:28

Client: Moritt, Hock, Hamroff, Horowitz	Client ID: 480 Keith Lane, West Islip (MW9 DTW 9'3" DTB 14'7")
Date received: 7/25/08	Laboratory ID: 1161467
Date extracted: 7/28/08	Matrix: Liquid
Date analyzed: 7/28/08	ELAP #: 11693


EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/L	Flag
ACENAPHTHENE	83-32-9	5 ug/L	<5	
2,4-DINITROPHENOL	51-28-5	5 ug/L	<5	
DIBENZOFURAN	132-64-9	5 ug/L	<5	
4-NITROPHENOL	100-02-7	5 ug/L	<5	· · · · · ·
2,4-DINTROTOLUENE	121-14-2	5 ug/L	<5	
FLUORENE	86-73-7	5 ug/L	<5	
DIETHYLPHTHALATE	84-66-2	5 ug/L	<5	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	5 ug/L	<5	
4-NITROANILINE	100-01-6	5 ug/L	<5	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	5 ug/L	<5	
N-NITROSODIPHENYLAMINE	86-30-6	5 ug/L	<5	
AZOBENZENĘ	103-33-3	5 ug/L	<5	
4-BROMOPHENYL-PHENYL ETHER	101-55-3	5 ug/L.	<5	
HEXACHLOROBENZENE	118-74-1	5 ug/L	<5	
PENTACHLORPHENOL	87-86-5	5 ug/L	<5	· · · · · · · · · · · · · · · · · · ·
PHENANTHRENE	85-01-8	5 ug/L	<5	
ANTHRACENE	120-12-7	5 ug/L	<5	· · · · · ·
CARBAZOLE	86-74-8	5 ug/L	<5	
Di-n-BUTYLPHTHALATE	84-74-2	5 ug/L	<5	•
FLUORANTHENE	206-44-0	5 ug/L	<5	
PYRENE	129-00-0	5 ug/L	<5	
BUTYLBENZYLPHTHALATE	85-68-7	5 ug/L	<5	
BENZO-a-ANTHRACENE	56-55-3	5 ug/L	<5	
CHRYSENE	218-01-9	5 ug/L	<5	
3,3-DICHLOROBENZIDINE	91-94-1	5 ug/L	<5	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	5 ug/L	<5	
DI-n-OCTYLPHTHALATE	117-84-0	5 ug/L	<5	
BENZO-b-FLUOROANTHENE	205-99-2	5 ug/L	<5	
BENZO-k- FLUOROANTHENE	207-08-9	5 ug/L	<5	<u></u>
BENZO-a-PYRENE	50-32-8	5 ug/L	<5	·····
INDENO(1,2,3-c,d)PYRENE	193-39-5	5 ug/L	<5	
DIBENZO-a,h-ANTHRACENE	53-70-3	5 ug/L	<5	
BENZO-g,h,i-PERYLENE	191-24-2	5 ug/L	<5	
IDL = Minimum Detection Limit				

MDL = Minimum Detection Limit.

Michael Vehald

Michael Veraldi-Laboratory Director



110 Colin Drive · Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

P.06/10 821 412 8202 L.I. ANALYTICAL LABS.INC

106-30-2008 11:28

Client: Moritt, Hock, Hamroff, Horowitz	Client ID: 480 Keith Lane, West Islip (MW6 DTW 8'2" DTB 19'3")
Date received: 7/25/08	Laboratory ID: 1161468
Date extracted: 7/25/08	Matrix: Liquid
Date analyzed: 7/25/08	ELAP #: 11693

EPA METHOD 8260B

PARAMETER	CAS No.	MDL	RESULTS ug/L	FLAG
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/L	<5	
CHLOROMETHANE	74-87-3	5 ug/L	<5	
VINYL CHLORIDE	75-01-4	5 ug/L	<5	
BROMOMETHANE	74-83-9	5 ug/L	<5	
CHLOROETHANE	75-00-3	5 ug/L	<5	
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/L	<5	
1,1-DICHLOROETHENE	75-35-4	5 ug/L	<5	
METHYLENE CHLORIDE	75-09-2	5 ug/L	<5	
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/L	<5	
1,1-DICHLOROETHANE	75-34-3	5 ug/L	<5	
2,2-DICHLOROPROPANE	594-20-7	5 ug/L	<5	
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/L	<5	
BROMOCHLOROMETHANE	74-97-5	5 ug/L	<5	
CHLOROFORM	67-66-3	5 ug/L	<5	
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/L	<5	
CARBON TETRACHLORIDE	56-23-5	5 ug/L	<5	
1,1-DICHLOROPROPENE	563-58-6	5 ug/L	<5	
BENZENE	71-43-2	0.7 ug/L	<0,7	
1,2-DICHLOROETHANE	107-06-2	5 ug/L	<5	
TRICHLOROETHENE	79-01-6	5 ug/L	<5	
1,2-DICHLOROPROPANE	78-87-5	5 ug/L	<5	×
DIBROMOMETHANE	74-95-3	5 ug/L	<5	
BROMODICHLOROMETHANE	75-27-4	5 ug/L	<5	
cis-1,3-DICHLOROPROPENE	10061-01-5	5 ug/L	<5	
TOLUENE	108-88-3	5 ug/L	<5	
trans-1,3-DICHLOROPROPENE	10061-02-6	5 ug/L	<5	
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/L	<5	
TETRACHLOROETHYLENE	127-18-4	5 ug/L	25	
1,3-DICHLOROPROPANE	142-28-9	5 ug/L	<5	
DIBROMOCHLOROMETHANE	124-48-1	5 ug/L	<5	
1,2-DIBROMOETHANE	106-93-4	5 ug/L	<5	
CHLOROBENZENE	108-90-7	5 ug/L	<5	
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 µg/L	<5	
ETHYLBENZENE	100-41-4	5 ug/L	<5	
STYRENÉ	100-42-5	5 ug/L	<5	
BROMOFORM	75-25-2	5 ug/L	<5	

MDL = Minimum Detection Limit,



110 Colin Drive · Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY" 01/70.9 e37 455 8202

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com L.I. ANALYTICAL LABS.INC

107-20-2008 11:28

Client: Moritt, Hock, Hamroff, Horowitz	Client ID: 480 Keith Lane, West Islip (MW6 DTW 8'2" DTB 19'3")
Date received: 7/25/08	Laboratory ID: 1161468
Date extracted: 7/25/08	Matrix: Liquid
Date analyzed: 7/25/08	ELAP #: 11693

EPA METHOD 8260B

PARAMETER	CAS No.	MDL	RESULTS ug/L	FLAG
ISOPROPYLBENZENE	98-82-8	5 ug/L	<5	
BROMOBENZENE	108-86-1	5 ug/L	<5	
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/L	<5	
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/L	<5	
n-PROPYLBENZENE	103-65-1	5 ug/L	<5	
2-CHLOROTOLUENE	95-49-B	5 ug/L	<5	
4-CHLOROTOLUENE	106-43-4	5 ug/L	<5	
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/L	<5	
tert-BUTYLBENZENE	98-06-6	5 ug/L	<5	
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/L	<5	
sec-BUTYLBENZENE	135-98-8	5 ug/L	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/L	<5	
P-ISOPROPYLTOLUENE	99-87-6	5 ug/L	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/L	<5	······································
1,2-DICHLOROBENZENE	95-50-1	5 ug/L	<5	
n-BUTYLBENZENE	104-51-8	5 ug/L	<5	
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/L	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/L	<5	·
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	<5	
NAPHTHALENE	91-20-3	5 ug/L	<5	• • •
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/L	<5	
2-CHLOROETHYLVINYL ETHER	110-75-8	5 ug/L	<5	
ACETONE	67-64-1	50 ug/L	<50	
METHYL ETHYL KETONE	78-93-3	10 ug/L	<10	
METHYL ISOBUTYL KETONE	108-10-1	5 ug/L	<5	
p & m-XYLENES	1330-20-7	10 ug/L	<10	
o-XYLENE	1330-20-7	5 ug/L	<5	
CARBON DISULFIDE	751-15-0	5 ug/L	<5	
MTBE	1634-04-4	5 ug/L	<5	
VINYL ACETATE	108-05-4	5 ug/L	<5	
2-HEXANONE	591-78-6	5 ug/L	<5	

MDL = Minimum Detection Limit.

Michael Venald:

Michael Veraldi-Laboratory Director



110 Colin Drive · Holbrook, New York 11741

OPPOWS ANALYTICAL SOLUTIONS TODAY" 01/80.9 827 412 8202

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com L.I. ANALYTICAL LABS.INC

106-30-2008 11:28

「「「「「「「「「「「「「「」」」」」

	tz Client ID: 480 Keith Lane, West Islip (MW6 DTW 8'2" DTB 19'3")	
Date received: 7/25/08	Laboratory ID: 1161468	
Date extracted: 7/28/08	Matrix: Liquid	
Date analyzed: 7/28/08	ELAP #: 11693	

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/L	Flag
N-NITROSODIMETHYLAMINE	62-75-9	5 ug/L	<5	
PHENOL	108-95-2	5 ug/L	<5	
ANILINE	62-53-3	5 ug/L	<5	
2-CHLOROPHENOL	95-57-8	5 Ug/L	<5	
Bis(2-CHLOROETHYL)ETHER	111-44-4	5 µg/L	<5	
1,3-DICHLOROBENZENE	541-73-1	5 ug/L	<5	
1,4-DICHLOROBENZENE	106-46-7	5 ug/L	<5	
BENZYL ALCOHOL	100-51-6	5 ug/L	<5	
1,2-DICHLOROBENZENE	95-50-1	5 ug/L	<5	
2-METHYLPHENOL	95-48-7	5 ug/L	<5	
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	5 ug/L	<5	
HEXACHLOROETHANE	67-72-1	5 ug/L	<5	MA
3+4-METHYLPHENOL	15831-10-4	5 ug/L	<5	
N-NITROSODI-n-PROPYL AMINE	621-64-7	5 ug/L	<5	
NITROBENZENE	98-95-3	5 ug/L	<5	
ISOPHORONE	78-59-1	5 ug/L	<5	
2-NITROPHENOL	88-75-5	5 ug/L	<5	
2,4-DIMETHYLPHENOL	105-67-9	5 ug/L	<5	
BENZOIC ACID	65-80-8	5 ug/L	<5	
Bis(2-CHLOROETHOXY)METHANE	111-91-1	5 ug/L	<5	
2,4-DICHLOROPHENOL	102-83-2	5 ug/L	<5	
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/L	<5	• ••
NAPHTHALENE	91-20-3	5 ug/L	<5	
4-CHLOROANILINE	106-47-8	5 ug/L	<5	
HEXACHLOROBUTADIENE	87-68-3	5 ug/L	<5	
4-CHLORO-3-METHYLPHENOL	59-50-7	5 ug/L	<5	
2-METHYLNAPHTHALENE	91-57-6	5 ug/L	<5	••
HEXACHLOROCYCLOPENTADIENE	77-47-4	5 ug/L	<5	
2,4,6-TRICHLOROPHENOL	88-06-2	5 ug/L	<5	
2,4,5-TRICHLOROPHENOL	95-95-4	5 ug/L	<5	· · · ·
2-CHLORONAPHTHALENE	91-58-7	5 ug/L	<5	
2-NITROANILINE	88-74-4	5 ug/L	<5	
DIMETHYLPHTHALATE	131-11-3	5 ug/L	<5	
ACENAPHTHYLENE	208-96-8	5 ug/L	<5	·
2,6-DINITROTOLUENE	606-20-2	5 ug/L.	<5	· · · · · · · · · · · · · · · · · · ·
3-NITROANILINE	99-09-2	5 ug/L	<5	

MDL = Minimum Detection Limit.



110 Colin Drive · Holbrook, New York 11741

TOMORROWS ANALYTICAL SOLUTIONS TODAY" 827 412 8202 01/60.9

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com L.I. ANALYTICAL LABS.INC

106-30-2008 11:29

1.7.7

ななながないないないない。

Client: Moritt, Hock, Hamroff, Horowitz	Client ID: 480 Keith Lane, West Islip		
	(MW6 DTW 8'2" DTB 19'3")		
Date received: 7/25/08	Laboratory ID: 1161468		
Date extracted: 7/28/08	Matrix: Liquid		
Date analyzed: 7/28/08	ELAP #: 11693		

EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/L	Flag
ACENAPHTHENE	83-32-9	5 ug/L	<5	
2,4-DINITROPHENOL	51-28-5	5 ug/L	<5	
DIBENZOFURAN	132-64-9	5 ug/L	<5	
4-NITROPHENOL	100-02-7	5 ug/L	<5	
2,4-DINTROTOLUENE	121-14-2	5 ug/L	<5	
FLUORENE	86-73-7	5 ug/L	<5	
DIETHYLPHTHALATE	84-66-2	5 ug/L	<5	
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	5 ug/L	<5	
4-NITROANILINE	100-01-6	5 ug/L	<5	
4,6-DINITRO-2-METHYLPHENOL	534-52-1	5 ug/L	<5	
N-NITROSODIPHENYLAMINE	86-30-6	5 ug/L	<5	
AZOBENZENE	103-33-3	5 ug/L	<5	_
4-BROMOPHENYL-PHENYL ETHER	101-55-3	5 ug/L	<5	
HEXACHLOROBENZENE	118-74-1	5 ug/L	<5	
PENTACHLORPHENOL	87-86-5	5 ug/L	<5	•
PHENANTHRENE	85-01-8	5 ug/L	<5	
ANTHRACENE	120-12-7	5 ug/L	<5	
CARBAZOLE	86-74-8	5 ug/L	<5	
Di-n-BUTYLPHTHALATE	84-74-2	5 ug/L	<5	
FLUORANTHENE	206-44-0	5 ug/L	<5	
PYRENE	129-00-0	5 ug/L	<5	
BUTYLBENZYLPHTHALATE	85-68-7	5 ug/L	<5	
BENZO-a-ANTHRACENE	56-55-3	5 ug/L	<5	
CHRYSENE	218-01-9	5 ug/L	<5	
3,3-DICHLOROBENZIDINE	91-94-1	5 ug/L	<5	
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	5 ug/L	<5	
DI-n-OCTYLPHTHALATE	117-84-0	5 ug/L	<5	
BENZO-b-FLUOROANTHENE	205-99-2	5 ug/L	<5	
BENZO-k- FLUOROANTHENE	207-08-9	5 ug/L	<5	
BENZO-a-PYRENE	50-32-8	5 ug/L	<5	
INDENO(1,2,3-c,d)PYRENE	193-39-5	5 ug/L	<5	
DIBENZO-a,h-ANTHRACENE	53-70-3	5 ug/L	<5	,
BENZO-g,h,i-PERYLENE	191-24-2	5 ug/L	<5	

MDL = Minimum Detection Limit.

Michael Venald:

Michael Veraidi-Laboratory Director

「大学はないない」

ŝ



TOMORROWS ANALYTICAL SOLUTIONS TODAY" Phone (6

110 Colin Drive · Holbrook, New York 11741

Phone (631) 472-3400 · Fax (631) 472-8505 · Email: LIAL@lialinc.com

DNI 'S8UT השטונגלים שטונגלים האורטונגלים האורטונגלי הורטונגלים האורטונגלים האורטונגלים האורטונגלים האורטונגלים האורטונגלים האורטונגלים האורטונגלייטונגליטונגליטו