



FIGURE 2-2
SOIL BORING LOCATIONS



50 ft.
APPROXIMATE SCALE




FIGURE 2-7
GROUNDWATER MONITORING WELL LOCATIONS

STANDARD MOTOR PRODUCTS, INC.
LONG ISLAND CITY, NEW YORK




TABLE 2-1
SPLIT SPOON SAMPLE SCREENING RESULTS

LOCATION	DEPTH FT.	Split Spoon FID (c.g.e.-ppm)	Soil Jar FID (c.g.e.- ppm)	BLOW COUNTS No. of Blows Per 12 inches.
B-1	5	5	25	18
	10	1	12	18
	15	1	20	16
	20	0	7	15
B-2	5	40	220	20
	10	NA	26	18
	15	1	60	20
	20	0	100	20
B-3	5	9	560	22
	10	4	90	20
	15	4	240	16
	20	2	50	19
B-4	5	3	NA	20
	10	11	840	14
	15	8	330	15
	20	0	28	17
B-5	5	30	680	NA
	10	9	NA	16
	15	10	590	16
	20	10	160	18
B-6	5	1	150	18
	10	10	700	NA
	15	1	80	16
	20	6	110	18
B-7	5	4	1000	14
	10	10	100	NA
	15	7	190	NA
	20	1	24	18
B-8	5	0	100	12
	10	0	10	18
	15	0	26	17
	20	0	28	NA
B-9	5	2	440	14
	10	0	110	15
	15	0	5	NA
	20	0	60	NA
B-10	5	9	160	21
	15	6	100	20
	20	20	100	NA
	30	35	220	20
	40	8	24	22
B-11	5	1000	310	18
	10	140	310	NA
	15	480	350	NA
	20	50	100	NA
B-12	5	83	22	14
	10	26	8	17
	15	9	10	14
	20	7	6	12
B-13	5	16	10	15
	10	15	6	30
	15	14	NA	50
	20	22	42	18

NA - Data Not Available

Soil Jar OVA Readings taken at least 1 hour after storage in jars.

TABLE 2-3
 STANDARD MOTOR PRODUCTS, INC.
 GROUNDWATER INORGANICS SAMPLE RESULTS SUMMARY

PARAMETER	ROUND ONE- 10/31/91						ROUND TWO - 2/18/92						NYSDEC CLASS GA WATER STANDARDS PART 700-705 (9/91)
	MW-1	MW-2	MW-3	MW-4	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6			
Aluminum	165.0	9.2	21.6	103.0	39.3	5.1	18.4	37.0	10.2	6.7	NA		
Antimony	0.073	<0.028	<0.028	<0.028	<0.0246	<0.0246	<0.0246	<0.0246	<0.0246	<0.0246	NA		
Arsenic	0.032	<0.0023	<0.0023	<0.0023	<0.0023	0.003	<0.0023	0.007	<0.0023	<0.0023	0.025		
Barium	1.320	0.310	0.435	1.170	0.275	0.329	0.267	0.369	0.111	0.105	1.000		
Beryllium	0.013	0.001	0.002	0.008	0.003	0.002	0.002	0.004	0.002	<0.0009	NA		
Cadmium	0.0660	0.0071	0.0119	0.0578	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	0.0100		
Calcium	122.0	125.0	93.5	150.0	48.6	105.0	55.3	118.0	105.0	47.0	NA		
Chromium	0.740	0.040	0.080	0.140	0.113	0.018	0.053	0.117	0.028	0.016	0.050		
Cobalt	0.165	0.016	0.024	0.165	0.037	0.007	0.017	0.053	0.012	0.008	NA		
Copper	1.870	0.174	0.203	0.651	0.376	0.089	0.085	0.204	0.038	0.042	0.200		
Iron	330.0	33.7	67.0	305.0	64.9	53.9	48.3	90.8	20.0	12.8	0.3		
Lead	0.848	0.097	0.132	0.808	0.097	0.034	0.030	0.111	0.018	0.011	0.025		
Magnesium	99.8	39.3	29.6	89.6	26.2	24.5	15.3	55.1	30.6	13.8	NA		
Manganese	5.370	4.530	8.900	9.260	2.230	5.530	5.470	2.820	6.330	0.607	0.300		
Mercury	0.0011	0.0002	0.0002	0.0016	<0.0002	0.0003	0.0003	0.0003	<0.0002	<0.0002	0.0020		
Nickel	0.332	0.052	0.097	0.362	0.067	0.045	0.047	0.103	0.068	0.024	NA		
Potassium	38.1	8.5	11.7	25.4	9.0	5.5	7.3	12.0	4.3	0.0	NA		
Selenium	<0.018	<0.0018	<0.0018	<0.0018	0.002	<0.0023	<0.0023	<0.0023	<0.0023	0.006	0.010		
Silver	<0.0022	0.005	<0.0022	<0.0022	0.002	<0.0012	<0.0012	<0.0012	<0.0012	45.700	0.050		
Sodium	49.5	91.4	50.3	102.0	22.2	60.9	16.9	98.9	79.1	45.7	20.0		
Thallium	<0.0007	<0.0007	<0.0007	<0.0007	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	<0.0022	NA		
Vanadium	0.638	0.109	0.094	0.426	0.125	0.070	0.059	0.139	0.036	0.022	NA		
Zinc	2.080	0.210	0.219	0.993	0.427	0.140	0.133	0.294	5.420	0.102	0.300		
Cyanide	<0.010	<0.010	<0.010	<0.010	NA	NA	NA	NA	NA	NA	0.100		

NOTES:

All results in ug/l except as noted.

B - Entered if the reported value is less than the Contract Required Detection Limit, but greater than the Instrument Detection Limit.

NR - Data not analyzed for or reported.

NA - Data not available.

TABLE 2-4
STANDARD MOTOR PRODUCTS, INC.
GROUNDWATER VOC SAMPLE RESULTS SUMMARY

Well ID	Methylene Chloride	1,1-Dichloro-ethene	1,1-Dichloro-ethane	C/T-1,2-Di-chloroethene	1,1,1-Tri-chloroethane	Carbon Tetrachloride	Trichloro-ethene	Benzene	Tetrachloro-ethylene	Toluene	Ethyl-benzene	Total Xylenes	Acetone
ROUND 1 - October 31, 1991													
MW-1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.012	<0.010	0.014	<0.010	<0.010	<0.010	<0.010
MW-2	<0.010	0.011	0.013	0.011	0.120	<0.010	0.012	0.044	<0.010	0.100	0.050	0.740	<0.010
MW-3	<0.010	0.007	0.083	<0.010	0.130	<0.010	<0.010	0.100	<0.010	0.120	0.610	2.600	<0.010
MW-4	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Field Blank	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Trip Blank	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
ROUND 2 - February 18, 1992													
MW-1	0.002	<0.005	<0.005	<0.005	0.030	<0.005	0.003	<0.005	<0.005	0.004	<0.005	<0.005	<0.010
MW-2	<0.005	0.009	0.018	<0.005	0.210	<0.005	<0.005	0.086	0.014	0.190	0.570	1.800	<0.010
MW-3	<0.005	0.014	0.041	<0.005	0.240	<0.005	0.003	0.120	0.035	0.330	0.290	1.700	<0.010
MW-4	0.002	0.004	0.006	0.030	<0.005	<0.005	0.002	<0.005	0.003	<0.005	0.002	<0.005	0.005
MW-5	0.002	<0.005	<0.005	0.003	<0.005	<0.005	0.023	<0.005	0.069	<0.005	<0.005	<0.005	<0.010
MW-6	0.002	<0.005	<0.005	0.002	0.007	<0.005	0.010	<0.005	0.017	<0.005	<0.005	<0.005	0.003
Field Blank	0.003	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010
Trip Blank	0.003	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.010

NOTES:

All results in mg/l except as noted.

Where necessary, samples were analyzed at a secondary dilution factor.