

360024

ADDITIONS/CHANGES TO REGISTRY: SUMMARY OF APPROVALS

SITE NAME: MARX RESIDENCE

DEC I.D. NUMBER 360024

Current Classification 2

Activity: Add as Class Reclassify to 4 Delist Category Modify

Approvals:

Regional Hazardous Waste Engineer Yes No

BEEI of NYSDOH Yes No

DEE Yes No

BCS ^{CONSTRUCTION} Remediation Action Bureau Director [Class 2] Yes No

BHSC: a. Investigation Section Yes No

b. O&M Section [Class 4] Yes No

c. Site Control Section Reh/Marand Date 8/5/97



d. Director [Signature] Date 8/13/97

Completion Checklist	Completed By:	
	Initials	Date
OWNER NOTIFICATION LETTER?	<input checked="" type="checkbox"/>	<u>9/4/97</u>
ADJACENT PROPERTY OWNER NOTIFICATION LETTER?	<input checked="" type="checkbox"/>	<u>9/22/97</u>
ENB/LEGAL NOTICE SENT? (For Deletion Only)	<input type="checkbox"/>	_____
COMMENTS SUMMARIZED/PLACE IN REPOSITORY	<input type="checkbox"/>	_____
FINAL NOTIFICATION SENT TO OWNER? (For Deletion Only)	<input type="checkbox"/>	_____

(For proposed Class 2a sites only) Planned investigative activities & dates: _____

8/13/97

SITE INVESTIGATION INFORMATION

1. SITE NAME Marx Residence	2. SITE NO 360024	3. TOWN/CITY/VILLAGE New Castle	4. COUNTY Westchester
5. REGION 3	6. CLASSIFICATION Current <input type="checkbox"/> Proposed <input type="checkbox"/> Modify <input type="checkbox"/>		
7. LOCATION OF SITE (Attach U.S.G.S Topographic Map showing site location)			
a. Quadrangle Mount Kisco	b. Site Latitude 41 deg. 9' 10"	Longitude 73 deg. 44' 00"	c. Tax Map Number 025-01-7d
8. BRIEFLY DESCRIBE THE SITE (Attach site plan showing disposal/sampling locations) The Marx Residence is a privately owned residence occupied by Max Marx and his family. Between September 1987 and August 1989, the site was rented and the tenants allegedly discharged unknown amounts of chlorinated solvents into the home's septic system. Law enforcement officials suspect that the chemicals were used in cocaine processing. Groundwater contamination has impacted four residences which are presently on Granulated Activated Carbon (GAC) water systems.			
a. Area <u>2</u> acres b. EPA ID Number NYP003601127			
c. Completed ()Phase I ()Phase II ()PSA ()RI/LS ()PA/SI (X)Other (IRM)			
9. HAZARDOUS WASTES DISPOSED tetrachloroethene (F001) acetone (F003) methyl ethyl ketone (F005) toluene (F005)			
10. ANALYTICAL DATA AVAILABLE a. (X)Air (X)Groundwater (X)Surface Water (X)Soil ()Waste ()EPTox ()TCLP b. Contravention of Standards or Guidance Values Contravention of groundwater standards still exist but two out of the four effected residences have tested negative the past year.			
11. CONCLUSION The contaminated septic system and soil have been removed and replaced. Quarterly water sampling and maintenance continues. Quarterly indoor air sampling will continue for one year.			
12. SITE IMPACT DATA			
a. Nearest surface water: Distance <u>800</u> ft. Direction <u>South</u>		Classification <u>Wampus Pond</u>	
b. Nearest Groundwater: Depth <u>5</u> ft. Flow Direction <u>North</u>		()Sole Source ()Primary ()Principal	
c. Nearest water supply: Distance <u>*</u> ft. Direction <u>*</u>		Active (X)Yes ()No * Private Well	
d. Nearest building: Distance <u>10</u> ft. Direction <u>West</u> Use <u>Residential</u>			
e. In State Economic Development Zone? ()Y (X)N		i. Controlled site access? ()Y (X)N	
f. Crops or livestock on site? ()Y (X)N		j. Exposed hazardous waste? ()Y (X)N	
g. Documented fish or wildlife mortality? ()Y (X)N		k. HRS Score <u>N/A</u>	
h. Impact on special status fish or wildlife resource? ()Y (X)N		l. For Class 2: Priority Category <u>N/A</u>	
13. SITE OWNER'S NAME Max & Janis Marx		14. ADDRESS 85 Armonk Road, Mt. Kisco, NY 10566	15. TELEPHONE NUMBER (914) 666-6571
16. PREPARER: Michael A. Mason REVISED BY: Anthony J. Sylvester		17. APPROVED:	
 Signature		 Signature	
8/13/97 Date		8/13/97 Date	
Anthony J. Sylvester, Env. Spc. I, DHMR Name, Title, Organization		Carl H. Barcomb, Director, BHSC, DER Name, Title, Organization	



STATE OF NEW YORK
DEPARTMENT OF HEALTH

Office of Public Health

11 University Place

Albany, New York 12203-3399

106
1/15/97
Wny
[Signature]

Barbara A. DeBuono, M.D., M.P.H.
Commissioner

JAN 2 1997

January 17, 1997

Mr. Earl Barcomb, P.E.
Bureau of Hazardous Site Control
NYS Dept. of Environmental Conservation
50 Wolf Road, Room 218
Albany, NY 12233

RE: Site Investigation Information
Marx Residence
Site # 360024
Armonk, Westchester County

Dear Mr. Barcomb:

My staff have reviewed the Site Investigation Information package for the Marx Residence proposing that the site be reclassified from Class 2 to Class 4. Based upon the fact that all objectives of the Interim Remedial Plan (IRP) have been implemented, I concur with the proposal. The signed decision form is enclosed.

I understand that as per the IRP, the contaminated soil and septic system has been removed and replaced at the Marx residence; carbon filtration on affected residential wells has been installed; indoor air filters have been installed at the Marx residence; and a groundwater and indoor air/soil gas monitoring program has been implemented. A review of the most recent groundwater and indoor air testing show a continued reduction of the concentration of tetrachloroethene in both media. Reclassification to a Class 4 (site properly closed - requires continued management) is appropriate.

The last sentence of Block 11 (Conclusion) should be modified to read: "Indoor air sampling results will be evaluated to determine the need for additional sampling and/or remedial work."

If you have any questions please contact Mr. Steven Bates of my staff at (518) 458-6305.

Sincerely,



G. Anders Carlson, Ph.D.
Director
Bureau of Environmental Exposure
Investigation

1mw/95075PRO0213

Enclosure

cc: Dr. N. Kim
Mr. S. Bates/Ms. K. Evans
Ms. E. Hendrick - WCHD
Mr. R. Marino - DEC
Mr. R. Pergadia - DEC, Region 3

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
 DIVISION OF ENVIRONMENTAL REMEDIATION
 INACTIVE HAZARDOUS WASTE DISPOSAL REPORT

012398

CLASSIFICATION CODE: 4 REGION: 3 SITE CODE: 360024
 EPA ID: NYP003601127

NAME OF SITE : Marx Residence
 STREET ADDRESS: 85 Armonk Road
 TOWN/CITY: COUNTY: ZIP:
 New Castle Westchester 10566

SITE TYPE: Open Dump- Structure-X Lagoon- Landfill- Treatment Pond-
 ESTIMATED SIZE: 4 Acres

SITE OWNER/OPERATOR INFORMATION:

CURRENT OWNER NAME....: Max and Janis Marx
 CURRENT OWNER ADDRESS.: 786 Armonk Rd., Mt. Kisco, NY
 OWNER(S) DURING USE...: Max and Janis Marx
 OPERATOR DURING USE...: Unknown
 OPERATOR ADDRESS.....: 786 Armonk Rd., Mt. Kisco, NY
 PERIOD ASSOCIATED WITH HAZARDOUS WASTE: From 9/87 To 9/89

SITE DESCRIPTION:

This site is a 4 acre residential property on the west side of Route 128 (Armonk Rd.) in New Castle just north of the town line. The house is set back approximately 100 feet from the road with a low-lying area in front. The surface drainage at the southeast portion of the property flows towards Wampus Pond and that at the northeast portion flows north. Sometime during the period of September 1987 to September 1989, organic chemicals were discharged into the septic system of this residence. This resulted in the contamination of the homeowner's well, and an off-site private well to the immediate south. Initial monitoring was conducted by the Westchester County Health Department. NYS groundwater quality standards were contravened for trichloroethene, tetrachloroethene, cis-1,2-dichloroethene, acetone, methyl ethyl ketone and toluene. Soil sampling found contaminated soil in the sewage disposal area on the Marx property.

A Division of Environmental Enforcement stipulation agreement for site access is in place. The state performed an interim remedial measure (IRM) which included replacement of the existing septic system, soil removal in the sewage disposal area and maintenance and testing of GAC treatment systems provided on Marx and adjoining property owner's private wells. The NYSDEC and NYSDOH are monitoring air quality and the drinking water treatment systems.

HAZARDOUS WASTE DISPOSED:

TYPE	QUANTITY (units)
Tetrachloroethene (F001)	Unknown
Acetone (F003)	"
Methyl ethyl ketone (F005)	"
Toluene (F005)	"

ANALYTICAL DATA AVAILABLE:

Air- Surface Water-X Groundwater-X Soil-X Sediment-X

CONTRAVENTION OF STANDARDS:

Groundwater-X Drinking Water-X Surface Water- Air-

LEGAL ACTION:

TYPE...: State- Federal-
STATUS: Negotiation in Progress- Order Signed-

REMEDIAL ACTION:

Proposed- Under design- In Progress- Completed-X
NATURE OF ACTION: IRM - soil removal, replace septic systems

GEOTECHNICAL INFORMATION:


SOIL TYPE: Sandy loam soil overlying Gneiss bedrock
GROUNDWATER DEPTH: Less than 10 feet

ASSESSMENT OF ENVIRONMENTAL PROBLEMS:



A contravention of groundwater and drinking water standards exists and soils on site were highly contaminated. There are possible effects on surface waters and sediment along drainage paths and at the confluence Wampus Pond. The septic system and contaminated soils have been removed. An O&M plan is in place.

ASSESSMENT OF HEALTH PROBLEMS:

Groundwater is contaminated with organic solvents. No public water supply wells are nearby. Private wells in the area are contaminated and are being monitored by the NYS DOH and WCHD. Wells with contamination above standards are treated with carbon filtration systems. Quarterly water sampling of affected wells is being conducted by the NYS DEC to monitor GAC filtration effectiveness. The Westchester County Health Department is independently monitoring well water quality. The Marx residence indoor air is treated by a carbon filtration system. Indoor air and soil gas will be monitored quarterly by the NYS DEC for at least one year to evaluate seasonal effects. Existing indoor air data show a continued reduction of VOC's in the air.



SOURCE: N.Y.S.D.O.T. MOUNT KISCO QUADRANGLE
 NEW YORK-CONNECTICUT
 7.5 MINUTE SERIES, (DIGITAL EDITION, 1990)



LONGITUDE: 41° 9' 10"
 LATITUDE: 73° 44' 00"



QUADRANGLE LOCATION

ENGINEERING-SCIENCE
 NEW YORK STATE DEPARTMENT OF
 ENVIRONMENTAL CONSERVATION
 RI/FS

SITE LOCATION
MARX RESIDENTIAL SITE
 Mount Kisco, New York

FIGURE 1.1



John P. Cahill
Commissioner

MEMORANDUM

TO: Classification File (BHSC)
FROM: Wayne Bayer, Site Control Section *Wayne Bayer*
SUBJECT: Marx Residence Reclassification (#360024)

DATE: JUL 29 1997

No formal ROD was prepared for this reclassification per the direction of Michael J. O'Toole and Charles Goddard. As a substitute, a decision document (attached) was prepared (It is similar to the ROD process). No comments from the public were received.

As indicated, the IRM goals, were accomplished and no further action is recommended. NYSDOH concurred with this position.

Attachment

cc: R. Marino
R. Knizek
J. Swartwout
R. Pergadia

Decision Document

**Interim Remedial Measure
Marx Residence Site
Town of New Castle, Westchester Co., New York
I.D. Number 3-60-024**

April 1996

Division of Hazardous Waste Remediation
Bureau of Construction Services

TABLE OF CONTENTS

SECTION

1. Site Location and Description
2. Site History
3. Current Status
4. Enforcement Status
5. Goals for the Proposed Remedial Action
6. Summary of Evaluation of Remedial Alternatives
7. Summary of the Government's Decision

FIGURES

1. Site Location Map
2. Sample Locations
3. Sample Locations
4. GAC Water Filter Locations

TABLES

1. Soil Samples Before Remediation
2. Confirmation Samples After Remediation

DECISION DOCUMENT

MARX RESIDENCE

Town of New Castle, Westchester, New York

Site No. 3-60-024

SECTION 1: SITE LOCATION AND DESCRIPTION

The Marx Residence site is listed on the New York State Registry of Inactive Hazardous Waste Disposal Sites as a class 2. A class 2 designation indicates that the site poses a potential threat to the environment and/or public health and action is required. The New York State Departments of Environmental Conservation (NYSDEC) and Health (NYSDOH) work together to implement remedial programs for sites listed on the registry.

As shown in Figure 1 (site location), the Marx Residence is located at 786 Armonk Road (Route 128) in the Town of New Castle. The site is approximately 1/8 mile north of Wampus Pond and private residences are located north and south along Rt. 128. The residences have private wells and septic systems.

The actual site is approximately four (4) acres with the contamination area being the front and side lawn where the septic system was located.

SECTION 2: SITE HISTORY

2.1: Operational/Disposal History

The Marx Residence is a private residence. During the period of September 1987 to September 1989 while the property owners were away, the tenants who were renting the house are alleged to have used the residence as a drug processing facility and to have disposed chlorinated solvents in the home's septic system. Sampling done by the Westchester County Health Department (WCHD) and the New York State Department of Health (NYSDOH) in 1989-1990 showed very high concentrations of PCE, TCE, cis 1-2 dichloroethene, toluene, acetone and MEK in the on-site ground water and on-site surface drainage. The groundwater at an adjacent property and a tributary to the nearby Wampus Pond also showed signs of contamination.

Based on data obtained from NYSDEC at the project's inception it appeared that trichloroethylene, tetrachloroethylene, 1,2-dichloroethylene, acetone, toluene, and methyl ethyl ketone were the most prominent chemicals of concern, although others had been detected at lower levels. These were

SECTION 2: SITE HISTORY

2.1: Operational/Disposal History (cont'd.)

1,1,1 trichloroethane, chlorobenzene, ethyl benzene, xylenes, methyl isobutyl ketone, methyl butyl ether, methylene chloride, benzene, hexachlorobutadiene, and naphthalene. A review of laboratory analytical results indicated the following potential source areas:

1. Septic Tank
2. Leach Field
3. Surface Drainage Area

The primary area of concern was the Marx Residence's sewage disposal area (SDA). This area reportedly received the majority of contaminants. In addition, an area adjacent to the SDA reportedly was used for surface disposal via a "sneak pipe" (Pipe allowing direct discharge from the septic tank).

One residence south of the site and two residences north of the site have tested positive for contamination in their water supply wells.

2.2: Remedial History

Under terms of a prior agreement for State Superfund Standby work, Metcalf & Eddy of New York, Inc. designed and performed construction management for an Interim Remedial Measure (IRM) at the Marx residence in Westchester County, New York. The objective of the IRM was to stop or slow down further migration of contaminants by removing the source of contamination.

The IRM work plan was approved September 12, 1990 and consisted of the following tasks:

- soil and soil gas sampling to determine the extent of contamination
- excavation and disposal of contaminated soil in and around the residence's sewage disposal area (SDA)
- replacement of the residence's SDA
- modification and upgrading of the existing Granular Activated Carbon (GAC) water supply treatment system at two residences
- installation of a GAC water supply treatment system at two additional residences
- soil gas testing in and around the basement of the Marx residence.
- installation of two activated carbon air filters in the basement of the Marx residence.

Seven soil borings and six sediment cores were taken during October 1990 for the soil sampling program. Samples were field screened, and appropriate samples were submitted for laboratory analysis. Boring samples and composites from the sewage disposal area (SDA) showed high levels of chlorinated solvents and ketones. Soil boring samples from outside the SDA also showed potentially significant levels

SECTION 2: SITE HISTORY

2.2: Remedial History (cont'd.)

of toluene. Three test pits were also excavated as part of this task to determine the conditions of subsurface soils. The sample locations are shown on Figure 2 and the analytical results are in Table No. 1.

In July 1991, excavation of the contaminated soil started. Prior to excavation, the existing septic tank and distribution boxes were exposed and pumped out by a licensed liquid waste handler contracted by the owner.

Excavation of contaminated soils in the existing SDA was completed using a track excavator in July 1991.

Transportation of excavated soils was performed using 30 c.y. closed tractor trailers. Wastes were disposed at the Model City Hazardous Waste Landfill. After installation of the new septic tanks, the excavated area was backfilled and restored.

The original volume of contaminated soil contracted for excavation and disposal removal amounted to 350 c.y. A field decision was made to increase the volume to be disposed to 500 c.y. of contaminated soil. The contaminated soil was excavated to the bedrock. The sample locations are shown in Figure 3 and results in Table 2.

Because of the high ground water conditions at the site, it was judged infeasible to replace the existing sewage disposal system (SDS) in kind at the same location. A replacement on-site sewage disposal system was designed by

a licensed professional engineer to meet state and local agency requirements for such a system. Information gathered during a topographic survey was used for design and installation of the replacement sewage system.

The construction task involved installation of a pump and force main to a new drainage field in the northeast portion of the property. This work involved excavation for, and installation of perforated pipe laterals in the new SDA, connecting piping from the sewage pump to the SDA distribution and junction boxes, and covering and backfilling as per specifications. Installation of the new SDS was completed in October 1991.

After inspecting and evaluating the adequacy of the existing GAC water filtration systems in the Marx Residence and a neighboring residence, a recommendation was made to upgrade the Marx system by increasing the GAC bed size, and adding a pre-filter chlorination system. Treatment systems were installed at two neighboring residences after the WCHD detected evidence of contamination in their water supply wells.

Follow-up soil gas testing in and around the basement of the Marx residence was performed in November 1991. Results indicated that the contamination had migrated under the entire eastern half of the basement.

Based on results of tests performed by the NYSDOH a consultant evaluated literature on several available air cleaning devices which could potentially

SECTION 2: SITE HISTORY

2.2: Remedial History **(cont'd.)**

remove the detected contaminants from the air inside the Marx residence. The consultant recommended use of two TIGG Odor Magnets and two such units were installed in the basement of the residence in December 1991.

Subsequent tests by NYSDOH in February 1992 reported a reduction in contaminant levels in the indoor air, however, the measured levels were still sufficiently high to require further remedial actions. Additional testing by the NYSDEC in April 1993 showed a dramatic reduction in the indoor air contaminants and long-term monitoring was recommended.

The final step in the IRM involved site restoration. This included repairs to the driveway, application of top soil to disturbed areas, and reseeded.

SECTION 3: CURRENT STATUS

The maintenance of the GAC systems continues on a quarterly basis. Water samples are taken before, between and after the filters. If breakthrough of contamination is indicated, the tanks are replaced. The residences with GAC systems are shown in Figure 4.

Quarterly indoor air monitoring has also been performed over the last year at the Marx residence. Sample results indicate that there is a need for continued monitoring.

SECTION 4: ENFORCEMENT STATUS

The NYSDEC signed a stipulation and agreement with the property owner to perform the necessary work on site.

Attempts to obtain funding from the property owner and the insurance company were not successful.

SECTION 5: SUMMARY OF THE IRM GOALS

The IRM goals are established under the guideline of meeting all standards, criteria and guidance (SCGs) and protecting human health and the environment. At a minimum, the remedy selected should eliminate or mitigate all significant threats to the public health and to the environment presented by the hazardous waste disposed at the site.

The overall objective of the IRM at the Marx Residence was to reduce the contamination in the sewage disposal area (SDA) to levels which are protective of human health and the environment and to remove the source that was contaminating the groundwater. In addition, the IRM restored the sewage disposal system and provided a water filter system to supply clean drinking water.

The original septic tank was in the area of confirmation sample No. 1 and confirmation sample No. 1 exceeded the clean up goals. Additional soil could not be removed in the area of sample No. 1 because of the close proximity to the

**SECTION 5: SUMMARY OF THE
IRM GOALS (cont'd).**

house foundation. Subsequent sampling under the floor slab indicated that the contamination had migrated under the basement.

Two Tigg Odor Magnet air purifiers were installed in the basement to eliminate or reduce the chance for indoor air contamination.

**SECTION 6: SUMMARY OF THE
DECISION**

NO FURTHER ACTION

The IRM conducted at the site accomplished the goal identified in Section 5. Consequently, further investigation and development and evaluation of alternatives are not being proposed for this site. This action recognizes the remediation of the site completed under the IRM has addressed the hazardous waste disposal and no further action is required. The NYSDOH concurs with the remedy and the continued operation and maintenance program.




Figure 1
 Location Map
 Marx Residence



FOR ADDITIONAL DATA SEE MAP NO. 11

FOR ADDITIONAL DATA SEE MAP NO. 11


FOR ADDITIONAL DATA SEE MAP NO. 11

FOR ADDITIONAL DATA SEE MAP NO. 11

TABLE 1
SOIL SAMPLES
BEFORE REMEDIATION
(See Location on Figure 2)

Soil Samples DH 1-7 (PPM)

Acetone	0.01 - 1.6
Tetrachloethene	0.1 - 49
Trichlorethene	0.008 - 19
Toluene	0.18 - 0.65



Note- BH designates soil boring


			SCALE 0 10 20 30 SCALE IN FEET SCALE 1"=10'-0"	Figure No. 2 Site Map- Sample Locations Marx Residence
--	--	---	---	---

TABLE 2
CONFIRMATION SAMPLES (PPM)
AFTER REMEDIATION
(See Location on Figure 3)

COMPOUND	SAMPLE LOCATION						Cleanup Objective
	1	2	3	4	5	6	
Acetone	3.3	0.016	0.047	2.5	0.018	1.2	0.0011 - 0.11
Tetrachloethene	49.0	0.021	0.093	13.0	0.027	1.0	0.002 - 0.2
Trichlorethene	--	--	--	--	--	0.016	0.013 - 0.63
Toluene	5.1	--	0.024	0.092	--	0.19	0.015 - 1.5

Marx Residence
85 ARMONK ROAD

1

3

2

□

5

6

4

RTE 128

7



METCALF & EDDY


SCALE

0 10 20 30

SCALE IN FEET
SCALE 1" = 10'-0"

Figure No. 3
Site Map-
Sample Locations
Marx Residence

FIGURE 4



A Sylvester



John P. Cahill
Commissioner

SEP 22 1997

This letter was sent to the people on the attached list.

Dear :

The Department of Environmental Conservation (DEC) maintains a Registry of sites where hazardous waste disposal has occurred. Property located at 85 Armonk Road in the Town of New Castle and County of Westchester and designated as Tax Map Number 025-01-7d was recently reclassified as a Class 4 in the Registry. The name and site I.D. number of this property as listed in the Registry is Site #360024, Marx Residence.

The Classification Code 4 means that the site is properly closed -- requires continued management.

We are sending this letter to you and others who own property near the site listed above, as well as the county and town clerks. We are notifying you about these activities at this site because we believe it is important to keep you informed.

If you currently are renting or leasing your property to someone else, please share this information with them. If you no longer own the property to which this letter was sent, please provide this information to the new owner and provide this office with the name and address of the new owner so that we can correct our records.

The reason for this recent classification decision is as follows:

- The contaminated septic system and soil have been removed and replaced. Quarterly water sampling and maintenance continues. Quarterly indoor air sampling will continue for one year.

If you would like additional information about this site or the inactive hazardous waste site remedial program, call:

DEC's Inactive Hazardous Waste Site Toll-Free Information Number 1-800-342-9296 or
New York State Health Department's Health Liaison Program (HeLP) 1-800-458-1158,
ext. 402.

Sincerely,



Robert L. Marino

Chief

Site Control Section

Bureau of Hazardous Site Control


Division of Environmental Remediation

bcc: R. Marino
J. Swartwout
E. Stoutenburgh, R/3
R. Pergadia, R/3
A. Sylvester
A. Carlson
L. Ennist

AS/srh

A. Sylvester

New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233-7010



John P. Cahill
Commissioner

SEP - 4 1997

Max and Janis Marx
786 Armonk Road
Mt. Kisco, NY 10566

Dear Mr. and Mrs. Marx:

As mandated by Section 27-1305 of the Environmental Conservation Law (ECL), the New York State Department of Environmental Conservation (NYSDEC) must maintain a Registry of all inactive disposal sites suspected or known to contain hazardous waste. The ECL also mandates that this Department notify the owner of all or any part of each site or area included in the Registry of Inactive Hazardous Waste Disposal Sites as to changes in site classification.

Our records indicate that you are the owner or part owner of the site listed below. Therefore, this letter constitutes notification of change in the classification of such site in the Registry of Inactive Hazardous Waste Disposal Sites in New York State.

DEC Site No.: 360024
Site Name: Marx Residence
Site Address: 85 Armonk Road, New Castle, NY 10566

Classification change from 2 to 4

The reason for the change is as follows:

- The contaminated septic system and soil have been removed and replaced. Quarterly water sampling and maintenance continues. Quarterly indoor air sampling will continue for one year.