

December 20, 2023

Mr. Robert Yaggle Chief Plant Operator City of Amsterdam 61 Church Street Amsterdam, NY 12010

RE: Discharge Monitoring Report

June 1, 2023 – November 30, 2023 Former Ward Products Site 61 Edson Street, Amsterdam, New York NYSDEC Site No. 429004

Dear Mr. Yaggle:

LaBella Associates, D.P.C. (LaBella) has prepared the following discharge monitoring report for the Industrial Wastewater Discharge Permit for the above referenced site. This discharge monitoring report is for the period covering the 182-day time period between June 1, 2023 and November 30, 2023. During that time period, a cumulative total flow estimated at 886,790 gallons of treated groundwater was discharged from the groundwater extraction and treatment (GWET) system operating at the site.

The GWET system includes the following components:

- one (1) Carbonair Environmental Systems Inc. STAT 80 four-tray, stainless steel air stripper;
- one (1) 100-gallon capacity polyethylene equalization tank with level sensor;
- one (1) bag style sediment filter;
- one (1) transfer pump;
- one (1) effluent discharge pump;
- one (1) Pulsafeeder® Series E+ chemical metering pump for the infusion of Redux Technology® 390 (hardness inhibiter);
- a programmable logic controller with touch screen human-machine interface; and,
- safety interlocks.

The average daily flow, cumulative flow total and, analytical results for the time period between June 1, 2023 and November 30, 2023 are summarized in **Table 1**. The GWET system effluent was sampled on November 30, 2023. All required parameters are within the limits established by the Industrial Wastewater Discharge Permit for the site. A copy of the laboratory analytical report is attached.



Table 1 Summary of GWET System Operations June 1, 2023 through November 30, 2023									
Parameter	Units	Limit	Effluent Results						
Semiannual Flow Measurements									
Reporting Period			6/1/2023 - 11/30/2023						
Reporting Period Duration	Days	-	182						
Cumulative Flow	Gal	-	886,790						
Average Daily Flow	GPD	20,000	4,872						
Se	miannual Efflu	uent Sampling Results							
Sample Date		-	11/30/2023						
рН	SU	6.0 - 9.0	8.2						
Trichloroethylene	µg/l	Monitor Only	< 0.50						
Chromium	mg/l	10	0.01032						
Notes: GPD = Gallons Per Day; mg/l = milligrams per l < = indicates this analyte was not detected at t			r liter						

If you have any questions, please feel to contact me at (518) 885-5383 or RHoose@LaBellaPC.com.RHoose@LabellaPC.com.

Respectfully submitted,

LABELLA ASSOCIATES, D.P.C

Randolph Hoose, P.G. Project Manager

Attachment: Laboratory Analytical Report

cc: Jolene Lozewski - NYSDEC

Bob Corcoran - NYSDEC L. Coolong – 61 Edson Street, LLC Sal Ferlazzo – 61 Edson Street, LLC



ANALYTICAL REPORT

Lab Number: L2370973

Client: LaBella Associates

5 McCrea Hill Road

Suite 100

Ballston Spa, NY 12020

ATTN: Randy Hoose Phone: (518) 885-5383

Project Name: STICKERMULE-61 EDISON ST. AMST

Project Number: Not Specified Report Date: 12/14/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: STICKERMULE-61 EDISON ST. AMST

Project Number: Not Specified

Lab Number:

L2370973

Report Date: 12/14/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2370973-01	EFFLUENT COMPOSITE	WATER	61 EDISON ST. AMSTERDAM, NY	11/30/23 09:25	12/01/23
L2370973-02	INFLUENT GRAB	WATER	61 EDISON ST. AMSTERDAM, NY	11/30/23 09:30	12/01/23



Project Name:STICKERMULE-61 EDISON ST. AMSTLab Number:L2370973Project Number:Not SpecifiedReport Date:12/14/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.	



Project Name: STICKERMULE-61 EDISON ST. AMST Lab Number: L2370973

Project Number: Not Specified Report Date: 12/14/23

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Michelle M. Morris

Authorized Signature:

Title: Technical Director/Representative

Alaka Alaka

Date: 12/14/23

ORGANICS



VOLATILES



70-130

70-130

Project Name: Lab Number: STICKERMULE-61 EDISON ST. AMST L2370973

Project Number: Not Specified **Report Date:** 12/14/23

SAMPLE RESULTS

Lab ID: Date Collected: 11/30/23 09:25 L2370973-01

EFFLUENT COMPOSITE Date Received: Client ID: 12/01/23 Sample Location: 61 EDISON ST. AMSTERDAM, NY Field Prep: Not Specified

Sample Depth:

Matrix: Water Analytical Method: 1,8260D Analytical Date: 12/07/23 00:30

Analyst: MCM

4-Bromofluorobenzene

Dibromofluoromethane

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - V	Vestborough Lab					
Trichloroethene	ND		ug/l	0.50	0.18	1
Surrogate			% Recovery	Qualifier		eptance riteria
1,2-Dichloroethane-d4			98		-	70-130
Toluene-d8			109		-	70-130

119

105



Project Name: Lab Number: STICKERMULE-61 EDISON ST. AMST L2370973

Project Number: Not Specified

Report Date: 12/14/23

SAMPLE RESULTS

Lab ID: D Date Collected: 11/30/23 09:30 L2370973-02

Client ID: Date Received: 12/01/23 **INFLUENT GRAB** Field Prep: Not Specified

Sample Location: 61 EDISON ST. AMSTERDAM, NY

Sample Depth:

Matrix: Water Analytical Method: 1,8260D Analytical Date: 12/07/23 00:52

Analyst: MCM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough I	Lab					
Trichloroethene	860		ug/l	5.0	1.8	10
Surrogate			% Recovery	Qualifier		ptance iteria

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	111		70-130
4-Bromofluorobenzene	118		70-130
Dibromofluoromethane	104		70-130



Project Name: STICKERMULE-61 EDISON ST. AMST Lab Number: L2370973

Project Number: Not Specified Report Date: 12/14/23

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D Analytical Date: 12/06/23 20:09

Analyst: MAG

Parameter	Result	Qualifier U	Jnits	RL	MDL	
Volatile Organics by GC/MS - West	borough Lab	for sample(s	s): 01-02	Batch:	WG1860875-5	
Trichloroethene	ND		ug/l	0.50	0.18	

		Acceptance	
Surrogate	%Recovery Qualif	ier Criteria	
1,2-Dichloroethane-d4	100	70-130	
Toluene-d8	110	70-130	
4-Bromofluorobenzene	120	70-130	
Dibromofluoromethane	104	70-130	



Lab Control Sample Analysis Batch Quality Control

Project Name: STICKERMULE-61 EDISON ST. AMST

Project Number: Not Specified Lab Number:

L2370973

Report Date:

12/14/23

Parameter	LCS %Recovery	Qual		LCSD Recovery		%Recovery Limits	RPD	Qual	RPD Limits	
Volatile Organics by GC/MS - Westborough L	ab Associated	sample(s):	01-02	Batch:	WG1860875-3	WG1860875-4				
Trichloroethene	94			93		70-130	1		20	

Surrogate	LCS %Recovery Qual	LCSD %Recovery Qual	Acceptance Criteria
1,2-Dichloroethane-d4	92	90	70-130
Toluene-d8	114	112	70-130
4-Bromofluorobenzene	116	118	70-130
Dibromofluoromethane	94	86	70-130

METALS



Project Name: Lab Number: STICKERMULE-61 EDISON ST. AMST L2370973 **Report Date:** 12/14/23

Project Number: Not Specified

SAMPLE RESULTS

Lab ID: L2370973-01 Date Collected: 11/30/23 09:25

EFFLUENT COMPOSITE Client ID: Date Received: 12/01/23 61 EDISON ST. AMSTERDAM, NY Field Prep: Not Specified Sample Location:

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mar	nsfield Lab										
Chromium, Total	0.01032		mg/l	0.00100	0.00017	1	12/11/23 19:3	0 12/12/23 06:57	EPA 3005A	1,6020B	EJF



Project Name: Lab Number: STICKERMULE-61 EDISON ST. AMST L2370973 12/14/23

Project Number: Not Specified Report Date:

SAMPLE RESULTS

Date Collected:

11/30/23 09:30

Client ID: Sample Location:

Lab ID:

L2370973-02 **INFLUENT GRAB**

61 EDISON ST. AMSTERDAM, NY

Date Received: Field Prep:

12/01/23 Not Specified

Sample Depth:

Matrix:

Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Man	sfield Lab										
Chromium, Total	0.01068		mg/l	0.00100	0.00017	7 1	12/11/23 19:3	0 12/12/23 07:02	EPA 3005A	1,6020B	EJF



Project Name: STICKERMULE-61 EDISON ST. AMST

Lab Number: L2370973

Project Number: Not Specified **Report Date:** 12/14/23

> **Method Blank Analysis Batch Quality Control**

Dilution Date Date Analytical Method Analyst **Result Qualifier** RL**Factor Prepared** Analyzed **Parameter** Units MDL Total Metals - Mansfield Lab for sample(s): 01-02 Batch: WG1861009-1 Chromium, Total ND 0.00100 0.00017 12/12/23 06:30 1,6020B EJF mg/l 1 12/11/23 19:30

Prep Information

Digestion Method: EPA 3005A



12/14/23

Lab Control Sample Analysis Batch Quality Control

STICKERMULE-61 EDISON ST. AMST **Project Name:**

Lab Number: L2370973

Project Number: Not Specified Report Date:

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits		
Total Metals - Mansfield Lab Associated sample(s): 01-02 Batch: WG1861009-2										
Chromium, Total	96				80-120	-				



Matrix Spike Analysis Batch Quality Control

Project Name: STICKERMULE-61 EDISON ST. AMST

Project Number: Not Specified

Lab Number:

L2370973

Report Date:

12/14/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Recovery Qual Limits	RPD Qu	RPD _{Ial} Limits
Total Metals - Mansfield La	b Associated sam	nple(s): 01-02	QC Ba	tch ID: WG186	1009-3	QC San	nple: L2371998-	01 Client ID: M	S Sample	
Chromium, Total	0.0023	0.2	0.1972	97		-	-	75-125	-	20



Project Name: STICKERMULE-61 EDISON ST. AMST

Lab Number: L2370973

Project Number: Not Specified Report Date: 12/14/23

Sample Receipt and Container Information

Were project specific reporting limits specified?

Cooler Information

Cooler Custody Seal

A Absent

Container Information				Final	Temp			Frozen			
Container ID	Container Type	tainer Type Cooler				Pres	Seal	Date/Time	Analysis(*)		
L2370973-01A	Vial HCl preserved	Α	NA		3.6	Υ	Absent		NYTCL-8260-R2(14)		
L2370973-01B	Vial HCl preserved	Α	NA		3.6	Υ	Absent		NYTCL-8260-R2(14)		
L2370973-01C	Vial HCl preserved	Α	NA		3.6	Υ	Absent		NYTCL-8260-R2(14)		
L2370973-01D	Plastic 250ml HNO3 preserved	Α	<2	<2	3.6	Υ	Absent		CR-6020T(180)		
L2370973-02A	Vial HCl preserved	Α	NA		3.6	Υ	Absent		NYTCL-8260-R2(14)		
L2370973-02B	Vial HCl preserved	Α	NA		3.6	Υ	Absent		NYTCL-8260-R2(14)		
L2370973-02C	Vial HCl preserved	Α	NA		3.6	Υ	Absent		NYTCL-8260-R2(14)		
L2370973-02D	Plastic 250ml HNO3 preserved	Α	<2	<2	3.6	Υ	Absent		CR-6020T(180)		



Project Name:STICKERMULE-61 EDISON ST. AMSTLab Number:L2370973Project Number:Not SpecifiedReport Date:12/14/23

GLOSSARY

Acronyms

EDL

LOQ

MS

RPD

DL - Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis

of PAHs using Solid-Phase Microextraction (SPME).

EMPC - Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.

EPA - Environmental Protection Agency

LCS - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LCSD - Laboratory Control Sample Duplicate: Refer to LCS.

LFB - Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LOD - Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

 - Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)

MDL - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

 Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.

MSD - Matrix Spike Sample Duplicate: Refer to MS.

NA - Not Applicable.

NC - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.

NDPA/DPA - N-Nitrosodiphenylamine/Diphenylamine.

NI - Not Ignitable.

NP - Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.

NR - No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.

Organic Tre only requests.

RL - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

SRM - Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

STLP - Semi-dynamic Tank Leaching Procedure per EPA Method 1315.

TEF - Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.

TEQ - Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.

TIC - Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name:STICKERMULE-61 EDISON ST. AMSTLab Number:L2370973Project Number:Not SpecifiedReport Date:12/14/23

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benza(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A -Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations
 of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit
 (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name:STICKERMULE-61 EDISON ST. AMSTLab Number:L2370973Project Number:Not SpecifiedReport Date:12/14/23

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- **NJ** Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- Q The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- **R** Analytical results are from sample re-analysis.
- **RE** Analytical results are from sample re-extraction.
- S Analytical results are from modified screening analysis.
- The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name:STICKERMULE-61 EDISON ST. AMSTLab Number:L2370973Project Number:Not SpecifiedReport Date:12/14/23

REFERENCES

Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.
Facility: Company-wide

Department: Quality Assurance

Title: Certificate/Approval Program Summary

ID No.:17873

Revision 20 Published Date: 6/16/2023 4:52:28 PM

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; 4-Ethyltoluene, Az

Ethyltoluene

EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE,

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 524.2: THMs and VOCs; EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, EPA 351.1, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate. EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan II, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. EPA 200.8: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. EPA 245.1 Hg. EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Document Type: Form Pre-Qualtrax Document ID: 08-113

Westborough, MA 01581	NEW YORK CHAIN OF CUSTODY Mansfield, MA 02048	Service Centers Mahwah, NJ 07430: 35 Whitne Albany, NY 12205: 14 Walker of Tonawanda, NY 14150: 275 Co	Pag / °	e of /		Date Rec'd in Lab /2/2/23 Deliverables					ALPHA Job# L2370 973			
8 Walkup Dr. TEL: 508-896-9220	320 Forbes Blvd TEL: 508-822-9300	Project Information							Same as Client Info					
FAX: 508-898-9193	FAX: 506-822-3288	Project Name: Stickle (MUIL - GIEdGONST. AMSTERDOM, NY						EQuIS (1 File) EQuIS (4 File)					PO#	
Client Information	10 TO 10 TO	Project #	Colling	1.771134	CIDON	1,/ / 4	1 1	Other		0	0 (41 110)			
Client:		(Use Project name as P	Regi	latory Requ	uireme	ent	Disposal Site Informati	on.						
Address:		Project Manager: RG	1000	NY TOGS	un onne		NY Pa	rt 375		71700000				
Address.		ALPHAQuote #:	15	AWQ Stand	fards	☐ NY CP-51			Please identify below location of applicable disposal facilities.					
Phone:		Turn-Around Time	NY Restricted Use Other						Disposal Facility:					
Fax:			No.	Due Date:			NY Unrestricted Use						□ NJ □ NY	
Email:			Standard Due Date: Rush (only if pre approved) # of Days:									Other:		
These samples have be	een nreviously analyze				NYC Sewer Discharge ANALYSIS						Sample Filtration			
Other project specific								1 11		Т	П		Done	0
RHCOSEE Please specify Metals	LabellafC ortal.	COM					DC8-721	Chronium					Lab to do Preservation Lab to do (Please Specify below	a l B o
ALPHA Lab ID	Sa	mple ID	Sample Sampler's	13	150						t			
(Lab Use Only)		X	Date	Time	Matrix	Initials		+	_	_			Sample Specific Commer	
10973-01	Effluent (Composite Good	11/30	0925	GIN		\times	X	_	_	\vdash		TEEONLY	14
-0.2	Influent	Goop	11/30	1/30 0930	GW		X	X					TCEONLY	4
											\vdash	+		
SUMSWAY OF SUM														
SECRECAL PROPERTY.														
A = None B = HCl C = HNO ₃ D = H ₂ SO ₄	P = Plastic	Westboro: Certification No: MA935 Mansfield: Certification No: MA015				tainer Type	y P BC						Please print clearly, le and completely. Sam not be logged in and turnaround time clock	ples can will not
F = MeOH (G = NaHSO ₄ (H = Na ₂ S ₂ O ₃ E	C = Cube D = Other E = Encore D = BOD Bottle	Relinquished E	STARK)	Date/Time 11/30 1250 - 12-1-23 /330			Received By				Date/1 1-23 /23	9-7.5 80 30	start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)	
orm No: 01-25 HC (rev. 30-	Sept-2013)		- 1		1								(See reverse side.)	