

Risk-Based Corrective Action Evaluation
Plattsburgh AFB

BUILDING 9400



Contract No.
F41624-95-D-8003-0001

Project No.
THWA 95-6009P2

Revision 1.0

September, 1998

**RISK-BASED CORRECTIVE ACTION EVALUATION
BUILDING 9400**

Prepared for:

**Air Force Center For Environmental Excellence
Brooks Air Force Base, Texas
and
Plattsburgh Air Force Base - Base Conversion Agency
Plattsburgh Air Force Base, New York**

Prepared by:

**Fanning, Phillips & Molnar
909 Marconi Avenue
Ronkonkoma, NY 11779**

**Contract No.
F41624-95-D-8003-0001**

Revision 1.0, September, 1998

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
TABLE OF CONTENTS	i
LIST OF TABLES AND FIGURES	iii
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 SCOPE AND OBJECTIVES	1-1
2.0 REVIEW AND ANALYSIS OF AVAILABLE DATA	2-1
2.1 INTRODUCTION	2-1
2.2 SITE DESCRIPTION	2-1
2.3 CHRONOLOGY OF EVENTS	2-1
2.4 SITE STRATIGRAPHY AND HYDROGEOLOGY	2-2
2.5 CHEMICAL DATA	2-2
2.5.1 Chemicals in Soil	2-2
2.5.2 Chemicals in Groundwater	2-3
2.6 LAND USE	2-3
2.6.1 Current Land Use	2-3
2.6.2 Future Land Use	2-3
2.7 WATER USE	2-4
3.0 EXPOSURE ASSESSMENT	3-1
3.1 SITE CONCEPTUAL EXPOSURE MODEL (SCEM) FOR CURRENT CONDITIONS	3-1
3.2 SCEM FOR POTENTIAL CONSTRUCTION ACTIVITY	3-1
3.3 SCEM FOR FUTURE CONDITIONS	3-2

TABLE OF CONTENTS (CONTINUED)

<u>Section</u>	<u>Page</u>
4.0 TIER 1- RISK BASED SCREENING EVALUATION	4-1
4.1 INTRODUCTION	4-1
4.2 TIER 1- RISK BASED SCREENING LEVELS	4-1
4.3 RECOMMENDATIONS BASED ON TIER 1 EVALUATION	4-2
5.0 SITE-SPECIFIC TARGET LEVELS	
5.1 INTRODUCTION	5-1
5.2 SITE-SPECIFIC TARGET LEVELS	5-2
5.3 CONSIDERATION OF SHALLOW GROUNDWATER INGESTION	5-2
5.4 SOIL CONCENTRATIONS PROTECTIVE OF GROUNDWATER	5-2
5.5 RECOMMENDATIONS BASED ON TIER 2 EVALUATION	5-3
5.6 MEASUREMENT OF VAPORS IN SOIL	5-3
6.0 CONCLUSIONS AND RECOMMENDATIONS	6-1
7.0 REFERENCES	7-1

LIST OF TABLES AND FIGURES

APPENDIX A

TABLE A-1 SUMMARY OF SITE-SPECIFIC SOIL PARAMETERS

APPENDIX B

TABLE 2-1 SUMMARY OF CHEMICALS IN SOIL

TABLE 2-2 SUMMARY OF CHEMICALS IN GROUNDWATER

TABLE 4-1 SUMMARY OF TIER 1 RISK-BASED SCREENING LEVELS FOR SOIL AND GROUNDWATER

TABLE 5-1(a) EXPOSURE FACTORS AND OTHER RELEVANT PARAMETERS - ON-SITE RESIDENT ADULT IN FUTURE CONDITION

TABLE 5-1(b) EXPOSURE FACTORS AND OTHER RELEVANT PARAMETERS - ON-SITE RESIDENT CHILD IN FUTURE CONDITION

TABLE 5-2 TIER 2 SITE-SPECIFIC TARGET LEVELS

TABLE 5-3 SOIL VAPOR CONCENTRATIONS MEASURED AT BUILDING 9400

APPENDIX C

FIGURE 2-1 SITE MAP WITH SOIL, SOIL VAPOR AND GROUND WATER SAMPLING LOCATIONS

FIGURE 2-2 GENERALIZED SOIL PROFILE

FIGURE 3-1 SCEM FOR FUTURE CONDITIONS

APPENDIX D

DATA VALIDATION AND USABILITY REPORTS, SOIL VAPOR SURVEY

Note: Data validation and usability reports, groundwater and soil monitoring can be found in FPM's report, "Site Characterization of Underground Storage Tanks Plattsburgh AFB," April 1999.

EXECUTIVE SUMMARY

Building 9400 located at Plattsburgh Air Force Base, Plattsburgh, New York was evaluated using the NYSDEC's "Interim Procedures for Inactivation of Petroleum-Impacted Sites".

The available data from the borings indicates that soil and groundwater impacts are localized to the east and south of the former building area. Benzene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, and isopropylbenzene are the chemicals of concern (COCs) at the site.

Since there is no history of shallow groundwater use in the city of Plattsburgh, and the area is supplied with water by the city of Plattsburgh, the shallow groundwater ingestion pathway is incomplete.

Site conceptual exposure model for the site indicates that the complete exposure pathways exist for (i) potential future construction worker, and (ii) future on-site resident (adult and child). The representative site concentrations were compared to the Tier 1 RBSLs. The key conclusions were:

Construction Worker

- None of the maximum concentrations in soil and groundwater exceed the Tier 1 RBSLs.

Resident-Adult

- Maximum site-specific concentrations of **benzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.
- Maximum site-specific concentrations of **1,3,5-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.
- Maximum site-specific concentrations of **1,2,4-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.

Resident Child

- Maximum site-specific concentrations of **isopropylbenzene** in soil exceeds the Tier 1 RBSLs for indoor inhalation of vapors.

- Maximum site-specific concentrations of **1,3,5-Trimethylbenzene** in soil and groundwater exceeds the Tier 1 RBSLs for indoor inhalation of vapors.
- Maximum site-specific concentrations of **1,2,4-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.

Tier 2 site-specific target levels (SSTLs) were developed for the future on-site adult and child resident using a combination of site-specific and default data. The results indicate that the representative concentration of COCs on-site do not exceed the Tier 2 SSTL developed for the future resident adult and child based on indoor inhalation. To confirm these results a soil vapor study was conducted and the results indicated that the COCs were found to be well below the Tier 2 vapor SSTLs.

Based on the above, the site should be closed with no further action.

The underground storage tank (UST) site at Building 9400 located 5 miles south of Plattsburgh AFB, Plattsburgh, New York was evaluated in accordance with the NYSDEC's "Interim Procedures for Inactivation of Petroleum-Impacted Sites". This report presents the evaluation and provides recommendations for the further work to be performed for the process of obtaining regulatory closure at this site.

1.1 SCOPE AND OBJECTIVES

This evaluation involved the following tasks:

- data review and identification of the constituents of concern (COCs);
- identification of current and potential future human receptors at the site;
- identification of exposure scenarios for each receptor;
- comparison of representative site concentrations with Tier 1 risk-based screening levels (RBSLs); and
- performance of a screening level analysis and conclusions and recommendations based on the Tier 1 and Tier 2 analysis.

This report consists of 7 sections including this introductory section and five appendices.

REVIEW AND ANALYSIS OF AVAILABLE DATA

2.1 INTRODUCTION

This chapter presents site-specific data and relevant information used for risk assessment at the Building 9400 UST site, approximately 5 miles south of Plattsburgh AFB, New York.

2.2 SITE DESCRIPTION

The site (Figure 2-1) is located on Rock Road approximately 5 miles south of the base entrance on Route 9. Lake Champlain is towards the east of the site at an approximate distance of 1/2 mile.

- The site served as a communications building in the past and is currently vacant. One building (No. 9400) remains on-site.
- This facility was supplied with heating oil from an underground storage tank (UST) until 1990. This UST is reported to have been removed (Tetra Tech, May 1997) and replaced with an above ground storage tank (AST) located on a concrete pad south of the building. This tank was removed in 1992 due to fuel theft problems and was replaced with a 107-gallon above ground storage day tank that was placed inside the building. The May 1997 Environmental Baseline Survey and field survey of 1994 noted some fuel stained surficial soils around the former outside AST location.
- The entire site is covered with grass.
- A drainage ditch runs in an east-west direction along Rock Road and is located in the southern end of the site.

2.3 CHRONOLOGY OF EVENTS

The chronology of events at the site based on reports reviewed, including the May, 1997 Environmental Baseline Survey, and fax transmittals is outlined below. Figure 2-1 shows the sampling locations at the site.

1995 The facility was closed and decommissioned.

October 1996 **Four Geoprobe borings B-01-05 through B-04-05** were advanced to a maximum depth of 15 feet. One groundwater sample was collected from each boring and analyzed for VOCs and SVOCs.

May 1997 **Three Geoprobe borings B-05-05 through B-07-05** were advanced at the site to a maximum depth of 15 ft. One groundwater sample was collected from each boring and analyzed for VOCs and SVOCs.

May 1998 **Six soil borings SB-1 through SB-6** were drilled at the site. Two soil samples from each boring at 1 ft bgs and 4 ft bgs were collected and analyzed for VOCs. **Six soil vapor borings SV-1 through SV-6** were drilled and one soil vapor sample per boring was collected and analyzed for VOCs.

2.4 SITE STRATIGRAPHY AND HYDROGEOLOGY

Figure 2-2 is a generalized cross-section of the soil stratigraphy at the site.

- Beneath the grassy surface, fine to medium sand was encountered up to a depth of 2 ft below ground surface (bgs) and a layer of silty-sand to a depth of 10 ft bgs.
- Groundwater was encountered between 4 to 6 ft bgs (average 5 ft bgs).
- A layer of silty clay was encountered from 10 ft bgs to the total depth penetrated during the site work - 15 ft bgs.
- Since there are no permanent monitoring wells at the site, the direction of groundwater flow could not be determined. However, the analytical results indicate that hydrocarbons have most likely not migrated off-site.

2.5 CHEMICAL DATA

2.5.1 Chemicals in Soil

Soil analytical results are presented in Table 2-1. Following are the key conclusions:

- The primary COCs in soil at the site are VOCs. 1,3,5-trimethylbenzene and 1,2,4-trimethylbenzene were detected at concentrations of 7.6 mg/kg and 18 mg/kg respectively at SB-4.
- Concentrations of COCs in all soil samples collected from 1 ft bgs were below detection limits.
- The soil impacts are localized in the vicinity of soil borings SB-4 and SB-5 and at a depth of about 4 ft bgs.

2.5.2 Chemicals in Groundwater

The chemicals detected at the site and their concentrations are presented in Table 2-2. Key conclusions are discussed below:

- Groundwater data (from borings) were collected in November 1996 and May 1997.
- Concentrations of VOCs and SVOCs in groundwater at borings B-03-05, B-05-05, and B-07-05 that are located north, east, and west of the site are non-detectable.
- Groundwater at borings B-02-05 (southwest), B-04-05 (southeast), and B-06-05 (south) located in close proximity to the former UST location had dissolved constituents. Specifically, the maximum of 0.041 mg/L of benzene was detected in B-06-05.

2.6 LAND USE

2.6.1 Current Land Use

The site is a currently vacant and the surrounding area within 0.25 miles is undeveloped.

2.6.2 Future Land Use

The site is located 5 miles south of the city of Plattsburgh. To avoid any land use restrictions, the future use of the site will be assumed residential.

2.7 WATER USE

The site lies in the Lake Champlain Valley. Groundwater in the Plattsburgh area occurs in both unconsolidated overburden deposits and consolidated bedrock. Locally, water yields from wells screened in unconsolidated deposits vary from several hundred gallons per minute (gpm) to a few gpm. Lake Champlain supplies water to the individual homes and small communities in the vicinity. Several houses in the area are supplied with water by the private wells generally screened in the bedrock. Regional hydrogeology indicates that no developable water bearing zone exists in the top 15-20 ft bgs and below that there is tight clay layer.

EXPOSURE ASSESSMENT

3.1 SITE CONCEPTUAL EXPOSURE MODEL (SCEM) FOR CURRENT CONDITIONS

Since the site is vacant and has no structures other than the 9400 building within 0.25 miles, there are no receptors in the current condition.

3.2 SITE CONCEPTUAL EXPOSURE MODEL (SCEM) FOR POTENTIAL CONSTRUCTION ACTIVITY

Exhibit 3-1 and Figure 3-1 show SCEM for future potential construction activity, during which the construction worker is the most exposed receptor due to (i) proximity to the source, and (ii) number of complete routes of exposure. Thus, risks and hazard indices to other potential receptors during the period of construction need not be quantified. Note that "C" denotes complete and "NC" denotes incomplete pathway.

EXHIBIT 3-1. SCEM FOR POTENTIAL CONSTRUCTION ACTIVITY		
Scenario, Receptor, and Pathways / Routes Analyzed	C or NC	Justification
Most exposed receptor: Construction Worker		
Outdoor Inhalation of Vapors from Soil	C	Vapor emission from impacted soil disturbed during construction.
Outdoor Inhalation of Particulate Emissions	C	Soil maybe exposed during construction and there maybe particulate emissions.
Outdoor Inhalation of Vapors from Groundwater	C	Vapor emission from impacted groundwater is likely.
Dermal Contact with Soil	C	Soil is typically exposed during construction.
Ingestion of Soil	C	Accidental soil ingestion is possible.
Dermal Contact with Groundwater	C	Dermal contact with groundwater is possible since the average depth to groundwater is approximately 5 ft bgs.
Ingestion of Groundwater	NC**	Drinking water well unlikely to be installed in the shallow zone for domestic use.

3.3 SITE CONCEPTUAL EXPOSURE MODEL (SCEM) FOR FUTURE CONDITIONS

Exhibit 3-2 and Figure 3-1 show the site-specific conceptual exposure model (SCEM) for future conditions. Note that "C" denotes complete and "NC" denotes incomplete pathway.

EXHIBIT 3-2. SCEM FOR FUTURE CONDITIONS		
Scenario, Receptor, and Pathways / Routes Analyzed	C or NC	Justification
Most exposed receptor: On-site Resident (Adult and Child)		
Indoor Inhalation of Vapors from Soil	C	A residential building may be constructed over the impacted soil. Vapors from soil can penetrate through cracks in the floor. Hence indoor exposure to vapors from soil is possible.
Outdoor Inhalation of Particulate Emissions	C	Soil is typically exposed in residential setting.
Indoor Inhalation of Vapors from Groundwater	C	A residential building could be constructed over the groundwater plume. Vapor from groundwater can penetrate through cracks in the floor. Hence indoor exposure to vapors from groundwater is possible.
Dermal Contact with Soil	C	Soil is typically exposed in a residential scenario.
Ingestion of Soil	C	Soil is typically exposed in a residential scenario.
Ingestion of Groundwater	NC*	Drinking water well unlikely to be installed in the shallow zone for domestic use.
Dermal Contact with Groundwater	NC	Dermal contact incomplete since the ingestion of groundwater pathway is considered incomplete.
The following receptors were also considered but risk were not calculated because it would be less than the on-site resident:		
Off-site Commercial Worker		On-site resident is closer to the impacted area.

- * The shallow impacted zone is unlikely to be used for well development since the unconsolidated deposits do not provide sufficient yield. Hence water wells are installed at the site are likely to be screened in the deeper bedrock aquifer. The deeper bedrock aquifer is the source of groundwater for communities south of the Plattsburgh Air Force Base. Further, an alternative source of water is Lake Champlain about 0.5 miles to the east. Hence, the groundwater ingestion pathway and consequently the dermal contact with groundwater pathway are considered incomplete.

TIER 1 - RISK BASED SCREENING EVALUATION

4.1 INTRODUCTION

Tier 1 risk-based screening levels (RBSLs) are conservative corrective action goals which are based on non-site specific generic fate and transport and exposure parameters, aesthetic criteria, and other appropriate standards such as maximum contaminant levels (MCLs) for potable groundwater use. Tier 1 allows for the selection of exposure scenarios based on current and future land use (e.g., residential, industrial), receptors, and institutional controls. The Tier 1 levels are calculated using very conservative assumptions, thus rendering it appropriate for a screening level analysis.

4.2 TIER 1 RISK-BASED SCREENING LEVELS

Of the chemicals detected in groundwater and soil at the site, only seven are chemicals of concern as per NYSDEC [NYSDEC, 1997]. Specifically, sec-butylbenzene, n-propylbenzene, and 4-isopropyltoluene are not chemicals of concern. Table 4-1 shows a comparison of the Tier 1 RBSLs with the maximum site soil and groundwater concentrations. The following are the conclusions based on the comparison presented in Table 4-1:

Construction Worker (Future)

- None of the maximum concentrations in soil and groundwater exceed the Tier 1 RBSLs.

Resident Child (Future)

- Maximum site-specific concentrations of 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene in soil and groundwater exceed the Tier 1 RBSL for the indoor inhalation pathway.
- Maximum site-specific concentrations of isopropylbenzene in soil exceeds the Tier 1 RBSL for the indoor inhalation pathway.

Resident Adult (Future)

- Maximum site-specific concentrations of 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene in soil and groundwater exceed the Tier 1 RBSL for the indoor inhalation pathway.
- Maximum site-specific concentration of benzene in groundwater exceeds the Tier 1 RBSL for the indoor inhalation pathway.

4.3 RECOMMENDATIONS BASED ON TIER 1 EVALUATION

After the comparison with the RBSLs, if the site-specific concentrations exceed the RBSLs, the NYSDEC allows selection of one of the following 3 alternatives:

Alternative 1: Remediation/removal of localized hot-spots on-site.

Alternative 2: Remediation to Tier 1 levels.

Alternative 3: Proceed with Tier 2 RBCA evaluation of the chemicals and the routes of exposure for which the RBSLs are exceeded.

Selection of alternative 1, 2 or 3 is essentially a cost-benefit decision. For this site, it was decided to conduct a Tier 2 analysis using available site-specific data. Hence, Tier 2 SSTLs were developed for indoor inhalation of benzene, isopropylbenzene, 1,3,5-Trimethylbenzene and 1,2,4-Trimethylbenzene from soil and groundwater for the future adult and child resident.

5.1 INTRODUCTION

Tier 2 site-specific target levels (SSTLs) are corrective action goals which are based on site-specific fate and transport parameters. To develop the Tier 2 SSTLs, the models recommended by the NYSDEC Interim Guidance were used. Tables 5-1(a) and 5-1(b) show the input parameters used. The following parameters were modified from the Tier 1 default values to reflect the site-specific conditions (also see Table A-1, Appendix A):

1. The **depth to groundwater** was changed to the average site-specific depth of shallow groundwater of 152.4 cm (5 feet). The **thickness of the vadose zone** (147.4 cm) is the depth of groundwater less the thickness of the capillary fringe (5 cm).
2. For the future on-site resident, the **areal fraction of cracks** was reduced from 0.01 to 0.001. This implies that 0.1% of the floor area is devoid of concrete and has the same characteristics as the underlying soil. This is reasonable, since the construction of a building on-site and/or the refurbishment of the existing building would reduce any cracks in the floor.
3. Site-specific **organic carbon content** in soil of 0.0071 g organic carbon/ g soil was used (refer to Table A-1, Appendix A)
4. Since site-specific porosity was not estimated at the site, Tier 1 default **porosity** of 0.38 cc/cc was retained. A water content of 0.19 cc/cc was used instead of the measured site-specific **water content** of 0.32 cc/cc since (i) the measured water content is high (85% of assumed porosity) and (ii) using 0.19 cc/cc (50 % of assumed porosity) is conservative.
5. **Depth to subsurface impacted soil** was assumed as 60.96 cm (2 ft) since none of the samples collected at 1 ft depth had any detections.

5.2 SITE-SPECIFIC TARGET LEVELS

Table 5-2 presents the estimated Tier 2 groundwater SSTLs for future resident adult and child and compares them with the representative site concentrations. Key conclusions are as follows:

- The representative site concentration (maximum) of benzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene and isopropylbenzene in groundwater is below the respective Tier 2 SSTL for future on-site resident adult and child based on indoor inhalation.
- The representative site concentration (maximum) of benzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene and isopropylbenzene in soil is below the respective Tier 2 SSTL for future on-site resident adult based on indoor inhalation.
- The representative site concentrations (average) of benzene, 1,2,4 trimethylbenzene 1,3,5 trimethylbenzene and isopropylbenzene in soil is below the respective the Tier 2 SSTL for future on-site resident child based on indoor inhalation. Note that the maximum concentration of 1,2,4 trimethylbenzene 1,3,5 trimethylbenzene and isopropylbenzene exceeds the Tier 2 SSTL.

5.3 CONSIDERATION OF SHALLOW GROUNDWATER

The site is located in an area where water is supplied by the city of Plattsburgh. Therefore it is unlikely that a water well would be installed in the shallow groundwater in the residential area in the vicinity of the site.

5.4 SOIL CONCENTRATIONS PROTECTIVE OF GROUNDWATER

The risk to off-site residents due to the shallow groundwater ingestion pathway is incomplete due to the following reason:

- The site is located in an area where water is supplied by the City of Plattsburgh. Therefore, it is unlikely that shallow wells will be developed in the area.
- Further, soil concentrations are expected to decrease with time due to natural attenuation reducing the loading to groundwater by leaching.

5.5 RECOMMENDATIONS BASED ON TIER 2 EVALUATION

Within the RBCA program, a Tier 2 evaluation can result in one of the following three recommendations.

1. No further action if the Tier 2 SSTLs are below the representative site concentrations.
2. Site remediation to Tier 2 SSTLs if the SSTLs exceed the site-specific levels.
3. Performance of Tier 3 evaluation.

For this site the representative concentrations in soil and groundwater do not exceed the Tier 2 SSTLs for the indoor inhalation pathway. Therefore, the site should be closed with no further action. To confirm this conclusion, soil vapor sampling was performed at the site and is discussed in Section 5.6.

5.6 MEASUREMENT OF VAPORS IN SOIL

Six soil vapor samples (Figure 2-1) P-9400-V-01-02-AA through P-9400-V-06-02-AA were collected at a depth of 4 ft and analyzed for VOCs. The soil vapor samples were withdrawn using a pump and volatile organics were collected on sorbent tubes. One liter of air was collected from each boring. All samples were analyzed using EPA Method 5041, Volatile Organic Sampling Trains (VOST) for NYSDEC Spill Technology and Remediation Series (STARS) compounds. Laboratory analytical results including QA/QC, data validation and usability reports, chain of custody forms and validated Form 1's are included in Appendix D.

The soil vapor concentrations are well below the site-specific soil vapor target levels as shown in Table 5-3. Thus, the soil vapor at the site is not expected to cause unacceptable risk for indoor inhalation.

CONCLUSIONS AND RECOMMENDATIONS

Building 9400 located at Paltsburgh Air Force Base, Plattsburgh, New York was evaluated using the NYSDEC's "Interim Procedures for Inactivation of Petroleum-Impacted Sites".

1. The available data from the borings indicates that soil and groundwater impacts are localized in the vicinity of the former UST area. BTEX, naphthalene, and PAHs were the chemicals of concern at the site.
2. Since there is no history of shallow groundwater use in the city of Plattsburgh, and the area is supplied with water by the city of Plattsburgh, the shallow groundwater ingestion pathway is incomplete.
3. Site conceptual exposure model for the site indicates that the complete exposure pathways exist for (i) potential future construction worker, and (ii) future on-site resident (adult and child). The representative site concentrations were compared to the Tier 1 RBSLs. The key conclusions were:

Construction Worker (Future)

- None of the maximum concentrations in soil and groundwater exceed the Tier 1 RBSLs.

Resident-Adult

- Maximum site-specific concentrations of **benzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.
- Maximum site-specific concentrations of **1,3,5-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.
- Maximum site-specific concentrations of **1,2,4-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.

Resident Child

- Maximum site-specific concentrations of **isopropylbenzene** in soil exceeds the Tier 1 RBSLs for indoor inhalation of vapors.

- Maximum site-specific concentrations of **1,3,5-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.
 - Maximum site-specific concentrations of **1,2,4-Trimethylbenzene** in soil and groundwater exceed the Tier 1 RBSLs for indoor inhalation of vapors.
4. Tier 2 site-specific target levels (SSTLs) were developed for the future on-site adult and child resident using a combination of site-specific and default data. The results indicate that the representative concentration of COCs on-site do not exceed the Tier 2 SSTL developed for the future resident adult and child based on indoor inhalation. To confirm these results a soil vapor study was conducted and the results indicated that the COCs were found to be well below the Tier 2 vapor SSTLs.
 5. Based on the above, the site should be closed with no further action.

Site Specific Documents

Fanning, Phillips, and Molnar, August 1997. Site Characterization Report, Plattsburgh AFB. Pp. 4-66 & 4-67.

TetraTech, May 1997. Environmental Baseline Survey.

General

ASTM, Designation: E-1739-95. 1995. Standard Guide for Risk-Based Corrective Action Applied at Petroleum Storage Sites.

Feenstra, S., D. M. Mackay, and J. A. Cherry. 1991. A Method of Assessing Residual NAPL Based on Organic Chemical Concentrations in Soil samples. Groundwater Monitoring Review. pp. 128-136.

Lyman, W. J., W. F. Reehl, and D. H. Rosenblatt. 1990. Handbook of Chemical Property Estimation Methods. McGraw-Hill: New York.

New York State Department of Environmental Conservation. January 1997. Interim Procedures for Inactivation of Petroleum-Impacted Sites.

U. S. Environmental Protection Agency (EPA). 1985. Rapid Assessment of Exposure to Particulate Emissions from Surface Contaminated Sites. Office of Health and Environmental Assessment. EPA/600/8-85/002.

U. S. Environmental Protection Agency (EPA). 1988. Superfund Exposure Assessment Manual. EPA/640/1-88/001.

U. S. Environmental Protection Agency (EPA). 1989(a). Exposure Factors Handbook. Office of Health and Environmental. U.S. EPA/600/8-89/043.

U. S. Environmental Protection Agency (EPA). 1989(b). Risk Assessment Guidance for Superfund, Vol. I. Human Health Evaluation Manual (Part A). EPA/540/1-89/002.

- U. S. Environmental Protection Agency (EPA). 1991. Human Health Evaluation Manual, Supplemental Guidance: "Standard Default Exposure Factors". OSWER Directive 9285.6-03.
- U. S. Environmental Protection Agency (EPA). 1994. Integrated Risk Information System Storage Sites(IRIS). On-line, Environmental Criteria and Assessment Office, Cincinnati, OH.

APPENDIX A

TABLE A-1
SUMMARY OF SITE-SPECIFIC SOIL PARAMETERS
AT THE BUILDING 9400

Sample	Water Content cc water/cc wet soil	Total Organic Carbon g organic carbon/g soil
1	0.396	0.0141
2	0.372	
3	0.257	0.0175
4	0.420	
5	0.092	0.00159
6	0.389	
7	0.112	0.000674
8	0.417	0.0108
9	0.415	
10	0.389	0.00376
11	0.428	
12	0.126	0.000994
13	0.379	
Average	0.322	0.0071

APPENDIX B

TABLE 2-1
SUMMARY OF CHEMICALS IN SOIL
AT THE BUILDING 9400 [May 1998]

Chemicals	B-01-01	B-01-04	B-02-01	B-02-04	B-03-01	B-03-04
VOCs	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]
Benzene	<0.005 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U
Toluene	<0.005 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U
Ethylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U
Total Xylenes	<0.005 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U
Isopropylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U	<0.006 U
n-Propylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 J	<0.006 U	<0.006 U
1,3,5-Trimethylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 J	<0.006 U	<0.006 U
1,2,4-Trimethylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 J	<0.006 U	<0.006 U
sec-Butylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 J	<0.006 U	<0.006 U
4-Isopropyltoluene	<0.005 U	<0.006 U	<0.006 U	<0.006 J	<0.006 U	<0.006 U
N-Butylbenzene	<0.005 U	<0.006 U	<0.006 U	<0.006 J	<0.006 U	<0.006 U
Chemicals	B-04-01	B-04-04	B-05-01	B-05-04	B-06-01	B-06-04
VOCs	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]
Benzene	<0.006 U	<0.79 U	<0.006 U	<0.82 U	<0.006 U	<0.81 U
Toluene	<0.006 U	<0.79 U	<0.006 U	<0.82 U	<0.006 U	<0.81 U
Ethylbenzene	<0.006 U	0.99	<0.006 U	<0.82 U	<0.006 U	<0.81 U
Total Xylenes	<0.006 U	2.97	<0.006 U	0.23 J	<0.006 U	<0.81 U
Isopropylbenzene	<0.006 U	0.75 J	<0.006 U	<0.82 U	<0.006 U	<0.81 U
n-Propylbenzene	<0.006 U	1.6	<0.006 J	<0.82 U	<0.006 J	<0.81 U
1,3,5-Trimethylbenzene	<0.006 U	7.6	<0.006 J	1.3	<0.006 J	0.21 J
1,2,4-Trimethylbenzene	<0.006 U	18	<0.006 J	2.2	<0.006 J	<0.81 U
sec-Butylbenzene	<0.006 U	2.5	<0.006 J	0.31 J	<0.006 J	<0.81 U
4-Isopropyltoluene	<0.006 U	2.6	<0.006 J	0.96	<0.006 J	<0.81 U
N-Butylbenzene	<0.006 U	<0.79 U	<0.006 J	<0.82 U	<0.006 J	<0.81 U

U Not detected

j indicates value is below detection limit, and is an estimate

B-01-05 indicates boring no. 1 was sampled at 5 ft below the surface

TABLE 2-2
SUMMARY OF CHEMICALS IN GROUNDWATER
AT THE BUILDING 9400

Chemicals	B-01-05	B-02-05		B-03-5	B-04-05	B-05-05	B-06-05	B-07-05
	Oct-Nov 1996	Replicate 1 Oct-Nov 1996	Replicate 2 Oct-Nov 1996	Oct-Nov 1996	Oct-Nov 1996	May-97	May-97	May-97
	[mg/L]	[mg/L]	[mg/L]	[mg/L]	[mg/L]	[mg/L]	[mg/L]	[mg/L]
VOCs								
Benzene	0.001	0.0002 j	0.0003 j	ND	0.0002 j	ND	0.041 D	ND
Toluene	ND	ND	ND	ND	ND	ND	0.002	ND
Ethylbenzene	0.004	0.017	0.017	ND	0.012	ND	0.13 D	ND
Total Xylenes	0.003	0.016	0.016	ND	0.0239	ND	0.31	ND
Isopropylbenzene	0.004	0.015	0.014	ND	0.008	ND	0.038	ND
n-Propylbenzene	0.003	0.02	0.019	ND	0.011	ND	0.057 D	ND
1,3,5-Trimethylbenzene	0.006	0.03	0.031	ND	0.058 D	ND	0.17 D	ND
1,2,4-Trimethylbenzene	0.03	0.1 D	0.22 D	ND	0.15 D	ND	0.41 D	ND
sec-Butylbenzene	ND	ND	ND	ND	0.008	ND	0.033	ND
4-Isopropyltoluene	0.004	0.02	0.018	ND	0.009 j	ND	0.065 D	ND
SVOCs								
Naphthalene	0.002	0.009	0.017	ND	0.032	ND	0.17 D	ND
Acenaphthene	ND	ND	ND	ND	ND	ND	0.003 j	ND
Fluorene	ND	ND	0.002 j	ND	ND	ND	0.006 j	ND
Phenanthrene	ND	ND	0.002 j	ND	ND	ND	0.004 j	ND
Dibenzo (a,h) anthracene	ND	ND	ND	ND	ND	ND	0.001 j	ND
Benzo (g,h,i) perylene	ND	ND	ND	ND	ND	ND	0.001 j	ND
Indeno (1,2,3-cd) pyrene	ND	ND	ND	ND	ND	ND	0.001 j	ND

ND non-detect

D indicates sample was diluted before analysis

j indicates value is below detection limit, and is an estimate

B-01-05 indicates boring no. 1 was sampled at 5 ft below the surface

**TABLE 4-1
SUMMARY OF TIER 1 RISK-BASED SCREENING LEVELS* FOR SOIL AND GROUNDWATER
AT BUILDING 9400**

Receptor	Media-Pathway	Concentration	Benzene	Toluene	Ethylbenzene	Total Xylenes	Napthalene	Dibenzo(a,h)anthracene	Benzo (g,h,i) perylene
Construction Worker	Soil-Outdoor	NYSDEC	12	1920	3500	4.73E+04	300	4.46E+11	2.18E+11
	Inhalation [mg/kg]	Site-specific Max	<0.82	<0.82	0.99	2.97	NM	NM	NM
	Surfical Soil-Ingestion, dermal contact	NYSDEC	265	3.52E+04	4.00E+04	2.11E+05	1380	18.5	1.08E+05
		Site-specific Max	<0.006	<0.006	<0.006	<0.006	NM	NM	NM
	Groundwater-Outdoor	NYSDEC	802	5.22E+04	1.33E+05	2.75E+05	3750	7.98E+07	8.11E+07
	Inhalation [mg/L]	Site-specific Max	0.041	0.002	0.13	0.311	0.17	0.001	0.001
Resident (Child)	Soil-Indoor	NYSDEC	0.0216	5.89	15.5	28	0.6	8.96E+08	4.38E+08
	Inhalation [mg/kg]	Site-specific Max	<0.82	<0.82	0.990	2.97	NM	NM	NM
	Surfical Soil-Ingestion, dermal contact	NYSDEC	10.5	5200	2620	4.26E+05	3540	0.102	3840
		Site-specific Max	<0.006	<0.006	<0.006	<0.006	NM	NM	NM
	Groundwater-Indoor	NYSDEC	0.042	11.2	28	60	1.26	6.10E+04	6.19E+04
	Inhalation [mg/L]	Site-specific Max	0.041	0.002	0.13	0.311	0.17	0.001	0.001
Resident (Adult)	Soil-Indoor	NYSDEC	0.048	65	172	287	1.78	1.98E+09	9.68E+08
	Inhalation [mg/kg]	Site-specific Max	<0.82	<0.82	0.990	2.97	NM	NM	NM
	Surfical Soil-Ingestion, dermal contact	NYSDEC	13.5	3.34E+04	1.68E+04	8.96E+06	4.68E+04	0.22	4.16E+04
		Site-specific Max	<0.006	<0.006	<0.006	<0.006	NM	NM	NM
	Groundwater-Indoor	NYSDEC	0.0186	24.7	61	133	2.78	1.35E+05	1.37E+05
	Inhalation [mg/L]	Site-specific Max	0.041	0.002	0.13	0.311	0.17	0.001	0.001

○ indicates value exceeds target level
 ND Not Detected
 NM Not Measured
 * NYSDEC, January 1997. Interim Procedures for Inactivation of Petroleum-Impacted Sites.

**TABLE 4-1(concluded)
SUMMARY OF TIER 1 RISK-BASED SCREENING LEVELS* FOR SOIL AND GROUNDWATER
AT BUILDING 9400**

Receptor	Media-Pathway	Concentration	Acenaphthene	Fluorene	Phenanthrene	1,2,4-Trimethyl benzene	Ideno (1,2,3-cd) pyrene	1,3,5-Trimethyl-benzene	Isopropyl-benzene
Construction Worker	Soil-Outdoor	NYSDEC	2.79E+06	3.57E+06	2.67E+06	190	2.49E+11	56.3	4.87
		Site-specific Max	NM	NM	NM	18	NM	7.6	0.75
	Surfical Soil-Ingestion, dermal contact	NYSDEC	6.69E+04	5.52E+04	4.14E+04	128	185	102	1140
		Site-specific Max	NM	NM	NM	<0.006	NM	<0.006	<0.006
	Groundwater-Outdoor	NYSDEC	4.32E+05	3.39E+05	1.50E+05	294	9.20E+07	291	782
		Site-specific Max	0.003	0.006	0.004	0.410	0.001	0.170	0.038
Resident (Child)	Soil-Indoor Inhalation mg/kg	NYSDEC	5600	7.17E+03	5.37E+03	0.382	5.01E+08	0.113	0.139
		Site-specific Max	NM	NM	NM	18	NM	7.6	0.75
	Surfical Soil-Ingestion, dermal contact	NYSDEC	7.50E+03	5.03E+03	3.78E+03	13.1	1.02	10.4	951
		Site-specific Max	NM	NM	NM	<0.006	NM	<0.006	<0.006
	Groundwater-Indoor	NYSDEC	282	228	90	0.0644	7.03E+04	0.0677	0.152
		Site-specific Max	0.003	0.006	0.004	0.410	0.001	0.170	0.038
Resident (Adult)	Soil-Indoor Inhalation mg/kg	NYSDEC	1.24E+04	1.59E+04	1.19E+04	0.845	1.11E+09	0.25	1.54
		Site-specific Max	NM	NM	NM	18	NM	7.6	0.75
	Surfical Soil-Ingestion, dermal contact	NYSDEC	8.21E+04	5.47E+04	4.10E+04	83.7	2.2	67	6540
		Site-specific Max	NM	NM	NM	<0.006	NM	<0.006	<0.006
	Groundwater-Indoor	NYSDEC	624	504	199	0.142	1.55E+05	0.15	0.336
		Site-specific Max	0.003	0.006	0.004	0.410	0.001	0.170	0.038

○ indicates value exceeds target level
 ND Not Detected
 NM Not Measured
 * NYSDEC, January 1997. Interim Procedures for Inactivation of Petroleum-Impacted Sites.

TABLE 5-1(a)
RESIDENT ADULT - FUTURE CONDITIONS
EXPOSURE FACTORS AND OTHER RELEVANT PARAMETERS

EXPOSURE PARAMETER	Units	Default Value	Reference
GLOBAL PARAMETERS			
Averaging Time - Carcinogen	yr	70	NYSDEC Interim Guidance, January 1997
Averaging Time - Noncarcinogen	yr	30	NYSDEC Interim Guidance, January 1997
Body Weight	kg	70	NYSDEC Interim Guidance, January 1997
Exposure Duration	yr	30	NYSDEC Interim Guidance, January 1997
Exposure Frequency	days/yr	350	NYSDEC Interim Guidance, January 1997
Soil Ingestion rate	mg/day	10.2	NYSDEC Interim Guidance, January 1997
Daily Indoor Inhalation Rate	m ³ /day	19.2	NYSDEC Interim Guidance, January 1997
Daily Outdoor Inhalation Rate	m ³ /day	0.8	NYSDEC Interim Guidance, January 1997
Daily water ingestion rate	L/day	2	NYSDEC Interim Guidance, January 1997
Soil skin adherence factor	mg/cm ²	0.5	NYSDEC Interim Guidance, January 1997
Oral relative absorption factor	---	1	NYSDEC Interim Guidance, January 1997
Dermal relative absorption factor (volatiles)	---	0.5	NYSDEC Interim Guidance, January 1997
Dermal relative absorption factor (PAHs)	---	0.005	NYSDEC Interim Guidance, January 1997
Skin surface area	cm ²	1700	NYSDEC Interim Guidance, January 1997
Target Hazard Quotient for individual constituents	---	1	NYSDEC Interim Guidance, January 1997
Target Excess Individual Lifetime Cancer Risk	---	1.00E-06	NYSDEC Interim Guidance, January 1997
SOIL, BUILDING, SURFACE AND SUBSURFACE PARAMETERS			
Lower depth of surficial soil zone	cm	100	NYSDEC Interim Guidance, January 1997
Enclosed space air exchange rate	1/s	0.00014	NYSDEC Interim Guidance, January 1997
Fraction of organic carbon in soil	gm-C/gm-soil	0.0071	Site-specific
Thickness of capillary fringe	cm	5	NYSDEC Interim Guidance, January 1997
Thickness of vadose zone	cm	147.4	Site-specific
Infiltration rate of water through soil	cm/yr	13.97	NYSDEC Interim Guidance, January 1997
Enclosed space volume/infiltration area	cm	200	NYSDEC Interim Guidance, January 1997
Enclosed space foundation/wall thickness	cm	15	NYSDEC Interim Guidance, January 1997
Depth to groundwater	cm	152.4	Site-specific
Depth to subsurface impacted soil	cm	60.96	Site-specific
Particulate emission rate	g/cm ² -s	6.90E-14	NYSDEC Interim Guidance, January 1997
Wind speed above ground surface in ambient mixing zone	cm/s	225	NYSDEC Interim Guidance, January 1997
Groundwater Darcy velocity	cm/yr	2500	NYSDEC Interim Guidance, January 1997
Width of source area parallel to wind or gw flow	cm	1500	NYSDEC Interim Guidance, January 1997
Ambient air mixing zone height	cm	200	NYSDEC Interim Guidance, January 1997
Groundwater mixing zone height	cm	200	NYSDEC Interim Guidance, January 1997
Areal fraction of foundation/walls	cm ² /cm ²	0.001	NYSDEC Interim Guidance, January 1997
Volumetric air content in capillary fringe soils	cc/cc	0.038	equal to 10% of porosity
Volumetric air content in found./wall cracks	cc/cc	0.19	equal to air content in vadose zone soils
Volumetric air content in vadose zone soils	cc/cc	0.19	Assumed based on site-specific value
Total soil porosity	cc/cc-soil	0.38	Assumed based on site-specific value
Volumetric water content in capillary fringe soils	cc/cc	0.342	Assumed 90% of porosity
Volumetric water content in found./wall cracks	cc/cc	0.19	equal to water content in vadose zone soils
Volumetric water content in vadose zone soils	cc/cc	0.19	Assumed as 50% of porosity
Soil bulk density	gm/cc	1.7	Assumed
Averaging time for vapor flux	sec	9.46E+08	NYSDEC Interim Guidance, January 1997

Reference : Interim Procedures for Inactivation of Petroleum Impacted Sites, January 1997

TABLE 5-1(b)
RESIDENT CHILD - FUTURE CONDITIONS
EXPOSURE FACTORS AND OTHER RELEVANT PARAMETERS

EXPOSURE PARAMETER	Units	Default Value	Reference
GLOBAL PARAMETERS			
Averaging Time - Carcinogen	yr	70	NYSDEC Interim Guidance, January 1997
Averaging Time - Noncarcinogen	yr	6	NYSDEC Interim Guidance, January 1997
Body Weight	kg	15	NYSDEC Interim Guidance, January 1997
Exposure Duration	yr	6	NYSDEC Interim Guidance, January 1997
Exposure Frequency	days/yr	350	NYSDEC Interim Guidance, January 1997
Soil ingestion rate	mg/day	69.7	NYSDEC Interim Guidance, January 1997
Daily Indoor Inhalation Rate	m ³ /day	9.1	NYSDEC Interim Guidance, January 1997
Daily Outdoor Inhalation Rate	m ³ /day	0.9	NYSDEC Interim Guidance, January 1997
Soil skin adherence factor	mg/cm ²	0.5	NYSDEC Interim Guidance, January 1997
Oral relative absorption factor	---	1	NYSDEC Interim Guidance, January 1997
Dermal relative absorption factor (volatiles)	---	0.5	NYSDEC Interim Guidance, January 1997
Dermal relative absorption factor (PAHs)	---	0.005	NYSDEC Interim Guidance, January 1997
Skin surface area	cm ²	2100	NYSDEC Interim Guidance, January 1997
Target Hazard Quotient for individual constituents	---	1	NYSDEC Interim Guidance, January 1997
Target Excess Individual Lifetime Cancer Risk	---	1.00E-06	NYSDEC Interim Guidance, January 1997
SOIL, BUILDING, SURFACE AND SUBSURFACE PARAMETERS			
Lower depth of surficial soil zone	cm	100	NYSDEC Interim Guidance, January 1997
Enclosed space air exchange rate	1/s	0.00014	NYSDEC Interim Guidance, January 1997
Fraction of organic carbon in soil	gm-C/gm-soil	0.0071	ASTM - Guide for RBCA. November 1995
Thickness of capillary fringe	cm	5	NYSDEC Interim Guidance, January 1997
Thickness of vadose zone	cm	55.96	Site-specific
Infiltration rate of water through soil	cm/yr	13.97	ASTM - Guide for RBCA. November 1995
Enclosed space volume/infiltration area	cm	200	NYSDEC Interim Guidance, January 1997
Enclosed space foundation/wall thickness	cm	15	NYSDEC Interim Guidance, January 1997
Depth to groundwater	cm	152.4	Site-specific
Depth to subsurface impacted soil	cm	60.96	Site-specific
Particulate emission rate	g/cm ² -s	6.90E-14	ASTM - Guide for RBCA. November 1995
Wind speed above ground surface in ambient mixing zone	cm/s	225	ASTM - Guide for RBCA. November 1995
Groundwater Darcy velocity	cm/yr	2500	ASTM - Guide for RBCA. November 1995
Width of source area parallel to wind or gw flow	cm	1500	ASTM - Guide for RBCA. November 1995
Ambient air mixing zone height	cm	200	ASTM - Guide for RBCA. November 1995
Groundwater mixing zone height	cm	200	ASTM - Guide for RBCA. November 1995
Areal fraction of foundation/walls	cm ² /cm ²	0.001	NYSDEC Interim Guidance, January 1997
Volumetric air content in capillary fringe soils	cc/cc	0.038	equal to 10% of porosity
Volumetric air content in found./wall cracks	cc/cc	0.19	equal to air content in vadose zone soils
Volumetric air content in vadose zone soils	cc/cc	0.19	Assumed based on site-specific value
Total soil porosity	cc/cc-soil	0.38	Assumed based on site-specific value
Volumetric water content in capillary fringe soils	cc/cc	0.342	Assumed 90% of porosity
Volumetric water content in found./wall cracks	cc/cc	0.19	equal to water content in vadose zone soils
Volumetric water content in vadose zone soils	cc/cc	0.19	Assumed as 50% of porosity
Soil bulk density	gm/cc	1.7	Assumed
Averaging time for vapor flux	sec	1.89E+08	NYSDEC Interim Guidance, January 1997

Reference : Interim Procedures for Inactivation of Petroleum Impacted Sites, January 1997

**TABLE 5-2
TIER 2 SITE-SPECIFIC TARGET LEVELS
AT BUILDING 9400**

Receptor	Media-Pathway	Concentration	Benzene	1,2,4-Tri-methylbenzene	1,3,5-Tri-methylbenzene	Isopropyl-benzene
Future Resident Adult	Soil-Indoor Inhalation [mg/kg]	Tier 2 SSTL	0.09	32	9.5	1.54
		Average	ND	3.62	1.52	0.26
		Maximum	ND	18.0	7.6	0.75
	Groundwater-Indoor Inhalation [mg/L]	Tier 2 SSTL	0.240	1.81	2.04	3.61
		Average	--	--	--	--
		Maximum	0.041	0.41	0.17	0.038
Future Resident Child	Soil-Indoor Inhalation [mg/kg]	Tier 2 SSTL	0.21	14.5	4.3	0.29
		Average	ND	3.62	1.52	0.26
		Maximum	ND	18.0	7.6	0.75
	Groundwater-Indoor Inhalation [mg/L]	Tier 2 SSTL	0.54	0.82	0.92	1.63
		Average	--	--	--	--
		Maximum	0.041	0.41	0.17	0.038


○ indicates value exceeds target level
* arithmetic average of values detected in the last two years

TABLE 5-3
SOIL VAPOR CONCENTRATIONS MEASURED AT BUILDING 9400, PLATTSBURGH AFB

CHEMICAL	SOIL VAPOR	BLANKS				SOIL VAPOR							
	SSTLS	V-02-02-TB		V-02-02-FB		V-01-02-AA		V-02-02-AA		V-04-02-AA		V-06-02-AA	
	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	
MTBE	1.56E+08	10.0	U	13.0		70.0		10	U	10.0	U	81.0	
Benzene	1.12E+04	6.0	U	10.0	U	29.0	U	12	U	7.0	U	31.0	
Toluene	2.43E+05	10.0	U	30.0		80.0		49	J	35.0		120.0	
Ethylbenzene	1.79E+05	10.0	U	10.0		18.0		16.0	J	12.0		11.0	
Total Xylenes	1.59E+06	10.0	U	50.0		89.0		84	J	70.0		47.0	
Isopropylbenzene	1.58E+05	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U
n-Propylbenzene	NA	10.0	U	10.0	U	10.0	U	10.0	U	15.0		10.0	U
1,3,5-Trimethylbenzene	2.01E+06	10.0	U	23.0		21.0		34	J	110.0		43.0	
tert-Butylbenzene	NA	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U
1,2,4-Trimethylbenzene	2.54E+06	10.0	U	12.0	U	10.0	U	16.0	J	91.0		40.0	
sec-Butylbenzene	NA	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U
4-isopropyltoluene	NA	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U
n-Butylbenzene	NA	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U	10.0	U

○ exceed the target levels

APPENDIX C



3 ● ⊙ SV-3 SB-3

9400

SV-2 ○

7 X SB-6

6 X ⊙

SB-4 ●

4 X ⊙ SV-4


SV-6 ○ SB-5


1 ● ⊙ SV-1

SB-1 ⊙

APPROXIMATE LOCATION OF DRAINAGE DITCH

APPROXIMATE LOCATION OF ROAD (ROCK ROAD)





**FIGURE 2-2. GENERALIZED SOIL PROFILE
AT THE BUILDING 9400**

Note: This profile was based on information obtained by advancing a blind probe on a Geoprobe rig and should be considered approximate.




FIGURE 3-1. SITE CONCEPTUAL EXPOSURE MODEL FOR FUTURE CONDITIONS AT BUILDING 9400

APPENDIX D

***Fanning, Phillips and Molnar
Data Validation and Usability Report
Plattsburgh Air Force Base
Plattsburgh, New York
Final Indoor Air and Soil Vapor Surveys
FPM Project No. 444-96-01***

**Data Review
SDG No. FPM042**

Laboratory: H2M Labs, Inc.
Sample Matrix: air
Number of Samples: 10
Analysis Performed: VOC (TCL or STARS)
Data Reviewer: Joseph Camanzo, Senior Chemist
Date: June 30, 1998

This validation report pertains to the following samples:

Sample ID

P-7009-A-A2-AA
P-7009-A-A1-AA
P-205-A-B1-AA
P-864-A-A1-AA
P-864-A-B1-AA
P-828-A-A1-AA

QC Samples

Trip Blank (4/16/98)
P-7009-A-A1-FB (Field blank)
P-205-A-B1-FB (Field blank)
P-864-A-B1-FB (Field blank)

Deliverable

The above referenced Sample Delivery Group (SDG) was in a full data deliverable (CLP-like) data package format. The reporting format followed the requirements of the NYSDEC Analytical Service Protocol (ASP), Rev. 10/95. The data package contained backup QA/QC results and raw data to allow for a data validation review.

Analytical Method

The analytical test method used for the air samples was EPA Method T01/T02, Air and Gas Sorbent Tube Method, analyzed for EPA Target Compound List (TCL) or NYSDEC Spill Technology And Remediation Series (STARS) compounds.

Validation Guidance

The data was validated according to the protocols and QC requirements of the analytical method, U.S. Environmental Protection Agency (USEPA) Contract Laboratory Program National Functional Guidelines for Organic Data Review (revised in February 1994), USEPA Region II CLP Organics Data Review (May 1996), the Air Force Center for Environmental Excellence (AFCEE) Quality Assurance Project Plan (QAPP), Document Version 1.1 (dated February 1996), and the reviewer's professional judgement.

ORGANICS

The following QA/QC criteria were reviewed:

- Quantitation/detection limits
- Holding times
- GC/MS tuning and Performance
- Initial calibrations
- Continuing calibrations
- Method blanks
- Field and trip blanks
- Surrogate spike recoveries
- Internal standard area and retention times
- Data system printouts
- GC chromatograms and mass spectra
- Qualitative and quantitative compound identification
- Case narrative and deliverables compliance

The items listed above were in compliance with USEPA, ASP, and QAPP criteria and protocols with only exceptions discussed in the text below. The data have been validated according to the procedures outlined above and qualified accordingly.

All data are valid and acceptable except those analytes which have been qualified with a "J" (estimated), "N" (presumptive evidence for the presence of the material), "U" (nondetect), "R" (unusable), or "JN" (presumptive evidence for the presence of the material at an estimated value). The data for all flagged samples are usable with caution, except those with the "R", rejected, qualification.

It should be noted that in the case when the analytical laboratory may have already assigned data qualifiers (e.g., "J", "F", etc.) to some samples/analytical parameters based on internal QC reviews, the laboratory assigned qualifiers continue to apply in all instances that they were made unless expressly over-ridden by data validation flags.

VOLATILES

Data Validation Results

- For sample P-864-A-B1-FB analyzed for the STARS compound list, internal standard (IS) area counts (1,4-difluorobenzene) was below the lower QC limit of -50%. Additionally, the surrogate compound recovery (4-bromofluorobenzene) was above the QC limit at 167%, limit 80-120%. According to the laboratory, this may be a reflection that the sample tube leaked during the desorption, therefore the results are considered estimated with positive results flagged "J" and non-detects flagged "UJ".
- For sample P-828-A-A1-AA analyzed for the TCL compound list, internal standard area counts for all three IS (bromochloromethane, 1,4-difluorobenzene, chlorobenzene-d5) were below the lower QC limit of -50%. Again according to the lab, this may have been due to a leak in the sample tube during desorption. Therefore, for this sample the results are considered estimated with positive results flagged "J" and non-detects flagged "UJ".
- The following table lists blanks, blank contaminants, concentrations (in ng), and associated samples. In accordance to the EPA National Functional guidelines, based on the concentration of these compounds in the blanks and associated samples, the presence of methylene chloride, acetone, and 2-butanone (common laboratory contaminants) are negated if the concentration in the samples is less than ten times the highest associated blank after taking sample dilution into account. The presence of the remaining compounds are negated in the samples if less than five times the concentration in the highest associated blank is found. The field blank samples (suffix -FB), which were ambient air samples taken outdoors in the vicinity of the buildings being evaluated (indoor air quality), were only used for qualitative purposes and not used to negate concentrations in associated samples. This was

decided because the purpose of these ambient air samples was to establish general background levels on the contaminants of concern.

Blank ID	Compound (Conc. in ng)	Associated Samples
Method Blank 4/21	Acetone (110)	All TCL compound analyses
Trip Blank (4/16/98)	Acetone (100B)	All TCL compound Analyses

- The following table lists compounds that: exhibited percent relative standard deviation (%RSD) for response factors in the initial (I) calibration above the 30% QC criteria; exhibited percent difference (%D) between the initial calibration and continuing (C) calibration response factors greater than the 25% criteria; exhibited response factors (RF) less than the 0.05 criteria. These criteria are based on the EPA National Functional guidelines. Associated sample results for these compounds are considered estimated with positive values flagged "J". For non-detects, %RSD or %D greater than the QC limits but less than 90% are flagged "UJ"; %RSD or %D greater than 90% or RF deficiencies (<0.05) are rejected and flagged "R".

Calibration	Compound	Deficiency	Associated Samples
I - 4/27/98	Naphthalene	%RSD=67.5	All STARS compound analyses
C - 4/28/98	Naphthalene	%D=121.6	All STARS compound analyses
I - 2/10/98	Acetone	%RSD=40.9	All TCL compound analyses
	Methylene chloride	%RSD=33.1	
	2-Butanone	%RSD=36.9	
	2-Hexanone	%RSD=52.3	
C - 4/21/98	Chloromethane	%D=39.0	All TCL compound analyses
	Acetone	%D=29.4	
	1,1,2-Trichloroethane	%D=26.4	
	4-Methyl-2-pentanone	%D=70.9	
	Toluene	%D=32.0	
	1,1,2,2-Tetrachloroethane	%D=41.3	

- According to the laboratory, the shipping tube for sample P-202-A-B1-AA in which the sorbent tube is contained arrived broken at the lab. The sample tubes are sealed with

Swagelock fittings, however the shipping tubes serve as additional safeguard to prevent contamination by absorption from ambient air during transit. Therefore, the results from this sample are considered estimated with positive results flagged "J" and non-detects flagged "UJ".

Data Usability Results

Data review for usability is a process that evaluates the validated data in context to the original data quality objectives (DQOs). The formal process of usability determination involves a complex series of editing, screening, auditing, verifying, and reviewing the validated data. It is important to understand the bias associated with "J"-qualified data. The "J" data may have high, low, or indeterminate bias. A low bias means that the reported concentration is most likely an underestimate of the true concentration. For example, data may be biased low when sample holding times are exceeded or when the recovery of QA/QC compounds is significantly less than the true amount originally introduced into the sample. A high bias means that the reported concentration is most likely an overestimate of the true concentration. A bias is indeterminate when it is not possible to ascertain whether the concentration is an overestimate or an underestimate. For example, an indeterminate bias could result when matrix effects obscure QA/QC compounds.

Based on evaluation of all materials in this analytical data group, the data is highly usable with the data validation qualifiers as noted. There were only 4 rejected results (naphthalene non-detects) out of 245 total values in this SDG; therefore, as per the QAPP's completeness criteria (number of valid results/total number of possible results), the results were well above the 95% typical QC requirement.

SDG Summary

All data are valid and usable with qualifications as noted in the data review.

Signed: Joseph Conway

Dated: 7/2/98

ATTACHMENTS

- Chain-of-Custody
- Laboratory SDG Case Narrative
- Definition of Data Validation Qualifiers (USEPA)
- Definition of AFCEE QAPP Data Qualifiers
- Definition of Lab Qualifiers
- Qualified Results on Lab Form 1s

DATA VALIDATION QUALIFIERS (USEPA)

Organics

- U - The analyte was analyzed for, but not detected above the reported sample quantitation limit.
- J - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- N - The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."
- NJ - The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
- UJ - The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R - The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

AFCEE QAPP Data Qualifiers

Qualifier	Description
J	The analyte was positively identified, the quantitation is an estimation.
U	The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
F	The analyte was positively identified but the associated numerical value is below the RL.
R	The data are unusable due to deficiencies in the ability to analyze the sample and meet QC criteria.
B	The analyte was found in an associated blank, as well as in the sample.
M	A matrix effect was present.
S	To be applied to all field screening data.
T	Tentatively identified compound (using GC/MS).

1/4 each SDG #32

AFCEE
CHAIN OF CUSTODY RECORD

COC#: _____

Sample Receiving
H2M Labs, Inc.
575 Broad Hollow Road
Melville, NY 11747

Ship to:	Project Name: <u>Plattsburgh AFB</u>	Send Results to:
	Sampler Name: <u>Yenny</u>	<u>G. Mungo</u>
Carrier: _____	Sampler Signature: <u>[Signature]</u>	<u>KPM</u>
Airbill #: _____		<u>909 Malcolm</u>
		<u>Route 204, M</u>

Field Sample ID	Date	Time	Matrix	Pres	Filtered /Unfilt.	# of Containers	MS/MSD	Analyses Requested												Comments
								VOCs	TC	PAHs	PCBs	Metal	Other	Other	Other	Other	Other	Other	Other	
T-10 Blank	10/98	12:40	A	-	-	1	-	1	1	TC	2	1	1	1	1	1	1	1	98 11555	11774
P-7009-A-A1-AA	10/98	12:40	A	-	-	1	-	1	1	TC	2	1	1	1	1	1	1	1	556	
P-7009-A-A1-FB	10/98	13:15	A	-	-	1	-	1	1	TC	3	1	1	1	1	1	1	1	557	
P-205-A-B1-AA	10/98	13:45	A	-	-	1	-	1	1	STAR	4	1	1	1	1	1	1	1	558	
P-205-A-B1-FB	10/98	15:00	A	-	-	1	-	1	1	STAR	5	1	1	1	1	1	1	1	559	
P-7009-A-A1-AA	10/98	13:15	A	-	-	1	-	1	1	TC	6	1	1	1	1	1	1	1	560	
P-864-A-A1-AA	10/98	16:30	A	-	-	1	-	1	1	STAR	7	1	1	1	1	1	1	1	561	
P-864-A-B1-FB	10/98	16:45	A	-	-	1	-	1	1	STAR	8	1	1	1	1	1	1	1	562	
P-864-A-B1-AA	10/98	16:45	A	-	-	1	-	1	1	STAR	9	1	1	1	1	1	1	1	563	
P-828-A-A1-AA	10/98	17:15	A	-	-	1	-	1	1	TC	10	1	1	1	1	1	1	1	564	

Sample Condition Upon Receipt at Laboratory: _____ Cooler temperature: _____

Special Instructions/Comments:

#1 Released by (Sig): <u>[Signature]</u>	Date: <u>10/16/98</u>	#2 Released by (Sig): <u>[Signature]</u>	Date: <u>10/16/98</u>	#3 Released by (Sig): <u>[Signature]</u>	Date: <u>11/2/00</u>
Company Name: <u>FPM</u>	Time: <u>1:00</u>	Company Name: <u>FPM</u>	Time: <u>1:00</u>	Company Name: <u>H2M</u>	Time: <u>11:00</u>
#1 Received by (Sig): <u>[Signature]</u>	Date: <u>4/24/98</u>	#2 Received by (Sig): <u>[Signature]</u>	Date: <u>4-17-98</u>	#3 Received by (Sig): <u>[Signature]</u>	Date: <u>11/2/00</u>
Company Name: <u>FPM</u>	Time: <u>1:00</u>	Company Name: <u>FPM</u>	Time: <u>1:00</u>	Company Name: <u>H2M</u>	Time: <u>11:00</u>

SAMPLES WERE:
 1 Shipped or Hand Delivered _____ Airbill # 10121
 2 Ambient _____ or Chilled _____ °C 6.54
 3 Received in good condition Y N _____
 4 Properly preserved Y N _____
 5 Discrepancies between sample labels & COC Record Y _____ N
 COC TAPE WAS:
 1 Present on outer package Y N _____

H2M LABS, INC.

SDG NARRATIVE FOR VOLATILES IN AIR ANALYSES SAMPLES RECEIVED: 4/17/98 SDG #: FPM042

Page 1 of 2

For Samples:

TRIP BLANK	P-7009-A-A1-AA
P-7009-A-A2-AA	P-864-A-A1-AA
P-7009-A-A1-FB	P-864-A-B1-FB
P-205-A-B1-AA	P-864-A-B1-AA
P-205-A-B1-FB	P-828-A-A1-AA

The samples were analyzed according to EPA Methods TO1 / TO2, and the reporting format follows the requirements of the NYSDEC Analytical Service Protocol (ASP), Rev. 10/95.

The samples were reported for either the TCL compounds or the STAR compounds, as requested.

QC DATA

The surrogate and internal standard for tube P-864-A-B1-FB were not within the QC limits, and the internal standards were low in sample P-828-A-A1-AA. This could indicate that the tubes leaked during desorption.

It appears likely that a spare tube from the sampling was used to analyze the instrument ("method") blank on 4/21/98, which would explain the amount of acetone found, which is unusually high. (Acetone was found in the trip blank) Other days show much lower levels of acetone background in the instrument.

Compounds found in the method blanks were flagged with the qualifier "B" in the associated samples, i.e. run on the same day as the blank.

TUNING

Even though no tune criteria are set in methods TO-1 / TO-2, mass calibration (tuning) was checked with BFB against standard EPA acceptance criteria ✓

CALIBRATION FOR TARGETED ANALYTES

Multipoint calibration at three concentration levels from 10 to 1000 ng was performed with internal standard calibration, using three internal standards for the TCL compounds. For calibration of the STAR analytes, 1,4-difluorobenzene was used as internal standard.

SAMPLE ANALYSES

The shipping tube for sample P-205-A-B1-AA, in which the sorbent tube is contained, arrived broken. Sorbent tubes are sealed with Swagelock fittings, and shipping tubes serve as additional safeguard to prevent contamination by absorption from the ambient air.

H2M LABS, INC.

**SDG NARRATIVE FOR VOLATILES IN AIR ANALYSES
SAMPLES RECEIVED: 4/17/98
SDG #: FPM042**

Page 2 of 2

Estimated values, indicated by the qualifier "J", are reported for the two samples with low internal standard areas.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: May 14, 1998

* *Ursula Middel* *

Ursula Middel
Technical Manager

H2M LABS, INC.

QUALIFIERS FOR REPORTING ORGANICS DATA

Value - If the result is a value greater than or equal to the quantification limit, report the value.

U - Indicates compound was analyzed for but not detected. The sample quantitation limit must be corrected for dilution and for percent moisture. For example, 10U for phenol in water if the sample final volume is the protocol-specified final volume. If a 1 to 10 dilution of extract is necessary, the reported limit is 100 U. For a soil sample, the value must also be adjusted for percent moisture. For example, if the sample had 24% moisture and a 1 to 10 dilution factor, the sample quantitation limit for phenol (330 U) would be corrected to

$$\frac{(330 U) \times df}{D} \text{ where } D = \frac{100 - \% \text{ moisture}}{100}$$

and df = dilution factor

For example, at 24% moisture, $D = \frac{100 - 24}{100} = 0.76$

$$\frac{(330 U) \times 10}{.76} = 4300 U \text{ rounded to the appropriate number of significant figures}$$

For semivolatile soil samples, the extract must be concentrated to 0.5 mL, and the sensitivity of the analysis is not compromised by the cleanup procedures. Similarly, pesticide samples subjected to GPC are concentrated to 5.0 mL. Therefore, the CRQL values in Exhibit C will apply to all samples, regardless of cleanup. However, if a sample extract cannot be concentrated to the protocol-specified volume (see Exhibit C), this fact must be accounted for in reporting the sample quantitation limit.

J - Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed or when the mass spectral data indicates the presence of a compound that meets the identification criteria but the result is less than the specified quantification limit but greater than zero. (e.g.: If limit of quantification is 10 ug/l and a concentration of 3 ug/l is calculated, report as JJ.) The sample quantitation limit must be adjusted for dilution as discussed for the U flag.

N - Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds, where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.

P - This flag is used for a pesticide/Aroclor target analyte when there is greater than 25% difference for detected concentrations between the two GC columns (see Form X). The lower of the two values is reported on Form I and flagged with a "P"

C - This flag applies to pesticide results where the identification has been confirmed by GCMS. If GCMS confirmation was attempted but was unsuccessful, do not apply this flag, instead use a Laboratory-defined flag, discussed below

H2M LABS, INC.

B - This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action. This flag must be used for a TIC as well as for a positively identified target compound.

E - This flag identifies compounds whose concentrations exceed the calibration range of the GC/MS instrument for that specific analysis. If one or more compounds have a response greater than full scale, except as noted in Exhibit D, the sample or extract must be diluted and re-analyzed according to the specifications in Exhibit D. All such compounds with a response greater than full scale should have the concentration flagged with an "E" on the Form I for the original analysis. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses shall be reported on separate copies of Form I. The Form I for the diluted sample shall have the "DL" suffix appended to the sample number. NOTE: For total xylenes, where three isomers are quantified as two peaks, the calibration range of each peak should be considered separately, e.g., a diluted analysis is not required for total xylenes unless the concentration of the peak representing the single isomer exceeds 200 ug/l or the peak representing the two coeluting isomers on that GC column exceeds 400 ug/l. Similarly, if the two 1,2-Dichloroethene isomers coelute, a diluted analysis is not required unless the concentration exceeds 400 ug/l.

D - This flag identifies all compounds identified in an analysis at a secondary dilution factor. If a sample or extract is re-analyzed at a higher dilution factor, as in the "E" flag above, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values reported on that Form I are flagged with the "D" flag. This flag alerts data users that any discrepancies between the concentrations reported may be due to dilution of the sample or extract.

A - This flag indicates that a TIC is a suspected aldol-condensation product.

X - Other specific flags may be required to properly define the results. If used, they must be fully described, and such description attached to the Sample Data Summary Package and the SDG narrative. Begin by using "X". If more than one flag is required, use "Y" and "Z" as needed. If more than five qualifiers are required for a sample result, use the "X" flag to combine several flags as needed. For instance, the "X" flag might combine "A", "B", and "D" flags for some samples. The Laboratory defined flags limited to the letters "X", "Y" and "Z".

The combination of flags "BU" or "UB" is expressly prohibited. Blank contaminants are flagged "B" only when they are detected in the sample.

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

TRIP BLANK

MATRIX : AIR

Sample ID. : 9811555 5996 4/21/98

Lab File ID : V3498.D

Date/Time Analyzed: 04/21/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		100 U
Carbon Disulfide		10 U
Methylene Chloride		10 U
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		3 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		10 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

9

3

44

[Handwritten signature]
5/12/98

[Handwritten signature]
6/15/98

4444

5

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P7009AA2AA

MATRIX : AIR

Sample ID. : 9811556 5996 4/21/98

Lab File ID : V3499.D

Date/Time Analyzed: 04/21/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		1,000 FBW
Carbon Disulfide		10 U
Methylene Chloride		580 J
2-Butanone		130 J
trans-1,2-Dichloroethene		10 U
cis-1,2-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		12
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		22 J
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J

5/12/98

6/15/98

J
J
J

J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P7009AA1FB

MATRIX : AIR

Sample ID. : 9811557 5996 4/21/98

Lab File ID : V3500.D

Date/Time Analyzed: 04/21/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		16
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		450
Carbon Disulfide		10 U
Methylene Chloride		1,100 E
2-Butanone		81
trans-1,2-Dichloroethene		10 U
cis-1,2,1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		7
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		17
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J

J

J

5/2/98

4/15/98

4444

J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P7009AA1AA

MATRIX : AIR

Sample ID : 9811560 5996 4/21/98

Lab File ID : V3501.D

Date/Time Analyzed: 04/21/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		1,000 U
Carbon Disulfide		10 U
Methylene Chloride		310 U
2-Butanone		120 U
trans-1,2-Dichloroethene		10 U
cis-1,2-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		10 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		24 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J

J

5/12/98

6/15/98

9499

J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

Converted from R

P 823A A1 AA

MATRIX : AIR

Sample ID. : 9811564 5996 4/21/98

Lab File ID : V3502.D

Date/Time Analyzed: 04/21/98

Instrument ID: 5996

Sw
5/12/98

Split Factor : 1 : 1
Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		2,900 E3
Carbon Disulfide		10 U
Methylene Chloride		400
2-Butanone		200
trans-1,2-Dichloroethene		10 U
cis-1,2,1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		18
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		150
Tetrachloroethene		12
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J

↓

Sw
5/14/98

K
6/15/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P205A-B1AA

MATRIX : AIR

Sample ID. : 9811558 5996 4/28/98

Lab File ID : V3537.D

Date/Time Analyzed: 04/28/19 -1:5:

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Methyl t-butyl ether		49
Benzene		17
Toluene		54
Ethylbenzene		16
o-Xylene		17
m/p-Xylene		47
Isopropylbenzene		10 U
1,3,5-trimethylbenzene		36
1,2,4-Trimethylbenzene		28
n-Propylbenzene		10 U
t-Butylbenzene		10 U
sec-Butylbenzene		10 U
4-isopropyltoluene		10 U
n-Butylbenzene		10 U
Napthalene		22 U

je
6/15/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P205A-B1FB

MATRIX : AIR

Sample ID. : 9811559 5996 4/28/98

Lab File ID : V3538.D

Date/Time Analyzed: 04/28/19 -1:6:

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
Methyl t-butyl ether		10 U	
Benzene		6	
Toluene		10 U	
Ethylbenzene		10 U	
o-Xylene		10 U	
m/p-Xylene		10 U	
Isopropylbenzene		10 U	
1,3,5-trimethylbenzene		10 U	
1,2,4-Trimethylbenzene		10 U	J
n-Propylbenzene		10 U	
t-Butylbenzene		10 U	
sec-Butylbenzene		10 U	
4-isopropyltoluene		10 U	
n-Butylbenzene		10 U	
Napthalene		10 U	R

JK
6/15/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P864A-A1AA

MATRIX : AIR

Sample ID. : 9811561 5996 4/28/98

Lab File ID : V3539.D

Date/Time Analyzed: 04/28/19 -1:6:

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
Methyl t-butyl ether		10	U
Benzene		9	
Toluene		15	
Ethylbenzene		10	U
o-Xylene		10	U
m/p-Xylene		10	U
Isopropylbenzene		10	U
1,3,5-trimethylbenzene		10	U
1,2,4-Trimethylbenzene		10	U
n-Propylbenzene		10	U
t-Butylbenzene		10	U
sec-Butylbenzene		10	U
4-isopropyltoluene		10	U
n-Butylbenzene		10	U
Napthalene		10	U

J

R

jc
4/15/98

A 0048

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P864A-B1FB

MATRIX : AIR

Sample ID. : 9811562 5996 4/28/98

Lab File ID : V3540.D

Date/Time Analyzed: 04/28/19 -1:7:

Instrument ID: 5996

Split Factor : 1 : 1

Quart Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Methyl t-butyl ether		10 U
Benzene		22 U
Toluene		20 U
Ethylbenzene		10 U
o-Xylene		10 U
m/p-Xylene		10 U
Isopropylbenzene		10 U
1,3,5-trimethylbenzene		10 U
1,2,4-Trimethylbenzene		10 U
n-Propylbenzene		10 U
t-Butylbenzene		10 U
sec-Butylbenzene		10 U
4-isopropyltoluene		10 U
n-Butylbenzene		10 U
Napthalene		10 U

Handwritten notes: "5/14" and "RC" with a vertical arrow pointing down from the Benzene row to the Napthalene row.

Handwritten signature "RC" and date "6/15/98".

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P864A-B1AA

MATRIX : AIR

Sample ID. : 9811563 5996 4/28/98

Lab File ID : V3541.D

Date/Time Analyzed: 04/28/19 -1:7:

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Methyl t-butyl ether		10 U
Benzene		8
Toluene		15
Ethylbenzene		10 U
o-Xylene		10 U
m/p-Xylene		10 U
Isopropylbenzene		10 U
1,3,5-trimethylbenzene		10 U
1,2,4-Trimethylbenzene		10 U
n-Propylbenzene		10 U
t-Butylbenzene		10 U
sec-Butylbenzene		10 U
4-isopropyltoluene		10 U
n-Butylbenzene		10 U
Napthalene		10 U

J

R

X

6/15/98

***Fanning, Phillips and Molnar
Data Validation and Usability Report
Plattsburgh Air Force Base
Plattsburgh, New York
Final Indoor Air and Soil Vapor Surveys
FPM Project No. 444-96-01***

**Data Review
SDG No. FPM041**

Laboratory: H2M Labs, Inc.
Sample Matrix: soil vapor
Number of Samples: 20
Analysis Performed: VOC (TCL or STARS)
Data Reviewer: Joseph Camanzo, Senior Chemist
Date: June 30, 1998

This validation report pertains to the following samples:

Sample ID

P-9400-V-02-02-AA	P-2335-V-12-02-AA	P-205-V-02-02-AA
P-9400-V-04-02-AA	P-2335-V-10-02-AA	P-205-V-01-02-AA
P-9400-V-03-02-AA	P-2335-V-11-02-AA	P-205-V-03-02-AA
P-9400-V-01-02-AA	P-2335-V-09-02-AA	P-205-V-04-02-AA
P-9400-V-06-02-AA		P-205-V-05-02-AA
		P-205-V-06-02-AA

QC Samples

P-9400-V-02-02-TB (Trip blank)
P-9400-V-02-02-FB (Field blank)
P-2335-V-12-02-TB (Trip blank)
P-2335-V-11-02-FB (Field blank)
P-205-V-02-02-FB (Field blank)

Deliverable

The above referenced Sample Delivery Group (SDG) was in a full data deliverable (CLP-like) data package format. The reporting format followed the requirements of the NYSDEC Analytical Service Protocol (ASP), Rev. 10/95. The data package contained backup QA/QC results and raw data to allow for a data validation review.

Analytical Method

The analytical test method used for the soil vapor samples was EPA Method 5041, Volatile Organic Sampling Trains (VOST); samples were analyzed for EPA Target Compound List (TCL) or NYSDEC Spill Technology And Remediation Series (STARS) compounds.

Validation Guidance

The data was validated according to the protocols and QC requirements of the analytical method, U.S. Environmental Protection Agency (USEPA) Contract Laboratory Program National Functional Guidelines for Organic Data Review (revised in February 1994), USEPA Region II CLP Organics Data Review (May 1996), the Air Force Center for Environmental Excellence (AFCEE) Quality Assurance Project Plan (QAPP), Document Version 1.1 (dated February 1996), and the reviewer's professional judgement.

ORGANICS

The following QA/QC criteria were reviewed:

- Quantitation/detection limits
- Holding times
- GC/MS tuning and Performance
- Initial calibrations
- Continuing calibrations
- Method blanks
- Field and trip blanks
- Surrogate spike recoveries
- Internal standard area and retention times
- Data system printouts
- GC chromatograms and mass spectra
- Qualitative and quantitative compound identification
- Case narrative and deliverables compliance

The items listed above were in compliance with USEPA, ASP, and QAPP criteria and protocols with only exceptions discussed in the text below. The data have been validated according to the procedures outlined above and qualified accordingly.

All data are valid and acceptable except those analytes which have been qualified with a "J" (estimated), "N" (presumptive evidence for the presence of the material), "U" (nondetect), "R" (unusable), or "JN" (presumptive evidence for the presence of the material at an estimated value). The data for all flagged samples are usable with caution, except those with the "R", rejected, qualification.

It should be noted that in the case when the analytical laboratory may have already assigned data qualifiers (e.g., "J", "F", etc.) to some samples/analytical parameters based on internal QC reviews, the laboratory assigned qualifiers continue to apply in all instances that they were made unless expressly over-ridden by data validation flags.

VOLATILES

Data Validation Results

- For sample P-9400-V-02-02-AA analyzed for the STARS compound list, no surrogate compound recovery (4-bromofluorobenzene) or internal standard area (1,4-difluorobenzene) could be reported. According to the laboratory, this sample was obviously skipped by the automated spiking apparatus. Since this event resulted in a lack of QC data, and the concentrations in the sample had to be determined using the external method of calculation, the results are considered estimated with positive results flagged "J" and non-detects flagged "UJ".
- The following table lists blanks, blank contaminants, concentrations (in ng), and associated samples. In accordance to the EPA National Functional guidelines, based on the concentration of these compounds in the blanks and associated samples, the presence of methylene chloride, acetone, and 2-butanone (common laboratory contaminants) are negated if the concentration in the samples is less than ten times the highest associated blank after taking sample dilution into account. The presence of the remaining compounds are negated in the samples if less than five times the concentration in the highest associated blank is found. The field blank samples (suffix -FB), which were ambient air samples taken in the vicinity of the VOST soil vapor samples, were only used for qualitative purposes and not used to negate concentrations in associated samples. This was decided based on the fact that the VOST sampling device is a closed system and that the soil vapor samples taken at a depth of 2 feet have no direct relation to the ambient air at the sampling locations.

Blank ID	Compound (Conc. in ng)	Associated Samples
Method Blank 5/1	Acetone (22)	All TCL compound analyses
P-2335-V-12-02-TB	Methylene chloride (16) Benzene (3)	All TCL compound Analyses
P-9400-V-02-02-TB	Benzene (6)	All STARS compound analyses

- The following table lists compounds that: exhibited percent relative standard deviation (%RSD) for response factors in the initial (I) calibration above the 30% QC criteria; exhibited percent difference (%D) between the initial calibration and continuing (C) calibration response factors greater than the 25% criteria; exhibited response factors (RF) less than the 0.05 criteria. These criteria are based on the EPA National Functional guidelines. Associated sample results for these compounds are considered estimated with positive values flagged "J". For non-detects, %RSD or %D greater than the QC limits but less than 90% are flagged "UJ"; %RSD or %D greater than 90% or RF deficiencies (<0.05) are rejected and flagged "R".

Calibration	Compound	Deficiency	Associated Samples
I - 4/30/98	Naphthalene	%RSD=122	All STARS compound analyses by internal standard method
I - 5/14/98	Naphthalene	%RSD=120.6	P-9400-V-02-02-AA, by external method
I - 3/26/98	Vinyl chloride Chloroethane Bromoform	%RSD=38.5 %RSD=44.8 %RSD=32.0	All TCL compound analyses
C - 5/01/98	Vinyl chloride 2-Butanone	%D=-26.0 %D=33.1	All TCL compound analyses

- According to the laboratory manager, instrument problems were experienced during the analysis of sample P-205-V-03-02-AA and no data can be reported.

Data Usability Results

Data review for usability is a process that evaluates the validated data in context to the original data quality objectives (DQOs). The formal process of usability determination involves a complex series of editing, screening, auditing, verifying, and reviewing the validated data. It is important to understand the bias associated with “J”-qualified data. The “J” data may have high, low, or indeterminate bias. A low bias means that the reported concentration is most likely an underestimate of the true concentration. For example, data may be biased low when sample holding times are exceeded or when the recovery of QA/QC compounds is significantly less than the true amount originally introduced into the sample. A high bias means that the reported concentration is most likely an overestimate of the true concentration. A bias is indeterminate when it is not possible to ascertain whether the concentration is an overestimate or an underestimate. For example, an indeterminate bias could result when matrix effects obscure QA/QC compounds.

Based on evaluation of all materials in this analytical data group, the data is highly usable with the data validation qualifiers as noted. There were only 11 rejected results (naphthalene non-detects) out of 399 total values in this SDG; therefore, as per the QAPP’s completeness criteria (number of valid results/total number of possible results), the results were well above the 95% typical QC requirement.

SDG Summary

All data are valid and usable with qualifications as noted in the data review.

Signed: 

Dated: 7/2/98

ATTACHMENTS

- Chain-of-Custody
- Laboratory SDG Case Narrative
- Definition of Data Validation Qualifiers (USEPA)
- Definition of AFCEE QAPP Data Qualifiers
- Definition of Lab Qualifiers
- Qualified Results on Lab Form 1s

DATA VALIDATION QUALIFIERS (USEPA)

Organics

- U - The analyte was analyzed for, but not detected above the reported sample quantitation limit.
- J - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- N - The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."
- NJ - The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
- UJ - The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R - The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

AFCEE QAPP Data Qualifiers

Qualifier	Description
J	The analyte was positively identified, the quantitation is an estimation.
U	The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.
F	The analyte was positively identified but the associated numerical value is below the RL.
R	The data are unusable due to deficiencies in the ability to analyze the sample and meet QC criteria.
B	The analyte was found in an associated blank, as well as in the sample.
M	A matrix effect was present.
S	To be applied to all field screening data.
T	Tentatively identified compound (using GC/MS).

CUSTODY SEAL Signature

SDG # 32

AFCEE
CHAIN OF CUSTODY RECORD

Sample Receiving
H2M Labs, Inc.
575 Broad Hollow Road
Melville, NY 11747

PUTTE *PUSTAR*

COC#: _____

Ship to:	Project Name: <i>Plattsburgh AFB</i>	Send Results to:
	Sampler Name: <i>Greg Minegiov</i>	<i>G. Menegio</i>
Carrier: <i>FEDEX</i> Airbill #:	Sampler Signature: _____	<i>FPM</i>
		<i>909 MARCONI AVE</i>
		<i>ROCKY HILL, NY 11779</i>

Field Sample ID	Date	Time	Matrix	Pres	Filtered /Unfilt.	# of Containers	MS/MSD	Analyses Requested										Comments							
								1	2	3	4	5	6	7	8	9	10		11	12					
<i>P-9400-V-02-02AA 1700</i>	<i>1998</i>		<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>	<i>STAR</i>	<i>1</i>															
<i>P-9400-V-02-02TB 1500</i>	<i>4/15</i>		<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>		<i>2</i>															
<i>P-9400-V-02-02-FB 1600</i>			<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>			<i>3</i>														
<i>P-9400-V-04-02AA 1730</i>			<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>			<i>4</i>														
<i>P-9400-V-03-02AA 1800</i>			<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>			<i>5</i>														<i>X(TC)</i>
<i>P-9400-V-01-02-AA 1830</i>			<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>			<i>6</i>														<i>X(T+TC)</i>
<i>P-9400-V-05-02AA 1900</i>			<i>A</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>-</i>	<i>2</i>	<i>✓</i>		<i>7</i>														<i>X(T)</i>
	<i>06 KET</i>	<i>4/17/98</i>																							<i>T/C Tube broken</i>

Sample Condition Upon Receipt at Laboratory: _____ Cooler temperature: _____

Special Instructions/Comments: *Do NOT dilute samples - Run & Report low level (and medium level if nec)*
CONTACT CLIENT IF PROBLEM

#1 Released by: (Sig) _____	Date: _____	#2 Released by: (Sig) <i>Sam</i>	Date: <i>4/16/98</i>	#3 Released by: (Sig) _____	Date: _____
Company Name: _____	Time: _____	Company Name: <i>FPM</i>	Time: <i>1800</i>	Company Name: _____	Time: _____
#1 Received by: (Sig) <i>Sam</i>	Date: <i>4/14/98</i>	#2 Received by: (Sig) _____	Date: _____	#3 Received by: (Sig) <i>Sam</i>	Date: <i>4-17-98</i>
Company Name: <i>FPM</i>	Time: <i>1000</i>	Company Name: _____	Time: _____	Company Name: <i>H2M</i>	Time: <i>1100</i>

SAMPLES WERE:
 1. Shipped _____ or Hand Delivered _____ Airbill # *8035121*
 2. Ambient _____ or Chilled *✓* _____ °C *2.5*
 3. Received in good condition *✓* _____
 4. Properly preserved *Y* _____ *N* _____
 5. Discrepancies between sample labels & COC Record *Y* _____ *N* _____
 COC TAPE WAS:
 1. Present on outer container *Y* _____ *N* _____

003

1/2

AFCEE CHAIN OF CUSTODY RECORD

SDG 32

COC#: _____

Ship to:	Sample Receiving H2M Labs, Inc. 575 Broad Hollow Road Melville, NY 11747	Project Name: <u>Plattsburgh AFB</u>	Send Results to: <u>G. Menegio</u> FPM 909 Marconi Ave Ronkonkoma, NY 11779
	Carrier:	Sampler Name: <u>G. Menegio</u>	
		Sampler Signature: <u>[Signature]</u>	

Field Sample ID	Date	Time	Matrix	Pr: s	Filtered /Unfilt.	# of Containers	MS/ MSD	Analyses Requested										Comments
								VOCs										
P-2335-V-02-02-TB	1998	0900	A	-	-	2	-	2	TCL	8		98	115	32				
P-2335-V-12-02-AA	0900		A	-	-	2	-	2	TCL	9				533				
P-2335-V-10-02-AA	0900		A	-	-	2	-	2	TCL	10				534				
P-2335-V-11-02-FB	1000		A	-	-	2	-	2	TCL	11				535				
P-2335-V-11-02-AA	1000		A	-	-	2	-	2	TCL	12				536	X(TC)			
P-2335-V-09-02-AA	1000		A	-	-	2	-	2	TCL	13				537	X(T)			
P-205-V-02-02-FB			A	-	-	2	-	2	STAR	14				538				
P-205-V-02-02-AA			A	-	-	2	-	2	STAR	15				539				

Sample Condition Upon Receipt at Laboratory:	Cooler temperature:
Special Instructions/Comments:	

#1 Released by (Sig): <u>[Signature]</u>	Date:	#2 Released by (Sig): <u>[Signature]</u>	Date:	#3 Released by (Sig): <u>[Signature]</u>	Date:
Company Name: <u>FPM</u>	Time: <u>1000</u>	Company Name: <u>FPM</u>	Time: <u>1800</u>	Company Name: <u>H2M</u>	Time: <u>1100</u>
#1 Received by (Sig): <u>[Signature]</u>	Date: <u>4/14/98</u>	#2 Received by (Sig): <u>[Signature]</u>	Date:	#3 Received by (Sig): <u>[Signature]</u>	Date: <u>4-17-98</u>
Company Name: <u>FPM</u>	Time: <u>1000</u>	Company Name:	Time:	Company Name: <u>H2M</u>	Time: <u>1100</u>

2/2

AFCEE CHAIN OF CUSTODY RECORD

SDG 32

COC#: _____

Ship to: Sample Receiving H2M Labs, Inc. 575 Broad Hollow Road Melville, NY 11747	Project Name: <u>Plattsburgh AFB</u>	Send Results to: <u>G. Menegio</u> <u>FPM</u> <u>909 MARCONI AVE</u> <u>ROCKY HILL, CT 06119</u>
	Sampler Name: <u>G. Menegio</u>	
Carrier: <u>E</u>	Sampler Signature: <u>[Signature]</u>	

Field Sample ID	Date	Time	Matrix	Pres	Filtered /Unfilt.	# of Containers	MS/ MSD	Analyses Requested										Comments					
								VOCs															
P-205-V-02-02-AA	4/14	1400	A	-	-	2	-	2	STAR	16	98115	40											
P-205-V-03-02-AA	4/16	1430	A	-	-	2	-	2	STAR	16		541											X(T)
P-205-V-04-02-AA	4/16	1500	A	-	-	2	-	2	STAR	18		542											
P-205-V-05-02-AA	4/16	1530	A	-	-	2	-	2	STAR	16		543											X(T+TC)
P-205-V-06-02-AA	4/16	1600	A	-	-	2	-	2	STAR	20		544											

Sample Condition Upon Receipt at Laboratory:	Cooler temperature:
Special Instructions/Comments:	

#1 Released by: (Sig) [Signature]	Date: 4/14/98	#2 Released by: (Sig) ← [Signature]	Date: 4/16/98	#3 Released by: (Sig) [Signature]	Date: 4-17-98
Company Name: FPM	Time: 1000	Company Name: FPM	Time: 1800	Company Name: H2M	Time: 1100

0005

H2M LABS, INC.

SDG NARRATIVE FOR VOLATILES IN AIR ANALYSES SAMPLES RECEIVED: 4/17/98 SDG #: FPM041

Page 1 of 2

For Samples:

P-9400-V-02-02-AA	P-2335-V-12-02-TB	P-205-V-02-02-FB
P-9400-V-02-02-TB	P-2335-V-12-02-AA	P-205-V-02-02-AA
P-9400-V-02-02-FB	P-2335-V-10-02-AA	P-205-V-01-02-AA
P-9400-V-04-02-AA ?	P-2335-V-11-02-FB	P-205-V-03-02-AA not reported
P-9400-V-03-02-AA	P-2335-V-11-02-AA	P-205-V-04-02-AA ✓
P-9400-V-01-02-AA	P-2335-V-09-02-AA	P-205-V-05-02-AA
P-9400-V-06-02-AA		P-205-V-06-02-AA

The samples were analyzed according to EPA Method 5041, and the reporting format follows the requirements of the NYSDEC Analytical Service Protocol (ASP), Rev. 10/95.

The samples were reported for either the TCL compounds or the STAR compounds, as requested.

QC DATA

Surrogate and internal standards were within the QC limits. No surrogate recoveries and internal standard areas could be reported for sample P-9400-V-02-02-AA, because this sample was obviously skipped by the automated spiking apparatus.

A spare tube from the sampling was accidentally used to analyze the instrument ("method") blank on 5/1/98. Since contaminations were picked up during the trip, as evidenced in the (other) trip blank, this run cannot serve to determine method background contamination. The run for BFB tuning was therefore evaluated as method blank, to show instrument background. Since it contains a different amount of internal standard, it had to be quantified with external standard method. - ok

Compounds found in the method blanks were flagged with the qualifier "B" in the associated samples, i.e. run on the same day as the blank.

TUNING

Correct mass calibration (tuning) was checked with BFB against EPA acceptance criteria (Method 5041) in 12 hour intervals. Sample P-9400-V-06-02-A is outside the specified tune period by 15 minutes. This should not affect the acceptability of the data, because tune parameters on the instrument have been found to be very stable. - ok

CALIBRATION FOR TARGETED ANALYTES

Multipoint calibration at three concentration levels from 10 to 1000 ng was performed with internal standard calibration, using three internal standards, specified in Method 5041. For calibration of the STAR analytes, 1,4-difluorobenzene was used as internal standard. By omitting

H2M LABS, INC.

**. SDG NARRATIVE FOR VOLATILES IN AIR ANALYSES
SAMPLES RECEIVED: 4/17/98
SDG #: FPM041**

Page 2 of 2

Vinyl chloride showed a RSD of 38 %, which exceeds the limit for CCC compounds. No Vinyl chloride was found in the samples

Inconsistent responses were obtained for the late eluting compound naphthalene. The reported results were computed with the average response factor, and the data are flagged with the qualifier "J" as estimated.

The continuous calibration evaluation forms (VII) for 5/1/98 for the TCL compounds are included for the internal standard method and external method. Form VII for the external method indicates some sensitivity change, (three CCC compounds exceed), whereas for the internal standard method all are compliant. The results for the BFB method blank were therefore computed with the response factors of the day for more accurate results. → con

SAMPLE ANALYSES


Instrument problems were experienced during the analysis of sample P-205-V-03-02-AA, and no data can be reported.

Two samples arrived with broken back tubes (Tenax / charcoal tubes). Only the front Tenax tube was analyzed, which should not affect the data. Only the STAR analytes were to be reported, i. e. low molecular weight analytes, which would break through the Tenax, were not targeted. OK

Sample P-9400-V-02-02-AA was quantified with external standard method, because the sample was not spiked with the internal standard solution, as previously mentioned. The method blank, (BFB run) was quantified with external standard method as well, as discussed above.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Date Reported: May 14, 1998

*  *

Ursula Middel
Technical Manager

H2M LABS, INC.

QUALIFIERS FOR REPORTING ORGANICS DATA

Value - If the result is a value greater than or equal to the quantification limit, report the value.

U - Indicates compound was analyzed for but not detected. The sample quantitation limit must be corrected for dilution and for percent moisture. For example, 10U for phenol in water if the sample final volume is the protocol-specified final volume. If a 1 to 10 dilution of extract is necessary, the reported limit is 100 U. For a soil sample, the value must also be adjusted for percent moisture. For example, if the sample had 24% moisture and a 1 to 10 dilution factor, the sample quantitation limit for phenol (330 U) would be corrected to

$$\frac{(330 \text{ U}) \times df}{D} \text{ where } D = \frac{100 - \% \text{ moisture}}{100}$$

and df = dilution factor

For example, at 24% moisture, $D = \frac{100 - 24}{100} = 0.76$

$$\frac{(330 \text{ U}) \times 10}{.76} = 4300 \text{ U rounded to the appropriate number of significant figures}$$

For semivolatile soil samples, the extract must be concentrated to 0.5 mL, and the sensitivity of the analysis is not compromised by the cleanup procedures. Similarly, pesticide samples subjected to GPC are concentrated to 5.0 mL. Therefore, the CRQL values in Exhibit C will apply to all samples, regardless of cleanup. However, if a sample extract cannot be concentrated to the protocol-specified volume (see Exhibit C), this fact must be accounted for in reporting the sample quantitation limit.

J - Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed or when the mass spectral data indicates the presence of a compound that meets the identification criteria but the result is less than the specified quantification limit but greater than zero. (e.g.: If limit of quantification is 10 ug/l and a concentration of 5 ug/l is calculated, report as JJ.) The sample quantitation limit must be adjusted for dilution as discussed for the U flag.

N - Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds, where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.

P - This flag is used for a pesticide/Aroclor target analyte when there is greater than 25% difference for detected concentrations between the two GC columns (see Form X). The lower of the two values is reported on Form I and flagged with a "P"

C - This flag applies to pesticide results where the identification has been confirmed by GC/MS. If GC/MS confirmation was attempted but was unsuccessful, do not apply this flag, instead use a Laboratory-defined flag, discussed below

H2M LABS, INC.

B - This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination and warns the data user to take appropriate action. This flag must be used for a TIC as well as for a positively identified target compound.

E - This flag identifies compounds whose concentrations exceed the calibration range of the GC/MS instrument for that specific analysis. If one or more compounds have a response greater than full scale, except as noted in Exhibit D, the sample or extract must be diluted and re-analyzed according to the specifications in Exhibit D. All such compounds with a response greater than full scale should have the concentration flagged with an "E" on the Form I for the original analysis. If the dilution of the extract causes any compounds identified in the first analysis to be below the calibration range in the second analysis, then the results of both analyses shall be reported on separate copies of Form I. The Form I for the diluted sample shall have the "DL" suffix appended to the sample number. NOTE: For total xylenes, where three isomers are quantified as two peaks, the calibration range of each peak should be considered separately, e.g., a diluted analysis is not required for total xylenes unless the concentration of the peak representing the single isomer exceeds 200 ug/l or the peak representing the two coeluting isomers on that GC column exceeds 400 ug/l. Similarly, if the two 1,2-Dichloroethene isomers coelute, a diluted analysis is not required unless the concentration exceeds 400 ug/l.

D - This flag identifies all compounds identified in an analysis at a secondary dilution factor. If a sample or extract is re-analyzed at a higher dilution factor, as in the "E" flag above, the "DL" suffix is appended to the sample number on the Form I for the diluted sample, and all concentration values reported on that Form I are flagged with the "D" flag. This flag alerts data users that any discrepancies between the concentrations reported may be due to dilution of the sample or extract.

A - This flag indicates that a TIC is a suspected aldol-condensation product.

X - Other specific flags may be required to properly define the results. If used, they must be fully described, and such description attached to the Sample Data Summary Package and the SDG narrative. Begin by using "X". If more than one flag is required, use "Y" and "Z" as needed. If more than five qualifiers are required for a sample result, use the "X" flag to combine several flags as needed. For instance, the "X" flag might combine "A", "B", and "D" flags for some samples. The Laboratory defined flags limited to the letters "X", "Y" and "Z".

The combination of flags "BU" or "UB" is expressly prohibited. Blank contaminants are flagged "B" only when they are detected in the sample.

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P2335V1202TB

MATRIX : AIR

Sample ID : @@9811532@@

Lab File ID : V3588.D

Date/Time Analyzed: 05/01/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		10 U
Carbon Disulfide		10 U
Methylene Chloride		16 U
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		3
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		10 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J

J

1/12
5/11/98

J
6/17/98

20
5/12/98

J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.
P2335V1202AA

MATRIX : AIR

Sample ID : @@9811533@@
Lab File ID : V3589.D
Date/Time Analyzed: 05/01/98
Instrument ID: 5996

Split Factor : 1 : 1
Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		42 B U
Carbon Disulfide		10 U
Methylene Chloride		20 B U
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		4 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		29 B U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		47
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J
J
U
U
J
6/17/98
5/12/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.
P2335V1002AA

MATRIX : AIR

Sample ID. : @@9811534@@
Lab File ID : V3590.D
Date/Time Analyzed: 05/01/98
Instrument ID: 5996

Split Factor : 1 : 1
Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		80 U
Carbon Disulfide		10 U
Methylene Chloride		15 U
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		15 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		83 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		21
Xylene (total)		100
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J
J
4
5/1/98
6/17/98
J
5/1/98
J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P2335V1102FB

MATRIX : AIR

Sample ID : @@9811535@@

Lab File ID : V3591.D

Date/Time Analyzed: 05/01/98

Instrument ID: 5996

Split Factor : 1 : 1
Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		12 3
Carbon Disulfide		10 U
Methylene Chloride		14 2
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		4 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		10 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J

J

4

2.5

45/1/98

J

K
6/17/98

Sw
5/12/98

J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P2335V1102AA

MATRIX : AIR

Sample ID : @@9811536@@

Lab File ID : V3592.D

Date/Time Analyzed: 05/01/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		35 U
Carbon Disulfide		10 U
Methylene Chloride		14 U
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		9 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		28 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10 U
Xylene (total)		10 U
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J
J
6/17/98
5/2/98
J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

P2335V0902AA

MATRIX : AIR

Sample ID : @@9811537@@

Lab File ID : V3593.D

Date/Time Analyzed: 05/01/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
Chloromethane		10 U
Vinyl Chloride		10 U
Bromomethane		10 U
Chloroethane		10 U
1,1-Dichloroethene		10 U
Acetone		59 U
Carbon Disulfide		10 U
Methylene Chloride		15 U
2-Butanone		10 U
trans-1,2-Dichloroethene		10 U
cis-1,2-Dichloroethene		10 U
1,1-Dichloroethane		10 U
Chloroform		10 U
1,2-Dichloroethane		10 U
1,1,1-Trichloroethane		10 U
Carbon Tetrachloride		10 U
Trichloroethene		10 U
Benzene		7 U
1,2-Dichloropropane		10 U
Bromodichloromethane		10 U
cis-1,3-Dichloropropene		10 U
trans-1,3-Dichloropropene		10 U
1,1,2-Trichloroethane		10 U
4-Methyl-2-Pentanone		10 U
2-Hexanone		10 U
Toluene		36 U
Tetrachloroethene		10 U
Dibromochloromethane		10 U
Chlorobenzene		10 U
Ethylbenzene		10
Xylene (total)		65
Styrene		10 U
Bromoform		10 U
1,1,2,2-Tetrachloroethane		10 U

J
J
5/14/98
J
6/17/97
5/12/98
J

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@0811526@@

P9400V02-02TB

MATRIX : AIR

Sample ID. : P9400V02-02TB 5996 4/30/98

Lab File ID : V3572.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		10 U
benzene		6
toluene		10 U
ethylbenzene		10 U
m\p-xylene		10 U
o-xylene		10 U
isopropylbenzene		10 U
n-propylbenzene		10 U
1,3,5-trimethylbenzene		10 U
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		10 U
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		10 U

✱

J
6/17/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.
P9400V02-02AA

MATRIX : AIR

Sample ID. : @@9811525@@
 Lab File ID : V3571.D
 Date/Time Analyzed: 04/30/98
 Instrument ID: 5996

Split Factor : 1 : 1
 Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
methyl-t-butyl ether		10	U
benzene		12	U
toluene		49	
ethylbenzene		16	
mip-xylene		62	
o-xylene		22	
isopropylbenzene		10	U
4-bromofluorebenzene	<i>n-propyl benzene</i>	10	U
1,3,5-trimethylbenzene		34	
tert-butylbenzene		10	U
1,2,4-trimethylbenzene		16	
sec-butylbenzene		10	U
4-isopropyltoluene		10	U
n-butylbenzene		10	U
naphthalene		10	U

J

K

6/17/93

RV

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811527@@

MATRIX : AIR

Sample ID. : P9400V02-02FB 5996 4/30/98

Lab File ID : V3573.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		13
benzene		10 U
toluene		30
ethylbenzene		10 U
m/p-xylene		37
o-xylene		13
isopropylbenzene		10 U
n-propylbenzene		10 U
1,3,5-trimethylbenzene		23
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		12
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		30 U

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811528@@

MATRIX : AIR

Sample ID : P9400V04-02AA 5996 4/30/98

Lab File ID : V3574.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
methyl-tert-butylether		10	U
benzene		7	U
toluene		35	
ethylbenzene		12	
m/p-xylene		52	
o-xylene		18	
isopropylbenzene		10	U
n-propylbenzene		15	
1,3,5-trimethylbenzene		110	
tert-butylbenzene		10	U
1,2,4-trimethylbenzene		91	
sec-butylbenzene		10	U
4-isopropyltoluene		10	U
n-butylbenzene		10	U
naphthalene		10	U

J
6/12/98

R

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811530@@

MATRIX : AIR

Sample ID. : P9400V01-02AA 5996 4/30/98

Lab File ID : V3576.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		70
benzene		29 U
toluene		80
ethylbenzene		18
m/p-xylene		69
o-xylene		20
isopropylbenzene		10 U
n-propylbenzene		10 U
1,3,5-trimethylbenzene		21
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		10 U
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		10 U

R

6/17/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811531@@

MATRIX : AIR

Sample ID. : P9400V06-02AA 5996 4/30/98

Lab File ID : V3577.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		81
benzene		31
toluene		120
ethylbenzene		11
m\p-xylene		33
o-xylene		14
isopropylbenzene		10 U
n-propylbenzene		10 U
1,3,5-trimethylbenzene		43
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		40
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		10 U

R

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811538@@

MATRIX : AIR

Sample ID. : P205V-02-02FB 5996 4/30/98

Lab File ID : V3578.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		10 U
benzene		3 U
toluene		10 U
ethylbenzene		10 U
m/p-xylene		10 U
o-xylene		10 U
isopropylbenzene		10 U
n-propylbenzene		10 U
1,3,5-trimethylbenzene		10 U
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		10 U
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		10 U

pc
6/17/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811539@@

MATRIX : AIR

Sample ID. : P205V-02-02AA 5996 4/30/98

Lab File ID : V3579.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
methyl-tert-butylether		10	U
benzene		5	U
toluene		26	
ethylbenzene		10	U
m/p-xylene		33	
o-xylene		10	
isopropylbenzene		10	U
n-propylbenzene		10	U
1,3,5-trimethylbenzene		19	
tert-butylbenzene		10	U
1,2,4-trimethylbenzene		13	
sec-butylbenzene		10	U
4-isopropyltoluene		10	U
n-butylbenzene		10	U
naphthalene		10	U

R
6/17/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811540@@

MATRIX : AIR

Sample ID : P205V-01-02AA 5996 4/30/98

Lab File ID : V3580.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
methyl-tert-butylether		44	
benzene		14	U
toluene		55	
ethylbenzene		13	
m/p-xylene		50	
o-xylene		15	
isopropylbenzene		10	U
n-propylbenzene		10	U
1,3,5-trimethylbenzene		19	
tert-butylbenzene		10	U
1,2,4-trimethylbenzene		10	U
sec-butylbenzene		10	U
4-isopropyltoluene		10	U
n-butylbenzene		10	U
naphthalene		10	U R

K
4/17/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811541@@

MATRIX : AIR

Sample ID. : P205V-03-02AA 5996 4/30/98

Lab File ID : V3581.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		320
benzene		130
toluene		470
ethylbenzene		65
m/p-xylene		250
o-xylene		92
isopropylbenzene		10 U
n-propylbenzene		16
1,3,5-trimethylbenzene		110
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		97
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		14

7
5/11

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811542@@

MATRIX : AIR

Sample ID : P205V-04-02AA 5996 4/30/98

Lab File ID : V3582.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng
methyl-tert-butylether		54
benzene		9 U
toluene		66
ethylbenzene		17
m/p-xylene		63
o-xylene		19
isopropylbenzene		10 U
n-propylbenzene		10 U
1,3,5-trimethylbenzene		30
tert-butylbenzene		10 U
1,2,4-trimethylbenzene		20
sec-butylbenzene		10 U
4-isopropyltoluene		10 U
n-butylbenzene		10 U
naphthalene		10 U

Handwritten signature
4/17/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811543@@

MATRIX : AIR

Sample ID. : P205V-05-02AA 5996 4/30/98

Lab File ID : V3583.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
methyl-tert-butylether		10	U
benzene		9	U
toluene		55	
ethylbenzene		15	
m/p-xylene		59	
o-xylene		18	
isopropylbenzene		10	U
n-propylbenzene		10	U
1,3,5-trimethylbenzene		31	
tert-butylbenzene		10	U
1,2,4-trimethylbenzene		21	
sec-butylbenzene		10	U
4-isopropyltoluene		10	U
n-butylbenzene		10	U
naphthalene		10	U R

Handwritten signature
4/27/98

1A
VOLATILE ORGANIC ANALYSIS DATA SHEET

H2M LABS INC.

Sample No.

@@9811544@@

MATRIX : AIR

Sample ID. : P205V-06-02AA 5996 4/30/98

Lab File ID : V3584.D

Date/Time Analyzed: 04/30/98

Instrument ID: 5996

Split Factor : 1 : 1

Quant Range : 10 to 1000

COMPOUND NAME:	Result :	ng	
methyl-tert-butylether		10	
benzene		8	u
toluene		44	
ethylbenzene		11	
m\p-xylene		45	
o-xylene		13	
isopropylbenzene		10	u
n-propylbenzene		10	u
1,3,5-trimethylbenzene		21	
tert-butylbenzene		10	u
1,2,4-trimethylbenzene		12	
sec-butylbenzene		10	u
4-isopropyltoluene		10	u
n-butylbenzene		10	u
naphthalene		10	u R

[Handwritten signature]
6/17/98