

SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 10:15

WELL ID.: MW-5S

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.		
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	2'	
PROTECTIVE CASING MATERIAL TYPE:	Steel Stick-up	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?	X	
MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	12.52	
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	6.56	
MEASURE WELL DIAMETER (Inches):	2"	
WELL CASING MATERIAL:	PVC	
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good	
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	Marker	
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	N/A	

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 10:35

WELL ID.: MW-5D

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.		
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	2'	
PROTECTIVE CASING MATERIAL TYPE:	Steel Stick-up	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?	X	
MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	43.14	
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	28.02	
MEASURE WELL DIAMETER (Inches):	2"	
WELL CASING MATERIAL:	PVC	
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good	
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	Marker	
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	N/A	

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 15:15

WELL ID.: MW-8D

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)		X
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)		X
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X

MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	54.77
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	28.91
MEASURE WELL DIAMETER (Inches):	2"
WELL CASING MATERIAL:	PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	20'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Access in residential driveway.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Driveway.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.

REMARKS:

Obstruction in well above water table. Approx. 25'. Requires new J-plug.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 14:45

WELL ID.: MW-8S

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)		X
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)		X
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X

MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	10.68
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	5.82
MEASURE WELL DIAMETER (Inches):	2"
WELL CASING MATERIAL:	PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	N/A

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Access in residential driveway.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Driveway.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.

REMARKS: Requires new J-plug



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 13:30

WELL ID.: ASW

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	X
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:		

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X
MEASURE WELL DEPTH FROM MEASURING POINT (Feet):		13.58
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):		7.92
MEASURE WELL DIAMETER (Inches):		2"
WELL CASING MATERIAL:		PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:		Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE		N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES		100'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.
Accessible by light duty truck. Park a short distance from well.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.
Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):
Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 11:30

WELL ID.: VEW-1

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:		

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X

MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	10.81
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	8.19
MEASURE WELL DIAMETER (Inches):	2"
WELL CASING MATERIAL:	PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	100'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck. Park a short distance from well.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 12:15

WELL ID.: VEW-2

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	X
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:		

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X
MEASURE WELL DEPTH FROM MEASURING POINT (Feet):		10.85
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):		8.01
MEASURE WELL DIAMETER (Inches):		2"
WELL CASING MATERIAL:		PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:		Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE		N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES		100'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.
Accessible by light duty truck. Park a short distance from well.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.
Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):
Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 12:35

WELL ID.: VEW-3

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)		X
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X

MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	10.85
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	8.70
MEASURE WELL DIAMETER (Inches):	2"
WELL CASING MATERIAL:	PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	100'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck. Park a short distance from well.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 13:05

WELL ID.: VEW-4

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)		X
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.	N/A	
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	N/A	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)		X
WELL MEASURING POINT VISIBLE?		X

MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	10.85
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	8.65
MEASURE WELL DIAMETER (Inches):	2"
WELL CASING MATERIAL:	PVC
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	N/A
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	100'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck. Park a short distance from well.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 11:05

WELL ID.: K-2

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.		
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	N/A	
PROTECTIVE CASING MATERIAL TYPE:	Steel Stick-up	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)	X	
WELL MEASURING POINT VISIBLE?	X	
MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	10.19	
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	8.17	
MEASURE WELL DIAMETER (Inches):	2"	
WELL CASING MATERIAL:	PVC	
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good	
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	Marker	
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	100'	

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 9:35

WELL ID.: Flushmount

WELL VISIBLE? (If not, provide directions below)

YES	NO
X	

WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report
PDOP Reading from Trimble pathfinder: _____ Satellites: _____
GPS Method (circle) Trimble And/Or Magellan

WELL I.D. VISIBLE?

YES	NO
X	

WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)

YES	NO
X	

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:

SURFACE SEAL PRESENT?

YES	NO
X	

SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)

YES	NO
X	

PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)

YES	NO
X	

Cap does not close properly. Lid is not flush with casing.

HEADSPACE READING (ppm) AND INSTRUMENT USED N/A

TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) Flushmount

PROTECTIVE CASING MATERIAL TYPE: Steel/concrete

MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):

LOCK PRESENT?

YES	NO
	X

LOCK FUNCTIONAL?

YES	NO
	X

DID YOU REPLACE THE LOCK?

YES	NO
	X

IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)

YES	NO
	X

WELL MEASURING POINT VISIBLE?

YES	NO
	X

MEASURE WELL DEPTH FROM MEASURING POINT (Feet): 55.16

MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): 30.39

MEASURE WELL DIAMETER (Inches): 2"

WELL CASING MATERIAL: PVC

PHYSICAL CONDITION OF VISIBLE WELL CASING: Good

ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE Marker

PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES 100'

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT

(e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.



SITE NAME: Korkay Inc.

SITE ID.: 5-18-014

INSPECTOR: AM/JG

MONITORING WELL FIELD INSPECTION LOG

DATE/TIME: 1.10.2012 8:45

WELL ID.: K-3

WELL VISIBLE? (If not, provide directions below)	YES	NO
WELL COORDINATES? NYTM X _____ NYTM Y _____ See Report	X	
PDOP Reading from Trimble pathfinder: _____ Satellites: _____		
GPS Method (circle) Trimble And/Or Magellan		

WELL I.D. VISIBLE?	YES	NO
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back)	X	
WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL:	X	

SURFACE SEAL PRESENT?	YES	NO
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)	X	
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)	X	
Cap does not close properly. Lid is not flush with casing.		
HEADSPACE READING (ppm) AND INSTRUMENT USED	N/A	
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable)	1'	
PROTECTIVE CASING MATERIAL TYPE:	Steel	
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches):		

LOCK PRESENT?	YES	NO
LOCK FUNCTIONAL?		X
DID YOU REPLACE THE LOCK?		X
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes, describe below)	X	
WELL MEASURING POINT VISIBLE?	X	
MEASURE WELL DEPTH FROM MEASURING POINT (Feet):	12.53	
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet):	7.51	
MEASURE WELL DIAMETER (Inches):	2"	
WELL CASING MATERIAL:	PVC	
PHYSICAL CONDITION OF VISIBLE WELL CASING:	Good	
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE	Marker	
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES	100'	

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

Accessible by light duty truck.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

Located in the SVE network onsite.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

Automotive shop on neighboring property.

