

Payson Long  
New York State Department of Environmental Conservation (NYSDEC)  
Division of Environmental Remediation  
Bureau of Program Management  
625 Broadway, 12th Floor  
Albany, NY 12233-7012

Arcadis CE, Inc.  
855 Route 146  
Suite 210  
Clifton Park  
New York 12065  
Tel 518 250 7300  
Fax 518 250 73012757  
[www.arcadis.com](http://www.arcadis.com)

Subject:  
April 2019 Monthly Report  
Fort Edward Landfill  
NYSDEC Site No. 558001  
Contract No. D007618-39

Date:  
June 4, 2019

Contact:  
Andy Vitolins

Dear Mr. Long:

Arcadis CE, Inc. (Arcadis) has prepared this letter report to summarize the leachate collection and treatment system operation, maintenance, and monitoring (OM&M) activities completed during the April 2019 reporting period at the above-referenced site.

Phone:  
518.250.7300

### **Leachate Collection and Treatment System Operation and Maintenance**

Email:  
[andy.vitolins@arcadis.com](mailto:andy.vitolins@arcadis.com)

The leachate collection system shut down on three occasions in April 2019 due to loss of power to the system. The issue was resolved each time by resetting the PLC.

Our ref:  
00266434.0000

A total of 347,357 gallons of leachate were collected and treated through the system during April 2019. The corresponding average leachate recovery rate for the month was approximately 8.0 gallons per minute (gpm).

The following operation and maintenance (O&M) activities were completed during the April 2019 operating period:

- The pump in leachate collection well EW-4 was removed, cleaned, and replaced due to declining flow rates from iron fouling.
- Iron and solids sludge processing was performed throughout the month. Two 55-gallon drums of sludge were generated during April 2019.

## **System Sampling**

Water samples were collected on April 30, 2019 from the following treatment system locations:

- Influent (i.e. combined flow from extraction wells EW-1, EW-2, EW-3, and EW-4);
- Clarifier Catch Tank discharge;
- Cell 3 Bypass (i.e. treatment Cell 3 discharge into the Cell 2/3 bypass pipe);
- Cell 2 Chamber (i.e. treatment Cell 2 discharge into the effluent collection chamber); and
- Polishing Pond Effluent.

No samples were collected from extraction wells EW-1, EW-2, EW-3, leachate collection well EW-4, or Cell 1 Chamber (treatment Cell 1 discharge into the effluent collection chamber). Samples from these locations are collected on a quarterly basis and will be sampled again in June 2019.

The monthly samples were submitted to Con-Test Analytical for analysis of volatile organic compounds (VOCs), polychlorinated biphenyls (PCBs), metals, total dissolved solids (TDS), and total suspended solids (TSS).

The analytical results are discussed in the sections below and have been summarized in Table 1. The laboratory analytical data will be submitted to NYSDEC's EIMS Administrator in the required EQUIS EDD format.

## **Analytical Results**

### **VOCs**

As shown in Table 1, VOCs were detected in the Influent, Clarifier Catch Tank, Cell 3 Bypass, and Polishing Pond Effluent samples, but concentrations did not exceed the corresponding NYSDEC Class GA Standards.

### **PCBs**

The PCB Aroclor 1232 was detected in the Influent and Clarifier Catch Tank samples at concentrations greater than the respective NYSDEC GA Standard. PCBs were not detected in the Cell 3 Bypass, Cell 2 Effluent, or Polishing Pond Effluent samples during the April 2019 sampling event (Table 1).

### **Metals**

Iron and manganese were detected at one or more of the treatment system samples at concentrations greater than the corresponding NYSDEC Standards of 0.3 milligrams per liter (mg/L) and 0.6 mg/L, respectively. Iron concentration ranged from a maximum 84 mg/L (Influent) to 0.67 mg/L (Polishing Pond Effluent). Manganese concentrations ranged from a maximum of 1.8 mg/L (Influent) to 0.16 mg/L (Polishing Pond Effluent), which are consistent with previous data.

### **TDS and TSS**

The concentrations of TDS and TSS continue to fluctuate between sampling events. During the April sampling event, TDS concentrations ranged between 220 mg/L and 440 mg/L; TSS concentrations ranged from non-detect and 200 mg/L. These data are consistent with the results from previous sampling events. Since September 2016, TDS and TSS have ranged from 210 to 4,900 mg/L and non-detect (ND) to 200 mg/L, respectively.

NYSDEC Site No. 558001  
Payson Long  
June 4, 2019

**Next Reporting Period Planned Activities**

The following activities are anticipated for May 2019:

- Continuation of iron and solids treatment and processing; and
- Routine monthly system sampling.

If you have any questions, please do not hesitate to contact me or Jeremy Wyckoff.

Sincerely,

Arcadis CE, Inc.

A handwritten signature in blue ink, appearing to read 'AV', with a long horizontal line extending to the right.

Andy Vitolins, P.G.  
Associate Vice President

Copies:

Jeremy Wyckoff, Arcadis  
File

Enclosures:

**Table 1** – April 2019 Treatment System Analytical Data

Table 1. April 2019 Treatment System Analytical Data, Fort Edward Landfill  
Fort Edward, New York. NYSDEC Site No. 558001

Chemical Name	NYSDEC Class	NYSDEC Class GA	INFLUENT	CLARIFIER	CELL 3	CELL 2	EFFLUENT
	GA GW Standard	GW Effluent Limitation	4/30/2019	CATCH 4/30/2019	4/30/2019	4/30/2019	4/30/2019
<b>Volatile Organic Compounds (ug/L)</b>							
ACETONE	50	50	50 U	50 U	4.8 J	50 U	4.5 J
BENZENE	1	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
BROMOCHLOROMETHANE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
BROMODICHLOROMETHANE	50	50	0.5 U	0.73	0.5 U	0.5 U	0.5 U
BROMOFORM	50	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
BROMOMETHANE	5	5	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-BUTANONE (MEK)	50	50	20 U	20 U	20 U	20 U	20 U
CARBON DISULFIDE	60	60	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
CARBON TETRACHLORIDE	5	5	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
CHLOROBENZENE	5	5	0.22 J	0.31 J	1.0 U	1.0 U	1.0 U
CHLORODIBROMOMETHANE	50	--	0.5 U	0.3 J	0.5 U	0.5 U	0.5 U
CHLOROETHANE	5	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
CYCLOHEXANE	--	--	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	0.04	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)	0.0006	0.0006	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	3	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-DICHLOROETHANE	3	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-DICHLOROETHANE	3	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
DICHLORODIFLUOROMETHANE	5	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
1,1-DICHLOROETHANE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
CIS-1,2-DICHLOROETHYLENE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
TRANS-1,2-DICHLOROETHYLENE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-DICHLOROETHANE	0.6	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-DICHLOROETHYLENE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-DICHLOROPROPANE	1	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
CIS-1,3-DICHLOROPROPENE	0.4	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.4	0.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DIOXANE	--	--	50 U	50 U	50 U	50 U	50 U
ETHYLBENZENE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-HEXANONE	50	50	10 U	10 U	10 U	10 U	10 U
ISOPROPYLBENZENE (CUMENE)	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
METHYL ACETATE	--	--	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
METHYL TERT-BUTYL ETHER (MTBE)	10	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
METHYL CYCLOHEXANE	--	--	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
METHYLENE CHLORIDE	5	5	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
STYRENE	5	930	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,1,2-TETRACHLOROETHANE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
TETRACHLOROETHYLENE (PCE)	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
TOLUENE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-TRICHLOROETHANE	5	5	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,2,4-TRICHLOROETHANE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,1-TRICHLOROETHANE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-TRICHLOROETHANE	1	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
TRICHLOROETHYLENE (TCE)	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
TRICHLOROFLUOROMETHANE	5	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
VINYL CHLORIDE	2	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
M,P-XYLENES	5	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
O-XYLENE (1,2-DIMETHYLBENZENE)	5	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
XYLENES, TOTAL	5	5	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U

**Notes:**

Constituents detected above the NYSDEC Class GA GW Standard are in **bold**.  
 Constituents detected above the NYSDEC Class GA GW Effluent Limitation are highlighted in yellow.  
 NYSDEC Class GA GW Standard - New York State Department of Environmental Conservation Groundwater Standard and Guidance Value.  
 NYSDEC Class GA GW Effluent Limitation - New York State Department of Environmental Conservation Effluent Limitation.  
 U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.  
 J - The concentration is an approximate value.  
 ug/L - micrograms per liter  
 mg/L - milligrams per liter

Table 1. April 2019 Treatment System Analytical Data, Fort Edward Landfill  
Fort Edward, New York. NYSDEC Site No. 558001

Chemical Name	NYSDEC Class	NYSDEC Class GA	INFLUENT	CLARIFIER	CELL 3	CELL 2	EFFLUENT
	GA GW Standard	GW Effluent Limitation	4/30/2019	CATCH 4/30/2019	4/30/2019	4/30/2019	4/30/2019
<b>Polychlorinated Biphenyls (ug/L)</b>							
PCB-1016 (AROCOR 1016)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1221 (AROCOR 1221)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1232 (AROCOR 1232)	*	*	<b>0.55</b>	<b>0.63</b>	0.14 U	0.14 U	0.14 U
PCB-1242 (AROCOR 1242)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1248 (AROCOR 1248)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1254 (AROCOR 1254)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1260 (AROCOR 1260)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1262 (AROCOR 1262)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
PCB-1268 (AROCOR 1268)	*	*	0.14 U	0.14 U	0.14 U	0.14 U	0.14 U
ALUMINUM	--	2	0.05 U	0.33	0.05 U	0.073	0.05 U
ANTIMONY	0.003	0.006	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
ARSENIC	0.025	0.05	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
BARIUM	1	2	0.081	0.05 U	0.05 U	0.05 U	0.05 U
BERYLLIUM	0.003	0.003	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U
CADMIUM	0.005	0.01	0.004 U	0.004 U	0.004 U	0.004 U	0.004 U
CALCIUM	--	--	89	87	49	83	75
CHROMIUM, TOTAL	0.05	0.1	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
COBALT	--	--	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
COPPER	0.2	1	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
IRON	0.3	0.6	<b>84</b>	<b>3.6</b>	<b>4.9</b>	<b>1.6</b>	<b>0.67</b>
LEAD	0.025	0.05	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
MAGNESIUM	35	35	18	19	7.6	12	13
MANGANESE	0.3	0.6	<b>1.8</b>	<b>1.6</b>	<b>0.9</b>	<b>0.3</b>	0.16
MERCURY	0.0007	0.0014	0.0001 U	0.0001 U	0.0001 U	0.0001 U	0.0001 U
NICKEL	0.1	0.2	0.01 U	0.01 U	0.01 U	0.010 U	0.01 U
POTASSIUM	--	--	2.9	3.2	4.9	2.9	3.4
SELENIUM	0.01	0.02	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
SILVER	0.05	0.1	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U
SODIUM	20	--	<b>45</b>	<b>53</b>	18	<b>28</b>	<b>27</b>
THALLIUM	0.0005	0.0005	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
VANADIUM	--	--	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U
ZINC	2	5	0.02 U	0.02 U	0.02 U	0.02 U	0.02 U
<b>Conventional Chemistry (mg/L)</b>							
TOTAL DISSOLVED SOLIDS	--	--	410	440	220	330	310
TOTAL SUSPENDED SOLIDS	--	--	200	8.2	18	1.4 U	1.4 U

**Notes:**

- Constituents detected above the NYSDEC Class GA GW Standard are in **bold**.
- Constituents detected above the NYSDEC Class GA GW Effluent Limitation are highlighted in yellow.
- \* The NYSDEC Class GA GW Standard and Effluent Limitation for PCBs is 0.09 ug/L.
- NYSDEC Class GA GW Standard - New York State Department of Environmental Conservation Groundwater Standard and Guidance Value.
- NYSDEC Class GA GW Effluent Limitation - New York State Department of Environmental Conservation Effluent Limitation.
- U - The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
- J - The concentration is an approximate value.
- mg/L - milligrams per liter
- ug/L - micrograms per liter