

Inactive Hazardous Waste Site Operations and Maintenance Review Report

Form Date 6/13/02

Site Name: Camden Wire		Class: 4	Number: 633002
O&M Funding Source: <input type="checkbox"/> State Superfund <input type="checkbox"/> Federal Superfund <input type="checkbox"/> Municipal <input checked="" type="checkbox"/> Responsible Party			
O&M Information: O&M Start: _____ End: _____ Annual Cost: \$ _____ <input type="checkbox"/> Estimated			
Interim Remedial Measures/Operable Units in O&M Phase:			
<input type="checkbox"/> Drum Removal	<input checked="" type="checkbox"/> Soil Removal	<input type="checkbox"/> Tank Removal	
<input type="checkbox"/> Cap/Cover	<input type="checkbox"/> Containment Structure	<input type="checkbox"/> Fence/Security	
<input type="checkbox"/> Groundwater Recovery/Treatment	<input type="checkbox"/> Leachate Collection/Treatment	<input type="checkbox"/> Vapor Extraction/Treatment	
<input type="checkbox"/> Air Sparging/Stripper System	<input type="checkbox"/> Treatment/Filtration Plant/System	<input type="checkbox"/> Potable Water Supply/System	
<input type="checkbox"/> Other: _____			
Institutional Controls: <input checked="" type="checkbox"/> Deed Restriction <input type="checkbox"/> Discharge Permit <input type="checkbox"/> Department of Health Sampling			
<input type="checkbox"/> Other: _____			
O&M Review Information:			
Reports: _____			
Inspection: _____			
Sampling: _____			
Other: _____			
Conclusions:			
Remedy Effective? <input type="checkbox"/> Yes <input type="checkbox"/> No: ?			
ROD Compliance? <input type="checkbox"/> Yes <input type="checkbox"/> No: ?			
Consent Order Compliance? <input type="checkbox"/> Yes <input type="checkbox"/> No: ?			
Other: _____			
Recommendations:			
<p>There are several notes in the files indicating that this site should be considered for de-listing from the Registry. In order to de-list this site, a meeting between C.O., R6, and the RP must be conducted to accomplish the following: Determine which 2 lagoons were remediated and their location relative to the monitoring wells, and evaluate the monitoring data from 1999 and 2000, to determine if monitoring is necessary, and to develop a closure monitoring plan if necessary. This plan would include determining the number of wells needed, the number of sampling rounds needed, and the analysis requirements for the samples. Determine if the seepage into Fish Creek was or should be sampled, and sample it if necessary. Determine if drinking water wells are in-use, and if so, DOH must be contacted to determine and address their requirements for de-listing. Determine if there are any DSHM/ RCRA issues affecting the de-listing of the site, and address them as necessary. Address how to prevent damage to wells that could be a result from car racing on the site, i.e., install a fence around the monitoring wells, decommission the wells, etc . Review the deed restriction and confirm it is appropriate for the conditions at the site, or update it as necessary. Prepare a petition to de-list the site.</p>			
ROD/Consent Order Modifications? <input type="checkbox"/> No <input type="checkbox"/> Yes (per above) Reclassify the Site? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes → Class:			
Comments: A file review was conducted in Spring 2002 and a conference call was held with Peter Ouderkirk to discuss the status of the site. The RP was contacted and submitted copies of monitoring results and the deed restriction. A subsequent file review was conducted in December 2004. It seems that OM&M was not required; however, some monitoring was done in 1999 and 2000 . A memo summarizing the status and identifying actions which should be taken was written from Bill Peters to Peter in June 2002 and updated in December 2004. The actions are summarized in the recommendations above.			
Project Manager:		Reviewer:	
12/31/04		12/31/04	
Signature	Date	Signature	Date
Sue Lasdin	402-9812	Gerald J. Rider Jr.	402-9812
Bureau D, Section B		Bureau D, Section B	
Name	Region or Bureau	Name	Region or Bureau
	Telephone		Telephone

