1201(

FINAL

GROUNDWATER MONITORING REPORT

for the June 2004 Sampling Event at Air Force Plant 59

Prepared for:

Air Force Center for Environmental Excellence
and
Aeronautical Systems Center

Prepared by:

Earth Tech, Inc.
675 Washington Street, Suite 300
Alexandria, Virginia 22314

Contract No. F41624-03-D-8597
Task Order No. 0080

August 2004

DISCLAIMER

This *Final Groundwater Monitoring Report for the June 2004 Sampling Event* has been prepared for the United States Air Force (USAF) by Earth Tech for the purpose of satisfying the groundwater monitoring requirements defined in the April 27, 1999 letter to the New York State Department of Environmental Conservation (Earth Tech, 1999a) and *the Record of Decision* (Earth Tech, 1999b) for Air Force Plant 59. Acceptance of this report in performance of the contract under which it is prepared does not mean that the USAF adopts the conclusions, recommendations, or other views expressed herein, which are those of Earth Tech only and do not necessarily reflect the official position of the USAF.

Government agencies and their contractors registered with the Defense Technical Information Center should direct requests for copies of this report to Defense Technical Information Center, 8725 John J. Kingman Road, Suite 0944, Fort Belvoir, Virginia 22060-6218. Non-government agencies may purchase copies of this document from the National Technical Information Service, 5285 Port Royal Road, Springfield, Virginia 22161.

PREFACE

This *Final Groundwater Monitoring Report for the June 2004 Sampling Event* has been prepared by Earth Tech to describe field and laboratory operations conducted as part of the semiannual groundwater monitoring at Air Force Plant 59 (AFP 59), Johnson City, New York. Fieldwork followed guidelines set forth in the *Final Work Plan for Groundwater Monitoring at AFP 59* (Earth Tech, 1998), the Air Force Center for Environmental Excellence (AFCEE) *Model Work Plan* (United States Air Force [USAF], 1996), and the AFCEE *Model Field Sampling Plan, Version 1.1* (USAF, 1997). All work was completed under AFCEE Contract Number F41624-03-D-8597, Task Order 0080. The groundwater monitoring is being conducted to accomplish the following objective:

- To satisfy the groundwater monitoring requirements defined in the April 27, 1999 letter to the New York State Department of Environmental Conservation (Earth Tech, 1999a) and the *Record of Decision* (Earth Tech, 1999b) for Air Force Plant 59.

The AFCEE Restoration Team Chief is John McCown. The Air Force Aeronautical Systems Center Integrated Product Team Chief is John Doepker. The Earth Tech Project Manager is Dave Parse.

Approved:

Brian J. Burgher
Vice President
Program Manager

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

1. AGENCY USE ONLY *(Leave Blank)*	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	August 2004	**Final**

4. TITLE AND SUBTITLE	5. FUNDING NUMBERS
Final Groundwater Monitoring Report for the June 2004 Sampling Event at Air Force Plant 59	**Contract No. F41624-03-D-8597; Task Order 0080**
6. AUTHOR(S) **Earth Tech**	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Earth Tech** **675 Washington Street, Suite 300** **Alexandria, VA 22314**	8. PERFORMING ORGANIZATION REPORT NUMBER **N/A**
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) **AFCEE/ERD** **3207 North Road** **Brooks AFB, Texas 78235-5363**	10. SPONSORING/MONITORING AGENCY REPORT NUMBER **N/A**
11. SUPPLEMENTARY NOTES **None**	
12a. DISTRIBUTION/AVAILABILITY STATEMENT **Approved for Public Release; Distribution is Unlimited.**	12b. DISTRIBUTION CODE

13. ABSTRACT *(Maximum 200 words)*

This document is the *Final Groundwater Monitoring Report for the June 2004 Sampling Event at Air Force Plant 59 (AFP 59)*, Johnson City, New York. It summarizes the fieldwork completed during the semiannual groundwater monitoring. The monitoring was conducted to accomplish the following objective: to satisfy the groundwater monitoring requirements defined in the April 27, 1999 letter to the New York State Department of Environmental Conservation and the *Record of Decision* for Air Force Plant 59.

14. SUBJECT TERMS	15. NUMBER OF PAGES **24**
IRP Groundwater Monitoring, Air Force Plant 59	16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	**Unclassified**	**Unclassified**	**UL**

NSN 7540-01-280-5500 Standard Form 298 (Rev. 2-89)

TABLE OF CONTENTS

Appendices

LIST OF FIGURES

Figures **Page No.**

LIST OF TABLES

Tables **Page No.**

LIST OF ACRONYMS AND ABBREVIATIONS

AFCEE	Air Force Center for Environmental Excellence
AFP 59	Air Force Plant 59
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
1,1-DCA	1,1-Dichloroethane
1,1-DCE	1,1-Dichloroethene
cis-1,2-DCE	cis-1,2-Dichloroethene
trans-1,2-DCE	trans-1,2-Dichloroethene
IRP	Installation Restoration Program
µg/L	Micrograms per Liter
MDL	Method Detection Limit
N/A	Not Applicable
NYSDEC	New York State Department of Environmental Conservation
QAPP	Quality Assurance Project Plan
RI/FS	Remedial Investigation/Feasibility Study
RL	Reporting Limit
1,1,1-TCA	1,1,1-Trichloroethane
TCE	Trichloroethene
USAF	United States Air Force
USEPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound

1.0 INTRODUCTION

This *Final Groundwater Monitoring Report for the June 2004 Sampling Event* has been prepared by Earth Tech to describe field and laboratory operations during the June 2004 groundwater sampling event. The June 2004 sampling event was conducted as part of the semiannual groundwater monitoring at Air Force Plant 59 (AFP 59), Johnson City, New York. Earth Tech was contracted by the Air Force Center for Environmental Excellence (AFCEE) to perform two rounds of groundwater sampling (semiannual sampling) at AFP 59. Figure 1-1 shows the general location of AFP 59. Figure 1-2 shows the locations of buildings and monitoring wells at AFP 59. The groundwater monitoring is being conducted to accomplish the following objective:

- To satisfy the groundwater monitoring requirements defined in the April 27, 1999 letter to the New York State Department of Environmental Conservation (NYSDEC) (Earth Tech, 1999a) and the *Record of Decision* (Earth Tech, 1999b) for Air Force Plant 59.

All sampling activities followed protocols presented in the *Final Work Plan for Groundwater Monitoring at AFP 59* (Earth Tech, 1998), the *Final Sampling and Analysis Plan* (Earth Tech, 1994), the AFCEE *Model Work Plan* (USAF, 1996), and the AFCEE *Model Field Sampling Plan, Version 1.1* (USAF, 1997).

This report contains the following four sections: Section 1 provides the objectives of the semiannual sampling events, Section 2 provides a summary of the activities conducted during the June 2004 sampling event, Section 3 summarizes the analytical results, and Section 4 presents conclusions from the investigation.


AFP 59
Parking Lot #5
Town of Union
17
Town of Dickinson
AFP 59
Main Street
Johnson City
201
Binghamton
Town of Vestal
Susquehanna River
434
New York
Area Shown in Detail
N
0'
1000'
2000'
4000'
SCALE: 1" =2000 '
Legend
AFP 59 Property Boundary
Town or City Boundary
Road or Highway
DATE:
Aug 10, 2004
QC:
REGIONAL LOCATION MAP
FIG NO:
1-1
RegLoc.dwg



LEGEND:

- AFP 59 MONITORING WELL ABANDONED IN SEPTEMBER 2000
- AFP 59 MONITORING WELL
- FENCE
- AFP 59 OUTFALL

SCALE: 1" = 250'

DATE: Aug 10, 2004	AFP 59 SITE LOCATION MAP	FIG NO: 1-2
QC:		

SiteLoc.dwg

2.0 PROJECT ACTIVITIES

This section summarizes activities conducted during the June 2004 sampling event. Section 2.1 summarizes the rationale for selecting the analyses performed on samples collected during the investigation. Section 2.2 outlines the groundwater sampling procedures.

2.1 SAMPLE ANALYSIS SUMMARY

On the basis of conclusions presented in the *Final Remedial Investigation Report* (Earth Tech, 1996) and recommendations made by the NYSDEC, it was determined that VOCs represent the only chemicals of potential concern in groundwater at AFP 59. As a result, the *Record of Decision* (Earth Tech, 1999b) for AFP 59 describes the remedial alternative (i.e., the upgrade of the Camden Street Well Field groundwater treatment system) chosen as most appropriate for treating the VOCs in groundwater at AFP 59. As part of the requirements defined in the *Record of Decision* (Earth Tech, 1999b), a long-term groundwater monitoring program was established for AFP 59. The monitoring program, which is defined in the April 27, 1999 letter to the NYSDEC (Earth Tech, 1999a), is being conducted on a semiannual basis and includes sampling the following monitoring wells: SW1, DW1, SW3, DW3, SW4, and SW7. Monitoring wells SW1 and DW1 represent upgradient (background) wells; monitoring wells SW3 and DW3 represent downgradient wells; monitoring wells SW4 and SW7 have historically had the highest concentrations of VOCs.

The groundwater samples collected during the June 2004 sampling event, which represents the ninth sampling event of the long-term groundwater monitoring program, were analyzed for VOCs by USEPA Method SW8260. Table 2.1-1 lists the total number of groundwater samples collected for each sample type (e.g., environmental sample, duplicate sample) during the June 2004 sampling event, and Figure 2.1-1 shows the locations of the on-site monitoring wells sampled during June 2004 sampling event.

Table 2.1-1
Sample Analysis Summary

Method	Matrix	# Samples	# Equipment Blanks	# Ambient Blanks	# Trip Blanks	# Field Duplicates	Total # Samples
SW8260B Volatile Organics	Groundwater	6	0[1]	1	1	1	9

(1) No equipment blanks were collected because disposable bailers were used during groundwater sampling.



SCALE: 1" = 250'

LEGEND:

- AFP 59 MONITORING WELL ABANDONED IN SEPTEMBER 2000
- AFP 59 MONITORING WELL SAMPLED IN JUNE 2004
- FENCE
- AFP 59 OUTFALL

DATE: Aug 10, 2004	AFP 59 GROUNDWATER SAMPLING LOCATIONS JUNE 2004	FIG NO: 2.1-1
QC:		

1103SampLoc.dwg

2.2 FIELD ACTIVITIES

The primary field activity was sampling of the monitoring wells shown in Figure 2.1-1. The following is a summary of the field activities:

- Measure the groundwater level in six on-site monitoring wells.
- Collect groundwater samples from six on-site monitoring wells.

Groundwater sampling methods followed protocols presented in the *Final Work Plan for Groundwater Monitoring at AFP 59* (Earth Tech, 1998) and in the *Final Sampling and Analysis Plan* (Earth Tech, 1994) that was prepared for the remedial investigation conducted at AFP 59. The primary objective of the groundwater sampling event was to satisfy groundwater monitoring requirements defined in the April 27, 1999 letter to the NYSDEC (Earth Tech, 1999a) and the *Record of Decision* (Earth Tech, 1999b) for Air Force Plant 59.

Groundwater sampling procedures included:

1. Measuring groundwater levels in six on-site monitoring wells;
2. Purging select on-site monitoring wells prior to sampling;
3. Measuring field-derived parameters (including temperature, pH, specific conductance, and turbidity) during monitoring well purging; and
4. Collecting groundwater samples from the purged monitoring wells.

Refer to the *Final Work Plan for Groundwater Monitoring at AFP 59* (Earth Tech, 1998) and the *Final Sampling and Analysis Plan* (Earth Tech, 1994) for a detailed description of all sampling activities and protocols.

Water level measurements were taken in six monitoring wells to determine the elevation of the water table (in the shallow zone of the aquifer) or piezometric surface (in the deep zone of the aquifer) once within a single 24-hour period. Any conditions that affected water levels were recorded in the field log. Water level measurements were taken with an electric sounder and were measured to the nearest 0.01-foot. All measuring equipment was decontaminated according to the specifications in the *Final Sampling and Analysis Plan* (Earth Tech, 1994).

Static water levels were measured each time a monitoring well was sampled and before any equipment entered the monitoring well. If the casing cap was airtight, the air pressure within the monitoring well was allowed to equilibrate after the cap was removed and prior to measurement of the water level.

3.0 INVESTIGATION RESULTS

The results of the June 2004 sampling event at AFP 59 are summarized in this section. Section 3.1 summarizes the analytical results, and Section 3.2 provides conclusions concerning the analytical and hydrogeological data. Field data are provided in Appendix B, chain-of-custody forms are provided in Appendix C, analytical data are provided in Appendix D, and trend analysis graphs are provided in Appendix E.

3.1 SAMPLING AND ANALYSIS RESULTS

This section summarizes the data collection activities completed during the June 2004 sampling event, presents the laboratory analytical results, and provides a trend analysis of identified VOCs.

3.1.1 REVIEW OF FIELD AND LABORATORY DATA

All field procedures, sample handling documentation, and laboratory procedures followed protocols presented in the *Final Work Plan for Groundwater Monitoring at AFP 59* (Earth Tech, 1998) and the *Final Sampling and Analysis Plan* (Earth Tech, 1994). All analytical data generated as a result of the June 2004 sampling event were reported as AFCEE definitive data. Analytical protocols utilized in sample preparation, analysis, and reporting were in accordance with the specific analytical method and the guidelines given in the AFCEE *Quality Assurance Project Plan (QAPP), Version 3.1* (USAF, 1998). Laboratory analyses were performed by Severn Trent Laboratories (STL), Arvada, Colorado. Analytical methods and STL's associated method detection limits (MDLs) and reporting limits (RLs) are listed in Table 3.1-1. Data validation was performed by Earth Tech.

Data flags were applied to the analytical data by the laboratory. During the data review process, Earth Tech reviewed the analytical data and associated data flags and assigned data qualifiers as per the guidelines given in the AFCEE *QAPP, Version 3.1* (USAF, 1998); the data quality review summary is provided in Appendix D. The following data qualifiers were assigned to the data as a result of the data review process and are defined below.

- **J** The analyte was positively identified, but the quantitation is an estimated value.
- **U** The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.

3.1.2 DATA SUMMARY

The number and locations of groundwater samples are outlined below. Figure 2.1-1 shows the locations of the monitoring wells sampled during the June 2004 sampling event.

Table 3.1-1
Analytical Parameters, Method Detection Limits, and Reporting Limits for Severn Trent Laboratories

Parameter/Method	Analyte	Water			
		MDL	Unit	RL	Unit
VOCs	1,1,1,2-Tetrachloroethane	0.040	µg/L	0.5	µg/L
SW8260B	1,1,1-TCA	0.040	µg/L	1.0	µg/L
	1,1,2,2-Tetrachloroethane	0.070	µg/L	0.5	µg/L
	1,1,2-TCA	0.060	µg/L	1.0	µg/L
	1,1-DCA	0.050	µg/L	1.0	µg/L
	1,1-DCE	0.090	µg/L	1.0	µg/L
	1,1-Dichloropropene	0.080	µg/L	1.0	µg/L
	1,2,3-Trichlorobenzene	0.050	µg/L	1.0	µg/L
	1,2,3-Trichloropropane	0.500	µg/L	1.0	µg/L
	1,2,4-Trichlorobenzene	0.080	µg/L	1.0	µg/L
	1,2,4-Trimethylbenzene	0.050	µg/L	1.0	µg/L
	1,2-Dichloroethane	0.060	µg/L	0.5	µg/L
	1,2-Dichlorobenzene	0.050	µg/L	1.0	µg/L
	1,2-Dibromo-3-chloropropane	0.500	µg/L	2.0	µg/L
	1,2-Dichloropropane	0.050	µg/L	1.0	µg/L
	1,2-Dibromoethane (EDB)	0.050	µg/L	1.0	µg/L
	1,3,5-Trimethylbenzene	0.060	µg/L	1.0	µg/L
	1,3-Dichlorobezene	0.050	µg/L	1.0	µg/L
	1,3-Dichloropropane	0.070	µg/L	0.4	µg/L
	1,4-Dichlorobenzene	0.080	µg/L	0.5	µg/L
	1-Chlorohexane	0.070	µg/L	1.0	µg/L
	2,2-Dichloropropane	0.060	µg/L	1.0	µg/L
	2-Chlorotoluene	0.060	µg/L	1.0	µg/L
	4-Chlorotoluene	0.080	µg/L	1.0	µg/L
	Acetone	2.000	µg/L	10	µg/L
	Benzene	0.050	µg/L	0.4	µg/L
	Bromobenzene	0.050	µg/L	1.0	µg/L
	Bromochloromethane	0.080	µg/L	1.0	µg/L
	Bromodichloromethane	0.080	µg/L	1.0	µg/L
	Bromoform	0.050	µg/L	1.0	µg/L
	Bromomethane	0.200	µg/L	3.0	µg/L
	Carbon tetrachloride	0.050	µg/L	1.0	µg/L
	Chlorobenzene	0.050	µg/L	0.5	µg/L
	Chloroethane	0.090	µg/L	1.0	µg/L
	Chloroform	0.060	µg/L	0.3	µg/L
	Chloromethane	0.200	µg/L	1.0	µg/L
	Cis-1,2-DCE	0.060	µg/L	1.0	µg/L
	Cis-1,3-Dichloropropene	0.040	µg/L	0.5	µg/L

Table 3.1-1
Analytical Parameters, Method Detection Limits, and Reporting Limits for Severn Trent Laboratories (Continued)

Parameter/Method	Analyte	Water			
		MDL	Unit	RL	Unit
VOCs	Dibromochloromethane	0.050	µg/L	0.5	µg/L
SW8260B	Dibromomethane	0.060	µg/L	1.0	µg/L
	Dichlorodifluoromethane	0.100	µg/L	1.0	µg/L
	Ethylbenzene	0.070	µg/L	1.0	µg/L
	Hexachlorobutadiene	0.070	µg/L	0.6	µg/L
	Isopropylbenzene	0.070	µg/L	1.0	µg/L
	Methylene chloride	0.200	µg/L	2.0	µg/L
	Methyl t-butyl ether (MTBE)	0.100	µg/L	5.0	µg/L
	MEK (2-Butanone)	0.800	µg/L	10	µg/L
	MIBK (methyl isobutyl ketone)	0.070	µg/L	10	µg/L
	n-Butylbenzene	0.070	µg/L	1.0	µg/L
	n-Propylbenzene	0.050	µg/L	1.0	µg/L
	m,p-Xylene	0.500	µg/L	1.0	µg/L
	Naphthalene	0.200	µg/L	0.4	µg/L
	o-Xylene	0.250	µg/L	1.1	µg/L
	p-Isopropyltoluene	0.250	µg/L	1.2	µg/L
	Sec-Butylbenzene	0.250	µg/L	1.3	µg/L
	Styrene	0.125	µg/L	0.4	µg/L
	Trichloroethene	0.250	µg/L	0.8	µg/L
	Tert-Butylbenzene	0.250	µg/L	1.0	µg/L
	Tetrachloroethene	0.250	µg/L	1.4	µg/L
	Toluene	0.250	µg/L	1.1	µg/L
	Trans-1,2-DCE	0.250	µg/L	0.6	µg/L
	Trans-1,3-Dichloropropene	0.500	µg/L	1.0	µg/L
	Trichlorofluoromethane	0.250	µg/L	0.8	µg/L
	Vinyl chloride	0.250	µg/L	1.1	µg/L

The following monitoring wells were sampled:

- Shallow monitoring wells SW1, SW3, SW4, and SW7; and
- Deep monitoring wells DW1 and DW3.

3.1.3 VOCs Detected in Groundwater Samples

This section discusses the VOCs that were detected in the groundwater samples, including those samples collected from both site and background monitoring wells. The analytical results for groundwater samples collected from monitoring wells installed in the shallow and deep zones of the aquifer are discussed separately below. The analytical results for all groundwater samples collected during the June 2004 sampling event are summarized in Table 3.1-2. Appendix D provides a complete listing of all groundwater analytical results.

Shallow Zone of the Aquifer. VOCs detected in groundwater samples are shown in Figure 3.1-1. Table 3.1-3 summarizes all VOCs detected in groundwater samples collected from monitoring wells screened in the shallow zone, the number of samples above the laboratory MDL, the minimum and maximum concentrations detected, and the location of the maximum concentration.

VOCs were detected in the groundwater samples collected from monitoring wells SW3, SW4, and SW7 (see Figure 3.1-1). Chlorinated hydrocarbons and bromoform were the only detected VOCs in the samples collected from the shallow zone of the aquifer. Acetone was detected, but this is a common laboratory contaminant.

No VOCs were detected in the groundwater sample collected from monitoring well SW1. The following maximum concentrations were detected in the groundwater sample collected from monitoring well SW4: 1,1,1-trichloroethane at 2.8 µg/L, 1,1-dichloroethane (1,1-DCA) at 1.3 µg/L, 1,1-dichloroethene (1,1-DCE) at 0.57 J µg/L, tetrachloroethene (PCE) at 0.57 J µg/L, trans-1,2-dichloroethene at 0.11 J µg/L, trichlorofluoromethane at 0.76 J µg/L, and trichloroethene (TCE) at 41 µg/L. The maximum concentration of cis-1,2-dichloroethene (cis-1,2-DCE) in the shallow zone of the aquifer was detected in the sample from monitoring well SW3 at 3.7 µg/L.

Deep Zone of the Aquifer. VOCs detected in groundwater samples are shown in Figure 3.1-1. Table 3.1-4 summarizes all VOCs detected in groundwater samples collected from monitoring wells screened in the deep zone, the number of samples above the laboratory MDL, the minimum and maximum concentrations detected, and the location of the maximum concentration.

DW3 was the only well in the deep zone of the aquifer where VOCs were detected. The concentrations of the VOCs detected were bromodichloromethane at 0.083 J µg/L, bromoform at 0.29 J µg/L, cis-1,2-dichloroethene (cis-1,2-DCE) at 1.3 µg/L, and dibromochloromethane at 0.16 J µg/L (see Figure 3.1-1).

Table 3.1-2
Groundwater Data Summary for VOCs (µg/L)

Parameters	Action Levels*	59SW1WG1	59DW1WG1	59SW3WG1	59DW3WG1
1,1,1-Trichloroethane	5	--	--	0.9 J	--
Trichloroethene	5	--	--	0.94 J	--
Cis-1,2-Dichloroethene	5	--	--	3.7	1.3
1,1-Dichloroethane	5	--	--	0.95 J	--
Tetrachloroethene	5	--	--	--	--
Bromodichloromethane	5	--	--	--	0.083 J
Bromoform	5	--	--	--	0.29 J
Dibromochloromethane	5	--	--	--	0.16 J

Parameters	Action Levels*	59SW4WG1	59SW7WG1	59SW7WG9 (Duplicate Sample)
1,1,1-Trichloroethane	5	2.8	0.70 J	1.0
Trichloroethene	5	**41**	0.99 J	--
Cis-1,2-Dichloroethene	5	3.3	1.1	0.9 J
1,1-Dichloroethane	5	1.3	0.28 J	0.3 J
1,1-Dichloroethene	5	0.57 J	--	--
Tetrachloroethene	5	0.57 J	0.13 J	0.19 J
Trans-1,2-Dichloroethene	5	0.11 J	--	--
Trichlorofluoromethane	5	0.76 J	--	--

Key: * = New York State Drinking Water Standard.
-- = Analyte was analyzed for but not detected.

Qualifiers: J = The analyte was positively identified, but the quantitation is an estimation.

Note: Concentrations in bold font and shaded cells exceed the New York State Drinking Water Standard for the associated compound.

MAIN STREET

BOUNDARY

DW5

SW1
DW1

Ramp to 201

Former Underground Gasoline Storage Tank

DW10

Transformer Area

SW7 SHALLOW MONITORING WELL

Analyte	Conc.	Units	Q
1,1,1-Trichloroethane	1	µg/L	
1,1-Dichloroethane	0.3	µg/L	J
cis-1,2-Dichloroethene	1.1	µg/L	
Tetrachloroethene	0.19	µg/L	J
Trichloroethene	1	µg/L	

SW4 SHALLOW MONITORING WELL

Analyte	Conc.	Units	Q
1,1,1-Trichloroethane	2.8	µg/L	
1,1-Dichloroethene	0.57	µg/L	J
1,1-Dichloroethane	1.3	µg/L	
trans-1,2-Dichloroethene	0.11	µg/L	J
cis-1,2-Dichloroethene	3.3	µg/L	
Trichlorofluoromethane	0.76	µg/L	J
Tetrachloroethene	0.57	µg/L	J
Trichloroethene	**41**	µg/L	

AFP 59 MANUFACTURING BUILDING

DW6

SW3 SHALLOW MONITORING WELL

Analyte	Conc.	Units	Q
1,1,1-Trichloroethane	0.9	µg/L	J
1,1-Dichloroethane	0.95	µg/L	J
cis-1,2-Dichloroethene	3.7	µg/L	
Trichloroethene	0.94	µg/L	J

JP4 Fuel Line

DPW

SW7

SW4

Settling/Storage Tanks

Plating Room

Drum Storage Area

Special Programs Facility

Range Building

DW4

DW3

SW3

DW13

WW II Oil/Water Separator

DW3 DEEP MONITORING WELL

Analyte	Conc.	Units	Q
Bromodichloromethane	0.083	µg/L	J
Bromoform	0.29	µg/L	J
Dibromochloromethane	0.16	µg/L	J
cis-1,2-Dichloroethene	1.3	µg/L	

Reservoir

DW12

DW11

Former Underground Waste Oil Storage Tanks

DW8

DW9

OF003

OF001

OF002

Little Choconut Creek

NYSEG Power Plant Outfall

Notes:

1. If no data is present at a monitoring well location, no VOCs were detected in Groundwater
2. At locations where duplicates were collected, the maximum concentration is presented
3. Concentrations shown in bold and shaded exceed the New York State Drinking Water Standard for the associated compound

N

0' 125' 250'

SCALE: 1" = 125'

LEGEND:

- FENCE
- MONITORING WELL ABANDONED SEPTEMBER 2000
- MONITORING WELL SAMPLED JUNE 2004
- AFP 59 OUTFALL
- J ANALYTE WAS POSITIVELY IDENTIFIED BUT THE QUANITATION IS ESTIMATED

DATE: Aug 10, 2004	AFP 59 VOC'S DETECTED IN GROUNDWATER JUNE 2004 AFP 59	FIG NO: 3.1-1
QC:		

GWVOC0604.dwg

Table 3.1-3
VOCs Detected in Shallow Zone Groundwater Samples

Analyte	Number of Samples Above MDL	Range (µg/L)		Location of Maximum Detection
		Minimum Detected	Maximum Detected	
1,1,1-Trichloroethane	4 of 5	0.7 J	2.8	SW4
Trichloroethene	4 of 5	0.94 J	41	SW4
Cis-1,2-Dichloroethene	4 of 5	0.9 J	3.7	SW3
Trans-1,2-Dichloroethene	1 of 5	0.11 J	0.11 J	SW4
1,1-Dichloroethane	4 of 5	0.28 J	1.3	SW4
1,1-Dichloroethene	1 of 5	0.57 J	0.57 J	SW4
Tetrachloroethene	3 of 5	0.13 J	0.57 J	SW4
Trichlorofluoromethane	1 of 5	0.76 J	0.76 J	SW4

Key: µg/L = Micrograms per liter
MDL = Method detection limit

Qualifiers: J = The analyte was positively identified, but the quantitation is an estimation.

Note: Only analytes detected in one or more of the groundwater samples are included in this summary table. Acetone was detected in 2 of 5 samples; however, this is a common laboratory contaminant.

Table 3.1-4
VOCs Detected in Deep Zone Groundwater Samples

Analyte	Number of Samples Above MDL	Range (µg/L)		Location of Maximum Detection
		Minimum Detected	Maximum Detected	
Cis-1,2-Dichloroethene	1 of 2	1.3	1.3	DW3
Bromodichloromethane	1 of 2	0.083 J	0.083 J	DW3
Bromoform	1 of 2	0.29 J	0.29 J	DW3
Dibromochloromethane	1 of 2	0.16 J	0.16 J	DW3

Key: µg/L = Micrograms per liter
MDL = Method detection limit

Qualifiers: J = The analyte was positively identified, but the quantitation is an estimation.

Note: Only analytes detected in one or more of the groundwater samples are included in this summary table. Acetone was detected in 1 of 2 samples; however, this is a common laboratory contaminant.

3.1.4 TREND ANALYSIS

Table 3.1-5 presents concentrations of the most commonly detected chlorinated hydrocarbons in groundwater at AFP 59 over time. Only monitoring wells that were sampled as part of the groundwater monitoring program are included in the table. Trend analysis graphs of the wells sampled are provided in Appendix E.

In the groundwater samples collected from the shallow monitoring wells during the June 2004 sampling event, concentrations of the chlorinated hydrocarbons in monitoring well SW3 and SW7 remained relatively constant compared to the previous sampling event. Cis-1,2-DCE and 1,1-DCA in the sample from SW3 are the exception. Cis-1,2-DCE increased from 0.511 µg/L in November 2003 to 3.7 µg/L in June 2004. 1,1-DCA was 0.95 J µg/L for SW3 during the June 2004 sampling event, and was non-detect in the previous sampling event. The concentration of TCE (4.63 J µg/L to 41 µg/L) detected at monitoring well SW4 increased compared to the November 2003 sampling event. In the groundwater sample collected from deep monitoring well DW3 during the June 2004 sampling event, the concentrations remained relatively constant compared to the previous sampling event. No VOCs were detected in the groundwater sample collected from deep monitoring well DW1 and shallow monitoring well SW1. This is consistent with previous sampling events.

Table 3.1-5
Trend Analysis of VOCs in Groundwater

Well ID	Date Sampled	Concentration of Analyte in Groundwater (µg/L)					
		TCA	TCE	VC	1,1-DCE	1,2-DCE	1,1-DCA
SW1	Sept. 1986[1]	--	--	--	--	--	--
	Jan. 1992[2]	0.5	--	--	--	--	--
	Dec. 1994[3]	--	--	--	--	--	--
	Nov. 1999[3]	--	--	--	--	--	--
	May 2000[3]	--	--	--	--	--	--
	Nov. 2000[3]	--	--	--	--	--	--
	May 2001[3]	--	--	--	--	--	--
	Nov. 2001[3]	0.11 J	--	--	--	--	--
	May 2002[3]	--	--	--	--	--	--
	May 2003[3]	--	--	--	--	--	--
	Nov. 2003[3]	--	--	--	--	--	--
	Jun. 2004	--	--	--	--	--	--
DW1	Jan. 1992[2]	0.6	--	--	--	--	--
	Dec. 1994[3]	--	--	--	--	1.8 (c)	--
	Nov. 1999[3]	--	--	--	--	--	--
	May 2000[3]	--	--	--	--	--	--
	Nov. 2000[3]	--	--	--	--	--	--
	May 2001[3]	--	--	--	--	--	--
	Nov. 2001[3]	--	--	--	--	--	--
	May 2002[3]	--	--	--	--	--	--
	May 2003[3]	--	--	--	--	--	--
	Nov. 2003[3]	--	--	--	--	--	--
	Jun. 2004	--	--	--	--	--	--
SW3	Sept. 1986[1]	--	6	--	--	--	--
	Jan. 1992[2]	12	9	--	--	--	5
	Dec. 1994[3]	0.50	1.8	--	--	--	--
	Dec. 1995[3]	0.86	2.8	--	--	0.44 (c)	--
	July 1997[4]	--	1	--	--	--	--
	Nov. 1998[3]	0.22	0.81	--	--	0.10 (c)	--
	Apr. 1999[3]	0.51	0.71	--	--	0.17 (c)	--
	Nov. 1999[3]	0.29	0.9	--	--	0.39 (c)	--

Table 3.1-5
Trend Analysis of VOCs in Groundwater (Continued)

Well ID	Date Sampled	Concentration of Analyte in Groundwater (µg/L)					
		TCA	TCE	VC	1,1-DCE	1,2-DCE	1,1-DCA
SW3 (Cont'd)	May 2000[3]	0.69	1	--	--	1.29 (c)	0.55
	Nov. 2000[3]	0.43	0.9	--	--	0.22 (c)	--
	May 2001[3]	0.46	0.8	--	--	1.29 (c)	0.32
	Nov. 2001[3]	0.32 J	0.5 J	--	--	--	--
	May 2002[3]	0.42 J	0.8 J	--	--	0.46 J	--
	May 2003[3]	0.584 J	0.893 J	--	--	1.37 J (c)	0.302 J
	Nov. 2003[3]	0.398 J	0.856 J	--	--	0.511 J (c)	--
	Jun. 2004	0.9 J	0.94 J	--	--	3.7 (c)	0.95 J
DW3	Jan. 1992[2]	0.3	--	--	--	--	0.3
	Dec. 1994[3]	--	--	0.28	--	36 (c)	0.26
	Dec. 1995[3]	--	--	--	--	5.2 (c)	--
	April 1997[4]	--	--	--	--	41 (c)	--
	July 1997[4]	--	--	--	--	49 (c)	--
	Nov. 1998[3]	--	--	0.35	--	66 (c)	0.34
	Apr. 1999[3]	--	--	0.28	0.11	67.00 (c)	0.35
	Nov 1999[3]	--	--	--	--	--	0.11
	May 2000[3]	--	--	--	--	0.25 (t) 24.98 (c)	0.16
	Nov. 2000[3]	--	--	--	--	16.85	--
	May 2001[3]	--	--	--	--	13.29	--
	Nov. 2001[3]	--	--	--	--	13.58	--
	May 2002[3]	--	--	--	--	21.08	0.1 J
	May 2003[3]	--	--	--	--	--	--
	Nov. 2003[3]	--	--	--	--	1.18 J (c)	--
	Jun. 2004	--	--	--	--	1.3 (c)	--
SW4	Jan. 1992[2]	2	97	--	0.3	--	0.6
	Dec. 1994[3]	20	370	--	2.1	19 (c)	8.5
	Dec. 1995[3]	34	1200	--	4.9	2.1 (t) 34 (c)	6.9
	April 1997[4]	--	--	--	--	71 (c)	7.1

Table 3.1-5
Trend Analysis of VOCs in Groundwater (Continued)

Well ID	Date Sampled	Concentration of Analyte in Groundwater (µg/L)					
		TCA	TCE	VC	1,1-DCE	1,2-DCE	1,1-DCA
SW4 (Cont'd)	July 1997[4]	23	290	--	--	15 (c)	--
	Nov. 1998[3]	8.0	46	0.42	0.82	10 (c)	9.0
	Apr. 1999[3]	1.9	9.53	--	--	1.85 (c)	0.87
	Nov. 1999[3]	2.13	9.5	--	0.18	7.15 (c)	7.7
	May 2000[3]	2.88	8	0.11	0.21	0.49 (t) 4.3 (c)	1.67
	Nov. 2000[3]	1.14	15.2	1.49	0.29	11.18 (c)	15.25
	May 2001[3]	3.35	34	--	0.36	0.38 (t) 3.19 (c)	1.3
	Nov. 2001[3]	0.88	5.7	0.43 J	0.12 J	5.27 (c)	7.18
	May 2002[3]	2.54	21.63	--	0.34 J	2.07 (c)	0.79 J
	May 2003[3]	3.05 J	9.09 J	--	--	3.36 J (c)	1.44 J
	Nov. 2003[3]	2.03	4.63	--	--	1.93 (c)	0.93
	Jun. 2004	2.8	41	--	0.57 J	0.11 (t) 3.3 (c)	1.3
SW7	Jan. 1992[2]	0.2	0.4	--	--	--	--
	Dec. 1994[3]	4.6	15	6.2	1	0.3(t) 150(c)	33
	Dec. 1995[3]	2.2	7.9	6.8	0.80	130 (c)	20
	July 1997[4]	--	4	--	--	2 (c)	--
	Nov. 1998[3]	2.5	11	3.4	0.65	0.28 (t) 82 (c)	12
	Apr. 1999[3]	1.23	3.95	--	--	5.25 (c)	1.46
	Nov. 1999[3]	1.01	5.7	--	0.19	18.8 (c)	3.38
	May 2000[3]	0.67	1.5	--	--	0.12 (t) 2.43 (c)	0.71
	Nov. 2000[3]	0.91	3.8	0.52	0.15	16.06 (c)	3.48
	May 2001[3]	1.18	1.9	--	--	1.46 (c)	0.47
	Nov. 2001[3]	0.8 J	4.7	0.85 J	0.19 J	0.13 J (t) 25.89 (c)	3.02
	May 2002[3]	0.87 J	1.65	--	--	2.79 (c)	0.47 J

Table 3.1-5
Trend Analysis of VOCs in Groundwater (Continued)

Well ID	Date Sampled	Concentration of Analyte in Groundwater (µg/L)					
		TCA	TCE	VC	1,1-DCE	1,2-DCE	1,1-DCA
SW7 (Cont'd)	May 2003[3]	1.5 J	1.44 J	--	--	1.43 J (c)	0.409 J
	Nov. 2003[3]	0.674 J	1.64	--	--	2.76 (c)	0.509
	Jun. 2004	1	1	--	--	1.1 (c)	0.3 J

Key:
µg/L = Micrograms per liter
(c) = cis-1,2-Dichloroethene
(t) = trans-1,2-Dichloroethene
TCA = 1,1,1-Trichloroethane
TCE = Trichloroethene
(1) = Fred C. Hart Associates
(2) = Argonne National Laboratories
VC = Vinyl chloride
1,1-DCE = 1,1-Dichloroethene
1,2-DCE = 1,2-Dichloroethene
1,1-DCA = 1,1-Dichloroethane
DPW = Deep production well
(3) = Earth Tech
(4) = United States Geological Services

Notes:
1. At monitoring well locations where a duplicate groundwater sample was collected, the higher analytical value between the normal and duplicate samples is reported in this table.
2. For 1992 data, the maximum value of either round A or B of sampling was used.

4.0 CONCLUSIONS

This section provides conclusions from analytical data generated as a result of the June 2004 sampling event. As defined in Section 1.0, the objective of the groundwater sampling event was to satisfy groundwater monitoring requirements defined in the April 27, 1999 letter to the NYSDEC (Earth Tech, 1999a) and the *Record of Decision* (Earth Tech, 1999b) for Air Force Plant 59.

The VOCs detected in groundwater samples collected from monitoring wells screened in the shallow and deep zones of the aquifer during the June 2004 sampling event are similar to the VOCs that have been detected during previous investigations. Chlorinated hydrocarbons and bromoform were the only VOCs detected in site groundwater, with TCE, 1,1,1-TCA, 1,1-DCA, tetrachloroethene, and cis-1,2-DCE being the most commonly detected. No VOCs were detected in background monitoring wells SW1 and DW1.

Historically, the highest concentrations of VOCs in the shallow zone of the aquifer at AFP 59 have been detected in groundwater samples collected from monitoring wells SW4 and SW7, which are located immediately downgradient of the Plating Room (the suspected source of VOCs in groundwater). In June 2004, the concentration of TCE detected at monitoring well SW4 increased relative to the November 2003 sampling event, and the highest concentrations of VOCs were detected at SW4 and SW7. The increased concentration of TCE in SW4 (41 µg/L) was the only VOC detection that exceeded New York State drinking water standards in any of the wells monitored during the June 2004 sampling event.

Four VOCs were detected in the groundwater sample collected from monitoring well SW3, which was the only shallow monitoring well sampled along the western (downgradient) boundary of the site during this event. None of these detections exceeded New York State drinking water standards. Therefore, groundwater in the shallow zone of the aquifer that migrates off site toward the Camden Street Well Field complies with New York State drinking water standards.

There were five VOCs detected in the groundwater samples collected from the deep monitoring wells. Bromodichloromethane, bromoform, cis-1,2-dichloroethene, and dibromochloromethane were detected at DW3 below the New York drinking water standards.

A trend analysis of chlorinated hydrocarbon levels over time at AFP 59 is presented in Section 3.1.4. This sampling event was consistent with previous events and indicates that levels of chlorinated hydrocarbons have remained constant or decreased through time with the exception of the increased TCE detection in SW4 (see Table 3.1-5).

Appendix A. References

APPENDIX A. REFERENCES

Earth Tech, 1994. *Installation Restoration Program Investigation – Final Sampling and Analysis Plan.*

Earth Tech, 1996. *Installation Restoration Program Remedial Investigation – Final Remedial Investigation Report.*

Earth Tech, 1998. *Final Work Plan for Groundwater Monitoring at Air Force Plant 59.*

Earth Tech, 1999a. Letter to Jim Lister of the NYSDEC defining the groundwater monitoring and well abandonment programs at AFP 59.

Earth Tech, 1999b. *Record of Decision, Air Force Plant 59.*

United States Air Force (USAF), 1993. *Handbook for the Installation Restoration Program (IRP), Remedial Investigations and Feasibility Studies (RI/FS).*

United States Air Force (USAF), 1996. *Model Work Plan.*

United States Air Force (USAF), 1997. *Model Field Sampling Plan, Version 1.1.*

United States Air Force (USAF), 2001. *Quality Assurance Project Plan, Version 3.1.*

United States Environmental Protection Agency (USEPA), 1988. *Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA, Interim Final, EPA/540/6-89/004.* Office of Emergency and Remedial Response, Washington, D.C.

APPENDIX B. FIELD DATA

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: DW1	Date: 6/7/04
	Project Name: AFP 59 GW Sampling	Project #: 77008.07.09	Recorded By: PG/EL Checked By:
EQUIPMENT	Water Quality Meter Type/ID #: Horiba U-22	Water Level Indicator Type/ID #: Solinst	PID Type/ID #: NA
	Explosimeter Type/ID #: NA	Sampling Equipment: Grundfos Redi-Flo 2	Equipment Decon.: alconox, potable and DI rinse
WELL INFO	Casing I.D. (in) [a]: 4" Borehole dia: 6"	~~Casing~~ Unit Volume (gal/lin ft) [b]: 1.5	Initial Depth to Water (ft) [c]: 16.65'
	Total Well Depth (ft) [d]: 62.35'	Water Column Thickness (ft) [d-c]: 45.7	~~Well~~ Volume (gal) [(d-c] x b]: 68.55 x 3 = 205.65
	Ground Condition of Well: Good		
	Remarks: Lock on well cap rusted shut - needs to be removed - there is a working lock on Stickup		

CASING INFO	~~Casing I.D. (in) [a]~~ Borehole dia ~~6~~ 6"	1.5	2.0	2.2	3.0	4.0	4.3	5.0	6.0	7.0	~~8.0~~
	Unit Casing Volume (gal/lin ft) [b]:	0.09	0.16	0.20	0.37	0.65	0.75	1.0	1.5	2.0	2.6

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate ~~GPM (Lpm)~~	Temp. (C)	pH	Conductivity (mS/cm)	DO (mg/L)	Turb. (NTU)	~~Radiation~~ ( )	Remarks (odor, clarity, etc.)
6/7/04	0807	16.65	11	3	13.40	6.85	0.0	NA	168	NA	
	0814	17.13	32	3	12.97	6.91	0.0	NA	169.0	NA	clear - no odor - no sheen
	0821	17.14	53	3	12.75	6.90	0.0	NA	166.0	NA	"
	0828	17.15	74	3	12.69	7.33	0.0	NA	166.0	NA	
	0835	17.16	95	3	12.70	7.55	0.0	NA	165.0	NA	"
	0842	17.15	116	3	12.69	7.70	0.0	NA	165.0	NA	
	0849	17.15	137	3	12.64	7.84	0.0	NA	164.0	NA	
	0856	17.14	158	3	12.60	7.93	0.0	NA	164.0	NA	"

Pump Rate: =3 gal/minute **Drawdown:** – **Measurements:** 3-5 min **Stabilization:** +/- 0.5° C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

Sample ID #(s)/Time(s)	No. Containers/Volume/Type	Preserv.	Filter (Y/N)	Pump OR Bailer	Parameter(s)
59DW1GW1 @ 0920 3-40mL Vea's 8260	3 - 40 mL Volatiles 8260	HCl	N	bail	

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: DW1
	Project Name: AFP 59 GW sampling	Project #: 77008.07.09

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate (Lpm)	Temp. (C)	pH	Conductivity (mS/cm)	NA	Turb. (NTU)	Radiation ( )	Remarks (odor, clarity, etc.)
06 OCT 04	0903	17.14	179	3	12.63	8.0	0.0		1630		down to 5 minute readings
	0908	17.14	~~200~~ 194	3	12.65	8.06	0.0		1630		
	0913	17.14	209	3	12.65	8.10	0.0		1620		
			Last Reading								
											Total Volume removed 210 gal

Pump Rate: <=0.5 L/min **Drawdown:** < 0.33 ft **Measurements:** 3-5 min **Stabilization:** +/- 0.5 C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% DO, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: SW1	Date: 06-07-04
	Project Name: AFP 59 GW Sampling	Project #: 77008.07.09	Recorded By: PG/EL Checked By:
EQUIPMENT	Water Quality Meter Type/ID #: Horiba U-22	Water Level Indicator Type/ID #: Solinst	PID Type/ID #: NA
	Explosimeter Type/ID #: NA	Sampling Equipment: Grundfos Redi-Flo 2	Equipment Decon.: alconox, potable and DI rinse
WELL INFO	~~Casing I.D. (in) [a]~~: borehole dia = 8"	Unit Casing Volume (gal/lin ft) [b]: 2.6	Initial Depth to Water (ft) [c]: 16.65
	Total Well Depth (ft) [d]: 28.53	Water Column Thickness (ft) [d-c]: 11.88	Well Volume (gal) ([d-c] x b): 30.8 x 3 = 92.3 gal
	Ground Condition of Well: Good		
	Remarks: The weather is really nice		

CASING INFO										
Casing I.D. (in) [a]:	1.5	**2.0**	2.2	3.0	**4.0**	4.3	5.0	6.0	7.0	8.0
Unit Casing Volume (gal/lin ft) [b]:	0.09	**0.16**	0.20	0.37	**0.65**	0.75	1.0	1.5	2.0	2.6

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate (Lpm)	Temp. (C)	pH	Conduc-tivity (mS/cm)	DO (mg/L)	Turb. (NTU)	Radiation ( )	Remarks (odor, clarity, etc.)
06-07-04	~~0944~~ 0949	17.80	5	3	12.88	7.02	2.35	NA	23.8	NA	Slightly Cloudy
	0951	17.86	~~8~~ +226	3	11.92	7.35	2.32	NA	17.6	NA	clear - moder - no sheen
	0958	17.85	~~87~~ +947	3	11.80	7.41	2.31	NA	20.9	NA	
	1005	17.85	~~872~~ 668	3	11.80	7.46	2.30	NA	19.1	NA	
	1012	17.85	~~873~~ 389	3	11.82	7.48	2.29	NA	12.5	NA	
	1015	17.85	98	3	11.82	7.48	2.30	NA	12.2	NA	
↓	1018	17.85	107	3	11.83	7.47	2.30	NA	12.1	NA	
				Last Reading				NA		NA	Total volume removed 110gal

Pump Rate: =3 gal/minute **Drawdown:** – **Measurements:** 3-5 min **Stabilization:** +/- 0.5° C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

Sample ID #(s)/Time(s)	No. Containers/Volume/Type	Preserv.	Filter (Y/N)	Pump OR Bailer	Parameter(s)
@ 1025 collect 59SW1WG1 3-40mL VOA's 8260	3 - 40 mL Volatiles 8260	HCl	N	bail	

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: **AFP 59**	LocID: DW3	Date: 06-07-04
	Project Name: AFP 59 GW Sampling	Project #: 77008.07.09	Recorded By: PG/EL Checked By:
EQUIPMENT	Water Quality Meter Type/ID #: Horiba U-22	Water Level Indicator Type/ID #: Solinst.	PID Type/ID #: NA
	Explosimeter Type/ID #: NA	Sampling Equipment: Grundfos Redi-Flo 2	Equipment Decon.: alconox, potable and DI rinse
WELL INFO	~~Casing I.D. (in) [a]:~~ borehole diam = 6"	Unit Casing Volume (gal/lin ft) [b]: 1.5	Initial Depth to Water (ft) [c]: 14.99
	Total Well Depth (ft) [d]: 86.55	Water Column Thickness (ft) [d-c]: 71.56	Well Volume (gal) ([d-c] x b): 107.3 x 3 = 322 gal
	Ground Condition of Well: Manhole cover comprimised - water in vault - no bolts - water infiltrating well - bailed vault.		
	Remarks:		

CASING INFO											
	Casing I.D. (in) [a]:	1.5	**2.0**	2.2	3.0	**4.0**	4.3	5.0	6.0	7.0	8.0
	Unit Casing Volume (gal/lin ft) [b]:	0.09	**0.16**	0.20	0.37	**0.65**	0.75	1.0	1.5	2.0	2.6

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate (Lpm)	Temp. (C)	pH	Conduc-tivity (mS/cm)	DO (mg/L)	Turb. (NTU)	Radiation ( )	Remarks (odor, clarity, etc.)
06-07-04	1210	15.32	5	3	13.29	6.90	1.46	NA	999	NA	Light brown cloudy - silty.
	1217	15.30	26	3	13.31	7.28	1.45	NA	177	NA	clear - no odor - no sheen.
	1224	15.30	47	3	13.32	7.36	1.45	NA	152	NA	"
	1231	15.30	68	3	13.30	7.40	1.45	NA	143	NA	
	1238	15.30	89	3	13.33	7.40	1.45	NA	177	NA	
	1245	15.30	110	3	13.34	7.39	1.45	NA	169	NA	
	1252	15.30	131	3	13.34	7.38	1.45	NA	153	NA	
	1259	15.30	152	3	13.36	7.36	1.45	NA	379	NA	

Pump Rate: =3 gal/minute **Drawdown:** – **Measurements:** 3-5 min **Stabilization:** +/- 0.5° C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

Sample ID #(s)/Time(s)	No. Containers/Volume/Type	Preserv.	Filter (Y/N)	Pump OR Bailer	Parameter(s)
@ 1305 ~~DW3SF~~ Collect 59DW3WG1	3 - 40 mL Volatiles 8260	HCl	N	bail	

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: DW3
	Project Name: AFP 59 GW sampling	Project #: 77008.07.09

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate ~~GPM (Lpm)~~	Temp. (C)	pH	Conductivity (mS/cm)	NA	Turb. (NTU)	~~Radiation (-)~~	Remarks (odor, clarity, etc.)
6/7/04	1206	15.30	173	3	13.36	7.35	1.45		30.3		
	1213	15.30	194	3	13.35	7.34	1.45		9.2		
	1220	15.30	215	3	13.36	7.33	1.45		6.3		
	1227	15.30	236	3	13.38	7.33	1.45		1.8		
	1234	15.30	257	3	13.36	7.32	1.45		2.2		
	1241	15.30	278	3	13.36	7.31	1.45		0.8		
	1248	15.30	299	3	13.35	7.31	1.45		0.6		
	1253	15.30	314	3	13.35	7.31	1.45		1.0		
↓	1258	15.30	329	3	13.36	7.31	1.45		2.0		
					Last Reading						
											Collect Sample 59DW6W61
											Total vol removed 330

Pump Rate: <=0.5 L/min **Drawdown:** < 0.33 ft **Measurements:** 3-5 min **Stabilization:** +/- 0.5 C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% DO, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: SW3	Date: 06-07-04
	Project Name: AFP 59 GW Sampling	Project #: 77008.07.09	Recorded By: PG/EL Checked By:
EQUIPMENT	Water Quality Meter Type/ID #: Horiba U-22	Water Level Indicator Type/ID #: Solinst	PID Type/ID #: NA
	Explosimeter Type/ID #: NA	Sampling Equipment: Grundfos Redi-Flo 2	Equipment Decon.: alconox, potable and DI rinse
WELL INFO	~~Casing I.D. (in)~~ [a]: borehole ID = 8.0"	Unit Casing Volume (gal/lin ft) [b]: 2.6	Initial Depth to Water (ft) [c]: 16.32 'btoc
	Total Well Depth (ft) [d]: 29.61' btoc	Water Column Thickness (ft) [d-c]: 13.3	Well Volume (gal) ([d-c] x b): 34.6 x 3 = 103.7
	Ground Condition of Well: OK		
	Remarks:		

CASING INFO											
Casing I.D. (in) [a]:	1.5	**2.0**	2.2	3.0	**4.0**	4.3	5.0	6.0	7.0	8.0
Unit Casing Volume (gal/lin ft) [b]:	0.09	**0.16**	0.20	0.37	**0.65**	0.75	1.0	1.5	2.0	2.6

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate (Lpm)	Temp. (C)	pH	Conduc-tivity (mS/cm)	DO (mg/L)	Turb. (NTU)	Radiation (—)	Remarks (odor, clarity, etc.)
06-07-04	1326	16.41	4	3	11.26	6.82	1.69	NA	6.23	NA	Clear, no sheen, no odor.
	1333	16.41	25	3	11.26	7.18	1.68	NA	22.4	NA	" "
	1340	16.41	46	3	11.26	7.25	1.68	NA	-4.6	NA	" "
	1347	16.41	67	3	11.26	7.28	1.68	NA	-7.1	NA	
	1354	16.41	88	3	11.24	7.28	1.68	NA	-10.0	NA	
	~~1401~~		~~109~~	~~3~~				NA		NA	
	1359	16.41	103	3	11.24	7.28	1.68	NA	-3.2	NA	
	1404	16.41	118	3	11.25	7.28	1.67	NA	-8.3	NA	Collect sample Total vol rem. 120g

Pump Rate: =3 gal/minute **Drawdown:** – **Measurements:** 3-5 min **Stabilization:** +/- 0.5° C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

Sample ID #(s)/Time(s)	No. Containers/Volume/Type	Preserv.	Filter (Y/N)	Pump OR Bailer	Parameter(s)
Collect SAMPLE: @ 1410 59SW3WG1 and MS+ MSD 59SW3WG1-MS 59SW3WG1-MSD.	9 - 40 mL Volatiles 8260	HCl	N	bail	

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: SW4	Date: 06-07-04
	Project Name: AFP 59 GW Sampling	Project #: 77008.07.09	Recorded By: PG/EL Checked By:
EQUIPMENT	Water Quality Meter Type/ID #:	Water Level Indicator Type/ID #:	PID Type/ID #: NA
	Explosimeter Type/ID #: NA	Sampling Equipment: Grundfos Redi-Flo 2	Equipment Decon.: alconox, potable and DI rinse
WELL INFO	Casing I.D. (in) [a]: borehole ID 8"	Unit Casing Volume (gal/lin ft) [b]: 2.6	Initial Depth to Water (ft) [c]: 12.05' toc
	Total Well Depth (ft) [d]: 27.61	Water Column Thickness (ft) [d-c]: 15.56	Well Volume (gal) ([d-c] x b): 40.5 x 3 = 121 gal
	Ground Condition of Well: Good - well may be damaged - difficulty getting pump down		
	Remarks:		

CASING INFO											
Casing I.D. (in) [a]:	1.5	**2.0**	2.2	3.0	**4.0**	4.3	5.0	6.0	7.0	8.0
Unit Casing Volume (gal/lin ft) [b]:	0.09	**0.16**	0.20	0.37	**0.65**	0.75	1.0	1.5	2.0	2.6

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate gal (l)/pm	Temp. (C)	pH	Conductivity (mS/cm)	DO (mg/L)	Turb. (NTU)	Radiation ( )	Remarks (odor, clarity, etc.)
06-07-04	1545	12.27	8.0	1.5	16.66	7.60	1.70	NA	277	NA	Clear - problem with pumping rate - could not maintain 3
	1552	15.51	18.5	1.5	16.07	7.34	1.75	NA	92.9	NA	.3 gal/min - turned down to
	1559	15.78	29.0	1.5	16.08	7.30	1.75	NA	29.8	NA	½ that rate -
	1606	15.84	39.5	1.5	16.06	7.25	1.74	NA	20.2	NA	clear - no odor - no sheen
	1613	16.02	50.0	1.5	16.05	7.20	1.74	NA	18.9	NA	
	1620	16.10	60.5	1.5	16.09	7.15	1.73	NA	10.9	NA	
	1627	16.17	71.0	1.5	16.01	7.10	1.73	NA	4.8	NA	
	1634	16.21	81.5	1.5	16.00	7.09	1.73	NA	16.6	NA	

Pump Rate: =3 gal/minute **Drawdown:** - **Measurements:** 3-5 min **Stabilization:** +/- 0.5° C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

Sample ID #(s)/Time(s)	No. Containers/Volume/Type	Preserv.	Filter (Y/N)	Pump OR Bailer	Parameter(s)
Collect sample @ 1710	3 - 40 mL Volatiles 8260	HCl	N	bail	
595W4WG1 ~~3-40ML vo~~					
broke 1 btl and had					
no extra voa's -					
only 2 sent					

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: SW4
	Project Name: AFP 59 GW sampling	Project #: 77008.07.09

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate (Lpm)	Temp. (C)	pH	Conductivity (mS/cm)	NA	Turb. (NTU)	Radiation ( )	Remarks (odor, clarity, etc.)
	1641	16.23	92.0	1.5	16.04	7.08	1.72	—	18.2	—	
	1648	16.25	102.5	1.5	15.98	7.01	1.72	—	2.4	—	
	1655	16.25	113.0	1.5	15.97	7.01	1.71	—	4.6	—	
	1659	16.24	119.0	1.5	15.97	7.00	1.71	—	3.2	—	reading go out 4 minute intervals.
	1703	16.24	125.0	1.5	15.97	6.99	1.71	—	11.3	—	
					Last Reading						
											Total Volume removed 125 gallons Collect Sample

Pump Rate: <=0.5 L/min **Drawdown:** < 0.33 ft **Measurements:** 3-5 min **Stabilization:** +/- 0.5 C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% DO, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

MONITORING WELL SAMPLE COLLECTION FORM

LOCATION	Site: AFP 59	LocID: SW7	Date: 06-07-04
	Project Name: AFP 59 GW Sampling	Project #: 77008.07.09	Recorded By: PG/EL Checked By:
EQUIPMENT	Water Quality Meter Type/ID #:	Water Level Indicator Type/ID #:	PID Type/ID #: NA
	Explosimeter Type/ID #: NA	Sampling Equipment: Grundfos Redi-Flo 2	Equipment Decon.: alconox, potable and DI rinse
WELL INFO	~~Casing I.D.~~ (in) [a]: borehole ID 8"	Unit Casing Volume (gal/lin ft) [b]: 2.6	Initial Depth to Water (ft) [c]: 17.10 'btoc
	Total Well Depth (ft) [d]: 28.80 'btoc	Water Column Thickness (ft) [d-c]: 11.7	Well Volume (gal) {[d-c] x b}: 30.42 x 3 = 91.3
	Ground Condition of Well:		
	Remarks:		

CASING INFO										
Casing I.D. (in) [a]:	1.5	**2.0**	2.2	3.0	**4.0**	4.3	5.0	6.0	7.0	8.0
Unit Casing Volume (gal/lin ft) [b]:	0.09	**0.16**	0.20	0.37	**0.65**	0.75	1.0	1.5	2.0	2.6

Date	Time (24 hr)	Water Level (FTOC)	Volume Removed (Gal)	Pumping Rate (Lpm)	Temp. (C)	pH	Conductivity (mS/cm)	DO (mg/L)	Turb. (NTU)	Radiation ( )	Remarks (odor, clarity, etc.)
06-07-04	1802	17.10	5.0	4	14.70	6.84	1.70	NA	40.5	NA	lt brown - cloudy no odor - no sheen
	1809	17.18	25.0	4	14.71	7.11	1.67	NA	40.3	NA	clearing
	1812	17.16	45.0	4	14.69	7.18	1.71	NA	-4.6	NA	clear
	1817	17.16	65.0	4	14.68	7.21	1.71	NA	-7.0	NA	
	1822	17.16	85.0	4	14.69	7.24	1.71	NA	-8.0	NA	
	1825	17.16	97.0	4	14.71	7.25	1.71	NA	-8.2	NA	
				Last Reading				NA		NA	
								NA		NA	

Pump Rate: =3 gal/minute **Drawdown:** – **Measurements:** 3-5 min **Stabilization:** +/- 0.5° C, +/- 0.1 pH, +/- 3% conductivity, +/- 10% turb (<= 10 NTU ideal) for 3 consecutive readings

Sample ID #(s)/Time(s)	No. Containers/Volume/Type	Preserv.	Filter (Y/N)	Pump OR Bailer	Parameter(s)
Collect sample + dupe @ 1830	3 - 40 mL Volatiles 8260	HCl	N	bail	
59SW7WG1 3-40mL vials	3-40mL volatiles 8260	HCl	N	bail	
59SW7WG9 3-40mL vials					

APPENDIX C. CHAIN-OF-CUSTODY FORMS

Chain of Custody Record

SEVERN TRENT **STL**

Severn Trent Laboratories, Inc.

STL Denver
4955 Yarrow Street
Arvada, CO 80002

STL-4124 (0901)

Client: EARTH TECH	Project Manager: Phil Granger	Date: 06-07-04	Chain of Custody Number: 308876
Address: 675 N Washington St #300	Telephone Number (Area Code)/Fax Number: 703 549 8728 / 703 549 9134	Lab Number:	Page 1 of 1
City: Alexandria / State: VA / Zip Code: 22314	Site Contact: Phil Granger	Lab Contact:	
Project Name and Location (State): AFP59 Johnson City NY	Carrier/Waybill Number:		
Contract/Purchase Order/Quote No.: 77008.07.09			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Analysis: VOC 8260B	Special Instructions/ Conditions of Receipt
TB060704	06-07-04	0800		X						X			2	2 voas for trip blank
59DW1WG1		0920		X						X			3	
59SW1WG1		1025		X						X			3	
AB060704		1216		X						X			3	
59DW3WG1		1305		X						X			3	
59SW3WG1		1410		X						X			3	
59SW3WG1-MS		1410		X						X			3	
59SW3WG1-MSD		1410		X						X			3	
59SW4WG1		1710		X						X			2	only 2 voas · broke3
59SW7WG1				X						X			3	
59SW7WG9				X						X			3	
Last Entry														

Possible Hazard Identification: ☑ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal: ☐ Return To Client ☑ Disposal By Lab ☐ Archive For ____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required: See contract

☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other ____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By	06-08-04	0900	1. Received By		
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By		

Comments:

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

APPENDIX D. DATA QUALITY REVIEW SUMMARY AND GROUNDWATER ANALYTICAL DATA

Table 4
Summary of Detected VOCs in Monitoring Well Samples
June 2004

Location ID / Date Sampled	DW1 6/7/2004	SW1 6/7/2004	DW3 6/7/2004	SW3 6/7/2004	SW4 6/7/2004	SW7 6/7/2004	SW7 (DUP) 6/7/2004
Analyte	**Volatiles by EPA SW-846 Method 8260 (ug/L)**						
1,1,1-Trichloroethane	1 U	1 U	1 U	**0.9 J**	**2.8**	**0.7 J**	**1**
1,1-Dichloroethane	1 U	1 U	1 U	**0.95 J**	**1.3**	**0.28 J**	**0.3 J**
1,1-Dichloroethene	1 U	1 U	1 U	1 U	**0.57 J**	1 U	1 U
Acetone	10 U	10 U	**2.5 J**	**2.2 J**	**2.3 J**	10 U	10 U
Bromodichloromethane	0.5 U	0.5 U	**0.083 J**	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	1 U	1 U	**0.29 J**	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	1 U	1 U	**1.3**	**3.7**	**3.3**	**1.1**	**0.9 J**
Dibromochloromethane	0.5 U	0.5 U	**0.16 J**	0.5 U	0.5 U	0.5 U	0.5 U
Tetrachloroethene	1 U	1 U	1 U	1 U	**0.57 J**	**0.13 J**	**0.19 J**
trans-1,2-Dichloroethene	1 U	1 U	1 U	1 U	**0.11 J**	1 U	1 U
Trichloroethene	1 U	1 U	1 U	**0.94 J**	**41**	**0.99 J**	**1**
Trichlorofluoromethane	1 U	1 U	1 U	1 U	**0.76 J**	1 U	1 U

Key: J = The analyte was positively identified, but the quantitation is an estimation.
U = The analyte was analyzed for, but not detected. The associated numerical value is at or below the method detection limit (MDL).
(DUP) = Duplicate sample taken in the field.

Notes: Bolded values indicate the analyte was detected above the associated MDL.

TABLE OF CONTENTS

1.0 INTRODUCTION

This data validation review pertains to groundwater samples collected in June 2004 at Air Force Plant 59 (AFP 59). Parameters evaluated in groundwater samples included the total concentration of volatile organic constituent (VOC). The samples were analyzed by Severn Trent Laboratories (STL) in Arvada, Colorado.

Data validation review is an after-the-fact technical review of analytical data whereby the quality and usability of the data are determined based on a set of predefined criteria. These criteria depend upon the type of data involved and the purpose for which those data were collected. Data validation review assesses whether and to what extent specified criteria were met, and places restrictions on data use based on quality parameters. The data validation review process can range from a cursory review used to detect out-of-control situations to a detailed evaluation, depending on the analytical protocol, the associated quality control samples collected, and the intended data use.

Specific criteria for data quality review may include, but are not limited to: technical holding times, analysis of blanks, surrogate spike recovery, analysis of duplicates, and reported practical quantitation limits (PQLs). Where applicable, the recommendations of USEPA SW-846 Test Methods for Evaluating Solid Waste (Third Edition, December 1996) or USEPA Methods for Chemical Analysis of Water and Wastes (Revised March 1983) analytical method requirements, USEPA CLP National Functional Guidelines for Organic and Inorganic Data Review (February 1994, Functional Guidelines) data review guidance, and professional judgment.

Table 1 presents the data qualifiers applied during this review effort and their meanings.

Table 1
Data Qualifiers

Qualifier	Description
J	This is an estimated value.
U	The analyte was analyzed for, but not detected. The associated numerical value is at or below the MDL.

Table 2 provides a cross-reference list for field sample IDs and lab sample IDs from STL.

Table 2
Field Sample ID/Lab Sample ID Cross Reference
Lot D4F100354

Field Sample ID	Lab Sample ID	Field Sample ID	Lab Sample ID
TB060704	D4F100354-001	59SW3WG1-MS	D4F100354-006
59DW1WG1	D4F100354-002	59SW3WG1-MSD	D4F100354-006
59SW1WG1	D4F100354-003	59SW4WG1	D4F100354-007
AB060704	D4F100354-004	59SW7WG1	D4F100354-008
59DW3WG1	D4F100354-005	59SW7WG9	D4F100354-009
59SW3WG1	D4F100354-006		

During the data validation review process, laboratory qualified and unqualified data are verified against all available supporting documentation. Based on this review, qualifier codes may be added, deleted, or modified by the validator. Final results are therefore either qualified or unqualified. (Note: In those cases where the laboratory added a "U" flag indicated a non-detect result, and the validator agrees with this flag, then it remains intact, as noted on the corresponding Form I.) Changes to the data are reflected on the Form I's in Appendix A.

2.0 VOLATILE ORGANIC CONSTITUENTS

Volatile organic constituents were analyzed using EPA Test Method for Evaluating Solid Waste (SW-846) Method 8260B.

2.1 Holding Times

All samples were extracted and analyzed within prescribed hold times. No qualification is needed.

2.2 Calibration

Initial calibration standards were analyzed at 0.3, 1, 2, 5, 10, 30, 60, and 120 µg/L. For the Initial Calibration run, target constituent RRF values were all greater than 0.05 and the %RSD values were less than 30% for all target constituents. No qualification is needed based on this information.

Continuing calibration verifications were performed at the required frequency. The %D results were within 20% for all target constituents. Likewise, recoveries were within control limits in the Second Source Calibration Standard and no qualification is needed.

The hand-annotated data summary sheets (referred to as Form I's) are provided as Appendix A.

It is noted that for those results which were less than the RL but greater than the MDL, the laboratory assigned an "F" flag, indicating an estimated value. Unless qualified otherwise, the validator removes the F flag and replaces it with the "J" qualifier, indicating an estimated value.

2.3 Laboratory Control Samples

The corresponding laboratory control sample exhibited constituent recoveries within the appropriate control range for all target volatile constituents. No qualification is needed.

2.4 Blanks

No constituents were detected above the corresponding reporting limits in the method blank or in the associated trip blank (TB060704) or in the associated ambient blank (AB060704).

2.5 Matrix Spike/Matrix Spike Duplicate

Sample 59SW3WG1 served as the MS/MSD sample. Percent recoveries were within control limits and the RPD was less than 20% for all target constituents. No qualification is needed.

2.6 Surrogate Recovery

Surrogate recoveries were within control limits for all samples. No qualification is needed.

2.7 Internal Standards

All internal standards area counts and retention times were within control limits for all samples. No qualification is needed based on the internal standard information provided.

2.8 Duplicates

A field duplicate was collected for sample SW7. One of two criteria was followed when evaluating field duplicates, depending on the amount detected. If the amount detected was greater than five times the reporting limit (RL), then the relative percent difference (RPD) should have been less than 25 percent. If the amount was less than five times the RL, then the difference between the duplicate and the sample concentrations should have been less than the RL. Agreement between the samples and corresponding duplicate is satisfactory and no qualification is needed. A comparison of field sample and duplicate is presented in Table 3.

Table 3: Duplicate Comparison (µg/L)

Analyte	Reporting Limit (RL)	59SW7WG1	59SW7WG9	Relative Percent Difference (RPD)
1,1,1-Trichloroethane	1.0	0.70	1.0	35%
1,1-Dichloroethane	1.0	0.28	0.30	7%
Cis-1,2-Dichloroethene	1.0	1.1	0.90	20%
Tetrachloroethene	1.0	0.13	0.19	38%
Trichloroethene	1.0	0.99	1.0	1%

2.8 Summary

The data completeness is 100%. All of the data points for the volatile analysis of groundwater samples are useable with the appropriate qualifiers.

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW1WG1 Lab Sample ID: D4F100354-002 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:17

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	0.040	1:1	N/A	U
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	0.050	1:1	N/A	U
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	85	72 - 119	
4-Bromofluorobenzene	93	76 - 119	
Dibromofluoromethane	92	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3HT1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW1WG1 Lab Sample ID: D4F100354-002 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:17

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	97	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3HT1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW1WG1 Lab Sample ID: D4F100354-002 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:17

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	2.0	1:1	N/A	U
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	0.060	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3HT1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW1WG1 Lab Sample ID: D4F100354-002 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:17

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HT1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW1WG1 Lab Sample ID: D4F100354-002 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:17

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	0.090	1:1	N/A	U
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	0.060	1:1	N/A	U
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HT1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW1WG1 Lab Sample ID: D4F100354-002 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:17

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	8.5	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	9.3	1:1	N/A	
Dibromofluoromethane	N/A	N/A	9.2	1:1	N/A	
Toluene-d8	N/A	N/A	9.7	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HT1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW1WG1 Lab Sample ID: D4F100354-003 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:36

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	0.040	1:1	N/A	U
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	0.050	1:1	N/A	U
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	85	72 - 119	
4-Bromofluorobenzene	95	76 - 119	
Dibromofluoromethane	93	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3HW1AA

AFCEE FORM O-2 Page 1 of 6

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW1WG1 Lab Sample ID: D4F100354-003 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:36

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	97	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3HW1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW1WG1 Lab Sample ID: D4F100354-003 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:36

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	2.0	1:1	N/A	U
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	0.060	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3HW1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW1WG1 Lab Sample ID: D4F100354-003 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:36

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HW1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW1WG1 Lab Sample ID: D4F100354-003 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:36

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	0.090	1:1	N/A	U
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	0.060	1:1	N/A	U
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HW1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW1WG1 Lab Sample ID: D4F100354-003 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:36

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	8.5	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	9.5	1:1	N/A	
Dibromofluoromethane	N/A	N/A	9.3	1:1	N/A	
Toluene-d8	N/A	N/A	9.7	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HW1AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW3WG1 Lab Sample ID: D4F100354-005 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:16

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	0.040	1:1	N/A	U
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	0.050	1:1	N/A	U
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	85	72 - 119	
4-Bromofluorobenzene	94	76 - 119	
Dibromofluoromethane	94	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3H01AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW3WG1 Lab Sample ID: D4F100354-005 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:16

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	97	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3H01AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW3WG1 Lab Sample ID: D4F100354-005 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:16

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	**2.5**	1:1	N/A	F J
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	**0.083**	1:1	N/A	F J
Bromoform	0.050	1.0	**0.29**	1:1	N/A	F J
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	**1.3**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3H01AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW3WG1 Lab Sample ID: D4F100354-005 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:16

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	**0.16**	1:1	N/A	FJ
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H01AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW3WG1 Lab Sample ID: D4F100354-005 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:16

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	0.090	1:1	N/A	U
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	0.060	1:1	N/A	U
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H01AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59DW3WG1 Lab Sample ID: D4F100354-005 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:16

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	**8.5**	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	**9.4**	1:1	N/A	
Dibromofluoromethane	N/A	N/A	**9.4**	1:1	N/A	
Toluene-d8	N/A	N/A	**9.7**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H01AA

AFCEE FORM O-2 Page 6 of 6

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW3WG1 Lab Sample ID: D4F100354-006 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 12:50

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	**0.90**	1:1	N/A	F J
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	**0.95**	1:1	N/A	F J
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	86	72 - 119	
4-Bromofluorobenzene	93	76 - 119	
Dibromofluoromethane	95	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3H11AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW3WG1 Lab Sample ID: D4F100354-006 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 12:50

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	98	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3H11AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW3WG1 Lab Sample ID: D4F100354-006 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 12:50

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	**2.2**	1:1	N/A	FJ
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	**3.7**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3H11AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW3WG1 Lab Sample ID: D4F100354-006 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 12:50

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H11AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW3WG1 Lab Sample ID: D4F100354-006 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 12:50

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	0.090	1:1	N/A	U
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	0.94	1:1	N/A	F J
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H11AA

STL Denver

7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW3WG1 Lab Sample ID: D4F100354-006 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 12:50

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	**8.6**	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	**9.3**	1:1	N/A	
Dibromofluoromethane	N/A	N/A	**9.5**	1:1	N/A	
Toluene-d8	N/A	N/A	**9.8**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H11AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW4WG1 Lab Sample ID: D4F100354-007 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:35

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	**2.8**	1:1	N/A	
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	**1.3**	1:1	N/A	
1,1-Dichloroethene	0.090	1.0	**0.57**	1:1	N/A	FJ
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	85	72 - 119	
4-Bromofluorobenzene	94	76 - 119	
Dibromofluoromethane	94	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3H21AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW4WG1 Lab Sample ID: D4F100354-007 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:35

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	98	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3H21AA

DC 7/12/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW4WG1 Lab Sample ID: D4F100354-007 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:35

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	**2.3**	1:1	N/A	F J
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	**3.3**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3H21AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW4WG1 Lab Sample ID: D4F100354-007 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:35

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H21AA

DC 7/13/21

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW4WG1 Lab Sample ID: D4F100354-007 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:35

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	**0.57**	1:1	N/A	F J
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	**0.11**	1:1	N/A	F J
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	**41**	1:1	N/A	
Trichlorofluoromethane	0.060	1.0	**0.76**	1:1	N/A	F J
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H21AA

D 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW4WG1 Lab Sample ID: D4F100354-007 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 15:35

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	**8.5**	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	**9.4**	1:1	N/A	
Dibromofluoromethane	N/A	N/A	**9.4**	1:1	N/A	
Toluene-d8	N/A	N/A	**9.8**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H21AA

AFCEE FORM O-2 Page 6 of 6

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG1 Lab Sample ID: D4F100354-008 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:15

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	**0.70**	1:1	N/A	FJ
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	**0.28**	1:1	N/A	FJ
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	86	72 - 119	
4-Bromofluorobenzene	93	76 - 119	
Dibromofluoromethane	94	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3H31AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG1 Lab Sample ID: D4F100354-008 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:15

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	97	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3H31AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG1 Lab Sample ID: D4F100354-008 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:15

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	2.0	1:1	N/A	U
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	1.1	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3H31AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: S9SW7WG1 Lab Sample ID: D4F100354-008 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:15

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifier
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H31AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG1 Lab Sample ID: D4F100354-008 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:15

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	**0.13**	1:1	N/A	P J
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	**0.99**	1:1	N/A	P J
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H31AA

QC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG1 Lab Sample ID: D4F100354-008 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:15

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	8.6	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	9.3	1:1	N/A	
Dibromofluoromethane	N/A	N/A	9.4	1:1	N/A	
Toluene-d8	N/A	N/A	9.7	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H31AA

AFCEE FORM O-2 Page 6 of 6

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG9 Lab Sample ID: D4F100354-009 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:34

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1;1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	**1.0**	1:1	N/A	
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	**0.30**	1:1	N/A	FJ
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	85	72 - 119	
4-Bromofluorobenzene	93	76 - 119	
Dibromofluoromethane	94	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3H41AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 595W7WG9 Lab Sample ID: D4F100354-009 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:34

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	98	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3H41AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG9 Lab Sample ID: D4F100354-009 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:34

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	2.0	1:1	N/A	U
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	0.90	1:1	N/A	PJ

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3H41AA

AFCEE FORM O-2 Page 3 of 6

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG9 Lab Sample ID: D4F100354-009 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:34

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H41AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG9 Lab Sample ID: D4F100354-009 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:34

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	**0.19**	1:1	N/A	FJ
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	**1.0**	1:1	N/A	
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H41AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: 59SW7WG9 Lab Sample ID: D4F100354-009 Matrix: WATER

% Solids: Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 16:34

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	**8.5**	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	**9.3**	1:1	N/A	
Dibromofluoromethane	N/A	N/A	**9.4**	1:1	N/A	
Toluene-d8	N/A	N/A	**9.8**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3H41AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: TB060704 Lab Sample ID: D4F100354-001 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 13:57

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	0.040	1:1	N/A	U
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	0.050	1:1	N/A	U
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	83	72 - 119	
4-Bromofluorobenzene	92	76 - 119	
Dibromofluoromethane	92	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3HR1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: TB060704 Lab Sample ID: D4F100354-001 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 13:57

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	96	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3HR1AA

OC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: TB060704 Lab Sample ID: D4F100354-001 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 13:57

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	2.0	1:1	N/A	U
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	0.060	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3HR1AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: TB060704 Lab Sample ID: D4F100354-001 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 13:57

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HR1AA

DC 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: TB060704 Lab Sample ID: D4F100354-001 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.I-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 13:57

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	0.090	1:1	N/A	U
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	0.060	1:1	N/A	U
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HR1AA

AFCEE FORM O-2 Page 5 of 6

DL 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: TB060704 Lab Sample ID: D4F100354-001 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 13:57

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	**8.3**	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	**9.2**	1:1	N/A	
Dibromofluoromethane	N/A	N/A	**9.2**	1:1	N/A	
Toluene-d8	N/A	N/A	**9.6**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HR1AA

AFCEE FORM O-2 Page 6 of 6

DL 7/13/04

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: AB060704 Lab Sample ID: D4F100354-004 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:56

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,1,1,2-Tetrachloroethane	0.040	0.50	0.040	1:1	N/A	U
1,1,1-Trichloroethane	0.040	1.0	0.040	1:1	N/A	U
1,1,2,2-Tetrachloroethane	0.070	0.50	0.070	1:1	N/A	U
1,1,2-Trichloroethane	0.060	1.0	0.060	1:1	N/A	U
1,1-Dichloroethane	0.050	1.0	0.050	1:1	N/A	U
1,1-Dichloroethene	0.090	1.0	0.090	1:1	N/A	U
1,1-Dichloropropene	0.080	1.0	0.080	1:1	N/A	U
1,2,3-Trichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2,3-Trichloropropane	0.50	1.0	0.50	1:1	N/A	U
1,2,4-Trichlorobenzene	0.080	1.0	0.080	1:1	N/A	U
1,2,4-Trimethylbenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dibromo-3-chloropropane (DBCP)	0.50	2.0	0.50	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
1,2-Dichloroethane-d4	85	72 - 119	
4-Bromofluorobenzene	99	76 - 119	
Dibromofluoromethane	94	85 - 115	

Internal Std	Qualifier
Fluorobenzene	

Comments:
GH3HX1AA

AFCEE FORM O-2 Page 1 of 6

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: AB060704 Lab Sample ID: D4F100354-004 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:56

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dibromoethane (EDB)	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,2-Dichloroethane	0.060	0.50	0.060	1:1	N/A	U
1,2-Dichloropropane	0.050	1.0	0.050	1:1	N/A	U
1,3,5-Trimethylbenzene	0.060	1.0	0.060	1:1	N/A	U
1,3-Dichlorobenzene	0.050	1.0	0.050	1:1	N/A	U
1,3-Dichloropropane	0.070	0.40	0.070	1:1	N/A	U
1,4-Dichlorobenzene	0.080	0.50	0.080	1:1	N/A	U
1-Chlorohexane	0.070	1.0	0.070	1:1	N/A	U
2,2-Dichloropropane	0.060	1.0	0.060	1:1	N/A	U
2-Butanone (MEK)	0.80	10	0.80	1:1	N/A	U
2-Chlorotoluene	0.060	1.0	0.060	1:1	N/A	U
4-Chlorotoluene	0.080	1.0	0.080	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier
Toluene-d8	95	81 - 120	

Internal Std	Qualifier
Chlorobenzene-d5	

Comments:
GH3HX1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: AB060704 Lab Sample ID: D4F100354-004 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:56

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Acetone	2.0	10	2.0	1:1	N/A	U
Benzene	0.050	0.40	0.050	1:1	N/A	U
Bromobenzene	0.050	1.0	0.050	1:1	N/A	U
Bromochloromethane	0.080	1.0	0.080	1:1	N/A	U
Bromodichloromethane	0.050	0.50	0.050	1:1	N/A	U
Bromoform	0.050	1.0	0.050	1:1	N/A	U
Bromomethane	0.20	3.0	0.20	1:1	N/A	U
Carbon tetrachloride	0.050	1.0	0.050	1:1	N/A	U
Chlorobenzene	0.050	0.50	0.050	1:1	N/A	U
Chloroethane	0.090	1.0	0.090	1:1	N/A	U
Chloroform	0.060	0.30	0.060	1:1	N/A	U
Chloromethane	0.20	1.0	0.20	1:1	N/A	U
cis-1,2-Dichloroethene	0.060	1.0	0.060	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier
1,4-Dichlorobenzene-d5	

Comments:
GH3HX1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: AB060704 Lab Sample ID: D4F100354-004 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:56

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
cis-1,3-Dichloropropene	0.040	0.50	0.040	1:1	N/A	U
Dibromochloromethane	0.050	0.50	0.050	1:1	N/A	U
Dibromomethane	0.060	1.0	0.060	1:1	N/A	U
Dichlorodifluoromethane	0.10	1.0	0.10	1:1	N/A	U
Ethylbenzene	0.070	1.0	0.070	1:1	N/A	U
Hexachlorobutadiene	0.070	0.60	0.070	1:1	N/A	U
Isopropylbenzene	0.070	1.0	0.070	1:1	N/A	U
m-Xylene & p-Xylene	0.10	2.0	0.10	1:1	N/A	U
Methyl isobutyl ketone (MIBK)	0.70	10	0.70	1:1	N/A	U
Methyl tert-butyl ether	0.10	5.0	0.10	1:1	N/A	U
Methylene chloride	0.20	2.0	0.20	1:1	N/A	U
n-Butylbenzene	0.070	1.0	0.070	1:1	N/A	U
n-Propylbenzene	0.050	1.0	0.050	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HX1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: AB060704 Lab Sample ID: D4F100354-004 Matrix: WATER

% Solids: _____ Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:56

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
Naphthalene	0.20	1.0	0.20	1:1	N/A	U
o-Xylene	0.060	1.0	0.060	1:1	N/A	U
p-Isopropyltoluene	0.070	1.0	0.070	1:1	N/A	U
sec-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Styrene	0.050	1.0	0.050	1:1	N/A	U
tert-Butylbenzene	0.060	1.0	0.060	1:1	N/A	U
Tetrachloroethene	0.090	1.0	0.090	1:1	N/A	U
Toluene	0.060	1.0	0.060	1:1	N/A	U
trans-1,2-Dichloroethene	0.070	1.0	0.070	1:1	N/A	U
trans-1,3-Dichloropropene	0.030	1.0	0.030	1:1	N/A	U
Trichloroethene	0.060	1.0	0.060	1:1	N/A	U
Trichlorofluoromethane	0.060	1.0	0.060	1:1	N/A	U
Vinyl chloride	0.10	1.0	0.10	1:1	N/A	U

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HX1AA

AFCEE
ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: 8260B Preparatory Method: 5030B/8260B AAB #: 4175302

Lab Name: STL Denver Contract #: F41624-00-D-8023

Field Sample ID: AB060704 Lab Sample ID: D4F100354-004 Matrix: WATER

% Solids: Initial Calibration ID: H.i-1-28-APR-04

Date Received: 09-Jun-04 09:30 Date Prepared: 18-Jun-04 08:51 Date Analyzed: 18-Jun-04 14:56

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	MDL	RL	Concentration	Dilution	Confirm	Qualifer
1,2-Dichloroethane-d4	N/A	N/A	**8.5**	1:1	N/A	
4-Bromofluorobenzene	N/A	N/A	**9.9**	1:1	N/A	
Dibromofluoromethane	N/A	N/A	**9.4**	1:1	N/A	
Toluene-d8	N/A	N/A	**9.5**	1:1	N/A	

Surrogate	Recovery	Control Limits	Qualifier

Internal Std	Qualifier

Comments:
GH3HX1AA

AFCEE FORM O-2 Page 6 of 6

DC 7/13/04

APPENDIX E. TREND ANALYSIS OF VOCS IN GROUNDWATER

SW1 Trend Analysis of VOCs in Groundwater



DW1 Trend Analysis of VOCs in Groundwater



SW3 Trend Analysis of VOCs in Groundwater



DW3 Trend Analysis of VOCs in Groundwater



SW4 Trend Analysis of VOCs in Groundwater



SW7 Trend Analysis of VOCs in Groundwater