



ENGINEERING-SCIENCE, INC
290 Elwood Davis Road
Suite 312
Liverpool, New York 13088
Tel. (315) 451-9560
FAX (315) 451-9570

FACSIMILE TRANSMISSION

TODAY'S DATE: 6/23/92 PROPOSAL/JOB NO.: 5415703

ATTENTION: Pete O'Connell

COMPANY NAME: Poll Trinity

CITY/STATE: Castland NY

FAX NUMBER: (607) 753 8914

FROM: George Wheeler

We are forwarding this cover sheet and the following 2 pages.

MESSAGE:
Preliminary TCLP results received today. These results
are all below the TCLP regulatory levels.
Let us know if you need additional sample analyses.

IF YOU DO NOT RECEIVE THE ENTIRE TRANSMISSION, PLEASE CONTACT OUR OFFICE AT (315) 451-9560

THANK YOU George

DATE: / /

Update Laboratories, Inc.

Analysis Results

Report Number:

Client I.D.: ENGINEERING-SCIENCE INC.

Sampled by: Client

APPROVAL: *[Signature]*QC: *[Signature]*

Lab I.D.: 10170

SY157.01 PALL

TRINITY-DRY WELL PTOW-25 DRY WELL SURROUNDING SOIL

ULI I.D.: 15592052

Matrix: Soil

PARAMETERS	RESULTS	KEY
Corrosivity	7.65U	17
Flash Point	>60degC	
Reactive Sulfide	<50mg/kg	
Reactive Cyanide	<1mg/kg	
TCLP Arsenic	<0.5mg/l	
TCLP Barium	<0.5mg/l	
TCLP Cadmium	<0.005mg/l	
TCLP Chromium	<0.05mg/l	
TCLP Lead	<0.1mg/l	
TCLP Mercury	<0.0004mg/l	
TCLP Selenium	<0.5mg/l	
TCLP Silver	0.26mg/l	
TCLP Semi-Volatiles		
TCLP o-Cresol	<50ug/l	
TCLP m-Cresol	<50ug/l	
TCLP p-Cresol	<50ug/l	
TCLP Nitrobenzene	<50ug/l	
TCLP Pentachlorophenol	<100ug/l	
TCLP Pyridine	<50ug/l	
TCLP 2,4,5-Trichlorophenol	<50ug/l	
TCLP 2,4,6-Trichlorophenol	<50ug/l	
TCLP 2,4-Dinitrotoluene	<50ug/l	
TCLP Hexachlorobenzene	<50ug/l	
TCLP Hexachlorobutadiene	<50ug/l	
TCLP Hexachloroethane	<50ug/l	
TCLP Volatiles		
TCLP Carbon Tetrachloride	<30ug/l	
TCLP Chlorobenzene	<30ug/l	
TCLP Methyl Ethyl Ketone	<100ug/l	
TCLP Tetrachloroethylene	<30ug/l	
TCLP Trichloroethylene	<30ug/l	
TCLP Benzene	<30ug/l	
TCLP Chloroform	<30ug/l	
TCLP 1,2-Dichloroethane	<30ug/l	
TCLP 1,1-Dichloroethylene	<30ug/l	
TCLP 1,4-Dichlorobenzene	<30ug/l	
TCLP Vinyl Chloride	<30ug/l	

All results are on an as rec'd basis unless otherwise stated.

DRAFT

DATE: / /

Uffate Laboratories, Inc.
 Analysis Results
 Report Number:
 Client I.D.: ENGINEERING-SCIENCE INC.
 Sampled by: Client

APPROVAL:

QC: *MZ*

Lab I.D.: 10170

SY157.01 PALL
 TRINITY-DRY WELL PTDW-25 DRY WELL SURROUNDING SOIL

ULI I.D.: 15592052

Matrix: soil

PARAMETERS	RESULTS	KEY
TCLP Herbicides		
TCLP 2,4-D	<100ug/l	
TCLP 2,4,5-TP	<10ug/l	
TCLP Pesticides		
TCLP Chlordane	<20ug/l	
TCLP Endrin	<15ug/l	
TCLP Heptachlor	<6ug/l	
TCLP Lindane	<15ug/l	
TCLP Methoxychlor	<15ug/l	
TCLP Toxaphene	<50ug/l	
TCLP Heptachlor Epoxide	<6ug/l	

All results are on an as rec.d basis unless otherwise stated.

DR/FL

< TRANSACTION REPORT >

06-23-1992(TUE) 17:09

[RECEIVE]

NO.	DATE	TIME	DESTINATION STATION	PG.	DURATION	MODE	RESULT
2536	6-23	17:07		3	0° 01' 23"	NORMAL	OK
				3	0° 01' 23"		