

3

EVALUATION OF HYDROGEOLOGIC CONDITIONS
AND PREPARATION OF A PROPOSED
GROUND-WATER MONITORING PROGRAM
OSWEGO VALLEY LANDFILL
OSWEGO COUNTY, NEW YORK

August 1984


Geraghty & Miller, Inc.
Ground-Water Consultants
6800 Jericho Turnpike
Syosset, New York 11040

water. This is illustrated by the regional water-table map shown in Figure 5, which was constructed from stream elevations on USGS topographic maps.

Water levels from test wells and residential wells completed in the water-table aquifer were measured in June 1984. These data (Table 4) show a general drop in the water table of about 1/2 to 3 feet. This slight decrease did not appreciably change the water-table configuration shown in Figure 5, since the water-table contour interval selected for this figure was 10 feet.

Water levels from wells completed in the bedrock aquifer (Table 5) were used to construct the piezometric surface map shown in Figure 6. These data indicate that flow in the bedrock aquifer is toward the north-east. This is generally in agreement with the northward regional groundwater flow pattern in the bedrock discussed in published reports (Miller, 1982). Piezometric levels measured in June 1984 (Table 6) showed a drop on the order of a foot or less, which does not change the configuration illustrated in Figure 6.

Ground water occurs in the bedrock aquifer under confined conditions, with the low-permeability lodgment till functioning as the overlying confining unit. The relative differences in water-level elevation (head) for selected adjacent pairs of water-table and bedrock wells are given in Table 7. The available water-level data show an upward hydraulic gradient (from the bedrock aquifer to the water table) at the Coakley and the landfill trailer locations, and a downward hydraulic gradient (from the water table to the bedrock aquifer) at the Durfey and D. Kerfien locations. It should



EXPLANATION

STREAM AND FLOW DIRECTION

DIRECTION OF HYDROLOGICAL GROUNDWATER FLOW

GROUNDWATER TABLE (WATER TABLE AQUIFER)

LINE OF EQUAL WATER TABLE ELEVATION, BY FEET ABOVE MEAN SEA LEVEL (BASED ON STREAM LEVEL ELEVATIONS.)

ROADS (LANDFILL)

FIGURE 5 - MAP SHOWING WATER TABLE AQUIFER AND GROUNDWATER DIVIDES, BASED ON USGS TOPOGRAPHIC MAPS, VALLEY LANDFILL, Onondaga County, NY

Table 4. Water-Level Elevations for Wells Completed in the Water-Table Aquifer, June 1984, Oswego Valley Landfill, Oswego County, New York.

Well Number/ Owner	Total Depth, feet below land surface	Measuring Point Elev- ation, feet above mean sea level	Water-Level Elevation, feet above mean sea level	Date Measured
USGS 2	13.2	484.7	471.4	6-21-84
USGS 3A	34.3	477.2	466.0	6-21-84
USGS 3R	10.8	477.2	467.6	6-21-84
USGS 3C	34.6	476.9	468.3	6-13-84
USGS 3D	10.2	477.7	468.2	6-13-84
USGS 5	6.3	473.4	469.2	6-21-84
USGS 6	10.3	494.8	482.8	6-21-84
USGS 7A	10.6	498.2	485.8	6-21-84
USGS 7B	10.4	499.4	485.5	6-21-84
USGS 8	25.9	494.5	469.9	6-21-84
USGS 9	35.9	473.6	449.2	6-21-84
USGS 10	17.6	456.9	443.4	6-13-84
USGS 11A	17.1	469.8	-	-
USGS 11R	18.1	469.7	460.9	6-21-84
USGS 14A	17.2	473.3	464.7	6-21-84
USGS 14B	16.5	473.2	464.4	6-21-84
USGS 15	15.2	449.8	440.0	6-21-84
USGS 16	17.8	467.7	457.8	6-21-84
USGS 17	30.4	464.7	450.9	6-21-84
USGS 18A	19.2	464.4	452.1	6-21-84
USGS 18R	19.6	465.1	453.0	6-21-84
USGS 19	1.2	459.2	Dry	6-21-84
TW-9	14.6	483.2	478.2	6-21-84
TW-15	20.3	495.6	470.0	6-21-84
Bridsell	6.7	444.1	442.1	6-25-84
Coakley	16.3	472.1	462.8	6-19-84
Durfey	7.5	472.7	470.2	6-20-84
Kerfien	7.3	457.9	454.5	6-19-84
Stevens	12.4	472.5	461.9	6-20-84

Notes:


- 1) Field measurements by Barton & Loguidice/Oswego County Personnel; see Appendices A and B.
- 2) See Appendices A and B for descriptions of water-level measuring points.

Table 5. Water-Level Elevations Reported for Wells Completed in the Bedrock Aquifer,³⁾ March-May 1984, Oswego Valley Landfill, Oswego County, New York.

Well Number/ Owner	Total Depth, ¹⁾ feet below land surface	Measuring ²⁾ Point Elev- ation, feet above mean sea level	Water-Level ¹⁾ Elevation, feet above mean sea level	Date Measured
Coakley	64 ₊	472.6	471.3	4-25-84
Durant	29.7	436.4	>436.4	4-25-84
Durfey	69 ₊	496.8	468.9	3-25-84
Kerfien	61 ₊	479.1	454.3	4-25-84
Kerfien Mobile Home Park	45.9	458.2	452.4	4-24-84
Niagara Mohawk	54.8	467.9	465.4	5- 3-84
Landfill Trailer	56.0	469.9	451.8	5- 3-84

Notes:

- 1) Field measurement by Barton & Loguidice/Oswego County personnel; see Appendices A and B.
- 2) See Appendices A and B for descriptions of water-level measuring points.
- 3) Includes wells completed at the lodgment till/bedrock interface; based on available well completion information.



2449

OSWEGO VALLEY LANDFILL

Table 6. Water-Level Elevations Reported for Wells Completed in the Bedrock Aquifer,³⁾ June 1984, Oswego Valley Landfill, Oswego County, New York.

Well Number/ Owner	Total Depth, ¹⁾ feet below land surface	Measuring ²⁾ Point Elev- ation, feet above mean sea level	Water-Level ¹⁾ Elevation, feet above mean sea level	Date Measured
Coakley	64 ₊	472.6	469.5	6-21-84
Durant	29.7	436.4	434.5	6-19-84
Durfey	69 ₊	496.8	467.5	6-21-84
Kerfien	61 ₊	479.1	454.1	6-19-84
Kerfien Mobile Home Park	45.9	458.2	437.7	6-19-84
Niaqara Mohawk	54.8	467.9	465.3	6-20-84
Landfill Trailer	56.0	469.9	-	-

Notes:

- 1) Field measurement by Barton & Loquidice/Oswego County personnel; see Appendices A and B.
- 2) See Appendices A and B for descriptions of water-level measuring points.
- 3) Includes wells completed at the lodgment till/bedrock interface; based on available well completion information.

Table 7. Vertical Head Differences for Selected Adjacent Parts of Water-Table and Bedrock Wells, Oswego Valley Landfill, Oswego County, New York.

Location	Well Measured		Water-Level Elevations ¹⁾ (Date Measured)		Vertical Head Difference (feet)	Direc- tion
	Water- Table	Bedrock	Water- Table ²⁾	Bedrock ³⁾		
Coakley	Dug well	drilled well	465.2 (5-4-84)	471.3 (4-25-84)	6.1	up
Durfey	USGS 8	drilled well	471.0 (5-2-84)	468.9 (3-25-84)	2.1	down
D.Kerfien	Dug well	drilled well	455.4 (4-25-84)	454.3 ⁴⁾ (4-25-84)	1.1	down
Landfill Trailer	USGS 9	drilled well	449.7 (5-2-84)	451.9 (5-3-84)	2.2	up

1) Feet above mean sea level

2) See Table 3

3) See Table 5

4) Wash being done at time of measurement

be noted that well construction details (total depth, cased interval, etc.) for these bedrock wells are not known, and accurate vertical gradients cannot be calculated. Considering the upward or slightly downward vertical gradient and the apparent low permeability of the glacial till, net downward movement of ground water from the water table into the bedrock aquifer is either not possible or is insignificant.

GROUND-WATER QUALITY

Regional Ground-Water Quality

Ground water in the unconsolidated deposits (water-table aquifer) in Oswego County is generally suitable for drinking, although excessive levels of iron, manganese, and hardness have been documented in samples from wells tapping this aquifer. Natural chloride concentrations in shallow ground water are low; however, several incidents of apparent road salt contamination due to application or storage have occurred in the County. Impacts of septic systems on shallow ground-water quality have also been documented in parts of Oswego County (McFarland Johnson Engineers, 1982).

Natural ground-water quality in the bedrock aquifer in Oswego County depends to a great extent on well depth and the formation tapped. A survey of wells completed in the Medina Group and the Queenston Formation (sandstones and shales), which occur beneath the glacial deposits in the area of the Oswego Valley Landfill, showed 24 percent with excessive hardness, 22 percent with excessive iron and manganese, and 20 percent with excessive hydrogen sulfide (Kantrowitz, 1970).

Historical Ground-Water Quality Data for the Oswego Valley Landfill

Ground-water quality monitoring in the vicinity of the Oswego Valley Landfill began in 1976 with testing of selected landfill and nearby residential wells, and was subsequently expanded by various parties and agencies to include a greater number of residential wells and test wells installed by the USGS. This extensive data base has been documented in the engineer-

ing report for closure (Barton & Loguidice, 1984). Based on these data, the engineering closure report concluded that although contaminants in ground water have occasionally migrated off the landfill property to the south/ southwest and east, no health risks have been detected at any of the residences surrounding the landfill from a water-quality standpoint. The New York State Health Department also stated that results to date (May 1983) do not indicate a problem with water quality at any of the homes near the landfill (Barton & Loguidice, 1984).

An extensive review of the historical quality data in the vicinity of the Oswego Valley Landfill was beyond the scope of this project; however, Geraghty & Miller, Inc's review of the ground-water quality data provided by Oswego County revealed notable patterns in the overall historical monitoring data. A major problem was the use of certain indicator parameters (chloride, iron, manganese, and specific conductance) to interpret water-quality data and impacts associated with the landfill. Due to the levels of these constituents attributed to natural ground-water quality, road salting, and/or septic systems in Oswego County (McFarland-Johnson Engineers, 1982), it is not advisable to utilize these constituents as landfill leachate indicator parameters.

Samples from residential wells show sporadic traces of organic compounds, some of which were later attributed to chlorination of raw water. A number of residential wells failed bacterial tests, possibly due to faulty well covers or septic systems. Detectable organic compounds and elevated levels of selected inorganic constituents in water samples from

residential wells are not diagnostic of contamination from the landfill. Samples from test wells within 500 feet of the landfill indicate probable migration of contaminated ground water from the landfill toward the east (Well USGS 10) and the south/southwest (Wells USGS 3 and 6).

Current Ground-Water Quality Data

The March 1984 results of the ongoing Oswego Valley Landfill quarterly monitoring program were the most recent data available for review. These data are summarized in Table 8, and copies of the laboratory reports are included in Appendix C.

The March 1984 data provide information on the quality of water in the landfill sump and in selected nearby residential and monitoring wells. Based on these data, the quality of the leachate can be characterized by indicator parameters such as alkalinity, hardness, COD, ammonia nitrogen, TOC, and methyl ethyl ketone. Chloride is commonly used as a leachate indicator, but an interpretation based on chloride can be difficult because of many potential chloride sources in the area. Using the indicators mentioned above, it appears that Wells USGS 3C and 10 are contaminated, and that the contamination may have originated at the landfill. There is some indication that Well USGS 3D is also contaminated.

The most commonly occurring organic compound was toluene; it appeared at low levels (86 ug/L) in the sump, and at levels ranging from 12 to 76 ug/L at four other locations, including Wells USGS 3C and 10. Trace amounts (12 ug/L) were found in the wells at the Kerfien Mobile Home Park

and Niagara Mohawk. The 12 ug/L values are of minimal significance because of their closeness to the detection limit. 1,1-dichloroethane was reported in the Stevens Well (67 ug/L). This compound was not reported in the landfill sump, nor are the landfill indicators at high levels in the Stevens Well. We do not believe the 1,1-dichloroethane reported in the Stevens Well can be attributed to the landfill. A resampling of three wells (Kerfien Mobile Home Park, Niagara Mohawk, and Stevens) in May 1984, analyzed by two independent laboratories, showed all volatile organic compounds below the detection limits. These data are included in Appendix D.

Adequacy of the Existing Ground-Water Monitoring Network

Although the test wells sampled in the vicinity of the Oswego Valley Landfill provide indications of contaminant migration away from the landfill, the existing network of test wells and residential wells is not sufficient to allow a complete definition of landfill impacts on the ground-water system. As noted in the previous discussion of the water-table contour map (Figure 4), wells are not available to define ground-water movement to the north and northeast, away from the landfill. In addition, sampling points do not exist downgradient of test wells where ground-water contamination has already been detected, a situation which does not allow the extent of contamination to be determined. These data needs are addressed in the section of this report which describes the proposed ground-water monitoring program for the Oswego Valley Landfill.

Geraghty & Miller, Inc.

Table 8. Summary of Ground-Water Quality Data Collected in March 1984, Oswego Valley Landfill, Oswego County, New York.

Parameter/Unit	Kerfein Mobile Home Park	Stevens	Niagara Mohawk	Coakley (dug well)	Durant
Alkalinity, mg/L	150	56	182	244	152
BOD ₅ , mg/L	<0.5	<0.5	<0.5	<0.5	<0.5
COD ₅ , mg/L	2.8	<1.0	4.4	3.2	<1.0
Chloride, mg/L	62	10	22	18	25
Specific Conductance, mg/L	385	140	405	510	410
Hardness, mg/L	156	72	184	236	168
Ammonia Nitrogen, mg/L	0.2	0.05	0.15	0.11	0.17
Nitrate, mg/L	0.47	0.66	<0.04	0.41	<0.04
Nitrite, mg/L	<0.02	<0.02	<0.02	<0.02	<0.02
pH, units	7.6	8	7.4	7.3	7.4
Phenol, mg/L	<0.010	<0.010	<0.010	<0.010	<0.010
Total Phosphate, mg/L	<0.05	0.05	<0.05	<0.05	<0.05
Total Dissolved Solids, mg/L	248	100	268	360	276
Sulfate, mg/L	25.1	12.6	18.5	22.3	26.6
Total Organic Carbon, mg/L	<3.0	<3.0	<3.0	<3.0	<3.8
Iron, mg/L	0.05	0.01	1.4	0.08	0.3
Manganese, mg/L	0.03	0.02	0.27	0.02	0.24
Zinc, mg/L	0.06	0.06	8.1	0.12	8.1
Fecal Coliform, colonies/ 100 mL	<1	<1	<1	<1	<1
Total Coliform, colonies/ 100 mL	1	3	<1	<1	2
Acrolein, ug/L	<1,000	<1,000	<1,000	<1,000	<1,000
Acrylonitrile, ug/L	<1,000	<1,000	<1,000	<1,000	<1,000
Benzene, ug/L	<10	<10	<10	<10	<10
Toluene, ug/L	12	<10	12	<10	<10
Ethylbenzene, ug/L	<10	<10	<10	<10	<10
Carbon Tetrachloride, ug/L	<10	<10	<10	<10	<10
Chlorobenzene, ug/L	<10	<10	<10	<10	<10
1,2-dichloroethane, ug/L	<10	<10	<10	<10	<10
1,1,1-trichloroethane, ug/L	<10	<10	<10	<10	<10
1,1-dichloroethane, ug/L	<10	67	<10	<10	<10
1,1-dichloroethylene, ug/L	<10	<10	<10	<10	<10
1,1,2-trichloroethane, ug/L	<10	<10	<10	<10	<10
1,1,2,2-tetrachloroethane, ug/L	<10	<10	<10	<10	<10
Chloroethane, ug/L	<10	<10	<10	<10	<10
2-chloroethyl vinyl ether, ug/L	<10	<10	<10	<10	<10
Chloroform, ug/L	<10	<10	<10	<10	<10
Cis 1,3-dichloropropylene, ug/L	<10	<10	<10	<10	<10
Trans 1,3-dichloropropylene, ug/L	<10	<10	<10	<10	<10
Methylene Chloride, ug/L	<10	<10	<10	<10	<10
Methyl Chloride, ug/L	<10	<10	<10	<10	<10
Methyl Ethyl Ketone, ug/L	<10	<10	<10	<10	<10

Geraghty & Miller, Inc.

Table 8. (Cont'd.)

Parameter/Unit	Landfill Sump	Birdsell	USGS 3C	USGS 3D	USGS 10
Alkalinity, mg/L	7,625	48	526	360	353
BOD ₅ , mg/L	480	<0.5	810	<0.5	9.9
COD, mg/L	1,550	2	980	24.4	56
Chloride, mg/L	680	13.5	103	72	180
Specific Conductance, mg/L	14,000	195	1,400	900	1,350
Hardness, mg/L	3,200	48	768	428	500
Ammonia Nitrogen, mg/L	895	<0.04	0.22	0.11	1.25
Nitrate, mg/L	<0.04	4.6	<0.04	1.83	<0.04
Nitrite, mg/L	0.02	<0.02	<0.02	<0.02	<0.02
pH, units	7.5	6.5	7.4	7	6.7
Phenol, mg/L	8.456	<0.010	0.341	<0.010	0.014
Total Phosphate, mg/L	2.29	<0.05	<0.05	0.32	0.13
Total Dissolved Solids, mg/L	7,918	100	1,257	676	895
Sulfate, mg/L	66.3	18.2	<2.0	93.1	15.8
Total Organic Carbon, mg/L	300	<3.0	373	35.5	39
Iron, mg/L	17	0.14	11	9.1	39
Manganese, mg/L	0.12	0.05	0.52	1.1	3.7
Zinc, mg/L	0.32	0.29	0.1	0.16	1.4
Fecal Coliform, colonies/ 100 mL	<1	<1	<1	<1	<1
Total Coliform, colonies/ 100 mL	20	<1	<1	<1	<1
Acrolein, ug/L	<1,000	<1,000	<1,000	<1,000	<1,000
Acrylonitrile, ug/L	<1,000	<1,000	<1,000	<1,000	<1,000
Benzene, ug/L	12	<10	<10	<10	<10
Toluene, ug/L	84	<10	76	<10	24
Ethylbenzene, ug/L	38	<10	<10	<10	<10
Carbon Tetrachloride, ug/L	<10	<10	<10	<10	<10
Chlorobenzene, ug/L	<10	<10	<10	<10	<10
1,2-dichloroethane, ug/L	<10	<10	<10	<10	<10
1,1,1-trichloroethane, ug/L	<10	<10	<10	<10	<10
1,1-dichloroethane	<10	<10	<10	<10	<10
1,1-dichloroethylene, ug/L	<10	<10	<10	<10	<10
1,1,2-trichloroethane, ug/L	<10	<10	<10	<10	<10
1,1,2,2-tetrachloroethane, ug/L	<10	<10	<10	<10	<10
Chloroethane, ug/L	<10	<10	<10	<10	<10
2-chloroethyl vinyl ether, ug/L	<10	<10	<10	<10	<10
Chloroform, ug/L	<10	<10	<10	<10	<10
Cis 1,3-dichloropropylene, ug/L	<10	<10	<10	<10	<10
Trans 1,3-dichloropropylene, ug/L	<10	<10	<10	<10	<10
Methylene Chloride, ug/L	<10	<10	<10	<10	<10
Methyl Chloride, ug/L	<10	<10	<10	<10	<10
Methyl Ethyl Ketone, ug/L	4,100	<10	1,900	50	-

Geraghty & Miller, Inc.

Table 8. (Cont'd.)

Parameter/Unit	Kerfien (dug well)	Kerfien (drilled well)	Durfey (dug well)
Alkalinity, mg/L	74	124	220
BOD ₅ , mg/L	<0.5	<0.5	<0.5
COD ₅ , mg/L	<1.0	<1.0	3.6
Chloride, mg/L	36	21	21
Specific Conductance, mg/L	300	325	445
Hardness, mg/L	112	132	220
Ammonia Nitrogen, mg/L	0.07	0.08	<0.04
Nitrate, mg/L	1.1	0.07	0.49
Nitrite, mg/L	<0.02	<0.02	<0.02
pH, units	6.7	7.6	7.4
Phenol, mg/L	<0.010	<0.010	<0.010
Total Phosphate, mg/L	<0.05	<0.05	0.05
Total Dissolved Solids, mg/L	200	216	280
Sulfate, mg/L	8.7	17.7	6.9
Total Organic Carbon, mg/L	<3.0	<3.0	<3.0
Iron, mg/L	0.26	0.17	0.11
Manganese, mg/L	0.04	0.02	0.01
Zinc, mg/L	0.13	0.04	0.47
Fecal Coliform, colonies/ 100 mL	<1	<1	<1
Total Coliform, colonies/ 100 mL	<1	<1	<1
Acrolein, ug/L	<1,000	<1,000	<1,000
Acrylonitrile, ug/L	<1,000	<1,000	<1,000
Benzene, ug/L	<10	<10	<10
Toluene, ug/L	<10	<10	<10
Ethylbenzene, ug/L	<10	<10	<10
Carbon Tetrachloride, ug/L	<10	<10	<10
Chlorobenzene, ug/L	<10	<10	<10
1,2-dichloroethane, ug/L	<10	<10	<10
1,1,1-trichloroethane, ug/L	<10	<10	<10
1,1-dichloroethane	<10	<10	<10
1,1-dichloroethylene, ug/L	<10	<10	<10
1,1,2-trichloroethane, ug/L	<10	<10	<10
1,1,2,2-tetrachloroethane, ug/L	<10	<10	<10
Chloroethane, ug/L	<10	<10	<10
2-chloroethyl vinyl ether, ug/L	<10	<10	<10
Chloroform, ug/L	<10	<10	<10
Cis 1,3-dichloropropylene, ug/L	<10	<10	<10
Trans 1,3-dichloropropylene, ug/L	<10	<10	<10
Methylene Chloride, ug/L	<10	<10	<10
Methyl Chloride, ug/L	<10	<10	<10
Methyl Ethyl Ketone, ug/L	<10	<10	<10

INFLUENCE OF THE PROPOSED LANDFILL CLOSURE PROGRAM
ON GROUND-WATER QUALITY

The proposed closure program for the Oswego Valley Landfill involves construction of physical improvements to the landfill area, including a landfill cap, drainage control, gas control and recovery, vegetative cover, and leachate management (Barton & Loguidice, 1984). The top of the southern landfill area will be graded and capped with a PVC liner to eliminate percolation of precipitation into the underlying refuse. Drainage channels will be contoured into the PVC surface to promote controlled runoff of storm water, and the liner will be covered with a glacial till layer capable of supporting vegetative cover. The remaining landfill area (side slopes and terraces) will be capped with compacted glacial till and a vegetative cover to promote controlled surface water runoff.

Leachate will be collected from the existing bottom drainage system, which leads to a concrete storage tank. Leachate will be transported off site by truck to an appropriate wastewater treatment facility. Water balance calculations for the capped landfill result in a theoretical reduction in leachate generation of 90 percent, which corresponds to an expected leachate production of 16,000 to 20,000 gallons per year (Barton & Loguidice 1984).

The proposed landfill cap is designed to prevent infiltration of precipitation into the landfill and to stop leachate generation. The landfill is situated atop a ground-water and surface-water divide, with radial ground-water flow (Figures 4 and 5). Since the site is located on a divide

(ground-water recharge area), precipitation is the only source of input to the ground-water system, and lateral inflow of ground-water through the landfill from adjacent areas does not occur. Eliminating precipitation infiltration (recharge) over the fill area would cause the mounded water table beneath the landfill to decline, thus reducing or eliminating leachate generation and movement of leachate-contaminated ground water away from the landfill. Reduction in leachate production and decline of water-table head levels adjacent to the landfill resulting from the landfill capping, should be monitored over time to verify these predictions.

PROPOSED GROUND-WATER MONITORING PROGRAM

Based on our review of the available hydrogeologic and ground-water quality data, we have developed the following ground-water monitoring program for the Oswego Valley Landfill:

Task 1. Secure and Redevelop Selected Existing Test Wells

It is recommended that existing test wells be secured with proper surface seals and locking steel protector pipes. In addition, these wells should be redeveloped by pumping (airlift, centrifugal pump) or bailing to assure that the well screens open to the water-bearing formation. The recovery rate of each well, in response to pumpage, should be recorded for future reference, as was done for the new Bristol Hill Landfill ground-water monitoring program. In addition, deficiencies in the existing monitoring well data base (well logs, field measurements, etc.) should be addressed. It is suggested that the USGS be contacted regarding access to their wells and additional well construction information which may be available. Existing test wells to be secured and redeveloped are itemized in Table 9, and procedures for these activities are included in Appendix E. If an evaluation of well construction data indicates adjacent cluster wells to be redundant, it may be advisable to select one well of the cluster for securing and redevelopment.

Task 2. Install Additional Monitoring Wells

Our data review indicates that the impacts of the Oswego Valley Landfill on ground water cannot be determined by the existing network of test

Table 9. Test Wells to be Secured and Redeveloped for Task 1, Oswego Valley Landfill, Oswego County, New York.

<u>USGS Wells</u>	<u>Landfill Test Wells</u>
2	9
3A,B,C,D	15
5	
6	<u>Residential Wells</u>
7A,B	Coakley (drilled)**
8	
9	
10*	
11A,B	
12A,B ⁺	
14A,B	
15	
16*	
17*	
18A,B*	
19	

* Need well log and construction details

+ Need field measurement of total depth and casing stick-up

** Secure open casing; no development necessary


wells and residential wells. Additional wells are required to provide water levels and ground-water quality data around the landfill. It is recommended that monitoring wells be installed at the six locations shown in Figure 7. These well locations were selected to supplement the existing ground-water monitoring network of test wells and residential wells by providing water-level and water-quality data at key points in the vicinity of the landfill. Depending upon hydrogeologic conditions encountered, it may be necessary to install clusters of two wells each at the MW1 and MW2 locations, in order to adequately monitor the entire saturated thickness of the water-table aquifer. Specifications for monitoring well installation are included in Appendix F.

Task 3. Install Surface Water Stations.

Four surface-water stations are proposed at the locations shown in Figure 9. These stations will provide water-level and water-quality data at consistent points along key streams in the vicinity of the landfill. Specifications for installation of these surface-water stations are included in Appendix G.

Task 4. Survey Selected Monitoring Stations

The monitoring wells and surface-water stations installed during Tasks 2 and 3 should be accurately located and leveled in by a qualified land surveyor. In addition, key existing monitoring stations should also be surveyed. Table 10 lists monitoring points to be surveyed during this task. Vertical elevations should be surveyed to the nearest 0.1 foot with respect



4

Table 10. Monitoring Stations to be Surveyed for Task 4,
Oswego Valley Landfill, Oswego County, New York.

New Monitoring Wells:	MW 1,2,3,4,5
New Surface Water Stations:	SW1,2,3,4
Existing Monitoring Wells:	USGS 12A,B
Other Existing Points:	Landfill Sump

Table 11. Monitoring Stations to be Measured/Sampled for Task 5,
Oswego Valley Landfill, Oswego County, New York.

<u>USGS Wells</u>	<u>Monitoring Wells</u>	<u>Residential Wells</u>
2	MW1	Birdsell
3C,D (PVC)	MW2	Coakley (dug)
5	MW3	Coakley (drilled)
6	MW4	Durant
7B (PVC)	MW5	Durfey (dug)
8		Durfey (drilled)
9		D. Kerfien (dug)
11A (PVC)		D. Kerfien (drilled)
12A (PVC)		Kerfien Mobile Home Park
14A (PVC)		Niagara Mohawk
15		Stevens
16		Landfill Trailer
17		
18B (PVC)		
19		
		<u>Other</u>
		Landfill Sump
		Leachate Pump Station
<u>Landfill Test Wells</u>		
9		
15		

Note: Water Levels to be measured at all monitoring stations and converted to elevations.

Table 12. Water-Quality Parameters for Task 5, Oswego Valley Landfill, Oswego County, New York.

- Alkalinity
- Ammonia Nitrogen
- COD
- Total Hardness
- / TDS
- / TOC
- Methyl Ethyl Ketone
- / Specific Conductance*
- / pH*
- Temperature*



*Notes:
Total Inorganic
Nitrogen
Total water level*

* Measured in the field at the time of sampling

Table 13. Preliminary Ground-Water Monitoring Program, Oswego Valley Landfill, Oswego County, New York.

Quarterly Ground-Water Monitoring
(3 times per year)

Stations

Wells: MW1,2,3,4,5; USGS 7B,10,18B; Coakley (duq), Durfey (duq)

Surface Water Stations: SW1,2,3,4

Other: Landfill sump

Water-Level Measurements: all available points (See Table 9)

Parameters

alkalinity, ammonia nitrogen, COD, total hardness, TDS, TOC, methyl ethyl ketone, specific conductance, pH, temperature

Annual Ground-Water Monitoring

Stations

Wells: same as quarterly; plus Birdsell, Durant, D. Kerfien (duq), D. Kerfien (drilled), Kerfien Mobile Home Park, Niagara Mohawk, Stevens

Surface Water Stations: same as quarterly

Other: same as quarterly

Water-Level Measurements: same as quarterly

Parameters

Same as quarterly; plus volatile organic compounds

wells and residential wells. Additional wells are required to provide water levels and ground-water quality data around the landfill. It is recommended that monitoring wells be installed at the six locations shown in Figure 7. These well locations were selected to supplement the existing ground-water monitoring network of test wells and residential wells by providing water-level and water-quality data at key points in the vicinity of the landfill. Depending upon hydrogeologic conditions encountered, it may be necessary to install clusters of two wells each at the MW1 and MW2 locations, in order to adequately monitor the entire saturated thickness of the water-table aquifer. Specifications for monitoring well installation are included in Appendix F.

Task 3. Install Surface Water Stations.

Four surface-water stations are proposed at the locations shown in Figure 7. These stations will provide water-level and water-quality data at consistent points along key streams in the vicinity of the landfill. Specifications for installation of these surface-water stations are included in Appendix G.

Task 4. Survey Selected Monitoring Stations

The monitoring wells and surface-water stations installed during Tasks 2 and 3 should be accurately located and leveled in by a qualified land surveyor. In addition, key existing monitoring stations should also be surveyed. Table 10 lists monitoring points to be surveyed during this task. Vertical elevations should be surveyed to the nearest 0.1 foot with respect

Vertical elevations should be surveyed to the nearest 0.1 foot with respect to mean sea level datum (National Geodetic Vertical Datum of 1929). Horizontal locations should be determined with enough accuracy to allow plotting on a site base map.

During the course of our data analysis, several discrepancies (stream channels, houses) were noted between the page-sized landfill base map and the USGS topographic map. It is suggested that an up-dated site base map be prepared, based on the most recent USGS topographic maps and landfill plot plans. This map should correctly depict landfill property boundaries, stream channels, houses, roads, and monitoring stations.

Task 5. Collect a Complete Round of Water-Level and Water-Quality Data

Subsequent to completion of Tasks 1 through 4, a complete round of hydrogeologic data should be collected at monitoring stations associated with the Oswego Valley Landfill. Monitoring stations to be measured/sampled are given in Table 11, and water-quality parameters to be tested are shown in Table 12. These water-quality parameters were selected as appropriate indicators of landfill leachate contamination, as previously discussed in this report. Sampling procedures for monitoring stations are included in Appendix G.

Task 6. Evaluate Data, Complete Supplemental Report, and Prepare Final Ground-Water Monitoring Program

Data collected during Tasks 1 through 5 should be evaluated to update the geologic data base and water-table map, and to determine the extent of ground-water contamination in the vicinity of the landfill. Based on this

evaluation, the final ground-water monitoring program for the Oswego Valley Landfill will be prepared.

In order to aid Oswego County in estimating future levels of effort and costs, we have prepared a preliminary ground-water monitoring program for the Oswego Valley Landfill based on our evaluation of the current data base. The wells to be sampled and parameters to be analyzed for this preliminary program are included in Table 13.

Task 7. Data Management

Geologic, water-level, and water-quality data collected during the landfill closure period should be consistently recorded, tabulated and filed for future reference. The existing test well and domestic well record data base compiled by Barton & Loguidice should be maintained and updated as the closure program progresses. It is our understanding that the analytical laboratory which currently performs the water analysis for the ongoing monitoring program offers a computerized data management system. This system should be interfaced with a consistent field sampling protocol to assure all sampling data (well volumes evacuated, field parameters tested, chain of custody records, analytical results, etc.) are recorded and readily retrievable for future reference. The extensive, currently existing ground-water quality data base should be maintained by Barton & Loguidice in a format conducive to convenient future reference.

Respectfully submitted,

GERAGHTY & MILLER, INC.

Robert A. Saar

Robert A. Saar
Senior Scientist

Michael R. Warfel

Michael R. Warfel
Senior Scientist

Frits van der Leeden

Frits van der Leeden
Vice President

August 31, 1984

REFERENCES

- Anderson, H., 1982, Fulton Area Aquifer: In Atlas of 11 Selected Aquifers in New York, U.S. Geological Survey Open-File Report 82-553, pp. 215-235.
- Barton & Loguidice, 1984, Engineering Report for Closure of the Oswego Valley Sanitary Landfill, Town of Volney, Oswego County, New York: Unpublished consultant's report.
- Kantrowitz, I., 1970, Groundwater Resources in the Eastern Oswego River Basin, New York: New York State Water Resources Commission, 129 pp.
- McFarland-Johnson Engineers, Inc., 1982, Central New York Groundwater Management Program, Oswego County, Task 1 Report, Groundwater Resources: consultant's report.
- Miller, T., 1980a, Surficial Geology of the Pennellville Quadrangle, New York: U.S. Geological Survey Open-File Report 80-411.
- Miller, T., 1980b, Surficial Geology of the Fulton Quadrangle, New York: U.S. Geological Survey Open-File Report 80-692.
- Miller, T., 1982, Geology and Groundwater Resources of Oswego County, New York: U.S. Geological Survey Water Resources Investigation 81-60, 37 pp.
- Scrudato, R., and R. Hinrich, 1982, Migration of Pollutants in Groundwater From the Oswego County Landfill, Volney, New York: Presented at the Northeast Conference on Impact of Waste Storage and Disposal on Groundwater Resources, June 28, 1982, page 5.

APPENDIX A
DATA SHEETS FOR TEST WELLS
OSWEGO VALLEY LANDFILL
OSWEGO COUNTY, NEW YORK

Site # Volney #1






Date

9/12/79

Location-Volney landfill, 775' north of intersection of Silk Rd. & Howard Rd, Approx. 30' east from centerline of Silk Road.

Sample Remarks	Strat.	Geologic Description
0-1'		Roadfill-determined by visual obs. of topography-probably local gravel was bulldozed for grading. Sandy gravel w/occasional cobbles.
No recovery		Augers like gravel
		Gravel, brown, loose f.-m. gravel w/some c. sand 15-20% dominantly green Osw. ss pebbles w/some red Queenston-Medina pebbles, no smell, rare crystalline.
		Sandy gravel, f.-c. pebbles w/occasional cobble, m.-c. sand 40-50%, rough pebble count Osw. ss =48% Queen-Medina=20% Black-siltstone =20% Crystalline =12%
		No smell
		Sandy gravel, no smell - same as above
		Sandy gravel, grading into coarser gravel- m.-c. sand ≈ 20% rd-subrd gravel. No smell.
		Sandy gravel, f.-m. pebbles, occasional c. pebble, m.-c. sand ≈ 30% No smell.
		Sandy gravel-f.-m. pebbles, round, sand 15-20% Smell of leachate from landfill.
		Sandy gravel, f.-c. pebbles, m.-c. sand, rd-subrd, a red coating on pebbles appears to be red sand grains smeared on the surface. Smell of leachate.

Location- _____

Sample	Depth	Strat.	Geologic Description
Hitwater @ 47'			gravel w/some sand, wet but not sat'd., f-c. pebbles Occasional cobble.
51-52'			Olive-gray brown-f. sand, well sorted, mostly Qtz 99%, 1% black grains wet
52-52.5'			Silt, yellow brown-feels dry, well sorted
52.5-53'			Gravel w/some sand, f.c. pebbles, occasional cobble, tr. silt, f.s. damp, smell of leachate
			Till, red, silty/f.s. matrix, compact, pebbles to cobbles, dry.
Bottom of hole No screen set.			



Southern Entrance

land fill

Vol. #1

51K Rd

775'

Howard Rd

Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: USGS #2 Fe CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 484.7 FT. Well Length (B): 74.5 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.3 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
12/84	11 AM	11.2 FT.	473.5 FT.	
2/84	12 AM	13.3 FT.	471.4 FT.	



Location- 481' north of Howard Rd., along western boundary of Volney landfill

Sample Remarks	Strat.	Geologic Description
0-1.0'		Fill, from landfill operation, poorly sorted sand & gravel, probably reworked till, dominantly red qtz. grains, little or no leachate smell, occasional cobble & boulders.
		Auger bringing up gravel, m. pebbles, rd., loose (beach).
No Recovery		Auger bringing up sand, olive-gray, f.s., loose (lacustrine).
12.0'-14.0'		Till, red, v.f.s.-f.s. matrix, dominantly red Qtz. grains, low-mod. compactness, which is typical of the top couple of feet of lodgment till, saturation & weathering loosens the till, damp, some leachate smell, pebble to cobble clasts.
17.0'-19.0'		Till, red, v.f.s.-f.s. matrix, dry, very compact. No leachate smell.
<p>Bottom of hole at 19.0' Installed well 2" dia. well screen, 60 gauze, stainless steel 3.5' long Bottom of screen at 14.0' below LSD Top of screen at 11.5' below LSD Used 2" black iron pipe.</p> <div style="text-align: right;"> </div> <div style="text-align: center;"> </div>		

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #3 A (SOUTHERN WELL) Fe CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 477.2 FT. Well Length (B): 37.1 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 2.8 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground- water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
12/5/84	2 PM	7.8 FT.	469.4 FT.	NO ODOR.
12/1/84	3 PM	8.2	469.0	
1/1/84	1 PM	11.2 FT.	466.0 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS # 3 B (NORTHERN WELL) FP CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 477.2 FT. Well Length (B): 13.6 FT.

(USGS Datum)
Dist. from M.P. to Ground Surface (C): 2.8 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/25/84	2 PM	8.1 FT.	469.1 FT.	No odor.
2/84	3 PM	8.2	469.0	
3/1/84	1 PM	9.6 FT.	467.6 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: 1.5 IN USGS #3C PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 476.9 FT. Well Length (B): 37.0 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 2.4 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/84	6 PM	7.4 FT.	469.5 FT.	PACKING AROUND CASING OPEN TO LENGTH OF 13 FT. BELOW GROUND SURFACE - NO ODOR
2/84	3 PM	8.8 FT.	468.1	
1/84	11:30 AM	8.6	468.3 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS # 3D PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 477.7 FT. Well Length (B): 13.6 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 3.4 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/25/84	2 PM	8.4 FT.	469.3 FT.	PACKING AROUND CASING OPEN TO DEPTH OF ±3 FT. BELOW GROUND SURFACE. N.O.D.D.R.
2/28/84	3 PM	8.8	468.9	
3/22/84	11:30 PM	9.5 FT.	468.2 FT.	
1				



Location- 23' south of centerline of Howard Rd., opposite Potter House

Sample	Remarks	Strat.	Geologic Description
		○ ○ ○ ○	Cobbles, loose, subrd.-rd.-clean, dry (Beach?)
	2-4'	○ ○ ○ ○	Gravel, brown, w/ ≈ 15% sand, pebble to cobble size (2-3" diam) loose, clasts are either green Osw. s.s. or red Queenston-medium s.s., no smell of leachate. (Beach deposit?).
	Hit water 7.0'-9.0'	○ ○ ○ ○	Sandy cobble gravel, brown, f.-m. sand, coarse cobbles, sat'd., strong landfill leachate smell (beach deposit).
			Loud scraping noises stop - probably sand.
	12.0-14.0'	○ ○ ○ ○	Sand, brown, f.-m., well sorted, sat'd., strong landfill leachate smell (lacustrine).
	17.0-19.0'	○ ○ ○ ○	Sand, brown, f.s., well sorted, 95% clear or greenish grains, 3% black, 2% red, saturated, some smell of leachate.
	22.0-24.0'	○ ○ ○ ○	Sand-same as above-some smell of leachate.
	27.0-28.0'	○ ○ ○ ○	Pebbly sand, brown, m.-c.-sand, f. pebbles, 92% clear or green Qtz. grains, 4% red, 4% black, wet, subrd. faint or no smell of leachate (lacustrine)
	28.-29.0'	○ ○ ○ ○	Sand, olive brown, trace silt, v.f.s., 92% green Qtz., 4% red Qtz, 4% black, sat'd., little or no smell, well sorted (lacustrine).
	32.0-34.0'	○ ○ ○ ○	sand, olive brown, f.-m. sand, sorted, subrd.-rd., 90% green Qtz. 5% red Qtz, 5% black shale grains, sat'd, little or no smell (lacustrine).
	37.0-39.0'	△ △ △ △	Till, gray, v.f.s.-f.s. matrix w/f.c. pebble clasts, mushy-probably due to saturation, low-med, compactness, relatively impermeable, little or no smell of leachate. Pebbles dominantly black shale or green Osw. ss.
	42.0-44.0'	△ △ △ △	Till, red, silty-v.f.s., matrix w/pebble-cobble clasts, sat'd., mod. compt., dominantly Osw. s.s. clasts, little or no leachate smell.


Location-

Sample	Remarks	Strat.	Geologic Description
47.0-49.0	<p>Δ Δ Δ Δ Δ Δ</p>		<p>Till, red, silty-f.s. matrix w/pebble-cobble clasts, sat'd., compt. red Qtz. grains ≈ 50%, green Qtz ≈ 45%, & blackish ≈ 5%, little or no smell, larger than sand size is dominantly gr. Osw. ss w/occas red Queenston-Medina ss clasts.</p>
			<p>Bottom of hole at 49.0' Installed 4 wells: 3a - iron pipe - deep 3b - iron pipe - shallow 3c - pvc pipe - deep 3d - pvc pipe - shallow</p> <p><u>Well 3a</u> - 2" dia. well screen, galvanized, 60 gauze, 2.5' long Pipe = 2.5' 2" dia. black iron pipe 21.0' 2" dia. black iron pipe 10.5' 2" dia. black iron pipe <u>34.0'</u> + 3.0' 2" dia. screen <u>37.0'</u> Pipe above LSD=3.0' Bottom of screen at 34.0' below LSD</p> <p><u>Well 3b</u> - 2" dia. stainless steel screen, 60 gauze, 2.5' long Pipe 10.5' 2" dia. black iron pipe 3.0' 2" dia. screen <u>13.5'</u> Pipe above LSD=3.3' Screened interval=10.0-7.5' below LSD</p> <p><u>Well 3c</u> - 2" dia. pvc. screen, 10 slot, 1.5' long Bottom of screen set at 34.5' Screened interval = 34.5'-33.0' below LSD Pipe above LSD = 2.8'</p> <p><u>Well 3d</u> - Pvc. screen, 2" dia., 10 slot, 1.5' long Screened interval = 10.0-8.0' below LSD Used 2" dia. pvc. pipe Pipe above LSD=3.65'</p> <div style="text-align: right; margin-top: 20px;"> <p>Potter House</p> <p>Howard Rd</p> <p>Vol. #3d Vol. #3c</p> <p>Vol. #3b Vol. #3a</p> <p>West Fence of landfill</p> <p>N</p> </div>

Location- 438' north of John Coakley's home - 85' south of wetland

Sample Remarks	Strat.	Geologic Description
0-1.0'		Sandy gravel, dk.br., w/org. f.-m.s., med. grav.-rd., (Beach)
No Rec		Auger bringing up gravelly sand.
No rec. boulder		
Water 12.0-12.1'		Sand, v.f.s., brown, occasional pebb., sat'd., no smell of leachate
No rec.		tr. silt.
17.0-19.0'		Till, reddish gray, silty-f.s. matrix, pebble to cobble clasts, sat'd., compt., low perm., 90% greenish Qtz. grains, 5% red Qtz., 5% black shale, little or no leachate smell.

Bottom of hole at 19.0'
No well installed



Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: USGS #5 Fe CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 473.4 FT. Well Length (B): 8.3 FT.
 (USGS Datum)



Dist. from M.P. to Ground Surface (C): 2.0 ± FT.


(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/84	2 PM	1.9 FT.	471.5 FT.	No CAP
1/83	1 PM	4.2 FT.	469.2 FT.	



Location- 250' north of John Coakley's residence on Howard Rd., 114' east of his garage.

Sample	Remarks	Strat.	Geologic Description
	2.0-4.0'		Gravelly sand, brown, dominantly f.s. w/subord, m.s., f.-c. gravel. loose, dry, sand 50-60%, gravel 40%, No leachate smell.
	7.0-8.5'		<p>Till, reddish gray, silty-f.s. matrix, pebble-cobble clasts, compact, cohesive, dominantly br. s.s. grains, 10% red Qtz. & 5% black shale, low permeability.</p> <p>Bottom of hole at 8.5'</p> <p>Water slowly seeping into hole</p> <p>Installed well.</p> <p>2" dia. stainless steel screen, 60 gauze, 2.5' long, Torpedo type</p> <p>Pipe = 5' 2" dia. black iron</p> <p>3.6' screen</p> <p>8.6' Total</p> <p>Inside length = 8.7'</p> <p>.3' water in well</p>



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #6 Fe CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 494.8 FT. Well Length (B): 13.6 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 3.3 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/25/84	3 PM	11.4 FT.	483.4 FT.	No ODOR.
2/28/84	3 PM	12.0	482.8	
3/1/84	12:45 PM	12.0	482.8	



Location- South side of Howard Road, 20' s. of centerline of road, 1060' w. of intersect of Silk Road and Howard Rd.

Sample	Remarks	Strat.	Geologic Description
	<p>No Recovery</p> <p>1.0' rec.</p>		<p>Gravel w/some sand, dark brown, m.-c. grav., rd.-subrd., f.-c. sand \approx 5% trace of org. matter. Trace of leachate smell from Volney landfill (beach). Drills like gravel, loud scraping.</p> <p>Sandy gravel, brown, f.-c. gravel, rd.-subrd., c. sand \approx 20%, smells of leachate.</p>
			<p>Till, pale brown, silty-v.f.s. matrix, pebble to cobble clasts, compact, fairly impermeable but sat'd., strong smell of leachate Bottom of hole at 14'</p>
			<p>Installed 2" dia. black iron observation well 1.5" dia. stainless steel screen, 2.5' long, 60 gauze. Bottom of screen at 10' Screened interval = 10'-7.5' below LSD Inside depth = 13.6' Pipe above LSD = 3.5'</p>

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS # 7A Fe CASING


Measuring Point (M.P.) I.D.: CASING RIM

Measuring Point Elevation (A): 498.2 FT. Well Length (B): 12.9 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 2.3 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/5/84	2 PM	17.7 FT.	486.5 FT.	
12/84	3 PM	12.2	486.0	
1/84	12:45 PM	12.4 FT	485.8 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS # 7 B PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 499.4 FT. Well Length (B): 13.9 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 3.5 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
12/84	3 PM	13.5 FT.	485.9 FT.	No ODR.
1/80	12:45 PM	DRY	485.5 FT.	



Location- 22' s. of centerline of Howard Rd., 650' w. of intersection of Silk & Howard

Well	Sample	Remarks	Strat.	Geologic Description
0		No Recovery	o o o	Gravel, brown, f.-c. grav. w/some sand ≈ 2%, rd.-subrd. grains, loose, smells of leachate from Volney Landfill.
			o o	Drills like gravel.
5		Split sample	o o o	Gravel, brown, clean f.-m. pebbles w/some c. sand ≈ 5%, - smell of leachate - possibly PAS too!
10			o o o	
10			o o o	Pebbly sand, yell-br. v.f.s. w/occaisonal pebbles, sat'd. Smell of leachate.
15			Δ Δ Δ	till reddish brown, silty-v.f.s. matrix w/pebble to boulder clasts, very compact, fairly impermeable-core through a 6' thick red ss boulder. No leachate smell.
14				Bottom of hole @ 14'
14				Installed 2 wells
14				7a - 2" dia. black pipe w/ 1½" 60 gauze screen
14				Screen interval = 10-8.5' below LSD
14				Inside depth = 12.9'
14				Pipe above LSD = 2.4'
14				7b - 2" dia. pvc pipe w/10 slot pvc screen
14				Screened interval = 10-8.5' below LSD
14				pipe above LSD = 3.4'

Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: USGS #8 Fe CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 494.5 FT. Well Length (B): 26.3 FT.
 (USGS Datum)

Dist. from M.P. to Ground Surface (C): 0.4 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground- water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/8/84	2 PM	23.5 FT.	471.0 FT.	No odor.
7/1/84	12:30 PM	24.6 FT	469.9 FT	



Location-20' south of centerline of Howard Rd., 122' w. of intersection of Howard & Silk Rd., 10.5' w. of stop sign/

Remarks	Strat.	Geologic Description
No recovery	o . . .	Sand and gravel, dk.br.-black, f.-c. gravel, m.-sand
	o . . .	drills like sand and gravel
	o . . .	Sandy gravel, brown, f. gravel, c.-sand-well sorted, loose, no smell of leachate
	o . . .	Sandy gravel, reddish brown, f. grav., c. sand, well sorted, loose, sand 5%, no smell
	o . . .	50% red. ss pebbles
	o . . .	50% green ss pebbles
	o . . .	same as above
22'-23.5'	o . . .	Sandy gravel, brown, f.-c. gravel, rd-subrd., loose, f.-c. sand
23.5'-24.0'	o . . .	very stony, no smell
Hit water	o . . .	Sand, grey-br. m.-c., sorted, damp.
	o . . .	Pebbly, sand, brown, f.-c. sand, f.c. pebbles, damp. tough augering-possibly slurry till.
	Δ Δ	Till, reddish brown, silty-v.f.s. matrix, pebble-cobble clasts, compact., damp, probably sat'd.
		Bottom of hole @ 34'
		Installed 2" dia. black iron pipe
		3.0' long 1½" dia.-stainless steel screen, 60 gauz
		inside depth = 23.4' below LSD
		.8" pipe above LSD
		Lengths of pipe
		1 - 21' pipe
		1 - 5' pipe
		1 - 3' pipe
		1 - 3' screen
		Screened interval 28-25'

Well I.D.: USGS #9 FC CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 473.6 FT. Well Length (B): 38.3 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 2.4 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/84	10 AM	23.9 FT.	449.7 FT.	
2/84	11:15 AM	24.4 FT	449.2 FT	



Location:

Depth	Sample Remarks	Strat.	Geologic Description
45	Split samples		Sand, grayish brown, f.s., well sorted.
47.5-48'			Silt/clay, grayish brown, sticky, sat'd.
50		Δ	Pebbly sand (loose till?), reddish brown, f.-m.s. w/f.-m. pebb moderate compact
		Δ	
		Δ	
55		Δ	
		Δ	
		Δ	
60		Δ	Till, reddish brown, f.s. matrix, pebble clasts, moderate compact, damp.
		Δ	
65			Bottom of hole @ 63' Installed 2" dia. black iron pipe observation well. 1½" dia. screen, 60 gauze, 2.5' long, stainless steel Length of pipe - 3.0' screen 10.7' 2" dia. pipe 21.0' 2" dia. pipe 5.3' 2" dia. pipe Inside depth = 40.0' Screened interval 34 - 36.5' from LSD Pipe above LSD = 3.5'

Location - 23' s. of main entrance to Volney landfill, 23' E of centerline of Silk Re

Sample	Remarks	Strat.	Geologic Description
			Fill, sand and gravel used for grading road.
			Sand, yell.-br. m.s., well sorted, loose, red & green grains w/ \approx 1% black grains. No smell of leachate.
	Split sample 12'-13'		Sand, yell.br. grading from m.s. to f.s., loose, faint smell of leachate from landfill.
			Sand, yell.-br. f.s.-v.f.s., grading finer, loose, well sorted, subrd-rd. \approx 99.5% qtz, \approx .5% black grains. Trace or no smell.
	Hit water split sample		Sand, grey, f.s., 5-10% black grains, sat'd.
	Split sample		Sand, grey, f.s., well sorted, subrd.-rd, 5-10% black grains, sat'd., strong smell of leachate.
	Split sample		Sand, same as above.
	Split sample 26-37.5'		Sand, grey, f.s. grading into v.f.s./silt., smells.
	37.5-38.0'		Silt/clay, greyish brown, sticky, sat'd.
			Sand, olive grey, v.f.s.-f.s., tr. silt, sat'd., faint smell of leachate.

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #10 FC CASING

Measuring Point (M.P.) I.D.: CASING RIM


Measuring Point Elevation (A): 456.9 FT. Well Length (B): 20.1 FT.

(USGS Datum)

Distance from M.P. to Ground Surface (C): 2.5 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/84	10 AM	13.1 FT.	443.8 FT.	No CAP. 3.5" OUTSIDE DIAM. NO THREADS.
3/92	11 AM	13.5 FT	443.4 FT	




Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #11A PVC CASING
 Measuring Point (M.P.) I.D.: CASING RIM
 M.P. Elevation (A): 469.8 FT. Well Length (B): 17.8 FT.
 (USGS Datum)
 Dist. from M.P. to Ground Surface (C): 0.7 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
1/2/94	2 PM	8.0 FT.	461.8 FT.	IRREGULARITY IN CASING - TAPE CAUGHT AT 215 FT.



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #11 B FE CASING

Measuring Point (M.P.) I.D.: CASINS BIM


M.P. Elevation (A): 469.7 FT. Well Length (B): 19.2 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.1 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
1/84	2 PM	8.1 FT.	461.6 FT.	PVC CAP IS SPLIT. 2" O/DIAM. NO THREADS.
1/84	10 AM	8.8 FT.	460.9 FT.	



Depth	Material	Drilling Time	Sample	Remarks
	soil gravel (road bed?)			
5	firm drilling sand, fine to medium, earthy brown.			
7	core - no recovery sand, fine, firm, brown			
10				
12	core sand, v.f. to fine			
core 13	well sorted gray.			
14	sand, fine to coarse, with granules, clayey (slightly) gray			
16	gravel (driller)			
17	pumping water in, to force core out sand in core barrel			
core	Gravel, fine to med gray, subang. Sand, fine, silty, clayey, gray			
20	Layered sand & gravel			
core	med, coarse - very coarse, gray silt, very fine sand, gray			
25	hard drilling			
core	sand, very fine - fine, gray Till, - silt, clayey, pebbly end hole @ 28' PINK and very hard			
	PVC casing 2 in. diam 15.2 ft. long			
	PVC - screen PVC spiro slot 1' long. 10-14 feet deep.			
	TOC 1.2' above L.S.			

HRA (11-11)

Depth	Material	Drilling Time	Sample	Remarks
	steel casing 16.4' screen 2.2' Johnson Red Head Galv. wire wound 60 slot. Drive point screen { 0-3 * blanks .3-1.8 screen area 1.9-2.2 drive point screen set 18-16' screen area 17.6-16.1 pea gravel poured around screen after augers removed TOC 1.3 above ground			

Depth	Material	Drilling Time	Sample	Remarks
	soil Gravel, coarse, bouldery.			
Core	water @ 7' no recovery - wet sand!			
10	Gravel			
core	sand, fine to medium, clean gray			
15				
core	driller added water to core pipe to wash out. clay, silty, gray			
20	sand & clay layers			
core	sand, fine-med, gray clay, pebbly, soft, wet.			
25	Hard Till @ 25'			
	PVC spiro & slot, diam. 2 in screen 17 to 13 feet depth TAC 1 ft. above LSD.			

Depth	Material	Drilling Time	Sample	Remarks
	<p>18.3' casing + drivepoint. Johnson red head 40 slot galv. steel wire wound 2.2' long. 2 in. diam. Top 1 ft. above L.S.D.</p>			
core	<p>sand, ^{fine med.} fine-med, uniform gray.</p>			
next	<p>poor: a pea gravel into hole to pack screen, but sand collapsed around hole, and inside screen.</p>			

Date


Well no. V12a W. PVC at

In county brush P11 of

Sheet of silt road

South of land

Depth	Material	Drilling Time	Sample	Remarks
	Gravel, sandy, clayey, brown			
5				
	water.			
10	Till ?			
<u>core</u>	Till, clayey, pebbly, red brown dry. <u>4 inch</u> sec.			
	End of hole 13' Spinup is damp.			
	put 12.2' PVC casing , no screen, TOC at ground level.			
	Water level outside casing at 2 ft. below l.s.d.			
	No steel well drilled			



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS # 14 A PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 473.3 FT. Well Length (B): 18.2 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.0 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/84	4 PM	10.2 FT.	463.1 FT.	
1/84	10:15 AM	8.6 FT.	464.7 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #14B Fe CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 473.2 FT Well Length (B): 17.7 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.2 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/19/84	4 PM	10.2 FT.	463.0 FT.	
1/15/84	10:15 AM	8.8 FT.	464.4 FT.	



Depth	Material	Drilling Time	Sample	Remarks
5	Gravel, brown, clayey			
10	water sand, brown.			
core	no recovery			
15				
core 17	sand, fine med to v. coarse clay, silty, gray			
20				
core	silt, clayey, fine sandy, gray			
25	Till, gray clay, pebbly			
	<p>PVC - 1 1/2" casing & screen, 3 core 2 ft 6 slot Johnson wire wound. 100 ft. above ground</p>			
	<p>VIA b steel 70 slot case</p>			
	<p>15-17 core sand, med. - v. coarse gray brown</p>			
	<p>19-21 steel + screen 1 1/2" x 1/2"</p>			

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #15 PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 449.8 FT. Well Length (B): 16.7 FT.

(USGS Datum)
Dist. from M.P. to Ground Surface (C): 1.5[±] FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/84	10 AM	9.3 FT.	440.5 FT.	
2/84	11:45 AM	9.8 FT.	440.0 FT.	



Depth	Material	Drilling Time	Sample	Remarks
0	Surface			
1	water			
2	fine sand			
3	fine sand			
4	fine sand			
5	fine sand			
6	fine sand			
7	fine sand			
8	fine sand			
9	fine sand			
10	fine sand			
11	fine sand			
12	fine sand			
13	fine sand			
14	fine sand			
15	fine sand			
16	fine sand			
17	fine sand			
18	fine sand			
19	fine sand			
20	fine sand			
21	fine sand			
22	fine sand			
23	fine sand			
24	fine sand			
25	fine sand			
26	fine sand			
27	fine sand			
28	fine sand			
29	fine sand			
30	fine sand			
31	fine sand			
32	fine sand			
33	fine sand			
34	fine sand			
35	fine sand			
36	fine sand			
37	fine sand			
38	fine sand			
39	fine sand			
40	fine sand			
41	fine sand			
42	fine sand			
43	fine sand			
44	fine sand			
45	fine sand			
46	fine sand			
47	fine sand			
48	fine sand			
49	fine sand			
50	fine sand			
51	fine sand			
52	fine sand			
53	fine sand			
54	fine sand			
55	fine sand			
56	fine sand			
57	fine sand			
58	fine sand			
59	fine sand			
60	fine sand			
61	fine sand			
62	fine sand			
63	fine sand			
64	fine sand			
65	fine sand			
66	fine sand			
67	fine sand			
68	fine sand			
69	fine sand			
70	fine sand			
71	fine sand			
72	fine sand			
73	fine sand			
74	fine sand			
75	fine sand			
76	fine sand			
77	fine sand			
78	fine sand			
79	fine sand			
80	fine sand			
81	fine sand			
82	fine sand			
83	fine sand			
84	fine sand			
85	fine sand			
86	fine sand			
87	fine sand			
88	fine sand			
89	fine sand			
90	fine sand			
91	fine sand			
92	fine sand			
93	fine sand			
94	fine sand			
95	fine sand			
96	fine sand			
97	fine sand			
98	fine sand			
99	fine sand			
100	fine sand			

water level in well rose to land surface (artesian)

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #16 PVC CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 467.7 FT. Well Length (B): 18.5 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 0.7 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/24	10 AM	8.5 FT.	459.2 FT.	
2/25	11:30 AM	9.9 FT	457.8 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #17 PVC CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 464.7 FT. Well Length (B): 31.7 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.3 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
4/24	2 PM	12.8 FT.	451.9 FT.	
4/24	10:39 AM	13.8 FT.	450.9 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #1R A FE CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 464.4 FT. Well Length (B): 20.2 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.0 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground- water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/84	2 PM	9.3	455.1 FT.	
1/80	10:45 AM	12.3	452.1 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: USGS #18B PVC CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 465.1 FT. Well Length (B): 22.1 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 0.5 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
12/84	2 PM	8.8 FT.	456.3 FT.	
1/84	10:45 AM	12.1 FT.	453.0 FT.	



Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: USGS #19 PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 459.2 FT. Well Length (B): 2.3 FT.
 (USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.1 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
8/1/84	11 AM	DRY		WELL LOCATED IN BORROW AREA. FORMERLY ± 31 FT. DEEP. NO CAP, 2.5" O.D.
1/1/84	11:45 AM	DRY		



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: LANDFILL T.W. # 9 FE CASING

Measuring Point (M.P.) I.D.: CASING PIP (GRAY PVC PORTION)


M.P. Elevation (A): 483.2 FT. Well Length (B): 15.9 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.3² FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/24	11 AM	3.9 FT.	479.3 FT.	REMOVED 3/4" O.D. PVC RISER PIPE FROM INTERIOR. PIPE HAD GLUED CONNECTIONS.
1/24	12 AM	5.0 FT	478.2 FT.	



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: LANDFILL T.W. #15 PVC CASING


Measuring Point (M.P.) I.D.: CASING RIM (WHITE SCREW-CONNECT PORTION)

M.P. Elevation (A): 495.6 Well Length (B): 24.0 FT.
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 3.7 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
2/84	12 PM	DRY	< 471.6 FT.	REMOVED 1/4" OD. RISER PIPE FROM INTERIOR OF CASING. PIPE HAS BLIND CONNECTIONS.
1/84	12:15 PM	25.6	470.0 FT.	





TEST BORING LOG

PROJECT Oswego Valley Sanitary Landfill HOLE NO. B-15
 LOCATION Town of Volney, New York SURF. ELEV.
 DATE STARTED 8/24/73 COMPLETED 8/24/73 JOB NO. 7358
 GROUND WATER Depth on completion 30'0"

N= NO. OF BLOWS TO DRIVE 2" SAMPLER 6" W/140 LB. WEIGHT FALLING 30"

C= NO. OF BLOWS TO DRIVE CASING 12" W/300 LB. WEIGHT FALLING 24"

SHEET 1 OF 1

AUGER BORING

DEPTH	C.	N.	SAMPLE NO	SAMPLE DEPTH	DESCRIPTION OF MATERIAL
					Brown moist fine SAND
					2'6"
5'0"					Brown moist fine SAND, medium to coarse gravel and trash
10'0"					
15'0"					
20'0"					
25'0"					
30'0"					30'0"
35'0"					Brown wet fine SAND and fine to medium GRAVEL
					Bottom of boring
					35'0"
40'0"					NOTE: Installed wellpoint to 35'0"

TEST BORING LOG

PROJECT Oswego Valley Sanitary Landfill HOLE NO. B-12
 LOCATION Town of Volney, New York SURF. ELEV.
 DATE STARTED 8/24/73 COMPLETED 8/24/73 JOB NO. 7358
 GROUND WATER Depth on completion 4'0"

1 = NO. OF BLOWS TO DRIVE 2" SAMPLER 6" W/140 LB WEIGHT FALLING 30"

2 = NO. OF BLOWS TO DRIVE CASING 12" W/300 LB. WEIGHT FALLING 24"

SHEET 1 OF 1

AUGER BORING

DEPTH	C.	N.	SAMPLE NO	SAMPLE DEPTH	DESCRIPTION OF MATERIAL
5'0"					Brown moist medium to coarse SAND and fine to coarse GRAVEL 4'0"
10'0"					Brown wet fine to medium SAND
15'0"					Bottom of boring 10'0"
					NOTE: Installed wellpoint to 10'0"

APPENDIX B
DATA SHEETS FOR RESIDENTIAL WELLS
OSWEGO VALLEY LANDFILL
OSWEGO COUNTY, NEW YORK


~~BRISTOL HILL LANDFILL~~

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations



Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: GEORGE BIRDSELL (10) CEMENT CASING

Measuring Point (M.P.) I.D.: TOP OF WELL - S.W. CORNER


P. Elevation (A): 444.1 FT. Well Length (B): 7.2 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 0.5 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
7/84	11 AM	1.5 FT.	442.6 FT.	PILL BUGS, CENTIFIDE ON CASING; CRICKET IN WATER. USE NOT DETERMINED.
1/92	10:15 AM	2.0 FT.	442.1 FT.	PUMPED WELL DRY 1 MONTH PRIOR



QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

OWNER: MR. GEORGE BIRDSSELL, JR. SITE #: 10
 ADDRESS: RD #6 BALDWIN RD FULTON, NY 13069 TELEPHONE: 592-7065
 E CODE #: _____ DATE: 3/22/83

Location Name and Directions: BALDWIN RD BETWEEN MUCKEY R
2 ROWLEE RD.

Location side: RIGHT LEFT EAST

Color: WHITE

Distinguishing Features: 2ND HOUSE NORTH OF THE
INTERSECTION OF MUCKEY AND BALDWIN RDS.

CATCH SEE ADDITIONAL SHEET SHOWING:

SITE Investigation:
Water samples to be
collected as part of the Volney
Landfill (Little Rd) monitoring program

LOCATION:
 showing:
 approximate house dimensions
 distance to well
 distance to driveway
 distance to road
 location of septic facilities
 location of other pertinent features
 approximate north

Investigated by: E. Walsh Date: 3/22/83

Geological Character of Area

SOURCE

DUG
 DRILLED
 DRIVEN
 OTHER

Depth of well _____ ft.
 Diameter of well _____ ft.
 Depth of casing _____ ft.
 Top of well above ground _____ in.

8' ft.
3' x 5' RECTANGULAR ~~TIME~~
8' ft.
6 in.

type of cover
 type of casing
 well seal type

PLYWOOD
CONCRETE BLOCK

Tight cover and sides yes no
 Well grouted yes no
 Casing seals out surface water? yes no

Coakley


BRISTOL HILL LANDFILL
QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations

N ↑



Well I.D.: JOHN COAKLEY - OLD (6)

Measuring Point (M.P.) I.D.: S.W. CORNER OF CEMENT CASING


M.P. Elevation (A): 472.1 FT. Well Length (B): 16.7 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 0.4 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
25/87				VENT HOLE NOT LARGE ENOUGH TO PUT TUBE THROUGH.
4/84		6.9 FT.	465.2	H21 TO DISMANTLE PART OF COVER.
1/85	11:30 AM	0.3 FT.	462.8	" " "



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: MR. JOHN COAKLEY SITE: # 6
ADDRESS: RD # 2 HOWARD RD, FULTON, NY 13069 TELEPHONE: 593-39
FIRE CODE #: DATE:

Road Name and Directions: HOWARD ROAD BETWEEN SILK RD AND CO RT 176

Compass side: ~~RIGHT~~ NORTH

Color: WHITE

Distinguishing Features: FIRST HOUSE WEST OF SILK RD LANDFILL

AND DIRECTLY ACROSS ROAD FROM NIAGARA MOHAWK FACILITY SKETCH SEE ADDITIONAL SHEET SHOWING: SITE Investigation:

- LOCATION:
Sketch showing:
Approximate house dimensions
Distance to well
Distance to driveway
Distance to road
Location of septic facilities
Location of other pertinent features
Compass north

Investigated by E. Walsh

Date

Geological Character of Area

SOURCE

- DUG
DRILLED
DRIVEN
OTHER
Depth of well
Diameter of well
Depth of casing
Top of well above ground

- ft.
ft./in.
ft.
in.

- Type of cover
Type of casing
Casing seal type

STONE

- Tight cover and sides
Well grouted
Casing seals out sur-

yes no
() (X)
() (X)

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: JOHN COCKLEY - NEW (NOT HOOKED UP)

FE CASING

Measuring Point (M.P.) I.D.: CASING RIM


UNKNOWN - 64 FT. TO

Spot Elevation (A): 472.6 FT. Well Length (B): WATER SOURCE (BEDROCK INTERFACE).
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.9 ± FT.


(All measurements to nearest 0.1 ft.)

Time	Time (AM/PM)	Dist. to Groundwater (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
1/25/84	1PM	1.3 FT.	471.3 FT.	WELL NOT HOOKED UP BECAUSE OF SALTY TASTE.
1/25	1PM	3.1 FT.	469.5 FT.	



Project: Residential Water Well
Property Owner: John W. Coakley
County of Oswego
Oswego Valley L.F.
Date Started:
Date Completed:
Driller: Tim Crowell

Project No.: C1122
Boring No.: WW 2
Surface Elev.:
Groundwater Depth-Casing In:
Below Ground Surf.-Casing Out:



NOTE: Well yield via air-lift ± .25 GPM.
Water salty to taste.
Wells were filled with concrete to ground level-2 at the request of the engineer.

~~BRISTOL HILL LANDFILL~~


QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations

N →



Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: HAROLD DURANT (7) Fe CASING

Measuring Point (M.P.) I.D.: CASING RIM


M.P. Elevation (A): 436.4 FT. Well Length (B): 32.9 FT.

(USGS Datum)

Dist. from M.P. to Ground Surface (C): 3.2 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	REMARKS
5/14	11 AM	1.8 FT	> 436.4 FT.	OVERFLOW LOCATED 1.8 FT. BELOW CASING RIM. OVERFLOW RUNNING
8/30	12 AM	1.9 FT.	> 434.5 FT.	" "



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: MR. HAROLD DURANT SITE:# 7
 ADDRESS: RD#6 BALDWIN ROAD TELEPHONE# 592-90
 IPE CODE #: _____ DATE: 4/19/84

Road Name and Directions: BALDWIN RD BETWEEN MUCKEY RD AND ROWLEE RD

WATCH SIDE: ~~RIGHT~~ ~~LEFT~~ WEST

COLOR: GREEN

Distinguishing Features: STREAM CROSSES BALDWIN RD

APPROX 150' NORTH OF DURANT RESIDENCE

SKETCH SEE ADDITIONAL SHEET SHOWING:

SITE Investigation: _____

- LOCATION:
 sketch showing:
 approximate house dimensions
 distance to well
 distance to driveway
 distance to road
 location of septic facilities
 location of other pertinent features
 approximate north

Investigated by E. Walsh Date 4/19/84

SOURCE

- DUG
 DRILLED
 DRIVEN
 OTHER

Geological Character of Area

Depth of well _____ ft.
 Diameter of well 6 in.
 Depth of casing _____ ft.
 Top of well above ground 3 1/2 ft

Type of cover SANITARY SEAL
 Type of casing STEEL
 Well seal type _____

Tight cover and sides yes no
 Well grouted? yes no
 Casing seals out sur-? yes no

~~BRISTOL HILL LANDFILL~~

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:


- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations

N ↑

OSWEGO VALLEY LANDFILL
(CLOSED)

HOWARD ROAD

CC.
2RT



OLD GRAVEL BED

SINK WASTES
DRILLED WELL
(NOT IN USE)

DURFEY RES

SEPTIC

200'

300'

WELL HOUSE

SILK ROAD

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: STEVEN DURFEY - OLD WELL (3A) CEMENT CASING


Measuring Point (M.P.) I.D.: NAIL ON WEST SILL

M.P. Elevation (A): 472.7 FT. Well Length (B): 8.0 FT. (± 0.3 FT.)
(USGS Datum)

Dist. from M.P. to Ground Surface (C): 0.5 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/24	1 PM	0.6 FT. (± 0.3 FT.)	472.1 FT. (± 0.3)	POSSIBLE LEAK IN LINE. PUMP TURNED ON EVERY ≈ 20 SEC.
5/24	11 AM	2.5 FT. (± 0.3 FT.)	470.2 FT. (± 0.3)	Doing Laundry at time of measurement



QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: MR. STEVEN DURFEY SITE #: 301 (3A ON MAP)
 ADDRESS: RD #6 SILK RD, FULTON, NY 13069 TELEPHONE: 593-246
 FIRE CODE #: _____ DATE: 4/12/84

Road Name and Directions: SILK RD AT INTERSECTION WITH HOWARD RD

Which side: ~~RIGHT~~ LEFT WEST

Color: GRAY

Distinguishing Features:

SKETCH SEE ADDITIONAL SHEET SHOWING:

- LOCATION:
- Sketch showing:
- Approximate house dimensions
- Distance to well
- Distance to driveway
- Distance to road
- Location of septic facilities
- Location of other pertinent features
- Approximate north

SITE Investigation:

Investigated by

Date

E. Walsh

4/12/84

SOURCE

Geological Character of Area

- DUG
- DRILLED
- DRIVEN
- OTHER

Depth of well _____ ft.
 Diameter of well _____ ft./in.
 Depth of casing _____ ft.
 Top of well above ground _____ in.

Type of cover _____
 Type of casing _____
 Well seal type _____

Tight cover and sides yes no
 Well grouted ()
 Casing seals out sur- _____

Oswego Valley Landfill
Water Quality Monitoring Program

132.19C

Well I.D.: STEVEN LURFEY - NEW WELL (3B)

FC CASING

Measuring Point (M.P.) I.D.: CASING PIN


UNKNOWN - 69 ± FT. TO

M.P. Elevation (A): 496.8 FT. Well Length (B): WATER SOURCE (BEDROCK
USGS Datum) INTERFACE).

Dist. from M.P. to Ground Surface (C): 1.2 ± FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/84	1 PM	27.9 FT.	468.9 FT.	WELL NOT IN USE.
7/85	11:15 AM	29.3 FT.	467.5 FT.	" " " "



Kerfien, D
Aug. 1988


~~BRISTOL HILL LANDFILL~~

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: MR. DONALD KERFIEN, SR. SITE: # 101 (1A)
 ADDRESS: RD # 6 SILK RD, FULTON, N.Y. 13069 TELEPHONE: 592-476
 FIRE CODE #: _____ DATE: 4/4/84

Road Name and Directions: SILK RD BETWEEN ROWLEE 1 AND HOWARD RD

Compass side: RIGHT LEFT WEST

Color: WHITE

Distinguishing Features: LARGE RED BARN JUST NORTH OF HOUSE

MOBILE HOME PARK NORTH OF THE BARN
 SKETCH SEE ADDITIONAL SHEET SHOWING: _____ SITE Investigation: _____

LOCATION:
 showing:
 approximate house dimensions
 distance to well
 distance to driveway
 distance to road
 location of septic facilities
 location of other pertinent features
 approximate north

Investigated by E. Walsh Date 4/4/84

SOURCE Geological Character of Area

<input checked="" type="checkbox"/> DUG	Depth of well	<u>12-15</u>	ft.
<input type="checkbox"/> DRILLED	Diameter of well	<u>3</u>	ft. / in.
<input type="checkbox"/> DRIVEN	Depth of casing	<u>12-15</u>	ft.
<input type="checkbox"/> OTHER	Top of well above ground	<u>4</u>	in.

type of cover	<u>concrete</u>	Tight cover and sides	()	yes	(X)
type of casing	<u>concrete tile</u>	Well grouted	()	no	(X)
seal type	<u>NONE</u>	Casing seals out sur-			


Kentien, D
Drilled Well

BRISTOL HILL LANDFILL
QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations



Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: DONALD KERFIEN - NEW WELL (1B) Fe CASING


Measuring Point (M.P.) I.D.: CASING RIM

M.P. Elevation (A): 479.1 FT. Well Length (B): UNKNOWN - 615 FT. TO WATER SOURCE (BEDROCK INTERFACE).
 USGS Datum

Dist. from M.P. to Ground Surface (C): 1.6 ± FT

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/25/84	10 AM	24.8 FT.	454.3 FT.	WASH BEING DONE AT TIME OF MEASUREMENT
5/25/84	10 AM	25.0 FT.	454.1 FT.	



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: MR DONALD KERFIEN SITE: # 102 (1B ON MAP)
 ADDRESS: RD #6 SILK RD, FULTON, NY 13069 TELEPHONE: 592-4
 FIRE CODE #: _____ DATE: 4/4/84

Road Name and Directions: SILK RD BETWEEN ROWLEE RI
AND HOWARD RD

Which side: RIGHT LEFT WEST

Color: WHITE

Distinguishing Features: LARGE RED BARN JUST NORTH OF HOUSE

MOBILE HOME PARK NORTH OF THE BARN

E SKETCH SEE ADDITIONAL SHEET SHOWING:

SITE Investigation: _____

- LOCATION:
- tech showing:
- proximate house dimensions
- distance to well
- distance to driveway
- distance to road
- location of septic facilities
- location of other pertinent features
- proximate north

Investigated by

Date

E. Walsh

4/4/84

Geological Character of Area

WATER SOURCE

- DUG
- DRILLED
- DRIVEN
- OTHER

Depth of well _____ ft.
 Diameter of well _____ in.
 Depth of casing _____ ft.
 Top of well above ground _____ in.

80 ± ft.
6 in.
UNKNOWN ft.
2 feet in.

Type of cover _____
 Type of casing _____
 Well seal type _____

SANITARY SEAL
non pipe

Tight cover and sides yes
 Well grouted UNKNOWN
 Casing seals out sur-

CATOH Environmental Companies, Inc.
One Industrial Place, Savannah, New York 13146
Phone: 315/365-2891

Project:

Residential Water Well

Property Owner: Donald E. Kerfien

Project No.: C1122

Boring No.: WW 1

Surface Elev.: _____

Client:

County of Oswego

Oswego Valley L.P.

Date Started: _____


Date Completed: _____

Driller:

Tim Crowell

Groundwater Depth-Casing In: _____

Below Ground Surf.-Casing Out: _____



NOTE: Water salty to taste, well filled with concrete to -2' ground level at the request of the engineer.


~~BRISTOL HILL LANDFILL~~

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: KERFIEN MOBILE HO. PK. SITE: # 2
 ADDRESS: RD # 6 SILK RD, FULTON NY 13069 TELEPHONE: 592-470
 FIRE CODE #: _____ DATE: 4/4/84

Road Name and Directions: SILK RD BETWEEN ROWLEE RD
AND ~~PAVING~~ HOWARD RD

Which side: ~~RIGHT~~ (LEFT) WEST

Color: _____

Distinguishing Features: _____

SKETCH SEE ADDITIONAL SHEET SHOWING:

SITE Investigation: _____

LOCATION:
 on showing:
 approximate house dimensions
 distance to well
 distance to driveway
 distance to road
 location of septic facilities
 location of other pertinent features
 approximate north

Investigated by

Date

E. Walsh

4/4/84

WELL SOURCE

Geological Character of Area

- DUG
- DRILLED
- DRIVEN
- OTHER

Depth of well _____ ft.
 Diameter of well _____ in.
 Depth of casing _____ ft.
 Top of well above ground _____ in.

80 ft.
6 in.
 _____ ft.
 _____ in.

Type of cover
 Type of casing

SANITARY SEAL
IRON

Tight cover and sides yes no
 Well grouted UNKNOWN yes no


~~BRISTOL HILL LANDFILL~~

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: NIAGARA MOHAWK FACILITY SITE: # 5
 ADDRESS: RD # 2 HOWARD RD FULTON NY TELEPHONE: 592-01
 FIRE CODE #: _____ DATE: 4/19/84

Road Name and Directions: HOWARD RD BETWEEN SILK RD AND CO. RT. 176

Which side: ~~RIGHT~~ ~~WEST~~ SOUTH
 Color: BLUE
 Distinguishing Features: INDUSTRIAL COMPLEX WITH CHAIN LINK FENCE

SEE SKETCH SEE ADDITIONAL SHEET SHOWING:
 WELL LOCATION:
 sketch showing:
 approximate house dimensions
 distance to well
 distance to driveway
 distance to road
 location of septic facilities
 location of other pertinent features
 approximate north

SITE Investigation:
REVIEW OF BUILDING MAINTENANCE PLANS

Investigated by E. Walsh Date 4/19/84

WATER SOURCE _____ Geological Character of Area _____

() DUG _____ Depth of well _____ ft.
 (X) DRILLED _____ Diameter of well 6 _____ in.
 () DRIVEN _____ Depth of casing _____ ft.
 () OTHER _____ Top of well above ground 12 _____ in.

Type of cover SANITARY SEAL Tight cover and sides (X)
 Type of casing STEEL Well grouted (?)
 Well seal type _____ Casing seals out surface _____


~~BRISTOL HILL LANDFILL~~

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE SKETCH

INCLUDING:

- (1) Approx. north
- (2) Approx. house location and dimensions
- (3) Well location
- (4) Septic system location
- (5) Location of all roads and/or driveways
- (6) Location of other pertinent features
- (7) Approx. distances between all sited locations



Oswego Valley Landfill
 Water Quality Monitoring Program

132.19C

Well I.D.: JOSEPH STEVENS (4) CEMENT CASING


Measuring Point (M.P.) I.D.: "□" ON TOP OF CONCRETE COVER

M.P. Elevation (A): 472.5 FT. Well Length (B): 13.8 FT.
 (USGS Datum)

Dist. from M.P. to Ground Surface (C): 1.4 FT.

(All measurements to nearest 0.1 ft.)

Date	Time (AM/PM)	Dist. to Ground-water (D)	Groundwater Elev. (USGS Datum) (=A-D)	Remarks
5/25/84	11 AM	10.1 FT.	462.4 FT.	USE NOT DETERMINED.
2/24/84	10:30 AM	10.6 FT.	461.9 FT.	



VOLNEY LANDFILL

QUARTERLY RESIDENTIAL WELL MONITORING PROGRAM

SITE INFORMATION SHEET

NAME: MR. JOSEPH STEVENS SITE: # 4
ADDRESS: RD # 6 SILK RD, FULTON, NY 13069 TELEPHONE # 598-19
FIRE CODE #: DATE: 4/12/84

J. STEVENS IS THE TENANT OF: MR. JOHN BONACCURSO
RD # 6 SILK RD
FULTON, NY 13069
593-3081

Road Name and Directions: SILK RD BETWEEN MUCKEY RD AND
NY RT 3

Which side: ~~RIGHT~~ LEFT WEST

Color: WHITE

Distinguishing Features: STEVENS' HOUSE SITS APPROX. 275' OFF ROAD

SKETCH SEE ADDITIONAL SHEET SHOWING:

SITE Investigation:

- LOCATION:
- Sketch showing:
- Approximate house dimensions
- Distance to well
- Distance to driveway
- Distance to road
- Location of septic facilities
- Location of other pertinent features
- Approximate north

Investigated by
E. Walsh

Date

4/12/84

Geological Character of Area

WATER SOURCE

- DUG
- DRILLED
- DRIVEN
- OTHER

Depth of well
Diameter of well
Depth of casing
Top of well above ground

ft.
3 ft.
ft.
3 ft.

Type of cover
Type of casing

CONCRETE
CONCRETE TILE

Tight cover and sides
Well grouted

yes no
() (X)
() (X)

APPENDIX C
LABORATORY REPORTS FOR MARCH 1984
GROUNDWATER SAMPLES
OSWEGO VALLEY LANDFILL
OSWEGO COUNTY, NEW YORK

3/84 Quarterly Monitoring

PART C

DATE	LOC NO.	ALL	NO3	CO3	CHLORIDE	BP COND	HARDNESS	NO3-N	NITRATE	NITRITE	PH	PHENOL	TPOT-Y	TDS	SULFATE	TOC	Fe	Mn	mg/l	Cell-F	Cell-F
3/19/00	1547	AIRPORT	147	6	2.4	210	1010	100	69	0.04	7.0	0.010	0.05	503	15.9	11.5	.72	.07		1.0	0.1
3/26/00	1663	K MHP 2	150	0.5	2.0	61	305	136	3	.07	7.4	0.010	0.05	300	35.1	0.0	.05	.02		.06	0.1
3/26/00	1663	STANLEY 4	56	0.5	0.0	10	140	72	.05	.66	0	0.010	.05	100	12.6	0.0	.01	.01		.04	0.1
3/26/00	1667	WING 3	102	0.5	6.0	31	605	104	.15	0.04	7.4	0.010	0.35	260	10.3	0.0	1.4	.37		.1	0.1
3/26/00	1668	CONLEY 6	240	0.5	2.2	10	510	226	.11	.01	7.3	0.010	0.05	360	22.3	0.0	.00	.02		.12	0.1
3/27/00	1716	CHAPIN 7	152	0.5	0.0	25	610	140	.17	0.04	7.4	0.010	0.05	276	26.6	0.0	.3	.24		.1	0.1
3/26/00	1668	SUMP 9	7025	0.0	1550	600	14000	3200	075	0.04	7.5	.456	2.37	7710	64.3	300	17	.12		.22	0.1
3/26/00	1659	RISE 10	40	0.3	2	13.5	195	40	0.04	6.4	6.5	0.010	0.05	100	10.2	0.0	.14	.05		.39	0.1
3/19/00	1540	11TV 3C DEEP	316	0.0	900	103	1400	760	.22	0.04	7.4	.301	0.05	1357	02.0	373	11	.32		.1	0.1
3/19/00	1549	11TV 3B	340	0.5	26.4	72	900	620	.11	1.03	7	0.010	.32	676	93.1	35.5	9.1	1.1		.14	0.1
3/26/00	1550	11TV 10	359	9.9	56	100	1330	500	1.25	0.04	6.7	.014	.13	875	15.0	37	37	3.7		1.4	0.1
3/26/00	1666	REF 101 DEL	76	0.5	0.0	36	300	212	.07	1.1	6.7	0.010	0.05	200	0.7	0.0	.26	.00		.12	0.1
3/26/00	1666	ACAP 102 DEEP	180	0.5	0.0	31	325	232	.00	.07	7.6	0.010	0.05	216	17.7	0.0	.17	.02		.00	0.1
3/26/00	1661	DAVE 701	320	0.5	2.6	31	645	230	0.00	.09	7.4	0.010	.05	200	6.9	0.0	.11	.01		.07	0.1

APPENDIX D
LABORATORY REPORTS FOR MAY 1984
RESAMPLING FOR VOLATILE ORGANICS

Environmental CS LABORATORY

Division of Calocerinos & Spina Consulting Engineers • 1020 Seventh North Street, Liverpool, NY 13088

IDENTIFICATION/CHAIN OF CUSTODY FORM

<u>C & S ID #</u>	<u>LOCATION</u>	<u>C & S ID #</u>	<u>LOCATION</u>
#2944	N/A	11. #	
#2945	N/A	12. #	
#2946	N/A	13. #	
#2947	N/A	14. #	
#2948	N/A	15. #	
#2949	N/A	16. #	
#2950	Field Blank	17. #	
#		18. #	
#		19. #	
#		20. #	

*N/A - Not Applicable


RELINQUISHED BY : Conrad Feul Jr. DATE: 5/22/84 TIME: 1600
C & S ENVIRONMENTAL LABORATORY

METHOD OF SHIPMENT: Purolator Courier

RECEIVED BY : Michael Davis DATE: 5/23/84 TIME: 11:30 AM
CAMO LABORATORIES, INC.



O'BRIEN & GERE



June 5, 1984

Mr. David Ulm
BARTON & LOGUIDICE, P.C.
290 Elwood David Road
Liverpool, NY 13088

Re: Lab Data Report

File: 2083.001.517

Dear Dave:

Please find enclosed the results of laboratory analysis on samples received 5-21-84.

If you have any questions concerning these results, please do not hesitate to contact us.

Very truly yours;

O'BRIEN & GERE ENGINEERS, INC.

David R. Hill
Manager of Analytical Services

DRH/bpp

Enclosure



O'BRIEN & GERE

Purgeable Priority Pollutants

CLIENT BARTON & LOGUIDICE, P.C. JOB NO. 2083.001.517

DESCRIPTION A KERFEIN MHP

SAMPLE NO. 36362 DATE COLLECTED 5-21-84 DATE REC'D. 5-21-84 DATE ANALYZED 5-23-84

	ppb		ppb
Chloromethane	<1.	1,2-Dichloropropane	<1.
Bromomethane	↓	t-1,3-Dichloropropene	↓
Dichlorodifluoromethane		Trichloroethene	
Vinyl chloride		Benzene	
Chloroethane		Dibromochloromethane	
Methylene chloride		1,1,2-Trichloroethane	
Trichlorofluoromethane		c-1,3-Dichloropropene	
1,1-Dichloroethene		2-Chloroethylvinyl ether	<10.
1,1-Dichloroethane		Bromoform	<10.
t-1,2-Dichloroethene		1,1,2,2-Tetrachloroethane	<1.
Chloroform		Tetrachloroethene	↓
1,2-Dichloroethane		Toluene	
1,1,1-Trichloroethane		Chlorobenzene	
Carbon tetrachloride		Ethylbenzene	↓
Bromodichloromethane	↓		

Methodology: Federal Register — 40 CFR, Part 136, December 3, 1979

Comments:

4570

Authorized: *D. Reed*
Date: 6-5-84



O'BRIEN & GERE

Purgeable Priority Pollutants

CLIENT BARTON & LOGUIDICE, P.C. JOB NO. 2083.001.517

DESCRIPTION B NIAGARA MOHAWK FACILITY

SAMPLE NO. 36363 DATE COLLECTED 5-21-84 DATE REC'D. 5-21-84 DATE ANALYZED 5-23-84

	ppb		ppb
Chloromethane	<1.	1,2-Dichloropropane	<1.
Bromomethane	↓	t-1,3-Dichloropropene	↓
Dichlorodifluoromethane	↓	Trichloroethene	↓
Vinyl chloride	↓	Benzene	↓
Chloroethane	↓	Dibromochloromethane	↓
Methylene chloride	↓	1,1,2-Trichloroethane	↓
Trichlorofluoromethane	↓	c-1,3-Dichloropropene	↓
1,1-Dichloroethene	↓	2-Chloroethylvinyl ether	<10.
1,1-Dichloroethane	↓	Bromoform	<10.
t-1,2-Dichloroethene	↓	1,1,2,2-Tetrachloroethane	<1.
Chloroform	↓	Tetrachloroethene	↓
1,2-Dichloroethane	↓	Toluene	↓
1,1,1-Trichloroethane	↓	Chlorobenzene	↓
Carbon tetrachloride	↓	Ethylbenzene	↓
Bromodichloromethane	↓		

Methodology: Federal Register — 40 CFR, Part 136, December 3, 1979

Comments:



O'BRIEN & GERE

Purgeable Priority Pollutants

CLIENT BARTON & LOGUIDICE, P.C. JOB NO. 2083.001.517

DESCRIPTION C JOSEPH STEVENS RESIDENCE

SAMPLE NO. 36364 DATE COLLECTED 5-21-84 DATE REC'D. 5-21-84 DATE ANALYZED 5-23-84

	ppb		ppb
Chloromethane	<1.	1,2-Dichloropropane	<1.
Bromomethane	↓	t-1,3-Dichloropropene	↓
Dichlorodifluoromethane	↓	Trichloroethene	↓
Vinyl chloride	↓	Benzene	↓
Chloroethane	↓	Dibromochloromethane	↓
Methylene chloride	↓	1,1,2-Trichloroethane	↓
Trichlorofluoromethane	↓	c-1,3-Dichloropropene	↓
1,1-Dichloroethene	↓	2-Chloroethylvinyl ether	<10.
1,1-Dichloroethane	↓	Bromoform	<10.
t-1,2-Dichloroethene	↓	1,1,2,2-Tetrachloroethane	<1.
Chloroform	↓	Tetrachloroethene	↓
1,2-Dichloroethane	↓	Toluene	↓
1,1,1-Trichloroethane	↓	Chlorobenzene	↓
Carbon tetrachloride	↓	Ethylbenzene	↓
Bromodichloromethane	↓		

Methodology: Federal Register — 40 CFR, Part 136, December 3, 1979

Comments:

[Handwritten notes and stamps]



O'BRIEN & GERE

Purgeable Priority Pollutants

CLIENT BARTON & LOGUIDICE, P.C. JOB NO. 2083.001.517

DESCRIPTION Field Blank

SAMPLE NO. 36365 DATE COLLECTED 5-21-84 DATE REC'D. 5-21-84 DATE ANALYZED 5-23-84

	ppb		ppb
Chloromethane	<1.	1,2-Dichloropropane	<1.
Bromomethane	↓	t-1,3-Dichloropropene	↓
Dichlorodifluoromethane		Trichloroethene	
Vinyl chloride		Benzene	
Chloroethane		Dibromochloromethane	
Methylene chloride		1,1,2-Trichloroethane	
Trichlorofluoromethane		c-1,3-Dichloropropene	<10.
1,1-Dichloroethene		2-Chloroethylvinyl ether	<10.
1,1-Dichloroethane		Bromoform	<1.
t-1,2-Dichloroethene		1,1,2,2-Tetrachloroethane	↓
Chloroform		Tetrachloroethene	
1,2-Dichloroethane		Toluene	
1,1,1-Trichloroethane		Chlorobenzene	
Carbon tetrachloride		Ethylbenzene	↓
Bromodichloromethane	↓		

Methodology: Federal Register — 40 CFR, Part 136, December 3, 1979

Comments:

Authorized: *DR*

Date: 6-5-84



Environmental Engineering & Construction

HOLZMACHER, McLENDON and MURRELL, P.C.
575 BROAD HOLLOW ROAD, MELVILLE, NEW YORK 11747 (516) 694-3040

LABORATORY REPORT

WATER RESOURCES • WATER SUPPLY & TREATMENT • SEWERAGE & TREATMENT • ECOLOGICAL & IMPACT STUDIES
MODEL STUDIES • PILOT PLANT STUDIES • WATER/WASTE WATER LABORATORY AND ANALYTICAL SERVICES

LAB NO. 454199
PROJECT NO. DRG

CLIENT'S NAME AND ADDRESS

BAKTON & LOGUIDICE, P.C.

PO Box 3107

Syracuse, NY 13220

TYPE OF SAMPLE - MISCELLANEOUS

DATE COLLECTED - 3/28/84

DATE RECEIVED - 3/29/84
COLLECTED BY CL 99

MEK ANALYSIS
JOB # 132.19a

MAY 1 8 1984

LAB NO. SAMPLE ID INFORMATION

4199 #2	Kerfium MIP	<10.0 #
4200 #4	Stevens	<10.0 #
4201 #5	Niagara Adhawk	<10.0 #
4202 #6	Coakley, dug	<10.0 #
4203 #7	Durant	<10.0 #
4204 #9	Landfill Sump	4100 #
4205 #10	Bradwell	<10.0 #
4206 #11	USGS 3C	1900 #
4207 #12	USGS 3D	50.0 #
4208 #100	Airport	<10.0 #

LAB RESULTS IN (MG/L) EXCEPT AS NOTED BY # (UG/L) OR % (PERCENT) AND
T. COLI RACT. & FECAL COLI (MPN/100ML)
COLOR, ODOR, TURBIDITY & PH (UNITS)
APC & FECAL STREP (COUNTS/ML)
SPEC. COND. (UMHOS) SETT. SOLIDS (ML/L)

DATE REPORTED 4/24/84

S. C. McLENDON, P.E., LABORATORY DIRECTOR



HOLZMACHER, McLENDON and MURRELL, P.C.
575 BROAD HOLLOW ROAD, MELVILLE, NEW YORK 11747 (516) 694-3040

LABORATORY REPORT

WATER RESOURCES • WATER SUPPLY & TREATMENT • SEWERAGE & TREATMENT • ECOLOGICAL & IMPACT STUDIES
MODEL STUDIES • PILOT PLANT STUDIES • WATER/WASTE WATER LABORATORY AND ANALYTICAL SERVICES

LAB NO. 454199
PROJECT NO. ORG

CLIENT'S NAME AND ADDRESS

BARTON & LOGUIDICE, F.C.

P.O. Box 3107

Syracuse, NY 13220

TYPE OF SAMPLE - MISCELLANEOUS
DATE COLLECTED - 3/28/84

MEK ANALYSIS
JOB # 132.19a

DATE RECEIVED - 3/29/84
COLLECTED BY CL 99

MAY 18 1984

LAB NO. SAMPLE ID INFORMATION

54209 #101	<i>D. Kerfien, dug</i>	<10.0 #
54210 #102	<i>D. Kerfien, drilled</i>	<10.0 #
54211 #301	<i>Durfey, dug</i>	<10.0 #

ALL RESULTS IN (MG/L) EXCEPT AS NOTED BY # (UG/L) OR % (PERCENT) AND

1. COLI BACT. & FECAL COLI (MPN/100ML)
COLOR, ODOR, TURBIDITY & PH (UNITS)
APC & FECAL STREP (COUNTS/ML)
SPEC. COND. (UMHOS) SETT. SOLIDS (ML/L)

DATE REPORTED 4/24/84

APPENDIX E
PROCEDURES FOR SECURING AND REDEVELOPING
EXISTING TEST WELLS
OSWEGO VALLEY LANDFILL
OSWEGO COUNTY, NEW YORK

Appendix E. Procedures for Securing and Redeveloping Existing Test Wells,
Oswego Valley Landfill, Oswego County, New York

Securing Test Wells

Test wells should be secured with proper surface seals and locking steel protector pipes. For wells with existing steel protector pipes, inspect the surface seal (annulus between outer casing and borehole) by slightly excavating around the casing, then determine the type of seal (bentonite, cement) and the tightness of the seal. Note the slope of the seal with respect to the surrounding ground surface and nearby surface water (streams, road, ditches, puddles, etc.). Replace inadequate seals by digging out around the casing and installing a cement or bentonite seal which is not subject to frost heave and is sloped away from the well, to prevent infiltration of surface water into the annulus. Equip existing steel protector pipes fitted with a locking cap, confirm that the surveyed measuring point on the inner well casing is clearly marked, and affix the well number to the outside of the protector pipes.

For wells without protector pipes, dig a hole around the well casing sufficient to allow installation of a steel protector pipe and cement surface seal such that the seal is not subject to frost heave. Select the protector pipe diameter to allow sufficient clearance around the well casing. The top rim of the installed protector pipe should be no more than 1 or 2 inches above the top of the inner casing. Considering the average yearly snowfall for the area, and the proximity of many test wells to roads, it may be advisable to design the protector lengths and caps in a

manner to be accessible in winter and to avoid snow melt entering the well. For well casings which are extended or trimmed to accommodate protector pipes, establish new measuring point elevations, mark new measuring points on the casings, and record the new data.

Redeveloping Test Wells

Test wells should be redeveloped to assure that the well screen is open to the water-bearing formation. Measure the total well depth with a tape and heavy weight, and note if silt or other material is encountered in the casing (weight will sink slowly or be covered with silt). Also, measure the static water level, and compute the volume of water standing in the casing. Evacuate the well at a pumping rate approximately equal to the recovery rate until the discharge is as free of turbidity as possible. An airlift pump constructed of 3/4-inch tubing with an inner 1/4-inch air line (set about 3 inches from the bottom of the outer tubing) is the best method for development, since it has the capability of pumping silt and fine sand which may have accumulated in the bottom of the well. A mechanical pump or bailer can also be used for well development. Monitor and record the volume evacuated, discharge turbidity (relative), water-level recovery rate, and any changes in the total well depth (due to removal of silt). The recovery data will be useful for future sampling events.

APPENDIX F
SPECIFICATIONS FOR INSTALLATION OF
NEW MONITORING WELLS

Appendix F. Specifications for Installation of New Monitoring Wells,
Oswego Valley Landfill, Oswego County, New York.

Drilling

The hollow-stem auger method will be used to drill all boreholes in the overburden for soil sampling and well installation purposes. This technique is relatively fast, the drilling rig is small and mobile, and the overall costs are relatively low. One of the major advantages of this drilling technique in contamination investigations is that water does not have to be added during the drilling. This technique is appropriate for depths up to 60 or 70 feet and may even be used in cohesive non-caving formations to depths of 100 feet.

Split spoon soil samples will be collected from land surface continuously to the total depth of the hole. These samples provide excellent geologic control. During the collection of the split spoon samples, blow counts will be recorded.

The drilling rig will be decontaminated by steam cleaning before the start of work and again before the rig leaves the site at the completion of the work. The auger flights of the drilling rig will be cleaned (wire brushed) between each borehole to remove any potentially contaminated soil particles. In this manner the possibility of cross-contamination between boreholes will be substantially reduced. The split-spoon sample barrels will also be decontaminated after each use by washing with detergent solution and rinsing with tap water.

in waste

Development time is reduced with this drilling technique because the possibility of cross contamination has been reduced, and therefore less water has to be pumped than if accidentally induced contaminants had to be removed during development. Additionally, because water is not added to the borehole during drilling, less time is needed to develop the well. If water were added to the borehole, many times the volume of water lost to the borehole during drilling would have to be removed to insure that any water samples eventually collected from the wells would be representative of formation water and not of water added during the drilling.

Soil Samples

The field hydrologist will carefully describe all materials penetrated as the hole is drilled. In addition to the normal lithologic and hydrologic description, any unusual odors or colors will be noted and recorded in the field log.

All split spoon samples collected during the drilling will be retained in jars that will be labelled with the well or boring number, the date of collection, and the depth interval below land surface at which the soil sample was collected.

Well Installation

All wells installed as part of this field program will consist of 1-1/2 inch diameter PVC casing and screen. Flush joint, threaded and coupled casing will be used to avoid gluing pipe joints.

Each well will be equipped with a well screen of slot size large enough to allow sufficient water into the wells for sampling purposes. Upper well screens of cluster wells will straddle the water table so that a separate phase of contamination on the water table, if present, would be able to enter the well. The screened zone of each well will be sand packed with an appropriate sized sand. However, in certain situations, if the formation sand collapses around the well screen, it will not be possible nor necessary to install the sand pack. The sand pack will be carried up to approximately 2 feet above the top of the well screen.

A bentonite seal approximately 1-foot thick will be emplaced in the borehole annulus on top of the sand pack. Above the bentonite seal, a cement/bentonite slurry will be tremied into the borehole annulus from the bottom of the hole up to land surface. The granular bentonite and the cement/bentonite slurry prevent surface water from migrating down the disturbed annular soil zone of the borehole. In this manner the screened zone is sealed off from all zones above the screen, and any water samples subsequently collected from the well will be representative of the screened zone.

Before the sand pack is added to the borehole, the auger flights will be pulled up to expose the screened section to the formation. Then, if the formation has not caved in around the well screen, the sand pack will be added. The reason for proceeding in this manner is to prevent a sand lock from occurring between the well and the auger flights, which would result in the well being pulled from the hole when the augers are pulled back.

After the sand pack has been emplaced or the formation has collapsed, the bentonite seal will be installed, after which the auger flights will be pulled up an additional few feet. Finally, cement/bentonite slurry will be added to the hole and the remaining auger flights will be pulled from the hole. An appropriately-sized steel protector pipe with a locking cap will be installed over the PVC casing at land surface, cemented securely in place. The height of the well casings/protector pipes will be about 3 feet above land surface. A 6-foot marker will be set adjacent to the completed well to allow locating the well in winter (snow conditions).

Well Development

Well development will be carried out with either a centrifugal pump, an air compressor, or by bailing. If the wells yield freely, a centrifugal pump or compressor will be used. However, if the formation material surrounding the well screen is relatively tight and low yielding as expected, it may be necessary to bail the wells, because a steady yield will not be attainable. The purpose of the development is to assure that the well screen is open to the surrounding formation and that the water produced is as sediment free as possible.

Water-Level Measurements

Water-level measurements in monitoring wells will be made with the use of a chalked measuring tape or an electric drop line, to the nearest 0.1 foot. The tape will be cleaned between each well to prevent the possibility of cross contamination. The date and time of each measurement will

also be recorded. The measuring tape line will have a lead sinker or other weight attached to the bottom that will keep the tape taut and prevent it from kinking or bending when it enters the water.

Surveying

After all wells have been installed, a surveyor will level in the tops of the well casings to a sea level datum. The elevation of each well will be leveled in to the nearest one hundredth of a foot. At each well, the actual point on the casing that was surveyed in will be appropriately marked by the surveyor.

APPENDIX G
SPECIFICATIONS FOR INSTALLATION OF
SURFACE-WATER STATIONS

Appendix G. Specifications for Installation of Surface-Water Stations,
Oswego Valley Landfill, Oswego County, New York.

Surface-water stations provide water-level and water-quality points. Select a point on the stream near the proposed station locations that is accessible and has a channel suitable for measurements/sampling. Drive a metal pipe into the stream bed a sufficient depth such that it is solid. The pipe height should be selected to allow high-water measurement, surveying access, and visibility. Mark a permanent measuring point on the top of the pipe for determination of elevation. Mark the station number on the pipe. It is often convenient to make 0.1-foot graduations on the pipe (or affix a weatherproof measuring tape to the pipe), to allow measurements of water levels by sighting from the stream bank. The surface-water staff gage will function as a permanent measuring point for water-level and for collection of water samples.

APPENDIX H
SAMPLING PROCEDURES FOR
GROUND-WATER MONITORING PROGRAM




CAMO LABORATORIES

A DIVISION OF CAMO POLLUTION CONTROL, INC.

POUGHKEEPSIE AREA FACILITY:
CAMO LABORATORY
367 VIOLET AVENUE
POUGHKEEPSIE, N.Y. 12601
(914) 473-9200

ROCHESTER AREA FACILITY:
LOZIER/CAMO LABORATORY
23 NORTH MAIN STREET
FAIRPORT, N.Y. 14450
(716) 425-2210



June 20, 1984

Mr. Conrad Tufel
Calocerinos & Spina
1020 Seventh North Street
Liverpool, N.Y. 13088

RE: Analytical Report
CAMO Log No.: 84-5-878

Dear Mr. Tufel:

CAMO Laboratories received seven (7) water samples labelled "2944", "2945", "2946", "2947", "2948", "2949", and "2950" on May 23, 1984, with a request to analyze for Method 601 and 602 Volatile Organic Scan.

All analyses were performed in accordance with EPA "Guidelines Establishing Test Procedures for the Analysis of Pollutants; Proposed Regulations", Federal Register, Monday, December 3, 1979; Method 601 and 602.

The results of this analytical investigation are the subject of this report. If you have any questions, please feel free to call. Thank you.

Sincerely,

Joann M. Potter
Laboratory Manager

JMP:sjr
Enclosure

Appendix H. Sampling Procedures for Ground-Water Monitoring Program
Oswego Valley Landfill, Oswego County, New York.

Water-Level Measurements

1. Identify the well and record its number.
2. Clean the top of the well with a clean rag.
3. Remove the well cap or plug, wipe the inside of the casing with a clean rag and place the cap down so as to keep it clean.
4. Clean the first 5 feet of the steel measuring tape/electric line with hexane or methanol, followed by distilled or deionized water; measure the depth to water from the top of the well casing.
5. Record the depth to water, date, and time on the appropriate data form.
6. Measure water levels at surface-water stations by reference to the staff gage measuring points.
7. Collect a complete round of water-level measurements prior to sampling.

Ground-Water Samples

Well Evacuation Procedures

1. Calculate the volume of standing water in the well by subtracting the total well depth from the depth to water (same measuring point), and multiplying this difference by the casing storage (gallons per linear foot).

Casing storage factors for various casing diameters can be found in reference manuals or calculated.

2. For freely yielding wells, remove three to five times the volume of standing water in the well using a centrifugal pump if the water is within suction limit or a bailer if it is not.

3. If a pump is used, the intake opening of the pump hose should be positioned and maintained just below the water surface in the well casing to ensure that the well is properly flushed. If there is a decrease in water levels as a result of pumping, the intake line should be lowered as needed. The intake opening of the hose should be lifted to break suction at the end of the flushing period to ensure that all standing water has been removed. The intake hose should be flushed with clean water between well samplings.

4. If the well has been pumped or developed recently, the water level may not yet have recovered or returned to its normal level. This does not require a change in the evacuation procedures outlined above. Although the actual volume of water in the casing under such conditions is less than normally found, the removal of three to five times this volume is sufficient to provide samples for analysis that are representative of the water in the surrounding formation.

5. If the well is pumped dry during this evacuation and shows essentially complete recovery within 15 minutes, removal of water should continue for two to four additional pump-down and recovery periods. If recovery is less than 75 percent during the 15 minutes after complete evacuation, sampling can begin where there is sufficient water.

6. For residential wells, run the cold water tap approximately 10 minutes prior to sampling. Sample the system before the tank and water softener, if possible.

7. After the pumping response of each sampled well has been documented, maintain consistency in subsequent sampling events by following the same procedures and evacuating the same volume of water prior to sampling, if possible.

Well Sampling and Sample Handling Procedures

1. Water samples will be collected with a bailer. Any bailers used will be lowered with a disposable plastic line, which will reduce the chance of introducing foreign matter into the bailer or well. For organics sampling, cleaning of bailers or other sampling equipment will be done with hexane or methanol, followed by rinsing with distilled or deionized water.

2. For inorganics (primarily metals) sampling, cleaning will be done with 2 percent Micro solution or dilute nitric acid, followed by rinsing with distilled or deionized water.

3. Once samples have been collected they will be prepared and preserved according to USEPA guidelines. Measurement of temperature, pH, and specific conductance will be made in the field.

4. Volatile vials will be filled completely with sample (that is, no headspace should be present in bottles) and sealed with Teflon-lined caps.

5. Other bottles will be filled and samples will be preserved as per laboratory guidelines.

Surface-water Samples

Surface water samples will be collected as close together in time as is practical. Sampling will begin at the furthest downstream location, so that any sediment disturbed during the sampling will not affect subsequent samples. If it is necessary for the sampling personnel to enter the surface-water body, it will be done from the downstream side. Samples will be taken into a large glass jug (to insure a uniform sample) and then transferred to sample bottles. A peristaltic pump may be used for taking the sample if conditions dictate. Sample bottles will be filled and preserved in accordance with laboratory instructions.

Chain-of-Custody Procedures

Field personnel and the laboratory will follow appropriate guidelines to assure that the chain-of-custody control measures will withstand legal and technical scrutiny. Chain-of-custody forms will be completed in the field and sealed in the sample shipping cases. Copies of the forms will be sent to the project manager. The original forms will be completed by the laboratory and sent to Oswego County with the test results.