

Additional Surface Soil Samples Summary of Semivolatile Organic Compound Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	Recommended Soil Cleanup Objective ⁽¹⁾	Sample Identification and Collection Date				
		SS-08 10/26/04	SS-09 10/26/04	SS-10 10/26/04	SS-Equipment Blank 10/25/04	SS-25 4/19/05
SVOCs by EPA Method 8270						
Phenol	30 or MDL	360 U	55 J	4000 U	10 U	430 U
bis(2-Chloroethyl)Ether	NVG	360 U	350 U	4000 U	10 U	430 U
2-Chlorophenol	800	360 U	350 U	4000 U	10 U	430 U
1,3-Dichlorobenzene	NVG	360 U	350 U	4000 U	10 U	430 U
1,4-Dichlorobenzene	NVG	360 U	350 U	4000 U	10 U	430 U
1,2-Dichlorobenzene	NVG	360 U	350 U	4000 U	10 U	430 U
2-Methylphenol	100 or MDL	360 U	350 U	4000 U	10 U	430 U
2,2-oxybis(1-Chloropropane)	NVG	360 U	350 U	4000 U	10 U	430 U
4-Methylphenol	900	360 U	350 U	4000 U	10 U	430 U
N-Nitroso-di-n-propylamine	NVG	360 U	350 U	4000 U	10 U	430 U
Hexachloroethane	NVG	360 U	350 U	4000 U	10 U	430 U
Nitrobenzene	200 or MDL	360 U	350 U	4000 U	10 U	430 U
Isophorone	4400	360 U	350 U	4000 U	10 U	430 U
2-Nitrophenol	330 or MDL	360 U	350 U	4000 U	10 U	430 U
2,4-Dimethylphenol	NVG	360 U	350 U	4000 U	10 U	430 U
2,4-Dichlorophenol	400	360 U	350 U	4000 U	10 U	430 U
1,2,4-Trichlorobenzene	NVG	360 U	350 U	4000 U	10 U	430 U
Naphthalene	13000	360 U	350 U	4000 U	10 U	430 U
4-Chloroaniline	220 or MDL	360 U	350 U	4000 U	10 U	430 U
bis(2-Chloroethoxy)methane	NVG	360 U	350 U	4000 U	10 U	430 U
Hexachlorobutadiene	NVG	360 U	350 U	4000 U	10 U	430 U
4-Chloro-3-Methylphenol	240 or MDL	360 U	350 U	4000 U	10 U	430 U
2-Methylnaphthalene	36400	360 U	350 U	940 J	10 U	430 U
Hexachlorocyclopentadiene	NVG	360 U	350 U	4000 U	10 U	430 U
2,4,6-Trichlorophenol	NVG	360 U	350 U	4000 U	10 U	430 U
2,4,5-Trichlorophenol	100	740 U	720 U	8100 U	20 U	880 U
2-Chloronaphthalene	NVG	360 U	350 U	4000 U	10 U	430 U
2-Nitroaniline	430 or MDL	740 U	720 U	8100 U	20 U	880 U
Dimethylphthalate	2000	360 U	350 U	4000 U	10 U	430 U
Acenaphthylene	41000	360 U	350 U	800 J	10 U	430 U
2,6-Dinitrotoluene	1000	360 U	350 U	4000 U	10 U	430 U
3-Nitroaniline	500 or MDL	740 U	720 U	8100 U	20 U	880 U
Acenaphthene	50000 ***	360 U	350 U	7800	10 U	430 U
2,4-Dinitrophenol	200 or MDL	740 U	720 U	8100 U	20 U	880 U
4-Nitrophenol	100 or MDL	740 U	720 U	8100 U	20 U	880 U
Dibenzofuran	6200	360 U	350 U	5600	10 U	110 J
2,4-Dinitrotoluene	NVG	360 U	350 U	4000 U	10 U	430 U
Diethylphthalate	7100	360 U	350 U	4000 U	10 U	430 U
4-Chlorophenyl-phenylether	NVG	360 U	350 U	4000 U	10 U	430 U
Fluorene	50000 ***	360 U	350 U	9400	10 U	210 J
4-Nitroaniline	NVG	740 U	720 U	8100 U	20 U	880 U
4,6-Dinitro-2-methylphenol	NVG	740 U	720 U	8100 U	20 U	880 U
N-Nitrosodiphenylamine(1)	NVG	360 U	350 U	4000 U	10 U	430 U
4-Bromophenyl-phenylether	NVG	360 U	350 U	4000 U	10 U	430 U
Hexachlorobenzene	410	360 U	350 U	4000 U	10 U	430 U
Pentachlorophenol	1000 or MDL	740 U	720 U	8100 U	20 U	880 U
Phenanthrene	50000 ***	360 U	350 U	110000 D	10 U	2800
Anthracene	50000 ***	360 U	350 U	12000	10 U	700
Carbazole	NVG	360 U	350 U	13000	10 U	210 J
Di-n-butylphthalate	8100	360 U	350 U	4000 U	10 U	430 U
Fluoranthene	50000 ***	360 U	350 U	120000 D	10 U	3700
Pyrene	50000 ***	360 U	350 U	180000 D	10 U	3900
Butylbenzylphthalate	50000 ***	360 U	350 U	4000 U	10 U	430 U
3,3-Dichlorobenzidine	NVG	360 U	350 U	4000 U	10 U	430 U
Benzo(a)anthracene	224 or MDL	360 U	350 U	51000	10 U	1600
Chrysene	400	360 U	350 U	69000 D	10 U	1800
bis(2-Ethylhexyl)phthalate	50000 ***	82 JB	120 JB	2900 JB	10 U	430 J
Di-n-octylphthalate	50000 ***	360 U	350 U	4000 U	10 U	430 U
Benzo(b)fluoranthene	1100	360 U	350 U	76000 D	10 U	2000
Benzo(k)fluoranthene	1100	360 U	350 U	36000	10 U	990
Benzo(a)pyrene	61 or MDL	360 U	350 U	52000	10 U	1400
Indeno(1,2,3-cd)pyrene	3200	360 U	350 U	20000	10 U	460
Dibenzo(a,h)anthracene	14 or MDL	360 U	350 U	3800 J	10 U	100 J
Benzo(g,h,i)perylene	50000 **	360 U	350 U	17000	10 U	440

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per kilogram (ug/Kg) or micrograms per Liter (ug/L);

Equipment Blank values reported in Parts per Billion (ppb) - micrograms per Liter (ug/L);

⁽¹⁾ NYSDEC Division of Hazardous Waste Remediation (HWR) TAGM 4046 (April 1994) Recommended Soil Cleanup Objectives;

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of Recommended Soil Cleanup Objective;

*** - As per TAGM #4046, Total VOCs < 10 ppm, Total SVOCs < 500 ppm and Individual SVOCs < 50 ppm;

NVG - No guidance value given in TAGM #4046;

MDL - Laboratory method detection limit;

U - Indicates that the analyte was not detected at the reporting limit shown;

J - Indicates that the detected value is less than the laboratory method detection limit;

B - Indicates analyte detected in laboratory method blank;

E- Indicates that the detected concentration exceeds the calibration range of the instrument;

D - Indicates analysis performed at secondary dilution.

Additional Surface Soil Samples Summary of PolyChlorinated Biphenyls Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	Recommended Soil Cleanup Objective ⁽¹⁾	Sample Identification and Collection Date						
		SS-11 4/19/05	SS-12 4/19/05	SS-13 4/19/05	SS-14 4/19/05	SS-15 4/19/05	DUP SS-15 4/19/05	SS-16 4/19/05
PCBs by EPA Method 8082								
Aroclor 1016	1000	3800 U	4000 U	41 U	38 U	67 U	70 U	400 U
Aroclor 1221	1000	3800 U	4000 U	41 U	38 U	67 U	70 U	400 U
Aroclor 1232	1000	3800 U	4000 U	41 U	38 U	67 U	70 U	400 U
Aroclor 1242	1000	3800 U	4000 U	41 U	38 U	67 U	70 U	400 U
Aroclor 1248	1000	130000	82000	1100	440 P	210	250 P	4800
Aroclor 1254	1000	3800 U	4000 U	41 U	38 U	67 U	70 U	400 U
Aroclor 1260	1000	3800 U	4000 U	41 U	38 U	67 U	70 U	400 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per kilogram (ug/Kg) or micrograms per Liter (ug/L);

SS-03, SS-06 and SS-10 analysis performed outside 2 week holding time;

⁽¹⁾ NYSDEC Division of Hazardous Waste Remediation (HWR) TAGM 4046 (April 1994) Recommended Soil Cleanup Objectives;

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of Recommended Soil Cleanup Objective;

NS - Location not sampled for specified analysis;

U - Indicates that the analyte was not detected at the reporting limit shown.

J - Indicates a laboratory estimated value less than the method detection limit;

P - Target analyte is greater than 25% difference for detected concentrations between the two GC columns. The lower value is reported and flagged with a P.

Additional Surface Soil Samples Summary of PolyChlorinated Biphenyls Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	Recommended Soil Cleanup Objective ⁽¹⁾	Sample Identification and Collection Date						
		SS-17 4/19/05	SS-18 4/19/05	SS-19 4/19/05	SS-20 4/19/05	SS-21 4/19/05	SS-22 4/19/05	SS-23 4/19/05
PCBs by EPA Method 8082								
Aroclor 1016	1000	41 U	47 U	44 U	40 U	440 U	40 U	46 U
Aroclor 1221	1000	41 U	47 U	44 U	40 U	440 U	40 U	46 U
Aroclor 1232	1000	41 U	47 U	44 U	40 U	440 U	40 U	46 U
Aroclor 1242	1000	41 U	47 U	44 U	40 U	440 U	40 U	46 U
Aroclor 1248	1000	41 U	47 U	44 U	40 U	6300	40 U	46 U
Aroclor 1254	1000	41 U	47 U	44 U	40 U	440 U	40 U	46 U
Aroclor 1260	1000	41 U	47 U	44 U	40 U	440 U	40 U	46 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per kilogram (ug/Kg) or micrograms per Liter (ug/L);

SS-03, SS-06 and SS-10 analysis performed outside 2 week holding time;

⁽¹⁾ NYSDEC Division of Hazardous Waste Remediation (HWR) TAGM 4046 (April 1994) Recommended Soil Cleanup Objectives;

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of Recommended Soil Cleanup Objective;

NS - Location not sampled for specified analysis;

U - Indicates that the analyte was not detected at the reporting limit shown.

J - Indicates a laboratory estimated value less than the method detection limit;

P - Target analyte is greater than 25% difference for detected concentrations between the two GC columns. The lower value is reported and flagged with a P.

Additional Surface Soil Samples Summary of PolyChlorinated Biphenyls Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	Recommended Soil Cleanup Objective ⁽¹⁾	Sample Identification and Collection Date				
		SS-24 4/19/05	SS-25 4/19/05	SS-H1 4/19/05	SS-H2 4/19/05	SS-H3 4/19/05
PCBs by EPA Method 8082						
Aroclor 1016	1000	44 U	43 U	430 U	2200 U	38 U
Aroclor 1221	1000	44 U	43 U	430 U	2200 U	38 U
Aroclor 1232	1000	44 U	43 U	430 U	2200 U	38 U
Aroclor 1242	1000	44 U	43 U	430 U	2200 U	38 U
Aroclor 1248	1000	410	43 U	3600	50000	8600 D
Aroclor 1254	1000	44 U	43 U	430 U	2200 U	38 U
Aroclor 1260	1000	44 U	43 U	430 U	2200 U	38 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per kilogram (ug/Kg) or micrograms per Liter (ug/L);

SS-03, SS-06 and SS-10 analysis performed outside 2 week holding time;

⁽¹⁾ NYSDEC Division of Hazardous Waste Remediation (HWR) TAGM 4046 (April 1994) Recommended Soil Cleanup Objectives;

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of Recommended Soil Cleanup Objective;

NS - Location not sampled for specified analysis;

U - Indicates that the analyte was not detected at the reporting limit shown.

J - Indicates a laboratory estimated value less than the method detection limit;

P - Target analyte is greater than 25% difference for detected concentrations between the two GC columns. The lower value is reported and flagged with a P.

Residential Well Results Summary of Pesticides Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	New York State Groundwater Quality Standards ⁽¹⁾	Sample Identification and Collection Date		
		R-1 4/19/05	R-DUP R-1 4/19/05	R-2 4/19/05
<i>Pesticides by EPA Methods 8081</i>				
alpha-BHC	0.01	0.05 U	0.05 U	0.05 U
beta-BHC	0.04	0.05 U	0.05 U	0.05 U
delta-BHC	0.04	0.05 U	0.05 U	0.05 U
gamma-BHC (Lindane)	0.05	0.05 U	0.05 U	0.05 U
Heptachlor	0.04	0.05 U	0.05 U	0.05 U
Aldrin	0.002	0.05 U	0.05 U	0.05 U
Heptachlor epoxide	0.03	0.05 U	0.05 U	0.05 U
Endosulfan I	NGV	0.05 U	0.05 U	0.05 U
Dieldrin	0.004	0.1 U	0.1 U	0.1 U
4,4-DDE	0.2	0.1 U	0.1 U	0.1 U
Endrin	0.2	0.1 U	0.1 U	0.1 U
Endosulfan II	NGV	0.1 U	0.1 U	0.1 U
4,4-DDD	0.3	0.1 U	0.1 U	0.1 U
Endosulfan sulfate	NGV	0.1 U	0.1 U	0.1 U
4,4-DDT	0.2	0.1 U	0.1 U	0.1 U
Methoxychlor	35	0.5 U	0.5 U	0.5 U
Endrin ketone	5	0.1 U	0.1 U	0.1 U
Endrin aldehyde	5	0.1 U	0.1 U	0.1 U
alpha-Chlordane	0.05	0.05 U	0.05 U	0.05 U
gamma-Chlordane	0.05	0.05 U	0.05 U	0.05 U
Toxaphene	0.06	5 U	5 U	5 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per Liter (ug/L).

⁽¹⁾ NYSDEC Division of Water Technical and Operational Guidance Series (1.1.1) (TOGS) Ambient Water Quality

Standards and Guidance Values and Groundwater Effluent Limitations (June 1998);

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of New York State Groundwater Quality Standards;

NVG - No Value Given in TOGS (1.1.1);

U - Indicates that the analyte was not detected at the reporting limit shown.

Residential Well Results Summary of PolyChlorinate Biphenyls Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	New York State Groundwater Quality Standards ⁽¹⁾	Sample Identification and Collection Date		
		R-1 4/19/05	R-DUP R-1 4/19/05	R-2 4/19/05
PCBs by EPA Method 8082				
Aroclor-1016	0.09*	1 U	1 U	1 U
Aroclor-1221	0.09*	1 U	1 U	1 U
Aroclor-1232	0.09*	1 U	1 U	1 U
Aroclor-1242	0.09*	1 U	1 U	1 U
Aroclor-1248	0.09*	1 U	1 U	1 U
Aroclor-1254	0.09*	1 U	1 U	1 U
Aroclor-1260	0.09*	1 U	1 U	1 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per Liter (ug/L).

⁽¹⁾ NYSDEC Division of Water Technical and Operational Guidance Series (1.1.1) (TOGS) Ambient Water Quality

Standards and Guidance Values and Groundwater Effluent Limitations (June 1998);

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of New York State Groundwater Quality Standards;

* - Applies to the sum of these substances;

U - Indicates that the analyte was not detected at the reporting limit shown.

Residential Well Results Summary of Total Metals Results
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	New York State Groundwater Quality Standards ⁽¹⁾	Sample Identification and Collection Date		
		R-1 4/19/05	R-DUP R-1 4/19/05	R-2 4/19/05
Metals by EPA Methods 6010/7470				
Aluminum	100	4050	2110	35.3 B
Antimony	3	1.2 U	1.2 U	1.2 U
Arsenic	50	7.7 B	1.6 U	1.6 U
Barium	1000	63.4 B	45.2 B	42.6 B
Beryllium	3	0.15 U	0.15 U	0.15 U
Cadmium	5	2 B	0.61 B	0.1 U
Calcium	NGV	216000	204000	50300
Chromium	50	5.3 B	3.3 B	0.58 B
Cobalt	5	3.9 B	2.4 B	0.15 U
Copper	200	104	37	6.3 U
Iron	300	6630	3890	33.4 B
Lead	50	69.5	45.9	0.91 B
Magnesium	35000	62200	59100	16500
Manganese	300	374	337	1.8 U
Nickel	100	20.6 B	13.8 B	0.72 B
Potassium	NGV	23300	22400	2480
Selenium	10	0.98 U	0.98 U	0.98 U
Silver	50	0.91 U	0.91 U	0.91 U
Sodium	20000	91700	90500	8300
Thallium	0.5	1.2 U	1.2 U	1.2 U
Vanadium	14	10.1 B	3.7 B	0.47 U
Zinc	2000	798	340	8.8 B
Mercury	0.7	0.21 B	0.15 B	0.065 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per Liter (ug/L).

⁽¹⁾ NYSDEC Division of Water Technical and Operational Guidance Series (1.1.1) (TOGS) Ambient Water Quality

Standards and Guidance Values and Groundwater Effluent Limitations (June 1998);

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of New York State Groundwater Quality Standards;

NGV - No Value Given in TOGS (1.1.1);

U - Indicates that the analyte was not detected at the reporting limit shown;

B - Indicates analyte detected in laboratory method blank.

Residential Well Results Summary of Semivolatile Organic Compounds
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	New York State Groundwater Quality Standards ⁽¹⁾	Sample Identification and Collection Date		
		R-1 4/19/05	R-DUP R-1 4/19/05	R-2 4/19/05
SVOCs by EPA Method 8270				
Phenol	1*	10 U	10 U	10 U
bis(2-Chloroethyl)Ether	0.03	10 U	10 U	10 U
2-Chlorophenol	1*	10 U	10 U	10 U
1,3-Dichlorobenzene	3***	10 U	10 U	10 U
1,4-Dichlorobenzene	3***	10 U	10 U	10 U
1,2-Dichlorobenzene	3***	10 U	10 U	10 U
2-Methylphenol	1*	10 U	10 U	10 U
2,2-oxybis(1-Chloropropane)	NGV	10 U	10 U	10 U
4-Methylphenol	1*	10 U	10 U	10 U
N-Nitroso-di-n-propylamine	50	10 U	10 U	10 U
Hexachloroethane	5	10 U	10 U	10 U
Nitrobenzene	0.4	10 U	10 U	10 U
Isophorone	50	10 U	10 U	10 U
2-Nitrophenol	1*	10 U	10 U	10 U
2,4-Dimethylphenol	50	10 U	10 U	10 U
2,4-Dichlorophenol	0.3*	10 U	10 U	10 U
1,2,4-Trichlorobenzene	5	10 U	10 U	10 U
Naphthalene	10	10 U	8 J	8 J
4-Chloroaniline	5	10 U	10 U	10 U
bis(2-Chloroethoxy)methane	5	10 U	10 U	10 U
Hexachlorobutadiene	0.5	10 U	10 U	10 U
4-Chloro-3-Methylphenol	1*	10 U	10 U	10 U
2-Methylnaphthalene	4.7	10 U	10 U	10 U
Hexachlorocyclopentadiene	5	10 U	10 U	10 U
2,4,6-Trichlorophenol	1*	10 U	10 U	10 U
2,4,5-Trichlorophenol	1*	20 U	20 U	20 U
2-Chloronaphthalene	10	10 U	10 U	10 U
2-Nitroaniline	5	20 U	20 U	20 U
Dimethylphthalate	50	10 U	10 U	10 U
Acenaphthylene	NGV	10 U	10 U	10 U
2,6-Dinitrotoluene	0.07	10 U	10 U	10 U
3-Nitroaniline	5	20 U	20 U	20 U
Acenaphthene	20	10 U	10 U	10 U
2,4-Dinitrophenol	10	20 U	20 U	20 U
4-Nitrophenol	1*	20 U	20 U	20 U
Dibenzofuran	NGV	10 U	10 U	10 U
2,4-Dinitrotoluene	5	10 U	10 U	10 U
Diethylphthalate	50	10 U	10 U	10 U
4-Chlorophenyl-phenylether	1*	10 U	10 U	10 U
Fluorene	50	10 U	10 U	10 U
4-Nitroaniline	5	20 U	20 U	20 U
4,6-Dinitro-2-methylphenol	1*	20 U	20 U	20 U
N-Nitrosodiphenylamine(1)	50	10 U	10 U	10 U
4-Bromophenyl-phenylether	1*	10 U	10 U	10 U
Hexachlorobenzene	0.04	10 U	10 U	10 U
Pentachlorophenol	1*	20 U	20 U	20 U
Phenanthrene	50	10 U	10 U	10 U
Anthracene	50	10 U	10 U	10 U
Carbazole	5	10 U	10 U	10 U
Di-n-butylphthalate	50	10 U	10 U	10 U
Fluoranthene	50	10 U	10 U	10 U
Pyrene	50	10 U	10 U	10 U
Butylbenzylphthalate	50	10 U	10 U	10 U
3,3-Dichlorobenzidine	5	10 U	10 U	10 U
Benzo(a)anthracene	0.002	10 U	10 U	10 U
Chrysene	0.002	10 U	10 U	10 U
bis(2-Ethylhexyl)phthalate	5	10 U	10 U	10 U
Di-n-octylphthalate	50	10 U	10 U	10 U
Benzo(b)fluoranthene	0.002	10 U	10 U	10 U
Benzo(k)fluoranthene	0.002	10 U	10 U	10 U
Benzo(a)pyrene	0.002	10 U	10 U	10 U
Indeno(1,2,3-cd)pyrene	0.002	10 U	10 U	10 U
Dibenzo(a,h)anthracene	NGV	10 U	10 U	10 U
Benzo(g,h,i)perylene	NGV	10 U	10 U	10 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per Liter (ug/L).

⁽¹⁾ NYSDEC Division of Water Technical and Operational Guidance Series (1.1.1) (TOGS) Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations (June 1998);

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of New York State Groundwater Quality Standards;

* - Applies to the sum of phenolic compounds;

*** - Applies to each isomer (1,2-, 1,3- and 1,4-Dichlorobenzene) individually;

NGV - No Value Given in TOGS (1.1.1);

U - Indicates that the analyte was not detected at the reporting limit shown.

Residential Well Results Summary of Volatile Organic Compounds
Luster Coate Metallizing Corporation
Site # 8-28-113
Churchville, New York

Parameter	New York State Groundwater Quality Standards ⁽¹⁾	Sample Identification and Collection Date		
		R-1 4/19/05	R-DUP R-1 4/19/05	R-2 4/19/05
VOCs by EPA Method 8260				
Dichlorodifluoromethane	5	5 U	5 U	5 U
Chloromethane	5	5 U	5 U	5 U
Vinyl Chloride	0.3	5 U	5 U	5 U
Bromomethane	5	5 U	5 U	5 U
Chloroethane	5	5 U	5 U	5 U
Trichlorofluoromethane	5	5 U	5 U	5 U
1,1-Dichloroethene	0.07	5 U	5 U	5 U
Acetone	50	5 U	5 U	5 U
Iodomethane	5	5 U	5 U	5 U
Carbon Disulfide	60	5 U	5 U	5 U
Methylene Chloride	5	5 U	5 U	5 U
trans-1,2-Dichloroethene	5	5 U	5 U	5 U
Methyl tert-butyl ether	10	5 U	5 U	5 U
1,1-Dichloroethane	5	5 U	5 U	5 U
Vinyl acetate	NGV	5 U	5 U	5 U
2-Butanone	50	5 U	5 U	5 U
cis-1,2-Dichloroethene	5	5 U	5 U	5 U
2,2-Dichloropropane	5	5 U	5 U	5 U
Bromochloromethane	5	5 U	5 U	5 U
Chloroform	7	5 U	5 U	2 J
1,1,1-Trichloroethane	5	5 U	5 U	5 U
1,1-Dichloropropene	5	5 U	5 U	5 U
Carbon Tetrachloride	0.4	5 U	5 U	5 U
1,2-Dichloroethane	0.6	5 U	5 U	5 U
Benzene	0.7	5 U	5 U	5 U
Trichloroethene	5	5 U	5 U	5 U
1,2-Dichloropropane	1	5 U	5 U	5 U
Dibromomethane	5	5 U	5 U	5 U
Bromodichloromethane	50	5 U	5 U	5 U
cis-1,3-Dichloropropene	0.4*	5 U	5 U	5 U
4-Methyl-2-pentanone	NGV	5 U	5 U	5 U
Toluene	5	5 U	5 U	5 U
trans-1,3-Dichloropropene	0.4*	5 U	5 U	5 U
1,1,2-Trichloroethane	1	5 U	5 U	5 U
1,3-Dichloropropane	5	5 U	5 U	5 U
Tetrachloroethene	0.7	5 U	5 U	5 U
2-Hexanone	50	5 U	5 U	5 U
Dibromochloromethane	50	5 U	5 U	5 U
1,2-Dibromoethane	0.0006	5 U	5 U	5 U
Chlorobenzene	5	5 U	5 U	5 U
1,1,1,2-Tetrachloroethane	5	5 U	5 U	5 U
Ethylbenzene	5	5 U	5 U	5 U
o-Xylene	5**	5 U	5 U	5 U
m,p-Xylene	5**	5 U	5 U	5 U
Xylene (Total)	5	5 U	5 U	5 U
Styrene	5	5 U	5 U	5 U
Bromoform	50	5 U	5 U	5 U
Isopropylbenzene	5	5 U	5 U	5 U
1,1,2,2-Tetrachloroethane	0.2	5 U	5 U	5 U
Bromobenzene	5	5 U	5 U	5 U
1,2,3-Trichloropropane	0.04	5 U	5 U	5 U
n-Propylbenzene	5	5 U	5 U	5 U
2-Chlorotoluene	5	5 U	5 U	5 U
1,3,5-Trimethylbenzene	5	5 U	5 U	5 U
4-Chlorotoluene	5	5 U	5 U	5 U
tert-Butylbenzene	5	5 U	5 U	5 U
1,2,4-Trimethylbenzene	5	5 U	5 U	5 U
sec-Butylbenzene	5	5 U	5 U	5 U
4-Isopropyltoluene	5	5 U	5 U	5 U
1,3-Dichlorobenzene	3***	5 U	5 U	5 U
1,4-Dichlorobenzene	3***	5 U	5 U	5 U
n-Butylbenzene	5	5 U	5 U	5 U
1,2-Dichlorobenzene	3***	5 U	5 U	5 U
1,2-Dibromo-3-chloropropane	0.04	5 U	5 U	5 U
1,2,4-Trichlorobenzene	5	5 U	5 U	5 U
Hexachlorobutadiene	0.5	5 U	5 U	5 U
Naphthalene	10	5 U	5 U	5 U
1,2,3-Trichlorobenzene	5	5 U	5 U	5 U

Notes:

All concentrations reported in Parts per Billion (ppb) - micrograms per Liter (ug/L).

⁽¹⁾ NYSDEC Division of Water Technical and Operational Guidance Series (1.1.1) (TOGS) Ambient Water Quality

Standards and Guidance Values and Groundwater Effluent Limitations (June 1998);

BOLD values indicate that the analyte was detected;

Shaded values indicates analyte in excess of New York State Groundwater Quality Standards;

* - Applies to the sum of cis- and trans-1,3-Dichloropropene;

** - Applies to the sum of o- and m,p-Xylene;

*** - Applies to each isomer (1,2-, 1,3- and 1,4-Dichlorobenzene) individually;

NGV - No Value Given in TOGS (1.1.1);

U - Indicates that the analyte was not detected at the reporting limit shown;

J - Indicates that the detected value is less than the laboratory method detection limit.