

New York State Department of Environmental Conservation

Division of Environmental Remediation

Remedial Bureau E, 12th Floor

625 Broadway, Albany, New York 12233-7017

Phone: (518) 402-9814 • FAX: (518) 402-9819

Website: www.dec.ny.gov



Alexander B. Grannis
Commissioner

TO: A. Joseph White, Chief, Remedial Section C, Remedial Bureau E

FROM: Edward Hampston, Environmental Engineer 2, Remedial Section C, RBE *EH*

SUBJECT: Luster-Coate Metallizing Corp. (No. 8-28-113) IRM Removal Report

DATE: March 31, 2008

Through this memorandum, I am finalizing the Luster Coate PCB Interim Remedial Measure Soil Removal Report from Empire GeoServices, Inc., dated September 18, 2006. A final version from Empire GeoServices was not prepared, however, the draft submittal is sufficient to document the removal activities.

Several comments regarding the draft report remain from a New York State Department of Health letter to my attention dated January 9, 2007. The following clarify those comments (*original comment in italics*):

1. *The soil removal report indicates that no soil removal was done in Excavation Areas 1, 2, or 3 as well as areas in residential properties covered by concrete, asphalt, or structures. The text should clearly explain why PCB contaminated soils in these areas were not removed. Might the potential exist for hazardous waste levels to remain? PCB contamination in soil should not remain at these areas, especially considering the proximity to residences. Any soils contaminated with PCBs that remain above the cleanup goal should be removed and properly disposed of off-site.*

Response: Excavation areas 1, 2, and 3 were contained within the fenced area of the Luster-Coate property and were not targeted during the IRM soil removal as the fencing and vegetative cover limited exposure. It is expected that these areas will be addressed via the remedial actions for the site.

The areas adjacent to the residential properties with intact cover were also not targeted during the IRM removal due to limitations on exposure. It is expected that these areas will also be addressed during future remedial actions.

2. *During the course of the soil removal, many confirmation samples detected PCB concentrations greater than 1,000 ppb. PCB concentrations greater than the soil cleanup goal of 1,000 ppb in confirmatory samples suggest that PCB soil removal should have extended farther outward.*

Response: When confirmatory sampling indicated that levels over 1,000 ppb were present, further removal occurred until sidewall sampling indicated the removal goal had been achieved. In some cases, the presence of utility poles, structures, roadway or driveway prevented excavation of further material without modification to utilities, the State highway, entrance drive, or facility structures. These areas require further delineation and possible removal that is expected to occur during future site remedial activities.

3. *It is not clear why confirmation samples were not collected adjacent to the sidewalk to the south, the Luster Coate driveway to the east, or the asphalt area to the north. An explanation for this lack of sampling should be provided.*

Response: See above. In some areas where future delineation and removal activity were anticipated, confirmatory sampling was not completed.

4. *Text on page four of seven states that ". . .samples ranged between 'zero and.. ." The word zero should be changed to non-detect (ND).*


Response: Comment noted. Memorandum to be attached to final file copy.

5. *The report states that about 150 tons of topsoil was placed over excavated areas. The report should explain how the topsoil, that was used to restore the surface during soil removal at residential yards, was tested to verify that it is acceptable for its intended use?*

Response: Topsoil was obtained from a local, rural landscape company. Sampling prior to backfill was not performed.

ec: M. Gillette, Region 8, DER
M. Menetti, NYSDOH

EMPIRE GEO SERVICES, INC.



**CORPORATE/
BUFFALO OFFICE**
5167 South Park Avenue
Hamburg, NY 14075
Phone: (716) 649-8110
Fax: (716) 649-8051

September 18, 2006

Mr. Ed Hampston
NYS Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, New York 12233-7013

Subject: **DRAFT – Soil Removal Report**
Luster-Coate Metallizing Corporation
32 East Buffalo Street
Village of Churchville, Monroe County, New York
NYSDEC Site No. 828113

Dear Mr. Hampston:

Empire Geo-Services, Inc. (Empire) has prepared this draft report presenting the results of polychlorinated biphenyl (PCB)-contaminated soil removal activities conducted at the above-referenced site. The soil removal was conducted in accordance with Empire's work plan dated February 6, 2006. The goal of the soil removal was to excavate and dispose of soil with PCB concentrations greater than 1,000 parts per billion (ppb; equivalent to 1 milligram per kilogram [mg/kg]).

Figure 1 is a site layout map. Figure 2 depicts the areas where soil removal was proposed. The removal areas were based on soil sampling locations where PCB concentrations in soil exceeded 1,000 ppb, as summarized in Empire's February 2006 work plan. In addition to the Luster Coate property, PCB-contaminated soil was present on residential properties located at 34, 36, and 40 East Buffalo Street.

Site activities were initiated on May 24, 2006. The soil removal consisted of three main components:

- Soil removal and confirmation sampling
- Air monitoring
- Site restoration

SYRACUSE OFFICE
6730 Myers Road
East Syracuse, NY 13057
Phone: (315) 437-3890
Fax: (315) 437-3582

Soil removal was completed on June 26, 2006. Air monitoring was conducted from May 24 through June 30, 2006. Miscellaneous site restoration activities were completed by September 7, 2006. These activities are described in detail in the following sections.

SOIL REMOVAL AND CONFIRMATION SAMPLING

Soil removal was initiated on May 24, 2006 and continued through June 26, 2006. Per NYSDEC, no soil removal was done in Excavation Areas 1, 2, or 3 (see Figure 2). Also, per NYSDEC, no excavation was performed in areas covered by concrete, asphalt, or structures.

Figure 3 indicates the approximate areas of actual soil removal. The soil removal areas shown in Figure 3 have been assigned new designations, to more clearly reflect the four individual, contiguous areas where soil removal was performed. The procedure for the soil removal was:

- Excavating the anticipated areal extent and depth of impacted soil (PCB concentration greater than 1,000 ppb)
- Collecting one composite confirmatory sample from each individual 30 foot long segment of sidewall
- Collecting a composite confirmation floor sample representing up to 900 square feet of floor area
- If the PCB concentration in a sidewall or floor confirmation sample exceeded 1,000 ppb, additional excavation and confirmation sampling was performed.

All confirmation samples were transported to Upstate Laboratory, Inc. (Upstate), in Syracuse, New York, for analysis of PCB concentration by EPA Method 8082. The laboratory analytical data packages provided by Upstate are included in Attachment A. An ASP Category B deliverable package was also prepared by Upstate. This deliverable package was forwarded directly to NYSDEC, and is not included in this report.

During the course of the soil removal, many confirmation samples with PCB concentrations greater than 1,000 ppb were collected. These sample results are included in the laboratory analytical data package in Attachment A. In all instances where confirmation sample PCB concentrations exceeded 1,000 ppb, additional soil removal and sampling was performed until the PCB concentration was less

than 1,000 ppb. Therefore, confirmation samples with concentrations greater than 1,000 ppb are not discussed further in this report.

Confirmation samples with PCB concentrations less than 1,000 ppb are summarized in Tables 1 through 4. A discussion of the individual soil removal areas shown in Figure 3 is presented in the following paragraphs.

Excavation Area A

This area is located on the south property line of the Luster Coate facility, at the north property lines of 34 and 36 East Buffalo Street. Soil removal and confirmation sampling in this area took place between May 24 and June 26, 2006. The excavation area and sample results are depicted in Figure 4. The laboratory analytical results are summarized in Table 1. A total of four sidewall samples and two floor confirmation samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between 40 and 620 ppb. Sidewall confirmation samples were not collected adjacent to the Luster Coate concrete sidewalk.

Excavation Area B

This area is located west of the Luster Coate driveway and extends on to the 36 East Buffalo Street property. Soil removal and confirmation sampling in this area took place between June 9 and June 29, 2006. The excavation area and sample results are depicted in Figure 5. The laboratory analytical results are summarized in Table 2. A total of 10 sidewall samples (including one duplicate) and five floor confirmation samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between 120 and 1,000 ppb. Sidewall confirmation samples were not collected adjacent to the sidewalk to the south, the Luster Coate driveway to the east, or the asphalt area to the north.

Excavation Area C

This area is located east of the Luster Coate driveway and extends on to the 40 East Buffalo Street property. Soil removal and confirmation sampling in this area took place between May 30 and June 14, 2006. The excavation area and sample results are depicted in Figure 6. The laboratory analytical results are summarized in Table 3. A total of nine sidewall samples and four floor confirmation

samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between zero and 530 ppb. Sidewall confirmation samples were not collected along the north and south sides of either of the two garages located in the removal area, or along the Luster Coate driveway to the west.

Excavation Area D

This area is located east of the Luster Coate driveway and south of the 40 East Buffalo Street driveway. Soil removal and confirmation sampling in this area took place between June 1 and June 9, 2006. The excavation area and sample results are depicted in Figure 7. The laboratory analytical results are summarized in Table 4. A total of three sidewall samples and one floor confirmation samples define the remediated boundaries of the excavation. PCB concentrations in the confirmation samples ranged between zero and 410 ppb. No sidewall confirmation sample was collected along the Luster Coate driveway to the west.

Summary

Soil removal was performed in four discrete areas of the site. A total of 26 sidewall and 12 floor confirmation samples were collected with PCB-concentrations of 1,000 ppb or less. In all instances where a confirmation sample had a PCB concentration greater than 1,000 ppb, additional soil was excavated and confirmation sampling performed until the PCB concentration was reduced to 1,000 ppb or less.

A total of approximately 700 tons of non-hazardous PCB-contaminated soil were removed from the site. This waste was transported to Waste Management's Mill Seat Landfill in Bergen, New York, for disposal. Copies of the disposal manifests are included in Attachment B.

A total of approximately 80 tons classified as TSCA hazardous waste due to PCB concentrations greater than 50 mg/kg (50,000 ppb) were removed from the site. This material was removed from a portion of Excavation Area B. The approximate extent of this material is depicted on Figure 2 in Excavation Area 7. This waste was hauled to Waste Management's Model City Landfill in Model City, New York. for disposal. Copies of the disposal manifests are included in Attachment C.

AIR MONITORING

Air monitoring was conducted in accordance with the New York State Department of Health's Generic Community Air Monitoring Plan (CAMP). Monitoring of volatile organic compound (VOC) concentrations in air was performed using two RAE Systems MiniRAE 2000 photoionization detectors (PID) with data logging capabilities. Monitoring of airborne particulate concentrations was performed using two TSI DustTrak Model 8520 Aerosol Monitors with data logging capabilities. Monitoring was performed at any time soil removal or excavation backfilling was being conducted, except on days where rainfall would naturally mitigate VOC vapors or particulates in the air. If visible dust was evident, a water spray was used to wet the dust source and reduce airborne particulate concentrations to meet the CAMP requirements.

The monitors were generally set up on the east and west sides of the area in which soil removal or backfilling activities were being performed. As soil removal progressed over time, the monitors were relocated in an effort to most accurately reflect VOC and particulate concentrations in the air. The data logging capabilities of both meters were utilized to collect data. Airborne VOC concentrations were recorded by the PIDs at five minute intervals. Airborne particulate concentrations were recorded by the aerosol monitors at one minute intervals. The VOC and particulate concentration readings are presented in Attachment D. Due to the large volume of data generated by the aerosol monitors, only the daily particulate concentration statistics are presented in Attachment D. A comprehensive record of the concentrations recorded by the aerosol monitors can be provided upon request. Empire also manually recorded the instrument readings throughout the project. The manual measurements were used as backup in case the instrument data logging failed. Manual measurements collected during the project are included in Attachment D.

The only day during which persistent, elevated VOC concentrations were detected was June 2, 2006. On this date, a former gasoline underground storage tank was removed from the property at 40 East Buffalo Street. Petroleum-contaminated soils exposed at the surface were kept covered with plastic or sand to reduce VOC concentrations in the air. A water spray was also utilized to mitigate VOC vapors in the air. Air monitoring for VOC concentrations was discontinued on June 22, 2006.

A water spray was utilized on roadways and soil removal areas throughout the project to minimize airborne particulates and visible dust. Persistent, elevated particulate concentrations and visible dust were generally not present during the project. The average daily particulate concentrations were less

than 0.150 milligrams per cubic meter (mg/m^3) on each day of monitoring. Average daily particulate concentration exceeded $0.100 \text{ mg}/\text{m}^3$ only on May 31 (east and west monitors), June 1 (east and west monitors), and June 7 (east monitor). Average daily particulate concentrations were otherwise generally less than $0.050 \text{ mg}/\text{m}^3$. Monitoring for airborne particulate concentrations was discontinued on July 6, 2006.

SITE RESTORATION

The majority of the site restoration consisted of backfilling excavated areas. Clean sand fill was used to backfill all excavations to a depth of about 1 foot below the previously existing ground surface. About 556 tons of sand backfill was used. The sand backfill was obtained from Elam Sand and Gravel in West Bloomfield, New York. Screened topsoil was placed above the sand backfill to reestablish the grade that existed prior to the soil removal. About 150 tons of topsoil was placed over excavated areas. The topsoil was obtained from American Green Landscape in Spencerport, New York. Other significant site restoration activities conducted at the affected properties are described below:

32 East Buffalo Street (Luster Coate) - Excavated areas were seeded and watered to restore grass.

34 East Buffalo Street - Excavated areas were seeded and watered to restore grass. A board fence was installed along the length of the north property line as replacement for trees taken down during soil removal activities.

36 East Buffalo Street – Sod was placed on excavated areas to restore grass. A chain link fence along the northeast property line, and a portion of a board fence along the north property line were reinstalled. The fences had been taken down to facilitate soil removal. The asphalt driveway was leveled and covered with new asphalt topcoat to repair damage from trucks and machinery. Six garden plants removed during excavation were replaced.

40 East Buffalo Street - Excavated areas were seeded and watered to restore grass. A buried electrical wire between two sheds was replaced after the existing wire was damaged. Minor trim damage to site sheds was repaired. A portion of the asphalt driveway was leveled and covered with new asphalt topcoat to repair damage from trucks and machinery.

We hope this information meets your needs. If you have any questions, please call me at (585) 359-2730.

Sincerely,



Greg Young
Project Manager

Figures

- Figure 1 Site Layout Map
- Figure 2 Proposed Excavation Areas
- Figure 3 Final Excavation Areas
- Figure 4 Excavation Area A Summary
- Figure 5 Excavation Area B Summary
- Figure 6 Excavation Area C Summary
- Figure 7 Excavation Area D Summary


Tables

- Table 1 Summary of PCB Concentrations in Soil – Excavation Area A
- Table 2 Summary of PCB Concentrations in Soil – Excavation Area B
- Table 3 Summary of PCB Concentrations in Soil – Excavation Area C
- Table 4 Summary of PCB Concentrations in Soil – Excavation Area D

Attachments

- Attachment A Laboratory Analytical Data
- Attachment B Non-hazardous Waste Disposal Manifests
- Attachment C Hazardous Waste Disposal Manifests
- Attachment D Air Monitoring Data

FIGURES



EMPIRE GEO
SERVICES INC
a subsidiary of SJB Services, Inc.

**LUSTER COATE
METALLIZING SITE**

SITE PLAN

DR BY:

YD


SCALE: 1"-40'

PROJ NO.:

CHKD BY:

DATE: 12/02/05

FIGURE NO: 1





Note: Red shading indicates the approximate boundaries of soil with PCB concentrations greater than 50 parts per million



LUSTER COATE METALLIZING SITE

EMPIRE GEO S E R V I C E S I N C <small>a subsidiary of SJB Services, Inc.</small>	LUSTER COATE METALLIZING SITE		
PROPOSED EXCAVATION AREAS	DR BY: YD	SCALE: 1"=40'	PROJ NO.:
	CHKD BY:	DATE: 12/02/05	FIGURE NO: 2





EMPIRE GEO
S E R V I C E S I N C
a subsidiary of SJG Services, Inc.

EXCAVATION AREA A

LUSTER COATE
 METALLIZING SITE

DR BY: JM


SCALE: 1"=10'

PROJ NO.:

CHKD BY:

DATE: 9/13/06

FIGURE NO. 4



LEGEND


- CS-55 (490 ppb) ▲ Floor sample location, identification, and PCB concentration
- CS-40 (330 ppb) ● Side wall sample location, identification, and PCB concentration
- × Side wall sample not collected due to presence of asphalt, concrete, or a structure
- - - Boundary between samples
- ppb parts per billion

EMPIRE GEO
SERVICES INC
a subsidiary of SJB Services, Inc.

EXCAVATION AREA B


**LUSTER COATE
METALLIZING SITE**

DR BY: JM	SCALE: 1"=30'	PROJ NO.:
CHKD BY:	DATE: 9/13/06	FIGURE NO: 5



LEGEND

- CS-33 (200 ppb) ▲ Floor sample location, identification, and PCB concentration
- CS-45 (0 ppb) ● Side wall sample location, identification, and PCB concentration
- × Side wall sample not collected due to presence of asphalt, concrete, or a structure
- - - Boundary between samples
- ppb parts per billion



40 East Buffalo Driveway

EMPIRE GEO
SERVICES INC
a subsidiary of SJB Services, Inc.

EXCAVATION AREA C

LUSTER COATE
METALLIZING SITE

DR BY: JM

CHKD BY:


SCALE: 1"=20'

DATE: 9/13/06

PROJ NO.:

FIGURE NO: 6

40 East Buffalo Street Driveway



LEGEND

CS-26 (100 ppb) ▲ Floor sample location, identification, and PCB concentration

CS-31 (150 ppb) ● Side wall sample location, identification, and PCB concentration

× Side wall sample not collected due to presence of asphalt, concrete, or a structure

- - - Boundary between samples

ppb parts per billion



EMPIRE GEO
SERVICES INC
a subsidiary of SJB Services, Inc.

EXCAVATION AREA D

LUSTER COATE
METALLIZING SITE

DR BY: JM

SCALE: 1"=4'

PROJ NO.:

CHKD BY:

DATE: 9/13/06

FIGURE NO: 7

TABLES

TABLE 1
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA A
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	East Wall	South Wall		West Wall	Floor	
Sample ID:	CS-60	CS-2	CS-61	CS-1	CS-3	CS-43
Date:	06/26/06	05/24/06	06/26/06	05/24/06	05/24/06	06/08/06
PCB Aroclor						
1016	ND	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND	ND
1248	200	590	200	ND	100	ND
1254	ND	ND	ND	100	ND	40
1260	ND	30	ND	20	ND	ND
Total PCBs	200	620	200	120	100	40

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

TABLE 2
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA B
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	South Wall	West Wall								
Sample ID:	CS-47	CS-38	CS-39	CS-40	CS-46	CS-53	CS-54	CS-57	CS-63	CS-63 DUP
Date:	06/09/06	06/08/06	06/08/06	06/08/06	06/09/06	06/21/06	06/21/06	06/21/06	06/29/06	06/29/06
PCB Aroclor										
1016	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1248	ND	ND	ND	ND	300	100	530	570	660	
1254	980	100	400	300	200	ND	ND	ND	ND	
1260	ND	20	30	30	ND	ND	ND	ND	ND	
Total PCBs	980	120	430	330	200	300	100	530	570	660

	Floor				
Sample ID:	CS-49	CS-49 DUP	CS-48	CS-56	CS-55
Date:	06/12/06	06/12/06	06/09/06	06/21/06	06/21/06
PCB Aroclor					
1016	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND
1248	1,000	910	ND	590	490
1254	ND	ND	540	ND	ND
1260	ND	ND	ND	ND	ND
Total PCBs	1,000	910	540	590	490

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

TABLE 3
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA C
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	East Wall							
Sample ID:	CS-12	CS-13	CS-15	CS-16	CS-18	CS-20	CS-21	CS-22
Date:	05/30/06	05/30/06	05/31/06	05/31/06	06/01/06	06/01/06	06/01/06	06/01/06
PCB Aroclor								
1016	ND	ND	ND	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND	ND	ND	ND
1248	70	100	200	200	ND	ND	ND	ND
1254	ND	ND	ND	ND	100	100	530	300
1260	10	20	10	20	ND	ND	ND	ND
Total PCBs	80	120	210	220	100	100	530	300

	South Wall	Floor			
Sample ID:	CS-45	CS-27	CS-33	CS-50	CS-51
Date:	06/09/06	06/05/06	06/07/06	06/14/06	06/14/06
PCB Aroclor					
1016	ND	ND	ND	ND	ND
1221	ND	ND	ND	ND	ND
1232	ND	ND	ND	ND	ND
1242	ND	ND	ND	ND	ND
1248	ND	ND	200	ND	ND
1254	ND	30	ND	100	200
1260	ND	ND	ND	ND	ND
Total PCBs	ND	30	200	100	200

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

TABLE 4
SUMMARY OF PCB CONCENTRATIONS IN SOIL
EXCAVATION AREA D
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

	North Wall	East Wall	South Wall	Floor
Sample ID:	CS-44	CS-24	CS-31	CS-26
Date:	06/09/06	06/01/06	06/06/06	06/01/06
PCB Aroclor				
1016	ND	ND	ND	ND
1221	ND	ND	ND	ND
1232	ND	ND	ND	ND
1242	ND	ND	ND	ND
1248	ND	ND	ND	ND
1254	ND	410	150	100
1260	ND	ND	ND	ND
Total PCBs	ND	410	150	100

NOTES:

- 1) All samples analyzed by SW8082
- 2) All concentrations are presented in parts per billion
- 3) Only final confirmation samples are shown
- 4) ND denotes not detected at the reporting limit
- 5) J denotes analyte detected below quantitation limits

ATTACHMENT A
Laboratory Analytical Data

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site # 828113

Order No.: U0605435

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 3 sample(s) on 5/24/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

✓CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 Client Sample ID: CS-1
Lab Order: U0605435 Collection Date: 5/24/2006 3:40:00 PM
Project: Lustre Coate/Site # 828113
Lab ID: U0605435-001 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	100	370	J	µg/Kg-dry	10	5/30/2006
Aroclor 1260	20	370	J	µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.8	0.00100		wt%	1	5/25/2006

Approved By: PFDate: 6-30-06

Page 1 of 3

Qualifiers: * Low Level

** Value exceeds Maximum Contaminant Value

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 **Client Sample ID:** CS-2
Lab Order: U0605435 **Collection Date:** 5/24/2006 3:50:00 PM
Project: Lustre Coate/Site # 828113
Lab ID: U0605435-002 **Matrix:** SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	590	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	30	370	J	µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	9.92	0.00100		wt%	1	5/25/2006

Approved By: PFDate: 6-30-06

Page 2 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 **Client Sample ID:** CS-3 Floor
Lab Order: U0605435 **Collection Date:** 5/24/2006 4:00:00 PM
Project: Lustre Coate/Site # 828113
Lab ID: U0605435-003 **Matrix:** SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1248	100	350	J	µg/Kg-dry	10	5/30/2006
Aroclor 1254	ND	350		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	350		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	6.75	0.00100		wt%	1	5/25/2006

Approved By: PFDate: 6-30-06

Page 3 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.
6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: Central Office NYSDEC Assessor		Client Project # / Project Name Lute Conte / Site # 828113			No. of Containers											Special Turnaround Time (Lab Notification required)	
Client Contact: Ed Hampton NYSDEC Greg Young Empire	Phone # 588 402-9812 585 359 2730	Site Location (city/state) Churchville, NY				1)	2)	3)	4)	5)	6)	7)	8)	9)	10)		
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only 110605435										Remarks		
CS-1	5/24/06	1540	Soil	C	1	① X	(X)									ASP Cat B	
CS-2	5/24/06	1550	Soil	C	2	① X	(X)										
CS-3 Floor	5/24/06	1600	Soil	C	3	① X	(X)									24 hr TAT	
parameter and method					sample bottle:	type	size	pres.	Sampled by: (Please Print)						ULI Internal Use Only		
1)	PCB 8082				G	4oz	1oz	Greg Young						Delivery (check one):			
2)	24-hr turnaround; far							Company: Empire Geo Services						<input type="checkbox"/> ULI Sampled			
3)	results to 585-359-9668							Relinquished by: (Signature)						<input type="checkbox"/> Pickup	<input type="checkbox"/> Dropoff		
4)								Date 5/24/06						<input type="checkbox"/> CC			
5)								Time 1610						Received by: (Signature)			
6)																	
7)																	
8)																	
9)																	
10)																	
Relinquished by: (Signature) Date 5/24/06 Time 5:30 PM Rec'd for Lab by: (Signature)																	
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																	

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site # 828113

Order No.: U0605450

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 6 sample(s) on 5/25/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala

President/CEO

cc:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-001

Client Sample ID: CS-4
Collection Date: 5/25/2006 3:10:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082	(SW3550B)			Analyst: LD
Aroclor 1016	ND	370	µg/Kg-dry	10	5/30/2006	
Aroclor 1221	ND	370	µg/Kg-dry	10	5/30/2006	
Aroclor 1232	ND	370	µg/Kg-dry	10	5/30/2006	
Aroclor 1242	ND	370	µg/Kg-dry	10	5/30/2006	
Aroclor 1248	ND	370	µg/Kg-dry	10	5/30/2006	
Aroclor 1254	1100	370	µg/Kg-dry	10	5/30/2006	
Aroclor 1260	ND	370	µg/Kg-dry	10	5/30/2006	
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.7	0.00100	wt%	1	5/26/2006	

Approved By: PFDate: 6-30-06

Page 1 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-5

Lab Order: U0605450

Collection Date: 5/25/2006 3:15:00 PM

Project: Lustre Coate/Site # 828113

Lab ID: U0605450-002

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1300	360		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	7.76	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 2 of 6

Qualifiers: * Low Level

** Value exceeds Maximum Contaminant Value

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-003

Client Sample ID: CS-6 Floor
Collection Date: 5/25/2006 3:20:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	5/30/2006
Aroclor 1254	2200	360		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	7.90	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 3 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-004

Client Sample ID: CS-7
Collection Date: 5/25/2006 4:25:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	2900	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	10.9	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 4 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605450
Project: Lustre Coate/Site # 828113
Lab ID: U0605450-005

Client Sample ID: CS-8
Collection Date: 5/25/2006 4:30:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	5/30/2006
Aroclor 1248	1600	370		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1100	370		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	12.0	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 5 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-9 Floor
Lab Order:	U0605450	Collection Date:	5/25/2006 4:35:00 PM
Project:	Lustre Coate/Site # 828113		
Lab ID:	U0605450-006	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	5/30/2006
Aroclor 1248	1500	400		µg/Kg-dry	10	5/30/2006
Aroclor 1254	1000	400		µg/Kg-dry	10	5/30/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	5/30/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	16.7	0.00100		wt%	1	5/26/2006

Approved By: PFDate: 6-30-06

Page 6 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

• PSRAC LABORATORIES, INC.
 6034 Corporate Drive • E. Syracuse, NY 13057-1017
 (315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDEC Central Office		Client Project # / Project Name Luster Coate Site # 828113				No. of Containers											Special Turnaround Time _____ (Lab Notification required)	
Client Contact: Ed Hampton NYSDEC Greg Young Empire	Phone # 518 402 4882 585 359 2730	Site Location (city/state) Churchville, NY					1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks	
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only 10605450													
CS-4	5/25/05	1510	Soil	C		1	(1) X (X)										* ASP Cat B	
CS-5		1515				2	(1) X (X)										* 24-hr turnaround	
CS-6 Floor		1520				3	(1) X (X)										for results to	
CS-7		1625				4	(1) X (X)										585-359-9668	
CS-8		1630				5	(1) X (X)										Alt. Greg Young	
CS-9 Floor		1635				6	(1) X (X)											
parameter and method					sample bottle:	type	size	pres.	Sampled by: (Please Print)								ULI Internal Use Only _____ Delivery (check one): <input type="checkbox"/> ULI Sampled <input checked="" type="checkbox"/> Pickup <input type="checkbox"/> Dropoff <input type="checkbox"/> CC	
1)	PCB 8082				Glass	4 oz	1ozle	Greg Young								Company: Empire Geo Services		
2)	So moisture 5/25/05															Relinquished by: (Signature) Greg Young Date 5/25/05 Time 1640		
3)																Received by: (Signature) Chris Penn		
4)																Relinquished by: (Signature) Chris Penn Date 5/25/05 Time 1640		
5)																Received by: (Signature) Chris Penn		
6)																Relinquished by: (Signature) Chris Penn Date 5/25/05 Time 1640		
7)																Received by: (Signature) Chris Penn		
8)																Relinquished by: (Signature) Chris Penn Date 5/25/05 Time 1640		
9)																Received by: (Signature) Chris Penn		
10)																Relinquished by: (Signature) Chris Penn Date 5/25/05 Time 6:10p		
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																		Rec'd for Lab by: (Signature) H. Chump

Syra

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0605481

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 6 sample(s) on 5/30/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

cc:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-10
Lab Order:	U0605481	Collection Date:	5/30/2006 11:05:00 AM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0605481-001	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1248	3000	3700	J	µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1260	300	3700	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.3	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 1 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-002

Client Sample ID: CS-10 Dup
Collection Date: 5/30/2006 11:05:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1248	3000	3700	J	µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	3700		µg/Kg-dry	100	6/1/2006
Aroclor 1260	200	3700	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.0	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 2 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-11 Floor
Lab Order:	U0605481	Collection Date:	5/30/2006 11:10:00 AM
Project:	Lustre Coate/Site #828113		
Lab. ID:	U0605481-003	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1248	3000	4000	J	µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	4000		µg/Kg-dry	100	6/1/2006
Aroclor 1260	200	4000	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	16.5	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 3 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-12
Lab Order:	U0605481	Collection Date:	5/30/2006 3:15:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0605481-004	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	70	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	10	370	J	µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	10.5	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 4 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605481
Project: Lustre Coate/Site #828113
Lab ID: U0605481-005

Client Sample ID: CS-13
Collection Date: 5/30/2006 3:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1248	100	370	J	µg/Kg-dry	10	6/1/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/1/2006
Aroclor 1260	20	370	J	µg/Kg-dry	10	6/1/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.4	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 5 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-14 Floor
Lab Order:	U0605481	Collection Date:	5/30/2006 4:00:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0605481-006	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1221	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1232	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1242	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1248	7900	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1254	ND	3600		µg/Kg-dry	100	6/1/2006
Aroclor 1260	200	3600	J	µg/Kg-dry	100	6/1/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	8.78	0.00100		wt%	1	5/31/2006

Approved By: PFDate: 6-30-06

Page 6 of 6

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

25

ULI Computer Input Form

Client: NYSDEC Central Office		Client Project # / Project Name Lake George Site # 82B113				No. of Contain-ers											Special Turnaround Time (Lab Notification required)						
Client Contact: Ed Chapman Gre. Yvonne Empire		Phone # 518 442 4292	Site Location (city/state) Churchville, NY				1)	2)	3)	4)	5)	6)	7)	8)	9)	10)							
Sample Location:		Date	Time	Matrix	Grab or Comp.		ULI Internal Use Only																
CS-10		5/30/06	1105	Sol.1	C	-1	(1) X	(X)															
CS-10 D ₂₀		5/30/06	1105	Sol.1	C	-2	(1) X	(X)															
CS-11 Floor		5/30/06	1110	Sol.1	C	-3	(1) X	(X)															
CS-12		5/30/06	1315	Sol.1	C	-4	(1) X	(X)															
CS-13		5/30/06	1550	Sol.1	C	-5	(1) X	(X)															
CS-14 Floor		5/30/06	1600	Sol.1	C	-6	(1) X	(X)															
<i>use for rinsing</i>																							
<i>* ASP Cat B</i>																							
<i>* 24-hr turnaround</i>																							
<i>for all samples</i>																							
parameter and method				sample bottle:		type	size	pres.	Sampled by: (Please Print)				ULI Internal Use Only										
1)	PCB Ext#2	Glass		4oz	4oz	16oz	1oz		<i>Gre. Yvonne Empire Env. Co. Service</i>				Delivery (check one):										
2)	<i>(90 Moisture)</i>												<input type="checkbox"/> ULI Sampled	<input type="checkbox"/> Pickup	<input checked="" type="checkbox"/> Dropoff								
3)													<input type="checkbox"/> CC										
4)																							
5)																							
6)																							
7)																							
8)																							
9)																							
10)																							
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																							
Syracuse				Rochester				Buffalo				Albany				Binghamton				Fair Lawn (NJ)			
[Signature]				[Signature]				[Signature]				[Signature]				[Signature]							

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0605495

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 3 sample(s) on 5/31/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

✓CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-15
Lab Order:	U0605495	Collection Date:	5/31/2006 1:40:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0605495-001	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1248	200	380	J	µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1260	10	380	J	µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	14.1	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 1 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0605495
Project: Lustre Coate/Site #828113
Lab ID: U0605495-002

Client Sample ID: CS-16
Collection Date: 5/31/2006 1:50:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	200	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	20	370	J	µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.9	0.00100		wt%	1	6/2/2006

Approved By: PF

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

Date: 6-30-06

Page 2 of 3

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-17 Floor
Lab Order:	U0605495	Collection Date:	5/31/2006 2:00:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0605495-003	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG						
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1248	5000	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/5/2006
Aroclor 1260	100	3800	J	µg/Kg-dry	100	6/5/2006
PERCENT MOISTURE						
Percent Moisture	13.3	0.00100		wt%	1	6/2/2006
		D2216				Analyst: JM

Approved By: PFDate: 6-30-06

Page 3 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606022

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 9 sample(s) on 6/1/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

cc:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-001

Client Sample ID: CS-18
Collection Date: 6/1/2006 12:15:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	100	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.7	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 1 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-002

Client Sample ID: CS-19 Floor
Collection Date: 6/1/2006 12:30:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1248	3600	390		µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	14.5	0.00100		wt%	1	6/2/2006

Approved By: PF**Date:** 6-30-06

Page 2 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-003

Client Sample ID: CS-20
Collection Date: 6/1/2006 1:40:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/5/2006
Aroclor 1254	100	390	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	14.3	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 3 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-004

Client Sample ID: CS-21
Collection Date: 6/1/2006 1:45:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	530	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	10.9	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 4 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-22
Lab Order:	U0606022	Collection Date:	6/1/2006 1:50:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606022-005	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	300	370	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	10.2	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 5 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-006

Client Sample ID: CS-23 Floor
Collection Date: 6/1/2006 1:55:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	380	µg/Kg-dry	10	6/5/2006	
Aroclor 1221	ND	380	µg/Kg-dry	10	6/5/2006	
Aroclor 1232	ND	380	µg/Kg-dry	10	6/5/2006	
Aroclor 1242	ND	380	µg/Kg-dry	10	6/5/2006	
Aroclor 1248	1100	380	µg/Kg-dry	10	6/5/2006	
Aroclor 1254	ND	380	µg/Kg-dry	10	6/5/2006	
Aroclor 1260	ND	380	µg/Kg-dry	10	6/5/2006	
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	12.0	0.00100	wt%	1	6/2/2006	

Approved By: PFDate: 6-30-06

Page 6 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606022
Project: Lustre Coate/Site #828113
Lab ID: U0606022-007

Client Sample ID: CS-24
Collection Date: 6/1/2006 2:15:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082	(SW3550B)			Analyst: LD
Aroclor 1016	ND	370	µg/Kg-dry	10	6/5/2006	
Aroclor 1221	ND	370	µg/Kg-dry	10	6/5/2006	
Aroclor 1232	ND	370	µg/Kg-dry	10	6/5/2006	
Aroclor 1242	ND	370	µg/Kg-dry	10	6/5/2006	
Aroclor 1248	ND	370	µg/Kg-dry	10	6/5/2006	
Aroclor 1254	410	370	µg/Kg-dry	10	6/5/2006	
Aroclor 1260	ND	370	µg/Kg-dry	10	6/5/2006	
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.0	0.00100	wt%	1	6/2/2006	

Approved By: PFDate: 6-30-06

Page 7 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-25
Lab Order:	U0606022	Collection Date:	6/1/2006 2:20:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606022-008	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1248	1000	370		µg/Kg-dry	10	6/5/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.1	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 8 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 **Client Sample ID:** CS-26 Floor
Lab Order: U0606022 **Collection Date:** 6/1/2006 2:25:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606022-009 **Matrix:** SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1248	ND	380		µg/Kg-dry	10	6/5/2006
Aroclor 1254	100	380	J	µg/Kg-dry	10	6/5/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/5/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.4	0.00100		wt%	1	6/2/2006

Approved By: PFDate: 6-30-06

Page 9 of 9

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

Client: NYSDEC Central office	Client Project # / Project Name Luter Cate 1 Site # 828113				No. of Con- tain- ers											Special Turnaround Time _____ (Lab Notification required)		
Client Contact: Ed Hogston NYSDEC Greg Young Enviro	Phone # 518 462 9812 585 352 2730	Site Location (city/state) Churchville, NY				1)	2)	3)	4)	5)	6)	7)	8)	9)	10)			
Sample Location:	Date	Time	Matrix	Grab or Comp.		ULI Internal Use Only U0606022												
CS-18	6/1/06	1215	Soil	C	U0606022-1	1	X	(X)										
CS-19 Floor	6/1/06	1230			-2	1	X	(X)										
CS-20	6/1/06	1340			-3	1	X	(X)										
CS-21	6/1/06	1345			-4	1	X	(X)										
CS-22	6/1/06	1350			-5	1	X	(X)										
CS-23 Floor	6/1/06	1355			-6	1	X	(X)										
CS-24	6/1/06	1415			-7	1	X	(X)										
CS-25	6/1/06	1420			-8	1	X	(X)										
CS-26 Floor	6/1/06	1425			-9	1	X	(X)										
parameter and method	sample bottle:				type	size	pres.	Sampled by: (Please Print)										ULI Internal Use Only
1) PCB 8082					Glass	4oz	Ave	Greg Young										Delivery (check one):
2) (90 Moisture) 6/1/06					Toe			Company: Enviro GeoService										<input type="checkbox"/> ULI Sampled
3)								Relinquished by: (Signature)										<input type="checkbox"/> Pickup
4)								Date 6/1/06 Time 1435										<input type="checkbox"/> Dropoff
5)								Received by: (Signature)										<input type="checkbox"/> CC
6)																		
7)																		
8)																		
9)																		
10)																		
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																		

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209
Mailing: Box 169 * Syracuse, NY 13206
Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533
Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606085

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 5 sample(s) on 6/5/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

✓CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-001

Client Sample ID: CS-27 Floor
Collection Date: 6/5/2006 3:15:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/6/2006
Aroclor 1254	30	370	J	µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	10.9	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 1 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-002

Client Sample ID: CS-28 Floor
Collection Date: 6/5/2006 3:20:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1254	1500	390		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	15.7	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 2 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 Client Sample ID: CS-28 Floor Dup
Lab Order: U0606085 Collection Date: 6/5/2006 3:20:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606085-003 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1254	730	390		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.1	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 3 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606085
Project: Lustre Coate/Site #828113
Lab ID: U0606085-004

Client Sample ID: CS/DS-29(1)
Collection Date: 6/5/2006 3:35:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/6/2006
Aroclor 1254	540	400		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	16.9	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 4 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 Client Sample ID: CS/DS-30(2')
Lab Order: U0606085 Collection Date: 6/5/2006 3:40:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606085-005 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/6/2006
Aroclor 1254	400	390		µg/Kg-dry	10	6/6/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/6/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	14.5	0.00100		wt%	1	6/7/2006

Approved By: PFDate: 6-30-06

Page 5 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDEC Central Office		Client Project # / Project Name Luster Coate Site # 82B113				No. of Containers														Special Turnaround Time _____ (Lab Notification required)
Client Contact: Ed Humpster NYSDEC Grey Young Empire	Phone # 518 4015612 SBS 3592730	Site Location (city/state) Churchville, NY				1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks				
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only L101en6085															
C 27 Floor	6/5/06	1510	Soil	C	-1	①	X	(X)											use for ns/no	
C 28 Floor		1520	Soil	C	-2	①	X	(X)												
C 28 Flr Dp		1520	Soil	C	-3	①	X	(X)												
CS/DS-29 (1')		1535	Soil	C	-4	①	X	(X)										* ASP Cat B		
CS/DS-30 (2')		1540	Soil	C	-5	①	X	(X)										* 24-hr turn-around on all samples		
parameter and method	sample bottle:				type	size	pres.	Sampled by: (Please Print)								ULI Internal Use Only				
1) PCB 8082					Glass	4oz 8oz	one	Grey Young								Delivery (check one):				
2) (90 Moisture) 6/6/06								Company: Empire Geo Services								<input type="checkbox"/> ULI Sampled				
3)																<input type="checkbox"/> Pickup	<input type="checkbox"/> Dropoff			
4)																<input type="checkbox"/> CC				
5)																				
6)																				
7)																				
8)																				
9)																				
10)																				
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																				

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (N.J.)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209
Mailing: Box 169 * Syracuse, NY 13206
Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533
Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113 Order No.: U0606113

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 1 sample(s) on 6/6/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606113
Project: Lustre Coate/Site #828113
Lab ID: U0606113-001

Client Sample ID: CS-31
Collection Date: 6/6/2006 3:45:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1221	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1232	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1242	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1248	ND	37		µg/Kg-dry	1	6/9/2006
Aroclor 1254	150	37		µg/Kg-dry	1	6/9/2006
Aroclor 1260	ND	37		µg/Kg-dry	1	6/9/2006
NOTES:						
Aroclor is altered and/or weathered.						
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	12.0	0.00100		wt%	1	6/7/2006

Approved By: PF

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

Date: 6-30-06

Page 1 of 1

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

6034 Corporate Drive • E. Syracuse, NY 13057-1017

(315) 437 0255

Fax 437 1209

Chain Of Custody Record

UI Computer Components

Client: NYSDEC Central office		Client Project # / Project Name Luster Coate / Site No 828113				No. of Containers 1) 2) 3) 4) 5) 6) 7) 8) 9) 10)	Special Turnaround Time _____ (Lab Notification required)				
Client Contact: Ed Hanlon NYSDEC Greg Young Envie		Site Location (city/state) Churchville, NY									
Sample Location:		Date	Time	Matrix	Grab or Comp.			ULI Internal Use Only			
		CS-31	6/6/06	15:15	Soil			C	1060113	1) X	(X)
parameter and method					sample bottle:	type	size	pres.	Sampled by: (Please Print)	ULI Internal Use Only	
1)	PCB 8082				Glass	4oz	100		Grey Young	Delivery (check one):	
2)	(90 moisture)								Envie Grossman	<input type="checkbox"/> ULI Sampled	
3)										<input type="checkbox"/> Pickup	
4)										<input type="checkbox"/> Dropoff	
5)										<input type="checkbox"/> CC	
6)											
7)											
8)											
9)											
10)											
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.											

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Syrac

Bachelder

— Buffalo

Albany

Binghamton

Fair Lawn (N.Y.)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606132

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/7/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala

President/CEO

✓ CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606132
Project: Lustre Coate/Site #828113
Lab ID: U0606132-001

Client Sample ID: CS-32 Floor
Collection Date: 6/7/2006 3:00:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1248	1400	380		µg/Kg-dry	10	6/9/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/9/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/9/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	13.3	0.00100		wt%	1	6/9/2006

Approved By: PFDate: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-33 Floor
Lab Order:	U0606132	Collection Date:	6/7/2006 3:10:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606132-002	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1248	200	390	J	µg/Kg-dry	10	6/9/2006
Aroclor 1254	ND	390		µg/Kg-dry	10	6/9/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/9/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	16.3	0.00100		wt%	1	6/9/2006

Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

U PSTATE LABORATORIES, INC.

6034 Corporate Drive • E. Syracuse, NY 13057-1017

(315) 437-0255

Fax 437 1209

Chain Of Custody Record

188

Client:		Client Project # / Project Name		No. of Contain- ers	Uncompromised Special Turnaround														
NYSDOE Central office		Luster Core / Site # 82813			Time _____														
Client Contact: Ed Hampton NYSDOE Greg Young Empire		Phone # 518 402 4612 585 359 2730			(Lab Notification required)														
Sample Location:		Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only U0606132		1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks	
CS-32 Floor		6/7/06	1500	Soil	C	-1		(1)	X	(X)									* ASP Cat B
CS-33 Floor		6/7/06	1510	Soil	C	-2		(1)	X	(X)									* 24-hr turnaround on all samples
parameter and method		sample bottle:		type	size	pres.	Sampled by: (Please Print)										ULI Internal Use Only		
1)	PCB 8082		Glass		4oz	None	Greg Young										Delivery (check one):		
2)	(So moisture)						Company: Empire										<input type="checkbox"/> ULI Sampled		
3)																	<input type="checkbox"/> Pickup		
4)																	<input type="checkbox"/> Dropoff		
5)																	<input type="checkbox"/> CC		
6)																			
7)																			
8)																			
9)																			
10)																			
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																			

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

~~racism~~

Pache

Buffalo

—Albaeu—

— Bingha

80 -

Lawn (N.H.)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606166

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 10 sample(s) on 6/8/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

CC:

✓ C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	DS-35(2')
Lab Order:	U0606166	Collection Date:	6/8/2006 1:40:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606166-002	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082	(SW3550B)				Analyst: LD
Aroclor 1016	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	410		µg/Kg-dry	10	6/12/2006
Aroclor 1254	1400	410		µg/Kg-dry	10	6/12/2006
Aroclor 1260	90	410	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	19.5	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 2 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 Client Sample ID: DS-36(1)
Lab Order: U0606166 Collection Date: 6/8/2006 1:50:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606166-003 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1254	2900	400		µg/Kg-dry	10	6/12/2006
Aroclor 1260	200	400	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.6	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 3 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	DS-37(2')
Lab Order:	U0606166	Collection Date:	6/8/2006 1:55:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606166-004	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1254	200	370	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	10.8	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 4 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-005

Client Sample ID: CS-38
Collection Date: 6/8/2006 2:45:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	380		µg/Kg-dry	10	6/12/2006
Aroclor 1254	100	380	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	20	380	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.5	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 5 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-006

Client Sample ID: CS-39
Collection Date: 6/8/2006 2:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	400	390	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	30	390	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.6	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 6 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606166
Project: Lustre Coate/Site #828113
Lab ID: U0606166-007

Client Sample ID: CS-40
Collection Date: 6/8/2006 2:55:00 PM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	300	390	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	30	390	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.4	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06a

Page 7 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 **Client Sample ID:** CS-41
Lab Order: U0606166 **Collection Date:** 6/8/2006 3:15:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606166-008 **Matrix:** SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	1700	390		µg/Kg-dry	10	6/12/2006
Aroclor 1260	300	390	J	µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	15.1	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 8 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8

Client Sample ID: CS-42

Lab Order: U0606166

Collection Date: 6/8/2006 3:20:00 PM

Project: Lustre Coate/Site #828113

Lab ID: U0606166-009

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1221	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1232	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1242	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1248	ND	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1254	10000	3700		µg/Kg-dry	100	6/12/2006
Aroclor 1260	800	3700	J	µg/Kg-dry	100	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	9.92	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06

Page 9 of 10

Qualifiers: * Low Level

** Value exceeds Maximum Contaminant Value

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-43 Floor
Lab Order:	U0606166	Collection Date:	6/8/2006 3:30:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606166-010	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1254	40	360	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	7.68	0.00100		wt%	1	6/11/2006

Approved By: PFDate: 6-30-06





Page 10 of 10

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

5034 Corporate Drive • E. Syracuse, NY 13057-1017
 315) 437 0255 Fax 437 1209

Chain Of Custody Record

Client: NYSDEC Central Office		Client Project # / Project Name Luster Core / Site No 82813				No. of Con- tain- ers	1) 2) 3) 4) 5) 6) 7) 8) 9) 10)	ULI Computer	Input Form	Special Turnaround Time _____	
Client Contact: Ed Chapman Greg Young Enviro		Site Location (city/state) Churchville, NY								(Lab Notification required)	
Sample Location:		Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only Unanalyzed		Remarks			
OS-34 (1')		6/8/06	1335	Soil	C	-1	(1) X (X)			* ASP Cat B	
OS-35 (2')			1340			-2	(1) X (X)			* 24 turnaround	
OS-36 (1')			1350			-3	(1) X (X)			on all samples;	
OS-37 (2')			1355			-4	(1) X (X)			CS-41, CS-42, 4	
CS-38			1445			-5	(1) X (X)			CS-43 are highest	
CS-39			1450			-6	(1) X (X)			priority	
CS-40			1455			-7	(1) X (X)				
CS-41			1515			-8	(1) X (X)				
CS-42			1520			-9	(1) X (X)				
CS-43 Floor			1530			-10	(1) X (X)				
parameter and method				sample bottle:	type	size	pres.	Sampled by: (Please Print)			ULI Internal Use Only
1) PCB 8082					Glass	4oz	None	Greg Young			Delivery (check one):
2) (90 moisture) KC 6/9/06								Company: Empire GeoServices			<input type="checkbox"/> ULI Sampled
3)								Relinquished by: (Signature)	Date	Time	<input type="checkbox"/> Pickup
4)									6/8/06	3:55 P	<input type="checkbox"/> Dropoff
5)								Relinquished by: (Signature)	Date	Time	<input type="checkbox"/> CC
6)								Relinquished by: (Signature)	Date	Time	
7)								Relinquished by: (Signature)	Date	Time	
8)								Relinquished by: (Signature)	Date	Time	
9)								Relinquished by: (Signature)	Date	Time	
10)								Relinquished by: (Signature)	Date	Time	Rec'd for Lab by: (Signature)
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.											

Syracuse Rochester Buffalo Albany Binghamton Fair Lawn (N.J.)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606215

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 5 sample(s) on 6/9/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala

President/CEO

✓CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-001

Client Sample ID: CS-44
Collection Date: 6/9/2006 9:05:00 AM
Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	11.4	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 1 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606215
Project: Lustre Coate/Site #828113
Lab ID: U0606215-002

Client Sample ID: CS-45
Collection Date: 6/9/2006 9:10:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1254	ND	360		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	9.39	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 2 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.**Date:** 30-Jun-06**CLIENT:** NYSDEC-Region 8**Client Sample ID:** CS-46**Lab Order:** U0606215**Collection Date:** 6/9/2006 12:45:00 PM**Project:** Lustre Coate/Site #828113**Lab ID:** U0606215-003**Matrix:** SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/12/2006
Aroclor 1254	200	370	J	µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.6	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 3 of 5

Qualifiers: * Low Level

** Value exceeds Maximum Contaminant Value

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-47
Lab Order:	U0606215	Collection Date:	6/9/2006 12:50:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606215-004	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	390		µg/Kg-dry	10	6/12/2006
Aroclor 1254	980	390		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	390		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	15.8	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06 Page 4 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-48 Floor
Lab Order:	U0606215	Collection Date:	6/9/2006 12:55:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606215-005	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/12/2006
Aroclor 1254	540	400		µg/Kg-dry	10	6/12/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	6/12/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	16.9	0.00100		wt%	1	6/12/2006

Approved By: PFDate: 6-30-06

Page 5 of 5

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDEC Central office		Client Project # / Project Name Lustre Coate / Site # 82813		No. of Containers 1) 2) 3) 4) 5) 6) 7) 8) 9) 10)	Special Turnaround Time _____ (Lab Notification required)						
Client Contact: Ed Hanratty Glen Young		Phone # 518-402-9882 SSN 359 2230									
Site Location (city/state)		Churchville, NY									
Sample Location:		Date	Time			Matrix	Grab or Comp.	ULI Internal Use Only			
								1000-0215			
CS-44		6/9/08	905			Soil	C	-1 1 X (X)			
CS-45			910					-2 1 X (X)			
CS-46			1245					-3 1 X (X)			
CS-47			1250					-4 1 X (X)			
CS-48 Floor			1255					-5 1 Y (X)			
parameter and method		sample bottle:		type	size	pres.	Sampled by: (Please Print)				
1) PCB 8082				Glass	4oz	None	Glen Young				
2) (Se 17) moisture		6/9/08					Company: Enviro Lab Services				
3)											
4)											
5)											
6)											
7)											
8)											
9)											
10)											
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.											

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606230

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/12/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606230
Project: Lustre Coate/Site #828113
Lab ID: U0606230-001

Client Sample ID: CS-49 Floor
Collection Date: 6/12/2006 3:50:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082	(SW3550B)			Analyst: LD
Aroclor 1016	ND	380	µg/Kg-dry	10	6/13/2006	
Aroclor 1221	ND	380	µg/Kg-dry	10	6/13/2006	
Aroclor 1232	ND	380	µg/Kg-dry	10	6/13/2006	
Aroclor 1242	ND	380	µg/Kg-dry	10	6/13/2006	
Aroclor 1248	1000	380	µg/Kg-dry	10	6/13/2006	
Aroclor 1254	ND	380	µg/Kg-dry	10	6/13/2006	
Aroclor 1260	ND	380	µg/Kg-dry	10	6/13/2006	
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	13.4	0.00100	wt%	1	6/13/2006	

Approved By: PFDate: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-49 Floor Dup
Lab Order:	U0606230	Collection Date:	6/12/2006 3:55:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606230-002	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1248	910	370		µg/Kg-dry	10	6/13/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/13/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/13/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.7	0.00100		wt%	1	6/13/2006



Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

Client: NYSDEC Central Office		Client Project # / Project Name Luster Core / Site # 82813				No. of Con- tain- ers 1) 2) 3) 4) 5) 6) 7) 8) 9) 10)	Special Turnaround Time _____ (Lab Notification required)					
Client Contact: Ed Haugsten NYSDEC Greg Young Empire		Phone # 518 402 4812 585 359 2730		Site Location (city/state) Churchville, NY								
Sample Location:		Date	Time	Matrix	Grab or Comp.				ULI Internal Use Only U0606230			
CS-49 Floor		6/12/06	1550	Soil	C				-1	(1) X	(Use for MS/MSD)	
CS-49 Floor Up		6/12/06	1555	Soil	C				-2	(1) X		
parameter and method						sample bottle:	type	size	pres.	Sampled by: (Please Print) Grey Young Company: Empire GeoServices	ULI Internal Use Only Delivery (check one): <input type="checkbox"/> ULI Sampled <input type="checkbox"/> Pickup <input type="checkbox"/> Dropoff <input type="checkbox"/> CC	
1)	PCB 8082					Glass	8oz	None		Relinquished by: (Signature)  Date 6/12/06 Time 4:00p	Received by: (Signature) 	
2)										Relinquished by: (Signature)	Received by: (Signature)	
3)										Relinquished by: (Signature)	Received by: (Signature)	
4)										Relinquished by: (Signature)	Received by: (Signature)	
5)										Relinquished by: (Signature)	Received by: (Signature)	
6)										Relinquished by: (Signature)	Received by: (Signature)	
7)										Relinquished by: (Signature)	Received by: (Signature)	
8)										Relinquished by: (Signature)	Received by: (Signature)	
9)										Relinquished by: (Signature)	Received by: (Signature)	
10)										Relinquished by: (Signature)	Rec'd for Lab by: (Signature)	

Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.

Note: The numbered columns above cross-refernce with the numbered columns in the upper right-hand corner.

152 of 158

— Rochester

Buffalo

Albany

Bingkawan

Environ Monit Assess

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209
Mailing: Box 169 * Syracuse, NY 13206
Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533
Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606257

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/14/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

✓ CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-50 Floor
Lab Order:	U0606257	Collection Date:	6/14/2006 3:00:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606257-001	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1248	ND	370		µg/Kg-dry	10	6/17/2006
Aroclor 1254	100	370	J	µg/Kg-dry	10	6/17/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/17/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.5	0.00100		wt%	1	6/15/2006

Approved By: PFDate: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606257
Project: Lustre Coate/Site #828113
Lab ID: U0606257-002

Client Sample ID: CS-51
Collection Date: 6/14/2006 3:10:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1221	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1232	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1242	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1248	ND	400		µg/Kg-dry	10	6/17/2006
Aroclor 1254	200	400	J	µg/Kg-dry	10	6/17/2006
Aroclor 1260	ND	400		µg/Kg-dry	10	6/17/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	17.7	0.00100		wt%	1	6/15/2006

Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

6034 Corporate Drive • E. Syracuse, NY 13057-1017

(315) 437 0255

Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDER Central Office		Client Project # / Project Name Luster Gorte / Site # 8L8B13				No. of Containers											Special Turnaround Time _____ (Lab Notification required)
Client Contact: Ed Hampton (NYSDER) Greg Young Empire		Site Location (city/state) Churchville, NY				1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks	
Sample Location:		Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only 100606287											
CS-SO Floor		6/14/06	1500	Soil	C	-1	(1)	X	(X)								* ASP Cat B
CS-SI Floor		6/14/06	1510	Soil	C	-2	(1)	X	(X)								* 24-hr turnaround on all samples
parameter and method		sample bottle:	type	size	pres.	Sampled by: (Please Print)										ULI Internal Use Only	
1)	PCB 8082	Glass	8oz	None	Greg Young										Delivery (check one):		
2)	Go Monitor 6/14/06				Company: Empire GeoServices										<input type="checkbox"/> ULI Sampled		
3)															<input type="checkbox"/> Pickup	<input type="checkbox"/> Dropoff	
4)															<input type="checkbox"/> CC		
5)																	
6)																	
7)																	
8)																	
9)																	
10)																	
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																	

Satisfactory Poor Fair Average Fair (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606388

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 7 sample(s) on 6/21/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala

President/CEO

cc:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.**Date:** 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606388
Project: Lustre Coate/Site #828113
Lab ID: U0606388-001

Client Sample ID: CS-52
Collection Date: 6/21/2006 1:20:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1221	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1232	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1242	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1248	16000	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1254	ND	4000		µg/Kg-dry	100	6/23/2006
Aroclor 1260	ND	4000		µg/Kg-dry	100	6/23/2006
PERCENT MOISTURE		D2216				Analyst: JM
Percent Moisture	17.4	0.00100		wt%	1	6/22/2006

Approved By: PEDate: 6-30-06

Page 1 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-52 Dup
Lab Order:	U0606388	Collection Date:	6/21/2006 1:25:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606388-002	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1221	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1232	ND	390		µg/Kg-dry	10	6/22/2006
Aroclor 1232	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1242	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1248	11000	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1254	ND	3900		µg/Kg-dry	100	6/23/2006
Aroclor 1260	ND	3900		µg/Kg-dry	100	6/23/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	16.1	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 2 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606388
Project: Lustre Coate/Site #828113
Lab ID: U0606388-003

Client Sample ID: CS-53
Collection Date: 6/21/2006 1:30:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1248	300	370	J	µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	9.95	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 3 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-54
Lab Order:	U0606388	Collection Date:	6/21/2006 1:35:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606388-004	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1248	100	370	J	µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.1	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 4 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-55 Floor
Lab Order:	U0606388	Collection Date:	6/21/2006 1:40:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606388-005	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1248	490	380		µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	380		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	380		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	12.2	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06 Page 5 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 Client Sample ID: CS-56 Floor
Lab Order: U0606388 Collection Date: 6/21/2006 1:50:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606388-006 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1248	590	370		µg/Kg-dry	10	6/23/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	6/23/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	6/23/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	11.2	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 6 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8 Client Sample ID: CS-57
Lab Order: U0606388 Collection Date: 6/21/2006 2:00:00 PM
Project: Lustre Coate/Site #828113
Lab ID: U0606388-007 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: LD
Aroclor 1016	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1221	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1232	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1242	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1248	530	39	E	µg/Kg-dry	1	6/23/2006
Aroclor 1254	ND	39		µg/Kg-dry	1	6/23/2006
Aroclor 1260	ND	39		µg/Kg-dry	1	6/23/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	15.0	0.00100		wt%	1	6/22/2006

Approved By: PFDate: 6-30-06

Page 7 of 7

Qualifiers: * Low Level

** Value exceeds Maximum Contaminant Value

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.
 6034 Corporate Drive • E. Syracuse, NY 13057-1017
 (315) 437 0255 Fax 437 1209

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDEC Central Office	Client Project # / Project Name Lake Carter Site # 828113					No. of Contain- ers											Special Turnaround Time 24-h (Lab Notification required)	
	Client Contact: Ed Thompson NYSDEC Gre Young Envir	Phone # (518)402-9612 (585) 359-2730	Site Location (city/state) Churchville, NY					1)	2)	3)	4)	5)	6)	7)	8)	9)		10)
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only 110606388													Remarks
CS-S2	6/21/06	1320	Soil	Comp		-1	① X (X)											
CS-S2 DWP		1325				-2	① X (X)											
CS-S3		1330				-3	① X (X)											use for MS/MSO
CS-S4		1335				-4	① X (X)											
CS-S5 Floor		1340				-5	① X (X)											
CS-S6 Floor		1350				-6	① X (X)											
CS-S7		1400				-7	① X (X)											
parameter and method	sample bottle:	type	size	pres.	Sampled by: (Please Print)	ULI Internal Use Only Delivery (check one): <input type="checkbox"/> ULI Sampled <input checked="" type="checkbox"/> Pickup <input type="checkbox"/> Dropoff <input type="checkbox"/> CG												
1) PCB 8082		Glass	8oz	1oz	Greg Young	Relinquished by: (Signature)	Date	Time	Received by: (Signature)									
2) (So Moisture) 1410					Company: Envir Gossenies													
3)																		
4)																		
5)																		
6)																		
7)																		
8)																		
9)																		
10)										Rec'd for Lab by: (Signature)								
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																		

Svra

Rock

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606444

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/23/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala

Anthony J. Scala
President/CEO

✓C:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606444
Project: Lustre Coate/Site #828113
Lab ID: U0606444-001

Client Sample ID: CS-58
Collection Date: 6/23/2006 2:00:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: FP
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1248	14000	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1260	ND	3800		µg/Kg-dry	100	6/27/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	13.6	0.00100		wt%	1	6/27/2006

Approved By: PFDate: 6-30-06

Page 1 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606444
Project: Lustre Coate/Site #828113
Lab ID: U0606444-002

Client Sample ID: CS-59
Collection Date: 6/23/2006 2:10:00 PM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: FP
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1248	18000	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/27/2006
Aroclor 1260	ND	3800		µg/Kg-dry	100	6/27/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	13.6	0.00100		wt%	1	6/27/2006

Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.
6034 Corporate Drive • E. Syracuse, NY 13057-1017
(315) 437 0255 Fax 437 1209

Chain Of Custody Record

Computer Input

Client: <i>NYSDEC Central Office</i>	Client Project # / Project Name <i>Custer Coate / Site # 82813</i>					No. of Con- tain- ers	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Special Turnaround Time _____ (Lab Notification required)
Client Contact: <i>Ed Hampton</i> <i>Greg Young</i>	Phone # <i>588 402 9412</i>	Site Location (city/state) <i>Churchville, NY</i>															
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only <i>1006062444</i>												Remarks <i>#ASP Cat B #24 w/ 1m core on all Sqaures</i>
CS-S8	6/23/06	1400	Soil	C		-1	D	X	(X)								
CS-#59	6/23/06	1410	Soil	C		-2	D	X	(X)								
parameter and method	sample bottle:	type	size	pres.	Sampled by: (Please Print)	ULI Internal Use Only Delivery (check one): <input type="checkbox"/> ULI Sampled <input type="checkbox"/> Pickup <input type="checkbox"/> Dropoff <input type="checkbox"/> CC											
1) PCB 8082		Glass	8oz	Airt	<i>Greg Young</i>												
2) (90 moisture) K60606					Company: <i>Enviro Geo Services</i>												
3)					Relinquished by: (Signature)	Date	Time	Received by: (Signature)									
4)					<i>Greg Young</i>	6/23/06	4:00p	<i>Janet R.</i>									
5)					Relinquished by: (Signature)	Date	Time	Received by: (Signature)									
6)																	
7)					Relinquished by: (Signature)	Date	Time	Received by: (Signature)									
8)																	
9)					Relinquished by: (Signature)	Date	Time	Rec'd for lab by: (Signature)									
10)					<i>Greg Young</i>	6/23/06	05:40	<i>K. Cuniff</i>									
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																	

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606458

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 2 sample(s) on 6/26/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala

President/CEO

✓ CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-61
Lab Order:	U0606458	Collection Date:	6/26/2006 2:50:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606458-002	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082			(SW3550B)		Analyst: FP
Aroclor 1016	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1221	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1232	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1242	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1248	200	360	J	µg/Kg-dry	10	6/27/2006
Aroclor 1254	ND	360		µg/Kg-dry	10	6/27/2006
Aroclor 1260	ND	360		µg/Kg-dry	10	6/27/2006
PERCENT MOISTURE	D2216					Analyst: JM
Percent Moisture	8.03	0.00100		wt%	1	6/27/2006

Approved By: PFDate: 6-30-06

Page 2 of 2

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

Client: NYSDEC Central Office		Client Project # / Project Name Custer Conte / Site # 82813				No. of Contain- ers	1) 2) 3) 4) 5) 6) 7) 8) 9) 10)	Special Turnaround Time _____ (Lab Notification required)					
Client Contact: Ed Hampson 143965 G Young Empire		Phone # 584024812 5853192750											
Site Location (city/state) Churchville, NY		Date											
Sample Location:		Time	Matrix	Grab or Comp.	ULI Internal Use Only U0606458	Remarks							
CS-60	6/26/06	1445	Soil	C	-1	(1) X (X)						kABP Cat B	
CS-61	6/26/06	1450	Soil	C	-2	(1) X (X)						24 h turnaround	
parameter and method					sample bottle:	type	size	pres.	Sampled by: (Please Print)				ULI Internal Use Only
1)	PCB 8082				Glass	8oz	None	Greg Young				<input type="checkbox"/> Delivery (check one)	
2)	(90 moisture) 6/26/06							Company: Empire Geo Services				<input type="checkbox"/> ULI Sampled	
3)												<input type="checkbox"/> Pickup	
4)												<input type="checkbox"/> Dropoff	
5)												<input type="checkbox"/> CCR	
6)													
7)													
8)													
9)													
10)													
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.													

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, June 30, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606476

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 1 sample(s) on 6/27/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala

President/CEO

cc:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 30-Jun-06

CLIENT:	NYSDEC-Region 8	Client Sample ID:	CS-62
Lab Order:	U0606476	Collection Date:	6/27/2006 2:50:00 PM
Project:	Lustre Coate/Site #828113		
Lab ID:	U0606476-001	Matrix:	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG		SW8082		(SW3550B)		Analyst: LD
Aroclor 1016	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1221	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1232	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1242	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1248	3600	3800	J	µg/Kg-dry	100	6/29/2006
Aroclor 1254	ND	3800		µg/Kg-dry	100	6/29/2006
Aroclor 1260	ND	3800		µg/Kg-dry	100	6/29/2006
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	13.9	0.00100		wt%	1	6/29/2006

Approved By: PFDate: 6-30-06

Page 1 of 1

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDER Central Office	Client Project # / Project Name Luste Coate / Site # 828113					No. of Contain- ers	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Special Turnaround Time _____ (Lab Notification required)	
Client Contact: Ed Hampton NYSDER Greg Yarus	Phone # 518 402 4812 505 359 2730	Site Location (city/state) Churchville, NY																Remarks
Sample Location:	Date CS-62	Time 1450	Matrix Soil	Grab or Comp. Camp	ULI Internal Use Only U0606476	X	(X)											ASP Cat B 24 hr turnaround
parameter and method					sample bottle:	type Glass	size 8oz	pres. Aqueous	Sampled by: (Please Print) Greg Yarus						ULI Internal Use Only Delivery (check one): <input checked="" type="checkbox"/> ULI Sampled <input checked="" type="checkbox"/> Pickup <input type="checkbox"/> Dropoff <input type="checkbox"/> CC			
1)	PCB 8082																	
2)	(90 Moisture)																	
3)																		
4)																		
5)																		
6)																		
7)																		
8)																		
9)																		
10)																		
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																		

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * **Fax** (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

Mr. Ed Hampston
NYSDEC-Region 8
Remedial Bureau D, Floor 12
625 Broadway
Albany, NY 12233-7013

Friday, July 07, 2006

RE: Lustre Coate/Site #828113

Order No.: U0606510

Dear Mr. Ed Hampston:

Upstate Laboratories, Inc. received 3 sample(s) on 6/29/2006 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.

Anthony J. Scala
Anthony J. Scala
President/CEO

✓CC:

C. Guzzetta, SJB/EmpireGeo Services, Inc.

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 07-Jul-06

CLIENT: NYSDEC-Region 8 Client Sample ID: CS-63
Lab Order: U0606510 Collection Date: 6/29/2006 10:50:00 AM
Project: Lustre Coate/Site #828113
Lab ID: U0606510-001 Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1248	570	370		µg/Kg-dry	10	7/3/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	7/3/2006
PERCENT MOISTURE	D2216					Analyst: MG
Percent Moisture	10.7	0.00100		wt%	1	6/30/2006

Approved By: PFDate: 7-7-06

Page 1 of 3

Qualifiers: * Low Level

** Value exceeds Maximum Contaminant Value

B Analyte detected in the associated Method Blank

E Value above quantitation range

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 07-Jul-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606510
Project: Lustre Coate/Site #828113
Lab ID: U0606510-002

Client Sample ID: CS-63 Dup
Collection Date: 6/29/2006 10:50:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1248	660	370		µg/Kg-dry	10	7/3/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	7/3/2006
PERCENT MOISTURE	D2216					Analyst: MG
Percent Moisture	10.8	0.00100		wt%	1	6/30/2006

Approved By: PFDate: 7-7-06

Page 2 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 07-Jul-06

CLIENT: NYSDEC-Region 8
Lab Order: U0606510
Project: Lustre Coate/Site #828113
Lab ID: U0606510-003

Client Sample ID: CS-64
Collection Date: 6/29/2006 11:00:00 AM

Matrix: SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS IN SOIL/SLUDG	SW8082		(SW3550B)			Analyst: LD
Aroclor 1016	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1221	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1232	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1242	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1248	1500	370		µg/Kg-dry	10	7/3/2006
Aroclor 1254	ND	370		µg/Kg-dry	10	7/3/2006
Aroclor 1260	ND	370		µg/Kg-dry	10	7/3/2006
PERCENT MOISTURE	D2216					Analyst: MG
Percent Moisture	9.94	0.00100		wt%	1	6/30/2006

Approved By: PFDate: 7-7-06

Page 3 of 3

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Chain Of Custody Record

ULI Computer Input Form

Client: NYSDEC Central Office		Client Project # / Project Name Luster Coate / Site # 828113				No. of Containers													Special Turnaround Time (Lab Notification required)
Client Contact: Ed Hampton (NYSDEC) Greg Young (Empire)	Phone #	Site Location (city/state) Churchville, NY				1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	Remarks			
Sample Location:	Date	Time	Matrix	Grab or Comp.	ULI Internal Use Only														
CS-63	6/29/06	1050	So. I	Comp	-1	(1)	X	(X)									MS/MSO		
CS-63 Dup		1050	↓	↓	-2	(1)	X	(X)											
CS-64		1100	↓	↓	-3	(1)	X	(X)											
parameter and method					sample bottle:	type	size	pres.	Sampled by: (Please Print)						ULI Internal Use Only				
1) PCB 8082			Glass	8oz	No	Greg Young						Delivery (check one):							
2) (So moisture)						Company: Empire Geo Service						<input type="checkbox"/> ULI Sampled							
3)												<input type="checkbox"/> Pickup	<input type="checkbox"/> Dropoff						
4)												<input type="checkbox"/> CC							
5)																			
6)																			
7)																			
8)																			
9)																			
10)																			
Note: The numbered columns above cross-reference with the numbered columns in the upper right-hand corner.																			

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)

ATTACHMENT B
Non-hazardous Waste Disposal Manifests

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No.
N.Y.A.

 Manifest Doc. No.
0.0.0.1.

 2. Page 1
of
1

3. Generator's Name and Mailing Address

 NYS Dept. of Env. Conservation
 32 East Buffalo Street
 Churcmill NY 14428

WMNH 012647

SAME

4. Generator's Phone ()

518-272-0771
Sturk Trucking

6. US EPA ID Number

A. Transporter's Phone

518-272-0771

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

 WM of NEW YORK at MILL SEAT LANDFILL
 303 BREW STREET
 BERGEN NY 14418

10. US EPA ID Number

C. Facility's Phone

(585)494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

 12. Containers
No. Type
1 RO 20 yd
. 25.

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0046 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-8300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name	Signature	Month	Day	Year
<i>Greg Young representing NYDEC</i>	<i>E. Young</i>	<i>05</i>	<i>30</i>	<i>06</i>

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
<i>Robert S. Sturk</i>	<i>R. Sturk</i>	<i>05</i>	<i>30</i>	<i>06</i>

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
		.	.	.

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year
		.	.	.

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No.
 N.Y.A.

 Manifest Doc. No.
 8992.

 2. Page 1
of 1

WMNH 012648

SAME

 3. Generator's Name and Mailing Address
 NYS Dept of Env. Conservation
 32 East Buffalo Street
 Churchville NY 14428

4. Generator's Phone (518) 462-9812

5. Transporter 1 Company Name

Silvirole Trucking

6. US EPA ID Number

.

A. Transporter's Phone

15851 272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

.

B. Transporter's Phone

 9. Designated Facility Name and Site Address
 WMN of NEW YORK at MILL SEAT LANDFILL
 303 BREW STREET
 BERGEN NY 14416

10. US EPA ID Number

.

C. Facility's Phone

(585)494-3000

11. Waste Shipping Name and Description

 12. Containers
No. Type Total Quantity Unit Wt/Vol

2 RO 25 Ton

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. V80648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9800 WM CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

 Printed/Typed Name *Greg Young* Signature *Ehs-jy* Month Day Year 05 30 06

17. Transporter 1 Acknowledgement of Receipt of Materials

 Printed/Typed Name *Robert Silvirole* Signature *Robert Silvirole* Month Day Year 05 30 06

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name Signature Month Day Year . . .

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name Signature Month Day Year . . .

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No.
N J A

 Manifest Doc. No.
.003.

 2. Page 1
of 1

WMNH 012627
SAME

3. Generator's Name and Mailing Address NYC Dept of Env. Conservation 32 East Buffalo Street Churchville NY 14428	4. Generator's Phone (518) 1402 9812)	5. Transporter 1 Company Name Silvande Trucking	6. US EPA ID Number	A. Transporter's Phone 1585) 272-0741
7. Transporter 2 Company Name			8. US EPA ID Number	B. Trhsporter's Phone
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416	10. US EPA ID Number	C. Facility's Phone (585)494-3000		

11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL	12. Containers No. 3 Type R0	13. Total Quantity 25	14. Unit Wt/Vol Ton
b.
c.
d.

D. Additional Descriptions for Materials Listed Above a. VBD0848 - SOIL	E. Handling Codes for Wastes Listed Above
--	---


15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT	
---	--

WEIGHT IS ESTIMATED	
---------------------	--

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name Gregory Vassallo, AN/DEC	Signature 	Month 05 Day 30 Year 06
---	--	--

17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Robert Silvande	Signature 	Month 05 Day 30 Year 06
---	--	--

18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	Month Day Year
---	-----------	----------------

19. Discrepancy Indication Space		
----------------------------------	--	--

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.		
--	--	--

Printed/Typed Name	Signature	Month Day Year
--------------------	-----------	----------------

GENERATOR'S COPY

**NON HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
N J A	001	
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428		WMNH 012644
4. Generator's Phone (585) 462 7812		SAME
5. Transporter 1 Company Name <i>Silvarde Trucking</i>	6. US EPA ID Number	A. Transporter's Phone <i>585-272-0241</i>
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418	10. US EPA ID Number	C. Facility's Phone (585)494-3000
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL		12. Containers No. Type
b.	
c.	
d.	
D. Additional Descriptions for Materials Listed Above a. VB0548 - SOIL		E. Handling Codes for Wastes Listed Above
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-8300 WMI CONTACT WEIGHT IS ESTIMATED		
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.		
Printed/Typed Name <i>Gregory L. Repasky, M.A.C.</i>	Signature <i>Ely Yor</i>	Month Day Year <i>05 31 06</i>
17. Transporter 1 Acknowledgement of Receipt of Materials		
Printed/Typed Name <i>Robert Silvarde</i>	Signature <i>RH Silvarde</i>	Month Day Year <i>05 31 06</i>
18. Transporter 2 Acknowledgement of Receipt of Materials		
Printed/Typed Name	Signature	Month Day Year
19. Discrepancy Indication Space		
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.		
Printed/Typed Name	Signature	Month Day Year

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
N.Y.A.	005.	

3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428	WMNH 012643
4. Generator's Phone (Sles) 1-402-9812	SAME

5. Transporter 1 Company Name Silvick Trucking	6. US EPA ID Number	A. Transporter's Phone 1580-272-0741
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone

9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416	10. US EPA ID Number	C. Facility's Phone (585)494-3000
--	----------------------	--------------------------------------

11. Waste Shipping Name and Description	12. Containers No.	13. Total Quantity	14. Unit Wt/Vol
a. NON-REGULATED MATERIAL	1	60	20
b.	.	.	.
c.	.	.	.
d.	.	.	.

D. Additional Descriptions for Materials Listed Above a. VB0648 - SOIL	E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED	
---	--

16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.	Signature	Month Day Year
Greg Young - Apparatus NY DEC	Greg Young	05/31/06

17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Robert Silvick	Signature	Month Day Year
		05/31/06

18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	Month Day Year
		05/31/06

19. Discrepancy Indication Space		
FACILITY		

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.	Printed/Typed Name	Signature	Month Day Year
			05/31/06

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No.
 N J A

 Manifest Doc. No.
 C.C.6.

 2. Page 1
of 1

WMNH 012640

SAME

 3. Generator's Name and Mailing Address
 NYS Dept. of Env. Conservation
 32 East Buffalo Street
 Churchville NY 14428

4. Generator's Phone (585) 402-9812

 5. Transporter 1 Company Name
 Silvane Tracking

6. US EPA ID Number

.....

A. Transporter's Phone

.....

585-272-0741

B. Transporter's Phone

.....

(685)94-3000

C. Facility's Phone

.....

WM of NEW YORK at MILL SEAT LANDFILL

303 BREW STREET

BERGEN NY 14416

10. US EPA ID Number

.....

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

.....

b.

c.

d.

.....

12. Containers
No. Type

1 R0 20

.....

.....

.....

13. Total
Quantity

.....

14. Unit
Wt/Vol

.....

D. Additional Descriptions for Materials Listed Above

a. VR0648 - SOIL

.....

E. Handling Codes for Wastes Listed Above

.....

.....

.....

.....

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Robert Silvane

Signature

Month Day Year

P.60.106

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Robert Silvane

Signature

Month Day Year

0.6.0.106

19. Discrepancy Indication Space

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No.
 N Y A

 Manifest Doc. No.
 0007.

 2. Page 1
of 1

 3. Generator's Name and Mailing Address
 NYS Dept. of Env. Conservation
 32 East Buffalo Street
 Churchville NY 14428

4. Generator's Phone ()

 5. Transporter 1 Company Name
Silvano Trucking

6. US EPA ID Number

A. Transporter's Phone

585-272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

 WM of NEW YORK at MILL SEAT LANDFILL
 303 BREW STREET
 BERGEN NY 14416

10. US EPA ID Number

C. Facility's Phone

(585)494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers No.	13. Total Type	14. Unit Quantity	Weight/Vol
1	RO	20	Ton
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.

D. Additional Descriptions for Materials Listed Above

a. VB0048 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name	Signature	Month	Day	Year
--------------------	-----------	-------	-----	------

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
--------------------	-----------	-------	-----	------

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
--------------------	-----------	-------	-----	------

19. Discrepancy Indication Space

Printed/Typed Name	Signature	Month	Day	Year
--------------------	-----------	-------	-----	------

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year
--------------------	-----------	-------	-----	------

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N I A	Manifest Doc. No. 0008	2. Page 1 of 1	
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Chittenango NY 14428		WMNH 012642			
4. Generator's Phone (607) 442-0812		SAME			
5. Transporter 1 Company Name Silverdale Trucking		6. US EPA ID Number 8A-190	A. Transporter's Phone 585-272-0741		
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone (585)494-3000		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No.	13. Total Quantity	
b.			.	.	
c.			.	.	
d.			.	.	
D. Additional Descriptions for Materials Listed Above a. V00848 - SOIL			E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VWM CONTACT WEIGHT IS ESTIMATED					
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.					
Printed/Typed Name Carly Young, repre. NYSDEC		Signature 	Month	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Bill Silverdale		Signature 	Month	Day	Year 06/02/06
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature	Month	Day	Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature	Month	Day	Year

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No. **N.Y.A.** Manifest Doc. No. **009.**

 2. Page **1** of **1**
WMNH 012639
SAME

3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Chittenango NY 14426	4. Generator's Phone (518) 362 7612	5. Transporter 1 Company Name Sullivan Transport	6. US EPA ID Number S-8A-140	A. Transporter's Phone 272-0741
7. Transporter 2 Company Name	8. US EPA ID Number			B. Transporter's Phone
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416	10. US EPA ID Number		C. Facility's Phone (585)494-3000	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL		12. Containers No. ..	13. Total Quantity ..	14. Unit Wt/Vol ..
b.	
c.	
d.	
D. Additional Descriptions for Materials Listed Above a. VR0048 - SOIL		E. Handling Codes for Wastes Listed Above		

15. Special Handling Instructions and Additional Information
CHEM EMERGENCY RESPONSE NO. 800-424-9300 VWM CONTACT
WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name Greg Young	Signature [Signature]	Month 06	Day 06	Year 06
--------------------------------------	------------------------------	-----------------	---------------	----------------

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name Sullivan Transport	Signature [Signature]	Month 06	Day 06	Year 06
--	------------------------------	-----------------	---------------	----------------

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month ..	Day ..	Year ..
--------------------	-----------	----------	--------	---------

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
--	--	--	--	--

Printed/Typed Name	Signature	Month ..	Day ..	Year ..
--------------------	-----------	----------	--------	---------

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N.Y.A.	Manifest Doc. No. .0.1.0.	2. Page 1 of 1	
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Chuchville NY 14428		WMNH 012637			
4. Generator's Phone 518 1462 6612		SAME			
5. Transporter 1 Company Name Silverside Inc.		6. US EPA ID Number • 518.1462	A. Transporter's Phone		
7. Transporter 2 Company Name		8. US EPA ID Number •	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK & MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418		10. US EPA ID Number •	C. Facility's Phone (565)494-3000		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL b. c. d.			12. Containers No. Type	13. Total Quantity	
				14. Unit Wt/Vol	
D. Additional Descriptions for Materials Listed Above a. VB0048 - SOIL			E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VVM CONTACT WEIGHT IS ESTIMATED					
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.					
Printed/Typed Name John A. DePietro		Signature John A. DePietro	Month	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Silverside Inc.		Signature Silverside Inc.	Month	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature	Month	Day	Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature	Month	Day	Year

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No. N.Y.A.	Manifest Doc. No. 011.	2. Page 1 of 1
---	----------------------------------	-------------------

3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churorville NY 14428		WMNH 012638
4. Generator's Phone (312-1402-9822)		SAME
5. Transporter 1 Company Name Silvarole Trucking	6. US EPA ID Number 84-170	A. Transporter's Phone
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418	10. US EPA ID Number	C. Facility's Phone (585)494-3000
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL	12. Containers No. Type	13. Total Quantity
b.	.	.
c.	.	.
d.	.	.

D. Additional Descriptions for Materials Listed Above a. V80048 - SOIL	E. Handling Codes for Wastes Listed Above
--	---

15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VMII CONTACT WEIGHT IS ESTIMATED
--

16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name Gregory A. Decker	Signature 	Month 07 Year 06/06/01
--	---------------	---

17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Silvarole Trucking	Signature 	Month 06 Day 07 Year 06/06/01
--	---------------	---

18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	Month Day Year
---	-----------	----------------

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19. Printed/Typed Name	Signature	Month Day Year
--	-----------	----------------

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

N / A

Manifest Doc. No.

.01.2.

2. Page 1
of 1**WMNH 012636**

SAME

3. Generator's Name and Mailing Address
NYS Dept of Env. Conservation
32 East Buffalo Street
Chuchville NY 14428

4. Generator's Phone (518) 402 9812

5. Transporter 1 Company Name

Silvano's Inc.

6. US EPA ID Number

.

A. Transporter's Phone

7. Transporter 2 Company Name

.

8. US EPA ID Number

.

B. Transporter's Phone

9. Designated Facility Name and Site Address

WM of NEW YORK & MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14418

10. US EPA ID Number

.

C. Facility's Phone

(585)494-3000

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

12. Containers
No. | Type13.
Total
Quantity14.
Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB0046 - SOIL

E. Handling Codes for Wastes Listed Above



15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 VMII CONTACT



WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.



In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name  Signature  Month Day Year 06 07 06

17. Transporter 1 Acknowledgement of Receipt of Materials


Printed/Typed Name  Signature  Month Day Year 06 07 06



18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name  Signature  Month Day Year 06 07 06

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name  Signature  Month Day Year 06 07 06**GENERATOR'S COPY**

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N/A	Manifest Doc. No. 013.	2. Page 1 of 1
3. Generator's Name and Mailing Address NY3 Dept. of Env. Conservation 32 Erie Buffalo Street Chuchville NY 14428		WMNH 012628		
4. Generator's Phone (585) 402 9812		SAME		
5. Transporter 1 Company Name Silvarola Trucking		6. US EPA ID Number 81-190	A. Transporter's Phone	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM of NEW YORK & MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone (585)404-3000	
11. Waste Shipping Name and Description			12. Containers No. Type	13. Total Quantity
a. NON-REGULATED MATERIAL		
b.
c.
d.
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VWM CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Guy Young - Appraiser, NYDEC		Signature 		Month Day Year 06/08/06
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Silvarola Trucking		Signature 		Month Day Year 06/08/06
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N.J.A.	Manifest Doc. No. 2014.	2. Page 1 of 1	
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Chuchville NY 14428		WMNH 012629 SAME			
4. Generator's Phone (SIB) 402 9812					
5. Transporter 1 Company Name Silver Lake Inc.		6. US EPA ID Number 84-190	A. Transporter's Phone		
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone (585)494-3000		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No.	13. Total Quantity	
b.	
c.	
d.	
D. Additional Descriptions for Materials Listed Above a. VB0648 - SOIL			E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VMI CONTACT WEIGHT IS ESTIMATED					
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.					
Printed/Typed Name Gregory Vayda, MSEE		Signature G.Vayda	Month 06	Day 06	Year 2006
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name D. L. Hoback		Signature DLH	Month 06	Day 07	Year 2006
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature	Month	Day	Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature	Month	Day	Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N J A	Manifest Doc. No. O.I.S.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Churchville NY 14428		WMNH 012635 SAME		
4. Generator's Phone (518) 1402 4812				
5. Transporter 1 Company Name SILVANOLE TRUCKING		6. US EPA ID Number S.A. 190 . . .	A. Transporter's Phone 518-370-3102	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone (585)494-3000	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No. 1	13. Total Quantity 50 CT
b.			Type box	14. Unit Wt/Vol 20 TON
c.		
d.		
D. Additional Descriptions for Materials Listed Above g. VB0646 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name John Doe		Signature John Doe	Month Day Year 06/12/06	
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Scott Williams		Signature Scott Williams	Month Day Year 06/12/06	
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature	Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature	Month Day Year	

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N / A	Manifest Doc. No. 016.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept of Env. Conservation 32 East Buffalo Street CHURCHVILLE NY 14428		WMNH 012634 SAME		
4. Generator's Phone (581) 402 9812		6. US EPA ID Number 81-190	A. Transporter's Phone	
5. Transporter 1 Company Name Silverhook Hauling		8. US EPA ID Number • • • • •	B. Transporter's Phone	
7. Transporter 2 Company Name		10. US EPA ID Number • • • • •	C. Facility's Phone (585)494-3000	
9. Designated Facility Name and Site Address WM of NEW YORK & MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL	12. Containers No.	13. Total Quantity
		b.
		c.
		d.
D. Additional Descriptions for Materials Listed Above a. V5068 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VMMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name <i>Craig Voss - reprent. NYSDEC</i>		Signature <i>Eugene J. Foy</i>	Month Day Year 10/13/06	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <i>Douglas L. Smith</i>		Signature <i>[Signature]</i>	Month Day Year 10/16/06	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature	Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature	Month Day Year	

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No. N J A	Manifest Doc. No. 017.	2. Page 1 of 1
---	---------------------------	-------------------

3. Generator's Name and Mailing Address NYS Dept of Env. Conservation 32 East Buffalo Street Albany NY 14423	4. Generator's Phone (518) 402-9812	WMNH 012630 SAME		
5. Transporter 1 Company Name S. L. Associates	6. US EPA ID Number BA-190	A. Transporter's Phone		
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone		
9. Designated Facility Name and Site Address WM of NEW YORK & MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416	10. US EPA ID Number	C. Facility's Phone (585)494-3000		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
b.		• •	• •	• •
c.		• •	• •	• •
d.		• •	• •	• •
D. Additional Descriptions for Materials Listed Above a. VEHICULAR SOIL		E. Handling Codes for Wastes Listed Above		

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name Gen. Vehicular Soil	Signature	Month Day Year 06 13 06
---	-----------	----------------------------

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name S. L. Associates	Signature	Month Day Year 06 13 06
--	-----------	----------------------------

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year
--------------------	-----------	----------------

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month Day Year
--------------------	-----------	----------------

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N J A	Manifest Doc. No. 018.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 32 East Buffalo Street Champlain NY 14428		WMNH 012631 SAME		
4. Generator's Phone (518 1402 9812)		6. US EPA ID Number 85A-180 . . .	A. Transporter's Phone	
5. Transporter 1 Company Name Stuckey Trucking		8. US EPA ID Number	B. Transporter's Phone	
7. Transporter 2 Company Name		10. US EPA ID Number	C. Facility's Phone (585)494-3000	
9. Designated Facility Name and Site Address WM of NEW YORK @ MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number		
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL.			12. Containers No. •	13. Total Quantity • • •
b.			12. Containers No. •	13. Total Quantity • • •
c.			12. Containers No. •	13. Total Quantity • • •
d.			12. Containers No. •	13. Total Quantity • • •
D. Additional Descriptions for Materials Listed Above b. V50843 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WM CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young 18 months AGO		Signature 		Month Day Year 06/11/06
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature 		Month Day Year 7.6.14 06
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature 		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19. Printed/Typed Name		Signature 		Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. N J A	Manifest Doc. No. 019.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS Dept. of Env. Conservation 31 East Buffalo Street Albany NY 14425		WMNH 012632 SAME		
4. Generator's Phone (518) 462-1612		A. Transporter's Phone		
5. Transporter 1 Company Name Sludge Masters		6. US EPA ID Number 01901	B. Transporter's Phone	
7. Transporter 2 Company Name		8. US EPA ID Number 01901	C. Facility's Phone (585)494-3000	
9. Designated Facility Name and Site Address WM of NEW YORK at MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number 01901		
11. Waste Shipping Name and Description NONREGULATED MATERIAL		12. Containers No. Type		
b. c. d.				
D. Additional Descriptions for Materials Listed Above a. VBD848 SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name G. K. Murphy, Inc.		Signature 		Month Day Year 06/11/06
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name J. S. Murphy		Signature 		Month Day Year 06/11/06
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name 		Signature 		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator, Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name 		Signature 		Month Day Year

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

 1. Generator's US EPA ID No.
 N.Y.A.

 Manifest Doc. No.

 2. Page 1
of

WMNH 012633

SAME

 3. Generator's Name and Mailing Address
 NYS Dept. of Env. Conservation
 32 East Buffalo Street
 Chelmsford NY 14428

4. Generator's Phone (313) 462-7812

5. Transporter 1 Company Name

Schenectady

6. US EPA ID Number

S. 40 . . .

7. Transporter 2 Company Name

. . . .

8. US EPA ID Number

.

9. Designated Facility Name and Site Address

 WM of NEW YORK at MILL SEAT LANDFILL
 303 BREW STREET
 BERGEN NY 14416

10. US EPA ID Number

.

11. Waste Shipping Name and Description

a. NON-REGULATED MATERIAL

b.

c.

d.

 12. Containers
No. Type

 13. Total
Quantity

 14. Unit
Wt/Vol

D. Additional Descriptions for Materials Listed Above

a. VB0848 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

 Printed/Typed Name *Greg Vany* Signature *S. Vany* Month Day Year 06 19 06

17. Transporter 1 Acknowledgement of Receipt of Materials

 Printed/Typed Name *John H. Miller* Signature *J. H. Miller* Month Day Year 06 19 06

18. Transporter 2 Acknowledgement of Receipt of Materials

 Printed/Typed Name *John H. Miller* Signature *J. H. Miller* Month Day Year 06 19 06

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

 Printed/Typed Name *John H. Miller* Signature *J. H. Miller* Month Day Year 06 19 06

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page <u>1</u> of <u>1</u>
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428 4. Generator's Phone (585) 1402-9812		WMNH 014779		
5. Transporter 1 Company Name SILVERLINE		6. US EPA ID Number	A. Transporter's Phone	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No.	13. Total Quantity
			.	.
			.	.
			.	.
			.	.
D. Additional Descriptions for Materials Listed Above a. V80848 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young - REPORTER NYSDC		Signature	Month Day Year 10/11/90	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name John C. Johnson Signature John C. Johnson Month Day Year 10/11/90				
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name John C. Johnson Signature John C. Johnson Month Day Year 10/11/90				
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19. Printed/Typed Name John C. Johnson Signature John C. Johnson Month Day Year 10/11/90				

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428	WMNH 014802		
4. Generator's Phone () / - / -			
5. Transporter 1 Company Name Silvarolt Trucking	6. US EPA ID Number .8A-190	A. Transporter's Phone	
7. Transporter 2 Company Name	8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14410	10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL	12. Containers No. Type		
b.	13. Total Quantity		
c.	14. Unit Wt/Vol		
d.			
D. Additional Descriptions for Materials Listed Above a. V80648 - SOIL	E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VMI CONTACT WEIGHT IS ESTIMATED			
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.			
Printed/Typed Name Gen Yane April 18, 2006	Signature E. Y.	Month Day Year 06/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials			
Printed/Typed Name John C. Ladd	Signature [Signature]	Month Day Year 06/20/06	
18. Transporter 2 Acknowledgement of Receipt of Materials.			
Printed/Typed Name	Signature	Month Day Year	
19. Discrepancy Indication Space			
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.			
Printed/Typed Name	Signature	Month Day Year	

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of		
<p>3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428</p> <p>4. Generator's Phone (585) 440-9812</p>		WMNH 014801				
<p>5. Transporter 1 Company Name Silvavale Trucking</p> <p>7. Transporter 2 Company Name</p>		6. US EPA ID Number 1.84-190...	A. Transporter's Phone			
		8. US EPA ID Number	B. Transporter's Phone			
<p>9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416</p>		10. US EPA ID Number	C. Facility's Phone			
<p>11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL</p> <p>b.</p> <p>c.</p> <p>d.</p>				12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
<p>D. Additional Descriptions for Materials Listed Above a. VB0348 - SOIL</p>				E. Handling Codes for Wastes Listed Above		
<p>15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED</p>						
<p>16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.</p>						
<p>Printed/Typed Name Greg Young, Agent NYDEC</p>		<p>Signature X</p>		Month	Day	Year
				06	20	06
<p>17. Transporter 1 Acknowledgement of Receipt of Materials</p>						
<p>Printed/Typed Name Keweenaw</p>		<p>Signature 2</p>		Month	Day	Year
				06	20	06
<p>18. Transporter 2 Acknowledgement of Receipt of Materials</p>						
<p>Printed/Typed Name</p>		<p>Signature</p>		Month	Day	Year
				.	.	.
<p>19. Discrepancy Indication Space</p>						
<p>FACILITY</p>						
<p>20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.</p>						
<p>Printed/Typed Name</p>		<p>Signature</p>		Month	Day	Year
				.	.	.

GENERATOR'S COPY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Doc. No. 024

2. Page 1 of 1

WMNH 014800

3. Generator's Name and Mailing Address

 NYS DEPT. OF ENV. CONSERVATION
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

4. Generator's Phone (US) 1102 9812

5. Transporter 1 Company Name

SIVAROLE TRK

6. US EPA ID Number

8A-130

A. Transporter's Phone

272-0741

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

 WM OF NEW YORK AT MILL SEAT LANDFILL
303 BREW STREET
BERGEN NY 14410

10. US EPA ID Number

C. Facility's Phone

11. Waste Shipping Name and Description

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt/Vol

237

a. NON-REGULATED MATERIAL

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

a. VB0648 - SOIL

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT

WEIGHT IS ESTIMATED

16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

 Printed/Typed Name *Greg Young, reprent. NDEC* Signature *Greg Young* Month Day Year 06 20 05

17. Transporter 1 Acknowledgement of Receipt of Materials

 Printed/Typed Name *John TURNER* Signature *John Turner* Month Day Year 06 20 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name Signature Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name Signature Month Day Year

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428 4. Generator's Phone (SIC) 1402 9812		WMNH 014799		
5. Transporter 1 Company Name Silverhook TRK		6. US EPA ID Number	A. Transporter's Phone	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No.	13. Total Quantity
b.			..	23+
c.		
d.		
D. Additional Descriptions for Materials Listed Above a. VB0648 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VVM CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Vandy - Appraiser NYSDER		Signature	Month Day Year 06/20/06	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name John T. Grawe II		Signature	Month Day Year 06/20/06	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature	Month Day Year	
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature	Month Day Year	

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1		
		Q26			
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428		WMNH 014798				
4. Generator's Phone (518) 402 9812						
5. Transporter 1 Company Name SILVAROLE TRK		6. US EPA ID Number 8A-190...	A. Transporter's Phone 272-0741			
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone			
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14418		10. US EPA ID Number	C. Facility's Phone			
11. Waste Shipping Name and Description			12. Containers No.	13. Total Quantity		
a. NON-REGULATED MATERIAL			..	23t		
b.				
c.				
d.				
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL			E. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 VMI CONTACT WEIGHT IS ESTIMATED						
16. GENERATOR'S CERTIFICATION: Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.						
Printed/Typed Name Greg Young representing NYSDEC		Signature Greg Young	Month	Day	Year	
TRANSPORTER			05	20	06	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name JOHN TURNER		Signature John Turner	Month	Day	Year	
TRANSPORTER			06	20	06	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature	Month	Day	Year	
FACILITY			.	.	.	
19. Discrepancy Indication Space						
FACILITY						
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.		Printed/Typed Name	Signature	Month	Day	Year
FACILITY				.	.	.

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428 4. Generator's Phone (585) 536-1102		WMNH 014780		
5. Transporter 1 Company Name SILVERROCK TRUCKING		6. US EPA ID Number	A. Transporter's Phone 272-0741	
7. Transporter 2 Company Name WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No.	13. Total Quantity
			.	23+
b.			.	.
c.			.	.
d.			.	.
D. Additional Descriptions for Materials Listed Above a. VB0848 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-8800 VMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Greg Young representing HEDS		Signature	<i>Greg Young</i>	Month Day Year 06/28/06
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name John TURNER		Signature	<i>John Turner</i>	Month Day Year 06/28/06
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space <i>✓</i>				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of 1
		028.	
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428		WMNH 014781		
4. Generator's Phone (518) 402 9812				
5. Transporter 1 Company Name SUNAROLE TRT		6. US EPA ID Number 8A:1901	A. Transporter's Phone 222-0741	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET SERGEN NY 14418		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL		12. Containers No. Type		13. Total Quantity 23+
b.		.		.
c.		.		.
d.		.		.
D. Additional Descriptions for Materials Listed Above a. VB0648 - SOIL		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name Gene Young - generator NY DEC		Signature Gene Young		Month Day Year 10/6/28/06
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name John Turner		Signature John Turner		Month Day Year 10/6/28/06
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
Facility Printed/Typed Name		Signature		Month Day Year
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of
3. Generator's Name and Mailing Address NYS DEPT. OF ENV. CONSERVATION 32 EAST BUFFALO STREET CHURCHVILLE NY 14428		WMNH 014782		
4. Generator's Phone (SIB 1402 9812)				
5. Transporter 1 Company Name <i>Sullivan</i>		6. US EPA ID Number <i>80-190</i>	A. Transporter's Phone <i>272-074</i>	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address WM OF NEW YORK AT MILL SEAT LANDFILL 303 BREW STREET BERGEN NY 14416		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description a. NON-REGULATED MATERIAL			12. Containers No.	13. Total Quantity
b.			.	.
c.			.	.
d.			.	.
D. Additional Descriptions for Materials Listed Above a. V0046 - SOIL			E. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information CHEM EMERGENCY RESPONSE NO. 800-424-9300 WMI CONTACT WEIGHT IS ESTIMATED				
16. GENERATOR'S CERTIFICATION Per DOT regulation 49CFR 172.204, I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. In addition, I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name <i>Gregory A. Turner, NYDEC</i>		Signature <i>Gregory A. Turner</i>		Month Day Year <i>06 30 06</i>
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name <i>John Turner</i>		Signature <i>John Turner</i>		Month Day Year <i>06 30 06</i>
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name		Signature		Month Day Year

GENERATOR'S COPY

ATTACHMENT C
Hazardous Waste Disposal Manifests

To, Chuck



RECEIVED

JUL 20 2006

CWM CHEMICAL SERVICES, LLC

1550 Bahner Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/19/06 as described on Hazardous Waste Manifest number NYH1540557 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160653801
CWM Unit #: 1*0
Disposal Date: 06/19/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.

A handwritten signature in black ink, appearing to read "Richard Sturges".

RICHARD STURGES
DISTRICT MANAGER
Certificate # 293681
06/20/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS



NYH1540557

Please type or print. Do not staple.

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. <i>100-000-0000</i>	Manifest Doc. No.	2. Page 1 of	Information within heavy bold line is not required by Federal Law.	
3. Generator's Name and Mailing Address <i>100-000-0000 Street, Anytown, USA 12345</i>						
4. Generator's Telephone Number () <i>(555) 555-1234</i>						
5. Transporter 1 (Company Name) <i>ABC Transport Inc.</i>		6. US EPA ID Number <i>A1B2C3D4E5F6G7H8I9J0K1L2M3N4O5P6Q7R8S9T0U1V2W3X4Y5Z6</i>		A. NYH1540557		
7. Transporter 2 (Company Name)		8. US EPA ID Number		B. Generator's ID <i>1234567890</i>		
9. Designated Facility Name and Site Address <i>100-000-0000 Street, Anytown, USA 12345</i>		10. US EPA ID Number <i>1234567890</i>		C. State Transporter's ID <i>1234567890</i>		
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	
a.	<i>Proper shipping name: Acetone, Hazard Class: 3, ID Number: UN1170</i>				I. Waste No. EPA	
b.	<i>Proper shipping name: Ethyl Acetate, Hazard Class: 3, ID Number: UN1171</i>				STATE	
c.	<i>Proper shipping name: Isopropanol, Hazard Class: 3, ID Number: UN1172</i>				EPA	
d.	<i>Proper shipping name: Toluene, Hazard Class: 3, ID Number: UN1173</i>				STATE	
J. Additional Descriptions for Materials listed Above		K. Handling Codes for Wastes Listed Above				
a.				a.	<input type="checkbox"/>	
b.				b.	<input type="checkbox"/>	
c.				c.	<input type="checkbox"/>	
d.				d.	<input type="checkbox"/>	
15. Special Handling Instructions and Additional Information <i>None</i>						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.						
If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Mo.	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Mo.	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Mo.	Day	Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Mo.	Day	Year

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 437-7362

GENERATOR

In case of emergency or spill immediately call the National Response Center at 1-800-424-8802.

TRANSCRIBED

100

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

June 20, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540557
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/16/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	06/19/06
Disposal:	Line a. Material was landfilled 06/19/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 06/19/06 -81606538

Generator		
EMD file	CWM/Model City, NY	
E. Dassatti	NYSDEC/Albany, NY	w/o attachments
J. Devald	NCHD/Niagara Falls, NY	w/ attachments
J. Reidy	USEPA/New York, NY	w/o attachments
J. McMahon	CWM/Model City, NY	w/attachments
USEPA - Region 9		

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/20/06 as described on Hazardous Waste Manifest number NYH1540665 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160657201
CWM Unit #: 1*0
Disposal Date: 06/20/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.

A handwritten signature in black ink, appearing to read "Richard Sturges".

RICHARD STURGES
DISTRICT MANAGER
Certificate # 293718
06/21/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS
HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212

3020

Date

(Hazardous Waste Manifest 5/00)

NYH1540665

Please type or print. Do not staple.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. <u>NY1540665</u>	Manifest Doc. No. <u>11111111111111111111111111111111</u>	2. Page 1 of <u>1</u>	Information within heavy bold line is not required by Federal Law.			
3. Generator's Name and Mailing Address <i>PRK E TRUCKING</i>		4. Generator's Telephone Number ()		A. NYH1540665				
5. Transporter 1 (Company Name) PRK E TRUCKING		6. US EPA ID Number <u>NYD041655174</u>		B. Generator's ID <u>PRK E</u>				
7. Transporter 2 (Company Name)		8. US EPA ID Number		C. State Transporter's ID <u>NY1540665</u>				
9. Designated Facility Name and Site Address <i>PRK E TRUCKING</i>		10. US EPA ID Number		D. Transporter's Telephone ()				
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		12. Containers Number	13. Total Quantity	14. Unit Wt/Vol	E. State Transporter's ID			
a. <i>Prk E Trucking</i>		1	1	LBS	F. Transporter's Telephone ()			
b.		1	1	LBS	G. State Facility ID			
c.		1	1	LBS	H. Facility Telephone ()			
d.		1	1	LBS	I. Waste No.			
J. Additional Descriptions for Materials listed Above		K. Handling Codes for Wastes Listed Above		EPA				
a. <i>Prk E Trucking</i>		1	1	a. <input type="checkbox"/>	STATE			
b.		1	1	b. <input type="checkbox"/>	EPA			
c.		1	1	c. <input type="checkbox"/>	STATE			
d.		1	1	d. <input type="checkbox"/>	EPA			
15. Special Handling Instructions and Additional Information				STATE				
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.		If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Mo.	Day	Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Mo.	Day	Year
Printed/Typed Name <u>PRK E TRUCKING</u>		Signature <u>PRK E</u>		Mo.	Day	Year		
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Mo.	Day	Year
Printed/Typed Name <u>PRK E TRUCKING</u>		Signature <u>PRK E</u>		Mo.	Day	Year		
19. Discrepancy Indication Space		<i>PRK E TRUCKING</i>						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Printed/Typed Name		Signature		Mo.	Day	Year
Printed/Typed Name <u>PRK E TRUCKING</u>		Signature <u>PRK E</u>		Mo.	Day	Year		

COPY 5-GENERATOR - MAILED BY TSD FACILITY

Environmental Conservation (518) 457-7362

GENERATOR

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 424-8802

TRANSPORTER

FACILITY

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

June 21, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540665
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/19/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	06/20/06
Disposal:	Line a. Material was landfilled 06/20/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick
Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 06/20/06 -81606572

Generator		
EMD file	CWM/Model City, NY	
E. Dassatti	NYSDEC/Albany, NY	w/o attachments
J. Devald	NCHD/Niagara Falls, NY	w/ attachments
J. Reidy	USEPA/New York, NY	w/o attachments
J. McMahon	CWM/Model City, NY	w/attachments
USEPA – Region 2		

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
PO Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/22/06 as described on Hazardous Waste Manifest number NYH1540566 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160664101
CWM Unit #: 1*0
Disposal Date: 06/22/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.

RICHARD STURGES
DISTRICT MANAGER
Certificate # 293819
06/23/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS



NYH1540566

Please type or print. Do not staple.

HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. <i>AMERICAN INDUSTRIAL LIQUIDS INC.</i>	Manifest Doc. No. <i>NYH1540566</i>	2. Page 1 of NYH1540566	Information within heavy bold line is not required by Federal Law.	
3. Generator's Name and Mailing Address <i>AMERICAN INDUSTRIAL LIQUIDS INC.</i>		A. NYH1540566				
4. Generator's Telephone Number () <i>(716) 673-4363</i>		B. Generator's ID <i>STATE</i>				
5. Transporter 1 (Company Name) <i>AMERICAN INDUSTRIAL LIQUIDS INC.</i>		6. US EPA ID Number <i>NYH1540566</i>	C. State Transporter's ID <i>STATE</i>			
7. Transporter 2 (Company Name)		8. US EPA ID Number	D. Transporter's Telephone () <i>STATE</i>			
9. Designated Facility Name and Site Address <i>AMERICAN INDUSTRIAL LIQUIDS INC.</i>		10. US EPA ID Number	E. State Transporter's ID <i>STATE</i>			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		12. Containers Number	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No. EPA
a.		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	STATE
b.		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	EPA
c.		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	STATE
d.		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	EPA
J. Additional Descriptions for Materials listed Above		K. Handling Codes for Wastes Listed Above				STATE
a. <input checked="" type="checkbox"/> b. <input checked="" type="checkbox"/> c. <input checked="" type="checkbox"/>		a. <input type="checkbox"/> b. <input type="checkbox"/> c. <input type="checkbox"/>				EPA
b. <input checked="" type="checkbox"/> d. <input checked="" type="checkbox"/>		b. <input type="checkbox"/> d. <input type="checkbox"/>				STATE
15. Special Handling Instructions and Additional Information						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.						
If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature				Mo. Day Year
17. Transporter 1 Acknowledgement of Receipt of Materials <i>AMERICAN INDUSTRIAL LIQUIDS INC.</i>		Signature				Mo. Day Year
Printed/Typed Name		Signature				Mo. Day Year
18. Transporter 2 Acknowledgement of Receipt of Materials <i>AMERICAN INDUSTRIAL LIQUIDS INC.</i>		Signature				Mo. Day Year
Printed/Typed Name		Signature				Mo. Day Year
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name		Signature				Mo. Day Year

COPY 5-GENERATOR - MAILED BY TSD FACILITY

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362



WASTE MANAGEMENT, INC.

CWM Chemical Services, L.L.C.
1550 Balmer Rd.
P.O. Box 200
Model City, N.Y. 14107
716/754-8231

June 23, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540566
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/21/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	06/22/06
Disposal:	Line a. Material was landfilled 06/22/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 06/22/06 -81606641

Generator		
EMD file	CWM/Model City, NY	
E. Dassatti	NYSDEC/Albany, NY	w/o attachments
J. Devald	NCHD/Niagara Falls, NY	w/ attachments
J. Reidy	USEPA/New York, NY	w/o attachments
J. McMahon	CWM/Model City, NY	w/attachments
USEPA – Region 2		

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

RECEIVED**JUL 27 2006****CERTIFICATE OF DISPOSAL**

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 06/29/06 as described on Hazardous Waste Manifest number NYH1540575 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160683001
CWM Unit #: 1*0
Disposal Date: 06/29/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.


RICHARD STURGES
DISTRICT MANAGER
Certificate # 294108
06/30/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

June 30, 2006

Mr. Kenneth Stoller- Chief Pesticides and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540575
Container Unique I.D. No.:	N.A.
Removal From Service Date :	11/18/04
Shipment Date:	06/23/06
Generator:	NYSDEC
Generator I.D. No.:	NYD002216125
Transporter :	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	06/29/06
Disposal:	Landfilled on 06/29/06

Page 2 – PCB Exception Report June 30, 2006 to Mr. Kenneth Stoller

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown,

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,
CWM Chemical Services, LLC

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: DOR 81606830
Generator
Generator's EPA Regional Administrator

E.Dassatti	NYSDEC/Albany, NY	w/o attachments
J. Devald	NCHD/Lockport, NY	w/o attachments
J. Reidy	USEPA/New York, NY	w/o attachments
EMD File	CWM/Model City, NY	w/ attachments

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS



NYH1540575

Please type or print. Do not staple.

HAZARDOUS WASTE MANIFEST

P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No.	Manifest Doc. No.	2. Page 1 of	Information within heavy bold line is not required by Federal Law.		
				A.	NYH1540575		
3. Generator's Name and Mailing Address		B. Generator's ID					
4. Generator's Telephone Number ()		C. State Transporter's ID					
5. Transporter 1 (Company Name)		D. Transporter's Telephone ()					
7. Transporter 2 (Company Name)		E. State Transporter's ID					
9. Designated Facility Name and Site Address		F. Transporter's Telephone ()				G. State Facility ID	
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		10. US EPA ID Number	12. Containers Number	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
GENERATOR	a.					EPA	
	b.					STATE	
	c.					EPA	
	d.					STATE	
						EPA	
					STATE		
J. Additional Descriptions for Materials listed Above		K. Handling Codes for Wastes Listed Above					
a.		c.		a.	<input type="checkbox"/>	c. <input type="checkbox"/>	
b.		d.		b.	<input type="checkbox"/>	d. <input type="checkbox"/>	
15. Special Handling Instructions and Additional Information							
<p>If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.</p>							
Printed/Typed Name		Signature			Mo.	Day	Year
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.							
<p>If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.</p>							
Printed/Typed Name		Signature			Mo.	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name		Signature			Mo.	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name		Signature			Mo.	Day	Year
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.							
Printed/Typed Name		Signature			Mo.	Day	Year

COPY 5-GENERATOR - MAILED BY TSD FACILITY



RECEIVED

JUL 27 2006

CWM CHEMICAL SERVICES, LLC

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

NYS DEPT OF ENV CONSERVATION
ATTN: ENVIRONMENTAL COMPLIANCE DEPT
NYD002216125
32 EAST BUFFALO STREET
CHURCHVILLE NY 14428

CERTIFICATE OF DISPOSAL

CWM CHEMICAL SERVICES, L.L.C., EPA ID: NYD049836679, has received waste material from NYS DEPT OF ENV CONSERVATION on 07/18/06 as described on Hazardous Waste Manifest number NYH1540584 Sequence number 01. CWM CHEMICAL SERVICES, L.L.C. hereby certifies that the above described material was landfilled in accordance with the 40 CFR part 761 as it pertains to the land disposal of polychlorinated biphenyl contaminated materials.

Profile Number: VB0646
CWM Tracking ID: 8160709601
CWM Unit #: 1*0
Disposal Date: 07/18/06

Under civil and criminal penalties of law for the making or submission of false or fraudulent statements or representations (18 U.S.C 1001 and 15 U.S.C. 2615) I certify that the information contained in or accompanying this document is true accurate and complete. As to the identified section(s) of this document for which I cannot personally verify truth and accuracy, I certify as the company official having supervisory responsibility for the persons who, acting under my direct instructions, made the verification that this information is true accurate and complete.


RICHARD STURGES
DISTRICT MANAGER
Certificate # 294416
07/19/06

For questions please call
our Customer Service Dept.
at (800) 843-3604

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF SOLID & HAZARDOUS MATERIALS



NYH1540584

Please type or print. Do not staple.

HAZARDOUS WASTE MANIFEST
P.O. Box 12820, Albany, New York 12212

(Hazardous Waste Manifest 5/00)

In case of emergency or spill immediately call the National Response Center (800) 424-8802 and the NYS Department of Environmental Conservation (518) 457-7362

GENERATOR

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA No. <i>NYH1540584</i>	Manifest Doc. No. <i>12820-1540584</i>	2. Page 1 of NYH1540584 Information within heavy bold line is not required by Federal Law.
3. Generator's Name and Mailing Address <i>123 Main Street, Anytown, NY 12345</i>				
4. Generator's Telephone Number () <i>(555) 123-4567</i>				
5. Transporter 1 (Company Name) <i>ABC Transport, Inc.</i>		6. US EPA ID Number <i>12345678901234567890</i>		
7. Transporter 2 (Company Name)		8. US EPA ID Number		
9. Designated Facility Name and Site Address <i>456 Elm Street, Anytown, NY 12345</i>		10. US EPA ID Number		
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)		12. Containers Number	13. Total Quantity	14. Unit Wt/Vol
a. <i>Flammable Liquids, Class 3</i>				i. Waste No. EPA
b. <i>Corrosive Liquids, Class 8</i>				STATE
c. <i>Inhalation Hazard, Class 4.1</i>				EPA
d. <i>Other Dangerous Goods, Class 9</i>				STATE
J. Additional Descriptions for Materials listed Above		K. Handling Codes for Wastes Listed Above		
a. <i>None</i>		a. <input type="checkbox"/>	c. <input type="checkbox"/>	
b. <i>None</i>		b. <input type="checkbox"/>	d. <input type="checkbox"/>	
15. Special Handling Instructions and Additional Information <i>None</i>				
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and state laws and regulations.				
If I am large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR if I am a smaller generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.				
Printed/Typed Name		Signature		Mo. Day Year <i>10/10/00</i>
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Mo. Day Year <i>10/10/00</i>
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Mo. Day Year <i>10/10/00</i>
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name		Signature		Mo. Day Year <i>10/10/00</i>

COPY 5-GENERATOR - MAILED BY TSD FACILITY

**CWM CHEMICAL SERVICES, LLC**

1550 Balmer Road
P.O. Box 200
Model City, NY 14107
(716) 754-8231
(716) 754-0211 Fax

July 21, 2006

Mr. Kenneth Stoller- Chief Pesticides /and Toxic Substances Branch
United States Environmental Protection Agency - Region II
2890 Woodbridge Avenue
Edison, NJ 08837-3679

Re: PCB Exception Report

Dear Mr. Stoller:

Per 40 CFR 761.215 (c), below is an explanation of PCBs received more than nine (9) months from and not disposed of within one year of the date they were removed from service for disposal. Please find attached, a copy(s) of the referenced manifest(s) and the PCB continuation sheet(s), if applicable.

Manifest Number(s):	NYH1540584
Container Unique I.D. No.:	N/A
Removal From Service Date:	11/18/2004
Shipment Date:	06/26/06
Generator:	NYS Dept. of Env. Conservation
Generator's I.D. No.:	NYD002216125
Transporter:	Price Trucking
Transporter EPA I.D. No.:	NYD046765574
TSDF Facility:	CWM Chemical Services, L.L.C.
TSDF EPA I.D. No.:	NYD049836679
Received Date:	07/18/06
Disposal:	Line a. Material was landfilled 07/18/06.

Reason: The PCB material was received after the one year disposal deadline. Further explanation for the delay in disposing the PCBs is unknown.

Should you require any additional information, please contact me at (716) 754-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Very truly yours,

Donna Ames-Cassick

Donna Ames-Cassick
Compliance Manager

cc: file - DOR - 07/18/06 - 81607096

Generator		
EMD file	CWM/Model City, NY	w/o attachments
E. Dassatti	NYSDEC/Albany, NY	w/ attachments
J. Devald	NCHD/Niagara Falls, NY	w/o attachments
J. Reidy	USEPA/New York, NY	w/o attachments
J. McMahon	CWM/Model City, NY	w/attachments
USEPA -- Region 2		

ATTACHMENT D
Air Monitoring Data

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	1100	1100	1100					
Low Alarm Levels:	50	50	50					
<hr/>								
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/24/2006	11:43	0		0		0	
2	5/24/2006	11:58	0		0		0	
3	5/24/2006	12:13	0		0		0	
4	5/24/2006	12:28	0		0		0	
5	5/24/2006	12:43	0		0		0	
6	5/24/2006	12:58	0		0		0	
7	5/24/2006	13:13	0		0		0	
8	5/24/2006	13:28	0		0		0	
9	5/24/2006	13:43	0		0		0	
10	5/24/2006	13:58	0		0		0	
11	5/24/2006	14:13	0		0		0	
12	5/24/2006	14:28	0		0		0	
13	5/24/2006	14:43	0		0		0	
14	5/24/2006	14:58	0		0		0	
15	5/24/2006	15:13	0		0		0	
16	5/24/2006	15:28	0		0		0	
17	5/24/2006	15:43	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988

User ID: 00000000 Site ID: LUCOATE

Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec

Last Calibration Time: 05/24/2006 8:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/25/2006	13:29	0		0		0	
2	5/25/2006	13:44	0		0		0	
3	5/25/2006	13:59	0		0		0	
4	5/25/2006	14:14	0		0		0	
5	5/25/2006	14:29	0		0		0	
6	5/25/2006	14:44	0		0		0	
7	5/25/2006	14:59	0		0		0	
8	5/25/2006	15:14	0		0		0	
9	5/25/2006	15:29	0		0		0	
10	5/25/2006	15:44	0		0		0	
11	5/25/2006	15:59	0		0		0	
12	5/25/2006	16:14	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 81 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:38

=====
Measurement Type Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels. 1100 1100 1100
Low Alarm Levels. 50 50 50
=====

=====
Line# Date Time Min(ppm) Alarm Avg(ppm) Alarm Max(ppm) Alarm
=====
1 5/30/2006 9:38 0 0 0 0
2 5/30/2006 9:43 0 0 0 0
3 5/30/2006 9:48 0 0 0 0
4 5/30/2006 9:53 0 0 0 0
5 5/30/2006 9:58 0 0 0 0
6 5/30/2006 10:03 0 0 0 0
7 5/30/2006 10:08 0 0 0 0
8 5/30/2006 10:13 0 0 0 0
9 5/30/2006 10:18 0 0 0 0
10 5/30/2006 10:23 0 0 0 0
11 5/30/2006 10:28 0 0 0 0
12 5/30/2006 10:33 0 0 0 0
13 5/30/2006 10:38 0 0 0 0
14 5/30/2006 10:43 0 0 0 0
15 5/30/2006 10:48 0 0 0 0
16 5/30/2006 10:53 0 0 0 0
17 5/30/2006 10:58 0 0 0 0
18 5/30/2006 11:03 0 0 0 0
19 5/30/2006 11:08 0 0 0 0
20 5/30/2006 11:13 0 0 0 0
21 5/30/2006 11:18 0 0 0 0
22 5/30/2006 11:23 0 0 0 0
23 5/30/2006 11:28 0 0 0 0
24 5/30/2006 11:33 0 0 0 0
25 5/30/2006 11:38 0 0 0 0
26 5/30/2006 11:43 0 0 0 0
27 5/30/2006 11:48 0 0 0 0
28 5/30/2006 11:53 0 0 0 0
29 5/30/2006 11:58 0 0 0 0
30 5/30/2006 12:03 0 0 0 0
31 5/30/2006 12:08 0 0 0 0
32 5/30/2006 12:13 0 0 0 0
33 5/30/2006 12:18 0 0 0 0
34 5/30/2006 12:23 0 0 0 0
35 5/30/2006 12:28 0 0 0 0
36 5/30/2006 12:33 0 0 0 0
37 5/30/2006 12:38 0 0 0 0
38 5/30/2006 12:43 0 0 0 0
39 5/30/2006 12:48 0 0 0 0
40 5/30/2006 12:53 0 0 0 0
41 5/30/2006 12:58 0 0 0 0
42 5/30/2006 13:03 0 0 0 0
43 5/30/2006 13:08 0 0 0 0
44 5/30/2006 13:13 0 0 0 0
45 5/30/2006 13:18 0 0 0 0
46 5/30/2006 13:23 0 0 0 0
47 5/30/2006 13:28 0 0 0 0
48 5/30/2006 13:33 0 0 0.7 0
49 5/30/2006 13:38 0 0 0 0
50 5/30/2006 13:43 0 0 0 0
51 5/30/2006 13:48 0 0 0 0
52 5/30/2006 13:53 0 0 0 0
53 5/30/2006 13:58 0 0 0 0
54 5/30/2006 14:03 0 0 0 0
55 5/30/2006 14:08 0 0 0 0
56 5/30/2006 14:13 0 0 0 0
57 5/30/2006 14:18 0 0 0 0
58 5/30/2006 14:23 0 0 0 0
59 5/30/2006 14:28 0 0 0 0
60 5/30/2006 14:33 0 0 0 0
61 5/30/2006 14:38 0 0 0 0
62 5/30/2006 14:43 0 0 0 0
63 5/30/2006 14:48 0 0 0 0
64 5/30/2006 14:53 0 0 0 0
65 5/30/2006 14:58 0 0 0 0
66 5/30/2006 15:03 0 0 0 0
67 5/30/2006 15:08 0 0 0 0
68 5/30/2006 15:13 0 0 0 0
69 5/30/2006 15:18 0 0 0 0
70 5/30/2006 15:23 0 0 0 0
71 5/30/2006 15:28 0 0 0 0
72 5/30/2006 15:33 0 0 0 0
73 5/30/2006 15:38 0 0 0 0
74 5/30/2006 15:43 0 0 0 0
75 5/30/2006 15:48 0 0 0 0
76 5/30/2006 15:53 0 0 0 0
77 5/30/2006 15:58 0 0 0 0
78 5/30/2006 16:03 0 0 0 0
79 5/30/2006 16:08 0 0 0 0
80 5/30/2006 16:13 0 0 0 0
81 5/30/2006 16:18 0 0 0 0

Instrument MiniRAE 2000 (PGM7600) Serial Number: 001988
 User ID: 00000000 Site ID: LUOCATE
 Data Points: 84 Gas Name: Isobutylene Sample Period: 300 sec
 Last Calibration Time: 5/30/2006 8:38

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/31/2006	8:09	0		0		0	
2	5/31/2006	8:14	0		0		0	
3	5/31/2006	8:19	0		0		0	
4	5/31/2006	8:24	0		0		0	
5	5/31/2006	8:29	0		0		0	
6	5/31/2006	8:34	0		0		0	
7	5/31/2006	8:39	0		0		0	
8	5/31/2006	8:44	0		0		0	
9	5/31/2006	8:49	0		0		0	
10	5/31/2006	8:54	0		0		0	
11	5/31/2006	8:59	0		0		0	
12	5/31/2006	9:04	0		0		0	
13	5/31/2006	9:09	0		0		0	
14	5/31/2006	9:14	0		0		0	
15	5/31/2006	9:19	0		0		0	
16	5/31/2006	9:24	0		0		0	
17	5/31/2006	9:29	0		0		0	
18	5/31/2006	9:34	0		0		0	
19	5/31/2006	9:39	0		0		0	
20	5/31/2006	9:44	0		0		0	
21	5/31/2006	9:49	0		0		0	
22	5/31/2006	9:54	0		0		0	
23	5/31/2006	9:59	0		0		0	
24	5/31/2006	10:04	0		0		0	
25	5/31/2006	10:09	0		0		0	
26	5/31/2006	10:14	0		0		0	
27	5/31/2006	10:19	0		0		0	
28	5/31/2006	10:24	0		0		0	
29	5/31/2006	10:29	0		0		0	
30	5/31/2006	10:34	0		0		0	
31	5/31/2006	10:39	0		0		0	
32	5/31/2006	10:44	0		0		0	
33	5/31/2006	10:49	0		0		0	
34	5/31/2006	10:54	0		0		0	
35	5/31/2006	10:59	0		0		0	
36	5/31/2006	11:04	0		0		0	
37	5/31/2006	11:09	0		0		0	
38	5/31/2006	11:14	0		0		0	
39	5/31/2006	11:19	0		0		0	
40	5/31/2006	11:24	0		0		0	
41	5/31/2006	11:29	0		0		0	
42	5/31/2006	11:34	0		0		0	
43	5/31/2006	11:39	0		0		0	
44	5/31/2006	11:44	0		0		0	
45	5/31/2006	11:49	0		0		0	
46	5/31/2006	11:54	0		0		0	
47	5/31/2006	11:59	0		0		0	
48	5/31/2006	12:04	0		0		0	
49	5/31/2006	12:09	0		0		0	
50	5/31/2006	12:14	0		0		0	
51	5/31/2006	12:19	0		0		0	
52	5/31/2006	12:24	0		0		0	
53	5/31/2006	12:29	0		0		0	
54	5/31/2006	12:34	0		0		0	
55	5/31/2006	12:39	0		0		0	
56	5/31/2006	12:44	0		0		0	
57	5/31/2006	12:49	0		0		0	
58	5/31/2006	12:54	0		0		0	
59	5/31/2006	12:59	0		0		0	
60	5/31/2006	13:04	0		0		0	
61	5/31/2006	13:09	0		0		0	
62	5/31/2006	13:14	0		0		0	
63	5/31/2006	13:19	0		0		0	
64	5/31/2006	13:24	0		0		0	
65	5/31/2006	13:29	0		0		0	
66	5/31/2006	13:34	0		0		0	
67	5/31/2006	13:39	0		0		0	
68	5/31/2006	13:44	0		0		0	
69	5/31/2006	13:49	0		0		0	
70	5/31/2006	13:54	0		0		0	
71	5/31/2006	13:59	0		0		0	
72	5/31/2006	14:04	0		0		0	
73	5/31/2006	14:09	0		0		0	
74	5/31/2006	14:14	0		0		0	
75	5/31/2006	14:19	0		0		0	
76	5/31/2006	14:24	0		0		0	
77	5/31/2006	14:29	0		0		0	
78	5/31/2006	14:34	0		0		0	
79	5/31/2006	14:39	0		0		0	
80	5/31/2006	14:44	0		0		0	
81	5/31/2006	14:49	0		0		0	
82	5/31/2006	14:54	0		0		0	
83	5/31/2006	14:59	0		0		0	
84	5/31/2006	15:04	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCCOATE
Data Points: 66 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:38

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 1100 1100 1100
Low Alarm Levels: 50 50 50
=====

=====
Line# Date Time Min(ppm) Alarm Avg(ppm) Alarm Max(ppm) Alarm
=====

1	6/1/2006	9:14	19.5		23.8		24.7	
2	6/1/2006	9:19	0.3		20.6		25	
3	6/1/2006	9:24	0		0		0.3	
4	6/1/2006	9:29	0		6.5		10.2	
5	6/1/2006	9:34	1.6		5.2	109	8 L	
6	6/1/2006	9:39	0.3		0.7		1.6	
7	6/1/2006	9:44	0		0.1		0.3	
8	6/1/2006	9:49	0		0		0	
9	6/1/2006	9:54	0		0		0.3	
10	6/1/2006	9:59	0.3		0.4		0.9	
11	6/1/2006	10:04	0.8		0.9		1.1	
12	6/1/2006	10:09	0.9		1.1		1.4	
13	6/1/2006	10:14	0.7		0.9		1.4	
14	6/1/2006	10:19	0.6		0.7		1	
15	6/1/2006	10:24	0.5		0.6		0.9	
16	6/1/2006	10:29	0.2		0.4		0.7	
17	6/1/2006	10:34	0.2		0.3		0.6	
18	6/1/2006	10:39	0.5		0.6		0.7	
19	6/1/2006	10:44	0.6		0.8		1	
20	6/1/2006	10:49	0.7		0.9		1.2	
21	6/1/2006	10:54	0.6		0.9		1.2	
22	6/1/2006	10:59	0.5		0.6		0.9	
23	6/1/2006	11:04	0.3		0.5		0.9	
24	6/1/2006	11:09	0		0.2		0.4	
25	6/1/2006	11:14	0		0.1		0.3	
26	6/1/2006	11:19	0.1		0.2		0.6	
27	6/1/2006	11:24	0.5		0.6		1	
28	6/1/2006	11:29	1		1.6		2.2	
29	6/1/2006	11:34	1.1		1.6		1.9	
30	6/1/2006	11:39	0.4		0.8		1.4	
31	6/1/2006	11:44	0		0.2		0.4	
32	6/1/2006	11:49	0		0		0.3	
33	6/1/2006	11:54	0		0		0	
34	6/1/2006	11:59	0		0		0	
35	6/1/2006	12:04	0		0		0	
36	6/1/2006	12:09	0		0		0	
37	6/1/2006	12:14	0		0		0	
38	6/1/2006	12:19	0		0		0	
39	6/1/2006	12:24	0		0		0	
40	6/1/2006	12:29	0		0		0	
41	6/1/2006	12:34	0		0		0	
42	6/1/2006	12:39	0		0		0	
43	6/1/2006	12:44	0		0		0	
44	6/1/2006	12:49	0		0		0	
45	6/1/2006	12:54	0		0		0	
46	6/1/2006	12:59	0		0		0	
47	6/1/2006	13:04	0		0		0	
48	6/1/2006	13:09	0		0		0	
49	6/1/2006	13:14	0		0		0	
50	6/1/2006	13:19	0		0		0	
51	6/1/2006	13:24	0		0		0	
52	6/1/2006	13:29	0		0		0	
53	6/1/2006	13:34	0		0		0	
54	6/1/2006	13:39	0		0		0	
55	6/1/2006	13:44	0		0		0	
56	6/1/2006	13:49	0		0		0	
57	6/1/2006	13:54	0		0		0	
58	6/1/2006	13:59	0		0		0	
59	6/1/2006	14:04	0		0		0	
60	6/1/2006	14:09	0		0		0	
61	6/1/2006	14:14	0		0		0	
62	6/1/2006	14:19	0		0		0	
63	6/1/2006	14:24	0		0		0	
64	6/1/2006	14:29	0		0		0	
65	6/1/2006	14:34	0		0		0.2	
66	6/1/2006	14:39	0		0.1		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 49 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:38

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 1100 1100 1100
Low Alarm Levels: 50 50 50
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/2/2006	8:46	0		0		0	
2	6/2/2006	8:51	0		0		0.4	
3	6/2/2006	8:56	0		0.1		3.5	
4	6/2/2006	9:01	0		1.4		23.2	
5	6/2/2006	9:06	0		0.5		11	
6	6/2/2006	9:11	0		0		0	
7	6/2/2006	9:16	0		0		0	
8	6/2/2006	9:21	0		0		0	
9	6/2/2006	9:26	0		0		0	
10	6/2/2006	9:31	0		0		0	
11	6/2/2006	9:36	0		0		0	
12	6/2/2006	9:41	0		0		0.8	
13	6/2/2006	9:46	0		0		1	
14	6/2/2006	9:51	0		0		0	
15	6/2/2006	9:56	0		0		0	
16	6/2/2006	10:01	0		0		0	
17	6/2/2006	10:06	0		0		0.9	
18	6/2/2006	10:11	0		0		0	
19	6/2/2006	10:16	0		0		0	
20	6/2/2006	10:21	0		0		0	
21	6/2/2006	10:26	0		0		0	
22	6/2/2006	10:31	0		0		0	
23	6/2/2006	10:36	0		0		0	
24	6/2/2006	10:41	0		0		0	
25	6/2/2006	10:46	0		0		0	
26	6/2/2006	10:51	0		0		0	
27	6/2/2006	10:56	0		0		0	
28	6/2/2006	11:01	0		0		0.5	
29	6/2/2006	11:06	0		0		0	
30	6/2/2006	11:11	0		0		0	
31	6/2/2006	11:16	0		0		0	
32	6/2/2006	11:21	0		0		0	
33	6/2/2006	11:26	0		0		0	
34	6/2/2006	11:31	0		0		0	
35	6/2/2006	11:36	0		0		2	
36	6/2/2006	11:41	0		0.1		2.3	
37	6/2/2006	11:46	0		0		10.6	
38	6/2/2006	11:51	0		0.5		12.8	
39	6/2/2006	11:56	0		0		0	
40	6/2/2006	12:01	0		0		0	
41	6/2/2006	12:06	0		0.1		5.7	
42	6/2/2006	12:11	0		0		0	
43	6/2/2006	12:16	0		0		0	
44	6/2/2006	12:21	0		0		0.1	
45	6/2/2006	12:26	0		0		0	
46	6/2/2006	12:31	0		0		0	
47	6/2/2006	12:36	0		0		0	
48	6/2/2006	12:41	0		0		0	
49	6/2/2006	12:46	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 9 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:38

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/2/2006	15:18	0		0		0	
2	6/2/2006	15:23	0		0		0	
3	6/2/2006	15:28	0		0		0	
4	6/2/2006	15:33	0		0		0	
5	6/2/2006	15:38	0		0		0	
6	6/2/2006	15:43	0		0		0	
7	6/2/2006	15:48	0		0		0	
8	6/2/2006	15:53	0		0		0	
9	6/2/2006	15:58	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988

User ID: 00000000 Site ID: LUCOATE

Data Points: 74 Gas Name: Isobutylene Sample Period: 300 sec

Last Calibration Time: 06/05/2006 8:11

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 1100 1100 1100
Low Alarm Levels: 50 50 50
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/5/2006	8:46	0		0		0	
2	6/5/2006	8:51	0		0		0	
3	6/5/2006	8:56	0		0		0	
4	6/5/2006	9:01	0		0		0	
5	6/5/2006	9:06	0		0		0	
6	6/5/2006	9:11	0		0		0	
7	6/5/2006	9:16	0		0		0	
8	6/5/2006	9:21	0		0		0	
9	6/5/2006	9:26	0		0		0	
10	6/5/2006	9:31	0		0		0	
11	6/5/2006	9:36	0		0		0	
12	6/5/2006	9:41	0		0		0	
13	6/5/2006	9:46	0		0		0	
14	6/5/2006	9:51	0		0		0	
15	6/5/2006	9:56	0		0		0	
16	6/5/2006	10:01	0		0		0	
17	6/5/2006	10:06	0		0		0	
18	6/5/2006	10:11	0		0		0	
19	6/5/2006	10:16	0		0		0	
20	6/5/2006	10:21	0		0		0	
21	6/5/2006	10:26	0		0		0	
22	6/5/2006	10:31	0		0		0	
23	6/5/2006	10:36	0		0		0	
24	6/5/2006	10:41	0		0		0	
25	6/5/2006	10:46	0		0		0	
26	6/5/2006	10:51	0		0		0	
27	6/5/2006	10:56	0		0		0	
28	6/5/2006	11:01	0		0		0	
29	6/5/2006	11:06	0		0		0	
30	6/5/2006	11:11	0		0		0	
31	6/5/2006	11:16	0		0		0	
32	6/5/2006	11:21	0		0		0	
33	6/5/2006	11:26	0		0		0	
34	6/5/2006	11:31	0		0		0	
35	6/5/2006	11:36	0		0		0	
36	6/5/2006	11:41	0		0		0	
37	6/5/2006	11:46	0		0		0	
38	6/5/2006	11:51	0		0		0	
39	6/5/2006	11:56	0		0		0	
40	6/5/2006	12:01	0		0		0	
41	6/5/2006	12:06	0		0		0	
42	6/5/2006	12:11	0		0		0	
43	6/5/2006	12:16	0		0		0	
44	6/5/2006	12:21	0		0		0	
45	6/5/2006	12:26	0		0		0	
46	6/5/2006	12:31	0		0		0	
47	6/5/2006	12:36	0		0		0	
48	6/5/2006	12:41	0		0		0	
49	6/5/2006	12:46	0		0		0	
50	6/5/2006	12:51	0		0		0	
51	6/5/2006	12:56	0		0		0	
52	6/5/2006	13:01	0		0		0	
53	6/5/2006	13:06	0		0		0	
54	6/5/2006	13:11	0		0		0	
55	6/5/2006	13:16	0		0		0	
56	6/5/2006	13:21	0		0		0	
57	6/5/2006	13:26	0		0		0	
58	6/5/2006	13:31	0		0		0	
59	6/5/2006	13:36	0		0		0	
60	6/5/2006	13:41	0		0		0	
61	6/5/2006	13:46	0		0		0	
62	6/5/2006	13:51	0		0		0	
63	6/5/2006	13:56	0		0		0	
64	6/5/2006	14:01	0		0		0	
65	6/5/2006	14:06	0		0		0	
66	6/5/2006	14:11	0		0		0	
67	6/5/2006	14:16	0		0		0	
68	6/5/2006	14:21	0		0		0	
69	6/5/2006	14:26	0		0		0	
70	6/5/2006	14:31	0		0		0	
71	6/5/2006	14:36	0		0		0	
72	6/5/2006	14:41	0		0		0	
73	6/5/2006	14:46	0		0		0	
74	6/5/2006	14:51	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988

User ID: 00000000 Site ID: LUCOATE

Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec

Last Calibration Time: 06/05/2006 8:11

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)				
High Alarm Levels	1100	1100	1100				
Low Alarm Levels	50	50	50				
<hr/>							
Line#	Date/Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/6/2006 8:16	0		0		0	
2	6/6/2006 8:21	0		0		0	
3	6/6/2006 8:26	0		0		0	
4	6/6/2006 8:31	0		0		0	
5	6/6/2006 8:36	0		0		0	
6	6/6/2006 8:41	0		0		0	
7	6/6/2006 8:46	0		0		0	
8	6/6/2006 8:51	0		0		0	
9	6/6/2006 8:56	0		0		0	
10	6/6/2006 9:01	0		0		0	
11	6/6/2006 9:06	0		0		0	
12	6/6/2006 9:11	0		0		0	
13	6/6/2006 9:16	0		0		0	
14	6/6/2006 9:21	0		0		0	
15	6/6/2006 9:26	0		0		0	
16	6/6/2006 9:31	0		0		0	
17	6/6/2006 9:36	0		0		0	
18	6/6/2006 9:41	0		0		0	
19	6/6/2006 9:46	0		0		0	
20	6/6/2006 9:51	0		0		0	
21	6/6/2006 9:56	0		0		0	
22	6/6/2006 10:01	0		0		0	
23	6/6/2006 10:06	0		0		0	
24	6/6/2006 10:11	0		0		0	
25	6/6/2006 10:16	0		0		0	
26	6/6/2006 10:21	0		0		0	
27	6/6/2006 10:26	0		0		0	
28	6/6/2006 10:31	0		0		0	
29	6/6/2006 10:36	0		0		0	
30	6/6/2006 10:41	0		0		0	
31	6/6/2006 10:46	0		0		0	
32	6/6/2006 10:51	0		0		0	
33	6/6/2006 10:56	0		0		0	
34	6/6/2006 11:01	0		0		0	
35	6/6/2006 11:06	0		0		0	
36	6/6/2006 11:11	0		0		0	
37	6/6/2006 11:16	0		0		0	
38	6/6/2006 11:21	0		0		0	
39	6/6/2006 11:26	0		0		0	
40	6/6/2006 11:31	0		0		0	
41	6/6/2006 11:36	0		0		0	
42	6/6/2006 11:41	0		0		0	
43	6/6/2006 11:46	0		0		0	
44	6/6/2006 11:51	0		0		0	
45	6/6/2006 11:56	0		0		0	
46	6/6/2006 12:01	0		0		0	
47	6/6/2006 12:06	0		0		0	
48	6/6/2006 12:11	0		0		0	
49	6/6/2006 12:16	0		0		0	
50	6/6/2006 12:21	0		0		0	
51	6/6/2006 12:26	0		0		0	
52	6/6/2006 12:31	0		0		0	
53	6/6/2006 12:36	0		0		0	
54	6/6/2006 12:41	0		0		0	
55	6/6/2006 12:46	0		0		0	
56	6/6/2006 12:51	0		0		0	
57	6/6/2006 12:56	0		0		0	
58	6/6/2006 13:01	0		0		0	
59	6/6/2006 13:06	0		0		0	
60	6/6/2006 13:11	0		0		0	
61	6/6/2006 13:16	0		0		0	
62	6/6/2006 13:21	0		0		0	
63	6/6/2006 13:26	0		0		0	
64	6/6/2006 13:31	0		0		0	
65	6/6/2006 13:36	0		0		0	
66	6/6/2006 13:41	0		0		0	
67	6/6/2006 13:46	0		0		0	
68	6/6/2006 13:51	0		0		0	
69	6/6/2006 13:56	0		0		0	
70	6/6/2006 14:01	0		0		0	
71	6/6/2006 14:06	0		0		0	
72	6/6/2006 14:11	0		0		0	
73	6/6/2006 14:16	0		0		0	
74	6/6/2006 14:21	0		0		0	
75	6/6/2006 14:26	0		0		0	
76	6/6/2006 14:31	0		0		0	
77	6/6/2006 14:36	0		0		0	
78	6/6/2006 14:41	0		0		0	
79	6/6/2006 14:46	0		0		0	
80	6/6/2006 14:51	0		0		0	
81	6/6/2006 14:56	0		0		0	
82	6/6/2006 15:01	0		0		0	
83	6/6/2006 15:06	0		0		0	
84	6/6/2006 15:11	0		0		0	
85	6/6/2006 15:16	0		0		0	
86	6/6/2006 15:21	0		0		0	
87	6/6/2006 15:26	0		0		0	
88	6/6/2006 15:31	0		0		0	
89	6/6/2006 15:36	0		0		0	
90	6/6/2006 15:41	0		0		0	
91	6/6/2006 15:46	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 86 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:11

=====
Measurement Type. Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels. 1100 1100 1100
Low Alarm Levels 50 50 50
=====

=====
Line# Date Time Min(ppm) Alarm Avg(ppm) Alarm Max(ppm) Alarm
=====
1 6/7/2006 8:22 0 0 0 0
2 6/7/2006 8:27 0 0 0 0
3 6/7/2006 8:32 0 0 0 0
4 6/7/2006 8:37 0 0 0 0
5 6/7/2006 8:42 0 0 0 0
6 6/7/2006 8:47 0 0 0 0
7 6/7/2006 8:52 0 0 0 0
8 6/7/2006 8:57 0 0 0 0
9 6/7/2006 9:02 0 0 0 0
10 6/7/2006 9:07 0 0 0 0
11 6/7/2006 9:12 0 0 0 0
12 6/7/2006 9:17 0 0 0 0
13 6/7/2006 9:22 0 0 0 0
14 6/7/2006 9:27 0 0 0 0
15 6/7/2006 9:32 0 0 0 0
16 6/7/2006 9:37 0 0 0 0
17 6/7/2006 9:42 0 0 0 0
18 6/7/2006 9:47 0 0 0 0
19 6/7/2006 9:52 0 0 0 0
20 6/7/2006 9:57 0 0 0 0
21 6/7/2006 10:02 0 0 0 0
22 6/7/2006 10:07 0 0 0 0
23 6/7/2006 10:12 0 0 0 0
24 6/7/2006 10:17 0 0 0 0
25 6/7/2006 10:22 0 0 0 0
26 6/7/2006 10:27 0 0 0 0
27 6/7/2006 10:32 0 0 0 0
28 6/7/2006 10:37 0 0 0 0
29 6/7/2006 10:42 0 0 0 0
30 6/7/2006 10:47 0 0 0 0
31 6/7/2006 10:52 0 0 0 0
32 6/7/2006 10:57 0 0 0 0
33 6/7/2006 11:02 0 0 0 0
34 6/7/2006 11:07 0 0 0 0
35 6/7/2006 11:12 0 0 0 0
36 6/7/2006 11:17 0 0 0 0
37 6/7/2006 11:22 0 0 0 0
38 6/7/2006 11:27 0 0 0 0
39 6/7/2006 11:32 0 0 0 0
40 6/7/2006 11:37 0 0 0 0
41 6/7/2006 11:42 0 0 0 0
42 6/7/2006 11:47 0 0 0 0
43 6/7/2006 11:52 0 0 0 0
44 6/7/2006 11:57 0 0 0 0
45 6/7/2006 12:02 0 0 0 0
46 6/7/2006 12:07 0 0 0 0
47 6/7/2006 12:12 0 0 0 0
48 6/7/2006 12:17 0 0 0 0
49 6/7/2006 12:22 0 0 0 0
50 6/7/2006 12:27 0 0 0 0
51 6/7/2006 12:32 0 0 0 0
52 6/7/2006 12:37 0 0 0 0
53 6/7/2006 12:42 0 0 0 0
54 6/7/2006 12:47 0 0 0 0
55 6/7/2006 12:52 0 0 0 0
56 6/7/2006 12:57 0 0 0 0
57 6/7/2006 13:02 0 0 0 0
58 6/7/2006 13:07 0 0 0 0
59 6/7/2006 13:12 0 0 0 0
60 6/7/2006 13:17 0 0 0 0
61 6/7/2006 13:22 0 0 0 0
62 6/7/2006 13:27 0 0 0 0
63 6/7/2006 13:32 0 0 0 0
64 6/7/2006 13:37 0 0 0 0
65 6/7/2006 13:42 0 0 0 0
66 6/7/2006 13:47 0 0 0 0
67 6/7/2006 13:52 0 0 0 0
68 6/7/2006 13:57 0 0 0 0
69 6/7/2006 14:02 0 0 0 0
70 6/7/2006 14:07 0 0 0 0
71 6/7/2006 14:12 0 0 0 0
72 6/7/2006 14:17 0 0 0 0
73 6/7/2006 14:22 0 0 0 0
74 6/7/2006 14:27 0 0 0 0
75 6/7/2006 14:32 0 0 0 0
76 6/7/2006 14:37 0 0 0 0
77 6/7/2006 14:42 0 0 0 0
78 6/7/2006 14:47 0 0 0 0
79 6/7/2006 14:52 0 0 0 0
80 6/7/2006 14:57 0 0 0 0
81 6/7/2006 15:02 0 0 0 0
82 6/7/2006 15:07 0 0 0 0
83 6/7/2006 15:12 0 0 0 0
84 6/7/2006 15:17 0 0 0 0
85 6/7/2006 15:22 0 0 0 0
86 6/7/2006 15:27 0 0 0 0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988

User ID: 00000000 Site ID: LUOCATE

Data Points: 86 Gas Name: Isobutylene Sample Period: 300 sec

Last Calibration Time: 06/05/2006 8:11

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	1100	1100	1100
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/8/2006	8:18	0		0		0	
2	6/8/2006	8:23	0		0		0	
3	6/8/2006	8:28	0		0		0	
4	6/8/2006	8:33	0		0		0	
5	6/8/2006	8:38	0		0		0	
6	6/8/2006	8:43	0		0		0	
7	6/8/2006	8:48	0		0		0	
8	6/8/2006	8:53	0		0		0	
9	6/8/2006	8:58	0		0		0	
10	6/8/2006	9:03	0		0		0	
11	6/8/2006	9:08	0		0		0	
12	6/8/2006	9:13	0		0		0	
13	6/8/2006	9:18	0		0		0	
14	6/8/2006	9:23	0		0		0	
15	6/8/2006	9:28	0		0		0	
16	6/8/2006	9:33	0		0		0	
17	6/8/2006	9:38	0		0		0	
18	6/8/2006	9:43	0		0		0	
19	6/8/2006	9:48	0		0		0	
20	6/8/2006	9:53	0		0		0	
21	6/8/2006	9:58	0		0		0	
22	6/8/2006	10:03	0		0		0	
23	6/8/2006	10:08	0		0		0	
24	6/8/2006	10:13	0		0		0	
25	6/8/2006	10:18	0		0		0	
26	6/8/2006	10:23	0		0		0	
27	6/8/2006	10:28	0		0		0	
28	6/8/2006	10:33	0		0		0	
29	6/8/2006	10:38	0		0		0	
30	6/8/2006	10:43	0		0		0	
31	6/8/2006	10:48	0		0		0	
32	6/8/2006	10:53	0		0		0	
33	6/8/2006	10:58	0		0		0	
34	6/8/2006	11:03	0		0		0	
35	6/8/2006	11:08	0		0		0	
36	6/8/2006	11:13	0		0		0	
37	6/8/2006	11:18	0		0		0	
38	6/8/2006	11:23	0		0		0	
39	6/8/2006	11:28	0		0		0	
40	6/8/2006	11:33	0		0		0	
41	6/8/2006	11:38	0		0		0	
42	6/8/2006	11:43	0		0		0	
43	6/8/2006	11:48	0		0		0	
44	6/8/2006	11:53	0		0		0	
45	6/8/2006	11:58	0		0		0	
46	6/8/2006	12:03	0		0		0	
47	6/8/2006	12:08	0		0		0	
48	6/8/2006	12:13	0		0		0	
49	6/8/2006	12:18	0		0		0	
50	6/8/2006	12:23	0		0		0	
51	6/8/2006	12:28	0		0		0	
52	6/8/2006	12:33	0		0		0	
53	6/8/2006	12:38	0		0		0	
54	6/8/2006	12:43	0		0		0	
55	6/8/2006	12:48	0		0		0	
56	6/8/2006	12:53	0		0		0	
57	6/8/2006	12:58	0		0		0	
58	6/8/2006	13:03	0		0		0	
59	6/8/2006	13:08	0		0		0	
60	6/8/2006	13:13	0		0		0	
61	6/8/2006	13:18	0		0		0	
62	6/8/2006	13:23	0		0		0	
63	6/8/2006	13:28	0		0		0	
64	6/8/2006	13:33	0		0		0	
65	6/8/2006	13:38	0		0		0	
66	6/8/2006	13:43	0		0		0	
67	6/8/2006	13:48	0		0		0	
68	6/8/2006	13:53	0		0		0	
69	6/8/2006	13:58	0		0		0	
70	6/8/2006	14:03	0		0		0	
71	6/8/2006	14:08	0		0		0	
72	6/8/2006	14:13	0		0		0	
73	6/8/2006	14:18	0		0		0	
74	6/8/2006	14:23	0		0		0	
75	6/8/2006	14:28	0		0		0	
76	6/8/2006	14:33	0		0		0	
77	6/8/2006	14:38	0		0		0	
78	6/8/2006	14:43	0		0		0	
79	6/8/2006	14:48	0		0		0	
80	6/8/2006	14:53	0		0		0	
81	6/8/2006	14:58	0		0		0	
82	6/8/2006	15:03	0		0		0	
83	6/8/2006	15:08	0		0		0	
84	6/8/2006	15:13	0		0		0	
85	6/8/2006	15:18	0		0		0	
86	6/8/2006	15:23	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
 User ID: 00000000 Site ID: LUCOATE
 Data Points: 33 Gas Name: Isobutylene Sample Period: 300 sec
 Last Calibration Time: 06/05/2006 8:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/9/2006	8:23	0		0		0	
2	6/9/2006	8:28	0		0		0	
3	6/9/2006	8:33	0		0		0	
4	6/9/2006	8:38	0		0		0	
5	6/9/2006	8:43	0		0		0	
6	6/9/2006	8:48	0		0		0	
7	6/9/2006	8:53	0		0		0	
8	6/9/2006	8:58	0		0		0	
9	6/9/2006	9:03	0		11.9		23	
10	6/9/2006	9:08	3		5.9		9	
11	6/9/2006	9:13	1.7		3.1		5.2	
12	6/9/2006	9:18	1		1.3		2	
13	6/9/2006	9:23	0.3		0.7		1.6	
14	6/9/2006	9:28	0		0.1		0.4	
15	6/9/2006	9:33	0		0		0.3	
16	6/9/2006	9:38	0		0		0.3	
17	6/9/2006	9:43	0		0		0	
18	6/9/2006	9:48	0		0		0	
19	6/9/2006	9:53	0		0		0	
20	6/9/2006	9:58	0		0		0	
21	6/9/2006	10:03	0		0		0	
22	6/9/2006	10:08	0		0		0	
23	6/9/2006	10:13	0		0		0	
24	6/9/2006	10:18	0		0		0	
25	6/9/2006	10:23	0		0		0	
26	6/9/2006	10:28	0		0		0	
27	6/9/2006	10:33	0		0		0	
28	6/9/2006	10:38	0		0		0	
29	6/9/2006	10:43	0		0		0	
30	6/9/2006	10:48	0		0		0	
31	6/9/2006	10:53	0		0		0	
32	6/9/2006	10:58	0		0		0	
33	6/9/2006	11:03	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)			
High Alarm Levels	1100	1100	1100			
Low Alarm Levels	50	50	50			
<hr/>						
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Max(ppm)
1	6/12/2006	8:40	0	0	0	0
2	6/12/2006	8:45	0	0	0	0
3	6/12/2006	8:50	0	0	0	0
4	6/12/2006	8:55	0	0	0	0
5	6/12/2006	9:00	0	0	0	0
6	6/12/2006	9:05	0	0	0	0
7	6/12/2006	9:10	0	0	0	0
8	6/12/2006	9:15	0	0	0	0
9	6/12/2006	9:20	0	0	0	0
10	6/12/2006	9:25	0	0	0	0
11	6/12/2006	9:30	0	0	0	0
12	6/12/2006	9:35	0	0	0	0
13	6/12/2006	9:40	0	0	0	0
14	6/12/2006	9:45	0	0	0	0
15	6/12/2006	9:50	0	0	0	0
16	6/12/2006	9:55	0	0	0	0
17	6/12/2006	10:00	0	0	0	0
18	6/12/2006	10:05	0	0	0	0
19	6/12/2006	10:10	0	0	0	0
20	6/12/2006	10:15	0	0	0	0
21	6/12/2006	10:20	0	0	0	0
22	6/12/2006	10:25	0	0	0	0
23	6/12/2006	10:30	0	0	0	0
24	6/12/2006	10:35	0	0	0	0
25	6/12/2006	10:40	0	0	0	0
26	6/12/2006	10:45	0	0	0	0
27	6/12/2006	10:50	0	0	0	0
28	6/12/2006	10:55	0	0	0	0
29	6/12/2006	11:00	0	0	0	0
30	6/12/2006	11:05	0	0	0	0
31	6/12/2006	11:10	0	0	0	0
32	6/12/2006	11:15	0	0	0	0
33	6/12/2006	11:20	0	0	0	0
34	6/12/2006	11:25	0	0	0	0
35	6/12/2006	11:30	0	0	0	0
36	6/12/2006	11:35	0	0	0	0
37	6/12/2006	11:40	0	0	0	0
38	6/12/2006	11:45	0	0	0	0
39	6/12/2006	11:50	0	0	0	0
40	6/12/2006	11:55	0	0	0	0
41	6/12/2006	12:00	0	0	0	0
42	6/12/2006	12:05	0	0	0	0
43	6/12/2006	12:10	0	0	0	0
44	6/12/2006	12:15	0	0	0	0
45	6/12/2006	12:20	0	0	0	0
46	6/12/2006	12:25	0	0	0	0
47	6/12/2006	12:30	0	0	0	0
48	6/12/2006	12:35	0	0	0	0
49	6/12/2006	12:40	0	0	0	0
50	6/12/2006	12:45	0	0	0	0
51	6/12/2006	12:50	0	0	0	0
52	6/12/2006	12:55	0	0	0	0
53	6/12/2006	13:00	0	0	0	0
54	6/12/2006	13:05	0	0	0	0
55	6/12/2006	13:10	0	0	0	0
56	6/12/2006	13:15	0	0	0	0
57	6/12/2006	13:20	0	0	0	0
58	6/12/2006	13:25	0	0	0	0
59	6/12/2006	13:30	0	0	0	0
60	6/12/2006	13:35	0	0	0	0
61	6/12/2006	13:40	0	0	0	0
62	6/12/2006	13:45	0	0	0	0
63	6/12/2006	13:50	0	0	0	0
64	6/12/2006	13:55	0	0	0	0
65	6/12/2006	14:00	0	0	0	0
66	6/12/2006	14:05	0	0	0	0
67	6/12/2006	14:10	0	0	0	0
68	6/12/2006	14:15	0	0	0	0
69	6/12/2006	14:20	0	0	0	0
70	6/12/2006	14:25	0	0	0	0
71	6/12/2006	14:30	0	0	0	0
72	6/12/2006	14:35	0	0	0	0
73	6/12/2006	14:40	0	0	0	0
74	6/12/2006	14:45	0	0	0	0
75	6/12/2006	14:50	0	0	0	0
76	6/12/2006	14:55	0	0	0	0
77	6/12/2006	15:00	0	0	0	0
78	6/12/2006	15:05	0	0	0	0
79	6/12/2006	15:10	0	0	0	0
80	6/12/2006	15:15	0	0	0	0
81	6/12/2006	15:20	0	0	0	0
82	6/12/2006	15:25	0	0	0	0
83	6/12/2006	15:30	0	0	0	0
84	6/12/2006	15:35	0	0	0	0
85	6/12/2006	15:40	0	0	0	0
86	6/12/2006	15:45	0	0	0	0
87	6/12/2006	15:50	0	0	0	0
88	6/12/2006	15:55	0	0	0	0
89	6/12/2006	16:00	0	0	0	0
90	6/12/2006	16:05	0	0	0	0
91	6/12/2006	16:10	0	0	0	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 71 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 1100 1100 1100
Low Alarm Levels: 50 50 50
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/13/2006	9:01	0		0		0	
2	6/13/2006	9:06	0		0		0	
3	6/13/2006	9:11	0		0		0.8	
4	6/13/2006	9:16	0		0		0	
5	6/13/2006	9:21	0		0		0	
6	6/13/2006	9:26	0		0		0	
7	6/13/2006	9:31	0		0		0	
8	6/13/2006	9:36	0		0		0	
9	6/13/2006	9:41	0		0		0	
10	6/13/2006	9:46	0		0		0	
11	6/13/2006	9:51	0		0		0	
12	6/13/2006	9:56	0		0		0	
13	6/13/2006	10:01	0		0		0	
14	6/13/2006	10:06	0		0		0	
15	6/13/2006	10:11	0		0		0	
16	6/13/2006	10:16	0		0		0	
17	6/13/2006	10:21	0		0		0	
18	6/13/2006	10:26	0		0		0	
19	6/13/2006	10:31	0		0		0	
20	6/13/2006	10:36	0		0		0	
21	6/13/2006	10:41	0		0		0	
22	6/13/2006	10:46	0		0		0	
23	6/13/2006	10:51	0		0		0	
24	6/13/2006	10:56	0		0		0	
25	6/13/2006	11:01	0		0		0	
26	6/13/2006	11:06	0		0		0	
27	6/13/2006	11:11	0		0		0	
28	6/13/2006	11:16	0		0		0	
29	6/13/2006	11:21	0		0		0	
30	6/13/2006	11:26	0		0		0	
31	6/13/2006	11:31	0		0		0	
32	6/13/2006	11:36	0		0		0	
33	6/13/2006	11:41	0		0		0	
34	6/13/2006	11:46	0		0		0	
35	6/13/2006	11:51	0		0		0	
36	6/13/2006	11:56	0		0		0	
37	6/13/2006	12:01	0		0		0	
38	6/13/2006	12:06	0		0		0	
39	6/13/2006	12:11	0		0		0	
40	6/13/2006	12:16	0		0		0	
41	6/13/2006	12:21	0		0		0	
42	6/13/2006	12:26	0		0		0	
43	6/13/2006	12:31	0		0		0	
44	6/13/2006	12:36	0		0		0	
45	6/13/2006	12:41	0		0		0	
46	6/13/2006	12:46	0		0		0	
47	6/13/2006	12:51	0		0		0	
48	6/13/2006	12:56	0		0		0	
49	6/13/2006	13:01	0		0		0	
50	6/13/2006	13:06	0		0		0	
51	6/13/2006	13:11	0		0		0	
52	6/13/2006	13:16	0		0		0	
53	6/13/2006	13:21	0		0		0	
54	6/13/2006	13:26	0		0		0	
55	6/13/2006	13:31	0		0		0	
56	6/13/2006	13:36	0		0		0	
57	6/13/2006	13:41	0		0		0	
58	6/13/2006	13:46	0		0		0	
59	6/13/2006	13:51	0		0		0	
60	6/13/2006	13:56	0		0		0	
61	6/13/2006	14:01	0		0		0	
62	6/13/2006	14:06	0		0		0	
63	6/13/2006	14:11	0		0		0	
64	6/13/2006	14:16	0		0		0	
65	6/13/2006	14:21	0		0		0	
66	6/13/2006	14:26	0		0		0	
67	6/13/2006	14:31	0		0		0	
68	6/13/2006	14:36	0		0		0	
69	6/13/2006	14:41	0		0		0	
70	6/13/2006	14:46	0		0		0	
71	6/13/2006	14:51	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCCOATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels 1100 1100 1100
Low Alarm Levels 50 50 50
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/14/2006	8:24	0		0		0	
2	6/14/2006	8:29	0		0		0	
3	6/14/2006	8:34	0		0		0	
4	6/14/2006	8:39	0		0		0	
5	6/14/2006	8:44	0		0		0	
6	6/14/2006	8:49	0		0		0	
7	6/14/2006	8:54	0		0		0	
8	6/14/2006	8:59	0		0		0	
9	6/14/2006	9:04	0		0		0	
10	6/14/2006	9:09	0		0		0	
11	6/14/2006	9:14	0		0		0	
12	6/14/2006	9:19	0		0		0	
13	6/14/2006	9:24	0		0		0	
14	6/14/2006	9:29	0		0		0	
15	6/14/2006	9:34	0		0		0	
16	6/14/2006	9:39	0		0		0	
17	6/14/2006	9:44	0		0		0	
18	6/14/2006	9:49	0		0		0	
19	6/14/2006	9:54	0		0		0	
20	6/14/2006	9:59	0		0		0	
21	6/14/2006	10:04	0		0		0	
22	6/14/2006	10:09	0		0		0	
23	6/14/2006	10:14	0		0		0	
24	6/14/2006	10:19	0		0		0	
25	6/14/2006	10:24	0		0		0	
26	6/14/2006	10:29	0		0		0	
27	6/14/2006	10:34	0		0		0	
28	6/14/2006	10:39	0		0		0	
29	6/14/2006	10:44	0		0		0	
30	6/14/2006	10:49	0		0		0	
31	6/14/2006	10:54	0		0		0	
32	6/14/2006	10:59	0		0		0	
33	6/14/2006	11:04	0		0		0	
34	6/14/2006	11:09	0		0		0	
35	6/14/2006	11:14	0		0		0	
36	6/14/2006	11:19	0		0		0	
37	6/14/2006	11:24	0		0		0	
38	6/14/2006	11:29	0		0		0	
39	6/14/2006	11:34	0		0		0	
40	6/14/2006	11:39	0		0		0	
41	6/14/2006	11:44	0		0		0	
42	6/14/2006	11:49	0		0		0	
43	6/14/2006	11:54	0		0		0	
44	6/14/2006	11:59	0		0		0	
45	6/14/2006	12:04	0		0		0	
46	6/14/2006	12:09	0		0		0	
47	6/14/2006	12:14	0		0		0	
48	6/14/2006	12:19	0		0		0	
49	6/14/2006	12:24	0		0		0	
50	6/14/2006	12:29	0		0		0	
51	6/14/2006	12:34	0		0		0	
52	6/14/2006	12:39	0		0		0	
53	6/14/2006	12:44	0		0		0	
54	6/14/2006	12:49	0		0		0	
55	6/14/2006	12:54	0		0		0	
56	6/14/2006	12:59	0		0		0	
57	6/14/2006	13:04	0		0		0	
58	6/14/2006	13:09	0		0		0	
59	6/14/2006	13:14	0		0		0	
60	6/14/2006	13:19	0		0		0	
61	6/14/2006	13:24	0		0		0	
62	6/14/2006	13:29	0		0		0	
63	6/14/2006	13:34	0		0		0	
64	6/14/2006	13:39	0		0		0	
65	6/14/2006	13:44	0		0		0	
66	6/14/2006	13:49	0		0		0	
67	6/14/2006	13:54	0		0		0	
68	6/14/2006	13:59	0		0		0	
69	6/14/2006	14:04	0		0		0	
70	6/14/2006	14:09	0		0		0	
71	6/14/2006	14:14	0		0		0	
72	6/14/2006	14:19	0		0		0	
73	6/14/2006	14:24	0		0		0	
74	6/14/2006	14:29	0		0		0	
75	6/14/2006	14:34	0		0		0	
76	6/14/2006	14:39	0		0		0	
77	6/14/2006	14:44	0		0		0	
78	6/14/2006	14:49	0		0		0	
79	6/14/2006	14:54	0		0		0	
80	6/14/2006	14:59	0		0		0	
81	6/14/2006	15:04	0		0		0	
82	6/14/2006	15:09	0		0		0	
83	6/14/2006	15:14	0		0		0	
84	6/14/2006	15:19	0		0		0	
85	6/14/2006	15:24	0		0		0	
86	6/14/2006	15:29	0		0		0	
87	6/14/2006	15:34	0		0		0	
88	6/14/2006	15:39	0		0		0	
89	6/14/2006	15:44	0		0		0	
90	6/14/2006	15:49	0		0		0	
91	6/14/2006	15:54	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Points: 51 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:27

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/15/2006	12:03	0		0		0	
2	6/15/2006	12:08	0		0		0	
3	6/15/2006	12:13	0		0		0	
4	6/15/2006	12:18	0		0		0	
5	6/15/2006	12:23	0		0		0	
6	6/15/2006	12:28	0		0		0	
7	6/15/2006	12:33	0		0		0	
8	6/15/2006	12:38	0		0		0	
9	6/15/2006	12:43	0		0		0	
10	6/15/2006	12:48	0		0		0	
11	6/15/2006	12:53	0		0		0	
12	6/15/2006	12:58	0		0		0	
13	6/15/2006	13:03	0		0		0	
14	6/15/2006	13:08	0		0		0	
15	6/15/2006	13:13	0		0		0	
16	6/15/2006	13:18	0		0		0	
17	6/15/2006	13:23	0		0		0	
18	6/15/2006	13:28	0		0		0	
19	6/15/2006	13:33	0		0		0	
20	6/15/2006	13:38	0		0		0	
21	6/15/2006	13:43	0		0		0	
22	6/15/2006	13:48	0		0		0	
23	6/15/2006	13:53	0		0		0	
24	6/15/2006	13:58	0		0		0	
25	6/15/2006	14:03	0		0		0	
26	6/15/2006	14:08	0		0		0	
27	6/15/2006	14:13	0		0		0	
28	6/15/2006	14:18	0		0		0	
29	6/15/2006	14:23	0		0		0	
30	6/15/2006	14:28	0		0		0	
31	6/15/2006	14:33	0		0		0	
32	6/15/2006	14:38	0		0		0	
33	6/15/2006	14:43	0		0		0	
34	6/15/2006	14:48	0		0		0	
35	6/15/2006	14:53	0		0		0	
36	6/15/2006	14:58	0		0		0	
37	6/15/2006	15:03	0		0		0	
38	6/15/2006	15:08	0		0		0	
39	6/15/2006	15:13	0		0		0	
40	6/15/2006	15:18	0		0		0	
41	6/15/2006	15:23	0		0		0	
42	6/15/2006	15:28	0		0		0	
43	6/15/2006	15:33	0		0		0	
44	6/15/2006	15:38	0		0		0	
45	6/15/2006	15:43	0		0		0	
46	6/15/2006	15:48	0		0		0	
47	6/15/2006	15:53	0		0		0	
48	6/15/2006	15:58	0		0		0	
49	6/15/2006	16:03	0		0		0	
50	6/15/2006	16:08	0		0		0	
51	6/15/2006	16:13	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988

User ID: 00000000 Site ID: LUCOATE

Data Points: 18 Gas Name: Isobutylene Sample Period: 300 sec

Last Calibration Time: 06/12/2006 8:27

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
-------	------	------	----------	-------	----------	-------	----------	-------

1	6/16/2006	13:22	0		0		0	
2	6/16/2006	13:27	0		0		0	
3	6/16/2006	13:32	0		0		0	
4	6/16/2006	13:37	0		0		0	
5	6/16/2006	13:42	0		0		0	
6	6/16/2006	13:47	0		0		0	
7	6/16/2006	13:52	0		0		0	
8	6/16/2006	13:57	0		0		0	
9	6/16/2006	14:02	0		0		0	
10	6/16/2006	14:07	0		0		0	
11	6/16/2006	14:12	0		0		0	
12	6/16/2006	14:17	0		0		0	
13	6/16/2006	14:22	0		0		0	
14	6/16/2006	14:27	0		0		0	
15	6/16/2006	14:32	0		0		0	
16	6/16/2006	14:37	0		0		0	
17	6/16/2006	14:42	0		0		0	
18	6/16/2006	14:47	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUOCATE
Data Points: 72 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	1100	1100	1100
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/20/2006	8:47	0		0		0.8	
2	6/20/2006	8:52	0		0		0	
3	6/20/2006	8:57	0		0		0	
4	6/20/2006	9:02	0		0		0	
5	6/20/2006	9:07	0		0		0	
6	6/20/2006	9:12	0		0		0	
7	6/20/2006	9:17	0		0		0	
8	6/20/2006	9:22	0		0		0	
9	6/20/2006	9:27	0		0		0	
10	6/20/2006	9:32	0		0		0	
11	6/20/2006	9:37	0		0		0	
12	6/20/2006	9:42	0		0		0	
13	6/20/2006	9:47	0		0		0	
14	6/20/2006	9:52	0		0		0	
15	6/20/2006	9:57	0		0		0	
16	6/20/2006	10:02	0		0		0	
17	6/20/2006	10:07	0		0		0	
18	6/20/2006	10:12	0		0		0	
19	6/20/2006	10:17	0		0		0	
20	6/20/2006	10:22	0		0		0	
21	6/20/2006	10:27	0		0		0	
22	6/20/2006	10:32	0		0		0	
23	6/20/2006	10:37	0		0		0	
24	6/20/2006	10:42	0		0		0	
25	6/20/2006	10:47	0		0		0	
26	6/20/2006	10:52	0		0		0	
27	6/20/2006	10:57	0		0		0	
28	6/20/2006	11:02	0		0		0	
29	6/20/2006	11:07	0		0		0	
30	6/20/2006	11:12	0		0		0	
31	6/20/2006	11:17	0		0		0	
32	6/20/2006	11:22	0		0		0	
33	6/20/2006	11:27	0		0		0	
34	6/20/2006	11:32	0		0		0	
35	6/20/2006	11:37	0		0		0	
36	6/20/2006	11:42	0		0		0	
37	6/20/2006	11:47	0		0		0	
38	6/20/2006	11:52	0		0		0	
39	6/20/2006	11:57	0		0		0	
40	6/20/2006	12:02	0		0		0	
41	6/20/2006	12:07	0		0		0	
42	6/20/2006	12:12	0		0		0	
43	6/20/2006	12:17	0		0		0	
44	6/20/2006	12:22	0		0		0	
45	6/20/2006	12:27	0		0		0	
46	6/20/2006	12:32	0		0		0	
47	6/20/2006	12:37	0		0		0	
48	6/20/2006	12:42	0		0		0	
49	6/20/2006	12:47	0		0		0	
50	6/20/2006	12:52	0		0		0	
51	6/20/2006	12:57	0		0		0	
52	6/20/2006	13:02	0		0		0	
53	6/20/2006	13:07	0		0		0	
54	6/20/2006	13:12	0		0		0	
55	6/20/2006	13:17	0		0		0	
56	6/20/2006	13:22	0		0		0	
57	6/20/2006	13:27	0		0		0	
58	6/20/2006	13:32	0		0		0	
59	6/20/2006	13:37	0		0		0	
60	6/20/2006	13:42	0		0		0	
61	6/20/2006	13:47	0		0		0	
62	6/20/2006	13:52	0		0		0	
63	6/20/2006	13:57	0		0		0	
64	6/20/2006	14:02	0		0		0	
65	6/20/2006	14:07	0		0		0	
66	6/20/2006	14:12	0		0		0	
67	6/20/2006	14:17	0		0		0	
68	6/20/2006	14:22	0		0		0	
69	6/20/2006	14:27	0		0		0	
70	6/20/2006	14:32	0		0		0	
71	6/20/2006	14:37	0		0		0	
72	6/20/2006	14:42	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 001988
User ID: 00000000 Site ID: LUCOATE
Data Point: 92 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:33

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)			
High Alarm Levels	1100	1100	1100			
Low Alarm Levels:	50	50	50			
<hr/>						
Line#	Date	Time	Min(ppm)			
			Alarm			
			Avg(ppm)			
			Alarm			
			Max(ppm)			
			Alarm			
1	6/21/2006	7:41	0	0	0	0
2	6/21/2006	7:46	0	0	0	0
3	6/21/2006	7:51	0	0	0	0
4	6/21/2006	7:55	0	0	0	0
5	6/21/2006	8:01	0	0	0	0
6	6/21/2006	8:06	0	0	0	0
7	6/21/2006	8:11	0	0	0	0
8	6/21/2006	8:16	0	0	0	0
9	6/21/2006	8:21	0	0	0	0
10	6/21/2006	8:26	0	0	0	0
11	6/21/2006	8:31	0	0	0	0
12	6/21/2006	8:36	0	0	0	0
13	6/21/2006	8:41	0	0	0	0
14	6/21/2006	8:46	0	0	0	0
15	6/21/2006	8:51	0	0	0	0
16	6/21/2006	8:56	0	0	0	0
17	6/21/2006	9:01	0	0	0	0
18	6/21/2006	9:06	0	0	0	0
19	6/21/2006	9:11	0	0	0	0
20	6/21/2006	9:16	0	0	0	0
21	6/21/2006	9:21	0	0	0	0
22	6/21/2006	9:26	0	0	0	0
23	6/21/2006	9:31	0	0	0	0
24	6/21/2006	9:36	0	0	0	0
25	6/21/2006	9:41	0	0	0	0
26	6/21/2006	9:46	0	0	0	0
27	6/21/2006	9:51	0	0	0	0
28	6/21/2006	9:56	0	0	0	0
29	6/21/2006	10:01	0	0	0	0
30	6/21/2006	10:06	0	0	0	0
31	6/21/2006	10:11	0	0	0	0
32	6/21/2006	10:16	0	0	0	0
33	6/21/2006	10:21	0	0	0	0
34	6/21/2006	10:26	0	0	0	0
35	6/21/2006	10:31	0	0	0	0
36	6/21/2006	10:36	0	0	0	0
37	6/21/2006	10:41	0	0	0	0
38	6/21/2006	10:46	0	0	0	0
39	6/21/2006	10:51	0	0	0	0
40	6/21/2006	10:56	0	0	0	0
41	6/21/2006	11:01	0	0	0	0
42	6/21/2006	11:06	0	0	0	0
43	6/21/2006	11:11	0	0	0	0
44	6/21/2006	11:16	0	0	0	0
45	6/21/2006	11:21	0	0	0	0
46	6/21/2006	11:26	0	0	0	0
47	6/21/2006	11:31	0	0	0	0
48	6/21/2006	11:36	0	0	0	0
49	6/21/2006	11:41	0	0	0	0
50	6/21/2006	11:46	0	0	0	0
51	6/21/2006	11:51	0	0	0	0
52	6/21/2006	11:56	0	0	0	0
53	6/21/2006	12:01	0	0	0	0
54	6/21/2006	12:06	0	0	0	0
55	6/21/2006	12:11	0	0	0	0
56	6/21/2006	12:16	0	0	0	0
57	6/21/2006	12:21	0	0	0	0
58	6/21/2006	12:26	0	0	0	0
59	6/21/2006	12:31	0	0	0	0
60	6/21/2006	12:36	0	0	0	0
61	6/21/2006	12:41	0	0	0	0
62	6/21/2006	12:46	0	0	0	0
63	6/21/2006	12:51	0	0	0	0
64	6/21/2006	12:56	0	0	0	0
65	6/21/2006	13:01	0	0	0	0
66	6/21/2006	13:06	0	0	0	0
67	6/21/2006	13:11	0	0	0	0
68	6/21/2006	13:16	0	0	0	0
69	6/21/2006	13:21	0	0	0	0
70	6/21/2006	13:26	0	0	0	0
71	6/21/2006	13:31	0	0	0	0
72	6/21/2006	13:36	0	0	0	0
73	6/21/2006	13:41	0	0	0	0
74	6/21/2006	13:46	0	0	0	0
75	6/21/2006	13:51	0	0	0	0
76	6/21/2006	13:56	0	0	0	0
77	6/21/2006	14:01	0	0	0	0
78	6/21/2006	14:06	0	0	0	0
79	6/21/2006	14:11	0	0	0	0
80	6/21/2006	14:16	0	0	0	0
81	6/21/2006	14:21	0	0	0	0
82	6/21/2006	14:26	0	0	0	0
83	6/21/2006	14:31	0	0	0	0
84	6/21/2006	14:36	0	0	0	0
85	6/21/2006	14:41	0	0	0	0
86	6/21/2006	14:46	0	0	0	0
87	6/21/2006	14:51	0	0	0	0
88	6/21/2006	14:56	0	0	0	0
89	6/21/2006	15:01	0	0	0	0
90	6/21/2006	15:06	0	0	0	0
91	6/21/2006	15:11	0	0	0	0
92	6/21/2006	15:16	0	0	0	0

Daily Airborne VOC Concentrations – West Monitor

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:03

=====

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/24/2006	11:42	0		0		0	
2	5/24/2006	11:57	0		0		0	
3	5/24/2006	12:12	0		0		0	
4	5/24/2006	12:27	0		0		0	
5	5/24/2006	12:42	0		0		0	
6	5/24/2006	12:57	0		0		0	
7	5/24/2006	13:12	0		0		0	
8	5/24/2006	13:27	0		0		0	
9	5/24/2006	13:42	0		0		0	
10	5/24/2006	13:57	0		0		0	
11	5/24/2006	14:12	0		0		0	
12	5/24/2006	14:27	0		0		0	
13	5/24/2006	14:42	0		0		0	
14	5/24/2006	14:57	0		0		0	
15	5/24/2006	15:12	0		0		0	
16	5/24/2006	15:27	0		0		0	
17	5/24/2006	15:42	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 05/24/2006 8:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/25/2006	13:27	0		0		0	
2	5/25/2006	13:42	0		0		0	
3	5/25/2006	13:57	0		0		0	
4	5/25/2006	14:12	0		0		0.4	
5	5/25/2006	14:27	0		0		0	
6	5/25/2006	14:42	0		0		0	
7	5/25/2006	14:57	0		0		0	
8	5/25/2006	15:12	0		0		0	
9	5/25/2006	15:27	0		0		0	
10	5/25/2006	15:42	0		0		0.1	
11	5/25/2006	15:57	0		0		0.1	
12	5/25/2006	16:12	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 81 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 25 25 25
Low Alarm Levels: 5 5 5
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/30/2006	9:37	0		0		0	
2	5/30/2006	9:42	0		0		0	
3	5/30/2006	9:47	0		0		0	
4	5/30/2006	9:52	0		0		0	
5	5/30/2006	9:57	0		0		0	
6	5/30/2006	10:02	0		0		0	
7	5/30/2006	10:07	0		0		0	
8	5/30/2006	10:12	0		0		0	
9	5/30/2006	10:17	0		0		0	
10	5/30/2006	10:22	0		0		0	
11	5/30/2006	10:27	0		0		0	
12	5/30/2006	10:32	0		0		0	
13	5/30/2006	10:37	0		0		0	
14	5/30/2006	10:42	0		0		0.1	
15	5/30/2006	10:47	0		0		0	
16	5/30/2006	10:52	0		0		0	
17	5/30/2006	10:57	0		0		0	
18	5/30/2006	11:02	0		0		0	
19	5/30/2006	11:07	0		0		0	
20	5/30/2006	11:12	0		0		0	
21	5/30/2006	11:17	0		0		0	
22	5/30/2006	11:22	0		0		0	
23	5/30/2006	11:27	0		0		0	
24	5/30/2006	11:32	0		0		0	
25	5/30/2006	11:37	0		0		0	
26	5/30/2006	11:42	0		0		0	
27	5/30/2006	11:47	0		0		0	
28	5/30/2006	11:52	0		0		0	
29	5/30/2006	11:57	0		0		0	
30	5/30/2006	12:02	0		0		0	
31	5/30/2006	12:07	0		0		0	
32	5/30/2006	12:12	0		0		0	
33	5/30/2006	12:17	0		0		0	
34	5/30/2006	12:22	0		0		0	
35	5/30/2006	12:27	0		0		0	
36	5/30/2006	12:32	0		0		0	
37	5/30/2006	12:37	0		0		0	
38	5/30/2006	12:42	0		0		0	
39	5/30/2006	12:47	0		0		0	
40	5/30/2006	12:52	0		0		0	
41	5/30/2006	12:57	0		0		0	
42	5/30/2006	13:02	0		0		0	
43	5/30/2006	13:07	0		0		0	
44	5/30/2006	13:12	0		0		0	
45	5/30/2006	13:17	0		0		0	
46	5/30/2006	13:22	0		0		0	
47	5/30/2006	13:27	0		0		0	
48	5/30/2006	13:32	0		0		0	
49	5/30/2006	13:37	0		0		0	
50	5/30/2006	13:42	0		0		0.1	
51	5/30/2006	13:47	0		0		0	
52	5/30/2006	13:52	0		0		0	
53	5/30/2006	13:57	0		0		0	
54	5/30/2006	14:02	0		0		0	
55	5/30/2006	14:07	0		0		0	
56	5/30/2006	14:12	0		0		0	
57	5/30/2006	14:17	0		0		0	
58	5/30/2006	14:22	0		0		0	
59	5/30/2006	14:27	0		0		0	
60	5/30/2006	14:32	0		0		0	
61	5/30/2006	14:37	0		0		0	
62	5/30/2006	14:42	0		0		0	
63	5/30/2006	14:47	0		0		0	
64	5/30/2006	14:52	0		0		0	
65	5/30/2006	14:57	0		0		0	
66	5/30/2006	15:02	0		0		0	
67	5/30/2006	15:07	0		0		0	
68	5/30/2006	15:12	0		0		0	
69	5/30/2006	15:17	0		0		0	
70	5/30/2006	15:22	0		0		0	
71	5/30/2006	15:27	0		0		0	
72	5/30/2006	15:32	0		0		0	
73	5/30/2006	15:37	0		0		0	
74	5/30/2006	15:42	0		0		0	
75	5/30/2006	15:47	0		0		0	
76	5/30/2006	15:52	0		0		0	
77	5/30/2006	15:57	0		0		0	
78	5/30/2006	16:02	0		0		0	
79	5/30/2006	16:07	0		0		0	
80	5/30/2006	16:12	0		0		0	
81	5/30/2006	16:17	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 85 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	25	25	25
Low Alarm Levels:	5	5	5

=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	5/31/2006	8:09	0		0		0	
2	5/31/2006	8:14	0		0		0	
3	5/31/2006	8:19	0		0		0	
4	5/31/2006	8:24	0		0		0	
5	5/31/2006	8:29	0		0		0	
6	5/31/2006	8:34	0		0		0	
7	5/31/2006	8:39	0		0	0.2		
8	5/31/2006	8:44	0		0		0	
9	5/31/2006	8:49	0		0		0	
10	5/31/2006	8:54	0		0		0	
11	5/31/2006	8:59	0		0		0	
12	5/31/2006	9:04	0		0		0	
13	5/31/2006	9:09	0		0		0	
14	5/31/2006	9:14	0		0		0	
15	5/31/2006	9:19	0		0		0	
16	5/31/2006	9:24	0		0		0	
17	5/31/2006	9:29	0		0		0	
18	5/31/2006	9:34	0		0		0	
19	5/31/2006	9:39	0		0		0	
20	5/31/2006	9:44	0		0		0	
21	5/31/2006	9:49	0		0		0	
22	5/31/2006	9:54	0		0		0	
23	5/31/2006	9:59	0		0		0	
24	5/31/2006	10:04	0		0		0	
25	5/31/2006	10:09	0		0		0	
26	5/31/2006	10:14	0		0		0	
27	5/31/2006	10:19	0		0		0	
28	5/31/2006	10:24	0		0		0	
29	5/31/2006	10:29	0		0		0	
30	5/31/2006	10:34	0		0		0	
31	5/31/2006	10:39	0		0		0	
32	5/31/2006	10:44	0		0		0	
33	5/31/2006	10:49	0		0		0	
34	5/31/2006	10:54	0		0		0	
35	5/31/2006	10:59	0		0		0	
36	5/31/2006	11:04	0		0		0	
37	5/31/2006	11:09	0		0		0	
38	5/31/2006	11:14	0		0		0	
39	5/31/2006	11:19	0		0		0	
40	5/31/2006	11:24	0		0		0	
41	5/31/2006	11:29	0		0		0	
42	5/31/2006	11:34	0		0		0	
43	5/31/2006	11:39	0		0		0	
44	5/31/2006	11:44	0		0		0	
45	5/31/2006	11:49	0		0		0	
46	5/31/2006	11:54	0		0	0.2		
47	5/31/2006	11:59	0		0		0	
48	5/31/2006	12:04	0		0		0	
49	5/31/2006	12:09	0		0		0	
50	5/31/2006	12:14	0		0		0	
51	5/31/2006	12:19	0		0		0	
52	5/31/2006	12:24	0		0		0	
53	5/31/2006	12:29	0		0		0	
54	5/31/2006	12:34	0		0		0	
55	5/31/2006	12:39	0		0		0	
56	5/31/2006	12:44	0		0		0	
57	5/31/2006	12:49	0		0		0	
58	5/31/2006	12:54	0		0		0	
59	5/31/2006	12:59	0		0		0	
60	5/31/2006	13:04	0		0		0	
61	5/31/2006	13:09	0		0		0	
62	5/31/2006	13:14	0		0		0	
63	5/31/2006	13:19	0		0		0	
64	5/31/2006	13:24	0		0		0	
65	5/31/2006	13:29	0		0		0	
66	5/31/2006	13:34	0		0		0	
67	5/31/2006	13:39	0		0		0	
68	5/31/2006	13:44	0		0		0	
69	5/31/2006	13:49	0		0	11.9 L		
70	5/31/2006	13:54	0		0	0.2		
71	5/31/2006	13:59	0		0	0		
72	5/31/2006	14:04	0		0		0	
73	5/31/2006	14:09	0		0		0	
74	5/31/2006	14:14	0		0		0	
75	5/31/2006	14:19	0		0		0	
76	5/31/2006	14:24	0		0		0	
77	5/31/2006	14:29	0		0		0	
78	5/31/2006	14:34	0		0		0	
79	5/31/2006	14:39	0		0		0	
80	5/31/2006	14:44	0		0		0	
81	5/31/2006	14:49	0		0		0	
82	5/31/2006	14:54	0		0		0	
83	5/31/2006	14:59	0		0		0	
84	5/31/2006	15:04	0		0		0	
85	5/31/2006	15:09	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 83 Gas Name: Isobutylene Sample Pendo: 300 sec
Last Calibration Time: 05/30/2006 8:40

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	25	25	25					
Low Alarm Levels:	5	5	5					
<hr/>								
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/1/2006	7:49	0		0		0.6	
2	6/1/2006	7:54	0		0		0	
3	6/1/2006	7:59	0		0		0	
4	6/1/2006	8:04	0		0		0	
5	6/1/2006	8:09	0		0		0.1	
6	6/1/2006	8:14	0		0		0	
7	6/1/2006	8:19	0		0		0	
8	6/1/2006	8:24	0		0		0.1	
9	6/1/2006	8:29	0		0		0	
10	6/1/2006	8:34	0		0		0	
11	6/1/2006	8:39	0		0		0	
12	6/1/2006	8:44	0		0		0	
13	6/1/2006	8:49	0		0		0	
14	6/1/2006	8:54	0		0		0	
15	6/1/2006	8:59	0		0		0	
16	6/1/2006	9:04	0		0		0	
17	6/1/2006	9:09	0		0		0	
18	6/1/2006	9:14	0		0		0.3	
19	6/1/2006	9:19	0		0		0	
20	6/1/2006	9:24	0		0		0.1	
21	6/1/2006	9:29	0		0		0.1	
22	6/1/2006	9:34	0		0		0.2	
23	6/1/2006	9:39	0		0		0.1	
24	6/1/2006	9:44	0		0		0.2	
25	6/1/2006	9:49	0		0		0	
26	6/1/2006	9:54	0		0		0.1	
27	6/1/2006	9:59	0		0		0.1	
28	6/1/2006	10:04	0		0		0	
29	6/1/2006	10:09	0		0		0.3	
30	6/1/2006	10:14	0		0		0.1	
31	6/1/2006	10:19	0		0		0.1	
32	6/1/2006	10:24	0		0.1		24.9	L
33	6/1/2006	10:29	0		0		0.3	
34	6/1/2006	10:34	0		0		0.2	
35	6/1/2006	10:39	0		0		0.1	
36	6/1/2006	10:44	0		0		0.1	
37	6/1/2006	10:49	0		0		0.2	
38	6/1/2006	10:54	0		0		0.2	
39	6/1/2006	10:59	0		0		0	
40	6/1/2006	11:04	0		0		0.4	
41	6/1/2006	11:09	0		0		0.3	
42	6/1/2006	11:14	0		0		0	
43	6/1/2006	11:19	0		0		0	
44	6/1/2006	11:24	0		0		0	
45	6/1/2006	11:29	0		0		0.1	
46	6/1/2006	11:34	0		0		0	
47	6/1/2006	11:39	0		0		0.2	
48	6/1/2006	11:44	0		0		0.4	
49	6/1/2006	11:49	0		0		0.5	
50	6/1/2006	11:54	0		0		0.5	
51	6/1/2006	11:59	0		0		0	
52	6/1/2006	12:04	0		0		0	
53	6/1/2006	12:09	0		0		0	
54	6/1/2006	12:14	0		0		0.2	
55	6/1/2006	12:19	0		0		0.2	
56	6/1/2006	12:24	0		0		0	
57	6/1/2006	12:29	0		0		0	
58	6/1/2006	12:34	0		0		0	
59	6/1/2006	12:39	0		0		0	
60	6/1/2006	12:44	0		0		0.5	
61	6/1/2006	12:49	0		0		0.4	
62	6/1/2006	12:54	0		0		0	
63	6/1/2006	12:59	0		0		0	
64	6/1/2006	13:04	0		0		0	
65	6/1/2006	13:09	0		0		0.1	
66	6/1/2006	13:14	0		0		0.1	
67	6/1/2006	13:19	0		0		0	
68	6/1/2006	13:24	0		0		0	
69	6/1/2006	13:29	0		0		0	
70	6/1/2006	13:34	0		0		0	
71	6/1/2006	13:39	0		0		0	
72	6/1/2006	13:44	0		0		0.1	
73	6/1/2006	13:49	0		0		0	
74	6/1/2006	13:54	0		0		0	
75	6/1/2006	13:59	0		0		0.1	
76	6/1/2006	14:04	0		0		0	
77	6/1/2006	14:09	0		0		0.1	
78	6/1/2006	14:14	0		0		0.1	
79	6/1/2006	14:19	0		0		0.1	
80	6/1/2006	14:24	0		0		0.1	
81	6/1/2006	14:29	0		0		0	
82	6/1/2006	14:34	0		0		0.1	
83	6/1/2006	14:39	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 88 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 05/30/2006 8:40

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 25 25 25
Low Alarm Levels: 5 5 5
=====

Line# Date Time Min(ppm) Alarm Avg(ppm) Alarm Max(ppm) Alarm
=====

1	6/2/2006 8:46	0	0	0	
2	6/2/2006 8:51	0	0	1.2	
3	6/2/2006 8:56	0	0	0.2	
4	6/2/2006 9:01	0	0	0.4	
5	6/2/2006 9:06	0	0	0.2	
6	6/2/2006 9:11	0	0	0	
7	6/2/2006 9:16	0	0.1	3.9	
8	6/2/2006 9:21	0	0	0	
9	6/2/2006 9:26	0	0	0.2	
10	6/2/2006 9:31	0	0	0.7	
11	6/2/2006 9:36	0	0	0	
12	6/2/2006 9:41	0	0.1	6.8 L	
13	6/2/2006 9:46	0	0	2.2	
14	6/2/2006 9:51	0	0	0	
15	6/2/2006 9:56	0	0	0.2	
16	6/2/2006 10:01	0	0.1	5	
17	6/2/2006 10:06	0	0	1.2	
18	6/2/2006 10:11	0	0	0	
19	6/2/2006 10:16	0	0	2.3	
20	6/2/2006 10:21	0	0	1.3	
21	6/2/2006 10:26	0	0	1	
22	6/2/2006 10:31	0	0.1	1.1	
23	6/2/2006 10:36	0	0.8	15.6 L	
24	6/2/2006 10:41	0	0.8	48.3 H	
25	6/2/2006 10:46	0	0.8	47.3 H	
26	6/2/2006 10:51	0	1.8	61.7 H	
27	6/2/2006 10:56	0	0.1	5.8 L	
28	6/2/2006 11:01	0	5.3 L	220.6 H	
29	6/2/2006 11:06	0	0.3	4.7	
30	6/2/2006 11:11	0	0.2	4.9	
31	6/2/2006 11:16	0	0.1	3.3	
32	6/2/2006 11:21	0	0.2	3.8	
33	6/2/2006 11:26	0	0.4	5.9 L	
34	6/2/2006 11:31	0	0.4	3.7	
35	6/2/2006 11:36	0	0.8	16.1 L	
36	6/2/2006 11:41	0	1.6	45.5 H	
37	6/2/2006 11:46	0	10.4 L	284 H	
38	6/2/2006 11:51	0	1.7	60.9 H	
39	6/2/2006 11:56	0	2.3	61.7 H	
40	6/2/2006 12:01	0	2.8	28.8 H	
41	6/2/2006 12:06	0	0.8	11.7 L	
42	6/2/2006 12:11	0	0.6	11 L	
43	6/2/2006 12:16	0	0.2	3.8	
44	6/2/2006 12:21	0	0.1	2.2	
45	6/2/2006 12:26	0	0.5	4.5	
46	6/2/2006 12:31	0	0.2	2.5	
47	6/2/2006 12:36	0	0.3	3.8	
48	6/2/2006 12:41	0	0.2	2.5	
49	6/2/2006 12:46	0	0.1	2.8	
50	6/2/2006 12:51	0	0.1	4.9	
51	6/2/2006 12:56	0	0.4	3.9	
52	6/2/2006 13:01	0	0.2	5	
53	6/2/2006 13:06	0	0.1	3.3	
54	6/2/2006 13:11	0	0.2	5.8 L	
55	6/2/2006 13:16	0	0.3	2.2	
56	6/2/2006 13:21	0	0.4	3.6	
57	6/2/2006 13:26	0	0.2	16 L	
58	6/2/2006 13:31	0	0.2	7.4 L	
59	6/2/2006 13:36	0	0.5	113 L	
60	6/2/2006 13:41	0	0	2	
61	6/2/2006 13:46	0	0	0.7	
62	6/2/2006 13:51	0	0	2	
63	6/2/2006 13:56	0	0	0.8	
64	6/2/2006 14:01	0	0.3	21 L	
65	6/2/2006 14:06	0	2.8	76.2 H	
66	6/2/2006 14:11	0	0.9	18.4 L	
67	6/2/2006 14:16	0	0.8	41.5 H	
68	6/2/2006 14:21	0	0	0.1	
69	6/2/2006 14:26	0	0	0.2	
70	6/2/2006 14:31	0	0	0.1	
71	6/2/2006 14:36	0	0	0.7	
72	6/2/2006 14:41	0	0	0.1	
73	6/2/2006 14:46	0	0	0	
74	6/2/2006 14:51	0	0	0.2	
75	6/2/2006 14:56	0	0	0.4	
76	6/2/2006 15:01	0	0	0.2	
77	6/2/2006 15:06	0	0	0	
78	6/2/2006 15:11	0	0	0.2	
79	6/2/2006 15:16	0	0	0.2	
80	6/2/2006 15:21	0	0	0	
81	6/2/2006 15:26	0	0	0.2	
82	6/2/2006 15:31	0	0	0	
83	6/2/2006 15:36	0	0	0.4	
84	6/2/2006 15:41	0	0	0.2	
85	6/2/2006 15:46	0	0	0.2	
86	6/2/2006 15:51	0	0	0.1	
87	6/2/2006 15:56	0	0	0.1	
88	6/2/2006 16:01	0	0	0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 0000001 Site ID: LUSCOATE
Data Points: 75 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	25	25	25					
Low Alarm Levels:	5	5	5					
<hr/>								
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/5/2006	8:41	0		0		0	
2	6/5/2006	8:46	0		0		0	
3	6/5/2006	8:51	0		0		0	
4	6/5/2006	8:56	0		0		0	
5	6/5/2006	9:01	0		0		0	
6	6/5/2006	9:06	0		0		0	
7	6/5/2006	9:11	0		0		0	
8	6/5/2006	9:16	0		0		0	
9	6/5/2006	9:21	0		0		0	
10	6/5/2006	9:26	0		0		0	
11	6/5/2006	9:31	0		0		0.1	
12	6/5/2006	9:36	0		0		0	
13	6/5/2006	9:41	0		0		0	
14	6/5/2006	9:46	0		0		0	
15	6/5/2006	9:51	0		0		0	
16	6/5/2006	9:56	0		0		0	
17	6/5/2006	10:01	0		0		0	
18	6/5/2006	10:06	0		0		0	
19	6/5/2006	10:11	0		0		0	
20	6/5/2006	10:16	0		0		0	
21	6/5/2006	10:21	0		0		0	
22	6/5/2006	10:26	0		0		0.3	
23	6/5/2006	10:31	0		0		0	
24	6/5/2006	10:36	0		0		0	
25	6/5/2006	10:41	0		0		0.2	
26	6/5/2006	10:46	0		0		0	
27	6/5/2006	10:51	0		0		0	
28	6/5/2006	10:56	0		0		0	
29	6/5/2006	11:01	0		0		0	
30	6/5/2006	11:06	0		0		0.1	
31	6/5/2006	11:11	0		0		0	
32	6/5/2006	11:16	0		0		0	
33	6/5/2006	11:21	0		0		0.2	
34	6/5/2006	11:26	0		0		0.5	
35	6/5/2006	11:31	0		0		0	
36	6/5/2006	11:36	0		0		0	
37	6/5/2006	11:41	0		0		0	
38	6/5/2006	11:46	0		0		0	
39	6/5/2006	11:51	0		0		0	
40	6/5/2006	11:56	0		0		0	
41	6/5/2006	12:01	0		0		0	
42	6/5/2006	12:06	0		0		0	
43	6/5/2006	12:11	0		0		0	
44	6/5/2006	12:16	0		0		0	
45	6/5/2006	12:21	0		0		0	
46	6/5/2006	12:26	0		0		0.3	
47	6/5/2006	12:31	0		0		0.1	
48	6/5/2006	12:36	0		0		0.1	
49	6/5/2006	12:41	0		0		0.1	
50	6/5/2006	12:46	0		0		0.1	
51	6/5/2006	12:51	0		0		0.5	
52	6/5/2006	12:56	0		0		0.1	
53	6/5/2006	13:01	0		0		0.4	
54	6/5/2006	13:06	0		0		0	
55	6/5/2006	13:11	0		0		0.3	
56	6/5/2006	13:16	0		0		0.2	
57	6/5/2006	13:21	0		0		0.2	
58	6/5/2006	13:26	0		0		0	
59	6/5/2006	13:31	0		0		0	
60	6/5/2006	13:36	0		0		0	
61	6/5/2006	13:41	0		0		0	
62	6/5/2006	13:46	0		0		0.7	
63	6/5/2006	13:51	0		0		0	
64	6/5/2006	13:56	0		0		0	
65	6/5/2006	14:01	0		0		0	
66	6/5/2006	14:06	0		0		0	
67	6/5/2006	14:11	0		0		0.1	
68	6/5/2006	14:16	0		0		0	
69	6/5/2006	14:21	0		0		0	
70	6/5/2006	14:26	0		0		0	
71	6/5/2006	14:31	0		0		0	
72	6/5/2006	14:36	0		0		0	
73	6/5/2006	14:41	0		0		0	
74	6/5/2006	14:46	0		0		0	
75	6/5/2006	14:51	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCATE
Data Points: 92 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5
<hr/>			
Line#	Date	Time	Min(ppm) Alarm Avg(ppm) Alarm Max(ppm) Alarm
1	6/6/2006	8:13	0 0 0 0
2	6/6/2006	8:18	0 0 0 0
3	6/6/2006	8:23	0 0 0 0
4	6/6/2006	8:28	0 0 0 0
5	6/6/2006	8:33	0 0 0 0
6	6/6/2006	8:38	0 0 0 0
7	6/6/2006	8:43	0 0 0 0
8	6/6/2006	8:48	0 0 0 0
9	6/6/2006	8:53	0 0 0 0
10	6/6/2006	8:58	0 0 0 0
11	6/6/2006	9:03	0 0 0 0
12	6/6/2006	9:08	0 0 0 0
13	6/6/2006	9:13	0 0 0 0
14	6/6/2006	9:18	0 0 0 0
15	6/6/2006	9:23	0 0 0 0
16	6/6/2006	9:28	0 0 0 0
17	6/6/2006	9:33	0 0 0 0
18	6/6/2006	9:38	0 0 0 0
19	6/6/2006	9:43	0 0 0 0
20	6/6/2006	9:48	0 0 0 0
21	6/6/2006	9:53	0 0 0 0
22	6/6/2006	9:58	0 0 0 0
23	6/6/2006	10:03	0 0 0.1 0
24	6/6/2006	10:08	0 0 0 0
25	6/6/2006	10:13	0 0 0 0
26	6/6/2006	10:18	0 0 0 0
27	6/6/2006	10:23	0 0 0 0
28	6/6/2006	10:28	0 0 0 0
29	6/6/2006	10:33	0 0 0 0
30	6/6/2006	10:38	0 0 0 0
31	6/6/2006	10:43	0 0 0.7 0
32	6/6/2006	10:48	0 0 0 0
33	6/6/2006	10:53	0 0 0 0
34	6/6/2006	10:58	0 0 0 0
35	6/6/2006	11:03	0 0 0 0
36	6/6/2006	11:08	0 0 0 0
37	6/6/2006	11:13	0 0 0 0
38	6/6/2006	11:18	0 0 0 0
39	6/6/2006	11:23	0 0 0 0
40	6/6/2006	11:28	0 0 0 0
41	6/6/2006	11:33	0 0 0 0
42	6/6/2006	11:38	0 0 0 0
43	6/6/2006	11:43	0 0 0 0
44	6/6/2006	11:48	0 0 0 0
45	6/6/2006	11:53	0 0 0 0
46	6/6/2006	11:58	0 0 0 0
47	6/6/2006	12:03	0 0 0 0
48	6/6/2006	12:08	0 0 0 0
49	6/6/2006	12:13	0 0 0 0
50	6/6/2006	12:18	0 0 0 0
51	6/6/2006	12:23	0 0 0 0
52	6/6/2006	12:28	0 0 0 0
53	6/6/2006	12:33	0 0 0 0
54	6/6/2006	12:38	0 0 0 0
55	6/6/2006	12:43	0 0 0 0
56	6/6/2006	12:48	0 0 0 0
57	6/6/2006	12:53	0 0 0 0
58	6/6/2006	12:58	0 0 0 0
59	6/6/2006	13:03	0 0 0 0
60	6/6/2006	13:08	0 0 0 0
61	6/6/2006	13:13	0 0 0 0
62	6/6/2006	13:18	0 0 0 0
63	6/6/2006	13:23	0 0 0 0
64	6/6/2006	13:28	0 0 0 0
65	6/6/2006	13:33	0 0 0 0
66	6/6/2006	13:38	0 0 0 0
67	6/6/2006	13:43	0 0 0 0
68	6/6/2006	13:48	0 0 0 0
69	6/6/2006	13:53	0 0 0 0
70	6/6/2006	13:58	0 0 0 0
71	6/6/2006	14:03	0 0 0 0
72	6/6/2006	14:08	0 0 0 0
73	6/6/2006	14:13	0 0 0 0
74	6/6/2006	14:18	0 0 0 0
75	6/6/2006	14:23	0 0 0 0
76	6/6/2006	14:28	0 0 0.3 0
77	6/6/2006	14:33	0 0 0 0
78	6/6/2006	14:38	0 0 0 0
79	6/6/2006	14:43	0 0 0 0
80	6/6/2006	14:48	0 0 0 0
81	6/6/2006	14:53	0 0 0 0
82	6/6/2006	14:58	0 0 0.1 0
83	6/6/2006	15:03	0 0 0 0
84	6/6/2006	15:08	0 0 0 0
85	6/6/2006	15:13	0 0 0 0
86	6/6/2006	15:18	0 0 0 0
87	6/6/2006	15:23	0 0 0 0
88	6/6/2006	15:28	0 0 0 0
89	6/6/2006	15:33	0 0 0 0
90	6/6/2006	15:38	0 0 0 0
91	6/6/2006	15:43	0 0 0 0
92	6/6/2006	15:48	0 0 0 0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 43 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/7/2006	12:00	0		0		0	
2	6/7/2006	12:05	0		0		0	
3	6/7/2006	12:10	0		0		0	
4	6/7/2006	12:15	0		0		0	
5	6/7/2006	12:20	0		0		0	
6	6/7/2006	12:25	0		0		0	
7	6/7/2006	12:30	0		0		0	
8	6/7/2006	12:35	0		0		0	
9	6/7/2006	12:40	0		0		0	
10	6/7/2006	12:45	0		0		0	
11	6/7/2006	12:50	0		0		0	
12	6/7/2006	12:55	0		0		0	
13	6/7/2006	13:00	0		0		0	
14	6/7/2006	13:05	0		0		0	
15	6/7/2006	13:10	0		0		0.1	
16	6/7/2006	13:15	0		0		0	
17	6/7/2006	13:20	0		0		0	
18	6/7/2006	13:25	0		0		0	
19	6/7/2006	13:30	0		0		0.1	
20	6/7/2006	13:35	0		0		0	
21	6/7/2006	13:40	0		0		0	
22	6/7/2006	13:45	0		0		0	
23	6/7/2006	13:50	0		0		0	
24	6/7/2006	13:55	0		0		0	
25	6/7/2006	14:00	0		0		0	
26	6/7/2006	14:05	0		0		0	
27	6/7/2006	14:10	0		0		0	
28	6/7/2006	14:15	0		0		0	
29	6/7/2006	14:20	0		0		0	
30	6/7/2006	14:25	0		0		0	
31	6/7/2006	14:30	0		0		0.7	
32	6/7/2006	14:35	0		0		0	
33	6/7/2006	14:40	0		0		0	
34	6/7/2006	14:45	0		0		0.3	
35	6/7/2006	14:50	0		0		0	
36	6/7/2006	14:55	0		0		0.1	
37	6/7/2006	15:00	0		0		0	
38	6/7/2006	15:05	0		0		0	
39	6/7/2006	15:10	0		0		0	
40	6/7/2006	15:15	0		0		0	
41	6/7/2006	15:20	0		0		0	
42	6/7/2006	15:25	0		0		0	
43	6/7/2006	15:30	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 82 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/05/2006 8:09

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 25 25 25
Low Alarm Levels: 5 5 5
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/8/2006	8:41	0		0		0	
2	6/8/2006	8:46	0		0		0	
3	6/8/2006	8:51	0		0		0	
4	6/8/2006	8:56	0		0		0	
5	6/8/2006	9:01	0		0		0	
6	6/8/2006	9:06	0		0		0	
7	6/8/2006	9:11	0		0		0	
8	6/8/2006	9:16	0		0		0	
9	6/8/2006	9:21	0		0		0	
10	6/8/2006	9:26	0		0		0	
11	6/8/2006	9:31	0		0	0.1		
12	6/8/2006	9:36	0		0	0.1		
13	6/8/2006	9:41	0		0	0		
14	6/8/2006	9:46	0		0	0		
15	6/8/2006	9:51	0		0	0		
16	6/8/2006	9:56	0		0	0		
17	6/8/2006	10:01	0		0	0.1		
18	6/8/2006	10:06	0		0	0		
19	6/8/2006	10:11	0		0	0		
20	6/8/2006	10:16	0		0	0		
21	6/8/2006	10:21	0		0	0		
22	6/8/2006	10:26	0		0	0		
23	6/8/2006	10:31	0		0	0		
24	6/8/2006	10:36	0		0	0		
25	6/8/2006	10:41	0		0	0		
26	6/8/2006	10:46	0		0	0		
27	6/8/2006	10:51	0		0	0		
28	6/8/2006	10:56	0		0	0		
29	6/8/2006	11:01	0		0	0		
30	6/8/2006	11:06	0		0	0.1		
31	6/8/2006	11:11	0		0	0.1		
32	6/8/2006	11:16	0		0	0.1		
33	6/8/2006	11:21	0		0	0		
34	6/8/2006	11:26	0		0	0		
35	6/8/2006	11:31	0		0	0.1		
36	6/8/2006	11:36	0		0	0.1		
37	6/8/2006	11:41	0		0	0.1		
38	6/8/2006	11:46	0		0	0.1		
39	6/8/2006	11:51	0		0	0.3		
40	6/8/2006	11:56	0		0	0.1		
41	6/8/2006	12:01	0		0	0.1		
42	6/8/2006	12:06	0		0	0		
43	6/8/2006	12:11	0		0	0.1		
44	6/8/2006	12:16	0		0	0.1		
45	6/8/2006	12:21	0		0	0.1		
46	6/8/2006	12:26	0		0	0.2		
47	6/8/2006	12:31	0		0	0.1		
48	6/8/2006	12:36	0		0	0		
49	6/8/2006	12:41	0		0	0.1		
50	6/8/2006	12:46	0		0	0		
51	6/8/2006	12:51	0		0	0		
52	6/8/2006	12:56	0		0	0.1		
53	6/8/2006	13:01	0		0	0.1		
54	6/8/2006	13:06	0		0	0.1		
55	6/8/2006	13:11	0		0	0		
56	6/8/2006	13:16	0		0	0		
57	6/8/2006	13:21	0		0	0		
58	6/8/2006	13:26	0		0	0		
59	6/8/2006	13:31	0		0	0		
60	6/8/2006	13:36	0		0	0		
61	6/8/2006	13:41	0		0	0		
62	6/8/2006	13:46	0		0	0		
63	6/8/2006	13:51	0		0	0		
64	6/8/2006	13:56	0		0	0		
65	6/8/2006	14:01	0		0	0		
66	6/8/2006	14:06	0		0	0		
67	6/8/2006	14:11	0		0	0		
68	6/8/2006	14:16	0		0	0		
69	6/8/2006	14:21	0		0	0		
70	6/8/2006	14:26	0		0	0		
71	6/8/2006	14:31	0		0	0		
72	6/8/2006	14:36	0		0	0		
73	6/8/2006	14:41	0		0	0		
74	6/8/2006	14:46	0		0	0		
75	6/8/2006	14:51	0		0	0		
76	6/8/2006	14:56	0		0	0		
77	6/8/2006	15:01	0		0	0		
78	6/8/2006	15:06	0		0	0		
79	6/8/2006	15:11	0		0	0		
80	6/8/2006	15:16	0		0	0		
81	6/8/2006	15:21	0		0	0		
82	6/8/2006	15:26	0		0	0.2		

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
 User ID: 00000001 Site ID: LUSCOATE
 Data Points: 33 Gas Name: Isobutylene Sample Period: 300 sec
 Last Calibration Time: 06/05/2006 8:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/9/2006	8:26	0		0		0	
2	6/9/2006	8:31	0		0		0	
3	6/9/2006	8:36	0		0		0	
4	6/9/2006	8:41	0		0		0	
5	6/9/2006	8:46	0		0		0	
6	6/9/2006	8:51	0		0		0	
7	6/9/2006	8:56	0		0		0	
8	6/9/2006	9:01	0		0		0	
9	6/9/2006	9:06	0		0		0	
10	6/9/2006	9:11	0		0		0	
11	6/9/2006	9:16	0		0		0	
12	6/9/2006	9:21	0		0		0	
13	6/9/2006	9:26	0		0		0	
14	6/9/2006	9:31	0		0		0	
15	6/9/2006	9:36	0		0		0	
16	6/9/2006	9:41	0		0		0	
17	6/9/2006	9:46	0		0		0	
18	6/9/2006	9:51	0		0		0	
19	6/9/2006	9:56	0		0		0	
20	6/9/2006	10:01	0		0		0	
21	6/9/2006	10:06	0		0		0	
22	6/9/2006	10:11	0		0		0	
23	6/9/2006	10:16	0		0		0	
24	6/9/2006	10:21	0		0		0	
25	6/9/2006	10:26	0		0		0	
26	6/9/2006	10:31	0		0		0	
27	6/9/2006	10:36	0		0		0	
28	6/9/2006	10:41	0		0		0	
29	6/9/2006	10:46	0		0		0	
30	6/9/2006	10:51	0		0		0	
31	6/9/2006	10:56	0		0		0	
32	6/9/2006	11:01	0		0		0	
33	6/9/2006	11:06	0		0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 91 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	25	25	25					
Low Alarm Levels:	5	5	5					
<hr/>								
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/12/2006	8:40	0		0		0	
2	6/12/2006	8:45	0		0		0	
3	6/12/2006	8:50	0		0		0	
4	6/12/2006	8:55	0		0		0	
5	6/12/2006	9:00	0		0		0	
6	6/12/2006	9:05	0		0		0	
7	6/12/2006	9:10	0		0		0	
8	6/12/2006	9:15	0		0		0	
9	6/12/2006	9:20	0		0		0	
10	6/12/2006	9:25	0		0		0	
11	6/12/2006	9:30	0		0		0	
12	6/12/2006	9:35	0		0		0	
13	6/12/2006	9:40	0		0		0	
14	6/12/2006	9:45	0		0		0	
15	6/12/2006	9:50	0		0		0	
16	6/12/2006	9:55	0		0		0	
17	6/12/2006	10:00	0		0		0	
18	6/12/2006	10:05	0		0		0	
19	6/12/2006	10:10	0		0		0	
20	6/12/2006	10:15	0		0		0	
21	6/12/2006	10:20	0		0		0	
22	6/12/2006	10:25	0		0		0	
23	6/12/2006	10:30	0		0		0	
24	6/12/2006	10:35	0		0		0	
25	6/12/2006	10:40	0		0		0	
26	6/12/2006	10:45	0		0		0	
27	6/12/2006	10:50	0		0		0	
28	6/12/2006	10:55	0		0		0	
29	6/12/2006	11:00	0		0		0	
30	6/12/2006	11:05	0		0		0	
31	6/12/2006	11:10	0		0		0	
32	6/12/2006	11:15	0		0		0	
33	6/12/2006	11:20	0		0		0	
34	6/12/2006	11:25	0		0		0	
35	6/12/2006	11:30	0		0		0	
36	6/12/2006	11:35	0		0		0	
37	6/12/2006	11:40	0		0		0	
38	6/12/2006	11:45	0		0		0	
39	6/12/2006	11:50	0		0		0	
40	6/12/2006	11:55	0		0		0	
41	6/12/2006	12:00	0		0		0	
42	6/12/2006	12:05	0		0		0	
43	6/12/2006	12:10	0		0		0	
44	6/12/2006	12:15	0		0		0	
45	6/12/2006	12:20	0		0		0	
46	6/12/2006	12:25	0		0		0	
47	6/12/2006	12:30	0		0		0	
48	6/12/2006	12:35	0		0		0	
49	6/12/2006	12:40	0		0		0	
50	6/12/2006	12:45	0		0		0	
51	6/12/2006	12:50	0		0		0	
52	6/12/2006	12:55	0		0		0	
53	6/12/2006	13:00	0		0		0	
54	6/12/2006	13:05	0		0		0	
55	6/12/2006	13:10	0		0		0	
56	6/12/2006	13:15	0		0		0	
57	6/12/2006	13:20	0		0		0	
58	6/12/2006	13:25	0		0		0	
59	6/12/2006	13:30	0		0		0	
60	6/12/2006	13:35	0		0		0	
61	6/12/2006	13:40	0		0		0	
62	6/12/2006	13:45	0		0		0	
63	6/12/2006	13:50	0		0		0	
64	6/12/2006	13:55	0		0		0	
65	6/12/2006	14:00	0		0		0	
66	6/12/2006	14:05	0		0		0	
67	6/12/2006	14:10	0		0		0	
68	6/12/2006	14:15	0		0		0	
69	6/12/2006	14:20	0		0		0	
70	6/12/2006	14:25	0		0		0	
71	6/12/2006	14:30	0		0		0	
72	6/12/2006	14:35	0		0		0	
73	6/12/2006	14:40	0		0		0	
74	6/12/2006	14:45	0		0		0	
75	6/12/2006	14:50	0		0		0	
76	6/12/2006	14:55	0		0		0	
77	6/12/2006	15:00	0		0		0	
78	6/12/2006	15:05	0		0		0	
79	6/12/2006	15:10	0		0		0	
80	6/12/2006	15:15	0		0		0	
81	6/12/2006	15:20	0		0		0	
82	6/12/2006	15:25	0		0		0	
83	6/12/2006	15:30	0		0		0	
84	6/12/2006	15:35	0		0		0	
85	6/12/2006	15:40	0		0		0	
86	6/12/2006	15:45	0		0		0	
87	6/12/2006	15:50	0		0		0	
88	6/12/2006	15:55	0		0		0	
89	6/12/2006	16:00	0		0		0	
90	6/12/2006	16:05	0		0		0	
91	6/12/2006	16:10	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 72 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 25 25 25
Low Alarm Levels: 5 5 5
=====

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/13/2006	9:00	0		0		0	
2	6/13/2006	9:05	0		0		0	
3	6/13/2006	9:10	0		0		0.1	
4	6/13/2006	9:15	0		0		0	
5	6/13/2006	9:20	0		0		0	
6	6/13/2006	9:25	0		0		0	
7	6/13/2006	9:30	0		0		0	
8	6/13/2006	9:35	0		0		0	
9	6/13/2006	9:40	0		0		0	
10	6/13/2006	9:45	0		0		0	
11	6/13/2006	9:50	0		0		0	
12	6/13/2006	9:55	0		0		0	
13	6/13/2006	10:00	0		0		0	
14	6/13/2006	10:05	0		0		0	
15	6/13/2006	10:10	0		0		0	
16	6/13/2006	10:15	0		0		0	
17	6/13/2006	10:20	0		0		0	
18	6/13/2006	10:25	0		0		0	
19	6/13/2006	10:30	0		0		0	
20	6/13/2006	10:35	0		0		0	
21	6/13/2006	10:40	0		0		0	
22	6/13/2006	10:45	0		0		0	
23	6/13/2006	10:50	0		0		0	
24	6/13/2006	10:55	0		0		0	
25	6/13/2006	11:00	0		0		0	
26	6/13/2006	11:05	0		0		0	
27	6/13/2006	11:10	0		0		0	
28	6/13/2006	11:15	0		0		0	
29	6/13/2006	11:20	0		0		0	
30	6/13/2006	11:25	0		0		0	
31	6/13/2006	11:30	0		0		0	
32	6/13/2006	11:35	0		0		0	
33	6/13/2006	11:40	0		0		0	
34	6/13/2006	11:45	0		0		0	
35	6/13/2006	11:50	0		0		0	
36	6/13/2006	11:55	0		0		0	
37	6/13/2006	12:00	0		0		0	
38	6/13/2006	12:05	0		0		0	
39	6/13/2006	12:10	0		0		0	
40	6/13/2006	12:15	0		0		0	
41	6/13/2006	12:20	0		0		0	
42	6/13/2006	12:25	0		0		0	
43	6/13/2006	12:30	0		0		0	
44	6/13/2006	12:35	0		0		0	
45	6/13/2006	12:40	0		0		0	
46	6/13/2006	12:45	0		0		0	
47	6/13/2006	12:50	0		0		6	L
48	6/13/2006	12:55	0		0		0.8	
49	6/13/2006	13:00	0		0		4.4	
50	6/13/2006	13:05	0		0		0.3	
51	6/13/2006	13:10	0		0		0	
52	6/13/2006	13:15	0		0		0	
53	6/13/2006	13:20	0		0		0	
54	6/13/2006	13:25	0		0		0	
55	6/13/2006	13:30	0		0		0	
56	6/13/2006	13:35	0		0		0	
57	6/13/2006	13:40	0		0		0	
58	6/13/2006	13:45	0		0		0	
59	6/13/2006	13:50	0		0		0	
60	6/13/2006	13:55	0		0		0	
61	6/13/2006	14:00	0		0		0	
62	6/13/2006	14:05	0		0		0	
63	6/13/2006	14:10	0		0		0	
64	6/13/2006	14:15	0		0		0	
65	6/13/2006	14:20	0		0		0	
66	6/13/2006	14:25	0		0		0	
67	6/13/2006	14:30	0		0		0	
68	6/13/2006	14:35	0		0		0	
69	6/13/2006	14:40	0		0		0	
70	6/13/2006	14:45	0		0		0	
71	6/13/2006	14:50	0		0		0	
72	6/13/2006	14:55	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
 User ID: 00000001 Site ID: LUSCOATE
 Data Points: 105 Gas Name: Isobutylene Sample Period: 300 sec
 Last Calibration Time: 06/12/2006 8:33

Measurement Type	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels	25	25	25
Low Alarm Levels	5	5	5

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Max(ppm)	Alarm
1	6/14/2006	8:23	0		0	0	
2	6/14/2006	8:28	0		0	0	
3	6/14/2006	8:33	0		0	0	
4	6/14/2006	8:38	0		0	0	
5	6/14/2006	8:43	0		0	0	
6	6/14/2006	8:48	0		0	0	
7	6/14/2006	8:53	0		0	16	
8	6/14/2006	8:58	0		0	0.9	
9	6/14/2006	9:03	0		0	0	
10	6/14/2006	9:08	0		0	0	
11	6/14/2006	9:13	0		0.2	6.5 L	
12	6/14/2006	9:18	0		0.1	6.8 L	
13	6/14/2006	9:23	0		0	0.5	
14	6/14/2006	9:28	0		0	0	
15	6/14/2006	9:33	0		0	0	
16	6/14/2006	9:38	0		0	0	
17	6/14/2006	9:43	0		0	0.1	
18	6/14/2006	9:48	0		0	0	
19	6/14/2006	9:53	0		0	0.1	
20	6/14/2006	9:58	0		0	0.2	
21	6/14/2006	10:03	0		0	0	
22	6/14/2006	10:08	0		0	2.5	
23	6/14/2006	10:13	0		0	0	
24	6/14/2006	10:18	0		0	0	
25	6/14/2006	10:23	0		0	0	
26	6/14/2006	10:28	0		0	0	
27	6/14/2006	10:33	0		0	0	
28	6/14/2006	10:38	0		0	0	
29	6/14/2006	10:43	0		0	0	
30	6/14/2006	10:48	0		0	0	
31	6/14/2006	10:53	0		0	0	
32	6/14/2006	10:58	0		0	0	
33	6/14/2006	11:03	0		0	0	
34	6/14/2006	11:08	0		0	0	
35	6/14/2006	11:13	0		0	0	
36	6/14/2006	11:18	0		0	0	
37	6/14/2006	11:23	0		0	0.1	
38	6/14/2006	11:28	0		0	0	
39	6/14/2006	11:33	0		0	0.2	
40	6/14/2006	11:38	0		0	0.1	
41	6/14/2006	11:43	0		0	0	
42	6/14/2006	11:48	0		0	0	
43	6/14/2006	11:53	0		0	0	
44	6/14/2006	11:58	0		0	0	
45	6/14/2006	12:03	0		0	0	
46	6/14/2006	12:08	0		0	0	
47	6/14/2006	12:13	0		0	0	
48	6/14/2006	12:18	0		0	0	
49	6/14/2006	12:23	0		0	0	
50	6/14/2006	12:28	0		0	0	
51	6/14/2006	12:33	0		0	0	
52	6/14/2006	12:38	0		0	0	
53	6/14/2006	12:43	0		0	0	
54	6/14/2006	12:48	0		0	0	
55	6/14/2006	12:53	0		0	0	
56	6/14/2006	12:58	0		0	0	
57	6/14/2006	13:03	0		0	0	
58	6/14/2006	13:08	0		0	0	
59	6/14/2006	13:13	0		0	0	
60	6/14/2006	13:18	0		0	0	
61	6/14/2006	13:23	0		0	0	
62	6/14/2006	13:28	0		0	0	
63	6/14/2006	13:33	0		0	0.1	
64	6/14/2006	13:38	0		0	0	
65	6/14/2006	13:43	0		0	0	
66	6/14/2006	13:48	0		0	0	
67	6/14/2006	13:53	0		0	0	
68	6/14/2006	13:58	0		0	0	
69	6/14/2006	14:03	0		0	0	
70	6/14/2006	14:08	0		0	0	
71	6/14/2006	14:13	0		0	0	
72	6/14/2006	14:18	0		0	0	
73	6/14/2006	14:23	0		0	0	
74	6/14/2006	14:28	0		0	0	
75	6/14/2006	14:33	0		0	0.6	
76	6/14/2006	14:38	0		0	0	
77	6/14/2006	14:43	0		0	0	
78	6/14/2006	14:48	0		0	0	
79	6/14/2006	14:53	0		0	0	
80	6/14/2006	14:58	0		0	0	
81	6/14/2006	15:03	0		0	0	
82	6/14/2006	15:08	0		0	0	
83	6/14/2006	15:13	0		0	0	
84	6/14/2006	15:18	0		0	0	
85	6/14/2006	15:23	0		0	0	
86	6/14/2006	15:28	0		0	0	
87	6/14/2006	15:33	0		0	0	
88	6/14/2006	15:38	0		0	0	
89	6/14/2006	15:43	0		0	0	
90	6/14/2006	15:48	0		0	0	
91	6/14/2006	15:53	0		0	0	
92	6/14/2006	15:58	0		0	0	
93	6/14/2006	16:03	0		0	0	
94	6/14/2006	16:08	0		0	0	
95	6/14/2006	16:13	0		0	0	
96	6/14/2006	16:18	0		0	0	
97	6/14/2006	16:23	0		0	0	
98	6/14/2006	16:28	0		0	0	
99	6/14/2006	16:33	0		0	0	
100	6/14/2006	16:38	0		0	0	
101	6/14/2006	16:43	0		0	0	
102	6/14/2006	16:48	0		0	0	
103	6/14/2006	16:53	0		0	0	
104	6/14/2006	16:58	0		0	0	
105	6/14/2006	17:03	0		0	0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 50 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	25	25	25					
Low Alarm Levels:	5	5	5					
<hr/>								
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/15/2006	12:05	0		0		0	
2	6/15/2006	12:10	0		0		0	
3	6/15/2006	12:15	0		0		0	
4	6/15/2006	12:20	0		0		0	
5	6/15/2006	12:25	0		0		0.2	
6	6/15/2006	12:30	0		0		0	
7	6/15/2006	12:35	0		0		0	
8	6/15/2006	12:40	0		0		0	
9	6/15/2006	12:45	0		0		0	
10	6/15/2006	12:50	0		0		0	
11	6/15/2006	12:55	0		0		0	
12	6/15/2006	13:00	0		0		0.3	
13	6/15/2006	13:05	0		0		0.1	
14	6/15/2006	13:10	0		0		0	
15	6/15/2006	13:15	0		0		0	
16	6/15/2006	13:20	0		0		0	
17	6/15/2006	13:25	0		0		0	
18	6/15/2006	13:30	0		0		0	
19	6/15/2006	13:35	0		0		0	
20	6/15/2006	13:40	0		0		0	
21	6/15/2006	13:45	0		0		0	
22	6/15/2006	13:50	0		0		0	
23	6/15/2006	13:55	0		0		0	
24	6/15/2006	14:00	0		0		0	
25	6/15/2006	14:05	0		0		0	
26	6/15/2006	14:10	0		0		0	
27	6/15/2006	14:15	0		0		0	
28	6/15/2006	14:20	0		0		0	
29	6/15/2006	14:25	0		0		0	
30	6/15/2006	14:30	0		0		0	
31	6/15/2006	14:35	0		0		0	
32	6/15/2006	14:40	0		0		0	
33	6/15/2006	14:45	0		0		0	
34	6/15/2006	14:50	0		0		0	
35	6/15/2006	14:55	0		0		0	
36	6/15/2006	15:00	0		0		0	
37	6/15/2006	15:05	0		0		0	
38	6/15/2006	15:10	0		0		0	
39	6/15/2006	15:15	0		0		0	
40	6/15/2006	15:20	0		0		0	
41	6/15/2006	15:25	0		0		0	
42	6/15/2006	15:30	0		0		0.2	
43	6/15/2006	15:35	0		0		0.3	
44	6/15/2006	15:40	0		0		0	
45	6/15/2006	15:45	0		0		0	
46	6/15/2006	15:50	0		0		0	
47	6/15/2006	15:55	0		0		0	
48	6/15/2006	16:00	0		0		0	
49	6/15/2006	16:05	0		0		0	
50	6/15/2006	16:10	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 17 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/12/2006 8:33

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	25	25	25
Low Alarm Levels:	5	5	5

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/16/2006	13:20	0		0		0	
2	6/16/2006	13:25	0		0		0	
3	6/16/2006	13:30	0		0		0	
4	6/16/2006	13:35	0		0		0	
5	6/16/2006	13:40	0		0		0	
6	6/16/2006	13:45	0		0		0	
7	6/16/2006	13:50	0		0		0	
8	6/16/2006	13:55	0		0		0	
9	6/16/2006	14:00	0		0		0	
10	6/16/2006	14:05	0		0		0	
11	6/16/2006	14:10	0		0		0	
12	6/16/2006	14:15	0		0		0	
13	6/16/2006	14:20	0		0		0	
14	6/16/2006	14:25	0		0		0	
15	6/16/2006	14:30	0		0		0	
16	6/16/2006	14:35	0		0		0	
17	6/16/2006	14:40	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 72 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	25	25	25					
Low Alarm Levels:	5	5	5					
<hr/>								
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/20/2006	8:46	0		0		0.1	
2	6/20/2006	8:51	0		0		0	
3	6/20/2006	8:56	0		0		0	
4	6/20/2006	9:01	0		0		0	
5	6/20/2006	9:06	0		0		0	
6	6/20/2006	9:11	0		0		0.1	
7	6/20/2006	9:16	0		0		0.1	
8	6/20/2006	9:21	0		0		0	
9	6/20/2006	9:26	0		0		0	
10	6/20/2006	9:31	0		0		0	
11	6/20/2006	9:36	0		0		0.1	
12	6/20/2006	9:41	0		0		0	
13	6/20/2006	9:46	0		0		0	
14	6/20/2006	9:51	0		0		0	
15	6/20/2006	9:56	0		0		0	
16	6/20/2006	10:01	0		0		0	
17	6/20/2006	10:06	0		0		0	
18	6/20/2006	10:11	0		0		0	
19	6/20/2006	10:16	0		0		0	
20	6/20/2006	10:21	0		0		0.1	
21	6/20/2006	10:26	0		0		0	
22	6/20/2006	10:31	0		0		0	
23	6/20/2006	10:36	0		0		0	
24	6/20/2006	10:41	0		0		0	
25	6/20/2006	10:46	0		0		0	
26	6/20/2006	10:51	0		0		0	
27	6/20/2006	10:56	0		0		0	
28	6/20/2006	11:01	0		0		0	
29	6/20/2006	11:06	0		0		0	
30	6/20/2006	11:11	0		0		0	
31	6/20/2006	11:16	0		0		0	
32	6/20/2006	11:21	0		0		0	
33	6/20/2006	11:26	0		0		0	
34	6/20/2006	11:31	0		0		0	
35	6/20/2006	11:36	0		0		0	
36	6/20/2006	11:41	0		0		0	
37	6/20/2006	11:46	0		0		0	
38	6/20/2006	11:51	0		0		0	
39	6/20/2006	11:56	0		0		0	
40	6/20/2006	12:01	0		0		0	
41	6/20/2006	12:06	0		0		0	
42	6/20/2006	12:11	0		0		0	
43	6/20/2006	12:16	0		0		0	
44	6/20/2006	12:21	0		0		0	
45	6/20/2006	12:26	0		0		0	
46	6/20/2006	12:31	0		0		0	
47	6/20/2006	12:36	0		0		0	
48	6/20/2006	12:41	0		0		0	
49	6/20/2006	12:46	0		0		0	
50	6/20/2006	12:51	0		0		0	
51	6/20/2006	12:56	0		0		0	
52	6/20/2006	13:01	0		0		0	
53	6/20/2006	13:06	0		0		0	
54	6/20/2006	13:11	0		0		0	
55	6/20/2006	13:16	0		0		0	
56	6/20/2006	13:21	0		0		0	
57	6/20/2006	13:26	0		0		0	
58	6/20/2006	13:31	0		0		0	
59	6/20/2006	13:36	0		0		0	
60	6/20/2006	13:41	0		0		0	
61	6/20/2006	13:46	0		0		0	
62	6/20/2006	13:51	0		0		0	
63	6/20/2006	13:56	0		0		0	
64	6/20/2006	14:01	0		0		0	
65	6/20/2006	14:06	0		0		0.1	
66	6/20/2006	14:11	0		0		0	
67	6/20/2006	14:16	0		0		0	
68	6/20/2006	14:21	0		0		0	
69	6/20/2006	14:26	0		0		0	
70	6/20/2006	14:31	0		0		0	
71	6/20/2006	14:36	0		0		0	
72	6/20/2006	14:41	0		0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 002703
User ID: 00000001 Site ID: LUSCOATE
Data Points: 87 Gas Name: Isobutylene Sample Period: 300 sec
Last Calibration Time: 06/20/2006 8:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)					
High Alarm Levels:	25	25	25					
Low Alarm Levels:	5	5	5					
Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	6/21/2006	8:10	0		0		0	
2	6/21/2006	8:15	0		0		0	
3	6/21/2006	8:20	0		0		0	
4	6/21/2006	8:25	0		0		0	
5	6/21/2006	8:30	0		0		0	
6	6/21/2006	8:35	0		0		0	
7	6/21/2006	8:40	0		0		0	
8	6/21/2006	8:45	0		0		0	
9	6/21/2006	8:50	0		0		0	
10	6/21/2006	8:55	0		0		0	
11	6/21/2006	9:00	0		0		0	
12	6/21/2006	9:05	0		0		0	
13	6/21/2006	9:10	0		0		0	
14	6/21/2006	9:15	0		0		0	
15	6/21/2006	9:20	0		0		0	
16	6/21/2006	9:25	0		0		0	
17	6/21/2006	9:30	0		0		0	
18	6/21/2006	9:35	0		0		0	
19	6/21/2006	9:40	0		0		0	
20	6/21/2006	9:45	0		0		0	
21	6/21/2006	9:50	0		0		0	
22	6/21/2006	9:55	0		0		0	
23	6/21/2006	10:00	0		0		0	
24	6/21/2006	10:05	0		0		0	
25	6/21/2006	10:10	0		0		0	
26	6/21/2006	10:15	0		0		0	
27	6/21/2006	10:20	0		0		0	
28	6/21/2006	10:25	0		0		0	
29	6/21/2006	10:30	0		0		0	
30	6/21/2006	10:35	0		0		0	
31	6/21/2006	10:40	0		0		0	
32	6/21/2006	10:45	0		0		0	
33	6/21/2006	10:50	0		0		0	
34	6/21/2006	10:55	0		0		0	
35	6/21/2006	11:00	0		0		0	
36	6/21/2006	11:05	0		0		0	
37	6/21/2006	11:10	0		0		0	
38	6/21/2006	11:15	0		0		0	
39	6/21/2006	11:20	0		0		0	
40	6/21/2006	11:25	0		0		0	
41	6/21/2006	11:30	0		0		0	
42	6/21/2006	11:35	0		0		0	
43	6/21/2006	11:40	0		0		0	
44	6/21/2006	11:45	0		0		0	
45	6/21/2006	11:50	0		0		0	
46	6/21/2006	11:55	0		0		0	
47	6/21/2006	12:00	0		0		0	
48	6/21/2006	12:05	0		0		0	
49	6/21/2006	12:10	0		0		0	
50	6/21/2006	12:15	0		0		0	
51	6/21/2006	12:20	0		0		0	
52	6/21/2006	12:25	0		0		0	
53	6/21/2006	12:30	0		0		0	
54	6/21/2006	12:35	0		0		0	
55	6/21/2006	12:40	0		0		0	
56	6/21/2006	12:45	0		0		0	
57	6/21/2006	12:50	0		0		0	
58	6/21/2006	12:55	0		0		0	
59	6/21/2006	13:00	0		0		0	
60	6/21/2006	13:05	0		0		13	
61	6/21/2006	13:10	0		0		0	
62	6/21/2006	13:15	0		0		0	
63	6/21/2006	13:20	0		0		0	
64	6/21/2006	13:25	0		0		0	
65	6/21/2006	13:30	0		0		0	
66	6/21/2006	13:35	0		0		0	
67	6/21/2006	13:40	0		0		0	
68	6/21/2006	13:45	0		0		0	
69	6/21/2006	13:50	0		0		0	
70	6/21/2006	13:55	0		0		0	
71	6/21/2006	14:00	0		0		0	
72	6/21/2006	14:05	0		0		0	
73	6/21/2006	14:10	0		0		0	
74	6/21/2006	14:15	0		0		0	
75	6/21/2006	14:20	0		0		0	
76	6/21/2006	14:25	0		0		0	
77	6/21/2006	14:30	0		0		0	
78	6/21/2006	14:35	0		0		0	
79	6/21/2006	14:40	0		0		0	
80	6/21/2006	14:45	0		0		0	
81	6/21/2006	14:50	0		0		0	
82	6/21/2006	14:55	0		0		0	
83	6/21/2006	15:00	0		0		0	
84	6/21/2006	15:05	0		0		0	
85	6/21/2006	15:10	0		0		0	
86	6/21/2006	15:15	0		0		0	
87	6/21/2006	15:20	0		0		0	

Daily Airborne Particulate Concentration Statistics – East Monitor

Current Test: 001
Start Time: 11:27:46 05/24/2006
Stop Time: 16:01:46 05/24/2006
Total Time: 00:04:34:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.006

TWA (8 hr): 0.003

Minimum: 0.000
Time 11:32:46
Date 05/24/2006

Maximum: 0.022
Time 15:43:46
Date 05/24/2006

Current Test: 002
Start Time: 13:13:44 05/25/2006
Stop Time: 16:38:44 05/25/2006
Total Time: 00:03:25:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.023

TWA (8 hr): 0.010

Minimum: 0.017
Time 13:28:44
Date 05/25/2006

Maximum: 0.053
Time 16:08:44
Date 05/25/2006

Current Test: 001
Start Time: 09:33:53 05/30/2006
Stop Time: 16:24:53 05/30/2006
Total Time: 00:06:51:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.076

TWA (8 hr): 0.065

Minimum: 0.034
Time 12:45:53
Date 05/30/2006

Maximum: 0.246
Time 10:46:53
Date 05/30/2006

Current Test: 002
Start Time: 08:06:09 05/31/2006
Stop Time: 15:13:09 05/31/2006
Total Time: 00:07:07:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.105

TWA (8 hr): 0.094

Minimum: 0.069
Time 10:08:09
Date 05/31/2006

Maximum: 0.410
Time 13:47:09
Date 05/31/2006

Current Test: 001
Start Time: 07:47:39 06/01/2006
Stop Time: 14:46:39 06/01/2006
Total Time: 00:06:59:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.101

TWA (8 hr): 0.088

Minimum: 0.060
Time 08:56:39
Date 06/01/2006

Maximum: 0.188
Time 13:17:39
Date 06/01/2006

Current Test: 002
Start Time: 08:43:42 06/02/2006
Stop Time: 16:04:42 06/02/2006
Total Time: 00:07:21:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.013

Minimum: 0.000
Time 13:49:42
Date 06/02/2006

Maximum: 0.156
Time 09:02:42
Date 06/02/2006

Current Test: 003
Start Time: 08:43:12 06/05/2006
Stop Time: 14:59:12 06/05/2006
Total Time: 00:06:16:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.027

TWA (8 hr): 0.021

Minimum: 0.014
Time 08:45:12
Date 06/05/2006

Maximum: 0.197
Time 13:20:12
Date 06/05/2006

Current Test: 004
Start Time: 08:13:49 06/06/2006
Stop Time: 15:53:49 06/06/2006
Total Time: 00:07:40:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.025

TWA (8 hr): 0.024

Minimum: 0.018
Time 10:49:49
Date 06/06/2006

Maximum: 0.064
Time 08:54:49
Date 06/06/2006

Current Test: 005
Start Time: 08:19:49 06/07/2006
Stop Time: 12:09:49 06/07/2006
Total Time: 00:03:50:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.113

TWA (8 hr): 0.054

Minimum: 0.024
Time 08:49:49
Date 06/07/2006

Maximum: 0.334
Time 11:55:49
Date 06/07/2006

Current Test: 006
Start Time: 12:49:42 06/07/2006
Stop Time: 15:35:42 06/07/2006
Total Time: 00:02:46:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.016

TWA (8 hr): 0.006

Minimum: -0.008
Time 12:50:42
Date 06/07/2006

Maximum: 0.176
Time 13:36:42
Date 06/07/2006

Current Test: 001
Start Time: 08:16:07 06/08/2006
Stop Time: 15:34:07 06/08/2006
Total Time: 00:07:18:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: -0.019

TWA (8 hr): -0.017

Minimum: -0.036
Time 10:15:07
Date 06/08/2006

Maximum: 0.078
Time 10:01:07
Date 06/08/2006

Current Test: 002
Start Time: 08:21:27 06/09/2006
Stop Time: 11:14:27 06/09/2006
Total Time: 00:02:53:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.007

TWA (8 hr): 0.003

Minimum: -0.005
Time 09:18:27
Date 06/09/2006

Maximum: 0.026
Time 10:57:27
Date 06/09/2006

Current Test: 003
Start Time: 08:36:41 06/12/2006
Stop Time: 14:46:41 06/12/2006
Total Time: 00:06:10:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.013

Minimum: 0.006
Time 08:47:41
Date 06/12/2006

Maximum: 0.262
Time 09:47:41
Date 06/12/2006

Current Test: 004
Start Time: 15:29:16 06/12/2006
Stop Time: 16:19:16 06/12/2006
Total Time: 00:00:50:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.001

Minimum: 0.006
Time 15:31:16
Date 06/12/2006

Maximum: 0.063
Time 15:43:16
Date 06/12/2006

Current Test: 003
Start Time: 09:01:45 06/13/2006
Stop Time: 15:03:45 06/13/2006
Total Time: 00:06:02:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.021

TWA (8 hr): 0.016

Minimum: 0.009
Time 13:17:45
Date 06/13/2006

Maximum: 0.139
Time 14:53:45
Date 06/13/2006

Current Test: 001
Start Time: 08:20:21 06/14/2006
Stop Time: 16:04:21 06/14/2006
Total Time: 00:07:44:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.029

TWA (8 hr): 0.028

Minimum: 0.013
Time 15:30:21
Date 06/14/2006

Maximum: 0.217
Time 14:55:21
Date 06/14/2006

Current Test: 002
Start Time: 12:01:23 06/15/2006
Stop Time: 16:25:23 06/15/2006
Total Time: 00:04:24:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.009

Minimum: 0.011
Time 12:23:23
Date 06/15/2006

Maximum: 0.059
Time 15:03:23
Date 06/15/2006

Current Test: 003
Start Time: 13:22:14 06/16/2006
Stop Time: 14:56:14 06/16/2006
Total Time: 00:01:34:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.023

TWA (8 hr): 0.005

Minimum: 0.018
Time 13:33:14
Date 06/16/2006

Maximum: 0.076
Time 14:39:14
Date 06/16/2006

Current Test: 001
Start Time: 08:47:34 06/20/2006
Stop Time: 14:54:34 06/20/2006
Total Time: 00:06:07:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.030

TWA (8 hr): 0.023

Minimum: 0.009
Time 11:35:34
Date 06/20/2006

Maximum: 0.122
Time 09:56:34
Date 06/20/2006

Current Test: 002
Start Time: 08:59:00 06/21/2006
Stop Time: 15:29:00 06/21/2006
Total Time: 00:06:30:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.019

TWA (8 hr): 0.015

Minimum: 0.009
Time 09:17:00
Date 06/21/2006

Maximum: 0.495
Time 14:12:00
Date 06/21/2006

Current Test: 003
Start Time: 07:58:36 06/22/2006
Stop Time: 16:09:36 06/22/2006
Total Time: 00:08:11:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.035

TWA (8 hr): 0.035

Minimum: 0.012
Time 08:18:36
Date 06/22/2006

Maximum: 0.100
Time 16:04:36
Date 06/22/2006

Current Test: 004
Start Time: 08:05:47 06/23/2006
Stop Time: 12:20:47 06/23/2006
Total Time: 00:04:15:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.012

TWA (8 hr): 0.006

Minimum: 0.003
Time 11:23:47
Date 06/23/2006

Maximum: 0.068
Time 08:06:47
Date 06/23/2006

Current Test: 005
Start Time: 12:21:30 06/23/2006
Stop Time: 15:38:30 06/23/2006
Total Time: 00:03:17:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.008

TWA (8 hr): 0.003

Minimum: 0.004
Time 14:15:30
Date 06/23/2006

Maximum: 0.041
Time 13:02:30
Date 06/23/2006

Current Test: 006
Start Time: 08:13:48 06/26/2006
Stop Time: 15:23:48 06/26/2006
Total Time: 00:07:10:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.013

TWA (8 hr): 0.012

Minimum: 0.006
Time 12:57:48
Date 06/26/2006

Maximum: 0.046
Time 08:14:48
Date 06/26/2006

Current Test: 007
Start Time: 09:42:59 06/28/2006
Stop Time: 15:08:59 06/28/2006
Total Time: 00:05:26:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): 0.016

Minimum: 0.005
Time 10:04:59
Date 06/28/2006

Maximum: 0.097
Time 09:43:59
Date 06/28/2006

Current Test: 008
Start Time: 08:09:13 06/29/2006
Stop Time: 14:22:13 06/29/2006
Total Time: 00:06:13:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.038

TWA (8 hr): 0.029

Minimum: 0.016
Time 09:33:13
Date 06/29/2006

Maximum: 0.122
Time 13:39:13
Date 06/29/2006

Current Test: 009
Start Time: 07:50:00 06/30/2006
Stop Time: 13:52:00 06/30/2006
Total Time: 00:06:02:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.018

TWA (8 hr): 0.013

Minimum: 0.007
Time 08:09:00
Date 06/30/2006

Maximum: 0.067
Time 07:51:00
Date 06/30/2006

Current Test: 001
Start Time: 09:52:09 07/03/2006
Stop Time: 10:37:09 07/03/2006
Total Time: 00:00:45:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.059

TWA (8 hr): 0.006

Minimum: 0.041
Time 10:20:09
Date 07/03/2006

Maximum: 0.086
Time 09:53:09
Date 07/03/2006

Current Test: 002
Start Time: 09:48:21 07/06/2006
Stop Time: 14:05:21 07/06/2006
Total Time: 00:04:17:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.004

TWA (8 hr): 0.002

Minimum: 0.002
Time 11:42:21
Date 07/06/2006

Maximum: 0.014
Time 09:49:21
Date 07/06/2006

Daily Airborne Particulate Concentration Statistics – West Monitor

Current Test: 001
Start Time: 11:27:24 05/24/2006
Stop Time: 16:04:24 05/24/2006
Total Time: 00:04:37:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.006

TWA (8 hr): 0.003

Minimum: 0.000
Time 11:33:24
Date 05/24/2006

Maximum: 0.065
Time 15:13:24
Date 05/24/2006

Current Test: 002
Start Time: 13:12:25 05/25/2006
Stop Time: 14:05:25 05/25/2006
Total Time: 00:00:53:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.020

TWA (8 hr): 0.002

Minimum: 0.017
Time 13:28:25
Date 05/25/2006

Maximum: 0.029
Time 13:29:25
Date 05/25/2006

Current Test: 003
Start Time: 14:19:46 05/25/2006
Stop Time: 14:22:46 05/25/2006
Total Time: 00:00:03:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.021

TWA (8 hr): N/A

Minimum: 0.021
Time 14:21:46
Date 05/25/2006

Maximum: 0.022
Time 14:20:46
Date 05/25/2006

Current Test: 004
Start Time: 14:31:47 05/25/2006
Stop Time: 14:33:47 05/25/2006
Total Time: 00:00:02:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.028

TWA (8 hr): N/A

Minimum: 0.027
Time 14:32:47
Date 05/25/2006

Maximum: 0.029
Time 14:33:47
Date 05/25/2006

Current Test: 005
Start Time: 09:34:22 05/30/2006
Stop Time: 09:38:22 05/30/2006
Total Time: 00:00:04:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.105

TWA (8 hr): N/A

Minimum: 0.103
Time 09:36:22
Date 05/30/2006

Maximum: 0.108
Time 09:38:22
Date 05/30/2006

Current Test: 006
Start Time: 09:53:24 05/30/2006
Stop Time: 16:27:24 05/30/2006
Total Time: 00:06:34:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.082

TWA (8 hr): 0.068

Minimum: 0.037
Time 12:47:24
Date 05/30/2006

Maximum: 0.664
Time 11:30:24
Date 05/30/2006

Current Test: 007
Start Time: 08:05:30 05/31/2006
Stop Time: 15:15:30 05/31/2006
Total Time: 00:07:10:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.110

TWA (8 hr): 0.098

Minimum: 0.068
Time 10:17:30
Date 05/31/2006

Maximum: 2.222
Time 13:48:30
Date 05/31/2006

Current Test: 001
Start Time: 07:46:06 06/01/2006
Stop Time: 14:46:06 06/01/2006
Total Time: 00:07:00:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.106

TWA (8 hr): 0.092

Minimum: 0.055
Time 10:47:06
Date 06/01/2006

Maximum: 0.427
Time 09:20:06
Date 06/01/2006

Current Test: 002
Start Time: 08:42:58 06/02/2006
Stop Time: 08:45:58 06/02/2006
Total Time: 00:00:03:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.027

TWA (8 hr): N/A

Minimum: 0.027
Time 08:44:58
Date 06/02/2006

Maximum: 0.028
Time 08:43:58
Date 06/02/2006

Current Test: 003
Start Time: 09:02:31 06/02/2006
Stop Time: 09:04:31 06/02/2006
Total Time: 00:00:02:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): N/A

Minimum: 0.022
Time 09:03:31
Date 06/02/2006

Maximum: 0.027
Time 09:04:31
Date 06/02/2006

Current Test: 004
Start Time: 08:38:47 06/05/2006
Stop Time: 15:00:47 06/05/2006
Total Time: 00:06:22:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.042

TWA (8 hr): 0.034

Minimum: 0.013
Time 13:55:47
Date 06/05/2006

Maximum: 0.468
Time 12:52:47
Date 06/05/2006

Current Test: 005
Start Time: 08:10:48 06/06/2006
Stop Time: 14:50:48 06/06/2006
Total Time: 00:06:40:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.029

TWA (8 hr): 0.024

Minimum: 0.018
Time 11:26:48
Date 06/06/2006

Maximum: 0.172
Time 12:59:48
Date 06/06/2006

Current Test: 006
Start Time: 08:16:47 06/07/2006
Stop Time: 12:15:47 06/07/2006
Total Time: 00:03:59:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.032

TWA (8 hr): 0.016

Minimum: 0.010
Time 11:05:47
Date 06/07/2006

Maximum: 0.444
Time 11:55:47
Date 06/07/2006

Current Test: 007
Start Time: 12:49:51 06/07/2006
Stop Time: 14:16:51 06/07/2006
Total Time: 00:01:27:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): 0.004

Minimum: 0.011
Time 13:40:51
Date 06/07/2006

Maximum: 0.076
Time 13:13:51
Date 06/07/2006

Current Test: 008
Start Time: 14:36:50 06/07/2006
Stop Time: 15:37:50 06/07/2006
Total Time: 00:01:01:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.018

TWA (8 hr): 0.002

Minimum: 0.011
Time 14:51:50
Date 06/07/2006

Maximum: 0.081
Time 14:59:50
Date 06/07/2006

Current Test: 001
Start Time: 08:39:35 06/08/2006
Stop Time: 15:18:35 06/08/2006
Total Time: 00:06:39:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.030

TWA (8 hr): 0.025

Minimum: 0.007
Time 10:18:35
Date 06/08/2006

Maximum: 0.140
Time 08:49:35
Date 06/08/2006

Current Test: 003
Start Time: 08:36:41 06/12/2006
Stop Time: 14:46:41 06/12/2006
Total Time: 00:06:10:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.013

Minimum: 0.006
Time 08:47:41
Date 06/12/2006

Maximum: 0.262
Time 09:47:41
Date 06/12/2006

Current Test: 004
Start Time: 15:29:16 06/12/2006
Stop Time: 16:19:16 06/12/2006
Total Time: 00:00:50:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.001

Minimum: 0.006
Time 15:31:16
Date 06/12/2006

Maximum: 0.063
Time 15:43:16
Date 06/12/2006

Current Test: 005
Start Time: 09:02:40 06/13/2006
Stop Time: 13:38:40 06/13/2006
Total Time: 00:04:36:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.016

TWA (8 hr): 0.009

Minimum: 0.004
Time 13:04:40
Date 06/13/2006

Maximum: 0.144
Time 12:53:40
Date 06/13/2006

Current Test: 001
Start Time: 08:20:21 06/14/2006
Stop Time: 16:04:21 06/14/2006
Total Time: 00:07:44:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.029

TWA (8 hr): 0.028

Minimum: 0.013
Time 15:30:21
Date 06/14/2006

Maximum: 0.217
Time 14:55:21
Date 06/14/2006

Current Test: 002
Start Time: 12:01:23 06/15/2006
Stop Time: 16:25:23 06/15/2006
Total Time: 00:04:24:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.017

TWA (8 hr): 0.009

Minimum: 0.011
Time 12:23:23
Date 06/15/2006

Maximum: 0.059
Time 15:03:23
Date 06/15/2006

Current Test: 003
Start Time: 13:22:14 06/16/2006
Stop Time: 14:56:14 06/16/2006
Total Time: 00:01:34:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.023

TWA (8 hr): 0.005

Minimum: 0.018
Time 13:33:14
Date 06/16/2006

Maximum: 0.076
Time 14:39:14
Date 06/16/2006

Current Test: 001
Start Time: 08:47:34 06/20/2006
Stop Time: 14:54:34 06/20/2006
Total Time: 00:06:07:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.030

TWA (8 hr): 0.023

Minimum: 0.009
Time 11:35:34
Date 06/20/2006

Maximum: 0.122
Time 09:56:34
Date 06/20/2006

Current Test: 002
Start Time: 08:59:00 06/21/2006
Stop Time: 15:29:00 06/21/2006
Total Time: 00:06:30:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.019

TWA (8 hr): 0.015

Minimum: 0.009
Time 09:17:00
Date 06/21/2006

Maximum: 0.495
Time 14:12:00
Date 06/21/2006

Current Test: 003
Start Time: 07:58:36 06/22/2006
Stop Time: 16:09:36 06/22/2006
Total Time: 00:08:11:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.035

TWA (8 hr): 0.035

Minimum: 0.012
Time 08:18:36
Date 06/22/2006

Maximum: 0.100
Time 16:04:36
Date 06/22/2006

Current Test: 004
Start Time: 08:05:47 06/23/2006
Stop Time: 12:20:47 06/23/2006
Total Time: 00:04:15:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.012

TWA (8 hr): 0.006

Minimum: 0.003
Time 11:23:47
Date 06/23/2006

Maximum: 0.068
Time 08:06:47
Date 06/23/2006

Current Test: 005
Start Time: 12:21:30 06/23/2006
Stop Time: 15:38:30 06/23/2006
Total Time: 00:03:17:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.008

TWA (8 hr): 0.003

Minimum: 0.004
Time 14:15:30
Date 06/23/2006

Maximum: 0.041
Time 13:02:30
Date 06/23/2006

Current Test: 006
Start Time: 08:13:48 06/26/2006
Stop Time: 15:23:48 06/26/2006
Total Time: 00:07:10:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.013

TWA (8 hr): 0.012

Minimum: 0.006
Time 12:57:48
Date 06/26/2006

Maximum: 0.046
Time 08:14:48
Date 06/26/2006

Current Test: 007
Start Time: 09:42:59 06/28/2006
Stop Time: 15:08:59 06/28/2006
Total Time: 00:05:26:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.024

TWA (8 hr): 0.016

Minimum: 0.005
Time 10:04:59
Date 06/28/2006

Maximum: 0.097
Time 09:43:59
Date 06/28/2006

Current Test: 008
Start Time: 08:09:13 06/29/2006
Stop Time: 14:22:13 06/29/2006
Total Time: 00:06:13:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.038

TWA (8 hr): 0.029

Minimum: 0.016
Time 09:33:13
Date 06/29/2006

Maximum: 0.122
Time 13:39:13
Date 06/29/2006

Current Test: 009
Start Time: 07:50:00 06/30/2006
Stop Time: 13:52:00 06/30/2006
Total Time: 00:06:02:00

Logging Interval: 60 seconds

Serial Number: 85200522
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.018

TWA (8 hr): 0.013

Minimum: 0.007
Time 08:09:00
Date 06/30/2006

Maximum: 0.067
Time 07:51:00
Date 06/30/2006

Current Test: 001
Start Time: 09:47:48 07/03/2006
Stop Time: 10:35:48 07/03/2006
Total Time: 00:00:48:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.014

TWA (8 hr): 0.001

Minimum: 0.003
Time 10:14:48
Date 07/03/2006

Maximum: 0.097
Time 09:48:48
Date 07/03/2006

Current Test: 002
Start Time: 09:46:33 07/06/2006
Stop Time: 14:02:33 07/06/2006
Total Time: 00:04:16:00

Logging Interval: 60 seconds

Serial Number: 22059
Sensor: Aerosol
Cal. Date: 03/20/2006
Cal. Factor: 1.000

Channel: Aerosol
(Units) mg/m³

Average: 0.001

TWA (8 hr): 0.000

Minimum: 0.000
Time 10:01:33
Date 07/06/2006

Maximum: 0.022
Time 09:47:33
Date 07/06/2006

Summary of Manual Air Monitoring Measurements

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
5/24/2006	1145	0	0.000	0	0.000
	1200	0	0.008	0	0.002
	1210	0	0.022	0	0.010
	1230	0	0.010	0	0.020
	1320	0	0.010	0	0.010
	1345	0	0.010	0	0.010
	1400	0	0.010	0	0.020
	1415	0	0.010	0	0.020
	1430	0	0.060	0	0.010
	1445	0	0.010	0	0.010
	1500	0	0.010	0	0.010
	1515	0	0.010	0	0.025
	1530	0	0.010	0	0.020
5/25/2006	1600	0	0.010	0	0.015
	1330	0	0.019	0	0.018
	1345	0	0.030	0	0.020
	1400	0	0.023	0	0.040
	1415	0	0.023	0	0.023
	1430	0	0.028	0	0.026
	1500	0	0.012	0	0.023
	1515	0	0.038	0	0.023
	1530	0	0.025	0	0.021
	1545	0	0.024	0	0.025
	1600	0	0.024	0	0.024
	1615	0	0.120	0	0.026
	1630	0	0.050	0	0.010
5/26/2006	1115	0	0.047	0	0.052
	1130	0	0.031	0	0.027
	1145	0	0.025	0	0.017
	1200	0	0.011	0	0.020
	1215	0	0.041	0	0.039
	1230	0	0.051	0	0.055
	1245	0	0.040	0	0.041
	1300	0	0.071	0	0.044
	1345	0	0.031	0	0.017
	1400	0	0.021	0	0.021
	1415	0	0.110	0	0.044
	1430	0	0.008	0	0.022
5/30/2006	930	0	0.106	0	0.109
	945	0	0.211	0	0.198
	1000	0	0.118	0	0.085
	1015	0	0.211	0	0.091
	1030	0	0.096	0	0.106
	1100	0	0.077	0	0.116
	1500	0	0.308	0	0.099
	1515	0	0.511	0	0.444

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
5/30/2006 (continued)	1530	0	0.255	0	0.098
	1545	0	0.093	0	0.129
	1600	0	0.093	0	0.095
5/31/2006	900	0	0.102	0	0.105
	915	0	0.138	0	0.106
	1000	0	0.067	0	0.068
	1030	0	0.069	0	0.072
	1130	0	0.097	0	0.098
	1145	0	0.090	0	0.096
	1200	0	0.107	0	0.095
	1215	0	0.095	0	0.097
	1230	0	0.128	0	0.118
	1245	0	0.103	0	0.103
	1300	0	0.142	0	0.120
	1315	0	0.108	0	0.106
	1330	0	0.105	0	0.103
	1430	0	0.102	0	0.110
6/1/2006	830	0	0.113	28.9	0.101
	900	0	0.095	28.9	0.088
	915	0	0.084	24.6	0.090
	930	0	0.086	4.2	0.103
	1000	0	0.080	0.4	0.086
	1030	0	0.113	0.3	0.096
	1045	0	0.103	0.9	0.097
	1145	0	0.080	0.5	0.086
	1240	0	0.104	0	0.107
	1300	0	0.109	0	0.111
	1330	0	0.201	0	0.101
	1345	0	0.108	0	0.106
	1400	0	0.108	0	0.145
	1430	0	0.130	0.2	0.129
6/2/2006	930	0	0.042	0	0.015
	1000	0	0.015	0	0.011
	1015	0	0.110	0	0.027
	1500	0	0.013	0	0.116
6/5/2006	850	0	0.014	0	0.022
	1020	0	0.017	0	0.037
	1105	0	0.321	0	0.020
	1235	0	0.037	0	0.015
	1305	0	0.183	0	0.059
	1355	0	0.015	0	0.020
6/6/2006	850	0	0.039	0	0.052
	1500	0	0.022	0	0.026
	1515	0	0.029	0	0.029

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
6/6/2006 (continued)	1530	0	0.023	NR	NR
	1545	0	0.037	NR	NR
6/7/2006	830	0	0.041	0	0.037
	850	0	0.028	0	0.032
	900	0	0.023	0	0.027
	9158	0	0.040	0	0.094
	930	0	0.024	0	0.052
	945	0	0.124	0	0.077
	1000	0	0.019	0	0.057
	1015	0	0.043	0	0.127
	1030	0	0.018	0	0.127
	1040	0	0.120	0	0.127
	1055	0	0.032	0	0.148
	1105	0	0.014	0	0.235
	1115	0	0.019	0	0.167
	1125	0	0.010	0	0.253
	1130	0	0.012	0	0.316
	1135	0	0.010	0	0.180
	1145	0	0.017	0	0.013
	1300	0	0.012	0	0.000
	1310	0	0.021	0	0.007
	1330	0	0.017	0	0.000
	1345	0	0.020	0	0.000
	1415	0	0.017	0	0.016
6/8/2006	845	0	0.017	0	-0.024
	1000	0	0.012	0	-0.030
	1050	0	0.016	0	-0.024
	1105	0	0.017	0	-0.022
	1225	NR	NR	0	-0.021
	1155	0	0.038	0	-0.012
6/9/2006	900	0	0.043	0	0.003
	930	0	0.043	0	0.000
	1030	0	0.053	0	0.008
	1045	0	0.056	0	0.011
	1100	0	0.054	0	0.011
	1300	0	0.041	0	0.036
	1330	0	0.037	0	0.027
	1400	0	0.013	0	0.041
	1430	0	0.027	0	0.036
	1500	0	0.137	0	0.021
	1515	0	0.150	0	0.099
6/12/2006	905	0	0.013	0	0.008
	930	0	0.058	0	0.202
	1000	0	0.131	0	0.011
	1015	0	0.023	0	0.016
	1040	0	0.008	0	0.013

SUMMARY OF MANUAL AIR MONITORING DATA
Luster Coate Metallizing Site 828113
East Buffalo Street
Churchville, New York

Date	Time	WEST		EAST	
		PID (ppm)	Particulate (mg/m ³)	PID (ppm)	Particulate (mg/m ³)
6/12/2006 (continued)	1050	0	0.010	0	0.017
	1100	0	0.015	0	0.008
	1115	0	0.010	0	0.011
	1125	0	0.021	0	0.010
	1210	0	0.009	0	0.012
	1220	0	0.012	0	0.011
	1300	0	0.019	0	0.029
	1315	0	0.054	0	0.013
	1330	0	0.015	0	0.022
	1350	0	0.010	0	0.019
	1420	0	0.013	0	0.030
	1440	0	0.011	0	0.008
	1520	0	0.008	0	0.025
	1540	0	0.015	0	0.016
6/13/2006	930	0	0.013	0	0.014
	950	0	0.014	0	0.015
	1110	0	0.037	0	0.016
	1235	0	0.015	0	0.017
6/14/2006	845	0	0.074	0	0.032
	910	0	0.028	0	0.039
	930	0	0.001	0	0.027
	1015	0	0.058	0	0.034
	1130	0	0.023	0	0.026
	1345	0	0.019	0	0.051
	1445	0	0.016	0	0.027
6/15/2006	1230	0	0.063	NR	NR
	1530	0	0.011	0	0.029
6/16/2006	1320	0	0.035	0	0.018
6/20/2006	1115	0	0.010	0	0.010
	1210	0	0.012	0	0.021
	1310	0	0.027	0	0.049
	1405	0	0.029	0	0.074

Notes:

mg/m³ = micrograms per cubic meter

NR = not recorded

ppm = parts per million