

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job#: A07-C138

Project#: NY5A946109

Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Task: NYSDEC Spills - Patton's Busy Bee: Site #902014

Mr. Brian Sadowski  
NYSDEC - Region 9  
270 Michigan Ave  
Buffalo, NY 14203

TestAmerica Laboratories Inc.



Brian J. Fischer  
Project Manager

11/02/2007



## TestAmerica Buffalo Current Certifications

As of 6/15/2007

<b>STATE</b>	<b>Program</b>	<b>Cert # / Lab ID</b>
<b>Arkansas</b>	SDWA, CWA, RCRA, SOIL	88-0686
<b>California*</b>	NELAP CWA, RCRA	01169CA
<b>Connecticut</b>	SDWA, CWA, RCRA, SOIL	PH-0568
<b>Florida*</b>	NELAP CWA, RCRA	E87672
<b>Georgia*</b>	SDWA, NELAP CWA, RCRA	956
<b>Illinois*</b>	NELAP SDWA, CWA, RCRA	200003
<b>Iowa</b>	SW/CS	374
<b>Kansas*</b>	NELAP SDWA, CWA, RCRA	E-10187
<b>Kentucky</b>	SDWA	90029
<b>Kentucky UST</b>	UST	30
<b>Louisiana*</b>	NELAP CWA, RCRA	2031
<b>Maine</b>	SDWA, CWA	NY0044
<b>Maryland</b>	SDWA	294
<b>Massachusetts</b>	SDWA, CWA	M-NY044
<b>Michigan</b>	SDWA	9937
<b>Minnesota</b>	SDWA, CWA, RCRA	036-999-337
<b>New Hampshire*</b>	NELAP SDWA, CWA	233701
<b>New Jersey*</b>	NELAP, SDWA, CWA, RCRA,	NY455
<b>New York*</b>	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
<b>Oklahoma</b>	CWA, RCRA	9421
<b>Pennsylvania*</b>	Registration, NELAP CWA, RCRA	68-00281
<b>Tennessee</b>	SDWA	02970
<b>USDA</b>	FOREIGN SOIL PERMIT	S-41579
<b>USDOE</b>	Department of Energy	DOECAP-STB
<b>Virginia</b>	SDWA	278
<b>Washington</b>	CWA, RCRA	C1677
<b>West Virginia</b>	CWA, RCRA	252
<b>Wisconsin</b>	CWA, RCRA	998310390

\*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

## SAMPLE SUMMARY

<u>LAB SAMPLE ID</u>	<u>CLIENT SAMPLE ID</u>	<u>MATRIX</u>	<u>SAMPLED</u>		<u>RECEIVED</u>	
			<u>DATE</u>	<u>TIME</u>	<u>DATE</u>	<u>TIME</u>
A7C13805	BET2S	WATER	10/18/2007	12:30	10/19/2007	09:30
A7C13804	MW-101D	WATER	10/18/2007	11:55	10/19/2007	09:30
A7C13803	MW-101I	WATER	10/18/2007	12:00	10/19/2007	09:30
A7C13809	MW-102D	WATER	10/18/2007	13:45	10/19/2007	09:30
A7C13809MS	MW-102D	WATER	10/18/2007	13:45	10/19/2007	09:30
A7C13809SD	MW-102D	WATER	10/18/2007	13:45	10/19/2007	09:30
A7C13806	MW-103D	WATER	10/18/2007	13:10	10/19/2007	09:30
A7C13807	MW-103I	WATER	10/18/2007	13:15	10/19/2007	09:30
A7C13808	MW-104I	WATER	10/18/2007	13:25	10/19/2007	09:30
A7C13802	MW-107SR	WATER	10/18/2007	11:30	10/19/2007	09:30
A7C13812	MW-108D	WATER	10/18/2007	14:35	10/19/2007	09:30
A7C13811	MW-108I	WATER	10/18/2007	14:30	10/19/2007	09:30
A7C13810	MW-109	WATER	10/18/2007	14:05	10/19/2007	09:30
A7C13813	MW-110	WATER	10/18/2007	14:40	10/19/2007	09:30
A7C13801	MW-113	WATER	10/18/2007	11:05	10/19/2007	09:30

## METHODS SUMMARY

Job#: A07-CL38Project#: NY5A946109  
Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
NYSDEC - AQUEOUS-SW8463 TCL 8260	SW8463 8260
NYDEC AQ- 8270 TCL SEMI-VOLATILE ORGANIC	SW8463 8270
METHOD 8081 - TCL PESTICIDES	SW8463 8081
Aluminum - Total	SW8463 6010
Antimony - Total	SW8463 6010
Arsenic - Total	SW8463 6010
Barium - Total	SW8463 6010
Beryllium - Total	SW8463 6010
Cadmium - Total	SW8463 6010
Calcium - Total	SW8463 6010
Chromium - Total	SW8463 6010
Cobalt - Total	SW8463 6010
Copper - Total	SW8463 6010
Iron - Total	SW8463 6010
Lead - Total	SW8463 6010
Magnesium - Total	SW8463 6010
Manganese - Total	SW8463 6010
Mercury - Total	SW8463 7470
Nickel - Total	SW8463 6010
Potassium - Total	SW8463 6010
Selenium - Total	SW8463 6010
Silver - Total	SW8463 6010
Sodium - Total	SW8463 6010
Thallium - Total	SW8463 6010
Vanadium - Total	SW8463 6010
Zinc - Total	SW8463 6010

References:

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

## SDG NARRATIVE

Job#: A07-C138Project#: NY5A946109  
Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A07-C138

Sample Cooler(s) were received at the following temperature(s); 2@2.0 °C  
All samples were received in good condition.

GC/MS Volatile Data

The relative percent difference between the Matrix Spike and the Matrix Spike Duplicate exceed quality control limits for several compounds, though all individual analyte recoveries are compliant.

GC/MS Semivolatile Data

No deviations from protocol were encountered during the analytical procedures.

GC Extractable Data

No deviations from protocol were encountered during the analytical procedures.


Metals Data

No deviations from protocol were encountered during the analytical procedures.

\*\*\*\*\*

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this Sample Data package and in the electronic data deliverables has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature."



\_\_\_\_\_  
Brian J. Fischer  
Project Manager

11-7-07

\_\_\_\_\_  
Date

Date: 11/02/2007  
Time: 08:23:17

Dilution Log w/Code Information  
For Job A07-C138

7/38 Page: 1  
Rept: AN1266R

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Parameter (Inorganic)/Method (Organic)</u>	<u>Dilution</u>	<u>Code</u>
BBT2S	A7C13805	8260	5.00	003
BBT2S	A7C13805	Sodium - Total	5.00	008

---

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## DATA QUALIFIER PAGE

*These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.*

### ORGANIC DATA QUALIFIERS

- ND or U Indicates compound was analyzed for, but not detected.
- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- 1 Indicates coelution.
- \* Indicates analysis is not within the quality control limits.

### INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.
- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- G Indicates a value greater than or equal to the project reporting limit but less than the laboratory quantitation limit
- \* Indicates the spike or duplicate analysis is not within the quality control limits.
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.



Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

9/38 Page: 1  
 Rept: AN1178

Sample ID: BBT2S  
 Lab Sample ID: A7C13805  
 Date Collected: 10/18/2007  
 Time Collected: 12:30

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,1,2,2-Tetrachloroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,1,2-Trichloroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,1-Dichloroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,1-Dichloroethene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,2,4-Trichlorobenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,2-Dibromo-3-chloropropane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,2-Dibromoethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,2-Dichlorobenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,2-Dichloroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,2-Dichloropropane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,3-Dichlorobenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
1,4-Dichlorobenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
2-Butanone	ND		25	UG/L	8260	10/27/2007	00:28	CDC
2-Hexanone	ND		25	UG/L	8260	10/27/2007	00:28	CDC
4-Methyl-2-pentanone	ND		25	UG/L	8260	10/27/2007	00:28	CDC
Acetone	14	J	25	UG/L	8260	10/27/2007	00:28	CDC
Benzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Bromodichloromethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Bromoform	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Bromomethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Carbon Disulfide	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Carbon Tetrachloride	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Chlorobenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Chloroethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Chloroform	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Chloromethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
cis-1,2-Dichloroethene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
cis-1,3-Dichloropropene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Cyclohexane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Dibromochloromethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Dichlorodifluoromethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Ethylbenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Isopropylbenzene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Methyl acetate	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Methyl-t-Butyl Ether (MTBE)	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Methylcyclohexane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Methylene chloride	6.8	B	5.0	UG/L	8260	10/27/2007	00:28	CDC
Styrene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Tetrachloroethene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Toluene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Total Xylenes	ND		15	UG/L	8260	10/27/2007	00:28	CDC
trans-1,2-Dichloroethene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
trans-1,3-Dichloropropene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Trichloroethene	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Trichlorofluoromethane	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC
Vinyl chloride	ND		5.0	UG/L	8260	10/27/2007	00:28	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

10/38 Page: 2  
 Rept: AN1178

Sample ID: BBT2S  
 Lab Sample ID: A7C13805  
 Date Collected: 10/18/2007  
 Time Collected: 12:30

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYDEC AQ- SW8463 8270 - TCL SVOA ORGANIC								
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	10/23/2007	15:08	MD
1,2-Dichlorobenzene	ND		10	UG/L	8270	10/23/2007	15:08	MD
1,3-Dichlorobenzene	ND		10	UG/L	8270	10/23/2007	15:08	MD
1,4-Dichlorobenzene	ND		10	UG/L	8270	10/23/2007	15:08	MD
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	10/23/2007	15:08	MD
2,4,5-Trichlorophenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
2,4,6-Trichlorophenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
2,4-Dichlorophenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
2,4-Dimethylphenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
2,4-Dinitrophenol	ND		10	UG/L	8270	10/23/2007	15:08	MD
2,4-Dinitrotoluene	ND		5	UG/L	8270	10/23/2007	15:08	MD
2,6-Dinitrotoluene	ND		5	UG/L	8270	10/23/2007	15:08	MD
2-Chloronaphthalene	ND		5	UG/L	8270	10/23/2007	15:08	MD
2-Chlorophenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
2-Methylnaphthalene	ND		5	UG/L	8270	10/23/2007	15:08	MD
2-Methylphenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
2-Nitroaniline	ND		10	UG/L	8270	10/23/2007	15:08	MD
2-Nitrophenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	10/23/2007	15:08	MD
3-Nitroaniline	ND		10	UG/L	8270	10/23/2007	15:08	MD
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	10/23/2007	15:08	MD
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	10/23/2007	15:08	MD
4-Chloro-3-methylphenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
4-Chloroaniline	ND		5	UG/L	8270	10/23/2007	15:08	MD
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	10/23/2007	15:08	MD
4-Methylphenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
4-Nitroaniline	ND		10	UG/L	8270	10/23/2007	15:08	MD
4-Nitrophenol	ND		10	UG/L	8270	10/23/2007	15:08	MD
Acenaphthene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Acenaphthylene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Anthracene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Benzo(a)anthracene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Benzo(a)pyrene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Benzo(b)fluoranthene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Benzo(ghi)perylene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Benzo(k)fluoranthene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	10/23/2007	15:08	MD
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	10/23/2007	15:08	MD
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	10/23/2007	15:08	MD
Butyl benzyl phthalate	ND		5	UG/L	8270	10/23/2007	15:08	MD
Carbazole	ND		5	UG/L	8270	10/23/2007	15:08	MD
Chrysene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Di-n-butyl phthalate	ND		5	UG/L	8270	10/23/2007	15:08	MD
Di-n-octyl phthalate	ND		5	UG/L	8270	10/23/2007	15:08	MD
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Dibenzofuran	ND		5	UG/L	8270	10/23/2007	15:08	MD
Diethyl phthalate	ND		5	UG/L	8270	10/23/2007	15:08	MD
Dimethyl phthalate	ND		5	UG/L	8270	10/23/2007	15:08	MD
Fluoranthene	ND		5	UG/L	8270	10/23/2007	15:08	MD

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

11/38 Page: 3  
 Rept: AN1178

Sample ID: BBT2S  
 Lab Sample ID: A7C13805  
 Date Collected: 10/18/2007  
 Time Collected: 12:30

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYDEC AQ- SW8463 8270 - TCL SVOA ORGANIC								
Fluorene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Hexachlorobenzene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Hexachlorobutadiene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Hexachlorocyclopentadiene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Hexachloroethane	ND		5	UG/L	8270	10/23/2007	15:08	MD
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Isophorone	ND		5	UG/L	8270	10/23/2007	15:08	MD
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	10/23/2007	15:08	MD
N-nitrosodiphenylamine	ND		5	UG/L	8270	10/23/2007	15:08	MD
Naphthalene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Nitrobenzene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Pentachlorophenol	ND		10	UG/L	8270	10/23/2007	15:08	MD
Phenanthrene	ND		5	UG/L	8270	10/23/2007	15:08	MD
Phenol	ND		5	UG/L	8270	10/23/2007	15:08	MD
Pyrene	ND		5	UG/L	8270	10/23/2007	15:08	MD
NYSDEC - AQUEOUS-SW8463 8081 - TCL PESTICIDES								
4,4'-DDD	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
4,4'-DDE	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
4,4'-DDT	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Aldrin	0.034	J	0.048	UG/L	8081	10/24/2007	06:44	TCH
alpha-BHC	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
alpha-Chlordane	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
beta-BHC	ND		2.8	UG/L	8081	10/24/2007	06:44	TCH
delta-BHC	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Dieldrin	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Endosulfan I	0.040	J	0.048	UG/L	8081	10/24/2007	06:44	TCH
Endosulfan II	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Endosulfan Sulfate	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Endrin	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Endrin aldehyde	0.041	J	0.048	UG/L	8081	10/24/2007	06:44	TCH
Endrin ketone	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
gamma-BHC (Lindane)	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
gamma-Chlordane	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Heptachlor	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Heptachlor epoxide	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Methoxychlor	ND		0.048	UG/L	8081	10/24/2007	06:44	TCH
Toxaphene	ND		0.95	UG/L	8081	10/24/2007	06:44	TCH
Metals Analysis								
Aluminum - Total	28.4		0.20	MG/L	6010	10/29/2007	19:27	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:33	TWS
Arsenic - Total	0.18		0.010	MG/L	6010	10/29/2007	19:27	TWS
Barium - Total	1.6		0.0020	MG/L	6010	10/29/2007	19:33	TWS
Beryllium - Total	0.0024		0.0020	MG/L	6010	10/29/2007	19:27	TWS
Cadmium - Total	0.018		0.0010	MG/L	6010	10/29/2007	19:27	TWS
Calcium - Total	225		0.50	MG/L	6010	10/29/2007	19:33	TWS
Chromium - Total	0.042		0.0040	MG/L	6010	10/29/2007	19:33	TWS
Cobalt - Total	0.047		0.0040	MG/L	6010	10/29/2007	19:33	TWS

Date: 11/02/2007  
Time: 08:23:39

NYSDEC  
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
NYSDEC Spills - Patton's Busy Bee: Site #902014

12/38 Page: 4  
Rept: AN1178

Sample ID: BBT2S  
Lab Sample ID: A7C13805  
Date Collected: 10/18/2007  
Time Collected: 12:30

Date Received: 10/19/2007  
Project No: NY5A946109  
Client No: L10190  
Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
Metals Analysis								
Copper - Total	0.080		0.010	MG/L	6010	10/29/2007	19:27	TWS
Iron - Total	406		0.050	MG/L	6010	10/29/2007	19:33	TWS
Lead - Total	0.10		0.0050	MG/L	6010	10/29/2007	19:33	TWS
Magnesium - Total	128		0.20	MG/L	6010	10/29/2007	19:27	TWS
Manganese - Total	11.3		0.0030	MG/L	6010	10/29/2007	19:33	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:19	MM
Nickel - Total	0.091		0.010	MG/L	6010	10/29/2007	19:33	TWS
Potassium - Total	149		0.50	MG/L	6010	10/29/2007	19:33	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:33	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:33	TWS
Sodium - Total	732		5.0	MG/L	6010	10/29/2007	19:33	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:27	TWS
Vanadium - Total	0.046		0.0050	MG/L	6010	10/29/2007	19:27	TWS
Zinc - Total	6.4		0.010	MG/L	6010	10/29/2007	19:33	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

13/38 Page: 5  
 Rept: AN1178

Sample ID: MW-101D  
 Lab Sample ID: A7C13804  
 Date Collected: 10/18/2007  
 Time Collected: 11:55

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		
			Limit	Units	Method	Analyzed	Analyst	
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,3-Dichlorobenzene	0.41	J	1.0	UG/L	8260	10/27/2007 00:05	CDC	
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
2-Butanone	ND		5.0	UG/L	8260	10/27/2007 00:05	CDC	
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007 00:05	CDC	
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007 00:05	CDC	
Acetone	3.8	J	5.0	UG/L	8260	10/27/2007 00:05	CDC	
Benzene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Bromoform	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Bromomethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Chlorobenzene	0.73	J	1.0	UG/L	8260	10/27/2007 00:05	CDC	
Chloroethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Chloroform	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Chloromethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Styrene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Toluene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007 00:05	CDC	
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Trichloroethene	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007 00:05	CDC	

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

14/38 Page: 6  
 Rept: AN1178

Sample ID: MW-1011  
 Lab Sample ID: A7C13803  
 Date Collected: 10/18/2007  
 Time Collected: 12:00

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time	
			Limit	Units	Method	Analyzed	Analyst
NYSDEC - AQUEOUS-SW8463 TCL 8260							
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
2-Butanone	ND		5.0	UG/L	8260	10/26/2007 23:41	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/26/2007 23:41	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/26/2007 23:41	CDC
Acetone	2.1	J	5.0	UG/L	8260	10/26/2007 23:41	CDC
Benzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Bromoform	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Bromomethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Chloroethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Chloroform	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Chloromethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Styrene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Toluene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/26/2007 23:41	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/26/2007 23:41	CDC

Date: 11/02/2007  
Time: 08:23:39

NYSDEC  
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
NYSDEC Spills - Patton's Busy Bee; Site #902014

15/38 Page: 7  
Rept: AN1178

Sample ID: MW-1011  
Lab Sample ID: A7C13803  
Date Collected: 10/18/2007  
Time Collected: 12:00

Date Received: 10/19/2007  
Project No: NY5A946109  
Client No: L10190  
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
Metals Analysis								
Aluminum - Total	51.4		0.20	MG/L	6010	10/29/2007	19:15	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:15	TWS
Arsenic - Total	0.035		0.010	MG/L	6010	10/29/2007	19:15	TWS
Barium - Total	0.49		0.0020	MG/L	6010	10/29/2007	19:15	TWS
Beryllium - Total	0.0037		0.0020	MG/L	6010	10/29/2007	19:15	TWS
Cadmium - Total	0.0021		0.0010	MG/L	6010	10/29/2007	19:15	TWS
Calcium - Total	101		0.50	MG/L	6010	10/29/2007	19:15	TWS
Chromium - Total	0.058		0.0040	MG/L	6010	10/29/2007	19:15	TWS
Cobalt - Total	0.045		0.0040	MG/L	6010	10/29/2007	19:15	TWS
Copper - Total	0.075		0.010	MG/L	6010	10/29/2007	19:15	TWS
Iron - Total	91.3		0.050	MG/L	6010	10/29/2007	19:15	TWS
Lead - Total	0.034		0.0050	MG/L	6010	10/29/2007	19:15	TWS
Magnesium - Total	56.1		0.20	MG/L	6010	10/29/2007	19:15	TWS
Manganese - Total	1.6		0.0030	MG/L	6010	10/29/2007	19:15	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:15	MM
Nickel - Total	0.088		0.010	MG/L	6010	10/29/2007	19:15	TWS
Potassium - Total	20.7		0.50	MG/L	6010	10/29/2007	19:15	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:15	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:15	TWS
Sodium - Total	6.7		1.0	MG/L	6010	10/29/2007	19:15	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:15	TWS
Vanadium - Total	0.069		0.0050	MG/L	6010	10/29/2007	19:15	TWS
Zinc - Total	0.21		0.010	MG/L	6010	10/29/2007	19:15	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

16/38 Page: 8  
 Rept: AN1178

Sample ID: MW-102D  
 Lab Sample ID: A7C13809  
 Date Collected: 10/18/2007  
 Time Collected: 13:45

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	02:02	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	02:02	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	02:02	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	02:02	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	02:02	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	02:02	CDC



Date: 11/02/2007  
Time: 08:23:39

NYSDEC  
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
NYSDEC Spills - Patton's Busy Bee: Site #902014

17/38 Page: 9  
Rept: AN1178

Sample ID: MW-102D  
Lab Sample ID: A7C13809  
Date Collected: 10/18/2007  
Time Collected: 13:45

Date Received: 10/19/2007  
Project No: NY5A946109  
Client No: L10190  
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
Metals Analysis								
Aluminum - Total	0.45		0.20	MG/L	6010	10/29/2007	19:53	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:53	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	19:53	TWS
Barium - Total	0.088		0.0020	MG/L	6010	10/29/2007	19:53	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	19:53	TWS
Cadmium - Total	0.0038		0.0010	MG/L	6010	10/29/2007	19:53	TWS
Calcium - Total	45.3		0.50	MG/L	6010	10/29/2007	19:53	TWS
Chromium - Total	ND		0.0040	MG/L	6010	10/29/2007	19:53	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	19:53	TWS
Copper - Total	0.016		0.010	MG/L	6010	10/29/2007	19:53	TWS
Iron - Total	0.64		0.050	MG/L	6010	10/29/2007	19:53	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	19:53	TWS
Magnesium - Total	14.9		0.20	MG/L	6010	10/29/2007	19:53	TWS
Manganese - Total	0.013		0.0030	MG/L	6010	10/29/2007	19:53	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:25	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	19:53	TWS
Potassium - Total	3.6		0.50	MG/L	6010	10/29/2007	19:53	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:53	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:53	TWS
Sodium - Total	3.7		1.0	MG/L	6010	10/29/2007	19:53	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:53	TWS
Vanadium - Total	ND		0.0050	MG/L	6010	10/29/2007	19:53	TWS
Zinc - Total	ND		0.010	MG/L	6010	10/29/2007	19:53	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

18/38 Page: 10  
 Rept: AN1178

Sample ID: MW-103D  
 Lab Sample ID: A7C13806  
 Date Collected: 10/18/2007  
 Time Collected: 13:10

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	00:52	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	00:52	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	00:52	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	00:52	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
cis-1,2-Dichloroethene	9.1		1.0	UG/L	8260	10/27/2007	00:52	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	00:52	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Trichloroethene	4.5		1.0	UG/L	8260	10/27/2007	00:52	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	00:52	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-103D  
 Lab Sample ID: A7C13806  
 Date Collected: 10/18/2007  
 Time Collected: 13:10

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
Metals Analysis								
Aluminum - Total	1.5		0.20	MG/L	6010	10/29/2007	19:38	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:38	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	19:38	TWS
Barium - Total	0.070		0.0020	MG/L	6010	10/29/2007	19:38	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	19:38	TWS
Cadmium - Total	0.0023		0.0010	MG/L	6010	10/29/2007	19:38	TWS
Calcium - Total	20.5		0.50	MG/L	6010	10/29/2007	19:38	TWS
Chromium - Total	ND		0.0040	MG/L	6010	10/29/2007	19:38	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	19:38	TWS
Copper - Total	ND		0.010	MG/L	6010	10/29/2007	19:38	TWS
Iron - Total	1.9		0.050	MG/L	6010	10/29/2007	19:38	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	19:38	TWS
Magnesium - Total	7.8		0.20	MG/L	6010	10/29/2007	19:38	TWS
Manganese - Total	0.056		0.0030	MG/L	6010	10/29/2007	19:38	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:21	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	19:38	TWS
Potassium - Total	2.3		0.50	MG/L	6010	10/29/2007	19:38	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:38	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:38	TWS
Sodium - Total	3.3		1.0	MG/L	6010	10/29/2007	19:38	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:38	TWS
Vanadium - Total	ND		0.0050	MG/L	6010	10/29/2007	19:38	TWS
Zinc - Total	ND		0.010	MG/L	6010	10/29/2007	19:38	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

20/38 Page: 12  
 Rept: AN1178

Sample ID: MW-1031  
 Lab Sample ID: A7C13807  
 Date Collected: 10/18/2007  
 Time Collected: 13:15

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	01:15	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	01:15	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	01:15	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	01:15	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
cis-1,2-Dichloroethene	12		1.0	UG/L	8260	10/27/2007	01:15	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	01:15	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Trichloroethene	5.7		1.0	UG/L	8260	10/27/2007	01:15	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	01:15	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-103I  
 Lab Sample ID: A7C13807  
 Date Collected: 10/18/2007  
 Time Collected: 13:15

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
<b>Metals Analysis</b>								
Aluminum - Total	20.8		0.20	MG/L	6010	10/29/2007	19:43	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:43	TWS
Arsenic - Total	0.025		0.010	MG/L	6010	10/29/2007	19:43	TWS
Barium - Total	0.32		0.0020	MG/L	6010	10/29/2007	19:43	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	19:43	TWS
Cadmium - Total	0.0015		0.0010	MG/L	6010	10/29/2007	19:43	TWS
Calcium - Total	20.8		0.50	MG/L	6010	10/29/2007	19:43	TWS
Chromium - Total	0.022		0.0040	MG/L	6010	10/29/2007	19:43	TWS
Cobalt - Total	0.018		0.0040	MG/L	6010	10/29/2007	19:43	TWS
Copper - Total	0.019		0.010	MG/L	6010	10/29/2007	19:43	TWS
Iron - Total	34.5		0.050	MG/L	6010	10/29/2007	19:43	TWS
Lead - Total	0.016		0.0050	MG/L	6010	10/29/2007	19:43	TWS
Magnesium - Total	10.7		0.20	MG/L	6010	10/29/2007	19:43	TWS
Manganese - Total	1.2		0.0030	MG/L	6010	10/29/2007	19:43	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:22	MM
Nickel - Total	0.032		0.010	MG/L	6010	10/29/2007	19:43	TWS
Potassium - Total	8.9		0.50	MG/L	6010	10/29/2007	19:43	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:43	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:43	TWS
Sodium - Total	3.8		1.0	MG/L	6010	10/29/2007	19:43	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:43	TWS
Vanadium - Total	0.027		0.0050	MG/L	6010	10/29/2007	19:43	TWS
Zinc - Total	0.066		0.010	MG/L	6010	10/29/2007	19:43	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

22/38 Page: 14  
 Rept: AN1178

Sample ID: MW-104I  
 Lab Sample ID: A7C13808  
 Date Collected: 10/18/2007  
 Time Collected: 13:25

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		
			Limit	Units	Method	Analyzed	Analyst	
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	01:39	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	01:39	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	01:39	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	01:39	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Chloroform	0.55	J	1.0	UG/L	8260	10/27/2007	01:39	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
cis-1,2-Dichloroethene	11		1.0	UG/L	8260	10/27/2007	01:39	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	01:39	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Trichloroethene	5.2		1.0	UG/L	8260	10/27/2007	01:39	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	01:39	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-104I  
 Lab Sample ID: A7C13808  
 Date Collected: 10/18/2007  
 Time Collected: 13:25

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
Metals Analysis								
Aluminum - Total	6.2		0.20	MG/L	6010	10/29/2007	19:48	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:48	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	19:48	TWS
Barium - Total	0.13		0.0020	MG/L	6010	10/29/2007	19:48	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	19:48	TWS
Cadmium - Total	0.0027		0.0010	MG/L	6010	10/29/2007	19:48	TWS
Calcium - Total	29.0		0.50	MG/L	6010	10/29/2007	19:48	TWS
Chromium - Total	0.016		0.0040	MG/L	6010	10/29/2007	19:48	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	19:48	TWS
Copper - Total	ND		0.010	MG/L	6010	10/29/2007	19:48	TWS
Iron - Total	7.7		0.050	MG/L	6010	10/29/2007	19:48	TWS
Lead - Total	0.0059		0.0050	MG/L	6010	10/29/2007	19:48	TWS
Magnesium - Total	8.2		0.20	MG/L	6010	10/29/2007	19:48	TWS
Manganese - Total	0.15		0.0030	MG/L	6010	10/29/2007	19:48	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:24	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	19:48	TWS
Potassium - Total	3.9		0.50	MG/L	6010	10/29/2007	19:48	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:48	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:48	TWS
Sodium - Total	6.7		1.0	MG/L	6010	10/29/2007	19:48	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:48	TWS
Vanadium - Total	0.0092		0.0050	MG/L	6010	10/29/2007	19:48	TWS
Zinc - Total	0.019		0.010	MG/L	6010	10/29/2007	19:48	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-107SR  
 Lab Sample ID: A7C13802  
 Date Collected: 10/18/2007  
 Time Collected: 11:30

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time	
			Limit	Units	Method	Analyzed	Analyst
NYSDEC - AQUEOUS-SW8463 TCL 8260							
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
2-Butanone	1.8	J	5.0	UG/L	8260	10/26/2007 23:18	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/26/2007 23:18	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/26/2007 23:18	CDC
Acetone	6.8		5.0	UG/L	8260	10/26/2007 23:18	CDC
Benzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Bromoform	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Bromomethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Chloroethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Chloroform	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Chloromethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Styrene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Toluene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/26/2007 23:18	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/26/2007 23:18	CDC



Date: 11/02/2007  
Time: 08:23:39

NYSDEC  
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
NYSDEC Spills - Patton's Busy Bee: Site #902014

25/38 Page: 17  
Rept: AN1178

Sample ID: MW-107SR  
Lab Sample ID: A7C13802  
Date Collected: 10/18/2007  
Time Collected: 11:30

Date Received: 10/19/2007  
Project No: NY5A946109  
Client No: L10190  
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
Metals Analysis								
Aluminum - Total	6.4		0.20	MG/L	6010	10/29/2007	19:10	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	19:10	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	19:10	TWS
Barium - Total	0.15		0.0020	MG/L	6010	10/29/2007	19:10	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	19:10	TWS
Cadmium - Total	0.0017		0.0010	MG/L	6010	10/29/2007	19:10	TWS
Calcium - Total	77.0		0.50	MG/L	6010	10/29/2007	19:10	TWS
Chromium - Total	0.0073		0.0040	MG/L	6010	10/29/2007	19:10	TWS
Cobalt - Total	0.0040		0.0040	MG/L	6010	10/29/2007	19:10	TWS
Copper - Total	ND		0.010	MG/L	6010	10/29/2007	19:10	TWS
Iron - Total	7.4		0.050	MG/L	6010	10/29/2007	19:10	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	19:10	TWS
Magnesium - Total	14.8		0.20	MG/L	6010	10/29/2007	19:10	TWS
Manganese - Total	0.67		0.0030	MG/L	6010	10/29/2007	19:10	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:13	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	19:10	TWS
Potassium - Total	4.4		0.50	MG/L	6010	10/29/2007	19:10	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	19:10	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	19:10	TWS
Sodium - Total	8.6		1.0	MG/L	6010	10/29/2007	19:10	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	19:10	TWS
Vanadium - Total	0.0098		0.0050	MG/L	6010	10/29/2007	19:10	TWS
Zinc - Total	0.019		0.010	MG/L	6010	10/29/2007	19:10	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

26/38 Page: 18  
 Rept: AN1178

Sample ID: MW-108D  
 Lab Sample ID: A7C13812  
 Date Collected: 10/18/2007  
 Time Collected: 14:35

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	04:00	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	04:00	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	04:00	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	04:00	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	04:00	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	04:00	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee; Site #902014

27/38 Page: 19  
 Rept: AN1178

Sample ID: MW-108D  
 Lab Sample ID: A7C13812  
 Date Collected: 10/18/2007  
 Time Collected: 14:35

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time		Analyst
						Analyzed		
Metals Analysis								
Aluminum - Total	1.1		0.20	MG/L	6010	10/29/2007	21:51	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	21:51	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	21:51	TWS
Barium - Total	0.13		0.0020	MG/L	6010	10/29/2007	21:51	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	21:51	TWS
Cadmium - Total	0.0012		0.0010	MG/L	6010	10/29/2007	21:51	TWS
Calcium - Total	31.7		0.50	MG/L	6010	10/29/2007	21:51	TWS
Chromium - Total	ND		0.0040	MG/L	6010	10/29/2007	21:51	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	21:51	TWS
Copper - Total	0.024		0.010	MG/L	6010	10/29/2007	21:51	TWS
Iron - Total	1.7		0.050	MG/L	6010	10/29/2007	21:51	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	21:51	TWS
Magnesium - Total	13.4		0.20	MG/L	6010	10/29/2007	21:51	TWS
Manganese - Total	0.29		0.0030	MG/L	6010	10/29/2007	21:51	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:36	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	21:51	TWS
Potassium - Total	4.4		0.50	MG/L	6010	10/29/2007	21:51	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	21:51	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	21:51	TWS
Sodium - Total	3.9		1.0	MG/L	6010	10/29/2007	21:51	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	21:51	TWS
Vanadium - Total	ND		0.0050	MG/L	6010	10/29/2007	21:51	TWS
Zinc - Total	ND		0.010	MG/L	6010	10/29/2007	21:51	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

28/38 Page: 20  
 Rept: AN1178

Sample ID: MW-108I  
 Lab Sample ID: A7C13811  
 Date Collected: 10/18/2007  
 Time Collected: 14:30

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	03:37	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	03:37	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	03:37	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	03:37	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	03:37	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	03:37	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-108I  
 Lab Sample ID: A7C13811  
 Date Collected: 10/18/2007  
 Time Collected: 14:30

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
Metals Analysis								
Aluminum - Total	0.57		0.20	MG/L	6010	10/29/2007	21:46	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	21:46	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	21:46	TWS
Barium - Total	0.068		0.0020	MG/L	6010	10/29/2007	21:46	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	21:46	TWS
Cadmium - Total	ND		0.0010	MG/L	6010	10/29/2007	21:46	TWS
Calcium - Total	39.1		0.50	MG/L	6010	10/29/2007	21:46	TWS
Chromium - Total	ND		0.0040	MG/L	6010	10/29/2007	21:46	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	21:46	TWS
Copper - Total	0.016		0.010	MG/L	6010	10/29/2007	21:46	TWS
Iron - Total	0.87		0.050	MG/L	6010	10/29/2007	21:46	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	21:46	TWS
Magnesium - Total	22.0		0.20	MG/L	6010	10/29/2007	21:46	TWS
Manganese - Total	0.018		0.0030	MG/L	6010	10/29/2007	21:46	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:32	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	21:46	TWS
Potassium - Total	5.0		0.50	MG/L	6010	10/29/2007	21:46	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	21:46	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	21:46	TWS
Sodium - Total	3.8		1.0	MG/L	6010	10/29/2007	21:46	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	21:46	TWS
Vanadium - Total	ND		0.0050	MG/L	6010	10/29/2007	21:46	TWS
Zinc - Total	ND		0.010	MG/L	6010	10/29/2007	21:46	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

30/38 Page: 22  
 Rept: AN1178

Sample ID: MW-109  
 Lab Sample ID: A7C13810  
 Date Collected: 10/18/2007  
 Time Collected: 14:05

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	03:13	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	03:13	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	03:13	CDC
Acetone	1.8	J	5.0	UG/L	8260	10/27/2007	03:13	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	03:13	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	03:13	CDC

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-109  
 Lab Sample ID: A7C13810  
 Date Collected: 10/18/2007  
 Time Collected: 14:05

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
Metals Analysis								
Aluminum - Total	0.67		0.20	MG/L	6010	10/29/2007	21:41	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	21:41	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	21:41	TWS
Barium - Total	0.14		0.0020	MG/L	6010	10/29/2007	21:41	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	21:41	TWS
Cadmium - Total	0.0017		0.0010	MG/L	6010	10/29/2007	21:41	TWS
Calcium - Total	28.6		0.50	MG/L	6010	10/29/2007	21:41	TWS
Chromium - Total	0.0050		0.0040	MG/L	6010	10/29/2007	21:41	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	21:41	TWS
Copper - Total	0.044		0.010	MG/L	6010	10/29/2007	21:41	TWS
Iron - Total	4.7		0.050	MG/L	6010	10/29/2007	21:41	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	21:41	TWS
Magnesium - Total	10.2		0.20	MG/L	6010	10/29/2007	21:41	TWS
Manganese - Total	0.21		0.0030	MG/L	6010	10/29/2007	21:41	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:31	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	21:41	TWS
Potassium - Total	4.8		0.50	MG/L	6010	10/29/2007	21:41	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	21:41	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	21:41	TWS
Sodium - Total	3.7		1.0	MG/L	6010	10/29/2007	21:41	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	21:41	TWS
Vanadium - Total	ND		0.0050	MG/L	6010	10/29/2007	21:41	TWS
Zinc - Total	0.027		0.010	MG/L	6010	10/29/2007	21:41	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

32/38 Page: 24  
 Rept: AN1178

Sample ID: MW-110  
 Lab Sample ID: A7C13813  
 Date Collected: 10/18/2007  
 Time Collected: 14:40

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
2-Butanone	ND		5.0	UG/L	8260	10/27/2007	04:24	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/27/2007	04:24	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/27/2007	04:24	CDC
Acetone	ND		5.0	UG/L	8260	10/27/2007	04:24	CDC
Benzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Bromoform	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Bromomethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Chloroethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Chloroform	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Chloromethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Styrene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Toluene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/27/2007	04:24	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/27/2007	04:24	CDC



Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-110  
 Lab Sample ID: A7C13813  
 Date collected: 10/18/2007  
 Time collected: 14:40

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
<b>Metals Analysis</b>								
Aluminum - Total	0.82		0.20	MG/L	6010	10/29/2007	21:56	TWS
Antimony - Total	ND		0.020	MG/L	6010	10/29/2007	21:56	TWS
Arsenic - Total	ND		0.010	MG/L	6010	10/29/2007	21:56	TWS
Barium - Total	0.084		0.0020	MG/L	6010	10/29/2007	21:56	TWS
Beryllium - Total	ND		0.0020	MG/L	6010	10/29/2007	21:56	TWS
Cadmium - Total	ND		0.0010	MG/L	6010	10/29/2007	21:56	TWS
Calcium - Total	40.5		0.50	MG/L	6010	10/29/2007	21:56	TWS
Chromium - Total	ND		0.0040	MG/L	6010	10/29/2007	21:56	TWS
Cobalt - Total	ND		0.0040	MG/L	6010	10/29/2007	21:56	TWS
Copper - Total	0.011		0.010	MG/L	6010	10/29/2007	21:56	TWS
Iron - Total	1.2		0.050	MG/L	6010	10/29/2007	21:56	TWS
Lead - Total	ND		0.0050	MG/L	6010	10/29/2007	21:56	TWS
Magnesium - Total	22.6		0.20	MG/L	6010	10/29/2007	21:56	TWS
Manganese - Total	0.024		0.0030	MG/L	6010	10/29/2007	21:56	TWS
Mercury - Total	ND		0.00020	MG/L	7470	10/29/2007	15:38	MM
Nickel - Total	ND		0.010	MG/L	6010	10/29/2007	21:56	TWS
Potassium - Total	4.8		0.50	MG/L	6010	10/29/2007	21:56	TWS
Selenium - Total	ND		0.015	MG/L	6010	10/29/2007	21:56	TWS
Silver - Total	ND		0.0030	MG/L	6010	10/29/2007	21:56	TWS
Sodium - Total	3.9		1.0	MG/L	6010	10/29/2007	21:56	TWS
Thallium - Total	ND		0.020	MG/L	6010	10/29/2007	21:56	TWS
Vanadium - Total	ND		0.0050	MG/L	6010	10/29/2007	21:56	TWS
Zinc - Total	ND		0.010	MG/L	6010	10/29/2007	21:56	TWS

Date: 11/02/2007  
 Time: 08:23:39

NYSDEC  
 NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT  
 NYSDEC Spills - Patton's Busy Bee: Site #902014

34/38 Page: 26  
 Rept: AN1178

Sample ID: MW-113  
 Lab Sample ID: A7C13801  
 Date Collected: 10/18/2007  
 Time Collected: 11:05

Date Received: 10/19/2007  
 Project No: NY5A946109  
 Client No: L10190  
 Site No:

Parameter	Result	Flag	Detection			Date/Time		Analyst
			Limit	Units	Method	Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,2-Dichloropropane	0.48	J	1.0	UG/L	8260	10/26/2007	22:54	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
2-Butanone	2.0	J	5.0	UG/L	8260	10/26/2007	22:54	CDC
2-Hexanone	ND		5.0	UG/L	8260	10/26/2007	22:54	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/26/2007	22:54	CDC
Acetone	9.5		5.0	UG/L	8260	10/26/2007	22:54	CDC
Benzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Bromoform	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Bromomethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Chlorobenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Chloroethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Chloroform	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Chloromethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Cyclohexane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Ethylbenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Methyl acetate	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Methylene chloride	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Styrene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Toluene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Total Xylenes	ND		3.0	UG/L	8260	10/26/2007	22:54	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Trichloroethene	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC
Vinyl chloride	ND		1.0	UG/L	8260	10/26/2007	22:54	CDC

Client Sample ID: MW-102D  
 Lab Sample ID: A7C13809

MW-102D  
 A7C13809MS

MW-102D  
 A7C13809SD

Analyte	Units of Measure	Sample	Concentration				% Recovery		QC LIMITS RPD REC.				
			Matrix Spike	Spike Duplicate	MS	Spike Amount MSD	MS	MSD		Avg	% RPD		
NYSDEC - AQUEOUS-SM8463 TCL 8260													
1,1-Dichloroethene	UG/L	0	23.4	29.7	25.0	25.0	94	119	107	23	*	16.0	65-142
Trichloroethene	UG/L	0	19.3	24.6	25.0	25.0	77	98	88	24	*	16.0	71-120
Benzene	UG/L	0	20.3	25.4	25.0	25.0	81	102	92	23	*	13.0	67-126
Toluene	UG/L	0	19.9	25.7	25.0	25.0	80	103	92	25	*	18.0	69-120
Chlorobenzene	UG/L	0	18.5	23.9	25.0	25.0	74	96	85	26	*	19.0	73-120

\* Indicates Result is outside QC Limits  
 †C = Not Calculated ND = Not Detected

Client Sample ID: MW-102D  
 Lab Sample ID: A7C13809

MW-102D  
 A7C13809MS

MW-102D  
 A7C13809SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery		QC LIMITS RPD REC.	
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD		Avg
NYSDEC-AQ-SW8463 TAL(23) METALS - 6010/7										
NYSDEC SPILLS - CHROMIUM - TOTAL - W -										
TOTAL ALUMINUM - METHOD 6010	MG/L	0.00180	0.201	0.203	0.200	0.200	100	101	101	20.0
TOTAL ANTIMONY - METHOD 6010	MG/L	0.452	10.28	10.35	10.0	10.0	98	99	99	20.0
TOTAL ARSENIC - METHOD 6010	MG/L	0.00450	0.199	0.203	0.200	0.200	98	100	99	20.0
TOTAL BARIUM - METHOD 6010	MG/L	0.00400	0.205	0.207	0.200	0.200	101	102	102	20.0
TOTAL BERYLLIUM - METHOD 6010	MG/L	0.0879	0.282	0.297	0.200	0.200	97	105	101	20.0
TOTAL CADMIUM - METHOD 6010	MG/L	0.00100	0.202	0.203	0.200	0.200	101	101	101	20.0
TOTAL CALCIUM - METHOD 6010	MG/L	0.00380	0.201	0.202	0.200	0.200	99	99	99	20.0
TOTAL COBALT - METHOD 6010	MG/L	45.32	54.89	55.96	10.0	10.0	96	106	101	20.0
TOTAL COPPER - METHOD 6010	MG/L	0.00040	0.200	0.202	0.200	0.200	100	101	101	20.0
TOTAL IRON - METHOD 6010	MG/L	0.0155	0.221	0.218	0.200	0.200	103	101	102	20.0
TOTAL LEAD - METHOD 6010	MG/L	0.636	10.76	10.83	10.0	10.0	101	102	102	20.0
TOTAL MANGANESE - METHOD 6010	MG/L	0.00390	0.200	0.201	0.200	0.200	98	99	99	20.0
TOTAL MERCURY	MG/L	14.94	24.74	25.18	10.0	10.0	98	102	100	20.0
TOTAL NICKEL - METHOD 6010	MG/L	0.0134	0.218	0.228	0.200	0.200	102	107	105	20.0
TOTAL POTASSIUM - METHOD 6010	MG/L	0	0.00645	0.00668	0.00666	0.00666	97	100	99	20.0
TOTAL SELENIUM - METHOD 6010	MG/L	0.00270	0.202	0.203	0.200	0.200	100	100	100	20.0
TOTAL SILVER - METHOD 6010	MG/L	3.55	13.86	13.71	10.0	10.0	103	102	103	20.0
TOTAL THALLIUM - METHOD 6010	MG/L	0.00130	0.207	0.209	0.200	0.200	104	104	104	20.0
TOTAL VANADIUM - METHOD 6010	MG/L	0.00210	0.0509	0.0483	0.0500	0.0500	98	92	95	20.0
TOTAL ZINC - METHOD 6010	MG/L	3.68	13.70	13.87	10.0	10.0	100	102	101	20.0
TOTAL CHROMIUM - METHOD 6010	MG/L	0.00010	0.208	0.210	0.200	0.200	104	105	105	20.0
TOTAL COPPER - METHOD 6010	MG/L	0.00100	0.203	0.204	0.200	0.200	101	102	102	20.0
TOTAL ZINC - METHOD 6010	MG/L	0.00490	0.206	0.208	0.200	0.200	101	102	102	20.0

## Chain of Custody Record

AL-4142 (0907)

Client: NYS DEC Project Manager: Michael Hinton Date: 12/18/2007 Chain of Custody Number: 370587  
 Address: 116-851-7220 Telephone Number (Area Code)/Fax Number: 716-851-7220 Lab Number: 2 of 2

City: [Blank] State: [Blank] Zip Code: [Blank] Lab Contact: B. Fischer Analysis (Attach list if more space is needed): [Blank]  
 Project Name and Location (State): Adriens Busy Bee #902044 Carrier/Waybill Number: [Blank] Special Instructions/Conditions of Receipt: [Blank]

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix				Containers & Preservatives				Special Instructions/Conditions of Receipt			
			Air	Aqueous	Sed	Soil	Unpres.	H2SO4	HNO3	HCl		NaOH	ZnAc/NaOH	
<u>NUJ-110</u>	<u>10/18/07</u>	<u>1440</u>	<input checked="" type="checkbox"/>											

Possible Hazard Identification:  Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Other: SPD  
 Turn Around Time Required:  24 Hours  48 Hours  7 Days  14 Days  21 Days  Other: SPD  
 Sample Disposal:  Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months (A fee may be assessed if samples are retained longer than 1 month)

1. Relinquished By: B.P. [Signature] Date: 10/19/07 Time: 0930  
 2. Relinquished By: [Signature] Date: 12/18/07 Time: 0930  
 3. Relinquished By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Comments: 202-00

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

## Chain of Custody Record

AL-4142 (0907)

Client: **4/5 DEC** Chain of Custody Number: **370588**

Address: **370 Michigan Ave.** Date: **10/18/2007**

City: **BUFFALO** State: **PY** Zip Code: **14202** Lab Number: **1** of **2**

Project Name and Location (State): **Phib's Busy Bee #902014** Lab Contact: **B. Fischer**

Contract/Purchase Order/Quote No. Carrier/Waybill Number: **716-851-7220**

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix				Containers & Preservatives				Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt		
			Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl			NaOH	ZnAc/NaOH
NW-113	10/18/07	1105	✓							3				VQA's only
NW-107 SR	1	1130	✓							3				Low Volume for metals
NW-101I	1	1200	✓							3				VQA's only
NW-101D	1	1155	✓							3				LEACHATE TANK
36T25	1	1230	✓							3				
NW-103D	1	1310	✓							3				
NW-103I	1	1315	✓							3				
NW-104I	1	1325	✓							3				
NW-102D	1	1345	✓							3				MS/MSD
NW-109	1	1405	✓							3				
NW-108I	1	1430	✓							3				
NW-108D	10/18/07	1435	✓							3				

Possible Hazard Identification:  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Disposal By Lab  Archive For \_\_\_\_\_ Months  (A fee may be assessed if samples are retained longer than 1 month)

Sample Disposal:  
 Return To Client  Other: **SD**

Turn Around Time Required:  
 24 Hours  48 Hours  7 Days  14 Days  21 Days

1. Relinquished By: **Kyle Johnson** Date: **10/19/07** Time: **0930**

2. Relinquished By: **Michael** Date: **10/19/07** Time: **0930**

3. Relinquished By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Comments: **207.006**