



CBS Corporation

Environmental Remediation
PNC Center
20 Stanwix Street, 10th Floor
Pittsburgh, PA 15222

Via Electronic and First-Class Mail

June 19, 2014

Mr. David P. Locey
New York State Department of Environmental Conservation
Division of Hazardous Waste Remediation
Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999

**Re: Monthly Status Report, May 2014
NYSDEC Site 9-15-066, Cheektowaga, New York**

Dear Mr. Locey:

On behalf of CBS Corporation (CBS) and the Niagara Frontier Transportation Authority (NFTA), CBS submits this monthly status report on activities undertaken in May 2014 at New York State Department of Environmental Conservation (NYSDEC) Site No. 9-15-066 in Cheektowaga, New York (the Site) pursuant to the Order on Consent and Settlement Agreement, Index No. B9-0381-91-8, entered with NYSDEC (the Order). Under agreements among the Respondents to the Order, CBS is managing the Remedial Program, including the closure of the Operable Unit 2 (OU2) groundwater collection and treatment system.

1. Site Activities and Status

- A. On May 20, 2014, CBS submitted to NYSDEC a monthly report on the status of activities at the Site in April 2014.
- B. Also on May 20, 2014, Conestoga-Rovers & Associates, Inc. (CRA), on behalf of CBS, met on-site with NFTA and NYSDEC representatives to review the storm water sampling locations to be included in post-closure monitoring.
- C. On May 22, 2014, CRA completed repairs and restarted the groundwater treatment plant to ensure this plant can be utilized in the OU2 closure. Sump 002 was the only sump that was operational in May 2014.

- D. CBS continued preparations to implement the approved work plan for closure of the OU2 groundwater collection and treatment system, including coordinating with NFTA operations personnel to discuss logistical issues. CRA will serve as the prime contractor for this activity.

2. Sampling Results and Other Site Data

- A. Over the 9+ days in May 2014 in which the system was operational, the groundwater system recovered and treated on the order of 100,000 gallons.¹
- B. Attachment A provides the discharge monitoring report for May 2014 based on the effluent sample collected on May 31, 2014. Attachment B provides the analytical laboratory report for this effluent sample (Sample No. WG-18036-053114-002).
- C. In reviewing the treatment system effluent monitoring information for May 2014, please note the following:
- Flow data are estimated.
 - The pH data is from the submitted laboratory sample. No on-site readings are available.
 - The reported daily maximum values (pounds per day) are calculated using the maximum estimated daily flow and the results of the monthly effluent monitoring, irrespective of whether the actual maximum daily flow occurred on the day of sampling.
- D. For the May 2014 reporting period, the effluent complied with all discharge limitations.
- E. Attachment B also provides the analytical laboratory report for an influent sample (Sample No. WG-18036-053114-001) collected on May 31, 2014. This sample, which was the result of pumping Sump 002, met all remedial action objectives for Site groundwater.

3. Upcoming Activities

- A. CRA will submit the electronic data deliverable for the quarterly groundwater monitoring at well MW-32 that was completed in March 2014 and for the May 2014 influent and effluent sampling for incorporation in the NYSDEC EquIS database.

¹ This quantity is an estimate provided by CRA. Flow meter readings are not available.

Mr. David P. Locey

June 19, 2014

Page 3

- B. CBS will continue operation of the on-site groundwater treatment plant for the duration of the OU2 closure activities.
- C. CBS will implement the approved work plan for closure of the OU2 groundwater collection and treatment system. Site work is expected to take approximately six weeks.
- D. The closure work is currently schedule to begin on July 9, 2014.

4. Operational Problems

- A. There are no operational problems affecting the current planning of the OU2 groundwater collection and treatment system closure.

We trust this submittal satisfies your requirements at this time. If you have questions regarding this status report or other project matters, please do not hesitate to contact me.

Respectfully submitted,



Leo M. Brausch
Consultant/Project Engineer

LMB:
Attachments

cc: Christine D'Aloise, NFTA
Tim Carvana, NFTA
M. G. Graham, Esq.
K. P. Lynch, CRA
W. D. Wall, Esq.

ATTACHMENT A
DISCHARGE MONITORING REPORT
MAY 2014

Discharge Monitoring Data
Outfall 001 - Treated Groundwater Remediation Discharge
NYSDEC Site No. 9-15-006
Cheektowaga, New York

Reporting Month & Year **May-14**

Parameter		Daily Minimum	Daily Maximum	Units	Daily Maximum (lbs/day)	Measurement Frequency	Sample Type
Flow	Monitoring Result		12,000	gpd		1	Estimate
	Discharge Limitation		28,800	gpd		Continuous	Meter
pH	Monitoring Result		7.97	s.u.		1	Grab
	Discharge Limitation	6.5	8.5	s.u.		Weekly	Grab
Total suspended solids	Monitoring Result		< 2.0	mg/L	< 0.20	1	Grab
	Discharge Limitation		20	mg/L		Monthly	Grab
Toluene	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
Methylene chloride	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
1,2-dichlorobenzene	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
cis-1,2-dichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Trichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Tetrachloroethylene	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		50	ug/L		Monthly	Grab
Cadmium	Monitoring Result		< 1.0	ug/L	< 0.0001	1	Grab
	Discharge Limitation		3	ug/L		Monthly	Grab
Chromium	Monitoring Result		1.9	ug/L	0.00019	1	Grab
	Discharge Limitation		99	ug/L		Monthly	Grab

ATTACHMENT B
ANALYTICAL LABORATORY REPORT
MAY 2014 INFLUENT AND EFFLUENT SAMPLES

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Pittsburgh

301 Alpha Drive

RIDC Park

Pittsburgh, PA 15238

Tel: (412)963-7058

TestAmerica Job ID: 180-33356-1

Client Project/Site: Buffalo Airport

For:

Leo Brausch Consulting

131 Wedgewood Drive

Gibsonia, Pennsylvania 15044

Attn: Mr. Leo Brausch



Authorized for release by:

6/16/2014 10:19:48 AM

Jill Colussy, Project Manager I

(412)963-2444

jill.colussy@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	5
Sample Summary	6
Method Summary	7
Lab Chronicle	8
Client Sample Results	10
QC Sample Results	12
QC Association Summary	16
Chain of Custody	17
Receipt Checklists	18

Case Narrative

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Job ID: 180-33356-1

Laboratory: TestAmerica Pittsburgh

Narrative

Job Narrative
180-33356-1

Receipt

The samples were received on 6/2/2014 9:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.7° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Definitions/Glossary

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1	MS and/or MSD Recovery exceeds the control limits
F2	MS/MSD RPD exceeds control limits

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Certification Summary

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Laboratory: TestAmerica Pittsburgh

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arkansas DEQ	State Program	6	88-0690	06-27-14 *
California	NELAP	9	4224CA	03-31-14 *
Connecticut	State Program	1	PH-0688	09-30-14
Florida	NELAP	4	E871008	06-30-14 *
Illinois	NELAP	5	002602	06-30-14 *
Kansas	NELAP	7	E-10350	01-31-15
Louisiana	NELAP	6	04041	06-30-14 *
New Hampshire	NELAP	1	203011	04-04-15
New Jersey	NELAP	2	PA005	06-30-14 *
New York	NELAP	2	11182	03-31-15
North Carolina DENR	State Program	4	434	12-31-14
Pennsylvania	NELAP	3	02-00416	04-30-15
South Carolina	State Program	4	89014	04-30-14 *
Texas	NELAP	6	T104704528	03-31-15
US Fish & Wildlife	Federal		LE94312A-1	11-30-14
USDA	Federal		P330-10-00139	05-23-16
Utah	NELAP	8	STLP	04-30-14 *
Virginia	NELAP	3	460189	09-14-14
West Virginia DEP	State Program	3	142	01-31-15
Wisconsin	State Program	5	998027800	08-31-14

* Certification renewal pending - certification considered valid.



Sample Summary

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-33356-1	WG-18036-053114-001	Water	05/31/14 11:00	06/02/14 09:15
180-33356-2	WG-18036-053114-002	Water	05/31/14 11:15	06/02/14 09:15
180-33356-3	TRIP BLANK	Water	05/31/14 11:30	06/02/14 09:15

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Method	Method Description	Protocol	Laboratory
624	Volatile Organic Compounds (GC/MS)	40CFR136A	TAL PIT
200.7 Rev 4.4	Metals (ICP)	EPA	TAL PIT
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL PIT
SM 4500 H+ B	pH	SM	TAL PIT

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater",

Laboratory References:

TAL PIT = TestAmerica Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058



Lab Chronicle

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Client Sample ID: WG-18036-053114-001

Lab Sample ID: 180-33356-1

Date Collected: 05/31/14 11:00

Matrix: Water

Date Received: 06/02/14 09:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	5 mL	5 mL	107809	06/06/14 13:25	MAZ	TAL PIT
		Instrument ID: CHHP5								
Total Recoverable	Prep	200.7			50 mL	50 mL	107979	06/09/14 10:24	CNS	TAL PIT
Total Recoverable	Analysis	200.7 Rev 4.4		1	50 mL	50 mL	108099	06/10/14 10:35	RJR	TAL PIT
		Instrument ID: C								
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	107415	06/02/14 13:19	SJK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 4500 H+ B		1		50 mL	107520	06/03/14 14:33	AJB	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: WG-18036-053114-002

Lab Sample ID: 180-33356-2

Date Collected: 05/31/14 11:15

Matrix: Water

Date Received: 06/02/14 09:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	5 mL	5 mL	107809	06/06/14 13:50	MAZ	TAL PIT
		Instrument ID: CHHP5								
Total Recoverable	Prep	200.7			50 mL	50 mL	107979	06/09/14 10:24	CNS	TAL PIT
Total Recoverable	Analysis	200.7 Rev 4.4		1	50 mL	50 mL	108099	06/10/14 10:55	RJR	TAL PIT
		Instrument ID: C								
Total/NA	Analysis	SM 2540D		1	250 mL	250 mL	107415	06/02/14 13:19	SJK	TAL PIT
		Instrument ID: NOEQUIP								
Total/NA	Analysis	SM 4500 H+ B		1		50 mL	107520	06/03/14 14:39	AJB	TAL PIT
		Instrument ID: NOEQUIP								

Client Sample ID: TRIP BLANK

Lab Sample ID: 180-33356-3

Date Collected: 05/31/14 11:30

Matrix: Water

Date Received: 06/02/14 09:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	624		1	5 mL	5 mL	107809	06/06/14 14:14	MAZ	TAL PIT
		Instrument ID: CHHP5								

Laboratory References:

TAL PIT = TestAmerica Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Lab Chronicle

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Analyst References:

Lab: TAL PIT

Batch Type: Prep

CNS = Caitlin Ferguson

Batch Type: Analysis

AJB = Amanda Brunick

MAZ = Mike Zukowski

RJR = Ron Rosenbaum

SJK = Sarah Kunkle

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Client Sample ID: WG-18036-053114-001

Lab Sample ID: 180-33356-1

Date Collected: 05/31/14 11:00

Matrix: Water

Date Received: 06/02/14 09:15

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/06/14 13:25	1
1,2-Dichlorobenzene	1.0	U	1.0	0.15	ug/L			06/06/14 13:25	1
Methylene Chloride	1.0	U	1.0	0.15	ug/L			06/06/14 13:25	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/06/14 13:25	1
Toluene	1.0	U	1.0	0.15	ug/L			06/06/14 13:25	1
1,1,1-Trichloroethane	1.0	U	1.0	0.29	ug/L			06/06/14 13:25	1
Trichloroethene	1.0	U	1.0	0.14	ug/L			06/06/14 13:25	1
Vinyl chloride	0.83	J	1.0	0.23	ug/L			06/06/14 13:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		62 - 123		06/06/14 13:25	1
Dibromofluoromethane (Surr)	107		64 - 128		06/06/14 13:25	1
1,2-Dichloroethane-d4 (Surr)	101		58 - 135		06/06/14 13:25	1
Toluene-d8 (Surr)	102		71 - 118		06/06/14 13:25	1

Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cadmium	5.0	U	5.0	0.13	ug/L		06/09/14 10:24	06/10/14 10:35	1
Chromium	1.9	J	5.0	0.77	ug/L		06/09/14 10:24	06/10/14 10:35	1
Lead	10	U	10	1.2	ug/L		06/09/14 10:24	06/10/14 10:35	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	2.0	U	2.0	2.0	mg/L			06/02/14 13:19	1
pH	7.74	HF	0.100	0.100	SU			06/03/14 14:33	1

Client Sample ID: WG-18036-053114-002

Lab Sample ID: 180-33356-2

Date Collected: 05/31/14 11:15

Matrix: Water

Date Received: 06/02/14 09:15

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/06/14 13:50	1
1,2-Dichlorobenzene	1.0	U	1.0	0.15	ug/L			06/06/14 13:50	1
Methylene Chloride	1.0	U	1.0	0.15	ug/L			06/06/14 13:50	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/06/14 13:50	1
Toluene	1.0	U	1.0	0.15	ug/L			06/06/14 13:50	1
1,1,1-Trichloroethane	1.0	U	1.0	0.29	ug/L			06/06/14 13:50	1
Trichloroethene	1.0	U	1.0	0.14	ug/L			06/06/14 13:50	1
Vinyl chloride	0.90	J	1.0	0.23	ug/L			06/06/14 13:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		62 - 123		06/06/14 13:50	1
Dibromofluoromethane (Surr)	106		64 - 128		06/06/14 13:50	1
1,2-Dichloroethane-d4 (Surr)	103		58 - 135		06/06/14 13:50	1
Toluene-d8 (Surr)	100		71 - 118		06/06/14 13:50	1

Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cadmium	5.0	U	5.0	0.13	ug/L		06/09/14 10:24	06/10/14 10:55	1
Chromium	1.9	J	5.0	0.77	ug/L		06/09/14 10:24	06/10/14 10:55	1

TestAmerica Pittsburgh

Client Sample Results

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Client Sample ID: WG-18036-053114-002

Lab Sample ID: 180-33356-2

Date Collected: 05/31/14 11:15

Matrix: Water

Date Received: 06/02/14 09:15

Method: 200.7 Rev 4.4 - Metals (ICP) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10	U	10	1.2	ug/L		06/09/14 10:24	06/10/14 10:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	2.0	U	2.0	2.0	mg/L			06/02/14 13:19	1
pH	7.97	HF	0.100	0.100	SU			06/03/14 14:39	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 180-33356-3

Date Collected: 05/31/14 11:30

Matrix: Water

Date Received: 06/02/14 09:15

Method: 624 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/06/14 14:14	1
1,2-Dichlorobenzene	1.0	U	1.0	0.15	ug/L			06/06/14 14:14	1
Methylene Chloride	0.94	J	1.0	0.15	ug/L			06/06/14 14:14	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/06/14 14:14	1
Toluene	1.0	U	1.0	0.15	ug/L			06/06/14 14:14	1
1,1,1-Trichloroethane	1.0	U	1.0	0.29	ug/L			06/06/14 14:14	1
Trichloroethene	1.0	U	1.0	0.14	ug/L			06/06/14 14:14	1
Vinyl chloride	1.0	U	1.0	0.23	ug/L			06/06/14 14:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		62 - 123		06/06/14 14:14	1
Dibromofluoromethane (Surr)	107		64 - 128		06/06/14 14:14	1
1,2-Dichloroethane-d4 (Surr)	103		58 - 135		06/06/14 14:14	1
Toluene-d8 (Surr)	102		71 - 118		06/06/14 14:14	1

QC Sample Results

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Method: 624 - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 180-107809/4

Matrix: Water

Analysis Batch: 107809

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/06/14 10:58	1
1,2-Dichlorobenzene	1.0	U	1.0	0.15	ug/L			06/06/14 10:58	1
Methylene Chloride	1.0	U	1.0	0.15	ug/L			06/06/14 10:58	1
Tetrachloroethene	1.0	U	1.0	0.15	ug/L			06/06/14 10:58	1
Toluene	1.0	U	1.0	0.15	ug/L			06/06/14 10:58	1
1,1,1-Trichloroethane	1.0	U	1.0	0.29	ug/L			06/06/14 10:58	1
Trichloroethene	1.0	U	1.0	0.14	ug/L			06/06/14 10:58	1
Vinyl chloride	1.0	U	1.0	0.23	ug/L			06/06/14 10:58	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		62 - 123		06/06/14 10:58	1
Dibromofluoromethane (Surr)	107		64 - 128		06/06/14 10:58	1
1,2-Dichloroethane-d4 (Surr)	102		58 - 135		06/06/14 10:58	1
Toluene-d8 (Surr)	96		71 - 118		06/06/14 10:58	1

Lab Sample ID: LCS 180-107809/1002

Matrix: Water

Analysis Batch: 107809

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	20.0	17.4		ug/L		87	69 - 127
1,2-Dichlorobenzene	20.0	18.2		ug/L		91	68 - 127
Methylene Chloride	20.0	18.0		ug/L		90	60 - 140
Tetrachloroethene	20.0	16.5		ug/L		83	73 - 127
Toluene	20.0	17.3		ug/L		86	74 - 126
1,1,1-Trichloroethane	20.0	18.6		ug/L		93	75 - 125
Trichloroethene	20.0	16.9		ug/L		85	73 - 125
Vinyl chloride	20.0	16.0		ug/L		80	30 - 140

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	88		62 - 123
Dibromofluoromethane (Surr)	93		64 - 128
1,2-Dichloroethane-d4 (Surr)	89		58 - 135
Toluene-d8 (Surr)	91		71 - 118

Lab Sample ID: 180-33418-C-3 MS

Matrix: Water

Analysis Batch: 107809

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	1.0	U	20.0	16.9		ug/L		84	69 - 127
1,2-Dichlorobenzene	1.0	U	20.0	17.3		ug/L		86	68 - 127
Methylene Chloride	1.0	U	20.0	18.8		ug/L		94	60 - 140
Tetrachloroethene	1.0	U	20.0	14.3	F1	ug/L		71	73 - 127
Toluene	1.0	U	20.0	16.4		ug/L		82	74 - 126
1,1,1-Trichloroethane	1.0	U	20.0	16.2		ug/L		81	75 - 125
Trichloroethene	1.0	U	20.0	15.7		ug/L		79	73 - 125

TestAmerica Pittsburgh

QC Sample Results

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Method: 624 - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 180-33418-C-3 MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 107809

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Vinyl chloride	1.0	U	20.0	13.8		ug/L		69	30 - 140
Surrogate	%Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	95		62 - 123						
Dibromofluoromethane (Surr)	98		64 - 128						
1,2-Dichloroethane-d4 (Surr)	99		58 - 135						
Toluene-d8 (Surr)	97		71 - 118						

Lab Sample ID: 180-33418-E-3 MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 107809

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	1.0	U	20.0	20.6		ug/L		103	69 - 127	20	20
1,2-Dichlorobenzene	1.0	U	20.0	20.3		ug/L		102	68 - 127	16	35
Methylene Chloride	1.0	U	20.0	21.0		ug/L		105	60 - 140	11	25
Tetrachloroethene	1.0	U	20.0	19.2	F2	ug/L		96	73 - 127	29	25
Toluene	1.0	U	20.0	19.8		ug/L		99	74 - 126	19	25
1,1,1-Trichloroethane	1.0	U	20.0	22.0	F2	ug/L		110	75 - 125	31	25
Trichloroethene	1.0	U	20.0	20.1		ug/L		101	73 - 125	24	25
Vinyl chloride	1.0	U	20.0	18.5		ug/L		93	30 - 140	29	35
Surrogate	%Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	94		62 - 123								
Dibromofluoromethane (Surr)	101		64 - 128								
1,2-Dichloroethane-d4 (Surr)	99		58 - 135								
Toluene-d8 (Surr)	95		71 - 118								

Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 180-107979/1-A

Client Sample ID: Method Blank

Matrix: Water

Prep Type: Total Recoverable

Analysis Batch: 108099

Prep Batch: 107979

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cadmium	5.0	U	5.0	0.13	ug/L		06/09/14 10:24	06/10/14 09:33	1
Chromium	5.0	U	5.0	0.77	ug/L		06/09/14 10:24	06/10/14 09:33	1
Lead	10	U	10	1.2	ug/L		06/09/14 10:24	06/10/14 09:33	1

Lab Sample ID: LCS 180-107979/2-A

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total Recoverable

Analysis Batch: 108099

Prep Batch: 107979

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Cadmium	50.0	50.8		ug/L		102	85 - 115
Chromium	200	204		ug/L		102	85 - 115
Lead	500	520		ug/L		104	85 - 115

TestAmerica Pittsburgh

QC Sample Results

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

Lab Sample ID: 180-33356-1 MS
Matrix: Water
Analysis Batch: 108099

Client Sample ID: WG-18036-053114-001
Prep Type: Total Recoverable
Prep Batch: 107979

Analyte	Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits	
	Result	Qualifier		Result	Qualifier				Limits	Limits
Cadmium	5.0	U	50.0	50.3		ug/L		101	70 - 130	
Chromium	1.9	J	200	212		ug/L		105	70 - 130	
Lead	10	U	500	513		ug/L		103	70 - 130	

Lab Sample ID: 180-33356-1 MSD
Matrix: Water
Analysis Batch: 108099

Client Sample ID: WG-18036-053114-001
Prep Type: Total Recoverable
Prep Batch: 107979

Analyte	Sample		Spike Added	MSD MSD		Unit	D	%Rec	%Rec. Limits		RPD Limit	
	Result	Qualifier		Result	Qualifier				Limits	RPD	Limit	
Cadmium	5.0	U	50.0	51.9		ug/L		104	70 - 130	3	20	
Chromium	1.9	J	200	210		ug/L		104	70 - 130	1	20	
Lead	10	U	500	527		ug/L		105	70 - 130	3	20	

Method: SM 2540D - Solids, Total Suspended (TSS)

Lab Sample ID: MB 180-107415/2
Matrix: Water
Analysis Batch: 107415

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Suspended Solids	2.0	U	2.0	2.0	mg/L			06/02/14 13:19	1

Lab Sample ID: LCS 180-107415/1
Matrix: Water
Analysis Batch: 107415

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
							Limits	Limits
Total Suspended Solids	53.6	46.0		mg/L		86	80 - 120	

Lab Sample ID: 180-33356-1 DU
Matrix: Water
Analysis Batch: 107415

Client Sample ID: WG-18036-053114-001
Prep Type: Total/NA

Analyte	Sample		DU DU		Unit	D	RPD	RPD Limit	
	Result	Qualifier	Result	Qualifier				Limits	Limits
Total Suspended Solids	2.0	U	2.0	U	mg/L		NC	20	

Method: SM 4500 H+ B - pH

Lab Sample ID: LCS 180-107520/1
Matrix: Water
Analysis Batch: 107520

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
							Limits	Limits
pH	7.00	7.060		SU		101	99 - 101	

TestAmerica Pittsburgh

QC Sample Results

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

Method: SM 4500 H+ B - pH (Continued)

Lab Sample ID: 180-33356-1 DU
Matrix: Water
Analysis Batch: 107520

Client Sample ID: WG-18036-053114-001
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.74	HF	7.860		SU		2	2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Association Summary

Client: Leo Brausch Consulting
Project/Site: Buffalo Airport

TestAmerica Job ID: 180-33356-1

GC/MS VOA

Analysis Batch: 107809

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-33356-1	WG-18036-053114-001	Total/NA	Water	624	
180-33356-2	WG-18036-053114-002	Total/NA	Water	624	
180-33356-3	TRIP BLANK	Total/NA	Water	624	
180-33418-C-3 MS	Matrix Spike	Total/NA	Water	624	
180-33418-E-3 MSD	Matrix Spike Duplicate	Total/NA	Water	624	
LCS 180-107809/1002	Lab Control Sample	Total/NA	Water	624	
MB 180-107809/4	Method Blank	Total/NA	Water	624	

Metals

Prep Batch: 107979

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-33356-1	WG-18036-053114-001	Total Recoverable	Water	200.7	
180-33356-1 MS	WG-18036-053114-001	Total Recoverable	Water	200.7	
180-33356-1 MSD	WG-18036-053114-001	Total Recoverable	Water	200.7	
180-33356-2	WG-18036-053114-002	Total Recoverable	Water	200.7	
LCS 180-107979/2-A	Lab Control Sample	Total Recoverable	Water	200.7	
MB 180-107979/1-A	Method Blank	Total Recoverable	Water	200.7	

Analysis Batch: 108099

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-33356-1	WG-18036-053114-001	Total Recoverable	Water	200.7 Rev 4.4	107979
180-33356-1 MS	WG-18036-053114-001	Total Recoverable	Water	200.7 Rev 4.4	107979
180-33356-1 MSD	WG-18036-053114-001	Total Recoverable	Water	200.7 Rev 4.4	107979
180-33356-2	WG-18036-053114-002	Total Recoverable	Water	200.7 Rev 4.4	107979
LCS 180-107979/2-A	Lab Control Sample	Total Recoverable	Water	200.7 Rev 4.4	107979
MB 180-107979/1-A	Method Blank	Total Recoverable	Water	200.7 Rev 4.4	107979

General Chemistry

Analysis Batch: 107415

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-33356-1	WG-18036-053114-001	Total/NA	Water	SM 2540D	
180-33356-1 DU	WG-18036-053114-001	Total/NA	Water	SM 2540D	
180-33356-2	WG-18036-053114-002	Total/NA	Water	SM 2540D	
LCS 180-107415/1	Lab Control Sample	Total/NA	Water	SM 2540D	
MB 180-107415/2	Method Blank	Total/NA	Water	SM 2540D	

Analysis Batch: 107520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-33356-1	WG-18036-053114-001	Total/NA	Water	SM 4500 H+ B	
180-33356-1 DU	WG-18036-053114-001	Total/NA	Water	SM 4500 H+ B	
180-33356-2	WG-18036-053114-002	Total/NA	Water	SM 4500 H+ B	
LCS 180-107520/1	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	

TestAmerica Pittsburgh



CONESTOGA-ROVERS & ASSOCIATES

CHAIN OF CUSTODY RECORD

COC NO.: 40754

PAGE OF

Address: NY/NY
 Phone: 716-797-6650 Fax: 716-797-6650
 (See Reverse Side for Instructions)

Project No/Phase/Task Code: <u>1036-2014</u>		Laboratory Name: <u>TEST AMERICA</u>		Lab Location: <u>WESLEY HOUSE</u>		SSOW ID:	
Project Name: <u>WESLEY HOUSE / AIRPORT SITE</u>		Lab Contact: <u>JILL COLUSSY</u>		Lab Quote No:		Cooler No:	
Project Location: <u>CHICKTOWAGA, NY</u>		CONTAINER QUANTITY & PRESERVATION		ANALYSIS REQUESTED (See Back of COC for Definitions)		Carrier: <u>FEDEX</u>	
Chemistry Contact: <u>S. SLOCCHI</u>		SAMPLE TYPE		Total Containers/Sample		Airbill No:	
Sampler(s): <u>D. OSAL</u>		Matrix Code		Other:		Date Shipped:	
		(see back of COC)		Encores 3x5-g, 1x25-g		MS/MSD Request	
		Grab (g) or Comp (c)		Sulfuric Acid (H ₂ SO ₄)		COMMENTS/ SPECIAL INSTRUCTIONS:	
		Unpreserved		Nitric Acid (HNO ₃)			
		Hydrochloric Acid (HCl)		Sodium Hydroxide (NaOH)			
				Methanol/Water (Soil)			
				VOC			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			
				Sulfuric Acid (H ₂ SO ₄)			
				Nitric Acid (HNO ₃)			

Login Sample Receipt Checklist

Client: Leo Brausch Consulting

Job Number: 180-33356-1

Login Number: 33356

List Source: TestAmerica Pittsburgh

List Number: 1

Creator: Neri, Tom

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

