



AECOM
100 Corporate Parkway, Suite 341
Amherst, NY 14226-1200

716.836.4506 tel
716.834.8785 fax

December 9, 2014

Mr. Glenn May
New York State Department of Environmental Conservation, Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999

**Subject: Fourth Quarter 2014 Groundwater Monitoring Report (7/17/14 – 10/14/14)
October 2014 Sampling Event
Former Scott Aviation Facility – Plant 2
Lancaster, New York
NYSDEC Site Code No. 9-15-149**

Dear Mr. May:

On behalf of Scott Technologies, Inc., AECOM Technical Services, Inc. (AECOM) is pleased to provide the Fourth Quarter 2014 Groundwater Monitoring Report for the former Scott Aviation Facility (site) located in Lancaster, New York (**Figure 1**). Quarterly groundwater monitoring activities have been performed in accordance with the New York State Department of Environmental Conservation (NYSDEC), Administrative Order on Consent (AOC), Index No. B9-0377095-05, for the former Scott Aviation property (formerly Figgie International), NYSDEC Site Code No. 9-15-149. This report has been developed in accordance with the NYSDEC, Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Groundwater samples were collected from select monitoring wells in fulfillment of the site AOC groundwater monitoring requirements. A new monitoring schedule was implemented based on Table 10 presented in the Periodic Review Report (PRR) (April 3, 2013 through April 7, 2014), dated July 2014, and the wells sampled during this groundwater monitoring event reflect this schedule. Additionally, a vapor sample was collected as part of the October 2014 sampling event from the air stripper discharge sampling port to ensure that the treated system effluent was in compliance with NYSDEC vapor discharge guidance criteria. Included in this report are a description of the project background, groundwater and vapor monitoring activities, operation and maintenance (O&M) activities for the DPE remediation system, and a summary of groundwater quality and vapor effluent results.

Project Background

Scott Aviation, Inc. was sold to Zodiac Acquisitions Corporation, and the facility is now occupied by AVOX Systems Inc. (AVOX). Responsibility for the DPE groundwater remediation system located at 25A Walter Winter Drive, west of AVOX Plant 2, was retained by Scott Technologies, Inc., the former parent company of Scott Aviation, Inc. Scott Technologies, Inc. has retained the services of AECOM for the ongoing O&M of the DPE remediation system and related groundwater monitoring activities.

AECOM conducted a site investigation during February 2003 in fulfillment of the document "Site Investigation Work Plan," dated December 31, 2002 (NYSDEC approval dated January 15, 2003).

A comprehensive "Site Investigation Completion Report" (SICR) was submitted to NYSDEC on June 30, 2003; the report was approved by NYSDEC in August 2003. At the request of NYSDEC, AECOM prepared a "Remedial Design Work Plan" (RDWP) to complete the additional remedial work recommended in the SICR. The RDWP was submitted to NYSDEC on November 21, 2003, and the document was approved by NYSDEC on January 5, 2004.

Per the approved RDWP, a DPE remediation system was installed at the site during the period February 2004 through May 2004, and the DPE system was initially started on May 14, 2004. The DPE system was combined with a pre-existing groundwater collection trench (GWCT) system that was started on March 1, 1996.

The objectives for this combined remediation system (collectively known as the combined DPE remediation system) include:

- Maintaining hydraulic capture of groundwater containing dissolved volatile organic compounds (VOCs) along the western Plant 2 property boundary;
- Inducing a depression in the water table surface and reversing the groundwater flow direction along the western Plant 2 property boundary; and,
- Reducing VOC concentrations in perched groundwater and soil.

Figure 2 depicts the location of site groundwater monitoring wells and piezometers, DPE recovery wells and system piping, enclosed DPE system trailer, and pre-existing GWCT and treatment building. **Figure 3** provides the process and instrumentation diagram for the combined DPE remediation system.

At the conclusion of the initial one-year O&M period (May 14, 2004 to July 19, 2005), a "Remedial Action Engineering Report" (RAER) was prepared to summarize the combined DPE remediation system as-built design, combined DPE remediation system start-up, O&M activities, and quarterly monitoring data, and to provide recommendations for continued system operation, system optimization, sampling frequency, and O&M. The 2005 RAER was submitted to NYSDEC on November 11, 2005. In a letter dated December 13, 2005, NYSDEC accepted the 2005 RAER and requested that site monitoring wells MW-4, MW-8R, and MW-16S be added to the quarterly site sampling schedule.

The second year of combined DPE groundwater remediation system operation was summarized in the 2006 RAER (July 20, 2005 through July 20, 2006) and was submitted to NYSDEC in November 2006. The third year of combined DPE groundwater remediation system operation was summarized in the 2007 RAER (July 21, 2006 through October 15, 2007) and was submitted to NYSDEC in January 2008. The fourth year of combined DPE groundwater remediation system operation was summarized in the 2008 RAER (October 15, 2007 through January 22, 2009) and was submitted to NYSDEC in April 2009. The fifth year of combined DPE groundwater remediation system operation was summarized in the 2009 RAER (January 22, 2009 through April 8, 2010) and was submitted to NYSDEC in June 2010.

Per a letter from NYSDEC dated August 16, 2010, an Institutional Controls/Engineering Controls (IC/EC) certification will, as of that correspondence, be required for the site each calendar year, and it is to include four quarters of groundwater sampling based on the attached **Table 1** (Table 1 is updated quarterly; the attached Table 1 presents the groundwater monitoring schedule for the site from October 2014 through July 2015). The August 2010 NYSDEC letter also stated that, as of that correspondence, the RAER should be revised into a PRR. Therefore, the sixth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 8, 2010 through April 7, 2011) and submitted to NYSDEC in June 2011. The seventh year of combined DPE

groundwater remediation system operation was summarized in a PRR (April 7, 2011 through April 3, 2012) and submitted to NYSDEC in May 2012. The eighth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2012 through April 3, 2013) and submitted to NYSDEC in July 2013. During the past year, the ninth PRR (April 3, 2013 through April 7, 2014) was completed and submitted to NYSDEC on July 29, 2014. An IC/EC certification was included with each PRR.

Quarterly Groundwater Monitoring Activities – October 2014

AECOM personnel collected quarterly groundwater samples on October 14, 2014, in accordance with the procedures outlined in the NYSDEC-approved November 2003 RDWP and the August 2010 letter. Monitoring wells sampled in October 2014 included MW-2, MW-3, MW-4, MW-6, MW-10, MW-11, MW-12, and MW-16S (**Figure 2**). Field forms generated during this sampling event are provided in **Appendix A**. Groundwater samples were analyzed for VOCs by TestAmerica Laboratories, Inc. (Amherst, New York) using United States Environmental Protection Agency (EPA) SW-846 Method 8260C.

Prior to the collection of groundwater samples, a complete round of groundwater levels was measured in all accessible site wells and piezometers. **Table 2** provides a summary of groundwater elevations measured on October 14, 2014. A summary of current and historical groundwater levels and corresponding elevations and hydrographs for each monitoring well and nested piezometer pair are provided in **Appendix B**. Monitoring wells MW-2, MW-3, MW-4, MW-6, MW-8R, MW-9, MW-10, MW-11, and MW-12 are screened across both the shallow and deep overburden groundwater zones. The nested piezometer pairs (MW-13S/D, MW-14S/D, MW-15S/D, and MW-16S/D) are discretely screened with one piezometer screened in the shallow overburden groundwater zone ('S' designation) and one piezometer screened in the deep overburden groundwater zone ('D' designation). **Figure 4** provides the groundwater surface contours and the corresponding groundwater flow direction using monitoring well and deep piezometer water elevation data collected on October 14, 2014.

Groundwater elevations measured on October 14, 2014 ranged from 685.52 feet above mean sea level (AMSL) at MW-15S to 675.13 feet AMSL at MW-15D. The average groundwater surface elevation across the site was 1.36 feet higher when compared to the prior round of groundwater measurements collected in July 2014, as the DPE system was not running during the October 2014 sampling event. Based on the October 2014 water level measurements, the groundwater surface beneath the site exhibits inward flow towards the GWCT. As **Figure 4** illustrates, the GWCT induces groundwater flow reversal along the western AVOX Plant 2 property boundary. This reversal in groundwater flow provides hydraulic capture of VOCs present in the overburden groundwater that might otherwise migrate off-site.

Groundwater Quality Results – October 2014

Table 3 summarizes VOC data for groundwater samples collected in October 2014. The table below summarizes VOCs detected in groundwater above their detection limits, their respective concentration ranges, the number of detections, and the number of those detections that exceeded the site-specific Remedial Action Objectives (RAOs) or the New York Code of Rules and Regulations (NYCRR), Title 6, Part 702.15(a)(2) and 703.5. Note that in some cases the detection limits for certain VOCs were set above their respective RAO's due to dilution factors (high concentration of target analyte[s]).

**Groundwater Quality Results
October 2014**

VOCs Detected in Groundwater	Concentration Range (µg/L)	Number of Detections	RAO/NYCRR Exceedances
Vinyl chloride	7.1 – 3,800	5	5
Chloroethane	1.1 - 360	5	2
cis-1,2-Dichloroethene	0.93 – 62,000	4	3
1,1-Dichloroethane	2.0 - 980	4	3
Trichloroethene	32,000 - 170,000	2	2
1,1-Dichloroethene	0.63 - 320	2	1
1,1,1-Trichloroethane	3,500	1	1
Benzene	1.1	1	1
Acetone	3.5	1	0
Toluene	0.73	1	0
1,2-Dichloroethane	0.32	1	0

Eleven VOCs were detected in groundwater above their associated detection limit during the monitoring period. Eight of the eleven VOCs detected exceeded either the site-specific RAOs for groundwater or the NYCRR criteria, including vinyl chloride (VC), cis-1,2-dichloroethene (cis-1,2-DCE), 1,1-dichloroethane (1,1-DCA), 1,1-dichloroethene (1,1-DCE), trichloroethene (TCE), benzene, 1,1,1-Trichloroethane (1,1,1-TCA), and chloroethane. The occurrence of these compounds is primarily in the vicinity of the former on-site source area, and VOC concentrations decrease significantly in the vicinity of the perimeter monitoring wells.

An electronic copy of the analytical laboratory data package for the October 2014 groundwater monitoring event is provided in **Appendix C**. A complete hard copy of the analytical data report can be made available to NYSDEC upon request.

The presence and distribution of TCE daughter products (cis-1,2-DCE and VC) and 1,1,1-TCA daughter products (1,1-DCA and chloroethane) provides supportive evidence that the attenuation of TCE and 1,1,1-TCA and its daughter products continues to occur naturally on the site, via reductive dechlorination. The occurrence of these daughter products appears to be directly related to the distribution of TCE and 1,1,1-TCA in the subsurface. In addition, attenuation may also be the result of the previously performed chemical oxidation injection pilot test.

Historical trend plots for the wells sampled during this quarter for concentrations of TCE, cis-1,2-DCE, VC, 1,1,1-TCA, 1,1-DCA, and chloroethane are provided in **Appendix D**. As stated above, the VOC concentrations in groundwater continue to show a degradation trend as a result of naturally occurring reductive dechlorination processes, and potentially as a result of the chemical oxidation injection pilot test. Additionally, historical concentrations of VOCs in soil vapor and groundwater are also decreasing as a result of extraction and treatment through the combined DPE remediation system. Because TCE is considered the primary source of groundwater contamination at the site, a summary of historical and current TCE concentrations in groundwater for the eight monitoring wells and piezometers sampled in October 2014 is included in **Table 4**. Recall that the DPE component of the combined remediation system was started May 14, 2004, and the chemical oxidation injection pilot test with a first series of injections was performed between July and October 2010, and a second series of injections performed between June and October 2011.

During this quarterly groundwater monitoring period, and consistent with previous monitoring periods, TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, MW-6, MW-10, MW-11, and MW-12.

Table 4 shows a summary of historical and current TCE concentrations. Based on the October 2014 groundwater data, there was an increase in TCE concentration at MW-16S; the TCE concentration at MW-4 remained the same from the previous time these wells were sampled (i.e., April 2014). Overall, decreases in TCE concentrations observed since the combined DPE groundwater remediation system was installed in May 2004 indicates the system continues to reduce VOC concentrations in overburden groundwater and soil at the site.

Quarterly Combined DPE Remediation System Vapor Effluent Monitoring Activities – October 2014

AECOM personnel collected vapor effluent samples from the combined groundwater remediation system vapor discharge stacks on October 14, 2014; note the DPE system was not operational during this sampling event and, therefore, a vapor sample was not collected from the liquid ring pump (LRP) effluent stack. A Summa canister was used to collect the vapor sample from the permanent sample port located on the air stripper (AS) air stack. **Figure 3** shows the location of the vapor sample ports. The air sample was analyzed for VOCs using EPA Method TO-15 by TestAmerica Laboratories, Inc. located in Burlington, Vermont.

Combined DPE Remediation System Effluent Monitoring Results – October 2014

The system vapor effluent results are summarized in **Table 5**, and an electronic copy of the analytical laboratory data package is provided on the enclosed CD in **Appendix C** (complete hard copy available in AECOM's Amherst, New York office). Four VOCs were detected in the AS unit effluent. The total VOCs discharged were 1,125 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) in the AS unit effluent. The calculated VOC discharge-loading rate for the combined DPE remediation system was approximately 0.001 pounds per hour (lb/hr), which is below the NYSDEC discharge guidance value of 0.5 lb/hr.

Combined DPE Remediation System Operation and Maintenance

During the reporting period, AECOM monitored system performance, conducted routine O&M, and responded to system alarms and periodic breakdowns of the combined DPE remediation system. O&M activities conducted in addition to routine O&M activities during the monitoring period included the following:

- AECOM subcontractor Matrix Environmental Technologies, Inc. (Matrix) visited the site on following the third quarter groundwater sampling event to perform O&M on the remediation system and observed the liquid ring pump (LRP) off line.
- Matrix completed the removal of the broken LRP and completed preparations for the installation of the new pump. A new pump was ordered.
- AECOM and transportation and disposal contractor Heritage Environmental Services, Inc. performed the 180-day hazardous waste pickup on August 6, 2014.
- AECOM and Matrix completed the winterization of the remediation systems, and dismantled and cleaned the air stripper.

The combined DPE remediation system was partially operational throughout the monitoring period. Based on a system operational period from July 17, 2014 (third quarter groundwater sampling event) to October 14, 2014, the total combined DPE system runtime was approximately 9.7 percent. This runtime percentage was derived by dividing the LRP run timer (47,416.4 hours on October 14, 2014 minus 47,209.4 hours on July 17, 2014) by the duration of the monitoring period (2,138 hours). Note the GWCT runtime was 100% during this period. During this operational period, the estimated total volume of groundwater treated and discharged by the AS unit to the local sanitary sewer was 175,680 gallons at a combined average flow rate of 1.39 gallons per minute.

Summary


Although the DPE system was down for repairs, the GWCT was fully operational during Fourth Quarter 2014 groundwater sampling and monitoring activities that occurred on October 14, 2014. TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, MW-6, MW-10, MW-11, and MW-12.

Based on the results of the October 2014 sampling event, the GWCT continues to maintain hydraulic capture of the overburden groundwater. In addition, the system continues to make progress towards the reduction of the concentration of VOCs present in site soil and groundwater. Vapor emissions produced by the system during the Fourth Quarter 2014 were less than the NYSDEC discharge guidance value of 0.5 lb/hr.

The next monitoring event is scheduled for January 2015; a list of the monitoring wells and piezometers to be sampled is included in **Table 1**.

If you have any questions regarding this submission, please do not hesitate to contact me at (716) 836-4506 or via e-mail at dino.zack@aecom.com.

Yours sincerely,



Dino L. Zack, P.G.
Project Manager
dino.zack@aecom.com

\Enclosures

cc: Joseph Janeczek, Tyco International (Electronic Copy)
Julia Ispentchian, Tyco International (Electronic Copy)
Jennifer Davide, AVOX Systems Inc. (Electronic Copy)
AECOM Project File (Electronic Copy)

TABLES

Table 1

**Groundwater Monitoring Schedule - January 2015 through October 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Event Date (Frequency)	Number of Wells/Piezometers Sampled	Wells/Piezometers Sampled			
January 2015 (Quarterly)	8	MW-2 MW-10	MW-3 MW-11	MW-6 MW-12	MW-8R MW-13S
April 2015 (Annual)	17	MW-2 MW-8R MW-12 MW-14D MW-16D	MW-3 MW-9 MW-13S MW-15S	MW-4 MW-10 MW-13D MW-15D	MW-6 MW-11 MW-14S MW-16S
July 2015 (Annual)	8	MW-2 MW-10	MW-3 MW-11	MW-4 MW-12	MW-6 MW-16S
October 2015 (Quarterly)	8	MW-2 MW-10	MW-3 MW-11	MW-6 MW-12	MW-8R MW-13S

Notes:

Groundwater monitoring schedule revised per NYSDEC letter dated August 16, 2010.

Table 2

**Quarterly Groundwater Monitoring Water Level Data - October 14, 2014
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	690.35	6.79	683.56
MW-3	687.02	9.65	677.37
MW-4	686.42	8.52	677.90
MW-6	686.53	8.60	677.93
MW-8R	686.21	5.85	680.36
MW-9	688.64	13.09	675.55
MW-10	687.41	8.02	679.39
MW-11	688.65	12.26	676.39
MW-12	686.15	5.15	681.00
Nested Piezometers			
MW-13S	686.60	4.41	682.19
MW-13D	686.73	9.41	677.32
MW-14S	685.70	5.61	680.09
MW-14D	685.82	10.70	675.12
MW-15S	687.52	2.00	685.52
MW-15D	687.62	12.49	675.13
MW-16S	685.84	3.10	682.74
MW-16D	686.01	10.04	675.97

Notes:

TOC - Top of Casing

AMSL - Above Mean Sea Level

Table 3

Summary of Laboratory Analytical Data for Groundwater - October 2014
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID Date Collected Lab Sample ID	Groundwater RAO/ NYCRR Objectives	MW-2 10/14/14 480-69324-1	MW-3 10/14/14 480-69324-2	MW-4 10/14/14 480-69324-3	MW-6 10/14/14 480-69324-4
Volatile Organic Compounds by Method 8260C (µg/L)					
1,1-Dichloroethane	5	< 1 U	2	880 J	< 1 U
1,1-Dichloroethene	5	< 1 U	< 1 U	< 1,000 U	< 1 U
1,1,1-Trichloroethane	5	< 1 U	< 1 U	< 1,000 U	< 1 U
Chloroethane	5	1.1	4.3	< 1,000 U	< 1 U
cis-1,2-Dichloroethene	5	< 1 U	0.93 J	62,000	< 1 U
Toluene	5	< 1 U	0.73 J	< 1,000 U	< 1 U
1,2-Dichloroethane	0.6	< 1 U	< 1 U	< 1,000 U	< 1 U
Acetone	50	3.5 J	< 10 U	< 10,000 U	< 10 U
Benzene	1	< 1 U	< 1 U	< 1,000 U	< 1 U
Trichloroethene	5	< 1 U	< 1 U	32,000	< 1 U
Vinyl chloride	5	< 1 U	20	3,500	< 1 U
Volatile Organic Compounds by Method 8260C (µg/L)					
Sample ID Date Collected Lab Sample ID	Groundwater RAO/ NYCRR Objectives	MW-10 10/14/14 480-69324-5	MW-11 10/14/14 480-69324-6	MW-12 10/14/14 480-69324-7	MW-16S 10/14/14 480-69324-8
1,1-Dichloroethane	5	< 1 U	6.1	< 1 U	980 J
1,1-Dichloroethene	5	< 1 U	0.62 J	< 1 U	320 J
1,1,1-Trichloroethane	5	< 1 U	< 1 U	< 1 U	3,500
Chloroethane	5	< 1 U	2.5	12	360 J
cis-1,2-Dichloroethene	5	< 1 U	25	< 1 U	51,000
Toluene	5	< 1 U	< 1 U	< 1 U	< 1,000 U
1,2-Dichloroethane	0.6	< 1 U	< 1 U	0.32 J	< 1,000 U
Acetone	50	< 10 U	< 10 U	< 10 U	< 10,000 U
Benzene	1	< 1 U	< 1 U	1.1 J	< 1,000 U
Trichloroethene	5	< 1 U	< 1 U	< 1 U	170,000
Vinyl chloride	5	< 1 U	9.8	7.1	3,800

Notes:

µg/L - micrograms per liter

RAO - Remedial Action Objective

NYCRR - New York Code of Rules and Regulations, Title 6, Part 702.15 (a)(2) and 703.5

NL - Not Listed

Bold font indicates the analyte was detected.

Bold outline indicates the screening criteria was exceeded.

U - Indicates compound below associated detection level.

J - Indicates an estimated value.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - October 2014
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Well ID	TCE Concentration (µg/L)																			
	Apr 2003 ¹	Apr 2004 ²	Oct 2004 ^{3,4}	Jan 2005 ⁴	Apr 2005 ^{4,5}	Jul 2005 ⁴	Oct 2005 ⁴	Jan 2006 ⁴	Apr 2006 ⁴	Jul 2006 ⁴	Oct 2006 ⁴	Jan 2007 ⁴	Apr 2007 ⁴	Jul 2007 ⁴	Oct 2007 ⁴	Jan 2008 ⁴	Apr 2008 ⁴	Jul 2008 ⁴	Oct 2008 ⁴	Jan 2009 ⁴
MW-2	<1	NS	NS	NS	<10	NS	NS	<25	<25	<25	<5	<5	<20	<5	<5	<5	<5	<5	<5	<5
MW-3	<1	NS	NS	NS	<10	NS	NS	<25	<25	<25	<5	<5	<20	<5	5	<5	<5	<5	<5	<5
MW-4	249	NS	8,100	20,000	NS	NS	NS	6,500	3,200	2,400	2,600	2,800	4,900	1,100	4,800	9,200	5,800	500	6,300	19,000
MW-6	<1	NS	<10	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.63	<5	<5	<5	<5	<5
MW-8R	NA	NS	35,000	23,000	15,000	9,200	13,000	42,000	14,000	16,000	13,000	1,600	19,000	29,000	2,200	38,000	12,000	7,400	22,000	8,400
MW-10	<1	NS	NS	NS	<10	NS	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW- 11	NA	NS	NS	NS	<10	NS	NS	2.2	<20	<20	6.8	<20	0.89	<5	0.71	1.1	0.49	1	0.81	0.77
MW-12	NA	NS	13	<10	<10	<5	<5	<25	<25	<25	NS	<5	<20	<5	<5	<5	<5	<5	<5	NS
MW-13S	NA	10,000	2,100	10,000	760	870	410	NS	NS	17,000	1,300	1,700	4,400	220	570	1,800	580	1,800	5,800	3,400
MW-16S	NA	860,000	200,000	420,000	400,000	480,000	440,000	470,000	260,000	310,000	77,000	44,000	94,000	86,000	130,000	67,000	76,000	58,000	63,000	92,000

Notes:

ND - Not Detected

NS - Not sampled

DPE Remediation System started on May 14, 2004.

¹ - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.² - Considered baseline sampling event for MW-13S and MW-16S.³ - Considered baseline sampling event for MW-4, MW-8R, and MW-12.⁴ - DPE system operational.⁵ - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).⁶ - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.⁷ - DPE system off-line.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - October 2014
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Well ID	TCE Concentration (µg/L)																			
	Apr 2009 ⁴	Jul 2009 ⁴	Oct 2009 ⁴	Jan 2010 ⁴	Apr 2010 ⁴	Jul 2010 ⁴	Oct 2010 ⁴	Jan 2011 ⁴	Apr 2011 ⁴	Jul 2011 ⁷	Oct 2011 ⁷	Jan 2012 ⁴	Apr 2012 ⁴	Jul 2012 ⁴	Oct 2012 ⁴	Jan 2013 ⁴	Apr 2013 ⁴	Jul 2013 ⁴	Oct 2013 ⁷	Jan 2014 ⁸
MW-2	<5	<5	<5	<25	<25	<25	350 ⁵	<1	<1	<1	<1	<1	<1	<1	<1	0.89	<1	<1	<1	<1
MW-3	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	0.98	<1	<1	<1	<1
MW-4	4,100	2,300	NS	7,400	3,000	NS	7,800	NS	13,000	NS	17,000	NS	39,000	15,000	NS	40,000	12,000	14,000	NS	NS
MW-6	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-8R	13,000	NS	1,400	NS	2,500	19,000	NS	99,000	89,000	36,000	33,000	99,000	99,000	NS	89,000	NS	64,000	NS	100,000	NS
MW-10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW- 11	0.95	0.69	0.97	0.77	0.95	1	0.8	NS	1.2	<1	<1	<1	0.51	<1	<1	<1	<1	0.46	<1	<1
MW-12	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS
MW-13S	3,400	NS	400	NS	1,400	400	NS	39,000	40,000	31,000	NS	53,000	39,000	NS	41,000	NS	40,000	NS	49,000	NS
MW-16S	130,000	87,000	NS	22,000	220,000	NS	300,000	NS	250,000	NS	190,000	NS	250,000	170,000	NS	240,000	230,000	120,000	NS	110,000

Notes:

ND - Not Detected

NS - Not Sampled

DPE Remediation System started on May 14, 2004.

¹ - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.² - Considered baseline sampling event for MW-13S and MW-16S.³ - Considered baseline sampling event for MW-4, MW-8R, and MW-12.⁴ - DPE system operational.⁵ - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).⁶ - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.⁷ - DPE system off-line.⁸ - MW-4 and MW-12 not accessible due to snow cover.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - October 2014
 Former Scott Aviation Facility
 NYSDEC Site Code No. 9-15-149
 Lancaster, New York

Well ID	TCE Concentration (µg/L)				
	Apr 2014 ⁴	Jul 2014 ⁴	Oct 2014 ⁷	TCE Reduction - Previous Sampling	TCE Reduction - Baseline Sampling
MW-2	<1	<1	ND	ND	ND
MW-3	<1	<1	ND	ND	ND
MW-4	32,000	NS	32,000	0%	increase
MW-6	<1	<1	ND	ND	ND
MW-8R	100,000	110,000	NS	NS	NS
MW-10	<1	<1	ND	ND	ND
MW- 11	<1	<1	ND	ND	ND
MW-12	<1	<1	ND	ND	ND
MW-13S	32,000	33,000	NS	NS	NS
MW-16S	61,000	NS	170,000	increase	80%

Notes:

ND - Not Detected

NS - Not Sampled

DPE Remediation System started on May 14, 2004.

¹ - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.

² - Considered baseline sampling event for MW-13S and MW-16S.

³ - Considered baseline sampling event for MW-4, MW-8R, and MW-12.

⁴ - DPE system operational.

⁵ - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).

⁶ - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.

⁷ - DPE system off-line.

⁸ - MW-4 and MW-12 not accessible due to snow cover.

Table 5

**Vapor Monitoring Results - October 2014
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID: Sample Date:	LRP Effluent* Not Sampled	AS Effluent 10/14/2014
<u>VOCs by Method TO-15 ($\mu\text{g}/\text{m}^3$)</u>		
Chloroethane	-	39
cis-1,2-Dichloroethene	-	870
n-Heptane	-	26.0
Vinyl Chloride	-	190
Total Detected VOCs ($\mu\text{g}/\text{m}^3$)	-	1,125
Vacuum (inches Hg)	-	0.44
Air Flow Rate (acfm)	-	203
VOC discharge loading (lb/hr)	-	0.0009
Total VOC discharge loading (lb/hr)	0.001	

Notes:

* The LRP was not running during sampling event on October 14, 2014.


* The air stripper vacuum measured on October 14, 2014 was 5.5 inches H₂O and the flow rate was 210 scfm

1. $\mu\text{g}/\text{m}^3$ = micrograms per cubic meter
2. acfm = actual cubic feet per minute
3. Hg = Mercury
4. scfm = standard cubic feet per minute
5. lb/hr = pounds per hour
6. LRP Effluent represents the untreated vapor discharge for the Liquid Ring Pump.
7. AS Effluent represents the untreated vapor discharge for the Air Stripper.

Qualifiers:

U - Not detected at or above reporting limit (reporting limit not included in the Total Detected VOCs).

FIGURES



SOURCE:
 1982 GEOLOGIC SURVEY 7.5 X 15 MINUTE TOPOGRAPHIC QUADRANGLE
 LANCASTER, NEW YORK

LEGEND

■ AVOX PLANT 3 ADDED AFTER PUBLICATION OF LANCASTER, NEW YORK
 TOPOGRAPHIC QUADRANGLE.




FIGURE 1
SITE LOCATION MAP

FORMER SCOTT AVIATION FACILITY AREA 1
 LANCASTER, NEW YORK







FIGURE 2
SITE FEATURES MAP

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK





LEGEND

- DUAL PHASE EXTRACTION TRAILER
- GROUNDWATER TREATMENT BUILDING
- WATER
- - - AIR
- - - ELECTRIC
- HH HIGH HIGH
- HL HIGH LOW
- LL LOW LOW
- (T) TEMPERATURE GAUGE
- (P) PRESSURE GAUGE
- (G) FLOW GAUGE
- (V) VACUUM GAUGE
- (F) FLOW METER
- (S) SAMPLING PORT (MANUAL)
- (Ball Valve Symbol) BALL VALVE
- (Check Valve Symbol) CHECK VALVE




FIGURE 3
PROCESS AND INSTRUMENTATION DIAGRAM
FOR COMBINED DUAL PHASE EXTRACTION
REMEDICATION SYSTEM
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK


Quarterly Groundwater Monitoring Water Level Data - October 14, 2014
 Former Scott Aviation Facility
 NYSDEC Site Code No. 9-15-149
 Lancaster, New York

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	690.35	6.79	683.56
MW-3	687.02	9.65	677.37
MW-4	686.42	8.52	677.90
MW-6	686.53	8.60	677.93
MW-8R	686.21	5.85	680.36
MW-9	688.64	13.09	675.55
MW-10	687.41	8.02	679.39
MW-11	688.65	12.26	676.39
MW-12	686.15	5.15	681.00
Nested Piezometers			
MW-13S	686.60	4.41	682.19
MW-13D	686.73	9.41	677.32
MW-14S	685.70	5.61	680.09
MW-14D	685.82	10.70	675.12
MW-15S	687.52	2.00	685.52
MW-15D	687.62	12.49	675.13
MW-16S	685.84	3.10	682.74
MW-16D	686.01	10.04	675.97

Notes:
 TOC - Top of Casing
 AMSL - Above Mean Sea Level
 NA - Not available



GRAVEL PARKING LOT



LEGEND

- MW-13S/D NESTED PIEZOMETER LOCATION
- MW-9 MONITORING WELL LOCATION
- DPE-1 DUAL-PHASE EXTRACTION WELL LOCATION (ACTIVELY EXTRACTING)
- DPE-6 DUAL-PHASE EXTRACTION WELL LOCATION (OFF-LINE)
- [683.33] GROUNDWATER SURFACE ELEVATION IN FEET MSL
- 678 ESTIMATED GROUNDWATER SURFACE CONTOUR IN FEET MSL
- GROUNDWATER FLOW DIRECTION
- (S) SHALLOW PIEZOMETER
- (D) DEEP PIEZOMETER
- GROUNDWATER COLLECTION TRENCH (GWCT)
- APPROXIMATE PROPERTY BOUNDARY

- NOTES**
- GROUNDWATER ELEVATIONS WERE AVERAGED AT SHALLOW AND DEEP PIEZOMETER PAIR LOCATIONS (e.g. MW-15S/D) TO COMPARE TO ELEVATIONS MEASURED IN WELLS SCREENED ACROSS THE ENTIRE OVERBURDEN THICKNESS.
 - GROUNDWATER WATER LEVELS WERE COLLECTED ON OCTOBER 14, 2014.




FIGURE 6
 GROUNDWATER SURFACE CONTOUR MAP
 OCTOBER 2014
 AVERAGE OVERBURDEN GROUNDWATER ELEVATIONS
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK



APPENDIX A

Field Forms

Date (mo/day/yr) 10/14/2014
 Field Personnel D. Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60314190
 Well ID # MW-2
 _____ Upgradient _____ Downgradient
 Weather Conditions sunny
 Air Temperature 75 ° F
 Total Depth (TWD) Below Top of Casing = 16.4 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 6.79 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 9.6 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 5.9 liter
 3 Casing Volumes = 18 liter
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 2.5 liter

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 690.35 1/100 ft
 Height of Riser (above land surface) _____ 1/100 ft
 Land Surface Elevation _____ 1/100 ft
 Screened Interval (below land surface) 7-17 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	100	100	100	100	100		
Time (Military)	8:00	8:05	8:10	8:15	8:20		
Depth to Groundwater Below Top of Casing (ft)	7.5	7.85	7.86	8.22	8.4		
Drawdown (ft)	-0.7	-0.35	-0.01	-0.36	-0.18		
pH (S.U.)	6.69	6.69	6.69	6.7	6.71		
Sp. Cond. (mS/cm)	1.414	1.409	1.403	1.422	1.421		
Turbidity (NTUs)	3.55	4.43	2.3	1.98	1.29		
Dissolved Oxygen (mg/L)	2.49	1.24	0.83	0.85	0.83		
Water Temperature (°C)	17.9	18.13	18.44	18.96	18.99		
ORP (mV)	-103.6	104.1	-102.6	-101.6	-95.6		

Physical appearance at start Color clear
 Odor no
 Sheen/Free Product no

Physical appearance at sampling Color clear
 Odor no
 Sheen/Free Product no

COMMENTS/OBSERVATIONS Sample at 08:25 hrs.

Date (mo/day/yr) 10/14/2014
 Field Personnel D. Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60314190
 Well ID # MW-3
 _____ Upgradient _____ Downgradient
 Weather Conditions Sunny
 Air Temperature 75 ° F
 Total Depth (TWD) Below Top of Casing = 28 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 9.65 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 18.35 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 3.0 liter
 3 Casing Volumes = 9 liter
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 3 liter

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 687.02 1/100 ft
 Height of Riser (above land surface) 1.42 1/100 ft
 Land Surface Elevation 685.6 1/100 ft
 Screened Interval (below land surface) 7.5 - 27.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	125	125	125	125	125		
Time (Military)	9:00	9:05	9:10	9:15	9:20		
Depth to Groundwater Below Top of Casing (ft)	10.21	10.6	11.01	11.2	11.39		
Drawdown (ft)	-0.56	-0.39	-0.41	-0.19	-0.19		
pH (S.U.)	7.37	7.25	7.25	7.24	7.24		
Sp. Cond. (mS/cm)	0.851	0.844	0.848	0.849	0.849		
Turbidity (NTUs)	2.87	0.93	1.53	1.21	0.98		
Dissolved Oxygen (mg/L)	3.27	0.77	0.72	0.71	0.7		
Water Temperature (°C)	16.36	16.81	17.05	17.19	17.23		
ORP (mV)	-112.7	-113	-115.8	-116.1	-116.8		

Physical appearance at start Color clear
 Odor no
 Sheen/Free Product no

Physical appearance at sampling Color clear
 Odor no
 Sheen/Free Product _____

COMMENTS/OBSERVATIONS Sample at 09:30 hrs.

Date (mo/day/yr) 10/14/2014
 Field Personnel D. Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60314190
 Well ID # MW-4
 _____ Upgradient _____ Downgradient
 Weather Conditions sunny
 Air Temperature 75 ° F
 Total Depth (TWD) Below Top of Casing = 26 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 8.52 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 17.48 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 10.8 gal
 3 Casing Volumes = _____ gal
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 3 liter

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 686.64 1/100 ft
 Height of Riser (above land surface) _____ 1/100 ft
 Land Surface Elevation _____ 1/100 ft
 Screened Interval (below land surface) 15.5 - 25.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup

FIELD ANALYSES

Flow Rate (ml/min)	110	110	100	100	100	100		
Time (Military)	10:00	10:05	10:10	10:15	10:20	10:25		
Depth to Groundwater Below Top of Casing (ft)	9.11	9.84	10.14	10.34	10.61	15.75		
Drawdown (ft)	-0.59	-0.73	-0.3	-0.2	-0.27	-5.14		
pH (S.U.)		7.02	6.85	6.84	6.85	6.84		
Sp. Cond. (mS/cm)		1.979	2.013	2.034	2.052	2.054		
Turbidity (NTUs)	6.98	1.97	1.87	1.99	1.76	1.55		
Dissolved Oxygen (mg/L)		0.62	0.63	0.52	0.51	0.47		
Water Temperature (°C)		16.25	16.84	17.28	17.47	17.48		
ORP (mV)		-107.7	-76.1	-56.5	-75.1	-85.3		

Physical appearance at start Color clear Physical appearance at sampling Color clear
 Odor no Odor no
 Sheen/Free Product slight sheen Sheen/Free Product slight sheen

COMMENTS/OBSERVATIONS Sample at 10:30 hrs. Duplicate sample collected (sample time of 16:30 hr recorded on COC)

GROUNDWATER SAMPLING LOG

Date (mo/day/yr) 10/14/2014
 Field Personnel D. Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60314190
 Well ID # MW-6
 _____ Upgradient _____ Downgradient
 Weather Conditions sunny
 Air Temperature 70 ° F
 Total Depth (TWD) Below Top of Casing = 25 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 8.60 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 16.4 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 10.1 liter
 3 Casing Volumes = 30 liter
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 3 liter

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 686.53 1/100 ft
 Height of Riser (above land surface) -0.27 1/100 ft
 Land Surface Elevation 686.8 1/100 ft
 Screened Interval (below land surface) 14.5 - 24.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	100	100	100	100	100	100	
Time (Military)	11:00	11:05	11:10	11:15	11:20	11:25	
Depth to Groundwater Below Top of Casing (ft)	9.21	9.45	9.69	9.87	10.04	10.29	
Drawdown (ft)	-0.61	-0.24	-0.24	-0.18	-0.17	-0.25	
pH (S.U.)	7.64	7.55	7.49	7.41	7.35	7.34	
Sp. Cond. (mS/cm)	0.921	0.886	0.884	0.88	0.88	0.877	
Turbidity (NTUs)	5.28	4.65	3.87	4.21	3.98	2.97	
Dissolved Oxygen (mg/L)	5.99	1.62	1.21	1.09	0.87	0.79	
Water Temperature (°C)	16.66	16.84	16.76	16.69	16.63	16.51	
ORP (mV)	-76.2	-100.5	-103.6	-112	-113.6	-115.5	

Physical appearance at start Color clear
 Odor no
 Sheen/Free Product no

Physical appearance at sampling Color clear
 Odor no
 Sheen/Free Product no

COMMENTS/OBSERVATIONS Sample at 11:30 hrs.

Date (mo/day/yr) 10/14/2014
 Field Personnel D. Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60314190
 Well ID # MW-10
 _____ Upgradient _____ Downgradient
 Weather Conditions sunny
 Air Temperature 75 ° F
 Total Depth (TWD) Below Top of Casing = 24 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 8.02 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 15.98 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 9.9 liter
 3 Casing Volumes = 30 liter
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 3 liter

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 687.41 1/100 ft
 Height of Riser (above land surface) -0.19 1/100 ft
 Land Surface Elevation 687.6 1/100 ft
 Screened Interval (below land surface) 3.5 - 23.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	150	150	150	150	150	150		
Time (Military)	11:10	11:15	11:20	11:25	11:30	11:35		
Depth to Groundwater Below Top of Casing (ft)	8.51	8.71	9.00	9.17	9.22	9.31		
Drawdown (ft)	-0.49	-0.2	-0.29	-0.17	-0.05	-0.09		
pH (S.U.)	6.9	6.68	6.76	6.75	6.76	6.76		
Sp. Cond. (mS/cm)	1.825	1.785	1.747	1.734	1.721	1.72		
Turbidity (NTUs)	6.87	5.51	5.28	3.2	2.2	1.7		
Dissolved Oxygen (mg/L)	25.15	14.97	4.9	2.34	1.99	1.65		
Water Temperature (°C)	18.34	14.26	17.61	17.5	17.47	17.51		
ORP (mV)	85.4	78.8	66.1	57	50.9	47.9		

Physical appearance at start Color clear
 Odor no
 Sheen/Free Product no

Physical appearance at sampling Color clear
 Odor no
 Sheen/Free Product no

COMMENTS/OBSERVATIONS Sample at 12:30 hrs.

Date (mo/day/yr) 10/14/2014
 Field Personnel D. Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60314190
 Well ID # MW-12
 _____ Upgradient _____ Downgradient
 Weather Conditions sunny
 Air Temperature 75 ° F
 Total Depth (TWD) Below Top of Casing = 27.50 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 5.15 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 22.35 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 13.8 liter
 3 Casing Volumes = 41 liter
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Teflon Tubing
 Total Volume of Water Removed 3 liter

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 685.79 1/100 ft
 Height of Riser (above land surface) _____ 1/100 ft
 Land Surface Elevation _____ 1/100 ft
 Screened Interval (below land surface) 7 - 27 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	150	150	100	100	100	100		
TIME (Military)	14:00	14:05	14:10	14:15	14:20	14:25		
Depth to Groundwater Below Top of Casing (ft)	5.87	6.20	6.25	6.51	6.81	6.92		
Drawdown (ft)	-0.72	-0.33	-0.05	-0.26	-0.3	-0.11		
pH (S.U.)	6.11	6.2	6.74	6.74	6.75	6.75		
Sp. Cond. (mS/cm)	1.401	1.398	1.352	1.352	1.349	1.349		
Turbidity (NTUs)	5.44	4.32	3.99	2.28	1.84	1.67		
Dissolved Oxygen (mg/L)	2.22	1.32	0.78	0.76	0.74	0.74		
Water Temperature (°C)	16.88	16.98	17.03	16.88	16.98	17		
ORP (mV)	-93.2	-99.4	-111.9	-113.2	-115.3	-115.9		

Physical appearance at start Color clear
 Odor no
 Sheen/Free Product no

Physical appearance at sampling Color clear
 Odor no
 Sheen/Free Product no

COMMENTS/OBSERVATIONS Sample at 14:30 hrs.



GROUNDWATER SAMPLING LOG

Date (mo/day/yr) 10/14/2014

Field Personnel D. Zack

Site Name Former Scott Aviation Site - Lancaster, NY

Job # 60314190

Well ID # MW-16S

Upgradient Downgradient

Weather Conditions sunny

Air Temperature 75 ° F

Total Depth (TWD) Below Top of Casing = 15.4 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 3.10 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 12.3 1/100 ft

1 Casing Volume (OCV) = LWC x 0.163 = 7.6 liter

3 Casing Volumes = 23 liter

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 2.5 liter

Casing Diameter 1 inches

Casing Material PVC

Measuring Point Elevation 685.84 1/100 ft

Height of Riser (above land surface) -0.56 1/100 ft

Land Surface Elevation 686.4 1/100 ft

Screened Interval (below land surface) 12 - 18 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	100	100	100	100	100		
Time (Military)	15:00	15:05	15:10	15:15	15:20		
Depth to Groundwater Below Top of Casing (ft)	-	-	-	-	-		
Drawdown (ft)	-	-	-	-	-		
pH (S.U.)	7.29	7.15	6.99	6.87	6.86		
Sp. Cond. (mS/cm)	1.762	1.762	1.611	1.451	1.281		
Turbidity (NTUs)	-	-	-	-	-		
Dissolved Oxygen (mg/L)	4.25	2.25	1.76	0.66	1.12		
Water Temperature (°C)	14.82	14.83	14.88	14.95	14.72		
ORP (mV)	-78.2	-77.5	-78.9	-80.1	-69.7		

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>slight</u>		Odor <u>slight</u>
Sheen/Free Product <u>slight</u>		Sheen/Free Product <u>slight</u>	

COMMENTS/OBSERVATIONS Sample at 15:30 hrs.



APPENDIX B

Summary of Groundwater Elevations

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	7.29	683.06
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	5.92	684.43
4/14/2005	6.50	683.85
7/20/2005	7.77	682.58
10/4/2005	6.08	684.27
1/5/2006	9.56	680.79
4/11/2006	6.65	683.70
7/10/2006	7.79	682.56
10/18/2006	6.11	684.24
1/9/2007	6.27	684.08
2/28/2007	5.20	685.15
4/16/2007	5.99	684.36
7/2/2007	7.22	683.13
10/15/2007	8.15	682.20
1/8/2008	5.73	684.62
4/2/2008	5.95	684.40
7/1/2008	4.90	685.45
9/30/2008	7.40	682.95
1/19/2009	6.75	683.60
4/14/2009	6.15	684.20
7/21/2009	6.25	684.10
10/14/2009	5.85	684.50
1/18/2010	7.00	683.35
4/8/2010	5.45	684.90
7/12/2010	6.10	684.25
10/11/2010	7.00	683.35
1/11/2011	6.80	683.55
4/4/2011	5.70	684.65
7/25/2011	4.75	685.60
10/3/2011	4.13	686.22
1/12/2012	6.40	683.95
4/2/2012	6.00	684.35
7/5/2012	6.47	683.88
10/11/2012	7.17	683.18
1/21/2013	6.72	683.63
4/1/2013	6.10	684.25
7/1/2013	6.84	683.51
10/9/2013	6.70	683.65
1/21/2014	6.00	684.35
4/7/2014	4.95	685.40
7/16/2014	6.72	683.63
10/14/2014	6.79	683.56

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 690.35
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 690.35

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-2



◆ Groundwater Elevation (ft MSL)

**MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	12.76	674.96
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	11.65	676.07
4/14/2005	12.64	675.08
7/20/2005	12.73	674.99
10/4/2005	7.38	680.34
1/5/2006	11.31	676.41
4/11/2006	11.84	675.88
7/10/2006	12.31	675.41
10/18/2006	10.82	676.9
1/9/2007	10.99	676.73
2/28/2007	3.99	683.73
4/16/2007	11.87	675.85
7/2/2007	13.35	674.37
10/17/2007	13.1	674.62
1/8/2008	7.61	680.11
4/2/2008	11.71	676.01
7/1/2008	10.75	676.27
9/30/2008	11.95	675.07
1/19/2009	10.94	676.08
4/14/2009	10.94	676.08
7/21/2009	11.51	675.51
10/14/2009	10.75	676.27
1/18/2010	12.38	674.64
4/8/2010	11.02	676.00
7/12/2010	9.18	677.84
10/11/2010	10.9	676.12
1/12/2011	11.3	675.72
4/4/2011	10.7	676.32
7/25/2011	4.38	682.64
10/3/2011	3.14	683.88
1/12/2012	10.65	676.37
4/2/2012	9.81	677.21
7/5/2012	8.56	678.46
10/11/2012	9.77	677.25
1/21/2013	11.15	675.87
4/1/2013	8.56	678.46
7/1/2013	11.85	675.17
10/9/2013	10.43	676.59
1/21/2014	10.45	676.57
4/7/2014	11.77	675.25
7/16/2014	10.29	676.73
10/14/2014	9.65	677.37

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 687.72
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 687.02

**MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Hydrograph for MW-3



**MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	8.54	678.10
4/8/2004	NM	NA
10/12/2004	11.40	675.24
1/6/2005	9.20	677.44
4/14/2005	NM	NA
7/20/2005	NM	NA
10/4/2005	15.24	671.40
1/5/2006	15.71	670.93
4/11/2006	18.56	668.08
7/10/2006	15.02	671.62
10/18/2006	15.21	671.43
1/9/2007	14.00	672.64
2/28/2007	2.54	684.10
4/16/2007	12.45	674.19
7/2/2007	14.89	671.75
10/17/2007	12.91	673.73
1/8/2008	5.59	681.05
4/2/2008	9.31	677.33
7/1/2008	13.91	672.51
9/30/2008	13.55	672.87
1/19/2009	10.78	675.64
4/14/2009	8.90	677.52
7/21/2009	12.35	674.07
10/14/2009	10.40	676.02
1/18/2010	8.90	677.52
4/8/2010	10.90	675.52
7/12/2010	14.00	672.42
10/11/2010	16.69	669.73
1/12/2011	16.35	670.07
4/4/2011	17.67	668.75
7/25/2011	2.32	684.10
10/3/2011	2.98	683.44
1/12/2012	13.26	673.16
4/2/2012	13.10	673.32
7/6/2012	9.66	676.76
10/11/2012	18.60	667.82
1/21/2013	17.04	669.38
4/1/2013	18.65	667.77
7/1/2013	19.10	667.32
10/9/2013	10.10	676.32
1/21/2014	NM*	NA
4/7/2014	18.85	667.57
7/16/2014	10.74	675.68
10/14/2014	8.52	677.90

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64

DPE and GWCT down on 2/28/07


DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.42

NM* - Well could not be accessed due to snow cover

MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-4



**MONITORING WELL MW-6
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	11.06	675.62
4/8/2004	NM	NA
10/12/2004	9.95	676.73
1/6/2005	13.00	673.68
4/14/2005	11.57	675.11
7/20/2005	12.88	673.80
10/4/2005	8.55	678.13
1/5/2006	12.11	674.57
4/11/2006	11.91	674.77
7/10/2006	12.5	674.18
10/18/2006	11.02	675.66
1/9/2007	11.1	675.58
2/28/2007	4.35	682.33
4/16/2007	11.81	674.87
7/2/2007	12.85	673.83
10/17/2007	13.09	673.59
1/8/2008	7.02	679.66
4/2/2008	11.00	675.68
7/1/2008	10.98	675.55
9/30/2008	11.39	675.14
1/19/2009	9.68	676.85
4/14/2009	10.02	676.51
7/21/2009	11.50	675.03
10/14/2009	10.35	676.18
1/18/2010	11.20	675.33
4/8/2010	10.05	676.48
7/12/2010	9.25	677.28
10/11/2010	9.91	676.62
1/12/2011	10.56	675.97
4/4/2011	10.27	676.26
7/25/2011	4.17	682.36
10/3/2011	3.45	683.08
1/12/2012	9.86	676.67
4/2/2012	9.39	677.14
7/5/2012	7.64	678.89
10/11/2012	10.80	675.73
1/21/2013	10.12	676.41
4/1/2013	8.41	678.12
7/1/2013	11.18	675.35
10/9/2013	9.32	677.21
1/21/2014	9.95	676.58
4/7/2014	10.75	675.78
7/16/2014	9.61	676.92
10/14/2014	8.60	677.93

NOTES:

ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.68
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.53

MONITORING WELL MW-6
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-6



Date

—◆— Groundwater Elevation (ft MSL)

**MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	12.75	672.92
1/6/2005	7.45	678.22
4/14/2005	14.45	671.22
7/20/2005	NM	NA
10/4/2005	NM	NA
1/6/2006	15.51	670.16
4/11/2006	15.65	670.02
7/10/2006	14.9	670.77
10/18/2006	15.72	669.95
1/9/2007	15.76	669.91
2/28/2007	10.78	674.89
4/16/2007	15.60	670.07
7/2/2007	16.29	669.38
10/15/2007	18.50	667.17
1/8/2008	4.99	680.68
4/2/2008	13.19	672.48
7/1/2008	12.15	674.06
9/30/2008	15.83	670.38
1/19/2009	11.55	674.66
4/14/2009	11.20	675.01
7/21/2009	13.57	672.64
10/14/2009	12.76	673.45
1/18/2010	11.26	674.95
4/8/2010	14.95	671.26
7/12/2010	13.74	672.47
10/11/2010	12.34	673.87
1/12/2011	13.10	673.11
4/4/2011	14.88	671.33
7/25/2011	3.25	682.96
10/3/2011	4.50	681.71
1/12/2012	12.96	673.25
4/2/2012	11.70	674.51
7/5/2012	10.34	675.87
10/11/2012	13.38	672.83
1/21/2013	14.90	671.31
4/1/2013	10.82	675.39
7/1/2013	12.70	673.51
10/9/2013	9.25	676.96
1/21/2014	NM*	NA
4/7/2014	14.55	671.66
7/16/2014	8.97	677.24
10/14/2014	5.85	680.36

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.67
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 686.21
 NM* - Well could not be accessed due to snow cover

MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-8R




**MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	13.03	672.4
4/8/2004	NM	NA
10/12/2004	13.68	671.75
1/6/2005	12.89	672.54
4/14/2005	12.74	672.69
7/20/2005	13.88	671.55
10/4/2005	7.22	678.21
1/5/2006	12.79	672.64
4/11/2006	13.50	671.93
7/10/2006	13.24	672.19
10/18/2006	11.00	674.43
1/9/2007	12.24	673.19
2/28/2007	1.66	683.77
4/16/2007	13.15	672.28
7/2/2007	13.00	672.43
10/17/2007	13.95	671.48
1/8/2008	6.70	678.73
4/2/2008	10.61	674.82
7/1/2008	14.25	674.39
9/30/2008	15.67	672.97
1/19/2009	14.48	674.16
4/14/2009	15.48	673.16
7/21/2009	15.20	673.44
10/10/2009	15.06	673.58
1/18/2010	17.00	671.64
4/8/2010	15.40	673.24
7/12/2010	12.42	676.22
10/11/2010	14.21	674.43
1/12/2011	15.29	673.35
4/4/2011	14.55	674.09
7/25/2011	5.75	682.89
10/3/2011	4.58	684.06
1/12/2012	14.75	673.89
4/2/2012	14.52	674.12
7/5/2012	11.48	677.16
10/11/2012	12.66	675.98
1/21/2013	14.44	674.20
4/1/2013	11.87	676.77
7/1/2013	16.54	672.10
10/9/2013	13.68	674.96
1/21/2014	15.38	673.26
4/7/2014	16.30	672.34
7/16/2014	13.71	674.93
10/14/2014	13.09	675.55

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.43
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 688.64

MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



**MONITORING WELL MW-10
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	10.75	676.97
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	10.28	677.44
4/14/2005	11.50	676.22
7/20/2005	12.43	675.29
10/4/2005	9.58	678.14
1/5/2006	11.28	676.44
4/11/2006	10.91	676.81
7/10/2006	10.90	676.82
10/18/2006	10.13	677.59
1/9/2007	10.21	677.51
2/28/2007	4.30	683.42
4/16/2007	10.93	676.79
7/2/2007	12.21	675.51
10/17/2007	13.15	674.57
1/8/2008	7.03	680.69
4/2/2008	9.91	677.81
7/1/2008	10.04	677.37
9/30/2008	11.05	676.36
1/19/2009	9.74	677.67
4/14/2009	9.14	678.27
7/21/2009	10.56	676.85
10/14/2009	9.37	678.04
1/18/2010	10.59	676.82
4/8/2010	9.35	678.06
7/12/2010	9.12	678.29
10/11/2010	10.20	677.21
1/12/2011	10.00	677.41
4/4/2011	9.61	677.80
7/25/2011	4.45	682.96
10/3/2011	4.25	683.16
1/12/2012	9.82	677.59
4/2/2012	8.51	678.90
7/5/2012	7.55	679.86
10/11/2012	10.65	676.76
1/21/2013	9.59	677.82
4/1/2013	8.30	679.11
7/1/2013	9.77	677.64
10/9/2013	8.65	678.76
1/21/2014	8.73	678.68
4/7/2014	9.25	678.16
7/16/2014	8.65	678.76
10/14/2014	8.02	679.39

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 687.72
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 687.41

MONITORING WELL MW-10
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-10



**MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	15.59	673.02
4/14/2005	11.59	677.02
7/20/2005	17.34	671.27
10/4/2005	10.45	678.16
1/5/2006	16.58	672.03
4/11/2006	13.52	675.09
7/10/2006	13.75	674.86
10/18/2006	14.35	674.26
1/9/2007	15.26	673.35
2/28/2007	6.34	682.27
4/16/2007	11.55	677.06
7/2/2007	17.30	671.31
10/16/2007	17.69	670.92
1/8/2008	11.73	676.88
4/2/2008	14.78	673.83
7/1/2008	13.91	674.74
9/30/2008	15.25	673.40
1/19/2009	13.45	675.20
4/14/2009	13.50	675.15
7/21/2009	14.51	674.14
10/14/2009	13.85	674.80
1/18/2010	16.38	672.27
4/8/2010	13.90	674.75
7/12/2010	12.60	676.05
10/11/2010	14.80	673.85
1/12/2011	NA	
4/4/2011	14.52	674.13
7/25/2011	4.48	684.17
10/3/2011	4.05	684.60
1/12/2012	8.96	679.69
4/2/2012	12.87	675.78
7/5/2012	10.53	678.12
10/11/2012	14.40	674.25
1/21/2013	14.75	673.90
4/1/2013	11.66	676.99
7/1/2013	14.99	673.66
10/9/2013	12.25	676.40
1/21/2014	13.75	674.90
4/7/2014	14.56	674.09
7/16/2014	12.64	676.01
10/14/2014	12.26	676.39

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 688.61
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 688.65

MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-11



**MONITORING WELL MW-12
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	
10/12/2004	10.64	675.15
1/6/2005	6.18	679.61
4/14/2005	6.80	678.99
7/20/2005	11.95	673.84
10/4/2005	7.36	678.43
1/5/2006	6.80	678.99
4/11/2006	6.76	679.03
7/10/2006	11.35	674.44
10/18/2006	NM*	NA
1/9/2007	6.35	679.44
2/28/2007	NM*	NA
4/16/2007	7.38	678.41
7/2/2007	11.42	674.37
10/15/2007	12.00	673.79
1/8/2008	4.31	681.48
4/2/2008	5.86	679.93
7/1/2008	7.10	679.04
9/30/2008	10.92	675.22
1/19/2009	NM*	NA
4/14/2009	7.14	679
7/21/2009	9.66	676.48
10/14/2009	8.83	677.31
1/18/2010	7.40	678.74
4/8/2010	7.10	679.04
7/12/2010	8.48	677.66
10/11/2010	8.64	677.51
1/12/2011	6.32	679.83
4/4/2011	5.69	680.46
7/25/2011	3.5	682.65
10/3/2011	2.67	683.48
1/12/2012	5.41	680.74
4/2/2012	5.30	680.85
7/5/2012	7.20	678.95
10/11/2012	6.75	679.40
1/21/2013	5.51	680.64
4/1/2013	5.07	681.08
7/1/2013	7.88	678.27
10/9/2013	5.20	680.95
1/21/2014	NM*	NA
4/7/2014	5.76	680.39
7/16/2014	6.60	679.55
10/14/2014	5.15	681.00

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.79
 NM* - Well could not be accessed due to snow cover
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 686.15

MONITORING WELL MW-12
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-12



MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	7.01	679.56
10/12/2004	13.47	673.10
1/6/2005	7.24	679.33
4/14/2005	13.91	672.66
7/20/2005	12.81	673.76
10/4/2005	13.35	673.22
1/5/2006	13.79	672.78
4/11/2006	12.45	674.12
7/10/2006	13.02	673.55
10/18/2006	10.99	675.58
1/9/2007	11.35	675.22
2/28/2007	3.49	683.08
4/16/2007	12.01	674.56
7/2/2007	13.20	673.37
10/18/2007	12.77	673.80
1/8/2008	5.08	681.49
4/2/2008	5.45	681.12
7/1/2008	9.70	676.90
9/30/2008	11.80	674.80
1/19/2009	8.70	677.90
4/14/2009	8.64	677.96
7/21/2009	10.91	675.69
10/14/2009	9.18	677.42
1/18/2010	9.80	676.80
4/8/2010	8.30	678.30
7/12/2010	9.96	676.64
10/11/2010	10.29	676.31
1/12/2011	7.53	679.07
4/4/2011	8.00	678.60
7/25/2011	2.55	684.05
10/3/2011	1.81	684.79
1/12/2012	8.11	678.49
4/2/2012	8.06	678.54
7/5/2012	8.71	677.89
10/11/2012	9.57	677.03
1/21/2013	13.85	672.75
4/1/2013	6.44	680.16
7/1/2013	6.44	680.16
10/9/2013	4.10	682.50
1/21/2014	4.95	681.65
4/7/2014	6.02	680.58
7/16/2014	5.42	681.18
10/14/2014	4.41	682.19

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 686.57
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 686.60

MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-13S



MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.28	673.43
10/12/2004	14.87	671.84
1/6/2005	14.55	672.16
4/14/2005	15.32	671.39
7/20/2005	15.65	671.06
10/4/2005	9.44	677.27
1/5/2006	15.83	670.88
4/11/2006	15.41	671.30
7/10/2006	13.79	672.92
10/18/2006	13.17	673.54
1/9/2007	14.41	672.30
2/28/2007	3.28	683.43
4/16/2007	14.66	672.05
7/2/2007	15.68	671.03
10/18/2007	15.80	670.91
1/8/2008	8.69	678.02
4/2/2008	12.86	673.85
7/1/2008	12.55	674.18
9/30/2008	13.89	672.84
1/19/2009	12.10	674.63
4/14/2009	11.78	674.95
7/21/2009	12.86	673.87
10/14/2009	11.59	675.14
1/18/2010	13.88	672.85
4/8/2010	12.00	674.73
7/12/2010	11.90	674.83
10/11/2010	13.34	673.39
1/12/2011	13.2	673.53
4/4/2011	13.13	673.60
7/25/2011	3.33	683.40
10/3/2011	2.55	684.18
1/12/2012	12.34	674.39
4/2/2012	11.76	674.97
7/5/2012	9.25	677.48
10/11/2012	13.00	673.73
1/21/2013	13.85	672.88
4/1/2013	11.01	675.72
7/1/2013	14.26	672.47
10/9/2013	10.36	676.37
1/21/2014	11.45	675.28
4/7/2014	13.65	673.08
7/16/2014	10.74	675.99
10/14/2014	9.41	677.32

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.71


DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.73

MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-13D



MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.14	680.17
10/12/2004	8.57	676.74
1/6/2005	6.27	679.04
4/14/2005	5.16	680.15
7/20/2005	8.32	676.99
10/4/2005	6.14	679.17
1/5/2006	8.41	676.90
4/11/2006	7.75	677.56
7/10/2006	8.18	677.13
10/18/2006	9.00	676.31
1/9/2007	6.61	678.70
2/28/2007	1.50	683.81
4/16/2007	3.45	681.86
7/2/2007	8.36	676.95
10/15/2007	9.45	675.86
1/8/2008	4.65	680.66
4/2/2008	4.47	680.84
7/1/2008	6.37	679.33
9/30/2008	8.90	676.80
1/19/2009	6.15	679.55
4/14/2009	7.70	678.00
7/21/2009	7.25	678.45
10/14/2009	7.05	678.65
1/18/2010	NM	
4/8/2010	6.50	678.81
7/12/2010	6.54	678.77
10/11/2010	5.90	679.80
1/12/2011	6.83	678.87
4/4/2011	6.34	679.36
7/25/2011	2.59	683.11
10/3/2011	1.98	683.72
1/12/2012	5.10	680.60
4/2/2012	4.55	681.15
7/5/2012	7.15	678.55
10/11/2012	6.67	679.03
1/21/2013	5.15	680.55
4/1/2013	5.05	680.65
7/1/2013	6.81	678.89
10/9/2013	5.60	680.10
1/21/2014	5.68	680.02
4/7/2014	6.03	679.67
7/16/2014	5.49	680.21
10/14/2014	5.61	680.09

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.31
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 685.70

MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-14S



MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.21	672.22
10/12/2004	14.55	670.88
1/6/2005	15.97	669.46
4/14/2005	13.25	672.18
7/20/2005	18.20	667.23
10/4/2005	13.26	672.17
1/5/2006	19.08	666.35
4/11/2006	19.79	665.64
7/10/2006	17.16	668.27
10/18/2006	19.44	665.99
1/9/2007	14.71	670.72
2/28/2007	2.67	682.76
4/16/2007	19.74	665.69
7/2/2007	19.68	665.75
10/15/2007	19.76	665.67
1/8/2008	7.92	677.51
4/2/2008	14.41	671.02
7/1/2008	14.45	671.37
9/30/2008	15.39	670.43
1/19/2009	13.55	672.27
4/14/2009	20.10	665.72
7/21/2009	15.15	670.67
10/14/2009	20.27	665.55
1/18/2010	20.40	665.42
4/8/2010	15.40	670.42
7/12/2010	17.15	668.67
10/11/2010	14.40	671.42
1/12/2011	17.92	667.90
4/4/2011	16.23	669.59
7/25/2011	3.10	682.72
10/3/2011	2.72	683.10
1/12/2012	15.30	670.52
4/2/2012	16.50	669.32
7/5/2012	12.81	673.01
10/11/2012	14.55	671.27
1/21/2013	13.45	672.37
4/1/2013	10.78	675.04
7/1/2013	19.85	665.97
10/9/2013	10.02	675.80
1/21/2014	18.20	667.62
4/7/2014	17.95	667.87
7/16/2014	12.99	672.83
10/14/2014	10.70	675.12

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.43
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 685.82

MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-14D



MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	1.20	685.44
10/12/2004	5.26	681.38
1/6/2005	0.35	686.29
4/14/2005	2.31	684.33
7/20/2005	4.78	681.86
10/4/2005	2.22	684.42
1/5/2006	0.70	685.94
4/11/2006	2.00	684.64
7/10/2006	4.75	681.89
1/9/2007	0.05	686.59
2/28/2007	0.00	686.64
4/16/2007	0.50	686.14
7/2/2007	4.67	681.97
10/16/2007	4.80	681.84
1/8/2008	0.70	685.94
4/2/2008	0.00	686.64
7/1/2008	0.50	687.02
9/30/2008	3.14	684.38
1/19/2009	1.50	686.02
4/14/2009	1.60	685.92
7/21/2009	1.11	686.41
10/14/2009	1.11	686.41
1/18/2010	0.80	686.72
4/8/2010	2.00	685.52
7/12/2010	2.80	684.72
10/11/2010	3.14	684.38
1/12/2011	1.40	686.12
4/4/2011	0.50	687.02
7/25/2011	2.51	685.01
10/3/2011	0.20	687.32
1/12/2012	0.50	687.02
4/2/2012	1.40	686.12
7/5/2012	3.90	683.62
10/1/2012	3.18	684.34
1/21/2013	0.00	687.52
4/1/2013	0.50	687.02
7/1/2013	1.73	685.79
10/9/2013	2.10	685.42
1/21/2014	1.75	685.77
4/7/2014	0.90	686.62
7/16/2014	1.91	685.61
10/14/2014	2.00	685.52

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64'


DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 687.52'

MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-15S



**MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	15.70	671.61
10/12/2004	17.42	669.89
1/6/2005	15.74	671.57
4/14/2005	16.99	670.32
7/20/2005	17.31	670.00
10/4/2005	8.94	678.37
1/5/2006	16.16	671.15
4/11/2006	16.90	670.41
7/10/2006	15.78	671.53
10/18/2006	15.50	671.81
1/9/2007	15.80	671.51
2/28/2007	4.10	683.21
4/16/2007	16.61	670.70
7/2/2007	17.20	670.11
10/16/2007	16.70	670.61
1/8/2008	8.99	678.32
4/2/2008	15.01	672.30
7/1/2008	14.64	672.98
9/30/2008	16.24	671.38
1/19/2009	15.00	672.62
4/14/2009	14.21	673.41
7/21/2009	14.61	673.01
10/14/2009	14.81	672.81
1/18/2010	16.89	670.73
4/8/2010	15.00	672.62
7/12/2010	13.00	674.62
10/11/2010	13.00	674.62
1/12/2011	15.65	671.97
4/4/2011	15.51	672.11
7/25/2011	3.73	683.89
10/3/2011	3.05	684.57
1/12/2012	15.50	672.12
4/2/2012	14.30	673.32
7/5/2012	9.81	677.81
10/11/2012	13.70	673.92
1/21/2013	15.90	671.72
4/1/2013	11.08	676.54
7/1/2013	16.04	671.58
10/9/2013	13.95	673.67
1/21/2014	15.05	672.57
4/7/2014	15.84	671.78
7/16/2014	13.51	674.11
10/14/2014	12.49	675.13

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 687.31'

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 687.62'

MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.09	680.75
10/12/2004	12.09	673.75
1/6/2005	4.75	681.09
4/14/2005	10.15	675.69
7/20/2005	14.56	671.28
10/4/2005	11.50	674.34
1/5/2006	11.41	674.43
4/11/2006	12.90	672.94
7/10/2006	11.54	674.30
10/18/2006	12.50	673.34
1/9/2007	13.82	672.02
2/28/2007	2.90	682.94
4/16/2007	13.07	672.77
7/2/2007	12.50	673.34
10/18/2007	15.23	670.61
1/8/2008	5.60	680.24
4/2/2008	12.40	673.44
7/1/2008	15.70	674.67
9/30/2008	19.34	671.03
1/19/2009	17.80	672.57
4/14/2009	18.22	672.15
7/21/2009	19.95	670.42
10/14/2009	17.77	672.60
1/18/2010	16.45	673.92
4/8/2010	18.60	671.77
7/12/2010	18.45	671.92
10/11/2010	13.51	676.86
1/12/2011	NA	
4/7/2011	8.55	677.29
7/25/2011	1.45	684.39
10/3/2011	0.60	685.24
1/12/2012	3.80	682.04
4/2/2012	5.85	679.99
7/5/2012	9.12	676.72
10/11/2012	6.36	679.48
1/21/2013	7.85	677.99
4/1/2013	10.15	675.69
7/1/2013	9.18	676.66
10/9/2013	3.80	682.04
1/21/2014	9.55	676.29
4/7/2014	9.60	676.24
7/16/2014	9.05	676.79
10/14/2014	3.10	682.74

NOTES:

ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.84'
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 690.37'
TOC Elevation as of 4/7/2011 - 685.84'

MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-16S



—◆— Groundwater Elevation (ft MSL)

**MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.62	672.39
10/12/2004	15.51	670.50
1/6/2005	13.70	672.31
4/14/2005	16.09	669.92
7/20/2005	16.65	669.36
10/4/2005	9.89	676.12
1/5/2006	17.21	668.80
4/11/2006	17.1	668.91
7/10/2006	10.61	675.4
10/18/2006	15.41	670.6
1/9/2007	15.6	670.41
2/28/2007	2.74	683.27
4/16/2007	16.35	669.66
7/2/2007	16.85	669.16
10/18/2007	17.17	668.84
1/8/2008	8.32	677.69
4/2/2008	13.44	672.57
7/1/2008	17.72	672.83
9/30/2008	19.29	671.26
1/19/2009	17.95	672.60
4/14/2009	17.21	673.34
7/21/2009	18.28	672.27
10/14/2009	17.60	672.95
1/18/2010	19.51	671.04
4/8/2010	17.19	673.36
7/12/2010	17.15	673.40
10/11/2010	18.63	671.92
1/12/2011	NA	NA
4/7/2011	13.67	672.34
7/25/2011	2.46	683.55
10/3/2011	1.70	684.31
1/12/2012	13.55	672.46
4/2/2012	12.61	673.40
7/5/2012	8.90	677.11
10/11/2012	13.38	672.63
1/21/2013	15.44	670.57
4/1/2013	12.31	673.70
7/1/2013	16.25	669.76
10/9/2013	11.40	674.61
1/21/2014	13.35	672.66
4/7/2014	15.54	670.47
7/16/2014	11.73	674.28
10/14/2014	10.04	675.97

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 686.01'
 DPE and GWCT down on 2/28/07
 DPE down on 1/8/08 and 10/9/13
 TOC Elevation as of 6/13/08 - 690.55'
 TOC Elevation as of 4/7/2011 - 686.01'

MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-16D





APPENDIX C

**Analytical Laboratory Data
(Full data reports contained on attached CD ROM)**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-69324-1

Client Project/Site: Scott Aviation site

Sampling Event: Groundwater analysis

For:


AECOM, Inc.

100 Corporate Parkway

Suite 341

Amherst, New York 14226

Attn: Mr. Dino Zack



Authorized for release by:

10/29/2014 12:57:30 PM

Joe Giacomazza, Project Management Assistant II

joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management

(716)504-9835

brian.fischer@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	28
Certification Summary	30
Method Summary	31
Sample Summary	32
Receipt Checklists	33
Chain of Custody	34

Definitions/Glossary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	LCS or LCSD exceeds the control limits
E	Result exceeded calibration range.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Job ID: 480-69324-1

Laboratory: TestAmerica Buffalo

Narrative

**Job Narrative
480-69324-1**

Receipt

The samples were received on 10/15/2014 1:05 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.0° C.

GC/MS VOA

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 209762 recovered outside acceptance criteria, low biased, for Chloromethane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported.

Method(s) 8260C: The laboratory control sample (LCS) for batch 209762 recovered outside control limits for the following analytes: Chloromethane and Dichlorodifluoromethane. These analytes were not requested spiked compounds in the associated samples; therefore, the data have been reported.

Method(s) 8260C: The following sample(s) was diluted to bring the concentration of target analytes within the calibration range: Duplicate (480-69324-9), MW-16S (480-69324-8), MW-4 (480-69324-3). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The following sample(s) was diluted to bring the concentration of target analytes within the calibration range: MW-16S (480-69324-8). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 209972 recovered outside acceptance criteria, low biased, for Carbon Disulfide. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-2
Date Collected: 10/14/14 08:25
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-1
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 10:54	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 10:54	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 10:54	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 10:54	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			10/24/14 10:54	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 10:54	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 10:54	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 10:54	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 10:54	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 10:54	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 10:54	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 10:54	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 10:54	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 10:54	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 10:54	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 10:54	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 10:54	1
Acetone	3.5	J	10	3.0	ug/L			10/24/14 10:54	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 10:54	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 10:54	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 10:54	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 10:54	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 10:54	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 10:54	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 10:54	1
Chloroethane	1.1		1.0	0.32	ug/L			10/24/14 10:54	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 10:54	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 10:54	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			10/24/14 10:54	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 10:54	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 10:54	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 10:54	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 10:54	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 10:54	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 10:54	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 10:54	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 10:54	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 10:54	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 10:54	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 10:54	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 10:54	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 10:54	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 10:54	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 10:54	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 10:54	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 10:54	1
Vinyl chloride	ND		1.0	0.90	ug/L			10/24/14 10:54	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 10:54	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-2
Date Collected: 10/14/14 08:25
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-1
Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	101		66 - 137		10/24/14 10:54	1
4-Bromofluorobenzene (Surr)	98		73 - 120		10/24/14 10:54	1
Toluene-d8 (Surr)	98		71 - 126		10/24/14 10:54	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-3
Date Collected: 10/14/14 09:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-2
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 11:16	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 11:16	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 11:16	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 11:16	1
1,1-Dichloroethane	2.0		1.0	0.38	ug/L			10/24/14 11:16	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 11:16	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 11:16	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 11:16	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 11:16	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 11:16	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 11:16	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 11:16	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 11:16	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 11:16	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 11:16	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 11:16	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 11:16	1
Acetone	ND		10	3.0	ug/L			10/24/14 11:16	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 11:16	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 11:16	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 11:16	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 11:16	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 11:16	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 11:16	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 11:16	1
Chloroethane	4.3		1.0	0.32	ug/L			10/24/14 11:16	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 11:16	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 11:16	1
cis-1,2-Dichloroethene	0.93	J	1.0	0.81	ug/L			10/24/14 11:16	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 11:16	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 11:16	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 11:16	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 11:16	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 11:16	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 11:16	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 11:16	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 11:16	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 11:16	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 11:16	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 11:16	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 11:16	1
Toluene	0.73	J	1.0	0.51	ug/L			10/24/14 11:16	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 11:16	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 11:16	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 11:16	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 11:16	1
Vinyl chloride	20		1.0	0.90	ug/L			10/24/14 11:16	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 11:16	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-3

Date Collected: 10/14/14 09:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-2

Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	101		66 - 137		10/24/14 11:16	1
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 11:16	1
Toluene-d8 (Surr)	99		71 - 126		10/24/14 11:16	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-4
Date Collected: 10/14/14 10:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-3
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1000	820	ug/L			10/24/14 11:39	1000
1,1,2,2-Tetrachloroethane	ND		1000	210	ug/L			10/24/14 11:39	1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	310	ug/L			10/24/14 11:39	1000
1,1,2-Trichloroethane	ND		1000	230	ug/L			10/24/14 11:39	1000
1,1-Dichloroethane	880	J	1000	380	ug/L			10/24/14 11:39	1000
1,1-Dichloroethene	ND		1000	290	ug/L			10/24/14 11:39	1000
1,2,4-Trichlorobenzene	ND		1000	410	ug/L			10/24/14 11:39	1000
1,2-Dibromo-3-Chloropropane	ND		1000	390	ug/L			10/24/14 11:39	1000
1,2-Dibromoethane	ND		1000	730	ug/L			10/24/14 11:39	1000
1,2-Dichlorobenzene	ND		1000	790	ug/L			10/24/14 11:39	1000
1,2-Dichloroethane	ND		1000	210	ug/L			10/24/14 11:39	1000
1,2-Dichloropropane	ND		1000	720	ug/L			10/24/14 11:39	1000
1,3-Dichlorobenzene	ND		1000	780	ug/L			10/24/14 11:39	1000
1,4-Dichlorobenzene	ND		1000	840	ug/L			10/24/14 11:39	1000
2-Butanone (MEK)	ND		10000	1300	ug/L			10/24/14 11:39	1000
2-Hexanone	ND		5000	1200	ug/L			10/24/14 11:39	1000
4-Methyl-2-pentanone (MIBK)	ND		5000	2100	ug/L			10/24/14 11:39	1000
Acetone	ND		10000	3000	ug/L			10/24/14 11:39	1000
Benzene	ND		1000	410	ug/L			10/24/14 11:39	1000
Bromodichloromethane	ND		1000	390	ug/L			10/24/14 11:39	1000
Bromoform	ND		1000	260	ug/L			10/24/14 11:39	1000
Bromomethane	ND		1000	690	ug/L			10/24/14 11:39	1000
Carbon disulfide	ND		1000	190	ug/L			10/24/14 11:39	1000
Carbon tetrachloride	ND		1000	270	ug/L			10/24/14 11:39	1000
Chlorobenzene	ND		1000	750	ug/L			10/24/14 11:39	1000
Chloroethane	ND		1000	320	ug/L			10/24/14 11:39	1000
Chloroform	ND		1000	340	ug/L			10/24/14 11:39	1000
Chloromethane	ND	*	1000	350	ug/L			10/24/14 11:39	1000
cis-1,2-Dichloroethene	62000		1000	810	ug/L			10/24/14 11:39	1000
cis-1,3-Dichloropropene	ND		1000	360	ug/L			10/24/14 11:39	1000
Cyclohexane	ND		1000	180	ug/L			10/24/14 11:39	1000
Dibromochloromethane	ND		1000	320	ug/L			10/24/14 11:39	1000
Dichlorodifluoromethane	ND	*	1000	680	ug/L			10/24/14 11:39	1000
Ethylbenzene	ND		1000	740	ug/L			10/24/14 11:39	1000
Isopropylbenzene	ND		1000	790	ug/L			10/24/14 11:39	1000
Methyl acetate	ND		2500	500	ug/L			10/24/14 11:39	1000
Methyl tert-butyl ether	ND		1000	160	ug/L			10/24/14 11:39	1000
Methylcyclohexane	ND		1000	160	ug/L			10/24/14 11:39	1000
Methylene Chloride	ND		1000	440	ug/L			10/24/14 11:39	1000
Styrene	ND		1000	730	ug/L			10/24/14 11:39	1000
Tetrachloroethene	ND		1000	360	ug/L			10/24/14 11:39	1000
Toluene	ND		1000	510	ug/L			10/24/14 11:39	1000
trans-1,2-Dichloroethene	ND		1000	900	ug/L			10/24/14 11:39	1000
trans-1,3-Dichloropropene	ND		1000	370	ug/L			10/24/14 11:39	1000
Trichloroethene	32000		1000	460	ug/L			10/24/14 11:39	1000
Trichlorofluoromethane	ND		1000	880	ug/L			10/24/14 11:39	1000
Vinyl chloride	3500		1000	900	ug/L			10/24/14 11:39	1000
Xylenes, Total	ND		2000	660	ug/L			10/24/14 11:39	1000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-4

Date Collected: 10/14/14 10:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-3

Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	102		66 - 137		10/24/14 11:39	1000
4-Bromofluorobenzene (Surr)	98		73 - 120		10/24/14 11:39	1000
Toluene-d8 (Surr)	98		71 - 126		10/24/14 11:39	1000

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-6
Date Collected: 10/14/14 11:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-4
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 12:02	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 12:02	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 12:02	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 12:02	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			10/24/14 12:02	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 12:02	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 12:02	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 12:02	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 12:02	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 12:02	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 12:02	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 12:02	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 12:02	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 12:02	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 12:02	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 12:02	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 12:02	1
Acetone	ND		10	3.0	ug/L			10/24/14 12:02	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 12:02	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 12:02	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 12:02	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 12:02	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 12:02	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 12:02	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 12:02	1
Chloroethane	ND		1.0	0.32	ug/L			10/24/14 12:02	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 12:02	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 12:02	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			10/24/14 12:02	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 12:02	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 12:02	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 12:02	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 12:02	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 12:02	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 12:02	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 12:02	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 12:02	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 12:02	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 12:02	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 12:02	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 12:02	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 12:02	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 12:02	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 12:02	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 12:02	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 12:02	1
Vinyl chloride	ND		1.0	0.90	ug/L			10/24/14 12:02	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 12:02	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-6
Date Collected: 10/14/14 11:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-4
Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	101		66 - 137		10/24/14 12:02	1
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 12:02	1
Toluene-d8 (Surr)	99		71 - 126		10/24/14 12:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-10
Date Collected: 10/14/14 12:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-5
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 12:25	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 12:25	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 12:25	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 12:25	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			10/24/14 12:25	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 12:25	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 12:25	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 12:25	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 12:25	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 12:25	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 12:25	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 12:25	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 12:25	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 12:25	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 12:25	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 12:25	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 12:25	1
Acetone	ND		10	3.0	ug/L			10/24/14 12:25	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 12:25	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 12:25	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 12:25	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 12:25	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 12:25	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 12:25	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 12:25	1
Chloroethane	ND		1.0	0.32	ug/L			10/24/14 12:25	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 12:25	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 12:25	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			10/24/14 12:25	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 12:25	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 12:25	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 12:25	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 12:25	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 12:25	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 12:25	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 12:25	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 12:25	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 12:25	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 12:25	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 12:25	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 12:25	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 12:25	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 12:25	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 12:25	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 12:25	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 12:25	1
Vinyl chloride	ND		1.0	0.90	ug/L			10/24/14 12:25	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 12:25	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-10
Date Collected: 10/14/14 12:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-5
Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	102		66 - 137		10/24/14 12:25	1
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 12:25	1
Toluene-d8 (Surr)	99		71 - 126		10/24/14 12:25	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-11
Date Collected: 10/14/14 13:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-6
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 12:47	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 12:47	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 12:47	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 12:47	1
1,1-Dichloroethane	6.1		1.0	0.38	ug/L			10/24/14 12:47	1
1,1-Dichloroethene	0.62	J	1.0	0.29	ug/L			10/24/14 12:47	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 12:47	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 12:47	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 12:47	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 12:47	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 12:47	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 12:47	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 12:47	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 12:47	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 12:47	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 12:47	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 12:47	1
Acetone	ND		10	3.0	ug/L			10/24/14 12:47	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 12:47	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 12:47	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 12:47	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 12:47	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 12:47	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 12:47	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 12:47	1
Chloroethane	2.5		1.0	0.32	ug/L			10/24/14 12:47	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 12:47	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 12:47	1
cis-1,2-Dichloroethene	25		1.0	0.81	ug/L			10/24/14 12:47	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 12:47	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 12:47	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 12:47	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 12:47	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 12:47	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 12:47	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 12:47	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 12:47	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 12:47	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 12:47	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 12:47	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 12:47	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 12:47	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 12:47	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 12:47	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 12:47	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 12:47	1
Vinyl chloride	9.8		1.0	0.90	ug/L			10/24/14 12:47	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 12:47	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-11
Date Collected: 10/14/14 13:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-6
Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	104		66 - 137		10/24/14 12:47	1
4-Bromofluorobenzene (Surr)	98		73 - 120		10/24/14 12:47	1
Toluene-d8 (Surr)	97		71 - 126		10/24/14 12:47	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-12
Date Collected: 10/14/14 14:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-7
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 13:10	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 13:10	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 13:10	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 13:10	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			10/24/14 13:10	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 13:10	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 13:10	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 13:10	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 13:10	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 13:10	1
1,2-Dichloroethane	0.32	J	1.0	0.21	ug/L			10/24/14 13:10	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 13:10	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 13:10	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 13:10	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 13:10	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 13:10	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 13:10	1
Acetone	ND		10	3.0	ug/L			10/24/14 13:10	1
Benzene	1.1		1.0	0.41	ug/L			10/24/14 13:10	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 13:10	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 13:10	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 13:10	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 13:10	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 13:10	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 13:10	1
Chloroethane	12		1.0	0.32	ug/L			10/24/14 13:10	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 13:10	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 13:10	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			10/24/14 13:10	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 13:10	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 13:10	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 13:10	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 13:10	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 13:10	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 13:10	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 13:10	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 13:10	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 13:10	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 13:10	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 13:10	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 13:10	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 13:10	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 13:10	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 13:10	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 13:10	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 13:10	1
Vinyl chloride	7.1		1.0	0.90	ug/L			10/24/14 13:10	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 13:10	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-12
Date Collected: 10/14/14 14:30
Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-7
Matrix: Ground Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	104		66 - 137		10/24/14 13:10	1
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 13:10	1
Toluene-d8 (Surr)	99		71 - 126		10/24/14 13:10	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-16S

Lab Sample ID: 480-69324-8

Date Collected: 10/14/14 15:30

Matrix: Ground Water

Date Received: 10/15/14 13:05

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	3500		1000	820	ug/L			10/24/14 13:33	1000
1,1,2,2-Tetrachloroethane	ND		1000	210	ug/L			10/24/14 13:33	1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	310	ug/L			10/24/14 13:33	1000
1,1,2-Trichloroethane	ND		1000	230	ug/L			10/24/14 13:33	1000
1,1-Dichloroethane	980	J	1000	380	ug/L			10/24/14 13:33	1000
1,1-Dichloroethene	320	J	1000	290	ug/L			10/24/14 13:33	1000
1,2,4-Trichlorobenzene	ND		1000	410	ug/L			10/24/14 13:33	1000
1,2-Dibromo-3-Chloropropane	ND		1000	390	ug/L			10/24/14 13:33	1000
1,2-Dibromoethane	ND		1000	730	ug/L			10/24/14 13:33	1000
1,2-Dichlorobenzene	ND		1000	790	ug/L			10/24/14 13:33	1000
1,2-Dichloroethane	ND		1000	210	ug/L			10/24/14 13:33	1000
1,2-Dichloropropane	ND		1000	720	ug/L			10/24/14 13:33	1000
1,3-Dichlorobenzene	ND		1000	780	ug/L			10/24/14 13:33	1000
1,4-Dichlorobenzene	ND		1000	840	ug/L			10/24/14 13:33	1000
2-Butanone (MEK)	ND		10000	1300	ug/L			10/24/14 13:33	1000
2-Hexanone	ND		5000	1200	ug/L			10/24/14 13:33	1000
4-Methyl-2-pentanone (MIBK)	ND		5000	2100	ug/L			10/24/14 13:33	1000
Acetone	ND		10000	3000	ug/L			10/24/14 13:33	1000
Benzene	ND		1000	410	ug/L			10/24/14 13:33	1000
Bromodichloromethane	ND		1000	390	ug/L			10/24/14 13:33	1000
Bromoform	ND		1000	260	ug/L			10/24/14 13:33	1000
Bromomethane	ND		1000	690	ug/L			10/24/14 13:33	1000
Carbon disulfide	ND		1000	190	ug/L			10/24/14 13:33	1000
Carbon tetrachloride	ND		1000	270	ug/L			10/24/14 13:33	1000
Chlorobenzene	ND		1000	750	ug/L			10/24/14 13:33	1000
Chloroethane	360	J	1000	320	ug/L			10/24/14 13:33	1000
Chloroform	ND		1000	340	ug/L			10/24/14 13:33	1000
Chloromethane	ND	*	1000	350	ug/L			10/24/14 13:33	1000
cis-1,2-Dichloroethene	51000		1000	810	ug/L			10/24/14 13:33	1000
cis-1,3-Dichloropropene	ND		1000	360	ug/L			10/24/14 13:33	1000
Cyclohexane	ND		1000	180	ug/L			10/24/14 13:33	1000
Dibromochloromethane	ND		1000	320	ug/L			10/24/14 13:33	1000
Dichlorodifluoromethane	ND	*	1000	680	ug/L			10/24/14 13:33	1000
Ethylbenzene	ND		1000	740	ug/L			10/24/14 13:33	1000
Isopropylbenzene	ND		1000	790	ug/L			10/24/14 13:33	1000
Methyl acetate	ND		2500	500	ug/L			10/24/14 13:33	1000
Methyl tert-butyl ether	ND		1000	160	ug/L			10/24/14 13:33	1000
Methylcyclohexane	ND		1000	160	ug/L			10/24/14 13:33	1000
Methylene Chloride	ND		1000	440	ug/L			10/24/14 13:33	1000
Styrene	ND		1000	730	ug/L			10/24/14 13:33	1000
Tetrachloroethene	ND		1000	360	ug/L			10/24/14 13:33	1000
Toluene	ND		1000	510	ug/L			10/24/14 13:33	1000
trans-1,2-Dichloroethene	ND		1000	900	ug/L			10/24/14 13:33	1000
trans-1,3-Dichloropropene	ND		1000	370	ug/L			10/24/14 13:33	1000
Trichloroethene	180000	E	1000	460	ug/L			10/24/14 13:33	1000
Trichlorofluoromethane	ND		1000	880	ug/L			10/24/14 13:33	1000
Vinyl chloride	3800		1000	900	ug/L			10/24/14 13:33	1000
Xylenes, Total	ND		2000	660	ug/L			10/24/14 13:33	1000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-16S

Lab Sample ID: 480-69324-8

Date Collected: 10/14/14 15:30

Matrix: Ground Water

Date Received: 10/15/14 13:05

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 137		10/24/14 13:33	1000
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 13:33	1000
Toluene-d8 (Surr)	99		71 - 126		10/24/14 13:33	1000

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		4000	3300	ug/L			10/24/14 20:07	4000
1,1,2,2-Tetrachloroethane	ND		4000	840	ug/L			10/24/14 20:07	4000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4000	1200	ug/L			10/24/14 20:07	4000
1,1,2-Trichloroethane	ND		4000	920	ug/L			10/24/14 20:07	4000
1,1-Dichloroethane	ND		4000	1500	ug/L			10/24/14 20:07	4000
1,1-Dichloroethene	ND		4000	1200	ug/L			10/24/14 20:07	4000
1,2,4-Trichlorobenzene	ND		4000	1600	ug/L			10/24/14 20:07	4000
1,2-Dibromo-3-Chloropropane	ND		4000	1600	ug/L			10/24/14 20:07	4000
1,2-Dibromoethane	ND		4000	2900	ug/L			10/24/14 20:07	4000
1,2-Dichlorobenzene	ND		4000	3200	ug/L			10/24/14 20:07	4000
1,2-Dichloroethane	ND		4000	840	ug/L			10/24/14 20:07	4000
1,2-Dichloropropane	ND		4000	2900	ug/L			10/24/14 20:07	4000
1,3-Dichlorobenzene	ND		4000	3100	ug/L			10/24/14 20:07	4000
1,4-Dichlorobenzene	ND		4000	3400	ug/L			10/24/14 20:07	4000
2-Butanone (MEK)	ND		40000	5300	ug/L			10/24/14 20:07	4000
2-Hexanone	ND		20000	5000	ug/L			10/24/14 20:07	4000
4-Methyl-2-pentanone (MIBK)	ND		20000	8400	ug/L			10/24/14 20:07	4000
Acetone	ND		40000	12000	ug/L			10/24/14 20:07	4000
Benzene	ND		4000	1600	ug/L			10/24/14 20:07	4000
Bromodichloromethane	ND		4000	1600	ug/L			10/24/14 20:07	4000
Bromoform	ND		4000	1000	ug/L			10/24/14 20:07	4000
Bromomethane	ND		4000	2800	ug/L			10/24/14 20:07	4000
Carbon disulfide	ND		4000	760	ug/L			10/24/14 20:07	4000
Carbon tetrachloride	ND		4000	1100	ug/L			10/24/14 20:07	4000
Chlorobenzene	ND		4000	3000	ug/L			10/24/14 20:07	4000
Chloroethane	ND		4000	1300	ug/L			10/24/14 20:07	4000
Chloroform	ND		4000	1400	ug/L			10/24/14 20:07	4000
Chloromethane	ND		4000	1400	ug/L			10/24/14 20:07	4000
cis-1,2-Dichloroethene	46000		4000	3200	ug/L			10/24/14 20:07	4000
cis-1,3-Dichloropropene	ND		4000	1400	ug/L			10/24/14 20:07	4000
Cyclohexane	ND		4000	720	ug/L			10/24/14 20:07	4000
Dibromochloromethane	ND		4000	1300	ug/L			10/24/14 20:07	4000
Dichlorodifluoromethane	ND		4000	2700	ug/L			10/24/14 20:07	4000
Ethylbenzene	ND		4000	3000	ug/L			10/24/14 20:07	4000
Isopropylbenzene	ND		4000	3200	ug/L			10/24/14 20:07	4000
Methyl acetate	ND		10000	2000	ug/L			10/24/14 20:07	4000
Methyl tert-butyl ether	ND		4000	640	ug/L			10/24/14 20:07	4000
Methylcyclohexane	ND		4000	640	ug/L			10/24/14 20:07	4000
Methylene Chloride	ND		4000	1800	ug/L			10/24/14 20:07	4000
Styrene	ND		4000	2900	ug/L			10/24/14 20:07	4000
Tetrachloroethene	ND		4000	1400	ug/L			10/24/14 20:07	4000
Toluene	ND		4000	2000	ug/L			10/24/14 20:07	4000
trans-1,2-Dichloroethene	ND		4000	3600	ug/L			10/24/14 20:07	4000
trans-1,3-Dichloropropene	ND		4000	1500	ug/L			10/24/14 20:07	4000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-16S

Lab Sample ID: 480-69324-8

Date Collected: 10/14/14 15:30

Matrix: Ground Water

Date Received: 10/15/14 13:05

Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	170000		4000	1800	ug/L			10/24/14 20:07	4000
Trichlorofluoromethane	ND		4000	3500	ug/L			10/24/14 20:07	4000
Vinyl chloride	ND		4000	3600	ug/L			10/24/14 20:07	4000
Xylenes, Total	ND		8000	2600	ug/L			10/24/14 20:07	4000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 137					10/24/14 20:07	4000
4-Bromofluorobenzene (Surr)	99		73 - 120					10/24/14 20:07	4000
Toluene-d8 (Surr)	99		71 - 126					10/24/14 20:07	4000



Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: Duplicate

Lab Sample ID: 480-69324-9

Date Collected: 10/14/14 16:30

Matrix: Water

Date Received: 10/15/14 13:05

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1000	820	ug/L			10/24/14 13:56	1000
1,1,2,2-Tetrachloroethane	ND		1000	210	ug/L			10/24/14 13:56	1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	310	ug/L			10/24/14 13:56	1000
1,1,2-Trichloroethane	ND		1000	230	ug/L			10/24/14 13:56	1000
1,1-Dichloroethane	890	J	1000	380	ug/L			10/24/14 13:56	1000
1,1-Dichloroethene	ND		1000	290	ug/L			10/24/14 13:56	1000
1,2,4-Trichlorobenzene	ND		1000	410	ug/L			10/24/14 13:56	1000
1,2-Dibromo-3-Chloropropane	ND		1000	390	ug/L			10/24/14 13:56	1000
1,2-Dibromoethane	ND		1000	730	ug/L			10/24/14 13:56	1000
1,2-Dichlorobenzene	ND		1000	790	ug/L			10/24/14 13:56	1000
1,2-Dichloroethane	ND		1000	210	ug/L			10/24/14 13:56	1000
1,2-Dichloropropane	ND		1000	720	ug/L			10/24/14 13:56	1000
1,3-Dichlorobenzene	ND		1000	780	ug/L			10/24/14 13:56	1000
1,4-Dichlorobenzene	ND		1000	840	ug/L			10/24/14 13:56	1000
2-Butanone (MEK)	ND		10000	1300	ug/L			10/24/14 13:56	1000
2-Hexanone	ND		5000	1200	ug/L			10/24/14 13:56	1000
4-Methyl-2-pentanone (MIBK)	ND		5000	2100	ug/L			10/24/14 13:56	1000
Acetone	ND		10000	3000	ug/L			10/24/14 13:56	1000
Benzene	ND		1000	410	ug/L			10/24/14 13:56	1000
Bromodichloromethane	ND		1000	390	ug/L			10/24/14 13:56	1000
Bromoform	ND		1000	260	ug/L			10/24/14 13:56	1000
Bromomethane	ND		1000	690	ug/L			10/24/14 13:56	1000
Carbon disulfide	ND		1000	190	ug/L			10/24/14 13:56	1000
Carbon tetrachloride	ND		1000	270	ug/L			10/24/14 13:56	1000
Chlorobenzene	ND		1000	750	ug/L			10/24/14 13:56	1000
Chloroethane	ND		1000	320	ug/L			10/24/14 13:56	1000
Chloroform	ND		1000	340	ug/L			10/24/14 13:56	1000
Chloromethane	ND	*	1000	350	ug/L			10/24/14 13:56	1000
cis-1,2-Dichloroethene	63000		1000	810	ug/L			10/24/14 13:56	1000
cis-1,3-Dichloropropene	ND		1000	360	ug/L			10/24/14 13:56	1000
Cyclohexane	ND		1000	180	ug/L			10/24/14 13:56	1000
Dibromochloromethane	ND		1000	320	ug/L			10/24/14 13:56	1000
Dichlorodifluoromethane	ND	*	1000	680	ug/L			10/24/14 13:56	1000
Ethylbenzene	ND		1000	740	ug/L			10/24/14 13:56	1000
Isopropylbenzene	ND		1000	790	ug/L			10/24/14 13:56	1000
Methyl acetate	ND		2500	500	ug/L			10/24/14 13:56	1000
Methyl tert-butyl ether	ND		1000	160	ug/L			10/24/14 13:56	1000
Methylcyclohexane	ND		1000	160	ug/L			10/24/14 13:56	1000
Methylene Chloride	ND		1000	440	ug/L			10/24/14 13:56	1000
Styrene	ND		1000	730	ug/L			10/24/14 13:56	1000
Tetrachloroethene	ND		1000	360	ug/L			10/24/14 13:56	1000
Toluene	ND		1000	510	ug/L			10/24/14 13:56	1000
trans-1,2-Dichloroethene	ND		1000	900	ug/L			10/24/14 13:56	1000
trans-1,3-Dichloropropene	ND		1000	370	ug/L			10/24/14 13:56	1000
Trichloroethene	32000		1000	460	ug/L			10/24/14 13:56	1000
Trichlorofluoromethane	ND		1000	880	ug/L			10/24/14 13:56	1000
Vinyl chloride	3500		1000	900	ug/L			10/24/14 13:56	1000
Xylenes, Total	ND		2000	660	ug/L			10/24/14 13:56	1000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: Duplicate

Lab Sample ID: 480-69324-9

Date Collected: 10/14/14 16:30

Matrix: Water

Date Received: 10/15/14 13:05

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	102		66 - 137		10/24/14 13:56	1000
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 13:56	1000
Toluene-d8 (Surr)	98		71 - 126		10/24/14 13:56	1000

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: Rinse Blank

Lab Sample ID: 480-69324-10

Date Collected: 10/14/14 06:30

Matrix: Water

Date Received: 10/15/14 13:05

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 14:18	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 14:18	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 14:18	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 14:18	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			10/24/14 14:18	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 14:18	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 14:18	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 14:18	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 14:18	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 14:18	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 14:18	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 14:18	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 14:18	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 14:18	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 14:18	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 14:18	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 14:18	1
Acetone	ND		10	3.0	ug/L			10/24/14 14:18	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 14:18	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 14:18	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 14:18	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 14:18	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 14:18	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 14:18	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 14:18	1
Chloroethane	ND		1.0	0.32	ug/L			10/24/14 14:18	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 14:18	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 14:18	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			10/24/14 14:18	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 14:18	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 14:18	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 14:18	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 14:18	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 14:18	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 14:18	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 14:18	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 14:18	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 14:18	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 14:18	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 14:18	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 14:18	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 14:18	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 14:18	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 14:18	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 14:18	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 14:18	1
Vinyl chloride	ND		1.0	0.90	ug/L			10/24/14 14:18	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 14:18	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: Rinse Blank

Lab Sample ID: 480-69324-10

Date Collected: 10/14/14 06:30

Matrix: Water

Date Received: 10/15/14 13:05

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	102		66 - 137		10/24/14 14:18	1
4-Bromofluorobenzene (Surr)	99		73 - 120		10/24/14 14:18	1
Toluene-d8 (Surr)	98		71 - 126		10/24/14 14:18	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-69324-11

Date Collected: 10/14/14 00:00

Matrix: Water

Date Received: 10/15/14 13:05

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			10/24/14 14:41	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			10/24/14 14:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			10/24/14 14:41	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			10/24/14 14:41	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			10/24/14 14:41	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			10/24/14 14:41	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			10/24/14 14:41	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			10/24/14 14:41	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			10/24/14 14:41	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			10/24/14 14:41	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			10/24/14 14:41	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			10/24/14 14:41	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			10/24/14 14:41	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			10/24/14 14:41	1
2-Butanone (MEK)	ND		10	1.3	ug/L			10/24/14 14:41	1
2-Hexanone	ND		5.0	1.2	ug/L			10/24/14 14:41	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			10/24/14 14:41	1
Acetone	ND		10	3.0	ug/L			10/24/14 14:41	1
Benzene	ND		1.0	0.41	ug/L			10/24/14 14:41	1
Bromodichloromethane	ND		1.0	0.39	ug/L			10/24/14 14:41	1
Bromoform	ND		1.0	0.26	ug/L			10/24/14 14:41	1
Bromomethane	ND		1.0	0.69	ug/L			10/24/14 14:41	1
Carbon disulfide	ND		1.0	0.19	ug/L			10/24/14 14:41	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			10/24/14 14:41	1
Chlorobenzene	ND		1.0	0.75	ug/L			10/24/14 14:41	1
Chloroethane	ND		1.0	0.32	ug/L			10/24/14 14:41	1
Chloroform	ND		1.0	0.34	ug/L			10/24/14 14:41	1
Chloromethane	ND	*	1.0	0.35	ug/L			10/24/14 14:41	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			10/24/14 14:41	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			10/24/14 14:41	1
Cyclohexane	ND		1.0	0.18	ug/L			10/24/14 14:41	1
Dibromochloromethane	ND		1.0	0.32	ug/L			10/24/14 14:41	1
Dichlorodifluoromethane	ND	*	1.0	0.68	ug/L			10/24/14 14:41	1
Ethylbenzene	ND		1.0	0.74	ug/L			10/24/14 14:41	1
Isopropylbenzene	ND		1.0	0.79	ug/L			10/24/14 14:41	1
Methyl acetate	ND		2.5	0.50	ug/L			10/24/14 14:41	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			10/24/14 14:41	1
Methylcyclohexane	ND		1.0	0.16	ug/L			10/24/14 14:41	1
Methylene Chloride	ND		1.0	0.44	ug/L			10/24/14 14:41	1
Styrene	ND		1.0	0.73	ug/L			10/24/14 14:41	1
Tetrachloroethene	ND		1.0	0.36	ug/L			10/24/14 14:41	1
Toluene	ND		1.0	0.51	ug/L			10/24/14 14:41	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			10/24/14 14:41	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			10/24/14 14:41	1
Trichloroethene	ND		1.0	0.46	ug/L			10/24/14 14:41	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			10/24/14 14:41	1
Vinyl chloride	ND		1.0	0.90	ug/L			10/24/14 14:41	1
Xylenes, Total	ND		2.0	0.66	ug/L			10/24/14 14:41	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-69324-11

Date Collected: 10/14/14 00:00

Matrix: Water

Date Received: 10/15/14 13:05

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	101		66 - 137		10/24/14 14:41	1
4-Bromofluorobenzene (Surr)	98		73 - 120		10/24/14 14:41	1
Toluene-d8 (Surr)	99		71 - 126		10/24/14 14:41	1

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-2

Date Collected: 10/14/14 08:25

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-1

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 10:54	CXM	TAL BUF

Client Sample ID: MW-3

Date Collected: 10/14/14 09:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-2

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 11:16	CXM	TAL BUF

Client Sample ID: MW-4

Date Collected: 10/14/14 10:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-3

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1000	209762	10/24/14 11:39	CXM	TAL BUF

Client Sample ID: MW-6

Date Collected: 10/14/14 11:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-4

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 12:02	CXM	TAL BUF

Client Sample ID: MW-10

Date Collected: 10/14/14 12:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-5

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 12:25	CXM	TAL BUF

Client Sample ID: MW-11

Date Collected: 10/14/14 13:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-6

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 12:47	CXM	TAL BUF

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Client Sample ID: MW-12

Date Collected: 10/14/14 14:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-7

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 13:10	CXM	TAL BUF

Client Sample ID: MW-16S

Date Collected: 10/14/14 15:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-8

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1000	209762	10/24/14 13:33	CXM	TAL BUF
Total/NA	Analysis	8260C	DL	4000	209972	10/24/14 20:07	EDB	TAL BUF

Client Sample ID: Duplicate

Date Collected: 10/14/14 16:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1000	209762	10/24/14 13:56	CXM	TAL BUF

Client Sample ID: Rinse Blank

Date Collected: 10/14/14 06:30

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 14:18	CXM	TAL BUF

Client Sample ID: Trip Blank

Date Collected: 10/14/14 00:00

Date Received: 10/15/14 13:05

Lab Sample ID: 480-69324-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	209762	10/24/14 14:41	CXM	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Laboratory: TestAmerica Buffalo

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-15

1

2

3

4

5

6

7

8

9

10

11

Method Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



Sample Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-69324-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-69324-1	MW-2	Ground Water	10/14/14 08:25	10/15/14 13:05
480-69324-2	MW-3	Ground Water	10/14/14 09:30	10/15/14 13:05
480-69324-3	MW-4	Ground Water	10/14/14 10:30	10/15/14 13:05
480-69324-4	MW-6	Ground Water	10/14/14 11:30	10/15/14 13:05
480-69324-5	MW-10	Ground Water	10/14/14 12:30	10/15/14 13:05
480-69324-6	MW-11	Ground Water	10/14/14 13:30	10/15/14 13:05
480-69324-7	MW-12	Ground Water	10/14/14 14:30	10/15/14 13:05
480-69324-8	MW-16S	Ground Water	10/14/14 15:30	10/15/14 13:05
480-69324-9	Duplicate	Water	10/14/14 16:30	10/15/14 13:05
480-69324-10	Rinse Blank	Water	10/14/14 06:30	10/15/14 13:05
480-69324-11	Trip Blank	Water	10/14/14 00:00	10/15/14 13:05



Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 480-69324-1

Login Number: 69324

List Source: TestAmerica Buffalo

List Number: 1

Creator: Janish, Carl M

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	





Chain of Custody F

TAL-4124 (1007)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Temperature on Receipt _____

Drinking Water? Yes No

Client: **AECOM** Chain of Custody Number: **265038**

Address: **100 Corporate Park, S341** Date: **10/14/14**

City: **Anchast** State: **NY** Zip Code: **14226** Lab Number: **Buf**

Project Name and Location (State): **Scott Aviation, NY 4014** Page: **1** of **1**

Contract/Purchase Order/Quote No.: _____

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt			
			Air	Aqueous	Sed	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH					
MW-2	10/14/14	0825	X									3					
MW-3	10/14/14	0930	X									3					
MW-4	10/14/14	1030	X									3					
MW-6	10/14/14	1130	X									3					
MW-10	10/14/14	1230	X									3					
MW-11	10/14/14	1330	X									3					
MW-12	10/14/14	1430	X									3					
MW-16S	10/14/14	1530	X									3					MW-16
Dup	10/14/14	1630	X									3					
Rinse	10/14/14	0630	X									3					
Trip Blank	10/14/14		X									3					

Possible Hazard Identification: Non-Hazard Flammable Skin Irritant Poison B Unknown

Sample Disposal: Return To Client Archive For _____ Months

Turn Around Time Required: 24 Hours 48 Hours 7 Days 14 Days 21 Days

1. Relinquished By: **Dino J. Zack** Date: **10/14/14** Time: **1700**

2. Relinquished By: **[Signature]** Date: **10/15/14** Time: **1305**

3. Relinquished By: **[Signature]** Date: _____ Time: _____

1. Received By: **[Signature]** Date: **10/15/14** Time: **1100**

2. Received By: **[Signature]** Date: **10/15/14** Time: **1305**

3. Received By: _____ Date: _____ Time: _____

Comments: **Please reference AECOM PO # 55564ACM 2, 10 #1**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Burlington

30 Community Drive

Suite 11

South Burlington, VT 05403

Tel: (802)660-1990

TestAmerica Job ID: 200-24836-1

Client Project/Site: Scott Aviation site

For:


AECOM, Inc.

100 Corporate Parkway

Suite 341

Amherst, New York 14226

Attn: Mr. Dino Zack



Authorized for release by:

10/23/2014 9:33:39 AM

Joe Giacomazza, Project Management Assistant II

joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management

(716)504-9835

brian.fischer@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	8
Certification Summary	9
Method Summary	10
Sample Summary	11
Chain of Custody	12
Receipt Checklists	14

Definitions/Glossary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Job ID: 200-24836-1

Laboratory: TestAmerica Burlington

Narrative

Job Narrative
200-24836-1

Receipt

The sample was received on 10/16/2014 10:30 AM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 21.0° C.

Air Toxics

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Client Sample ID: AS EFFLUENT

Lab Sample ID: 200-24836-1

Date Collected: 10/14/14 07:00

Matrix: Air

Date Received: 10/16/14 10:30

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,1,1,2,2-Tetrachloroethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,1,2-Trichloroethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,1-Dichloroethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,1-Dichloroethene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2,4-Trichlorobenzene	ND		10	10	ppb v/v			10/21/14 14:53	19.9
1,2,4-Trimethylbenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2-Dibromoethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2-Dichlorobenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2-Dichloroethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2-Dichloroethene, Total	220		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2-Dichloropropane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,2-Dichlorotetrafluoroethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,3,5-Trimethylbenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,3-Butadiene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,3-Dichlorobenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,4-Dichlorobenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
1,4-Dioxane	ND		100	100	ppb v/v			10/21/14 14:53	19.9
2,2,4-Trimethylpentane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
2-Chlorotoluene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
3-Chloropropene	ND		10	10	ppb v/v			10/21/14 14:53	19.9
4-Ethyltoluene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Acetone	ND		100	100	ppb v/v			10/21/14 14:53	19.9
Benzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Bromodichloromethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Bromoethene(Vinyl Bromide)	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Bromoform	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Bromomethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Carbon disulfide	ND		10	10	ppb v/v			10/21/14 14:53	19.9
Carbon tetrachloride	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Chlorobenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Chloroethane	15		10	10	ppb v/v			10/21/14 14:53	19.9
Chloroform	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Chloromethane	ND		10	10	ppb v/v			10/21/14 14:53	19.9
cis-1,2-Dichloroethene	220		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
cis-1,3-Dichloropropene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Cyclohexane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Dibromochloromethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Dichlorodifluoromethane	ND		10	10	ppb v/v			10/21/14 14:53	19.9
Ethylbenzene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Freon TF	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Hexachlorobutadiene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Isopropyl alcohol	ND		100	100	ppb v/v			10/21/14 14:53	19.9
m,p-Xylene	ND		10	10	ppb v/v			10/21/14 14:53	19.9
Methyl Butyl Ketone (2-Hexanone)	ND		10	10	ppb v/v			10/21/14 14:53	19.9
Methyl Ethyl Ketone	ND		10	10	ppb v/v			10/21/14 14:53	19.9
methyl isobutyl ketone	ND		10	10	ppb v/v			10/21/14 14:53	19.9
Methyl tert-butyl ether	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9

TestAmerica Burlington

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Client Sample ID: AS EFFLUENT

Lab Sample ID: 200-24836-1

Date Collected: 10/14/14 07:00

Matrix: Air

Date Received: 10/16/14 10:30

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	ND		10	10	ppb v/v			10/21/14 14:53	19.9
n-Heptane	6.3		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
n-Hexane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Styrene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
tert-Butyl alcohol	ND		100	100	ppb v/v			10/21/14 14:53	19.9
Tetrachloroethene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Tetrahydrofuran	ND		100	100	ppb v/v			10/21/14 14:53	19.9
Toluene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
trans-1,2-Dichloroethene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
trans-1,3-Dichloropropene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Trichloroethene	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Trichlorofluoromethane	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Vinyl chloride	73		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Xylene (total)	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9
Xylene, o-	ND		4.0	4.0	ppb v/v			10/21/14 14:53	19.9

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		22	22	ug/m3			10/21/14 14:53	19.9
1,1,1,2-Tetrachloroethane	ND		27	27	ug/m3			10/21/14 14:53	19.9
1,1,2-Trichloroethane	ND		22	22	ug/m3			10/21/14 14:53	19.9
1,1-Dichloroethane	ND		16	16	ug/m3			10/21/14 14:53	19.9
1,1-Dichloroethene	ND		16	16	ug/m3			10/21/14 14:53	19.9
1,2,4-Trichlorobenzene	ND		74	74	ug/m3			10/21/14 14:53	19.9
1,2,4-Trimethylbenzene	ND		20	20	ug/m3			10/21/14 14:53	19.9
1,2-Dibromoethane	ND		31	31	ug/m3			10/21/14 14:53	19.9
1,2-Dichlorobenzene	ND		24	24	ug/m3			10/21/14 14:53	19.9
1,2-Dichloroethane	ND		16	16	ug/m3			10/21/14 14:53	19.9
1,2-Dichloroethene, Total	870		16	16	ug/m3			10/21/14 14:53	19.9
1,2-Dichloropropane	ND		18	18	ug/m3			10/21/14 14:53	19.9
1,2-Dichlorotetrafluoroethane	ND		28	28	ug/m3			10/21/14 14:53	19.9
1,3,5-Trimethylbenzene	ND		20	20	ug/m3			10/21/14 14:53	19.9
1,3-Butadiene	ND		8.8	8.8	ug/m3			10/21/14 14:53	19.9
1,3-Dichlorobenzene	ND		24	24	ug/m3			10/21/14 14:53	19.9
1,4-Dichlorobenzene	ND		24	24	ug/m3			10/21/14 14:53	19.9
1,4-Dioxane	ND		360	360	ug/m3			10/21/14 14:53	19.9
2,2,4-Trimethylpentane	ND		19	19	ug/m3			10/21/14 14:53	19.9
2-Chlorotoluene	ND		21	21	ug/m3			10/21/14 14:53	19.9
3-Chloropropene	ND		31	31	ug/m3			10/21/14 14:53	19.9
4-Ethyltoluene	ND		20	20	ug/m3			10/21/14 14:53	19.9
Acetone	ND		240	240	ug/m3			10/21/14 14:53	19.9
Benzene	ND		13	13	ug/m3			10/21/14 14:53	19.9
Bromodichloromethane	ND		27	27	ug/m3			10/21/14 14:53	19.9
Bromoethene(Vinyl Bromide)	ND		17	17	ug/m3			10/21/14 14:53	19.9
Bromoform	ND		41	41	ug/m3			10/21/14 14:53	19.9
Bromomethane	ND		15	15	ug/m3			10/21/14 14:53	19.9
Carbon disulfide	ND		31	31	ug/m3			10/21/14 14:53	19.9
Carbon tetrachloride	ND		25	25	ug/m3			10/21/14 14:53	19.9
Chlorobenzene	ND		18	18	ug/m3			10/21/14 14:53	19.9
Chloroethane	39		26	26	ug/m3			10/21/14 14:53	19.9

TestAmerica Burlington

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Client Sample ID: AS EFFLUENT

Lab Sample ID: 200-24836-1

Date Collected: 10/14/14 07:00

Matrix: Air

Date Received: 10/16/14 10:30

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	ND		19	19	ug/m3			10/21/14 14:53	19.9
Chloromethane	ND		21	21	ug/m3			10/21/14 14:53	19.9
cis-1,2-Dichloroethene	890		16	16	ug/m3			10/21/14 14:53	19.9
cis-1,3-Dichloropropene	ND		18	18	ug/m3			10/21/14 14:53	19.9
Cyclohexane	ND		14	14	ug/m3			10/21/14 14:53	19.9
Dibromochloromethane	ND		34	34	ug/m3			10/21/14 14:53	19.9
Dichlorodifluoromethane	ND		49	49	ug/m3			10/21/14 14:53	19.9
Ethylbenzene	ND		17	17	ug/m3			10/21/14 14:53	19.9
Freon TF	ND		31	31	ug/m3			10/21/14 14:53	19.9
Hexachlorobutadiene	ND		42	42	ug/m3			10/21/14 14:53	19.9
Isopropyl alcohol	ND		240	240	ug/m3			10/21/14 14:53	19.9
m,p-Xylene	ND		43	43	ug/m3			10/21/14 14:53	19.9
Methyl Butyl Ketone (2-Hexanone)	ND		41	41	ug/m3			10/21/14 14:53	19.9
Methyl Ethyl Ketone	ND		29	29	ug/m3			10/21/14 14:53	19.9
methyl isobutyl ketone	ND		41	41	ug/m3			10/21/14 14:53	19.9
Methyl tert-butyl ether	ND		14	14	ug/m3			10/21/14 14:53	19.9
Methylene Chloride	ND		35	35	ug/m3			10/21/14 14:53	19.9
n-Heptane	26		16	16	ug/m3			10/21/14 14:53	19.9
n-Hexane	ND		14	14	ug/m3			10/21/14 14:53	19.9
Styrene	ND		17	17	ug/m3			10/21/14 14:53	19.9
tert-Butyl alcohol	ND		300	300	ug/m3			10/21/14 14:53	19.9
Tetrachloroethene	ND		27	27	ug/m3			10/21/14 14:53	19.9
Tetrahydrofuran	ND		290	290	ug/m3			10/21/14 14:53	19.9
Toluene	ND		15	15	ug/m3			10/21/14 14:53	19.9
trans-1,2-Dichloroethene	ND		16	16	ug/m3			10/21/14 14:53	19.9
trans-1,3-Dichloropropene	ND		18	18	ug/m3			10/21/14 14:53	19.9
Trichloroethene	ND		21	21	ug/m3			10/21/14 14:53	19.9
Trichlorofluoromethane	ND		22	22	ug/m3			10/21/14 14:53	19.9
Vinyl chloride	190		10	10	ug/m3			10/21/14 14:53	19.9
Xylene (total)	ND		17	17	ug/m3			10/21/14 14:53	19.9
Xylene, o-	ND		17	17	ug/m3			10/21/14 14:53	19.9

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Client Sample ID: AS EFFLUENT

Lab Sample ID: 200-24836-1

Date Collected: 10/14/14 07:00

Matrix: Air

Date Received: 10/16/14 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	TO-15		19.9	78993	10/21/14 14:53	BPL	TAL BUR

Laboratory References:

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Certification Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Laboratory: TestAmerica Burlington

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Connecticut	State Program	1	PH-0751	09-30-15
DE Haz. Subst. Cleanup Act (HSCA)	State Program	3	NA	02-13-15
Florida	NELAP	4	E87467	06-30-15
L-A-B	DoD ELAP		L2336	02-26-17
Maine	State Program	1	VT00008	04-17-15
Minnesota	NELAP	5	050-999-436	12-31-14 *
New Hampshire	NELAP	1	2006	12-18-14
New Jersey	NELAP	2	VT972	06-30-15
New York	NELAP	2	10391	03-31-15
Pennsylvania	NELAP	3	68-00489	04-30-15
Rhode Island	State Program	1	LAO00298	12-30-14
US Fish & Wildlife	Federal		LE-058448-0	02-28-15
USDA	Federal		P330-11-00093	10-28-16
Vermont	State Program	1	VT-4000	12-31-14
Virginia	NELAP	3	460209	12-14-14

Laboratory: TestAmerica Buffalo

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-15

* Certification renewal pending - certification considered valid.

Method Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Method	Method Description	Protocol	Laboratory
TO-15	Volatile Organic Compounds in Ambient Air	EPA	TAL BUR

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990



Sample Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-24836-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
200-24836-1	AS EFFLUENT	Air	10/14/14 07:00	10/16/14 10:30

1

2

3

4

5

6

7

8

9

10


11

TestAmerica Burlington
30 Community Drive
Suite 11

South Burlington, VT 05403
phone 802-660-1990 fax 802-660-1919

Canister Samples Chain of Custody Record

TestAmerica Analytical Testing Corp. assumes no liability with respect to the collection and shipment of these samples.

Client Contact Information Company: <u>AECUM</u> Address: <u>100 Corporate Pkwy</u> City/State/Zip: <u>Amherst, NY 14226</u> Phone: <u>716-836-4506 ext 15</u> FAX: Project Name: <u>Scott Avinton YQV</u> Site: <u>Lancaster, NY</u> PO # <u>AECUM PO # 5556YACM</u>		Project Manager: <u>Dino Zuck</u> Phone: <u>716-836-4506 ext 15</u> Email: <u>Dino.Zuck@aecum.com</u> Site Contact: <u>Dino Zuck</u> TA Contact: <u>Brian Fisher</u>		Samples Collected By: <u>DZ</u>		COCS	
Sample Identification <u>AS EFFluent</u>		Analysis Turnaround Time Standard (Specify) Rush (Specify)		MA-APH EPA 3C EPA 25C ASTM D-1946		Sample Type Other (Please specify in notes section) Landfill Gas Soil Gas Ambient Air Indoor Air	
Sample Date(s) <u>10/14/14</u>		Time Start <u>0700</u>		Time Stop <u>0700</u>		Canister Vacuum in Field, "Hg (Start) <u>-302</u>	
Canister Vacuum in Field, "Hg (Stop) <u>-</u>		Flow Controller ID <u>-</u>		Canister ID <u>3477 X</u>		Other (Please specify in notes section)	
Temperature (Fahrenheit) Interior Ambient		Pressure (inches of Hg) Interior Ambient		 200-24836 Chain of Custody		Special Instructions/QC Requirements & Comments: <u>Note LRP Sample not collected - only one sample this quarter.</u>	
Samples Shipped by: <u>[Signature]</u>		Date/Time: <u>10/14/14 1700hrs</u>		Samples Received by: <u>[Signature]</u>		Date/Time: <u>10/15/14 1305</u>	
Samples Being Fulfilled by: <u>[Signature]</u>		Date/Time: <u>10/16/14 1045</u>		Received by: <u>[Signature]</u>		Date/Time: <u>10/16/14 1030</u>	
Relinquished by: <u>[Signature]</u>		Date/Time: <u>10/16/14 1045</u>		Received by: <u>[Signature]</u>		Date/Time: <u>10/16/14 1030</u>	
Lab Use Only		Shipper Name:		Opened by:		Condition:	



Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 200-24836-1

Login Number: 24836

List Source: TestAmerica Burlington

List Number: 1

Creator: Young, Joseph W

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	316861
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	AMBIENT
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 200-24836-1

Login Number: 24836

List Source: TestAmerica Burlington

List Number: 2

Creator: Young, Joseph W

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background		
The cooler's custody seal, if present, is intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the sample IDs on the containers and the COC.		
Samples are received within Holding Time.		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.		
If necessary, staff have been informed of any short hold time or quick TAT needs		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Sampling Company provided.		
Samples received within 48 hours of sampling.		
Samples requiring field filtration have been filtered in the field.		
Chlorine Residual checked.		




APPENDIX D

Historical and Current Summary of VOCs in Groundwater

**MONITORING WELL MW-2
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	< 10	< 10	29	< 10	<10
1/5/2006	< 25	< 25	< 25	16	< 25	< 25
4/14/2006	< 25	< 25	< 25	27	< 25	< 25
7/10/2006	< 25	< 25	< 25	23	< 25	< 25
10/19/2006	< 5	< 5	< 5	20	< 5	< 5
1/9/2007	< 5	< 5	< 5	42	< 5	< 5
4/16/2007	< 20	< 20	< 20	45	< 20	< 20
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/15/2007	< 5	< 5	< 5	19	< 5	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	0.48	< 5	23	1	< 5
7/1/2008	< 5	< 5	< 5	46	0.65	< 5
10/1/2008	< 5	< 5	< 5	21	< 5	< 5
1/20/2009	< 5	0	< 5	16	< 5	< 5
4/15/2009	< 5	0	< 5	14	< 5	< 5
7/22/2009	< 5	< 5	< 5	12	< 5	< 5
10/12/2009	< 5	< 5	< 5	12	< 5	< 5
1/18/2010	< 25	< 25	< 25	18	< 25	< 25
4/7/2010	< 25	< 25	< 25	21	< 25	< 25
7/12/2010	< 25	< 25	< 25	14	< 25	< 25
10/11/2010	350	25	< 25	13	< 25	< 25
1/12/2011	<1	<1	<1	10	<1	<1
4/4/2011	<1	<1	<1	5.4	<1	<1
7/25/2011	<1	<1	<1	4.5	<1	<1
10/3/2011	<1	<1	<1	2.1	<1	<1
1/11/2012	<1	<1	<1	2	<1	<1
4/2/2012	<1	<1	<1	5.8	<1	<1
7/5/2012	<1	<1	<1	6.3	<1	<1
10/11/2012	<1	<1	<1	2.4	<1	<1
4/1/2013	<1	<1	<1	8.8	<1	<1
7/1/2013	<1	<1	<1	3.6	<1	<1
10/9/2013	<1	<1	<1	3.9	<1	<1
1/21/2014	<1	<1	<1	1.9	0.67	<1
4/7/2014	<1	<1	<1	0.68	<1	<1
7/16/2014	<1	<1	<1	0.94	<1	<1
10/14/2014	<1	<1	<1	1.1	<1	<1


MONITORING WELL MW-2
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



**MONITORING WELL MW-3
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	4	22	16	8	<10
1/5/2006	< 25	4.4	4.6	< 25	10	< 25
4/14/2006	< 25	< 25	< 25	2.8	4.9	< 25
7/10/2006	< 25	2.6	6.5	4.8	7	< 25
10/18/2006	< 5	1.3	9.8	8.2	4.3	< 5
1/10/2007	< 5	2.8	9.8	12	7	< 5
4/16/2007	< 20	< 20	< 20	< 20	5.3	< 20
7/2/2007	< 5	2	5.7	< 5	7.5	< 5
10/17/2007	5	12	4	25	14	25
1/9/2008	< 5	0.9	4.2	1.2	9.7	<5
4/3/2008	<5	3	19	4.1	11	<5
7/1/2008	<5	2	15	6	5.3	<5
10/1/2008	<5	3.2	73	16	8.4	<5
1/21/2009	<5	4.5	21	3.6	17	<5
4/15/2009	<5	1.3	6	1.4	6.9	<5
7/22/2009	<5	2.5	23	4.5	10	<5
10/12/2009	<5	2.5	23	4.5	10	<5
1/18/2010	<5	3.4	31	4.6	15	<5
4/7/2010	<5	1.7	4.6	<5	10	<5
7/13/2010	<5	2.6	20	4.5	7.7	<5
10/11/2010	<5	3.2	55	7.2	12	<5
1/12/2011	<1	2.8	38	9.4	8.4	<1
4/4/2011	<1	3.1	19	4.2	11	<1
7/26/2011	<1	0.98	9.1	1.5	1.8	<1
10/3/2011	<1	1.1	18	4.4	1.2	<1
1/13/2012	<1	2.5	13	2.5	11	<1
4/2/2012	<1	<1	<1	<1	7.9	<1
7/5/2012	<1	2.7	7.2	5.6	4.9	<1
10/11/2012	<1	2.8	44	9.5	6.6	<1
4/1/2013	<1	1.3	4	<1	9.6	<1
7/1/2013	<1	3.5	10	3.6	10	<1
10/10/2013	<1	3.3	9.1	3.8	7.9	<1
1/21/2014	<1	2.3	2.3	<1	6.9	<1
4/7/2014	<1	1.5	2.5	0.82	8.9	<1
7/17/2014	<1	2.4	7.8	1.7	8.1	<1
10/14/2014	<1	0.93	20	4.3	2	<1


**MONITORING WELL MW-3
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**



**MONITORING WELL MW-4
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	270	9,100	3,700	< 10	320	28
10/13/2004	8,100	26,000	3,300	< 1000	560	220
1/7/2005	20,000	57,000	5,500	< 2000	1,600	4,400
1/6/2006	6,500	22,000	1,000	< 2000	370	520
4/14/2006	3,200	6,800	280	<500	120	<500
7/10/2006	2,400	7,600	250	<500	120	68
10/18/2006	2,600	9,800	600	<5	130	52
1/10/2007	2,800	4,500	220	<400	56	66
4/17/2007	4,900	6,200	360	<500	<500	<500
7/3/2007	1,100	2,900	260	<200	37	<200
10/17/2007	4,800	5,800	280	<500	68	460
1/9/2008	9,200	21,000	1,700	<500	320	660
4/3/2008	5,800	16,000	940	<1200	250	400
7/2/2008	500	6,600	530	<500	120	57
10/2/2008	6,300	16,000	1,200	<500	260	210
1/22/2009	1,800	27,000	1,800	72	520	970
4/15/2009	4,100	7,600	710	<200	160	380
7/22/2009	2,300	4,700	410	<250	<250	110
1/19/2010	7,400	1,100	670	<1000	230	410
4/8/2010	3,000	7,200	560	<500	110	<500
10/11/2010	7,800	43,000	3,000	<4,000	790	<4,000
4/6/2011	13,000	39,000	3,500	<40	700	45
10/4/2011	17,000	97,000	5,700	71	1700	<1
4/3/2012	39,000	120,000	9,400	<200	2000	<200
7/6/2012	15,000	78,000	6,200	<1000	990	<1000
1/21/2013	40,000	95,000	5,100	100	1600	98
4/2/2013	12,000	57,000	480	<40	850	<40
7/1/2013	14,000	58,000	300	<100	700	<100
4/7/2014	32,000	69,000	3,900	<1000	880	<1000
10/14/2014	32,000	62,000	3,500	<1000	880	<1000

**MONITORING WELL MW-4
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

**MONITORING WELL MW-6
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	< 10	< 10	< 10	< 10	< 10	< 6
10/12/2004	< 10	< 10	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/14/2005	< 10	< 10	< 10	< 10	< 10	< 10
7/21/2005	< 5	< 5	< 5	< 5	< 5	< 5
10/4/2005	< 5	< 5	< 5	< 5	< 5	< 5
1/5/2006	< 5	< 5	< 5	< 5	< 5	< 5
4/14/2006	< 5	< 5	< 5	< 5	< 5	< 5
7/10/2006	< 5	< 5	< 5	< 5	< 5	< 5
10/18/2006	< 5	< 5	< 5	< 5	< 5	< 5
1/10/2007	< 5	< 5	< 5	< 5	< 5	< 5
4/16/2007	< 5	< 5	< 5	< 5	< 5	< 5
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/17/2007	0.63	1.4	< 5	< 5	< 5	< 5
1/8/2008	<5	<5	<5	<5	<5	<5
4/3/2008	<5	0.42	<5	<5	<5	<5
7/1/2008	<5	<5	<5	<5	<5	<5
10/1/2008	<5	<5	<5	<5	<5	<5
1/20/2009	<5	<5	<5	<5	<5	<5
4/15/2009	<5	<5	<5	<5	<5	<5
7/21/2009	<5	<5	<5	<5	<5	<5
10/13/2009	<5	<5	<5	<5	<5	<5
1/18/2010	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
7/13/2010	<5	<5	<5	<5	<5	<5
10/11/2010	<5	<5	<5	<5	<5	<5
1/12/2011	<1	<1	<1	<1	<1	<1
4/4/2011	<1	<1	<1	<1	<1	<1
7/26/2011	<1	<1	<1	<1	<1	<1
1/12/2012	<1	<1	<1	<1	<1	<1
4/2/2012	<1	<1	<1	<1	<1	<1
7/5/2012	<1	<1	<1	<1	<1	<1
10/11/2012	<1	<1	<1	<1	<1	<1
1/21/2013	<1	<1	<1	<1	<1	<1
4/1/2013	<1	<1	<1	<1	<1	<1
7/1/2013	<1	<1	<1	<1	<1	<1
10/10/2013	<1	<1	<1	<1	<1	<1
1/22/2014	<1	<1	<1	<1	<1	<1
4/7/2014	<1	<1	<1	<1	<1	<1
7/17/2014	<1	<1	<1	<1	<1	<1
10/14/2014	<1	<1	<1	<1	<1	<1

MONITORING WELL MW-6
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Trend Plot



**MONITORING WELL MW-8R
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/13/2004	35,000	22,000	3,400	160	< 5,000	810
1/7/2005	23,000	28,000	4,000	< 2,000	1,100	1,300
4/14/2005	15,000	11,000	1,300	380	360	240
7/21/2005	9,200	6,200	600	390	200	52
10/5/2005	13,000	10,000	830	< 1,000	300	<1,000
1/6/2006	42,000	38,000	2,300	150	1100	820
4/14/2006	14,000	7,400	1,200	220	200	< 1,000
7/10/2006	16,000	13,000	2,200	300	320	< 1,000
10/18/2006	13,000	8,900	1,400	300	200	32
1/10/2007	1,600	2,500	120	24	52	26
4/17/2007	19,000	11,000	670	< 1,000	< 1,000	< 1,000
7/3/2007	29,000	12,000	890	< 1,000	290	< 1,000
10/15/2007	2,200	1,600	60	< 200	33	< 200
1/8/2008	38,000	22,000	2,000	76	620	740
4/3/2008	12,000	8,100	820	77	140	72
7/2/2008	7,400	6,000	790	100	130	72
10/2/2008	22,000	15,000	1,200	70	320	340
1/22/2009	8,400	4,600	510	56	76	<100
4/15/2009	13,000	6,800	700	49	99	27
10/13/2009	13,000	6,800	700	49	99	27
4/8/2010	2,500	1,300	84	<100	19	<100
7/12/2010	19,000	14,000	1,000	64	160	<100
1/12/2011	99,000	54,000	2,500	<2000	<2000	<2000
4/6/2011	89,000	49,000	2,500	<800	470	<800
7/26/2011	36,000	26,000	<800	80	510	1.2
10/4/2011	33,000	21,000	<400	<400	560	<400
1/13/2012	99,000	56,000	2,700	<800	520	<800
4/3/2012	99,000	54,000	2,600	<2000	<2000	<2000
10/12/2012	89,000	48,000	2,000	<800	340	<800
4/2/2013	64,000	37,000	1,900	<1000	<1000	<1000
10/10/2013	100,000	57,000	2,700	<1000	<1000	<1000
4/7/2014	100,000	56,000	1,900	<1000	<1000	<1000
7/17/2014	110,000	58,000	2,300	<1000	<1000	<1000

MONITORING WELL MW-8R
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

**MONITORING WELL MW-9
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**


Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	6	21	140	130	60	< 10
10/13/2004	< 10	4	190	110	47	< 10
1/6/2005	< 10	19	220	180	90	< 10
4/14/2005	< 10	5	51	190	80	< 10
7/21/2005	< 5	2	92	220	70	< 5
10/5/2005	< 5	8	38	58	96	0.68
7/10/2006	1.3	56	250	280	150	< 5
10/17/2007	2.6	60	170	410	140	< 25
1/21/2009	<5	59	87	33	140	0.81
4/7/2010	<5	17	19	16	99	< 5
4/4/2011	<1	21	34	17	78	<1
4/2/2012	<1	19	1.8	1.5	90	<1
4/1/2013	<1	16	17	5.9	62	<1
4/7/2014	<1	21	75	22	73	<1

**MONITORING WELL MW-9
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Trend Plot



MONITORING WELL MW-10
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




**MONITORING WELL MW-11
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	7	< 10	33	3	< 10
1/5/2006	2.2	6.7	3.9	31	6.7	<20
4/14/2006	< 20	9	4	16	4.1	< 20
7/10/2006	< 20	7.8	3.9	23	3.6	< 20
10/19/2006	6.8	23	7.9	25	5.7	1.7
1/9/2007	2.6	31	6.7	38	8.5	2.3
4/16/2007	0.89	9.8	4.1	22	3.4	<5
7/2/2007	< 5	13	6.1	< 5	4.8	0.84
10/16/2007	0.71	27	11	27	8.6	1.7
1/8/2008	1.1	38	18	29	12	3.4
4/2/2008	0.49	30	4.3	16	7.4	1.6
7/1/2008	1	42	14	32	11	2.8
10/2/2008	0.81	42	13	23	10	2.4
1/20/2009	0.77	36	11	16	8.7	1.9
4/14/2009	0.95	45	17	21	11	3
7/22/2009	0.69	37	9.9	16	<5	2
10/13/2009	0.69	37	9.9	16	<5	2
1/18/2010	0.77	51	1.7	25	13	2.9
4/7/2010	0.95	60	17	25	13	2.4
7/12/2010	1	65	18	21	13	2.6
10/11/2010	0.8	63	21	15	16	2.2
4/5/2011	1.2	64	14	20	12	4.6
7/25/2011	<1	45	21	9.5	13	1.5
10/3/2011	<1	69	23	10	16	2.6
1/12/2012	<1	33	16	5.4	9.8	0.88
4/2/2012	0.51	39	17	9.1	9.8	1.2
7/5/2012	<1	38	19	5	12	1.9
10/11/2012	<1	36	16	6.6	9.3	1.1
1/21/2013	<1	23	6	8.2	0.64	<1
7/1/2013	0.46	55	20	21	13	1.4
10/9/2013	<1	27	14	5.5	6.9	<1
1/21/2014	<1	38	13	3.8	9.4	0.85
4/7/2014	<1	26	4.3	2.3	7.1	<1
7/16/2014	<1	36	14	4.5	8.8	1.4
10/14/2014	<1	25	9.8	2.5	6.1	<1

**MONITORING WELL MW-11
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Trend Plot




**MONITORING WELL MW-12
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/12/2004	13	3	24	52	4	< 10
1/6/2005	< 10	< 10	39	82	6	< 10
4/14/2005	< 10	< 10	5	170	4	< 10
7/21/2005	< 5	< 5	14	87	3	<
10/5/2005	< 5	< 5	1.2	78	0.43	< 5
1/5/2006	< 25	< 25	7.2	43	5.8	< 25
4/14/2006	< 25	< 25	6.3	28	6.9	< 25
7/10/2006	< 25	< 25	15	69	5	< 25
1/9/2007	< 5	< 5	0.83	38	< 5	< 5
4/16/2007	< 20	< 20	< 20	29	< 20	< 20
7/2/2007	< 5	< 5	45	82	4.6	< 5
10/15/2007	< 5	< 5	42	87	5.2	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	< 5	< 5	23	< 5	< 5
7/1/2008	< 5	< 5	0.64	14	0.55	< 5
10/1/2008	< 5	< 5	7.8	20	2.1	< 5
4/14/2009	< 5	< 5	6.8	23	< 5	< 5
7/22/2009	< 5	< 5	3.6	9.2	0.79	< 5
10/12/2009	< 5	< 5	3.6	9.2	0.79	< 5
1/18/2010	< 5	< 5	3.6	33	< 5	< 5
4/7/2010	< 5	< 5	< 5	23	< 5	< 5
7/13/2010	< 5	< 5	6.4	26	< 5	< 5
10/11/2010	< 5	< 5	8.1	33	< 5	< 5
1/12/2011	< 1	< 1	1.3	36	< 1	< 1
4/4/2011	< 1	< 1	1.1	22	< 1	< 1
7/26/2011	< 1	< 1	8.9	23	< 1	< 1
10/4/2011	< 1	< 1	3.9	21	< 1	< 1
1/12/2012	< 1	< 1	1.4	19	< 1	< 1
4/2/2012	< 1	< 1	< 1	17	< 1	< 1
10/11/2012	< 1	< 1	2.1	20	0.49	< 1
1/21/2013	< 1	< 1	< 1	38	< 1	< 1
4/1/2013	< 1	< 1	1.1	22	< 1	< 1
7/1/2013	< 1	< 1	6.6	38	< 1	< 1
10/10/2013	< 1	< 1	0.95	16	< 1	< 1
4/7/2014	< 1	< 1	1.2	11	< 1	< 1
7/17/2014	< 1	< 1	3.3	9.4	< 1	< 1
10/14/2014	< 1	< 1	7.1	12	< 1	< 1

MONITORING WELL MW-12
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Trend Plot



**PIEZOMETER MW-13D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	17	2	< 10	< 10	< 10	< 10
10/12/2004	7	2	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/15/2005	8	4	< 10	< 10	< 10	< 10
7/20/2005	1	2	< 5	< 5	< 5	< 5
10/4/2005	1.4	1.5	< 5	< 5	< 5	< 5
7/10/2006	2	1.6	2.6	< 5	< 5	< 5
10/18/2007	<5	0.55	1.1	< 5	< 5	< 5
1/20/2009	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
4/6/2011	22	23	<1	<1	<1	<1
4/3/2012	62	89	2.3	<1	<1	<1
4/1/2013	53	44	2.9	<1	<1	<1
4/7/2014	30	28	1.9	<1	<1	<1


MONITORING WELL MW-13D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



**PIEZOMETER MW-13S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	10,000	9,000	320	< 100	< 100	< 100
10/12/2004	2,100	2,300	< 200	< 200	< 200	56
1/6/2005	10,000	9,400	720	< 200	75	62
4/15/2005	760	700	28	< 50	9	20
7/20/2005	870	990	37	< 40	16	49
10/4/2005	410	280	9.1	< 40	< 40	3.4
7/10/2006	17,000	9,400	300	9	65	88
10/19/2006	1,300	1,700	50	<100	19	36
1/10/2007	1,500	1,800	58	<100	24	41
4/17/2007	4,400	2,200	90	< 250	< 250	250
7/3/2007	220	410	11	< 25	5.7	7.2
10/18/2007	570	800	14	< 25	8.5	15
1/9/2008	1800	2300	330	7.3	32	68
4/3/2008	580	610	21	<50	8.5	9.5
7/2/2008	1,800	1,500	38	<120	14	13
10/2/2008	5,800	5,000	190	<120	36	27
1/20/2009	3,400	2,500	150	<10	30	28
4/15/2009	3,400	3,700	290	<40	<40	30
10/13/2009	3,400	3,700	290	<40	<40	30
4/7/2010	1,400	1,600	45	<50	16	10
7/13/2010	400	870	30	<50	7.9	<50
1/12/2011	39,000	25,000	<500	9.4	19	<1
4/6/2011	40,000	23,000	<800	4.7	<800	<800
7/2/2011	31,000	19,000	<800	2.9	95	2.9
1/13/2012	53,000	30,000	770	<800	1400	<800
4/3/2012	39,000	21,000	320	3.7	110	<1
10/12/2012	41,000	24,000	<800	<800	<800	<800
4/2/2013	40,000	22,000	140	3.9	100	<1
10/10/2013	49,000	31,000	<1	<1	<1	<1
4/7/2014	32,000	18,000	<500	<500	<500	<500
7/17/2014	33,000	17,000	<500	<500	<500	<500


MONITORING WELL MW-13S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



**PIEZOMETER MW-14D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	8	< 10	4	< 10	< 10
10/12/2004	4	4	< 10	< 10	< 10	< 10
1/6/2005	20	190	45	3	8	2
4/15/2005	10	140	18	6	4	< 10
7/20/2005	26	200	31	4	7	2
10/5/2005	< 10	460	42	7.2	9.9	<10
7/10/2006	0.96	7.2	12	0.82	< 5	< 5
10/15/2007	< 5	47	66	1.8	2.2	< 5
1/21/2009	<5	2	1.4	0.91	1.3	<5
4/8/2010	9.4	99	21	1.5	2	<5
4/5/2011	0.97	5.6	2.6	1.5	<1	<1
4/2/2012	0.64	13	9.9	<1	0.44	<1
4/1/2013	0.99	28	19	4.6	21	<1
4/7/2014	<1	28	17	<1	0.82	<1

MONITORING WELL MW-14D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




**PIEZOMETER MW-14S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	78	290	530	80	< 20
10/12/2004	< 10	100	140	640	94	< 10
1/6/2005	< 10	59	22	82	48	< 10
4/15/2005	< 10	35	15	180	27	< 10
7/20/2005	< 5	39	36	76	42	< 5
10/5/2005	< 5	35	59	160	56	<5
7/10/2006	5.7	17	13	36	20	< 25
10/15/2007	< 5	63	16	5.7	52	1.3
1/21/2009	0.38	36	7.9	0.87	33	0.63
4/8/2010	< 5	4	< 5	0.62	5.9	<5
4/5/2011	< 1	1.1	<1	<1	1.9	<1
4/2/2012	1.3	30	21	11	27	<1
4/1/2013	<1	<1	<1	<1	<1	<1
4/7/2014	<1	25	19	14	19	<1

MONITORING WELL MW-14S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Trend Plot



**PIEZOMETER MW-15D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	740	180	180	120	< 10
10/12/2004	14	730	150	120	120	< 50
1/7/2005	18	590	200	140	100	< 50
4/15/2005	< 50	460	170	1,400	150	< 50
7/21/2005	15	610	230	1,200	190	< 25
10/5/2005	10	520	260	1,000	180	<50
7/10/2006	4.9	280	320	1,400	140	< 5
10/16/2007	3.6	210	99	620	66	< 5
1/21/2009	<25	22	32	1000	<25	<25
4/8/2010	<5	1700	19	<5	12	<5
4/5/2011	<8	38	26	400	13	<8
4/3/2012	<10	<10	<10	900	<10	<10
4/1/2013	<8	<8	240	1400	16	<8
4/7/2014	<20	<20	<20	1200	<20	<20

**MONITORING WELL MW-15D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**




PIEZOMETER MW-15S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	280	1,700	770	240	1,500	< 250
10/12/2004	460	2,300	940	170	1,700	< 250
1/7/2005	340	2,000	760	170	1,300	< 250
4/15/2005	400	2,000	790	700	1,400	< 200
7/21/2005	430	2,600	1,000	490	1,800	< 120
10/5/2005	330	2,700	750	330	1,400	<100
7/10/2006	400	3,800	1,500	100	2,600	< 25
10/16/2007	400	3400	1300	190	2000	< 200
1/21/2009	180	1300	360	240	840	<5
4/8/2010	270	1900	690	700	1400	<10
4/7/2011	200	1700	450	330	850	<1
4/3/2012	240	1400	540	360	1100	<1
4/1/2013	140	1100	420	560	780	<20
4/7/2014	160	1000	350	250	730	<20

**MONITORING WELL MW-15S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Trend Plot




**PIEZOMETER MW-16D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	6,900	490	< 500	< 500	< 500	< 500
10/12/2004	12,000	1,000	< 500	< 500	91	< 500
1/6/2005	9	27	39	22	15	< 10
4/15/2005	32	36	17	100	10	< 10
7/21/2005	25	12	4	84	2	< 10
10/5/2005	1.3	16	10	41	5	<5
7/10/2006	6.1	27	21	1,000	9.7	< 5
10/18/2007	6	48	39	250	16	< 20
1/22/2009	52	92	39	90	21	1.9
4/8/2010	12	6.9	3.6	240	8.7	< 10
4/7/2011	22	59	33	59	27	1.2
4/3/2012	42	66	46	110	35	<1
4/1/2013	57	2900	1100	190	260	<1
4/7/2014	<25	1700	390	110	99	<25

MONITORING WELL MW-16D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot



**PIEZOMETER MW-16S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	860,000	62,000	< 20,000	< 20,000	5,000	14,000
10/12/2004	200,000	46,000	< 10,000	< 10,000	2,900	< 10,000
1/7/2005	420,000	64,000	< 10,000	< 10,000	3,800	3,300
4/15/2005	400,000	71,000	< 25,000	< 25,000	< 25,000	< 25,000
7/21/2005	480,000	76,000	1,500	2,200	4,400	2,700
10/5/2005	440,000	74,000	< 25,000	< 25,000	4,100	< 25,000
1/6/2006	470,000	82,000	2,600	< 20,000	3,300	5,200
4/14/2006	260,000	56,000	3,900	< 20,000	2,600	< 20,000
7/10/2006	310,000	78,000	4,000	< 20,000	3,500	< 20,000
10/19/2006	77,000	22,000	1,300	< 5,000	940	< 5,000
1/10/2007	44,000	18,000	1,900	< 2,500	840	< 2,500
4/17/2007	94,000	36,000	3,300	1,800	1,500	< 5,000
7/3/2007	86,000	38,000	3,000	< 5,000	1,400	< 5,000
10/18/2007	130000	47000	2800	2600	1600	820
1/8/2008	67000	30000	3200	< 5000	1100	< 5000
4/3/2008	76,000	35,000	2,900	710	1,300	500
7/2/2008	58,000	26,000	2,400	570	830	<5000
10/2/2008	63,000	26,000	3,100	690	920	<5000
1/22/2009	92,000	51,000	4,200	730	1,800	490
4/15/2009	130,000	61,000	4,200	<2000	1,800	900
7/22/2009	87,000	45,000	3,000	650	1,500	740
1/19/2010	22,000	18,000	2,600	1,100	670	340
4/8/2010	220,000	99,000	6,800	1,100	3,000	2,000
10/11/2010	300,000	90,000	6,300	<20,000	3,100	5,000
4/7/2011	250,000	74,000	7,100	<4,000	<4,000	5,600
10/4/2011	190,000	67,000	3,700	<800	1,400	4,600
4/3/2012	250,000	84,000	8,400	960	1,700	4,900
7/6/2012	170,000	72,000	3,900	<2000	1,200	2,400
1/21/2013	240,000	79,000	9,300	2,900	2,200	7,200
7/1/2013	120,000	65,000	5,400	1,200	1,200	2,600
1/22/2014	110,000	43,000	3,700	<2,000	830	2,700
4/7/2014	61,000	24,000	1,600	<1000	500	1,000
10/14/2014	170,000	51,000	3,800	360	980	3,500

MONITORING WELL MW-16S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot

