AECOM
257 West Genesee Street, Suite 400
Buffalo, New York 14202

716-856-5636 tel
716-856-2545 fax

November 20, 2015

Mr. Glenn May
New York State Department of Environmental Conservation, Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999

Subject: **Fourth Quarter 2015 Groundwater Monitoring Report (7/24/15 – 10/26/15)**
October 2015 Sampling Event
Former Scott Aviation Facility – West of Plant 2
Lancaster, New York
NYSDEC Site Code No. 9-15-149

Dear Mr. May:

On behalf of Scott Figgie LLC (successor to Scott Technologies, Inc.), AECOM Technical Services, Inc. (AECOM) is pleased to provide this Fourth Quarter 2015 Groundwater Monitoring Report for the former Scott Aviation Facility – West of Plant 2 area (site) located in Lancaster, New York (**Figure 1**). Quarterly groundwater monitoring activities have been performed in accordance with the New York State Department of Environmental Conservation (NYSDEC) Administrative Order on Consent (AOC), Index No. B9-0377095-05, for the former Scott Aviation facility (formerly Figgie International), NYSDEC Site Code No. 9-15-149. This report has been developed in accordance with the NYSDEC Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Groundwater samples were collected from select monitoring wells in fulfillment of the site AOC groundwater monitoring requirements. A new monitoring schedule was implemented based on Table 10 presented in the Periodic Review Report (PRR) (April 7, 2014 through April 7, 2015), dated July 2015, and the wells sampled during this groundwater monitoring event reflect this schedule (with the addition of wells for monitoring the performance of the November 2014 injection pilot study as discussed below). Additionally, a vapor sample was collected from the air stripper discharge sampling port as part of the October 2015 sampling event, to ensure that the treated system effluent was in compliance with NYSDEC vapor discharge guidance criteria. Included in this report are a description of the project background, groundwater and vapor monitoring activities, operation and maintenance (O&M) activities for the groundwater dual phase extraction (DPE) remediation system, and a summary of groundwater quality and vapor effluent results.

Project Background

Scott Aviation, Inc. was sold to Zodiac Acquisitions Corporation in 2004, and the facility is now occupied by AVOX Systems Inc. (AVOX). Responsibility for the DPE groundwater remediation system located at 25A Walter Winter Drive, west of AVOX Plant 2, was retained by Scott Technologies, Inc., the former parent company of Scott Aviation, Inc. Due to an organizational change, Scott Figgie LLC has replaced Scott Technologies, Inc. as the entity responsible for the remediation of the subject site. Scott Figgie has retained the services of AECOM for the ongoing O&M of the DPE remediation system and related groundwater monitoring activities.

AECOM conducted a site investigation during February 2003 in fulfillment of the document "Site Investigation Work Plan" dated December 31, 2002 (NYSDEC approval dated January 15, 2003). A comprehensive "Site Investigation Completion Report" (SICR) was submitted to NYSDEC on June 30, 2003; the report was approved by NYSDEC in August 2003. At the request of NYSDEC, AECOM prepared a "Remedial Design Work Plan" (RDWP) to complete the additional remedial work recommended in the SICR. The RDWP was submitted to NYSDEC on November 21, 2003, and the document was approved by NYSDEC on January 5, 2004.

Per the approved RDWP, a DPE remediation system was installed at the site during the period February 2004 through May 2004, and the DPE system was initially started on May 14, 2004. The DPE system was combined with a pre-existing groundwater collection trench (GWCT) system that was started on March 1, 1996.

The objectives for this combined remediation system (collectively known as the combined DPE remediation system) include:

- Maintaining hydraulic capture of groundwater containing dissolved volatile organic compounds (VOCs) along the western Plant 2 property boundary;
- Inducing a depression in the water table surface and reversing the groundwater flow direction along the western Plant 2 property boundary; and,
- Reducing VOC concentrations in perched groundwater and soil.

Figure 2 depicts the location of site groundwater monitoring wells and piezometers, DPE recovery wells and system piping, enclosed DPE system trailer, and pre-existing GWCT and treatment building. **Figure 3** provides the process and instrumentation diagram for the combined DPE remediation system.

At the conclusion of the initial one-year O&M period (May 14, 2004 to July 19, 2005), a "Remedial Action Engineering Report" (RAER) was prepared to summarize the combined DPE remediation system as-built design, combined DPE remediation system start-up, O&M activities, and quarterly monitoring data, and to provide recommendations for continued system operation, system optimization, sampling frequency, and O&M. The 2005 RAER was submitted to NYSDEC on November 11, 2005. In a letter dated December 13, 2005, NYSDEC accepted the 2005 RAER and requested that site monitoring wells MW-4, MW-8R, and MW-16S be added to the quarterly site sampling schedule.

The second year of combined DPE groundwater remediation system operation was summarized in the 2006 RAER (July 20, 2005 through July 20, 2006) and was submitted to NYSDEC in November 2006. The third year of combined DPE groundwater remediation system operation was summarized in the 2007 RAER (July 21, 2006 through October 15, 2007) and was submitted to NYSDEC in January 2008. The fourth year of combined DPE groundwater remediation system operation was summarized in the 2008 RAER (October 15, 2007 through January 22, 2009) and was submitted to NYSDEC in April 2009. The fifth year of combined DPE groundwater remediation system operation was summarized in the 2009 RAER (January 22, 2009 through April 8, 2010) and was submitted to NYSDEC in June 2010.

Per a letter from NYSDEC dated August 16, 2010, an Institutional Controls/Engineering Controls (IC/EC) certification will, as of that correspondence, be required for the site each calendar year, and it is to include four quarters of groundwater sampling based on the attached **Table 1** (Table 1 is updated quarterly; the attached Table 1 presents the groundwater monitoring schedule for the site from October 2015 through July 2016). The August 2010 NYSDEC letter also stated that, as of that correspondence, the RAER should be revised into a PRR. Therefore, the sixth year of combined

DPE groundwater remediation system operation was summarized in a PRR (April 8, 2010 through April 7, 2011) and submitted to NYSDEC in June 2011. The seventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2011 through April 3, 2012) and submitted to NYSDEC in May 2012. The eighth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2012 through April 3, 2013) and submitted to NYSDEC in July 2013. The ninth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2013 through April 7, 2014) and submitted to NYSDEC in July 2014. During the past year, the tenth PRR (April 7, 2014 through April 7, 2015) was completed and submitted to NYSDEC on July 30, 2015. An IC/EC certification was included with each PRR with the exception of the most recent PRR; NYSDEC informed AECOM via email on July 22, 2015, that an IC/EC was not auto-generated and to submit the tenth PRR without an EC/IC certification.

Quarterly Groundwater Monitoring Activities – October 2015

AECOM personnel collected quarterly groundwater samples on October 19-26, 2015, in accordance with the procedures outlined in the NYSDEC-approved November 2003 RDWP and the August 2010 letter. Monitoring wells sampled in October 2015 included MW-2, MW-3, MW-4, MW-6, MW-8R, MW-10, MW-11, MW-12, MW-13S, MW-13D, MW-16S, and MW-16D (**Figure 2**). Note: the GWCT manhole and five DPE wells were also sampled and included DPE-3, DPE-4, DPE-5, DPE-7, and DPE-8. Field forms generated during this sampling event are provided in **Appendix A** (note grab samples were collected from the DPE wells and the GWCT; they are not included in Appendix A). Groundwater samples were analyzed for VOCs by TestAmerica Laboratories, Inc. (Amherst, New York) using United States Environmental Protection Agency (EPA) SW-846 Method 8260C.

Prior to the collection of groundwater samples, a complete round of groundwater levels was measured in all site wells and piezometers. **Table 2** provides a summary of groundwater elevations measured on October 19, 2015. A summary of current and historical groundwater levels and corresponding elevations and hydrographs for each monitoring well and nested piezometer pair is provided in **Appendix B**. Monitoring wells MW-2, MW-3, MW-4, MW-6, MW-8R, MW-9, MW-10, and MW-11, and MW-12 are screened across both the shallow and deep overburden groundwater zones. The nested piezometer pairs (MW-13S/D, MW-14S/D, MW-15S/D, and MW-16S/D) are discretely screened with one piezometer screened in the shallow overburden groundwater zone ('S' designation) and one piezometer screened in the deep overburden groundwater zone ('D' designation). **Figure 4** provides the groundwater surface contours and the corresponding groundwater flow direction using monitoring well and deep piezometer water elevation data collected on October 19, 2015.

Groundwater elevations measured on October 19, 2015 ranged from 685.32 feet above mean sea level (AMSL) at MW-15S to 679.9 feet AMSL at MW-11. The average groundwater surface elevation across the site was 2.08 feet higher when compared to the prior round of groundwater elevation measurements collected in July 2015. The DPE system was not running during the October 2015 sampling event or during the 11 months prior to that event. Based on the October 2015 water level measurements, the groundwater surface beneath the site exhibits inward flow towards the GWCT. As **Figure 4** illustrates, the GWCT induces groundwater flow reversal along the western AVOX Plant 2 property boundary. This reversal in groundwater flow provides hydraulic capture of VOCs present in the overburden groundwater that might otherwise migrate off-site.

Groundwater Quality Results – October 2015

Table 3 summarizes VOC data for groundwater samples collected in October 2015 from the monitoring wells, nested piezometer pairs, DPE wells, and GWCT. The table below summarizes

VOCs detected in groundwater above their detection limits, their respective concentration ranges, the number of detections, and the number of those detections that exceeded the site-specific Remedial Action Objectives (RAOs) or the New York Code of Rules and Regulations (NYCRR), Title 6, Parts 702.15(a)(2) and 703.5. Note that in some cases the detection limits for certain VOCs were set above their respective RAO's due to dilution factors (high concentration of target analyte[s]). Note, consistent with previous quarterly reports, the table below summarizes only monitoring wells and piezometers (DPE wells and GWCT results are not included).

Groundwater Quality Results
October 2015

VOCs Detected in Groundwater	Concentration Range (micrograms per liter)	Number of Detections	RAO/NYCRR Exceedances
Vinyl Chloride	3.9 – 10,000	9	8
cis-1,2-Dichloroethene	1.3 – 290,000	9	6
1,1-Dichloroethane	1.5 - 560	7	5
2-Butanone (MEK)	210 – 2,300	4	4
Acetone	65 - 840	4	4
Chloroethane	5.7 - 46	4	4
Toluene	18 - 65	2	2
trans-1,2-Dichloroethene	33	1	1
1,1-Dichloroethene	10	1	1
Benzene	1.1	1	1

Ten VOCs were detected in groundwater from monitoring wells and piezometers sampled above their associated detection limit during the monitoring period. Ten of the ten VOCs detected exceeded either the site-specific RAOs for groundwater or the NYCRR criteria; note that two laboratory cleaning compounds, acetone and 2-Butanone), were detected in four of the ten samples. The occurrences of COCs were detected primarily in the vicinity of the former on-site source area, and VOC concentrations decrease significantly in the vicinity of the perimeter monitoring wells.

An electronic copy of the analytical laboratory data package for the October 2015 groundwater monitoring event is provided in **Appendix C**. A complete hard copy of the analytical data report can be made available to NYSDEC upon request.

The lack of trichloroethene (TCE) and 1,1,1-trichloroethane (1,1,1-TCA) in the groundwater samples and the presence and distribution of TCE daughter products cis-1,2-dichlorethene (cis-1,2-DCE) and vinyl chloride (VC), and 1,1,1- TCA daughter products 1,1-dichlorethane (1,1-DCA) and chloroethane, provides supportive evidence that the attenuation of TCE and 1,1,1-TCA and its daughter products continues to occur on the site, via reductive dechlorination. The occurrence of these daughter products appears to be directly related to the historic distribution of TCE and 1,1,1-TCA in the subsurface. In addition, the large drop in TCE and 1,1,1-TCA concentrations between third quarter 2015 and the current reporting period can be attributed to the injection pilot test performed in November 2014 and in April/May 2015 using the injectate Anaerobic BioChem and zero valent iron (ABC+®) (refer to the approved 2014 Injection Pilot Test Work Plan dated November 6, 2014 and approved 2015 addendum to the 2014 Injection Pilot Test Work Plan dated April 28, 2015 for details of the injection program).

Historical trend plots for the wells sampled during this quarter for concentrations of TCE, cis-1,2-DCE, VC, 1,1,1-TCA, 1,1-DCA, and chloroethane are provided in **Appendix D**. As stated above, the VOC concentrations in groundwater continue to show a degradation trend as a result of naturally occurring reductive dechlorination processes, and as a result of the injection pilot test. Additionally, historical concentrations of VOCs in soil vapor and groundwater are also decreasing as a result of extraction and treatment through the combined DPE remediation system. Because TCE is considered the primary source of groundwater contamination at the site, a summary of historical and current TCE concentrations in groundwater for the nine monitoring wells and piezometers sampled in October 2015 is included in **Table 4**. Recall that the DPE component of the combined remediation system was started May 14, 2004 and the injection of ABC+® occurred in November 2014 and April/May 2015. In addition, a chemical oxidation injection pilot test was performed between July and October 2010, and a second series of chemical oxidation injections was performed between June and October 2011.

During this quarterly groundwater monitoring period, and consistent with previous monitoring periods, TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, MW-6, MW-10, MW-11 and MW-12.

Table 4 shows a summary of historical and current TCE concentrations. Based on the October 2015 groundwater data, there were decreases in TCE concentration at the four monitoring wells located in the center of the plume from the previous time these wells were sampled (i.e., July 2015). It is important to note that the November 2014 injections were centered on MW-4 and MW-8R while the April/May 2015 injections included an expanded area which also included MW-13S/D and MW-16S/D. Overall, decreases in TCE concentrations observed since the combined DPE groundwater remediation system was installed in May 2004 indicates the system continues to reduce VOC concentrations in overburden groundwater and soil at the site.

Quarterly Combined DPE Remediation System Vapor Effluent Monitoring Activities – October 2015

AECOM personnel collected vapor effluent samples from the combined groundwater remediation system vapor discharge stacks on October 19, 2015. Note the DPE system was not operational during this sampling event due to the injection pilot test and, therefore, a vapor sample was not collected from the liquid ring pump (LRP) effluent stack. A Summa canister was used to collect the vapor sample from the permanent sample port located on the air stripper (AS) discharge stack. **Figure 3** shows the location of the vapor sample ports. The vapor sample was analyzed for VOCs using EPA Method TO-15 by TestAmerica Laboratories, Inc., Burlington, Vermont.

Combined DPE Remediation System Effluent Monitoring Results – October 2015

The system vapor effluent results are summarized in **Table 5**, and an electronic copy of the analytical laboratory data package is provided on the enclosed CD in **Appendix C** (complete hard copy available in AECOM's Buffalo, New York office). Seven VOCs were detected in the AS unit effluent. The total VOCs discharged were 18 micrograms per cubic meter in the AS unit effluent. The calculated VOC discharge-loading rate for the combined DPE remediation system was approximately 0.00001 pounds per hour (lb/hr), which is below the NYSDEC discharge guidance value of 0.5 lb/hr.

Combined DPE Remediation System Operation and Maintenance

During the reporting period, AECOM monitored system performance, conducted routine O&M, and responded to system alarms and periodic breakdowns of the combined DPE remediation system.

O&M activities conducted in addition to routine O&M activities during the monitoring period included the following:

- During the week of August 31, 2015, AECOM and AECOM's subcontractor Matrix Environmental Technologies, Inc. (Matrix) performed lime abatement.
- During the week of August 5, 7, 14, and 31, 2015, AECOM and Matrix trouble shot GWCT pump due to injectate.
- On August 31, 2015, Matrix disassembled and cleaned the air stripper and totalizer.

The DPE remediation system was intentionally left off throughout the monitoring period due to the April/May 2015 injection pilot test; the GWCT remained operational. Based on a system operational period from July 22, 2015 (third quarter groundwater sampling event) to October 19, 2015, the total combined DPE system runtime was 0 percent. Note: the GWCT runtime was approximately 100% during this period. During this operational period, the estimated total volume of groundwater treated and discharged by the AS unit to the local sanitary sewer was 60,792 gallons at an average flow rate of 0.47 gallons per minute.

Summary

Although the DPE system was down to accommodate the April/May 2015 injection pilot test, the GWCT was fully operational during Fourth Quarter 2015 groundwater sampling and monitoring activities that occurred on October 19-23, 2015. TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, MW-6, MW-10, MW-11, and MW-12. Since January 2015, following the November 2014 injection pilot test, very significant reductions in TCE concentrations have been measured at MW-4, MW-8R, MW-13S, and MW-16S.

Based on the results of the October 2015 sampling event, the GWCT continues to maintain hydraulic capture of the overburden groundwater. In addition, the system continues to make progress towards the reduction of the concentration of VOCs present in site soil and groundwater. Vapor emissions produced by the system during the Fourth Quarter 2015 were less than the NYSDEC discharge guidance value of 0.5 lb/hr.

The next monitoring event is scheduled for January 2016; a list of the monitoring wells and piezometers to be sampled is included in **Table 1**.

If you have any questions regarding this submission, please do not hesitate to contact me at (716) 923-1125 or via e-mail at dino.zack@aecom.com.

Yours sincerely,

Dino L. Zack, P.G.
Project Manager
dino.zack@aecom.com

\Enclosures

cc: Stuart Rixman, GSF Management Company LLC (Electronic copy)
Troy Chute, GSF Management Company LLC (Electronic copy)
Jennifer Davide, AVOX Systems Inc. (Electronic Copy)
AECOM Project 60314190 File (Electronic Copy)

TABLES

Table 1

Groundwater Monitoring Schedule - January 2016 through October 2016
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Event Date (Frequency)	Number of Wells/Piezometers Sampled	Wells/Piezometers Sampled			
January 2016 (Quarterly)	10	MW-2	MW-3	MW-4	MW-6
		MW-8R	MW-10	MW-11	MW-12
		MW-13S	MW-16S		
April 2016 (Annual)	17	MW-2	MW-3	MW-4	MW-6
		MW-8R	MW-9	MW-10	MW-11
		MW-12	MW-13S	MW-13D	MW-14S
		MW-14D	MW-15S	MW-15D	MW-16S
		MW-16D			
July 2016 (Quarterly)	10	MW-2	MW-3	MW-4	MW-6
		MW-8R	MW-10	MW-11	MW-12
		MW-13S	MW-16S		
October 2016 (Quarterly)	10	MW-2	MW-3	MW-4	MW-6
		MW-8R	MW-10	MW-11	MW-12
		MW-13S	MW-16S		

Notes:
Groundwater monitoring schedule revised per NYSDEC-approved addendum to the 2014 Injection Pilot Test Work Plan (AECOM, April 28, 2015).

Table 2

Quarterly Groundwater Monitoring Water Level Data - October 19, 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	690.35	5.79	684.56
MW-3	687.02	5.15	681.87
MW-4	686.42	4.59	681.83
MW-6	686.53	4.82	681.71
MW-8R	686.21	4.90	681.31
MW-9	688.64	7.06	681.58
MW-10	687.41	5.40	682.01
MW-11	688.65	8.75	679.90
MW-12	686.15	3.80	682.35
Nested Piezometers			
MW-13S	686.60	3.95	682.65
MW-13D	686.73	4.55	682.18
MW-14S	685.70	3.70	682.00
MW-14D	685.82	4.10	681.72
MW-15S	687.52	2.20	685.32
MW-15D	687.62	6.50	681.12
MW-16S	686.40	5.00	681.40
MW-16D	686.40	6.40	680.00
Remedial System			
GWCT Manhole (rim)	687.19	12.55	674.64

Notes:
TOC - Top of Casing
AMSL - Above Mean Sea Level

Table 3

Summary of October 2015 Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	MW-2		MW-3		MW-4		MW-6		MW-8R		MW-10		MW-11		MW-12		MW-13S	
Date Collected	RAO/ NYCRR	10/19/15		10/21/15		10/20/15		10/19/15		10/20/15		10/19/15		10/26/15		10/20/15		10/20/15	
Lab Sample ID	Objective	480-89674-1		480-89674-21		480-89674-13		480-89674-4		480-89674-14		480-89674-3		480-89840-1		480-89674-8		480-89674-9	
Volatile Organic Compounds by Method 8260 (µg/L)																			
1,1,1-Trichloroethane	5*	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	1.0	U	10	U
1,1-Dichloroethane	5*	1.0	U	**1.5**		**560**		1.0	U	**290**		1.0	U	**1.7**		1.0	U	**260**	
1,1-Dichloroethene	5	1.0	U	1.0	U	100	U	1.0	U	**10**	**J**	1.0	U	1.0	U	1.0	U	10	U
1,2-Dichloroethane	0.6	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	**0.23**	**J**	10	U
2-Butanone (MEK)	50	10	U	10	U	**210**	**J**	10	U	250	U	10	U	10	U	10	U	**340**	
Acetone	50	**65**		10	U	1,000	U	10	U	250	U	10	U	10	U	10	U	**180**	
Benzene	1	1.0	U	1.0	U	100	U	10	U	25	U	1.0	U	1.0	U	**1.1**		10	U
Carbon Disulfide	60	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	1.0	U	10	U
Chloroethane	5*	1.0	U	**5.7**		100	U	1.0	U	**39**		1.0	U	1.0	U	**7.4**		**46**	
Chloromethane	5	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	1.0	U	10	U
cis-1,2-Dichloroethene	5*	1.0	U	**1.3**		**1,900**		1.0	U	**240**		1.0	U	**4.2**		**0.88**	**J**	**640**	
Methylene Chloride	5	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	1.0	U	10	U
Toluene	5*	1.0	U	1.0	U	100	U	1.0	U	**65**		1.0	U	1.0	U	1.0	U	**18**	
trans-1,2-Dichloroethene	5	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	1.0	U	**33**	
Trichloroethene	5*	1.0	U	1.0	U	100	U	1.0	U	25	U	1.0	U	1.0	U	1.0	U	10	U
Vinyl chloride	5*	1.0	U	**20.0**		**7,600**		1.0	U	**2,400**		1.0	U	**3.9**		**6.7**		**1,700**	
Total Volatile Organic Compounds	NA	65		28.5		10,270		0		3,044		0.0		10		16		3,217	

Table 3

Summary of October 2015 Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	MW-13D		MW-16S		MW-16D		DPE-3		DPE-4		DPE-5		DPE-7		DPE-8		GWCT Manhole	
Date Collected	RAO/ NYCRR	10/20/15		10/20/15		10/20/15		10/21/15		10/21/15		10/21/15		10/21/15		10/21/15		10/21/15	
Lab Sample ID	Objective	480-89674-10		480-89674-12		480-89674-11		480-89674-15		480-89674-16		480-89674-17		480-89674-18		480-89674-19		480-89674-20	
Volatile Organic Compounds by Method 8260 (µg/L)																			
1,1,1-Trichloroethane	5*	100	U	4,000	U	10	U	20	U	100	U	10	U	20	U	**170**		1.0	U
1,1-Dichloroethane	5*	**42**	**J**	4,000	U	**15**		20	U	**450**		**59**		**390**		**590**		**0.7**	**J**
1,1-Dichloroethene	5	100	U	4,000	U	10	U	20	U	**460**		10	U	**12**	**J**	**20**		1.0	U
1,2-Dichloroethane	0.6	100	U	4,000	U	10	U	20	U	100	U	10	U	20	U	20	U	1.0	U
2-Butanone (MEK)	50	**2,300**		40,000	U	**1,200**		**220**		1,000	U	**660**		**940**	**J**	**260**		10	U
Acetone	50	**420**	**J**	40,000	U	**840**		**110**	**J**	1,000	U	**340**		**530**		**220**		10	U
Benzene	1	100	U	4,000	U	10	U	20	U	100	U	10	U	20	U	20	U	1.0	U
Carbon Disulfide	60	100	U	4,000	U	10	U	20	U	100	U	10	U	20	U	**11**	**J**	1.0	U
Chloroethane	5*	100	U	4,000	U	10	U	20	U	**110**		**81**		**260**		**54**		1.0	U
Chloromethane	5	100	U	4,000	U	10	U	20	U	**230**		10	U	20	U	20	U	1.0	U
cis-1,2-Dichloroethene	5*	**3,200**		**290,000**		**24**		**70**		**130,000**		**610**		**680**		**2,300**		1.0	U
Methylene Chloride	5	100	U	4,000	U	10	U	20	U	100	U	10	U	20	U	**23**	**J**	1.0	U
Toluene	5*	100	U	4,000	U	10	U	20	U	**140**		**9.2**	**J**	20	U	20	U	1.0	U
trans-1,2-Dichloroethene	5	100	U	4,000	U	10	U	20	U	100	U	**20**		20	U	**55**		1.0	U
Trichloroethene	5*	100	U	4,000	U	10	U	20	U	**120**		10	U	**12**	**J**	**92**		1.0	U
Vinyl chloride	5*	**920**		**10,000**		**9.2**		20	U	**37,000**		**170**		**780**		**1,700**		1.0	U
Total Volatile Organic Compounds	NA	6,882		300,000		2,088		400		168,510		1,949		3,604		5,475		0.7	

Notes:
Bold font indicates the analyte was detected.
Bold font and bold outline indicates the screening criteria was exceeded.
* Site-specific RAO per ROD (November 1994)
J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit. Concentrations within this range are estimated.
U - Not detected at or above reporting limit.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - October 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

	TCE Concentration (µg/L)																			
Well ID	Apr 2003[1]	Apr 2004[2]	Oct 2004[3,4]	Jan 2005[4]	Apr 2005[4,5]	Jul 2005[4]	Oct 2005[4]	Jan 2006[4]	Apr 2006[4]	Jul 2006[4]	Oct 2006[4]	Jan 2007[4]	Apr 2007[4]	Jul 2007[4]	Oct 2007[4]	Jan 2008[4]	Apr 2008[4]	Jul 2008[4]	Oct 2008[4]	Jan 2009[4]
MW-2	<1	NS	NS	NS	<10	NS	NS	<25	<25	<25	<5	<5	<20	<5	<5	<5	<5	<5	<5	<5
MW-3	<1	NS	NS	NS	<10	NS	NS	<25	<25	<25	<5	<5	<20	<5	5	<5	<5	<5	<5	<5
MW-4	249	NS	8,100	20,000	NS	NS	NS	6,500	3,200	2,400	2,600	2,800	4,900	1,100	4,800	9,200	5,800	500	6,300	19,000
MW-6	<1	NS	<10	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.63	<5	<5	<5	<5	<5
MW-8R	NA	NS	35,000	23,000	15,000	9,200	13,000	42,000	14,000	16,000	13,000	1,600	19,000	29,000	2,200	38,000	12,000	7,400	22,000	8,400
MW-10	<1	NS	NS	NS	<10	NS	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW- 11	NA	NS	NS	NS	<10	NS	NS	2.2	<20	<20	6.8	2.6	0.89	<5	0.71	1.1	0.49	1	0.81	0.77
MW-12	NA	NS	13	<10	<10	<5	<5	<25	<25	<25	NS	<5	<20	<5	<5	<5	<5	<5	<5	NS
MW-13S	NA	10,000	2,100	10,000	760	870	410	NS	NS	17,000	1,300	1,700	4,400	220	570	1,800	580	1,800	5,800	3,400
MW-16S	NA	860,000	200,000	420,000	400,000	480,000	440,000	470,000	260,000	310,000	77,000	44,000	94,000	86,000	130,000	67,000	76,000	58,000	63,000	92,000

Notes:
ND - Not Detected
NS - Not sampled
DPE Remediation System started on May 14, 2004.
[1] - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.
[2] - Considered baseline sampling event for MW-13S and MW-16S.
[3] - Considered baseline sampling event for MW-4, MW-8R, and MW-12.
[4] - DPE system operational.
[5] - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).
[6] - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.
[7] - DPE system off-line.
[8] - MW-4 and MW-12 not accessible due to snow cover.
[9] - MW-12 not accessible due to snow cover.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - October 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

	TCE Concentration (µg/L)																			
Well ID	Apr 2009[4]	Jul 2009[4]	Oct 2009[4]	Jan 2010[4]	Apr 2010[4]	Jul 2010[4]	Oct 2010[4]	Jan 2011[4]	Apr 2011[4]	Jul 2011[7]	Oct 2011[7]	Jan 2012[4]	Apr 2012[4]	Jul 2012[4]	Oct 2012[4]	Jan 2013[4]	Apr 2013[4]	Jul 2013[4]	Oct 2013[7]	Jan 2014[8]
MW-2	<5	<5	<5	<25	<25	<25	350[6]	<1	<1	<1	<1	<1	<1	<1	<1	0.89	<1	<1	<1	<1
MW-3	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	0.98	<1	<1	<1	<1
MW-4	4,100	2,300	NS	7,400	3,000	NS	7,800	NS	13,000	NS	17,000	NS	39,000	15,000	NS	40,000	12,000	14,000	NS	NS
MW-6	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-8R	13,000	NS	1,400	NS	2,500	19,000	NS	99,000	89,000	36,000	33,000	99,000	99,000	NS	89,000	NS	64,000	NS	100,000	NS
MW-10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW- 11	0.95	0.69	0.97	0.77	0.95	1	0.8	NS	1.2	<1	<1	<1	0.51	<1	<1	<1	<1	0.46	<1	<1
MW-12	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS
MW-13S	3,400	NS	400	NS	1,400	400	NS	39,000	40,000	31,000	NS	53,000	39,000	NS	41,000	NS	40,000	NS	49,000	NS
MW-16S	130,000	87,000	NS	22,000	220,000	NS	300,000	NS	250,000	NS	190,000	NS	250,000	170,000	NS	240,000	230,000	120,000	NS	110,000

Notes:
ND - Not Detected
NS - Not Sampled
DPE Remediation System started on May 14, 2004.
[1] - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.
[2] - Considered baseline sampling event for MW-13S and MW-16S.
[3] - Considered baseline sampling event for MW-4, MW-8R, and MW-12.
[4] - DPE system operational.
[5] - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).
[6] - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.
[7] - DPE system off-line.
[8] - MW-4 and MW-12 not accessible due to snow cover.
[9] - MW-12 not accessible due to snow cover.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - October 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

	TCE Concentration (µg/L)								
Well ID	Apr 2014[4]	Jul 2014[4]	Oct 2014[7]	Jan 2015[7,9]	Apr 2015[7]	Jul 2015[7]	Oct 2015[7]	TCE Reduction - Previous Sampling	Reduction - Baseline Sampling
MW-2	<1	<1	ND	ND	<5	<1	<1	ND	ND
MW-3	<1	<1	ND	ND	<1	<1	<1	ND	ND
MW-4	32,000	NS	32,000	18,000	110	<100	<100	ND	ND
MW-6	<1	<1	ND	ND	<1	<1	<1	ND	ND
MW-8R	100,000	110,000	NS	2,100	<2,000	200	<25	ND	ND
MW-10	<1	<1	ND	ND	<1	<1	<1	ND	ND
MW- 11	<1	<1	ND	ND	<1	<1	<1	ND	ND
MW-12	<1	<1	ND	NS	<1	<1	<1	ND	ND
MW-13S	32,000	33,000	NS	19,000	31,000	<500	<10	ND	ND
MW-16S	61,000	NS	170,000	160,000	26,000	5,100	<4,000	ND	ND

Notes:
ND - Not Detected
NS - Not Sampled
DPE Remediation System started on May 14, 2004.
[1] - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.
[2] - Considered baseline sampling event for MW-13S and MW-16S.
[3] - Considered baseline sampling event for MW-4, MW-8R, and MW-12.
[4] - DPE system operational.
[5] - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).
[6] - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.
[7] - DPE system off-line.
[8] - MW-4 and MW-12 not accessible due to snow cover.
[9] - MW-12 not accessible due to snow cover.

Table 5

Vapor Monitoring Results - October 19, 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

	Sample ID:	LRP Effluent*	AS Effluent
	Sample Date:	Not Sampled	10/19/2015
VOCs by Method TO-15 (µg/m^3)			
1,2,4-Trimethylbenzene		-	1.1
Chloroethane		-	8.9
Chloromethane		-	1.1
Dichlorodifluoromethane		-	2.6
n-Hexane		-	1.1
Toluene		-	2.1
Trichlorofluoromethane		-	1.2
Total Detected VOCs (µg/m^3)		-	18
Vacuum (inches Hg)		-	4.0
Air Flow Rate (acfm)		-	210
VOC discharge loading (lb/hr)		-	0.00001
Total VOC discharge loading (lb/hr)		**0.00001**	

Notes:

* The LRP was not running during sampling event on October 19, 2015.

The air stripper vacuum measured on October 19, 2015 was 4.0 inches H_2O and the flow rate was 210 scfm.

1. µg/m^3 = micrograms per cubic meter
2. acfm = actual cubic feet per minute
3. Hg = Mercury
4. scfm = standard cubic feet per minute
5. lb/hr = pounds per hour
6. LRP Effluent represents the untreated vapor discharge for the Liquid Ring Pump.
7. AS Effluent represents the untreated vapor discharge for the Air Stripper.

Qualifiers:

U - Not detected at or above reporting limit (reporting limit not included in the Total Detected VOCs).

FIGURES



SOURCE:
1982 GEOLOGIC SURVEY 7.5 X 15 MINUTE TOPOGRAPHIC QUADRANGLE
LANCASTER, NEW YORK

LEGEND

AVOX PLANT 3 ADDED AFTER PUBLICATION OF LANCASTER, NEW YORK TOPOGRAPHIC QUADRANGLE.

0 1000 2000
SCALE IN FEET

AECOM

FIGURE 1
SITE LOCATION MAP

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

L:\work\71149\CADD\71149_000 Site Loc Map.dwg, 8/11/2015 1:22:04 PM, Splawnm



AECOM

FIGURE 2
SITE FEATURES MAP

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

L:\work\71149\CADD\71149_001 Site Features Map.dwg, 7/29/2014 9:31:12 AM, splawnm



AECOM

FIGURE 3
PROCESS AND INSTRUMENTATION DIAGRAM FOR COMBINED DUAL PHASE EXTRACTION REMEDIATION SYSTEM

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

L:\work\71149\CADD\71149_052 P&ID for combined Dual Phase Ext Rem Sys.dwg, 1/21/2011 11:43:55 AM, splawnm

Quarterly Groundwater Monitoring Water Level Data - October 19, 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	690.35	5.79	684.56
MW-3	687.02	5.15	681.87
MW-4	686.42	4.59	681.83
MW-6	686.53	4.82	681.71
MW-8R	686.21	4.90	681.31
MW-9	688.64	7.06	681.58
MW-10	687.41	5.40	682.01
MW-11	688.65	8.75	679.90
MW-12	686.15	3.80	682.35
Nested Piezometers			
MW-13S	686.60	3.95	682.65
MW-13D	686.73	4.55	682.18
MW-14S	685.70	3.70	682.00
MW-14D	685.82	4.10	681.72
MW-15S	687.52	2.20	685.32
MW-15D	687.62	6.50	681.12
MW-16S	686.40	5.00	681.40
MW-16D	686.40	6.40	680.00
Remedial System			
GWCT Manhole (rim)	687.19	12.55	674.64

Notes:
TOC - Top of Casing
AMSL - Above Mean Sea Level



LEGEND

- MW-13S/D — NESTED PIEZOMETER LOCATION
- MW-9 — MONITORING WELL LOCATION
- DPE-1 — DUAL-PHASE EXTRACTION WELL LOCATION (ACTIVELY EXTRACTING)
- DPE-6 — DUAL-PHASE EXTRACTION WELL LOCATION (OFF-LINE)
- [684.16] — GROUNDWATER SURFACE ELEVATION IN FEET MSL
- 680 — ESTIMATED GROUNDWATER SURFACE CONTOUR IN FEET MSL (DASHED WHERE INFERRED)
- GROUNDWATER FLOW DIRECTION
- (S) — SHALLOW PIEZOMETER
- (D) — DEEP PIEZOMETER
- GROUNDWATER COLLECTION TRENCH (GWCT)
- APPROXIMATE PROPERTY BOUNDARY

NOTES

1. GROUNDWATER ELEVATIONS WERE AVERAGED AT SHALLOW AND DEEP PIEZOMETER PAIR LOCATIONS (e.g. MW-15S/D) TO COMPARE TO ELEVATIONS MEASURED IN WELLS SCREENED ACROSS THE ENTIRE OVERBURDEN THICKNESS.
2. GROUNDWATER WATER LEVELS WERE COLLECTED ON OCTOBER 19, 2015.

0 15 30 60
SCALE IN FEET

AECOM

FIGURE 4
GROUNDWATER SURFACE CONTOUR MAP
OCTOBER 2015
AVERAGE OVERBURDEN GROUNDWATER ELEVATIONS
FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

APPENDIX A

Field Forms

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/19/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-2
Upgradient ____ Downgradient ____
Weather Conditions: Sunny
Air Temperature: 50 ° F
Total Depth (TWD) Below Top of Casing = 16.4 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 5.79 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 10.61 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 1.7 gal
3 Casing Volumes = ____ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ____ liter

Casing Diameter: 2 inches
Casing Material: PVC
Measuring Point Elevation: 690.35 1/100 ft
Height of Riser (above land surface): ____ 1/100 ft
Land Surface Elevation: ____ 1/100 ft
Screened Interval (below land surface): 7-17 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	300	200	200	200	200	200		
Time (Military)	9:30	9:35	9:40	9:45	9:50	9:55		
Depth to Groundwater Below Top of Casing (ft)	6.01	6.55	7.90	8.10	8.25	8.35		
Drawdown (ft)	-0.22	-0.54	-1.35	-0.20	-0.15	-0.10		
pH (S.U.)	6.65	6.66	6.66	6.69	6.69	6.69		
Sp. Cond. (mS/cm)	1805	1712	1703	1690	1664	1659		
Turbidity (NTUs)	15.9	18.6	14.9	12.3	11.5	10.2		
Dissolved Oxygen (mg/L)	8.60	3.78	2.44	1.68	1.14	1.05		
Water Temperature (°C)	14.39	14.38	14.50	14.41	14.57	14.57		
ORP (mV)	-79.2	-64.5	-57.5	-65.6	-26.9	-24.1		

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 10:00hrs

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/19/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-3
___ Upgradient ___ Downgradient
Weather Conditions: sunny
Air Temperature: 50 ° F
Total Depth (TWD) Below Top of Casing = 28 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 4.5 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 23.5 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.8 gal
3 Casing Volumes = ___ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ___ liter

Casing Diameter: 2 inches
Casing Material: PVC
Measuring Point Elevation: 687.02 1/100 ft
Height of Riser (above land surface): 1.42 1/100 ft
Land Surface Elevation: 685.6 1/100 ft
Screened Interval (below land surface): 7.5-27.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200			
Time (Military)	15:10	15:15	15:20	15:25	15:30			
Depth to Groundwater Below Top of Casing (ft)	5.75	6.67	7.35	8.6	9.3			
Drawdown (ft)	-1.25	-0.92	-0.68	-1.25	-0.70			
pH (S.U.)	7.09	7.06	7.08	7.11	7.11			
Sp. Cond. (mS/cm)	1023	1035	1035	1034	1033			
Turbidity (NTUs)	15.6	13.2	12.6	13.9	11.1			
Dissolved Oxygen (mg/L)	3.69	0.66	0.37	0.26	0.24			
Water Temperature (°C)	14.25	14.15	14.17	14.16	14.13			
ORP (mV)	-64.1	-52.6	-51.6	-68.9	-64.4			

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sampled at 15:30hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-4
___ Upgradient ___ Downgradient
Weather Conditions: cloudy
Air Temperature: 45 ° F
Total Depth (TWD) Below Top of Casing = 26 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 4.44 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 21.56 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.5 gal
3 Casing Volumes = ___ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ___ liter

Casing Diameter: 2 inches
Casing Material: PVC
Measuring Point Elevation: 686.64 1/100 ft
Height of Riser (above land surface): ___ 1/100 ft
Land Surface Elevation: ___ 1/100 ft
Screened Interval (below land surface): 15.5 - 25.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200			
Time (Military)	10:15	10:20	10:25	10:30	10:35			
Depth to Groundwater Below Top of Casing (ft)	5.6	6.2	6.55	6.81	7.01			
Drawdown (ft)	-1.16	-0.6	-0.35	-0.26	-0.2			
pH (S.U.)	6.47	6.49	6.5	6.49	6.5			
Sp. Cond. (mS/cm)	4509	4532	4516	4460	4455			
Turbidity (NTUs)	5.67	4.25	4.19	4.89	5.12			
Dissolved Oxygen (mg/L)	0.99	0.27	0.16	0.1	0.09			
Water Temperature (°C)	15.03	14.91	14.91	14.92	14.93			
ORP (mV)	-75.6	-91.4	-103.7	-104.8	-109.6			

Physical appearance at start: Color Gray (Clear w/ black flecks); Odor Yes
Sheen/Free Product: No

Physical appearance at sampling: Color Clear w/ black flecks; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 14:00hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/19/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-6
___ Upgradient ___ Downgradient
Weather Conditions: sunny
Air Temperature: 55 ° F
Total Depth (TWD) Below Top of Casing = 25 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 4.82 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 20.18 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.3 gal
3 Casing Volumes = ___ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ___ liter

Casing Diameter: 2 inches
Casing Material: PVC
Measuring Point Elevation: 686.53 1/100 ft
Height of Riser (above land surface): -0.27 1/100 ft
Land Surface Elevation: 686.8 1/100 ft
Screened Interval (below land surface): 14.5-24.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	1000	1000	1000	200	200	200		
Time (Military)	12:30	12:35	12:40	12:45	12:50	12:55		
Depth to Groundwater Below Top of Casing (ft)	6.10	8.55	10.75	9.85	9.61	9.51		
Drawdown (ft)	-1.28	-2.45	-2.20	0.90	0.24	0.10		
pH (S.U.)	7.79	8.49	8.08	7.87	7.79	7.77		
Sp. Cond. (mS/cm)	1097	1027	1036	1055	1055	1053		
Turbidity (NTUs)	29.6	26.9	24.2	8.6	5.69	5.14		
Dissolved Oxygen (mg/L)	49.10	0.26	0.13	0.14	0.17	1.60		
Water Temperature (°C)	14.55	14.32	13.99	14.22	14.19	14.16		
ORP (mV)	-54.9	-70.3	-98.0	-116.9	117.8	-118.1		

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 14:00hrs; high purge rate to remove casing glue residuals from recent repairs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-8R
Upgradient ____ Downgradient ____
Weather Conditions: cloudy
Air Temperature: 49 ° F
Total Depth (TWD) Below Top of Casing = 27.5 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 4.9 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 22.6 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.7 gal
3 Casing Volumes = ____ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed: 8 liter

Casing Diameter: 4 inches
Casing Material: PVC
Measuring Point Elevation: 685.67 1/100 ft
Height of Riser (above land surface): ____ 1/100 ft
Land Surface Elevation: ____ 1/100 ft
Screened Interval (below land surface): 14-24 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200	200		
Time (Military)	14:30	14:35	14:40	14:45	14:50	14:55		
Depth to Groundwater Below Top of Casing (ft)	4.70	5.90	6.15	6.35	6.65	6.91		
Drawdown (ft)	0.20	-1.20	-0.25	-0.20	-0.30	-0.26		
pH (S.U.)	7.15	7.21	7.22	7.23	7.23	7.24		
Sp. Cond. (mS/cm)	3242	3241	3358	3396	3399	3409		
Turbidity (NTUs)	31.2	22.8	21.9	17.8	24.6	21.5		
Dissolved Oxygen (mg/L)	0.16	0.08	0.12	0.19	0.25	0.14		
Water Temperature (°C)	14.97	14.96	14.94	14.92	14.95	14.96		
ORP (mV)	198.1	229.1	308.0	311.3	324.5	329.1		

Physical appearance at start — Color: Clear w/ fine black specks; Odor: No
Sheen/Free Product: No

Physical appearance at sampling — Color: Clear; Odor: Slight Injectate Smell
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample ar 15:00hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/19/2015
Field Personnel:
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-10
Upgradient ____ Downgradient ____
Weather Conditions: sunny
Air Temperature: 58 ° F
Total Depth (TWD) Below Top of Casing = 24 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 5.4 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 18.6 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.0 gal
3 Casing Volumes = ____ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ____ liter

Casing Diameter: 2 inches
Casing Material: PVC
Measuring Point Elevation: 687.41 1/100 ft
Height of Riser (above land surface): -0.19 1/100 ft
Land Surface Elevation: 687.6 1/100 ft
Screened Interval (below land surface): 3.5-23.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200	200		
Time (Military)	12:00	12:05	12:10	12:15	12:20	12:25		
Depth to Groundwater Below Top of Casing (ft)	5.90	6.30	6.90	7.10	7.20	7.39		
Drawdown (ft)	-0.50	-0.40	-0.60	-0.20	-0.10	-0.19		
pH (S.U.)	6.81	6.75	6.75	6.76	6.75	6.74		
Sp. Cond. (mS/cm)	1887	1900	1903	1905	1906	1910		
Turbidity (NTUs)	15.9	14.1	14.2	13.89	13.7	12.6		
Dissolved Oxygen (mg/L)	5.19	0.91	0.84	0.75	0.55	0.34		
Water Temperature (°C)	15.06	15.15	15.16	14.99	14.81	14.81		
ORP (mV)	35.2	50.4	55.6	58.6	62.5	65.5		

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 13:00hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/19/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-11
Upgradient ____ Downgradient ____
Weather Conditions: sunny
Air Temperature: 54 ° F
Total Depth (TWD) Below Top of Casing = 28.5 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 8.75 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 19.75 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.2 gal
3 Casing Volumes = ____ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed: 4 liter

Casing Diameter: 2 inches
Casing Material: PVC
Measuring Point Elevation: 688.65 1/100 ft
Height of Riser (above land surface): -0.25 1/100 ft
Land Surface Elevation: 688.9 1/100 ft
Screened Interval (below land surface): 8.5-28.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	150	150	150	150	150			
Time (Military)	10:35	10:40	10:45	10:50	10:55			
Depth to Groundwater Below Top of Casing (ft)	8.91	8.99	9.05	9.12	9.22			
Drawdown (ft)	-0.16	-0.08	-0.06	-0.07	-0.10			
pH (S.U.)	6.97	6.98	6.99	6.97	6.97			
Sp. Cond. (mS/cm)	1650	1655	1669	1687	1689			
Turbidity (NTUs)	15.5	12.6	11.3	10.9	9.9			
Dissolved Oxygen (mg/L)	2.98	2.15	1.98	1.78	1.69			
Water Temperature (°C)	14.96	14.98	14.99	15.10	15.02			
ORP (mV)	-14.2	-21.9	-25.4	-31.2	-34.2			

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: sample at 11:00hrs

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-12
___ Upgradient ___ Downgradient
Weather Conditions: cloudy
Air Temperature: 48 ° F
Total Depth (TWD) Below Top of Casing = 27.5 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 4.95 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 22.55 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.7 gal
3 Casing Volumes = gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed: 4 liter

Casing Diameter: 4 inches
Casing Material: PVC
Measuring Point Elevation: 686.15 1/100 ft
Height of Riser (above land surface): -0.35 1/100 ft
Land Surface Elevation: 686.5 1/100 ft
Screened Interval (below land surface): 7-27 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200			
Time (Military)	7:35	7:40	7:45	7:50	7:55			
Depth to Groundwater Below Top of Casing (ft)	4.09	4.91	5.80	6.35	6.59			
Drawdown (ft)	0.86	-0.82	-0.89	-0.55	-0.24			
pH (S.U.)	6.88	6.78	6.64	6.64	6.64			
Sp. Cond. (mS/cm)	1402	1539	1600	1602	1601			
Turbidity (NTUs)	5.98	5.47	4.2	3.5	2.98			
Dissolved Oxygen (mg/L)	6.62	2.87	0.23	0.19	0.18			
Water Temperature (°C)	14.54	14.51	14.48	14.60	14.55			
ORP (mV)	-74.9	-63.2	-61.7	-68.2	-67.9			

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 08:00hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-13S
Upgradient ____ Downgradient ____
Weather Conditions: Cloudy
Air Temperature: 50 ° F
Total Depth (TWD) Below Top of Casing = 16.5 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 3.65 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 12.85 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 2.1 gal
3 Casing Volumes = ____ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ____ liter

Casing Diameter: 1 inches
Casing Material: PVC
Measuring Point Elevation: 686.6 1/100 ft
Height of Riser (above land surface): -0.30 1/100 ft
Land Surface Elevation: 686.9 1/100 ft
Screened Interval (below land surface): 8.5-16.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup

FIELD ANALYSES

Flow Rate (ml/min)	100	100	100	100	100	100		
Time (Military)	8:30	8:35	8:40	8:45	8:50	8:55		
Depth to Groundwater Below Top of Casing (ft)	4.44	6.8	7.55	8.65	9.04	9.15		
Drawdown (ft)	-0.79	-2.36	-0.75	-1.10	-0.39	-0.11		
pH (S.U.)	6.49	6.47	6.47	6.49	6.54	6.55		
Sp. Cond. (mS/cm)	1513	3036	3054	3033	3068	3081		
Turbidity (NTUs)	28.90	27.10	27.90	24.50	26.30	24.2		
Dissolved Oxygen (mg/L)	11.48	0.65	0.32	0.27	0.29	0.21		
Water Temperature (°C)	14.54	14.61	14.6	14.56	14.45	14.44		
ORP (mV)	-73.6	-83.9	-81.4	-92	-94.8	-96.8		

Physical appearance at start: Color Slightly cloudy; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample collected at 09:00hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-13D
___ Upgradient ___ Downgradient
Weather Conditions: Cloudy
Air Temperature: 51 ° F
Total Depth (TWD) Below Top of Casing = 23.5 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 4.85 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 18.65 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 3.0 gal
3 Casing Volumes = ___ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ___ liter

Casing Diameter: 1 inches
Casing Material: PVC
Measuring Point Elevation: 686.73 1/100 ft
Height of Riser (above land surface): -0.17 1/100 ft
Land Surface Elevation: 686.9 1/100 ft
Screened Interval (below land surface): 19.5-23.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200			
Time (Military)	9:35	9:40	9:45	9:50	9:55			
Depth to Groundwater Below Top of Casing (ft)	6.45	8	8.56	9.12	9.54			
Drawdown (ft)	-1.60	-1.55	-0.56	-0.56	-0.42			
pH (S.U.)	6.14	6.18	6.21	6.22	6.22			
Sp. Cond. (mS/cm)	3643	3895	3941	3985	3991			
Turbidity (NTUs)	25.2	31.2	18.6	15.2	14.6			
Dissolved Oxygen (mg/L)	11.12	1.19	0.98	0.87	0.77			
Water Temperature (°C)	15.14	15.26	15.25	15.12	15.15			
ORP (mV)	-30.7	-40.3	-49.6	-51.8	-0.589			

Physical appearance at start — Color: Cloudy/Grey; Odor: Yes; Sheen/Free Product: No

Physical appearance at sampling — Color: clear; Odor: yes; Sheen/Free Product: No

COMMENTS/OBSERVATIONS: sample at 10:00hrs

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-16S
___ Upgradient ___ Downgradient
Weather Conditions: Partly Cloudy
Air Temperature: 52 ° F
Total Depth (TWD) Below Top of Casing = 15.4 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 5 1/100 ft
Length of Water Column (LWC) = TWD - DGW = 10.4 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = 1.7 liter
3 Casing Volumes = ___ liter
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ___ liter

Casing Diameter: 1 inches
Casing Material: PVC
Measuring Point Elevation: 685.84 1/100 ft
Height of Riser (above land surface): -0.56 1/100 ft
Land Surface Elevation: 686.4 1/100 ft
Screened Interval (below land surface): 12 - 18 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200	200		
Time (Military)	11:30	11:35	11:40	11:45	11:50	11:55		
Depth to Groundwater Below Top of Casing (ft)	NA	NA	NA	NA	NA	NA		
Drawdown (ft)	NA	NA	NA	NA	NA	NA		
pH (S.U.)	6.16	6.17	6.18	6.22	6.21	6.2		
Sp. Cond. (mS/cm)	3489	3814	3955	3969	3967	3971		
Turbidity (NTUs)	NA	NA	NA	NA	NA	NA		
Dissolved Oxygen (mg/L)	11.77	0.46	0.35	0.22	0.15	0.11		
Water Temperature (°C)	15.18	14.95	14.95	14.75	14.71	14.8		
ORP (mV)	-65.5	-73.1	-74.9	-81.9	-89.6	-92.1		

Physical appearance at start: Color Cloudy; Odor Slight
Sheen/Free Product: No

Physical appearance at sampling: Color Cloudy; Odor Slight
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 12:00hrs.

AECOM

GROUNDWATER SAMPLING LOG

Date (mo/day/yr): 10/20/2015
Field Personnel: DLZ
Site Name: **Former Scott Aviation Site - Lancaster, NY**
AECOM Job #: **60314190**
Well ID #: MW-16D
Upgradient ____ Downgradient ____
Weather Conditions: Partly cloudy
Air Temperature: 50 ° F
Total Depth (TWD) Below Top of Casing = 6.4 1/100 ft
Depth to Groundwater (DGW) Below Top of Casing = 10 1/100 ft
Length of Water Column (LWC) = TWD - DGW = ____ 1/100 ft
1 Casing Volume (OCV) = LWC x 0.163 = ____ gal
3 Casing Volumes = ____ gal
Method of Well Evacuation: Peristaltic Pump
Method of Sample Collection: Peristaltic Pump/Poly Tubing
Total Volume of Water Removed ____ liter

Casing Diameter: 1 inches
Casing Material: PVC
Measuring Point Elevation: 686.01 1/100 ft
Height of Riser (above land surface): -0.39 1/100 ft
Land Surface Elevation: 686.4 1/100 ft
Screened Interval (below land surface): 20-24 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200			
Time (Military)	11:05	11:10	11:15	11:20	11:25			
Depth to Groundwater Below Top of Casing (ft)	NA	NA	NA	NA	NA			
Drawdown (ft)	NA	NA	NA	NA	NA			
pH (S.U.)	7.21	6.98	6.89	6.81	6.82			
Sp. Cond. (mS/cm)	3042	3017	3013	3011	3012			
Turbidity (NTUs)	35	32.9	28.6	25.4	24.2			
Dissolved Oxygen (mg/L)	3.66	0.24	0.16	0.11	0.09			
Water Temperature (°C)	13.61	13.66	13.7	13.71	13.75			
ORP (mV)	-161.4	-113.3	-98.7	-91.2	-89.6			

Physical appearance at start: Color Clear; Odor No
Sheen/Free Product: No

Physical appearance at sampling: Color Clear; Odor No
Sheen/Free Product: No

COMMENTS/OBSERVATIONS: Sample at 11:30hrs.

APPENDIX B

Summary of Groundwater Elevations

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	7.29	683.06
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	5.92	684.43
4/14/2005	6.50	683.85
7/20/2005	7.77	682.58
10/4/2005	6.08	684.27
1/5/2006	9.56	680.79
4/11/2006	6.65	683.70
7/10/2006	7.79	682.56
10/18/2006	6.11	684.24
1/9/2007	6.27	684.08
2/28/2007	5.20	685.15
4/16/2007	5.99	684.36
7/2/2007	7.22	683.13
10/15/2007	8.15	682.20
1/8/2008	5.73	684.62
4/2/2008	5.95	684.40
7/1/2008	4.90	685.45
9/30/2008	7.40	682.95
1/19/2009	6.75	683.60
4/14/2009	6.15	684.20
7/21/2009	6.25	684.10
10/14/2009	5.85	684.50
1/18/2010	7.00	683.35
4/8/2010	5.45	684.90
7/12/2010	6.10	684.25
10/11/2010	7.00	683.35
1/11/2011	6.80	683.55
4/4/2011	5.70	684.65
7/25/2011	4.75	685.60
10/3/2011	4.13	686.22
1/12/2012	6.40	683.95
4/2/2012	6.00	684.35
7/5/2012	6.47	683.88
10/11/2012	7.17	683.18
1/21/2013	6.72	683.63
4/1/2013	6.10	684.25
7/1/2013	6.84	683.51
10/9/2013	6.70	683.65
1/21/2014	6.00	684.35
4/7/2014	4.95	685.40
7/16/2014	6.72	683.63
10/14/2014	6.79	683.56
1/20/2015	7.12	683.23
4/6/2015	5.74	684.61
7/22/2015	6.19	684.16
10/19/2015	5.79	684.56

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 690.35
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 690.35

MONITORING WELL MW-2

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	12.76	674.96
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	11.65	676.07
4/14/2005	12.64	675.08
7/20/2005	12.73	674.99
10/4/2005	7.38	680.34
1/5/2006	11.31	676.41
4/11/2006	11.84	675.88
7/10/2006	12.31	675.41
10/18/2006	10.82	676.9
1/9/2007	10.99	676.73
2/28/2007	3.99	683.73
4/16/2007	11.87	675.85
7/2/2007	13.35	674.37
10/17/2007	13.1	674.62
1/8/2008	7.61	680.11
4/2/2008	11.71	676.01
7/1/2008	10.75	676.27
9/30/2008	11.95	675.07
1/19/2009	10.94	676.08
4/14/2009	10.94	676.08
7/21/2009	11.51	675.51
10/14/2009	10.75	676.27
1/18/2010	12.38	674.64
4/8/2010	11.02	676.00
7/12/2010	9.18	677.84
10/11/2010	10.9	676.12
1/12/2011	11.3	675.72
4/4/2011	10.7	676.32
7/25/2011	4.38	682.64
10/3/2011	3.14	683.88
1/12/2012	10.65	676.37
4/2/2012	9.81	677.21
7/5/2012	8.56	678.46
10/11/2012	9.77	677.25
1/21/2013	11.15	675.87
4/1/2013	8.56	678.46
7/1/2013	11.85	675.17
10/9/2013	10.43	676.59
1/21/2014	10.45	676.57
4/7/2014	11.77	675.25
7/16/2014	10.29	676.73
10/14/2014	9.65	677.37
1/20/2015	10.15	676.87
4/6/2015	8.94	678.08
7/22/2015	7.98	679.04
10/19/2015	5.15	681.87

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 687.72
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 687.02

MONITORING WELL MW-3

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	8.54	678.10
4/8/2004	NM	NA
10/12/2004	11.40	675.24
1/6/2005	9.20	677.44
4/14/2005	NM	NA
7/20/2005	NM	NA
10/4/2005	15.24	671.40
1/5/2006	15.71	670.93
4/11/2006	18.56	668.08
7/10/2006	15.02	671.62
10/18/2006	15.21	671.43
1/9/2007	14.00	672.64
2/28/2007	2.54	684.10
4/16/2007	12.45	674.19
7/2/2007	14.89	671.75
10/17/2007	12.91	673.73
1/8/2008	5.59	681.05
4/2/2008	9.31	677.33
7/1/2008	13.91	672.51
9/30/2008	13.55	672.87
1/19/2009	10.78	675.64
4/14/2009	8.90	677.52
7/21/2009	12.35	674.07
10/14/2009	10.40	676.02
1/18/2010	8.90	677.52
4/8/2010	10.90	675.52
7/12/2010	14.00	672.42
10/11/2010	16.69	669.73
1/12/2011	16.35	670.07
4/4/2011	17.67	668.75
7/25/2011	2.32	684.10
10/3/2011	2.98	683.44
1/12/2012	13.26	673.16
4/2/2012	13.10	673.32
7/6/2012	9.66	676.76
10/11/2012	18.60	667.82
1/21/2013	17.04	669.38
4/1/2013	18.65	667.77
7/1/2013	19.10	667.32
10/9/2013	10.10	676.32
1/21/2014	NM*	NA
4/7/2014	18.85	667.57
7/16/2014	10.74	675.68
10/14/2014	8.52	677.90
1/20/2015	10.95	675.47
4/6/2015	9.05	677.37
7/22/2015	7.55	678.87
10/19/2015	4.59	681.83

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.64
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.42
NM* - Well could not be accessed due to snow cover

MONITORING WELL MW-4

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-6
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	11.06	675.62
4/8/2004	NM	NA
10/12/2004	9.95	676.73
1/6/2005	13.00	673.68
4/14/2005	11.57	675.11
7/20/2005	12.88	673.80
10/4/2005	8.55	678.13
1/5/2006	12.11	674.57
4/11/2006	11.91	674.77
7/10/2006	12.5	674.18
10/18/2006	11.02	675.66
1/9/2007	11.1	675.58
2/28/2007	4.35	682.33
4/16/2007	11.81	674.87
7/2/2007	12.85	673.83
10/17/2007	13.09	673.59
1/8/2008	7.02	679.66
4/2/2008	11.00	675.68
7/1/2008	10.98	675.55
9/30/2008	11.39	675.14
1/19/2009	9.68	676.85
4/14/2009	10.02	676.51
7/21/2009	11.50	675.03
10/14/2009	10.35	676.18
1/18/2010	11.20	675.33
4/8/2010	10.05	676.48
7/12/2010	9.25	677.28
10/11/2010	9.91	676.62
1/12/2011	10.56	675.97
4/4/2011	10.27	676.26
7/25/2011	4.17	682.36
10/3/2011	3.45	683.08
1/12/2012	9.86	676.67
4/2/2012	9.39	677.14
7/5/2012	7.64	678.89
10/11/2012	10.80	675.73
1/21/2013	10.12	676.41
4/1/2013	8.41	678.12
7/1/2013	11.18	675.35
10/9/2013	9.32	677.21
1/21/2014	9.95	676.58
4/7/2014	10.75	675.78
7/16/2014	9.61	676.92
10/14/2014	8.60	677.93
1/20/2015	9.20	677.33
4/6/2015	8.08	678.45
7/22/2015	7.28	679.25
10/19/2015	4.82	681.71

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.68
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.53

MONITORING WELL MW-6

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	12.75	672.92
1/6/2005	7.45	678.22
4/14/2005	14.45	671.22
7/20/2005	NM	NA
10/4/2005	NM	NA
1/6/2006	15.51	670.16
4/11/2006	15.65	670.02
7/10/2006	14.9	670.77
10/18/2006	15.72	669.95
1/9/2007	15.76	669.91
2/28/2007	10.78	674.89
4/16/2007	15.60	670.07
7/2/2007	16.29	669.38
10/15/2007	18.50	667.17
1/8/2008	4.99	680.68
4/2/2008	13.19	672.48
7/1/2008	12.15	674.06
9/30/2008	15.83	670.38
1/19/2009	11.55	674.66
4/14/2009	11.20	675.01
7/21/2009	13.57	672.64
10/14/2009	12.76	673.45
1/18/2010	11.26	674.95
4/8/2010	14.95	671.26
7/12/2010	13.74	672.47
10/11/2010	12.34	673.87
1/12/2011	13.10	673.11
4/4/2011	14.88	671.33
7/25/2011	3.25	682.96
10/3/2011	4.50	681.71
1/12/2012	12.96	673.25
4/2/2012	11.70	674.51
7/5/2012	10.34	675.87
10/11/2012	13.38	672.83
1/21/2013	14.90	671.31
4/1/2013	10.82	675.39
7/1/2013	12.70	673.51
10/9/2013	9.25	676.96
1/21/2014	NM*	NA
4/7/2014	14.55	671.66
7/16/2014	8.97	677.24
10/14/2014	5.85	680.36
1/20/2015	9.80	676.41
4/6/2015	7.55	678.66
7/22/2015	8.22	677.99
10/19/2015	4.90	681.31

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.67
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.21
NM* - Well could not be accessed due to snow cover

MONITORING WELL MW-8R

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	13.03	672.4
4/8/2004	NM	NA
10/12/2004	13.68	671.75
1/6/2005	12.89	672.54
4/14/2005	12.74	672.69
7/20/2005	13.88	671.55
10/4/2005	7.22	678.21
1/5/2006	12.79	672.64
4/11/2006	13.50	671.93
7/10/2006	13.24	672.19
10/18/2006	11.00	674.43
1/9/2007	12.24	673.19
2/28/2007	1.66	683.77
4/16/2007	13.15	672.28
7/2/2007	13.00	672.43
10/17/2007	13.95	671.48
1/8/2008	6.70	678.73
4/2/2008	10.61	674.82
7/1/2008	14.25	674.39
9/30/2008	15.67	672.97
1/19/2009	14.48	674.16
4/14/2009	15.48	673.16
7/21/2009	15.20	673.44
10/10/2009	15.06	673.58
1/18/2010	17.00	671.64
4/8/2010	15.40	673.24
7/12/2010	12.42	676.22
10/11/2010	14.21	674.43
1/12/2011	15.29	673.35
4/4/2011	14.55	674.09
7/25/2011	5.75	682.89
10/3/2011	4.58	684.06
1/12/2012	14.75	673.89
4/2/2012	14.52	674.12
7/5/2012	11.48	677.16
10/11/2012	12.66	675.98
1/21/2013	14.44	674.20
4/1/2013	11.87	676.77
7/1/2013	16.54	672.10
10/9/2013	13.68	674.96
1/21/2014	15.38	673.26
4/7/2014	16.30	672.34
7/16/2014	13.71	674.93
10/14/2014	13.09	675.55
1/20/2015	13.92	674.72
4/6/2015	12.41	676.23
7/22/2015	10.72	677.92
10/19/2015	7.06	681.58

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.43
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 688.64

MONITORING WELL MW-9

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-10
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	10.75	676.97
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	10.28	677.44
4/14/2005	11.50	676.22
7/20/2005	12.43	675.29
10/4/2005	9.58	678.14
1/5/2006	11.28	676.44
4/11/2006	10.91	676.81
7/10/2006	10.90	676.82
10/18/2006	10.13	677.59
1/9/2007	10.21	677.51
2/28/2007	4.30	683.42
4/16/2007	10.93	676.79
7/2/2007	12.21	675.51
10/17/2007	13.15	674.57
1/8/2008	7.03	680.69
4/2/2008	9.91	677.81
7/1/2008	10.04	677.37
9/30/2008	11.05	676.36
1/19/2009	9.74	677.67
4/14/2009	9.14	678.27
7/21/2009	10.56	676.85
10/14/2009	9.37	678.04
1/18/2010	10.59	676.82
4/8/2010	9.35	678.06
7/12/2010	9.12	678.29
10/11/2010	10.20	677.21
1/12/2011	10.00	677.41
4/4/2011	9.61	677.80
7/25/2011	4.45	682.96
10/3/2011	4.25	683.16
1/12/2012	9.82	677.59
4/2/2012	8.51	678.90
7/5/2012	7.55	679.86
10/11/2012	10.65	676.76
1/21/2013	9.59	677.82
4/1/2013	8.30	679.11
7/1/2013	9.77	677.64
10/9/2013	8.65	678.76
1/21/2014	8.73	678.68
4/7/2014	9.25	678.16
7/16/2014	8.65	678.76
10/14/2014	8.02	679.39
1/20/2015	8.50	678.91
4/6/2015	7.40	680.01
7/22/2015	6.84	680.57
10/19/2015	5.40	682.01

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 687.72
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 687.41

MONITORING WELL MW-10

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	15.59	673.02
4/14/2005	11.59	677.02
7/20/2005	17.34	671.27
10/4/2005	10.45	678.16
1/5/2006	16.58	672.03
4/11/2006	13.52	675.09
7/10/2006	13.75	674.86
10/18/2006	14.35	674.26
1/9/2007	15.26	673.35
2/28/2007	6.34	682.27
4/16/2007	11.55	677.06
7/2/2007	17.30	671.31
10/16/2007	17.69	670.92
1/8/2008	11.73	676.88
4/2/2008	14.78	673.83
7/1/2008	13.91	674.74
9/30/2008	15.25	673.40
1/19/2009	13.45	675.20
4/14/2009	13.50	675.15
7/21/2009	14.51	674.14
10/14/2009	13.85	674.80
1/18/2010	16.38	672.27
4/8/2010	13.90	674.75
7/12/2010	12.60	676.05
10/11/2010	14.80	673.85
1/12/2011	NA	
4/4/2011	14.52	674.13
7/25/2011	4.48	684.17
10/3/2011	4.05	684.60
1/12/2012	8.96	679.69
4/2/2012	12.87	675.78
7/5/2012	10.53	678.12
10/11/2012	14.40	674.25
1/21/2013	14.75	673.90
4/1/2013	11.66	676.99
7/1/2013	14.99	673.66
10/9/2013	12.25	676.40
1/21/2014	13.75	674.90
4/7/2014	14.56	674.09
7/16/2014	12.64	676.01
10/14/2014	12.26	676.39
1/20/2015	12.31	676.34
4/6/2015	11.95	676.70
7/22/2015	8.49	680.16
10/19/2015	8.75	679.90

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 688.61
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 688.65

MONITORING WELL MW-11

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-12
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	
10/12/2004	10.64	675.15
1/6/2005	6.18	679.61
4/14/2005	6.80	678.99
7/20/2005	11.95	673.84
10/4/2005	7.36	678.43
1/5/2006	6.80	678.99
4/11/2006	6.76	679.03
7/10/2006	11.35	674.44
10/18/2006	NM*	NA
1/9/2007	6.35	679.44
2/28/2007	NM*	NA
4/16/2007	7.38	678.41
7/2/2007	11.42	674.37
10/15/2007	12.00	673.79
1/8/2008	4.31	681.48
4/2/2008	5.86	679.93
7/1/2008	7.10	679.04
9/30/2008	10.92	675.22
1/19/2009	NM*	NA
4/14/2009	7.14	679
7/21/2009	9.66	676.48
10/14/2009	8.83	677.31
1/18/2010	7.40	678.74
4/8/2010	7.10	679.04
7/12/2010	8.48	677.66
10/11/2010	8.64	677.51
1/12/2011	6.32	679.83
4/4/2011	5.69	680.46
7/25/2011	3.5	682.65
10/3/2011	2.67	683.48
1/12/2012	5.41	680.74
4/2/2012	5.30	680.85
7/5/2012	7.20	678.95
10/11/2012	6.75	679.40
1/21/2013	5.51	680.64
4/1/2013	5.07	681.08
7/1/2013	7.88	678.27
10/9/2013	5.20	680.95
1/21/2014	NM*	NA
4/7/2014	5.76	680.39
7/16/2014	6.60	679.55
10/14/2014	5.15	681.00
1/20/2015	NM*	NA
4/6/2015	4.10	682.05
7/22/2015	4.82	681.33
10/19/2015	3.80	682.35

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.79
NM* - Well could not be accessed due to snow cover
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.15

MONITORING WELL MW-12

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	7.01	679.56
10/12/2004	13.47	673.10
1/6/2005	7.24	679.33
4/14/2005	13.91	672.66
7/20/2005	12.81	673.76
10/4/2005	13.35	673.22
1/5/2006	13.79	672.78
4/11/2006	12.45	674.12
7/10/2006	13.02	673.55
10/18/2006	10.99	675.58
1/9/2007	11.35	675.22
2/28/2007	3.49	683.08
4/16/2007	12.01	674.56
7/2/2007	13.20	673.37
10/18/2007	12.77	673.80
1/8/2008	5.08	681.49
4/2/2008	5.45	681.12
7/1/2008	9.70	676.90
9/30/2008	11.80	674.80
1/19/2009	8.70	677.90
4/14/2009	8.64	677.96
7/21/2009	10.91	675.69
10/14/2009	9.18	677.42
1/18/2010	9.80	676.80
4/8/2010	8.30	678.30
7/12/2010	9.96	676.64
10/11/2010	10.29	676.31
1/12/2011	7.53	679.07
4/4/2011	8.00	678.60
7/25/2011	2.55	684.05
10/3/2011	1.81	684.79
1/12/2012	8.11	678.49
4/2/2012	8.06	678.54
7/5/2012	8.71	677.89
10/11/2012	9.57	677.03
1/21/2013	13.85	672.75
4/1/2013	6.44	680.16
7/1/2013	6.44	680.16
10/9/2013	4.10	682.50
1/21/2014	4.95	681.65
4/7/2014	6.02	680.58
7/16/2014	5.42	681.18
10/14/2014	4.41	682.19
1/20/2015	6.10	680.50
4/6/2015	4.69	681.91
7/22/2015	7.97	678.63
10/19/2015	3.95	682.65

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.57
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.60

MONITORING WELL MW-13S

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.28	673.43
10/12/2004	14.87	671.84
1/6/2005	14.55	672.16
4/14/2005	15.32	671.39
7/20/2005	15.65	671.06
10/4/2005	9.44	677.27
1/5/2006	15.83	670.88
4/11/2006	15.41	671.30
7/10/2006	13.79	672.92
10/18/2006	13.17	673.54
1/9/2007	14.41	672.30
2/28/2007	3.28	683.43
4/16/2007	14.66	672.05
7/2/2007	15.68	671.03
10/18/2007	15.80	670.91
1/8/2008	8.69	678.02
4/2/2008	12.86	673.85
7/1/2008	12.55	674.18
9/30/2008	13.89	672.84
1/19/2009	12.10	674.63
4/14/2009	11.78	674.95
7/21/2009	12.86	673.87
10/14/2009	11.59	675.14
1/18/2010	13.88	672.85
4/8/2010	12.00	674.73
7/12/2010	11.90	674.83
10/11/2010	13.34	673.39
1/12/2011	13.2	673.53
4/4/2011	13.13	673.60
7/25/2011	3.33	683.40
10/3/2011	2.55	684.18
1/12/2012	12.34	674.39
4/2/2012	11.76	674.97
7/5/2012	9.25	677.48
10/11/2012	13.00	673.73
1/21/2013	13.85	672.88
4/1/2013	11.01	675.72
7/1/2013	14.26	672.47
10/9/2013	10.36	676.37
1/21/2014	11.45	675.28
4/7/2014	13.65	673.08
7/16/2014	10.74	675.99
10/14/2014	9.41	677.32
1/20/2015	11.02	675.71
4/6/2015	9.35	677.38
7/22/2015	7.44	679.29
10/19/2015	4.55	682.18

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.71
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 686.73

MONITORING WELL MW-13D

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.14	680.17
10/12/2004	8.57	676.74
1/6/2005	6.27	679.04
4/14/2005	5.16	680.15
7/20/2005	8.32	676.99
10/4/2005	6.14	679.17
1/5/2006	8.41	676.90
4/11/2006	7.75	677.56
7/10/2006	8.18	677.13
10/18/2006	9.00	676.31
1/9/2007	6.61	678.70
2/28/2007	1.50	683.81
4/16/2007	3.45	681.86
7/2/2007	8.36	676.95
10/15/2007	9.45	675.86
1/8/2008	4.65	680.66
4/2/2008	4.47	680.84
7/1/2008	6.37	679.33
9/30/2008	8.90	676.80
1/19/2009	6.15	679.55
4/14/2009	7.70	678.00
7/21/2009	7.25	678.45
10/14/2009	7.05	678.65
1/18/2010	NM	
4/8/2010	6.50	678.81
7/12/2010	6.54	678.77
10/11/2010	5.90	679.80
1/12/2011	6.83	678.87
4/4/2011	6.34	679.36
7/25/2011	2.59	683.11
10/3/2011	1.98	683.72
1/12/2012	5.10	680.60
4/2/2012	4.55	681.15
7/5/2012	7.15	678.55
10/11/2012	6.67	679.03
1/21/2013	5.15	680.55
4/1/2013	5.05	680.65
7/1/2013	6.81	678.89
10/9/2013	5.60	680.10
1/21/2014	5.68	680.02
4/7/2014	6.03	679.67
7/16/2014	5.49	680.21
10/14/2014	5.61	680.09
1/20/2015	5.55	680.15
4/6/2015	4.58	681.12
7/22/2015	3.59	682.11
10/19/2015	3.70	682.00

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.31
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 685.70

MONITORING WELL MW-14S

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.21	672.22
10/12/2004	14.55	670.88
1/6/2005	15.97	669.46
4/14/2005	13.25	672.18
7/20/2005	18.20	667.23
10/4/2005	13.26	672.17
1/5/2006	19.08	666.35
4/11/2006	19.79	665.64
7/10/2006	17.16	668.27
10/18/2006	19.44	665.99
1/9/2007	14.71	670.72
2/28/2007	2.67	682.76
4/16/2007	19.74	665.69
7/2/2007	19.68	665.75
10/15/2007	19.76	665.67
1/8/2008	7.92	677.51
4/2/2008	14.41	671.02
7/1/2008	14.45	671.37
9/30/2008	15.39	670.43
1/19/2009	13.55	672.27
4/14/2009	20.10	665.72
7/21/2009	15.15	670.67
10/14/2009	20.27	665.55
1/18/2010	20.40	665.42
4/8/2010	15.40	670.42
7/12/2010	17.15	668.67
10/11/2010	14.40	671.42
1/12/2011	17.92	667.90
4/4/2011	16.23	669.59
7/25/2011	3.10	682.72
10/3/2011	2.72	683.10
1/12/2012	15.30	670.52
4/2/2012	16.50	669.32
7/5/2012	12.81	673.01
10/11/2012	14.55	671.27
1/21/2013	13.45	672.37
4/1/2013	10.78	675.04
7/1/2013	19.85	665.97
10/9/2013	10.02	675.80
1/21/2014	18.20	667.62
4/7/2014	17.95	667.87
7/16/2014	12.99	672.83
10/14/2014	10.70	675.12
1/20/2015	13.49	672.33
4/6/2015	11.30	674.52
7/22/2015	8.62	677.20
10/19/2015	4.10	681.72

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.43
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 685.82

MONITORING WELL MW-14D

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	1.20	685.44
10/12/2004	5.26	681.38
1/6/2005	0.35	686.29
4/14/2005	2.31	684.33
7/20/2005	4.78	681.86
10/4/2005	2.22	684.42
1/5/2006	0.70	685.94
4/11/2006	2.00	684.64
7/10/2006	4.75	681.89
1/9/2007	0.05	686.59
2/28/2007	0.00	686.64
4/16/2007	0.50	686.14
7/2/2007	4.67	681.97
10/16/2007	4.80	681.84
1/8/2008	0.70	685.94
4/2/2008	0.00	686.64
7/1/2008	0.50	687.02
9/30/2008	3.14	684.38
1/19/2009	1.50	686.02
4/14/2009	1.60	685.92
7/21/2009	1.11	686.41
10/14/2009	1.11	686.41
1/18/2010	0.80	686.72
4/8/2010	2.00	685.52
7/12/2010	2.80	684.72
10/11/2010	3.14	684.38
1/12/2011	1.40	686.12
4/4/2011	0.50	687.02
7/25/2011	2.51	685.01
10/3/2011	0.20	687.32
1/12/2012	0.50	687.02
4/2/2012	1.40	686.12
7/5/2012	3.90	683.62
10/1/2012	3.18	684.34
1/21/2013	0.00	687.52
4/1/2013	0.50	687.02
7/1/2013	1.73	685.79
10/9/2013	2.10	685.42
1/21/2014	1.75	685.77
4/7/2014	0.90	686.62
7/16/2014	1.91	685.61
10/14/2014	2.00	685.52
1/20/2015	1.60	685.92
4/6/2015	0.51	687.01
7/22/2015	1.41	686.11
10/19/2015	2.20	685.32

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.64'
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 687.52'

MONITORING WELL MW-15S

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	15.70	671.61
10/12/2004	17.42	669.89
1/6/2005	15.74	671.57
4/14/2005	16.99	670.32
7/20/2005	17.31	670.00
10/4/2005	8.94	678.37
1/5/2006	16.16	671.15
4/11/2006	16.90	670.41
7/10/2006	15.78	671.53
10/18/2006	15.50	671.81
1/9/2007	15.80	671.51
2/28/2007	4.10	683.21
4/16/2007	16.61	670.70
7/2/2007	17.20	670.11
10/16/2007	16.70	670.61
1/8/2008	8.99	678.32
4/2/2008	15.01	672.30
7/1/2008	14.64	672.98
9/30/2008	16.24	671.38
1/19/2009	15.00	672.62
4/14/2009	14.21	673.41
7/21/2009	14.61	673.01
10/14/2009	14.81	672.81
1/18/2010	16.89	670.73
4/8/2010	15.00	672.62
7/12/2010	13.00	674.62
10/11/2010	13.00	674.62
1/12/2011	15.65	671.97
4/4/2011	15.51	672.11
7/25/2011	3.73	683.89
10/3/2011	3.05	684.57
1/12/2012	15.50	672.12
4/2/2012	14.30	673.32
7/5/2012	9.81	677.81
10/11/2012	13.70	673.92
1/21/2013	15.90	671.72
4/1/2013	11.08	676.54
7/1/2013	16.04	671.58
10/9/2013	13.95	673.67
1/21/2014	15.05	672.57
4/7/2014	15.84	671.78
7/16/2014	13.51	674.11
10/14/2014	12.49	675.13
1/20/2015	15.04	672.58
4/6/2015	13.15	674.47
7/22/2015	9.92	677.70
10/19/2015	6.50	681.12

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 687.31'
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 687.62'

MONITORING WELL MW-15D

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.09	680.75
10/12/2004	12.09	673.75
1/6/2005	4.75	681.09
4/14/2005	10.15	675.69
7/20/2005	14.56	671.28
10/4/2005	11.50	674.34
1/5/2006	11.41	674.43
4/11/2006	12.90	672.94
7/10/2006	11.54	674.30
10/18/2006	12.50	673.34
1/9/2007	13.82	672.02
2/28/2007	2.90	682.94
4/16/2007	13.07	672.77
7/2/2007	12.50	673.34
10/18/2007	15.23	670.61
1/8/2008	5.60	680.24
4/2/2008	12.40	673.44
7/1/2008	15.70	674.67
9/30/2008	19.34	671.03
1/19/2009	17.80	672.57
4/14/2009	18.22	672.15
7/21/2009	19.95	670.42
10/14/2009	17.77	672.60
1/18/2010	16.45	673.92
4/8/2010	18.60	671.77
7/12/2010	18.45	671.92
10/11/2010	13.51	676.86
1/12/2011	NA	
4/7/2011	8.55	677.29
7/25/2011	1.45	684.39
10/3/2011	0.60	685.24
1/12/2012	3.80	682.04
4/2/2012	5.85	679.99
7/5/2012	9.12	676.72
10/11/2012	6.36	679.48
1/21/2013	7.85	677.99
4/1/2013	10.15	675.69
7/1/2013	9.18	676.66
10/9/2013	3.80	682.04
1/21/2014	9.55	676.29
4/7/2014	9.60	676.24
7/16/2014	9.05	676.79
10/14/2014	3.10	682.74
1/20/2015	6.90	678.94
4/6/2015	5.50	680.34
7/22/2015	10.14	678.05
10/19/2015	5.00	681.40

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.84'
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 690.37'
TOC Elevation as of 4/7/2011 - 685.84'
TOC Elevation as of 6/2015 - 688.19

MONITORING WELL MW-16S

SUMMARY OF GROUNDWATER ELEVATIONS

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.62	672.39
10/12/2004	15.51	670.50
1/6/2005	13.70	672.31
4/14/2005	16.09	669.92
7/20/2005	16.65	669.36
10/4/2005	9.89	676.12
1/5/2006	17.21	668.80
4/11/2006	17.1	668.91
7/10/2006	10.61	675.4
10/18/2006	15.41	670.6
1/9/2007	15.6	670.41
2/28/2007	2.74	683.27
4/16/2007	16.35	669.66
7/2/2007	16.85	669.16
10/18/2007	17.17	668.84
1/8/2008	8.32	677.69
4/2/2008	13.44	672.57
7/1/2008	17.72	672.83
9/30/2008	19.29	671.26
1/19/2009	17.95	672.60
4/14/2009	17.21	673.34
7/21/2009	18.28	672.27
10/14/2009	17.60	672.95
1/18/2010	19.51	671.04
4/8/2010	17.19	673.36
7/12/2010	17.15	673.40
10/11/2010	18.63	671.92
1/12/2011	NA	NA
4/7/2011	13.67	672.34
7/25/2011	2.46	683.55
10/3/2011	1.70	684.31
1/12/2012	13.55	672.46
4/2/2012	12.61	673.40
7/5/2012	8.90	677.11
10/11/2012	13.38	672.63
1/21/2013	15.44	670.57
4/1/2013	12.31	673.70
7/1/2013	16.25	669.76
10/9/2013	11.40	674.61
1/21/2014	13.35	672.66
4/7/2014	15.54	670.47
7/16/2014	11.73	674.28
10/14/2014	10.04	675.97
1/20/2015	12.31	673.70
4/6/2015	10.30	675.71
7/22/2015	6.40	680.00

NOTES:
ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.01'
DPE and GWCT down on 2/28/07
DPE down on 1/8/08 and 10/9/13
TOC Elevation as of 6/13/08 - 690.55'
TOC Elevation as of 4/7/2011 - 686.01'
TOC Elevation as of 6/2015 - 688.39

AECOM

APPENDIX C

Analytical Laboratory Data
(Full data reports contained on attached CD ROM)

AECOM

APPENDIX D

Historical and Current Summary of VOCs in Groundwater

MONITORING WELL MW-2
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

	Analytical Results (µg/L)					
Sample Date	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	< 10	< 10	29	< 10	<10
1/5/2006	< 25	< 25	< 25	16	< 25	< 25
4/14/2006	< 25	< 25	< 25	27	< 25	< 25
7/10/2006	< 25	< 25	< 25	23	< 25	< 25
10/19/2006	< 5	< 5	< 5	20	< 5	< 5
1/9/2007	< 5	< 5	< 5	42	< 5	< 5
4/16/2007	< 20	< 20	< 20	45	< 20	< 20
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/15/2007	< 5	< 5	< 5	19	< 5	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	0.48	< 5	23	1	< 5
7/1/2008	< 5	< 5	< 5	46	0.65	< 5
10/1/2008	< 5	< 5	< 5	21	<5	< 5
1/20/2009	< 5	0	< 5	16	<5	< 5
4/15/2009	< 5	0	< 5	14	<5	< 5
7/22/2009	< 5	< 5	< 5	12	<5	< 5
10/12/2009	< 5	< 5	< 5	12	<5	< 5
1/18/2010	< 25	< 25	< 25	18	< 25	< 25
4/7/2010	< 25	< 25	< 25	21	< 25	< 25
7/12/2010	< 25	< 25	< 25	14	< 25	< 25
10/11/2010	350	25	< 25	13	< 25	< 25
1/12/2011	<1	<1	<1	10	<1	<1
4/4/2011	<1	<1	<1	5.4	<1	<1
7/25/2011	<1	<1	<1	4.5	<1	<1
10/3/2011	<1	<1	<1	2.1	<1	<1
1/11/2012	<1	<1	<1	2	<1	<1
4/2/2012	<1	<1	<1	5.8	<1	<1
7/5/2012	<1	<1	<1	6.3	<1	<1
10/11/2012	<1	<1	<1	2.4	<1	<1
4/1/2013	<1	<1	<1	8.8	<1	<1
7/1/2013	<1	<1	<1	3.6	<1	<1
10/9/2013	<1	<1	<1	3.9	<1	<1
1/21/2014	<1	<1	<1	1.9	0.67	<1
4/7/2014	<1	<1	<1	0.68	<1	<1
7/16/2014	<1	<1	<1	0.94	<1	<1
10/14/2014	<1	<1	<1	1.1	<1	<1
1/20/2015	<5	<5	<5	<5	<5	<5
4/7/2015	<5	<5	<5	<5	<5	<5
7/22/2015	<1	<1	<1	1	<1	<1
10/19/2015	<1	<1	<1	1	<1	<1

MONITORING WELL MW-2

SUMMARY OF VOCs IN GROUNDWATER

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-3
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

	Analytical Results (µg/L)					
Sample Date	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	4	22	16	8	<10
1/5/2006	< 25	4.4	4.6	< 25	10	< 25
4/14/2006	< 25	< 25	< 25	2.8	4.9	< 25
7/10/2006	< 25	2.6	6.5	4.8	7	< 25
10/18/2006	< 5	1.3	9.8	8.2	4.3	< 5
1/10/2007	< 5	2.8	9.8	12	7	< 5
4/16/2007	< 20	< 20	< 20	< 20	5.3	< 20
7/2/2007	< 5	2	5.7	< 5	7.5	< 5
10/17/2007	5	12	4	25	14	25
1/9/2008	< 5	0.9	4.2	1.2	9.7	<5
4/3/2008	<5	3	19	4.1	11	<5
7/1/2008	<5	2	15	6	5.3	<5
10/1/2008	<5	3.2	73	16	8.4	<5
1/21/2009	<5	4.5	21	3.6	17	<5
4/15/2009	<5	1.3	6	1.4	6.9	<5
7/22/2009	<5	2.5	23	4.5	10	<5
10/12/2009	<5	2.5	23	4.5	10	<5
1/18/2010	<5	3.4	31	4.6	15	<5
4/7/2010	<5	1.7	4.6	<5	10	<5
7/13/2010	<5	2.6	20	4.5	7.7	<5
10/11/2010	<5	3.2	55	7.2	12	<5
1/12/2011	<1	2.8	38	9.4	8.4	<1
4/4/2011	<1	3.1	19	4.2	11	<1
7/26/2011	<1	0.98	9.1	1.5	1.8	<1
10/3/2011	<1	1.1	18	4.4	1.2	<1
1/13/2012	<1	2.5	13	2.5	11	<1
4/2/2012	<1	<1	<1	<1	7.9	<1
7/5/2012	<1	2.7	7.2	5.6	4.9	<1
10/11/2012	<1	2.8	44	9.5	6.6	<1
4/1/2013	<1	1.3	4	<1	9.6	<1
7/1/2013	<1	3.5	10	3.6	10	<1
10/10/2013	<1	3.3	9.1	3.8	7.9	<1
1/21/2014	<1	2.3	2.3	<1	6.9	<1
4/7/2014	<1	1.5	2.5	0.82	8.9	<1
7/17/2014	<1	2.4	7.8	1.7	8.1	<1
10/14/2014	<1	0.93	20	4.3	2	<1
1/20/2015	<1	<1	1.5	0.64	4.9	<1
4/7/2015	<1	1.4	7.1	2.8	8.4	<1
7/22/2015	<1	1.6	7.9	3.1	3.8	<1
10/21/2015	<1	1.3	20	5.7	1.5	<1

MONITORING WELL MW-3
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-4
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	270	9,100	3,700	< 10	320	28
10/13/2004	8,100	26,000	3,300	< 1000	560	220
1/7/2005	20,000	57,000	5,500	< 2000	1,600	4,400
1/6/2006	6,500	22,000	1,000	< 2000	370	520
4/14/2006	3,200	6,800	280	<500	120	<500
7/10/2006	2,400	7,600	250	<500	120	68
10/18/2006	2,600	9,800	600	<5	130	52
1/10/2007	2,800	4,500	220	<400	56	66
4/17/2007	4,900	6,200	360	<500	<500	<500
7/3/2007	1,100	2,900	260	<200	37	<200
10/17/2007	4,800	5,800	280	<500	68	460
1/9/2008	9,200	21,000	1,700	<500	320	660
4/3/2008	5,800	16,000	940	<1200	250	400
7/2/2008	500	6,600	530	<500	120	57
10/2/2008	6,300	16,000	1,200	<500	260	210
1/22/2009	1,800	27,000	1,800	72	520	970
4/15/2009	4,100	7,600	710	<200	160	380
7/22/2009	2,300	4,700	410	<250	<250	110
1/19/2010	7,400	1,100	670	<1000	230	410
4/8/2010	3,000	7,200	560	<500	110	<500
10/11/2010	7,800	43,000	3,000	<4,000	790	<4,000
4/6/2011	13,000	39,000	3,500	<40	700	45
10/4/2011	17,000	97,000	5,700	71	1700	<1
4/3/2012	39,000	120,000	9,400	<200	2000	<200
7/6/2012	15,000	78,000	6,200	<1000	990	<1000
1/21/2013	40,000	95,000	5,100	100	1600	98
4/2/2013	12,000	57,000	480	<40	850	<40
7/1/2013	14,000	58,000	300	<100	700	<100
4/7/2014	32,000	69,000	3,900	<1000	880	<1000
10/14/2014	32,000	62,000	3,500	<1000	880	<1000
1/21/2015	1,800	170,000	5,700	<1000	1,600	<1000
4/7/2015	110	3,600	480	<80	37	<80
7/23/2015	<100	990	6,500	<100	160	<100
10/20/2015	<100	1,900	7,600	<100	560	<100

MONITORING WELL MW-4
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

MONITORING WELL MW-6
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

	Analytical Results (µg/L)					
Sample Date	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	< 10	< 10	< 10	< 10	< 10	< 6
10/12/2004	< 10	< 10	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/14/2005	< 10	< 10	< 10	< 10	< 10	< 10
7/21/2005	< 5	< 5	< 5	< 5	< 5	< 5
10/4/2005	< 5	< 5	< 5	< 5	< 5	< 5
1/5/2006	< 5	< 5	< 5	< 5	< 5	< 5
4/14/2006	< 5	< 5	< 5	< 5	< 5	< 5
7/10/2006	< 5	< 5	< 5	< 5	< 5	< 5
10/18/2006	< 5	< 5	< 5	< 5	< 5	< 5
1/10/2007	< 5	< 5	< 5	< 5	< 5	< 5
4/16/2007	< 5	< 5	< 5	< 5	< 5	< 5
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/17/2007	0.63	1.4	< 5	< 5	< 5	< 5
1/8/2008	<5	<5	<5	< 5	< 5	< 5
4/3/2008	<5	0.42	<5	<5	<5	<5
7/1/2008	<5	<5	<5	<5	<5	<5
10/1/2008	<5	<5	<5	<5	<5	<5
1/20/2009	<5	<5	<5	<5	<5	<5
4/15/2009	<5	<5	<5	<5	<5	<5
7/21/2009	<5	<5	<5	<5	<5	<5
10/13/2009	<5	<5	<5	<5	<5	<5
1/18/2010	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
7/13/2010	<5	<5	<5	<5	<5	<5
10/11/2010	<5	<5	<5	<5	<5	<5
1/12/2011	<1	<1	<1	<1	<1	<1
4/4/2011	<1	<1	<1	<1	<1	<1
7/26/2011	<1	<1	<1	<1	<1	<1
1/12/2012	<1	<1	<1	<1	<1	<1
4/2/2012	<1	<1	<1	<1	<1	<1
7/5/2012	<1	<1	<1	<1	<1	<1
10/11/2012	<1	<1	<1	<1	<1	<1
1/21/2013	<1	<1	<1	<1	<1	<1
4/1/2013	<1	<1	<1	<1	<1	<1
7/1/2013	<1	<1	<1	<1	<1	<1
10/10/2013	<1	<1	<1	<1	<1	<1
1/22/2014	<1	<1	<1	<1	<1	<1
4/7/2014	<1	<1	<1	<1	<1	<1
7/17/2014	<1	<1	<1	<1	<1	<1
10/14/2014	<1	<1	<1	<1	<1	<1
1/20/2015	<1	<1	<1	<1	<1	<1
4/6/2015	<1	<1	<1	<1	<1	<1
7/23/2015	<1	<1	<1	<1	<1	<1
10/19/2015	<1	<1	<1	<1	<1	<1

MONITORING WELL MW-6
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-8R
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/13/2004	35,000	22,000	3,400	160	< 5,000	810
1/7/2005	23,000	28,000	4,000	< 2,000	1,100	1,300
4/14/2005	15,000	11,000	1,300	380	360	240
7/21/2005	9,200	6,200	600	390	200	52
10/5/2005	13,000	10,000	830	< 1,000	300	<1,000
1/6/2006	42,000	38,000	2,300	150	1100	820
4/14/2006	14,000	7,400	1,200	220	200	< 1,000
7/10/2006	16,000	13,000	2,200	300	320	< 1,000
10/18/2006	13,000	8,900	1,400	300	200	32
1/10/2007	1,600	2,500	120	24	52	26
4/17/2007	19,000	11,000	670	< 1,000	< 1,000	< 1,000
7/3/2007	29,000	12,000	890	< 1,000	290	< 1,000
10/15/2007	2,200	1,600	60	< 200	33	< 200
1/8/2008	38,000	22,000	2,000	76	620	740
4/3/2008	12,000	8,100	820	77	140	72
7/2/2008	7,400	6,000	790	100	130	72
10/2/2008	22,000	15,000	1,200	70	320	340
1/22/2009	8,400	4,600	510	56	76	<100
4/15/2009	13,000	6,800	700	49	99	27
10/13/2009	13,000	6,800	700	49	99	27
4/8/2010	2,500	1,300	84	<100	19	<100
7/12/2010	19,000	14,000	1,000	64	160	<100
1/12/2011	99,000	54,000	2,500	<2000	<2000	<2000
4/6/2011	89,000	49,000	2,500	<800	470	<800
7/26/2011	36,000	26,000	<800	80	510	1.2
10/4/2011	33,000	21,000	<400	<400	560	<400
1/13/2012	99,000	56,000	2,700	<800	520	<800
4/3/2012	99,000	54,000	2,600	<2000	<2000	<2000
10/12/2012	89,000	48,000	2,000	<800	340	<800
4/2/2013	64,000	37,000	1,900	<1000	<1000	<1000
10/10/2013	100,000	57,000	2,700	<1000	<1000	<1000
4/7/2014	100,000	56,000	1,900	<1000	<1000	<1000
7/17/2014	110,000	58,000	2,300	<1000	<1000	<1000
1/21/2015	2,100	54,000	<2000	<2000	<2000	<2000
4/6/2015	<2000	55,000	8,500	<2000	<2000	<2000
7/23/2015	<200	74,000	26,000	<200	<200	<200
10/21/2015	<25	240	2,400	39	290	<25

MONITORING WELL MW-8R
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

MONITORING WELL MW-9
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	6	21	140	130	60	< 10
10/13/2004	< 10	4	190	110	47	< 10
1/6/2005	< 10	19	220	180	90	< 10
4/14/2005	< 10	5	51	190	80	< 10
7/21/2005	< 5	2	92	220	70	< 5
10/5/2005	< 5	8	38	58	96	0.68
7/10/2006	1.3	56	250	280	150	< 5
10/17/2007	2.6	60	170	410	140	< 25
1/21/2009	<5	59	87	33	140	0.81
4/7/2010	<5	17	19	16	99	< 5
4/4/2011	<1	21	34	17	78	<1
4/2/2012	<1	19	1.8	1.5	90	<1
4/1/2013	<1	16	17	5.9	62	<1
4/7/2014	<1	21	75	22	73	<1
4/7/2015	<1	4.1	<1	<1	43	<1

MONITORING WELL MW-9
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-10
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	< 10	< 10	< 10	< 10	<10
1/5/2006	< 5	< 5	< 5	< 5	< 5	< 5
4/14/2006	< 5	< 5	< 5	< 5	< 5	< 5
7/10/2006	< 5	< 5	< 5	< 5	< 5	< 5
10/18/2006	< 5	< 5	< 5	< 5	< 5	< 5
1/9/2007	< 5	< 5	< 5	< 5	< 5	< 5
4/16/2007	< 5	< 5	< 5	< 5	< 5	< 5
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/17/2007	< 5	< 5	< 5	< 5	< 5	< 5
1/9/2008	< 5	< 5	< 5	< 5	< 5	< 5
4/3/2008	< 5	< 5	< 5	< 5	< 5	< 5
7/1/2008	< 5	< 5	< 5	< 5	< 5	< 5
10/1/2008	< 5	< 5	< 5	< 5	< 5	< 5
1/20/2008	< 5	< 5	< 5	< 5	< 5	< 5
4/15/2009	< 5	< 5	< 5	< 5	< 5	< 5
7/21/2009	< 5	< 5	< 5	< 5	< 5	< 5
10/13/2009	< 5	< 5	< 5	< 5	< 5	< 5
1/18/2010	< 5	< 5	< 5	< 5	< 5	< 5
4/7/2010	< 5	< 5	< 5	< 5	< 5	< 5
7/13/2010	< 5	< 5	< 5	< 5	< 5	< 5
10/11/2010	< 5	< 5	< 5	< 5	< 5	< 5
1/12/2011	<1	<1	<1	<1	<1	<1
4/4/2011	<1	<1	<1	<1	<1	<1
7/26/2011	<1	<1	<1	<1	<1	<1
10/3/2011	<1	<1	<1	<1	<1	<1
1/12/2012	<1	<1	<1	<1	<1	<1
4/2/2012	<1	<1	<1	<1	<1	<1
7/5/2012	<1	<1	<1	<1	<1	<1
10/11/2012	<1	<1	<1	<1	<1	<1
4/1/2013	<1	<1	<1	<1	<1	<1
7/1/2013	<1	<1	<1	<1	<1	<1
10/10/2013	<1	<1	<1	<1	<1	<1
1/22/2014	<1	<1	<1	<1	<1	<1
4/7/2014	<1	<1	<1	<1	<1	<1
7/17/2014	<1	<1	<1	<1	<1	<1
10/14/2014	<1	<1	<1	<1	<1	<1
1/20/2015	<1	<1	<1	<1	<1	<1
4/6/2015	<1	<1	<1	<1	<1	<1
7/23/2015	<1	<1	<1	<1	<1	<1
10/19/2015	<1	<1	<1	<1	<1	<1

MONITORING WELL MW-10

SUMMARY OF VOCs IN GROUNDWATER

Former Scott Aviation Site

Lancaster, New York



MONITORING WELL MW-11
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

	Analytical Results (µg/L)					
Sample Date	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	7	< 10	33	3	< 10
1/5/2006	2.2	6.7	3.9	31	6.7	<20
4/14/2006	< 20	9	4	16	4.1	< 20
7/10/2006	< 20	7.8	3.9	23	3.6	< 20
10/19/2006	6.8	23	7.9	25	5.7	1.7
1/9/2007	2.6	31	6.7	38	8.5	2.3
4/16/2007	0.89	9.8	4.1	22	3.4	<5
7/2/2007	< 5	13	6.1	< 5	4.8	0.84
10/16/2007	0.71	27	11	27	8.6	1.7
1/8/2008	1.1	38	18	29	12	3.4
4/2/2008	0.49	30	4.3	16	7.4	1.6
7/1/2008	1	42	14	32	11	2.8
10/2/2008	0.81	42	13	23	10	2.4
1/20/2009	0.77	36	11	16	8.7	1.9
4/14/2009	0.95	45	17	21	11	3
7/22/2009	0.69	37	9.9	16	<5	2
10/13/2009	0.69	37	9.9	16	<5	2
1/18/2010	0.77	51	1.7	25	13	2.9
4/7/2010	0.95	60	17	25	13	2.4
7/12/2010	1	65	18	21	13	2.6
10/11/2010	0.8	63	21	15	16	2.2
4/5/2011	1.2	64	14	20	12	4.6
7/25/2011	<1	45	21	9.5	13	1.5
10/3/2011	<1	69	23	10	16	2.6
1/12/2012	<1	33	16	5.4	9.8	0.88
4/2/2012	0.51	39	17	9.1	9.8	1.2
7/5/2012	<1	38	19	5	12	1.9
10/11/2012	<1	36	16	6.6	9.3	1.1
1/21/2013	<1	23	6	8.2	0.64	<1
7/1/2013	0.46	55	20	21	13	1.4
10/9/2013	<1	27	14	5.5	6.9	<1
1/21/2014	<1	38	13	3.8	9.4	0.85
4/7/2014	<1	26	4.3	2.3	7.1	<1
7/16/2014	<1	36	14	4.5	8.8	1.4
10/14/2014	<1	25	9.8	2.5	6.1	<1
1/20/2015	<5	17	7.4	<5	5.0	<5
4/6/2015	<2	19	6.7	2.4	4.7	<2
7/22/2015	<1	6.3	2.5	<1	<1	<1
10/26/2015	<1	4.2	3.9	<1	1.7	<1

MONITORING WELL MW-11
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-12
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/12/2004	13	3	24	52	4	< 10
1/6/2005	< 10	< 10	39	82	6	< 10
4/14/2005	< 10	< 10	5	170	4	< 10
7/21/2005	< 5	< 5	14	87	3	<
10/5/2005	< 5	< 5	1.2	78	0.43	< 5
1/5/2006	< 25	< 25	7.2	43	5.8	< 25
4/14/2006	< 25	< 25	6.3	28	6.9	< 25
7/10/2006	< 25	< 25	15	69	5	< 25
1/9/2007	< 5	< 5	0.83	38	< 5	< 5
4/16/2007	< 20	< 20	< 20	29	< 20	< 20
7/2/2007	< 5	< 5	45	82	4.6	< 5
10/15/2007	< 5	< 5	42	87	5.2	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	< 5	< 5	23	< 5	< 5
7/1/2008	< 5	< 5	0.64	14	0.55	< 5
10/1/2008	< 5	< 5	7.8	20	2.1	< 5
4/14/2009	<5	<5	6.8	23	<5	<5
7/22/2009	<5	<5	3.6	9.2	0.79	<5
10/12/2009	<5	<5	3.6	9.2	0.79	<5
1/18/2010	<5	<5	3.6	33	<5	<5
4/7/2010	<5	<5	< 5	23	<5	<5
7/13/2010	<5	<5	6.4	26	<5	<5
10/11/2010	<5	<5	8.1	33	<5	<5
1/12/2011	<1	<1	1.3	36	<1	<1
4/4/2011	<1	<1	1.1	22	<1	<1
7/26/2011	<1	<1	8.9	23	<1	<1
10/4/2011	<1	<1	3.9	21	<1	<1
1/12/2012	<1	<1	1.4	19	<1	<1
4/2/2012	<1	<1	<1	17	<1	<1
10/11/2012	<1	<1	2.1	20	0.49	<1
1/21/2013	<1	<1	<1	38	<1	<1
4/1/2013	<1	<1	1.1	22	<1	<1
7/1/2013	<1	<1	6.6	38	<1	<1
10/10/2013	<1	<1	0.95	16	<1	<1
4/7/2014	<1	<1	1.2	11	<1	<1
7/17/2014	<1	<1	3.3	9.4	<1	<1
10/14/2014	<1	<1	7.1	12	<1	<1
4/6/2015	<1	<1	7.2	11	<1	<1
7/23/2015	<1	<1	6.6	8.5	<1	<1
10/19/2015	<1	0.88	6.7	7.4	<1	<1

MONITORING WELL MW-12

SUMMARY OF VOCs IN GROUNDWATER

Former Scott Aviation Site

Lancaster, New York



PIEZOMETER MW-13S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	10,000	9,000	320	< 100	< 100	< 100
10/12/2004	2,100	2,300	< 200	< 200	< 200	56
1/6/2005	10,000	9,400	720	< 200	75	62
4/15/2005	760	700	28	< 50	9	20
7/20/2005	870	990	37	< 40	16	49
10/4/2005	410	280	9.1	< 40	< 40	3.4
7/10/2006	17,000	9,400	300	9	65	88
10/19/2006	1,300	1,700	50	<100	19	36
1/10/2007	1,500	1,800	58	<100	24	41
4/17/2007	4,400	2,200	90	< 250	< 250	250
7/3/2007	220	410	11	< 25	5.7	7.2
10/18/2007	570	800	14	< 25	8.5	15
1/9/2008	1800	2300	330	7.3	32	68
4/3/2008	580	610	21	<50	8.5	9.5
7/2/2008	1,800	1,500	38	<120	14	13
10/2/2008	5,800	5,000	190	<120	36	27
1/20/2009	3,400	2,500	150	<10	30	28
4/15/2009	3,400	3,700	290	<40	<40	30
10/13/2009	3,400	3,700	290	<40	<40	30
4/7/2010	1,400	1,600	45	<50	16	10
7/13/2010	400	870	30	<50	7.9	<50
1/12/2011	39,000	25,000	<500	9.4	19	<1
4/6/2011	40,000	23,000	<800	4.7	<800	<800
7/2/2011	31,000	19,000	<800	2.9	95	2.9
1/13/2012	53,000	30,000	770	<800	1400	<800
4/3/2012	39,000	21,000	320	3.7	110	<1
10/12/2012	41,000	24,000	<800	<800	<800	<800
4/2/2013	40,000	22,000	140	3.9	100	<1
10/10/2013	49,000	31,000	<1	<1	<1	<1
4/7/2014	32,000	18,000	<500	<500	<500	<500
7/17/2014	33,000	17,000	<500	<500	<500	<500
1/21/2015	19,000	22,000	<500	<500	150	<500
4/7/2015	31,000	32,000	<500	<500	<500	<500
7/23/2015	<500	31,000	3500	<500	<500	<500
10/20/2015	<10	640	1700	46	260	<10

MONITORING WELL MW-13S

SUMMARY OF VOCs IN GROUNDWATER

Former Scott Aviation Site

Lancaster, New York



PIEZOMETER MW-13D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	17	2	< 10	< 10	< 10	< 10
10/12/2004	7	2	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/15/2005	8	4	< 10	< 10	< 10	< 10
7/20/2005	1	2	< 5	< 5	< 5	< 5
10/4/2005	1.4	1.5	< 5	< 5	< 5	<5
7/10/2006	2	1.6	2.6	< 5	< 5	< 5
10/18/2007	<5	0.55	1.1	< 5	< 5	< 5
1/20/2009	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
4/6/2011	22	23	<1	<1	<1	<1
4/3/2012	62	89	2.3	<1	<1	<1
4/1/2013	53	44	2.9	<1	<1	<1
4/7/2014	30	28	1.9	<1	<1	<1
4/7/2015	40	37	<1	<1	<1	<1
7/23/2015	2	5300	1100	11	56	<1
10/20/2015	<100	3200	920	<100	42	<100

PIEZOMETER MW-13D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-14S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	78	290	530	80	< 20
10/12/2004	< 10	100	140	640	94	< 10
1/6/2005	< 10	59	22	82	48	< 10
4/15/2005	< 10	35	15	180	27	< 10
7/20/2005	< 5	39	36	76	42	< 5
10/5/2005	< 5	35	59	160	56	<5
7/10/2006	5.7	17	13	36	20	< 25
10/15/2007	< 5	63	16	5.7	52	1.3
1/21/2009	0.38	36	7.9	0.87	33	0.63
4/8/2010	< 5	4	< 5	0.62	5.9	<5
4/5/2011	< 1	1.1	<1	<1	1.9	<1
4/2/2012	1.3	30	21	11	27	<1
4/1/2013	<1	<1	<1	<1	<1	<1
4/7/2014	<1	25	19	14	19	<1
4/7/2015	<1	16	14	18	6.8	<1

PIEZOMETER MW-14S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-14D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	8	< 10	4	< 10	< 10
10/12/2004	4	4	< 10	< 10	< 10	< 10
1/6/2005	20	190	45	3	8	2
4/15/2005	10	140	18	6	4	< 10
7/20/2005	26	200	31	4	7	2
10/5/2005	< 10	460	42	7.2	9.9	<10
7/10/2006	0.96	7.2	12	0.82	< 5	< 5
10/15/2007	< 5	47	66	1.8	2.2	< 5
1/21/2009	<5	2	1.4	0.91	1.3	<5
4/8/2010	9.4	99	21	1.5	2	<5
4/5/2011	0.97	5.6	2.6	1.5	<1	<1
4/2/2012	0.64	13	9.9	<1	0.44	<1
4/1/2013	0.99	28	19	4.6	21	<1
4/7/2014	<1	28	17	<1	0.82	<1
4/7/2015	<1	<1	<1	<1	<1	<1

PIEZOMETER MW-14D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-15S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	280	1,700	770	240	1,500	< 250
10/12/2004	460	2,300	940	170	1,700	< 250
1/7/2005	340	2,000	760	170	1,300	< 250
4/15/2005	400	2,000	790	700	1,400	< 200
7/21/2005	430	2,600	1,000	490	1,800	< 120
10/5/2005	330	2,700	750	330	1,400	<100
7/10/2006	400	3,800	1,500	100	2,600	< 25
10/16/2007	400	3400	1300	190	2000	< 200
1/21/2009	180	1300	360	240	840	<5
4/8/2010	270	1900	690	700	1400	<10
4/7/2011	200	1700	450	330	850	<1
4/3/2012	240	1400	540	360	1100	<1
4/1/2013	140	1100	420	560	780	<20
4/7/2014	160	1000	350	250	730	<20
4/6/2015	85	600	210	220	450	<20

PIEZOMETER MW-15S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-15D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	740	180	180	120	< 10
10/12/2004	14	730	150	120	120	< 50
1/7/2005	18	590	200	140	100	< 50
4/15/2005	< 50	460	170	1,400	150	< 50
7/21/2005	15	610	230	1,200	190	< 25
10/5/2005	10	520	260	1,000	180	<50
7/10/2006	4.9	280	320	1,400	140	< 5
10/16/2007	3.6	210	99	620	66	< 5
1/21/2009	<25	22	32	1000	<25	<25
4/8/2010	<5	1700	19	<5	12	<5
4/5/2011	<8	38	26	400	13	<8
4/3/2012	<10	<10	<10	900	<10	<10
4/1/2013	<8	<8	240	1400	16	<8
4/7/2014	<20	<20	<20	1200	<20	<20
4/6/2015	<20	<20	<20	560	<20	<20

PIEZOMETER MW-15D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-16S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

	Analytical Results (µg/L)					
Sample Date	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	860,000	62,000	< 20,000	< 20,000	5,000	14,000
10/12/2004	200,000	46,000	< 10,000	< 10,000	2,900	< 10,000
1/7/2005	420,000	64,000	< 10,000	< 10,000	3,800	3,300
4/15/2005	400,000	71,000	< 25,000	< 25,000	< 25,000	< 25,000
7/21/2005	480,000	76,000	1,500	2,200	4,400	2,700
10/5/2005	440,000	74,000	< 25,000	< 25,000	4,100	< 25,000
1/6/2006	470,000	82,000	2,600	< 20,000	3,300	5,200
4/14/2006	260,000	56,000	3,900	< 20,000	2,600	< 20,000
7/10/2006	310,000	78,000	4,000	< 20,000	3,500	< 20,000
10/19/2006	77,000	22,000	1,300	< 5,000	940	< 5,000
1/10/2007	44,000	18,000	1,900	< 2,500	840	< 2,500
4/17/2007	94,000	36,000	3,300	1,800	1,500	< 5,000
1/21/2013	240,000	79,000	9,300	2,900	2,200	7,200
7/1/2013	120,000	65,000	5,400	1,200	1,200	2,600
1/22/2014	110,000	43,000	3,700	<2,000	830	2,700
4/7/2014	61,000	24,000	1,600	<1000	500	1,000
10/14/2014	170,000	51,000	3,800	360	980	3,500
1/26/2015	160,000	160,000	4,700	<4000	2,100	<4000
4/7/2015	26,000	220,000	<4000	<4000	<4000	<4000
7/24/2015	5,100	240,000	5,700	<4000	2,000	<4000
10/20/2015	<4000	290,000	10,000	<4000	<4000	<4000

MONITORING WELL MW-16S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-16D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	6,900	490	< 500	< 500	< 500	< 500
10/12/2004	12,000	1,000	< 500	< 500	91	< 500
1/6/2005	9	27	39	22	15	< 10
4/15/2005	32	36	17	100	10	< 10
7/21/2005	25	12	4	84	2	< 10
10/5/2005	1.3	16	10	41	5	<5
7/10/2006	6.1	27	21	1,000	9.7	< 5
10/18/2007	6	48	39	250	16	< 20
1/22/2009	52	92	39	90	21	1.9
4/8/2010	12	6.9	3.6	240	8.7	< 10
4/7/2011	22	59	33	59	27	1.2
4/3/2012	42	66	46	110	35	<1
4/1/2013	57	2900	1100	190	260	<1
4/7/2014	<25	1700	390	110	99	<25
4/7/2015	<25	650	380	170	94	<25
7/23/2015	<25	<25	41	340	56	<25
10/20/2015	<10	24	9.2	<10	15	<10

PIEZOMETER MW-16D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York