



**City of North Tonawanda
Department of Engineering**

City Hall, 216 Payne Avenue
North Tonawanda, NY 14120-5493
www.northtonawanda.org

August 25, 2010

Dale W. Marshall, P. E.
City Engineer
Phone: (716) 695-8565
Fax: (716) 695-8568

Reference No. 007987

Mr. Brian Sadowski
Project Manager
New York State Department of Environmental Conservation
270 Michigan Avenue
Buffalo, NY 14203-2999

Dear Mr. Sadowski:

Re: Site Management Periodic Review Report
Gratwick-Riverside Park Site, North Tonawanda, New York

Pursuant to the New York State Department of Environmental Conservation (NYSDEC) letter dated July 19, 2010, enclosed are three hard copies and one pdf copy on CD of the report entitled "Ninth Annual Operation and Monitoring Report, June 2009 to May 2010". This report is being submitted as the Site Management Periodic Review Report (PRR) for the Gratwick-Riverside Park Site (Site) located in North Tonawanda, New York. This PRR documents the implementation of and compliance with the requirements of the Operation and Maintenance Manual (O&M Manual) dated March 2002 (revised January 2004 and May 2009). The O&M Manual includes the performance monitoring for the constructed remedy. NYSDEC approval for the O&M Manual was given on April 20, 2005. This is the ninth year of reporting for the Site since the implementation of the O&M program. Pursuant to the data presented in the PRR, the constructed remedy is achieving the remedial action objectives.

Also attached is the completed Institutional and Engineering Controls Certification Form which certifies that the NYSDEC listed institutional and engineering controls (ICs/ECs) are accurate as shown and are functioning properly.

The Site covers approximately 52.9 acres located adjacent to the Niagara River in the City of North Tonawanda, New York. The Site is bordered by River Road to the north, a private marina to the east, the River to the south, and a private residential area to the west. The Site is currently a public park with unrestricted access.

Construction of the remedial action was completed in June 2001 with final inspection performed in November 2001. Groundwater pumping began in May 2001. The description of the constructed remedy is presented in the report entitled "Remedial Action Construction Implementation" dated July 2002. The July 2002 report addressed comments received from the NYSDEC on the Remedial Action Construction Implementation Report submitted in June 2002. Repairs to address shoreline erosion that was observed in 2003 were performed in November 2004 and are documented in the report entitled "Remedial Action Construction

Implementation – Addendum No. 1, Repair of Shoreline Erosion" dated March 2005. NYSDEC acceptance of the Addendum was given on April 20, 2005.

The Certificate of Completion dated March 17, 2008 was accepted by the NYSDEC on March 19, 2008, signifying that all remedial work has been completed.

The purpose and primary objective of the groundwater withdrawal system is to collect groundwater that would otherwise migrate into the Niagara River by creating a hydraulic gradient from the River to the groundwater withdrawal system. The post-RA system performance monitoring program is conducted to collect the hydraulic and groundwater chemical data necessary to evaluate the effectiveness of the barrier slurry wall and groundwater withdrawal system and to track long-term trends in the groundwater chemistry.

The remedial action system components at the Site that have associated O&M activities are as follows:

- Landfill cap
- Barrier slurry wall
- Groundwater withdrawal and discharge system
- Sloped-bank stabilization
- Post-RA system performance monitoring

Inspections of the landfill cap and sloped bank stabilization are performed monthly by CRA. Any observed items requiring corrective actions are reported within three business days to the City of North Tonawanda which is responsible for the operation and maintenance of the Site. Performance monitoring of the barrier slurry wall is performed monthly by measuring river and groundwater levels to ensure that a gradient from the river to the groundwater withdrawal system is maintained. Performance monitoring of the groundwater discharge system is performed in accordance with the City of North Tonawanda Industrial Wastewater Discharge Permit Number 2628011 which requires semi-annual collection and analyses of samples of the water that is discharged to the City of North Tonawanda WWTP. Groundwater samples are currently collected and analyzed annually from seven wells and from an additional five wells once every two years in accordance with the schedule in the modified O&M Manual to track the long-term trends in the groundwater concentrations.


July 29, 2010

3

Reference No. 007987

If you have any questions, please do not hesitate to contact the undersigned at 716-695-8565.

Yours truly,

A handwritten signature in cursive script that reads "Dale Marshall". The signature is written in dark ink and is positioned above the typed name and title.

Dale Marshall, P.E.
City Engineer

KDS/cb/2
Encl.

cc: R. Knizek, NYSDEC Remedial Bureau E
J. Drumm, NYSDEC Albany
G. Sutton/Marty Doster, NYSDEC Region 9
G. Litwin, NYSDOH
C. Babcock, GSHI
J.P. Moreau/W. Jones (National Grid)



Enclosure 1
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
 Site Management Periodic Review Report Notice
 Institutional and Engineering Controls Certification Form



	Site Details	Box 1
Site No.	932060	
Site Name	Gratwick - Riverside Park	
Site Address:	River Road	Zip Code: 14120
City/Town:	North Tonawanda	
County:	Niagara	
Allowable Use(s) (if applicable, does not address local zoning):		
Site Acreage:	52.9	
Owner:	City of North Tonawanda 216 Payne St., North Tonawanda, NY 14120-5493	
Reporting Period:	December 01, 2009 to June 01, 2010 <i>June May 31</i>	

	Box 2	
Verification of Site Details	YES	NO
1. Is the information in Box 1 correct?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If NO, are changes handwritten above or included on a separate sheet?	<input checked="" type="checkbox"/>	
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If YES, is documentation or evidence that documentation has been previously submitted included with this certification?	<input type="checkbox"/>	
3. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If YES, is documentation (or evidence that documentation has been previously submitted) included with this certification?	<input checked="" type="checkbox"/>	
<i>City of North Tonawanda Industrial Discharge Permit renewed March 1, 2010</i>		
4. If use of the site is restricted, is the current use of the site consistent with those restrictions?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If NO, is an explanation included with this certification?	<input type="checkbox"/>	
5. For non-significant-threat Brownfield Cleanup Program Sites subject to ECL 27-1415.7(c), has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid? <i>NA</i>	<input type="checkbox"/>	<input type="checkbox"/>
If YES, is the new information or evidence that new information has been previously submitted included with this Certification?	<input type="checkbox"/>	
6. For non-significant-threat Brownfield Cleanup Program Sites subject to ECL 27-1415.7(c), are the assumptions in the Qualitative Exposure Assessment still valid (must be certified every five years)? <i>NA</i>	<input type="checkbox"/>	<input type="checkbox"/>
If NO, are changes in the assessment included with this certification?	<input type="checkbox"/>	

SITE NO. 932060

Box 3

Description of Institutional Controls

Parcel

Institutional Control

S_B_L Image: 175.19-1-28

Ground Water Use Restriction
Landuse Restriction
Monitoring Plan
O&M Plan

Box 4

Description of Engineering Controls

Parcel

Engineering Control

S_B_L Image: 175.19-1-28

Cover System
Groundwater Containment
Leachate Collection
Pump & Treat

Attach documentation if IC/ECs cannot be certified or why IC/ECs are no longer applicable.
(See instructions)

Control Description for Site No. 932060

Parcel: 175.19-1-28

Deed Restriction, Sloped Bank Stabilization in addition to the ICEC listed above.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

- a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;
- b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

- (a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;
- (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;
- (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;
- (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and
- (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

3. If this site has an Operation and Maintenance (O&M) Plan (or equivalent as required in the Decision Document);

I certify by checking "YES" below that the O&M Plan Requirements (or equivalent as required in the Decision Document) are being met.

YES NO

4. If this site has a Monitoring Plan (or equivalent as required in the remedy selection document);

I certify by checking "YES" below that the requirements of the Monitoring Plan (or equivalent as required in the Decision Document) is being met.

YES NO

IC CERTIFICATIONS
SITE NO. 932060

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 2 and/or 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Dale W. Marshall at 216 Payne Ave N. Tonawanda, NY
print name print business address 14120

am certifying as North Tonawanda City Engineer (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Dale W. Marshall, PE.
Signature of Owner or Remedial Party Rendering Certification

8/25/10
Date

IC/EC CERTIFICATIONS

Box 7

QUALIFIED ENVIRONMENTAL PROFESSIONAL (QEP) SIGNATURE

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Dale W. Marshall at 216 Payne Ave N. Tonawanda, NY
print name print business address 14120

am certifying as a Qualified Environmental Professional for the City of North Tonawanda

(Owner or Remedial Party) for the Site named in the Site Details Section of this form.

Dale W. Marshall, PE.
Signature of Qualified Environmental Professional, for
the Owner or Remedial Party, Rendering Certification



8/25/10
Date



NINTH ANNUAL OPERATION AND MONITORING REPORT JUNE 2009 TO MAY 2010

**GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

DISCLAIMER:
SOME FORMATTING CHANGES MAY HAVE OCCURRED WHEN
THE ORIGINAL DOCUMENT WAS PRINTED TO PDF; HOWEVER,
THE ORIGINAL CONTENT REMAINS UNCHANGED.

**AUGUST 2010
REF. NO. 007987 (37)**

**Prepared by:
Conestoga-Rovers
& Associates**

651 Colby Drive
Waterloo, Ontario
Canada N2V 1C2

Office: (519) 884-0510
Fax: (519) 884-0525

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 GROUNDWATER WITHDRAWAL SYSTEM (GWS).....	2
2.1 HYDRAULIC MONITORING.....	2
2.2 GROUNDWATER QUALITY MONITORING	4
2.2.1 SAMPLE RESULTS	4
2.3 EFFLUENT MONITORING PROGRAM.....	7
2.3.1 SAMPLE RESULTS	7
2.4 SURFACE WATER MONITORING PROGRAM.....	9
2.4.1 SAMPLE RESULTS	9
2.5 GWS OPERATIONS.....	9
2.6 GWS MAINTENANCE	10
3.0 SITE INSPECTIONS	11
4.0 CONCLUSIONS/RECOMMENDATIONS.....	12
4.1 OPERATION AND MAINTENANCE.....	12
4.2 MONITORING	12
4.3 NOTIFICATIONS TO CITY OF NORTH TONAWANDA	12

LIST OF FIGURES
(Following Text)

FIGURE 2.1	MONITORING NETWORK
FIGURE 2.2	MW-6 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.3	MW-7 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.4	MW-8 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.5	MW-9 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.6	OGC-1 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.7	OGC-2 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.8	OGC-3 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.9	OGC-4 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.10	OGC-5 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.11	OGC-6 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.12	OGC-7 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.13	OGC-8 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.14	EFFLUENT TVOCS AND TSVOC VS. TIME
FIGURE 2.15	EFFLUENT pH VS. TIME
FIGURE 2.16	EFFLUENT TOTAL SUSPENDED SOLIDS VS. TIME
FIGURE 2.17	EFFLUENT BOD VS. TIME
FIGURE 2.18	EFFLUENT VOLUME VS. TIME

LIST OF TABLES
(Following Text)

TABLE 2.1	GROUNDWATER HYDRAULIC MONITORING LOCATIONS
TABLE 2.2	WATER LEVELS (FT AMSL)
TABLE 2.3	SUMMARY OF HORIZONTAL GRADIENTS
TABLE 2.4	SUMMARY OF VERTICAL GRADIENTS
TABLE 2.5	GROUNDWATER SAMPLING SUMMARY
TABLE 2.6	SUMMARY OF DETECTED COMPOUNDS, SITE GROUNDWATER AND RIVER WATER
TABLE 2.7	PH READINGS
TABLE 2.8	EFFLUENT SAMPLING SUMMARY, JUNE 2001 TO FEBRUARY 2007
TABLE 2.9	EFFLUENT SAMPLING SUMMARY, SUBSEQUENT TO FEBRUARY 2007
TABLE 2.10	ANALYTICAL RESULTS SUMMARY, SITE EFFLUENT
TABLE 2.11	GROUNDWATER VOLUMES DISCHARGED TO NORTH TONAWANDA POTW
TABLE 2.12	SURFACE WATER SAMPLING SUMMARY

LIST OF APPENDICES

APPENDIX A	MONTHLY INSPECTION LOGS (JUNE 2009 TO MAY 2010)
APPENDIX B	QA/QC REVIEWS

1.0 INTRODUCTION

This report is the ninth annual Operation and Monitoring Report (O&M Report) for the remedial actions constructed at the Gratwick-Riverside Park Site (Site) located in North Tonawanda, New York. This report covers the period from June 2009 to May 2010 and was prepared pursuant to Section 7.0 of the report entitled "Operation and Maintenance Manual" (O&M Manual) dated March 2002 (revised January 2004 and May 2009). It is noted that New York State Department of Environmental Conservation (NYSDEC) approval for the O&M Manual was given on April 20, 2005. All O&M activities have been performed in accordance with the methods and frequencies specified in the O&M Manual and as modified in previous annual reports and approved by NYSDEC. In accordance with the approved monitoring changes, the groundwater is now monitored annually in seven wells and an additional five wells are monitored once every two years. Discharge from the Site is monitored semi-annually in accordance with the City of North Tonawanda Wastewater Discharge Permit.

2.0 GROUNDWATER WITHDRAWAL SYSTEM (GWS)

Full-time operation of the Groundwater Withdrawal System (GWS) at the Site started on May 4, 2001. The objectives of the GWS are to:

- i) Achieve and maintain an inward gradient from the Niagara River toward the GWS
- ii) Achieve and maintain an upward gradient from the fill alluvium layer beneath the GWS

In order to determine whether the objectives are being met, hydraulic and chemical monitoring programs have been developed. These programs include: Site groundwater; GWS effluent; and River surface water. Sampling of the River water was no longer required after April 2008. The wells, manholes, wet wells, and storm sewer outfalls that comprise the monitoring network are shown on Figure 2.1. The monitoring programs are described in the following subsections.

2.1 HYDRAULIC MONITORING

Hydraulic monitoring consists of the collection of water levels in monitoring wells and manholes, and River water levels at the storm sewer outfalls. These data are then used to determine the vertical and horizontal gradients for the groundwater.

The water levels in four GWS manholes and in the River were monitored to confirm that an inward gradient exists. The water levels in five GWS manholes and in four monitoring wells installed near the GWS alignment in the materials directly overlying the confining unit were monitored to confirm that an upward gradient exists. The specific manholes and monitoring wells used to determine the horizontal and vertical gradients are listed in Table 2.1.

Groundwater elevations are measured on a monthly basis. The measured water levels from the beginning of the O&M period are presented in Table 2.2. Summaries of the horizontal and vertical gradients are provided in Tables 2.3 and 2.4, respectively.

The results for the horizontal gradient evaluation show that:

- i) Inward horizontal gradients were achieved by May 11, 2001, within one week of the start of pumping the GWS

- ii) The inward gradients were maintained for the remainder of the first nine years except for a few short intervals in isolated areas. The only exception in this reporting period occurred between September 30 and October 30, 2009 in the vicinity of MH-2

These outward gradients were due to electrical problems with the pump in MH-3 as described in Section 2.6 and have been rectified.

Short periods of outward gradient do not adversely affect the effectiveness of the remedy because:

- i) The gradients were outward for only short periods of time
- ii) The outward gradients occurred over only a portion of the barrier wall
- iii) The 36-inch barrier wall is six inches thicker than the design thickness thereby providing extra protection
- iv) Any outward migration of Site groundwater into the barrier wall during the short periods of outward gradient is more than offset by the inward migration of river water into the barrier wall during the long periods of inward gradient

With regard to the period of outward gradients noted in this reporting period, the difference in elevation between the groundwater in the GWS and the Niagara River levels ranged from 1.00 to 1.69 feet. The maximum difference in water levels is equivalent to a hydraulic gradient of 0.56 over the 3-foot thickness of the barrier wall. The hydraulic conductivity of the in-place barrier wall ranged from 2.34 to 9.45×10^{-8} cm/sec. Using the maximum value of 9.45×10^{-8} cm/sec and an assumed porosity of 0.25, groundwater would have migrated a distance of 0.06 inches through the barrier wall for the 60 day period between September 16, 2009 and November 15, 2009 (assuming outward gradient started and ended halfway between consecutive water level dates). Thus, there was no adverse effect due to this period of outward gradient.

The results for the vertical gradient evaluation showed that the vertical gradients during this reporting period were continually upward for all four monitoring pairs except for:

- i) Monitoring well pair MH3/MW-6 in September and October 2009
- ii) Well pair MH14&15/MW-9 in June, September, October, and November 2009

An upward gradient existed at these well pairs in all other monitoring events.

2.2 GROUNDWATER QUALITY MONITORING

Groundwater quality monitoring consists of the collection of water samples from on-Site overburden monitoring wells (OGC-1 through OGC-8 and MW-6 through MW-9) and the analysis of these samples to determine the concentrations of chemicals in the groundwater. The purpose of the groundwater quality monitoring program is to monitor the anticipated improvement in the quality of the overburden groundwater:

- i) between the barrier wall and the River (OGC-1 through OGC-4)
- ii) in the fill/alluvium beneath the GWS (MW-6 through MW-9)

The MWs are located on the inside of the barrier wall and the OGCs are located between the barrier wall and the river.

Groundwater quality monitoring locations are presented on Figure 2.1 and the analytical parameters and frequency are listed in Table 2.5.

Groundwater sampling was on an annual basis between May 2004 and May 2008. As approved in the NYSDEC letter dated February 23, 2009 the sampling frequency for May 2009 through May 2012 will be:

<i>Annual</i>	<i>Once Every Two Years (2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

2.2.1 SAMPLE RESULTS

A summary of compounds detected in the groundwater samples is presented in Table 2.6 and pH levels are presented in Table 2.7.

To evaluate the trends in the groundwater chemistry and evaluate the appropriate frequency of future sampling, the VOCs and SVOCs were summed and plotted on Figures 2.2 through 2.13 for each of the 12 monitoring wells included in the program. It is believed that the sum of the VOCs (i.e., TVOCs) and SVOCs (i.e., TSVOCs) best represent the trends in the groundwater chemistry.

Review of the TVOC and TSVOC concentrations show the following trends since May 2008 (the last prior date all 12 wells were sampled):

- i) TVOCs:
 - Decreasing concentrations in 4 of the 12 wells (MW-8, OGC-3, OGC-7, and OGC-8)
 - Increasing concentrations in 1 of the 12 wells (OGC-6)
 - Relatively constant concentrations with random fluctuations in 7 of the 12 wells
- ii) TSVOCs:
 - Decreasing concentrations in 3 of 12 wells (MW-7, OGC-3, and OGC-4)
 - Relatively constant concentrations with random fluctuations in 9 of the 12 wells

All the wells had only low level VOC concentrations (i.e., <12 µg/L) in this reporting period, except for MW-9 (18 µg/L) and OGC-6 (1130 µg/L). MW-7, OGC-1, OGC-2, OGC-5, OGC-7, and OGC-8 had TSVOC concentrations <12 µg/L.

In summary, the number of wells with decreasing or constant but fluctuating concentrations at low level concentrations, shows that the groundwater is being remediated.

Additional description of the TVOC and TSVOC concentrations is provided in the following paragraphs.

Monitoring Wells On-Site - Inside Barrier Wall

The TVOC concentrations for MW-6 shown on Figure 2.2 have been less than 5 µg/L since May 2007. The TSVOC concentrations were low level (i.e., <5 µg/L) since May 2004 until May 2010 when they increased slightly to 20 µg/L.

The TVOC and TSVOC concentrations for MW-7 on Figure 2.3 show that both TVOC and TSVOC have remained low level. TVOC concentrations ranged from non-detect to 7.3 µg/L since November 2003. TSVOC concentrations ranged from non-detect to 1 µg/L since May 2004.

The TVOC concentrations for MW-8 on Figure 2.4 show that the TVOC concentrations for the May 2010 sample was non-detect. This is significantly less than the 90 and 142 µg/L for May 2008 and May 2009, respectively. The TSVOC concentrations since May 2006 increased slightly from 31 µg/L to 117 µg/L in the May 2009 sample and then decreased slightly to 90 µg/L in the May 2010 sample.

The TVOC concentrations for MW-9 on Figure 2.5 show that the TVOC concentrations ranged between 9 and 30 µg/L for the entire record period. The TSVOC concentrations decreased to 150 µg/L in the May 2008 sample, then increased to 440 µg/L in the May 2009 sample before decreasing to 254 µg/L in the May 2010 sample.

All MWs are located on the inside of the barrier wall and a net inward gradient has always been maintained in the vicinity of these wells. Thus, the TVOCs and TSVOCs are not migrating to the Niagara River.

Monitoring Wells Between Barrier Wall and River

The TVOC concentrations for OGC-1 on Figure 2.6 show that the concentrations since November 2003 ranged between 0.5 and 4 µg/L. The TSVOC concentrations for the last seven sampling events (i.e., since November 2003) have fluctuated between non-detect and 3 µg/L.

The TVOC concentrations for OGC-2 on Figure 2.7 have fluctuated randomly between non-detect and 4.5 µg/L since February 2002. The TSVOC concentrations were all non-detect over this same time period.

The TVOC concentrations for OGC-3 shown on Figure 2.8 decreased from 7 µg/L in May 2008 to non-detect in the May 2010 sample. The TSVOC concentrations have decreased from 300 µg/L in November 2003 to 102 µg/L in May 2010.

The TVOC concentrations for OGC-4 shown on Figure 2.9 fluctuated between non-detect and 6 µg/L for the time period from November 2002 to May 2010. The TSVOC concentrations have fluctuated widely but have continually decreased since May 2004 with a concentration of 19 µg/L in the May 2010 sample. The single compound responsible for the higher historic concentrations was phenol.

The TVOC concentrations for OGC-5 shown on Figure 2.10, ranged from non-detect to 11 µg/L since February 2002. The TSVOC concentrations ranged from non-detect to 2 µg/L since February 2003.

The TVOC concentrations for OGC-6 shown on Figure 2.11 increased continually from 3 µg/L in May 2001 to 4,200 µg/L in May 2006, then decreased to 68 µg/L by May 2008 before increasing to 1,130 µg/L in the May 2010 sample. The primary compounds detected are PCE and TCE. The TSVOC concentrations have fluctuated between non-detect and 210 µg/L. The May 2010 TVOC concentration was 35 µg/L.

The TVOC concentrations for OGC-7 shown on Figure 2.12, have continually decreased since November 2003 and were non-detect in the May 2010 sample. The TSVOC concentrations have been non-detect since August 2002 except for May 2008 when the TSVOC concentration was 0.9 µg/L.

The TVOC concentrations for OGC-8 shown on Figure 2.13 decreased from 460 µg/L in May 2001 to 84 µg/L in May 2003 and have ranged from non-detect to 29 µg/L since that time. The TSVOC concentrations have decreased from 139 µg/L in August 2001 to 54 µg/L in August 2002 and have ranged from non-detect to 11 µg/L since that time.

The QA/QC review of the May 2010 groundwater results is included in Appendix B.

2.3 EFFLUENT MONITORING PROGRAM

Groundwater from the GWS is discharged to the POTW without the need for pretreatment. The monitoring performed during the construction phase of the remedy clearly showed that the minimal chemical presence in the groundwater collected in the GWS is easily treated at the POTW and therefore no on-Site pretreatment is necessary. The effluent samples are collected at the monitoring station (meter building), which is located at the south end of the Site as shown on Figure 2.1. The analytical parameters for the time period from June 2001 to February 2007, inclusive, are listed in Table 2.8 and the parameters monitored since 2007 are listed in Table 2.9.

2.3.1 SAMPLE RESULTS

Effluent samples are collected semi-annually and consist of a 24-hour composite sample collected for SVOCs, metals, and wet chemistry parameters. Three grab samples are also

collected for VOCs at 8-hour intervals and the measured concentrations are averaged to give a 24-hour concentration.

QA/QC reviews of the discharge results to May 2009 have already been submitted to the NYSDEC. Thus, these reviews are not being resubmitted with this O&M Report. The QA/QC reviews of the discharge results from September 2009 and March 2010 are provided in Appendix B.

The effluent sample results are presented in Table 2.10. To assist in evaluating the chemical concentration trends in the effluent discharge from the GWS, the measured concentrations for the following parameters are plotted: TVOCs, TSVOCs, pH, total suspended solids (TSS), and biochemical oxygen demand (BOD) (see Figures 2.14 through 2.17). It is believed that these parameters are representative of the trends in the chemistry of the water discharged to the POTW and, as such, can also be used to determine an appropriate monitoring frequency for the effluent.

As shown on Figure 2.14, the TVOCs generally peak in the spring and then decline reaching a trough in the fall. This pattern may be attributable to additional flushing during the spring snow melt. The mean TVOC concentrations decreased until June 2004 and thereafter appear to have held relatively uniform. The effluent TSVOC results on Figure 2.14 show no apparent seasonal pattern but the mean TSVOC concentrations show the same decreasing trend with time as the mean TVOC concentrations.

The pH levels are presented on Figure 2.15. As shown on Figure 2.15, the pH levels range between 7.3 and 11.6. An apparent trend in the pH levels is higher pH levels in the winter/spring and lower pH levels in the summer/fall.

The TSS concentrations presented on Figure 2.16 show higher concentrations occurring in the early spring and late summer/fall with elevated concentrations (maximum of 278 mg/L) in the spring of 2005. Because TSS may be related to the discharge flow rate, the monthly discharge volume (see Table 2.11) is plotted on Figure 2.18. Comparison of the results presented on these two figures shows an apparent correlation between higher flows and greater TSS concentrations except for the 2005 spring results.

The BOD concentrations are presented on Figure 2.17. As shown on Figure 2.17, BOD concentrations ranged from 20 to 29 mg/L until April 2002 then decreased to the range of 6 to 22 mg/L since May 2002. The BOD concentrations were compared with the discharge volume but showed no apparent correlation.

In summary, the trends described above support the semi-annual sampling frequency in the current City of North Tonawanda Industrial Wastewater Discharge Permit.

2.4 SURFACE WATER MONITORING PROGRAM

To determine that the River sediment remediation and enhancement is working properly, surface water samples were collected from May 2001 to May 2008 at locations upstream of, adjacent to, and at the downstream end of the Site (see Figure 2.1 for locations). The analytical parameters are listed in Table 2.12. It was recommended in the Seventh Annual O&M Report that no further sampling or analyses of the River water be performed. NYSDEC approval for this was received on February 23, 2009.

2.4.1 SAMPLE RESULTS

The river water analytical results are presented in Table 2.6. Almost all of the analytical results were non-detect.

The TVOCs were low level, except for the occasional random high concentration at the River North location and the TSVOCs concentration were predominantly non-detect with only two events with 1 µg/L. Considering that the River North location is downstream of the boat launch facility and the parameters detected with elevated concentrations are BTEX (gasoline-based compounds), it is believed that these sporadic elevated concentrations are related to boating activities at the launch and are not related to the remediated Site.

2.5 GWS OPERATIONS

The volume of water pumped on a monthly basis from the Site to the City POTW for treatment is presented in Table 2.11 and plotted on Figure 2.18. The monthly volumes show that during the time period of initial dewatering of the Site (i.e., May and June 2001) the monthly volumes ranged from 2,300,000 to 2,900,000 gallons. For the time period from June 2007 to May 2010, the monthly volumes ranged from 23,800 to 2,661,000 gallons except for March 2009 which had a volume of 4,239,000 gallons.

The total measured volume of water discharged from the Site for the time period from May 2001 to May 2010 was 79,786,500 gallons with 9,915,500 gallons pumped during the last 12 months.

Section 5.0 of the O&M Manual describes the procedures to be followed in case pumping of the GWS needs to be stopped to prevent the discharge of untreated water from the Site by the City POTW (i.e., wet weather shutdown). No wet weather shutdown occurred in the time period from June 2009 to May 2010.

The treatment of the Site groundwater by the City POTW did not require any modifications to the standard operations of the City POTW and did not cause any operational upsets of the City POTW.

2.6 GWS MAINTENANCE

An extended shut-down period occurred between September 30 to October 30, 2009 in the area of MH-2 due to electrical problems with the pumps (i.e., a short in the electrical circuit for the pump in MH-3). Repairs were completed and the entire system became operational on November 5, 2009.

3.0 SITE INSPECTIONS

Site inspections were performed on a monthly basis. Copies of the Inspection Logs for the time period to May 2009 were previously submitted and thus are not being resubmitted with this O&M Report. The Monthly Inspection Logs for June 2009 through May 2010 are included in Appendix A. In summary, the June 2009 through May 2010 inspections identified:

- i) Higher water levels in MH-12 from November 30, 2009 to March 2010
- ii) Some moderate erosion approximately 20 feet south of OGC-7 (see April 2010 Inspection Forms).

The higher water levels observed in MH-12 were still low enough that the horizontal gradient was inward (i.e., from the River to the GWS). Inspection of MH-12 identified that the GWS valves were closed. The reason for or timing of the valve closure could not be determined. The valves were opened on March 10, 2010 and the water level in MH-12 dropped 4 feet by the next day.

The erosion in the vicinity of OGC-7 will be repaired during the summer of 2010.

4.0 CONCLUSIONS/RECOMMENDATIONS

4.1 OPERATION AND MAINTENANCE

The constructed remedy is achieving the remedial action objectives.

4.2 MONITORING

The trends in the groundwater TVOC and TSVOC analytical results are relatively consistent with time with ten wells having TVOC concentrations and six wells having TSVOC concentrations $\leq 12 \mu\text{g/L}$ for the 2010 event.

In summary, the groundwater sample collection frequency from May 2009 up to and including May 2012 is:



<i>Annual</i>	<i>Once Every 2 Years (2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

No further sampling of the river water is required.

Pursuant to the discharge permit effective January 31, 2007 (renewed March 1, 2010 and effective until February 28, 2013), semi-annual monitoring commenced in September 2007. The trends in the effluent from the GWS to the POTW support the reduction in the sampling frequency from monthly to semi-annual. Flow monitoring will continue to be performed monthly as a check on the operation of the GWS.

4.3 NOTIFICATIONS TO CITY OF NORTH TONAWANDA

Notifications of anomalies in the discharge volumes and/or groundwater levels were provided and will continue to be provided to the City of North Tonawanda Public Works Engineering and Wastewater Treatment Department within a few days of measurement of the anomaly to ensure timely maintenance.



LEGEND

- BARRIER WALL
- GROUNDWATER COLLECTION SYSTEM
- OGC-1
MW-1
MONITORING WELL LOCATION
- RIVER
SOUTH
SURFACE WATER LEVEL MONITORING LOCATION
- SURFACE WATER CHEMICAL MONITORING LOCATION
(NO SAMPLING AFTER APRIL 2008)

figure 2.1
MONITORING NETWORK
GRATWICK-RIVERSIDE PARK SITE
North Tonawanda, New York






figure 2.2
 MW-6 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.3

MW-7 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.4
 MW-8 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.5

MW-9 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.6
 OGC-1 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York





figure 2.7

OGC-2 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.8

OGC-3 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.9

OGC-4 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York





figure 2.10

OGC-5 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.11

OGC-6 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
North Tonawanda, New York






figure 2.12

OGC-7 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.13

OGC-8 TVOC AND TSVOC CONCENTRATIONS
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.14

EFFLUENT TVOCs AND TSVOCs vs. TIME
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.15

EFFLUENT pH vs. TIME
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.16

EFFLUENT TOTAL SUSPENDED SOLIDS vs. TIME
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.17

EFFLUENT BOD vs. TIME
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York






figure 2.18

EFFLUENT VOLUME vs. TIME
 GRATWICK-RIVERSIDE PARK SITE
 North Tonawanda, New York



TABLE 2.1

GROUNDWATER HYDRAULIC MONITORING LOCATIONS
 OPERATION AND MAINTENANCE
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

INWARD HYDRAULIC GRADIENT MONITORING LOCATIONS

<u>Inner</u> ⁽¹⁾	<u>Outer</u>
MH2	Niagara River North (Downstream)
MH6	Niagara River North (Downstream)
MH8	Niagara River Middle
MH12	Niagara River South (Upstream)

UPWARD HYDRAULIC GRADIENT MONITORING LOCATIONS

<u>Upper</u> ⁽¹⁾	<u>Lower</u>
MH3	MW-6
MH8	MW-7
MH11	MW-8
MH14/MH15 ⁽²⁾	MW-9

FREQUENCY

- Weekly following GWS startup until six consecutive inward gradients are achieved; and
- Monthly thereafter for the remainder of the initial 2-year period (review after 2 years).
- 2-Year and 5-Year reviews indicated that the monitoring frequency remain monthly.

Notes:

- (1) These manholes will be monitored twice daily by POTW staff during a wet weather bypass event pursuant to Section 5.0 of the O&M Manual.
- (2) Distance weighted averages of water levels used (MH14 - two thirds and MH15 - one third).

TABLE 2.1

GROUNDWATER HYDRAULIC MONITORING LOCATIONS
 OPERATION AND MAINTENANCE
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

INWARD HYDRAULIC GRADIENT MONITORING LOCATIONS

<u>Inner</u> ⁽¹⁾	<u>Outer</u>
MH2	Niagara River North (Downstream)
MH6	Niagara River North (Downstream)
MH8	Niagara River Middle
MH12	Niagara River South (Upstream)

UPWARD HYDRAULIC GRADIENT MONITORING LOCATIONS

<u>Upper</u> ⁽¹⁾	<u>Lower</u>
MH3	MW-6
MH8	MW-7
MH11	MW-8
MH14/MH15 ⁽²⁾	MW-9

FREQUENCY

- Weekly following GWS startup until six consecutive inward gradients are achieved; and
- Monthly thereafter for the remainder of the initial 2-year period (review after 2 years).
- 2-Year and 5-Year reviews indicated that the monitoring frequency remain monthly.

Notes:

- (1) These manholes will be monitored twice daily by POTW staff during a wet weather bypass event pursuant to Section 5.0 of the O&M Manual.
- (2) Distance weighted averages of water levels used (MH14 - two thirds and MH15 - one third).

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
December 12, 2000	NM			564.26	567.05	563.84	NM	564.24		567.20	564.58	NM	565.24
January 8, 2001	NM		NM	563.94	567.21	563.82	NM	563.84		567.30	564.01	NM	563.90
March 29, 2001	NM		NM	564.19	567.80	563.82	NM	564.10		566.89	564.28	NM	564.12
May 11, 2001	559.31		561.98	564.39	563.53	564.54	564.54	564.25		561.60	564.53	564.38	564.50
May 18, 2001	NM		562.03	564.21	563.08	564.54	564.49	564.25		561.97	564.53	564.33	564.55
May 25, 2001	NM		NM	564.46	562.80	564.52	563.80	564.22		561.71	564.28	563.63	564.50
June 1, 2001	559.34		561.97	564.51	562.74	564.52	563.52	564.20		561.77	564.18	563.47	564.49
June 8, 2001	NM		562.49	564.63	562.65	564.82	564.75	564.36		561.59	564.60	564.68	564.78
June 15, 2001	560.79	560.59	562.60	564.67	562.54	564.76	564.71	564.53	560.53	561.48	564.77	564.71	564.79
June 22, 2001	560.77	560.55	562.53	564.65	562.50	564.72	564.90	564.43	560.44	561.41	564.66	564.86	564.72
June 29, 2001	560.62	560.40	562.42	564.51	562.42	564.66	564.52	564.35	560.38	561.39	564.57	564.48	564.59
July 31, 2001	559.87	559.21	562.90	564.49	562.19	564.71	564.66	564.35	560.25	561.30	564.60	564.68	565.70
August 20, 2001	561.49	561.07	565.23 (1)	564.60	562.09	563.82	564.69	564.46	560.25	561.29	564.77	564.64	564.81
September 28, 2001	561.03	560.56	563.03	564.61	562.13	564.25	564.68	564.48	560.27	561.32	564.79	564.68	564.99
October 22, 2001	561.38	562.36	567.06 (3)	564.61	562.08	564.41	(2)	564.33	560.43	561.37	564.58	564.26	564.33
November 27, 2001	561.45	560.94	564.53	563.95	561.88	563.65	(2)	563.83	560.45	561.36	564.04	563.54	563.87
December 20, 2001	560.96	560.50	564.39	564.47	561.83	564.78	564.69	564.27	559.75	561.25	564.72	564.45	564.86
January 29, 2002	560.74	560.15	563.75	564.09	561.83	563.87	563.89	563.99	560.98	561.89	564.12	563.74	564.01
February 11, 2002	560.80	560.28	564.19	564.22	561.73	563.84	564.03	564.07	561.06	561.50	564.18	563.97	564.19
March 25, 2002	560.55	560.10	563.25	564.10	561.72	563.51	(2)	564.03	560.65	561.60	564.02	563.59	563.83
April 24, 2002	562.54	562.05	564.12	564.60	561.88	564.70	564.61	564.49	561.13	561.95	564.67	564.19	564.72
May 21, 2002	561.74	561.28	564.10	564.79	561.97	564.84	564.76	564.68	560.05	561.38	564.85	564.66	564.84
June 20, 2002	561.67	561.24	565.58	564.74	561.92	564.56	564.58	564.62	560.68	561.54	564.85	564.68	564.80
July 18, 2002	561.46	560.99	564.99	564.78	561.89	565.00	564.89	564.66	560.79	561.65	564.90	564.90	564.93
August 6, 2002	561.26	560.79	565.89	564.86	561.92	564.70	564.65	564.71	561.05	561.93	564.90	564.59	564.85
September 12, 2002	561.60	561.14	565.60	564.80	561.82	565.05	565.04	564.67	561.10	561.99	564.87	564.95	564.97
October 30, 2002	561.63	561.21	566.24	564.18	561.97	563.95	(2)	564.07	561.07	561.95	564.10	563.75	564.00
November 21, 2002	561.12	560.67	554.47 (4)	564.05	562.05	563.94	(2)	563.98	558.03	561.41	564.20	563.71	564.06
December 11, 2002	561.55	561.08	555.09	563.99	562.04	563.85	(2)	563.84	559.95	561.25	563.94	563.72	563.87

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
December 12, 2000	565.07		567.08	NM		564.45	564.85	567.15			
January 8, 2001	563.95		567.29	NM	NM	564.01	564.00	567.35			567.29
March 29, 2001	564.21		567.96	NM	NM	564.24	564.25	568.06			NM
May 11, 2001	564.58		561.95	564.70	564.15	564.63	564.59	562.53			562.45
May 18, 2001	564.59		562.49	564.65	564.12	564.66	564.66	563.05			562.55
May 25, 2001	564.57		561.99	564.80	564.17	564.63	564.60	562.54			562.48
June 1, 2001	564.59		562.06	565.00	564.19	564.66	564.60	562.57			562.51
June 8, 2001	564.87		561.89	565.05	562.45	564.96	564.89	562.47			562.42
June 15, 2001	564.91	561.12	561.69	565.05	562.34	564.93	564.88	562.45	562.32		562.29
June 22, 2001	564.87	561.05	561.54	565.18	562.29	565.00	564.80	562.19	562.32		562.14
June 29, 2001	564.68	560.97	561.46	564.83	561.80	564.75	564.68	562.11	562.45		562.06
July 31, 2001	564.78	560.73	561.19	564.96	560.77	564.85	564.76	562.45	562.45		561.69
August 20, 2001	564.83	560.50	561.05	564.99	560.42	564.88	564.85	561.55	561.72		561.54
September 28, 2001	564.85	560.61	561.07	564.95	560.36	564.87	564.84	561.58	561.70		561.52
October 22, 2001	564.58	560.51	561.27	564.61	560.42	564.61	564.62	561.75	562.10		561.72
November 27, 2001	563.89	559.51	561.30	564.05	560.06	563.89	563.94	561.71	561.87		563.82
December 20, 2001	564.96	561.31	560.73	564.96	560.23	564.99	565.05	561.77	561.89		561.71
January 29, 2002	564.06	Blocked	561.91	563.92	560.29	564.03	564.08	562.31	562.53		562.31
February 11, 2002	564.28	561.23	561.93	564.53	560.24	564.35	564.35	562.52	562.18		562.54
March 25, 2002	563.87	560.97	561.60	564.15	560.34	563.85	563.95	562.45	562.77		562.61
April 24, 2002	564.79	561.41	561.95	564.86	560.63	564.86	564.84	562.96	563.09		562.95
May 21, 2002	564.95	560.35	560.89	565.07	560.89	565.03	564.98	563.11	563.25	562.17	563.10
June 20, 2002	564.85	560.98	561.50	564.88	561.04	564.90	564.94	562.91	562.98	562.00	562.90
July 18, 2002	565.09	561.07	561.80	565.22	560.95	565.17	565.08	562.84	561.83	561.93	562.83
August 6, 2002	564.88	561.33	561.88	564.90	561.07	564.95	564.91	562.75	562.08	561.86	562.75
September 12, 2002	565.09	561.34	561.91	565.25	561.09	565.20	565.05	562.66	562.11	561.75	562.63
October 30, 2002	564.03	561.36	561.95	564.16	561.31	564.14	564.00	562.57	562.68	561.62	562.56
November 21, 2002	564.04	561.49	560.99	564.15	561.44	564.19	564.18	562.74	562.88	561.82	562.73
December 11, 2002	564.01	561.51	560.73	564.14	561.45	564.09	564.02	562.91	563.07	562.01	562.94

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 16, 2003	561.65	561.20	556.15	564.03	562.27	563.88	(2)	564.12	561.04	561.95	564.27	563.52	564.10
February 25, 2003	561.58	561.10	555.74	563.80	561.85	563.71	(2)	563.67	560.60	561.49	563.81	563.34	563.81
March 14, 2003	561.65	561.17	555.75	563.75	561.69	563.74	(2)	563.61	560.61	561.49	563.77	563.24	563.77
April 14, 2003	561.68	561.22	554.54	564.32	562.42	564.34	564.30	564.17	558.65	561.42	564.39	564.24	564.40
May 8, 2003	561.52	561.03	555.93	564.37	562.38	564.41	564.29	564.21	560.76	561.59	564.36	564.27	564.37
June 19, 2003	562.26	561.83	556.02	564.73	562.43	564.83	564.78	564.59	560.85	561.60	564.77	564.66	564.81
July 21, 2003	561.21	560.46	556.06	564.68	562.31	564.64	564.49	564.58	560.89	561.74	564.81	564.44	564.75
August 28, 2003	561.65	561.20	554.61	564.65	562.21	564.76	564.64	564.51	558.52	561.29	564.67	564.60	564.75
September 30, 2003	561.57	561.10	555.08	564.64	562.53	564.89	(2)	564.49	559.88	561.35	564.76	564.67	564.91
October 20, 2003	561.48	561.07	554.98	564.61	562.52	564.93	(2)	564.45	559.77	561.17	564.68	564.63	564.86
November 3, 2003	561.53	561.08	555.94	564.29	562.33	563.89	(2)	564.11	560.76	561.12	563.56	564.36	564.15
December 23, 2003	561.08	559.49	555.62	564.29	562.30	564.04	(2)	564.17	560.67	561.48	564.33	(2)	564.18
January 21, 2004	(5)	560.33	555.84	565.24	562.32	564.19	(2)	564.12	560.70	561.55	564.30	(2)	564.26
February 12, 2004	(5)	561.08	556.12	563.99	562.16	563.76	(2)	563.87	560.95	561.81	564.00	(2)	563.88
March 4, 2004	561.33	561.13	555.90	564.17	562.21	557.07 (6)	(2)	564.00	560.75	561.61	564.31	(2)	564.19
April 16, 2004	560.05	558.78	554.91	564.59	562.48	564.49	(2)	564.36	559.59	561.71	564.56	564.43	564.56
May 14, 2004	560.17	559.71	554.56	564.49	562.39	564.57	564.55	564.34	559.45	561.70	564.51	564.48	564.54
June 25, 2004	561.64	561.21	555.74	564.76	562.27	564.71	564.68	564.62	560.50	561.42	564.82	564.56	564.78
July 30, 2004	561.79	561.25	555.24	565.01	562.29	565.20	565.20	564.84	560.04	561.31	565.02	565.16	565.14
August 31, 2004	561.37	560.59	555.83	565.06	562.23	565.05	564.98	564.92	560.67	561.56	565.14	564.93	565.17
September 30, 2004	561.48	560.81	555.60	565.11	562.28	565.22	565.00	564.95	560.71	561.49	565.20	565.05	565.20
October 20, 2004	561.65	561.19	555.96	564.65	562.10	564.57	564.45	564.44	560.82	561.69	564.57	564.41	564.57
November 23, 2004	561.50	561.05	554.95	564.17	561.99	564.20	(2)	564.02	559.77	561.21	564.31	(2)	564.28
December 31, 2004	561.60	560.74	556.19	564.58	562.16	564.50	564.68	564.25	561.02	561.80	564.37	564.56	564.40

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 16, 2003	564.13	561.68	562.00	564.11	561.83	564.14	564.20	563.17	563.37	562.28	563.20
February 25, 2003	563.87	561.60	561.48	564.21	561.56	563.90	563.94	562.89	563.07	562.01	562.91
March 14, 2003	563.79	561.57	561.46	564.11	561.54	563.92	563.91	562.90	563.09	562.05	562.93
April 14, 2003	564.48	558.53	560.98	564.45	561.56	564.54	564.52	563.36	563.54	562.49	563.40
May 8, 2003	564.48	561.03	561.56	564.61	561.61	564.59	564.44	563.07	563.26	562.01	563.11
June 19, 2003	564.92	561.12	561.56	564.96	561.94	564.99	564.95	563.10	563.41	562.25	563.15
July 21, 2003	564.81	561.10	561.69	564.78	562.03	564.84	564.88	562.89	563.03	561.98	562.89
August 28, 2003	564.86	564.37	562.35	564.91	562.19	564.94	564.85	566.17	566.48	566.36	566.59
September 30, 2003	565.02	558.68	560.17	565.08	562.26	565.08	565.02	562.77	562.89	562.02	562.78
October 20, 2003	564.94	558.66	560.02	565.03	562.25	565.05	564.96	562.75	562.88	562.01	562.76
November 3, 2003	564.26	561.01	561.57	564.28	562.52	564.27	564.31	562.85	563.00	561.91	562.83
December 23, 2003	564.24	560.94	561.34	564.36	562.75	564.08	564.28	563.20	563.31	562.28	563.20
January 21, 2004	564.33	(4)	561.47	564.36	562.49	564.41	564.35	562.72	(4)	561.74	562.68
February 12, 2004	563.93	561.23	561.75	564.16	562.30	563.96	563.98	562.88	(4)	561.73	562.66
March 4, 2004	564.25	561.04	561.56	564.26	562.07	564.34	564.35	562.70	562.75	561.75	562.66
April 16, 2004	564.64	559.85	561.38	564.69	561.00	564.74	564.66	562.64	562.79	561.72	562.63
May 14, 2004	564.63	559.87	561.39	564.71	560.80	564.68	564.55	562.71	562.74	561.74	562.67
June 25, 2004	564.85	560.79	561.19	564.91	560.95	564.89	564.89	562.70	562.74	561.76	562.68
July 30, 2004	565.28	560.26	560.71	565.46	561.15	565.33	565.21	562.70	561.13	561.74	562.67
August 31, 2004	565.26	560.94	561.39	565.25	561.35	565.31	565.27	562.95	563.08	562.02	562.93
September 30, 2004	565.29	561.00	561.43	565.30	561.25	565.40	565.26	562.98	562.90	562.20	562.98
October 20, 2004	564.67	561.09	561.56	564.49	561.50	564.76	564.68	562.64	562.82	561.73	562.88
November 23, 2004	564.34	560.05	560.56	564.30	561.57	564.38	564.40	562.71	561.04	561.62	562.69
December 31, 2004	564.69	561.23	561.75	564.81	561.81	564.78	564.55	562.71	562.05	561.77	562.69

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 28, 2005	562.60	562.15	556.22	564.68	562.27	564.62	(2)	564.53	561.06	561.85	564.67	564.32	564.71
February 28, 2005	561.05	559.96	555.58	564.58	562.14	564.68	(7)	564.48	560.47	561.46	564.21	564.46	564.76
March 31, 2005	561.25	559.94	555.93	564.55	562.04	564.40	(2)	564.38	560.78	561.66	564.63	564.08	564.49
April 20, 2005	560.20	559.54	556.01	565.01	562.26	564.94	564.83	564.84	560.89	561.76	565.01	564.71	565.05
May 27, 2005	560.23	558.92	555.82	564.71	562.24	564.79	564.78	564.63	560.65	561.55	564.78	564.74	564.91
June 24, 2005	561.50	561.09	555.16	564.71	562.22	564.85	564.73	564.61	559.92	561.47	564.78	564.70	564.85
July 29, 2005	562.70	562.26	556.56	564.79	562.11	564.95	564.82	564.65	561.39	562.27	564.87	564.85	564.98
August 31, 2005	561.62	560.64	556.24	564.68	562.09	564.71	(2)	564.59	561.07	561.94	564.79	564.54	564.82
October 3, 2005	561.52	560.54	555.41	564.75	562.24	564.85	564.80	564.62	560.20	561.40	564.78	564.75	564.88
October 31, 2005	561.68	560.73	555.60	564.59	562.34	564.69	564.80	564.44	560.46	561.52	564.64	564.55	564.70
November 22, 2005	561.62	561.20	555.20	564.40	561.67	564.64	(2)	564.28	560.04	561.49	564.44	(2)	564.21
December 23, 2005	562.55	562.09	556.20	564.28	562.45	564.11	(2)	564.22	561.05	561.85	564.42	(2)	564.32
January 27, 2006	562.95	562.53	556.21	564.50	562.97	564.16	(2)	564.32	561.02	561.79	564.41	(2)	564.06
February 28, 2006	563.17	562.26	554.70	564.27	562.90	564.13	(2)	564.31	558.44	561.68	564.37	(2)	564.26
March 24, 2006	562.68	561.77	555.64	564.46	562.86	564.25	(2)	564.32	560.43	561.57	564.46	(2)	564.36
April 21, 2006	562.31	561.84	555.61	564.42	562.76	564.41	(2)	564.32	560.40	561.48	564.49	564.26	564.46
May 30, 2006	562.73	562.30	555.84	564.91	562.50	565.00	564.87	564.80	560.44	561.75	564.95	564.86	565.07
June 26, 2006	561.57	560.63	556.19	563.04	562.37	564.97	564.81	564.92	561.02	561.92	565.15	564.78	565.06
July 31, 2006 (8)	565.18	564.78	558.88	565.14	564.39	565.24	565.09	565.01	563.66	564.54	565.19	565.07	565.28
August 25, 2006	561.64	561.21	556.06	564.72	562.99	564.81	(2)	564.59	560.89	561.82	564.80	564.68	564.87
September 22, 2006	561.46	561.01 ⁽⁶⁾	555.95	564.88	562.76	564.73	564.70	564.72	560.51	561.99	564.94	564.67	564.88
October 31, 2006	559.98	555.62	556.01	565.03	562.58	564.96	564.82	564.87	559.95	562.09	565.06	564.66	565.03
November 29, 2006	561.35	560.85	555.93	564.30	562.48	564.25	(2)	564.18	560.73	562.01	564.40	(2)	564.35
December 29, 2006	561.52	560.42	555.93	564.46	562.98	564.36	564.82	564.31	560.80	561.89	564.53	(2)	564.49

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in upstream City manhole.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 28, 2005	564.77	561.33	561.82	564.69	561.92	564.79	564.90	562.75	(4)	561.01	562.71
February 28, 2005	564.84	560.74	561.25	564.79	562.05	564.88	564.94	562.78	(4)	561.55	562.77
March 31, 2005	564.54	561.06	561.60	564.56	562.11	564.59	564.65	563.12	563.26	562.21	563.11
April 20, 2005	565.13	561.15	561.65	565.15	562.26	565.19	565.21	563.21	562.72	562.28	563.20
May 27, 2005	564.99	561.13	561.42	565.02	562.29	565.08	565.08	563.12	563.25	562.19	563.11
June 24, 2005	564.98	560.18	560.76	564.92	562.40	565.06	565.00	562.85	562.93	561.91	562.82
July 29, 2005	565.09	561.17	562.15	565.15	562.51	565.14	561.33	562.88	563.03	561.98	562.87
August 31, 2005	564.88	561.31	561.85	564.88	562.75	564.90	564.96	562.91	563.01	561.98	562.86
October 3, 2005	564.99	560.43	560.95	565.11	562.90	565.07	564.97	563.20	563.26	562.24	563.13
October 31, 2005	564.83	560.71	561.25	565.00	563.15	564.96	564.82	563.39	563.50	562.43	563.35
November 22, 2005	564.26	560.31	561.00	564.18	563.29	564.26	564.35	563.53	563.69	562.25	563.53
December 23, 2005	564.35	561.30	561.84	564.26	563.46	564.32	564.48	563.50	563.67	562.60	563.52
January 27, 2006	564.34	561.26	561.76	564.36	563.61	564.42	564.42	563.90	564.08	563.02	563.92
February 28, 2006	564.32	558.38	561.23	564.29	563.73	564.34	564.38	563.94	564.09	563.02	563.96
March 24, 2006	564.39	560.60	561.16	564.44	563.47	564.45	564.50	563.83	564.02	562.96	563.88
April 21, 2006	564.54	560.63	561.15	564.64	563.49	564.60	564.55	563.65	563.77	562.68	563.61
May 30, 2006	565.18	560.28	561.03	565.24	563.61	565.26	565.25	563.48	563.54	562.53	563.44
June 26, 2006	565.12	561.26	561.75	565.13	563.70	565.15	565.19	563.41	563.52	562.43	563.37
July 31, 2006 (5)	565.44	564.03	564.30	565.45	563.92	565.49	565.45	564.08	564.20	563.15	564.07
August 25, 2006	564.98	561.10	561.57	565.10	563.98	565.26	561.81	563.38	564.62	562.43	563.42
September 22, 2006	564.94	559.81	561.20	565.04	564.29	565.01	564.95	562.73	562.83	561.67	562.54
October 31, 2006	565.11	558.19	561.78	565.07	564.77	565.14	565.16	564.40	564.51	563.36	564.36
November 29, 2006	564.42	560.54	561.69	564.41	564.87	566.44	564.50	562.10	561.27	559.66	561.85
December 29, 2006	564.55	560.96	561.46	564.54	561.89	564.64	564.64	561.90	561.95	560.86	561.71

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.2

Date	WATER LEVELS (ft amsl)											OGC-7	
	GRATWICK-RIVERSIDE PARK SITE NORTH TONAWANDA, NEW YORK												
	River												
	MH2	MH3	MH6	OGC-1	MW-6	OGC-5	North	OGC-6	MH8	MW-7	OGC-2	Middle	
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 26, 2007	561.39	560.92	556.04	564.62	562.78	564.75	(2)	563.79	560.89	562.06	564.67	564.46	564.77
February 27, 2007	561.53	560.57	556.23	564.32	562.49	564.25	(2)	564.15	561.07	561.96	564.35	(7)	564.33
March 30, 2007	560.25	559.45	556.24	564.49	562.30	564.40	(2)	564.27	561.09	562.05	564.46	564.28	564.48
April 30, 2007	560.99	559.39	556.31	564.97	562.62	564.97	564.82	564.78	561.14	562.20	564.96	564.78	565.07
May 25, 2007	560.85	559.85	556.12	564.67	562.48	565.73	(2)	564.54	561.02	562.05	564.75	564.67	564.75
June 29, 2007	560.85	558.83	556.45	564.70	562.32	564.78	(2)	564.54	561.26	562.16	564.81	564.64	564.79
July 25, 2007	561.49	560.54	556.24	564.43	562.13	564.55	(2)	564.26	561.02	561.94	564.47	564.41	564.53
August 31, 2007	561.10	559.62	556.22	564.43	561.93	564.56	(2)	564.29	561.04	561.95	564.55	564.44	564.65
September 27, 2007	561.49	561.05	556.02	564.44	561.86	564.44	(2)	564.34	560.47	562.01	564.58	564.27	564.56
October 31, 2007	561.57	560.69	556.17	564.08	562.02	563.88	(2)	564.01	561.08	562.00	564.16	(2)	564.03
November 30, 2007	561.59	560.58	555.84	564.25	562.22	564.03	(2)	564.09	560.68	561.80	564.42	(2)	564.31
December 31, 2007	561.18	559.69	555.58	564.29	562.48	564.07	(2)	564.09	559.37	561.88	564.28	(2)	564.23
January 28, 2008	561.48	559.46	556.14	564.22	562.68	563.99	(2)	564.13	560.99	561.95	564.25	563.68	564.12
February 29, 2008	561.48	560.45	555.99	564.67	562.38	564.68	(2)	564.56	560.02	562.06	564.75	564.50	564.77
March 31, 2008	561.71	560.74	556.10	564.93	562.33	564.62	(2)	564.58	560.06	562.54	564.81	564.48	564.80
April 25, 2008	561.85	559.67	556.27	564.71	562.73	564.71	(2)	564.59	561.10	562.07	564.78	564.64	564.81
May 29, 2008	562.00	559.26	556.65	564.72	562.66	564.73	(2)	564.59	561.39	562.28	564.77	564.75	564.84
June 25, 2008	562.57	559.54	557.84	564.82	562.79	564.79	564.83	564.71	562.66	563.49	564.88	564.72	564.88
July 31, 2008	562.69	561.02	560.18	564.94	563.27	565.73	564.73	564.72	563.00	563.86	565.03	564.69	564.96
August 27, 2008	565.69	565.29	559.36	564.58	565.10	564.46	564.47	564.42	564.13	564.95	564.71	564.42	564.55
September 26, 2008	562.21	559.22	558.36	564.54	563.42	564.51	(2)	564.40	563.21	564.07	564.70	564.34	564.64
October 30, 2008	561.67	560.08	557.64	564.73	562.97	564.51	(2)	564.46	562.57	563.49	564.69	564.37	564.64
November 22, 2008	561.61	561.19	557.41	564.30	562.82	564.04	(2)	564.12	562.36	563.27	564.32	(2)	564.22
December 31, 2008	566.56	565.53	560.22	564.63	566.09	564.56	(2)	564.48	564.91	565.70	564.68	564.18	564.63

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in downstream City manhole.

TABLE 2.2

WATER LEVELS (ft amsl)
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK
River

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 26, 2007	564.89	561.09	561.73	564.96	560.86	564.99	565.49	563.41	563.52	562.36	563.39
February 27, 2007	564.43	561.16	561.86	564.46	559.97	564.47	564.47	562.64	562.77	561.73	562.62
March 30, 2007	564.58	561.36	561.85	564.65	560.20	564.67	564.64	562.66	561.87	558.93	561.72
April 30, 2007	565.20	561.29	561.77	565.26	559.05	565.26	565.22	562.13	562.22	561.13	562.05
May 25, 2007	564.89	561.12	561.61	564.98	560.04	565.00	564.94	562.10	562.20	561.14	563.09
June 29, 2007	564.90	561.39	561.79	564.98	560.14	565.00	564.95	562.12	562.17	561.18	562.08
July 25, 2007	564.65	561.18	561.55	564.79	560.16	564.76	564.61	562.03	562.13	561.07	561.98
August 31, 2007	564.72	561.28	561.73	564.80	560.23	564.84	564.76	562.05	561.54	561.07	562.01
September 27, 2007	564.65	559.56	561.79	564.48	560.40	561.53	564.66	562.05	562.18	561.09	562.01
October 31, 2007	564.09	561.36	561.86	564.06	560.56	564.12	564.12	562.09	562.21	561.14	562.10
November 30, 2007	564.33	561.00	562.30	564.25	560.68	564.35	564.42	562.05	561.67	559.55	561.98
December 31, 2007	564.28	558.54	561.56	564.20	560.78	564.53	564.35	562.16	562.19	561.12	562.01
January 28, 2008	564.15	561.30	561.80	564.01	560.93	564.20	564.23	562.78	562.89	561.82	562.74
February 29, 2008	564.84	559.51	561.89	564.80	560.69	564.90	564.90	562.17	562.24	561.20	562.11
March 31, 2008	564.61	558.99	561.89	564.84	560.76	564.98	564.97	562.24	561.58	561.18	562.08
April 25, 2008	564.94	561.39	561.90	565.05	560.84	565.02	564.92	562.56	562.70	561.65	562.57
May 29, 2008	564.95	561.50	561.82	565.01	560.92	565.01	564.96	562.14	562.22	561.16	562.07
June 25, 2008	565.00	562.83	563.28	565.04	561.05	565.07	564.97	562.11	562.18	561.00	561.82
July 31, 2008	562.69	563.53	566.07	565.01	561.24	565.09	565.07	561.97	562.07	560.98	561.84
August 27, 2008	564.64	564.16	564.61	564.79	561.39	564.77	564.60	564.15	564.34	563.24	564.16
September 26, 2008	564.71	563.53	564.03	564.71	561.55	564.78	564.74	562.02	561.82	559.10	561.59
October 30, 2008	564.67	562.85	563.43	564.71	561.74	564.77	564.71	561.83	562.70	561.92	560.06
November 22, 2008	564.26	562.75	563.29	564.20	561.79	564.30	564.35	561.76	561.28	561.23	561.71
December 31, 2008	564.70	564.91	565.33	564.65	562.09	564.86	564.78	564.71	565.03	563.97	564.59

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.2

Date	WATER LEVELS (ft amsl) GRATWICK-RIVERSIDE PARK SITE NORTH TONAWANDA, NEW YORK <i>River</i>												
	MH2	MH3	MH6	OGC-1	MW-6	OGC-5	North	OGC-6	MH8	MW-7	OGC-2	River Middle	OGC-7
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 30, 2009	568.71	570.75	560.62	564.42	566.89	564.02	(2)	564.31	562.42	565.96	564.56	(7)	564.21
February 25, 2009	568.77	571.27	560.22	564.50	567.20	563.88	(2)	564.37	562.52	564.31	564.58	564.11	564.33
March 27, 2009	565.45	559.49	558.31	564.48	564.81	564.41	(2)	564.38	561.18	562.90	564.61	(2)	564.52
April 30, 2009	563.46	560.06	558.36	564.84	563.55	564.85	564.80	564.73	563.14	564.03	564.91	564.74	564.97
May 27, 2009	561.36	560.29	558.18	564.80	563.18	564.84	(2)	564.69	563.04	563.93	564.90	564.78	564.94
June 29, 2009	561.56	561.28	556.26	565.01	562.81	565.01	565.02	564.90	560.74	562.12	565.15	564.93	565.14
July 27, 2009	561.64	559.34	556.22	565.28	562.63	565.20	565.12	565.06	560.99	562.00	565.31	565.05	565.34
August 31, 2009	561.76	561.29	556.06	565.01	562.47	565.00	564.90	564.84	560.85	561.82	565.08	564.86	565.14
September 30, 2009	565.80	565.67	558.36	565.30	564.80	564.93	564.80	564.99	561.46	562.78	565.37	564.71	565.19
October 30, 2009	566.21	566.49	558.71	564.64	565.37	564.60	(2)	564.43	561.66	563.06	564.67	564.35	564.71
November 30, 2009	561.87	561.41	555.76	564.74	563.19	564.30	(2)	564.27	560.65	561.81	564.60	563.98	564.49
December 30, 2009	561.72	560.01	557.87	564.43	562.79	564.21	(2)	564.24	562.80	563.66	564.44	563.89	564.37
January 29, 2010	561.67	560.02	555.87	565.34	562.60	565.08	(2)	565.01	560.13	561.84	565.23	564.63	565.32
February 26, 2010	561.75	561.26	555.72	563.99	562.38	563.88	566.60	563.85	560.66	561.61	564.06	564.29	564.01
March 30, 2010	562.58	561.25	556.36	564.30	562.69	563.94	566.80	564.03	560.76	561.89	564.24	564.19	564.19
April 30, 2010	562.61	560.99	556.62	564.47	562.78	564.45	(2)	564.36	561.11	562.04	564.55	564.38	564.58
May 26, 2010	563.33	559.94	558.05	564.73	562.80	564.90	(2)	564.70	562.87	563.65	564.84	564.78	564.98

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in downstream City manhole.

TABLE 2.2

WATER LEVELS (ft amsl)
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK
River

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 30, 2009	564.24	564.96	565.25	564.15	562.22	564.29	564.34	563.48	561.59	559.58	563.21
February 25, 2009	564.36	559.64	562.05	564.27	562.29	564.41	564.46	563.30	561.88	561.02	563.44
March 27, 2009	564.57	561.11	561.66	564.48	562.03	564.63	564.71	562.67	561.37	560.58	562.65
April 30, 2009	565.09	563.38	563.93	565.14	562.12	565.15	565.07	563.36	563.64	562.60	563.40
May 27, 2009	565.10	563.45	564.03	565.20	562.17	565.20	565.09	564.58	564.68	563.82	564.63
June 29, 2009	565.25	560.98	562.26	565.23	563.68	565.29	565.24	564.76	565.52	564.68	564.93
July 27, 2009	565.46	561.40	562.16	565.45	562.64	565.51	565.47	564.59	564.89	563.91	564.70
August 31, 2009	565.24	561.28	562.10	562.25	562.79	565.29	565.26	564.65	564.74	563.67	564.71
September 30, 2009	565.22	560.10	561.60	565.10	562.87	565.26	565.28	564.39	564.91	564.03	564.60
October 30, 2009	564.78	560.77	561.70	564.77	562.99	564.84	564.84	564.35	564.80	563.82	564.44
November 30, 2009	564.58	561.13	561.89	564.44	563.10	564.66	564.66	564.44	564.79	563.82	564.53
December 30, 2009	564.40	563.24	563.93	564.37	563.31	564.45	564.50	564.81	565.14	564.13	564.87
January 29, 2010	565.19	559.72	562.18	565.03	563.49	565.20	565.38	564.50	564.03	562.93	564.53
February 26, 2010	564.12	561.15	561.87	564.36	563.56	564.11	564.16	563.98	563.86	562.93	564.13
March 30, 2010	564.24	561.59	562.56	564.45	560.01	564.30	564.35	564.79	564.60	563.52	564.85
April 30, 2010	564.69	560.40	562.25	564.80	559.66	564.79	564.71	564.62	564.54	563.51	564.65
May 26, 2010	565.14	563.21	563.61	565.19	561.01	565.19	565.13	564.57	564.58	563.44	564.60

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>5/11/2001</u>		<u>5/18/2001</u>		<u>5/25/2001</u>		<u>6/1/2001</u>		<u>6/8/2001</u>		<u>6/15/2001</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.54	Inward	564.49	NA	563.80	NA	563.52	Inward	564.75	NA	564.71	Inward
Inner	MH2	559.31		NM		NM		559.34		NM		560.79	
Outer	River North	564.54	Inward	564.49	Inward	563.80	NA	563.52	Inward	564.75	Inward	564.71	Inward
Inner	MH6	561.98		562.03		NM		561.97		562.49		562.60	
Outer	River Middle	564.38	NA	564.33	NA	563.63	NA	563.47	NA	564.68	NA	564.71	Inward
Inner	MH8	NM		560.53									
Outer	River South	564.70	Inward	564.65	Inward	564.80	Inward	565.00	Inward	565.05	Inward	565.05	Inward
Inner	MH12	564.15		561.12		564.17		564.19		562.45		562.34	

<i>Date Monitored</i>		<u>6/22/2001</u>		<u>6/29/2001</u>		<u>7/31/2001</u>		<u>8/20/2001</u>		<u>9/28/2001</u>		<u>10/22/2001</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.90	Inward	564.52	Inward	564.66	Inward	564.69	Inward	564.68	Inward	564.36 (2)	Inward
Inner	MH2	560.77		560.62		559.87		561.49		561.03		561.38	
Outer	River North	564.90	Inward	564.52	Inward	564.66	Inward	564.69	(1) Outward	564.68	Inward	564.36 (2)	Outward
Inner	MH6	562.53		562.42		562.90		565.23		563.03		567.06	
Outer	River Middle	564.86	Inward	564.48	Inward	564.68	Inward	564.64	Inward	564.68	Inward	564.26	Inward
Inner	MH8	560.44		560.38		560.25		560.25		560.27		560.43	
Outer	River South	565.18	Inward	564.83	Inward	564.96	Inward	564.99	Inward	564.95	Inward	564.61	Inward
Inner	MH12	562.29		561.80		560.77		560.42		560.36		560.42	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
 NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/27/2001</u>		<u>12/20/2001</u>		<u>1/29/2002</u>		<u>2/11/2002</u>		<u>3/25/2002</u>		<u>4/24/2002</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	563.80 (2)	Inward	564.69	Inward	563.89	Inward	564.03	Inward	563.90 (2)	Inward	564.61	Inward
Inner	MH2	561.45		560.96		560.74		560.80		560.55		562.54	
Outer	River North	563.80 (2)	Outward	564.69	Inward	563.89	Inward	564.03	Outward	563.90 (2)	Inward	564.61	Inward
Inner	MH6	564.53		564.39		563.75		564.19		563.25		564.12	
Outer	River Middle	563.54	Inward	564.45	Inward	563.74	Inward	563.97	Inward	563.59	Inward	564.19	Inward
Inner	MH8	560.45		559.75		560.98		561.06		560.65		561.13	
Outer	River South	564.05	Inward	564.96	Inward	563.92	Inward	564.53	Inward	564.15	Inward	564.86	Inward
Inner	MH12	560.06		560.23		560.29		560.28		560.34		560.63	

<i>Date Monitored</i>		<u>5/21/2002</u>		<u>6/20/2002</u>		<u>7/18/2002</u>		<u>8/6/2002</u>		<u>9/12/2002</u>		<u>10/30/2002</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.76	Inward	564.58	Inward	564.89	Inward	564.65	Inward	565.04	Inward	563.91 (2)	Inward
Inner	MH2	561.74		561.67		561.46		561.26		561.60		561.63	
Outer	River North	564.76	Inward	564.58	Outward	564.89	Outward	564.65	Outward	565.04	Outward	563.91 (2)	Outward
Inner	MH6	564.10		565.58		564.99		565.89		565.60		566.24	
Outer	River Middle	564.66	Inward	564.68	Inward	564.90	Inward	564.59	Inward	564.95	Inward	563.75	Inward
Inner	MH8	560.05		560.68		560.79		561.05		561.10		561.07	
Outer	River South	565.07	Inward	564.88	Inward	565.22	Inward	564.90	Inward	565.25	Inward	564.16	Inward
Inner	MH12	560.84		561.04		560.95		561.07		561.09		561.31	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

Date Monitored		11/21/2002		12/11/2002		1/16/2003		2/25/2003		3/14/2003		4/14/2003	
		Water Level (ft amsl)	Gradient Direction										
<i>Monitoring Location</i>													
Outer	River North	563.90 (2)	Inward	563.89 (2)	Inward	563.86 (2)	Inward	563.96 (2)	Inward	563.86 (2)	Inward	564.30	Inward
Inner	MH2	561.12		561.55		561.65		561.58		561.65		561.68	
Outer	River North	563.90 (2)	Inward	563.89 (2)	Inward	563.86 (2)	Inward	563.96 (2)	Inward	563.86 (2)	Inward	564.30	Inward
Inner	MH6	554.47 (3)		555.09		556.15		555.74		555.75		554.54	
Outer	River Middle	563.71	Inward	563.72	Inward	563.52	Inward	563.34	Inward	563.24	Inward	564.24	Inward
Inner	MH8	558.03		559.95		561.04		560.60		560.61		558.65	
Outer	River South	564.15	Inward	564.14	Inward	564.11	Inward	564.21	Inward	564.11	Inward	564.45	Inward
Inner	MH12	561.44		561.45		561.83		561.26		561.54		561.56	

Date Monitored		5/8/2003		6/19/2003		7/21/2003		8/28/2003		9/30/2003		10/30/2003	
		Water Level (ft amsl)	Gradient Direction										
<i>Monitoring Location</i>													
Outer	River North	564.61	Inward	564.78	Inward	564.49	Inward	564.64	Inward	564.83 (2)	Inward	564.78 (2)	Inward
Inner	MH2	561.52		562.26		561.21		561.65		561.65		561.48	
Outer	River North	564.61	Inward	564.78	Inward	564.49	Inward	564.64	Inward	564.83 (2)	Inward	564.78 (2)	Inward
Inner	MH6	555.93		556.02		556.06		554.61		554.61		554.98	
Outer	River Middle	564.27	Inward	564.66	Inward	564.44	Inward	564.6	Inward	564.6	Inward	564.63	Inward
Inner	MH8	560.76		560.85		560.89		558.52		558.52		559.77	
Outer	River South	564.61	Inward	564.96	Inward	564.78	Inward	564.91	Inward	565.08	Inward	565.03	Inward
Inner	MH12	561.61		561.94		562.03		562.19		562.26		562.25	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
 NA - Not Applicable

TABLE 2.3
SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/21/2003</u>		<u>12/11/2003</u>		<u>1/16/2004</u>		<u>2/25/2004</u>		<u>3/14/2004</u>		<u>4/14/2004</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.03 (2)	Inward	564.11 (2)	Inward	564.11 (2)		563.91 (2)		564.01 (2)	Inward	564.44 (2)	Inward
Inner	MH2	561.53		561.08		(4)		(4)		561.33		560.05	
Outer	River North	564.03 (2)	Inward	564.11 (2)	Inward	564.11 (2)	Inward	563.91 (2)	Inward	564.01 (2)	Inward	564.44 (2)	Inward
Inner	MH6	555.94		555.82		555.84		556.12		555.9		554.91	
Outer	River Middle	564.36	Inward	564.11 (2)	Inward	564.11 (2)	Inward	563.91 (2)	Inward	564.01 (2)	Inward	564.43	Inward
Inner	MH8	560.76		560.67		560.7		560.95		560.75		559.59	
Outer	River South	564.28	Inward	564.36	Inward	564.36	Inward	564.16	Inward	564.26	Inward	564.69	Inward
Inner	MH12	562.52		562.75		562.49		562.3		562.07		561	

<i>Date Monitored</i>		<u>5/14/2004</u>		<u>6/25/2004</u>		<u>7/30/2004</u>		<u>8/31/2004</u>		<u>9/30/2004</u>		<u>10/20/2004</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.55	Inward	564.68	Inward	565.20	Inward	564.98	Inward	565.00	Inward	564.45	Inward
Inner	MH2	560.17		561.64		561.79		561.37		561.48		561.65	
Outer	River North	564.55	Inward	564.68	Inward	565.20	Inward	564.98	Inward	565.00	Inward	564.45	Inward
Inner	MH6	554.56		555.74		555.24		555.83		555.60		555.96	
Outer	River Middle	564.48	Inward	564.56	Inward	565.16	Inward	564.93	Inward	565.05	Inward	564.41	Inward
Inner	MH8	559.45		560.50		560.04		560.67		560.71		560.82	
Outer	River South	564.71	Inward	564.91	Inward	565.46	Inward	565.25	Inward	565.30	Inward	564.49	Inward
Inner	MH12	560.80		560.95		561.15		561.35		561.25		561.50	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
- (3) Valves in MH6 were opened on November 18, 2002.
- (4) Snow covered well, could not locate.
- NM - Not Measured
- NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/23/2004</u>		<u>12/31/2004</u>		<u>1/28/2005</u>		<u>2/28/2005</u>		<u>3/31/2005</u>		<u>4/29/2005</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.05 (2)	Inward	564.68	Inward	564.44 (2)	Inward	(6)	NA	564.31 (2)	Inward	564.83	Inward
Inner	MH2	561.50		561.60		562.60		561.05		561.25		560.20	
Outer	River North	564.05 (2)	Inward	564.68	Inward	564.44 (2)	Inward	(6)	NA	564.31 (2)	Inward	564.83	Inward
Inner	MH6	554.95		556.19		556.22		555.58		555.93		556.01	
Outer	River Middle	564.18 (5)	Inward	564.56	Inward	564.32	Inward	564.46	Inward	564.08	Inward	564.71	Inward
Inner	MH8	559.77		561.02		561.06		560.47		560.78		560.89	
Outer	River South	564.30	Inward	564.81	Inward	564.69	Inward	564.79	Inward	564.56	Inward	565.15	Inward
Inner	MH12	561.57		561.81		561.92		562.05		562.11		562.26	

<i>Date Monitored</i>		<u>5/27/2005</u>		<u>6/24/2005</u>		<u>7/29/2005</u>		<u>8/31/2005</u>		<u>10/3/2005</u>		<u>10/31/2005</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.78	Inward	564.73	Inward	564.82	Inward	564.63(2)	Inward	564.80	Inward	564.80	Inward
Inner	MH2	560.23		561.50		562.70		561.62		561.52		561.68	
Outer	River North	564.78	Inward	564.73	Inward	564.82	Inward	564.63(2)	Inward	564.80	Inward	564.80	Inward
Inner	MH6	555.82		555.16		556.56		556.24		555.41		555.60	
Outer	River Middle	564.74	Inward	564.70	Inward	564.85	Inward	564.54	Inward	564.75	Inward	564.55	Inward
Inner	MH8	560.65		559.92		561.39		561.07		560.20		560.46	
Outer	River South	565.02	Inward	564.92	Inward	565.15	Inward	564.88	Inward	565.11	Inward	565.00	Inward
Inner	MH12	562.29		562.40		562.51		562.75		562.90		563.15	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/22/2005</u>		<u>12/23/2005</u>		<u>01/27/2006</u>		<u>02/28/2006</u>		<u>03/24/2006</u>		<u>04/21/2006</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	563.93 (2)	Inward	564.01 (2)	Inward	564.11 (2)	Inward	564.04 (2)	Inward	564.19 (2)	Inward	564.39 (2)	Inward
Inner	MH2	561.62		562.55		562.95		563.17		562.68		562.31	
Outer	River North	563.93 (2)	Inward	564.01 (2)	Inward	564.11 (2)	Inward	564.04 (2)	Inward	564.19 (2)	Inward	564.39 (2)	Inward
Inner	MH6	555.20		556.20		556.21		554.70		555.64		555.61	
Outer	River Middle	564.05 (5)	Inward	564.13 (5)	Inward	564.23 (5)	Inward	564.16 (5)	Inward	564.31 (5)	Inward	564.26	Inward
Inner	MH8	560.64		561.05		561.02		558.44		560.43		560.40	
Outer	River South	564.18	Inward	564.26	Inward	564.36	Inward	564.29	Inward	564.44	Inward	564.64	Inward
Inner	MH12	563.29		563.46		563.61		563.73		563.47		563.49	
		<u>05/30/2006</u>		<u>06/26/2006</u>		<u>07/31/2006</u>		<u>08/25/2006</u>		<u>09/22/2006</u>		<u>10/31/2006</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.87	Inward	564.81	Inward	565.09	Outward	564.85 (2)	Inward	564.70	Inward	564.82	Inward
Inner	MH2	562.73		561.57		565.18		561.64		561.46		559.98	
Outer	River North	564.87	Inward	564.81	Inward	565.09	Inward	564.85 (2)	Inward	564.70	Inward	564.82	Inward
Inner	MH6	555.84		556.19		556.19		556.06		555.95		555.62	
Outer	River Middle	564.86	Inward	564.78	Inward	565.07	Inward	564.68	Inward	564.67	Inward	564.66	Inward
Inner	MH8	560.44		561.02		563.66		561.02		561.02		559.95	
Outer	River South	565.24	Inward	565.13	Inward	565.45	Inward	565.10	Inward	565.04	Inward	565.07	Inward
Inner	MH12	563.61		563.70		563.92		563.98		564.29		564.77	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
(3) Valves in MH6 were opened on November 18, 2002.
(4) Snow covered well, could not locate.
(5) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
NM - Not Measured
NA - Not Applicable

TABLE 2.3
 SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

		<u>11/29/2006</u>		<u>12/29/2006</u>		<u>01/26/2007</u>		<u>02/27/2007</u>		<u>03/30/2007</u>		<u>04/30/2007</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.16	Inward	564.82	Inward	564.71 (2)	Inward	564.21 (2)	Inward	564.40 (2)	Inward	564.82	Inward
Inner	MH2	561.35		561.52		561.39		561.53		560.25		560.99	
Outer	River North	564.16	Inward	564.82	Inward	564.71 (2)	Inward	564.21 (2)	Inward	564.40 (2)	Inward	564.82	Inward
Inner	MH6	555.93		555.93		556.04		556.23		556.24		556.31	
Outer	River Middle	564.28	Inward	564.41 (1)	Inward	564.46	Inward	564.33 (1)	Inward	564.28	Inward	564.78	Inward
Inner	MH8	560.73		560.80		560.89		561.07		561.09		561.14	
Outer	River South	564.41	Outward	564.54	Inward	564.96	Inward	564.46	Inward	564.65	Inward	565.26	Inward
Inner	MH12	564.87		561.89		560.86		559.97		560.20		559.85	
		<u>05/25/2007</u>		<u>06/29/2007</u>		<u>07/25/2007</u>		<u>08/31/2007</u>		<u>09/27/2007</u>		<u>10/31/2007</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.73 (2)	Inward	564.73 (2)	Inward	564.54 (2)	Inward	564.55(2)	Inward	564.23 (2)	Inward	563.81 (2)	Inward
Inner	MH2	560.85		560.85		561.49		561.10		561.49		561.57	
Outer	River North	564.73 (2)	Inward	564.73 (2)	Inward	564.54 (2)	Inward	564.55 (2)	Inward	564.23 (2)	Inward	563.81 (2)	Inward
Inner	MH6	556.12		556.45		556.24		556.24		556.02		556.17	
Outer	River Middle	564.67	Inward	564.64	Inward	564.41	Inward	564.44	Inward	564.27	Inward	563.98 (1)	Inward
Inner	MH8	561.02		561.26		561.02		561.04		560.47		561.08	
Outer	River South	564.98	Inward	564.98	Inward	564.79	Inward	564.80	Inward	564.48	Inward	564.06	Inward
Inner	MH12	560.04		560.14		560.16		560.23		560.40		560.56	

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

		<u>11/30/2007</u>		<u>12/31/2007</u>		<u>01/28/2008</u>		<u>02/29/2008</u>		<u>03/31/2008</u>		<u>04/28/2008</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.00 (2)	Inward	563.95 (2)	Inward	563.76 (2)	Inward	564.55 (2)	Inward	564.59 (2)	Inward	564.80 (2)	Inward
Inner	MH2	561.59		561.18		561.48		561.48		561.71		561.85	
Outer	River North	564.00 (2)	Inward	563.95 (2)	Inward	567.76 (2)	Inward	564.55 (2)	Inward	564.59 (2)	Inward	564.80 (2)	Inward
Inner	MH6	555.84		555.58		556.14		555.99		556.10		556.27	
Outer	River Middle	564.12 (1)	Inward	564.07 (1)	Inward	563.68	Inward	564.50	Inward	564.48	Inward	564.64	Inward
Inner	MH8	560.68		559.37		560.99		560.02		560.06		561.10	
Outer	River South	564.25	Inward	564.20	Inward	564.01	Inward	564.80	Inward	564.84	Inward	565.05	Inward
Inner	MH12	560.68		560.78		560.93		560.69		560.76		560.84	
		<u>05/29/2008</u>		<u>06/25/2008</u>		<u>07/31/2008</u>		<u>08/27/2008</u>		<u>09/26/2008</u>		<u>10/30/2008</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.76 (2)	Inward	564.83	Inward	564.73	Inward	564.47	Outward	564.46 (2)	Inward	564.46 (2)	Inward
Inner	MH2	562.00		562.57		562.69		565.69		562.21		561.67	
Outer	River North	564.76 (2)	Inward	564.83	Inward	564.73	Inward	564.47	Inward	564.46 (2)	Inward	564.46 (2)	Inward
Inner	MH6	556.65		557.84		560.18		559.36		558.36		557.64	
Outer	River Middle	564.75	Inward	564.72	Inward	564.69	Inward	564.42	Inward	564.34	Inward	564.37	Inward
Inner	MH8	561.39		562.66		563.00		564.13		563.21		562.57	
Outer	River South	565.01	Inward	565.04	Inward	565.01	Inward	564.79	Inward	564.71	Inward	564.71	Inward
Inner	MH12	560.92		561.05		561.24		561.39		565.55		561.74	

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3
SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

		<u>11/22/2008</u>		<u>12/31/2008</u>		<u>01/29/2009</u>		<u>02/25/2009</u>		<u>03/27/2009</u>		<u>04/30/2009</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	563.95 (2)	Inward	564.40 (2)	Outward	563.90 (2)	Outward	564.02 (2)	Outward	564.23 (2)	Outward	564.80	Inward
Inner	MH2	561.61		566.56		568.71		568.77		565.45		563.46	
Outer	River North	563.95 (2)	Inward	564.40 (3)	Inward	563.90 (2)	Inward	564.02 (2)	Inward	564.23 (2)	Inward	564.80	Inward
Inner	MH6	557.41		560.22		560.62		560.22		558.31		558.36	
Outer	River Middle	564.07 (1)	Inward	564.18	Outward	564.02 (1)	Inward	564.11	Inward	564.35 (1)	Inward	564.74	Inward
Inner	MH8	562.36		564.91		562.42		562.52		561.18		563.14	
Outer	River South	564.20	Inward	564.65	Inward	564.15	Inward	564.27	Inward	564.48	Inward	565.14	Inward
Inner	MH12	561.79		562.09		562.22		562.29		562.03		562.12	
		<u>05/27/2009</u>		<u>06/29/2009</u>		<u>07/27/2009</u>		<u>08/31/2009</u>		<u>09/30/2009</u>		<u>10/30/2009</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.95 (2)	Inward	565.02	Inward	565.12	Inward	564.90	Inward	564.80	Outward	564.52 (2)	Outward
Inner	MH2	561.36		561.56		561.64		561.76		565.80		566.21	
Outer	River North	564.95 (3)	Inward	565.02	Inward	565.12	Inward	564.90	Inward	564.80	Inward	564.52 (2)	Inward
Inner	MH6	558.18		556.26		556.22		556.06		558.36		558.71	
Outer	River Middle	564.78	Inward	564.93	Inward	565.05	Inward	564.86	Inward	564.71	Inward	564.35	Inward
Inner	MH8	563.08		560.74		560.99		560.85		561.46		561.66	
Outer	River South	565.20	Inward	565.23	Inward	565.45	Inward	565.25	Inward	565.10	Inward	564.77	Inward
Inner	MH12	562.17		563.68		562.64		562.79		562.87		562.99	

Notes:

(1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.

(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

		<u>11/30/2009</u>		<u>12/30/2009</u>		<u>01/29/2010</u>		<u>02/26/2010</u>		<u>03/30/2010</u>		<u>04/30/2010</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.19 (2)	Inward	564.12 (2)	Inward	564.78 (2)	Inward	566.60	Inward	566.80	Inward	564.55 (2)	Inward
Inner	MH2	561.87		561.72		561.67		561.75		562.58		562.61	
Outer	River North	564.19 (2)	Inward	564.12 (2)	Inward	564.78 (2)	Inward	566.60	Inward	566.60	Inward	564.55 (2)	Inward
Inner	MH6	555.76		557.87		555.87		555.72		556.36		556.62	
Outer	River Middle	563.98	Inward	563.89	Inward	564.63	Inward	564.29	Inward	564.19	Inward	564.38	Inward
Inner	MH8	560.65		562.80		560.13		560.66		560.76		561.11	
Outer	River South	564.44	Inward	564.37	Inward	565.03	Inward	564.36	Inward	564.45	Inward	564.80	Inward
Inner	MH12	563.10		563.31		563.49		563.56		560.01		559.66	
		<u>05/26/2010</u>											
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.94 (2)	Inward										
Inner	MH2	563.33											
Outer	River North	564.94 (2)	Inward										
Inner	MH6	558.05											
Outer	River Middle	564.78	Inward										
Inner	MH8	562.87											
Outer	River South	565.19	Inward										
Inner	MH12	561.01											

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>6/15/2001</i>		<i>6/22/2001</i>		<i>6/29/2001</i>		<i>7/31/2001</i>		<i>8/20/2001</i>		<i>9/28/2001</i>		<i>10/22/2001</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>												
		<i>(ft amsl)</i>	<i>Direction</i>												
Upper	MH3	560.59	Upward	560.55	Upward	560.40	Upward	559.21	Upward	561.07	Upward	560.56	Upward	562.36	Downward
Lower	MW-6	562.54		562.50		562.42		562.90		562.09		562.13		562.08	
Upper	MH8	560.53	Upward	560.44	Upward	560.38	Upward	560.25	Upward	560.25	Upward	560.27	Upward	560.43	Upward
Lower	MW-7	561.48		561.41		561.39		561.30		561.29		561.32		561.31	
Upper	MH11	561.12	Upward	561.05	Upward	560.97	Upward	560.73	Upward	560.50	Upward	560.61	Upward	560.51	Upward
Lower	MW-8	561.69		561.54		561.46		561.19		561.05		561.07		561.27	
Upper	MH14	562.32	Upward	562.32	Downward	562.45	Downward	562.45	Neutral	561.72	Downward	561.70	Downward	562.10	Downward
Lower	MW-9	562.45		562.19		562.11		562.45		561.55		561.58		561.77	
Upper	MH15	NM													
<i>Date Monitored</i>		<i>11/27/2001</i>		<i>12/20/2001</i>		<i>1/29/2002</i>		<i>2/11/2002</i>		<i>3/25/2002</i>		<i>4/24/2002</i>		<i>5/21/2002</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>												
		<i>(ft amsl)</i>	<i>Direction</i>												
Upper	MH3	560.94	Upward	560.50	Upward	560.15	Upward	560.28	Upward	560.10	Upward	562.05	Downward	561.28	Upward
Lower	MW-6	561.88		561.83		561.83		561.73		561.72		561.88		561.97	
Upper	MH8	560.45	Upward	559.75	Upward	560.98	Upward	561.06	Upward	560.65	Upward	561.13	Upward	560.05	Upward
Lower	MW-7	561.36		561.25		561.89		561.50		561.60		561.95		561.38	
Upper	MH11	559.51	Upward	561.31	Downward	NM	--	561.23	Upward	560.97	Upward	561.41	Upward	560.35	Upward
Lower	MW-8	561.30		560.73		561.91		561.93		561.60		561.95		560.91	
Upper	MH14	561.87	Downward	561.89	Downward	562.53	Downward	562.18	Upward	562.77	Downward	563.09	Downward	563.25	Downward
Lower	MW-9	561.71		561.77		562.31		562.52		562.64		562.96		563.11	
Upper Average ⁽¹⁾	MH15	NM		562.17	Upward										
														562.89	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.
(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

TABLE 2.4
SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>6/20/2002</i>		<i>7/18/2002</i>		<i>8/6/2002</i>		<i>9/12/02</i>		<i>10/30/02</i>		<i>11/21/02</i>		<i>12/11/02</i>	
		<i>Water Level</i>	<i>Gradient</i>												
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>												
	Upper	MH3	561.24	Upward	560.99	Upward	560.79	Upward	561.14	Upward	561.21	Upward	560.67	Upward	561.08
Lower	MW-6	561.92		561.89		561.92		561.82		561.97		562.05		562.04	
Upper	MH8	560.68	Upward	560.79	Upward	561.05	Upward	561.10	Upward	561.07	Upward	558.03	Upward	559.95	Upward
Lower	MW-7	561.54		561.65		561.93		561.99		561.95		561.41		561.25	
Upper	MH11	560.98	Upward	561.07	Upward	561.33	Upward	561.34	Upward	561.36	Upward	561.49	Downward	561.51	Downward
Lower	MW-8	561.50		561.60		561.88		561.91		561.95		560.99		560.73	
Upper	MH14	562.98	Downward	561.83	Upward	562.08	Upward	562.11	Upward	562.68	Downward	562.88	Downward	563.07	Downward
Lower	MW-9	562.91		562.84		562.75		562.66		562.57		562.74		562.91	
Upper	MH15	562.00	Upward	561.93	Upward	561.86	Upward	561.75	Upward	561.62	Upward	561.82	Upward	562.01	Upward
Average ⁽¹⁾		562.65	Upward	561.86	Upward	562.01	Upward	561.99	Upward	562.33	Upward	562.53	Upward	562.72	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.
(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

TABLE 2.4
SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>1/16/2003</i>		<i>2/25/2003</i>		<i>3/14/03</i>		<i>4/14/03</i>		<i>5/8/03</i>		<i>6/19/03</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>										
		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	561.20	Upward	561.10	Upward	561.17	Upward	561.22	Upward	561.03	Upward	561.83	Upward
Lower	MW-6	562.27		561.85		561.69		562.42		562.38		562.43	
Upper	MH8	561.04	Upward	560.60	Upward	560.61	Upward	558.65	Upward	560.76	Upward	560.85	Upward
Lower	MW-7	561.95		561.49		561.49		561.42		561.59		561.60	
Upper	MH11	561.68	Upward	561.60	Downward	561.57	Downward	558.53	Upward	561.03	Upward	561.12	Upward
Lower	MW-8	562.00		561.48		561.46		560.98		561.56		561.56	
Upper	MH14	563.37	Downward	563.07	Downward	563.09	Downward	563.54	Downward	563.26	Downward	563.41	Downward
Lower	MW-9	563.17		562.89		562.90		563.36		563.07		563.10	
Upper	MH15	562.28	Upward	562.01	Upward	562.05	Upward	562.49	Upward	561.02	Upward	562.25	Upward
Average ⁽¹⁾		563.01	Upward	562.72	Upward	562.74	Upward	563.19	Upward	562.84	Upward	563.02	Upward

<i>Date Monitored</i>		<i>7/21/03</i>		<i>8/28/03</i>		<i>9/30/03</i>		<i>10/20/03</i>		<i>11/03/03</i>		<i>12/23/03</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>										
		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.46	Upward	561.20	Upward	561.10	Upward	561.07	Upward	561.08	Upward	559.49	Upward
Lower	MW-6	562.31		562.21		562.53		562.52		562.33		562.30	
Upper	MH8	560.89	Upward	558.52	Upward	559.88	Upward	559.77	Upward	560.76	Upward	560.67	Upward
Lower	MW-7	561.74		561.29		561.35		561.17		561.12		561.48	
Upper	MH11	561.10	Upward	564.37	Downward	558.68	Upward	558.66	Upward	561.01	Upward	560.94	Upward
Lower	MW-8	561.69		562.35		561.17		560.02		561.57		561.34	
Upper	MH14	563.03	Downward	566.48	Downward	562.89	Downward	562.88	Downward	563.00	Downward	563.31	Downward
Lower	MW-9	562.89		566.17		562.77		562.75		562.85		563.20	
Upper	MH15	561.98	Upward	566.36	Downward	562.02	Upward	562.01	Upward	561.91	Upward	562.28	Upward
Average ⁽¹⁾		562.68	Upward	566.44	Downward	562.60	Upward	562.59	Upward	562.64	Upward	562.97	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

TABLE 2.4
SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>01/21/04</u>		<u>02/12/04</u>		<u>03/04/04</u>		<u>04/16/04</u>		<u>05/14/04</u>		<u>06/25/04</u>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.33	Upward	561.08	Upward	561.13	Upward	558.78	Upward	559.71	Upward	561.21	Upward
Lower	MW-6	562.32		562.16		562.21		562.48		562.39		562.27	
Upper	MH8	560.70	Upward	560.95	Upward	560.75	Upward	559.59	Upward	559.45	Upward	560.50	Upward
Lower	MW-7	561.55		561.81		561.61		561.71		561.70		561.42	
Upper	MH11	(2)	NA	561.23	Upward	561.04	Upward	559.85	Upward	559.87	Upward	560.79	Upward
Lower	MW-8	561.47		561.75		561.56		561.38		561.39		561.19	
Average ⁽¹⁾		(2)	NA	(2)	NA	562.08	Upward	562.43	Upward	562.41	Upward	562.41	Upward
Lower	MW-9	562.72		562.68		562.70		562.64		562.71		562.70	

<i>Date Monitored</i>		<u>07/30/04</u>		<u>08/31/04</u>		<u>09/30/04</u>		<u>10/20/04</u>		<u>11/23/04</u>		<u>12/31/04</u>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	561.25	Upward	560.59	Upward	560.81	Upward	561.19	Upward	561.05	Upward	560.74	Upward
Lower	MW-6	562.29		562.23		562.28		562.10		561.99		562.16	
Upper	MH8	560.04	Upward	560.67	Upward	560.71	Upward	560.82	Upward	559.77	Upward	561.02	Upward
Lower	MW-7	561.31		561.56		561.49		561.19		561.21		561.80	
Upper	MH11	560.26	Upward	560.94	Upward	561.00	Upward	561.09	Upward	560.05	Upward	561.23	Upward
Lower	MW-8	560.71		561.39		561.43		561.56		560.56		561.75	
Average ⁽¹⁾		561.33	Upward	562.73	Upward	562.67	Upward	562.46	Upward	561.23	Upward	561.96	Upward
Lower	MW-9	562.70		562.95		562.98		562.64		562.71		562.71	

Notes:

- NA - Not Applicable.
- NM - Not monitored. MH11 was blocked and could not be accessed.
- (1) - Distance weighted for MH14 (two thirds) and MH15 (one third).
- (2) - Buried with snow.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Date Monitored		1/28/2005		2/28/2005		3/31/2005		4/29/2005		5/27/2005		6/24/2005	
		Water Level	Gradient										
Monitoring Location		(ft amsl)	Direction										
Upper	MH3	562.15	Upward	559.96	Upward	559.94	Upward	559.54	Upward	558.92	Upward	561.09	Upward
Lower	MW-6	562.27		562.14		562.04		562.26		562.24		562.22	
Upper	MH8	561.06	Upward	560.47	Upward	560.78	Upward	560.89	Upward	560.65	Upward	559.92	Upward
Lower	MW-7	561.85		561.46		561.66		561.76		561.55		561.47	
Upper	MH11	561.33	Upward	560.74	Upward	561.06	Upward	561.15	Upward	561.13	Upward	560.18	Upward
Lower	MW-8	561.82		561.25		561.60		561.65		561.42		560.76	
Average ⁽¹⁾		(3)	NA	(3)	NA	562.91	Upward	562.57	Upward	562.90	Upward	562.59	Upward
Lower	MW-9	562.75		562.78		563.12		563.21		563.12		562.85	

Date Monitored		7/29/2005		8/31/2005		10/3/2005		10/31/2005		11/22/2005		12/23/2005	
		Water Level	Gradient										
Monitoring Location		(ft amsl)	Direction										
Upper	MH3	562.26	Downward	560.64	Upward	560.54	Upward	560.73	Upward	561.20	Upward	562.09	Upward
Lower	MW-6	562.11		562.09		562.24		562.34		561.67		562.45	
Upper	MH8	561.39	Upward	561.07	Upward	560.20	Upward	560.46	Upward	560.04	Upward	561.05	Upward
Lower	MW-7	562.27		561.94		561.40		561.52		561.49		561.85	
Upper	MH11	561.17	Upward	561.31	Upward	560.43	Upward	560.71	Upward	560.31	Upward	561.30	Upward
Lower	MW-8	562.15		561.85		560.95		561.25		561.00		561.84	
Average ⁽¹⁾		562.68	Upward	562.67	Upward	562.92	Upward	563.14	Upward	563.33	Upward	563.31	Upward
Lower	MW-9	562.88		562.91		563.20		563.39		563.53		563.50	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Date Monitored		01/27/2006		02/28/2006		03/24/2006		04/21/2006		05/30/2006		06/26/2006	
		Water Level	Gradient										
Monitoring Location		(ft amsl)	Direction										
Upper	MH3	562.53	Upward	562.26	Upward	561.77	Upward	561.84	Upward	562.30	Upward	560.63	Upward
Lower	MW-6	562.97		562.90		562.86		562.76		562.50		562.37	
Upper	MH8	561.02	Upward	558.44	Upward	560.43	Upward	560.40	Upward	560.44	Upward	561.02	Upward
Lower	MW-7	561.79		561.68		561.57		561.48		561.75		561.97	
Upper	MH11	561.26	Upward	558.38	Upward	560.60	Upward	560.63	Upward	560.28	Upward	561.26	Upward
Lower	MW-8	561.76		561.23		561.16		561.15		561.03		561.75	
Average ⁽¹⁾		563.73	Upward	563.73	Upward	563.67	Upward	563.41	Upward	563.20	Upward	563.16	Upward
Lower	MW-9	563.90		563.94		563.83		563.65		563.48		563.41	
Date Monitored		07/31/2006		08/25/2006		09/22/2006		10/31/2006		11/29/2006		12/29/2006	
Monitoring Location		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	564.78	Downward	561.21	Upward	561.01	Upward	555.62	Upward	560.85	Upward	560.42	Upward
Lower	MW-6	564.39		564.72		562.76		562.58		562.48		562.98	
Upper	MH8	563.66	Upward	560.89	Upward	560.51	Upward	559.95	Upward	560.73	Upward	560.80	Upward
Lower	MW-7	564.54		561.82		561.99		562.09		562.01		561.89	
Upper	MH11	564.03	Upward	561.10	Upward	559.81	Upward	558.19	Upward	560.54	Upward	560.96	Upward
Lower	MW-8	564.30		561.57		561.20		561.78		561.69		561.46	
Average ⁽¹⁾		563.85	Upward	563.89	Downward	562.44	Upward	564.13	Upward	560.73	Upward	561.59	Upward
Lower	MW-9	564.08		563.38		562.73		564.40		562.10		561.90	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>01/26/2007</i>		<i>02/27/2007</i>		<i>03/30/2007</i>		<i>04/30/2007</i>		<i>05/25/2007</i>		<i>06/29/2007</i>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.92	Upward	560.57	Upward	559.45	Upward	559.39	Upward	559.85	Upward	558.83	Upward
Lower	MW-6	562.78		562.49		562.30		562.62		562.48		562.32	
Upper	MH8	560.89	Upward	560.89	Upward	561.09	Upward	561.14	Upward	561.02	Upward	561.26	Upward
Lower	MW-7	562.06		561.96		562.05		562.20		562.05		562.16	
Upper	MH11	561.09	Upward	561.16	Upward	561.36	Upward	561.29	Upward	561.12	Upward	561.39	Upward
Lower	MW-8	561.73		561.86		561.85		561.77		561.61		561.79	
Average ⁽¹⁾		563.13	Upward	562.42	Upward	560.89	Upward	561.86	Upward	561.85	Upward	561.84	Upward
Lower	MW-9	563.41		562.64		562.66		562.13		562.10		562.12	
		<i>07/25/2007</i>		<i>08/31/2007</i>		<i>09/27/2007</i>		<i>10/31/2007</i>		<i>11/31/2007</i>		<i>12/31/2007</i>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.54	Upward	559.62	Upward	561.05	Upward	560.69	Upward	560.58	Upward	559.69	Upward
Lower	MW-6	562.13		561.93		561.86		562.02		562.22		562.48	
Upper	MH8	561.02	Upward	561.04	Upward	560.47	Upward	561.08	Upward	560.68	Upward	559.37	Upward
Lower	MW-7	561.94		561.95		562.01		562.00		561.80		561.88	
Upper	MH11	561.18	Upward	561.28	Upward	559.56	Upward	561.36	Upward	561.00	Upward	558.54	Upward
Lower	MW-8	561.55		561.73		561.79		561.86		562.30		561.56	
Average ⁽¹⁾		561.78	Upward	561.38	Upward	561.82	Upward	561.85	Upward	560.96	Upward	561.83	Upward
Lower	MW-9	562.03		562.05		562.05		562.09		562.05		562.16	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

Monitoring Location		01/28/2008		02/29/2008		03/31/2008		04/28/2008		05/29/2008		06/25/2008	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	559.46	Upward	560.45	Upward	560.74	Upward	559.67	Upward	559.26	Upward	559.54	Upward
Lower	MW-6	562.68		562.38		562.33		562.73		562.66		562.79	
Upper	MH8	560.99	Upward	560.02	Upward	560.06	Upward	561.10	Upward	561.39	Upward	562.66	Upward
Lower	MW-7	561.95		562.06		562.54		562.07		562.28		563.49	
Upper	MH11	561.30	Upward	559.51	Upward	558.99	Upward	561.39	Upward	561.50	Upward	562.83	Upward
Lower	MW-8	561.80		561.89		561.89		561.90		561.82		563.28	
Average ⁽¹⁾		562.53	Upward	561.89	Upward	561.48	Upward	561.96	Upward	561.87	Upward	561.79	Upward
Lower	MW-9	562.78		562.17		562.24		562.56		562.14		562.11	
Monitoring Location		07/31/2008		08/27/2008		09/26/2008		10/30/2008		11/22/2008		12/31/2008	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	561.02	Upward	565.29	Downward	559.22	Upward	560.08	Upward	561.19	Upward	565.53	Upward
Lower	MW-6	563.27		565.10		563.42		562.97		565.10		566.09	
Upper	MH8	563.00	Upward	564.13	Upward	563.21	Upward	562.57	Upward	562.36	Upward	564.91	Upward
Lower	MW-7	563.86		564.95		564.07		563.49		563.27		565.70	
Upper	MH11	563.53	Upward	564.16	Upward	563.53	Upward	562.85	Upward	562.75	Upward	564.91	Upward
Lower	MW-8	566.07		564.61		564.03		563.93		563.29		565.33	
Average ⁽¹⁾		561.71	Upward	563.97	Upward	560.91	Upward	562.18	Downward	561.26	Upward	564.68	Upward
Lower	MW-9	561.97		564.15		562.02		561.83		561.76		564.71	

Notes:

- NA - Not Applicable.
- NM - Not monitored. MH11 was blocked and could not be accessed.
- (1) - Distance weighted for MH14 (two thirds) and MH15 (one third).
- (2) - Buried with snow.
- (3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location		01/30/2009		02/25/2009		03/27/2009		04/30/2009		05/27/2009		06/29/2009	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	570.75	Downward	571.27	Downward	559.49	Upward	560.06	Upward	560.29	Upward	561.28	Upward
Lower	MW-6	566.89		567.20		564.81		563.55		563.18		562.81	
Upper	MH8	562.42	Upward	562.52	Upward	561.18	Upward	563.14	Upward	563.04	Upward	560.74	Upward
Lower	MW-7	565.96		564.31		562.90		564.03		563.93		562.12	
Upper	MH11	564.96	Upward	559.64	Upward	561.11	Upward	563.38	Upward	563.45	Upward	560.98	Upward
Lower	MW-8	565.25		562.05		561.66		563.93		564.03		562.26	
Average ⁽¹⁾		560.92	Upward	561.59	Upward	561.11	Upward	563.29	Upward	564.39	Upward	565.24	Downward
Lower	MW-9	563.48		563.30		562.67		563.36		564.58		564.76	
Monitoring Location		07/27/2009		08/31/2009		09/30/2009		10/30/2009		11/30/2009		12/30/2009	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	559.34	Upward	561.29	Upward	565.67	Downward	566.49	Downward	561.41	Upward	560.01	Upward
Lower	MW-6	562.63		562.47		564.80		565.37		563.19		562.79	
Upper	MH8	560.99	Upward	560.85	Upward	561.46	Upward	561.66	Upward	560.65	Upward	562.80	Upward
Lower	MW-7	562.00		561.82		562.78		563.06		561.81		563.66	
Upper	MH11	561.40	Upward	561.28	Upward	560.10	Upward	560.77	Upward	561.13	Upward	563.24	Upward
Lower	MW-8	562.16		562.10		561.60		561.70		561.89		563.93	
Average ⁽¹⁾		564.56	Upward	564.38	Upward	564.62	Downward	564.47	Downward	564.47	Downward	564.80	Upward
Lower	MW-9	564.59		564.65		564.39		564.35		564.44		564.81	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location		01/29/2010		02/26/2010		03/30/2010		04/30/2010		05/26/2010	
		Water Level	Gradient								
		(ft amsl)	Direction								
Upper	MH3	560.02	Upward	561.26	Upward	561.25	Upward	560.99	Upward	559.94	Upward
Lower	MW-6	562.60		562.38		562.69		562.78		562.80	
Upper	MH8	560.13	Upward	560.66	Upward	560.76	Upward	561.11	Upward	562.87	Upward
Lower	MW-7	561.84		561.61		561.89		562.04		563.65	
Upper	MH11	559.72	Upward	561.15	Upward	561.59	Upward	560.40	Upward	563.21	Upward
Lower	MW-8	562.18		561.87		562.56		562.25		563.61	
Average ⁽¹⁾		563.66	Upward	563.55	Upward	564.24	Upward	564.20	Upward	564.20	Upward
Lower	MW-9	564.50		563.98		564.79		564.62		564.57	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.5
GROUNDWATER SAMPLING SUMMARY
OPERATION AND MAINTENANCE MANUAL
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

LOCATIONS

OGC1	MW-6
OGC2	MW-7
OGC3	MW-8
OGC4	MW-9
OGC5	OGC6
OGC7	OGC8

- FREQUENCY**
- quarterly for 2 years following GWS startup.
 - semi-annually for Year 3 except for OGC-4 (quarterly for SVOCs) and OGC-6 (quarterly for VOCs).
 - annually for Years 4 through 7 (until May 2008).

SAMPLING PROGRAM (MAY 2009 THROUGH MAY 2012)

<i>Annual</i>	<i>Once Every 2 Years</i> <i>(2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

PARAMETERS

<u>Volatiles</u>	
Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	
<u>Semi-Volatiles</u>	
1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	MW-9																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/25/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																		
Acetone	50	9.4J	4.3J	7.3J/6.7J		4.2J	7.0/7.2			13/12		17	17		5.7	4.8J	5.9	
Benzene	1		0.24J	0.39J/0.35J		0.44J	0.29J/0.30J	0.29J/0.29J		0.40J/ND0.70				0.54J		0.76		
2-Butanone	50													2.6J				
Chlorobenzene	5		0.50J	0.86J/0.85J		1.3		1.0/1.1		0.91J/0.87J		1.1	1.7	1.5	2.8	1.4	5.3	2.5
trans-1,2-Dichloroethene	5			0.22J/ND		0.31J	0.24J/0.24J	0.22J/0.20J						0.42J		0.55J	0.74J	
Ethylbenzene	5		0.30J	0.46J/0.42J		0.73J	0.44J/0.42J	0.46J/0.46J		0.40J/0.38J				0.83J			1.2	0.82J
Methylene Chloride	5		0.34J	0.33J/ND	4.0J	0.53J						7.2	1.6					
Tetrachloroethene	5	1.6J	1.1J	1.0J/0.92J		1.6	0.92J/0.80J	0.77J/0.74J		0.67J/0.71J				0.57J			0.82J	0.57J
Toluene	5		1.6J	3.0J/2.5J	2.8J	2.7	2.1/2.0	2.7/2.7	2.0	2.0/1.9	4.6	3.2	2.6		3.1	2.4	3.8	3.8
Trichloroethene	5	2.2J	1.8J	2.4J/2.2J	3.0J	4.4	2.0/2.0	2.2/2.3		1.8/1.8	9.5	4.9	3.0	1.8	2.9	1.7	4.7	2.6
Vinyl Chloride	2									1.7/1.7			3.6	4.0			4.2	
Total Xylenes	5		1.0J	1.5J/1.5J		2.5J	1.3J/1.3J	1.4J/1.4J		0.98J/1.0J	3.0			2.0J			3.3	2.2J
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*				0.6J										0.9J	0.7J		1.4J
1,4-Dichlorobenzene	3*												2J	3J	1J	2.3J		1.7J
2,4-Dimethylphenol	50	12	12	18/17	38		20/22	30/34	30	35/36	36	42	50	58	46	31	110	41
2-Methylphenol	NL	1J	3J	3J/3J	7J		4J/4J	6J/6J	6J	6J/6J	6J	5J	8J	8J	6	6	12	9.9J
4-Methylphenol	NL	69	110	97/92	230		100/110	190/230	150	130/130	160	190	260	190	170	96	300	180
Naphthalene	10														0.2J	0.5J		
Di-n-octyl phthalate	50																	
Phenol	1	3J	34	28/22	24		38/41	34/35	42	46/46	180	30	27	49	11	13	20	20

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-4																		
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	3/04/04	05/14/04	11/23/04	05/27/05	05/30/06	05/25/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)												NA	NA							
Acetone	50			7.9J			4.0J												1.6J	
Benzene	1		0.21J	0.2J																
2-Butanone	50																			
Chlorobenzene	5		0.49J	0.66J		0.83J/0.79J		0.46J		0.83J										
trans-1,2-Dichloroethene	5			0.22J																
Ethylbenzene	5		0.41J	0.39J		0.54J/0.53J	0.48J	0.39J		0.77J										0.44J
Methylene Chloride	5				5.1J/4.9J							4.6		2.0						
Tetrachloroethene	5	1.0J	1.2J	0.87J		0.86J/0.84J	1.1	0.78J		0.77J										
Toluene	5			1.0J		1.0/0.98J	1.4	0.72J		1.2										
Trichloroethene	5	1.6J	1.4J	1.5J		1.5/1.4	1.7	0.96J		1.5						0.53J				
Vinyl Chloride	2																			
Total Xylenes	5		1.0J	0.94J		0.84J/0.82J	1.1J			0.95J										
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*																			
1,4-Dichlorobenzene	3*																			
2,4-Dimethylphenol	50	8J	12	6J	8J/6J	7J/7J	8J		7J/7J	8J	4J	6J		4J				0.9J		0.51J/ND
2-Methylphenol	NL	0.9J	2J	35	2J/ND	1J/2J	2J			3J		3J		2J				0.5J		2.7J
4-Methylphenol	NL	64	86	40	58/55	61/67	68		69/68	73	32	55		31	14	15	3J	6		
Naphthalene	10																	0.5J		3.4J/3.4J
Di-n-octyl phthalate	50																			
Phenol	1	310	560	400	420/460	710/1100	1100	1100	2400/2300	1800	1600		2400	1500	850	510	84	66	25	15/15

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location		OGC-8																	
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	05/08/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/27/09	05/26/10	
Class GA																			
Level																			
Volatiles (µg/L)																			
Acetone	50	78	31/29	19J		4.7J	3.6J				6.2	5.8	4.7J			9.9	1.5J		
Benzene	1	11	14/14	14		2.6	5.3	3.3	3.6	3.1	1.8	1.2	1.1	0.92	0.54J	0.84	0.58J		
2-Butanone	50	4.0J																	
Chlorobenzene	5	3.7J	4.1J/4.1J	4.0J		0.87J	1.7	1.1		1.1	0.65J	0.48J	0.43J	0.44J					
trans-1,2-Dichloroethene	5	4.3J	3.2J/3.1J	4.0J		0.76J	1.5	0.88J		1.0	0.50J	0.41J	1.0						
Ethylbenzene	5	13	16/16	15	1.6J	2.8	5.8	3.1	3.9	3.1	1.8	1.2		0.99J	0.53J	0.84J	0.50J		
Methylene Chloride	5		0.52J/0.48J	0.62J	1.8J														
Tetrachloroethene	5	40	51/52	59	7.7J	9.9	22	12	14	11	7.0	5.0	3.8	4.0	2.0	2.3	1.6		
Toluene	5	140	140/140	110	17J	21	53	28	38	27	16	11	8.1	8.3	4.0	6.4	3.7		
Trichloroethene	5	120	110/110	110	20J	22	53	27	35	27	17		7.7	7.6	4.0	6.5	4.0		
Vinyl Chloride	2	3.7J	3.4/3.6	3.1	1.1J		1.4	0.70J		0.78J									
Total Xylenes	5	43	55/54	46	4.8J	8.3	18	9.5	11	9.9	5.4	3.7	3.0	3.2	1.1J	2.5J	1.5J		
Semi-Volatiles (µg/L)																			
1,2-Dichlorobenzene	3*																		
1,4-Dichlorobenzene	3*															0.2J			
2,4-Dimethylphenol	50	2J	4J/2J	4J	0.8J	0.8J	3J	1J								1J		0.73J	
2-Methylphenol	NL	18	30/25	16	4J	5J	13	7J	11	7J	4J	2J	2J	3J	2J	2J		2.2J	
4-Methylphenol	NL	30	51/45	28	8J	10	26	14	20	14J	9	5J	6J	8J	6	8	5.7	6.5J	
Naphthalene	10	1J	3J/25	1J			0.9J												
Di-n-octyl phthalate	50		0.1J/ND																
Phenol	1	30	49/44	31	5J	8J	11	10		4J	6J	2J							

Notes:

* Applies to sum of compounds

NL - Not listed

□ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
 SUMMARY OF DETECTED COMPOUNDS
 SITE GROUNDWATER AND RIVER WATER
 GRATWICK-RIVERSIDE PARK
 NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	River South														
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50						3.0J						3.2J			12
Benzene	1										0.42J					
2-Butanone	50												3.9J			3.1J
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5						0.30J									
Toluene	5			0.29J			0.72J	0.35J			1.8					
Trichloroethene	5						0.44J									
Vinyl Chloride	2						0.27J									
Total Xylenes	5										1.8J					
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50															
Phenol	1															

Notes:

* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location		MW-8																
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/29/09	05/26/10
Class GA Level																		
Volatiles (µg/L)																		
Acetone	50	52	12J	11J	75J	67	20			73		28/33	26	16	6.6/7.5	23	2.6J	
Benzene	1	6.5	4.3	4.1		8.6	12	12	8.1	12	23/24	10/12	4.2	4.4	1.6/1.5	1.5	2.7	
2-Butanone	50															4.4J		
Chlorobenzene	5	1.8J	1.0J	1.0J		3.2	4.9	4.4	3.6	6.2	6.0/6.4	2.7/3.3	2.4	2.4	0.84J/0.82J	0.54J	0.99J	
trans-1,2-Dichloroethene	5	2.2J	1.8J	2.9J	4.8J	7.3	11	16	12	13	10/12	7.3/9.4	7.4	5.3	4.4/3.9	3.6	6.8	
Ethylbenzene	5	5.7	3.7J	4.4J	8.2J	12	18	18	15	23	30/32	20/24	4.6	5.8	2.5/2.2	1.8	4.2	
Methylene Chloride	5	1.1J	0.58J	0.66J	4.4J	1.2	1.4	1.6		1.3	2.2/2.2	7.3/9.2	1.7	0.64J				
Tetrachloroethene	5	21	12	9.8	23J	32	61	58	54	80	91/100	120/130	62	71	16/14	9.5	12	
Toluene	5	75	36	31	80	100	140	160	100	120	240/240	97/120	30	33	12/11	10	26	
Trichloroethene	5	82	40	35	110	180	320	280	210	320	460/460	380/390	180	150	40/36	29	68	
Vinyl Chloride	2	5.2	1.6J	3.3	23	12	18	14	12	18	21/21	13/16	5.8	5.1				
Total Xylenes	5	22	13	16	30J	40	68	69	58	93	120/120	92/110	32	25	9.8/9.1	6.7	19	
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*				2J	2J		2J		4J	3J/3J					0.4J	1.5J	
1,4-Dichlorobenzene	3*			0.6J	2J	1J	1J	2J		4J	3J/3J	19U/2J	4J	5J	0.5J/0.4J	0.5J	2.1J	
2,4-Dimethylphenol	50	1J	11	16	19	18	15	27	20	27	37/38	15J/14	7J	6J	0.8J/0.6J	14	14	13
2-Methylphenol	NL	33	55	41	48	44	38	56	37	35	45/46	18J/18	18J	16	7/7	26	32	22
4-Methylphenol	NL	10	32	34	55	60	59	83	64	75	130/130	34/31			18/16	31	29	38
Naphthalene	10				0.7J	0.8J	0.8J	1J			2J/2J				22/22	1J		
Di-n-octyl phthalate	50																	
Phenol	1	43	130	140	85	110	91	110	140	78	80/80	28/28	11J	4J	20/21	32	15	13

Notes:

* Applies to sum of compounds

NL - Not listed

□ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-3																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																		
Acetone	50	13J /19J	3.8J	15J		7.1	6.7			5.6			10/8.4	2.8J	0.76	6.0	2.9J/2.6J	
Benzene	1	1.6J /1.6J	1.6	1.8		1.8	1.2	1.5		1.6	1.4		1.2/1.1	0.93J		0.93	0.75/0.78	
2-Butanone	50																	
Chlorobenzene	5		0.24J	0.28J		0.28J		0.22J										
trans-1,2-Dichloroethene	5	1.6J /1.6J	1.0J	1.4J	1.1J	1.1	0.98J	0.44J		1.0								
Ethylbenzene	5	1.6J /1.5J	2.0J	2.3J	1.5J	2.4	1.7	1.8		2.0			1.4/1.3	1.1	0.85J	0.92J	0.69J/0.73J	
Methylene Chloride	5				1.9J							6.3	1.2/1.0					
Tetrachloroethene	5	2.4J /2.2J	3.0J	2.2J	1.7J	2.2	1.8	1.8		1.5			0.71J/0.63J	0.61J	0.56J			
Toluene	5	5.7 /5.1	5.9	5.3		5.1	3.7	4.6	4.0	4.3	3.6	2.6	2.6/2.4		1.7	1.8	1.4/1.4	
Trichloroethene	5	20 /20	18	19	14J	17	14	13	12	14	9.8	7.7	6.4/6.1	5.6	4.3	4.9	3.3/3.5	
Vinyl Chloride	2	ND /1.0J	0.4	0.72						0.62J								
Total Xylenes	5	5.6J /5.4J	7.5	8.7	4.8J	7.8	5.8	5.8	5.0	6.6	3.9		3.3/3.0	2.9J	2.1J	2.3J	1.7J/1.7J	
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*				1J										0.6J	0.7J	0.86J	
1,4-Dichlorobenzene	3*				0.7J		0.5J									0.6J	0.58J	
2,4-Dimethylphenol	50	5J /5J	9	8J	11	11	7J	8J	11	12	10	9J	8J/4J	6J	6	6	6.2/5.9	4.3J
2-Methylphenol	NL	98 /96	120	87	160	140	100	100	120	140	150	110	83/73	64	47	45	44/43	36
4-Methylphenol	NL	13 /13	21	17	28	23	14	15	22	23	20	17	14/12	13	10	11	11/11	9.9
Naphthalene	10																0.8J	
Di-n-octyl phthalate	50																	
Phenol	1	120 /110	140	130J	210	140	85	92	110	120	120	90	78/74	75	60	65	60/57	50

Notes:

* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	GW-5S				OGC-7															
	12/17/87	08/12/88	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/27/09	05/26/10	
Volatiles (µg/L)	Class GA Level																			
Acetone	50	293	21J	0.25J	8.2J			3.6J												
Benzene	1	2			0.30J		0.28J	0.20J	0.26J				0.34J	0.34J						
2-Butanone	50	27																		
Chlorobenzene	5																			
trans-1,2-Dichloroethene	5	180	89	6.3	3.1J	5.4	4.9J	4.8J	4.2	4.7	4.0	5.4	5.0	5.9	4.9	5.8	3.8		2.7	
Ethylbenzene	5	9	7J	1.1J	0.80J	1.0J		1.3	0.84J	0.91J		1.4	0.93J	1.5	1.4	1.3	0.87J	0.84J	0.62J	
Methylene Chloride	5	1																		
Tetrachloroethene	5	11	7J	4.3J	3.6J	3.4J	2.9J	4.0	3.4	2.7	2.8	4.1	2.2	4.1	2.9	2.8	1.7	1.2J	0.80J	
Toluene	5	75	49	12	5.8	6.7	5.7J	6.9	5.2	6.0	6.7	8.6	5.8	9.3	8.3	8.6	5.0	4.9J	3.3	
Trichloroethene	5	287	220	70	40	48	45	68	44	38	50	56	38	56	37J	37	22	21J	14	
Vinyl Chloride	2	7	4J	2.6J	0.84	1.7J	3.5J	2.2	1.8	1.8		2.3	2	2.9	3.0	2.9		2.6J		
Total Xylenes	5	54	37	6.0J	4.8J	6.5	3.9J	7.6	5.3	5.3	5.5	8.7	5.4	10	8.6	8.2	5.3	5.0J	3.6	
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*		2J																	
1,4-Dichlorobenzene	3*																			
2,4-Dimethylphenol	50	10	11		2J															
2-Methylphenol	NL	24	24	3J	2J	1.0J	0.8J	1J									0.6J	0.5J		
4-Methylphenol	NL	38				0.9J	0.7J	1J									0.6J	0.4J		
Naphthalene	10																			
Di-n-octyl phthalate	50						0.6J													
Phenol	1	61	92	4J	0.7J															

Notes:

* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	River Middle														
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50									3.1J						2.8J
Benzene	1															
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5															1.3
Toluene	5															
Trichloroethene	5									0.21J						
Vinyl Chloride	2															
Total Xylenes	5															
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50															0.7J
Phenol	1															

Notes:

* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS
 SITE GROUNDWATER AND RIVER WATER
 GRATWICK-RIVERSIDE PARK
 NORTH TONAWANDA, NEW YORK

Location		MW-7															
Date	Class GA	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08	05/26/10
Volatiles (µg/L)																	
Acetone	50	5.7J		6.5J		4.3J	5.4			4.8			4.3J	3.0J	3.9J	3.3J/3.4J	
Benzene	1		1.9	2.0		2.0	1.3	1.8		0.90			0.58J				
2-Butanone	50																
Chlorobenzene	5																
trans-1,2-Dichloroethene	5		0.82J	1.1J		0.98J	0.89J	1					0.36J				
Ethylbenzene	5		0.85J	0.81J		1.0	0.61J	0.75J					0.32J				
Methylene Chloride	5				1.6J												
Tetrachloroethene	5			0.27J													
Toluene	5		3.5J	3.6J		3.3	1.9	3		1.1	2.8		0.93J				
Trichloroethene	5		0.55J	0.63J		0.43J	0.45J	0.36J									
Vinyl Chloride	2		1.6J	2.0	3.8J	2.9	1.7	2.2		1.3			0.80J			0.64J/0.61J	
Total Xylenes	5		2.1J	2.1J		2.7J	1.5J	1.9J		0.76J							
Semi-Volatiles (µg/L)																	
1,2-Dichlorobenzene	3*																
1,4-Dichlorobenzene	3*																
2,4-Dimethylphenol	50			2J	2J	3J	0.7J	2J									
2-Methylphenol	NL		3J	2J	4J	6J	1J	2J			2J					0.4J/0.5J	
4-Methylphenol	NL		3J	2J	4J	6J	1J	2J			1J				0.3J		0.5J/0.6J
Naphthalene	10																
Di-n-octyl phthalate	50				0.6J												
Phenol	1		24	7J	10	26	2J	6J		5J	2J		1J				

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-2														
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/25/07	05/29/08
Volatiles (µg/L)																
Acetone	50			11J			3.0J					4.5J		3.1		
Benzene	1															
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5				1.7J											
Tetrachloroethene	5															
Toluene	5										0.37J					
Trichloroethene	5		0.39J													
Vinyl Chloride	2			0.26J		0.25J	0.26J									
Total Xylenes	5															
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50															
Phenol	1															

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location		OGC-6																		
Date	Class GA Level	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	03/04/04	05/14/04	11/23/04	05/27/05	05/31/06	05/24/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																				
Acetone	50			6.6J			5.0			3.7J						8.6/8.7			1.6J	
Benzene	1									0.71	0.87	1.4		2.5	5.2	12/12	7.2		3.2	3.6
2-Butanone	50																			
Chlorobenzene	5																			
trans-1,2-Dichloroethene	5			0.23J	0.23J	0.37J	0.45J	0.55J		1.4	2.0	2.1		3.6	5.3	11/12	7.1		4.4	8.2
Ethylbenzene	5					0.31J				0.85J	1.1	2.0	3.3	3.1	7.4	20/20	12		4.8	5.2
Methylene Chloride	5			2.1J									4.4	2.5	2.2					
Tetrachloroethene	5		1.4J	0.73J		6.6	7.4	5	12	49	51	230	300	260	550	2000/2100	1400	34	400	640
Toluene	5			0.55J		2.0	1.6	1.5	2.4	9.3	12	27	40	35	72	240/260	97	2.9	34	38
Trichloroethene	5	3.0J	4.7J	3.1J	5.9	16	19	13	26	95	120	330	530	330	610	1800/1800	1100	31	320	410
Vinyl Chloride	2					0.22J	0.25J			0.45J						2.9/2.8	1.5			1.2
Total Xylenes	5		0.22J	0.53J	0.26J	1.7J	1.2J	1.0J		4.1	4.7	8.6	13	12	28	79/76	46		18	20
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*																			
1,4-Dichlorobenzene	3*																			
2,4-Dimethylphenol	50							1J											0.9J	
2-Methylphenol	NL		2J	2J	32	11	8J	9J	13	22	27		63		85	89/110	76	76	32	32
4-Methylphenol	NL			1J	0.02J	10							1J		2J	84/100	2J	70	1.1J	1.4J
Naphthalene	10															1J/2J	2J	2J	1.2J	1.4J
Di-n-octyl phthalate	50																			
Phenol	1		7J	2J	4J	5J	3J	2J		5J	3J		9J		8J	13/16	8	8		

Notes:
 * Applies to sum of compounds
 NL - Not listed
 Exceeds Class GA Level
 NS - Not Sampled
 J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	River North												
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06
Volatiles (µg/L)														
Acetone	50						2.4J		NS			3.6J	3.6J	
Benzene	1					0.21J					2.0	0.39J		
2-Butanone	50													
Chlorobenzene	5					1.3						3.2		
trans-1,2-Dichloroethene	5					0.25J						1.0		
Ethylbenzene	5					20						40		2.9
Methylene Chloride	5				1.6J									
Tetrachloroethene	5					3.8						7.7		1.3
Toluene	5			0.39J		63			0.96J			130	2.2	14
Trichloroethene	5			0.35J		4.5						6.4		0.59J
Vinyl Chloride	2					3.7						9.3		
Total Xylenes	5					80			0.96J			210	3.7	23
Semi-Volatiles (µg/L)														
1,2-Dichlorobenzene	3*													
1,4-Dichlorobenzene	3*													
2,4-Dimethylphenol	50								1J					
2-Methylphenol	NL													
4-Methylphenol	NL													
Naphthalene	10													
Di-n-octyl phthalate	50													
Phenol	1													

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-5														
		05/20/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50	38J		11J		6.4				4.9J		0.61J		3.0J		3.5J
Benzene	1		1.5	1.4		0.87	0.92	0.87		0.77				0.67J	0.54J	0.69J
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5		0.65J	0.76J		0.42J	0.57J	0.52J				0.34J				
Ethylbenzene	5		0.21J	0.23J												
Methylene Chloride	5				3.4J								2.4			
Tetrachloroethene	5		0.38J	0.27J												
Toluene	5		2.5J	2.2J		0.99J	0.87J	1.2		0.80J		0.80J				
Trichloroethene	5		0.87J	0.66J		0.36J	0.41J	0.40J				0.28J				
Vinyl Chloride	2		1.6J	1.2J		1.1	1.5	1.2		1.1		1.4		1.2	0.95J	1.4
Total Xylenes	5		1.0J	1.0J		0.67J	0.37J	0.40J				1.0J				
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50		8J	6J	5J		1J	6J								
2-Methylphenol	NL		1J	1J	1J									0.5J	0.3J	
4-Methylphenol	NL		2J	5J	4J			2J						0.9J	0.4J	
Naphthalene	10		1J	1J			0.5J	1J						2J	0.5J	1.6J
Di-n-octyl phthalate	50			1J	0.8J											
Phenol	1		0.9J													

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location	Date	GW-6S		MW-6																
		12/15/1987	08/10/88	05/18/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/26/10	
Volatiles (µg/L)		Class GA Level																		
Acetone	50	684	4.9J					4.4J					44		6.7	13	31			
Benzene	1	3		0.64J			0.65J	0.59J	0.56J				0.57J							
2-Butanone	50																			
Chlorobenzene	5		3.3J		1.5J	1.3J		0.65J		0.54J			0.81J		0.37J					
trans-1,2-Dichloroethene	5	58	4.4J		1.1J			0.37J	0.32J	0.34J			1.4		0.52J					
Ethylbenzene	5	2			0.21J															
Methylene Chloride	5						1.8J									2.1				
Tetrachloroethene	5	43			0.44J								0.67J		0.25J				0.55J	
Toluene	5	16	3.0J		2.2J	0.29J		1.3	0.91J	1.1			2.1		0.92J				0.73J	
Trichloroethene	5	62	5.1J		2.0J		1.2J		1.1	1.5		3.2	14	12	3.7	1.5	1.2	0.97J	2.3J	
Vinyl Chloride	2	11	1.7J					0.29J	0.24J	0.22J			0.52J							
Total Xylenes	5	7			0.90J	0.44J		0.36J	0.27J											
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*																			0.66J
1,4-Dichlorobenzene	3*			1J		0.7J	2J							2J			0.8J	0.6J		4.2J
2,4-Dimethylphenol	50	5		5J	5J	3J	2J	1J	0.9J	9J				6J						1.4J
2-Methylphenol	NL	3		5J	6J	2J	2J	2J	1J	0.9J				5J			0.5J	0.3J		1.8J
4-Methylphenol	NL	4		15	13	5J	4J	3J	2J	2J				12			1J	1J		2.5J
Naphthalene	10			67	69		1J		14	13				76		5J		2J	1J	7.8J
Di-n-octyl phthalate	50						2J													
Phenol	1	3		14	4J	2J	0.8J							250			2J	0.6J	0.4J	1.9J

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
 SUMMARY OF DETECTED COMPOUNDS
 SITE GROUNDWATER AND RIVER WATER
 GRATWICK-RIVERSIDE PARK
 NORTH TONAWANDA, NEW YORK

Location		OGC-1															
Date		05/18/01	05/25/07	8/21/2001	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/24/08
Class GA	Level																
Volatiles (µg/L)																	
Acetone	50	20J			11J			4.8J									
Benzene	1			0.64J	0.55J				0.26J								
2-Butanone	50	1.1J															
Chlorobenzene	5	2.2J	2.8	2.0J	1.7J		0.24J		0.78J		0.91J						
trans-1,2-Dichloroethene	5	5.6		3.7J	4.6J	1.8J	0.48J	0.58J	2.7		2.8	0.85J			0.55J		
Ethylbenzene	5			0.52J	0.43J				0.21J								
Methylene Chloride	5				1.6J									1.8			
Tetrachloroethene	5			0.78J	0.54J		0.42J	0.53J	0.30J			0.29J					
Toluene	5	5.2	3.1	5.4	4.2J		0.48J	0.43J	1.9	1.7	2.6	0.59J					
Trichloroethene	5	15	2.9	16	11	4.5J	2.2	2.7	6.1	5.1	8.4	2.2	0.47J	1.2	1.9	0.53J	4.2
Vinyl Chloride	2	1.3J		0.51J	0.72J				0.42J		0.64J						
Total Xylenes	5			2.1J	1.6J				0.49J		0.86J						
Semi-Volatiles (µg/L)																	
1,2-Dichlorobenzene	3*		0.9J														
1,4-Dichlorobenzene	3*	1J	3J	3J	2J	1J			1J								
2,4-Dimethylphenol	50	9J	46	16	8J	3J		0.6J	9J		4J						
2-Methylphenol	NL	6J	6	12	5J	2J			2J		3J						
4-Methylphenol	NL	20	170	35	15J	5J		1J	5J	6J	8J			2J			0.4J
Naphthalene	10	71	0.2J	130		21		7J	18		25	3J					0.5J
Di-n-octyl phthalate	50																
Phenol	1	150	11	290	57	15	1J	8J	4J		19						

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
07/24/00						7.8					10.3				
10/24/00						7.7					10.5				
03/29/01				7.60	10.82		NM			12.55		8.68		9.80	
05/11/01	*	*	*	*	*	*	*	8.30	8.17	8.50	10.16	8.90	11.22	9.22	11.26
05/18/01				11.05	11.14		10.42		10.00	10.50		8.19		8.70	
06/08/01	9.25						9.35		6.90	8.24		7.33		8.40	
06/15/01		10.1	10.38	9.6	9.6		9.4		6.91	8.22		7.43	10.65	8.46	
06/22/01		*	*	*	*										
06/29/01		10.9	10.8	11	10.9		10.56		7	8.97		9.27	11.33	8.63	
07/31/01		10.82	10.81	10.97	11.25		10.54		7.92	8.55		9.2	11.28	9.35	
08/20/01		11	11	9.86	10.95		10.44		7.9	8.31		7.71	11.45	8.49	
09/28/01		10.75	10.97	9.89	11.01		10.6		7.93	8.3		9.0	11.15	8.75	
10/22/01		10.7	10.45	10.5	11		7.86		6.1	9.32		8.97	8.49	8.87	
11/27/01		10.61	10.46	10.12	11.65		10.3			10.54		10.01	8.61	8.63	
12/20/01		10.17	10.11	9.97	11.22		10.19		9.98	10.37		9.68	8.42	8.51	
01/29/02		11.8	11.62	11.15	11.82		10.48		9.91	10.86		10.56	11.91	10.23	
02/11/02		10.26	10.16	10.5	10.4				7.79	11.44		10.04	11.74	8.33	
03/25/02		10.62	10.45	11.22	10.69		10.36		9.94	11.4		10.03	12.21	9.65	
04/24/02		10.37	10.22	10.68	11.36		9.97		9.46	11.15		9.73	11.3	9.52	
05/21/02		9.96	9.81	10.76	10.42		9.85		9.25	11.91		9.38	9.69	9.2	
06/20/02		10.64	9.4	10.91	11.19		9.77		9.46	11.4		10.59	11.76	9.46	
07/18/02		10.89	10.69	10.87	11.75		9.63		9.32	11.24		10.24	11.76	9.51	
08/06/02		10.62	10.47	8.21	5.67		7.25		8.79	8.78		7.46	11.24	7.83	
09/12/02		10.92	11.23	11.17	11.85		9.61		9.27	11.29		10.26	11.9	9.51	
10/30/02		10.1	11.22	10.74	10.89		9.68		9.82	10.63		9.95	11.97	9.64	
11/21/02		9.06	9.3	10.09	11.89		10.72		9.17	12.42		9.76	9.31	9.6	
12/11/02		8.92	9.17	10.16	11.03		9.87		9.02	10.39		10.19	9.5	9.18	
01/16/03		10.9	11.76	11.02	11.59		10.31		10.01	11.52		11.01	12.37	9.83	
02/25/03		10.72	11.12	10.51	11.81		10.22		9.87	12.31		9.42	9.32	8.92	
03/14/03		11.77	11.92	10.07	11.93		10.09		9.71	11.92		10.19	9.28	9.44	
04/14/03		9.78	9.71	9.67	10.82		9.74		9.21	10.45		9.74	10.48	9.01	
05/08/03		10.32	10.48	10.43	12.35		10.13		9.72	12.41		10.88	10.61	9.00	
06/19/03		10.21	10.39	10.36	12.31		10.05		9.68	12.29		10.75	10.51	8.99	
07/21/03		10.06	10.21	10.25	12.17		9.87		9.57	11.99		10.64	10.49	8.84	
08/28/03		10.22	10.91	10.32	11.16		9.8		10.17	10.96		11.04	10.38	9.89	
09/30/03		9.32	9.4	9.95	10.91		8.95		NM	10.22		9.35	9.42	9.58	
10/20/03		9.22	9.3	9	10		8.1		10.2	10.25		9.8	10	9.2	
11/03/03		9.15	9.14	8.86	9.49		7.8		10.51	10.54		10.41	10.28	9.03	
12/23/03		10.03	9.03	9.7	10.3		8.69		10.07	10.49		10.38	10.63	8.62	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/21/04		(1)	9.06	9.01	9.56				10.31	9.84		9.69	10.6	8.8	
02/12/04	8.45	(1)	9.72	13.24	11.02	7.77	8.75		7.65	10.8		10.32	11.23	9.2	
03/04/04	8.21	10.05	8.93	10.28	10.69		8.82		9.43	10.52		10.28	10.87	9.24	
04/16/04		9.52	8.77	10.16	9.28		8.61		9.2	10.96		10.41	11.18	9.12	
05/14/04		10.5	8.08	10.16	9.47		8.74		7.19	11.69	9.49	9.36	11.00	9.09	
06/25/04		10.22	8.66	10.07	9.98		8.46		8.41	10.89		9.82	10.65	9.1	
07/30/04		10.03	9.00	9.91	10.45		8.41		8.42	10.67		9.31	10.51	8.94	
08/31/04		9.89	8.7	9.69	10.0		8.17		7.58	10.36		8.97	10.65	8.85	
09/30/04		10.01	8.77	9.9	9.8		8.4		8.11	10.13		9.2	10.47	8.6	
10/20/04		9.91	7.95	9.8	9.28		8.18		8.46			9.89	9.95	8.84	
11/23/04		9.26	8.47	9.87	9.83		8.32		8.92	10.89		9.8	10.84	8.96	
12/31/04		10.13	8.82	9.42	9.26		8.44		10.31	10.04		9.79	9.57	8.73	
01/28/05		10.21	10.75	9.25	8.91		8.39		8.86	10.6		9.66	9.05	9.1	
02/28/05		10.66	9.5	9.09	9.17		8.54		10.89	10.61		9.11	10.8	6.8	
03/31/05		10.91	8.96	9.78	8.95		8.51		9.06	10.99		9.58	11.06	9.18	
04/29/05		10.74	8.92	9.90	9.59		8.74		8.72	11.26		9.62	10.29	9.56	
05/27/05		11.29	9.88	7.85	10.26		9.18		8.12	11.3		9.62	11.16	9.78	
06/24/05		10.72	10.51	10.22	10.2		8.69		8.01	11.48		9.38	11.34	9.31	
07/29/05		7.3	6.20	8.96	9.23		7.83		8.29	9.9		8.91	10.32	8.55	
08/31/05		9.76	7.64	9.35	9.47		8.23		8.5	10.4		8.67	10.68	9.24	
10/03/05		9.1	8.45	9.52	9.14		8.12		7.26	10.43		7.89	9.23	8.9	
10/31/05		10.01	8.59	9.37	8.89		8.47		9.24	10.14		8.63	11.13	9.06	
11/22/05		10.29	8.15	9.13	8.68		8.05		8.25	10.18		8.79	10.70	8.71	
12/23/05		9.24	11.09	10.15	10.11		10.84		9.37	10.84		10.43	9.46	9.23	
01/27/06		9.38	10.69	10.75	9.27		8.63		8.29	11.10		10.05	8.62	9.46	
02/28/06		9.94	11.28	10.49	9.63		8.9		9.56	10.96		9.96	9.56	9.85	
03/24/06		9.57	8.84	10.64	9.43		8.70		9.43	11.14		9.70	9.28	9.40	
04/21/06		11.13	11.03	10.65	9.6		8.91		10.67	11.03		9.44	10.44	9.33	
05/30/06		9.78	10.44	7.50	10.62		8.02		7.10	10.85		9.46	8.98	8.45	
06/26/06		11.24	8.67	10.6	10.83		8.52		8.06	11.24		9.79	10.69	9.24	
07/31/06		7.8	7.85	10.27	10.05		8.12		7.95	10.34		9.93	7.88	8.59	
08/25/06		11.17	8.74	11.07	10.45		8.6		7.7	11.01		8.49	11.4	9.25	
09/22/06		8.33	8.34	10.97	9.73		8.71		8.84	10.85		9.46	11.63	9.23	
10/31/06		10.82	8.26	10.36	9.49		8.62		9.03	10.64		9.86	11.23	9.22	
11/29/06		11.13	9.09	10.45	9.46		8.97		10.90	10.80		9.49	11.13	9.62	
12/29/06		11.15	8.94	10.88	9.36		8.90		11.27	10.56		10.02	11.33	9.05	

TABLE 2.7
 PH READINGS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/26/07		11.51	9.21	11.05	9.26		8.80		11.45	11.23		9.76	11.67	9.48	
02/27/07		11.55	10.3	10.93	9.64		8.95		11.08	11.20		9.33	11.45	10.16	
03/30/07		11.37	8.89	10.68	8.83		8.78		11.18	11.13		9.35	11.28	9.21	
04/30/07		11.19	8.27	10.42	9.02		8.47		8.23	10.99		9.59	11.14	9.04	
05/25/07		11.3	8.47	10.32	8.83		8.09		7.74	10.93		9.32	11.18	9.00	
06/29/07		11.17	8.33	10.28	9.52		8.36		7.89	10.91		9.02	10.98	8.86	
07/25/07		11.23	7.75	10.42	9.5		8.21		7.93	10.82		8.41	11.32	8.70	
08/31/07		10.36	8.07	9.67	9.89		8.33		8.66	10.31		8.88	10.71	8.99	
09/27/07		9.77	8.62	9.79	9.99		8.43		9.26	10.22		9.55	9.63	8.93	
10/31/07		10.16	8.59	9.82	10.25		8.23		8.83	10.34		9.21	9.69	9.05	
11/30/07		NM	8.45	10.21	10.63		8.56		11.06	10.51		8.31	11.01	9.00	
12/31/07		9.07	8.46	9.69	9.24		8.60		10.84	10.44		10.06	11.07	9.20	
01/28/08		11.05	9.25	10.83	10.54		9.10		11.32	11.06		10.28	11.70	9.36	
02/29/08		9.59	9.66	9.96	9.82		9.09		10.35	10.09		10.02	11.59	9.42	
03/31/08		9.15	8.76	9.96	9.14		8.98		10.75	11.06		10.17	11.38	9.42	
04/28/08		9.53	9.17	10.73	9.60		8.78		8.90	11.23		9.97	10.18	9.48	
05/29/08		8.74	8.30	10.60	8.99		8.87		7.95	11.03		10.11	9.14	9.41	
06/25/08		9.46	8.64	10.60	9.96		8.61		8.50	11.06		10.24	9.28	9.41	
07/31/08		8.88	8.98	10.49	9.90		8.54		8.83	10.86		9.77	9.57	9.55	
08/27/08		8.77	8.67	10.96	8.79		8.58		8.77	10.63		10.87	10.53	9.96	
09/26/08		9.20	9.78	10.17	9.48		8.57		8.89	9.97		9.41	9.56	9.29	
10/30/08		9.40	10.68	10.49	9.76		8.98		9.36	10.42		9.46	9.69	9.52	
11/22/08		9.18	9.52	10.03	9.25		8.46		9.23	9.68		9.50	9.58	9.43	
12/31/08		9.49	8.91	10.71	9.72		8.68		8.89	10.07		9.26	9.50	9.32	
01/30/09		10.88	10.86	10.23	9.83		8.77		8.85	10.22		9.70	9.54	9.84	
02/25/09		9.39	10.63	10.07	9.33		8.50		8.88	9.77		9.36	9.19	9.44	
03/27/09		10.3	10.28	9.54	9.75		8.73		9.17	9.73		9.67	9.51	9.51	
04/30/09		9.13	9.12	10.43	9.77		8.76		9.46	10.50		9.80	10.05	9.54	
05/27/09		9.68	9.97	10.65	9.98		8.84		9.40	10.68		9.85	9.32	10.00	
06/29/09		9.95	8.79	10.50	9.64		8.48		9.21	10.58		9.68	11.26	9.16	
07/27/09		9.93	10.00	11.28	11.00		9.87		10.90	12.11		10.99	11.13	10.71	
08/31/09		8.88	8.99	10.76	10.03		8.52		9.17	10.81		10.11	9.83	9.58	
09/30/09		10.48	10.74	10.91	10.51		8.44		8.17	10.81		10.71	9.14	9.28	
10/30/09		10.84	11.60	11.70	10.74		9.66		10.19	10.83		11.60	10.76	10.78	
11/30/09		9.53	9.70	10.64	10.10		9.16		9.33	10.23		10.76	11.91	10.19	
12/30/09		9.69	9.63	10.38	9.97		9.67		10.61	10.48		10.70	10.27	10.19	
01/29/10		9.52	9.33	10.04	9.96		9.53		9.91	10.47		10.64	11.11	10.37	
02/26/10		9.98	9.79	10.03	10.01		9.55		9.84	10.78		10.28	10.87	10.43	
03/30/10		9.48	9.45	9.78	10.06		9.91		9.85	10.68		10.58	10.08	10.76	
04/30/10		9.60	9.53	9.82	10.01		9.65		9.94	11.09		11.00	10.91	10.77	
05/26/10		9.54	9.84	10.63	9.33		9.27		9.84	11.24		10.60	9.37	10.75	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
07/24/00	9.2						10.6		9.5				7.4	
10/24/00			8.38						7.76				8.15	
03/29/01		8.37		6.41	9.41			9.77		8.17	10.41			
05/11/01	10.9	11.51		11.55	11.59	8.25	7.5	11.58		7.37	11.16	11.21	8.83	9.27
05/18/01		10.93		11.2	11.21	8.25		11.4		10.60	11.32		12.27	
06/08/01		9.68		10.1	10.34	6.99		10.32		10.03	10.44		7.25	
06/15/01		10.0	10.3	10.7	10.8	7.03		10.54	8.75	10.34	10.55		7.27	8.88
06/22/01	*	*	*	*	10.92	7.3		11	8.98	10.47	11.1		7.57	
06/29/01		11.13	10.9	11.4	10.22	7.54		11.2	9.18	10.94	11.2		7.9	
07/31/01		11.49	10.58	11.69	11.75	7.91		11.73	9.73	11.62	11.63		8.28	
08/20/01		9.17	10.59	11.35	10.87	7.7		11.49	9.8	12.05	11.89		8.2	
09/28/01		10	10.57	11.5	11.0	7.9		11.47	9.77	11.2	11.75		8.21	
10/22/01		10.75	10.44	10.89	11.01	7.7		11.01	9.6	10.51	10.7		7.0	
11/27/01		11.98	10.87	12.46	12.46	8.1		12.28	10.01	11.87	12.25		7.26	
12/20/01		11.63	10.22	11.98	11.97	7.82		11.76	8.73	10.61	11.37		7.11	
01/29/02		12.25		12.15	12.59	7.76		12.41	8.09	11.85	12.33		7.16	
02/11/02		11.12		11.79	12.09	7.63		12.13	7.48	11.73	11.8		6.89	
03/25/02		12.38		12.59	12.77	8.01		12.66	8.51	12.11	12.46		7.88	
04/24/02		12		12.26	12.39	7.86		12.34	7.94	11.55	11.95		7.43	
05/21/02		11.86		12.25	12.49	7.94		12.5	7.45	12.16	12.24	7.72	7.22	
06/20/02		11.92		12.26	12.34	8.07		12.28	8.12	11.63	12.2	7.89	7.84	
07/18/02		11.78		12.11	12.16	8.11		12.13	9.82	11.31	11.96	7.81	7.36	
08/06/02		6.95	11.76	7.88	7.63	8.02		8.87	9.76	8.89	9.03	7.64	7.49	
09/12/02		11.93	12.19	12.23	12.32	8.76		12.3	10.81	11.77	12.04	8.16	8.17	
10/30/02		11.91	12.2	12.21	12.24	NM		12.22	8.34	11.89	12.01	7.95	7.63	
11/21/02		11.79	9.46	12.53	12.46	7.64		12.62	7.71	12.42	12.5	7.95	7.37	
12/11/02		11.26	9.41	11.39	11.54	7.56		11.51	7.86	10.76	11.29	7.35	7.18	
01/16/03		12.39		12.55	12.74	8.47		12.82	8.76	12.3	12.52	7.98	8.16	
02/25/03		11.94		12.46	12.49	8.42		12.51	8.71	12.19	12.52	7.89	8.13	
03/14/03		12.16		12.33	12.56	8.26		12.44	8.79	12.11	12.35	8.01	7.79	
04/14/03		11.02		11.63	11.18	7.92		11.62	7.87	10.89	11.89	7.62	7.42	
05/08/03		11.93		12.51	12.55	8.12		12.63	7.77	12.12	12.44	8.43	7.81	
06/19/03		11.87		12.39	12.41	8.02		12.41	7.73	12.01	12.21	8.38	7.79	
07/21/03		11.81		12.12	12.25	7.99		12.32	7.64	11.91	11.98	8.31	7.62	
08/28/03		11.79		12.13	12.24	11.26		12.21	11.52	12.04	12.04	11.46	11.32	
09/30/03		11.27		11.95	11.44	8.65		11.87	9.45	10.33	11.57	8.56	8.68	
10/20/03		11.2		11.8	11.2	8.5		11.6	8	10.42	11.44	8.31	8.01	
11/03/03		11.04		10.91	10.3	8.39		10.63	7.24	10.59	11.24	7.55	7.48	
12/23/03		10.75		11.18	11.17	8.41		11.01	7.66	10.88	11.03	7.13	7.44	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
01/21/04		10.69		11.06	11.16	8.39		11.5	(1)	9.98	10.89	9.53	6.25	
02/12/04		10.79	11.42	11.66	11.78	8.96		11.75	(1)	11.09	11.6	8.5	6.66	
03/04/04		10.79	11.07	11.06	11.29	9.02		11.37	11.5	11.25	11.6	9.03	7.75	
04/16/04		11.23	10.42	11.57	11.62	9.22		11.36	11.6	11.11	11.44	9.6	6.54	
05/15/04		11.19	11.78	11.91	12.13	8.34		11.8	11.7	11.61	11.68	9.5	6.62	
06/25/04		11.22	11.35	11.31	11.48	8.86		11.27	11.21	10.84	11.2	9.11	7.48	
07/30/04		11.10	11.00	11.09	11.42	8.6		11.13	8.40	10.69	11.16	9.42	6.84	
08/31/04		10.84	10.95	10.87	11.19	8.07		10.84	7.78	10.48	10.73	8.14	6.57	
09/30/04		11.0	10.87	11.01	11.4	8.44		11.03	8.1	10.7	10.66	8.32	6.75	
10/20/04		10.91	11.07	11.06	11.26	8.22		11.05	10.84	10.3	10.93	8.64	6.85	
11/23/04		11.08	9.39	11.34	11.44	8.33		11.31	8.64	10.92	11.36	9.08	7.63	
12/31/04		10.64	8.92	10.85	11.09	8.48		10.85	8.57	10.58	10.87	8.86	7.09	
01/28/05		10.79	8.99	11.11	11.31	9.16		11.20	(1)	10.76	11.2	8.95	6.64	
02/28/05		10.79	11.05	10.83	10.81	8.44		10.3	(1)	10.03	10.88	8.49	6.57	
03/31/05		11.22	11.28	11.51	11.49	9.04		11.37	8.5	11.17	11.27	7.24	6.94	
04/29/05		11.48	11.75	11.78	11.75	9.17		11.79	9.64	11.39	11.53	8.32	7.40	
05/27/05		13.65	11.64	13.74	11.79	8.91		11.62	8.6	11.07	11.21	9.05	8.08	
06/24/05		11.59	11.9	11.67	11.92	8.73		11.75	10.9	10.51	11.81	9.86	8.07	
07/29/05		9.55	10.46	10.93	11.21	8.28		10.82	8.97	10.35	10.62	8.19	6.97	
08/31/05		10.85	11.12	11.15	11.35	9.02		11.04	9.01	10.7	11.03	8.4	6.93	
10/03/05		10.81	11.1	11.07	11.4	7.61		10.91	7.85	10.66	10.99	8.7	7.56	
10/31/05		10.85	11.34	11.4	11.56	8.13		11.3	7.73	11.15	11.41	8.61	9.69	
11/22/05		10.38	10.25	10.65	10.7	8.5		10.45	7.63	10.36	11.05	8.10	6.60	
12/23/05		11.40	11.58	11.57	11.93	8.11		11.67	7.19	11.23	11.64	7.36	7.30	
01/27/06		11.54	11.75	10.81	12.01	9.04		11.96	7.65	11.51	11.90	7.54	7.84	
02/28/06		11.53	11.57	12.09	12.3	9.73		11.77	7.84	11.43	11.78	7.36	7.22	
03/24/06		11.41	11.53	11.63	11.83	8.88		12.01	8.46	11.54	11.89	7.92	7.09	
04/21/06		11.31	11.65	11.62	11.86	8.79		11.96	7.98	11.40	11.86	8.52	6.97	
05/30/06		11.11	11.43	11.36	11.56	7.45		11.34	8.90	10.73	10.98	8.90	7.68	
06/26/06		11.48	11.62	11.71	11.91	8.92		11.89	8.46	11.6	11.61	8.03	7.18	
07/31/06		10.73	8.01	10.89	11.14	8.53		10.83	8.09	10.71	10.83	7.36	7.35	
08/25/06		11.62	11.9	11.74	12.05	8.83		11.77	9.88	11.44	11.72	10.82	8.11	
09/22/06		11.54	11.85	11.66	12.07	9.05		11.62	11.88	10.98	11.6	11.51	7.31	
10/31/06		11.26	11.37	11.29	11.49	9.35		10.16	8.96	11.05	11.06	8.48	8.86	
11/29/06		11.28	11.45	11.36	11.66	7.15		10.34	11.45	10.19	11.43	11.10	9.36	
12/29/06		11.26	9.82	11.51	11.64	9.02		11.54	11.52	10.45	11.45	11.42	10.85	

Notes:

(1) Buried with snow and could not be accessed.

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
01/26/07		11.63	11.33	11.82	12.07	9.27		11.87	9.70	11.65	11.84	7.73	7.17	
02/27/07		11.58	10.76	11.66	12.07	8.39		11.91	7.29	11.17	11.92	8.31	7.07	
03/30/07		11.39	9.58	11.61	11.95	8.65		11.78	11.57	11.03	11.69	11.27	8.38	
04/30/07		11.19	10.01	11.42	11.63	8.44		11.40	11.48	11.38	10.73	10.76	7.29	
05/25/07		11.16	11.00	11.41	11.70	8.26		11.35	11.51	10.99	11.26	11.10	7.46	
06/29/07		11.12	10.54	11.38	11.57	8.83		11.31	11.38	10.48	10.94	11.00	7.21	
07/25/07		11.30	11.04	11.55	11.87	8.76		11.61	11.68	10.79	11.43	11.07	7.16	
08/31/07		11.01	10.99	11.11	11.34	8.76		11.14	11.22	10.19	10.88	10.45	6.33	
09/27/07		10.96	9.28	11.20	11.48	8.86		11.26	11.33	9.76	11.03	9.64	6.56	
10/31/07		11.19	11.33	11.24	11.75	9.30		11.02	11.57	10.60	11.38	10.61	7.68	
11/30/07		11.22	8.89	11.51	12.04	9.07		11.47	11.64	10.76	11.66	11.07	7.38	
12/31/07		11.24	9.25	11.43	11.80	8.84		11.73	11.46	10.78	11.60	10.76	7.07	
01/28/08		11.78	10.50	12.07	12.46	9.09		11.93	10.80	11.21	12.00	9.44	6.93	
02/29/08		11.63	11.44	11.60	12.01	9.43		11.92	11.91	10.10	11.85	10.78	6.84	
03/31/08		11.61	9.05	11.78	12.07	9.14		11.79	11.95	10.54	11.94	11.13	7.52	
04/28/08		11.64	10.46	11.88	12.28	7.54		11.91	11.65	10.97	11.80	11.21	7.70	
05/29/08		11.50	10.91	11.53	12.00	8.88		12.10	11.86	10.14	11.88	11.45	8.73	
06/25/08		11.40	10.76	11.62	11.88	9.19		11.90	11.86	9.83	11.76	11.33	6.98	
07/31/08		11.36	9.84	11.90	11.67	9.09		11.75	11.55	9.89	11.59	10.95	8.19	
08/27/08		11.27	9.66	11.65	11.89	9.19		11.55	9.75	10.59	11.35	8.32	8.92	
09/26/08		11.17	9.42	11.40	11.69	9.10		11.29	11.42	9.35	11.34	11.12	8.56	
10/30/08		11.31	11.22	11.37	11.83	9.54		11.41	11.08	10.02	11.51	11.09	10.78	
11/22/08		11.29	11.44	11.19	11.75	9.35		10.96	11.14	10.01	11.40	10.48	7.88	
12/31/08		11.58	10.56	11.77	11.92	8.56		11.77	9.76	10.26	11.68	8.41	7.84	
01/30/09		11.65	9.66	12.09	12.31	10.24		12.02	11.10	9.88	11.86	10.62	7.30	
02/25/09		11.15	10.43	11.37	11.57	9.06		11.65	10.90	10.09	11.22	10.83	8.37	
03/27/09		11.36	10.29	11.72	11.80	9.61		11.69	11.66	9.54	11.66	11.56	8.78	
04/30/09		11.37	9.59	11.72	11.90	9.84		11.90	9.10	9.92	11.56	8.92	8.86	
05/27/09		11.55	11.71	11.76	12.13	9.67		11.93	10.80	10.54	11.73	9.72	10.43	
06/29/09		11.14	10.07	11.35	11.61	9.95		11.42	9.81	10.60	11.29	11.01	9.64	
07/27/09		12.63	10.67	13.18	13.36	10.56		12.86	10.68	12.11	12.75	11.78	9.51	
08/31/09		11.57	10.78	11.67	11.90	9.45		11.39	9.14	11.12	11.48	10.96	8.25	
09/30/09		11.19	9.84	11.31	11.44	8.64		11.16	10.51	10.37	11.19	10.57	8.33	
10/30/09		12.29	11.05	12.77	13.02	10.32		12.26	11.81	11.74	12.58	12.01	10.66	
11/30/09		11.41	11.28	11.62	11.93	9.60		11.13	11.33	10.61	11.49	9.99	7.94	
12/30/09		11.47	10.60	12.05	12.21	10.23		11.71	11.02	10.77	11.63	9.00	8.88	
01/29/10		11.19	11.03	11.58	11.45	10.60		11.62	11.39	10.52	11.29	9.71	9.22	
02/26/10		11.30	10.91	11.59	11.74	10.27		11.64	11.32	11.02	11.30	10.62	8.64	
03/30/10		11.68	11.74	11.51	12.06	10.62		11.78	11.24	11.49	11.76	10.86	9.14	
04/30/10		11.78	11.67	12.11	12.16	10.30		12.15	10.85	11.44	11.92	10.85	9.58	
05/26/10		11.81	10.92	11.85	12.14	10.51		11.88	10.14	11.14	11.60	11.10	9.12	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
07/24/00	6.3	7.3	
10/24/00	7.08	7.52	7.41
03/29/01	7.52	7.50	7.16
06/15/01	7.7	7.69	7.4
06/22/01	8.0	7.9	7.8
07/31/01	8.0	8.0	7.7
08/20/01	8.2	8.3	8.0
09/28/01	8.1	8.3	7.9
10/22/01	8.0	8.0	7.8
11/27/01	7.9	8.2	8.01
12/20/01	*	*	*
01/29/02	7.62	7.93	7.97
02/11/02	7.52	7.73	7.79
03/25/02	*	*	*
04/24/02	7.46	7.62	7.69
05/21/02	7.47	7.66	7.72
06/20/02	7.57	7.69	7.78
07/18/02	7.72	7.84	8.01
08/06/02	7.63	7.68	7.92
09/12/02	7.72	7.79	7.98
10/30/02	7.73	7.8	7.93
11/21/02	7.32	7.37	7.41
12/11/02	7.29	7.31	7.35
01/16/03	7.62	7.7	7.79
02/25/03	7.64	7.71	7.89
03/14/03	7.39	7.54	7.61
04/14/03	7.22	7.39	7.41
05/08/03	7.29	7.43	7.48
06/19/03	7.27	7.39	7.41
07/21/03	7.25	7.36	7.38
08/28/03	7.29	7.44	7.41
09/30/03	7.29	7.45	7.40
10/20/03	7.4	7.71	7.39
11/03/03	8.46	7.14	7.27
12/23/03	9.34	7.63	7.57

Note:

* - pH meter malfunctioned.

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/21/04	(2)	8.12	(2)
02/12/04	8.45	7.77	7.65
03/04/04	8.21	7.76	7.79
04/16/04	10.95	8.38	8.32
05/14/04	7.30	7.62	7.75
06/25/04	8.06	7.99	7.94
07/30/04	7.85	7.90	7.81
08/31/04	10.2	7.5	7.4
09/30/04	8.6	7.7	7.9
10/20/04	7.59	7.56	7.61
11/23/04	9.64	7.6	7.67
12/31/04	9.09	7.68	7.38
01/28/05	8.92	7.58	7.40
02/28/05	(1)	8.16	7.90
03/31/05	8.49	7.59	7.55
04/29/05	8.74	8.05	7.89
05/27/05	9.24	8.33	8.27
06/24/05	10.53	8.44	8.24
07/29/05	7.3	7.16	6.96
08/31/05	8.06	6.87	7.13
10/03/05	10.3	8.1	NM
10/31/05	10.76	7.9	7.93
11/22/05	9.50	8.54	7.34
12/23/05	10.58	(3)	(3)
01/27/06	10.76	7.87	7.84
02/28/06	11.29	8.73	8.64
03/24/06	11.18	7.98	7.78
04/21/06	NM	8.28	8.05
05/30/06	10.88	7.73	7.63
06/26/06	8.84	7.73	7.68
07/31/06	7.51	7.02	7.24
08/25/06	9.72	7.82	7.67
09/22/06	11.29	8.34	8.99
10/31/06	10.70	8.61	8.13
11/29/06	10.77	8.27	8.04
12/29/06	10.60	8.07	7.73

Notes:

- * - pH meter malfunctioned.
- NM - Not Measured.
- (1) - Buried with snow.
- (2) - Road conditions were not safe to allow for monitoring.
- (3) - pH probe damaged.

TABLE 2.7
 PH READINGS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/26/07	11.20	7.76	7.81
02/27/07	8.72	8.15	7.86
03/30/07	10.90	8.29	8.42
04/30/07	10.71	8.52	8.30
05/25/07	10.99	7.74	7.68
06/29/07	9.47	7.61	7.62
07/25/07	6.96	6.61	6.60
08/31/07	8.68	7.79	7.52
09/27/07	10.63	8.86	8.73
10/31/07	8.98	7.96	7.85
11/30/07	10.39	7.96	7.97
12/31/07	10.59	9.40	9.20
01/28/08	9.65	9.98	8.41
02/29/08	11.21	8.30	8.13
03/31/08	10.53	8.29	8.33
04/28/08	11.48	10.09	8.23
05/29/08	11.11	10.94	9.92
06/25/08	9.57	8.18	8.68
07/31/08	9.77	8.46	8.85
08/27/08	6.61	7.02	7.24
09/26/08	10.61	9.90	9.72
10/30/08	11.00	9.01	8.58
11/22/08	10.36	9.02	9.57
12/31/08	6.70	7.69	6.77
01/30/09	10.48	9.37	9.29
02/25/09	11.58	10.93	10.28
03/27/09	11.08	11.03	11.04
04/30/09	9.23	9.16	8.27
05/27/09	10.60	10.23	9.42
06/29/09	11.06	10.92	10.67
07/27/09	11.00	9.48	8.69
08/31/09	10.12	8.36	8.43
09/30/09	9.94	8.87	9.38
10/30/09	11.20	10.62	9.00
11/30/09	9.50	8.46	7.27
12/30/09	9.30	9.73	9.08
01/29/10	8.64	8.94	8.74
02/26/10	10.42	10.15	9.35
03/30/10	10.14	9.11	9.29
04/30/10	11.25	11.09	10.99
05/26/10	9.97	9.26	8.96

TABLE 2.8

EFFLUENT SAMPLING SUMMARY
 JUNE 2001 TO FEBRUARY 2007
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

LOCATIONS

effluent monitoring station at Site discharge point

FREQUENCY

monthly (as dictated by the City of North Tonawanda Industrial Wastewater Discharge Permit)

PARAMETERS

Volatiles

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

Semi-Volatiles

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

Inorganics

Aluminum	Lead
Antimony	Magnesium
Arsenic	Manganese
Barium	Mercury
Beryllium	Nickel
Cadmium	Selenium
Chromium	Silver
Copper	Sodium
Iron	Zinc

Wet Chemistry

Alkalinity (Bicarbonate)	Oil and Grease
Alkalinity (Total)	pH
BOD	Phosphorous
Chloride	Sulfate
COD	Sulfide
Cyanide	TDS
Hardness	TKN
NH3	TOC
NO3	TSS

TABLE 2.9

EFFLUENT SAMPLING SUMMARY
SUBSEQUENT TO FEBRUARY 2007
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

LOCATIONS

effluent monitoring station at Site discharge point

FREQUENCY

Semi-Annual (Spring and Fall as dictated by the City of North Tonawanda
Industrial Wastewater Discharge Permit dated January 31, 2007)

PARAMETERS

Volatiles

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

Semi-Volatiles

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

Wet Chemistry

Chloride
Cyanide
NH₃
NO₃
Phosphorous
Sulfate
Sulfide

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:	Discharge Sample Port								Surface Water Standard ⁽¹⁾
	GRATWICK-RIVERSIDE								
Sample Date:	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
Volatiles									
1,1,1-Trichloroethane	µg/L	3.0J	1.8J	1.1J	7.6U	7.6U	3.8U	3.8U	5
1,1-Dichloroethane	µg/L	8.8	7.3	5.8	3.4J	2.1U	2.6J	3.5J	5
1,2-Dichloroethane	µg/L	5.0U	5.0U	5.0U	10U	10U	5.0U	5.0U	0.6
2-Butanone	µg/L	7.6J	10	10U	20U	20U	6.8J	6.7J	50
Acetone	µg/L	77	93	140	36	26	55	55	50
Benzene	µg/L	6.4	7.2	6.2	3.5J	3.2J	3.1J	4.0J	1
Chlorobenzene	µg/L	3.7J	4.9J	5.0J	3.4J	16	3.5J	5.4J	5
Ethylbenzene	µg/L	8.9	11	9	8.6J	3.6J	4.8J	6.8J	5
Methylene chloride	µg/L	1.1J	2.8U	2.8U	5.6U	5.6U	2.8U	2.8U	5
Styrene	µg/L	1.0J	5.0U	5.0U	10U	10U	5.0U	5.0U	5
Tetrachloroethene	µg/L	22	33	25	16	8.3	15	23	0.7 ⁽²⁾
Toluene	µg/L	74	84	68	42	20	37	50	5
trans-1,2-Dichloroethene	µg/L	2.6	2.1	2.8	3.3J	1.8J	1.5J	2.4	5
Trichloroethene	µg/L	150J	130	87	55	32	56	72	5
Vinyl chloride	µg/L	11	13	13	13J	5.6J	8.0J	13	0.3 ⁽²⁾
Xylene (total)	µg/L	40	44	34	32	11	17	26	5
Semi-Volatiles									
1,2-Dichlorobenzene	µg/L	9U	2U	1J	6	0.6J	0.9J	9U	3
1,4-Dichlorobenzene	µg/L	21U	4U	1J	2J	1J	4U	1J	3
2,4-Dimethylphenol	µg/L	14	13	19	12	8	17	13	50 ⁽²⁾
2-Methylphenol	µg/L	49	46	38	28	15	38	37J	NL
4-Methylphenol	µg/L	58	47	46	30	21	46	40J	NL
Di-n-octyl phthalate	µg/L	12U	2U	2U	2U	1J	2U	12U	50 ⁽²⁾
Naphthalene	µg/L	1J	1J	1J	1J	67J	0.8J	8U	10
Phenol	µg/L	86	64	67	110	230	74	110	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:	Discharge Sample Port								Surface Water Standard ⁽¹⁾
	GRATWICK-RIVERSIDE								
Sample Date:	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
Metals									
Aluminum	mg/L	0.31	0.24	0.24	0.34	0.20U	0.20	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.050
Barium	mg/L	0.059	0.063	0.061	0.081	0.067	0.064	0.064	1.0
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.003 ⁽²⁾
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 ⁽³⁾
Iron	mg/L	0.050U	0.050U	0.050U	0.16	0.095	0.057	0.062	0.30
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.012
Magnesium	mg/L	0.35	0.66	1	0.77	6.8	1.1	0.94	35
Manganese	mg/L	0.0030U	0.0030U	0.0036	0.012	0.028	0.0043	0.004	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 ⁽⁴⁾
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0046 ⁽⁴⁾
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	273	271	262	310	290	293	286	NL
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	2.0 ⁽²⁾
General Chemistry									
pH	S.U.	NA	NA	9.45	11.23	9.20	10.06	10.71	NL
Hardness	mg/L	524	488	465	529	301	456	410	NL
Total Dissolved Solids (TDS)	mg/L	1500	1450	1530	1520	1280	1200	1200	NL
Total Suspended Solids (TSS)	mg/L	NA	NA	14	19	10	9.0	7.0	NL
Chloride	mg/L	497	123	497	820	577	436	389	250
BOD	mg/L	NA	NA	20	17	20	24	27	NL
COD	mg/L	NA	NA	155	240	240	50	49	NL
Oil and Grease	mg/L	NA	NA	0.60U	1.0	0.87U	1.0U	1.0U	NL
Organic Carbon	mg/L	NA	NA	16	10	18	9.0	11	--
Alkalinity, Total (As CaCO3)	mg/L	131	115	120	115	20.9	22.2	57	NL
Bicarbonate (as CaCO3)	mg/L	5.0U	5.0U	5.0U	5.0U	20.9	22.2	57	NL
Ammonia	mg/L	NA	NA	6	4.9	4.9	21	11.6	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.50U	0.20	0.050U	0.050U	0.050U	10

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:	Discharge Sample Port GRATWICK-RIVERSIDE								Surface Water Standard ⁽¹⁾
	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
<i>General Chemistry</i>									
TKN	mg/L	NA	NA	10	7.6	7.6	14.8	10.6	NL
Sulfate	mg/L	281	20.4	307	196	329	245	263	250
Sulfide	mg/L	13.2	16.0	14.3	5.6	2.5	10.6	14	0.002
Phenol	mg/L	NA	NA	0.28	0.24	0.28	0.15	0.11	0.001
Phosphorous	mg/L	NA	NA	0.29	NA	0.05	0.13	0.06	0.020 ⁽²⁾
Cyanide	mg/L	NA	NA	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:														Surface Water
Sample Date:	1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	7.3U	7.6U	7.6U	7.6U	7.6U	7.6U	7.6U	3.8U	3.8U	3.8U	3.8U	7.6U	5
1,1-Dichloroethane	µg/L	2.3J	4.1J	4.9J	9.9	9.4U	9.4U	2.7J	1.4J	1.8J	1.2J	4.5J	7.3J	5
1,2-Dichloroethane	µg/L	10U	5.0U	5.0U	5.0U	5.0U	10U	0.6						
2-Butanone	µg/L	20U	20U	20U	110	20U	20U	20U	10U	10U	2.1J	10U	5.2J	50
Acetone	µg/L	42	53	56	98	52	25	25	130	7.0J	28	15	48	96
Benzene	µg/L	2.1J	3.2J	4.6J	9.1	4.7J	2.1J	2.1J	3.3J	1.9J	3.3J	2.1J	5.3	7.8J
Chlorobenzene	µg/L	3.8J	6.6J	5.2J	4.4J	8.9J	5.8J	5.8J	5.4J	6.9	4.0J	5.6J	6.1	4.3J
Ethylbenzene	µg/L	2.0J	7.6J	9.6J	18	10J	5.3J	5.3J	7.8J	6.4J	7.2	4.6J	13	18
Methylene chloride	µg/L	6.4U	5.6U	5.6U	2.9J	5.6U	5.6U	5.6U	3.2J	3.5U	3.5U	3.5U	3.5U	2.2J
Styrene	µg/L	10U	5.0U	5.0U	5.0U	5.0U	10U	5						
Tetrachloroethene	µg/L	4.9J	23	28	46	48	27	27	19	9.6	12	6.0	42	48
Toluene	µg/L	15	46	57	110	42	33	33	41	18	30	14	64	110
trans-1,2-Dichloroethene	µg/L	3.6U	2.4J	2.5J	4.2	3.6U	3.6U	3.6U	2.1J	2.2	1.8U	2.0	1.8U	3.2J
Trichloroethene	µg/L	27	92	140	260	140	80	80	74	20	48	20	130	230
Vinyl chloride	µg/L	8.4J	20U	5.1J	14J	13J	8.6J	8.6J	6.6J	11	10	11	18	15J
Xylene (total)	µg/L	7.3J	29	40	76	37	21	21	30	20	24	15	50	78
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	2J	1J	1J	3	9U	0.8J	0.8J	1J	0.6J	0.6J	1J	0.9J	3
1,4-Dichlorobenzene	µg/L	2J	2J	1J	3J	2J	1J	1J	1J	1J	0.8J	2J	1J	3J
2,4-Dimethylphenol	µg/L	11J	9J	8	14	5J	4	4	9	6	7	8	12	21
2-Methylphenol	µg/L	28J	21J	17	36	10J	8J	8J	18	8J	13	15	19	32
4-Methylphenol	µg/L	40J	27J	24	57	19J	13	13	27	13	20	21	30	61
Di-n-octyl phthalate	µg/L	14U	12U	2U	2U	12U	2U	2U	2U	2U	0.3J	3U	2U	2U
Naphthalene	µg/L	57	24	12	1J	7U	15	15	13	23	8	29	2U	1J
Phenol	µg/L	210	96	42	73	46	51	51	41	66	28	84	35	38

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															
Sample Date:		1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	Surface Water Standard ⁽¹⁾
Parameter	Unit														
Metals															
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	NL							
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003							
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.050							
Barium	mg/L	0.077	0.075	0.078	0.095	0.064	0.058	0.058	0.059	0.073	0.054	0.064	0.068	0.096	1.0
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.003 ⁽²⁾							
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005							
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.050							
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 ⁽³⁾							
Iron	mg/L	0.050U	0.050U	0.050U	0.050U	0.090	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.10	0.050U	0.30
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.012							
Magnesium	mg/L	1.5	1.4	0.92	0.34	2.5	1.7	1.7	1.8	8.8	3.5	6.4	1.9	0.43	35
Manganese	mg/L	0.0034	0.0042	0.0049	0.003U	0.0090	0.0030U	0.0030U	0.0030U	0.0094	0.0030U	0.0098	0.0030U	0.0030U	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 ⁽⁴⁾							
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10							
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0046 ⁽⁴⁾							
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050							
Sodium	mg/L	317	336	360	242	329	318	318	270	189	195	204	289	272	NL
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	2.0 ⁽²⁾							
General Chemistry															
pH	S.U.	10.91	10.96	10.92	11.46	10.4	10.66	10.66	10.37	8.44	8.97	8.84	10.11	10.72	NL
Hardness	mg/L	415	449	440	484	349	300	300	300	316	277	274	372	507	NL
Total Dissolved Solids (TDS)	mg/L	1450	1490	1640	1610	1530	1130	1130	1100	868	1040	945	1330	1410	NL
Total Suspended Solids (TSS)	mg/L	5.0	11.0	9	8	6	8	8	8	12	6	1.5	2	2.3	NL
Chloride	mg/L	514	545	577	545	518	452	452	424	377	320	329	502	489	250
BOD	mg/L	25	21	22	29	13	9	9	12	14	8	11	16	15	NL
COD	mg/L	45	58	255	50	23	26	26	58	49	19	46	16	64	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL							
Organic Carbon	mg/L	14	6	10	12	9	11	11	8	6.9	10	7	(5)	(5)	NL
Alkalinity, Total (As CaCO3)	mg/L	62.4	53.8	102	126	36.3	43.1	43.1	16.7	27.2	5.0U	22.4	14.3	110	NL
Bicarbonate (as CaCO3)	mg/L	5.0U	16.7	27.2	5.0U	22.4	14.3	5.0U	NL						
Ammonia	mg/L	9.1	6.0	6.0	5.2	SL	2.0	2.0	1.7	9.1	10.5	9.4	9.4	7.0	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10							

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i>															
<i>Sample Date:</i>		1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	<i>Surface Water Standard⁽¹⁾</i>
<i>Parameter</i>	<i>Unit</i>														
<i>General Chemistry</i>															
TKN	mg/L	8.1	4.5	5.0	4.8	SL	2.0	2.0	1.7	5.6	6.2	7.8	10.5	10.8	NL
Sulfate	mg/L	261	250	262	239	239	226	226	215	236	214	213	254	302	250
Sulfide	mg/L	9.9	9.9	11.2	13.7	4.4	1.0U	1.0U	1.0U	1.4	1.0U	1.0U	7.4	21.6	0.002
Phenol	mg/L	0.12	0.28	0.22	0.22	SL	0.40	0.40	0.27	0.16	0.16	0.16	0.12	0.12	0.001
Phosphorous	mg/L	0.09	0.08	0.09	0.17	0.02	0.10	0.10	0.04	0.018	0.04	0.06	0.12	0.10	0.020 ⁽²⁾
Cyanide	mg/L	0.005U	0.005U	0.040J	0.005U	0.005	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															
Sample Date:		1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard ⁽¹⁾	
Parameter	Unit														
Volatiles															
1,1,1-Trichloroethane	µg/L	2.6U	2.6U	2.6U	5.2U	1.3U	2.6U	5.2U	5.2U	5.2U	1.3U	2.6U	2.6U	5	
1,1-Dichloroethane	µg/L	4.1	9.6	5.6	6.4	0.84U	5.4	7.4	4.6	3.3U	0.84U	1.7U	7.0	5	
1,2-Dichloroethane	µg/L	1.7U	1.7U	1.7U	3.4U	0.85U	1.7U	3.4U	3.4U	3.4U	0.85U	1.7U	1.7U	0.6	
2-Butanone	µg/L	9.3U	9.3U	9.3U	19U	4.6U	9.3U	19U	19U	19U	4.6U	9.3U	9.3U	50	
Acetone	µg/L	21	56	51	42	10U	28	52	42U	42U	10U	21U	35	50	
Benzene	µg/L	3.4	7.9	6.2	4.4U	1.1U	3.2	4.6	4.4U	4.4U	1.1U	2.2U	7.2	1	
Chlorobenzene	µg/L	6.1	6.6	6.9	7.5	6.9	4.1	7.0	5.0	3.6U	5.4	9.3	6.3	5	
Ethylbenzene	µg/L	9.9	2.3	15	12	1.9	11	12	9.5	4.3	1.8	2.1	17	5	
Methylene chloride	µg/L	7.0U	7.0U	7.0U	14U	3.5U	7.0U	14U	14U	14U	3.5U	7.0U	7.0U	5	
Styrene	µg/L	5.2U	5.2U	5.2U	10U	2.6U	5.2U	10U	10U	10U	2.6U	5.2U	5.2U	5	
Tetrachloroethene	µg/L	22	59	46	31	8.3	45	38	32	12	1.3U	2.5U	47	0.7 (2)	
Toluene	µg/L	37	110	81	56	7.1	46	57	39	17	1.2U	3.2	82	5	
trans-1,2-Dichloroethene	µg/L	3.0U	4.3	3.0U	6.0U	1.8	4.5	6.0U	6.0U	6.0U	1.5U	3.0U	3.3	5	
Trichloroethene	µg/L	92	260	220	160	17	140	170	110	53	1.7	5.7	180	5	
Vinyl chloride	µg/L	10	20	11	9.6	5.8	12	9.5	5.7U	5.7U	1.9	2.8U	11	0.3 (2)	
Xylene (total)	µg/L	41	99	64	50	7.0	44	56	40	28U	6.9U	14U	73	5	
Semi-Volatiles															
1,2-Dichlorobenzene	µg/L	4U	20U	20U	20U	20U	20U	19U	16U	16U	16U	16U	16U	3	
1,4-Dichlorobenzene	µg/L	4U	18U	19U	19U	19U	19U	18U	15U	15U	15U	15U	14U	3	
2,4-Dimethylphenol	µg/L	10	18U	19U	19U	19U	19U	18U	12U	20	12U	13U	18	50 (2)	
2-Methylphenol	µg/L	12	16U	22	16U	16U	16U	15U	15U	15U	15U	16U	15	NL	
4-Methylphenol	µg/L	24	35	45	31	18U	19	17U	15U	46	15U	16U	57	NL (2)	
Di-n-octyl phthalate	µg/L	4U	19U	20U	19U	19U	20U	19U	26U	26U	26U	27U	26U	50	
Naphthalene	µg/L	3U	18U	18U	18U	18U	18U	17U	17U	17U	17U	18U	17U	10	
Phenol	µg/L	61	30	62	94	64	61	74	46	28	16	150	46	1	

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:														
Sample Date:	1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard ⁽¹⁾	
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	NL											
Antimony	mg/L	0.020U	0.003											
Arsenic	mg/L	0.0070U	0.010U	0.010U	0.010U	0.050								
Barium	mg/L	0.091	0.097	0.090	0.094	0.065	0.070	0.080	0.074	0.082	0.072	0.092	1.0	
Beryllium	mg/L	0.0050U	0.0020U	0.0020U	0.0020U	0.003 ⁽²⁾								
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0020U	0.0040U	0.0055	0.0040U	0.050								
Copper	mg/L	0.010U	0.023 ⁽³⁾											
Iron	mg/L	0.050U	0.050U	0.050U	0.11	0.050U	0.050U	0.17	0.050U	0.050U	0.072	0.050U	0.30	
Lead	mg/L	0.010U	0.0060U	0.0060U	0.0060U	0.012								
Magnesium	mg/L	1.4	0.26	0.31	3.6	4.8	1.6	2.3	1.4	7.4	5.9	0.72	35	
Manganese	mg/L	0.0030U	0.0030U	0.0030U	0.012	0.0030	0.0030U	0.0080	0.0030U	0.0030U	0.018	0.0055	0.0030U	
Mercury	mg/L	0.00020U	0.0000026 ⁽⁴⁾											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.010U	0.015U	0.015U	0.015U	0.0046 ⁽⁴⁾								
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	343	391	195	401	310	276	293	231UJ	272	239	375	NL	
Zinc	mg/L	0.026U	0.020U	0.020U	0.020U	0.020U	2.0 ⁽²⁾							
General Chemistry														
pH	S.U.	10.71	11.55	11.3	10.91	9.75	8.0	10.73	10.8	10.59	7.92	8.48	11.13	NL
Hardness	mg/L	388	435	459	430	368	374	365	294	431	380	399	420	NL
Total Dissolved Solids (TDS)	mg/L	1500	1580	1590	1750	1120	1230	1440	1050	1400	1000	1590	1400	NL
Total Suspended Solids (TSS)	mg/L	2.0	6.0	3.0	18.0	3.0	4	9	4	11	15	15	3	NL
Chloride	mg/L	511	512	628	778	524	416	474	410	347	383	615	834	250
BOD	mg/L	13	10	20	22	12	9	9	11	7	6	11	22	NL
COD	mg/L	55	73	46	44	39	73	48	24	21	8	40	53	NL
Oil and Grease	mg/L	1.0U	0.28	1.0U	1.0	1.0U	NL							
Organic Carbon	mg/L	6	13	12	12	9	8	9	6	10	5	10	9	NL
Alkalinity, Total (As CaCO ₃)	mg/L	104	155	121	48	7.9	NA	74	119	58.0	38.0	13.4	74.8	NL
Bicarbonate (as CaCO ₃)	mg/L	22.5	5.0U	5.0U	5.0U	7.9	NA	10U	10U	10U	38.0	13.4	10U	NL
Ammonia	mg/L	7.35	3.15	2.10	5.6	5.25	6.3	5.25	3.15	3.15	2.45	4.2	3.5	2.0
Nitrate (as N)	mg/L	0.050U	0.051	0.050U	0.050U	10								

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															
Sample Date:	1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard (1)		
Parameter	Unit														
General Chemistry															
TKN	mg/L	9.24	2.52	1.1	4.48	5.04	8.4	6.7	5.88	5.88	2.24	7.28	5.88	NL	
Sulfate	mg/L	202	177	184	230	236	234	170	208	254	149	242	386	250	
Sulfide	mg/L	3.2	4.0	8.0	10	2.2	4.0	4.8	4.8	2.4	1.0U	1.0U	2.0	0.002	
Phenol	mg/L	0.11	0.10	0.009	0.006	0.01U	0.008U	0.034	0.08U	0.014U	0.006U	0.012U	0.015U	0.001	
Phosphorous	mg/L	0.12	0.10	0.18	0.10	0.04	0.11	0.10	0.13	0.16	0.11	0.24	0.13	0.020 (2)	
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052	

Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	2.6U	5.2U	1.3U	5.2U	1.3U	5.2U	1.3U	1.3U	5.2U	5.2U	5.2U	1.3U	5
1,1-Dichloroethane	µg/L	9.2	3.3U	11	14	4.1	11	5.9	10	5.2U	5.2U	3.3U	6.5	5
1,2-Dichloroethane	µg/L	1.7U	3.4U	0.85U	3.4U	0.85U	3.4U	0.85U	0.85U	5.2U	5.2U	3.4U	0.85U	0.6
2-Butanone	µg/L	9.3U	19U	4.6U	19U	4.6U	19U	4.6U	4.6U	5.2U	5.2U	19U	4.6U	50
Acetone	µg/L	53	42U	38	42U	12	42U	22	34	5.2U	5.2U	42U	19	50
Benzene	µg/L	7.8	4.4U	6.1	4.4	2.1	5.3	2.9	5.6	5.2U	5.2U	4.4U	3.3	1
Chlorobenzene	µg/L	6.7	8.8	3.0	3.6U	8.8	3.6U	4.4	2.9	19	13	12	4.5	5
Ethylbenzene	µg/L	19	0.11U	17	14	6.4	18	8.7	18	6.4	0.11U	0.11U	12	5
Methylene chloride	µg/L	7.0U	14U	3.5U	14U	3.5U	15	3.5U	3.5U	14U	14U	14U	3.5U	5
Styrene	µg/L	5.2U	10U	2.6U	10U	2.6U	10U	2.6U	2.6U	14U	14U	10U	2.6U	5
Tetrachloroethene	µg/L	60	5.0U	50	38	16	63	22	52	14U	14U	5.0U	31	0.7 ⁽²⁾
Toluene	µg/L	98	4.9U	80	75	26	78	38	83	14U	14U	4.9	46	5
trans-1,2-Dichloroethene	µg/L	3.6	6.0U	4.0	6.0U	1.8	6.0U	2.1	3.6	14U	14U	6.0U	1.5U	5
Trichloroethene	µg/L	260	7.5	200	220	82	240	97	200	4.8	4.8U	4.8U	130	5
Vinyl chloride	µg/L	14	5.7U	10	8.9	4.9	11	5.6	12	6.1	5.7U	5.7U	6.7	0.3 ⁽²⁾
Xylene (total)	µg/L	91	28U	81	78	29	87	42	83	28U	28U	28U	5.4	5
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	3
1,4-Dichlorobenzene	µg/L	15U	15U	15U	15U	15U	15U	15U	14U	15U	14U	15U	15U	3
2,4-Dimethylphenol	µg/L	15	12U	13U	12U	12U	13U	13U	12U	14	12U	13U	13U	50 ⁽²⁾
2-Methylphenol	µg/L	16U	15U	16U	15U	15U	16U	16U	15	15U	15U	16U	16U	NL
4-Methylphenol	µg/L	48	15U	24	16	15U	16U	20	32	29	15U	16U	16U	NL
Di-n-octyl phthalate	µg/L	27U	27U	27U	26U	27U	27U	27U	26U	26U	26U	27U	27U	50 ⁽²⁾
Naphthalene	µg/L	18U	37	18U	17U	20	18U	18U	17U	17U	20	18U	18U	10
Phenol	µg/L	39	140	11	14	91	16	67	13	6U	55	6U	11	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	NL											
Antimony	mg/L	0.020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003							
Arsenic	mg/L	0.010U	0.050											
Barium	mg/L	0.095	0.092	0.11	0.096	0.085	0.083	0.068	0.076	0.059	0.079	0.070	0.077	1.0
Beryllium	mg/L	0.0020U	0.003 ⁽²⁾											
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0040U	0.050											
Copper	mg/L	0.010U	0.023 ⁽³⁾											
Iron	mg/L	0.050U	0.066	0.050U	0.055	0.26	0.050U	0.056	0.097	0.20	0.22	0.11	0.050U	0.30
Lead	mg/L	0.0060U	0.0060U	0.0060U	0.0060U	0.0060U	0.0060U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	0.68	4.2	1.2	1.0	5.4	0.66	2.8	0.57	5.4	5.2	5.2	2.7	35
Manganese	mg/L	0.0030U	0.19	0.0033	0.0058	0.018	0.0030U	0.012	0.0030U	0.022	0.031	0.022	0.067	0.30
Mercury	mg/L	0.00020U	0.0000026 ⁽⁴⁾											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.015U	0.0046 ⁽⁴⁾											
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	362	425	425	422	423	349	319	305	334	447	360	294	NL
Zinc	mg/L	0.030	0.020U	2.0 ⁽²⁾										

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard ⁽¹⁾
Parameter	Unit													
General Chemistry														
pH	S.U.	11	9.13	11.13	11.16	9.44	11.26	8.81	11.19	9.21	7.26	9.10	10.95	NL
Hardness	mg/L	450	452	446	484	408	430	336	312	430	372	348	360	NL
Total Dissolved Solids (TDS)	mg/L	1490	1770	1780	1760	1920	1560	1490	1390	1560	1720	1320	1220	NL
Total Suspended Solids (TSS)	mg/L	6	4	11	20	6	11	5	8	8	10	18	5	NL
Chloride	mg/L	742	986	869	809	1020	792	728	678	692	913	676	599	250
BOD	mg/L	18	10	13	19	17	16	6	11	15	11	6	15	NL
COD	mg/L	55	30	51	51	58	26	67	43	46	59	17	24	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	0.57	1.0U	NL						
Organic Carbon	mg/L	9	9	6	5	6	6	8	7	8	9	8	7	NL
Alkalinity, Total (As CaCO ₃)	mg/L	56.0	23.0	71.2	110.0	12.3	122	45.7	113	37.8	44.6	46.5	55.7	NL
Bicarbonate (as CaCO ₃)	mg/L	10UJ	23	10U	10U	12.3	47.1	10U	10U	37.8	44.6	46.5	55.7	NL
Ammonia	mg/L	0.32	0.7	0.35	1.75	1.05	0.70	0.35	0.70	1.05	0.7	1.05	1.4	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.56	2.8	1.4	0.28	0	0.84	0.56	1.68	1.12	0.56	0.84	1.12	NL
Sulfate	mg/L	276	315	381	568	356	360	283	279	265	311	225	2.54	250
Sulfide	mg/L	4.0	1.2	3.2	5.6	1.6	1.6	8.4J	2.4	2.4J	5.6	2.4	2	0.002
Phenol	mg/L	0.015U	0.008U	0.009U	0.012U	0.010U	0.008U	0.010U	0.010U	0.010U	0.007U	0.008U	0.008U	0.001
Phosphorous	mg/L	0.20	0.11	0.24	0.23	0.13	0.05	0.20	0.06	0.14	0.10	0.14	0.10	0.020 ⁽²⁾
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	2.6U	2.6U	2.6U	2.6U	13U	2.6U	6.6U	1.3U	5.2U	5.2U	5.2U	5.2U	5
1,1-Dichloroethane	µg/L	1.7U	1.7U	1.7U	1.7U	8.4U	9.0	4.2U	6.6	5.7	3.3U	11	7.9	5
1,2-Dichloroethane	µg/L	1.7U	1.7U	1.7U	1.7U	8.5U	1.7U	4.2U	0.85U	3.4U	3.4U	3.4U	3.4U	0.6
2-Butanone	µg/L	9.3U	9.3U	9.3U	9.3U	46U	9.3U	23U	4.6U	19U	19U	19U	19U	50
Acetone	µg/L	21U	21U	21U	21U	100U	30	53U	10U	42U	42U	42U	42U	50
Benzene	µg/L	2.2U	2.2U	2.2U	2.2U	11U	2.5	5.5U	1.3	4.4U	4.4U	4.4U	4.4U	1
Chlorobenzene	µg/L	14	18	16	6.4	9.0U	1.8U	5.5	2.6	4.0	7.5	3.6U	4.7	5
Ethylbenzene	µg/L	3.2	2.2	0.056U	0.056U	0.28U	9.0	8.4	9.4	4.6	6.6	11	8.3	5
Methylene chloride	µg/L	7.0U	7.0U	7.0U	7.0U	35U	7.0U	17U	3.5U	14U	14U	14U	14U	5
Styrene	µg/L	5.2U	5.2U	5.2U	5.2U	26U	5.2U	13U	2.6U	10U	10U	10U	10U	5
Tetrachloroethene	µg/L	2.5U	2.5U	3.5	2.5U	13U	24	34	28	12	17	20	15	0.7 ⁽²⁾
Toluene	µg/L	4.0	2.4U	5.3	3.1	14	45	40	44	23	25	45	34	5
trans-1,2-Dichloroethene	µg/L	3.0U	3.0U	3.0U	3.0U	15U	3.0U	7.6U	1.5U	6.0U	6.0U	6.0U	6.0U	5
Trichloroethene	µg/L	8.7	2.4U	12	8.5	29	140	100	90	67	61	120	86	5
Vinyl chloride	µg/L	3.6	2.8U	2.8U	2.8U	14U	5.1	7.1U	1.4U	5.7U	6.6	5.7U	5.7U	0.3 ⁽²⁾
Xylene (total)	µg/L	14U	14U	14U	14U	69U	46	35	46	28U	28U	55	41	5
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	16U	16U	16U	16U	16U	1	1U	1U	1UJ	1	2	2	3
1,4-Dichlorobenzene	µg/L	15U	14U	15U	15U	15U	1	1	1	1	2	2	2	3
2,4-Dimethylphenol	µg/L	16	12U	13U	13U	12U	5	3	4	3	6	7	11	50 ⁽²⁾
2-Methylphenol	µg/L	16U	15U	16U	16U	15U	6	4	7	1	5	8	7	NL
4-Methylphenol	µg/L	49	15U	16	16U	15U	12	10	15	0.7U	12	21	21	NL
Di-n-octyl phthalate	µg/L	27U	26U	27U	27U	27U	0.8U	0.8U	0.9U	0.9U	0.9U	0.9U	0.8U	50 ⁽²⁾
Naphthalene	µg/L	18U	17U	33	18U	19	0.8U	0.8U	3	0.8U	0.8U	0.8U	0.8U	10
Phenol	µg/L	34	6U	130	120J	68	0.4U	7	9	0.4U	17	4	50	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	0.20	0.20U	NL									
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.20U	0.003						
Arsenic	mg/L	0.010U	0.050											
Barium	mg/L	0.068	0.069	0.085	0.15	0.088	0.067	0.055	0.063	0.073	0.082	0.093	0.10	1.0
Beryllium	mg/L	0.0020U	0.003 ⁽²⁾											
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0040U	0.050											
Copper	mg/L	0.010U	0.023 ⁽³⁾											
Iron	mg/L	0.098	0.54	0.37	3.4	0.22	0.050U	0.050U	0.050U	0.17	0.056	0.050U	0.050U	0.30
Lead	mg/L	0.0050U	0.012											
Magnesium	mg/L	4.3	5.7	5.6	14.2	6.3	0.50	2.8	1.8	3.2	3.4	0.26	1.2	35
Manganese	mg/L	0.01	0.035	0.033	0.34	0.053	0.0030U	0.0068	0.0030U	0.022	0.022	0.0030U	0.0030U	0.30
Mercury	mg/L	0.00020U	0.0000026 ⁽⁴⁾											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.015U	0.0046 ⁽⁴⁾											
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	387	422	448	504	347	289	229	235	264	292	302	357	NL
Zinc	mg/L	0.020U	0.032	0.020U	0.020U	2.0 ⁽²⁾								

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:														
Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard ⁽¹⁾
Parameter	Unit													
General Chemistry														
pH	S.U.	9.71	8.94	9.27	8.18	9.3	11.13	8.42	10.67	9.91	9.54	11.25	11.04	NL
Hardness	mg/L	372	390	398	468	400	352	275	268	255	280	360	344	NL
Total Dissolved Solids (TDS)	mg/L	1520	1480	1620	2010	1540	1370	1110	1140	1050	1320	1320	1380	NL
Total Suspended Solids (TSS)	mg/L	278	147	27	82	21	12	11	6	6	4	6	4	NL
Chloride	mg/L	950	836J	1060	1200	883	729	516	408	451	716	664	762	250
BOD	mg/L	12	15	12	11	10	11	14	10	12	14	15	16	NL
COD	mg/L	52	48	52	65	35	51	56	38	47	31	31	61	NL
Oil and Grease	mg/L	0.28	1.0U	1.0U	1.0U	1.0U	0.28	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	8	9	9	10	9	10	5.1	5.2	5.1	5.6	6.4	9.2	NL
Alkalinity, Total (As CaCO ₃)	mg/L	44	46.4	40	105	43.5	99.2	36.3	66	10.2	29.0	114	42	NL
Bicarbonate (as CaCO ₃)	mg/L	44	46.4	40	105	43.5	10U	36.3	66	10.2	29.0	114	42	NL
Ammonia	mg/L	0.7	0.7	0.7	0.35	1.05	0.35	0.35	0.7	0.35	0.70	0.70	0.70	2.0
Nitrate (as N)	mg/L	0.050U	10											
TKN	mg/L	0.56	0.28	0.56	0.28	1.4	0.28	0.56	0.56	0.28	0.56	0.56	0.84	NL
Sulfate	mg/L	273	232	431	256	279	276	223	199	206	291	256	263	250
Sulfide	mg/L	8.8	4	5.2	1.0U	1.0U	1.0U	1.0U	2.0	2.0	2.0	5.6	8.8	0.002
Phenol	mg/L	0.006U	0.012U	0.010U	0.014U	0.012U	0.009U	0.009U	0.007U	0.010U	0.010U	0.006U	0.008U	0.001
Phosphorous	mg/L	0.15	0.08	0.11	0.1	0.13	0.08	0.08	0.11	0.14	0.14	0.20	0.04	0.020 ⁽²⁾
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.0050U	0.0050U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	5.2U	5.2U	5.2U	5.2U	5.2U	5.2U	1.3U	1.3U	2.6U	2.6U	1.3U	1.3 U	5
1,1-Dichloroethane	µg/L	8.9	10	11	12	3.3U	3.3U	1.1	8.3	1.7U	2.8	12	2.8	5
1,2-Dichloroethane	µg/L	3.4U	3.4U	3.4U	3.4U	3.4U	3.4U	0.85U	0.85U	1.7U	1.7U	0.85U	0.85 U	0.6
2-Butanone	µg/L	19U	19U	19U	19U	19U	19U	4.6U	4.6U	9.3U	9.3U	4.6U	4.6 U	50
Acetone	µg/L	42U	42U	42U	42U	42U	42U	12	26	21U	21U	22	23	50
Benzene	µg/L	4.4U	4.4U	4.4U	4.4U	4.4U	4.4U	1.4	4.1	3.0	3.4	1.5	3.4	1
Chlorobenzene	µg/L	5.1	5.0	5.0	3.6U	8.6	7.8	6.3	7.7	9.8	11	3.9	6.0	5
Ethylbenzene	µg/L	7.9	10	12	8.2	7.0U	7.0U	2.4	9.5	16	16	8.8	9.4	5
Methylene chloride	µg/L	14U	14U	14U	6.8U	6.8U	14	1.7U	1.7U	3.4U	3.4U	1.7U	1.7U	5
Styrene	µg/L	10U	10U	10U	6.6U	6.6U	6.6U	1.7U	1.7U	3.4U	3.4U	1.7U	1.7U	5
Tetrachloroethene	µg/L	15	19	27	21	9.1	13	5.4	25	18	21	10	22	0.7 ⁽²⁾
Toluene	µg/L	36	46	56	41	11	28	13	57	13	24	36	44	5
trans-1,2-Dichloroethene	µg/L	6.0U	6.0U	6.0U	6.0U	6.0U	6.0U	1.5U	3.9	3.0U	3.0U	2.2	1.9	5
Trichloroethene	µg/L	100	130	150	130	23	54	20	94	23	52	130	82	5
Vinyl chloride	µg/L	5.7U	5.8	6.4	5.7U	5.7U	5.7U	2.9	11	4.3	5.2	4.6	1.4 U	0.3 ⁽²⁾
Xylene (total)	µg/L	37	28U	55	41	28U	28U	9.1	41	14U	70	46	41	5
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	2	2	2	2	1	0.2U	0.2U	0.2U	4	3	0.2U	0.2U	3
1,4-Dichlorobenzene	µg/L	2	2	2	2	3	0.4U	2	2	6	4	2	0.4U	3
2,4-Dimethylphenol	µg/L	9	11	14	10	5	4	3	6	19	9	22	6 J	50 ⁽²⁾
2-Methylphenol	µg/L	6	7	8	5	4	6	3	10	5	4	0.3U	3	NL
4-Methylphenol	µg/L	21	28	34	13	12	7	5	21	63	43	2	5	NL
Di-n-octyl phthalate	µg/L	0.8U	0.9U	0.8U	0.8U	4U	21U	21U	21U	21U	21U	23U	21 U	50 ⁽²⁾
Naphthalene	µg/L	12	11	1	0.8U	50	16	16	38	0.4U	0.4U	0.4U	0.4 U	10
Phenol	µg/L	43	40	31	0.4U	150	21	46	170	41	10	0.1U	6	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard (1)
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	NL											
Antimony	mg/L	0.20U	0.003											
Arsenic	mg/L	0.010U	0.050											
Barium	mg/L	0.10	0.11	0.94	0.093	0.082	0.074	0.071	0.061	0.074	0.076	0.086	0.06	1.0
Beryllium	mg/L	0.0020U	0.003 (2)											
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0040U	0.050											
Copper	mg/L	0.010U	0.023 (3)											
Iron	mg/L	0.050U	0.074	0.054	0.20	0.27	0.30							
Lead	mg/L	0.0050U	0.012											
Magnesium	mg/L	2.3	1.2	0.57	0.46	7.6	1.6	7.0	3.0	3.2	2.1	58	4.8	35
Manganese	mg/L	0.0030U	0.011	0.011	0.0034	0.0093	0.30							
Mercury	mg/L	0.00020U	0.0000026 (4)											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.015U	0.0046 (4)											
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	357	425	454	419	361	350	278	282	366	337	371	305	NL
Zinc	mg/L	0.020U	0.020U	0.010U	0.010U	0.010U	0.010U	0.010U	0.018	0.0109	0.012	0.014	0.015	2.0 (2)

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard (1)
Parameter	Unit													
General Chemistry														
pH	S.U.	10.73	11.07	10.99	10.96	9.74	10.62	8.32	9.86	10.82	11.08	11.19	8.53	NL
Hardness	mg/L	329	342	400	408	289	310	292	260	342	320	296	200	NL
Total Dissolved Solids (TDS)	mg/L	1510	1700	1670	1730	1500	1470	1180	1170	1440	1430	1350	1020	NL
Total Suspended Solids (TSS)	mg/L	6	6	10	5	4	3	27	13	6	26	8	9	NL
Chloride	mg/L	910	897	914	962J	914	737	493	495	728	791	752	412	250
BOD	mg/L	10	10	9	10	12	7	10	12	12	11	15	14	NL
COD	mg/L	38	45	47	47	47	47	47	161	177	47	27	20	NL
Oil and Grease	mg/L	1.0U	1.0 U	NL										
Organic Carbon	mg/L	7.9	8.1	8.3	8.9	9.3	8.1	6.7	9.1	8	6.2	6.7	7.1	NL
Alkalinity, Total (As CaCO3)	mg/L	69	71.4	95.1	75.4	26.9	44.9	92.6	30.3	64.5	93.4	72.0	44.2	NL
Bicarbonate (as CaCO3)	mg/L	69	10U	10U	75.4	26.9	44.9	92.6	30.3	64.5	93.4	10U	44.2	NL
Ammonia	mg/L	0.35	1.05	0.28	0.70	0.70	0.28	0.70	1.05	0.70	1.05	0.70	1.05	2.0
Nitrate (as N)	mg/L	0.050U	0.050 U	10										
TKN	mg/L	0.28	0.84	0.56	0.84	0.56	0.84	0.56	1.12	0.84	0.56	0.28	1.12	NL
Sulfate	mg/L	297	288	285	351	296	259	182	242	230	208	269	207	250
Sulfide	mg/L	4.0	2.9	5.2	6.0	4.4	6.8	2.8	6.4	8.0	8.0	7.2	6.4	0.002
Phenol	mg/L	0.008U	0.010U	0.009U	0.011U	0.007U	0.008U	0.012U	0.007U	0.011U	0.013U	0.007U	0.006 U	0.001
Phosphorous	mg/L	0.06	0.37	0.13	0.05	0.10	0.12	0.07	0.17	0.14	0.14	0.18	0.13	0.020
Cyanide	mg/L	0.005U	0.005 U	0.0052										

Notes:

- U - Non-detect at associated value
- Not Analyzed
- J - Estimated
- NL - Not Listed
- SL - Sample Lost
- (1) - Lowest Standard/Guidance Value shown
- (2) - Guidance Value
- (3) - Calculated using a hardness of 300 ppm
- (4) - Applies to dissolved form
- (5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/05/07	02/09/07	09/17/08	03/05/09	09/04/09	03/05/10	Surface Water Standard ⁽¹⁾
Parameter	Unit							
Volatiles								
1,1,1-Trichloroethane	µg/L	1.3 U	1.3 U	0.73 U	1.1	5.0U	5.0U	5
1,1-Dichloroethane	µg/L	14	8.2	1.0	13	5.6	5.6	5
1,2-Dichloroethane	µg/L	0.85 U	0.85 U	0.60 U	0.60U	5.0U	5.0U	0.6
2-Butanone	µg/L	4.6 U	4.6 U	3.6 U	3.6U	25U	25U	50
Acetone	µg/L	19	17	20	19	25U	25	50
Benzene	µg/L	2.2	1.6	2.3	2.1	5.0U	5.0U	1
Chlorobenzene	µg/L	4.9	5.6	7.0	5.1	5.0U	5.0U	5
Ethylbenzene	µg/L	10	9.1	13	4.0	5.0U	5.2	5
Methylene chloride	µg/L	1.7U	1.7U	0.81 U	0.81U	5.0U	5.0U	5
Styrene	µg/L	1.7U	1.7U	1.0	0.38U	5.0U	5.0U	5
Tetrachloroethene	µg/L	16	15	26	15	6.6	8.4	0.7 ⁽²⁾
Toluene	µg/L	57	35	20	35	22	29	5
trans-1,2-Dichloroethene	µg/L	2.7	2.2	2.8	2.8	5.0U	5.0U	5
Trichloroethene	µg/L	160	120	63	110	64	64	5
Vinyl chloride	µg/L	1.4U	1.4U	6.0	6.7	5.0U	5.0U	0.3 ⁽²⁾
Xylene (total)	µg/L	52	43	52	46	19	25	5
Semi-Volatiles								
1,2-Dichlorobenzene	µg/L	1	0.2U	2	1.2	0.54	1.1	3
1,4-Dichlorobenzene	µg/L	0.4U	0.4U	3	1.9	0.95	1.8	3
2,4-Dimethylphenol	µg/L	5	4	19	19	13	5.6	50 ⁽²⁾
2-Methylphenol	µg/L	8	5	16	8.3	9.4	1.4	NL
4-Methylphenol	µg/L	14	14	66	41	25	5.0U	NL
Di-n-octyl phthalate	µg/L	21U	22U	21 U	4.5U	4.5U	4.5U	50 ⁽²⁾
Naphthalene	µg/L	18	19	0.6	1.8	0.080U	0.54	10
Phenol	µg/L	69	62	38	7.5	14	0.12U	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i> <i>Sample Date:</i>		01/05/07	02/09/07	09/17/08	03/05/09	09/04/09	03/05/10	<i>Surface Water Standard</i> ⁽¹⁾
<i>Parameter</i>	<i>Unit</i>							
<i>Metals</i>								
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.361	0.239	NL
Antimony	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.003
Arsenic	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.080	0.077	0.071	0.135	0.063	0.088	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003 ⁽²⁾
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.030	0.010U	0.0312	0.023 ⁽³⁾
Iron	mg/L	0.078	0.064	0.054	0.49	0.050U	0.247	0.30
Lead	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	1.9	2.3	1.7	4.2	1.12	2.91	35
Manganese	mg/L	0.0037	0.0071	0.013	0.097	0.030U	0.0098	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0002	0.000026 ⁽⁴⁾
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.0046 ⁽⁴⁾
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	376	365	260	367	307	4160	NL
Zinc	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	23.7	2.0 ⁽²⁾

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i>								
<i>Sample Date:</i>		01/05/07	02/09/07	09/17/08	03/05/09	09/04/09	03/05/10	<i>Surface Water Standard</i> ⁽¹⁾
<i>Parameter</i>	<i>Unit</i>							
<i>General Chemistry</i>								
pH	S.U.	10.94	10.78	10.58	10.20	10.80	10.72	NL
Hardness	mg/L	284	269	346	700	245	310	NL
Total Dissolved Solids (TDS)	mg/L	1360	1330	1180	1550	1150	1550	NL
Total Suspended Solids (TSS)	mg/L	4	8	9	44	8	5	NL
Chloride	mg/L	897	741	460	720	516	793	250
BOD	mg/L	8	7	15	15	14	13	NL
COD	mg/L	74	67	33	41	4.4	59	NL
Oil and Grease	mg/L	1.0 U	1.0 U	1.0 U	0.10	0.10	0.10U	NL
Organic Carbon	mg/L	8.8	11.5	5.6	7.7	5.5	8.7	NL
Alkalinity, Total (As CaCO ₃)	mg/L	75.9	56.8	59.8	38.2	70.2	88.1	NL
Bicarbonate (as CaCO ₃)	mg/L	10U	10U	10 U	38.2	70.2	10U	NL
Ammonia	mg/L	0.70	0.70	0.35	0.56	0.84	2.24	2.0
Nitrate (as N)	mg/L	0.050 U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.84	0.56	0.56	0.56	1.68	1.68	NL
Sulfate	mg/L	267	235	216	280	216	202	250
Sulfide	mg/L	6.8J	6.0	8.8	6.8	6.0	2.4	0.002
Phenol	mg/L	0.009U	0.009U	0.007 U	0.011U	0.011U	0.012U	0.001
Phosphorous	mg/L	0.12	0.01	0.15	0.17	0.10U	0.08	0.020 ⁽²⁾
Cyanide	mg/L	0.005 U	0.005 U	0.005 U	0.005U	0.005	0.005	0.0052

Notes:

- U - Non-detect at associated value
- - Not Analyzed
- J - Estimated
- NL - Not Listed
- SL - Sample Lost
- (1) - Lowest Standard/Guidance Value shown
- (2) - Guidance Value
- (3) - Calculated using a hardness of 300 ppm
- (4) - Applies to dissolved form
- (5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
May 2001	2,900,000	2,900,000
June 2001	2,353,800	5,253,800
July 2001	1,488,500	6,742,300
August 2001	712,800	7,455,100
September 2001	473,100	7,928,200
October 2001	1,213,100	9,141,300
November 2001	1,281,100	10,422,400
December 2001	231,700 ⁽¹⁾	10,654,100
January 2002	1,383,200 ⁽²⁾	12,037,300
February 2002	1,186,000	13,223,300
March 2002	233,600	13,456,900
April 2002	736,000	14,192,900
May 2002	348,200	14,541,100
June 2002	1,137,200	15,678,300
July 2002	869,300	16,547,600
August 2002	1,060,800	17,608,400
September 2002	707,000	18,315,400
October 2002	679,800	18,995,100
November 2002	489,500	19,484,700
December 2002	743,500	20,228,200
January 2003	1,150,700	21,378,900
February 2003	483,300	21,862,200
March 2003	402,300	22,264,500
April 2003	531,900	22,796,400
May 2003	655,600	23,452,000
June 2003	682,100	24,134,000
July 2003	942,000	25,076,100
August 2003	627,500	25,703,600
September 2003	349,600	26,053,200
October 2003	966,500	27,019,700
November 2003	442,200	27,461,900
December 2003	463,900	27,925,800

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
January 2004	443,900	28,369,700
February 2004	253,700	28,623,400
March 2004	403,700	29,027,100
April 2004	433,600	29,460,700
May 2004	377,400	29,838,100
June 2004	395,000	30,233,100
July 2004	384,300	30,617,400
August 2004	479,700	31,097,100
September 2004	413,900	31,511,000
October 2004	319,400	31,902,400
November 2004	249,200	32,151,600
December 2004	209,900	32,361,500
January 2005	310,100	32,671,600
February 2005	301,100	32,972,700
March 2005	250,200	33,222,900
April 2005	378,400	33,601,300
May 2005	458,800	34,060,100
June 2005	455,900	34,516,000
July 2005	270,200	34,786,200
August 2005	285,100	35,071,300
September 2005	395,600	35,466,900
October 2005	333,200	35,800,100
November 2005	360,200	36,160,300
December 2005	395,300	36,555,600
January 2006	297,500	36,853,100
February 2006	508,300	37,361,400
March 2006	244,700	37,606,100
April 2006	224,400	37,830,500
May 2006	153,300	37,983,800
June 2006	262,300	38,246,100
July 2006	212,900	38,459,000
August 2006	357,500	38,816,500

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2006	777,000	39,593,500
October 2006	254,700	39,848,200
November 2006	778,700	40,626,900
December 2006	496,600	41,123,500
January 2007	410,500	41,534,000
February 2007	494,600	42,028,600
March, April & May 2007	1,489,200 ⁽³⁾	43,517,800
June 2007	334,300	43,852,100
July 2007	258,600	44,110,700
August 2007	239,000	44,349,700
September 2007	59,500 ⁽⁴⁾	44,409,200
October 2007 through January 2008	50,600 ⁽⁴⁾	44,459,800
February 2008	23,800 ⁽⁴⁾	44,483,600
March 2008	1,238,300	45,721,900
April 2008	2,126,700	47,848,600
May 2008	1,771,100	49,619,700
June 2008	618,000	50,237,700
July 2008	1,559,200	51,796,900
August 2008	1,365,900	53,162,800
September 2008	1,998,000	55,160,800
October 2008	2,511,100	57,671,900
November 2008	1,151,600	58,823,500
December 2008	572,700	59,396,200
January 2009	1,021,700	60,417,900
February 2009	2,661,400	63,079,300
March 2009	4,239,300	67,318,600
April 2009	1,189,900	68,508,500
May 2009	1,362,500	69,871,000
June 2009	1,035,200	70,906,200
July 2009	1,010,100	71,916,300
August 2009	1,058,000	72,974,400

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2009	947,000	73,921,400
October 2009	690,800	74,612,200
November 2009	697,500	75,309,700
December 2009	1,100,900	76,410,600
January 2010	767,100	77,177,700
February 2010	398,600	77,576,300
March 2010	1,094,500	78,670,800
April 2010	761,000	79,431,800
May 2010	354,700	79,786,500

Notes:

- (1) To December 7, 2001.
- (2) From December 8, 2001.
- (3) Plotted as 496,400 gallons on Figure 2.18 for each of March, April, and May 2007.
- (4) Meter malfunctioned due to tar-like material buildup inside meter. Meter was cleaned on March 14, 2008. Volumes not plotted on Figure 2.18 as volumes are not representative of actual volume removed.

TABLE 2.12

SURFACE WATER SAMPLING SUMMARY
OPERATION AND MAINTENANCE MANUAL
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

LOCATIONS

River South
River Middle
River North

FREQUENCY

- quarterly for 2 years following GWS startup (concurrent with groundwater sampling)
- semi-annually for Year 3 (concurrent with groundwater sampling)
- annually for Years 3 through 7 (concurrent with groundwater sampling)
- Year 8 and thereafter no sampling required (i.e., starting May 2009)

PARAMETERS

Volatiles

Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	

Semi-Volatiles

1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenol

Recommended Future Sampling Program

- No further sampling and analyses.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
December 12, 2000	NM			564.26	567.05	563.84	NM	564.24		567.20	564.58	NM	565.24
January 8, 2001	NM		NM	563.94	567.21	563.82	NM	563.84		567.30	564.01	NM	563.90
March 29, 2001	NM		NM	564.19	567.80	563.82	NM	564.10		566.89	564.28	NM	564.12
May 11, 2001	559.31		561.98	564.39	563.53	564.54	564.54	564.25		561.60	564.53	564.38	564.50
May 18, 2001	NM		562.03	564.21	563.08	564.54	564.49	564.25		561.97	564.53	564.33	564.55
May 25, 2001	NM		NM	564.46	562.80	564.52	563.80	564.22		561.71	564.28	563.63	564.50
June 1, 2001	559.34		561.97	564.51	562.74	564.52	563.52	564.20		561.77	564.18	563.47	564.49
June 8, 2001	NM		562.49	564.63	562.65	564.82	564.75	564.36		561.59	564.60	564.68	564.78
June 15, 2001	560.79	560.59	562.60	564.67	562.54	564.76	564.71	564.53	560.53	561.48	564.77	564.71	564.79
June 22, 2001	560.77	560.55	562.53	564.65	562.50	564.72	564.90	564.43	560.44	561.41	564.66	564.86	564.72
June 29, 2001	560.62	560.40	562.42	564.51	562.42	564.66	564.52	564.35	560.38	561.39	564.57	564.48	564.59
July 31, 2001	559.87	559.21	562.90	564.49	562.19	564.71	564.66	564.35	560.25	561.30	564.60	564.68	565.70
August 20, 2001	561.49	561.07	565.23 (1)	564.60	562.09	563.82	564.69	564.46	560.25	561.29	564.77	564.64	564.81
September 28, 2001	561.03	560.56	563.03	564.61	562.13	564.25	564.68	564.48	560.27	561.32	564.79	564.68	564.99
October 22, 2001	561.38	562.36	567.06 (3)	564.61	562.08	564.41	(2)	564.33	560.43	561.37	564.58	564.26	564.33
November 27, 2001	561.45	560.94	564.53	563.95	561.88	563.65	(2)	563.83	560.45	561.36	564.04	563.54	563.87
December 20, 2001	560.96	560.50	564.39	564.47	561.83	564.78	564.69	564.27	559.75	561.25	564.72	564.45	564.86
January 29, 2002	560.74	560.15	563.75	564.09	561.83	563.87	563.89	563.99	560.98	561.89	564.12	563.74	564.01
February 11, 2002	560.80	560.28	564.19	564.22	561.73	563.84	564.03	564.07	561.06	561.50	564.18	563.97	564.19
March 25, 2002	560.55	560.10	563.25	564.10	561.72	563.51	(2)	564.03	560.65	561.60	564.02	563.59	563.83
April 24, 2002	562.54	562.05	564.12	564.60	561.88	564.70	564.61	564.49	561.13	561.95	564.67	564.19	564.72
May 21, 2002	561.74	561.28	564.10	564.79	561.97	564.84	564.76	564.68	560.05	561.38	564.85	564.66	564.84
June 20, 2002	561.67	561.24	565.58	564.74	561.92	564.56	564.58	564.62	560.68	561.54	564.85	564.68	564.80
July 18, 2002	561.46	560.99	564.99	564.78	561.89	565.00	564.89	564.66	560.79	561.65	564.90	564.90	564.93
August 6, 2002	561.26	560.79	565.89	564.86	561.92	564.70	564.65	564.71	561.05	561.93	564.90	564.59	564.85
September 12, 2002	561.60	561.14	565.60	564.80	561.82	565.05	565.04	564.67	561.10	561.99	564.87	564.95	564.97
October 30, 2002	561.63	561.21	566.24	564.18	561.97	563.95	(2)	564.07	561.07	561.95	564.10	563.75	564.00
November 21, 2002	561.12	560.67	554.47 (4)	564.05	562.05	563.94	(2)	563.98	558.03	561.41	564.20	563.71	564.06
December 11, 2002	561.55	561.08	555.09	563.99	562.04	563.85	(2)	563.84	559.95	561.25	563.94	563.72	563.87

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
December 12, 2000	565.07		567.08	NM		564.45	564.85	567.15			
January 8, 2001	563.95		567.29	NM	NM	564.01	564.00	567.35			567.29
March 29, 2001	564.21		567.96	NM	NM	564.24	564.25	568.06			NM
May 11, 2001	564.58		561.95	564.70	564.15	564.63	564.59	562.53			562.45
May 18, 2001	564.59		562.49	564.65	564.12	564.66	564.66	563.05			562.55
May 25, 2001	564.57		561.99	564.80	564.17	564.63	564.60	562.54			562.48
June 1, 2001	564.59		562.06	565.00	564.19	564.66	564.60	562.57			562.51
June 8, 2001	564.87		561.89	565.05	562.45	564.96	564.89	562.47			562.42
June 15, 2001	564.91	561.12	561.69	565.05	562.34	564.93	564.88	562.45	562.32		562.29
June 22, 2001	564.87	561.05	561.54	565.18	562.29	565.00	564.80	562.19	562.32		562.14
June 29, 2001	564.68	560.97	561.46	564.83	561.80	564.75	564.68	562.11	562.45		562.06
July 31, 2001	564.78	560.73	561.19	564.96	560.77	564.85	564.76	562.45	562.45		561.69
August 20, 2001	564.83	560.50	561.05	564.99	560.42	564.88	564.85	561.55	561.72		561.54
September 28, 2001	564.85	560.61	561.07	564.95	560.36	564.87	564.84	561.58	561.70		561.52
October 22, 2001	564.58	560.51	561.27	564.61	560.42	564.61	564.62	561.75	562.10		561.72
November 27, 2001	563.89	559.51	561.30	564.05	560.06	563.89	563.94	561.71	561.87		563.82
December 20, 2001	564.96	561.31	560.73	564.96	560.23	564.99	565.05	561.77	561.89		561.71
January 29, 2002	564.06	Blocked	561.91	563.92	560.29	564.03	564.08	562.31	562.53		562.31
February 11, 2002	564.28	561.23	561.93	564.53	560.24	564.35	564.35	562.52	562.18		562.54
March 25, 2002	563.87	560.97	561.60	564.15	560.34	563.85	563.95	562.45	562.77		562.61
April 24, 2002	564.79	561.41	561.95	564.86	560.63	564.86	564.84	562.96	563.09		562.95
May 21, 2002	564.95	560.35	560.89	565.07	560.89	565.03	564.98	563.11	563.25	562.17	563.10
June 20, 2002	564.85	560.98	561.50	564.88	561.04	564.90	564.94	562.91	562.98	562.00	562.90
July 18, 2002	565.09	561.07	561.80	565.22	560.95	565.17	565.08	562.84	561.83	561.93	562.83
August 6, 2002	564.88	561.33	561.88	564.90	561.07	564.95	564.91	562.75	562.08	561.86	562.75
September 12, 2002	565.09	561.34	561.91	565.25	561.09	565.20	565.05	562.66	562.11	561.75	562.63
October 30, 2002	564.03	561.36	561.95	564.16	561.31	564.14	564.00	562.57	562.68	561.62	562.56
November 21, 2002	564.04	561.49	560.99	564.15	561.44	564.19	564.18	562.74	562.88	561.82	562.73
December 11, 2002	564.01	561.51	560.73	564.14	561.45	564.09	564.02	562.91	563.07	562.01	562.94

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 16, 2003	561.65	561.20	556.15	564.03	562.27	563.88	(2)	564.12	561.04	561.95	564.27	563.52	564.10
February 25, 2003	561.58	561.10	555.74	563.80	561.85	563.71	(2)	563.67	560.60	561.49	563.81	563.34	563.81
March 14, 2003	561.65	561.17	555.75	563.75	561.69	563.74	(2)	563.61	560.61	561.49	563.77	563.24	563.77
April 14, 2003	561.68	561.22	554.54	564.32	562.42	564.34	564.30	564.17	558.65	561.42	564.39	564.24	564.40
May 8, 2003	561.52	561.03	555.93	564.37	562.38	564.41	564.29	564.21	560.76	561.59	564.36	564.27	564.37
June 19, 2003	562.26	561.83	556.02	564.73	562.43	564.83	564.78	564.59	560.85	561.60	564.77	564.66	564.81
July 21, 2003	561.21	560.46	556.06	564.68	562.31	564.64	564.49	564.58	560.89	561.74	564.81	564.44	564.75
August 28, 2003	561.65	561.20	554.61	564.65	562.21	564.76	564.64	564.51	558.52	561.29	564.67	564.60	564.75
September 30, 2003	561.57	561.10	555.08	564.64	562.53	564.89	(2)	564.49	559.88	561.35	564.76	564.67	564.91
October 20, 2003	561.48	561.07	554.98	564.61	562.52	564.93	(2)	564.45	559.77	561.17	564.68	564.63	564.86
November 3, 2003	561.53	561.08	555.94	564.29	562.33	563.89	(2)	564.11	560.76	561.12	563.56	564.36	564.15
December 23, 2003	561.08	559.49	555.62	564.29	562.30	564.04	(2)	564.17	560.67	561.48	564.33	(2)	564.18
January 21, 2004	(5)	560.33	555.84	565.24	562.32	564.19	(2)	564.12	560.70	561.55	564.30	(2)	564.26
February 12, 2004	(5)	561.08	556.12	563.99	562.16	563.76	(2)	563.87	560.95	561.81	564.00	(2)	563.88
March 4, 2004	561.33	561.13	555.90	564.17	562.21	557.07 (6)	(2)	564.00	560.75	561.61	564.31	(2)	564.19
April 16, 2004	560.05	558.78	554.91	564.59	562.48	564.49	(2)	564.36	559.59	561.71	564.56	564.43	564.56
May 14, 2004	560.17	559.71	554.56	564.49	562.39	564.57	564.55	564.34	559.45	561.70	564.51	564.48	564.54
June 25, 2004	561.64	561.21	555.74	564.76	562.27	564.71	564.68	564.62	560.50	561.42	564.82	564.56	564.78
July 30, 2004	561.79	561.25	555.24	565.01	562.29	565.20	565.20	564.84	560.04	561.31	565.02	565.16	565.14
August 31, 2004	561.37	560.59	555.83	565.06	562.23	565.05	564.98	564.92	560.67	561.56	565.14	564.93	565.17
September 30, 2004	561.48	560.81	555.60	565.11	562.28	565.22	565.00	564.95	560.71	561.49	565.20	565.05	565.20
October 20, 2004	561.65	561.19	555.96	564.65	562.10	564.57	564.45	564.44	560.82	561.69	564.57	564.41	564.57
November 23, 2004	561.50	561.05	554.95	564.17	561.99	564.20	(2)	564.02	559.77	561.21	564.31	(2)	564.28
December 31, 2004	561.60	560.74	556.19	564.58	562.16	564.50	564.68	564.25	561.02	561.80	564.37	564.56	564.40

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 16, 2003	564.13	561.68	562.00	564.11	561.83	564.14	564.20	563.17	563.37	562.28	563.20
February 25, 2003	563.87	561.60	561.48	564.21	561.56	563.90	563.94	562.89	563.07	562.01	562.91
March 14, 2003	563.79	561.57	561.46	564.11	561.54	563.92	563.91	562.90	563.09	562.05	562.93
April 14, 2003	564.48	558.53	560.98	564.45	561.56	564.54	564.52	563.36	563.54	562.49	563.40
May 8, 2003	564.48	561.03	561.56	564.61	561.61	564.59	564.44	563.07	563.26	562.01	563.11
June 19, 2003	564.92	561.12	561.56	564.96	561.94	564.99	564.95	563.10	563.41	562.25	563.15
July 21, 2003	564.81	561.10	561.69	564.78	562.03	564.84	564.88	562.89	563.03	561.98	562.89
August 28, 2003	564.86	564.37	562.35	564.91	562.19	564.94	564.85	566.17	566.48	566.36	566.59
September 30, 2003	565.02	558.68	560.17	565.08	562.26	565.08	565.02	562.77	562.89	562.02	562.78
October 20, 2003	564.94	558.66	560.02	565.03	562.25	565.05	564.96	562.75	562.88	562.01	562.76
November 3, 2003	564.26	561.01	561.57	564.28	562.52	564.27	564.31	562.85	563.00	561.91	562.83
December 23, 2003	564.24	560.94	561.34	564.36	562.75	564.08	564.28	563.20	563.31	562.28	563.20
January 21, 2004	564.33	(4)	561.47	564.36	562.49	564.41	564.35	562.72	(4)	561.74	562.68
February 12, 2004	563.93	561.23	561.75	564.16	562.30	563.96	563.98	562.88	(4)	561.73	562.66
March 4, 2004	564.25	561.04	561.56	564.26	562.07	564.34	564.35	562.70	562.75	561.75	562.66
April 16, 2004	564.64	559.85	561.38	564.69	561.00	564.74	564.66	562.64	562.79	561.72	562.63
May 14, 2004	564.63	559.87	561.39	564.71	560.80	564.68	564.55	562.71	562.74	561.74	562.67
June 25, 2004	564.85	560.79	561.19	564.91	560.95	564.89	564.89	562.70	562.74	561.76	562.68
July 30, 2004	565.28	560.26	560.71	565.46	561.15	565.33	565.21	562.70	561.13	561.74	562.67
August 31, 2004	565.26	560.94	561.39	565.25	561.35	565.31	565.27	562.95	563.08	562.02	562.93
September 30, 2004	565.29	561.00	561.43	565.30	561.25	565.40	565.26	562.98	562.90	562.20	562.98
October 20, 2004	564.67	561.09	561.56	564.49	561.50	564.76	564.68	562.64	562.82	561.73	562.88
November 23, 2004	564.34	560.05	560.56	564.30	561.57	564.38	564.40	562.71	561.04	561.62	562.69
December 31, 2004	564.69	561.23	561.75	564.81	561.81	564.78	564.55	562.71	562.05	561.77	562.69

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.

TABLE 2.2
WATER LEVELS (ft amsl)
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 28, 2005	562.60	562.15	556.22	564.68	562.27	564.62	(2)	564.53	561.06	561.85	564.67	564.32	564.71
February 28, 2005	561.05	559.96	555.58	564.58	562.14	564.68	(7)	564.48	560.47	561.46	564.21	564.46	564.76
March 31, 2005	561.25	559.94	555.93	564.55	562.04	564.40	(2)	564.38	560.78	561.66	564.63	564.08	564.49
April 20, 2005	560.20	559.54	556.01	565.01	562.26	564.94	564.83	564.84	560.89	561.76	565.01	564.71	565.05
May 27, 2005	560.23	558.92	555.82	564.71	562.24	564.79	564.78	564.63	560.65	561.55	564.78	564.74	564.91
June 24, 2005	561.50	561.09	555.16	564.71	562.22	564.85	564.73	564.61	559.92	561.47	564.78	564.70	564.85
July 29, 2005	562.70	562.26	556.56	564.79	562.11	564.95	564.82	564.65	561.39	562.27	564.87	564.85	564.98
August 31, 2005	561.62	560.64	556.24	564.68	562.09	564.71	(2)	564.59	561.07	561.94	564.79	564.54	564.82
October 3, 2005	561.52	560.54	555.41	564.75	562.24	564.85	564.80	564.62	560.20	561.40	564.78	564.75	564.88
October 31, 2005	561.68	560.73	555.60	564.59	562.34	564.69	564.80	564.44	560.46	561.52	564.64	564.55	564.70
November 22, 2005	561.62	561.20	555.20	564.40	561.67	564.64	(2)	564.28	560.04	561.49	564.44	(2)	564.21
December 23, 2005	562.55	562.09	556.20	564.28	562.45	564.11	(2)	564.22	561.05	561.85	564.42	(2)	564.32
January 27, 2006	562.95	562.53	556.21	564.50	562.97	564.16	(2)	564.32	561.02	561.79	564.41	(2)	564.06
February 28, 2006	563.17	562.26	554.70	564.27	562.90	564.13	(2)	564.31	558.44	561.68	564.37	(2)	564.26
March 24, 2006	562.68	561.77	555.64	564.46	562.86	564.25	(2)	564.32	560.43	561.57	564.46	(2)	564.36
April 21, 2006	562.31	561.84	555.61	564.42	562.76	564.41	(2)	564.32	560.40	561.48	564.49	564.26	564.46
May 30, 2006	562.73	562.30	555.84	564.91	562.50	565.00	564.87	564.80	560.44	561.75	564.95	564.86	565.07
June 26, 2006	561.57	560.63	556.19	563.04	562.37	564.97	564.81	564.92	561.02	561.92	565.15	564.78	565.06
July 31, 2006 (8)	565.18	564.78	558.88	565.14	564.39	565.24	565.09	565.01	563.66	564.54	565.19	565.07	565.28
August 25, 2006	561.64	561.21	556.06	564.72	562.99	564.81	(2)	564.59	560.89	561.82	564.80	564.68	564.87
September 22, 2006	561.46	561.01 ⁽⁶⁾	555.95	564.88	562.76	564.73	564.70	564.72	560.51	561.99	564.94	564.67	564.88
October 31, 2006	559.98	555.62	556.01	565.03	562.58	564.96	564.82	564.87	559.95	562.09	565.06	564.66	565.03
November 29, 2006	561.35	560.85	555.93	564.30	562.48	564.25	(2)	564.18	560.73	562.01	564.40	(2)	564.35
December 29, 2006	561.52	560.42	555.93	564.46	562.98	564.36	564.82	564.31	560.80	561.89	564.53	(2)	564.49

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in upstream City manhole.

TABLE 2.2
 WATER LEVELS (ft amsl)
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 28, 2005	564.77	561.33	561.82	564.69	561.92	564.79	564.90	562.75	(4)	561.01	562.71
February 28, 2005	564.84	560.74	561.25	564.79	562.05	564.88	564.94	562.78	(4)	561.55	562.77
March 31, 2005	564.54	561.06	561.60	564.56	562.11	564.59	564.65	563.12	563.26	562.21	563.11
April 20, 2005	565.13	561.15	561.65	565.15	562.26	565.19	565.21	563.21	562.72	562.28	563.20
May 27, 2005	564.99	561.13	561.42	565.02	562.29	565.08	565.08	563.12	563.25	562.19	563.11
June 24, 2005	564.98	560.18	560.76	564.92	562.40	565.06	565.00	562.85	562.93	561.91	562.82
July 29, 2005	565.09	561.17	562.15	565.15	562.51	565.14	561.33	562.88	563.03	561.98	562.87
August 31, 2005	564.88	561.31	561.85	564.88	562.75	564.90	564.96	562.91	563.01	561.98	562.86
October 3, 2005	564.99	560.43	560.95	565.11	562.90	565.07	564.97	563.20	563.26	562.24	563.13
October 31, 2005	564.83	560.71	561.25	565.00	563.15	564.96	564.82	563.39	563.50	562.43	563.35
November 22, 2005	564.26	560.31	561.00	564.18	563.29	564.26	564.35	563.53	563.69	562.25	563.53
December 23, 2005	564.35	561.30	561.84	564.26	563.46	564.32	564.48	563.50	563.67	562.60	563.52
January 27, 2006	564.34	561.26	561.76	564.36	563.61	564.42	564.42	563.90	564.08	563.02	563.92
February 28, 2006	564.32	558.38	561.23	564.29	563.73	564.34	564.38	563.94	564.09	563.02	563.96
March 24, 2006	564.39	560.60	561.16	564.44	563.47	564.45	564.50	563.83	564.02	562.96	563.88
April 21, 2006	564.54	560.63	561.15	564.64	563.49	564.60	564.55	563.65	563.77	562.68	563.61
May 30, 2006	565.18	560.28	561.03	565.24	563.61	565.26	565.25	563.48	563.54	562.53	563.44
June 26, 2006	565.12	561.26	561.75	565.13	563.70	565.15	565.19	563.41	563.52	562.43	563.37
July 31, 2006 (5)	565.44	564.03	564.30	565.45	563.92	565.49	565.45	564.08	564.20	563.15	564.07
August 25, 2006	564.98	561.10	561.57	565.10	563.98	565.26	561.81	563.38	564.62	562.43	563.42
September 22, 2006	564.94	559.81	561.20	565.04	564.29	565.01	564.95	562.73	562.83	561.67	562.54
October 31, 2006	565.11	558.19	561.78	565.07	564.77	565.14	565.16	564.40	564.51	563.36	564.36
November 29, 2006	564.42	560.54	561.69	564.41	564.87	566.44	564.50	562.10	561.27	559.66	561.85
December 29, 2006	564.55	560.96	561.46	564.54	561.89	564.64	564.64	561.90	561.95	560.86	561.71

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.2

Date	WATER LEVELS (ft amsl)											OGC-7	
	GRATWICK-RIVERSIDE PARK SITE NORTH TONAWANDA, NEW YORK												
	River												
	MH2	MH3	MH6	OGC-1	MW-6	OGC-5	North	OGC-6	MH8	MW-7	OGC-2	Middle	
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 26, 2007	561.39	560.92	556.04	564.62	562.78	564.75	(2)	563.79	560.89	562.06	564.67	564.46	564.77
February 27, 2007	561.53	560.57	556.23	564.32	562.49	564.25	(2)	564.15	561.07	561.96	564.35	(7)	564.33
March 30, 2007	560.25	559.45	556.24	564.49	562.30	564.40	(2)	564.27	561.09	562.05	564.46	564.28	564.48
April 30, 2007	560.99	559.39	556.31	564.97	562.62	564.97	564.82	564.78	561.14	562.20	564.96	564.78	565.07
May 25, 2007	560.85	559.85	556.12	564.67	562.48	565.73	(2)	564.54	561.02	562.05	564.75	564.67	564.75
June 29, 2007	560.85	558.83	556.45	564.70	562.32	564.78	(2)	564.54	561.26	562.16	564.81	564.64	564.79
July 25, 2007	561.49	560.54	556.24	564.43	562.13	564.55	(2)	564.26	561.02	561.94	564.47	564.41	564.53
August 31, 2007	561.10	559.62	556.22	564.43	561.93	564.56	(2)	564.29	561.04	561.95	564.55	564.44	564.65
September 27, 2007	561.49	561.05	556.02	564.44	561.86	564.44	(2)	564.34	560.47	562.01	564.58	564.27	564.56
October 31, 2007	561.57	560.69	556.17	564.08	562.02	563.88	(2)	564.01	561.08	562.00	564.16	(2)	564.03
November 30, 2007	561.59	560.58	555.84	564.25	562.22	564.03	(2)	564.09	560.68	561.80	564.42	(2)	564.31
December 31, 2007	561.18	559.69	555.58	564.29	562.48	564.07	(2)	564.09	559.37	561.88	564.28	(2)	564.23
January 28, 2008	561.48	559.46	556.14	564.22	562.68	563.99	(2)	564.13	560.99	561.95	564.25	563.68	564.12
February 29, 2008	561.48	560.45	555.99	564.67	562.38	564.68	(2)	564.56	560.02	562.06	564.75	564.50	564.77
March 31, 2008	561.71	560.74	556.10	564.93	562.33	564.62	(2)	564.58	560.06	562.54	564.81	564.48	564.80
April 25, 2008	561.85	559.67	556.27	564.71	562.73	564.71	(2)	564.59	561.10	562.07	564.78	564.64	564.81
May 29, 2008	562.00	559.26	556.65	564.72	562.66	564.73	(2)	564.59	561.39	562.28	564.77	564.75	564.84
June 25, 2008	562.57	559.54	557.84	564.82	562.79	564.79	564.83	564.71	562.66	563.49	564.88	564.72	564.88
July 31, 2008	562.69	561.02	560.18	564.94	563.27	565.73	564.73	564.72	563.00	563.86	565.03	564.69	564.96
August 27, 2008	565.69	565.29	559.36	564.58	565.10	564.46	564.47	564.42	564.13	564.95	564.71	564.42	564.55
September 26, 2008	562.21	559.22	558.36	564.54	563.42	564.51	(2)	564.40	563.21	564.07	564.70	564.34	564.64
October 30, 2008	561.67	560.08	557.64	564.73	562.97	564.51	(2)	564.46	562.57	563.49	564.69	564.37	564.64
November 22, 2008	561.61	561.19	557.41	564.30	562.82	564.04	(2)	564.12	562.36	563.27	564.32	(2)	564.22
December 31, 2008	566.56	565.53	560.22	564.63	566.09	564.56	(2)	564.48	564.91	565.70	564.68	564.18	564.63

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in downstream City manhole.

TABLE 2.2

WATER LEVELS (ft amsl)
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK
River

Date	OGC-3	MH11	MW-8	South	MH12	OGC-8	OGC-4	MW-9	MH14	MH15	MH16
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 26, 2007	564.89	561.09	561.73	564.96	560.86	564.99	565.49	563.41	563.52	562.36	563.39
February 27, 2007	564.43	561.16	561.86	564.46	559.97	564.47	564.47	562.64	562.77	561.73	562.62
March 30, 2007	564.58	561.36	561.85	564.65	560.20	564.67	564.64	562.66	561.87	558.93	561.72
April 30, 2007	565.20	561.29	561.77	565.26	559.05	565.26	565.22	562.13	562.22	561.13	562.05
May 25, 2007	564.89	561.12	561.61	564.98	560.04	565.00	564.94	562.10	562.20	561.14	563.09
June 29, 2007	564.90	561.39	561.79	564.98	560.14	565.00	564.95	562.12	562.17	561.18	562.08
July 25, 2007	564.65	561.18	561.55	564.79	560.16	564.76	564.61	562.03	562.13	561.07	561.98
August 31, 2007	564.72	561.28	561.73	564.80	560.23	564.84	564.76	562.05	561.54	561.07	562.01
September 27, 2007	564.65	559.56	561.79	564.48	560.40	561.53	564.66	562.05	562.18	561.09	562.01
October 31, 2007	564.09	561.36	561.86	564.06	560.56	564.12	564.12	562.09	562.21	561.14	562.10
November 30, 2007	564.33	561.00	562.30	564.25	560.68	564.35	564.42	562.05	561.67	559.55	561.98
December 31, 2007	564.28	558.54	561.56	564.20	560.78	564.53	564.35	562.16	562.19	561.12	562.01
January 28, 2008	564.15	561.30	561.80	564.01	560.93	564.20	564.23	562.78	562.89	561.82	562.74
February 29, 2008	564.84	559.51	561.89	564.80	560.69	564.90	564.90	562.17	562.24	561.20	562.11
March 31, 2008	564.61	558.99	561.89	564.84	560.76	564.98	564.97	562.24	561.58	561.18	562.08
April 25, 2008	564.94	561.39	561.90	565.05	560.84	565.02	564.92	562.56	562.70	561.65	562.57
May 29, 2008	564.95	561.50	561.82	565.01	560.92	565.01	564.96	562.14	562.22	561.16	562.07
June 25, 2008	565.00	562.83	563.28	565.04	561.05	565.07	564.97	562.11	562.18	561.00	561.82
July 31, 2008	562.69	563.53	566.07	565.01	561.24	565.09	565.07	561.97	562.07	560.98	561.84
August 27, 2008	564.64	564.16	564.61	564.79	561.39	564.77	564.60	564.15	564.34	563.24	564.16
September 26, 2008	564.71	563.53	564.03	564.71	561.55	564.78	564.74	562.02	561.82	559.10	561.59
October 30, 2008	564.67	562.85	563.43	564.71	561.74	564.77	564.71	561.83	562.70	561.92	560.06
November 22, 2008	564.26	562.75	563.29	564.20	561.79	564.30	564.35	561.76	561.28	561.23	561.71
December 31, 2008	564.70	564.91	565.33	564.65	562.09	564.86	564.78	564.71	565.03	563.97	564.59

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.2

Date	WATER LEVELS (ft amsl) GRATWICK-RIVERSIDE PARK SITE NORTH TONAWANDA, NEW YORK <i>River</i>												
	MH2	MH3	MH6	OGC-1	MW-6	OGC-5	North	OGC-6	MH8	MW-7	OGC-2	River Middle	OGC-7
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 30, 2009	568.71	570.75	560.62	564.42	566.89	564.02	(2)	564.31	562.42	565.96	564.56	(7)	564.21
February 25, 2009	568.77	571.27	560.22	564.50	567.20	563.88	(2)	564.37	562.52	564.31	564.58	564.11	564.33
March 27, 2009	565.45	559.49	558.31	564.48	564.81	564.41	(2)	564.38	561.18	562.90	564.61	(2)	564.52
April 30, 2009	563.46	560.06	558.36	564.84	563.55	564.85	564.80	564.73	563.14	564.03	564.91	564.74	564.97
May 27, 2009	561.36	560.29	558.18	564.80	563.18	564.84	(2)	564.69	563.04	563.93	564.90	564.78	564.94
June 29, 2009	561.56	561.28	556.26	565.01	562.81	565.01	565.02	564.90	560.74	562.12	565.15	564.93	565.14
July 27, 2009	561.64	559.34	556.22	565.28	562.63	565.20	565.12	565.06	560.99	562.00	565.31	565.05	565.34
August 31, 2009	561.76	561.29	556.06	565.01	562.47	565.00	564.90	564.84	560.85	561.82	565.08	564.86	565.14
September 30, 2009	565.80	565.67	558.36	565.30	564.80	564.93	564.80	564.99	561.46	562.78	565.37	564.71	565.19
October 30, 2009	566.21	566.49	558.71	564.64	565.37	564.60	(2)	564.43	561.66	563.06	564.67	564.35	564.71
November 30, 2009	561.87	561.41	555.76	564.74	563.19	564.30	(2)	564.27	560.65	561.81	564.60	563.98	564.49
December 30, 2009	561.72	560.01	557.87	564.43	562.79	564.21	(2)	564.24	562.80	563.66	564.44	563.89	564.37
January 29, 2010	561.67	560.02	555.87	565.34	562.60	565.08	(2)	565.01	560.13	561.84	565.23	564.63	565.32
February 26, 2010	561.75	561.26	555.72	563.99	562.38	563.88	566.60	563.85	560.66	561.61	564.06	564.29	564.01
March 30, 2010	562.58	561.25	556.36	564.30	562.69	563.94	566.80	564.03	560.76	561.89	564.24	564.19	564.19
April 30, 2010	562.61	560.99	556.62	564.47	562.78	564.45	(2)	564.36	561.11	562.04	564.55	564.38	564.58
May 26, 2010	563.33	559.94	558.05	564.73	562.80	564.90	(2)	564.70	562.87	563.65	564.84	564.78	564.98

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in downstream City manhole.

TABLE 2.2

WATER LEVELS (ft amsl)
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK
River

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 30, 2009	564.24	564.96	565.25	564.15	562.22	564.29	564.34	563.48	561.59	559.58	563.21
February 25, 2009	564.36	559.64	562.05	564.27	562.29	564.41	564.46	563.30	561.88	561.02	563.44
March 27, 2009	564.57	561.11	561.66	564.48	562.03	564.63	564.71	562.67	561.37	560.58	562.65
April 30, 2009	565.09	563.38	563.93	565.14	562.12	565.15	565.07	563.36	563.64	562.60	563.40
May 27, 2009	565.10	563.45	564.03	565.20	562.17	565.20	565.09	564.58	564.68	563.82	564.63
June 29, 2009	565.25	560.98	562.26	565.23	563.68	565.29	565.24	564.76	565.52	564.68	564.93
July 27, 2009	565.46	561.40	562.16	565.45	562.64	565.51	565.47	564.59	564.89	563.91	564.70
August 31, 2009	565.24	561.28	562.10	562.25	562.79	565.29	565.26	564.65	564.74	563.67	564.71
September 30, 2009	565.22	560.10	561.60	565.10	562.87	565.26	565.28	564.39	564.91	564.03	564.60
October 30, 2009	564.78	560.77	561.70	564.77	562.99	564.84	564.84	564.35	564.80	563.82	564.44
November 30, 2009	564.58	561.13	561.89	564.44	563.10	564.66	564.66	564.44	564.79	563.82	564.53
December 30, 2009	564.40	563.24	563.93	564.37	563.31	564.45	564.50	564.81	565.14	564.13	564.87
January 29, 2010	565.19	559.72	562.18	565.03	563.49	565.20	565.38	564.50	564.03	562.93	564.53
February 26, 2010	564.12	561.15	561.87	564.36	563.56	564.11	564.16	563.98	563.86	562.93	564.13
March 30, 2010	564.24	561.59	562.56	564.45	560.01	564.30	564.35	564.79	564.60	563.52	564.85
April 30, 2010	564.69	560.40	562.25	564.80	559.66	564.79	564.71	564.62	564.54	563.51	564.65
May 26, 2010	565.14	563.21	563.61	565.19	561.01	565.19	565.13	564.57	564.58	563.44	564.60

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

Date Monitored		5/11/2001		5/18/2001		5/25/2001		6/1/2001		6/8/2001		6/15/2001	
		Water Level (ft amsl)	Gradient Direction										
<i>Monitoring Location</i>													
Outer	River North	564.54	Inward	564.49	NA	563.80	NA	563.52	Inward	564.75	NA	564.71	Inward
Inner	MH2	559.31		NM		NM		559.34		NM		560.79	
Outer	River North	564.54	Inward	564.49	Inward	563.80	NA	563.52	Inward	564.75	Inward	564.71	Inward
Inner	MH6	561.98		562.03		NM		561.97		562.49		562.60	
Outer	River Middle	564.38	NA	564.33	NA	563.63	NA	563.47	NA	564.68	NA	564.71	Inward
Inner	MH8	NM		560.53									
Outer	River South	564.70	Inward	564.65	Inward	564.80	Inward	565.00	Inward	565.05	Inward	565.05	Inward
Inner	MH12	564.15		561.12		564.17		564.19		562.45		562.34	

Date Monitored		6/22/2001		6/29/2001		7/31/2001		8/20/2001		9/28/2001		10/22/2001	
		Water Level (ft amsl)	Gradient Direction										
<i>Monitoring Location</i>													
Outer	River North	564.90	Inward	564.52	Inward	564.66	Inward	564.69	Inward	564.68	Inward	564.36 (2)	Inward
Inner	MH2	560.77		560.62		559.87		561.49		561.03		561.38	
Outer	River North	564.90	Inward	564.52	Inward	564.66	Inward	564.69	(1) Outward	564.68	Inward	564.36 (2)	Outward
Inner	MH6	562.53		562.42		562.90		565.23		563.03		567.06	
Outer	River Middle	564.86	Inward	564.48	Inward	564.68	Inward	564.64	Inward	564.68	Inward	564.26	Inward
Inner	MH8	560.44		560.38		560.25		560.25		560.27		560.43	
Outer	River South	565.18	Inward	564.83	Inward	564.96	Inward	564.99	Inward	564.95	Inward	564.61	Inward
Inner	MH12	562.29		561.80		560.77		560.42		560.36		560.42	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
 NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/27/2001</u>		<u>12/20/2001</u>		<u>1/29/2002</u>		<u>2/11/2002</u>		<u>3/25/2002</u>		<u>4/24/2002</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	563.80 (2)	Inward	564.69	Inward	563.89	Inward	564.03	Inward	563.90 (2)	Inward	564.61	Inward
Inner	MH2	561.45		560.96		560.74		560.80		560.55		562.54	
Outer	River North	563.80 (2)	Outward	564.69	Inward	563.89	Inward	564.03	Outward	563.90 (2)	Inward	564.61	Inward
Inner	MH6	564.53		564.39		563.75		564.19		563.25		564.12	
Outer	River Middle	563.54	Inward	564.45	Inward	563.74	Inward	563.97	Inward	563.59	Inward	564.19	Inward
Inner	MH8	560.45		559.75		560.98		561.06		560.65		561.13	
Outer	River South	564.05	Inward	564.96	Inward	563.92	Inward	564.53	Inward	564.15	Inward	564.86	Inward
Inner	MH12	560.06		560.23		560.29		560.28		560.34		560.63	
<i>Date Monitored</i>		<u>5/21/2002</u>		<u>6/20/2002</u>		<u>7/18/2002</u>		<u>8/6/2002</u>		<u>9/12/2002</u>		<u>10/30/2002</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.76	Inward	564.58	Inward	564.89	Inward	564.65	Inward	565.04	Inward	563.91 (2)	Inward
Inner	MH2	561.74		561.67		561.46		561.26		561.60		561.63	
Outer	River North	564.76	Inward	564.58	Outward	564.89	Outward	564.65	Outward	565.04	Outward	563.91 (2)	Outward
Inner	MH6	564.10		565.58		564.99		565.89		565.60		566.24	
Outer	River Middle	564.66	Inward	564.68	Inward	564.90	Inward	564.59	Inward	564.95	Inward	563.75	Inward
Inner	MH8	560.05		560.68		560.79		561.05		561.10		561.07	
Outer	River South	565.07	Inward	564.88	Inward	565.22	Inward	564.90	Inward	565.25	Inward	564.16	Inward
Inner	MH12	560.84		561.04		560.95		561.07		561.09		561.31	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/21/2002</u>		<u>12/11/2002</u>		<u>1/16/2003</u>		<u>2/25/2003</u>		<u>3/14/2003</u>		<u>4/14/2003</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	563.90 (2)	Inward	563.89 (2)	Inward	563.86 (2)	Inward	563.96 (2)	Inward	563.86 (2)	Inward	564.30	Inward
Inner	MH2	561.12		561.55		561.65		561.58		561.65		561.68	
Outer	River North	563.90 (2)	Inward	563.89 (2)	Inward	563.86 (2)	Inward	563.96 (2)	Inward	563.86 (2)	Inward	564.30	Inward
Inner	MH6	554.47 (3)		555.09		556.15		555.74		555.75		554.54	
Outer	River Middle	563.71	Inward	563.72	Inward	563.52	Inward	563.34	Inward	563.24	Inward	564.24	Inward
Inner	MH8	558.03		559.95		561.04		560.60		560.61		558.65	
Outer	River South	564.15	Inward	564.14	Inward	564.11	Inward	564.21	Inward	564.11	Inward	564.45	Inward
Inner	MH12	561.44		561.45		561.83		561.26		561.54		561.56	

<i>Date Monitored</i>		<u>5/8/2003</u>		<u>6/19/2003</u>		<u>7/21/2003</u>		<u>8/28/2003</u>		<u>9/30/2003</u>		<u>10/30/2003</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.61	Inward	564.78	Inward	564.49	Inward	564.64	Inward	564.83 (2)	Inward	564.78 (2)	Inward
Inner	MH2	561.52		562.26		561.21		561.65		561.65		561.48	
Outer	River North	564.61	Inward	564.78	Inward	564.49	Inward	564.64	Inward	564.83 (2)	Inward	564.78 (2)	Inward
Inner	MH6	555.93		556.02		556.06		554.61		554.61		554.98	
Outer	River Middle	564.27	Inward	564.66	Inward	564.44	Inward	564.6	Inward	564.6	Inward	564.63	Inward
Inner	MH8	560.76		560.85		560.89		558.52		558.52		559.77	
Outer	River South	564.61	Inward	564.96	Inward	564.78	Inward	564.91	Inward	565.08	Inward	565.03	Inward
Inner	MH12	561.61		561.94		562.03		562.19		562.26		562.25	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
 NA - Not Applicable

TABLE 2.3
SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/21/2003</u>		<u>12/11/2003</u>		<u>1/16/2004</u>		<u>2/25/2004</u>		<u>3/14/2004</u>		<u>4/14/2004</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.03 (2)	Inward	564.11 (2)	Inward	564.11 (2)		563.91 (2)		564.01 (2)	Inward	564.44 (2)	Inward
Inner	MH2	561.53		561.08		(4)		(4)		561.33		560.05	
Outer	River North	564.03 (2)	Inward	564.11 (2)	Inward	564.11 (2)	Inward	563.91 (2)	Inward	564.01 (2)	Inward	564.44 (2)	Inward
Inner	MH6	555.94		555.82		555.84		556.12		555.9		554.91	
Outer	River Middle	564.36	Inward	564.11 (2)	Inward	564.11 (2)	Inward	563.91 (2)	Inward	564.01 (2)	Inward	564.43	Inward
Inner	MH8	560.76		560.67		560.7		560.95		560.75		559.59	
Outer	River South	564.28	Inward	564.36	Inward	564.36	Inward	564.16	Inward	564.26	Inward	564.69	Inward
Inner	MH12	562.52		562.75		562.49		562.3		562.07		561	

<i>Date Monitored</i>		<u>5/14/2004</u>		<u>6/25/2004</u>		<u>7/30/2004</u>		<u>8/31/2004</u>		<u>9/30/2004</u>		<u>10/20/2004</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.55	Inward	564.68	Inward	565.20	Inward	564.98	Inward	565.00	Inward	564.45	Inward
Inner	MH2	560.17		561.64		561.79		561.37		561.48		561.65	
Outer	River North	564.55	Inward	564.68	Inward	565.20	Inward	564.98	Inward	565.00	Inward	564.45	Inward
Inner	MH6	554.56		555.74		555.24		555.83		555.60		555.96	
Outer	River Middle	564.48	Inward	564.56	Inward	565.16	Inward	564.93	Inward	565.05	Inward	564.41	Inward
Inner	MH8	559.45		560.50		560.04		560.67		560.71		560.82	
Outer	River South	564.71	Inward	564.91	Inward	565.46	Inward	565.25	Inward	565.30	Inward	564.49	Inward
Inner	MH12	560.80		560.95		561.15		561.35		561.25		561.50	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
(3) Valves in MH6 were opened on November 18, 2002.
(4) Snow covered well, could not locate.
NM - Not Measured
NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/23/2004</u>		<u>12/31/2004</u>		<u>1/28/2005</u>		<u>2/28/2005</u>		<u>3/31/2005</u>		<u>4/29/2005</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.05 (2)	Inward	564.68	Inward	564.44 (2)	Inward	(6)	NA	564.31 (2)	Inward	564.83	Inward
Inner	MH2	561.50		561.60		562.60		561.05		561.25		560.20	
Outer	River North	564.05 (2)	Inward	564.68	Inward	564.44 (2)	Inward	(6)	NA	564.31 (2)	Inward	564.83	Inward
Inner	MH6	554.95		556.19		556.22		555.58		555.93		556.01	
Outer	River Middle	564.18 (5)	Inward	564.56	Inward	564.32	Inward	564.46	Inward	564.08	Inward	564.71	Inward
Inner	MH8	559.77		561.02		561.06		560.47		560.78		560.89	
Outer	River South	564.30	Inward	564.81	Inward	564.69	Inward	564.79	Inward	564.56	Inward	565.15	Inward
Inner	MH12	561.57		561.81		561.92		562.05		562.11		562.26	

<i>Date Monitored</i>		<u>5/27/2005</u>		<u>6/24/2005</u>		<u>7/29/2005</u>		<u>8/31/2005</u>		<u>10/3/2005</u>		<u>10/31/2005</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.78	Inward	564.73	Inward	564.82	Inward	564.63(2)	Inward	564.80	Inward	564.80	Inward
Inner	MH2	560.23		561.50		562.70		561.62		561.52		561.68	
Outer	River North	564.78	Inward	564.73	Inward	564.82	Inward	564.63(2)	Inward	564.80	Inward	564.80	Inward
Inner	MH6	555.82		555.16		556.56		556.24		555.41		555.60	
Outer	River Middle	564.74	Inward	564.70	Inward	564.85	Inward	564.54	Inward	564.75	Inward	564.55	Inward
Inner	MH8	560.65		559.92		561.39		561.07		560.20		560.46	
Outer	River South	565.02	Inward	564.92	Inward	565.15	Inward	564.88	Inward	565.11	Inward	565.00	Inward
Inner	MH12	562.29		562.40		562.51		562.75		562.90		563.15	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
 - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
 - (3) Valves in MH6 were opened on November 18, 2002.
 - (4) Snow covered well, could not locate.
- NM - Not Measured
NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>11/22/2005</u>		<u>12/23/2005</u>		<u>01/27/2006</u>		<u>02/28/2006</u>		<u>03/24/2006</u>		<u>04/21/2006</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	563.93 (2)	Inward	564.01 (2)	Inward	564.11 (2)	Inward	564.04 (2)	Inward	564.19 (2)	Inward	564.39 (2)	Inward
Inner	MH2	561.62		562.55		562.95		563.17		562.68		562.31	
Outer	River North	563.93 (2)	Inward	564.01 (2)	Inward	564.11 (2)	Inward	564.04 (2)	Inward	564.19 (2)	Inward	564.39 (2)	Inward
Inner	MH6	555.20		556.20		556.21		554.70		555.64		555.61	
Outer	River Middle	564.05 (5)	Inward	564.13 (5)	Inward	564.23 (5)	Inward	564.16 (5)	Inward	564.31 (5)	Inward	564.26	Inward
Inner	MH8	560.64		561.05		561.02		558.44		560.43		560.40	
Outer	River South	564.18	Inward	564.26	Inward	564.36	Inward	564.29	Inward	564.44	Inward	564.64	Inward
Inner	MH12	563.29		563.46		563.61		563.73		563.47		563.49	
		<u>05/30/2006</u>		<u>06/26/2006</u>		<u>07/31/2006</u>		<u>08/25/2006</u>		<u>09/22/2006</u>		<u>10/31/2006</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.87	Inward	564.81	Inward	565.09	Outward	564.85 (2)	Inward	564.70	Inward	564.82	Inward
Inner	MH2	562.73		561.57		565.18		561.64		561.46		559.98	
Outer	River North	564.87	Inward	564.81	Inward	565.09	Inward	564.85 (2)	Inward	564.70	Inward	564.82	Inward
Inner	MH6	555.84		556.19		556.19		556.06		555.95		555.62	
Outer	River Middle	564.86	Inward	564.78	Inward	565.07	Inward	564.68	Inward	564.67	Inward	564.66	Inward
Inner	MH8	560.44		561.02		563.66		561.02		561.02		559.95	
Outer	River South	565.24	Inward	565.13	Inward	565.45	Inward	565.10	Inward	565.04	Inward	565.07	Inward
Inner	MH12	563.61		563.70		563.92		563.98		564.29		564.77	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
(3) Valves in MH6 were opened on November 18, 2002.
(4) Snow covered well, could not locate.
(5) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
NM - Not Measured
NA - Not Applicable

TABLE 2.3
 SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

		<u>11/29/2006</u>		<u>12/29/2006</u>		<u>01/26/2007</u>		<u>02/27/2007</u>		<u>03/30/2007</u>		<u>04/30/2007</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.16	Inward	564.82	Inward	564.71 (2)	Inward	564.21 (2)	Inward	564.40 (2)	Inward	564.82	Inward
Inner	MH2	561.35		561.52		561.39		561.53		560.25		560.99	
Outer	River North	564.16	Inward	564.82	Inward	564.71 (2)	Inward	564.21 (2)	Inward	564.40 (2)	Inward	564.82	Inward
Inner	MH6	555.93		555.93		556.04		556.23		556.24		556.31	
Outer	River Middle	564.28	Inward	564.41 (1)	Inward	564.46	Inward	564.33 (1)	Inward	564.28	Inward	564.78	Inward
Inner	MH8	560.73		560.80		560.89		561.07		561.09		561.14	
Outer	River South	564.41	Outward	564.54	Inward	564.96	Inward	564.46	Inward	564.65	Inward	565.26	Inward
Inner	MH12	564.87		561.89		560.86		559.97		560.20		559.85	
		<u>05/25/2007</u>		<u>06/29/2007</u>		<u>07/25/2007</u>		<u>08/31/2007</u>		<u>09/27/2007</u>		<u>10/31/2007</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
<i>Monitoring Location</i>													
Outer	River North	564.73 (2)	Inward	564.73 (2)	Inward	564.54 (2)	Inward	564.55(2)	Inward	564.23 (2)	Inward	563.81 (2)	Inward
Inner	MH2	560.85		560.85		561.49		561.10		561.49		561.57	
Outer	River North	564.73 (2)	Inward	564.73 (2)	Inward	564.54 (2)	Inward	564.55 (2)	Inward	564.23 (2)	Inward	563.81 (2)	Inward
Inner	MH6	556.12		556.45		556.24		556.24		556.02		556.17	
Outer	River Middle	564.67	Inward	564.64	Inward	564.41	Inward	564.44	Inward	564.27	Inward	563.98 (1)	Inward
Inner	MH8	561.02		561.26		561.02		561.04		560.47		561.08	
Outer	River South	564.98	Inward	564.98	Inward	564.79	Inward	564.80	Inward	564.48	Inward	564.06	Inward
Inner	MH12	560.04		560.14		560.16		560.23		560.40		560.56	

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

		<u>11/30/2007</u>		<u>12/31/2007</u>		<u>01/28/2008</u>		<u>02/29/2008</u>		<u>03/31/2008</u>		<u>04/28/2008</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.00 (2)	Inward	563.95 (2)	Inward	563.76 (2)	Inward	564.55 (2)	Inward	564.59 (2)	Inward	564.80 (2)	Inward
Inner	MH2	561.59		561.18		561.48		561.48		561.71		561.85	
Outer	River North	564.00 (2)	Inward	563.95 (2)	Inward	567.76 (2)	Inward	564.55 (2)	Inward	564.59 (2)	Inward	564.80 (2)	Inward
Inner	MH6	555.84		555.58		556.14		555.99		556.10		556.27	
Outer	River Middle	564.12 (1)	Inward	564.07 (1)	Inward	563.68	Inward	564.50	Inward	564.48	Inward	564.64	Inward
Inner	MH8	560.68		559.37		560.99		560.02		560.06		561.10	
Outer	River South	564.25	Inward	564.20	Inward	564.01	Inward	564.80	Inward	564.84	Inward	565.05	Inward
Inner	MH12	560.68		560.78		560.93		560.69		560.76		560.84	
		<u>05/29/2008</u>		<u>06/25/2008</u>		<u>07/31/2008</u>		<u>08/27/2008</u>		<u>09/26/2008</u>		<u>10/30/2008</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.76 (2)	Inward	564.83	Inward	564.73	Inward	564.47	Outward	564.46 (2)	Inward	564.46 (2)	Inward
Inner	MH2	562.00		562.57		562.69		565.69		562.21		561.67	
Outer	River North	564.76 (2)	Inward	564.83	Inward	564.73	Inward	564.47	Inward	564.46 (2)	Inward	564.46 (2)	Inward
Inner	MH6	556.65		557.84		560.18		559.36		558.36		557.64	
Outer	River Middle	564.75	Inward	564.72	Inward	564.69	Inward	564.42	Inward	564.34	Inward	564.37	Inward
Inner	MH8	561.39		562.66		563.00		564.13		563.21		562.57	
Outer	River South	565.01	Inward	565.04	Inward	565.01	Inward	564.79	Inward	564.71	Inward	564.71	Inward
Inner	MH12	560.92		561.05		561.24		561.39		565.55		561.74	

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3
SUMMARY OF HORIZONTAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

		<u>11/22/2008</u>		<u>12/31/2008</u>		<u>01/29/2009</u>		<u>02/25/2009</u>		<u>03/27/2009</u>		<u>04/30/2009</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	563.95 (2)	Inward	564.40 (2)	Outward	563.90 (2)	Outward	564.02 (2)	Outward	564.23 (2)	Outward	564.80	Inward
Inner	MH2	561.61		566.56		568.71		568.77		565.45		563.46	
Outer	River North	563.95 (2)	Inward	564.40 (3)	Inward	563.90 (2)	Inward	564.02 (2)	Inward	564.23 (2)	Inward	564.80	Inward
Inner	MH6	557.41		560.22		560.62		560.22		558.31		558.36	
Outer	River Middle	564.07 (1)	Inward	564.18	Outward	564.02 (1)	Inward	564.11	Inward	564.35 (1)	Inward	564.74	Inward
Inner	MH8	562.36		564.91		562.42		562.52		561.18		563.14	
Outer	River South	564.20	Inward	564.65	Inward	564.15	Inward	564.27	Inward	564.48	Inward	565.14	Inward
Inner	MH12	561.79		562.09		562.22		562.29		562.03		562.12	
		<u>05/27/2009</u>		<u>06/29/2009</u>		<u>07/27/2009</u>		<u>08/31/2009</u>		<u>09/30/2009</u>		<u>10/30/2009</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.95 (2)	Inward	565.02	Inward	565.12	Inward	564.90	Inward	564.80	Outward	564.52 (2)	Outward
Inner	MH2	561.36		561.56		561.64		561.76		565.80		566.21	
Outer	River North	564.95 (3)	Inward	565.02	Inward	565.12	Inward	564.90	Inward	564.80	Inward	564.52 (2)	Inward
Inner	MH6	558.18		556.26		556.22		556.06		558.36		558.71	
Outer	River Middle	564.78	Inward	564.93	Inward	565.05	Inward	564.86	Inward	564.71	Inward	564.35	Inward
Inner	MH8	563.08		560.74		560.99		560.85		561.46		561.66	
Outer	River South	565.20	Inward	565.23	Inward	565.45	Inward	565.25	Inward	565.10	Inward	564.77	Inward
Inner	MH12	562.17		563.68		562.64		562.79		562.87		562.99	

Notes:

(1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.

(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

		<u>11/30/2009</u>		<u>12/30/2009</u>		<u>01/29/2010</u>		<u>02/26/2010</u>		<u>03/30/2010</u>		<u>04/30/2010</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.19 (2)	Inward	564.12 (2)	Inward	564.78 (2)	Inward	566.60	Inward	566.80	Inward	564.55 (2)	Inward
Inner	MH2	561.87		561.72		561.67		561.75		562.58		562.61	
Outer	River North	564.19 (2)	Inward	564.12 (2)	Inward	564.78 (2)	Inward	566.60	Inward	566.60	Inward	564.55 (2)	Inward
Inner	MH6	555.76		557.87		555.87		555.72		556.36		556.62	
Outer	River Middle	563.98	Inward	563.89	Inward	564.63	Inward	564.29	Inward	564.19	Inward	564.38	Inward
Inner	MH8	560.65		562.80		560.13		560.66		560.76		561.11	
Outer	River South	564.44	Inward	564.37	Inward	565.03	Inward	564.36	Inward	564.45	Inward	564.80	Inward
Inner	MH12	563.10		563.31		563.49		563.56		560.01		559.66	
		<u>05/26/2010</u>											
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>										
Outer	River North	564.94 (2)	Inward										
Inner	MH2	563.33											
Outer	River North	564.94 (2)	Inward										
Inner	MH6	558.05											
Outer	River Middle	564.78	Inward										
Inner	MH8	562.87											
Outer	River South	565.19	Inward										
Inner	MH12	561.01											

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>6/15/2001</i>		<i>6/22/2001</i>		<i>6/29/2001</i>		<i>7/31/2001</i>		<i>8/20/2001</i>		<i>9/28/2001</i>		<i>10/22/2001</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>												
		<i>(ft amsl)</i>	<i>Direction</i>												
Upper	MH3	560.59	Upward	560.55	Upward	560.40	Upward	559.21	Upward	561.07	Upward	560.56	Upward	562.36	Downward
Lower	MW-6	562.54		562.50		562.42		562.90		562.09		562.13		562.08	
Upper	MH8	560.53	Upward	560.44	Upward	560.38	Upward	560.25	Upward	560.25	Upward	560.27	Upward	560.43	Upward
Lower	MW-7	561.48		561.41		561.39		561.30		561.29		561.32		561.31	
Upper	MH11	561.12	Upward	561.05	Upward	560.97	Upward	560.73	Upward	560.50	Upward	560.61	Upward	560.51	Upward
Lower	MW-8	561.69		561.54		561.46		561.19		561.05		561.07		561.27	
Upper	MH14	562.32	Upward	562.32	Downward	562.45	Downward	562.45	Neutral	561.72	Downward	561.70	Downward	562.10	Downward
Lower	MW-9	562.45		562.19		562.11		562.45		561.55		561.58		561.77	
Upper	MH15	NM													
<i>Date Monitored</i>		<i>11/27/2001</i>		<i>12/20/2001</i>		<i>1/29/2002</i>		<i>2/11/2002</i>		<i>3/25/2002</i>		<i>4/24/2002</i>		<i>5/21/2002</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>												
		<i>(ft amsl)</i>	<i>Direction</i>												
Upper	MH3	560.94	Upward	560.50	Upward	560.15	Upward	560.28	Upward	560.10	Upward	562.05	Downward	561.28	Upward
Lower	MW-6	561.88		561.83		561.83		561.73		561.72		561.88		561.97	
Upper	MH8	560.45	Upward	559.75	Upward	560.98	Upward	561.06	Upward	560.65	Upward	561.13	Upward	560.05	Upward
Lower	MW-7	561.36		561.25		561.89		561.50		561.60		561.95		561.38	
Upper	MH11	559.51	Upward	561.31	Downward	NM	--	561.23	Upward	560.97	Upward	561.41	Upward	560.35	Upward
Lower	MW-8	561.30		560.73		561.91		561.93		561.60		561.95		560.91	
Upper	MH14	561.87	Downward	561.89	Downward	562.53	Downward	562.18	Upward	562.77	Downward	563.09	Downward	563.25	Downward
Lower	MW-9	561.71		561.77		562.31		562.52		562.64		562.96		563.11	
Upper Average ⁽¹⁾	MH15	NM		562.17	Upward										
														562.89	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.
(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

TABLE 2.4
SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>6/20/2002</u>		<u>7/18/2002</u>		<u>8/6/2002</u>		<u>9/12/02</u>		<u>10/30/02</u>		<u>11/21/02</u>		<u>12/11/02</u>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>												
		<i>(ft amsl)</i>	<i>Direction</i>												
Upper	MH3	561.24	Upward	560.99	Upward	560.79	Upward	561.14	Upward	561.21	Upward	560.67	Upward	561.08	Upward
Lower	MW-6	561.92		561.89		561.92		561.82		561.97		562.05		562.04	
Upper	MH8	560.68	Upward	560.79	Upward	561.05	Upward	561.10	Upward	561.07	Upward	558.03	Upward	559.95	Upward
Lower	MW-7	561.54		561.65		561.93		561.99		561.95		561.41		561.25	
Upper	MH11	560.98	Upward	561.07	Upward	561.33	Upward	561.34	Upward	561.36	Upward	561.49	Downward	561.51	Downward
Lower	MW-8	561.50		561.60		561.88		561.91		561.95		560.99		560.73	
Upper	MH14	562.98	Downward	561.83	Upward	562.08	Upward	562.11	Upward	562.68	Downward	562.88	Downward	563.07	Downward
Lower	MW-9	562.91		562.84		562.75		562.66		562.57		562.74		562.91	
Upper	MH15	562.00	Upward	561.93	Upward	561.86	Upward	561.75	Upward	561.62	Upward	561.82	Upward	562.01	Upward
Average ⁽¹⁾		562.65	Upward	561.86	Upward	562.01	Upward	561.99	Upward	562.33	Upward	562.53	Upward	562.72	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.
(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

TABLE 2.4
SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>1/16/2003</i>		<i>2/25/2003</i>		<i>3/14/03</i>		<i>4/14/03</i>		<i>5/8/03</i>		<i>6/19/03</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>										
		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	561.20	Upward	561.10	Upward	561.17	Upward	561.22	Upward	561.03	Upward	561.83	Upward
Lower	MW-6	562.27		561.85		561.69		562.42		562.38		562.43	
Upper	MH8	561.04	Upward	560.60	Upward	560.61	Upward	558.65	Upward	560.76	Upward	560.85	Upward
Lower	MW-7	561.95		561.49		561.49		561.42		561.59		561.60	
Upper	MH11	561.68	Upward	561.60	Downward	561.57	Downward	558.53	Upward	561.03	Upward	561.12	Upward
Lower	MW-8	562.00		561.48		561.46		560.98		561.56		561.56	
Upper	MH14	563.37	Downward	563.07	Downward	563.09	Downward	563.54	Downward	563.26	Downward	563.41	Downward
Lower	MW-9	563.17		562.89		562.90		563.36		563.07		563.10	
Upper	MH15	562.28	Upward	562.01	Upward	562.05	Upward	562.49	Upward	561.02	Upward	562.25	Upward
Average ⁽¹⁾		563.01	Upward	562.72	Upward	562.74	Upward	563.19	Upward	562.84	Upward	563.02	Upward

<i>Date Monitored</i>		<i>7/21/03</i>		<i>8/28/03</i>		<i>9/30/03</i>		<i>10/20/03</i>		<i>11/03/03</i>		<i>12/23/03</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>										
		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.46	Upward	561.20	Upward	561.10	Upward	561.07	Upward	561.08	Upward	559.49	Upward
Lower	MW-6	562.31		562.21		562.53		562.52		562.33		562.30	
Upper	MH8	560.89	Upward	558.52	Upward	559.88	Upward	559.77	Upward	560.76	Upward	560.67	Upward
Lower	MW-7	561.74		561.29		561.35		561.17		561.12		561.48	
Upper	MH11	561.10	Upward	564.37	Downward	558.68	Upward	558.66	Upward	561.01	Upward	560.94	Upward
Lower	MW-8	561.69		562.35		561.17		560.02		561.57		561.34	
Upper	MH14	563.03	Downward	566.48	Downward	562.89	Downward	562.88	Downward	563.00	Downward	563.31	Downward
Lower	MW-9	562.89		566.17		562.77		562.75		562.85		563.20	
Upper	MH15	561.98	Upward	566.36	Downward	562.02	Upward	562.01	Upward	561.91	Upward	562.28	Upward
Average ⁽¹⁾		562.68	Upward	566.44	Downward	562.60	Upward	562.59	Upward	562.64	Upward	562.97	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

TABLE 2.4
SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<u>01/21/04</u>		<u>02/12/04</u>		<u>03/04/04</u>		<u>04/16/04</u>		<u>05/14/04</u>		<u>06/25/04</u>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.33	Upward	561.08	Upward	561.13	Upward	558.78	Upward	559.71	Upward	561.21	Upward
Lower	MW-6	562.32		562.16		562.21		562.48		562.39		562.27	
Upper	MH8	560.70	Upward	560.95	Upward	560.75	Upward	559.59	Upward	559.45	Upward	560.50	Upward
Lower	MW-7	561.55		561.81		561.61		561.71		561.70		561.42	
Upper	MH11	(2)	NA	561.23	Upward	561.04	Upward	559.85	Upward	559.87	Upward	560.79	Upward
Lower	MW-8	561.47		561.75		561.56		561.38		561.39		561.19	
Average ⁽¹⁾		(2)	NA	(2)	NA	562.08	Upward	562.43	Upward	562.41	Upward	562.41	Upward
Lower	MW-9	562.72		562.68		562.70		562.64		562.71		562.70	

<i>Date Monitored</i>		<u>07/30/04</u>		<u>08/31/04</u>		<u>09/30/04</u>		<u>10/20/04</u>		<u>11/23/04</u>		<u>12/31/04</u>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	561.25	Upward	560.59	Upward	560.81	Upward	561.19	Upward	561.05	Upward	560.74	Upward
Lower	MW-6	562.29		562.23		562.28		562.10		561.99		562.16	
Upper	MH8	560.04	Upward	560.67	Upward	560.71	Upward	560.82	Upward	559.77	Upward	561.02	Upward
Lower	MW-7	561.31		561.56		561.49		561.19		561.21		561.80	
Upper	MH11	560.26	Upward	560.94	Upward	561.00	Upward	561.09	Upward	560.05	Upward	561.23	Upward
Lower	MW-8	560.71		561.39		561.43		561.56		560.56		561.75	
Average ⁽¹⁾		561.33	Upward	562.73	Upward	562.67	Upward	562.46	Upward	561.23	Upward	561.96	Upward
Lower	MW-9	562.70		562.95		562.98		562.64		562.71		562.71	

Notes:

- NA - Not Applicable.
- NM - Not monitored. MH11 was blocked and could not be accessed.
- (1) - Distance weighted for MH14 (two thirds) and MH15 (one third).
- (2) - Buried with snow.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Date Monitored		1/28/2005		2/28/2005		3/31/2005		4/29/2005		5/27/2005		6/24/2005	
		Water Level	Gradient										
Monitoring Location		(ft amsl)	Direction										
Upper	MH3	562.15	Upward	559.96	Upward	559.94	Upward	559.54	Upward	558.92	Upward	561.09	Upward
Lower	MW-6	562.27		562.14		562.04		562.26		562.24		562.22	
Upper	MH8	561.06	Upward	560.47	Upward	560.78	Upward	560.89	Upward	560.65	Upward	559.92	Upward
Lower	MW-7	561.85		561.46		561.66		561.76		561.55		561.47	
Upper	MH11	561.33	Upward	560.74	Upward	561.06	Upward	561.15	Upward	561.13	Upward	560.18	Upward
Lower	MW-8	561.82		561.25		561.60		561.65		561.42		560.76	
Average ⁽¹⁾		(3)	NA	(3)	NA	562.91	Upward	562.57	Upward	562.90	Upward	562.59	Upward
Lower	MW-9	562.75		562.78		563.12		563.21		563.12		562.85	

Date Monitored		7/29/2005		8/31/2005		10/3/2005		10/31/2005		11/22/2005		12/23/2005	
		Water Level	Gradient										
Monitoring Location		(ft amsl)	Direction										
Upper	MH3	562.26	Downward	560.64	Upward	560.54	Upward	560.73	Upward	561.20	Upward	562.09	Upward
Lower	MW-6	562.11		562.09		562.24		562.34		561.67		562.45	
Upper	MH8	561.39	Upward	561.07	Upward	560.20	Upward	560.46	Upward	560.04	Upward	561.05	Upward
Lower	MW-7	562.27		561.94		561.40		561.52		561.49		561.85	
Upper	MH11	561.17	Upward	561.31	Upward	560.43	Upward	560.71	Upward	560.31	Upward	561.30	Upward
Lower	MW-8	562.15		561.85		560.95		561.25		561.00		561.84	
Average ⁽¹⁾		562.68	Upward	562.67	Upward	562.92	Upward	563.14	Upward	563.33	Upward	563.31	Upward
Lower	MW-9	562.88		562.91		563.20		563.39		563.53		563.50	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		01/27/2006		02/28/2006		03/24/2006		04/21/2006		05/30/2006		06/26/2006	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	562.53	Upward	562.26	Upward	561.77	Upward	561.84	Upward	562.30	Upward	560.63	Upward
Lower	MW-6	562.97		562.90		562.86		562.76		562.50		562.37	
Upper	MH8	561.02	Upward	558.44	Upward	560.43	Upward	560.40	Upward	560.44	Upward	561.02	Upward
Lower	MW-7	561.79		561.68		561.57		561.48		561.75		561.97	
Upper	MH11	561.26	Upward	558.38	Upward	560.60	Upward	560.63	Upward	560.28	Upward	561.26	Upward
Lower	MW-8	561.76		561.23		561.16		561.15		561.03		561.75	
Average ⁽¹⁾		563.73	Upward	563.73	Upward	563.67	Upward	563.41	Upward	563.20	Upward	563.16	Upward
Lower	MW-9	563.90		563.94		563.83		563.65		563.48		563.41	
<i>Date Monitored</i>		07/31/2006		08/25/2006		09/22/2006		10/31/2006		11/29/2006		12/29/2006	
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	564.78	Downward	561.21	Upward	561.01	Upward	555.62	Upward	560.85	Upward	560.42	Upward
Lower	MW-6	564.39		564.72		562.76		562.58		562.48		562.98	
Upper	MH8	563.66	Upward	560.89	Upward	560.51	Upward	559.95	Upward	560.73	Upward	560.80	Upward
Lower	MW-7	564.54		561.82		561.99		562.09		562.01		561.89	
Upper	MH11	564.03	Upward	561.10	Upward	559.81	Upward	558.19	Upward	560.54	Upward	560.96	Upward
Lower	MW-8	564.30		561.57		561.20		561.78		561.69		561.46	
Average ⁽¹⁾		563.85	Upward	563.89	Downward	562.44	Upward	564.13	Upward	560.73	Upward	561.59	Upward
Lower	MW-9	564.08		563.38		562.73		564.40		562.10		561.90	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>01/26/2007</i>		<i>02/27/2007</i>		<i>03/30/2007</i>		<i>04/30/2007</i>		<i>05/25/2007</i>		<i>06/29/2007</i>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.92	Upward	560.57	Upward	559.45	Upward	559.39	Upward	559.85	Upward	558.83	Upward
Lower	MW-6	562.78		562.49		562.30		562.62		562.48		562.32	
Upper	MH8	560.89	Upward	560.89	Upward	561.09	Upward	561.14	Upward	561.02	Upward	561.26	Upward
Lower	MW-7	562.06		561.96		562.05		562.20		562.05		562.16	
Upper	MH11	561.09	Upward	561.16	Upward	561.36	Upward	561.29	Upward	561.12	Upward	561.39	Upward
Lower	MW-8	561.73		561.86		561.85		561.77		561.61		561.79	
Average ⁽¹⁾		563.13	Upward	562.42	Upward	560.89	Upward	561.86	Upward	561.85	Upward	561.84	Upward
Lower	MW-9	563.41		562.64		562.66		562.13		562.10		562.12	
<i>Monitoring Location</i>		<i>07/25/2007</i>		<i>08/31/2007</i>		<i>09/27/2007</i>		<i>10/31/2007</i>		<i>11/31/2007</i>		<i>12/31/2007</i>	
		<i>Water Level</i>	<i>Gradient</i>										
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>										
Upper	MH3	560.54	Upward	559.62	Upward	561.05	Upward	560.69	Upward	560.58	Upward	559.69	Upward
Lower	MW-6	562.13		561.93		561.86		562.02		562.22		562.48	
Upper	MH8	561.02	Upward	561.04	Upward	560.47	Upward	561.08	Upward	560.68	Upward	559.37	Upward
Lower	MW-7	561.94		561.95		562.01		562.00		561.80		561.88	
Upper	MH11	561.18	Upward	561.28	Upward	559.56	Upward	561.36	Upward	561.00	Upward	558.54	Upward
Lower	MW-8	561.55		561.73		561.79		561.86		562.30		561.56	
Average ⁽¹⁾		561.78	Upward	561.38	Upward	561.82	Upward	561.85	Upward	560.96	Upward	561.83	Upward
Lower	MW-9	562.03		562.05		562.05		562.09		562.05		562.16	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

Monitoring Location		01/28/2008		02/29/2008		03/31/2008		04/28/2008		05/29/2008		06/25/2008	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	559.46	Upward	560.45	Upward	560.74	Upward	559.67	Upward	559.26	Upward	559.54	Upward
Lower	MW-6	562.68		562.38		562.33		562.73		562.66		562.79	
Upper	MH8	560.99	Upward	560.02	Upward	560.06	Upward	561.10	Upward	561.39	Upward	562.66	Upward
Lower	MW-7	561.95		562.06		562.54		562.07		562.28		563.49	
Upper	MH11	561.30	Upward	559.51	Upward	558.99	Upward	561.39	Upward	561.50	Upward	562.83	Upward
Lower	MW-8	561.80		561.89		561.89		561.90		561.82		563.28	
Average ⁽¹⁾		562.53	Upward	561.89	Upward	561.48	Upward	561.96	Upward	561.87	Upward	561.79	Upward
Lower	MW-9	562.78		562.17		562.24		562.56		562.14		562.11	
Monitoring Location		07/31/2008		08/27/2008		09/26/2008		10/30/2008		11/22/2008		12/31/2008	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	561.02	Upward	565.29	Downward	559.22	Upward	560.08	Upward	561.19	Upward	565.53	Upward
Lower	MW-6	563.27		565.10		563.42		562.97		565.10		566.09	
Upper	MH8	563.00	Upward	564.13	Upward	563.21	Upward	562.57	Upward	562.36	Upward	564.91	Upward
Lower	MW-7	563.86		564.95		564.07		563.49		563.27		565.70	
Upper	MH11	563.53	Upward	564.16	Upward	563.53	Upward	562.85	Upward	562.75	Upward	564.91	Upward
Lower	MW-8	566.07		564.61		564.03		563.93		563.29		565.33	
Average ⁽¹⁾		561.71	Upward	563.97	Upward	560.91	Upward	562.18	Downward	561.26	Upward	564.68	Upward
Lower	MW-9	561.97		564.15		562.02		561.83		561.76		564.71	

Notes:

- NA - Not Applicable.
- NM - Not monitored. MH11 was blocked and could not be accessed.
- (1) - Distance weighted for MH14 (two thirds) and MH15 (one third).
- (2) - Buried with snow.
- (3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location		01/30/2009		02/25/2009		03/27/2009		04/30/2009		05/27/2009		06/29/2009	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	570.75	Downward	571.27	Downward	559.49	Upward	560.06	Upward	560.29	Upward	561.28	Upward
Lower	MW-6	566.89		567.20		564.81		563.55		563.18		562.81	
Upper	MH8	562.42	Upward	562.52	Upward	561.18	Upward	563.14	Upward	563.04	Upward	560.74	Upward
Lower	MW-7	565.96		564.31		562.90		564.03		563.93		562.12	
Upper	MH11	564.96	Upward	559.64	Upward	561.11	Upward	563.38	Upward	563.45	Upward	560.98	Upward
Lower	MW-8	565.25		562.05		561.66		563.93		564.03		562.26	
Average ⁽¹⁾		560.92	Upward	561.59	Upward	561.11	Upward	563.29	Upward	564.39	Upward	565.24	Downward
Lower	MW-9	563.48		563.30		562.67		563.36		564.58		564.76	
Monitoring Location		07/27/2009		08/31/2009		09/30/2009		10/30/2009		11/30/2009		12/30/2009	
		Water Level	Gradient										
		(ft amsl)	Direction										
Upper	MH3	559.34	Upward	561.29	Upward	565.67	Downward	566.49	Downward	561.41	Upward	560.01	Upward
Lower	MW-6	562.63		562.47		564.80		565.37		563.19		562.79	
Upper	MH8	560.99	Upward	560.85	Upward	561.46	Upward	561.66	Upward	560.65	Upward	562.80	Upward
Lower	MW-7	562.00		561.82		562.78		563.06		561.81		563.66	
Upper	MH11	561.40	Upward	561.28	Upward	560.10	Upward	560.77	Upward	561.13	Upward	563.24	Upward
Lower	MW-8	562.16		562.10		561.60		561.70		561.89		563.93	
Average ⁽¹⁾		564.56	Upward	564.38	Upward	564.62	Downward	564.47	Downward	564.47	Downward	564.80	Upward
Lower	MW-9	564.59		564.65		564.39		564.35		564.44		564.81	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location		01/29/2010		02/26/2010		03/30/2010		04/30/2010		05/26/2010	
		Water Level	Gradient								
		(ft amsl)	Direction								
Upper	MH3	560.02	Upward	561.26	Upward	561.25	Upward	560.99	Upward	559.94	Upward
Lower	MW-6	562.60		562.38		562.69		562.78		562.80	
Upper	MH8	560.13	Upward	560.66	Upward	560.76	Upward	561.11	Upward	562.87	Upward
Lower	MW-7	561.84		561.61		561.89		562.04		563.65	
Upper	MH11	559.72	Upward	561.15	Upward	561.59	Upward	560.40	Upward	563.21	Upward
Lower	MW-8	562.18		561.87		562.56		562.25		563.61	
Average ⁽¹⁾		563.66	Upward	563.55	Upward	564.24	Upward	564.20	Upward	564.20	Upward
Lower	MW-9	564.50		563.98		564.79		564.62		564.57	

Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.5
GROUNDWATER SAMPLING SUMMARY
OPERATION AND MAINTENANCE MANUAL
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

LOCATIONS

OGC1	MW-6
OGC2	MW-7
OGC3	MW-8
OGC4	MW-9
OGC5	OGC6
OGC7	OGC8

- FREQUENCY**
- quarterly for 2 years following GWS startup.
 - semi-annually for Year 3 except for OGC-4 (quarterly for SVOCs) and OGC-6 (quarterly for VOCs).
 - annually for Years 4 through 7 (until May 2008).

SAMPLING PROGRAM (MAY 2009 THROUGH MAY 2012)

<i>Annual</i>	<i>Once Every 2 Years</i> <i>(2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

PARAMETERS

<u>Volatiles</u>	
Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	
<u>Semi-Volatiles</u>	
1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	MW-9																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/25/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																		
Acetone	50	9.4J	4.3J	7.3J/6.7J		4.2J	7.0/7.2			13/12		17	17		5.7	4.8J	5.9	
Benzene	1		0.24J	0.39J/0.35J		0.44J	0.29J/0.30J	0.29J/0.29J		0.40J/ND0.70				0.54J		0.76		
2-Butanone	50													2.6J				
Chlorobenzene	5		0.50J	0.86J/0.85J		1.3		1.0/1.1		0.91J/0.87J		1.1	1.7	1.5	2.8	1.4	5.3	2.5
trans-1,2-Dichloroethene	5			0.22J/ND		0.31J	0.24J/0.24J	0.22J/0.20J						0.42J	0.55J	0.74J		
Ethylbenzene	5		0.30J	0.46J/0.42J		0.73J	0.44J/0.42J	0.46J/0.46J		0.40J/0.38J				0.83J		1.2	0.82J	
Methylene Chloride	5		0.34J	0.33J/ND	4.0J	0.53J						7.2	1.6					
Tetrachloroethene	5	1.6J	1.1J	1.0J/0.92J		1.6	0.92J/0.80J	0.77J/0.74J		0.67J/0.71J				0.57J		0.82J	0.57J	
Toluene	5		1.6J	3.0J/2.5J	2.8J	2.7	2.1/2.0	2.7/2.7	2.0	2.0/1.9	4.6	3.2	2.6		3.1	2.4	3.8	3.8
Trichloroethene	5	2.2J	1.8J	2.4J/2.2J	3.0J	4.4	2.0/2.0	2.2/2.3		1.8/1.8	9.5	4.9	3.0	1.8	2.9	1.7	4.7	2.6
Vinyl Chloride	2									1.7/1.7			3.6	4.0			4.2	
Total Xylenes	5		1.0J	1.5J/1.5J		2.5J	1.3J/1.3J	1.4J/1.4J		0.98J/1.0J	3.0			2.0J			3.3	2.2J
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*				0.6J										0.9J	0.7J		1.4J
1,4-Dichlorobenzene	3*												2J	3J	1J	2.3J		1.7J
2,4-Dimethylphenol	50	12	12	18/17	38		20/22	30/34	30	35/36	36	42	50	58	46	31	110	41
2-Methylphenol	NL	1J	3J	3J/3J	7J		4J/4J	6J/6J	6J	6J/6J	6J	5J	8J	8J	6	6	12	9.9J
4-Methylphenol	NL	69	110	97/92	230		100/110	190/230	150	130/130	160	190	260	190	170	96	300	180
Naphthalene	10														0.2J	0.5J		
Di-n-octyl phthalate	50																	
Phenol	1	3J	34	28/22	24		38/41	34/35	42	46/46	180	30	27	49	11	13	20	20

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-4																		
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	3/04/04	05/14/04	11/23/04	05/27/05	05/30/06	05/25/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)												NA	NA							
Acetone	50			7.9J			4.0J												1.6J	
Benzene	1		0.21J	0.2J																
2-Butanone	50																			
Chlorobenzene	5		0.49J	0.66J		0.83J/0.79J		0.46J		0.83J										
trans-1,2-Dichloroethene	5			0.22J																
Ethylbenzene	5		0.41J	0.39J		0.54J/0.53J	0.48J	0.39J		0.77J										0.44J
Methylene Chloride	5				5.1J/4.9J							4.6		2.0						
Tetrachloroethene	5	1.0J	1.2J	0.87J		0.86J/0.84J	1.1	0.78J		0.77J										
Toluene	5			1.0J		1.0/0.98J	1.4	0.72J		1.2										
Trichloroethene	5	1.6J	1.4J	1.5J		1.5/1.4	1.7	0.96J		1.5						0.53J				
Vinyl Chloride	2																			
Total Xylenes	5		1.0J	0.94J		0.84J/0.82J	1.1J			0.95J										
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*																			
1,4-Dichlorobenzene	3*																			
2,4-Dimethylphenol	50	8J	12	6J	8J/6J	7J/7J	8J		7J/7J	8J	4J	6J		4J				0.9J		0.51J/ND
2-Methylphenol	NL	0.9J	2J	35	2J/ND	1J/2J	2J			3J		3J		2J				0.5J		2.7J
4-Methylphenol	NL	64	86	40	58/55	61/67	68		69/68	73	32	55		31	14	15	3J	6		
Naphthalene	10																	0.5J		3.4J/3.4J
Di-n-octyl phthalate	50																			
Phenol	1	310	560	400	420/460	710/1100	1100	1100	2400/2300	1800	1600		2400	1500	850	510	84	66	25	15/15

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date		OGC-8																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	05/08/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																		
Class GA	Level																	
Acetone	50	78	31/29	19J		4.7J	3.6J				6.2	5.8	4.7J			9.9	1.5J	
Benzene	1	11	14/14	14		2.6	5.3	3.3	3.6	3.1	1.8	1.2	1.1	0.92	0.54J	0.84	0.58J	
2-Butanone	50	4.0J																
Chlorobenzene	5	3.7J	4.1J/4.1J	4.0J		0.87J	1.7	1.1		1.1	0.65J	0.48J	0.43J	0.44J				
trans-1,2-Dichloroethene	5	4.3J	3.2J/3.1J	4.0J		0.76J	1.5	0.88J		1.0	0.50J	0.41J	1.0					
Ethylbenzene	5	13	16/16	15	1.6J	2.8	5.8	3.1	3.9	3.1	1.8	1.2		0.99J	0.53J	0.84J	0.50J	
Methylene Chloride	5		0.52J/0.48J	0.62J	1.8J													
Tetrachloroethene	5	40	51/52	59	7.7J	9.9	22	12	14	11	7.0	5.0	3.8	4.0	2.0	2.3	1.6	
Toluene	5	140	140/140	110	17J	21	53	28	38	27	16	11	8.1	8.3	4.0	6.4	3.7	
Trichloroethene	5	120	110/110	110	20J	22	53	27	35	27	17		7.7	7.6	4.0	6.5	4.0	
Vinyl Chloride	2	3.7J	3.4/3.6	3.1	1.1J		1.4	0.70J		0.78J								
Total Xylenes	5	43	55/54	46	4.8J	8.3	18	9.5	11	9.9	5.4	3.7	3.0	3.2	1.1J	2.5J	1.5J	
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*																	
1,4-Dichlorobenzene	3*																0.2J	
2,4-Dimethylphenol	50	2J	4J/2J	4J	0.8J	0.8J	3J	1J									1J	0.73J
2-Methylphenol	NL	18	30/25	16	4J	5J	13	7J	11	7J	4J	2J	2J	3J	2J	2J		2.2J
4-Methylphenol	NL	30	51/45	28	8J	10	26	14	20	14J	9	5J	6J	8J	6	8	5.7	6.5J
Naphthalene	10	1J	3J/25	1J						0.9J								
Di-n-octyl phthalate	50		0.1J/ND															
Phenol	1	30	49/44	31	5J	8J	11	10		4J	6J	2J						

Notes:

* Applies to sum of compounds

NL - Not listed

□ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	River South														
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50						3.0J						3.2J			12
Benzene	1										0.42J					
2-Butanone	50												3.9J			3.1J
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5						0.30J									
Toluene	5			0.29J			0.72J	0.35J			1.8					
Trichloroethene	5						0.44J									
Vinyl Chloride	2						0.27J									
Total Xylenes	5										1.8J					
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50															
Phenol	1															

Notes:

* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location		MW-8																
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/29/09	05/26/10
Class GA Level																		
Volatiles (µg/L)																		
Acetone	50	52	12J	11J	75J	67	20			73		28/33	26	16	6.6/7.5	23	2.6J	
Benzene	1	6.5	4.3	4.1		8.6	12	12	8.1	12	23/24	10/12	4.2	4.4	1.6/1.5	1.5	2.7	
2-Butanone	50															4.4J		
Chlorobenzene	5	1.8J	1.0J	1.0J		3.2	4.9	4.4	3.6	6.2	6.0/6.4	2.7/3.3	2.4	2.4	0.84J/0.82J	0.54J	0.99J	
trans-1,2-Dichloroethene	5	2.2J	1.8J	2.9J	4.8J	7.3	11	16	12	13	10/12	7.3/9.4	7.4	5.3	4.4/3.9	3.6	6.8	
Ethylbenzene	5	5.7	3.7J	4.4J	8.2J	12	18	18	15	23	30/32	20/24	4.6	5.8	2.5/2.2	1.8	4.2	
Methylene Chloride	5	1.1J	0.58J	0.66J	4.4J	1.2	1.4	1.6		1.3	2.2/2.2	7.3/9.2	1.7	0.64J				
Tetrachloroethene	5	21	12	9.8	23J	32	61	58	54	80	91/100	120/130	62	71	16/14	9.5	12	
Toluene	5	75	36	31	80	100	140	160	100	120	240/240	97/120	30	33	12/11	10	26	
Trichloroethene	5	82	40	35	110	180	320	280	210	320	460/460	380/390	180	150	40/36	29	68	
Vinyl Chloride	2	5.2	1.6J	3.3	23	12	18	14	12	18	21/21	13/16	5.8	5.1				
Total Xylenes	5	22	13	16	30J	40	68	69	58	93	120/120	92/110	32	25	9.8/9.1	6.7	19	
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*				2J	2J		2J		4J	3J/3J					0.4J	1.5J	
1,4-Dichlorobenzene	3*			0.6J	2J	1J	1J	2J		4J	3J/3J	19U/2J	4J	5J	0.5J/0.4J	0.5J	2.1J	
2,4-Dimethylphenol	50	1J	11	16	19	18	15	27	20	27	37/38	15J/14	7J	6J	0.8J/0.6J	14	14	13
2-Methylphenol	NL	33	55	41	48	44	38	56	37	35	45/46	18J/18	18J	16	7/7	26	32	22
4-Methylphenol	NL	10	32	34	55	60	59	83	64	75	130/130	34/31			18/16	31	29	38
Naphthalene	10				0.7J	0.8J	0.8J	1J			2J/2J				22/22	1J		
Di-n-octyl phthalate	50																	
Phenol	1	43	130	140	85	110	91	110	140	78	80/80	28/28	11J	4J	20/21	32	15	13

Notes:

* Applies to sum of compounds

NL - Not listed

□ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-3																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																		
Acetone	50	13J /19J	3.8J	15J		7.1	6.7			5.6			10/8.4	2.8J	0.76	6.0	2.9J/2.6J	
Benzene	1	1.6J /1.6J	1.6	1.8		1.8	1.2	1.5		1.6	1.4		1.2/1.1	0.93J		0.93	0.75/0.78	
2-Butanone	50																	
Chlorobenzene	5		0.24J	0.28J		0.28J		0.22J										
trans-1,2-Dichloroethene	5	1.6J /1.6J	1.0J	1.4J	1.1J	1.1	0.98J	0.44J		1.0								
Ethylbenzene	5	1.6J /1.5J	2.0J	2.3J	1.5J	2.4	1.7	1.8		2.0			1.4/1.3	1.1	0.85J	0.92J	0.69J/0.73J	
Methylene Chloride	5				1.9J							6.3	1.2/1.0					
Tetrachloroethene	5	2.4J /2.2J	3.0J	2.2J	1.7J	2.2	1.8	1.8		1.5			0.71J/0.63J	0.61J	0.56J			
Toluene	5	5.7 /5.1	5.9	5.3		5.1	3.7	4.6	4.0	4.3	3.6	2.6	2.6/2.4		1.7	1.8	1.4/1.4	
Trichloroethene	5	20 /20	18	19	14J	17	14	13	12	14	9.8	7.7	6.4/6.1	5.6	4.3	4.9	3.3/3.5	
Vinyl Chloride	2	ND /1.0J	0.4	0.72						0.62J								
Total Xylenes	5	5.6J /5.4J	7.5	8.7	4.8J	7.8	5.8	5.8	5.0	6.6	3.9		3.3/3.0	2.9J	2.1J	2.3J	1.7J/1.7J	
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*				1J										0.6J	0.7J	0.86J	
1,4-Dichlorobenzene	3*				0.7J		0.5J									0.6J	0.58J	
2,4-Dimethylphenol	50	5J /5J	9	8J	11	11	7J	8J	11	12	10	9J	8J/4J	6J	6	6	6.2/5.9	4.3J
2-Methylphenol	NL	98 /96	120	87	160	140	100	100	120	140	150	110	83/73	64	47	45	44/43	36
4-Methylphenol	NL	13 /13	21	17	28	23	14	15	22	23	20	17	14/12	13	10	11	11/11	9.9
Naphthalene	10																0.8J	
Di-n-octyl phthalate	50																	
Phenol	1	120 /110	140	130J	210	140	85	92	110	120	120	90	78/74	75	60	65	60/57	50

Notes:

* Applies to sum of compounds

NL - Not listed

□ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	GW-5S				OGC-7															
	12/17/87	08/12/88	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/27/09	05/26/10	
Volatiles (µg/L)	Class GA Level																			
Acetone	50	293	21J	0.25J	8.2J			3.6J												
Benzene	1	2			0.30J		0.28J	0.20J	0.26J				0.34J	0.34J						
2-Butanone	50	27																		
Chlorobenzene	5																			
trans-1,2-Dichloroethene	5	180	89	6.3	3.1J	5.4	4.9J	4.8J	4.2	4.7	4.0	5.4	5.0	5.9	4.9	5.8	3.8		2.7	
Ethylbenzene	5	9	7J	1.1J	0.80J	1.0J		1.3	0.84J	0.91J		1.4	0.93J	1.5	1.4	1.3	0.87J	0.84J	0.62J	
Methylene Chloride	5	1																		
Tetrachloroethene	5	11	7J	4.3J	3.6J	3.4J	2.9J	4.0	3.4	2.7	2.8	4.1	2.2	4.1	2.9	2.8	1.7	1.2J	0.80J	
Toluene	5	75	49	12	5.8	6.7	5.7J	6.9	5.2	6.0	6.7	8.6	5.8	9.3	8.3	8.6	5.0	4.9J	3.3	
Trichloroethene	5	287	220	70	40	48	45	68	44	38	50	56	38	56	37J	37	22	21J	14	
Vinyl Chloride	2	7	4J	2.6J	0.84	1.7J	3.5J	2.2	1.8	1.8		2.3	2	2.9	3.0	2.9		2.6J		
Total Xylenes	5	54	37	6.0J	4.8J	6.5	3.9J	7.6	5.3	5.3	5.5	8.7	5.4	10	8.6	8.2	5.3	5.0J	3.6	
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*		2J																	
1,4-Dichlorobenzene	3*																			
2,4-Dimethylphenol	50	10	11		2J															
2-Methylphenol	NL	24	24	3J	2J	1.0J	0.8J	1J									0.6J	0.5J		
4-Methylphenol	NL	38				0.9J	0.7J	1J									0.6J	0.4J		
Naphthalene	10																			
Di-n-octyl phthalate	50						0.6J													
Phenol	1	61	92	4J	0.7J															

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	<i>River Middle</i>														
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50								3.1J							2.8J
Benzene	1															
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5														1.3	
Toluene	5															
Trichloroethene	5								0.21J							
Vinyl Chloride	2															
Total Xylenes	5															
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50						0.7J									
Phenol	1															

Notes:

* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	MW-7														
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50	5.7J		6.5J		4.3J	5.4			4.8			4.3J	3.0J	3.9J	3.3J/3.4J
Benzene	1		1.9	2.0		2.0	1.3	1.8		0.90			0.58J			
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5		0.82J	1.1J		0.98J	0.89J	1					0.36J			
Ethylbenzene	5		0.85J	0.81J		1.0	0.61J	0.75J					0.32J			
Methylene Chloride	5				1.6J											
Tetrachloroethene	5			0.27J												
Toluene	5		3.5J	3.6J		3.3	1.9	3		1.1	2.8		0.93J			
Trichloroethene	5		0.55J	0.63J		0.43J	0.45J	0.36J								
Vinyl Chloride	2		1.6J	2.0	3.8J	2.9	1.7	2.2		1.3			0.80J			0.64J/0.61J
Total Xylenes	5		2.1J	2.1J		2.7J	1.5J	1.9J		0.76J						
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50			2J	2J	3J	0.7J	2J								
2-Methylphenol	NL		3J	2J	4J	6J	1J	2J			2J					0.4J/0.5J
4-Methylphenol	NL		3J	2J	4J	6J	1J	2J			1J			0.3J		0.5J/0.6J
Naphthalene	10															
Di-n-octyl phthalate	50				0.6J											
Phenol	1		24	7J	10	26	2J	6J		5J	2J		1J			

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	OGC-2															
	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/25/07	05/29/08	05/26/10
Volatiles (µg/L)	Class GA Level															
Acetone			11J			3.0J					4.5J	3.1				
Benzene																
2-Butanone																
Chlorobenzene																
trans-1,2-Dichloroethene																
Ethylbenzene																
Methylene Chloride				1.7J												
Tetrachloroethene																
Toluene										0.37J						
Trichloroethene		0.39J														
Vinyl Chloride			0.26J		0.25J	0.26J										
Total Xylenes																
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene																
1,4-Dichlorobenzene																
2,4-Dimethylphenol																
2-Methylphenol																
4-Methylphenol																
Naphthalene																
Di-n-octyl phthalate																
Phenol																

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location		OGC-6																		
Date	Class GA Level	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	03/04/04	05/14/04	11/23/04	05/27/05	05/31/06	05/24/07	05/29/08	05/27/09	05/26/10
Volatiles (µg/L)																				
Acetone	50			6.6J			5.0			3.7J						8.6/8.7			1.6J	
Benzene	1									0.71	0.87	1.4		2.5	5.2	12/12	7.2		3.2	3.6
2-Butanone	50																			
Chlorobenzene	5																			
trans-1,2-Dichloroethene	5			0.23J	0.23J	0.37J	0.45J	0.55J		1.4	2.0	2.1		3.6	5.3	11/12	7.1		4.4	8.2
Ethylbenzene	5					0.31J				0.85J	1.1	2.0	3.3	3.1	7.4	20/20	12		4.8	5.2
Methylene Chloride	5			2.1J									4.4	2.5	2.2					
Tetrachloroethene	5		1.4J	0.73J		6.6	7.4	5	12	49	51	230	300	260	550	2000/2100	1400	34	400	640
Toluene	5			0.55J		2.0	1.6	1.5	2.4	9.3	12	27	40	35	72	240/260	97	2.9	34	38
Trichloroethene	5	3.0J	4.7J	3.1J	5.9	16	19	13	26	95	120	330	530	330	610	1800/1800	1100	31	320	410
Vinyl Chloride	2					0.22J	0.25J			0.45J						2.9/2.8	1.5			1.2
Total Xylenes	5		0.22J	0.53J	0.26J	1.7J	1.2J	1.0J		4.1	4.7	8.6	13	12	28	79/76	46		18	20
Semi-Volatiles (µg/L)																				
1,2-Dichlorobenzene	3*																			
1,4-Dichlorobenzene	3*																			
2,4-Dimethylphenol	50							1J											0.9J	
2-Methylphenol	NL		2J	2J	32	11	8J	9J	13	22	27		63		85	89/110	76	76	32	32
4-Methylphenol	NL			1J	0.02J	10							1J		2J	84/100	2J	70	1.1J	1.4J
Naphthalene	10															1J/2J	2J	2J	1.2J	1.4J
Di-n-octyl phthalate	50																			
Phenol	1		7J	2J	4J	5J	3J	2J		5J	3J		9J		8J	13/16	8	8		

Notes:
 * Applies to sum of compounds
 NL - Not listed
 [] Exceeds Class GA Level
 NS - Not Sampled
 J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	River North												
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06
Volatiles (µg/L)														
Acetone	50						2.4J		NS			3.6J	3.6J	
Benzene	1					0.21J					2.0	0.39J		
2-Butanone	50													
Chlorobenzene	5					1.3						3.2		
trans-1,2-Dichloroethene	5					0.25J						1.0		
Ethylbenzene	5					20						40		2.9
Methylene Chloride	5				1.6J									
Tetrachloroethene	5					3.8						7.7		1.3
Toluene	5			0.39J		63			0.96J			130	2.2	14
Trichloroethene	5			0.35J		4.5						6.4		0.59J
Vinyl Chloride	2					3.7						9.3		
Total Xylenes	5					80			0.96J			210	3.7	23
Semi-Volatiles (µg/L)														
1,2-Dichlorobenzene	3*													
1,4-Dichlorobenzene	3*													
2,4-Dimethylphenol	50								1J					
2-Methylphenol	NL													
4-Methylphenol	NL													
Naphthalene	10													
Di-n-octyl phthalate	50													
Phenol	1													

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	OGC-5														
		05/20/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Volatiles (µg/L)																
Acetone	50	38J		11J		6.4			4.9J		0.61J		3.0J		3.5J	
Benzene	1		1.5	1.4		0.87	0.92	0.87	0.77				0.67J	0.54J	0.69J	
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5		0.65J	0.76J		0.42J	0.57J	0.52J			0.34J					
Ethylbenzene	5		0.21J	0.23J												
Methylene Chloride	5				3.4J								2.4			
Tetrachloroethene	5		0.38J	0.27J												
Toluene	5		2.5J	2.2J		0.99J	0.87J	1.2	0.80J		0.80J					
Trichloroethene	5		0.87J	0.66J		0.36J	0.41J	0.40J			0.28J					
Vinyl Chloride	2		1.6J	1.2J		1.1	1.5	1.2	1.1		1.4		1.2	0.95J	1.4	
Total Xylenes	5		1.0J	1.0J		0.67J	0.37J	0.40J			1.0J					
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50		8J	6J	5J		1J	6J								
2-Methylphenol	NL		1J	1J	1J									0.5J	0.3J	
4-Methylphenol	NL		2J	5J	4J			2J						0.9J	0.4J	
Naphthalene	10		1J	1J			0.5J	1J						2J	0.5J	1.6J
Di-n-octyl phthalate	50			1J	0.8J											
Phenol	1		0.9J													

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
SUMMARY OF DETECTED COMPOUNDS
SITE GROUNDWATER AND RIVER WATER
GRATWICK-RIVERSIDE PARK
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	GW-6S				MW-6													
		12/15/1987	08/10/88	05/18/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08	05/26/10
Volatiles (µg/L)																			
Acetone	50	684	4.9J					4.4J			44		6.7	13	31				
Benzene	1	3		0.64J			0.65J	0.59J	0.56J		0.57J								
2-Butanone	50																		
Chlorobenzene	5		3.3J		1.5J	1.3J		0.65J		0.54J		0.81J		0.37J					
trans-1,2-Dichloroethene	5	58	4.4J		1.1J			0.37J	0.32J	0.34J		1.4		0.52J					
Ethylbenzene	5	2			0.21J														
Methylene Chloride	5						1.8J								2.1				
Tetrachloroethene	5	43			0.44J						0.67J		0.25J						0.55J
Toluene	5	16	3.0J		2.2J	0.29J		1.3	0.91J	1.1		2.1		0.92J					0.73J
Trichloroethene	5	62	5.1J		2.0J		1.2J		1.1	1.5	3.2	14	12	3.7	1.5	1.2	0.97J		2.3J
Vinyl Chloride	2	11	1.7J					0.29J	0.24J	0.22J		0.52J							
Total Xylenes	5	7			0.90J	0.44J		0.36J	0.27J										
Semi-Volatiles (µg/L)																			
1,2-Dichlorobenzene	3*																		0.66J
1,4-Dichlorobenzene	3*			1J		0.7J	2J						2J			0.8J	0.6J		4.2J
2,4-Dimethylphenol	50	5		5J	5J	3J	2J	1J	0.9J	9J			6J						1.4J
2-Methylphenol	NL	3		5J	6J	2J	2J	2J	1J	0.9J			5J			0.5J	0.3J		1.8J
4-Methylphenol	NL	4		15	13	5J	4J	3J	2J	2J			12			1J	1J		2.5J
Naphthalene	10			67	69		1J		14	13			76		5J		2J	1J	7.8J
Di-n-octyl phthalate	50						2J												
Phenol	1	3		14	4J	2J	0.8J						250			2J	0.6J	0.4J	1.9J

Notes:

- * Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6
 SUMMARY OF DETECTED COMPOUNDS
 SITE GROUNDWATER AND RIVER WATER
 GRATWICK-RIVERSIDE PARK
 NORTH TONAWANDA, NEW YORK

Location		OGC-1																
Date	Class GA	05/18/01	05/25/07	8/21/2001	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/24/08	
Volatiles (µg/L)																		
	Level																	
Acetone	50	20J			11J			4.8J										
Benzene	1			0.64J	0.55J				0.26J									
2-Butanone	50	1.1J																
Chlorobenzene	5	2.2J	2.8	2.0J	1.7J		0.24J		0.78J		0.91J							
trans-1,2-Dichloroethene	5	5.6		3.7J	4.6J	1.8J	0.48J	0.58J	2.7		2.8	0.85J				0.55J		
Ethylbenzene	5			0.52J	0.43J				0.21J									
Methylene Chloride	5					1.6J								1.8				
Tetrachloroethene	5			0.78J	0.54J		0.42J	0.53J	0.30J			0.29J						
Toluene	5	5.2	3.1	5.4	4.2J		0.48J	0.43J	1.9	1.7	2.6	0.59J						
Trichloroethene	5	15	2.9	16	11	4.5J	2.2	2.7	6.1	5.1	8.4	2.2	0.47J	1.2	1.9	0.53J	4.2	
Vinyl Chloride	2	1.3J		0.51J	0.72J				0.42J		0.64J							
Total Xylenes	5			2.1J	1.6J				0.49J		0.86J							
Semi-Volatiles (µg/L)																		
1,2-Dichlorobenzene	3*		0.9J															
1,4-Dichlorobenzene	3*	1J	3J	3J	2J	1J			1J									
2,4-Dimethylphenol	50	9J	46	16	8J	3J		0.6J	9J		4J							
2-Methylphenol	NL	6J	6	12	5J	2J			2J		3J							
4-Methylphenol	NL	20	170	35	15J	5J		1J	5J	6J	8J				2J			0.4J
Naphthalene	10	71	0.2J	130		21		7J	18		25	3J						0.5J
Di-n-octyl phthalate	50																	
Phenol	1	150	11	290	57	15	1J	8J	4J		19							

Notes:

- * Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
07/24/00						7.8					10.3				
10/24/00						7.7					10.5				
03/29/01				7.60	10.82		NM			12.55		8.68		9.80	
05/11/01	*	*	*	*	*	*	*	8.30	8.17	8.50	10.16	8.90	11.22	9.22	11.26
05/18/01				11.05	11.14		10.42		10.00	10.50		8.19		8.70	
06/08/01	9.25						9.35		6.90	8.24		7.33		8.40	
06/15/01		10.1	10.38	9.6	9.6		9.4		6.91	8.22		7.43	10.65	8.46	
06/22/01		*	*	*	*										
06/29/01		10.9	10.8	11	10.9		10.56		7	8.97		9.27	11.33	8.63	
07/31/01		10.82	10.81	10.97	11.25		10.54		7.92	8.55		9.2	11.28	9.35	
08/20/01		11	11	9.86	10.95		10.44		7.9	8.31		7.71	11.45	8.49	
09/28/01		10.75	10.97	9.89	11.01		10.6		7.93	8.3		9.0	11.15	8.75	
10/22/01		10.7	10.45	10.5	11		7.86		6.1	9.32		8.97	8.49	8.87	
11/27/01		10.61	10.46	10.12	11.65		10.3			10.54		10.01	8.61	8.63	
12/20/01		10.17	10.11	9.97	11.22		10.19		9.98	10.37		9.68	8.42	8.51	
01/29/02		11.8	11.62	11.15	11.82		10.48		9.91	10.86		10.56	11.91	10.23	
02/11/02		10.26	10.16	10.5	10.4				7.79	11.44		10.04	11.74	8.33	
03/25/02		10.62	10.45	11.22	10.69		10.36		9.94	11.4		10.03	12.21	9.65	
04/24/02		10.37	10.22	10.68	11.36		9.97		9.46	11.15		9.73	11.3	9.52	
05/21/02		9.96	9.81	10.76	10.42		9.85		9.25	11.91		9.38	9.69	9.2	
06/20/02		10.64	9.4	10.91	11.19		9.77		9.46	11.4		10.59	11.76	9.46	
07/18/02		10.89	10.69	10.87	11.75		9.63		9.32	11.24		10.24	11.76	9.51	
08/06/02		10.62	10.47	8.21	5.67		7.25		8.79	8.78		7.46	11.24	7.83	
09/12/02		10.92	11.23	11.17	11.85		9.61		9.27	11.29		10.26	11.9	9.51	
10/30/02		10.1	11.22	10.74	10.89		9.68		9.82	10.63		9.95	11.97	9.64	
11/21/02		9.06	9.3	10.09	11.89		10.72		9.17	12.42		9.76	9.31	9.6	
12/11/02		8.92	9.17	10.16	11.03		9.87		9.02	10.39		10.19	9.5	9.18	
01/16/03		10.9	11.76	11.02	11.59		10.31		10.01	11.52		11.01	12.37	9.83	
02/25/03		10.72	11.12	10.51	11.81		10.22		9.87	12.31		9.42	9.32	8.92	
03/14/03		11.77	11.92	10.07	11.93		10.09		9.71	11.92		10.19	9.28	9.44	
04/14/03		9.78	9.71	9.67	10.82		9.74		9.21	10.45		9.74	10.48	9.01	
05/08/03		10.32	10.48	10.43	12.35		10.13		9.72	12.41		10.88	10.61	9.00	
06/19/03		10.21	10.39	10.36	12.31		10.05		9.68	12.29		10.75	10.51	8.99	
07/21/03		10.06	10.21	10.25	12.17		9.87		9.57	11.99		10.64	10.49	8.84	
08/28/03		10.22	10.91	10.32	11.16		9.8		10.17	10.96		11.04	10.38	9.89	
09/30/03		9.32	9.4	9.95	10.91		8.95		NM	10.22		9.35	9.42	9.58	
10/20/03		9.22	9.3	9	10		8.1		10.2	10.25		9.8	10	9.2	
11/03/03		9.15	9.14	8.86	9.49		7.8		10.51	10.54		10.41	10.28	9.03	
12/23/03		10.03	9.03	9.7	10.3		8.69		10.07	10.49		10.38	10.63	8.62	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/21/04		(1)	9.06	9.01	9.56				10.31	9.84		9.69	10.6	8.8	
02/12/04	8.45	(1)	9.72	13.24	11.02	7.77	8.75		7.65	10.8		10.32	11.23	9.2	
03/04/04	8.21	10.05	8.93	10.28	10.69		8.82		9.43	10.52		10.28	10.87	9.24	
04/16/04		9.52	8.77	10.16	9.28		8.61		9.2	10.96		10.41	11.18	9.12	
05/14/04		10.5	8.08	10.16	9.47		8.74		7.19	11.69	9.49	9.36	11.00	9.09	
06/25/04		10.22	8.66	10.07	9.98		8.46		8.41	10.89		9.82	10.65	9.1	
07/30/04		10.03	9.00	9.91	10.45		8.41		8.42	10.67		9.31	10.51	8.94	
08/31/04		9.89	8.7	9.69	10.0		8.17		7.58	10.36		8.97	10.65	8.85	
09/30/04		10.01	8.77	9.9	9.8		8.4		8.11	10.13		9.2	10.47	8.6	
10/20/04		9.91	7.95	9.8	9.28		8.18		8.46			9.89	9.95	8.84	
11/23/04		9.26	8.47	9.87	9.83		8.32		8.92	10.89		9.8	10.84	8.96	
12/31/04		10.13	8.82	9.42	9.26		8.44		10.31	10.04		9.79	9.57	8.73	
01/28/05		10.21	10.75	9.25	8.91		8.39		8.86	10.6		9.66	9.05	9.1	
02/28/05		10.66	9.5	9.09	9.17		8.54		10.89	10.61		9.11	10.8	6.8	
03/31/05		10.91	8.96	9.78	8.95		8.51		9.06	10.99		9.58	11.06	9.18	
04/29/05		10.74	8.92	9.90	9.59		8.74		8.72	11.26		9.62	10.29	9.56	
05/27/05		11.29	9.88	7.85	10.26		9.18		8.12	11.3		9.62	11.16	9.78	
06/24/05		10.72	10.51	10.22	10.2		8.69		8.01	11.48		9.38	11.34	9.31	
07/29/05		7.3	6.20	8.96	9.23		7.83		8.29	9.9		8.91	10.32	8.55	
08/31/05		9.76	7.64	9.35	9.47		8.23		8.5	10.4		8.67	10.68	9.24	
10/03/05		9.1	8.45	9.52	9.14		8.12		7.26	10.43		7.89	9.23	8.9	
10/31/05		10.01	8.59	9.37	8.89		8.47		9.24	10.14		8.63	11.13	9.06	
11/22/05		10.29	8.15	9.13	8.68		8.05		8.25	10.18		8.79	10.70	8.71	
12/23/05		9.24	11.09	10.15	10.11		10.84		9.37	10.84		10.43	9.46	9.23	
01/27/06		9.38	10.69	10.75	9.27		8.63		8.29	11.10		10.05	8.62	9.46	
02/28/06		9.94	11.28	10.49	9.63		8.9		9.56	10.96		9.96	9.56	9.85	
03/24/06		9.57	8.84	10.64	9.43		8.70		9.43	11.14		9.70	9.28	9.40	
04/21/06		11.13	11.03	10.65	9.6		8.91		10.67	11.03		9.44	10.44	9.33	
05/30/06		9.78	10.44	7.50	10.62		8.02		7.10	10.85		9.46	8.98	8.45	
06/26/06		11.24	8.67	10.6	10.83		8.52		8.06	11.24		9.79	10.69	9.24	
07/31/06		7.8	7.85	10.27	10.05		8.12		7.95	10.34		9.93	7.88	8.59	
08/25/06		11.17	8.74	11.07	10.45		8.6		7.7	11.01		8.49	11.4	9.25	
09/22/06		8.33	8.34	10.97	9.73		8.71		8.84	10.85		9.46	11.63	9.23	
10/31/06		10.82	8.26	10.36	9.49		8.62		9.03	10.64		9.86	11.23	9.22	
11/29/06		11.13	9.09	10.45	9.46		8.97		10.90	10.80		9.49	11.13	9.62	
12/29/06		11.15	8.94	10.88	9.36		8.90		11.27	10.56		10.02	11.33	9.05	

TABLE 2.7
 PH READINGS
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/26/07		11.51	9.21	11.05	9.26		8.80		11.45	11.23		9.76	11.67	9.48	
02/27/07		11.55	10.3	10.93	9.64		8.95		11.08	11.20		9.33	11.45	10.16	
03/30/07		11.37	8.89	10.68	8.83		8.78		11.18	11.13		9.35	11.28	9.21	
04/30/07		11.19	8.27	10.42	9.02		8.47		8.23	10.99		9.59	11.14	9.04	
05/25/07		11.3	8.47	10.32	8.83		8.09		7.74	10.93		9.32	11.18	9.00	
06/29/07		11.17	8.33	10.28	9.52		8.36		7.89	10.91		9.02	10.98	8.86	
07/25/07		11.23	7.75	10.42	9.5		8.21		7.93	10.82		8.41	11.32	8.70	
08/31/07		10.36	8.07	9.67	9.89		8.33		8.66	10.31		8.88	10.71	8.99	
09/27/07		9.77	8.62	9.79	9.99		8.43		9.26	10.22		9.55	9.63	8.93	
10/31/07		10.16	8.59	9.82	10.25		8.23		8.83	10.34		9.21	9.69	9.05	
11/30/07		NM	8.45	10.21	10.63		8.56		11.06	10.51		8.31	11.01	9.00	
12/31/07		9.07	8.46	9.69	9.24		8.60		10.84	10.44		10.06	11.07	9.20	
01/28/08		11.05	9.25	10.83	10.54		9.10		11.32	11.06		10.28	11.70	9.36	
02/29/08		9.59	9.66	9.96	9.82		9.09		10.35	10.09		10.02	11.59	9.42	
03/31/08		9.15	8.76	9.96	9.14		8.98		10.75	11.06		10.17	11.38	9.42	
04/28/08		9.53	9.17	10.73	9.60		8.78		8.90	11.23		9.97	10.18	9.48	
05/29/08		8.74	8.30	10.60	8.99		8.87		7.95	11.03		10.11	9.14	9.41	
06/25/08		9.46	8.64	10.60	9.96		8.61		8.50	11.06		10.24	9.28	9.41	
07/31/08		8.88	8.98	10.49	9.90		8.54		8.83	10.86		9.77	9.57	9.55	
08/27/08		8.77	8.67	10.96	8.79		8.58		8.77	10.63		10.87	10.53	9.96	
09/26/08		9.20	9.78	10.17	9.48		8.57		8.89	9.97		9.41	9.56	9.29	
10/30/08		9.40	10.68	10.49	9.76		8.98		9.36	10.42		9.46	9.69	9.52	
11/22/08		9.18	9.52	10.03	9.25		8.46		9.23	9.68		9.50	9.58	9.43	
12/31/08		9.49	8.91	10.71	9.72		8.68		8.89	10.07		9.26	9.50	9.32	
01/30/09		10.88	10.86	10.23	9.83		8.77		8.85	10.22		9.70	9.54	9.84	
02/25/09		9.39	10.63	10.07	9.33		8.50		8.88	9.77		9.36	9.19	9.44	
03/27/09		10.3	10.28	9.54	9.75		8.73		9.17	9.73		9.67	9.51	9.51	
04/30/09		9.13	9.12	10.43	9.77		8.76		9.46	10.50		9.80	10.05	9.54	
05/27/09		9.68	9.97	10.65	9.98		8.84		9.40	10.68		9.85	9.32	10.00	
06/29/09		9.95	8.79	10.50	9.64		8.48		9.21	10.58		9.68	11.26	9.16	
07/27/09		9.93	10.00	11.28	11.00		9.87		10.90	12.11		10.99	11.13	10.71	
08/31/09		8.88	8.99	10.76	10.03		8.52		9.17	10.81		10.11	9.83	9.58	
09/30/09		10.48	10.74	10.91	10.51		8.44		8.17	10.81		10.71	9.14	9.28	
10/30/09		10.84	11.60	11.70	10.74		9.66		10.19	10.83		11.60	10.76	10.78	
11/30/09		9.53	9.70	10.64	10.10		9.16		9.33	10.23		10.76	11.91	10.19	
12/30/09		9.69	9.63	10.38	9.97		9.67		10.61	10.48		10.70	10.27	10.19	
01/29/10		9.52	9.33	10.04	9.96		9.53		9.91	10.47		10.64	11.11	10.37	
02/26/10		9.98	9.79	10.03	10.01		9.55		9.84	10.78		10.28	10.87	10.43	
03/30/10		9.48	9.45	9.78	10.06		9.91		9.85	10.68		10.58	10.08	10.76	
04/30/10		9.60	9.53	9.82	10.01		9.65		9.94	11.09		11.00	10.91	10.77	
05/26/10		9.54	9.84	10.63	9.33		9.27		9.84	11.24		10.60	9.37	10.75	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
07/24/00	9.2						10.6		9.5				7.4	
10/24/00			8.38						7.76				8.15	
03/29/01		8.37		6.41	9.41			9.77		8.17	10.41			
05/11/01	10.9	11.51		11.55	11.59	8.25	7.5	11.58		7.37	11.16	11.21	8.83	9.27
05/18/01		10.93		11.2	11.21	8.25		11.4		10.60	11.32		12.27	
06/08/01		9.68		10.1	10.34	6.99		10.32		10.03	10.44		7.25	
06/15/01		10.0	10.3	10.7	10.8	7.03		10.54	8.75	10.34	10.55		7.27	8.88
06/22/01	*	*	*	*	10.92	7.3		11	8.98	10.47	11.1		7.57	
06/29/01		11.13	10.9	11.4	10.22	7.54		11.2	9.18	10.94	11.2		7.9	
07/31/01		11.49	10.58	11.69	11.75	7.91		11.73	9.73	11.62	11.63		8.28	
08/20/01		9.17	10.59	11.35	10.87	7.7		11.49	9.8	12.05	11.89		8.2	
09/28/01		10	10.57	11.5	11.0	7.9		11.47	9.77	11.2	11.75		8.21	
10/22/01		10.75	10.44	10.89	11.01	7.7		11.01	9.6	10.51	10.7		7.0	
11/27/01		11.98	10.87	12.46	12.46	8.1		12.28	10.01	11.87	12.25		7.26	
12/20/01		11.63	10.22	11.98	11.97	7.82		11.76	8.73	10.61	11.37		7.11	
01/29/02		12.25		12.15	12.59	7.76		12.41	8.09	11.85	12.33		7.16	
02/11/02		11.12		11.79	12.09	7.63		12.13	7.48	11.73	11.8		6.89	
03/25/02		12.38		12.59	12.77	8.01		12.66	8.51	12.11	12.46		7.88	
04/24/02		12		12.26	12.39	7.86		12.34	7.94	11.55	11.95		7.43	
05/21/02		11.86		12.25	12.49	7.94		12.5	7.45	12.16	12.24	7.72	7.22	
06/20/02		11.92		12.26	12.34	8.07		12.28	8.12	11.63	12.2	7.89	7.84	
07/18/02		11.78		12.11	12.16	8.11		12.13	9.82	11.31	11.96	7.81	7.36	
08/06/02		6.95	11.76	7.88	7.63	8.02		8.87	9.76	8.89	9.03	7.64	7.49	
09/12/02		11.93	12.19	12.23	12.32	8.76		12.3	10.81	11.77	12.04	8.16	8.17	
10/30/02		11.91	12.2	12.21	12.24	NM		12.22	8.34	11.89	12.01	7.95	7.63	
11/21/02		11.79	9.46	12.53	12.46	7.64		12.62	7.71	12.42	12.5	7.95	7.37	
12/11/02		11.26	9.41	11.39	11.54	7.56		11.51	7.86	10.76	11.29	7.35	7.18	
01/16/03		12.39		12.55	12.74	8.47		12.82	8.76	12.3	12.52	7.98	8.16	
02/25/03		11.94		12.46	12.49	8.42		12.51	8.71	12.19	12.52	7.89	8.13	
03/14/03		12.16		12.33	12.56	8.26		12.44	8.79	12.11	12.35	8.01	7.79	
04/14/03		11.02		11.63	11.18	7.92		11.62	7.87	10.89	11.89	7.62	7.42	
05/08/03		11.93		12.51	12.55	8.12		12.63	7.77	12.12	12.44	8.43	7.81	
06/19/03		11.87		12.39	12.41	8.02		12.41	7.73	12.01	12.21	8.38	7.79	
07/21/03		11.81		12.12	12.25	7.99		12.32	7.64	11.91	11.98	8.31	7.62	
08/28/03		11.79		12.13	12.24	11.26		12.21	11.52	12.04	12.04	11.46	11.32	
09/30/03		11.27		11.95	11.44	8.65		11.87	9.45	10.33	11.57	8.56	8.68	
10/20/03		11.2		11.8	11.2	8.5		11.6	8	10.42	11.44	8.31	8.01	
11/03/03		11.04		10.91	10.3	8.39		10.63	7.24	10.59	11.24	7.55	7.48	
12/23/03		10.75		11.18	11.17	8.41		11.01	7.66	10.88	11.03	7.13	7.44	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
01/21/04		10.69		11.06	11.16	8.39		11.5	(1)	9.98	10.89	9.53	6.25	
02/12/04		10.79	11.42	11.66	11.78	8.96		11.75	(1)	11.09	11.6	8.5	6.66	
03/04/04		10.79	11.07	11.06	11.29	9.02		11.37	11.5	11.25	11.6	9.03	7.75	
04/16/04		11.23	10.42	11.57	11.62	9.22		11.36	11.6	11.11	11.44	9.6	6.54	
05/15/04		11.19	11.78	11.91	12.13	8.34		11.8	11.7	11.61	11.68	9.5	6.62	
06/25/04		11.22	11.35	11.31	11.48	8.86		11.27	11.21	10.84	11.2	9.11	7.48	
07/30/04		11.10	11.00	11.09	11.42	8.6		11.13	8.40	10.69	11.16	9.42	6.84	
08/31/04		10.84	10.95	10.87	11.19	8.07		10.84	7.78	10.48	10.73	8.14	6.57	
09/30/04		11.0	10.87	11.01	11.4	8.44		11.03	8.1	10.7	10.66	8.32	6.75	
10/20/04		10.91	11.07	11.06	11.26	8.22		11.05	10.84	10.3	10.93	8.64	6.85	
11/23/04		11.08	9.39	11.34	11.44	8.33		11.31	8.64	10.92	11.36	9.08	7.63	
12/31/04		10.64	8.92	10.85	11.09	8.48		10.85	8.57	10.58	10.87	8.86	7.09	
01/28/05		10.79	8.99	11.11	11.31	9.16		11.20	(1)	10.76	11.2	8.95	6.64	
02/28/05		10.79	11.05	10.83	10.81	8.44		10.3	(1)	10.03	10.88	8.49	6.57	
03/31/05		11.22	11.28	11.51	11.49	9.04		11.37	8.5	11.17	11.27	7.24	6.94	
04/29/05		11.48	11.75	11.78	11.75	9.17		11.79	9.64	11.39	11.53	8.32	7.40	
05/27/05		13.65	11.64	13.74	11.79	8.91		11.62	8.6	11.07	11.21	9.05	8.08	
06/24/05		11.59	11.9	11.67	11.92	8.73		11.75	10.9	10.51	11.81	9.86	8.07	
07/29/05		9.55	10.46	10.93	11.21	8.28		10.82	8.97	10.35	10.62	8.19	6.97	
08/31/05		10.85	11.12	11.15	11.35	9.02		11.04	9.01	10.7	11.03	8.4	6.93	
10/03/05		10.81	11.1	11.07	11.4	7.61		10.91	7.85	10.66	10.99	8.7	7.56	
10/31/05		10.85	11.34	11.4	11.56	8.13		11.3	7.73	11.15	11.41	8.61	9.69	
11/22/05		10.38	10.25	10.65	10.7	8.5		10.45	7.63	10.36	11.05	8.10	6.60	
12/23/05		11.40	11.58	11.57	11.93	8.11		11.67	7.19	11.23	11.64	7.36	7.30	
01/27/06		11.54	11.75	10.81	12.01	9.04		11.96	7.65	11.51	11.90	7.54	7.84	
02/28/06		11.53	11.57	12.09	12.3	9.73		11.77	7.84	11.43	11.78	7.36	7.22	
03/24/06		11.41	11.53	11.63	11.83	8.88		12.01	8.46	11.54	11.89	7.92	7.09	
04/21/06		11.31	11.65	11.62	11.86	8.79		11.96	7.98	11.40	11.86	8.52	6.97	
05/30/06		11.11	11.43	11.36	11.56	7.45		11.34	8.90	10.73	10.98	8.90	7.68	
06/26/06		11.48	11.62	11.71	11.91	8.92		11.89	8.46	11.6	11.61	8.03	7.18	
07/31/06		10.73	8.01	10.89	11.14	8.53		10.83	8.09	10.71	10.83	7.36	7.35	
08/25/06		11.62	11.9	11.74	12.05	8.83		11.77	9.88	11.44	11.72	10.82	8.11	
09/22/06		11.54	11.85	11.66	12.07	9.05		11.62	11.88	10.98	11.6	11.51	7.31	
10/31/06		11.26	11.37	11.29	11.49	9.35		10.16	8.96	11.05	11.06	8.48	8.86	
11/29/06		11.28	11.45	11.36	11.66	7.15		10.34	11.45	10.19	11.43	11.10	9.36	
12/29/06		11.26	9.82	11.51	11.64	9.02		11.54	11.52	10.45	11.45	11.42	10.85	

Notes:

(1) Buried with snow and could not be accessed.

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
01/26/07		11.63	11.33	11.82	12.07	9.27		11.87	9.70	11.65	11.84	7.73	7.17	
02/27/07		11.58	10.76	11.66	12.07	8.39		11.91	7.29	11.17	11.92	8.31	7.07	
03/30/07		11.39	9.58	11.61	11.95	8.65		11.78	11.57	11.03	11.69	11.27	8.38	
04/30/07		11.19	10.01	11.42	11.63	8.44		11.40	11.48	11.38	10.73	10.76	7.29	
05/25/07		11.16	11.00	11.41	11.70	8.26		11.35	11.51	10.99	11.26	11.10	7.46	
06/29/07		11.12	10.54	11.38	11.57	8.83		11.31	11.38	10.48	10.94	11.00	7.21	
07/25/07		11.30	11.04	11.55	11.87	8.76		11.61	11.68	10.79	11.43	11.07	7.16	
08/31/07		11.01	10.99	11.11	11.34	8.76		11.14	11.22	10.19	10.88	10.45	6.33	
09/27/07		10.96	9.28	11.20	11.48	8.86		11.26	11.33	9.76	11.03	9.64	6.56	
10/31/07		11.19	11.33	11.24	11.75	9.30		11.02	11.57	10.60	11.38	10.61	7.68	
11/30/07		11.22	8.89	11.51	12.04	9.07		11.47	11.64	10.76	11.66	11.07	7.38	
12/31/07		11.24	9.25	11.43	11.80	8.84		11.73	11.46	10.78	11.60	10.76	7.07	
01/28/08		11.78	10.50	12.07	12.46	9.09		11.93	10.80	11.21	12.00	9.44	6.93	
02/29/08		11.63	11.44	11.60	12.01	9.43		11.92	11.91	10.10	11.85	10.78	6.84	
03/31/08		11.61	9.05	11.78	12.07	9.14		11.79	11.95	10.54	11.94	11.13	7.52	
04/28/08		11.64	10.46	11.88	12.28	7.54		11.91	11.65	10.97	11.80	11.21	7.70	
05/29/08		11.50	10.91	11.53	12.00	8.88		12.10	11.86	10.14	11.88	11.45	8.73	
06/25/08		11.40	10.76	11.62	11.88	9.19		11.90	11.86	9.83	11.76	11.33	6.98	
07/31/08		11.36	9.84	11.90	11.67	9.09		11.75	11.55	9.89	11.59	10.95	8.19	
08/27/08		11.27	9.66	11.65	11.89	9.19		11.55	9.75	10.59	11.35	8.32	8.92	
09/26/08		11.17	9.42	11.40	11.69	9.10		11.29	11.42	9.35	11.34	11.12	8.56	
10/30/08		11.31	11.22	11.37	11.83	9.54		11.41	11.08	10.02	11.51	11.09	10.78	
11/22/08		11.29	11.44	11.19	11.75	9.35		10.96	11.14	10.01	11.40	10.48	7.88	
12/31/08		11.58	10.56	11.77	11.92	8.56		11.77	9.76	10.26	11.68	8.41	7.84	
01/30/09		11.65	9.66	12.09	12.31	10.24		12.02	11.10	9.88	11.86	10.62	7.30	
02/25/09		11.15	10.43	11.37	11.57	9.06		11.65	10.90	10.09	11.22	10.83	8.37	
03/27/09		11.36	10.29	11.72	11.80	9.61		11.69	11.66	9.54	11.66	11.56	8.78	
04/30/09		11.37	9.59	11.72	11.90	9.84		11.90	9.10	9.92	11.56	8.92	8.86	
05/27/09		11.55	11.71	11.76	12.13	9.67		11.93	10.80	10.54	11.73	9.72	10.43	
06/29/09		11.14	10.07	11.35	11.61	9.95		11.42	9.81	10.60	11.29	11.01	9.64	
07/27/09		12.63	10.67	13.18	13.36	10.56		12.86	10.68	12.11	12.75	11.78	9.51	
08/31/09		11.57	10.78	11.67	11.90	9.45		11.39	9.14	11.12	11.48	10.96	8.25	
09/30/09		11.19	9.84	11.31	11.44	8.64		11.16	10.51	10.37	11.19	10.57	8.33	
10/30/09		12.29	11.05	12.77	13.02	10.32		12.26	11.81	11.74	12.58	12.01	10.66	
11/30/09		11.41	11.28	11.62	11.93	9.60		11.13	11.33	10.61	11.49	9.99	7.94	
12/30/09		11.47	10.60	12.05	12.21	10.23		11.71	11.02	10.77	11.63	9.00	8.88	
01/29/10		11.19	11.03	11.58	11.45	10.60		11.62	11.39	10.52	11.29	9.71	9.22	
02/26/10		11.30	10.91	11.59	11.74	10.27		11.64	11.32	11.02	11.30	10.62	8.64	
03/30/10		11.68	11.74	11.51	12.06	10.62		11.78	11.24	11.49	11.76	10.86	9.14	
04/30/10		11.78	11.67	12.11	12.16	10.30		12.15	10.85	11.44	11.92	10.85	9.58	
05/26/10		11.81	10.92	11.85	12.14	10.51		11.88	10.14	11.14	11.60	11.10	9.12	

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
07/24/00	6.3	7.3	
10/24/00	7.08	7.52	7.41
03/29/01	7.52	7.50	7.16
06/15/01	7.7	7.69	7.4
06/22/01	8.0	7.9	7.8
07/31/01	8.0	8.0	7.7
08/20/01	8.2	8.3	8.0
09/28/01	8.1	8.3	7.9
10/22/01	8.0	8.0	7.8
11/27/01	7.9	8.2	8.01
12/20/01	*	*	*
01/29/02	7.62	7.93	7.97
02/11/02	7.52	7.73	7.79
03/25/02	*	*	*
04/24/02	7.46	7.62	7.69
05/21/02	7.47	7.66	7.72
06/20/02	7.57	7.69	7.78
07/18/02	7.72	7.84	8.01
08/06/02	7.63	7.68	7.92
09/12/02	7.72	7.79	7.98
10/30/02	7.73	7.8	7.93
11/21/02	7.32	7.37	7.41
12/11/02	7.29	7.31	7.35
01/16/03	7.62	7.7	7.79
02/25/03	7.64	7.71	7.89
03/14/03	7.39	7.54	7.61
04/14/03	7.22	7.39	7.41
05/08/03	7.29	7.43	7.48
06/19/03	7.27	7.39	7.41
07/21/03	7.25	7.36	7.38
08/28/03	7.29	7.44	7.41
09/30/03	7.29	7.45	7.40
10/20/03	7.4	7.71	7.39
11/03/03	8.46	7.14	7.27
12/23/03	9.34	7.63	7.57

Note:

* - pH meter malfunctioned.

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/21/04	(2)	8.12	(2)
02/12/04	8.45	7.77	7.65
03/04/04	8.21	7.76	7.79
04/16/04	10.95	8.38	8.32
05/14/04	7.30	7.62	7.75
06/25/04	8.06	7.99	7.94
07/30/04	7.85	7.90	7.81
08/31/04	10.2	7.5	7.4
09/30/04	8.6	7.7	7.9
10/20/04	7.59	7.56	7.61
11/23/04	9.64	7.6	7.67
12/31/04	9.09	7.68	7.38
01/28/05	8.92	7.58	7.40
02/28/05	(1)	8.16	7.90
03/31/05	8.49	7.59	7.55
04/29/05	8.74	8.05	7.89
05/27/05	9.24	8.33	8.27
06/24/05	10.53	8.44	8.24
07/29/05	7.3	7.16	6.96
08/31/05	8.06	6.87	7.13
10/03/05	10.3	8.1	NM
10/31/05	10.76	7.9	7.93
11/22/05	9.50	8.54	7.34
12/23/05	10.58	(3)	(3)
01/27/06	10.76	7.87	7.84
02/28/06	11.29	8.73	8.64
03/24/06	11.18	7.98	7.78
04/21/06	NM	8.28	8.05
05/30/06	10.88	7.73	7.63
06/26/06	8.84	7.73	7.68
07/31/06	7.51	7.02	7.24
08/25/06	9.72	7.82	7.67
09/22/06	11.29	8.34	8.99
10/31/06	10.70	8.61	8.13
11/29/06	10.77	8.27	8.04
12/29/06	10.60	8.07	7.73

Notes:

- * - pH meter malfunctioned.
- NM - Not Measured.
- (1) - Buried with snow.
- (2) - Road conditions were not safe to allow for monitoring.
- (3) - pH probe damaged.

TABLE 2.7
PH READINGS
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/26/07	11.20	7.76	7.81
02/27/07	8.72	8.15	7.86
03/30/07	10.90	8.29	8.42
04/30/07	10.71	8.52	8.30
05/25/07	10.99	7.74	7.68
06/29/07	9.47	7.61	7.62
07/25/07	6.96	6.61	6.60
08/31/07	8.68	7.79	7.52
09/27/07	10.63	8.86	8.73
10/31/07	8.98	7.96	7.85
11/30/07	10.39	7.96	7.97
12/31/07	10.59	9.40	9.20
01/28/08	9.65	9.98	8.41
02/29/08	11.21	8.30	8.13
03/31/08	10.53	8.29	8.33
04/28/08	11.48	10.09	8.23
05/29/08	11.11	10.94	9.92
06/25/08	9.57	8.18	8.68
07/31/08	9.77	8.46	8.85
08/27/08	6.61	7.02	7.24
09/26/08	10.61	9.90	9.72
10/30/08	11.00	9.01	8.58
11/22/08	10.36	9.02	9.57
12/31/08	6.70	7.69	6.77
01/30/09	10.48	9.37	9.29
02/25/09	11.58	10.93	10.28
03/27/09	11.08	11.03	11.04
04/30/09	9.23	9.16	8.27
05/27/09	10.60	10.23	9.42
06/29/09	11.06	10.92	10.67
07/27/09	11.00	9.48	8.69
08/31/09	10.12	8.36	8.43
09/30/09	9.94	8.87	9.38
10/30/09	11.20	10.62	9.00
11/30/09	9.50	8.46	7.27
12/30/09	9.30	9.73	9.08
01/29/10	8.64	8.94	8.74
02/26/10	10.42	10.15	9.35
03/30/10	10.14	9.11	9.29
04/30/10	11.25	11.09	10.99
05/26/10	9.97	9.26	8.96

TABLE 2.8

EFFLUENT SAMPLING SUMMARY
 JUNE 2001 TO FEBRUARY 2007
 GRATWICK-RIVERSIDE PARK SITE
 NORTH TONAWANDA, NEW YORK

LOCATIONS

effluent monitoring station at Site discharge point

FREQUENCY

monthly (as dictated by the City of North Tonawanda Industrial Wastewater Discharge Permit)

PARAMETERS

Volatiles

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

Semi-Volatiles

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

Inorganics

Aluminum	Lead
Antimony	Magnesium
Arsenic	Manganese
Barium	Mercury
Beryllium	Nickel
Cadmium	Selenium
Chromium	Silver
Copper	Sodium
Iron	Zinc

Wet Chemistry

Alkalinity (Bicarbonate)	Oil and Grease
Alkalinity (Total)	pH
BOD	Phosphorous
Chloride	Sulfate
COD	Sulfide
Cyanide	TDS
Hardness	TKN
NH3	TOC
NO3	TSS

TABLE 2.9

EFFLUENT SAMPLING SUMMARY
SUBSEQUENT TO FEBRUARY 2007
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

LOCATIONS

effluent monitoring station at Site discharge point

FREQUENCY

Semi-Annual (Spring and Fall as dictated by the City of North Tonawanda
Industrial Wastewater Discharge Permit dated January 31, 2007)

PARAMETERS

Volatiles

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

Semi-Volatiles

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

Wet Chemistry

Chloride
Cyanide
NH₃
NO₃
Phosphorous
Sulfate
Sulfide

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:	Discharge Sample Port								Surface Water Standard ⁽¹⁾
	GRATWICK-RIVERSIDE								
Sample Date:	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
Volatiles									
1,1,1-Trichloroethane	µg/L	3.0J	1.8J	1.1J	7.6U	7.6U	3.8U	3.8U	5
1,1-Dichloroethane	µg/L	8.8	7.3	5.8	3.4J	2.1U	2.6J	3.5J	5
1,2-Dichloroethane	µg/L	5.0U	5.0U	5.0U	10U	10U	5.0U	5.0U	0.6
2-Butanone	µg/L	7.6J	10	10U	20U	20U	6.8J	6.7J	50
Acetone	µg/L	77	93	140	36	26	55	55	50
Benzene	µg/L	6.4	7.2	6.2	3.5J	3.2J	3.1J	4.0J	1
Chlorobenzene	µg/L	3.7J	4.9J	5.0J	3.4J	16	3.5J	5.4J	5
Ethylbenzene	µg/L	8.9	11	9	8.6J	3.6J	4.8J	6.8J	5
Methylene chloride	µg/L	1.1J	2.8U	2.8U	5.6U	5.6U	2.8U	2.8U	5
Styrene	µg/L	1.0J	5.0U	5.0U	10U	10U	5.0U	5.0U	5
Tetrachloroethene	µg/L	22	33	25	16	8.3	15	23	0.7 ⁽²⁾
Toluene	µg/L	74	84	68	42	20	37	50	5
trans-1,2-Dichloroethene	µg/L	2.6	2.1	2.8	3.3J	1.8J	1.5J	2.4	5
Trichloroethene	µg/L	150J	130	87	55	32	56	72	5
Vinyl chloride	µg/L	11	13	13	13J	5.6J	8.0J	13	0.3 ⁽²⁾
Xylene (total)	µg/L	40	44	34	32	11	17	26	5
Semi-Volatiles									
1,2-Dichlorobenzene	µg/L	9U	2U	1J	6	0.6J	0.9J	9U	3
1,4-Dichlorobenzene	µg/L	21U	4U	1J	2J	1J	4U	1J	3
2,4-Dimethylphenol	µg/L	14	13	19	12	8	17	13	50 ⁽²⁾
2-Methylphenol	µg/L	49	46	38	28	15	38	37J	NL
4-Methylphenol	µg/L	58	47	46	30	21	46	40J	NL
Di-n-octyl phthalate	µg/L	12U	2U	2U	2U	1J	2U	12U	50 ⁽²⁾
Naphthalene	µg/L	1J	1J	1J	1J	67J	0.8J	8U	10
Phenol	µg/L	86	64	67	110	230	74	110	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:	Discharge Sample Port								Surface Water Standard ⁽¹⁾
	GRATWICK-RIVERSIDE								
Sample Date:	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
Metals									
Aluminum	mg/L	0.31	0.24	0.24	0.34	0.20U	0.20	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.050
Barium	mg/L	0.059	0.063	0.061	0.081	0.067	0.064	0.064	1.0
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.003 ⁽²⁾
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 ⁽³⁾
Iron	mg/L	0.050U	0.050U	0.050U	0.16	0.095	0.057	0.062	0.30
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.012
Magnesium	mg/L	0.35	0.66	1	0.77	6.8	1.1	0.94	35
Manganese	mg/L	0.0030U	0.0030U	0.0036	0.012	0.028	0.0043	0.004	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 ⁽⁴⁾
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0046 ⁽⁴⁾
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	273	271	262	310	290	293	286	NL
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	2.0 ⁽²⁾
General Chemistry									
pH	S.U.	NA	NA	9.45	11.23	9.20	10.06	10.71	NL
Hardness	mg/L	524	488	465	529	301	456	410	NL
Total Dissolved Solids (TDS)	mg/L	1500	1450	1530	1520	1280	1200	1200	NL
Total Suspended Solids (TSS)	mg/L	NA	NA	14	19	10	9.0	7.0	NL
Chloride	mg/L	497	123	497	820	577	436	389	250
BOD	mg/L	NA	NA	20	17	20	24	27	NL
COD	mg/L	NA	NA	155	240	240	50	49	NL
Oil and Grease	mg/L	NA	NA	0.60U	1.0	0.87U	1.0U	1.0U	NL
Organic Carbon	mg/L	NA	NA	16	10	18	9.0	11	--
Alkalinity, Total (As CaCO3)	mg/L	131	115	120	115	20.9	22.2	57	NL
Bicarbonate (as CaCO3)	mg/L	5.0U	5.0U	5.0U	5.0U	20.9	22.2	57	NL
Ammonia	mg/L	NA	NA	6	4.9	4.9	21	11.6	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.50U	0.20	0.050U	0.050U	0.050U	10

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:	Discharge Sample Port GRATWICK-RIVERSIDE								Surface Water Standard ⁽¹⁾
	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
<i>General Chemistry</i>									
TKN	mg/L	NA	NA	10	7.6	7.6	14.8	10.6	NL
Sulfate	mg/L	281	20.4	307	196	329	245	263	250
Sulfide	mg/L	13.2	16.0	14.3	5.6	2.5	10.6	14	0.002
Phenol	mg/L	NA	NA	0.28	0.24	0.28	0.15	0.11	0.001
Phosphorous	mg/L	NA	NA	0.29	NA	0.05	0.13	0.06	0.020 ⁽²⁾
Cyanide	mg/L	NA	NA	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															
Sample Date:		1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	Surface Water Standard ⁽¹⁾
Parameter	Unit														
Volatiles															
1,1,1-Trichloroethane	µg/L	7.3U	7.6U	3.8U	3.8U	3.8U	3.8U	7.6U	5						
1,1-Dichloroethane	µg/L	2.3J	4.1J	4.9J	9.9	9.4U	9.4U	9.4U	2.7J	1.4J	1.8J	1.2J	4.5J	7.3J	5
1,2-Dichloroethane	µg/L	10U	5.0U	5.0U	5.0U	5.0U	10U	0.6							
2-Butanone	µg/L	20U	20U	20U	110	20U	20U	20U	20U	10U	10U	2.1J	10U	5.2J	50
Acetone	µg/L	42	53	56	98	52	25	25	130	7.0J	28	15	48	96	50
Benzene	µg/L	2.1J	3.2J	4.6J	9.1	4.7J	2.1J	2.1J	3.3J	1.9J	3.3J	2.1J	5.3	7.8J	1
Chlorobenzene	µg/L	3.8J	6.6J	5.2J	4.4J	8.9J	5.8J	5.8J	5.4J	6.9	4.0J	5.6J	6.1	4.3J	5
Ethylbenzene	µg/L	2.0J	7.6J	9.6J	18	10J	5.3J	5.3J	7.8J	6.4J	7.2	4.6J	13	18	5
Methylene chloride	µg/L	6.4U	5.6U	5.6U	2.9J	5.6U	5.6U	5.6U	3.2J	3.5U	3.5U	3.5U	3.5U	2.2J	5
Styrene	µg/L	10U	5.0U	5.0U	5.0U	5.0U	10U	5							
Tetrachloroethene	µg/L	4.9J	23	28	46	48	27	27	19	9.6	12	6.0	42	48	0.7 (2)
Toluene	µg/L	15	46	57	110	42	33	33	41	18	30	14	64	110	5
trans-1,2-Dichloroethene	µg/L	3.6U	2.4J	2.5J	4.2	3.6U	3.6U	3.6U	2.1J	2.2	1.8U	2.0	1.8U	3.2J	5
Trichloroethene	µg/L	27	92	140	260	140	80	80	74	20	48	20	130	230	5
Vinyl chloride	µg/L	8.4J	20U	5.1J	14J	13J	8.6J	8.6J	6.6J	11	10	11	18	15J	0.3 (2)
Xylene (total)	µg/L	7.3J	29	40	76	37	21	21	30	20	24	15	50	78	5
Semi-Volatiles															
1,2-Dichlorobenzene	µg/L	2J	1J	1J	3	9U	0.8J	0.8J	1J	0.6J	0.6J	1J	0.9J	3	3
1,4-Dichlorobenzene	µg/L	2J	2J	1J	3J	2J	1J	1J	1J	1J	0.8J	2J	1J	3J	3
2,4-Dimethylphenol	µg/L	11J	9J	8	14	5J	4	4	9	6	7	8	12	21	50 (2)
2-Methylphenol	µg/L	28J	21J	17	36	10J	8J	8J	18	8J	13	15	19	32	NL
4-Methylphenol	µg/L	40J	27J	24	57	19J	13	13	27	13	20	21	30	61	NL
Di-n-octyl phthalate	µg/L	14U	12U	2U	2U	12U	2U	2U	2U	2U	0.3J	3U	2U	2U	50 (2)
Naphthalene	µg/L	57	24	12	1J	7U	15	15	13	23	8	29	2U	1J	10
Phenol	µg/L	210	96	42	73	46	51	51	41	66	28	84	35	38	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															Surface Water
Sample Date:	1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	Standard ⁽¹⁾	
Parameter	Unit														
Metals															
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	NL							
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003							
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.050							
Barium	mg/L	0.077	0.075	0.078	0.095	0.064	0.058	0.058	0.059	0.073	0.054	0.064	0.068	1.0	
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.003 ⁽²⁾							
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005							
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.050							
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 ⁽³⁾							
Iron	mg/L	0.050U	0.050U	0.050U	0.050U	0.090	0.050U	0.050U	0.050U	0.050U	0.050U	0.10	0.050U	0.30	
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.012							
Magnesium	mg/L	1.5	1.4	0.92	0.34	2.5	1.7	1.7	1.8	8.8	3.5	6.4	1.9	0.43	
Manganese	mg/L	0.0034	0.0042	0.0049	0.003U	0.0090	0.0030U	0.0030U	0.0030U	0.0094	0.0030U	0.0098	0.0030U	0.30	
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 ⁽⁴⁾							
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10							
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0046 ⁽⁴⁾							
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050							
Sodium	mg/L	317	336	360	242	329	318	318	270	189	195	204	289	NL	
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	2.0 ⁽²⁾							
General Chemistry															
pH	S.U.	10.91	10.96	10.92	11.46	10.4	10.66	10.66	10.37	8.44	8.97	8.84	10.11	10.72	NL
Hardness	mg/L	415	449	440	484	349	300	300	300	316	277	274	372	507	NL
Total Dissolved Solids (TDS)	mg/L	1450	1490	1640	1610	1530	1130	1130	1100	868	1040	945	1330	1410	NL
Total Suspended Solids (TSS)	mg/L	5.0	11.0	9	8	6	8	8	8	12	6	1.5	2	2.3	NL
Chloride	mg/L	514	545	577	545	518	452	452	424	377	320	329	502	489	250
BOD	mg/L	25	21	22	29	13	9	9	12	14	8	11	16	15	NL
COD	mg/L	45	58	255	50	23	26	26	58	49	19	46	16	64	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL						
Organic Carbon	mg/L	14	6	10	12	9	11	11	8	6.9	10	7	(5)	(5)	NL
Alkalinity, Total (As CaCO3)	mg/L	62.4	53.8	102	126	36.3	43.1	43.1	16.7	27.2	5.0U	22.4	14.3	110	NL
Bicarbonate (as CaCO3)	mg/L	5.0U	16.7	27.2	5.0U	22.4	14.3	5.0U	NL						
Ammonia	mg/L	9.1	6.0	6.0	5.2	SL	2.0	2.0	1.7	9.1	10.5	9.4	9.4	7.0	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10							

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i>															
<i>Sample Date:</i>		1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	<i>Surface Water Standard⁽¹⁾</i>
<i>Parameter</i>	<i>Unit</i>														
<i>General Chemistry</i>															
TKN	mg/L	8.1	4.5	5.0	4.8	SL	2.0	2.0	1.7	5.6	6.2	7.8	10.5	10.8	NL
Sulfate	mg/L	261	250	262	239	239	226	226	215	236	214	213	254	302	250
Sulfide	mg/L	9.9	9.9	11.2	13.7	4.4	1.0U	1.0U	1.0U	1.4	1.0U	1.0U	7.4	21.6	0.002
Phenol	mg/L	0.12	0.28	0.22	0.22	SL	0.40	0.40	0.27	0.16	0.16	0.16	0.12	0.12	0.001
Phosphorous	mg/L	0.09	0.08	0.09	0.17	0.02	0.10	0.10	0.04	0.018	0.04	0.06	0.12	0.10	0.020 ⁽²⁾
Cyanide	mg/L	0.005U	0.005U	0.040J	0.005U	0.005	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i>															
<i>Sample Date:</i>		1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	<i>Surface Water Standard</i> ⁽¹⁾	
<i>Parameter</i>	<i>Unit</i>														
Volatiles															
1,1,1-Trichloroethane	µg/L	2.6U	2.6U	2.6U	5.2U	1.3U	2.6U	5.2U	5.2U	5.2U	1.3U	2.6U	2.6U	5	
1,1-Dichloroethane	µg/L	4.1	9.6	5.6	6.4	0.84U	5.4	7.4	4.6	3.3U	0.84U	1.7U	7.0	5	
1,2-Dichloroethane	µg/L	1.7U	1.7U	1.7U	3.4U	0.85U	1.7U	3.4U	3.4U	3.4U	0.85U	1.7U	1.7U	0.6	
2-Butanone	µg/L	9.3U	9.3U	9.3U	19U	4.6U	9.3U	19U	19U	19U	4.6U	9.3U	9.3U	50	
Acetone	µg/L	21	56	51	42	10U	28	52	42U	42U	10U	21U	35	50	
Benzene	µg/L	3.4	7.9	6.2	4.4U	1.1U	3.2	4.6	4.4U	4.4U	1.1U	2.2U	7.2	1	
Chlorobenzene	µg/L	6.1	6.6	6.9	7.5	6.9	4.1	7.0	5.0	3.6U	5.4	9.3	6.3	5	
Ethylbenzene	µg/L	9.9	2.3	15	12	1.9	11	12	9.5	4.3	1.8	2.1	17	5	
Methylene chloride	µg/L	7.0U	7.0U	7.0U	14U	3.5U	7.0U	14U	14U	14U	3.5U	7.0U	7.0U	5	
Styrene	µg/L	5.2U	5.2U	5.2U	10U	2.6U	5.2U	10U	10U	10U	2.6U	5.2U	5.2U	5	
Tetrachloroethene	µg/L	22	59	46	31	8.3	45	38	32	12	1.3U	2.5U	47	0.7 (2)	
Toluene	µg/L	37	110	81	56	7.1	46	57	39	17	1.2U	3.2	82	5	
trans-1,2-Dichloroethene	µg/L	3.0U	4.3	3.0U	6.0U	1.8	4.5	6.0U	6.0U	6.0U	1.5U	3.0U	3.3	5	
Trichloroethene	µg/L	92	260	220	160	17	140	170	110	53	1.7	5.7	180	5	
Vinyl chloride	µg/L	10	20	11	9.6	5.8	12	9.5	5.7U	5.7U	1.9	2.8U	11	0.3 (2)	
Xylene (total)	µg/L	41	99	64	50	7.0	44	56	40	28U	6.9U	14U	73	5	
Semi-Volatiles															
1,2-Dichlorobenzene	µg/L	4U	20U	20U	20U	20U	20U	19U	16U	16U	16U	16U	16U	3	
1,4-Dichlorobenzene	µg/L	4U	18U	19U	19U	19U	19U	18U	15U	15U	15U	15U	14U	3	
2,4-Dimethylphenol	µg/L	10	18U	19U	19U	19U	19U	18U	12U	20	12U	13U	18	50 (2)	
2-Methylphenol	µg/L	12	16U	22	16U	16U	16U	15U	15U	15U	15U	16U	15	NL	
4-Methylphenol	µg/L	24	35	45	31	18U	19	17U	15U	46	15U	16U	57	NL (2)	
Di-n-octyl phthalate	µg/L	4U	19U	20U	19U	19U	20U	19U	26U	26U	26U	27U	26U	50	
Naphthalene	µg/L	3U	18U	18U	18U	18U	18U	17U	17U	17U	17U	18U	17U	10	
Phenol	µg/L	61	30	62	94	64	61	74	46	28	16	150	46	1	

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:														
Sample Date:	1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard ⁽¹⁾	
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	NL											
Antimony	mg/L	0.020U	0.003											
Arsenic	mg/L	0.0070U	0.010U	0.010U	0.010U	0.050								
Barium	mg/L	0.091	0.097	0.090	0.094	0.065	0.070	0.080	0.074	0.082	0.072	0.092	1.0	
Beryllium	mg/L	0.0050U	0.0020U	0.0020U	0.0020U	0.003 ⁽²⁾								
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0020U	0.0040U	0.0055	0.0040U	0.050								
Copper	mg/L	0.010U	0.023 ⁽³⁾											
Iron	mg/L	0.050U	0.050U	0.050U	0.11	0.050U	0.050U	0.17	0.050U	0.050U	0.072	0.050U	0.30	
Lead	mg/L	0.010U	0.0060U	0.0060U	0.0060U	0.012								
Magnesium	mg/L	1.4	0.26	0.31	3.6	4.8	1.6	2.3	1.4	7.4	5.9	0.72	35	
Manganese	mg/L	0.0030U	0.0030U	0.0030U	0.012	0.0030	0.0030U	0.0080	0.0030U	0.0030U	0.018	0.0055	0.0030U	0.30
Mercury	mg/L	0.00020U	0.0000026 ⁽⁴⁾											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.010U	0.015U	0.015U	0.015U	0.015U	0.0046 ⁽⁴⁾							
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	343	391	195	401	310	276	293	231UJ	272	239	375	NL	
Zinc	mg/L	0.026U	0.020U	0.020U	0.020U	0.020U	2.0 ⁽²⁾							
General Chemistry														
pH	S.U.	10.71	11.55	11.3	10.91	9.75	8.0	10.73	10.8	10.59	7.92	8.48	11.13	NL
Hardness	mg/L	388	435	459	430	368	374	365	294	431	380	399	420	NL
Total Dissolved Solids (TDS)	mg/L	1500	1580	1590	1750	1120	1230	1440	1050	1400	1000	1590	1400	NL
Total Suspended Solids (TSS)	mg/L	2.0	6.0	3.0	18.0	3.0	4	9	4	11	15	15	3	NL
Chloride	mg/L	511	512	628	778	524	416	474	410	347	383	615	834	250
BOD	mg/L	13	10	20	22	12	9	9	11	7	6	11	22	NL
COD	mg/L	55	73	46	44	39	73	48	24	21	8	40	53	NL
Oil and Grease	mg/L	1.0U	0.28	1.0U	1.0	1.0U	NL							
Organic Carbon	mg/L	6	13	12	12	9	8	9	6	10	5	10	9	NL
Alkalinity, Total (As CaCO ₃)	mg/L	104	155	121	48	7.9	NA	74	119	58.0	38.0	13.4	74.8	NL
Bicarbonate (as CaCO ₃)	mg/L	22.5	5.0U	5.0U	5.0U	7.9	NA	10U	10U	10U	38.0	13.4	10U	NL
Ammonia	mg/L	7.35	3.15	2.10	5.6	5.25	6.3	5.25	3.15	3.15	2.45	4.2	3.5	2.0
Nitrate (as N)	mg/L	0.050U	0.051	0.050U	0.050U	10								

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															
Sample Date:	1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard (1)		
Parameter	Unit														
General Chemistry															
TKN	mg/L	9.24	2.52	1.1	4.48	5.04	8.4	6.7	5.88	5.88	2.24	7.28	5.88	NL	
Sulfate	mg/L	202	177	184	230	236	234	170	208	254	149	242	386	250	
Sulfide	mg/L	3.2	4.0	8.0	10	2.2	4.0	4.8	4.8	2.4	1.0U	1.0U	2.0	0.002	
Phenol	mg/L	0.11	0.10	0.009	0.006	0.01U	0.008U	0.034	0.08U	0.014U	0.006U	0.012U	0.015U	0.001	
Phosphorous	mg/L	0.12	0.10	0.18	0.10	0.04	0.11	0.10	0.13	0.16	0.11	0.24	0.13	0.020 (2)	
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052	

Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	2.6U	5.2U	1.3U	5.2U	1.3U	5.2U	1.3U	1.3U	5.2U	5.2U	5.2U	1.3U	5
1,1-Dichloroethane	µg/L	9.2	3.3U	11	14	4.1	11	5.9	10	5.2U	5.2U	3.3U	6.5	5
1,2-Dichloroethane	µg/L	1.7U	3.4U	0.85U	3.4U	0.85U	3.4U	0.85U	0.85U	5.2U	5.2U	3.4U	0.85U	0.6
2-Butanone	µg/L	9.3U	19U	4.6U	19U	4.6U	19U	4.6U	4.6U	5.2U	5.2U	19U	4.6U	50
Acetone	µg/L	53	42U	38	42U	12	42U	22	34	5.2U	5.2U	42U	19	50
Benzene	µg/L	7.8	4.4U	6.1	4.4	2.1	5.3	2.9	5.6	5.2U	5.2U	4.4U	3.3	1
Chlorobenzene	µg/L	6.7	8.8	3.0	3.6U	8.8	3.6U	4.4	2.9	19	13	12	4.5	5
Ethylbenzene	µg/L	19	0.11U	17	14	6.4	18	8.7	18	6.4	0.11U	0.11U	12	5
Methylene chloride	µg/L	7.0U	14U	3.5U	14U	3.5U	15	3.5U	3.5U	14U	14U	14U	3.5U	5
Styrene	µg/L	5.2U	10U	2.6U	10U	2.6U	10U	2.6U	2.6U	14U	14U	10U	2.6U	5
Tetrachloroethene	µg/L	60	5.0U	50	38	16	63	22	52	14U	14U	5.0U	31	0.7 ⁽²⁾
Toluene	µg/L	98	4.9U	80	75	26	78	38	83	14U	14U	4.9	46	5
trans-1,2-Dichloroethene	µg/L	3.6	6.0U	4.0	6.0U	1.8	6.0U	2.1	3.6	14U	14U	6.0U	1.5U	5
Trichloroethene	µg/L	260	7.5	200	220	82	240	97	200	4.8	4.8U	4.8U	130	5
Vinyl chloride	µg/L	14	5.7U	10	8.9	4.9	11	5.6	12	6.1	5.7U	5.7U	6.7	0.3 ⁽²⁾
Xylene (total)	µg/L	91	28U	81	78	29	87	42	83	28U	28U	28U	5.4	5
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	3
1,4-Dichlorobenzene	µg/L	15U	15U	15U	15U	15U	15U	15U	14U	15U	14U	15U	15U	3
2,4-Dimethylphenol	µg/L	15	12U	13U	12U	12U	13U	13U	12U	14	12U	13U	13U	50 ⁽²⁾
2-Methylphenol	µg/L	16U	15U	16U	15U	15U	16U	16U	15	15U	15U	16U	16U	NL
4-Methylphenol	µg/L	48	15U	24	16	15U	16U	20	32	29	15U	16U	16U	NL
Di-n-octyl phthalate	µg/L	27U	27U	27U	26U	27U	27U	27U	26U	26U	26U	27U	27U	50 ⁽²⁾
Naphthalene	µg/L	18U	37	18U	17U	20	18U	18U	17U	17U	20	18U	18U	10
Phenol	µg/L	39	140	11	14	91	16	67	13	6U	55	6U	11	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	NL											
Antimony	mg/L	0.020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003							
Arsenic	mg/L	0.010U	0.050											
Barium	mg/L	0.095	0.092	0.11	0.096	0.085	0.083	0.068	0.076	0.059	0.079	0.070	0.077	1.0
Beryllium	mg/L	0.0020U	0.003 ⁽²⁾											
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0040U	0.050											
Copper	mg/L	0.010U	0.023 ⁽³⁾											
Iron	mg/L	0.050U	0.066	0.050U	0.055	0.26	0.050U	0.056	0.097	0.20	0.22	0.11	0.050U	0.30
Lead	mg/L	0.0060U	0.0060U	0.0060U	0.0060U	0.0060U	0.0060U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	0.68	4.2	1.2	1.0	5.4	0.66	2.8	0.57	5.4	5.2	5.2	2.7	35
Manganese	mg/L	0.0030U	0.19	0.0033	0.0058	0.018	0.0030U	0.012	0.0030U	0.022	0.031	0.022	0.067	0.30
Mercury	mg/L	0.00020U	0.0000026 ⁽⁴⁾											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.015U	0.0046 ⁽⁴⁾											
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	362	425	425	422	423	349	319	305	334	447	360	294	NL
Zinc	mg/L	0.030	0.020U	2.0 ⁽²⁾										

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard ⁽¹⁾
Parameter	Unit													
General Chemistry														
pH	S.U.	11	9.13	11.13	11.16	9.44	11.26	8.81	11.19	9.21	7.26	9.10	10.95	NL
Hardness	mg/L	450	452	446	484	408	430	336	312	430	372	348	360	NL
Total Dissolved Solids (TDS)	mg/L	1490	1770	1780	1760	1920	1560	1490	1390	1560	1720	1320	1220	NL
Total Suspended Solids (TSS)	mg/L	6	4	11	20	6	11	5	8	8	10	18	5	NL
Chloride	mg/L	742	986	869	809	1020	792	728	678	692	913	676	599	250
BOD	mg/L	18	10	13	19	17	16	6	11	15	11	6	15	NL
COD	mg/L	55	30	51	51	58	26	67	43	46	59	17	24	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	0.57	1.0U	NL						
Organic Carbon	mg/L	9	9	6	5	6	6	8	7	8	9	8	7	NL
Alkalinity, Total (As CaCO ₃)	mg/L	56.0	23.0	71.2	110.0	12.3	122	45.7	113	37.8	44.6	46.5	55.7	NL
Bicarbonate (as CaCO ₃)	mg/L	10UJ	23	10U	10U	12.3	47.1	10U	10U	37.8	44.6	46.5	55.7	NL
Ammonia	mg/L	0.32	0.7	0.35	1.75	1.05	0.70	0.35	0.70	1.05	0.7	1.05	1.4	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.56	2.8	1.4	0.28	0	0.84	0.56	1.68	1.12	0.56	0.84	1.12	NL
Sulfate	mg/L	276	315	381	568	356	360	283	279	265	311	225	2.54	250
Sulfide	mg/L	4.0	1.2	3.2	5.6	1.6	1.6	8.4J	2.4	2.4J	5.6	2.4	2	0.002
Phenol	mg/L	0.015U	0.008U	0.009U	0.012U	0.010U	0.008U	0.010U	0.010U	0.010U	0.007U	0.008U	0.008U	0.001
Phosphorous	mg/L	0.20	0.11	0.24	0.23	0.13	0.05	0.20	0.06	0.14	0.10	0.14	0.10	0.020 ⁽²⁾
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	2.6U	2.6U	2.6U	2.6U	13U	2.6U	6.6U	1.3U	5.2U	5.2U	5.2U	5.2U	5
1,1-Dichloroethane	µg/L	1.7U	1.7U	1.7U	1.7U	8.4U	9.0	4.2U	6.6	5.7	3.3U	11	7.9	5
1,2-Dichloroethane	µg/L	1.7U	1.7U	1.7U	1.7U	8.5U	1.7U	4.2U	0.85U	3.4U	3.4U	3.4U	3.4U	0.6
2-Butanone	µg/L	9.3U	9.3U	9.3U	9.3U	46U	9.3U	23U	4.6U	19U	19U	19U	19U	50
Acetone	µg/L	21U	21U	21U	21U	100U	30	53U	10U	42U	42U	42U	42U	50
Benzene	µg/L	2.2U	2.2U	2.2U	2.2U	11U	2.5	5.5U	1.3	4.4U	4.4U	4.4U	4.4U	1
Chlorobenzene	µg/L	14	18	16	6.4	9.0U	1.8U	5.5	2.6	4.0	7.5	3.6U	4.7	5
Ethylbenzene	µg/L	3.2	2.2	0.056U	0.056U	0.28U	9.0	8.4	9.4	4.6	6.6	11	8.3	5
Methylene chloride	µg/L	7.0U	7.0U	7.0U	7.0U	35U	7.0U	17U	3.5U	14U	14U	14U	14U	5
Styrene	µg/L	5.2U	5.2U	5.2U	5.2U	26U	5.2U	13U	2.6U	10U	10U	10U	10U	5
Tetrachloroethene	µg/L	2.5U	2.5U	3.5	2.5U	13U	24	34	28	12	17	20	15	0.7 ⁽²⁾
Toluene	µg/L	4.0	2.4U	5.3	3.1	14	45	40	44	23	25	45	34	5
trans-1,2-Dichloroethene	µg/L	3.0U	3.0U	3.0U	3.0U	15U	3.0U	7.6U	1.5U	6.0U	6.0U	6.0U	6.0U	5
Trichloroethene	µg/L	8.7	2.4U	12	8.5	29	140	100	90	67	61	120	86	5
Vinyl chloride	µg/L	3.6	2.8U	2.8U	2.8U	14U	5.1	7.1U	1.4U	5.7U	6.6	5.7U	5.7U	0.3 ⁽²⁾
Xylene (total)	µg/L	14U	14U	14U	14U	69U	46	35	46	28U	28U	55	41	5
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	16U	16U	16U	16U	16U	1	1U	1U	1UJ	1	2	2	3
1,4-Dichlorobenzene	µg/L	15U	14U	15U	15U	15U	1	1	1	1	2	2	2	3
2,4-Dimethylphenol	µg/L	16	12U	13U	13U	12U	5	3	4	3	6	7	11	50 ⁽²⁾
2-Methylphenol	µg/L	16U	15U	16U	16U	15U	6	4	7	1	5	8	7	NL
4-Methylphenol	µg/L	49	15U	16	16U	15U	12	10	15	0.7U	12	21	21	NL
Di-n-octyl phthalate	µg/L	27U	26U	27U	27U	27U	0.8U	0.8U	0.9U	0.9U	0.9U	0.9U	0.8U	50 ⁽²⁾
Naphthalene	µg/L	18U	17U	33	18U	19	0.8U	0.8U	3	0.8U	0.8U	0.8U	0.8U	10
Phenol	µg/L	34	6U	130	120J	68	0.4U	7	9	0.4U	17	4	50	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	0.20	0.20U	NL									
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.20U	0.003						
Arsenic	mg/L	0.010U	0.050											
Barium	mg/L	0.068	0.069	0.085	0.15	0.088	0.067	0.055	0.063	0.073	0.082	0.093	0.10	1.0
Beryllium	mg/L	0.0020U	0.003 ⁽²⁾											
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0040U	0.050											
Copper	mg/L	0.010U	0.023 ⁽³⁾											
Iron	mg/L	0.098	0.54	0.37	3.4	0.22	0.050U	0.050U	0.050U	0.17	0.056	0.050U	0.050U	0.30
Lead	mg/L	0.0050U	0.012											
Magnesium	mg/L	4.3	5.7	5.6	14.2	6.3	0.50	2.8	1.8	3.2	3.4	0.26	1.2	35
Manganese	mg/L	0.01	0.035	0.033	0.34	0.053	0.0030U	0.0068	0.0030U	0.022	0.022	0.0030U	0.0030U	0.30
Mercury	mg/L	0.00020U	0.0000026 ⁽⁴⁾											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.015U	0.0046 ⁽⁴⁾											
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	387	422	448	504	347	289	229	235	264	292	302	357	NL
Zinc	mg/L	0.020U	0.032	0.020U	0.020U	2.0 ⁽²⁾								

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID:														
Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard ⁽¹⁾
Parameter	Unit													
General Chemistry														
pH	S.U.	9.71	8.94	9.27	8.18	9.3	11.13	8.42	10.67	9.91	9.54	11.25	11.04	NL
Hardness	mg/L	372	390	398	468	400	352	275	268	255	280	360	344	NL
Total Dissolved Solids (TDS)	mg/L	1520	1480	1620	2010	1540	1370	1110	1140	1050	1320	1320	1380	NL
Total Suspended Solids (TSS)	mg/L	278	147	27	82	21	12	11	6	6	4	6	4	NL
Chloride	mg/L	950	836J	1060	1200	883	729	516	408	451	716	664	762	250
BOD	mg/L	12	15	12	11	10	11	14	10	12	14	15	16	NL
COD	mg/L	52	48	52	65	35	51	56	38	47	31	31	61	NL
Oil and Grease	mg/L	0.28	1.0U	1.0U	1.0U	1.0U	0.28	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	8	9	9	10	9	10	5.1	5.2	5.1	5.6	6.4	9.2	NL
Alkalinity, Total (As CaCO ₃)	mg/L	44	46.4	40	105	43.5	99.2	36.3	66	10.2	29.0	114	42	NL
Bicarbonate (as CaCO ₃)	mg/L	44	46.4	40	105	43.5	10U	36.3	66	10.2	29.0	114	42	NL
Ammonia	mg/L	0.7	0.7	0.7	0.35	1.05	0.35	0.35	0.7	0.35	0.70	0.70	0.70	2.0
Nitrate (as N)	mg/L	0.050U	10											
TKN	mg/L	0.56	0.28	0.56	0.28	1.4	0.28	0.56	0.56	0.28	0.56	0.56	0.84	NL
Sulfate	mg/L	273	232	431	256	279	276	223	199	206	291	256	263	250
Sulfide	mg/L	8.8	4	5.2	1.0U	1.0U	1.0U	1.0U	2.0	2.0	2.0	5.6	8.8	0.002
Phenol	mg/L	0.006U	0.012U	0.010U	0.014U	0.012U	0.009U	0.009U	0.007U	0.010U	0.010U	0.006U	0.008U	0.001
Phosphorous	mg/L	0.15	0.08	0.11	0.1	0.13	0.08	0.08	0.11	0.14	0.14	0.20	0.04	0.020 ⁽²⁾
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.0050U	0.0050U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard ⁽¹⁾
Parameter	Unit													
Volatiles														
1,1,1-Trichloroethane	µg/L	5.2U	5.2U	5.2U	5.2U	5.2U	5.2U	1.3U	1.3U	2.6U	2.6U	1.3U	1.3 U	5
1,1-Dichloroethane	µg/L	8.9	10	11	12	3.3U	3.3U	1.1	8.3	1.7U	2.8	12	2.8	5
1,2-Dichloroethane	µg/L	3.4U	3.4U	3.4U	3.4U	3.4U	3.4U	0.85U	0.85U	1.7U	1.7U	0.85U	0.85 U	0.6
2-Butanone	µg/L	19U	19U	19U	19U	19U	19U	4.6U	4.6U	9.3U	9.3U	4.6U	4.6 U	50
Acetone	µg/L	42U	42U	42U	42U	42U	42U	12	26	21U	21U	22	23	50
Benzene	µg/L	4.4U	4.4U	4.4U	4.4U	4.4U	4.4U	1.4	4.1	3.0	3.4	1.5	3.4	1
Chlorobenzene	µg/L	5.1	5.0	5.0	3.6U	8.6	7.8	6.3	7.7	9.8	11	3.9	6.0	5
Ethylbenzene	µg/L	7.9	10	12	8.2	7.0U	7.0U	2.4	9.5	16	16	8.8	9.4	5
Methylene chloride	µg/L	14U	14U	14U	6.8U	6.8U	14	1.7U	1.7U	3.4U	3.4U	1.7U	1.7U	5
Styrene	µg/L	10U	10U	10U	6.6U	6.6U	6.6U	1.7U	1.7U	3.4U	3.4U	1.7U	1.7U	5
Tetrachloroethene	µg/L	15	19	27	21	9.1	13	5.4	25	18	21	10	22	0.7 ⁽²⁾
Toluene	µg/L	36	46	56	41	11	28	13	57	13	24	36	44	5
trans-1,2-Dichloroethene	µg/L	6.0U	6.0U	6.0U	6.0U	6.0U	6.0U	1.5U	3.9	3.0U	3.0U	2.2	1.9	5
Trichloroethene	µg/L	100	130	150	130	23	54	20	94	23	52	130	82	5
Vinyl chloride	µg/L	5.7U	5.8	6.4	5.7U	5.7U	5.7U	2.9	11	4.3	5.2	4.6	1.4 U	0.3 ⁽²⁾
Xylene (total)	µg/L	37	28U	55	41	28U	28U	9.1	41	14U	70	46	41	5
Semi-Volatiles														
1,2-Dichlorobenzene	µg/L	2	2	2	2	1	0.2U	0.2U	0.2U	4	3	0.2U	0.2U	3
1,4-Dichlorobenzene	µg/L	2	2	2	2	3	0.4U	2	2	6	4	2	0.4U	3
2,4-Dimethylphenol	µg/L	9	11	14	10	5	4	3	6	19	9	22	6 J	50 ⁽²⁾
2-Methylphenol	µg/L	6	7	8	5	4	6	3	10	5	4	0.3U	3	NL
4-Methylphenol	µg/L	21	28	34	13	12	7	5	21	63	43	2	5	NL
Di-n-octyl phthalate	µg/L	0.8U	0.9U	0.8U	0.8U	4U	21U	21U	21U	21U	21U	23U	21 U	50 ⁽²⁾
Naphthalene	µg/L	12	11	1	0.8U	50	16	16	38	0.4U	0.4U	0.4U	0.4 U	10
Phenol	µg/L	43	40	31	0.4U	150	21	46	170	41	10	0.1U	6	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard (1)
Parameter	Unit													
Metals														
Aluminum	mg/L	0.20U	NL											
Antimony	mg/L	0.20U	0.003											
Arsenic	mg/L	0.010U	0.050											
Barium	mg/L	0.10	0.11	0.94	0.093	0.082	0.074	0.071	0.061	0.074	0.076	0.086	0.06	1.0
Beryllium	mg/L	0.0020U	0.003 (2)											
Cadmium	mg/L	0.0010U	0.005											
Chromium	mg/L	0.0040U	0.050											
Copper	mg/L	0.010U	0.023 (3)											
Iron	mg/L	0.050U	0.074	0.054	0.20	0.27	0.30							
Lead	mg/L	0.0050U	0.012											
Magnesium	mg/L	2.3	1.2	0.57	0.46	7.6	1.6	7.0	3.0	3.2	2.1	58	4.8	35
Manganese	mg/L	0.0030U	0.011	0.011	0.0034	0.0093	0.30							
Mercury	mg/L	0.00020U	0.0000026 (4)											
Nickel	mg/L	0.010U	0.10											
Selenium	mg/L	0.015U	0.0046 (4)											
Silver	mg/L	0.0030U	0.050											
Sodium	mg/L	357	425	454	419	361	350	278	282	366	337	371	305	NL
Zinc	mg/L	0.020U	0.020U	0.010U	0.010U	0.010U	0.010U	0.010U	0.018	0.0109	0.012	0.014	0.015	2.0 (2)

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard ⁽¹⁾
Parameter	Unit													
General Chemistry														
pH	S.U.	10.73	11.07	10.99	10.96	9.74	10.62	8.32	9.86	10.82	11.08	11.19	8.53	NL
Hardness	mg/L	329	342	400	408	289	310	292	260	342	320	296	200	NL
Total Dissolved Solids (TDS)	mg/L	1510	1700	1670	1730	1500	1470	1180	1170	1440	1430	1350	1020	NL
Total Suspended Solids (TSS)	mg/L	6	6	10	5	4	3	27	13	6	26	8	9	NL
Chloride	mg/L	910	897	914	962J	914	737	493	495	728	791	752	412	250
BOD	mg/L	10	10	9	10	12	7	10	12	12	11	15	14	NL
COD	mg/L	38	45	47	47	47	47	47	161	177	47	27	20	NL
Oil and Grease	mg/L	1.0U	1.0 U	NL										
Organic Carbon	mg/L	7.9	8.1	8.3	8.9	9.3	8.1	6.7	9.1	8	6.2	6.7	7.1	NL
Alkalinity, Total (As CaCO3)	mg/L	69	71.4	95.1	75.4	26.9	44.9	92.6	30.3	64.5	93.4	72.0	44.2	NL
Bicarbonate (as CaCO3)	mg/L	69	10U	10U	75.4	26.9	44.9	92.6	30.3	64.5	93.4	10U	44.2	NL
Ammonia	mg/L	0.35	1.05	0.28	0.70	0.70	0.28	0.70	1.05	0.70	1.05	0.70	1.05	2.0
Nitrate (as N)	mg/L	0.050U	0.050 U	10										
TKN	mg/L	0.28	0.84	0.56	0.84	0.56	0.84	0.56	1.12	0.84	0.56	0.28	1.12	NL
Sulfate	mg/L	297	288	285	351	296	259	182	242	230	208	269	207	250
Sulfide	mg/L	4.0	2.9	5.2	6.0	4.4	6.8	2.8	6.4	8.0	8.0	7.2	6.4	0.002
Phenol	mg/L	0.008U	0.010U	0.009U	0.011U	0.007U	0.008U	0.012U	0.007U	0.011U	0.013U	0.007U	0.006 U	0.001
Phosphorous	mg/L	0.06	0.37	0.13	0.05	0.10	0.12	0.07	0.17	0.14	0.14	0.18	0.13	0.020
Cyanide	mg/L	0.005U	0.005 U	0.0052										

Notes:

- U - Non-detect at associated value
- Not Analyzed
- J - Estimated
- NL - Not Listed
- SL - Sample Lost
- (1) - Lowest Standard/Guidance Value shown
- (2) - Guidance Value
- (3) - Calculated using a hardness of 300 ppm
- (4) - Applies to dissolved form
- (5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

Sample ID: Sample Date:		01/05/07	02/09/07	09/17/08	03/05/09	09/04/09	03/05/10	Surface Water Standard ⁽¹⁾
Parameter	Unit							
Volatiles								
1,1,1-Trichloroethane	µg/L	1.3 U	1.3 U	0.73 U	1.1	5.0U	5.0U	5
1,1-Dichloroethane	µg/L	14	8.2	1.0	13	5.6	5.6	5
1,2-Dichloroethane	µg/L	0.85 U	0.85 U	0.60 U	0.60U	5.0U	5.0U	0.6
2-Butanone	µg/L	4.6 U	4.6 U	3.6 U	3.6U	25U	25U	50
Acetone	µg/L	19	17	20	19	25U	25	50
Benzene	µg/L	2.2	1.6	2.3	2.1	5.0U	5.0U	1
Chlorobenzene	µg/L	4.9	5.6	7.0	5.1	5.0U	5.0U	5
Ethylbenzene	µg/L	10	9.1	13	4.0	5.0U	5.2	5
Methylene chloride	µg/L	1.7U	1.7U	0.81 U	0.81U	5.0U	5.0U	5
Styrene	µg/L	1.7U	1.7U	1.0	0.38U	5.0U	5.0U	5
Tetrachloroethene	µg/L	16	15	26	15	6.6	8.4	0.7 ⁽²⁾
Toluene	µg/L	57	35	20	35	22	29	5
trans-1,2-Dichloroethene	µg/L	2.7	2.2	2.8	2.8	5.0U	5.0U	5
Trichloroethene	µg/L	160	120	63	110	64	64	5
Vinyl chloride	µg/L	1.4U	1.4U	6.0	6.7	5.0U	5.0U	0.3 ⁽²⁾
Xylene (total)	µg/L	52	43	52	46	19	25	5
Semi-Volatiles								
1,2-Dichlorobenzene	µg/L	1	0.2U	2	1.2	0.54	1.1	3
1,4-Dichlorobenzene	µg/L	0.4U	0.4U	3	1.9	0.95	1.8	3
2,4-Dimethylphenol	µg/L	5	4	19	19	13	5.6	50 ⁽²⁾
2-Methylphenol	µg/L	8	5	16	8.3	9.4	1.4	NL
4-Methylphenol	µg/L	14	14	66	41	25	5.0U	NL
Di-n-octyl phthalate	µg/L	21U	22U	21 U	4.5U	4.5U	4.5U	50 ⁽²⁾
Naphthalene	µg/L	18	19	0.6	1.8	0.080U	0.54	10
Phenol	µg/L	69	62	38	7.5	14	0.12U	1

TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i> <i>Sample Date:</i>		01/05/07	02/09/07	09/17/08	03/05/09	09/04/09	03/05/10	<i>Surface Water Standard</i> ⁽¹⁾
<i>Parameter</i>	<i>Unit</i>							
<i>Metals</i>								
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.361	0.239	NL
Antimony	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.003
Arsenic	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.080	0.077	0.071	0.135	0.063	0.088	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003 ⁽²⁾
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.030	0.010U	0.0312	0.023 ⁽³⁾
Iron	mg/L	0.078	0.064	0.054	0.49	0.050U	0.247	0.30
Lead	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	1.9	2.3	1.7	4.2	1.12	2.91	35
Manganese	mg/L	0.0037	0.0071	0.013	0.097	0.030U	0.0098	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0002	0.000026 ⁽⁴⁾
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.0046 ⁽⁴⁾
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	376	365	260	367	307	4160	NL
Zinc	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	23.7	2.0 ⁽²⁾

**TABLE 2.10
ANALYTICAL RESULTS SUMMARY
SITE EFFLUENT
GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>								
<i>Sample Date:</i>		01/05/07	02/09/07	09/17/08	03/05/09	09/04/09	03/05/10	<i>Surface Water Standard</i> ⁽¹⁾
<i>Parameter</i>	<i>Unit</i>							
<i>General Chemistry</i>								
pH	S.U.	10.94	10.78	10.58	10.20	10.80	10.72	NL
Hardness	mg/L	284	269	346	700	245	310	NL
Total Dissolved Solids (TDS)	mg/L	1360	1330	1180	1550	1150	1550	NL
Total Suspended Solids (TSS)	mg/L	4	8	9	44	8	5	NL
Chloride	mg/L	897	741	460	720	516	793	250
BOD	mg/L	8	7	15	15	14	13	NL
COD	mg/L	74	67	33	41	4.4	59	NL
Oil and Grease	mg/L	1.0 U	1.0 U	1.0 U	0.10	0.10	0.10U	NL
Organic Carbon	mg/L	8.8	11.5	5.6	7.7	5.5	8.7	NL
Alkalinity, Total (As CaCO3)	mg/L	75.9	56.8	59.8	38.2	70.2	88.1	NL
Bicarbonate (as CaCO3)	mg/L	10U	10U	10 U	38.2	70.2	10U	NL
Ammonia	mg/L	0.70	0.70	0.35	0.56	0.84	2.24	2.0
Nitrate (as N)	mg/L	0.050 U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.84	0.56	0.56	0.56	1.68	1.68	NL
Sulfate	mg/L	267	235	216	280	216	202	250
Sulfide	mg/L	6.8J	6.0	8.8	6.8	6.0	2.4	0.002
Phenol	mg/L	0.009U	0.009U	0.007 U	0.011U	0.011U	0.012U	0.001
Phosphorous	mg/L	0.12	0.01	0.15	0.17	0.10U	0.08	0.020 ⁽²⁾
Cyanide	mg/L	0.005 U	0.005 U	0.005 U	0.005U	0.005	0.005	0.0052

Notes:

- U - Non-detect at associated value
- - Not Analyzed
- J - Estimated
- NL - Not Listed
- SL - Sample Lost
- (1) - Lowest Standard/Guidance Value shown
- (2) - Guidance Value
- (3) - Calculated using a hardness of 300 ppm
- (4) - Applies to dissolved form
- (5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
May 2001	2,900,000	2,900,000
June 2001	2,353,800	5,253,800
July 2001	1,488,500	6,742,300
August 2001	712,800	7,455,100
September 2001	473,100	7,928,200
October 2001	1,213,100	9,141,300
November 2001	1,281,100	10,422,400
December 2001	231,700 ⁽¹⁾	10,654,100
January 2002	1,383,200 ⁽²⁾	12,037,300
February 2002	1,186,000	13,223,300
March 2002	233,600	13,456,900
April 2002	736,000	14,192,900
May 2002	348,200	14,541,100
June 2002	1,137,200	15,678,300
July 2002	869,300	16,547,600
August 2002	1,060,800	17,608,400
September 2002	707,000	18,315,400
October 2002	679,800	18,995,100
November 2002	489,500	19,484,700
December 2002	743,500	20,228,200
January 2003	1,150,700	21,378,900
February 2003	483,300	21,862,200
March 2003	402,300	22,264,500
April 2003	531,900	22,796,400
May 2003	655,600	23,452,000
June 2003	682,100	24,134,000
July 2003	942,000	25,076,100
August 2003	627,500	25,703,600
September 2003	349,600	26,053,200
October 2003	966,500	27,019,700
November 2003	442,200	27,461,900
December 2003	463,900	27,925,800

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
January 2004	443,900	28,369,700
February 2004	253,700	28,623,400
March 2004	403,700	29,027,100
April 2004	433,600	29,460,700
May 2004	377,400	29,838,100
June 2004	395,000	30,233,100
July 2004	384,300	30,617,400
August 2004	479,700	31,097,100
September 2004	413,900	31,511,000
October 2004	319,400	31,902,400
November 2004	249,200	32,151,600
December 2004	209,900	32,361,500
January 2005	310,100	32,671,600
February 2005	301,100	32,972,700
March 2005	250,200	33,222,900
April 2005	378,400	33,601,300
May 2005	458,800	34,060,100
June 2005	455,900	34,516,000
July 2005	270,200	34,786,200
August 2005	285,100	35,071,300
September 2005	395,600	35,466,900
October 2005	333,200	35,800,100
November 2005	360,200	36,160,300
December 2005	395,300	36,555,600
January 2006	297,500	36,853,100
February 2006	508,300	37,361,400
March 2006	244,700	37,606,100
April 2006	224,400	37,830,500
May 2006	153,300	37,983,800
June 2006	262,300	38,246,100
July 2006	212,900	38,459,000
August 2006	357,500	38,816,500

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2006	777,000	39,593,500
October 2006	254,700	39,848,200
November 2006	778,700	40,626,900
December 2006	496,600	41,123,500
January 2007	410,500	41,534,000
February 2007	494,600	42,028,600
March, April & May 2007	1,489,200 ⁽³⁾	43,517,800
June 2007	334,300	43,852,100
July 2007	258,600	44,110,700
August 2007	239,000	44,349,700
September 2007	59,500 ⁽⁴⁾	44,409,200
October 2007 through January 2008	50,600 ⁽⁴⁾	44,459,800
February 2008	23,800 ⁽⁴⁾	44,483,600
March 2008	1,238,300	45,721,900
April 2008	2,126,700	47,848,600
May 2008	1,771,100	49,619,700
June 2008	618,000	50,237,700
July 2008	1,559,200	51,796,900
August 2008	1,365,900	53,162,800
September 2008	1,998,000	55,160,800
October 2008	2,511,100	57,671,900
November 2008	1,151,600	58,823,500
December 2008	572,700	59,396,200
January 2009	1,021,700	60,417,900
February 2009	2,661,400	63,079,300
March 2009	4,239,300	67,318,600
April 2009	1,189,900	68,508,500
May 2009	1,362,500	69,871,000
June 2009	1,035,200	70,906,200
July 2009	1,010,100	71,916,300
August 2009	1,058,000	72,974,400

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED
TO NORTH TONAWANDA POTW
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2009	947,000	73,921,400
October 2009	690,800	74,612,200
November 2009	697,500	75,309,700
December 2009	1,100,900	76,410,600
January 2010	767,100	77,177,700
February 2010	398,600	77,576,300
March 2010	1,094,500	78,670,800
April 2010	761,000	79,431,800
May 2010	354,700	79,786,500

Notes:

- (1) To December 7, 2001.
- (2) From December 8, 2001.
- (3) Plotted as 496,400 gallons on Figure 2.18 for each of March, April, and May 2007.
- (4) Meter malfunctioned due to tar-like material buildup inside meter. Meter was cleaned on March 14, 2008. Volumes not plotted on Figure 2.18 as volumes are not representative of actual volume removed.

TABLE 2.12

SURFACE WATER SAMPLING SUMMARY
OPERATION AND MAINTENANCE MANUAL
GRATWICK-RIVERSIDE PARK SITE
NORTH TONAWANDA, NEW YORK

LOCATIONS

River South
River Middle
River North

FREQUENCY

- quarterly for 2 years following GWS startup (concurrent with groundwater sampling)
- semi-annually for Year 3 (concurrent with groundwater sampling)
- annually for Years 3 through 7 (concurrent with groundwater sampling)
- Year 8 and thereafter no sampling required (i.e., starting May 2009)

PARAMETERS

Volatiles

Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	

Semi-Volatiles

1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenol

Recommended Future Sampling Program

- No further sampling and analyses.

APPENDIX A

MONTHLY INSPECTION LOGS
(JUNE 2009 TO MAY 2010)

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

SG / DJT

DATE:

10/6/2019
(MM DD YY)

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	None
<input checked="" type="checkbox"/>		- condition of cover	
<input checked="" type="checkbox"/>		- condition of inside of manhole	
<input checked="" type="checkbox"/>		- flow conditions	
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
<input checked="" type="checkbox"/>		- condition of cover	
<input checked="" type="checkbox"/>		- condition of inside of wet well	
2. Landfill Cap			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	
<input checked="" type="checkbox"/>		- bare areas	
<input checked="" type="checkbox"/>		- washouts	
<input checked="" type="checkbox"/>		- leachate seeps	
<input checked="" type="checkbox"/>		- length of vegetation	
<input checked="" type="checkbox"/>		- dead/dying vegetation	

FORM 17

David J. [Signature]

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 06/29/09
(MM DD YY)

INSPECTOR(S): SG/DJT

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	
		- erosion	
		- potholes or puddles	
		- obstruction	
3. Wetlands (Area "F")			
X		- dead/dying vegetation	
X		- change in water budget	
X		- general condition of wetlands	
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 17

David J. Ryan

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 06/29/09
(MM DD YY)

INSPECTOR(S): SG/DJT

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	None
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	None
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Gas Vents	- intact / damage	None
		Wells	

FORM 17

Wae J yan

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07 | 27 | 09
(MM DD YY)

INSPECTOR(S): DJT/SG

	Item	Inspect For	Action Required	Comments
1.	Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of manhole		
<input checked="" type="checkbox"/>		- flow conditions		
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	↓	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of wet well		
2.	Landfill Cap			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	NONE	
<input checked="" type="checkbox"/>		- bare areas		
<input checked="" type="checkbox"/>		- washouts		
<input checked="" type="checkbox"/>		- leachate seeps		
<input checked="" type="checkbox"/>		- length of vegetation		
<input checked="" type="checkbox"/>		- dead/dying vegetation		↓

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07 / 27 / 09
(MM DD YY)

INSPECTOR(S): DJT/SG

	Item	Inspect For	Action Required	Comments
	2. Landfill Cap (continued)			
<input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- potholes or puddles		
<input checked="" type="checkbox"/>		- obstruction		
	3. Wetlands (Area "F")			
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- change in water budget		
<input checked="" type="checkbox"/>		- general condition of wetlands		
	4. Other Site Systems			
<input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA	
<input type="checkbox"/>		- integrity of gates		
<input type="checkbox"/>		- integrity of locks		
<input type="checkbox"/>		- placement and condition of signs		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07/27/09
(MM DD YY)

INSPECTOR(S): DJT/SG

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE
<input checked="" type="checkbox"/>		- erosion	
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	
<input checked="" type="checkbox"/>		- dead/dying vegetation	
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/>	Culverts	- sediment build-up	↓
<input checked="" type="checkbox"/>		- erosion	
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	
<input type="checkbox"/>	Gas Vents	- intact / damage	NA
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08 / 31 / 09
(MM DD YY)

INSPECTOR(S): DJT/SG

<i>Item</i>	<i>Inspect For</i>	<i>Action Required</i>	<i>Comments</i>
1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	<p style="font-size: 2em; margin: 0;">NONE</p> <hr/> <hr/> <hr/> <hr/>
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	<hr/> <hr/> <hr/>
		- condition of cover	
		- condition of inside of wet well	
2. Landfill Cap			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	<p style="font-size: 2em; margin: 0;">NONE</p> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08/31/09
(MM DD YY)

INSPECTOR(S): DJT/SG

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads - bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	NONE	
3. Wetlands (Area "F") <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- dead/dying vegetation - change in water budget - general condition of wetlands	↓	
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence - integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09 / 30 / 09
(MM DD YY)

INSPECTOR(S): DJT/SG

<i>Item</i>	<i>Inspect For</i>	<i>Action Required</i>	<i>Comments</i>
1. Perimeter Collection System/Off-Site Forcemain			
<div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div>	Manholes	- cover on securely	NONE
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div>	Wet Wells	- cover on securely	
		- condition of cover	
		- condition of inside of wet well	↓
2. Landfill Cap			
<div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div> <div style="border: 1px solid black; padding: 2px; width: 20px; height: 20px; margin: 2px;">X</div>	Vegetated Soil Cover	- erosion	NONE
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/ dying vegetation	↓

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09 / 30 / 09
(MM DD YY)

INSPECTOR(S): DJT/SG

	Item	Inspect For	Action Required	Comments
	2. Landfill Cap (continued)			
<input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- potholes or puddles		
<input checked="" type="checkbox"/>		- obstruction		
	3. Wetlands (Area "F")			
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- change in water budget		
<input checked="" type="checkbox"/>		- general condition of wetlands		
	4. Other Site Systems			
<input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA	
<input type="checkbox"/>		- integrity of gates		
<input type="checkbox"/>		- integrity of locks		
<input type="checkbox"/>		- placement and condition of signs		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09 / 30 / 09
(MM DD YY)

INSPECTOR(S): DJT/SG

	Item	Inspect For	Action Required	Comments
4.	Other Site Systems (continued)			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/>	Culverts	- sediment build-up		
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions	↓	
<input type="checkbox"/>	Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11 03 09
(MM DD YY)

INSPECTOR(S): D TYRAN, S. GARDNER

	Item	Inspect For	Action Required	Comments
1.	Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE ↓	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of manhole		
<input checked="" type="checkbox"/>		- flow conditions		
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely		
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of wet well		
2.	Landfill Cap			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	NONE ↓	
<input checked="" type="checkbox"/>		- bare areas		
<input checked="" type="checkbox"/>		- washouts		
<input checked="" type="checkbox"/>		- leachate seeps		
<input checked="" type="checkbox"/>		- length of vegetation		
<input checked="" type="checkbox"/>		- dead/dying vegetation		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11 03 00 9
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

	Item	Inspect For	Action Required	Comments
	2. Landfill Cap (continued)			
<input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- potholes or puddles		
<input checked="" type="checkbox"/>		- obstruction		
	3. Wetlands (Area "F")			
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- change in water budget		
<input checked="" type="checkbox"/>		- general condition of wetlands		
	4. Other Site Systems			
<input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA	
<input type="checkbox"/>		- integrity of gates		
<input type="checkbox"/>		- integrity of locks		
<input type="checkbox"/>		- placement and condition of signs		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/03/009
(MM DD YY)

INSPECTOR(S): D TYRAN, S. GARDNER

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE
<input checked="" type="checkbox"/>		- erosion	
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	
<input checked="" type="checkbox"/>		- dead/dying vegetation	
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap	
<hr/>			
<input checked="" type="checkbox"/>	Culverts	- sediment build-up	
<input checked="" type="checkbox"/>		- erosion	
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	↓
<hr/>			
<input type="checkbox"/>	Gas Vents	- intact / damage	NA
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/13/09
(MM DD YY)

INSPECTOR(S): D. Tyran S. Gardner

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	None
<input checked="" type="checkbox"/>		- condition of cover	↓
<input checked="" type="checkbox"/>		- condition of inside of manhole	▽
<input checked="" type="checkbox"/>		- flow conditions	
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	None
<input checked="" type="checkbox"/>		- condition of cover	↓
<input checked="" type="checkbox"/>		- condition of inside of wet well	Note: Water level in MH 12 was high. It was right at the Metal grate
2. Landfill Cap			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	None
<input checked="" type="checkbox"/>		- bare areas	↓
<input checked="" type="checkbox"/>		- washouts	
<input checked="" type="checkbox"/>		- leachate seeps	
<input checked="" type="checkbox"/>		- length of vegetation	↓
<input checked="" type="checkbox"/>		- dead/dying vegetation	▽

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/30/09
(MM DD YY)

INSPECTOR(S): D. Tyran S. Gardner

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	None
		- erosion	↓
		- potholes or puddles	↓
		- obstruction	↓
3. Wetlands (Area "F")			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wetlands (Area "F")	- dead/dying vegetation	None
		- change in water budget	↓
		- general condition of wetlands	↓
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA
		- integrity of gates	↓
		- integrity of locks	↓
		- placement and condition of signs	↓

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11 30 09
(MM DD YY)

INSPECTOR(S): D. Tyran S. Gardner

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	<u>None</u>
		- erosion	↓
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	↓
<input checked="" type="checkbox"/>	- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	<u>None</u>
		- erosion	↓
		- condition of erosion protection	
		- flow obstructions	<u>Several large trees washed up against River South River Middle outfalls cant move</u>
<input checked="" type="checkbox"/>	Gas Vents	- intact /damage	<u>None</u>
<input checked="" type="checkbox"/>	Wells	- locks secure	↓

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11 23 00 9
(MM DD YY)

INSPECTOR(S): DJT/SG

Item	Inspect For	Action Required	Comments	
1. Perimeter Collection System/Off-Site Forcemain				
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px;"><input checked="" type="checkbox"/></div> </div>	Manholes	- cover on securely	NONE	
		- condition of cover	↓	
		- condition of inside of manhole	↓	
		- flow conditions	↓	
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px;"><input checked="" type="checkbox"/></div> </div>	Wet Wells	- cover on securely	MH 12 LEVEL IN CHAMBER HIGHER THAN NORMAL	
		- condition of cover	NONE	
		- condition of inside of wet well	↓	
2. Landfill Cap				
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 2px;"><input checked="" type="checkbox"/></div> <div style="border: 1px solid black; width: 15px; height: 15px;"><input checked="" type="checkbox"/></div> </div>	Vegetated Soil Cover	- erosion	NONE	
		- bare areas	↓	
		- washouts	↓	
		- leachate seeps	↓	
		- length of vegetation	↓	
		- dead/dying vegetation	↓	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11 23 00 9
(MM DD YY)

INSPECTOR(S): DJT/SG

Item	Inspect For	Action Required	Comments	
2. Landfill Cap (continued)				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/ dying veg. - erosion - potholes or puddles - obstruction	NONE ↓	
	3. Wetlands (Area "F")			
	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- dead/ dying vegetation		
		- change in water budget		
- general condition of wetlands		↓		
4. Other Site Systems				
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA ↓	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/23/09
(MM DD YY)

INSPECTOR(S): DJT/SG

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE ↓
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input type="checkbox"/>	Gas Vents	- intact / damage	NA
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/29/10
(MM DD YY)

INSPECTOR(S): D. TYRAN, S. GARDNER

	Item	Inspect For	Action Required	Comments
	1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE ↓	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of manhole		
<input checked="" type="checkbox"/>		- flow conditions		
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	MH 12 W/L IN CHAMBER HIGH ABOVE GRATING	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of wet well		
	2. Landfill Cap			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	NONE ↓	
<input checked="" type="checkbox"/>		- bare areas		
<input checked="" type="checkbox"/>		- washouts		
<input checked="" type="checkbox"/>		- leachate seeps		
<input checked="" type="checkbox"/>		- length of vegetation		
<input checked="" type="checkbox"/>		- dead/dying vegetation		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/29/09
(MM DD YY)

INSPECTOR(S): D TYRAN, S. GARDNER

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	NONE
		- erosion	
		- potholes or puddles	
		- obstruction	
3. Wetlands (Area "F")			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wetlands (Area "F")	- dead/dying vegetation	↓
		- change in water budget	
		- general condition of wetlands	
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA ↓
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09/29/10
(MM DD YY)

INSPECTOR(S): D TYRAN, S. GARDNER

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	↓
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input type="checkbox"/>	Gas Vents	- intact / damage	NA
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/22/19
(MM DD YY)

INSPECTOR(S): S. GARDNER, D. OSCAR

Item	Inspect For	Action Required	Comments	
1. Perimeter Collection System/Off-Site Forcemain				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes - cover on securely - condition of cover - condition of inside of manhole - flow conditions	NONE ↓		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells - cover on securely - condition of cover - condition of inside of wet well	MH 12 W/L IN CHAMBER HIGH, ABOVE GRATING		
2. Landfill Cap				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover - erosion - bare areas - washouts - leachate seeps - length of vegetation - dead/dying vegetation	NONE ↓		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/21/2010
(MM DD YY)

INSPECTOR(S): S. GARDNER, D OSCAR

	Item	Inspect For	Action Required	Comments
4.	Other Site Systems (continued)			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/>	Culverts	- sediment build-up	↓	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input type="checkbox"/>	Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 03 / 30 / 10
(MM DD YY)

INSPECTOR(S): S GARDNER

	Item	Inspect For	Action Required	Comments
	1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE ↓	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of manhole		
<input checked="" type="checkbox"/>		- flow conditions		
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	↓	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of wet well		
	2. Landfill Cap			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	NONE ↓	
<input checked="" type="checkbox"/>		- bare areas		
<input checked="" type="checkbox"/>		- washouts		
<input checked="" type="checkbox"/>		- leachate seeps		
<input checked="" type="checkbox"/>		- length of vegetation		
<input checked="" type="checkbox"/>		- dead/dying vegetation		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 033010
(MM DD YY)

INSPECTOR(S): S GARDNER

	Item	Inspect For	Action Required	Comments
	2. Landfill Cap (continued)			
<input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- potholes or puddles		
<input checked="" type="checkbox"/>		- obstruction		
	3. Wetlands (Area "F")			
<input checked="" type="checkbox"/>		- dead/dying vegetation	↓	
<input checked="" type="checkbox"/>		- change in water budget		
<input checked="" type="checkbox"/>		- general condition of wetlands		
	4. Other Site Systems			
<input type="checkbox"/>	Perimeter Fence	- integrity of fence	N/A	
<input type="checkbox"/>		- integrity of gates		
<input type="checkbox"/>		- integrity of locks		
<input type="checkbox"/>		- placement and condition of signs		

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

0	3	3	0	1	0
(MM	DD	YY)			

INSPECTOR(S): E. GARDNER

	Item	Inspect For	Action Required	Comments
4.	Other Site Systems (continued)			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/>	Culverts	- sediment build-up	↓	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input type="checkbox"/>	Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 04/30/19
(MM DD YY)

INSPECTOR(S): DJT/SG

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE ↓
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	↓
		- condition of cover	
		- condition of inside of wet well	
2. Landfill Cap			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	NONE ↓
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

FORM 17

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 04/30/19
(MM DD YY)

INSPECTOR(S): DJT/SG

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	NONE
		- erosion	20FT SOUTH OF WELL OGC-7
		- potholes or puddles	SEVERAL LARGE HOLES EXPOSING WIRE MESH + RIP RAP
		- obstruction	NONE
3. Wetlands (Area "F")			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wetlands (Area "F")	- dead/dying vegetation	↓
		- change in water budget	
		- general condition of wetlands	
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA
		- integrity of gates	↓
		- integrity of locks	
		- placement and condition of signs	↓

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/5/26/10
(MM DD YY)

INSPECTOR(S): SG/JF

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	<p style="font-size: 2em; margin: 0;">None</p>
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
		- condition of cover	
		- condition of inside of wet well	
2. Landfill Cap			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	<p style="font-size: 1.2em; margin: 0;">Continued erosion along parts of river bank as noted in previous inspection logs. Some wire mesh and fabric exposed</p>
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 05/26/10
(MM DD YY)

INSPECTOR(S): SG, JF

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	<u>None</u> <hr/> <hr/> <hr/> <hr/> <div style="text-align: center;">↓</div>
		- erosion	
		- potholes or puddles	
		- obstruction	
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	3. Wetlands (Area "F")	- dead/dying vegetation	<div style="text-align: center;">↓</div>
		- change in water budget	
		- general condition of wetlands	
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	<u>NA</u> <hr/> <hr/> <hr/> <hr/> <div style="text-align: center;">↓</div>
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 05/26/10
(MM DD YY)

INSPECTOR(S): SG, JF

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	None
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	None
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input checked="" type="checkbox"/>	Gas Vents	- intact / damage	None
<input checked="" type="checkbox"/>	Wells	- locks secure	

FORM 17

APPENDIX B

QA/QC REVIEWS



**CONESTOGA-ROVERS
& ASSOCIATES**

2055 Niagara Falls Blvd., Suite #3
Niagara Falls, New York 14304
Telephone: (716) 297-6150 Fax: (716) 297-2265
www.CRAworld.com

MEMORANDUM

TO: Klaus Schmidtke

REF. NO.: 7987DM-95

FROM: Susan Scrocchi/cs/3 ^{SES}

DATE: February 4, 2010

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review
Wastewater Treatment Plant Sampling
September 2009**

INTRODUCTION

One effluent sample was collected in support of the Wastewater Treatment Plant Sampling at the Gratwick-Riverside Park Site (Site) during September 2009. The sample was submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology¹</i>
Site-Specific Volatile Organic Compounds (VOCs)	USEPA 624
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	USEPA 625
Target Compound List (TCL) Metals	USEPA 200.7
Mercury	USEPA 245.1
Sulfate	USEPA 300.0
Chloride	USEPA 300.0
Alkalinity	USEPA 310.2
Nitrate	USEPA 353.2
Sulfide	SM 4500-S F
Total Dissolved Solids (TDS)	SM 2540C
Total Hardness	SM 2340C

The analytical results are summarized in Table 1. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the following documents:

- i) "USEPA Contract Laboratory National Functional Guidelines for Organic Data Review" (October 1999); and
- ii) "National Functional Guidelines for Inorganic Data Review" (February 1994).

¹ "Methods for Chemical Analysis of Water and Wastes", United States Environmental Protection Agency (USEPA) 600/4-79-220, March 1983 and "Standard Methods for the Examination of Water and Wastewater", 18th Edition, 1992.

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times.

Surrogates were added to all samples, blanks, and QC samples prior to extraction and/or analysis for VOCs and SVOCs. All VOC and SVOC surrogate recoveries met the method criteria indicating acceptable analytical efficiency.

Method blanks were extracted and/or analyzed for all parameters and all results were non-detect for the compounds of interest indicating that no compounds were introduced to the samples during preparation and/or analysis.

Blank spikes (BS) were prepared and analyzed for all parameters. The SVOC blank spike was prepared and analyzed in duplicate. All recoveries were acceptable indicating good analytical accuracy and precision with the exception of variability between the di-n-octylphthalate recoveries. The associated sample result was non-detect and would not have been impacted.

A matrix spike (MS) using this investigative sample was not requested.

CONCLUSION

Based on the preceding assessment, the data were acceptable for use without qualification.

ANALYTICAL RESULTS SUMMARY
WASTEWATER TREATMENT PLANT SAMPLING
GRATWICK-RIVERSIDE PARK SITE
SEPTEMBER 2009

<i>Sample Location:</i>	<i>Effluent</i>
<i>Sample ID:</i>	GRATWICK RIVERSIDE
<i>Sample Date:</i>	9/4/2009

<i>Parameters:</i>	<i>Units</i>	
<i>Volatile Organic Compounds</i>		
1,1,1-Trichloroethane	µg/L	5.0 U
1,1-Dichloroethane	µg/L	5.6
1,2-Dichloroethane	µg/L	5.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	25 U
Acetone	µg/L	25 U
Benzene	µg/L	5.0 U
Chlorobenzene	µg/L	5.0 U
Ethylbenzene	µg/L	5.0 U
Methylene chloride	µg/L	5.0 U
Styrene	µg/L	5.0 U
Tetrachloroethene	µg/L	6.6
Toluene	µg/L	22
trans-1,2-Dichloroethene	µg/L	5.0 U
Trichloroethene	µg/L	64
Vinyl chloride	µg/L	5.0 U
Xylene (total)	µg/L	19
<i>Semi-Volatile Organic Compounds</i>		
1,2-Dichlorobenzene	µg/L	0.54
1,4-Dichlorobenzene	µg/L	0.95
2,4-Dimethylphenol	µg/L	13
2-Methylphenol	µg/L	9.4
4-Methylphenol	µg/L	25
Di-n-octyl phthalate (DnOP)	µg/L	4.5 U
Naphthalene	µg/L	0.080 U
Phenol	µg/L	14
<i>Metals</i>		
Aluminum	mg/L	0.361
Antimony	mg/L	0.0200 U
Arsenic	mg/L	0.0100 U
Barium	mg/L	0.0626
Beryllium	mg/L	0.0020 U
Cadmium	mg/L	0.0010 U
Chromium	mg/L	0.0040 U
Copper	mg/L	0.0100 U
Iron	mg/L	0.0500 U
Lead	mg/L	0.0050 U
Magnesium	mg/L	1.12
Manganese	mg/L	0.0030 U
Mercury	mg/L	0.0002 U
Nickel	mg/L	0.0100 U
Selenium	mg/L	0.0150 U
Silver	mg/L	0.0030 U
Sodium	mg/L	307
Zinc	mg/L	0.0100 U

**ANALYTICAL RESULTS SUMMARY
WASTEWATER TREATMENT PLANT SAMPLING
GRATWICK-RIVERSIDE PARK SITE
SEPTEMBER 2009**

<i>Sample Location:</i>	<i>Effluent</i>
<i>Sample ID:</i>	GRATWICK RIVERSIDE
<i>Sample Date:</i>	9/4/2009

<i>Parameters:</i>	<i>Units</i>	
<i>General Chemistry</i>		
Alkalinity, total (as CaCO ₃)	mg/L	70.2
Ammonia	mg/L	0.84
Bicarbonate (as CaCO ₃)	mg/L	70.2
Biochemical oxygen demand (BOD)	mg/L	14
Chemical oxygen demand (COD)	mg/L	44
Chloride	mg/L	516
Cyanide (total)	mg/L	0.005
Hardness	mg/L	245
Nitrate (as N)	mg/L	0.050 U
Oil and grease	mg/L	0.10
pH (water)	s.u.	10.80
Phenolics (total)	mg/L	0.010 U
Phosphorus	mg/L	0.10 U
Sulfate	mg/L	216
Sulfide	mg/L	6.0
Total dissolved solids (TDS)	mg/L	1150
Total kjeldahl nitrogen (TKN)	mg/L	1.68
Total organic carbon (TOC)	mg/L	5.5
Total suspended solids (TSS)	mg/L	8

Notes:

U Not present at or above the associated value.



MEMORANDUM

TO: Klaus Schmidtke

REF. NO.: 7987DM-95

FROM: Susan Scrocchi/bjw/4 ^{SCS}

DATE: May 17, 2010

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review
Wastewater Treatment Plant Sampling
March 2010**

INTRODUCTION

One effluent sample was collected in support of the Wastewater Treatment Plant Sampling at the Gratwick-Riverside Park Site (Site) during March 2010. The sample was submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology¹</i>
Site-Specific Volatile Organic Compounds (VOCs)	USEPA 624
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	USEPA 625
Target Compound List (TCL) Metals	USEPA 200.7
Mercury	USEPA 245.1
Sulfate	USEPA 300.0
Chloride	USEPA 300.0
Alkalinity	SM 2320B
Nitrate	USEPA 353.2
Sulfide	SM 4500-S F
Total Dissolved Solids (TDS)	SM 2540C
Total Hardness	SM 2340C

The analytical results are summarized in Table 1. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the following documents:

- i) "USEPA Contract Laboratory National Functional Guidelines for Organic Data Review" (October 1999)
- ii) "National Functional Guidelines for Inorganic Data Review" (February 1994)

¹ "Methods for Chemical Analysis of Water and Wastes", United States Environmental Protection Agency (USEPA) 600/4-79-220, March 1983 and "Standard Methods for the Examination of Water and Wastewater", 18th Edition, 1992.

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times.

Surrogates were added to all samples, blanks, and QC samples prior to extraction and/or analysis for VOCs and SVOCs. All VOC and SVOC surrogate recoveries met the method criteria indicating acceptable analytical efficiency.

Method blanks were extracted and/or analyzed for all parameters and all results were non-detect for the compounds of interest indicating that no compounds were introduced to the samples during preparation and/or analysis.

Blank spikes (BS) were prepared and analyzed for all parameters. All recoveries were acceptable indicating good analytical accuracy and precision.

A matrix spike (MS) using this investigative sample was not requested.

CONCLUSION

Based on the preceding assessment, the data were acceptable for use without qualification.

TABLE 1

**ANALYTICAL RESULTS SUMMARY
WASTEWATER TREATMENT PLANT SAMPLING
GRATWICK-RIVERSIDE PARK SITE
MARCH 2010**

	<i>Sample Location:</i>	<i>Effluent</i>
	<i>Sample ID:</i>	<i>GRATWICK RIVERSIDE</i>
	<i>Sample Date:</i>	<i>3/5/2010</i>
<i>Parameters</i>	<i>Units</i>	
<i>Volatile Organic Compounds</i>		
1,1,1-Trichloroethane	µg/L	5.0 U
1,1-Dichloroethane	µg/L	5.4
1,2-Dichloroethane	µg/L	5.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	25 U
Acetone	µg/L	25
Benzene	µg/L	5.0 U
Chlorobenzene	µg/L	5.0 U
Ethylbenzene	µg/L	5.2
Methylene chloride	µg/L	5.0 U
Styrene	µg/L	5.0 U
Tetrachloroethene	µg/L	8.4
Toluene	µg/L	29
trans-1,2-Dichloroethene	µg/L	5.0 U
Trichloroethene	µg/L	64
Vinyl chloride	µg/L	5.0 U
Xylene (total)	µg/L	25
<i>Semi-volatile Organic Compounds</i>		
1,2-Dichlorobenzene	µg/L	1.1
1,4-Dichlorobenzene	µg/L	1.8
2,4-Dimethylphenol	µg/L	5.6
2-Methylphenol	µg/L	1.4
4-Methylphenol	µg/L	5.0 U
Di-n-octyl phthalate (DnOP)	µg/L	4.5 U
Naphthalene	µg/L	0.54
Phenol	µg/L	0.12 U
<i>Metals</i>		
Aluminum	mg/L	0.239
Antimony	mg/L	0.0200 U
Arsenic	mg/L	0.0100 U
Barium	mg/L	0.0876
Beryllium	mg/L	0.0020 U
Cadmium	mg/L	0.0010 U
Chromium	mg/L	0.0040 U
Copper	mg/L	0.0312
Iron	mg/L	0.247

TABLE 1

**ANALYTICAL RESULTS SUMMARY
WASTEWATER TREATMENT PLANT SAMPLING
GRATWICK-RIVERSIDE PARK SITE
MARCH 2010**

	<i>Sample Location:</i>	<i>Effluent</i>
	<i>Sample ID:</i>	<i>GRATWICK RIVERSIDE</i>
	<i>Sample Date:</i>	<i>3/5/2010</i>
<i>Parameters</i>	<i>Units</i>	
<i>Metals (Cont'd.)</i>		
Lead	mg/L	0.0050 U
Magnesium	mg/L	2.91
Manganese	mg/L	0.0098
Mercury	mg/L	0.0002
Nickel	mg/L	0.0100 U
Selenium	mg/L	0.0150 U
Silver	mg/L	0.0030 U
Sodium	mg/L	4160
Zinc	mg/L	23.7
<i>General Chemistry</i>		
Alkalinity, total (as CaCO ₃)	mg/L	88.1
Ammonia	mg/L	2.24
Bicarbonate (as CaCO ₃)	mg/L	10.0 U
Biochemical oxygen demand (BOD)	mg/L	13
Chemical oxygen demand (COD)	mg/L	59
Chloride	mg/L	793
Cyanide (total)	mg/L	0.005
Hardness	mg/L	310
Nitrate (as N)	mg/L	0.050 U
Oil and grease	mg/L	0.10 U
pH (water)	s.u.	10.72
Phenolics (total)	mg/L	0.012 U
Phosphorus	mg/L	0.08
Sulfate	mg/L	202
Sulfide	mg/L	2.4
Total dissolved solids (TDS)	mg/L	1550
Total kjeldahl nitrogen (TKN)	mg/L	1.68
Total organic carbon (TOC)	mg/L	8.7
Total suspended solids (TSS)	mg/L	5
Volatile suspended solids	mg/L	2

Notes:

U - Not present at or above the associated value.



**CONESTOGA-ROVERS
& ASSOCIATES**

2371 George Urban Blvd.
Depew, New York 14043
Telephone: (716) 206-0202 Fax: (716) 206-0201
www.CRAworld.com

MEMORANDUM

TO: Klaus Schmidtke

REF. NO.: 007987

FROM: Susan Scrocchi/bjw/5 *SS*

DATE: June 22, 2010

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review
Annual Groundwater Sampling
Gratwick-Riverside Park Site
May 2010**

INTRODUCTION

Thirteen (13) samples, including one field duplicate, were collected in support of the Annual Groundwater Sampling at the Gratwick-Riverside Park Site (Site) during May 2010. Samples were submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology</i>
Site-Specific Volatile Organic Compounds (VOCs)	SW-846 8260 ¹
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	SW-846 8270 ¹

The sample collection and analysis summary is presented in Table 1. The analytical results are summarized in Table 2. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the "National Functional Guidelines for Organic Data Review" (October 1999).

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times. All samples were received in good condition and properly preserved.

¹ "Test Methods for Solid Waste Physical/Chemical Methods", SW-846, 3rd Edition, September 1986 (with all subsequent revisions).

Surrogates were added to all samples, blanks, and QC samples prior to extraction and/or analysis for VOCs and SVOCs. All VOC and SVOC surrogate recoveries met the method criteria indicating acceptable analytical efficiency.

Method blanks were extracted and/or analyzed for all parameters. All method blank results were non-detect for the compounds of interest indicating acceptable analytical procedures.

A trip blank was submitted with the samples for VOC analysis. All VOC results were non-detect with the exception of 2-butanone present at a low concentration. All samples were non-detect and would not have been impacted.

Blank spikes (BS) were prepared and analyzed for all parameters. All recoveries showed acceptable analytical accuracy.

A matrix spike/matrix spike duplicate (MS/MSD) was prepared and analyzed for VOCs and SVOCs. All recoveries were acceptable indicating adequate analytical accuracy and precision with the exception of some high VOC recoveries. All non-detect results would not have been impacted by the implied high bias, all positive sample results were qualified as estimated (see Table 3).

A field duplicate was submitted "blind" to the laboratory for analysis as specified in Table 1. All the results showed good precision outside of the estimated regions of detection, indicating acceptable analytical and sampling precision.

CONCLUSION

Based on the preceding assessment, the data were acceptable with the qualifications mentioned herein.

TABLE 1

**SAMPLE COLLECTION AND ANALYSIS SUMMARY
ANNUAL GROUNDWATER SAMPLING
GRATWICK-RIVERSIDE PARK SITE
MAY 2010**

Sample I.D.	Location I.D.	Collection Date (mm/dd/yy)	Collection Time (hr:min)	<u>Analysis/Parameters</u>		Comments
				Selected VOCs	Selected SVOCs	
WG-7987-052610-001	MW-6	05/26/10	14:00	X	X	MS/MSD
WG-7987-052610-002	MW-9	05/26/10	14:10	X	X	
WG-7987-052610-003	OGC-4	05/26/10	14:20	X	X	
WG-7987-052610-004	OGC-1	05/26/10	13:45	X	X	
WG-7987-052610-005	OGC-4	05/26/10	14:40	X	X	Field duplicate of WG-7987-052610-003
WG-7987-052610-006	OGC-8	05/26/10	15:00	X	X	
WG-7987-052610-007	MW-8	05/26/10	14:50	X	X	
WG-7987-052610-008	OGC-3	05/26/10	15:00	X	X	
WG-7987-052610-009	OGC-7	05/26/10	14:05	X	X	
WG-7987-052610-010	MW-7	05/26/10	14:25	X	X	
WG-7987-052610-011	OGC-2	05/26/10	14:35	X	X	
WG-7987-052610-012	OGC-6	05/26/10	15:10	X	X	
WG-7987-052610-013	OGC-5	05/26/10	15:20	X	X	
TB-7987-052610	TRIP BLANK	05/26/10	-	X		

Notes:

MS - Matrix Spike.

MSD - Matrix Spike Duplicate.

VOCs - Volatile Organic Compounds.

SVOCs - Semi-Volatile Organic Compounds.

TABLE 2
ANALYTICAL RESULTS SUMMARY
ANNUAL GROUNDWATER SAMPLING
GRATWICK-RIVERSIDE PARK SITE
MAY 2010

<i>Sample Location:</i>		<i>MW6</i>	<i>MW7</i>	<i>MW8</i>	<i>MW9</i>	<i>OGC1</i>	<i>OGC2</i>	<i>OGC3</i>
<i>Sample ID:</i>		WG-7987-052610-001	WG-7987-052610-010	WG-7987-052610-007	WG-7987-052610-002	WG-7987-052610-004	WG-7987-052610-011	WG-7987-052610-008
<i>Sample Date:</i>		5/26/2010	5/26/2010	5/26/2010	5/26/2010	5/26/2010	5/26/2010	5/26/2010
<i>Parameters</i>	<i>Units</i>							
<i>Volatile Organic Compounds</i>								
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U						
Acetone	µg/L	5.0 U	5.0 U	5.0 U	5.9	5.0 U	5.0 U	5.0 U
Benzene	µg/L	0.70 U						
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	2.5	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	0.82 J	1.0 U	1.0 U	1.0 U
Methylene chloride	µg/L	1.0 U						
Tetrachloroethene	µg/L	0.55 J	1.0 U	1.0 U	0.57 J	1.0 U	1.0 U	1.0 U
Toluene	µg/L	0.73 J	1.0 U	1.0 U	3.8	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 U						
Trichloroethene	µg/L	2.3 J	1.0 U	1.0 U	2.6	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	1.0 U						
Xylene (total)	µg/L	3.0 U	3.0 U	3.0 U	2.2 J	3.0 U	3.0 U	3.0 U
<i>Semi-volatile Organic Compounds</i>								
1,2-Dichlorobenzene	µg/L	0.66 J	9.5 U	1.5 J	1.4 J	9.4 U	9.5 U	0.86 J
1,4-Dichlorobenzene	µg/L	4.2 J	9.5 U	2.1 J	1.7 J	9.4 U	9.5 U	0.58 J
2,4-Dimethylphenol	µg/L	1.4 J	10 U	13	41	10 U	10 U	4.3 J
2-Methylphenol	µg/L	1.8 J	10 U	22	9.9 J	10 U	10 U	36
4-Methylphenol	µg/L	2.5 J	9.5 U	38	180	9.4 U	9.5 U	9.9
Di-n-octyl phthalate (DnOP)	µg/L	10 U						
Naphthalene	µg/L	7.8 J	10 U					
Phenol	µg/L	1.9 J	10 U	13	20	10 U	10 U	50

TABLE 2
ANALYTICAL RESULTS SUMMARY
ANNUAL GROUNDWATER SAMPLING
GRATWICK-RIVERSIDE PARK SITE
MAY 2010

		<i>OGC4</i>	<i>OGC4</i>	<i>OGC5</i>	<i>OGC6</i>	<i>OGC7</i>	<i>OGC8</i>
	<i>Sample Location:</i>	<i>OGC4</i>	<i>OGC4</i>	<i>OGC5</i>	<i>OGC6</i>	<i>OGC7</i>	<i>OGC8</i>
	<i>Sample ID:</i>	WG-7987-052610-003	WG-7987-052610-005	WG-7987-052610-013	WG-7987-052610-012	WG-7987-052610-009	WG-7987-052610-006
	<i>Sample Date:</i>	5/26/2010	5/26/2010 (Duplicate)	5/26/2010	5/26/2010	5/26/2010	5/26/2010
<i>Parameters</i>	<i>Units</i>						
<i>Volatile Organic Compounds</i>							
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Benzene	µg/L	0.70 U	0.70 U	0.70 U	3.6	0.70 U	0.70 U
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	5.2	1.0 U	1.0 U
Methylene chloride	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U	640	1.0 U	1.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U	38	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	8.2	1.0 U	1.0 U
Trichloroethene	µg/L	1.0 U	1.0 U	1.0 U	410	1.0 U	1.0 U
Vinyl chloride	µg/L	1.0 U	1.0 U	1.0 U	1.2	1.0 U	1.0 U
Xylene (total)	µg/L	3.0 U	3.0 U	3.0 U	20	3.0 U	3.0 U
<i>Semi-volatile Organic Compounds</i>							
1,2-Dichlorobenzene	µg/L	9.4 U	9.5 U	9.4 U	9.4 U	9.5 U	9.4 U
1,4-Dichlorobenzene	µg/L	9.4 U	9.5 U	9.4 U	9.4 U	9.5 U	9.4 U
2,4-Dimethylphenol	µg/L	0.51 J	10 U	10 U	10 U	10 U	0.73 J
2-Methylphenol	µg/L	10 U	10 U	10 U	32	10 U	2.2 J
4-Methylphenol	µg/L	3.4 J	3.4 J	9.4 U	1.4 J	9.5 U	6.5 J
Di-n-octyl phthalate (DnOP)	µg/L	10 U	10 U	10 U	10 U	10 U	10 U
Naphthalene	µg/L	10 U	10 U	1.6 J	1.4 J	10 U	10 U
Phenol	µg/L	15	15	10 U	10 U	10 U	10 U

Notes:

J - Estimated concentration.

U - Not detected.

TABLE 3

**QUALIFIED SAMPLE RESULTS DUE TO OUTLYING MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERIES
ANNUAL GROUNDWATER SAMPLING
GRATWICK-RIVERSIDE PARK SITE
MAY 2010**

<i>Parameter</i>	<i>Associated Sample ID</i>	<i>Analyte</i>	<i>MS Recovery (percent)</i>	<i>MSD Recovery (percent)</i>	<i>RPD</i>	<i>Control Limits</i>		<i>Qualified Sample Result</i>	<i>Units</i>
						<i>Recovery (percent)</i>	<i>RPD (percent)</i>		
VOCs	WG-7987-052610-001	Tetrachloroethene	121	138	13	74-122	20	0.55 J	µg/L
		Trichloroethene	122	140	13	74-123	16	2.3 J	µg/L

Notes:

J Estimated.
MS Matrix Spike.
MSD Matrix Spike Duplicate.
RPD Relative Percent Difference.
VOCs Volatile Organic Compounds.