

Semi-Annual Sampling Report

**Minute Man Cleaners
89 Ocean Avenue,
East Rockaway, Nassau County, New York 11518**

Site # C130157

**June 2019
Sampling Event**

August 2019

Prepared By:

**J.R. Holzmacher P.E., LLC
Consulting Engineers
3555 Veterans Memorial Highway, Suite A
Ronkonkoma, New York 11779-7636**

Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019

CERTIFICATION

I, J. Robert Holzmacher P.E. certify that I am currently a NYS registered professional engineer as defined in 6 NYCRR Part 375 and that this Semi-Annual Sampling Report was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).

Very Truly Yours,
J.R. Holzmacher P.E. LLC

James Robert Holzmacher P.E.
Name

66054
NYS PE License Number



Signature

08/02/2019
Date

Table of Contents

TABLE OF CONTENTS	ii
EXECUTIVE SUMMARY	1
1.0 INTRODUCTION.....	2
2.0 SUMMARY OF SAMPLING	3
<i>2.1 Sampling Field Activities</i>	<i>3</i>
3.0 GROUNDWATER SAMPLING RESULTS.....	3
<i>3.1 On-Site Monitoring Wells</i>	<i>3</i>
<i>3.2 Off-Site Monitoring Wells</i>	<i>5</i>
4.0 EFFLUENT SOIL VAPOR SAMPLING RESULTS.....	5
5.0 CONCLUSIONS and RECOMMENDATIONS.....	5

List of Figures

- Figure 1 – Groundwater Analytical Results 06-19-2019
- Figures 2 through 17 - Trichloroethene and Tetrachloroethene Trends

List of Tables

- Table 1 – Volatile Organic Chemicals EPA Method 8260
- Table 2 – Volatile Organics in Air
- Table 3 – Historic Volatile Organics in Air
- Table 4 – SVE Air Emissions Evaluation

List of Appendix

- Appendix A – Groundwater Analytical Laboratory Report
- Appendix B – Effluent Soil Vapor Analytical Laboratory Report
- Appendix C – Tide Chart: Monitoring Well Samples
- Appendix D - Data Usability Summary Report – DUSR Data Validation Summary
Groundwater Samples Collected June 19, 2019
Soil Vapor Air - Effluent Sample Collected June 19, 2019

EXECUTIVE SUMMARY

J.R. Holzmacher P.E. LLC (JRH) has prepared this Semi-Annual Sampling Report for the above referenced property. Activities under the Remedial Action Work Plan were conducted on behalf of Mr. Dennis Manley, the property and business owner, with the understanding that remediation is required to complete the Brownfield Cleanup Program agreement with the NYSDEC.

This Semi-Annual Sampling Report serves to document the remedial actions that took place at Minute Man Cleaners during the first half of the 2019 calendar year. Remedial actions included sampling of groundwater and soil gas produced by the soil vapor extraction system.

Two rounds of In-situ chemical oxidation (ISCO) treatment were completed on January 29th through February 9th and July 27th through July 31st of 2015. The September 9th, 2015 sampling indicated reduced contaminant concentrations. Contaminant concentration increases were observed in some wells in the October 21, 2015, June 29, 2016 and December 28, 2016 laboratory results. The December 20, 2017 analysis indicated an increase in contaminant concentration for seven of the wells since the June 15, 2017 sampling, with all other wells indicating a decrease in contaminant concentrations. Analysis of samples taken on June 28, 2018 showed that contaminant concentrations decreased in eleven wells and increased in five wells since the December 20, 2017 sampling event. On December 24, 2018; analysis of samples collected at this time indicate an overall decrease in PCE and TCE contaminants in shallow monitoring wells and an overall increase in PCE and TCE contaminants in deep monitoring wells. Analysis of the most recent samples taken on June 19, 2019 showed that contaminant concentration trends were similar to those taken in December 2018; there was an overall decrease in contaminants in shallow monitoring wells, and an overall increase in the deep monitoring wells. The samples taken in June also showed a noticeable increase in PCE in well DB-1.

Based on the above, JRH believes that further ISCO remediation without soil remediation will be unlikely to reduce contaminants to the desired levels. Furthermore, the current SVE system is removing residual concentrations of dry-cleaning solvent from the unsaturated zone. JRH believes that this may be evidence of a contaminant source that cannot be remediated using ISCO because the ISCO reagents cannot contact the unsaturated zone contamination.

NYSDEC has not approved additional soil excavation which is not covered by the approved Remedial Action Work Plan and would be highly disruptive to the business operating at the site. JRH suggested that the owner and the Department consider augmenting the current SVE system with an additional soil vapor extraction well point that could be installed from the rear (east side) of the building and piped into the existing extraction system. Installation of air sparging points paired with additional SVE extraction wells has also been recommended as a more effective method to remove the residual solvents detected in the monitoring wells.

1.0 INTRODUCTION

J.R. Holzmacher P.E. LLC (JRH) has prepared this Semi-Annual Sampling Report for the above referenced property. The Semi-Annual Sampling Report was conducted on behalf of Mr. Dennis Manley, the property and business owner, as required by the Site Management Plan approved by the NYSDEC in December 2015.

The current and intended use of the property is commercial, occupied by Minute Man Cleaners, an active dry-cleaning facility. The property is located at 89 Ocean Avenue, East Rockaway, Nassau County, New York and is approximately 0.19 acres in size. The site is shown in Figure 1 and is occupied by a single-story building that has operated as a dry cleaner since 1982. The site is bordered by Atlantic Avenue to the north, Ocean Avenue to the west, Mill River to the east and a seafood restaurant to the south. Perchloroethylene (PCE), the contaminant of concern, was used in the dry-cleaning process.

In 2005, an investigation by URS indicated a significant release of PCE to soil and groundwater from the dry-cleaning machine. It was estimated that this release occurred from 1983 to 1987 due to seal leaks in a storage tank at the base of the machine.

Remedial work during previous years included removal of contaminated soil, installation of a soil vapor extraction/sub slab depressurization system (SVE/SSDS) and in-situ chemical oxidation (ISCO) treatments.

2.0 SUMMARY OF SAMPLING

2.1 Sampling Field Activities

Groundwater monitoring and effluent soil vapor sampling was completed on June 19, 2019 to assess the performance of the remedy implemented in July 2015. Groundwater samples were collected from thirteen on-site groundwater monitoring wells and three offsite groundwater monitoring wells and were analyzed for target compounds list volatile organic compounds (TCL VOCs). The samples were collected in accordance with procedures as described in Appendix I – Field Activities Plan in the Site Management Plan.

The effluent sample for the Soil Vapor Extraction/Sub-slab Depressurization System was collected from a sample collection port which was installed on the blower effluent pipe. The sample was collected using a one-liter summa canister with a fifteen-minute regulator.

Samples were placed in the appropriate laboratory-supplied glassware, put on ice, and picked up by courier and delivered to Alpha Analytical Laboratories, Long Island City, New York (NYSDOH ID #11148) for the following analysis with Category B deliverables:

Groundwater:

TCL VOCs (EPA Method 8260C, rev. 2006).

Effluent Soil Vapor:

VOCs (EPA Method TO-15).

3.0 GROUNDWATER SAMPLING RESULTS

Locations of groundwater monitoring wells are illustrated in Figure 1. The historical sample results for all of the monitoring wells are in the attached tables. Trends in PCE and TCE concentrations are illustrated in the graphs in Figures 2 to 17. The site flooded during Superstorm Sandy (October 2012), so interpretation of groundwater contaminant concentrations prior to that time may not be directly comparable to subsequent results.

3.1 On-Site Monitoring Wells

The sampling of the on-site shallow, water table, and deep monitoring wells yielded results as shown in the attached tables.

The June 19, 2019 analysis indicates a decrease or an unchanged result in PCE contaminant concentrations from the December 24, 2018 sampling in all 5 shallow monitoring wells (MW-1S, MW-2S, MW-3S, MW-4S, and MW-5S) and both water table monitoring wells (MW-9 and MW-12). A decrease in PCE contaminant concentrations was found in 3 out of 6 deep monitoring wells (MW-1D, MW-2D, and MW-3D).

The June 19, 2019 analysis indicates a decrease or an unchanged result in TCE contaminant concentrations from the December 24, 2018 sampling in shallow monitoring well MW-3S, water table monitoring wells MW-9 and MW-12, and deep monitoring wells MW-1D and MW-2D. All other wells displayed a slight increase in TCE concentration not exceeding 5 ppb.

Examination of the multi-year trend charts shows that PCE and TCE concentrations in most wells remain in a long-term downtrend except wells MW-5D, MW-5S, and DB-1. Highlights of changes between the two most recent rounds of sampling include the following:

Shallow Monitoring Wells

Well	PCE		TCE		Other VOCs
	12/24/18	6/19/19	12/24/18	6/19/19	
MW-1S	210	210	13	18	Cis 1,2 DCE increased from 4.8 to 7.2 PPB
MW-2S	76	57	2.8	3.1	
MW-3S	46	26	1.4	.96	
MW-4S	130	130	3.7	4.1	
MW-5S	440	440	38	42	Cis 1,2 DCE increased from 15 to 18 PPB. MTBE increased from 24 to 27 PPB. Vinyl chloride decreased from 3.2 to 2.3 PPB

* All results in ppb

Deep Monitoring Wells

Well	PCE		TCE		Other VOCs
	12/24/18	6/19/19	12/24/18	6/19/19	
MW-1D	140	80	5.9	2.5	
MW-2D	60	58	3.6	1.5	
MW-3D	62	57	2.4	2.6	
MW-4D	99	100	2.4	2.5	
MW-5D	72	90	7.8	9.6	MTBE increased from 15 to 21 PPB
DB-1	200	330	26	43	Cis-1,2 DCE increased from 9.6 to 14 PPB MTBE increased from 4.8 to 10 PPB Vinyl chloride increased from 1.9 to 2.5 PPB

* All results in ppb

Water Table Monitoring Wells

Well	PCE		TCE		Other VOCs
	12/24/18	6/19/19	12/24/18	6/19/19	
MW-9	13	11	0.9	.47	
MW-12	21	2.3	0.95	ND	

* All results in ppb

3.2 Off-Site Monitoring Wells

The off-site monitoring well cluster is located north of the site and near an automobile service station. The June 19, 2019 analysis indicated a decrease in PCE and TCE contaminant concentrations in the shallow and deep wells as compared to the December 24, 2018 samples. A marginal increase was found in the water table well. The source of this contamination is not believed to be the Minute Man Cleaners property. Highlights of changes between the two most recent rounds of sampling include the following:

Well	PCE		TCE		Other VOCs
	12/24/18	6/19/19	12/24/18	6/19/19	
MW-14WT	12	22	0.39	.57	
MW-14S	2	.91	0.24	ND	MTBE increased from 8.3 to 15 PPB
MW-14D	0.19	ND	ND	ND	

4.0 EFFLUENT SOIL VAPOR SAMPLING RESULTS

The SMP requires collection of a yearly sample of the effluent soil vapor. Prior effluent samples were collected by inserting tubing into the SVE blower discharge pipe from the top of the pipe which required a ladder and climbing on top of the roof. A less hazardous collection point was constructed on the blower discharge pipe at a point approximately three feet above the blower. A brass stop-cock was installed into this collection point, at which disposable polyethylene tubing can be inserted to collect a sample. This sample result was compared to prior soil vapor analytical data.

Results of the effluent soil vapor sampling indicated a Tetrachloroethene concentration of 732 ug/m³, which is above the NYSDOH guidelines of 100 ug/m³. Ethyl Alcohol, 2,2,4-Trimethylpentane, Acetone, Methylene chloride, and Toluene all saw marginal increases from the December 2018 reports and are above NYS Standard as of the June 2019 lab results. Trimethylpentane and toluene are both associated with gasoline, so the SVE system may be detecting these VOCs from other sources, notably the gas station north of the site. The trend of soil vapor results shows an increase in all contaminants excluding Tetrachloroethene, which saw a decrease from 2490 to 732 ug/ m³. Earlier results were reported in ppb and were collected from the roof top location, possibly with greater dilution, so direct comparison with the more recent results is not recommended.

5.0 CONCLUSIONS and RECOMMENDATIONS

5.1 Conclusions

- Analysis of the June 19, 2019 samples showed PCE contaminant concentrations decreased in ten (10) onsite wells and increased in three (3) onsite wells since the

previous sampling event. Samples showed TCE contaminant concentrations decreased in five (5) onsite wells and increased in eight (8) onsite wells since the previous sampling event. Analysis also showed PCE and TCE contaminant concentrations decreased in two (2) offsite wells and increased in one (1) offsite well. The groundwater data collected since 2005 show that concentrations have greatly decreased to current levels and are fluctuating within narrow ranges. JRH believes that the observed concentrations show a stable equilibrium between residual soil PCE and TCE and fluctuation in groundwater elevations, dissolving contaminants from soil into groundwater.

- The persistence of low concentrations of PCE and trace concentrations of TCE in groundwater suggests that there may be some remaining PCE in soil below the floor of the Minute Man Cleaners building. Temporal PCE and TCE fluctuations such as seen in MW-12 are likely due to changing tidal and seasonal groundwater elevations resulting in episodes of contaminant dissolution from the unsaturated zone.
- Contaminant decreases were observed in most of the offsite wells north of the presumed source area, excluding MW-14WT. Methyl Tert-Butyl Ether (MTBE) was found in ground water samples from wells MW-5D, MW-5S, MW-14S, and DB-1. However, this fuel additive is not associated with dry cleaning operations. The continued presence of MTBE as the predominant contaminant in MW-14S since at least October 2015. This implicates the service station north of the site, and PCE may also be used in automotive and machine shop parts cleaning. Based on groundwater flow, it is difficult to support northward PCE migration from Minuteman Cleaners to the offsite wells.

5.2 Recommendations

There are two technical issues to be resolved before selecting further active remediation measures. The first is the mass of contamination adsorbed onto the soil matrix in the overall plume area. A Second potential contaminant source area in soil below the dry-cleaning machine remaining after excavation by Brookside Environmental, Inc. (2008-07-01.IRM). Based on the available data and the results of the two previous rounds of in-situ chemical oxidation, JRH recommends the following:

- Based on the slow downtrend in contaminant concentrations in the groundwater in most wells, we recommend that the next round of groundwater sampling be conducted in the fourth quarter of 2019. Analytical results from the next round of groundwater sampling will be compared to the June, 2019 results and will be discussed with NYSDEC.
- JRH does not recommend further in-situ chemical treatment by potassium permanganate or other remediation products as these will not likely achieve the Brownfield Cleanup Agreement goals. JRH provided the available data to in-situ treatment vendors and did not receive positive feedback with respect to future success. The nature of the contamination and the presence of PCE and its residual byproducts in soil above the


water table puts much of the remaining contamination beyond the reach of in-situ oxidation methods.

- JRH recommends sampling only the following wells in the fourth quarter: MW-1S, MW-1D, MW-5S, MW-5D AND DB-1.
 - Offsite wells display continuously decreasing contamination levels, but have repeatedly shown the presence of MTBE. MTBE is consistent with petroleum products and can likely be attributed to the gas station located north of the site.
 - Water table wells also display continuously decreasing contamination levels and should be removed from the list of wells to be sampled.
- JRH recommends the site be considered for delisting due to the stability of the contaminant levels and the lack of exposure vector to the public

Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019

Figures

drawing location on the server P:\2013\ManID13-01 Minute Man Cleaners\Task 7 - Site Management Plan\CADD\Figure 5-8 14-11-14.dwg



PREPARED BY:
J.R. HOLZMACHER P.E., LLC
*The Third Generation of Excellence
In Water Supply, Water Resources,
Civil and Environmental Engineering*
3555 VETERANS MEMORIAL HWY
SUITE A
RONKONKOMA, NEW YORK 11779
PHONE # (631) 234-2220
FAX # (631) 234-2221
E-MAIL: info@holzmacher.com

TITLE:
**GROUNDWATER ANALYTICAL
RESULTS 06/19/2019**
SITE #C 130157
89 OCEAN AVE
EAST ROCKAWAY, NEW YORK 11518

DWN: MFT	SCALE: 1:40	DATE: 06/19/2019	PROJECT NO.: ManID1601
CHKD: AJ	APPD: JR	REV.: -	NOTES: -
FIGURE NO.: 1			

Figure 2
Trends Chart - MW-1D




Figure 3
Trends Chart - MW-1S




Figure 4
Trends Chart - MW-2D




Figure 5
Trends Chart - MW-2S




Figure 6
Trends Chart - MW-3D




Figure 7
Trends Chart - MW-3S




Figure 8
Trends Chart - MW-4D




Figure 9
Trends Chart - MW-4S




Figure 10
Trends Chart - MW-5D




Figure 11
Trends Chart - MW-5S




Figure 12
Trends Chart - MW-9




Figure 13
Trends Chart - MW-12




Figure 14
Trends Chart - MW-14D




Figure 15
Trends Chart - MW-14S




Figure 16
Trends Chart - MW-14WT





Figure 17
Trends Chart - DB-1



Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019

Tables

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1DDL
Screen Intervals		Groundwater	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	03/23/2015	9/25/2012	9/25/2012
Dilution Factor															50
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.62J	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	2J	ND	ND	ND	ND	ND	1.7BJ	4.9	ND	2.0BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1D	MW-1DDL
Screen Intervals		Groundwater	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'	25-30'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	03/23/2015	9/25/2012	9/25/2012
Dilution Factor															50
Analyte:	Units:														
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.45J	ND
cis-1,2-Dichloroethene	PPB	5	ND	1.8J	ND	1.7J	0.73 J	4.4 J	ND	2.5	ND	0.93J	1.0J	15	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.55J	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	1.5J	1J	ND	ND	ND	ND	ND	0.76J	0.97J	ND	ND	2.6	1.5
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.7B	4.5	3.6B	5.8B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	80	140	88	210	78	210	340	180D	89	210D	190D	1900E	1900D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	2.5	5.9	2.7	5.8	1.3	9.5	11	6.1	ND	5.2	4.4	50	54D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	0.35J	0.15J	0.30J	0.09 J	0.58 J	ND	ND	ND	ND	ND	1.4	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1SDL
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	03/23/2015	9/25/2012	9/25/2012
Dilution Factor															25
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	0.24J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	5.5J	ND	ND	ND	ND	ND	2.0BJ	1.2BJ	1.4J	1.9BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	0.68J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	1.4J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1S	MW-1SDL
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	03/23/2015	9/25/2012	9/25/2012
Dilution Factor															25
Analyte:	Units:														
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6J	ND
cis-1,2-Dichloroethene	PPB	5	7.2	4.8J	3.2J	2.2J	ND	4.8	ND	2.3	1.8J	1.0J	1.2J	7.3	12JD
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	1J	ND	ND	ND	ND	ND	ND	3.4	2.4	ND	0.68J	5.3	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.6B	4.6B	3.6B	5.1B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	210	210	260	280	44	330	440	150	140	210D	190D	1700E	1900D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	18	13	11	9.8	0.88	14	17	6.3	5.8	5.5	4.9	32	43D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	0.39J	1.1J	0.93J	0.53J	ND	0.89 J	0.76J	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2DDL
Screen Intervals		Groundwater	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	3.9J	ND	ND	ND	ND	ND	2.1BJ	2.2BJ	ND	2.0BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	0.61	2.6	3	ND	2.3	4.1	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	0.67J	1.5J	1.3J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2D	MW-2DDL
Screen Intervals		Groundwater	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
Chloroform	PPB	7	0.7J	4.1	4.4	ND	4	4.6 J	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.59J	ND
cis-1,2-Dichloroethene	PPB	5	ND	2.2J	1.7J	2.2J	3.7	ND	ND	0.86J	ND	0.88J	1.3J	1.8	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	0.82	2.5	2.4	ND	1.9	3.4	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	0.88 J	ND	ND	ND	ND	0.55J	0.56J	0.87J	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.5B	4.6B	3.9B	5.5B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	58	60	68	200	150	220	480	140	130	160	110	500E	480D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	1.5	3.6	3	3.8	4.2	3.3	7.1	2.2	2.2	2.5	2.0	12	12D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	0.12J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	3J	ND	ND	ND	ND	ND	1.6BJ	2.2BJ	1.3J	2.1BJ	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	1.5	2	2.5	ND	2	2.1	ND	0.61J	ND	ND	ND	ND
Bromoform	PPB	50*	1.1J	4.7	1.7J	ND	ND	2.2 J	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S	MW-2S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	1.3J	2.4J	3.2	ND	2.2 J	1.4 J	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.45J
cis-1,2-Dichloroethene	PPB	5	1.7J	0.82J	0.98J	0.71J	ND	ND	ND	ND	0.90J	0.81J	0.99J	1.5
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	1.9	3.5	2.6	ND	2.5	3.1	ND	0.67J	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.57J
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.6B	4.9B	3.6B	5.4B	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	57	76	140	200	260	190	490	28	73	73	51	110
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	3.1	2.8	3.5	2.5	4.6	2.8	6.3	0.90J	1.8J	1.5J	1.2J	2.8
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D
Screen Intervals		Groundwater	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	4.3J	ND	ND	ND	ND	ND	2.0BJ	1.4BJ	2.3J	2.2BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	0.3J	0.48J	1.1	ND	0.74	1.2	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	0.85J	ND	ND	1.2 J	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D	MW-3D
Screen Intervals		Groundwater	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'	24-29'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
Chloroform	PPB	7	ND	0.95J	1.8J	ND	1.7 J	0.89 J	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.48J	ND
cis-1,2-Dichloroethene	PPB	5	1.5J	1J	ND	2.9	1 J	ND	ND	ND	ND	ND	ND	3	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	0.58	0.63	1.2	ND	0.74	1.4	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.87J	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.5B	4.7B	4.0B	5.1B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	57	62	30	260E	99	64	510	94	90	78	100	860E	840D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	2.6	2.4	0.92	4.9	2.1	0.95	7	1.5J	1.8	1.2J	1.9J	22	22D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S
Screen Intervals		Groundwater	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	3.3J	ND	ND	ND	ND	ND	1.6BJ	1.7BJ	1.3J	1.8BJ	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	0.22J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S	MW-3S
Screen Intervals		Groundwater	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'	18-23'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	PPB	5	ND	ND	1.2J	1.2J	ND	ND	ND	0.73J	0.66J	1.0J	1.4J	1.7
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	0.25J	0.53	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	0.52J	0.56J	0.65J	0.79J
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.6B	4.5B	3.6B	5.6B	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	26	46	180	160	190	390	420	110	120	120	91	170
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	0.96	1.4	3.6	2.8	3.2	5.8	6.4	2.1	2.0J	2.3	1.9J	4.4
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D
Screen Intervals		Groundwater	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															25
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	2.3J	ND	ND	ND	ND	ND	1.9BJ	1.5BJ	1.4J	1.9BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	0.32J	0.72	0.32J	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	1.3 J	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D	MW-4D
Screen Intervals		Groundwater	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'	23-28'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															25
Analyte:	Units:														
Chloroform	PPB	7	ND	1.8J	ND	ND	ND	1.6 J	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.59J	ND
cis-1,2-Dichloroethene	PPB	5	0.78J	ND	ND	ND	ND	ND	1.0J	0.54J	0.71J	0.63J	4.4	ND	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	0.35J	0.69	0.62	ND	ND	1.9	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1J	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.8B	4.6B	4.1B	6.1B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	100	99	81	77	240	9.4	260	130	110	140	150	1900E	1800D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	2.5	2.4	1.6	1.7	3.6	ND	3	4.1	3.0	3.6	4.0	45	42D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.61J	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															20
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	3.1J	ND	ND	ND	ND	ND	2.3BJ	2.6BJ	ND	1.7BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	0.24J	0.21J	ND	0.92 J	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	1.7 J	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S	MW-4S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															20
Analyte:	Units:														
Chloroform	PPB	7	ND	ND	ND	ND	2 J	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	PPB	5	2J	1.7J	1.2J	ND	ND	ND	ND	0.79J	1.1J	ND	ND	1.4	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	0.32J	0.58	ND	0.93 J	0.65 J	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.54J	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.8B	4.5B	3.9B	5.0B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	130	130	160	260E	210	180	380	100	88	94	88	450E	500D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	4.1	3.7	3.6	3.2	3.8	2.6	4.8J	2.9	2.4	1.7J	1.7J	12	13JD
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000			ND	ND**									

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D
Screen Intervals		Groundwater	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	2.9	3.1	1.4J	1.1J	3.3 J	4.5	0.94J	ND	ND	0.55J	0.96J	2.6
1,1-Dichloroethene	PPB	5	0.58	0.59	0.26J	0.29J	0.64 J	0.77	0.44J	ND	ND	ND	ND	0.52J
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	3.3J	ND	ND	ND	ND	ND	2.2BJ	3.1BJ	ND	3.3BJ	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	2.8 J	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.1
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D	MW-5D
Screen Intervals		Groundwater	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'	22-27'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.47J
cis-1,2-Dichloroethene	PPB	5	2.5	2.2J	0.81J	ND	3.6 J	3.9	2J	0.52J	ND	ND	ND	8
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	21	15	9.3	3	27	23	15	1.8J	7.1	1.8J	3.6	30
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.9B	4.7B	3.8B	6.2B	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	90	72	35	9.7	130	94	63	11	12	2.8	6.4	170
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	9.6	7.8	3.5	1.2	11	10	5.2	1.1J	1.4J	0.51J	0.87J	11
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	0.49J	0.49J	0.13J	ND	0.71 J	1.2	0.44J	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	1.4J	ND	ND	ND	ND	ND	0.92J	1.0J	2.2	ND
1,1-Dichloroethene	PPB	5	0.84J	1.2J	0.54J	ND	0.85 J	1.1	0.6J	ND	ND	0.68J	0.78J	0.7J	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	5.8J	ND	ND	ND	ND	ND	1.9BJ	2.7BJ	ND	2.0BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	4.2J	ND	6.6 J	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S	MW-5S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.42J	ND
cis-1,2-Dichloroethene	PPB	5	18	15	6.4	11	11 J	23	14	2.4	3.5	4.8	5.8	12	12D
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	27	24	30	30	35	50	34	5.3	23	30	32	33	28D
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	5.0B	4.8B	4.0B	5.0B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	440	440	180	190	370	260	200	69	63	150D	190D	430E	450D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	42	38	18	18	29	26	16	3.7	6.4	13	14	25	27D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	2.3J	3.2J	1J	1.6J	1.9 J	3.5 J	1.1J	ND	0.68J	1.2J	1.6J	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9DL
Screen Intervals		Groundwater	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	3.4J	2.2J	ND	ND	ND	1.6	1.5BJ	1.7BJ	1.5J	2.9BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	0.21J	ND	ND	0.63	0.42 J	ND	ND	0.78J	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	1.0J	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9DL
Screen Intervals		Groundwater	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															10
Analyte:	Units:														
Chloroform	PPB	7	ND	0.98J	ND	ND	1.9 J	0.91 J	ND	ND	0.99J	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.49J	ND
cis-1,2-Dichloroethene	PPB	5	ND	1.9J	2.2J	2.0J	1.4 J	22	27	15	ND	12	14	39	35D
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	0.39 J	0.37 J	ND	ND	1.2J	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	0.50	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.47J	0.79J
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.7B	4.7B	3.7B	5.0B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	11	13	18	11	4.4	5.2	43	12	3.6	91	93	730E	680D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	0.47J	0.9	0.97	0.72	0.89	1.6	4.6	2.1	0.50J	4.8	6.9	20	18D
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	0.1J	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000													

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12
Screen Intervals		Groundwater	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	4.8J	ND	ND	ND	ND	ND	1.6BJ	1.7BJ	1.6J	3.0BJ	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	0.47J	ND	ND	ND	ND	ND	ND	ND	ND	0.60J	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12
Screen Intervals		Groundwater	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'	3-13'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	ND	0.88J	ND	ND	ND	ND	ND	ND	ND	ND	0.86J	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6J
cis-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	0.39J	ND	ND	ND	ND	ND	ND	ND	ND	0.59J	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.5B	4.6B	3.8B	5.5B	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	2.3	21	77	16	15	58	26	21	15	17	15	27
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	ND	0.95	1.2	0.49J	0.32 J	1.2	0.72	0.61J	0.51J	ND	ND	0.51J
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D
Screen Intervals		Groundwater	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	3.6	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	2.2J	ND	ND	ND	ND	1.9J	2.0BJ	2.8BJ	ND	5.6B	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D	MW-14 D
Screen Intervals		Groundwater	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'	25-35'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	7.7	ND	ND	1.7
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	4.9B	4.8B	4.3B	5.9B	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	ND	0.19J	ND	ND	ND	ND	ND	ND	3.6	ND	ND	ND
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	0.54J	ND	ND	ND
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-14S	MW-14S	MW-14S	MW-14S	MW-14S	MW-14 S	MW-14 S	MW-14 S	MW-14 S	MW-14 S	MW-14 S	MW-14 S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	4.9	4.3	4.8	1.6J	15	19	18	4.2	ND	1.8J	3.4	24
1,1-Dichloroethene	PPB	5	ND	0.18J	ND	ND	0.51	0.55	0.59	ND	ND	ND	ND	1.5
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	0.18 J	0.16J	ND	ND	ND	ND	NA
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	4.4J	ND	ND	ND	ND	1.5J	ND	2.3BJ	ND	5.2B	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Bromodichloromethane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-14S	MW-14S	MW-14S	MW-14S	MW-14S	MW-14 S	MW-14 S	MW-14 S	MW-14 S	MW-14 S	MW-14 S	MW-14 S
Screen Intervals		Groundwater	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'	17-22'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Methyl tert-butyl ether	PPB	10	15	8.3	12	4.4	44	38	24	7.5	ND	5.1	12	19
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	5.0B	5.2B	4.0B	5.7B	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Tetrachloroethene	PPB	5	0.91	2	0.51	0.68	3.3	7	4.9	3.2	ND	5.7	7.5	10
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.47J
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	ND	0.24J	ND	ND	0.42 J	0.9	0.51	ND	ND	ND	0.88J	0.93J
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT
Screen Intervals		Groundwater	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	08/02/2011
Dilution Factor														
Analyte:	Units:													
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	2.7J	4.5J	ND	1.5 J	ND	ND	1.9BJ	1.7BJ	1.5J	5.3B	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Bromodichloromethane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	1.5 J	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT	MW-14 WT
Screen Intervals		Groundwater	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'	4-9'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	08/02/2011
Dilution Factor														
Analyte:	Units:													
Chloroform	PPB	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Methyl tert-butyl ether	PPB	10	ND	ND	2J	1.2J	1.7 J	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	5.0B	4.7B	3.8B	5.8B	15B
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA
Tetrachloroethene	PPB	5	22	12	31	60	92	51	26	7.3	16	12	5.2	19
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	NU	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	NU	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	NU	ND	ND	ND	ND
Trichloroethene	PPB	5	0.57	0.39J	0.82	1.2	1.9	1.2	0.68	NU	ND	ND	ND	ND
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	NU	ND	ND	ND	NA
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	NU	ND	ND	ND	NA
Vinyl chloride	PPB	2	ND	ND	ND	ND	ND	ND	ND	NU	ND	ND	ND	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000												

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well DL
Screen Intervals		Groundwater	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															25
Analyte:	Units:														
1,1,1,2-Tetrachloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	PPB	0.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.5	ND
1,1-Dichloroethene	PPB	5	0.84J	0.54J	ND	0.96J	ND	0.34 J	ND	ND	ND	ND	ND	2.6	ND
1,1-Dichloropropene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4,5-Tetramethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
1,2,4-Trichlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	PPB	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	PPB	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-dichloropropane	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	PPB	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acetone	PPB	50*	ND	5.7J	ND	ND	ND	ND	ND	1.9BJ	2.6BJ	ND	4.5BJ	ND	ND
Acrylonitrile	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA	NA	NA	NA
Benzene	PPB	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	PPB	50*	0.44J	2.6	13	ND	ND	4.5	ND	ND	ND	ND	ND	ND	ND
Bromoform	PPB	50*	ND	1.3J	3.2	ND	ND	2.5 J	ND	ND	ND	ND	ND	ND	ND
Bromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.65J	ND
Carbon tetrachloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Volatile Organic Chemicals
EPA Method 8260
Table 1

ISCO was performed during February and July 2015

Client Sample ID:		NYSDEC	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well	DB-1 Well DL
Screen Intervals		Groundwater	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'	55-65'
Sampling Date:		Standards	6/19/2019	12/24/2018	6/28/2018	12/20/2017	6/15/2017	12/28/2016	6/29/2016	10/21/2015	9/9/2015	5/4/2015	3/23/2015	9/25/2012	9/25/2012
Dilution Factor															25
Analyte:	Units:														
Chloroform	PPB	7	ND	4.5J	17	ND	ND	4.6 J	ND	ND	ND	ND	ND	ND	ND
Chloromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6J	ND
cis-1,2-Dichloroethene	PPB	5	14	9.6	2.2J	6.8	18 J	5.7	19J	1.7J	18	3.5	4.3	6.3	ND
cis-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	PPB	5	ND	2.1	8.6	ND	ND	4.4	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	PPB	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isopropylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl tert-butyl ether	PPB	10	10	4.8J	ND	20	12 J	1.5 J	7.2J	5.3	ND	3.6	0.54J	130	99D
Methylene chloride	PPB	5	ND	ND	ND	ND	ND	ND	ND	5.1B	4.6B	4.0B	6.0B	ND	ND
n-Butylbenzene	PPB	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
o-Xylene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Diethylbenzene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
p-Ethyltoluene	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA	NA
sec-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	PPB	5	330	200	21	280	600	140	500	46	16	170D	180D	210E	250D
Toluene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	PPB	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	PPB	5	43	26	2.5	46	60	17	54	5.7	2.9	13	10	31	27
Trichlorofluoromethane	PPB	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl acetate	PPB	50*	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	PPB	2	2.5	1.9J	0.26J	2.7	4 J	1.9 J	4.5J	ND	ND	0.93J	1.1J	1.9	ND
1,4-Dioxane (EPA Method 8270D SIM)	ng/l	50000				152									

Notes:

All results in ppb

ND - Not detected

NS-No Standard

NA- Not Analyzed

B- Analyte detected in blank

Bold-Exceeds NYS Standards

* Guidance Value

** 1,4 Dioxane <144. ng/l

Minute Man Cleaners
89 Ocean Ave.
East Rockaway, NY
Site # C130157

Soil Vapor
EPA Method TO-15

Table 2

LOCATION			EFFLUENT
SAMPLE DATE			6/19/2019
SAMPLE TYPE			SOIL_VAPOR
SAMPLE DEPTH (ft.)			
	NY-SCC	UNITS	Results
ANALYTE			
VOLATILE ORGANICS IN AIR			
1,1,1-Trichloroethane	5	ug/m3	ND
1,1,2,2-Tetrachloroethane	5	ug/m3	ND
1,1,2-Trichloro-1,2,2-Trifluoroethane	5	ug/m3	ND
1,1,2-Trichloroethane	5	ug/m3	ND
1,1-Dichloroethane	5	ug/m3	ND
1,1-Dichloroethene	5	ug/m3	ND
1,2,4-Trichlorobenzene	5	ug/m3	ND
1,2,4-Trimethylbenzene	5	ug/m3	2.06
1,2-Dibromoethane	5	ug/m3	ND
1,2-Dichloro-1,1,2,2-tetrafluoroethane	5	ug/m3	ND
1,2-Dichlorobenzene	5	ug/m3	ND
1,2-Dichloroethane	5	ug/m3	ND
1,2-Dichloroethene (total)	5	ug/m3	ND
1,2-Dichloropropane	5	ug/m3	ND
1,3,5-Trimethylbenzene	5	ug/m3	ND
1,3-Butadiene	5	ug/m3	ND
1,3-Dichlorobenzene	5	ug/m3	ND
1,3-Dichloropropene, Total	5	ug/m3	ND
1,4-Dichlorobenzene	5	ug/m3	ND
1,4-Dioxane	5	ug/m3	ND
2,2,4-Trimethylpentane	5	ug/m3	5.46
2-Butanone	5	ug/m3	ND
2-Hexanone	5	ug/m3	ND
3-Chloropropene	5	ug/m3	ND
4-Ethyltoluene	5	ug/m3	ND
4-Methyl-2-pentanone	5	ug/m3	ND
Acetone	5	ug/m3	6.25
Benzene	5	ug/m3	1.36
Benzyl chloride	5	ug/m3	ND
Bromodichloromethane	5	ug/m3	ND
Bromoform	5	ug/m3	ND
Bromomethane	5	ug/m3	ND
Carbon disulfide	5	ug/m3	ND
Carbon tetrachloride	5	ug/m3	ND
Chlorobenzene	5	ug/m3	ND
Chloroethane	5	ug/m3	ND
Chloroform	5	ug/m3	ND

Minute Man Cleaners
89 Ocean Ave.
East Rockaway, NY
Site # C130157

Soil Vapor
EPA Method TO-15

Table 2

LOCATION			EFFLUENT
SAMPLE DATE			6/19/2019
SAMPLE TYPE			SOIL_VAPOR
SAMPLE DEPTH (ft.)			
	NY-SCC	UNITS	Results
ANALYTE			
Chloromethane	5	ug/m3	0.871
cis-1,2-Dichloroethene	5	ug/m3	ND
cis-1,3-Dichloropropene	5	ug/m3	ND
Cyclohexane	5	ug/m3	2.18
Dibromochloromethane	5	ug/m3	ND
Dichlorodifluoromethane	5	ug/m3	2.15
Ethyl Acetate	5	ug/m3	ND
Ethyl Alcohol	5	ug/m3	55.2
Ethylbenzene	5	ug/m3	ND
Heptane	5	ug/m3	1.96
Hexachlorobutadiene	5	ug/m3	ND
iso-Propyl Alcohol	5	ug/m3	ND
Methyl tert butyl ether	5	ug/m3	ND
Methylene chloride	5	ug/m3	12.4
n-Hexane	5	ug/m3	4.79
o-Xylene	5	ug/m3	ND
p/m-Xylene	5	ug/m3	ND
Styrene	5	ug/m3	ND
tert-Butyl Alcohol	5	ug/m3	ND
Tetrachloroethene	5	ug/m3	732
Tetrahydrofuran	5	ug/m3	ND
Toluene	5	ug/m3	7.73
trans-1,2-Dichloroethene	5	ug/m3	ND
trans-1,3-Dichloropropene	5	ug/m3	ND
Trichloroethene	5	ug/m3	ND
Trichlorofluoromethane	5	ug/m3	ND
Vinyl bromide	5	ug/m3	ND
Vinyl chloride	5	ug/m3	ND
Xylene (Total)	5	ug/m3	ND

NY-SSC-A: New York DOH Matrix A Sub-slab Vapor Concentrations
Criteria per Guidance for Evaluating Soil Vapor Intrusion, October 2006, and updated May 2017.

Historical Soil Vapor
EPA Method TO-15
Table 3

LOCATION					EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT
SAMPLING DATE					12/26/2018	6/28/2018	12/20/2017	12/20/2017	6/15/2017	12/28/2016	6/29/2016	6/29/2016
DILUTION FACTOR								3.507				23.08
	NY-IAC	NY-SSC	NY-AGV	Units	Results	Results	Results	Results	Results	Results	Results	Results
1,1,1-Trichloroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	3.11	ND	-
1,1,2,2-Tetrachloroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	1.13	ND	-
1,1,2-Trichloro-1,2,2-Trifluoroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,1,2-Trichloroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,1-Dichloroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,1-Dichloroethene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,2,4-Trichlorobenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,2,4-Trimethylbenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,2-Dibromoethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,2-Dichloro-1,1,2,2-tetrafluoroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	10	ND	-
1,2-Dichlorobenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,2-Dichloroethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,2-Dichloropropane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,3,5-Trimethylbenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	3.85	ND	-
1,3-Butadiene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,3-Dichlorobenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,4-Dichlorobenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
1,4-Dioxane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
2,2,4-Trimethylpentane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
2-Butanone	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
2-Hexanone	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
3-Chloropropene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
4-Ethyltoluene	0.25	5	NA	ug/m3	ND	ND	14	-	9.24	2.44	ND	-
4-Methyl-2-pentanone	0.25	5	NA	ug/m3	ND	ND	0.748	-	ND	ND	ND	-
Acetone	0.25	5	NA	ug/m3	ND	3.82	ND	-	ND	ND	846	-
Benzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	5.6	ND	-
Benzyl chloride	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Bromodichloromethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	12.4	ND	-
Bromoform	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Bromomethane	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Carbon disulfide	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Carbon tetrachloride	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Chlorobenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Chloroethane	0.25	5	NA	ug/m3	ND	ND	0.807	-	0.958	ND	ND	-
Chloroform	0.25	5	NA	ug/m3	65.9	ND	2.53	-	1.08	ND	ND	-
Chloromethane	0.25	5	NA	ug/m3	ND	0.64	ND	-	ND	ND	ND	-
cis-1,2-Dichloroethene	0.25	5	NA	ug/m3	ND	1.78	ND	-	ND	ND	ND	-
cis-1,3-Dichloropropene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	1.9	ND	-
Cyclohexane	0.25	5	NA	ug/m3	ND	ND	2.24	-	2.12	ND	ND	-

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157

Historical Soil Vapor
EPA Method TO-15
Table 3

LOCATION					EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT	EFFLUENT
SAMPLING DATE					12/26/2018	6/28/2018	12/20/2017	12/20/2017	6/15/2017	12/28/2016	6/29/2016	6/29/2016
DILUTION FACTOR								3.507				23.08
	NY-IAC	NY-SSC	NY-AGV	Units	Results	Results	Results	Results	Results	Results	Results	Results
Dibromochloromethane	0.25	5	NA	ug/m3	ND	ND	1.8	-	12.4	ND	ND	-
Dichlorodifluoromethane	0.25	5	NA	ug/m3	ND	1.98	12.4	-	ND	ND	ND	-
Ethyl Acetate	0.25	5	NA	ug/m3	ND	8.07	ND	-	ND	ND	ND	-
Ethyl Alcohol	0.25	5	NA	ug/m3	ND	21.7	ND	-	ND	9.23	ND	-
Ethylbenzene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Heptane	0.25	5	NA	ug/m3	ND	ND	0.824	-	ND	ND	ND	-
Hexachlorobutadiene	0.25	5	NA	ug/m3	ND	ND	2.13	-	ND	ND	ND	-
iso-Propyl Alcohol	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	1140	ND	-
Methyl tert butyl ether	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Methylene chloride	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	6.3	ND	-
n-Hexane	0.25	5	NA	ug/m3	ND	ND	0.937	-	ND	12.6	ND	-
o-Xylene	0.25	5	NA	ug/m3	ND	ND	0.869	-	ND	ND	ND	-
p/m-Xylene	0.25	5	NA	ug/m3	ND	ND	1.82	-	ND	ND	ND	-
Styrene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
tert-Butyl Alcohol	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	3.65	23.7	-
Tetrachloroethene	0.25	5	30	ug/m3	2490	726	1040E	1660	464	ND	10800E	8140
Tetrahydrofuran	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Toluene	0.25	5	NA	ug/m3	ND	ND	6.93	-	0.776	2.41	ND	-
trans-1,2-Dichloroethene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
trans-1,3-Dichloropropene	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Trichloroethene	0.25	5	2	ug/m3	ND	1.64	2.75	-	ND	ND	26.8	-
Trichlorofluoromethane	0.25	5	NA	ug/m3	ND	ND	1.19	-	1.13	ND	ND	-
Vinyl bromide	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-
Vinyl chloride	0.25	5	NA	ug/m3	ND	ND	ND	-	ND	ND	ND	-

Notes:

ND -The compound was not detected at the indicated concentration.

E -The reported value is estimated because of the presence of interference.

Table 4 Air Emissions (60 CFM)

Minute Man Cleaners
Soil Vapor Extraction System Blower No. 1

Jul-19

Emission rate potential from the Soil Vapor Extraction System

SAMPLING DATE

6/19/2019

Flow Rates:

Air = 60 cfm = 1.699 Cu. meters/min = 101.95 Cu. meters/hour

Dimensional Conversion:

[gpm] * 3.785 l/gal * [ug/l] * 10e-9 kg/ug * 2.205 lb/kg * 60 Min/hr = [] pounds per hour

[gpm] * [ug/l] * 0.0000005

Contaminants:			ERP		Discharge Concentration		Air Guide - 1 Evaluation		CAS Reg	SGC	AGC
							toxicity				
71.57% Tetrachloroethene	0.01101	g/hour	0.00002	lb/hour	108	ug/cu meter	High	127-18-4		300	4 ug/cubic meter
0.00% p/m-Xylene	0.00000	g/hour	0.00000	lb/hour	0	ug/cu meter	Mod	1330-20-7		22,000	100 ug/cubic meter
0.90% n-Hexane	0.00014	g/hour	0.00000	lb/hour	1.36	ug/cu meter	Mod	110-54-3	-		700 ug/cubic meter
1.74% Acetone	0.00027	g/hour	0.00000	lb/hour	2.63	ug/cu meter	Low	67-64-1		180,000	30,000 ug/cubic meter
2.37% Methylene Chloride	0.00036	g/hour	0.00000	lb/hour	3.57	ug/cu meter	-	75-09-2	-		ug/cubic meter
0.28% Benzene	0.00004	g/hour	0.00000	lb/hour	0.426	ug/cu meter	Hlgh	71-43-2		1,300	- ug/cubic meter
0.42% Cyclohexane	0.00006	g/hour	0.00000	lb/hour	0.634	ug/cu meter	Low	110-82-7	-		6,000 ug/cubic meter
0.78% 2,2,4-Trimethylpentane	0.00012	g/hour	0.00000	lb/hour	1.17	ug/cu meter	-	540-84-1	-		- ug/cubic meter
1.36% Toluene	0.00021	g/hour	0.00000	lb/hour	2.05	ug/cu meter	Low	108-88-3		37,000	5,000.000 ug/cubic meter
0.00% Ethylbenzene	0.00000	g/hour	0.00000	lb/hour	0	ug/cu meter	Mod	100-41-4	-		1,000 ug/cubic meter
0.00% Tetrahydrofuran	0.00000	g/hour	0.00000	lb/hour	0	ug/cu meter	Mod	109-99-9		30,000	350 ug/cubic meter
0.00% Tertiary butyl Alcohol	0.00000	g/hour	0.00000	lb/hour	0.0	ug/cu meter	-	75-65-0	-		720 ug/cubic meter
0.00% o-Xylene	0.00000	g/hour	0.00000	lb/hour	0	ug/cu meter	Mod	95-47-6		22,000	100 ug/cubic meter
0.29% Dichlorodifluoromethane	0.00004	g/hour	0.00000	lb/hour	0.434	ug/cu meter	-	75-71-8	-		12,000 ug/cubic meter
0.00% cis-1,2-Dichloroethene	0.00000	g/hour	0.00000	lb/hour	0	ug/cu meter	Mod	156-59-2	-		63 ug/cubic meter
0.28% 1,2,4-Trimethylbenzene	0.00004	g/hour	0.00000	lb/hour	0.42	ug/cu meter	-	95-63-6	-		6 ug/cubic meter
0.32% Heptane	0.00005	g/hour	0.00000	lb/hour	0.478	ug/cu meter	Mod	142-82-5		210,000	3,900 ug/cubic meter
0.28% Chloromethane	0.00004	g/hour	0.00000	lb/hour	0.422	ug/cu meter	Mod	74-87-3		22,000	90 ug/cubic meter
0.00% Trichlorofluoromethane	0.00000	g/hour	0.00000	lb/hour	0	ug/cu meter					
19.42% Ethanol	0.00299	g/hour	0.00001	lb/hour	29.3	ug/cu meter					
100.00%	0.015384	g/hour	0.00003	lb/hour	150.9						
	0.36921468	g/day	0.00081398	lb/day							
	134.763359	g/year	0.297102592	lb/year							

Initial Ratings:

A TetraChloroethene - refer to IV.B.1.a for emission rate < 0.1 pound per hour: can consider no control if ambient impact < AGC and SGC

Appendix "B" Evaluation (1994 Edition):

Assume dimensions as follows:

building = 10 feet above grade horizontal dimension > 10 feet: squat structure
Stack = 13 feet above grade

II Cavity impacts: none - stack height > 2.5 times building height and distance to the property line are > 3 times the height of the building.

Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019

Appendix A – Groundwater Analytical Laboratory Report



ANALYTICAL REPORT

Lab Number:	L1926579
Client:	J.R. Holzmacher P.E., LLC 3555 Veterans Memorial Highway Suite A Ronkonkoma, NY 11779
ATTN:	AJ Scheff
Phone:	(631) 234-2220
Project Name:	MIN MAN CLEANERS
Project Number:	MANID 16-01
Report Date:	07/01/19

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: MIN MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926579

Report Date: 07/01/19

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1926579-01	TRIP BLANK	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 00:00	06/19/19
L1926579-02	MW-1S	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 13:54	06/19/19
L1926579-03	MW-1D	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 13:39	06/19/19
L1926579-04	MW-2S	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 13:24	06/19/19
L1926579-05	MW-2D	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 13:09	06/19/19
L1926579-06	MW-3S	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 12:10	06/19/19
L1926579-07	MW-3D	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 11:55	06/19/19
L1926579-08	MW-4S	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 11:40	06/19/19
L1926579-09	MW-4D	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 11:25	06/19/19
L1926579-10	MW-5S	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 10:33	06/19/19
L1926579-11	MW-5D	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 10:18	06/19/19
L1926579-12	MW-9	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 10:55	06/19/19
L1926579-13	MW-12	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 12:54	06/19/19
L1926579-14	MW-14S	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 09:41	06/19/19
L1926579-15	MW-14D	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 09:26	06/19/19
L1926579-16	MW-14WT	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 09:56	06/19/19
L1926579-17	DB-1	WATER	89 OCEAN AVE., E. ROCKAWAY, NY	06/19/19 11:10	06/19/19

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L1926579-02: The collection date and time on the chain of custody was 19-JUN-19 13:39; however, the collection date/time on the container label was 19-JUN-19 13:54. At the client's request, the collection date/time is reported as 19-JUN-19 13:54.

L1926579-03: The collection date and time on the chain of custody was 19-JUN-19 13:54; however, the collection date/time on the container label was 19-JUN-19 13:39. At the client's request, the collection date/time is reported as 19-JUN-19 13:39.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Lisa Westerlind

Title: Technical Director/Representative

Date: 07/01/19

ORGANICS

VOLATILES

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-01
 Client ID: TRIP BLANK
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 00:00
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 19:43
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-01

Date Collected: 06/19/19 00:00

Client ID: TRIP BLANK

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-01**Date Collected:** 06/19/19 00:00**Client ID:** TRIP BLANK**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	103		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-02
 Client ID: MW-1S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 13:54
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 20:11
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	270	E	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.39	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.24	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-02

Date Collected: 06/19/19 13:54

Client ID: MW-1S

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	18		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	1.0	J	ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	7.2		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	7.2		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-02**Date Collected:** 06/19/19 13:54**Client ID:** MW-1S**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	101		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-02 D
 Client ID: MW-1S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 13:54
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 06/29/19 14:29

Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab

Tetrachloroethene	210		ug/l	2.5	0.90	5
-------------------	-----	--	------	-----	------	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	79		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	97		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-03
 Client ID: MW-1D
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 13:39
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 20:38
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	80		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-03

Date Collected: 06/19/19 13:39

Client ID: MW-1D

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	2.5		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	1.5	J	ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-03**Date Collected:** 06/19/19 13:39**Client ID:** MW-1D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	104		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-04
 Client ID: MW-2S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 13:24
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 21:06
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	1.3	J	ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	1.9		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	57		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	1.5		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	1.1	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-04

Date Collected: 06/19/19 13:24

Client ID: MW-2S

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	3.1		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.7	J	ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	1.7	J	ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-04**Date Collected:** 06/19/19 13:24**Client ID:** MW-2S**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	102		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-05
 Client ID: MW-2D
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 13:09
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 21:34
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	0.70	J	ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	0.82		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	58		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	0.61		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	0.67	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-05

Date Collected: 06/19/19 13:09

Client ID: MW-2D

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	1.5		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-05**Date Collected:** 06/19/19 13:09**Client ID:** MW-2D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	102		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-06
 Client ID: MW-3S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 12:10
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 22:02
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	26		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-06

Date Collected: 06/19/19 12:10

Client ID: MW-3S

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	0.96		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-06**Date Collected:** 06/19/19 12:10**Client ID:** MW-3S**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	104		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-07
 Client ID: MW-3D
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 11:55
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 22:30
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	0.58		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	57		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	0.30	J	ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-07**Date Collected:** 06/19/19 11:55**Client ID:** MW-3D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	2.6		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.5	J	ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	1.5	J	ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-07**Date Collected:** 06/19/19 11:55**Client ID:** MW-3D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	106		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-08
 Client ID: MW-4S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 11:40
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 22:58
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	130		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-08

Date Collected: 06/19/19 11:40

Client ID: MW-4S

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	4.1		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	2.0	J	ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	2.0	J	ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-08**Date Collected:** 06/19/19 11:40**Client ID:** MW-4S**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	104		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-09
 Client ID: MW-4D
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 11:25
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 23:26
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	0.35	J	ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	100		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	0.32	J	ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-09

Date Collected: 06/19/19 11:25

Client ID: MW-4D

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	2.5		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	0.78	J	ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	0.78	J	ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-09**Date Collected:** 06/19/19 11:25**Client ID:** MW-4D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	103		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-10 D2
 Client ID: MW-5S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 10:33
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 06/29/19 14:00

Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab

Tetrachloroethene	440		ug/l	5.0	1.8	10
-------------------	-----	--	------	-----	-----	----

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	78		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	96		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-10 D
 Client ID: MW-5S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 10:33
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/27/19 23:54
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethane	ND		ug/l	6.2	1.8	2.5
Chloroform	ND		ug/l	6.2	1.8	2.5
Carbon tetrachloride	ND		ug/l	1.2	0.34	2.5
1,2-Dichloropropane	ND		ug/l	2.5	0.34	2.5
Dibromochloromethane	ND		ug/l	1.2	0.37	2.5
1,1,2-Trichloroethane	ND		ug/l	3.8	1.2	2.5
Tetrachloroethene	510	E	ug/l	1.2	0.45	2.5
Chlorobenzene	ND		ug/l	6.2	1.8	2.5
Trichlorofluoromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dichloroethane	ND		ug/l	1.2	0.33	2.5
1,1,1-Trichloroethane	ND		ug/l	6.2	1.8	2.5
Bromodichloromethane	ND		ug/l	1.2	0.48	2.5
trans-1,3-Dichloropropene	ND		ug/l	1.2	0.41	2.5
cis-1,3-Dichloropropene	ND		ug/l	1.2	0.36	2.5
1,3-Dichloropropene, Total	ND		ug/l	1.2	0.36	2.5
1,1-Dichloropropene	ND		ug/l	6.2	1.8	2.5
Bromoform	ND		ug/l	5.0	1.6	2.5
1,1,2,2-Tetrachloroethane	ND		ug/l	1.2	0.42	2.5
Benzene	ND		ug/l	1.2	0.40	2.5
Toluene	ND		ug/l	6.2	1.8	2.5
Ethylbenzene	ND		ug/l	6.2	1.8	2.5
Chloromethane	ND		ug/l	6.2	1.8	2.5
Bromomethane	ND		ug/l	6.2	1.8	2.5
Vinyl chloride	2.3	J	ug/l	2.5	0.18	2.5
Chloroethane	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethene	0.84	J	ug/l	1.2	0.42	2.5
trans-1,2-Dichloroethene	ND		ug/l	6.2	1.8	2.5

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-10 D
 Client ID: MW-5S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 10:33
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	42		ug/l	1.2	0.44	2.5
1,2-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,3-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl tert butyl ether	27		ug/l	6.2	1.8	2.5
p/m-Xylene	ND		ug/l	6.2	1.8	2.5
o-Xylene	ND		ug/l	6.2	1.8	2.5
Xylenes, Total	ND		ug/l	6.2	1.8	2.5
cis-1,2-Dichloroethene	18		ug/l	6.2	1.8	2.5
1,2-Dichloroethene, Total	18		ug/l	6.2	1.8	2.5
Dibromomethane	ND		ug/l	12	2.5	2.5
1,2,3-Trichloropropane	ND		ug/l	6.2	1.8	2.5
Acrylonitrile	ND		ug/l	12	3.8	2.5
Styrene	ND		ug/l	6.2	1.8	2.5
Dichlorodifluoromethane	ND		ug/l	12	2.5	2.5
Acetone	ND		ug/l	12	3.6	2.5
Carbon disulfide	ND		ug/l	12	2.5	2.5
2-Butanone	ND		ug/l	12	4.8	2.5
Vinyl acetate	ND		ug/l	12	2.5	2.5
4-Methyl-2-pentanone	ND		ug/l	12	2.5	2.5
2-Hexanone	ND		ug/l	12	2.5	2.5
Bromochloromethane	ND		ug/l	6.2	1.8	2.5
2,2-Dichloropropane	ND		ug/l	6.2	1.8	2.5
1,2-Dibromoethane	ND		ug/l	5.0	1.6	2.5
1,3-Dichloropropane	ND		ug/l	6.2	1.8	2.5
1,1,1,2-Tetrachloroethane	ND		ug/l	6.2	1.8	2.5
Bromobenzene	ND		ug/l	6.2	1.8	2.5
n-Butylbenzene	ND		ug/l	6.2	1.8	2.5
sec-Butylbenzene	ND		ug/l	6.2	1.8	2.5
tert-Butylbenzene	ND		ug/l	6.2	1.8	2.5
o-Chlorotoluene	ND		ug/l	6.2	1.8	2.5
p-Chlorotoluene	ND		ug/l	6.2	1.8	2.5
1,2-Dibromo-3-chloropropane	ND		ug/l	6.2	1.8	2.5
Hexachlorobutadiene	ND		ug/l	6.2	1.8	2.5
Isopropylbenzene	ND		ug/l	6.2	1.8	2.5
p-Isopropyltoluene	ND		ug/l	6.2	1.8	2.5
Naphthalene	ND		ug/l	6.2	1.8	2.5

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-10 D
 Client ID: MW-5S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 10:33
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,3-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,3,5-Trimethylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trimethylbenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dioxane	ND		ug/l	620	150	2.5
p-Diethylbenzene	ND		ug/l	5.0	1.8	2.5
p-Ethyltoluene	ND		ug/l	5.0	1.8	2.5
1,2,4,5-Tetramethylbenzene	ND		ug/l	5.0	1.4	2.5
Ethyl ether	ND		ug/l	6.2	1.8	2.5
trans-1,4-Dichloro-2-butene	ND		ug/l	6.2	1.8	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	108		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-11
 Client ID: MW-5D
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 10:18
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 00:21
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	2.9		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	90		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.49	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.58		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-11

Date Collected: 06/19/19 10:18

Client ID: MW-5D

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	9.6		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	21		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	2.5		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	2.5		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-11**Date Collected:** 06/19/19 10:18**Client ID:** MW-5D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	108		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-12
 Client ID: MW-9
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 10:55
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 00:49
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	11		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-12

Date Collected: 06/19/19 10:55

Client ID: MW-9

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	0.47	J	ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-12**Date Collected:** 06/19/19 10:55**Client ID:** MW-9**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	104		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-13
 Client ID: MW-12
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 12:54
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 01:17
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	2.3		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-13

Date Collected: 06/19/19 12:54

Client ID: MW-12

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-13**Date Collected:** 06/19/19 12:54**Client ID:** MW-12**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	109		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-14
 Client ID: MW-14S
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 09:41
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 01:45
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	4.9		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.91		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-14

Date Collected: 06/19/19 09:41

Client ID: MW-14S

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	15		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-14**Date Collected:** 06/19/19 09:41**Client ID:** MW-14S**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	109		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-15
 Client ID: MW-14D
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 09:26
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 02:13
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-15

Date Collected: 06/19/19 09:26

Client ID: MW-14D

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-15**Date Collected:** 06/19/19 09:26**Client ID:** MW-14D**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	107		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-16
 Client ID: MW-14WT
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 09:56
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 02:42
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	22		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-16

Date Collected: 06/19/19 09:56

Client ID: MW-14WT

Date Received: 06/19/19

Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	0.57		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS****Lab ID:** L1926579-16**Date Collected:** 06/19/19 09:56**Client ID:** MW-14WT**Date Received:** 06/19/19**Sample Location:** 89 OCEAN AVE., E. ROCKAWAY, NY**Field Prep:** Not Specified**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	109		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-17 D
 Client ID: DB-1
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 11:10
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/19 03:10
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	1.4	2
1,1-Dichloroethane	ND		ug/l	5.0	1.4	2
Chloroform	ND		ug/l	5.0	1.4	2
Carbon tetrachloride	ND		ug/l	1.0	0.27	2
1,2-Dichloropropane	ND		ug/l	2.0	0.27	2
Dibromochloromethane	ND		ug/l	1.0	0.30	2
1,1,2-Trichloroethane	ND		ug/l	3.0	1.0	2
Tetrachloroethene	330		ug/l	1.0	0.36	2
Chlorobenzene	ND		ug/l	5.0	1.4	2
Trichlorofluoromethane	ND		ug/l	5.0	1.4	2
1,2-Dichloroethane	ND		ug/l	1.0	0.26	2
1,1,1-Trichloroethane	ND		ug/l	5.0	1.4	2
Bromodichloromethane	0.44	J	ug/l	1.0	0.38	2
trans-1,3-Dichloropropene	ND		ug/l	1.0	0.33	2
cis-1,3-Dichloropropene	ND		ug/l	1.0	0.29	2
1,3-Dichloropropene, Total	ND		ug/l	1.0	0.29	2
1,1-Dichloropropene	ND		ug/l	5.0	1.4	2
Bromoform	ND		ug/l	4.0	1.3	2
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.33	2
Benzene	ND		ug/l	1.0	0.32	2
Toluene	ND		ug/l	5.0	1.4	2
Ethylbenzene	ND		ug/l	5.0	1.4	2
Chloromethane	ND		ug/l	5.0	1.4	2
Bromomethane	ND		ug/l	5.0	1.4	2
Vinyl chloride	2.5		ug/l	2.0	0.14	2
Chloroethane	ND		ug/l	5.0	1.4	2
1,1-Dichloroethene	0.84	J	ug/l	1.0	0.34	2
trans-1,2-Dichloroethene	ND		ug/l	5.0	1.4	2

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-17 D
 Client ID: DB-1
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 11:10
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	43		ug/l	1.0	0.35	2
1,2-Dichlorobenzene	ND		ug/l	5.0	1.4	2
1,3-Dichlorobenzene	ND		ug/l	5.0	1.4	2
1,4-Dichlorobenzene	ND		ug/l	5.0	1.4	2
Methyl tert butyl ether	10		ug/l	5.0	1.4	2
p/m-Xylene	ND		ug/l	5.0	1.4	2
o-Xylene	ND		ug/l	5.0	1.4	2
Xylenes, Total	ND		ug/l	5.0	1.4	2
cis-1,2-Dichloroethene	14		ug/l	5.0	1.4	2
1,2-Dichloroethene, Total	14		ug/l	5.0	1.4	2
Dibromomethane	ND		ug/l	10	2.0	2
1,2,3-Trichloropropane	ND		ug/l	5.0	1.4	2
Acrylonitrile	ND		ug/l	10	3.0	2
Styrene	ND		ug/l	5.0	1.4	2
Dichlorodifluoromethane	ND		ug/l	10	2.0	2
Acetone	ND		ug/l	10	2.9	2
Carbon disulfide	ND		ug/l	10	2.0	2
2-Butanone	ND		ug/l	10	3.9	2
Vinyl acetate	ND		ug/l	10	2.0	2
4-Methyl-2-pentanone	ND		ug/l	10	2.0	2
2-Hexanone	ND		ug/l	10	2.0	2
Bromochloromethane	ND		ug/l	5.0	1.4	2
2,2-Dichloropropane	ND		ug/l	5.0	1.4	2
1,2-Dibromoethane	ND		ug/l	4.0	1.3	2
1,3-Dichloropropane	ND		ug/l	5.0	1.4	2
1,1,1,2-Tetrachloroethane	ND		ug/l	5.0	1.4	2
Bromobenzene	ND		ug/l	5.0	1.4	2
n-Butylbenzene	ND		ug/l	5.0	1.4	2
sec-Butylbenzene	ND		ug/l	5.0	1.4	2
tert-Butylbenzene	ND		ug/l	5.0	1.4	2
o-Chlorotoluene	ND		ug/l	5.0	1.4	2
p-Chlorotoluene	ND		ug/l	5.0	1.4	2
1,2-Dibromo-3-chloropropane	ND		ug/l	5.0	1.4	2
Hexachlorobutadiene	ND		ug/l	5.0	1.4	2
Isopropylbenzene	ND		ug/l	5.0	1.4	2
p-Isopropyltoluene	ND		ug/l	5.0	1.4	2
Naphthalene	ND		ug/l	5.0	1.4	2

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**SAMPLE RESULTS**

Lab ID: L1926579-17 D
 Client ID: DB-1
 Sample Location: 89 OCEAN AVE., E. ROCKAWAY, NY

Date Collected: 06/19/19 11:10
 Date Received: 06/19/19
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	5.0	1.4	2
1,2,3-Trichlorobenzene	ND		ug/l	5.0	1.4	2
1,2,4-Trichlorobenzene	ND		ug/l	5.0	1.4	2
1,3,5-Trimethylbenzene	ND		ug/l	5.0	1.4	2
1,2,4-Trimethylbenzene	ND		ug/l	5.0	1.4	2
1,4-Dioxane	ND		ug/l	500	120	2
p-Diethylbenzene	ND		ug/l	4.0	1.4	2
p-Ethyltoluene	ND		ug/l	4.0	1.4	2
1,2,4,5-Tetramethylbenzene	ND		ug/l	4.0	1.1	2
Ethyl ether	ND		ug/l	5.0	1.4	2
trans-1,4-Dichloro-2-butene	ND		ug/l	5.0	1.4	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	107		70-130

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 06/29/19 09:18
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,10 Batch: WG1254427-10					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 06/29/19 09:18
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,10 Batch: WG1254427-10					
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
Xylenes, Total	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/19 09:18
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,10 Batch: WG1254427-10					
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
1,4-Dioxane	ND		ug/l	250	61.
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	89		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	99		70-130

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/27/19 19:15
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-17 Batch: WG1254427-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 06/27/19 19:15
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-17 Batch: WG1254427-5					
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
Xylenes, Total	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/27/19 19:15
Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-17 Batch: WG1254427-5					
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
1,4-Dioxane	ND		ug/l	250	61.
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	103		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: MIN MAN CLEANERS

Lab Number: L1926579

Project Number: MANID 16-01

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-17 Batch: WG1254427-3 WG1254427-4								
Methylene chloride	110		110		70-130	0		20
1,1-Dichloroethane	110		120		70-130	9		20
Chloroform	110		120		70-130	9		20
Carbon tetrachloride	120		120		63-132	0		20
1,2-Dichloropropane	100		110		70-130	10		20
Dibromochloromethane	110		110		63-130	0		20
1,1,2-Trichloroethane	100		110		70-130	10		20
Tetrachloroethene	110		120		70-130	9		20
Chlorobenzene	110		110		75-130	0		20
Trichlorofluoromethane	110		110		62-150	0		20
1,2-Dichloroethane	110		120		70-130	9		20
1,1,1-Trichloroethane	120		120		67-130	0		20
Bromodichloromethane	110		110		67-130	0		20
trans-1,3-Dichloropropene	110		110		70-130	0		20
cis-1,3-Dichloropropene	99		100		70-130	1		20
1,1-Dichloropropene	110		120		70-130	9		20
Bromoform	110		110		54-136	0		20
1,1,2,2-Tetrachloroethane	110		110		67-130	0		20
Benzene	110		110		70-130	0		20
Toluene	100		110		70-130	10		20
Ethylbenzene	110		110		70-130	0		20
Chloromethane	100		100		64-130	0		20
Bromomethane	100		110		39-139	10		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: MIN MAN CLEANERS

Lab Number: L1926579

Project Number: MANID 16-01

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-17 Batch: WG1254427-3 WG1254427-4								
Vinyl chloride	100		100		55-140	0		20
Chloroethane	100		110		55-138	10		20
1,1-Dichloroethene	110		110		61-145	0		20
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	110		120		70-130	9		20
1,2-Dichlorobenzene	110		110		70-130	0		20
1,3-Dichlorobenzene	110		120		70-130	9		20
1,4-Dichlorobenzene	110		110		70-130	0		20
Methyl tert butyl ether	110		120		63-130	9		20
p/m-Xylene	110		115		70-130	4		20
o-Xylene	110		110		70-130	0		20
cis-1,2-Dichloroethene	110		120		70-130	9		20
Dibromomethane	110		110		70-130	0		20
1,2,3-Trichloropropane	110		110		64-130	0		20
Acrylonitrile	120		120		70-130	0		20
Styrene	105		110		70-130	5		20
Dichlorodifluoromethane	110		110		36-147	0		20
Acetone	120		130		58-148	8		20
Carbon disulfide	100		110		51-130	10		20
2-Butanone	110		110		63-138	0		20
Vinyl acetate	110		110		70-130	0		20
4-Methyl-2-pentanone	110		110		59-130	0		20
2-Hexanone	110		110		57-130	0		20

Lab Control Sample Analysis Batch Quality Control

Project Name: MIN MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926579

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-17 Batch: WG1254427-3 WG1254427-4								
Bromochloromethane	110		120		70-130	9		20
2,2-Dichloropropane	120		120		63-133	0		20
1,2-Dibromoethane	110		110		70-130	0		20
1,3-Dichloropropane	110		110		70-130	0		20
1,1,1,2-Tetrachloroethane	110		110		64-130	0		20
Bromobenzene	110		110		70-130	0		20
n-Butylbenzene	110		110		53-136	0		20
sec-Butylbenzene	87		93		70-130	7		20
tert-Butylbenzene	110		120		70-130	9		20
o-Chlorotoluene	110		120		70-130	9		20
p-Chlorotoluene	110		120		70-130	9		20
1,2-Dibromo-3-chloropropane	110		120		41-144	9		20
Hexachlorobutadiene	110		110		63-130	0		20
Isopropylbenzene	110		120		70-130	9		20
p-Isopropyltoluene	110		120		70-130	9		20
Naphthalene	110		110		70-130	0		20
n-Propylbenzene	110		120		69-130	9		20
1,2,3-Trichlorobenzene	110		110		70-130	0		20
1,2,4-Trichlorobenzene	110		110		70-130	0		20
1,3,5-Trimethylbenzene	110		120		64-130	9		20
1,2,4-Trimethylbenzene	110		120		70-130	9		20
1,4-Dioxane	156		160		56-162	3		20
p-Diethylbenzene	110		110		70-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: MIN MAN CLEANERS

Lab Number: L1926579

Project Number: MANID 16-01

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-17 Batch: WG1254427-3 WG1254427-4								
p-Ethyltoluene	110		120		70-130	9		20
1,2,4,5-Tetramethylbenzene	110		110		70-130	0		20
Ethyl ether	110		110		59-134	0		20
trans-1,4-Dichloro-2-butene	110		110		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	106		106		70-130
Toluene-d8	102		102		70-130
4-Bromofluorobenzene	99		98		70-130
Dibromofluoromethane	102		102		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: MIN MAN CLEANERS

Lab Number: L1926579

Project Number: MANID 16-01

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,10 Batch: WG1254427-8 WG1254427-9								
Methylene chloride	120		110		70-130	9		20
1,1-Dichloroethane	110		100		70-130	10		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	110		100		63-132	10		20
1,2-Dichloropropane	100		110		70-130	10		20
Dibromochloromethane	100		110		63-130	10		20
1,1,2-Trichloroethane	120		110		70-130	9		20
Tetrachloroethene	110		120		70-130	9		20
Chlorobenzene	110		110		75-130	0		20
Trichlorofluoromethane	100		100		62-150	0		20
1,2-Dichloroethane	94		93		70-130	1		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	110		110		70-130	0		20
cis-1,3-Dichloropropene	94		100		70-130	6		20
1,1-Dichloropropene	110		110		70-130	0		20
Bromoform	110		110		54-136	0		20
1,1,2,2-Tetrachloroethane	120		120		67-130	0		20
Benzene	120		120		70-130	0		20
Toluene	110		120		70-130	9		20
Ethylbenzene	110		120		70-130	9		20
Chloromethane	89		87		64-130	2		20
Bromomethane	130		64		39-139	68	Q	20

Lab Control Sample Analysis

Batch Quality Control

Project Name: MIN MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926579

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,10 Batch: WG1254427-8 WG1254427-9								
Vinyl chloride	100		96		55-140	4		20
Chloroethane	100		99		55-138	1		20
1,1-Dichloroethene	120		120		61-145	0		20
trans-1,2-Dichloroethene	120		120		70-130	0		20
Trichloroethene	110		110		70-130	0		20
1,2-Dichlorobenzene	110		110		70-130	0		20
1,3-Dichlorobenzene	110		110		70-130	0		20
1,4-Dichlorobenzene	110		110		70-130	0		20
Methyl tert butyl ether	110		110		63-130	0		20
p/m-Xylene	110		120		70-130	9		20
o-Xylene	110		115		70-130	4		20
cis-1,2-Dichloroethene	120		120		70-130	0		20
Dibromomethane	100		100		70-130	0		20
1,2,3-Trichloropropane	110		110		64-130	0		20
Acrylonitrile	110		100		70-130	10		20
Styrene	105		110		70-130	5		20
Dichlorodifluoromethane	100		97		36-147	3		20
Acetone	120		100		58-148	18		20
Carbon disulfide	120		120		51-130	0		20
2-Butanone	100		100		63-138	0		20
Vinyl acetate	96		95		70-130	1		20
4-Methyl-2-pentanone	110		110		59-130	0		20
2-Hexanone	98		98		57-130	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: MIN MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926579

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,10 Batch: WG1254427-8 WG1254427-9								
Bromochloromethane	120		110		70-130	9		20
2,2-Dichloropropane	120		110		63-133	9		20
1,2-Dibromoethane	110		110		70-130	0		20
1,3-Dichloropropane	110		120		70-130	9		20
1,1,1,2-Tetrachloroethane	100		110		64-130	10		20
Bromobenzene	120		110		70-130	9		20
n-Butylbenzene	120		120		53-136	0		20
sec-Butylbenzene	92		95		70-130	3		20
tert-Butylbenzene	120		120		70-130	0		20
o-Chlorotoluene	120		120		70-130	0		20
p-Chlorotoluene	120		120		70-130	0		20
1,2-Dibromo-3-chloropropane	110		120		41-144	9		20
Hexachlorobutadiene	100		110		63-130	10		20
Isopropylbenzene	120		120		70-130	0		20
p-Isopropyltoluene	120		120		70-130	0		20
Naphthalene	100		110		70-130	10		20
n-Propylbenzene	120		120		69-130	0		20
1,2,3-Trichlorobenzene	100		100		70-130	0		20
1,2,4-Trichlorobenzene	110		110		70-130	0		20
1,3,5-Trimethylbenzene	120		120		64-130	0		20
1,2,4-Trimethylbenzene	120		120		70-130	0		20
1,4-Dioxane	200	Q	130		56-162	42	Q	20
p-Diethylbenzene	120		120		70-130	0		20

Lab Control Sample Analysis **Batch Quality Control**

Project Name: MIN MAN CLEANERS

Lab Number: L1926579

Project Number: MANID 16-01

Report Date: 07/01/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,10 Batch: WG1254427-8 WG1254427-9								
p-Ethyltoluene	120		120		70-130	0		20
1,2,4,5-Tetramethylbenzene	110		110		70-130	0		20
Ethyl ether	120		110		59-134	9		20
trans-1,4-Dichloro-2-butene	110		100		70-130	10		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	88		87		70-130
Toluene-d8	102		105		70-130
4-Bromofluorobenzene	104		103		70-130
Dibromofluoromethane	98		96		70-130

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1926579-01A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-01B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-02A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-02B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-02C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-03A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-03B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-03C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-04A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-04B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-04C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-05A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-05B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-05C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-06A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-06B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-06C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-07A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-07B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-07C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-08A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-08B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-08C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1926579-09A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-09B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-09C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-10A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-10B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-10C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-11A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-11B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-11C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-12A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-12B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-12C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-13A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-13B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-13C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-14A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-14B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-14C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-15A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-15B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-15C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-16A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-16B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-16C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-17A	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-17B	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)
L1926579-17C	Vial HCl preserved	A	NA		3.8	Y	Absent		NYTCL-8260(14)

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

Report Format: DU Report with 'J' Qualifiers

Project Name: MIN MAN CLEANERS**Lab Number:** L1926579**Project Number:** MANID 16-01**Report Date:** 07/01/19

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report with 'J' Qualifiers



Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 12

Published Date: 10/9/2018 4:58:19 PM

Page 1 of 1

Certification Information




The following analytes are not included in our Primary NELAP Scope of Accreditation:


Westborough Facility**EPA 624/624.1:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 6860:** SCM: Perchlorate**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193		Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105		Page <div style="border: 1px solid black; padding: 2px; display: inline-block;">1 of 2</div>		Date Rec'd in Lab 6/20/19		ALPHA Job # LI926579			
Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288		Project Information Project Name: Min Man Cleaner Project Location: 89 Ocean Ave E. Rockaway NY Project # MA1016-01 (Use Project name as Project #) <input checked="" type="checkbox"/>				Deliverables <input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input checked="" type="checkbox"/> EQuIS (1 File) <input checked="" type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other		Billing Information <input checked="" type="checkbox"/> Same as Client Info PO #			
Client Information Client: JN Holmacher Address: 7555 Veterans Hwy Rockaway NY 11779 Phone: 631 234 2220 Fax: 631 234 2221 Email: AT@Holmacher.com		Project Manager: ALPHAQuote #: Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input checked="" type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use NY Cat B <input type="checkbox"/> NYC Sewer Discharge		Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:					
These samples have been previously analyzed by Alpha <input checked="" type="checkbox"/> Other project specific requirements/comments:				ANALYSIS		Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below)		Total Bottles			
Please specify Metals or TAL.											
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials					Sample Specific Comments	
		Date	Time								
26579.01	Trip Blank	6/19/17		CLW	N	Y					2
02	MW-15		1339		N	X					3
03	MW-10		1354		N	X					
04	MW-25		1324		N	X					
05	MW-20		1309		N	X					
06	MW-35		1210		N	X					
07	MW-30		1155		N	X					
08	MW-45		1140		N	X					
09	MW-40		1125		N	X					
10	MW-55		1033		N	X					
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Container Type Preservative		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)			
		Relinquished By:		Date/Time		Received By:		Date/Time			
				6/14/19 1405 6/19/19 1859 6/20 06:47				6/14/19 1405 6/19 20:10 6/20/19 00:15			

 NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193 Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288		Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105		Page 2 of 2		Date Rec'd in Lab 6/20/19		ALPHA Job # 1926579	
		Project Information Project Name: Min Man Cleaner Project Location: 89 Ocean Ave E. Rye Brook NY Project # Man ID 16-01 (Use Project name as Project #) <input checked="" type="checkbox"/> Project Manager: AJ Schell ALPHAQuote #: Turn-Around Time Standard <input type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		Deliverables <input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other		Billing Information <input checked="" type="checkbox"/> Same as Client Info PO #			
Client Information Client: JR Holzmacher Address: Phone: Fax: Email: ASEHolzmacher.com		Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input checked="" type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use NY Cat D <input type="checkbox"/> NYC Sewer Discharge		Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:					
These samples have been previously analyzed by Alpha <input checked="" type="checkbox"/> Other project specific requirements/comments:						ANALYSIS		Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below)	
Please specify Metals or TAL.						EPA 8260		Total Bottles	
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials				
		Date	Time						
26579, 11	MW-5D	6/19/19	1018	GW	2	X			
12	MW-9		1055		2	X			
13	MW-12		1254		2	X			
14	MW-14S		0947		2	X			
15	MW-14D		0926		2	X			
16	MW-14WT		0956		2	X			
17	DB-1		1110		2	X			
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									
52									
53									
54									
55									
56									
57									
58									
59									
60									
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83									
84									
85									
86									
87									
88									
89									
90									
91									
92									
93									
94									
95									
96									
97									
98									
99									
100									

Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019

Appendix B – Effluent Soil Vapor Analytical Laboratory Report



ANALYTICAL REPORT

Lab Number:	L1926703
Client:	J.R. Holzmacher P.E., LLC 3555 Veterans Memorial Highway Suite A Ronkonkoma, NY 11779
ATTN:	AJ Scheff
Phone:	(631) 234-2220
Project Name:	MINUTE MAN CLEANERS
Project Number:	MANID 16-01
Report Date:	06/26/19

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0141), DoD (L2474), FL (E87814), IL (200081), LA (85084), ME (MA00030), MD (350), NJ (MA015), NY (11627), NC (685), OH (CL106), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #P330-17-00150), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: MINUTE MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926703
Report Date: 06/26/19

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1926703-01	EFFLUENT	SOIL_VAPOR	89 OCEAN AVE	06/19/19 12:48	06/19/19

Project Name: MINUTE MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926703
Report Date: 06/26/19

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: MINUTE MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926703
Report Date: 06/26/19

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on June 17, 2019. The canister certification results are provided as an addendum.

L1926703-01: Prior to sample analysis, the canisters were pressurized with UHP Nitrogen due to canister size. The pressurization resulted in a dilution of the sample. The reporting limits have been elevated accordingly.

L1926703-01: The Acetone result should be considered estimated due to co-elution with a non-target peak.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 06/26/19

AIR

Project Name: MINUTE MAN CLEANERS**Project Number:** MANID 16-01**Lab Number:** L1926703**Report Date:** 06/26/19**SAMPLE RESULTS**

Lab ID: L1926703-01 D

Client ID: EFFLUENT

Sample Location: 89 OCEAN AVE

Date Collected: 06/19/19 12:48

Date Received: 06/19/19

Field Prep: Not Specified

Sample Depth:

Matrix: Soil_Vapor

Analytical Method: 48,TO-15

Analytical Date: 06/25/19 17:57

Analyst: RY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.434	0.420	--	2.15	2.08	--		2.099
Chloromethane	0.422	0.420	--	0.871	0.867	--		2.099
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	0.420	--	ND	2.94	--		2.099
Vinyl chloride	ND	0.420	--	ND	1.07	--		2.099
1,3-Butadiene	ND	0.420	--	ND	0.929	--		2.099
Bromomethane	ND	0.420	--	ND	1.63	--		2.099
Chloroethane	ND	0.420	--	ND	1.11	--		2.099
Ethyl Alcohol	29.3	10.5	--	55.2	19.8	--		2.099
Vinyl bromide	ND	0.420	--	ND	1.84	--		2.099
Acetone	2.63	2.10	--	6.25	4.99	--		2.099
Trichlorofluoromethane	ND	0.420	--	ND	2.36	--		2.099
iso-Propyl Alcohol	ND	1.05	--	ND	2.58	--		2.099
1,1-Dichloroethene	ND	0.420	--	ND	1.67	--		2.099
tert-Butyl Alcohol	ND	1.05	--	ND	3.18	--		2.099
Methylene chloride	3.57	1.05	--	12.4	3.65	--		2.099
3-Chloropropene	ND	0.420	--	ND	1.31	--		2.099
Carbon disulfide	ND	0.420	--	ND	1.31	--		2.099
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.420	--	ND	3.22	--		2.099
trans-1,2-Dichloroethene	ND	0.420	--	ND	1.67	--		2.099
1,1-Dichloroethane	ND	0.420	--	ND	1.70	--		2.099
Methyl tert butyl ether	ND	0.420	--	ND	1.51	--		2.099
2-Butanone	ND	1.05	--	ND	3.10	--		2.099
cis-1,2-Dichloroethene	ND	0.420	--	ND	1.67	--		2.099



Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19**SAMPLE RESULTS**

Lab ID: L1926703-01 D

Client ID: EFFLUENT

Sample Location: 89 OCEAN AVE

Date Collected: 06/19/19 12:48

Date Received: 06/19/19

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	ND	1.05	--	ND	3.78	--		2.099
Chloroform	ND	0.420	--	ND	2.05	--		2.099
Tetrahydrofuran	ND	1.05	--	ND	3.10	--		2.099
1,2-Dichloroethane	ND	0.420	--	ND	1.70	--		2.099
n-Hexane	1.36	0.420	--	4.79	1.48	--		2.099
1,1,1-Trichloroethane	ND	0.420	--	ND	2.29	--		2.099
Benzene	0.426	0.420	--	1.36	1.34	--		2.099
Carbon tetrachloride	ND	0.420	--	ND	2.64	--		2.099
Cyclohexane	0.634	0.420	--	2.18	1.45	--		2.099
1,2-Dichloropropane	ND	0.420	--	ND	1.94	--		2.099
Xylene (Total)	ND	0.420	--	ND	1.82	--		2.099
Bromodichloromethane	ND	0.420	--	ND	2.81	--		2.099
1,4-Dioxane	ND	0.420	--	ND	1.51	--		2.099
Trichloroethene	ND	0.420	--	ND	2.26	--		2.099
2,2,4-Trimethylpentane	1.17	0.420	--	5.46	1.96	--		2.099
Heptane	0.478	0.420	--	1.96	1.72	--		2.099
cis-1,3-Dichloropropene	ND	0.420	--	ND	1.91	--		2.099
4-Methyl-2-pentanone	ND	1.05	--	ND	4.30	--		2.099
trans-1,3-Dichloropropene	ND	0.420	--	ND	1.91	--		2.099
1,1,2-Trichloroethane	ND	0.420	--	ND	2.29	--		2.099
Toluene	2.05	0.420	--	7.73	1.58	--		2.099
1,2-Dichloroethene (total)	ND	0.420	--	ND	1.67	--		2.099
2-Hexanone	ND	0.420	--	ND	1.72	--		2.099
Dibromochloromethane	ND	0.420	--	ND	3.58	--		2.099
1,3-Dichloropropene, Total	ND	0.420	--	ND	1.91	--		2.099
1,2-Dibromoethane	ND	0.420	--	ND	3.23	--		2.099



Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19**SAMPLE RESULTS**

Lab ID: L1926703-01 D

Client ID: EFFLUENT

Sample Location: 89 OCEAN AVE

Date Collected: 06/19/19 12:48

Date Received: 06/19/19

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Tetrachloroethene	108	0.420	--	732	2.85	--		2.099
Chlorobenzene	ND	0.420	--	ND	1.93	--		2.099
Ethylbenzene	ND	0.420	--	ND	1.82	--		2.099
p/m-Xylene	ND	0.839	--	ND	3.64	--		2.099
Bromoform	ND	0.420	--	ND	4.34	--		2.099
Styrene	ND	0.420	--	ND	1.79	--		2.099
1,1,2,2-Tetrachloroethane	ND	0.420	--	ND	2.88	--		2.099
o-Xylene	ND	0.420	--	ND	1.82	--		2.099
4-Ethyltoluene	ND	0.420	--	ND	2.06	--		2.099
1,3,5-Trimethylbenzene	ND	0.420	--	ND	2.06	--		2.099
1,2,4-Trimethylbenzene	0.420	0.420	--	2.06	2.06	--		2.099
Benzyl chloride	ND	0.420	--	ND	2.17	--		2.099
1,3-Dichlorobenzene	ND	0.420	--	ND	2.53	--		2.099
1,4-Dichlorobenzene	ND	0.420	--	ND	2.53	--		2.099
1,2-Dichlorobenzene	ND	0.420	--	ND	2.53	--		2.099
1,2,4-Trichlorobenzene	ND	0.420	--	ND	3.12	--		2.099
Hexachlorobutadiene	ND	0.420	--	ND	4.48	--		2.099

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	104		60-140
Bromochloromethane	103		60-140
chlorobenzene-d5	100		60-140



Project Name: MINUTE MAN CLEANERS

Lab Number: L1926703

Project Number: MANID 16-01

Report Date: 06/26/19

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/25/19 15:38

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1252882-4								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethyl Alcohol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
iso-Propyl Alcohol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
tert-Butyl Alcohol	ND	0.500	--	ND	1.52	--		1



Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/25/19 15:38

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1252882-4								
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylene (Total)	ND	0.200	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Isopropyl Ether	ND	0.200	--	ND	0.836	--		1
Ethyl-Tert-Butyl-Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	0.200	--	ND	0.793	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,3-Dichloropropene, Total	ND	0.200	--	ND	0.908	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1



Project Name: MINUTE MAN CLEANERS

Lab Number: L1926703

Project Number: MANID 16-01

Report Date: 06/26/19

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/25/19 15:38

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1252882-4								
Cyclohexane	ND	0.200	--	ND	0.688	--		1
Tertiary-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl Acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1



Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/25/19 15:38

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1252882-4								
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane (C9)	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
o-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
p-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane (C10)	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1



Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/25/19 15:38

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01 Batch: WG1252882-4								
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane (C12)	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis

Batch Quality Control

Project Name: MINUTE MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926703

Report Date: 06/26/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1252882-3								
Chlorodifluoromethane	83		-		70-130	-		
Propylene	100		-		70-130	-		
Propane	84		-		70-130	-		
Dichlorodifluoromethane	92		-		70-130	-		
Chloromethane	90		-		70-130	-		
1,2-Dichloro-1,1,2,2-tetrafluoroethane	92		-		70-130	-		
Methanol	80		-		70-130	-		
Vinyl chloride	89		-		70-130	-		
1,3-Butadiene	93		-		70-130	-		
Butane	84		-		70-130	-		
Bromomethane	88		-		70-130	-		
Chloroethane	87		-		70-130	-		
Ethyl Alcohol	86		-		40-160	-		
Dichlorofluoromethane	83		-		70-130	-		
Vinyl bromide	89		-		70-130	-		
Acrolein	85		-		70-130	-		
Acetone	73		-		40-160	-		
Acetonitrile	83		-		70-130	-		
Trichlorofluoromethane	89		-		70-130	-		
iso-Propyl Alcohol	81		-		40-160	-		
Acrylonitrile	90		-		70-130	-		
Pentane	84		-		70-130	-		
Ethyl ether	87		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: MINUTE MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926703

Report Date: 06/26/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1252882-3								
1,1-Dichloroethene	91		-		70-130	-		
tert-Butyl Alcohol	85		-		70-130	-		
Methylene chloride	96		-		70-130	-		
3-Chloropropene	97		-		70-130	-		
Carbon disulfide	91		-		70-130	-		
1,1,2-Trichloro-1,2,2-Trifluoroethane	95		-		70-130	-		
trans-1,2-Dichloroethene	89		-		70-130	-		
1,1-Dichloroethane	91		-		70-130	-		
Methyl tert butyl ether	93		-		70-130	-		
Vinyl acetate	100		-		70-130	-		
2-Butanone	94		-		70-130	-		
cis-1,2-Dichloroethene	93		-		70-130	-		
Ethyl Acetate	101		-		70-130	-		
Chloroform	94		-		70-130	-		
Tetrahydrofuran	93		-		70-130	-		
2,2-Dichloropropane	82		-		70-130	-		
1,2-Dichloroethane	87		-		70-130	-		
n-Hexane	91		-		70-130	-		
Isopropyl Ether	84		-		70-130	-		
Ethyl-Tert-Butyl-Ether	84		-		70-130	-		
1,2-Dichloroethene (total)	92		-			-		
1,2-Dichloroethene (total)	92		-			-		
1,1,1-Trichloroethane	93		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: MINUTE MAN CLEANERS

Lab Number: L1926703

Project Number: MANID 16-01

Report Date: 06/26/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1252882-3								
1,1-Dichloropropene	89		-		70-130	-		
Benzene	90		-		70-130	-		
Carbon tetrachloride	100		-		70-130	-		
Cyclohexane	92		-		70-130	-		
Tertiary-Amyl Methyl Ether	84		-		70-130	-		
Dibromomethane	87		-		70-130	-		
1,2-Dichloropropane	92		-		70-130	-		
Bromodichloromethane	98		-		70-130	-		
1,4-Dioxane	92		-		70-130	-		
Trichloroethene	92		-		70-130	-		
2,2,4-Trimethylpentane	92		-		70-130	-		
Methyl Methacrylate	66		-		40-160	-		
Heptane	93		-		70-130	-		
cis-1,3-Dichloropropene	101		-		70-130	-		
4-Methyl-2-pentanone	95		-		70-130	-		
trans-1,3-Dichloropropene	86		-		70-130	-		
1,1,2-Trichloroethane	95		-		70-130	-		
Toluene	94		-		70-130	-		
1,3-Dichloropropane	89		-		70-130	-		
2-Hexanone	98		-		70-130	-		
Dibromochloromethane	110		-		70-130	-		
1,2-Dibromoethane	99		-		70-130	-		
Butyl Acetate	92		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: MINUTE MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926703

Report Date: 06/26/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1252882-3								
Octane	88		-		70-130	-		
Tetrachloroethene	98		-		70-130	-		
1,1,1,2-Tetrachloroethane	95		-		70-130	-		
Chlorobenzene	98		-		70-130	-		
Ethylbenzene	96		-		70-130	-		
p/m-Xylene	96		-		70-130	-		
Bromoform	117		-		70-130	-		
Styrene	97		-		70-130	-		
1,1,2,2-Tetrachloroethane	105		-		70-130	-		
o-Xylene	97		-		70-130	-		
1,2,3-Trichloropropane	93		-		70-130	-		
Nonane (C9)	90		-		70-130	-		
Isopropylbenzene	95		-		70-130	-		
Bromobenzene	92		-		70-130	-		
o-Chlorotoluene	89		-		70-130	-		
n-Propylbenzene	90		-		70-130	-		
p-Chlorotoluene	90		-		70-130	-		
4-Ethyltoluene	100		-		70-130	-		
1,3,5-Trimethylbenzene	98		-		70-130	-		
tert-Butylbenzene	94		-		70-130	-		
1,2,4-Trimethylbenzene	103		-		70-130	-		
Decane (C10)	92		-		70-130	-		
Benzyl chloride	117		-		70-130	-		

Lab Control Sample Analysis Batch Quality Control

Project Name: MINUTE MAN CLEANERS

Project Number: MANID 16-01

Lab Number: L1926703

Report Date: 06/26/19

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01 Batch: WG1252882-3								
1,3-Dichlorobenzene	106		-		70-130	-		
1,4-Dichlorobenzene	106		-		70-130	-		
sec-Butylbenzene	94		-		70-130	-		
p-Isopropyltoluene	87		-		70-130	-		
1,2-Dichlorobenzene	105		-		70-130	-		
n-Butylbenzene	98		-		70-130	-		
1,2-Dibromo-3-chloropropane	100		-		70-130	-		
Undecane	91		-		70-130	-		
Dodecane (C12)	95		-		70-130	-		
1,2,4-Trichlorobenzene	104		-		70-130	-		
Naphthalene	91		-		70-130	-		
1,2,3-Trichlorobenzene	97		-		70-130	-		
Hexachlorobutadiene	109		-		70-130	-		

Project Name: MINUTE MAN CLEANERS

Serial_No:06261916:17
Lab Number: L1926703

Project Number: MANID 16-01

Report Date: 06/26/19

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L1926703-01	EFFLUENT	0336	Flow 1	06/17/19	294386		-	-	-	Pass	83	98	17
L1926703-01	EFFLUENT	818	1.0L Can	06/17/19	294386	L1923334-02	Pass	-29.0	-1.0	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1923334
Report Date: 06/26/19

Air Canister Certification Results

Lab ID: L1923334-02
Client ID: CAN 2401 SHELF 17
Sample Location:

Date Collected: 06/03/19 09:00
Date Received: 06/03/19
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15
Analytical Date: 06/03/19 20:01
Analyst: TS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1923334
Report Date: 06/26/19

Air Canister Certification Results

Lab ID: L1923334-02
Client ID: CAN 2401 SHELF 17
Sample Location:

Date Collected: 06/03/19 09:00
Date Received: 06/03/19
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1923334
Report Date: 06/26/19

Air Canister Certification Results

Lab ID: L1923334-02
Client ID: CAN 2401 SHELF 17
Sample Location:

Date Collected: 06/03/19 09:00
Date Received: 06/03/19
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1923334**Project Number:** CANISTER QC BAT**Report Date:** 06/26/19**Air Canister Certification Results**

Lab ID: L1923334-02

Date Collected: 06/03/19 09:00

Client ID: CAN 2401 SHELF 17

Date Received: 06/03/19

Sample Location:

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1923334**Project Number:** CANISTER QC BAT**Report Date:** 06/26/19**Air Canister Certification Results**

Lab ID: L1923334-02

Date Collected: 06/03/19 09:00

Client ID: CAN 2401 SHELF 17

Date Received: 06/03/19

Sample Location:

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	102		60-140
Bromochloromethane	106		60-140
chlorobenzene-d5	108		60-140

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1923334
Report Date: 06/26/19

Air Canister Certification Results

Lab ID: L1923334-02
Client ID: CAN 2401 SHELF 17
Sample Location:

Date Collected: 06/03/19 09:00
Date Received: 06/03/19
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15-SIM
Analytical Date: 06/03/19 20:01
Analyst: TS

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1923334
Report Date: 06/26/19

Air Canister Certification Results

Lab ID: L1923334-02
Client ID: CAN 2401 SHELF 17
Sample Location:

Date Collected: 06/03/19 09:00
Date Received: 06/03/19
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.050	--	ND	0.188	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1923334
Report Date: 06/26/19

Air Canister Certification Results

Lab ID: L1923334-02
Client ID: CAN 2401 SHELF 17
Sample Location:

Date Collected: 06/03/19 09:00
Date Received: 06/03/19
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	99		60-140
chlorobenzene-d5	105		60-140

Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information**Cooler** **Custody Seal**

NA Absent

Container Information**Container ID** **Container Type**

L1926703-01A Canister - 1 Liter

Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
NA	NA			Y	Absent		TO15-LL(30)

Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
	Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

Report Format: Data Usability Report

Project Name: MINUTE MAN CLEANERS**Lab Number:** L1926703**Project Number:** MANID 16-01**Report Date:** 06/26/19

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: Data Usability Report



Project Name: MINUTE MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926703
Report Date: 06/26/19

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 12

Published Date: 10/9/2018 4:58:19 PM

Page 1 of 1

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility**EPA 624/624.1:** m/p-xylene, o-xylene**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**EPA 6860:** SCM: Perchlorate**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

CHAIN OF CUSTODY

PAGE 1 OF 1

Client Information

Client: JA Holzracher
Address: 7555 Veterans Hwy Suite A
Bunkanville, CA 94924
Phone: 671 234 2220
Fax: 671 234 2221
Email: AJ@Holzracher.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: ☐

Project Information

Project Name:	Min Man (cleaner)	<input type="checkbox"/>
Project Location:	89 Ocean Ave E. Rockaway	<input checked="" type="checkbox"/>
Project #:	Man 10/6-01	<input type="checkbox"/>
Project Manager:	AJ Schett	<input type="checkbox"/>
ALPHA Quote #:		<input type="checkbox"/>

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due:

Time:

Report Information - Data Deliverables

☐ FAX
☒ MODE

Criteria Checker: _____
(Default based on Regulatory Criteria Indicated)

Other Formats:

☐ EMAIL (standard pdf report)

☐ Additional Deliverables:

Report to: (if different than Project Manager)

ALPHA Job #: 61926703

Billing Information

☒ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed

Program

Res / Comm

ANALYSIS

TO-15
TO-15 SIM
APH Substrate Non-petroleum HCs
Fixed Gases
Sulfides & ☐

Sample Comments (i.e. PID)

All Columns Below Must Be Filled Out

[illegible]

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type

Relinquished By:

Date/Time

Received By:

Date/Time:

Form No: 101-02 Rev. (25-Sep-15)

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019


Appendix C – Tide Chart: Monitoring Well Samples

Minute Man Cleaners
89 Ocean Ave
East Rockaway, NY
Site #C130157


APPENDIX C
Tide Chart: Monitoring Well Samples

Monitoring Well	12/24/18	Time	06/19/19	Time
MW-1S	-0.3 ft	14:59	2.0 ft	13:54
MW-1D	-0.2 ft	14:41	2.1 ft	13:39
MW-2S	0.2 ft	14:21	2.3 ft	13:24
MW-2D	0.5 ft	13:56	2.5 ft	13:09
MW-3S	1.5 ft	12:51	3.2 ft	12:10
MW-3D	2.5 ft	12:26	3.5 ft	11:55
MW-4S	2.9 ft	12:01	3.6 ft	11:40
MW-4D	3.2 ft	11:44	3.7 ft	11:25
MW-5S	4.3 ft	10:41	3.8 ft	10:33
MW-5D	4.7 ft	10:21	3.6 ft	10:18
MW-9	4.0 ft	11:01	3.8 ft	10:55
MW-12	1.3 ft	13:21	2.7 ft	12:54
MW-14S	4.9 ft	8:53	3.4 ft	9:41
MW-14D	4.9 ft	9:41	3.3 ft	9:26
MW-14WT	4.8 ft	10:01	3.6 ft	9:56
DB-1	3.8 ft	11:24	3.7 ft	11:10

12/26/18



06/19/19



Semi-Annual Sampling Report
NYSDEC Site Number: C130157
Minute Man Cleaners
89 Ocean Avenue
East Rockaway, Nassau County, New York 11518
August 2, 2019

Appendix D - Data Usability Summary Report – DUSR Data Validation Summary

**DATA USABILITY SUMMARY REPORT – DUSR
DATA VALIDATION SUMMARY**

VOLATILES BY GC/MS METHOD 8260C

**For Groundwater Samples Collected
June 19, 2019**

Minuteman Cleaners

From 89 Ocean Avenue, East Rockaway, New York

Collected by J.R. Holzmacher P.E., LLC

Project # ManID 16-01

SAMPLE DELIVERY GROUP NUMBER:

L1926579

ALPHA ANALYTICAL - (ELAP #11148)

SUBMITTED TO:

**Ms. Patricia Zalak
J.R. Holzmacher P.E., LLC
3555 Veterans Memorial Highway, Suite A
Ronkonkoma, NY 11779**

July 13, 2019

PREPARED BY:

**Lori A. Beyer/President
L.A.B. Validation Corp.
14 West Point Drive
East Northport, NY 11731**

Lori A. Beyer

Minuteman Cleaners; 89 Ocean Avenue, East Rockaway, New York – Data Usability Summary Report (Data Validation): June 2019 Groundwater Sampling Event; - Volatiles by SW846 Method 8260C.

Table of Contents:

	Introduction
	Data Qualifier Definitions
	Sample Receipt
1.0	Volatile Organics by GC/MS SW846 Method 8260C
1.1	Holding Time
1.2	System Monitoring Compound (Surrogate) Recovery
1.3	Matrix Spikes (MS), Matrix Spike Duplicates (MSD)
1.4	Laboratory Control Sample/Blank Spikes
1.5	Blank Contamination
1.6	GC/MS Instrument Performance Check (Tuning)
1.7	Initial and Continuing Calibrations
1.8	Internal Standards
1.9	Field Duplicates
1.10	Target Compound List Identification
1.11	Compound Quantification and Reported Detection Limits
1.12	Overall System Performance

APPENDICES:

- A. Chain of Custody Documents
- B. Case Narrative
- C. Validated Form I's with Qualifications

Introduction:

A validation was performed on groundwater samples and the associated quality control sample (Trip Blank) for organic analysis for samples collected under chain of custody documentation by J.R. Holzmacher and submitted to Alpha Analytical for subsequent analysis. This report contains the laboratory and validation results for the field samples itemized below. Analysis was performed in accordance with requested tests per the chain of custody documents by Alpha, utilizing SW846 Methods for the associated analytical methodologies employed. The analytical testing for groundwater samples consisted of Volatile Organics by 5030C/8260C.

The data was evaluated in accordance with EPA Region II National Functional Guidelines for Organic Data Review and EPA Region II SOPs for 8260 and in conjunction with the analytical methodologies for which the samples were analyzed, where applicable and relevant.

Sample ID	Lab ID	Matrix	Date Collected/Date Received
Trip Blank	L1926579-01	Aqueous	06/19/2019
MW-1S	L1926579-02	Groundwater	06/19/2019
MW-1D	L1926579-03	Groundwater	06/19/2019
MW-2S	L1926579-04	Groundwater	06/19/2019
MW-2D	L1926579-05	Groundwater	06/19/2019

MW-3S	L1926579-06	Groundwater	06/19/2019
MW-3D	L1926579-07	Groundwater	06/19/2019
MW-4S	L1926579-08	Groundwater	06/19/2019
MW-4D	L1926579-09	Groundwater	06/19/2019
MW-5S	L1926579-10	Groundwater	06/19/2019
MW-5D	L1926579-11	Groundwater	06/19/2019
MW-9	L1926579-12	Groundwater	06/19/2019
MW-12	L1926579-13	Groundwater	06/19/2019
MW-14S	L1926579-14	Groundwater	06/19/2019
MW-14D	L1926579-15	Groundwater	06/19/2019
MW14WT	L1926579-16	Groundwater	06/19/2019
DB-1	L1926579-17	Groundwater	06/19/2019

Data Qualifier Definitions:

The following definitions provide brief explanations of the qualifiers assigned to results in the data review process.

- U** - The analyte was analyzed for but was not detected above the reported sample quantitation limit.
- J** - The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ** - The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
- R** - The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control (QC) criteria. The analyte may or may not be present in the sample.
- N** - The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."
- NJ** - The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate quantity.
- J+** - The result is an estimated quantity, but the result may be biased high. (Equis qualified, JK)
- J-** - The result is an estimated quantity, but the result may be biased low. (Equis qualified, JL)
- D** - Analyte concentration is from diluted analysis.

Sample Receipt:

The Chain of Custody document indicates that the samples were received at Alpha Analytical via laboratory courier upon completion of the sampling event on June 19, 2019. Sample login notes were generated. The cooler temperature for the aqueous sample receipts were recorded upon receipt at Alpha and determined to be acceptable (<6.0 degrees C) for the sample cooler. The actual temperature of 3.8 degrees C is recorded on the sample receipt checklist provided in Appendix B of this report.

No unresolved problems and/or discrepancies were noted, consequently, the integrity of the groundwater samples has been assumed to be good.

The Form I's and EQUIS deliverables include all usable (qualified) and unusable (rejected) results for the samples identified above. The validated spreadsheets and Form I's summarize the detailed narrative section of the report.

NOTE:

L.A.B. Validation Corp. believes it is appropriate to note that the data validation criteria utilized for data evaluation is different than the method requirements utilized by the laboratory. Qualified data does not necessarily mean that the laboratory was non-compliant in the analysis that was performed.

1.0 Volatile Organics by GC/MS SW846 Method 8260C

The following method criteria were reviewed: holding times, SMCs, MS, MSD, LCS, Laboratory Spiked Blanks, Method Blanks, Tunes, Calibrations, Internal Standards, Target Component Identification, Quantitation, Reported Quantitation Limits and Overall System Performance. The Volatile results are valid and usable except for 1,4-Dioxane and Acrylonitrile non-detects in all samples which were rejected, "R" due to low calibration response as noted within the following text:

1.1 Holding Time

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the technical holding time is exceeded, the data may not be considered valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimates, "J". The non-detects (sample quantitation limits) are required to be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

Samples pertaining to this SDG were performed within the Method required holding times as well as the technical holding times for data validation of 14 days from collection to analysis for HCL preserved vials. No data validation qualifiers were required based upon holding time.

1.2 System Monitoring Compound (Surrogate) Recovery

All samples are spiked with surrogate compounds prior to sample analysis to evaluate overall laboratory performance and efficiency of the analytical technique. If the measure of surrogate concentrations is outside contract specification, qualifications are required to be applied to associated samples and analytes.

Surrogate recoveries (%R) for Dibromofluoromethane, 1,2-Dichloroethane-d4, Toluene-d8 and 4-Bromofluorobenzene were found to be within acceptable limits for surrogate compounds for all analyses pertaining to this SDG.

1.3 Matrix Spikes (MS)/ Matrix Spike Duplicates (MSD)

The MS/MSD data are generated to determine the long-term precision and accuracy of the analytical method in various matrices and to demonstrate acceptable compound recovery by the laboratory at the time of sample analysis. The MS/MSD may be used in conjunction with other QC criteria for additional qualification of data.

LCS/LCS Duplicate was performed in lieu of MS/MSD.

The National Functional Guidelines and EPA Region 2 SOPs state that "No qualifications to the data is necessary based on MS data alone."

1.4 Laboratory Control Sample/Blank Spikes

The LCS data for laboratory control samples (LCS) are generated to provide information on the accuracy of the analytical method and on the laboratory performance.

LCS/LCS Duplicates were analyzed for each sequence. Recovery values were acceptable for all spiked analytes except for 1,4-Dioxane which recovered high (200%) in the LCS associated with diluted analysis of MW-5S and MW-1S. High recovery is a result of low calibration response. 1,4-Dioxane has been rejected, "R" in all samples due to low response factor (see Section 1.7 of this report). RPD for 1,4-Dioxane

(42%) and Bromomethane (68%) fell outside limits in this LCS/LCS Duplicate analysis. No qualifiers are required since associated diluted reanalysis was only required for Tetrachloroethene.

1.5 Blank Contamination

Quality assurance (QA) blanks; i.e. method, trip and field blanks are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Trip blanks measure cross-contamination of samples during shipment. Field blanks measure cross-contamination of samples during field operations.

The following table was utilized to qualify target analyte results due to contamination. The largest value from all the associated blanks is required to be utilized:

Blank Type	Blank Result	Sample Result	Action for Samples
Method, Storage, field, Trip, Instrument	Detects	Not Detected	No qualification required
	<CRQL*	<CRQL*	Report CRQL value with a U
		>= CRQL* and <2x the CRQL**	No qualification required
	>CRQL*	<= CRQL*	Report CRQL value with a U
		>=CRQL* and <= blank concentration	Report blank value for sample concentration with a U
		>= CRQL* and > blank concentration	No qualification required
	=CRQL*	<= CRQL*	Report CRQL value with a U
		>CRQL*	No qualification required
	Gross Contamination**	Detects	Report blank value for sample concentration with a U

*2x the CRQL for methylene chloride, 2-butanone and acetone.

**4x the CRQL for methylene chloride, 2-butanone, and acetone

***Qualifications based on instrument blank results affect only the sample analyzed immediately after the sample that has target compounds that exceed the calibration range or non-target compounds that exceed 100 ug/L.

Below is a summary of the compounds in the sample and the associated qualifications that have been applied:

- A) **Method Blank Contamination:**
No target analytes were detected in the method blanks associated sample analysis.
- B) **Field Blank Contamination:**
Field Blank was not submitted for Volatile analysis.

- C) **Trip Blank Contamination:**
No target analytes were detected in the Trip Blank.

1.6 GC/MS Instrument Performance Check

Tuning and performance criteria are established to ensure adequate mass resolution, proper identification of compounds and to some degree, sufficient instrument sensitivity. These criteria are not sample specific. Instrument performance is determined using standard materials. Therefore, these criteria should be met in all circumstances. The Tuning standard for volatile organics is Bromofluorobenzene (BFB).

Instrument performance was generated within acceptable limits and frequency for Bromofluorobenzene (BFB) for all analyses conducted for this SDG.

1.7 Initial and Continuing Calibrations

Satisfactory instrument calibration is established to ensure that the instrument can produce acceptable quantitative data. An initial calibration demonstrates that the instrument can give acceptable performance at the beginning of an experimental sequence.

The continuing calibration checks document that the instrument is giving satisfactory daily performance. Initial calibration verification met acceptance criteria.

- A) **Response Factor GC/MS:**
The response factor measures the instrument's response to specific chemical compounds. The response factor for all compounds must be ≥ 0.05 in both initial and continuing calibrations. A value < 0.05 indicates a serious detection and quantitation problem (poor sensitivity). Analytes detected in the sample will be qualified as estimated, "J". All non-detects for that compound in the corresponding samples will be rejected, "R". Method 8260C allows for a minimum response factor of 0.1 for Acetone and 2-Butanone. Validation criteria allows response factor to be ≥ 0.01 for poor responders (Acetone, MEK, Carbon Disulfide, Chloroethane, Chloromethane, Cyclohexane, 1,2-Dibromoethane, Dichlorodifluoromethane, cis-1,2-Dichloroethene, 1,2-Dichloropropane, 1,2-Dibromo-3-chloropropane, Isopropylbenzene, Methyl Acetate, Methylene Chloride, Methylcyclohexane, MTBE, trans-1,2-

Dichloroethene, 4-Methyl-2-Pentanone, 2-Hexanone,
Trichlorofluoromethane, 1,1,2-Trichloro-1,2,2-Trifluoroethane.

All the response factors for the target analytes reported were found to be within acceptable limits (≥ 0.05) and (≥ 0.01 for poor responders) and minimum response criteria in Table 4 of Method 8260C, for the initial and continuing calibrations for all reported analytes except for 1,4-Dioxane (0.001) associated with all initial and continuing calibrations. Non-detects for this compound in all samples have been rejected, "R." Acrylonitrile (0.041) has also been rejected, "R" in all samples due to low response.

B) Percent Relative Standard Deviation (%RSD) and Percent Difference (%D):

Percent RSD is calculated from the initial calibration and is used to indicate the stability of the specific compound response factor over increasing concentrations. Percent D compares the response factor of the continuing calibration check to the mean response factor (RRF) from the initial calibration. Percent D is a measure of the instrument's daily performance. Percent RSD must be $<20\%$ and %D must be $<20\%$. A value outside of these limits indicates potential detection and quantitation errors. For these reasons, all positive results are flagged as estimated, "J" and non-detects are flagged "UJ". If %RSD and %D grossly exceed QC criteria, non-detect data may be qualified, "R", unusable. Additionally, in cases where the %RSD is $>20\%$ and eliminating either the high or the low point of the curve does not restore the %RSD to less than or equal to 20% then positive results are qualified, "J". In cases where removal of either the low or high point restores the linearity, then only low or high-level results will be qualified, "J" in the portion of the curve where non-linearity exists. Closing CCV must meet 30% criteria. Poor responders must be $\leq 40\%$. Analytes detected in the sample will be qualified as estimated, "J+" (biased high). All non-detects for that compound in the corresponding samples will be rejected, "R". Method 8260C allows for a minimum response factor of 0.1 for Acetone and 2-Butanone. Validation criteria allows an RRF of >0.010 without qualifications for these analytes.

*Method 8260C allows for several analytes to be outside requirements due to the large number of compounds.

Initial Calibrations: The initial calibrations provided and the %RSD were within acceptable limits (20%) and (40% for poor responders) for all reported compounds.

Continuing Calibrations: The continuing calibrations provided and the %D was within acceptable limits (20%) and (40% for poor responders) for all reported compounds except for 2,2-Dichloropropane (24.6%). Non-detects in all samples have been qualified, "UJ."

1.8 Internal Standards

Internal Standards (IS) performance criteria ensure that the GC/MS sensitivity and response are stable during every experimental run. The internal standard area count must not vary by more than a factor of 2 (-50% to +100%) from the associated continuing calibration standard. The retention time of the internal standard must not vary more than +/- 30 seconds from the associated continuing calibration standard. If the area count is outside the (-50% to +100%) range of the associated standard, all the positive results for compounds quantitated using that IS are qualified as estimated, "J", and all non-detects as "UJ", or "R" if there is a severe loss of sensitivity.

If an internal standard retention time varies by more than 30 seconds, professional judgment will be used to determine either partial or total rejection of the data for that sample fraction.

All samples were spiked with the internal standards Fluorobenzene, Chlorobenzene-d5 and 1,4-Dichlorobenzene-d4 prior to sample analysis. The area responses and retention time of each internal standard met QC criteria in all samples associated with this SDG.

1.9 Field Duplicates

Field duplicate samples are collected and analyzed as an indication of overall precision. These results are expected to have more variability than laboratory duplicate samples.

An acceptable RPD is 50% as documented in EPA Region 2 SOP HW33. Professional judgment is utilized for analytes that demonstrate high percent difference.

A Field duplicate was not collected for this sampling event.

1.10 Target Compound List Identification

TCL compounds are identified on the GC/MS by using the analyte's relative retention time (RRT) and by comparison to the ion spectra obtained from known standards. For the results to be a positive hit, the sample peak must be within ± 0.06 RRT units of the standard compound and have an ion spectrum which has a ratio of the primary

and secondary m/e intensities within 20% of that in the standard compound.

GC/MS spectra met the qualitative criteria for identification. All retention times were within required specifications.

1.11 Compound Quantification and Reported Detection Limits

GC/MS quantitative analysis is acceptable. Correct internal standards per SW846, response factors were used to calculate final concentrations.

As required, the laboratory reported "J" values between the reporting limits (RL) and Method Detection Limits (MDLs). This is consistent with common laboratory practices and a requirement of the National Environmental Laboratory Approval Program (NELAP).

All samples were all analyzed undiluted at 10mls except for MW-5S (1:2.5) and DB-1 (1:2). Diluted reanalysis was required for MW-1S (1:5) and MW-5S (1:10) in order to obtain raw Tetrachloroethene concentrations were within the upper half of the linear calibration range. Initial results, qualified, "E" over range by the laboratory have been rejected, "R" and diluted values qualified, "D" to assist the end user which concentration must be utilized for decision purposes. Dilutions have determined to be acceptable. There is potential that some lower level hits were lost in the initial dilution of MW-5S and DB-1.

1.12 Overall System Performance

Good resolution and chromatographic performance were observed. Method blanks were not analyzed after high concentration samples.

Reviewer's Signature *Sou A. Bayn* Date 07/13/2019

**Appendix A
Chain of Custody
Documents**



NEW YORK
CHAIN OF
CUSTODY

Westborough, MA 01581
320 Forbes Blvd
TEL: 508-698-8220
FAX: 508-698-8193

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page
1 of 2

Date Rec'd
in Lab 6/20/19

ALPHA Job #
6026579

Project Name: Min Man Cland
Project Location: 89 Ocean Ave E, Rockaway NY
Project # 601D 16-01

Project Information

Deliverables

Billing Information

Client: J.R. Hokenauer
Address: 3555 Veterans Hwy
Rockaway, NY 11764
Phone: 631 234 2220
Fax: 631 234 2221
Email: J.R.Hokenauer.com

Project Manager:

ALPHA Quote #:

Turn-Around Time

Standard ☒ Rush (only if pre approved) ☐

Due Date:

of Days:

Regulatory Requirement:

NY TOGS ☐ NY Part 375 ☐
AWQ Standards ☐ NY CP-51 ☐
NY Restricted Use ☒ Other ☒
NY Unrestricted Use ☒
NYC Sewer Discharge ☒

Same as Client Info ☒
PO #

Client Information

Disposal Site Information

Please identify below location of applicable disposal facilities.

Disposal Facility:

NY ☐ Other ☒

Sample Filtration

Done ☐
Lab to do ☐
Preservation ☐
Lab to do ☐

(Please Specify below)

Sample Specific Comments

ANALYSIS

These samples have been previously analyzed by Alpha ☒

Other project specific requirements/comments:

Please specify Metals or TAL.

Sample ID

Collection Date

Time

Sample Matrix

Sampler's Initials

Container Type

Preservative

Date/Time

Relinquished By:

Date/Time

Received By:

Date/Time

Westboro: Certification No: MA935

Mansfield: Certification No: MA015

Preservative Code:

A = None
B = HCl
C = HNO₃
D = H₂SO₄
E = NaOH
F = MeOH
G = NaHSO₄
H = Na₂S₂O₃
K/E = Zn Ac/NaOH
O = Other

Container Code

P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Form No: 01-25 HC (rev. 30-Sept-2013)

NEW YORK CHAIN OF CUSTODY

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page

2 of 2

ALPHA Job # 1026579
Date Rec'd In Lab 6/20/19

Billing Information

Same as Client Info
PO #

Deliverables

ASP-A ☐ ASP-B ☐
EQUIS (1 File) ☐ EQUIS (4 File) ☐
Other ☐

Disposal Site Information

Please identify below location of applicable disposal facilities.

Disposal Facility: ☐ NJ ☐ NY ☐ Other: ☐

Regulatory Requirement

NY TOGS ☐ NY Part 375 ☐
AWQ Standards ☐ NY CP-51 ☐
NY Restricted Use ☐ Other: ☒ Cat B
NY Unrestricted Use ☐
NYC Sewer Discharge ☐

ANALYSIS

Sample Filtration
☐ Done
☐ Lab to do
☐ Preservation
☐ Lab to do
(Please Specify below)
Sample Specific Comments

Please specify Metals or TAL

These samples have been previously analyzed by Alpha ☒

Other project specific requirements/comments:

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
2657A	MW-5P	6/19/19	10:18	GW	2
12	MW-9	6/19/19	10:55		2
13	MW-12	6/19/19	12:54		2
14	MW-14S	6/19/19	09:41		2
15	MW-14D	6/19/19	09:26		2
16	MW-14WT	6/19/19	09:56		2
17	PD-1	6/19/19	11:10		2
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Preservative Code:
A = None
B = HCl
C = HNO₃
D = H₂SO₄
E = NaOH
F = MeOH
G = NaHSO₄
H = Na₂S₂O₃
KIE = Zn AcNaOH
O = Other

Container Code:
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Relinquished By: *[Signature]* Date/Time: 6/19/19 14:05
Received By: *[Signature]* Date/Time: 6/19/19 20:10
Date/Time: 6/20/19 00:15



Sample Delivery Group Summary

Alpha Job Number : L1926579

Received : 19-JUN-2019

Reviewer : Richard Scott

Account Name : J.R. Holzmacher P.E., LLC

Project Number : MANID 16-01

Project Name : MIN MAN CLEANERS

Delivery Information

Samples Delivered By : Alpha Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
A	Absent/	Ice	3.8	

Condition Information

- | | |
|---|-----|
| 1) All samples on COC received? | YES |
| 2) Extra samples received? | NO |
| 3) Are there any sample container discrepancies? | NO |
| 4) Are there any discrepancies between sample labels & COC?
L1926579-02: 19-JUN-19 13:39 vs. 19-JUN-19 13:54
L1926579-03: 19-JUN-19 13:54 vs. 19-JUN-19 13:39 | YES |
| 5) Are samples in appropriate containers for requested analysis? | YES |
| 6) Are samples properly preserved for requested analysis? | YES |
| 7) Are samples within holding time for requested analysis? | YES |
| 8) All sampling equipment returned? | NA |

Volatile Organics/VPH

- | | |
|--|----|
| 1) Reagent Water Vials Frozen by Client? | NO |
|--|----|

Appendix B
Case Narrative

Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

John
7/1/19



Project Name: MIN MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926579
Report Date: 07/01/19

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt


L1926579-02: The collection date and time on the chain of custody was 19-JUN-19 13:39; however, the collection date/time on the container label was 19-JUN-19 13:54. At the client's request, the collection date/time is reported as 19-JUN-19 13:54.

L1926579-03: The collection date and time on the chain of custody was 19-JUN-19 13:54; however, the collection date/time on the container label was 19-JUN-19 13:39. At the client's request, the collection date/time is reported as 19-JUN-19 13:39.

805711119

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Report Date: 07/01/19

Title: Technical Director/Representative



Appendix C
Validated Form I's
With Qualifications

Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-01
 Client ID : TRIP BLANK
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N05
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 00:00
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 19:43
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-01
 Client ID : TRIP BLANK
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N05
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 00:00
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 19:43
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-01
 Client ID : TRIP BLANK
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N05
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 00:00
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 19:43
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-01
 Client ID : TRIP BLANK
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N05
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 00:00
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 19:43
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-02
 Client ID : MW-1S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N06
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:54
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:11
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	270	0.50	0.18	E R
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	0.39	1.0	0.07	J


 for 7/11/19

Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-02
 Client ID : MW-1S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N06
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:54
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:11
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	0.24	0.50	0.17	J
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	18	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	1.0	2.5	0.70	J
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	7.2	2.5	0.70	
540-59-0	1,2-Dichloroethene, Total	7.2	2.5	0.70	
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U <i>NR</i>
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-02
 Client ID : MW-1S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N06
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:54
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:11
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

807/11/19


Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-02
 Client ID : MW-1S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N06
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:54
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:11
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-02D
 Client ID : MW-1S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190629A16
 Sample Amount : 2 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:54
 Date Received : 06/19/19
 Date Analyzed : 06/29/19 14:29
 Dilution Factor : 5
 Analyst : KJD
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
127-18-4	Tetrachloroethene	210	2.5	0.90	D

for
7/11/19


Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-03
 Client ID : MW-1D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N07
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:39
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:38
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	80	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-03
 Client ID : MW-1D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N07
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:39
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:38
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	2.5	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	1.5	2.5	0.70	J
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-03
 Client ID : MW-1D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N07
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:39
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:38
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-03
 Client ID : MW-1D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N07
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:39
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 20:38
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-04
 Client ID : MW-2S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N08
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:24
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 21:06
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	1.3	2.5	0.70	J
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	1.9	0.50	0.15	
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	57	0.50	0.18	
106-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	1.5	0.50	0.19	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	1.1	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-04
 Client ID : MW-2S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N08
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:24
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 21:06
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	3.1	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	1.7	2.5	0.70	J
540-59-0	1,2-Dichloroethene, Total	1.7	2.5	0.70	J
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U - R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
Project Name : MIN MAN CLEANERS
Lab ID : L1926579-04
Client ID : MW-2S
Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
Sample Matrix : WATER
Analytical Method : 1,8260C
Lab File ID : V22190627N08
Sample Amount : 10 ml
Level : LOW
Extract Volume (MeOH) : N/A

Lab Number : L1926579
Project Number : MANID 16-01
Date Collected : 06/19/19 13:24
Date Received : 06/19/19
Date Analyzed : 06/27/19 21:06
Dilution Factor : 1
Analyst : MKS
Instrument ID : VOA122
GC Column : RTX-502.2
%Solids : N/A
Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

06/27/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-04
 Client ID : MW-2S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N08
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:24
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 21:06
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-05
 Client ID : MW-2D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N09
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:09
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 21:34
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	0.70	2.5	0.70	J
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	0.82	0.50	0.15	
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	58	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	0.61	0.50	0.19	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	0.67	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-05
 Client ID : MW-2D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N09
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:09
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 21:34
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	1.5	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for
7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-05
 Client ID : MW-2D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N09
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 13:09
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 21:34
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

Results Summary
Form 1
Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
Project Name : MIN MAN CLEANERS
Lab ID : L1926579-05
Client ID : MW-2D
Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
Sample Matrix : WATER
Analytical Method : 1,8260C
Lab File ID : V22190627N09
Sample Amount : 10 ml
Level : LOW
Extract Volume (MeOH) : N/A

Lab Number : L1926579
Project Number : MANID 16-01
Date Collected : 06/19/19 13:09
Date Received : 06/19/19
Date Analyzed : 06/27/19 21:34
Dilution Factor : 1
Analyst : MKS
Instrument ID : VOA122
GC Column : RTX-502.2
%Solids : N/A
Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-06
 Client ID : MW-3S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N10
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:10
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:02
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	26	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-06
 Client ID : MW-3S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N10
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:10
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:02
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	0.96	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U-R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

805
7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-06
 Client ID : MW-3S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N10
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:10
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:02
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	Results	ug/L		Qualifier
			RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U <i>UJ</i>
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U <i>R</i>
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-06
 Client ID : MW-3S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N10
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:10
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:02
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-07
 Client ID : MW-3D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N11
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:55
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:30
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	0.58	0.50	0.15	
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	57	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	0.30	0.50	0.19	J
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-07
 Client ID : MW-3D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N11
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:55
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:30
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	2.6	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	1.5	2.5	0.70	J
540-59-0	1,2-Dichloroethene, Total	1.5	2.5	0.70	J
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U-R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U



 8/5/19

Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-07
 Client ID : MW-3D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N11
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:55
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:30
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

10/7/19



Results Summary
Form 1
Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
Project Name : MIN MAN CLEANERS
Lab ID : L1926579-07
Client ID : MW-3D
Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
Sample Matrix : WATER
Analytical Method : 1,8260C
Lab File ID : V22190627N11
Sample Amount : 10 ml
Level : LOW
Extract Volume (MeOH) : N/A

Lab Number : L1926579
Project Number : MANID 16-01
Date Collected : 06/19/19 11:55
Date Received : 06/19/19
Date Analyzed : 06/27/19 22:30
Dilution Factor : 1
Analyst : MKS
Instrument ID : VOA122
GC Column : RTX-502.2
%Solids : N/A
Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-08
 Client ID : MW-4S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N12
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:40
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:58
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	130	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-08
 Client ID : MW-4S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N12
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:40
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:58
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	4.1	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	2.0	2.5	0.70	J
540-59-0	1,2-Dichloroethene, Total	2.0	2.5	0.70	J
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U-R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for
7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-08
 Client ID : MW-4S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N12
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:40
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:58
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U -R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

805
7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-08
 Client ID : MW-4S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N12
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:40
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 22:58
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-09
 Client ID : MW-4D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N13
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:25
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:26
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	0.35	0.50	0.15	J
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	100	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	0.32	0.50	0.19	J
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-09
 Client ID : MW-4D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N13
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:25
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:26
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	2.5	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	0.78	2.5	0.70	J
540-59-0	1,2-Dichloroethene, Total	0.78	2.5	0.70	J
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U <i>R</i>
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-09
 Client ID : MW-4D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N13
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:25
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:26
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U TR
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

06/27/19



Results Summary
Form 1
Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
Project Name : MIN MAN CLEANERS
Lab ID : L1926579-09
Client ID : MW-4D
Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
Sample Matrix : WATER
Analytical Method : 1,8260C
Lab File ID : V22190627N13
Sample Amount : 10 ml
Level : LOW
Extract Volume (MeOH) : N/A

Lab Number : L1926579
Project Number : MANID 16-01
Date Collected : 06/19/19 11:25
Date Received : 06/19/19
Date Analyzed : 06/27/19 23:26
Dilution Factor : 1
Analyst : MKS
Instrument ID : VOA122
GC Column : RTX-502.2
%Solids : N/A
Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-10D
 Client ID : MW-5S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N14
 Sample Amount : 4 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:33
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:54
 Dilution Factor : 2.5
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	6.2	1.8	U
75-34-3	1,1-Dichloroethane	ND	6.2	1.8	U
67-66-3	Chloroform	ND	6.2	1.8	U
56-23-5	Carbon tetrachloride	ND	1.2	0.34	U
78-87-5	1,2-Dichloropropane	ND	2.5	0.34	U
124-48-1	Dibromochloromethane	ND	1.2	0.37	U
79-00-5	1,1,2-Trichloroethane	ND	3.8	1.2	U
127-18-4	Tetrachloroethene	510	1.2	0.45	E R
108-90-7	Chlorobenzene	ND	6.2	1.8	U
75-69-4	Trichlorofluoromethane	ND	6.2	1.8	U
107-06-2	1,2-Dichloroethane	ND	1.2	0.33	U
71-55-6	1,1,1-Trichloroethane	ND	6.2	1.8	U
75-27-4	Bromodichloromethane	ND	1.2	0.48	U
10061-02-6	trans-1,3-Dichloropropene	ND	1.2	0.41	U
10061-01-5	cis-1,3-Dichloropropene	ND	1.2	0.36	U
542-75-6	1,3-Dichloropropene, Total	ND	1.2	0.36	U
563-58-6	1,1-Dichloropropene	ND	6.2	1.8	U
75-25-2	Bromoform	ND	5.0	1.6	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.2	0.42	U
71-43-2	Benzene	ND	1.2	0.40	U
108-88-3	Toluene	ND	6.2	1.8	U
100-41-4	Ethylbenzene	ND	6.2	1.8	U
74-87-3	Chloromethane	ND	6.2	1.8	U
74-83-9	Bromomethane	ND	6.2	1.8	U
75-01-4	Vinyl chloride	2.3	2.5	0.18	J


 JOR 7/11/19

Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-10D
 Client ID : MW-5S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N14
 Sample Amount : 4 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:33
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:54
 Dilution Factor : 2.5
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	6.2	1.8	U
75-35-4	1,1-Dichloroethene	0.84	1.2	0.42	J
156-60-5	trans-1,2-Dichloroethene	ND	6.2	1.8	U
79-01-6	Trichloroethene	42	1.2	0.44	
95-50-1	1,2-Dichlorobenzene	ND	6.2	1.8	U
541-73-1	1,3-Dichlorobenzene	ND	6.2	1.8	U
106-46-7	1,4-Dichlorobenzene	ND	6.2	1.8	U
1634-04-4	Methyl tert butyl ether	27	6.2	1.8	
179601-23-1	p/m-Xylene	ND	6.2	1.8	U
95-47-6	o-Xylene	ND	6.2	1.8	U
1330-20-7	Xylenes, Total	ND	6.2	1.8	U
156-59-2	cis-1,2-Dichloroethene	18	6.2	1.8	
540-59-0	1,2-Dichloroethene, Total	18	6.2	1.8	
74-95-3	Dibromomethane	ND	12	2.5	U
96-18-4	1,2,3-Trichloropropane	ND	6.2	1.8	U
107-13-1	Acrylonitrile	ND	12	3.8	U R
100-42-5	Styrene	ND	6.2	1.8	U
75-71-8	Dichlorodifluoromethane	ND	12	2.5	U
67-64-1	Acetone	ND	12	3.6	U
75-15-0	Carbon disulfide	ND	12	2.5	U
78-93-3	2-Butanone	ND	12	4.8	U
108-05-4	Vinyl acetate	ND	12	2.5	U
108-10-1	4-Methyl-2-pentanone	ND	12	2.5	U
591-78-6	2-Hexanone	ND	12	2.5	U
74-97-5	Bromochloromethane	ND	6.2	1.8	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-10D
 Client ID : MW-5S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N14
 Sample Amount : 4 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:33
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:54
 Dilution Factor : 2.5
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	6.2	1.8	U UJ
106-93-4	1,2-Dibromoethane	ND	5.0	1.6	U
142-28-9	1,3-Dichloropropane	ND	6.2	1.8	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	6.2	1.8	U
108-86-1	Bromobenzene	ND	6.2	1.8	U
104-51-8	n-Butylbenzene	ND	6.2	1.8	U
135-98-8	sec-Butylbenzene	ND	6.2	1.8	U
98-06-6	tert-Butylbenzene	ND	6.2	1.8	U
95-49-8	o-Chlorotoluene	ND	6.2	1.8	U
106-43-4	p-Chlorotoluene	ND	6.2	1.8	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	6.2	1.8	U
87-68-3	Hexachlorobutadiene	ND	6.2	1.8	U
98-82-8	Isopropylbenzene	ND	6.2	1.8	U
99-87-6	p-Isopropyltoluene	ND	6.2	1.8	U
91-20-3	Naphthalene	ND	6.2	1.8	U
103-65-1	n-Propylbenzene	ND	6.2	1.8	U
87-61-6	1,2,3-Trichlorobenzene	ND	6.2	1.8	U
120-82-1	1,2,4-Trichlorobenzene	ND	6.2	1.8	U
108-67-8	1,3,5-Trimethylbenzene	ND	6.2	1.8	U
95-63-6	1,2,4-Trimethylbenzene	ND	6.2	1.8	U
123-91-1	1,4-Dioxane	ND	620	150	U R
105-05-5	p-Diethylbenzene	ND	5.0	1.8	U
622-96-8	p-Ethyltoluene	ND	5.0	1.8	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	5.0	1.4	U
60-29-7	Ethyl ether	ND	6.2	1.8	U

JHR
7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-10D
 Client ID : MW-5S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N14
 Sample Amount : 4 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:33
 Date Received : 06/19/19
 Date Analyzed : 06/27/19 23:54
 Dilution Factor : 2.5
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	6.2	1.8	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-10D2
 Client ID : MW-5S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190629A15
 Sample Amount : 1 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:33
 Date Received : 06/19/19
 Date Analyzed : 06/29/19 14:00
 Dilution Factor : 10
 Analyst : KJD
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
127-18-4	Tetrachloroethene	440	5.0	1.8	D



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-11
 Client ID : MW-5D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N15
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:18
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:21
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	2.9	2.5	0.70	
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	90	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	0.49	1.0	0.07	J



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-11
 Client ID : MW-5D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N15
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:18
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:21
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	0.58	0.50	0.17	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	9.6	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	21	2.5	0.70	
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	2.5	2.5	0.70	
540-59-0	1,2-Dichloroethene, Total	2.5	2.5	0.70	
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U <i>RR</i>
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-11
 Client ID : MW-5D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N15
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:18
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:21
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

8/17/19


Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-11
 Client ID : MW-5D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N15
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:18
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:21
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-12
 Client ID : MW-9
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N16
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:55
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:49
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	11	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-12
 Client ID : MW-9
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N16
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:55
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:49
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	0.47	0.50	0.18	J
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U <i>✓ R</i>
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-12
 Client ID : MW-9
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N16
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:55
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:49
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U <i>UJ</i>
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U <i>R</i>
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-12
 Client ID : MW-9
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N16
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 10:55
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 00:49
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-13
 Client ID : MW-12
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N17
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:54
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	2.3	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-13
 Client ID : MW-12
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N17
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:54
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

J.R. Holzmacher



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-13
 Client ID : MW-12
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N17
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:54
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U <i>UJ</i>
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U <i>R</i>
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

06/27/19


Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-13
 Client ID : MW-12
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N17
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:54
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:17
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-14
 Client ID : MW-14S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N18
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:41
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:45
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	4.9	2.5	0.70	
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	0.91	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-14
 Client ID : MW-14S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N18
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:41
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:45
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	15	2.5	0.70	
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U - R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for
7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-14
 Client ID : MW-14S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N18
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:41
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:45
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-14
 Client ID : MW-14S
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N18
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:41
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 01:45
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-15
 Client ID : MW-14D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N19
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:26
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:13
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-15
 Client ID : MW-14D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N19
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:26
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:13
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U-R
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/14/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-15
 Client ID : MW-14D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N19
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:26
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:13
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U <i>UJ</i>
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U <i>R</i>
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-15
 Client ID : MW-14D
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N19
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:26
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:13
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-16
 Client ID : MW-14WT
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N20
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:56
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:42
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	22	0.50	0.18	
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
542-75-6	1,3-Dichloropropene, Total	ND	0.50	0.14	U
563-58-6	1,1-Dichloropropene	ND	2.5	0.70	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-16
 Client ID : MW-14WT
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N20
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:56
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:42
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	0.57	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
1330-20-7	Xylenes, Total	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
540-59-0	1,2-Dichloroethene, Total	ND	2.5	0.70	U
74-95-3	Dibromomethane	ND	5.0	1.0	U
96-18-4	1,2,3-Trichloropropane	ND	2.5	0.70	U
107-13-1	Acrylonitrile	ND	5.0	1.5	U <i>PK</i>
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U
78-93-3	2-Butanone	ND	5.0	1.9	U
108-05-4	Vinyl acetate	ND	5.0	1.0	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
74-97-5	Bromochloromethane	ND	2.5	0.70	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
Project Name : MIN MAN CLEANERS
Lab ID : L1926579-16
Client ID : MW-14WT
Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
Sample Matrix : WATER
Analytical Method : 1,8260C
Lab File ID : V22190627N20
Sample Amount : 10 ml
Level : LOW
Extract Volume (MeOH) : N/A

Lab Number : L1926579
Project Number : MANID 16-01
Date Collected : 06/19/19 09:56
Date Received : 06/19/19
Date Analyzed : 06/28/19 02:42
Dilution Factor : 1
Analyst : MKS
Instrument ID : VOA122
GC Column : RTX-502.2
%Solids : N/A
Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	2.5	0.70	U UJ
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
142-28-9	1,3-Dichloropropane	ND	2.5	0.70	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	2.5	0.70	U
108-86-1	Bromobenzene	ND	2.5	0.70	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
95-49-8	o-Chlorotoluene	ND	2.5	0.70	U
106-43-4	p-Chlorotoluene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
87-68-3	Hexachlorobutadiene	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U
87-61-6	1,2,3-Trichlorobenzene	ND	2.5	0.70	U
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
123-91-1	1,4-Dioxane	ND	250	61.	U R
105-05-5	p-Diethylbenzene	ND	2.0	0.70	U
622-96-8	p-Ethyltoluene	ND	2.0	0.70	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	2.0	0.54	U
60-29-7	Ethyl ether	ND	2.5	0.70	U

107711149 

Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-16
 Client ID : MW-14WT
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N20
 Sample Amount : 10 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 09:56
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 02:42
 Dilution Factor : 1
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	2.5	0.70	U



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-17D
 Client ID : DB-1
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N21
 Sample Amount : 5 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:10
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 03:10
 Dilution Factor : 2
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	5.0	1.4	U
75-34-3	1,1-Dichloroethane	ND	5.0	1.4	U
67-66-3	Chloroform	ND	5.0	1.4	U
56-23-5	Carbon tetrachloride	ND	1.0	0.27	U
78-87-5	1,2-Dichloropropane	ND	2.0	0.27	U
124-48-1	Dibromochloromethane	ND	1.0	0.30	U
79-00-5	1,1,2-Trichloroethane	ND	3.0	1.0	U
127-18-4	Tetrachloroethene	330	1.0	0.36	
108-90-7	Chlorobenzene	ND	5.0	1.4	U
75-69-4	Trichlorofluoromethane	ND	5.0	1.4	U
107-06-2	1,2-Dichloroethane	ND	1.0	0.26	U
71-55-6	1,1,1-Trichloroethane	ND	5.0	1.4	U
75-27-4	Bromodichloromethane	0.44	1.0	0.38	J
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.33	U
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.29	U
542-75-6	1,3-Dichloropropene, Total	ND	1.0	0.29	U
563-58-6	1,1-Dichloropropene	ND	5.0	1.4	U
75-25-2	Bromoform	ND	4.0	1.3	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	U
71-43-2	Benzene	ND	1.0	0.32	U
108-88-3	Toluene	ND	5.0	1.4	U
100-41-4	Ethylbenzene	ND	5.0	1.4	U
74-87-3	Chloromethane	ND	5.0	1.4	U
74-83-9	Bromomethane	ND	5.0	1.4	U
75-01-4	Vinyl chloride	2.5	2.0	0.14	



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-17D
 Client ID : DB-1
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N21
 Sample Amount : 5 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:10
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 03:10
 Dilution Factor : 2
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-00-3	Chloroethane	ND	5.0	1.4	U
75-35-4	1,1-Dichloroethene	0.84	1.0	0.34	J
156-60-5	trans-1,2-Dichloroethene	ND	5.0	1.4	U
79-01-6	Trichloroethene	43	1.0	0.35	
95-50-1	1,2-Dichlorobenzene	ND	5.0	1.4	U
541-73-1	1,3-Dichlorobenzene	ND	5.0	1.4	U
106-46-7	1,4-Dichlorobenzene	ND	5.0	1.4	U
1634-04-4	Methyl tert butyl ether	10	5.0	1.4	
179601-23-1	p/m-Xylene	ND	5.0	1.4	U
95-47-6	o-Xylene	ND	5.0	1.4	U
1330-20-7	Xylenes, Total	ND	5.0	1.4	U
156-59-2	cis-1,2-Dichloroethene	14	5.0	1.4	
540-59-0	1,2-Dichloroethene, Total	14	5.0	1.4	
74-95-3	Dibromomethane	ND	10	2.0	U
96-18-4	1,2,3-Trichloropropane	ND	5.0	1.4	U
107-13-1	Acrylonitrile	ND	10	3.0	U R
100-42-5	Styrene	ND	5.0	1.4	U
75-71-8	Dichlorodifluoromethane	ND	10	2.0	U
67-64-1	Acetone	ND	10	2.9	U
75-15-0	Carbon disulfide	ND	10	2.0	U
78-93-3	2-Butanone	ND	10	3.9	U
108-05-4	Vinyl acetate	ND	10	2.0	U
108-10-1	4-Methyl-2-pentanone	ND	10	2.0	U
591-78-6	2-Hexanone	ND	10	2.0	U
74-97-5	Bromochloromethane	ND	5.0	1.4	U

for 7/11/19



Results Summary Form 1 Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-17D
 Client ID : DB-1
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N21
 Sample Amount : 5 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:10
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 03:10
 Dilution Factor : 2
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
594-20-7	2,2-Dichloropropane	ND	5.0	1.4	U UJ
106-93-4	1,2-Dibromoethane	ND	4.0	1.3	U
142-28-9	1,3-Dichloropropane	ND	5.0	1.4	U
630-20-6	1,1,1,2-Tetrachloroethane	ND	5.0	1.4	U
108-86-1	Bromobenzene	ND	5.0	1.4	U
104-51-8	n-Butylbenzene	ND	5.0	1.4	U
135-98-8	sec-Butylbenzene	ND	5.0	1.4	U
98-06-6	tert-Butylbenzene	ND	5.0	1.4	U
95-49-8	o-Chlorotoluene	ND	5.0	1.4	U
106-43-4	p-Chlorotoluene	ND	5.0	1.4	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	1.4	U
87-68-3	Hexachlorobutadiene	ND	5.0	1.4	U
98-82-8	Isopropylbenzene	ND	5.0	1.4	U
99-87-6	p-Isopropyltoluene	ND	5.0	1.4	U
91-20-3	Naphthalene	ND	5.0	1.4	U
103-65-1	n-Propylbenzene	ND	5.0	1.4	U
87-61-6	1,2,3-Trichlorobenzene	ND	5.0	1.4	U
120-82-1	1,2,4-Trichlorobenzene	ND	5.0	1.4	U
108-67-8	1,3,5-Trimethylbenzene	ND	5.0	1.4	U
95-63-6	1,2,4-Trimethylbenzene	ND	5.0	1.4	U
123-91-1	1,4-Dioxane	ND	500	120	U R
105-05-5	p-Diethylbenzene	ND	4.0	1.4	U
622-96-8	p-Ethyltoluene	ND	4.0	1.4	U
95-93-2	1,2,4,5-Tetramethylbenzene	ND	4.0	1.1	U
60-29-7	Ethyl ether	ND	5.0	1.4	U

for 7/11/19



Results Summary

Form 1

Volatile Organics by GC/MS

Client : J.R. Holzmacher P.E., LLC
 Project Name : MIN MAN CLEANERS
 Lab ID : L1926579-17D
 Client ID : DB-1
 Sample Location : 89 OCEAN AVE., E. ROCKAWAY, NY
 Sample Matrix : WATER
 Analytical Method : 1,8260C
 Lab File ID : V22190627N21
 Sample Amount : 5 ml
 Level : LOW
 Extract Volume (MeOH) : N/A

Lab Number : L1926579
 Project Number : MANID 16-01
 Date Collected : 06/19/19 11:10
 Date Received : 06/19/19
 Date Analyzed : 06/28/19 03:10
 Dilution Factor : 2
 Analyst : MKS
 Instrument ID : VOA122
 GC Column : RTX-502.2
 %Solids : N/A
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
110-57-6	trans-1,4-Dichloro-2-butene	ND	5.0	1.4	U



DATA USABILITY SUMMARY REPORT (DUSR)

ORGANIC ANALYSIS

**EPA Compendium Method TO-15
LOW LEVEL VOLATILES BY GC/MS
For Soil Vapor Air - Effluent Sample
Collected June 19, 2019
Minuteman Cleaners
From 89 Ocean Avenue, East Rockaway, New York
by J.R. Holzmacher P.E. LLC.
Project #: ManID 16-01**

**SAMPLE DELIVERY GROUP NUMBER:
L1926703
Alpha Analytical (ELAP #11148)**


SUBMITTED TO:

**Ms. Patricia Zalak
J.R. Holzmacher P.E., LLC
3555 Veterans Memorial Highway, Suite A
Ronkonkoma, NY 11779**

July 13, 2019

PREPARED BY:

**Lori A. Beyer/President
L.A.B. Validation Corp.
14 West Point Drive
East Northport, NY 11731**



89 Ocean Avenue, East Rockaway, New York; June 2019.
Data Validation Report: Volatile Organics

Table of Contents:

	Introduction
	Data Qualifier Definitions
	Sample Receipt
1.0	Volatile Organics by GC/MS EPA Compendium Method TO-15
1.1	Holding Time
1.2	Surrogate Standards
1.3	Matrix Spikes (MS), Matrix Spike Duplicates (MSD), Laboratory Duplicate, Field Duplicate Analysis
1.4	Laboratory Control Sample
1.5	Blank Contamination
1.6	GC/MS Instrument Performance Check
1.7	Initial and Continuing Calibrations
1.8	Internal Standards
1.9	Target Compound List Identification
1.10	Tentatively Identified Compounds
1.11	Compound Quantification and Reported Detection Limits
1.12	Overall System Performance

APPENDICES:

- A. Chain of Custody Document
- B. Case Narrative
- C. Form Is with Qualifications

Introduction:

A validation was performed on an Effluent soil vapor sample for Volatile Organic analysis collected by J.R. Holzmacher, P.E., LLC and submitted to Alpha Analytical for subsequent analysis under chain of custody documentation. This report contains the laboratory and validation results for the Effluent sample collected on June 19, 2019.

The sample was analyzed by Alpha Analytical utilizing EPA Method TO-15 and in accordance with NYSDEC Analytical Services Protocol (2005) and submitted under NYSDEC ASP Category B equivalent deliverable requirements for the associated analytical methodology employed. The analytical testing consisted of the TO-15 Compound List.

The data was evaluated in accordance with the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (Publication 9240.1-05), EPA SOP #HW31 (Revision 6-Updated September 2016) and in conjunction with the analytical methodology for which the sample was analyzed, where applicable and relevant.

Data Qualifier Definitions:

The following definitions provide brief explanations of the qualifiers assigned to results in the data review process.

U - The analyte was analyzed for but was not detected above the reported sample quantitation limit.

J - The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

J+ - The result is an estimated quantity, but the result may be biased high. (Equis File qualified, JK)

J- - The result is an estimated quantity, but the result may be biased low. (Equis File qualified, JL)

NJ - The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

UJ - The analyte was analyzed for but not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

R - The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control (QC) criteria. The analyte may or may not be present in the sample.

D - Analyte concentration was obtained from diluted analysis.

Sample Receipt:

The Chain of Custody document from 06/19/19 indicates that the air sample was received via laboratory courier following completion of the sampling event on 06/19/2019. Sample login notes and the chain of custody indicate that at the Validated Time of Sample Receipt (VTSR) at the laboratory no discrepancies were notated and therefore the integrity of the summa canister sample is assumed to be good.

Summa Canisters were leak tested prior to collection of each sample. Initial pressure gauge is recorded on the chain of custody and is required to be approximately 30 psi with zero air. Acceptable canister pressure was observed. The canister passed the leak check requirements; canister pressure for Hg was acceptable.

The Form I's included in Appendix C includes all usable (qualified) and unusable (rejected) results for the samples identified above and summarize the detailed narrative section of the report. All data validation qualifications have been reported on the Form I's for ease of review and verification.

NOTE:

L.A.B. Validation Corp. believes it is appropriate to note that the data validation criteria utilized for data evaluation is different than the method requirements utilized by the laboratory. Qualified data does not necessarily mean that the laboratory was non-compliant in the analysis that was performed.

Volatile Organics by EPA Compendium Method TO-15

The following method criteria were reviewed: holding times, surrogate standards, LCS, Blanks, Laboratory Duplicate, Tunes, Calibrations, Internal Standards, Target Component Identification and Quantitation, Reported Quantitation Limits and Overall System Performance. The volatile results are valid and useable as noted on the data summary Form I's in Appendix C and within the following text:

1.1 Holding Time

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the technical holding time is exceeded, the data may not be considered valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimates, "J". The non-detects (sample quantitation limits) are required to be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The Effluent sample was analyzed within the method and technical required holding times of thirty (30) days from sample collection for analysis. No qualifications were required based upon holding time criteria.

1.2 Surrogate Standards

All samples are spiked with surrogate compounds prior to sample analysis to evaluate overall laboratory performance and efficiency of the analytical technique. If the measure of surrogate concentrations is outside contract specifications, qualifications are required to be applied to associated samples and analytes.

Samples were not spiked with surrogate standards. Method TO15 does not mandate the addition of surrogate standards.

1.3 Matrix Spikes (MS)/ Matrix Spike Duplicates (MSD)/Laboratory Duplicate /Field Duplicate Analysis

The MS/MSD data are generated to determine the long-term precision and accuracy of the analytical method in various matrices.

Matrix Spike/Matrix Spike Duplicate analysis was not performed.

Batch laboratory duplicate was submitted in the data package. Data was not qualified based on non-site-specific QC.

Field Duplicate analysis was not required for this sampling event. The following criteria are utilized for Field/Lab Duplicate analysis when performed:

Criteria	Detected Compounds	Non-Detected Compounds
The RPD is within the limits of 0 and 25%	No qualification	No qualification
The RPD >25%	J in the parent and duplicate samples	Not applicable
The RPD could not be calculated since the compound was only detected in either the parent or duplicate sample. However, the detected concentration was $\leq 2x$ the reporting limit	No qualification	No qualification
The RPD could not be calculated since the compound was only detected in either the parent or duplicate sample. However, the detected concentration was $> 2x$ the reporting limit.	J in the parent and duplicate sample	UJ in the parent of duplicate sample

No qualifications to the data were applied based on MS/MSD/Laboratory Duplicate and Field Duplicate analysis.

1.4 Laboratory Control Sample

The LCS data for laboratory control samples (LCS) are generated to provide information on the accuracy of the analytical method and on the laboratory performance.

The following table summarizes the LCS criteria and the data qualification guidelines for all associated field samples.

LCS	NOT QUALIFIED	J	R
% Recovery:			
Detects	70-130%	<70%, >130%	
Non-Detects	$\geq 130\%$	50-69%	<50%
Absolute RT of LCS Compounds:			
LCS Compounds in samples RT: (min)	± 0.33		≥ 0.33

Acceptable LCS was analyzed. Recovery values for all reported compounds was determined to be >70%-<130%. No qualifications to the data are required.

1.5 Blank Contamination

Quality assurance (QA) blanks; i.e. method, trip and field blanks are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Trip blanks measure cross-contamination of samples during shipment. Field blanks measure cross-contamination of samples during field operations. Storage blanks measure cross-contamination during sample storage of the field samples and are not required for TO15 analysis. Canister blanks measure cross-contamination from the sampling media.

The following table was utilized to qualify target analyte results due to method blank contamination. The largest value from all the associated blanks is required to be utilized. The largest value from all the associated blanks is required to be utilized:

Blank Type	Blank Result	Sample Result	Action for Samples
Method, Storage, field, Trip, Instrument	Detects	Not Detected	No qualification required
	<CRQL*	<CRQL*	Report CRQL value with a U
		>= CRQL* and <2x the CRQL**	No qualification required
	>CRQL*	<= CRQL*	Report CRQL value with a U
		>=CRQL* and <= blank concentration	Report blank value for sample concentration with a U
		>= CRQL* and > blank concentration	No qualification required
	=CRQL*	<= CRQL*	Report CRQL value with a U
		>CRQL*	No qualification required
	Gross Contamination**	Detects	Report blank value for sample concentration with a U

*2x the CRQL for methylene chloride, 2-butanone and acetone.

**4x the CRQL for methylene chloride, 2-butanone, and acetone

***Qualifications based on instrument blank results affect only the sample analyzed immediately after the sample that has target compounds that exceed the calibration range or non-target compounds that exceed 100 ug/L.

Below is a summary of the compounds in the sample and the associated qualifications that have been applied:

The table below is utilized to qualify samples with target compound results also present in certification blanks:

Certification Contamination	Sample Result	Action for Sample
>=detect limit	>5x certification contamination	No qualification required
>=detect limit	<detect limit	Detection limit "U"
>=detect limit	>=detect limit and <= 5x certification contamination level	5x certification contamination "U"
<detect limit	<=detection limit and >= detection limit	No qualification

Below is a summary of the compounds in the sample and the associated qualifications that have been applied:

- A) **Method Blank Contamination:**
Method and Canister blanks were determined to be free of any contamination.
- B) **Field Blank Contamination:**
Field Blank analysis was not required for this SDG.
- C) **Trip Blank Contamination:**
Trip Blank analysis was not required for this SDG.

1.6 GC/MS Instrument Performance Check

Tuning and performance criteria are established to ensure adequate mass resolution, proper identification of compounds and to some degree, sufficient instrument sensitivity. These criteria are not sample specific. Instrument performance is determined using standard materials. Therefore, these criteria should be met in all circumstances. The Tuning standard for volatile organics is Bromofluorobenzene (BFB).

Instrument performance was generated within acceptable limits and frequency (24 hours) for Bromofluorobenzene (BFB) for all analyses conducted for this SDG.

1.7 Initial and Continuing Calibrations

Satisfactory instrument calibration is established to ensure that the instrument can produce acceptable quantitative data. An initial calibration demonstrates that the instrument can give acceptable performance at the beginning of an experimental sequence. The continuing calibration checks document that the instrument is giving satisfactory daily performance.

- A) **Response Factor GC/MS:**
The response factor measures the instrument's response to specific chemical compounds. The response factor for all compounds must be ≥ 0.05 in both initial and continuing calibrations. A value < 0.05 indicates a serious detection and quantitation problem (poor sensitivity). Analytes detected in the sample will be qualified as

estimated, "J". All non-detects for that compound in the corresponding samples will be rejected, "R".

The following compounds can be >0.01 without qualification:

2-Butanone
Carbon Disulfide
Chloroethane
Chloromethane
1,2-Dibromoethane
1,2-Dichloropropane
1,4-Dioxane
1,2-Dibromo-3-chloropropane
Methylene Chloride

All the response factors for the target analytes reported were found to be within acceptable limits (≥ 0.05) [or ≥ 0.01 for the 9 compounds above] and remaining analytes, for the initial and continuing calibrations.

B) Percent Relative Standard Deviation (%RSD) and Percent Difference (%D):

Percent RSD is calculated from the initial calibration and is used to indicate the stability of the specific compound response factor over increasing concentrations. Percent D compares the response factor of the continuing calibration check to the mean response factor (RRF) from the initial calibration. Percent D is a measure of the instrument's daily performance. Percent RSD must be $<30\%$ and %D must be $<30\%$. A value outside of these limits indicates potential detection and quantitation errors. For these reasons, all positive results are flagged as estimated, "J" and non-detects are flagged "UJ". If %RSD and %D grossly exceed QC criteria ($>90\%$), non-detect data may be qualified, "R", unusable. Additionally, in cases where the %RSD is $>30\%$ and eliminating either the high or the low point of the curve does not restore the %RSD to less than or equal to 30% then positive results are qualified, "J". In cases where removal of either the low or high point restores the linearity, then only low or high-level results will be qualified, "J" in the portion of the curve where non-linearity exists.

Initial Calibrations: The initial calibrations provided and the %RSD was within acceptable limits (30%) and (40%) for poor responders for all requested target compounds. Initial calibration verification standard met QC requirements.

Continuing Calibrations: The continuing calibrations provided and the %D was within acceptable limits (30%) and (40%) for poor responders for all reported compounds.

1.8 Internal Standards

Internal Standards (IS) performance criteria ensure that the GC/MS sensitivity and response are stable during every experimental run. The internal standard area count must not vary by more than a factor of 2 (-40% to +40%) from the associated continuing calibration standard. The retention time of the internal standard must not vary more than +/- 20 seconds from the associated continuing calibration standard. If the area count is outside the (-40% to +40%) range of the associated standard, all positive results for compounds quantitated using that IS are qualified as estimated, "J", and all non-detects as "UJ", or "R" if there is a severe loss of sensitivity.

If an internal standard retention time varies by more than 20 seconds, professional judgment will be used to determine either partial or total rejection of the data for that sample fraction.

Internal Standard area responses met QC requirements.

1.9 Target Compound List Identification

TCL compounds are identified on the GC/MS by using the analyte's relative retention time (RRT) and by comparison to the ion spectra obtained from known standards. For the results to be a positive hit, the sample peak must be within ± 0.06 RRT units of the standard compound and have an ion spectrum which has a ratio of the primary and secondary m/e intensities within 20% of that in the standard compound.

GC/MS spectra met the qualitative criteria for identification. All retention times were within required specifications.

1.10 Tentatively Identified Compounds (TICs)

TICs when submitted, the identification must be considered tentative (both quantitative and qualitative) due to the lack of required compound specific response factors. Consequently, all concentrations should be considered estimated, "J" and because of the qualitative

uncertainty should be qualified, "N" where an identification has been made.

TICs were not required with this data set.

1.11 Compound Quantification and Reported Detection Limits

GC/MS quantitative analysis are acceptable. Correct internal standards and response factors and air volumes were used to calculate final concentrations.

Sample results have been presented in ug/m3 as well as ppbv on the laboratory reporting forms. Effluent sample was analyzed at 119mls since the canister was pressurized with nitrogen which resulted in a dilution of 1:2.099. Tetrachloroethene concentration is within the linear calibration range. Dilution is acceptable. There is potential that lower level hits were lost in dilution. Reporting limits have been adjusted accordingly.

The narrative indicates that the reported concentration of Acetone (6.25 ug/m3) should be considered estimated due to coelution with a non-target peak. Review of the mass spectrum and peak indicate minimal potential interference and therefore results were not qualified based on this notation by the laboratory.

1.12 Overall System Performance

GC/MS analytical methodology was acceptable for this analysis. The data reported agrees with the raw data provided in the final report. The laboratory provided complete data package and reported all data using acceptable protocols and laboratory qualifiers as defined in the report package.

Reviewer's Signature Lou A. Beyer **Date** 07/13/2019

**Appendix A
Chain of Custody
Document**



Comments (i.e., PID)

39

Wm. Ellsberry

\$ 1320

14-5000

39

02

Beth

0321

沈

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

1998



Sample Delivery Group Summary

Alpha Job Number : L1926703

Received : 19-JUN-2019
Reviewer : Alycia Mogayzel

Account Name : J.R. Holzmacher P.E., LLC
Project Number : MANID 16-01
Project Name : MINUTE MAN CLEANERS

Delivery Information

Samples Delivered By : Alpha Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
NA	Absent/			

Condition Information

1) All samples on COC received?	YES
2) Extra samples received?	NO
3) Are there any sample container discrepancies?	NO
4) Are there any discrepancies between sample labels & COC?	NO
5) Are samples in appropriate containers for requested analysis? Please refer to information noted in Question 3 above.	NO
6) Are samples properly preserved for requested analysis?	YES
7) Are samples within holding time for requested analysis?	YES
8) All sampling equipment returned?	YES

Volatile Organics/VPH

1) Reagent Water Vials Frozen by Client?	NA
--	----

**Appendix B
Case Narrative**

Project Name: MINUTE MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926703
Report Date: 06/26/19

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

for
7/12/19



Project Name: MINUTE MAN CLEANERS
Project Number: MANID 16-01

Lab Number: L1926703
Report Date: 06/26/19

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on June 17, 2019. The canister certification results are provided as an addendum.

L1926703-01: Prior to sample analysis, the canisters were pressurized with UHP Nitrogen due to canister size. The pressurization resulted in a dilution of the sample. The reporting limits have been elevated accordingly.

L1926703-01: The Acetone result should be considered estimated due to co-elution with a non-target peak.

for 7/11/19

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Christopher J. Anderson

Report Date: 06/26/19

Title: Technical Director/Representative



**Appendix C
Form I's
With Qualifications**

Results Summary Form 1 Volatile Organics in Air

Client : J.R. Holzmacher P.E., LLC
Project Name : MINUTE MAN CLEANERS
Lab ID : L1926703-01D
Client ID : EFFLUENT
Sample Location : 89 OCEAN AVE
Sample Matrix : SOIL_VAPOR
Analytical Method : 48,TO-15
Lab File ID : R1611386
Sample Amount : 119 ml

Lab Number : L1926703
Project Number : MANID 16-01
Date Collected : 06/19/19 12:48
Date Received : 06/19/19
Date Analyzed : 06/25/19 17:57
Dilution Factor : 2.099
Analyst : RY
Instrument ID : AIRLAB16
GC Column : RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
75-71-8	Dichlorodifluoromethane	0.434	0.420	--	2.15	2.08	--	
74-87-3	Chloromethane	0.422	0.420	--	0.871	0.867	--	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane	ND	0.420	--	ND	2.94	--	U
75-01-4	Vinyl chloride	ND	0.420	--	ND	1.07	--	U
106-99-0	1,3-Butadiene	ND	0.420	--	ND	0.929	--	U
74-83-9	Bromomethane	ND	0.420	--	ND	1.63	--	U
75-00-3	Chloroethane	ND	0.420	--	ND	1.11	--	U
64-17-5	Ethyl Alcohol	29.3	10.5	--	55.2	19.8	--	
593-60-2	Vinyl bromide	ND	0.420	--	ND	1.84	--	U
67-64-1	Acetone	2.63	2.10	--	6.25	4.99	--	
75-69-4	Trichlorofluoromethane	ND	0.420	--	ND	2.36	--	U
67-63-0	iso-Propyl Alcohol	ND	1.05	--	ND	2.58	--	U
75-35-4	1,1-Dichloroethene	ND	0.420	--	ND	1.67	--	U
75-65-0	tert-Butyl Alcohol	ND	1.05	--	ND	3.18	--	U
75-09-2	Methylene chloride	3.57	1.05	--	12.4	3.65	--	
107-05-1	3-Chloropropene	ND	0.420	--	ND	1.31	--	U
75-15-0	Carbon disulfide	ND	0.420	--	ND	1.31	--	U
76-13-1	1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.420	--	ND	3.22	--	U
156-60-5	trans-1,2-Dichloroethene	ND	0.420	--	ND	1.67	--	U
75-34-3	1,1-Dichloroethane	ND	0.420	--	ND	1.70	--	U
1634-04-4	Methyl tert butyl ether	ND	0.420	--	ND	1.51	--	U
78-93-3	2-Butanone	ND	1.05	--	ND	3.10	--	U
156-59-2	cis-1,2-Dichloroethene	ND	0.420	--	ND	1.67	--	U
141-78-6	Ethyl Acetate	ND	1.05	--	ND	3.78	--	U
67-66-3	Chloroform	ND	0.420	--	ND	2.05	--	U
109-99-9	Tetrahydrofuran	ND	1.05	--	ND	3.10	--	U

R1611386



Results Summary

Form 1

Volatile Organics in Air

Client : J.R. Holzmacher P.E., LLC
 Project Name : MINUTE MAN CLEANERS
 Lab ID : L1926703-01D
 Client ID : EFFLUENT
 Sample Location : 89 OCEAN AVE
 Sample Matrix : SOIL_VAPOR
 Analytical Method : 48,TO-15
 Lab File ID : R1611386
 Sample Amount : 119 ml

Lab Number : L1926703
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:48
 Date Received : 06/19/19
 Date Analyzed : 06/25/19 17:57
 Dilution Factor : 2.099
 Analyst : RY
 Instrument ID : AIRLAB16
 GC Column : RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
107-06-2	1,2-Dichloroethane	ND	0.420	--	ND	1.70	--	U
110-54-3	n-Hexane	1.36	0.420	--	4.79	1.48	--	
71-55-6	1,1,1-Trichloroethane	ND	0.420	--	ND	2.29	--	U
71-43-2	Benzene	0.426	0.420	--	1.36	1.34	--	
56-23-5	Carbon tetrachloride	ND	0.420	--	ND	2.64	--	U
110-82-7	Cyclohexane	0.634	0.420	--	2.18	1.45	--	
78-87-5	1,2-Dichloropropane	ND	0.420	--	ND	1.94	--	U
75-27-4	Bromodichloromethane	ND	0.420	--	ND	2.81	--	U
1330-20-7	Xylene (Total)	ND	0.420	--	ND	1.82	--	U
123-91-1	1,4-Dioxane	ND	0.420	--	ND	1.51	--	U
79-01-6	Trichloroethene	ND	0.420	--	ND	2.26	--	U
540-84-1	2,2,4-Trimethylpentane	1.17	0.420	--	5.46	1.96	--	
142-82-5	Heptane	0.478	0.420	--	1.96	1.72	--	
10061-01-5	cis-1,3-Dichloropropene	ND	0.420	--	ND	1.91	--	U
108-10-1	4-Methyl-2-pentanone	ND	1.05	--	ND	4.30	--	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.420	--	ND	1.91	--	U
79-00-5	1,1,2-Trichloroethane	ND	0.420	--	ND	2.29	--	U
108-88-3	Toluene	2.05	0.420	--	7.73	1.58	--	
540-59-0	1,2-Dichloroethene (total)	ND	0.420	--	ND	1.67	--	U
591-78-6	2-Hexanone	ND	0.420	--	ND	1.72	--	U
124-48-1	Dibromochloromethane	ND	0.420	--	ND	3.58	--	U
542-75-6	1,3-Dichloropropene, Total	ND	0.420	--	ND	1.91	--	U
106-93-4	1,2-Dibromoethane	ND	0.420	--	ND	3.23	--	U
127-18-4	Tetrachloroethene	108	0.420	--	732	2.85	--	
108-90-7	Chlorobenzene	ND	0.420	--	ND	1.93	--	U
100-41-4	Ethylbenzene	ND	0.420	--	ND	1.82	--	U

JRM
 7/12/19



Results Summary

Form 1

Volatile Organics in Air

Client : J.R. Holzmacher P.E., LLC
 Project Name : MINUTE MAN CLEANERS
 Lab ID : L1926703-01D
 Client ID : EFFLUENT
 Sample Location : 89 OCEAN AVE
 Sample Matrix : SOIL_VAPOR
 Analytical Method : 48,TO-15
 Lab File ID : R1611386
 Sample Amount : 119 ml

Lab Number : L1926703
 Project Number : MANID 16-01
 Date Collected : 06/19/19 12:48
 Date Received : 06/19/19
 Date Analyzed : 06/25/19 17:57
 Dilution Factor : 2.099
 Analyst : RY
 Instrument ID : AIRLAB16
 GC Column : RTX-1

CAS NO.	Parameter	ppbV			ug/m3			Qualifier
		Results	RL	MDL	Results	RL	MDL	
179601-23-1	p/m-Xylene	ND	0.839	--	ND	3.64	--	U
75-25-2	Bromoform	ND	0.420	--	ND	4.34	--	U
100-42-5	Styrene	ND	0.420	--	ND	1.79	--	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.420	--	ND	2.88	--	U
95-47-6	o-Xylene	ND	0.420	--	ND	1.82	--	U
622-96-8	4-Ethyltoluene	ND	0.420	--	ND	2.06	--	U
108-67-8	1,3,5-Trimethylbenzene	ND	0.420	--	ND	2.06	--	U
95-63-6	1,2,4-Trimethylbenzene	0.420	0.420	--	2.06	2.06	--	
100-44-7	Benzyl chloride	ND	0.420	--	ND	2.17	--	U
541-73-1	1,3-Dichlorobenzene	ND	0.420	--	ND	2.53	--	U
106-46-7	1,4-Dichlorobenzene	ND	0.420	--	ND	2.53	--	U
95-50-1	1,2-Dichlorobenzene	ND	0.420	--	ND	2.53	--	U
120-82-1	1,2,4-Trichlorobenzene	ND	0.420	--	ND	3.12	--	U
87-68-3	Hexachlorobutadiene	ND	0.420	--	ND	4.48	--	U

For
7/12/19

