F. SCDHS 1983 Files

SUFFOLK COUNTY DEPT. OF HEALTH SERVICES
UNIFORM COMPLAINT FIELD REPORT

Air Pollution ☐
Hazardous Material & Industrial Waste ☒
Internal Ventilation ☐
Sewage Treatment ☐
Assigned to Zone No.

SCDHS No. 097 Letter ☐
SPILL No. Telephone ☒
DOT No. Person ☐
Date 7-20-83 Time 10:15 am

[redacted]

Complaint Against Garden Cleaners
Address Montauk H.W. - opp. Sandcastle (T.V.H.) Bay Shore Phone

Nature of Request a 20'x30' puddle in front of store is there year round. Caused by drainage from store. Concerned about contents of water.
RCV'D by Lorraine Assigned to Gabbi Date

[redacted]

Information Obtained from Interviewed Individuals:
7/20/83 PUDDLE IS JUST THAT - AREA IS POORLY DRAINED.

SEE FACILITY INSPECTION REPORT OF 7/20/83.

Inspector's Observations 7/20/03: PUDDLE LOOKED LIKE JUST WATER — I TOOK A SAMPLE FOR METALS JUST TO BE SURE (NON-CONTACT COOLING LINE & BOILER BLOWDOWN PIPE ARE JUST ABOUT 30 FT. AWAY).

X SAMPLE TAKEN FOR METALS (JM 7-20)

Name of Responsible Individuals MR. BUCCI SR. Address GARDEN CLEANERS Tel. No.

Inspector's Recommendation to Persons Concerned N/A. NATURAL CONDITIONS

Information Related by Inspector to Complainant

Sketch:



Inspectors Signature J. Bucci Date 7/20/03

file Green Cleaners

SUFFOLK COUNTY DEPT. OF HEALTH SERVICES
UNIFORM COMPLAINT FIELD REPORT

Air Pollution ☐
Hazardous Material & Industrial Waste ☒
Internal Ventilation ☐
Sewage Treatment ☐
Assigned to Zone No.

SCDHS No. 106 Letter ☐
SPILL No. Telephone ☒
DOT No. Person ☐
Date August 1, 1983 Time 3:35

[redacted]

Complaint Against Dry Cleaners [redacted]
Address South West corner of Main St and Mowbray Avenue (T.V.H.) Bay Shore Phone

Nature of Request There is a puddle next to her house from the dry cleaners. The dry cleaners pump chemicals out and leave them in this puddle.

RCV'D by Jocelyn

[redacted]

Information Obtained from Interviewed Individuals:

8/2/83- BECAUSE THE PUDDLE IS ALWAYS THERE, MRS. O'ROURKE WAS CONCERNED ABOUT MOSQUITOS. I POINTED OUT THAT COMPLAINT WAS ABOUT CHEMICAL DUMPING. SHE WAS WORRIED ABOUT THAT TOO. I TOLD HER WE'D INVESTIGATED PRIOR COMPLAINT & I COULD NOT FIND ANY SIGNS OF CHEMICAL DUMPING. I SUGGESTED SHE CALL HOUSING RE MOSQUITO COMPLAINT

Inspector's Observations

SEE FACILITY INSPECTION REPORT DATED 7/20/83 & CHEM SAMPLE IJM 7-20. FOR GARDEN CLEANERS, BAY SHORE, NY.

Name of Responsible Individuals | Address | Tel. No.

Inspector's Recommendation to Persons Concerned 8/2/83.

Information Related by Inspector to Complainant 8/2/83. WE HAVE DONE A COMPLETE FACILITY INSPECTION OF CLEANERS & EVEN SAMPLED PUDDLE. THERE IS NO INDICATION (AS OF NOW) OF ANY HAZARDOUS CHEMICAL BEING DUMPED.

Sketch:

SEE PRIOR COMPLAINT DATED 7/20/83.

Inspectors Signature _____ Date 8/2/83

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL
15 HORSEBLOCK PLACE, FARMINGVILLE, N.Y. 11738
(516) 451-4633

NEW file

NAME OF FACILITY: GARDEN DRIVE-IN CLEANERS INC.	OWNER/ ~~OFFICER~~: JOSEPH BUCCI		PAGE 1 OF
COMPANY NAME	CONTACT: JOSEPH BUCCI JR.	TEL.: 405-9420	
PLANT ADDRESS: 250 E. MAIN	VILLAGE: BAY SHORE	TOWN: ISLIP	ZIP: 11706
MAILING ADDRESS			
DATE: 7/20/83	TIME: 1500	ORIG. / PERIODIC / RE.	WASTE / NO WASTE / H&H
SEWAGE SYSTEM: PUBLIC / PRIVATE			
INDUSTRY: DRY CLEANER			
SPDES OR NPDES PERMIT? YES / NO	PERMIT NO.	360 PERMIT? YES / NO	PERMIT NO.
SCAVENGER: ?	TEL.		
SCAVENGER APPROVED YES NO	PICK UP RECORDS AVAILABLE YES NO	RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION YES NO	

HEATING SYSTEM-MFG. NAME	FUEL TYPE	FIRING RATE
OIL STEAM	#2	
INCIN. NAME: NONE	WASTE BURNED	RATE

DRUM STORAGE: YES / NO	NUMBER STORED: 2 INDOORS / OUTDOORS	TYPE OF MATERIAL STORED: WASTE / RAW	1 - WATER PROOFING, 1 - STATICOR
STORAGE TANKS: YES / NO	NUMBER OF TANKS: 1 ABOVEGROUND / UNDERGROUND	TYPE OF MATERIAL STORED: WASTE / RAW	#2 RAW + 1 PERC TANK 15GAL
OPEN PROCESS TANKS: YES / NO	NUMBER OF OPEN PROCESS TANKS: N/A	ANY ART. XII VIOLATIONS: YES / NO	

COMPANY DOES RETAIL DRY CLEANING. HAS 1 WASHER, 1 DRYER/RECLAIMER, 1 COOKER & 1 SNIFFER FILTERS.

PERC IS RECYCLED

WATER CONTAMINATED WITH PERC USED FOR SPOTTING.

SLUDGE IS PICKED UP BY SCAVENGER. MR. BUCCI, JR. SUGGESTED I ASK J. BUCCI, SR. FOR SCAVENGER INFO.

NOTED NOTICED 2 - 1/2" PIPES PROTRUDING THRU REAR WALL - THEY ARE NOT ATTACHED TO ANYTHING

1 - 3" BLACK METAL PIPE THRU WALL VENTS WATER VAPOR

PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF CESSPOOLS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.

REINSPECTION SCHEDULED ON OR AFTER _____. FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND/OR FINE.

SIGN. OF PERSON REC. REPORT	TITLE	INSPECTOR
J. BUCCI JR. (REFUSED TO SIGN - SUGGESTED I GET FATHER)	MGR.	T. MION

18-155: 9/82 5/81 TJK

INDUSTRIAL WASTE PROCESS

NO.	PROCESS	CHEMICALS USED AND APPROXIMATE QUANTITY	DISCHARGE	DISCHARGE TO
1	DRY CLEANER STRATO VIC WASHER	PERK (2,000 GALS/YR)	SAME TO COOKER	COOKER
2	COOKER	SEE ABOVE	PERK → WATER → SLUDGE →	RECYCLED USES FOR SPOT PICKED UP BY SCAVENGER
3	DRYER (HOT)	PERK SEE ABOVE	PERK	RECYCLED
4	PERK SNIFFER/RECLAIMER NOTE: THIS UNIT HAS A ½" PIPE PROTRUDING THROUGH REAR WALL	NOT USED	—	—
5	BOILER/ BLOWDOWN ONE 2½" BLACK PVC	BOILER TREATMENT WATER PIPE PROTRUDING THRU REAR WALL	SAME	GROUND
6	~~COOLING~~ (OTHER THAN BOILER TO CLEAN)	NON-CONTACT COOLING WATER	SAME	GROUND

AIR POLLUTION SOURCES

18-155:

NO.	PROCESS	CONTROL TYPE	EP'S	CHEMICALS OR PRODUCTS USED	AMOUNT CONSUM.	HOURS OF OPERA.	TYPE OF EMISSION
1	COOKER	PERK SNIFFER WITH CHARCOAL FILTER	NOT VENTED OUTSIDE	NOT USED	2,000 GAL/YR	NOT USED	FUME/ DUST NO FUMES ARE VENTED TO ROOF
2	DRYER						
3	FLOOR PICKUP						
	MANIFOLDED TOGETHER						
	NOTE: CLEANING AREA HAS TWO 4 FT. WALL FANS — THERE IS ANOTHER			WALL FAN (3 FT) ON		PERK BY WEST	WALL

SUFFOLK COUNTY HEALTH SERVICES LABORATORY

CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

18-247: 2/82

FIELD NO. 1JM7-20 LAB NO. 7-83-250 DATE COMPLETED 8/3/83 kai

NAME OR FIRM GARDEN CLEANERS

ADDRESS OR LOCATION 250 E. MAIN ST, BAY SHORE

POINT OF COLLECTION PUDDLE BEHIND FACILITY

REMARKS/INSTRUCTIONS

	TEST	RESULTS		TEST	RESULTS		TEST	RESULTS
	pH (LAB)			TOTAL SOLIDS	Mg/l	X	COPPER	.04 Mg/l
	CHLORIDE	Mg/l		SUSPENDED SOLIDS		X	IRON	(1.7)
	CYANIDE			DISSOLVED SOLIDS			MANGANESE	
	MBAS					X	CHROMIUM-TOT	<.02
	COD					X	NICKEL	<.1
	TOC					X	ZINC	.34
						X	LEAD	<.2
						X	CADMIUM	<.02
	NITRATE-N						SILVER	
	NITRITE						CHROMIUM-+6	
	AMMONIA-N							
	TKN		X	pH (FIELD)	7			
				TEMP. (FIELD)				

METHOD OF PRESERVATION ☒ HNO_3 TO pH <2 ☐ COOL 4° C

CUSTODY OF SAMPLE

DURING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE - TIME	TO DATE - TIME
1. COLLECTED BY	J. MION	SCDHS	7/20/83	4515 PM
2. POSSESSION BY	J. Mion	SCDHS	7/20/83 4530 PM	TO 7/27/83 11130 AM
3. POSSESSION BY			DATE - TIME	TO DATE - TIME
4. RECEIVED LAB BY	B.m		7/27 Pm DATE	TIME
5. POSSESSION BY			DATE - TIME	TO DATE - TIME
6. POSSESSION BY			DATE - TIME	TO DATE - TIME

CONTINUED: INSPECTOR'S OBSERVATIONS OR INTERVIEWS

fil

GARDEN CLEANERS, E. MAIN ST, BAY SHORE, N.Y.

8/24/83. 10:15-10:30AM. ARRIVED TO FILL OUT ORIGINAL INFO ON FACILITY INSPECTION REPORT & TO SAMPLE. SPOKE TO OWNER/MR.

(1) ASKED FOR ESTIMATE OF PERK USED — EVADED QUESTION.

(2) ASKED FOR SCAVENGER RECEIPTS, HE HAS NONE.

(3) POINTED AT PILE OF GREYISH MATERIAL ON GROUND SURFACE WHICH LOOKED TO ME LIKE COOKER REFUSE. WAS TOLD THAT WAS "SPILL" FROM SCAVENGER PICKUP.

(4) SAMPLED:
8 JM 8-24 ORGANIC } SANITARY POOL LOCATE
6 JM 8-24 METALS } 15 FT. SOUTH OF BLDG.

7 JM 8-24 METALS — PUDDLE IN REAR OF BLDG.

18-234: 4104

sample

SUFFOLK COUNTY DEPARTMENTMENT OF HEALTH SERVICES
INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL
15 HORSEBLOCK PLACE, FARMINGVILLE, N.Y. 11738
(516) 451-4633

I.D. Nº

NAME OF FACILITY	OWNER/ OFFICER Mr. Joseph Bucci	VIOLATIONS NOTED YES (NO)
COMPANY NAME	CONTACT Mr Bucci - MGR	TEL. 665-9420
PLANT ADDRESS	VILLAGE Bayshore TOWN Islip N.Y.	ZIP
MAILING ADDRESS	INSP. ZIII HYDRO.	MAP COORD.
PROPERTY OWNER	Dr Norman Chuvack, Bayshore	
DATE 23 Dec. 91 TIME 3 45 PM (ORIG) PER. RE. SAMPLE	ART. 7 YES (NO) ART. 10 Nº	ART. 12 Nº H & N
INDUSTRY dry cleaning.	SPDES OR NPDES PERMIT YES (NO) PERMIT NO.	
HEATING SYSTEM - MFG NAME Weil-McLain	FUEL TYPE #2 FIRING RATE	TANK SIZE 275
NUMBER OF DRUMS INDOORS 1 OUTDOORS 1 x 33 gl.	NUMBER OF TANKS ABOVEGROUND UNDERGROUND 275	NUMBER OF OPEN PROCESS TANKS SEWAGE SYSTEM PUBLIC PRIVATE
SCAVENGER Safety Kleen (100 perc) TEL.	PICK UP RECORDS AVAILABLE (YES) NO	VOLUME GENERATED approx 30 gals

(1) "Vic-Strata", dry cleaning machine
Hoyt Dryer
"Perc." - cooker ≅ 100 gal. tank...

(2) All sludge + liquid removed by Safety Kleen ▸

(3) No violations sanitary Code....

INDUSTRIAL WASTES MUST NOT BE DISCHARGED TO THE GROUND OR DISPOSED OF IN A DUMPSTER, BUT MAY ONLY BE TRANSPORTED AND DISPOSED OF BY A LICENSED INDUSTRIAL WASTE SCAVENGER FOR AN APPROVED LIST CONTACT THE N.Y.S. D.E.C. AT 751 - 7900

REINSPECTION SCHEDULED ON OR AFTER NA. FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND OR FINE.

PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF CESSPOOLS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY. DAVID BRCG

SIGN. OF PERSON REC. REPORT	TITLE	INSPECTOR
B. Bucci		

18-1442..(7/29)

TJK 12/86

LAB NO. IW-883039
REC'D 8-24-83 BY
FIELD NO. [illegible]-24

DATE COMPLETED 10-4-83
MINED BY KH

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
DIVISION OF MEDICAL LEGAL INVESTIGATIONS & FORENSIC SCIENCES
PUBLIC HEALTH LABORATORY

SEE COMPANION 6JM 8-24

TRACE ORGANIC ANALYSIS OF INDUSTRIAL WASTE

Name GARDEN CLEANERS

Location E. MAIN ST. BAY SHORE N.Y.

Point of Collection SANITARY LEACHING POOL 15 FT. S/O BLDG

Remarks: USES PIER

Compound	ppb	Compound	ppb
Methylene Chloride	—	Benzene	<10
Freon 113	<4	Toluene	<10
Chloroform	<5	o-Xylene	<10
1,1,1 Trichloroethane	<2	m,p-Xylene	<10
Carbon Tetrachloride	<1	Xylenes	—
1,1,2 Trichloroethylene	(11)	Chlorobenzene	<12
Chlorodibromomethane	<2	Ethylbenzene	<10
Tetrachloroethylene	(9)	Chlorotoluenes	<12
Bromoform	<5	1,3,5 Trimethylbenzene	<10
Bromodichloromethane	<3	1,2,4 Trimethylbenzene	<10
1,1,2 Trichloroethane	<5	m,p Dichlorobenzene	(110)
s-Tetrachloroethane	<3	o-Dichlorobenzene	<14
n-Decane	<40	p-Diethylbenzene	<10
Undecane	<40	p-Ethyltoluene	<10
Dodecane	—	1,2,4,5 Tetramethylbenzene	<10
n-Tridecane	—	Octane	<40
Bromobenzene	<16	n-Nonane	<40
cisdichloroethylene	(460)	STYRENE	<10

During transport of the sample from collection point to laboratory, the chain of custody must not be broken. The sample should be delivered by the sample collector or a designated representative who will sign for the receipt, integrity and transfer of the sample during shipment.

	SIGNATURE	AFFILIATION	DATE	TIME
1. Collected by	[signature]	SCDHS	8/24/83	10:20 AM
2. Transfered to	Francis J Amendola	SCDHS-PHL	8/24/83	11:45 AM
3. Transfered to				
4. Transfered to				

COUNTY OF SUFFOLK

PETER F. COHALAN
SUFFOLK COUNTY EXECUTIVE

DEPARTMENT OF HEALTH SERVICES

DAVID HARRIS, M.D., M.P.H.
COMMISSIONER

October 20, 1983

Garden Drive In Cleaners, Inc.
250 E. Main Street
Bay Shore, New York 11706

Attention: Mr. Joseph Bucci

Gentlemen:

On August 24, 1983, a representative from this Department secured an industrial sample from the sanitary system servicing your facility.

Review of the laboratory analysis found the following organic compounds associated with dry cleaning solvents:

1,1,2 Trichloroethylene	11 ppb
Tetrachloroethylene	9 ppb
cis-Dichloroethylene	460 ppb
m,p Dichlorobenzene	110 ppb

Said results indicate that discharging of condensate water from your dry cleaning process had occurred or is being practiced. Such a procedure is a violation of the New York State Environmental Conservation laws promulgated to reduce groundwater contamination.

Please be advised that sludge and condensate water generated by dry cleaning stills, recovery units and sniffers are heavily contaminated with perchloroethylene dry cleaning solvent. Therefore, in an effort to alleviate contamination of groundwater in the area, it is required by State and County laws that these wastes must be held and then hauled away by a licensed industrial waste scavenger.

Article 12 requires that these industrial wastes be stored in suitable non-porous sealed drums or tanks. These containers must be stored indoors in a chemically impervious diked floor surface or pad to control possible spills. Any questions concerning Article 12 storage requirements should be addressed to Mr. Peter Akras of this Department, phone 451-4649.

(continued . . .)

A list of licensed industrial waste scavengers may be obtained by contacting the Solid Waste Department of the New York State Department of Environmental Conservation located at the State University at Stony Brook, New York, phone 751-7900.

Periodic reinspections and sampling at your facility will be scheduled to ensure your compliance in this matter. If you have any questions, please do not hesitate to contact this office.

Very truly yours,

D. C. Gobbi
Environmental Pollution Control

DCG/lc

SUFFOLK COUNTY HEALTH SERVICES LABORATORY

CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

18-247: 2/82

FIELD NO. TJW8-27 LAB NO. 8/83-304 DATE COMPLETED 9/21/83 Raja

NAME OR FIRM GARDEN CLEANERS

ADDRESS OR LOCATION E. MAIN ST. BAY SHORE

POINT OF COLLECTION PUDDLE IN REAR OF PROPERTY

REMARKS/INSTRUCTIONS

	TEST	RESULTS		TEST	RESULTS		TEST	RESULTS
	pH (LAB)			TOTAL SOLIDS	Mg/l	X	COPPER	.05 Mg/l
	CHLORIDE	Mg/l		SUSPENDED SOLIDS		X	IRON	1.5
	CYANIDE			DISSOLVED SOLIDS			MANGANESE	
	MBAS					X	CHROMIUM-TOT	<.02
	COD					X	NICKEL	<.1
	TOC					X	ZINC	.4
						X	LEAD	<.2
						X	CADMIUM	<.02
	NITRATE-N						SILVER	
	NITRITE						CHROMIUM-+6	
	AMMONIA-N							
	TKN		X	pH (FIELD)	7			
				TEMP. (FIELD)				

METHOD OF PRESERVATION ☒ HNO_3 TO pH <2 ☐ COOL 4° C

CUSTODY OF SAMPLE

DURING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE – TIME	TO	DATE – TIME
1. COLLECTED BY	J. Orso	SCDHS	8/24/83		10:30 AM
2. POSSESSION BY	J. Orso	SCDHS	8/24/83 10:20 AM		8/24/83 HAND
3. POSSESSION BY			DATE – TIME	TO	DATE – TIME
4. RECEIVED LAB BY	Raja	Lab	8/24/83		1:30 PM
5. POSSESSION BY			DATE – TIME	TO	DATE – TIME
6. POSSESSION BY			DATE – TIME	TO	DATE – TIME

SUFFOLK COUNTY HEALTH SERVICES LABORATORY

CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

18-247: 2/82

FIELD NO. 6 JH8-24 LAB NO. 8/83-303 DATE COMPLETED 9/21/83 kw

NAME OR FIRM GARDEN CLEANERS

ADDRESS OR LOCATION E. MAIN ST. BAY SHORE

POINT OF COLLECTION SANITARY POOL 15' SOUTH OF BLDG.

REMARKS/INSTRUCTIONS

	TEST	RESULTS		TEST	RESULTS		TEST	RESULTS
	pH (LAB)			TOTAL SOLIDS	Mg/l	X	COPPER	.1 Mg/l
	CHLORIDE	Mg/l		SUSPENDED SOLIDS		X	IRON	1.3
	CYANIDE			DISSOLVED SOLIDS			MANGANESE	
	MBAS					X	CHROMIUM-TOT	<.02
	COD					X	NICKEL	<.1
	TOC					X	ZINC	1.
						X	LEAD	<.2
						X	CADMIUM	<.02
	NITRATE-N						SILVER	
	NITRITE						CHROMIUM-+6	
	AMMONIA-N							
	TKN		X	pH (FIELD)	7			
				TEMP. (FIELD)				

METHOD OF PRESERVATION ☒ HNO_3 TO pH <2 ☐ COOL 4° C

CUSTODY OF SAMPLE

DURING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE - TIME	TO DATE - TIME
1. COLLECTED BY	J. Amon	SCDHS	8/24/83 10:20 AM	
2. POSSESSION BY	J. Amon	SCDHS	8/24/83 10:20 AM	TO 8/24/83 11:00 AM
3. POSSESSION BY			DATE - TIME	TO DATE - TIME
4. RECEIVED LAB BY	Raja	Lab	8/24/83 DATE	1:30 PM TIME
5. POSSESSION BY			DATE - TIME	TO DATE - TIME
6. POSSESSION BY			DATE - TIME	TO DATE - TIME