

APPENDIX F

LABORATORY ANALYTICAL DATA



WESTBORO, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

CHAIN OF CUSTODY

PAGE 1 OF 3

Project Information

Project Name: 2477 THIRD AVE
 Project Location: BRONX, NY
 Project #: 11160
 Project Manager: AXEL SCHWENDT
 ALPHA Quote #:

Client Information

Client: AKRE INC
 Address: 440 PARK AVE SOUTH
 NEW YORK, NY 10016

Phone:
 Fax:

Email: aschwendt@akrf.com

These samples have been previously analyzed by Alpha

Standard RUSH (only confirmed if pre-approved)

Date Due: 6/7/10 Time:

Other Project Specific Requirements/Comments/Detection Limits:

CAT B DELIVERABLES

Date Rec'd in Lab: 5/28/10

ALPHA Job #: L1008075

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l: Deliverables

Billing Information

Same as Client info PO #:

Regulatory Requirements/Report Limits

State / Fed Program: CAT B

Criteria:

Turn-Around Time

TOTAL # BOTTLES

SAMPLE HANDLING
 Filtration _____
 Done
 Not needed
 Lab to do
 Preservation _____
 Lab to do
 (Please specify below)

Sample Specific Comments

ANALYSIS	TCL VOC 8260	TCL SVOC 8270	TCL METALS (lead) 8270	PB 8282	PESTICIDES 8081
1	X	X	X	X	X
2	X	X	X	X	X
3	X	X	X	X	X
4	X	X	X	X	X
5	X	X	X	X	X
6	X	X	X	X	X
7	X	X	X	X	X
8	X	X	X	X	X

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sampler's Initials
08075	SS-101	05/25/10	0900	EK
2	SB-104 (3)	0955		EK/AS
3	SB-104 (0-4)	1000		
4	SB-104 (8)	1005		
5	SB-104 (8-9)	1010		
6	DUP (0525)	1330		
1	MS-101 (0525)	1335		EK
1	MS-D-101 (0525)	1340		EK
7	SB-104 (88)	1410		EK/AS
8	SB-104 (80-89)	1415		

Container Type	4oz	8oz	16oz	Preservative	ICB
Container Type	4oz	8oz			
Preservative				ICB	

Relinquished By:

ERIC KUMER DVALITTLE 05/28/10 12:10
 JAMM BISHOP 05/28/10 12:10
 J. Thibodeau 05/28/10 20:17
 5/28/10 20:10

Received By:

John Thompson 5/28/10 12:10
 J. Thibodeau 5/28/10 20:17
 J. Thibodeau 5/28/10 20:10

Please print clearly, legibly and completely. Samples cannot be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



ANALYTICAL REPORT

Lab Number:	L1008075
Client:	AKRF, Inc. 440 Park Avenue South New York, NY 10016
ATTN:	Axel Schwendt
Phone:	(646) 388-9529
Project Name:	2477 THIRD AVE.
Project Number:	11160
Report Date:	06/14/10

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1008075-01	SS-101	BRONX, NY	05/25/10 09:00
L1008075-02	SS-104 (3)	BRONX, NY	05/25/10 09:55
L1008075-03	SS-104 (0-4)	BRONX, NY	05/25/10 10:00
L1008075-04	SS-104 (8)	BRONX, NY	05/25/10 10:05
L1008075-05	SS-104 (8-9)	BRONX, NY	05/25/10 10:10
L1008075-06	DUP-(0525)	BRONX, NY	05/25/10 13:30
L1008075-07	SB-104 (88)	BRONX, NY	05/25/10 14:10
L1008075-08	SB-104 (80-89)	BRONX, NY	05/25/10 14:15
L1008075-09	EQ FB	BRONX, NY	05/26/10 07:15
L1008075-10	SB/MW-101 (2.5)	BRONX, NY	05/26/10 10:30
L1008075-11	SB/MW-101 (0-4)	BRONX, NY	05/26/10 10:35
L1008075-12	SB/MW-101 (8.5)	BRONX, NY	05/26/10 10:40
L1008075-13	SB/MW-101 (6-9)	BRONX, NY	05/26/10 10:45
L1008075-14	SB/MW-101 (128.5)	BRONX, NY	05/27/10 08:45
L1008075-15	SB/MW-101 (128-130)	BRONX, NY	05/27/10 08:50
L1008075-16	SB/MW-101 (149)	BRONX, NY	05/27/10 10:10
L1008075-17	SB/MW-101 (148-150)	BRONX, NY	05/27/10 10:15
L1008075-18	SB/MW-105 (3)	BRONX, NY	05/28/10 10:55
L1008075-19	SB/MW-105 (0-4)	BRONX, NY	05/28/10 11:00
L1008075-20	SB/MW-105 (9.5)	BRONX, NY	05/28/10 11:20
L1008075-21	SB/MW-105 (8-9.5)	BRONX, NY	05/28/10 11:25
L1008075-22	SB/MW-105 (24)	BRONX, NY	05/28/10 11:40
L1008075-23	SB/MW-105 (23-24.5)	BRONX, NY	05/28/10 11:45

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.

Volatile Organics

L1008075-20 and -22 have elevated detection limits due to the dilutions required by the elevated concentrations of target compounds in the samples.

L1008075-20 was re-analyzed on dilution in order to quantitate the sample within the calibration range. The result should be considered estimated, and is qualified with an E flag, for any compound that exceeded the calibration on the initial analysis. The re-analysis was performed only for the compound that exceeded the calibration range.

Semivolatile Organics by SIM

L1008075-01 and -06 have elevated detection limits due to the dilutions required by the sample matrix.

L1008075-03, -11 and -19 have elevated detection limits due to the dilutions required by the elevated concentrations of target compounds in the samples.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Case Narrative (continued)

The surrogate recoveries for L1008075-11 and -19 are below the acceptance criteria for 2-Fluorophenol, Phenol-d6, Nitrobenzene-d5, 2-Fluorobiphenyl, and 4-Terphenyl-d14 (all at 0%) due to the dilutions required to quantitate the samples. Re-extraction is not required; therefore, the results of the original analyses are reported.

L1008075-21 was re-analyzed on dilution in order to quantitate the sample within the calibration range. The result should be considered estimated, and is qualified with an E flag, for any compound that exceeded the calibration on the initial analysis. The re-analysis was performed only for the compound that exceeded the calibration range.

Semivolatile Organics

L1008075-19 has elevated detection limits due to the dilution required by the sample matrix.

The WG415560-1 Method Blank, associated with L1008075-09, has a concentration above the reporting limit for Bis(2-ethylhexyl)phthalate. Since the sample was non-detect for this target analyte, no further actions were taken. The results of the original analysis are reported.

The WG415560-2/-3 LCS/LCSD recoveries, associated with L1008075-09, were above the acceptance criteria for 2,4-Dinitrotoluene (111%/102%) and 2,4-Dinitrophenol (200%/193%); however, the associated sample was non-detect for these target compounds. The results of the original analysis are reported.

The WG416118-2/-3 LCS/LCSD RPD, associated with L1008075-01, -03, -05, -06, -08, -11, -13, -17, -19, -21 and -23, is above the acceptance criteria for 2,4-Dinitrophenol (86%); however, the individual LCS/LCSD recoveries are within method limits.

Pesticides

L1008075-11 has elevated detection limits due to the dilution required by the sample matrix.

The surrogate recovery for L1008075-11 is above the individual acceptance criteria for Decachlorobiphenyl (183%), but within the overall method allowances.

The surrogate recoveries for L1008075-15 were outside the acceptance criteria for Decachlorobiphenyl (26%/28%); however, the criteria were achieved upon re-extraction outside of holding time. The results of both extractions are reported.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Case Narrative (continued)

The surrogate recoveries for L1008075-17 were outside the acceptance criteria for 2,4,5,6-Tetrachloro-m-xylene (1%/1%) and Decachlorobiphenyl (0%/0%); however, the criteria were achieved upon re-extraction outside of holding time. The results of both extractions are reported.

Metals

L1008075-15 and -17 have elevated detection limits for all analytes, except Mercury, due to the dilutions required by target analyte spectral interferences encountered during analysis.

The WG416065-4 MSD recovery, performed on L1008075-01, is above the acceptance criteria for Mercury (150%); however, the associated LCS and MS recoveries are within criteria. A post-digestion spike was performed with an acceptable recovery of 104%.

The WG416245-3/-4 MS/MSD recoveries for Aluminum (0%/829%), Calcium (0%/0%), Iron (0%/0%), Magnesium (0%/0%), and Manganese (0%/0%), performed on L1008075-01, are invalid because the sample concentrations are greater than four times the spike amount added.

The WG416245-3/-4 MS/MSD recoveries, performed on L1008075-01, are below the acceptance criteria for Antimony (37%/33%), Barium (66%/67%), Copper (74%/66%), Lead (MS at 54%), Sodium (MSD at 71%), and Zinc (MS at 51%). A post digestion spike was performed with acceptable recoveries of: Antimony (100%), Barium (88%), Copper (100%), Lead (81%), Sodium (89%), and Zinc (78%). In addition, the associated MS/MSD RPDs are above the acceptance criteria for Lead (77%) and Zinc (79%).

The WG416018-3 Laboratory Duplicate RPD, performed on L1008075-09, is above the acceptance criteria for Calcium (27%); however, the sample and duplicate results are less than five times the reporting limit.

Therefore, the RPD is valid.

The WG416018-3 Laboratory Duplicate RPD, performed on L1008075-09, is outside the acceptance criteria for Iron (31%). The elevated RPD has been attributed to the non-homogenous nature of the sample utilized for the laboratory duplicate.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Elizabeth Simmons

Title: Technical Director/Representative

Date: 06/14/10

ORGANICS

VOLATILES

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-01
Client ID: SS-101
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8260B
Analytical Date: 06/04/10 10:22
Analyst: BN
Percent Solids: 91%

Date Collected: 05/25/10 09:00
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	27	--	1
1,1-Dichloroethane	ND		ug/kg	4.1	--	1
Chloroform	ND		ug/kg	4.1	--	1
Carbon tetrachloride	ND		ug/kg	2.7	--	1
1,2-Dichloropropane	ND		ug/kg	9.6	--	1
Dibromochloromethane	ND		ug/kg	2.7	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.1	--	1
Tetrachloroethene	ND		ug/kg	2.7	--	1
Chlorobenzene	ND		ug/kg	2.7	--	1
Trichlorofluoromethane	ND		ug/kg	14	--	1
1,2-Dichloroethane	ND		ug/kg	2.7	--	1
1,1,1-Trichloroethane	ND		ug/kg	2.7	--	1
Bromodichloromethane	ND		ug/kg	2.7	--	1
trans-1,3-Dichloropropene	ND		ug/kg	2.7	--	1
cis-1,3-Dichloropropene	ND		ug/kg	2.7	--	1
1,1-Dichloropropene	ND		ug/kg	14	--	1
Bromoform	ND		ug/kg	11	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.7	--	1
Benzene	ND		ug/kg	2.7	--	1
Toluene	ND		ug/kg	4.1	--	1
Ethylbenzene	ND		ug/kg	2.7	--	1
Chloromethane	ND		ug/kg	14	--	1
Bromomethane	ND		ug/kg	5.5	--	1
Vinyl chloride	ND		ug/kg	5.5	--	1
Chloroethane	ND		ug/kg	5.5	--	1
1,1-Dichloroethene	ND		ug/kg	2.7	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.1	--	1
Trichloroethene	ND		ug/kg	2.7	--	1
1,2-Dichlorobenzene	ND		ug/kg	14	--	1
1,3-Dichlorobenzene	ND		ug/kg	14	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01

Date Collected: 05/25/10 09:00

Client ID: SS-101

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	14	--	1
Methyl tert butyl ether	ND		ug/kg	5.5	--	1
p/m-Xylene	ND		ug/kg	5.5	--	1
o-Xylene	ND		ug/kg	5.5	--	1
cis-1,2-Dichloroethene	ND		ug/kg	2.7	--	1
Dibromomethane	ND		ug/kg	27	--	1
Styrene	ND		ug/kg	5.5	--	1
Dichlorodifluoromethane	ND		ug/kg	27	--	1
Acetone	ND		ug/kg	99	--	1
Carbon disulfide	ND		ug/kg	27	--	1
2-Butanone	ND		ug/kg	27	--	1
Vinyl acetate	ND		ug/kg	27	--	1
4-Methyl-2-pentanone	ND		ug/kg	27	--	1
1,2,3-Trichloropropane	ND		ug/kg	27	--	1
2-Hexanone	ND		ug/kg	27	--	1
Bromochloromethane	ND		ug/kg	14	--	1
2,2-Dichloropropane	ND		ug/kg	14	--	1
1,2-Dibromoethane	ND		ug/kg	11	--	1
1,3-Dichloropropane	ND		ug/kg	14	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.7	--	1
Bromobenzene	ND		ug/kg	14	--	1
n-Butylbenzene	ND		ug/kg	2.7	--	1
sec-Butylbenzene	ND		ug/kg	2.7	--	1
tert-Butylbenzene	ND		ug/kg	14	--	1
o-Chlorotoluene	ND		ug/kg	14	--	1
p-Chlorotoluene	ND		ug/kg	14	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	14	--	1
Hexachlorobutadiene	ND		ug/kg	14	--	1
Isopropylbenzene	ND		ug/kg	2.7	--	1
p-Isopropyltoluene	ND		ug/kg	2.7	--	1
Naphthalene	ND		ug/kg	14	--	1
Acrylonitrile	ND		ug/kg	27	--	1
n-Propylbenzene	ND		ug/kg	2.7	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	14	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	14	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	14	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	14	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-01

Date Collected: 05/25/10 09:00

Client ID: SS-101

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	11	--	1
4-Ethyltoluene	ND		ug/kg	11	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	11	--	1
Ethyl ether	ND		ug/kg	14	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	14	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	99		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-02
 Client ID: SS-104 (3)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 11:45
 Analyst: BN
 Percent Solids: 78%

Date Collected: 05/25/10 09:55
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	32	--	1
1,1-Dichloroethane	ND		ug/kg	4.8	--	1
Chloroform	ND		ug/kg	4.8	--	1
Carbon tetrachloride	ND		ug/kg	3.2	--	1
1,2-Dichloropropane	ND		ug/kg	11	--	1
Dibromochloromethane	ND		ug/kg	3.2	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.8	--	1
Tetrachloroethene	ND		ug/kg	3.2	--	1
Chlorobenzene	ND		ug/kg	3.2	--	1
Trichlorofluoromethane	ND		ug/kg	16	--	1
1,2-Dichloroethane	ND		ug/kg	3.2	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.2	--	1
Bromodichloromethane	ND		ug/kg	3.2	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.2	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.2	--	1
1,1-Dichloropropene	ND		ug/kg	16	--	1
Bromoform	ND		ug/kg	13	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.2	--	1
Benzene	ND		ug/kg	3.2	--	1
Toluene	ND		ug/kg	4.8	--	1
Ethylbenzene	ND		ug/kg	3.2	--	1
Chloromethane	ND		ug/kg	16	--	1
Bromomethane	ND		ug/kg	6.4	--	1
Vinyl chloride	ND		ug/kg	6.4	--	1
Chloroethane	ND		ug/kg	6.4	--	1
1,1-Dichloroethene	ND		ug/kg	3.2	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.8	--	1
Trichloroethene	ND		ug/kg	3.2	--	1
1,2-Dichlorobenzene	ND		ug/kg	16	--	1
1,3-Dichlorobenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-02

Date Collected: 05/25/10 09:55

Client ID: SS-104 (3)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	16	--	1
Methyl tert butyl ether	ND		ug/kg	6.4	--	1
p/m-Xylene	ND		ug/kg	6.4	--	1
o-Xylene	ND		ug/kg	6.4	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.2	--	1
Dibromomethane	ND		ug/kg	32	--	1
Styrene	ND		ug/kg	6.4	--	1
Dichlorodifluoromethane	ND		ug/kg	32	--	1
Acetone	ND		ug/kg	120	--	1
Carbon disulfide	ND		ug/kg	32	--	1
2-Butanone	ND		ug/kg	32	--	1
Vinyl acetate	ND		ug/kg	32	--	1
4-Methyl-2-pentanone	ND		ug/kg	32	--	1
1,2,3-Trichloropropane	ND		ug/kg	32	--	1
2-Hexanone	ND		ug/kg	32	--	1
Bromochloromethane	ND		ug/kg	16	--	1
2,2-Dichloropropane	ND		ug/kg	16	--	1
1,2-Dibromoethane	ND		ug/kg	13	--	1
1,3-Dichloropropane	ND		ug/kg	16	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.2	--	1
Bromobenzene	ND		ug/kg	16	--	1
n-Butylbenzene	ND		ug/kg	3.2	--	1
sec-Butylbenzene	ND		ug/kg	3.2	--	1
tert-Butylbenzene	ND		ug/kg	16	--	1
o-Chlorotoluene	ND		ug/kg	16	--	1
p-Chlorotoluene	ND		ug/kg	16	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	16	--	1
Isopropylbenzene	ND		ug/kg	3.2	--	1
p-Isopropyltoluene	ND		ug/kg	3.2	--	1
Naphthalene	ND		ug/kg	16	--	1
Acrylonitrile	ND		ug/kg	32	--	1
n-Propylbenzene	ND		ug/kg	3.2	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	16	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	16	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	16	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-02

Date Collected: 05/25/10 09:55

Client ID: SS-104 (3)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	13	--	1
4-Ethyltoluene	ND		ug/kg	13	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	13	--	1
Ethyl ether	ND		ug/kg	16	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	16	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-04
 Client ID: SS-104 (8)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 12:12
 Analyst: BN
 Percent Solids: 80%

Date Collected: 05/25/10 10:05
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	31	--	1
1,1-Dichloroethane	ND		ug/kg	4.7	--	1
Chloroform	ND		ug/kg	4.7	--	1
Carbon tetrachloride	ND		ug/kg	3.1	--	1
1,2-Dichloropropane	ND		ug/kg	11	--	1
Dibromochloromethane	ND		ug/kg	3.1	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.7	--	1
Tetrachloroethene	ND		ug/kg	3.1	--	1
Chlorobenzene	ND		ug/kg	3.1	--	1
Trichlorofluoromethane	ND		ug/kg	16	--	1
1,2-Dichloroethane	ND		ug/kg	3.1	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.1	--	1
Bromodichloromethane	ND		ug/kg	3.1	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.1	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.1	--	1
1,1-Dichloropropene	ND		ug/kg	16	--	1
Bromoform	ND		ug/kg	12	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.1	--	1
Benzene	ND		ug/kg	3.1	--	1
Toluene	ND		ug/kg	4.7	--	1
Ethylbenzene	ND		ug/kg	3.1	--	1
Chloromethane	ND		ug/kg	16	--	1
Bromomethane	ND		ug/kg	6.2	--	1
Vinyl chloride	ND		ug/kg	6.2	--	1
Chloroethane	ND		ug/kg	6.2	--	1
1,1-Dichloroethene	ND		ug/kg	3.1	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.7	--	1
Trichloroethene	ND		ug/kg	3.1	--	1
1,2-Dichlorobenzene	ND		ug/kg	16	--	1
1,3-Dichlorobenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-04

Date Collected: 05/25/10 10:05

Client ID: SS-104 (8)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	16	--	1
Methyl tert butyl ether	ND		ug/kg	6.2	--	1
p/m-Xylene	ND		ug/kg	6.2	--	1
o-Xylene	ND		ug/kg	6.2	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.1	--	1
Dibromomethane	ND		ug/kg	31	--	1
Styrene	ND		ug/kg	6.2	--	1
Dichlorodifluoromethane	ND		ug/kg	31	--	1
Acetone	ND		ug/kg	110	--	1
Carbon disulfide	ND		ug/kg	31	--	1
2-Butanone	ND		ug/kg	31	--	1
Vinyl acetate	ND		ug/kg	31	--	1
4-Methyl-2-pentanone	ND		ug/kg	31	--	1
1,2,3-Trichloropropane	ND		ug/kg	31	--	1
2-Hexanone	ND		ug/kg	31	--	1
Bromochloromethane	ND		ug/kg	16	--	1
2,2-Dichloropropane	ND		ug/kg	16	--	1
1,2-Dibromoethane	ND		ug/kg	12	--	1
1,3-Dichloropropane	ND		ug/kg	16	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.1	--	1
Bromobenzene	ND		ug/kg	16	--	1
n-Butylbenzene	ND		ug/kg	3.1	--	1
sec-Butylbenzene	ND		ug/kg	3.1	--	1
tert-Butylbenzene	ND		ug/kg	16	--	1
o-Chlorotoluene	ND		ug/kg	16	--	1
p-Chlorotoluene	ND		ug/kg	16	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	16	--	1
Isopropylbenzene	ND		ug/kg	3.1	--	1
p-Isopropyltoluene	ND		ug/kg	3.1	--	1
Naphthalene	ND		ug/kg	16	--	1
Acrylonitrile	ND		ug/kg	31	--	1
n-Propylbenzene	ND		ug/kg	3.1	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	16	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	16	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	16	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-04

Date Collected: 05/25/10 10:05

Client ID: SS-104 (8)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	12	--	1
4-Ethyltoluene	ND		ug/kg	12	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	12	--	1
Ethyl ether	ND		ug/kg	16	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	16	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	97		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-06
Client ID: DUP-(0525)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8260B
Analytical Date: 06/04/10 12:40
Analyst: BN
Percent Solids: 94%

Date Collected: 05/25/10 13:30
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	26	--	1
1,1-Dichloroethane	ND		ug/kg	4.0	--	1
Chloroform	ND		ug/kg	4.0	--	1
Carbon tetrachloride	ND		ug/kg	2.6	--	1
1,2-Dichloropropane	ND		ug/kg	9.3	--	1
Dibromochloromethane	ND		ug/kg	2.6	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.0	--	1
Tetrachloroethene	ND		ug/kg	2.6	--	1
Chlorobenzene	ND		ug/kg	2.6	--	1
Trichlorofluoromethane	ND		ug/kg	13	--	1
1,2-Dichloroethane	ND		ug/kg	2.6	--	1
1,1,1-Trichloroethane	ND		ug/kg	2.6	--	1
Bromodichloromethane	ND		ug/kg	2.6	--	1
trans-1,3-Dichloropropene	ND		ug/kg	2.6	--	1
cis-1,3-Dichloropropene	ND		ug/kg	2.6	--	1
1,1-Dichloropropene	ND		ug/kg	13	--	1
Bromoform	ND		ug/kg	11	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.6	--	1
Benzene	ND		ug/kg	2.6	--	1
Toluene	ND		ug/kg	4.0	--	1
Ethylbenzene	ND		ug/kg	2.6	--	1
Chloromethane	ND		ug/kg	13	--	1
Bromomethane	ND		ug/kg	5.3	--	1
Vinyl chloride	ND		ug/kg	5.3	--	1
Chloroethane	ND		ug/kg	5.3	--	1
1,1-Dichloroethene	ND		ug/kg	2.6	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.0	--	1
Trichloroethene	ND		ug/kg	2.6	--	1
1,2-Dichlorobenzene	ND		ug/kg	13	--	1
1,3-Dichlorobenzene	ND		ug/kg	13	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06

Date Collected: 05/25/10 13:30

Client ID: DUP-(0525)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	13	--	1
Methyl tert butyl ether	ND		ug/kg	5.3	--	1
p/m-Xylene	ND		ug/kg	5.3	--	1
o-Xylene	ND		ug/kg	5.3	--	1
cis-1,2-Dichloroethene	ND		ug/kg	2.6	--	1
Dibromomethane	ND		ug/kg	26	--	1
Styrene	ND		ug/kg	5.3	--	1
Dichlorodifluoromethane	ND		ug/kg	26	--	1
Acetone	ND		ug/kg	96	--	1
Carbon disulfide	ND		ug/kg	26	--	1
2-Butanone	ND		ug/kg	26	--	1
Vinyl acetate	ND		ug/kg	26	--	1
4-Methyl-2-pentanone	ND		ug/kg	26	--	1
1,2,3-Trichloropropane	ND		ug/kg	26	--	1
2-Hexanone	ND		ug/kg	26	--	1
Bromochloromethane	ND		ug/kg	13	--	1
2,2-Dichloropropane	ND		ug/kg	13	--	1
1,2-Dibromoethane	ND		ug/kg	11	--	1
1,3-Dichloropropane	ND		ug/kg	13	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.6	--	1
Bromobenzene	ND		ug/kg	13	--	1
n-Butylbenzene	ND		ug/kg	2.6	--	1
sec-Butylbenzene	ND		ug/kg	2.6	--	1
tert-Butylbenzene	ND		ug/kg	13	--	1
o-Chlorotoluene	ND		ug/kg	13	--	1
p-Chlorotoluene	ND		ug/kg	13	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	13	--	1
Hexachlorobutadiene	ND		ug/kg	13	--	1
Isopropylbenzene	ND		ug/kg	2.6	--	1
p-Isopropyltoluene	ND		ug/kg	2.6	--	1
Naphthalene	ND		ug/kg	13	--	1
Acrylonitrile	ND		ug/kg	26	--	1
n-Propylbenzene	ND		ug/kg	2.6	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	13	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	13	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	13	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	13	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06

Date Collected: 05/25/10 13:30

Client ID: DUP-(0525)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	11	--	1
4-Ethyltoluene	ND		ug/kg	11	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	11	--	1
Ethyl ether	ND		ug/kg	13	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	13	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	99		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-07
 Client ID: SB-104 (88)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 13:07
 Analyst: BN
 Percent Solids: 80%

Date Collected: 05/25/10 14:10
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	31	--	1
1,1-Dichloroethane	ND		ug/kg	4.7	--	1
Chloroform	ND		ug/kg	4.7	--	1
Carbon tetrachloride	ND		ug/kg	3.1	--	1
1,2-Dichloropropane	ND		ug/kg	11	--	1
Dibromochloromethane	ND		ug/kg	3.1	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.7	--	1
Tetrachloroethene	ND		ug/kg	3.1	--	1
Chlorobenzene	ND		ug/kg	3.1	--	1
Trichlorofluoromethane	ND		ug/kg	16	--	1
1,2-Dichloroethane	ND		ug/kg	3.1	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.1	--	1
Bromodichloromethane	ND		ug/kg	3.1	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.1	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.1	--	1
1,1-Dichloropropene	ND		ug/kg	16	--	1
Bromoform	ND		ug/kg	12	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.1	--	1
Benzene	ND		ug/kg	3.1	--	1
Toluene	ND		ug/kg	4.7	--	1
Ethylbenzene	ND		ug/kg	3.1	--	1
Chloromethane	ND		ug/kg	16	--	1
Bromomethane	ND		ug/kg	6.2	--	1
Vinyl chloride	ND		ug/kg	6.2	--	1
Chloroethane	ND		ug/kg	6.2	--	1
1,1-Dichloroethene	ND		ug/kg	3.1	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.7	--	1
Trichloroethene	ND		ug/kg	3.1	--	1
1,2-Dichlorobenzene	ND		ug/kg	16	--	1
1,3-Dichlorobenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-07

Date Collected: 05/25/10 14:10

Client ID: SB-104 (88)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	16	--	1
Methyl tert butyl ether	ND		ug/kg	6.2	--	1
p/m-Xylene	ND		ug/kg	6.2	--	1
o-Xylene	ND		ug/kg	6.2	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.1	--	1
Dibromomethane	ND		ug/kg	31	--	1
Styrene	ND		ug/kg	6.2	--	1
Dichlorodifluoromethane	ND		ug/kg	31	--	1
Acetone	ND		ug/kg	110	--	1
Carbon disulfide	ND		ug/kg	31	--	1
2-Butanone	ND		ug/kg	31	--	1
Vinyl acetate	ND		ug/kg	31	--	1
4-Methyl-2-pentanone	ND		ug/kg	31	--	1
1,2,3-Trichloropropane	ND		ug/kg	31	--	1
2-Hexanone	ND		ug/kg	31	--	1
Bromochloromethane	ND		ug/kg	16	--	1
2,2-Dichloropropane	ND		ug/kg	16	--	1
1,2-Dibromoethane	ND		ug/kg	12	--	1
1,3-Dichloropropane	ND		ug/kg	16	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.1	--	1
Bromobenzene	ND		ug/kg	16	--	1
n-Butylbenzene	ND		ug/kg	3.1	--	1
sec-Butylbenzene	ND		ug/kg	3.1	--	1
tert-Butylbenzene	ND		ug/kg	16	--	1
o-Chlorotoluene	ND		ug/kg	16	--	1
p-Chlorotoluene	ND		ug/kg	16	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	16	--	1
Isopropylbenzene	ND		ug/kg	3.1	--	1
p-Isopropyltoluene	ND		ug/kg	3.1	--	1
Naphthalene	ND		ug/kg	16	--	1
Acrylonitrile	ND		ug/kg	31	--	1
n-Propylbenzene	ND		ug/kg	3.1	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	16	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	16	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	16	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-07

Date Collected: 05/25/10 14:10

Client ID: SB-104 (88)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	12	--	1
4-Ethyltoluene	ND		ug/kg	12	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	12	--	1
Ethyl ether	ND		ug/kg	16	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	16	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	99		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-09
Client ID: EQ FB
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8260B
Analytical Date: 06/02/10 17:35
Analyst: PD

Date Collected: 05/26/10 07:15
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09

Date Collected: 05/26/10 07:15

Client ID: EQ FB

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09

Date Collected: 05/26/10 07:15

Client ID: EQ FB

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	97		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-10
 Client ID: SB/MW-101 (2.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 13:35
 Analyst: BN
 Percent Solids: 89%

Date Collected: 05/26/10 10:30
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	28	--	1
1,1-Dichloroethane	ND		ug/kg	4.2	--	1
Chloroform	ND		ug/kg	4.2	--	1
Carbon tetrachloride	ND		ug/kg	2.8	--	1
1,2-Dichloropropane	ND		ug/kg	9.8	--	1
Dibromochloromethane	ND		ug/kg	2.8	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.2	--	1
Tetrachloroethene	ND		ug/kg	2.8	--	1
Chlorobenzene	ND		ug/kg	2.8	--	1
Trichlorofluoromethane	ND		ug/kg	14	--	1
1,2-Dichloroethane	ND		ug/kg	2.8	--	1
1,1,1-Trichloroethane	ND		ug/kg	2.8	--	1
Bromodichloromethane	ND		ug/kg	2.8	--	1
trans-1,3-Dichloropropene	ND		ug/kg	2.8	--	1
cis-1,3-Dichloropropene	ND		ug/kg	2.8	--	1
1,1-Dichloropropene	ND		ug/kg	14	--	1
Bromoform	ND		ug/kg	11	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.8	--	1
Benzene	ND		ug/kg	2.8	--	1
Toluene	ND		ug/kg	4.2	--	1
Ethylbenzene	ND		ug/kg	2.8	--	1
Chloromethane	ND		ug/kg	14	--	1
Bromomethane	ND		ug/kg	5.6	--	1
Vinyl chloride	ND		ug/kg	5.6	--	1
Chloroethane	ND		ug/kg	5.6	--	1
1,1-Dichloroethene	ND		ug/kg	2.8	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.2	--	1
Trichloroethene	ND		ug/kg	2.8	--	1
1,2-Dichlorobenzene	ND		ug/kg	14	--	1
1,3-Dichlorobenzene	ND		ug/kg	14	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-10
 Client ID: SB/MW-101 (2.5)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:30
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	14	--	1
Methyl tert butyl ether	ND		ug/kg	5.6	--	1
p/m-Xylene	ND		ug/kg	5.6	--	1
o-Xylene	ND		ug/kg	5.6	--	1
cis-1,2-Dichloroethene	ND		ug/kg	2.8	--	1
Dibromomethane	ND		ug/kg	28	--	1
Styrene	ND		ug/kg	5.6	--	1
Dichlorodifluoromethane	ND		ug/kg	28	--	1
Acetone	ND		ug/kg	100	--	1
Carbon disulfide	ND		ug/kg	28	--	1
2-Butanone	ND		ug/kg	28	--	1
Vinyl acetate	ND		ug/kg	28	--	1
4-Methyl-2-pentanone	ND		ug/kg	28	--	1
1,2,3-Trichloropropane	ND		ug/kg	28	--	1
2-Hexanone	ND		ug/kg	28	--	1
Bromochloromethane	ND		ug/kg	14	--	1
2,2-Dichloropropane	ND		ug/kg	14	--	1
1,2-Dibromoethane	ND		ug/kg	11	--	1
1,3-Dichloropropane	ND		ug/kg	14	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.8	--	1
Bromobenzene	ND		ug/kg	14	--	1
n-Butylbenzene	ND		ug/kg	2.8	--	1
sec-Butylbenzene	ND		ug/kg	2.8	--	1
tert-Butylbenzene	ND		ug/kg	14	--	1
o-Chlorotoluene	ND		ug/kg	14	--	1
p-Chlorotoluene	ND		ug/kg	14	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	14	--	1
Hexachlorobutadiene	ND		ug/kg	14	--	1
Isopropylbenzene	ND		ug/kg	2.8	--	1
p-Isopropyltoluene	ND		ug/kg	2.8	--	1
Naphthalene	ND		ug/kg	14	--	1
Acrylonitrile	ND		ug/kg	28	--	1
n-Propylbenzene	ND		ug/kg	2.8	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	14	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	14	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	14	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	14	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-10
 Client ID: SB/MW-101 (2.5)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:30
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	11	--	1
4-Ethyltoluene	ND		ug/kg	11	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	11	--	1
Ethyl ether	ND		ug/kg	14	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	14	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-12
 Client ID: SB/MW-101 (8.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 14:03
 Analyst: BN
 Percent Solids: 78%

Date Collected: 05/26/10 10:40
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	32	--	1
1,1-Dichloroethane	ND		ug/kg	4.8	--	1
Chloroform	ND		ug/kg	4.8	--	1
Carbon tetrachloride	ND		ug/kg	3.2	--	1
1,2-Dichloropropane	ND		ug/kg	11	--	1
Dibromochloromethane	ND		ug/kg	3.2	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.8	--	1
Tetrachloroethene	ND		ug/kg	3.2	--	1
Chlorobenzene	ND		ug/kg	3.2	--	1
Trichlorofluoromethane	ND		ug/kg	16	--	1
1,2-Dichloroethane	ND		ug/kg	3.2	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.2	--	1
Bromodichloromethane	ND		ug/kg	3.2	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.2	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.2	--	1
1,1-Dichloropropene	ND		ug/kg	16	--	1
Bromoform	ND		ug/kg	13	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.2	--	1
Benzene	ND		ug/kg	3.2	--	1
Toluene	ND		ug/kg	4.8	--	1
Ethylbenzene	ND		ug/kg	3.2	--	1
Chloromethane	ND		ug/kg	16	--	1
Bromomethane	ND		ug/kg	6.4	--	1
Vinyl chloride	ND		ug/kg	6.4	--	1
Chloroethane	ND		ug/kg	6.4	--	1
1,1-Dichloroethene	ND		ug/kg	3.2	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.8	--	1
Trichloroethene	ND		ug/kg	3.2	--	1
1,2-Dichlorobenzene	ND		ug/kg	16	--	1
1,3-Dichlorobenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-12
 Client ID: SB/MW-101 (8.5)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:40
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	16	--	1
Methyl tert butyl ether	ND		ug/kg	6.4	--	1
p/m-Xylene	ND		ug/kg	6.4	--	1
o-Xylene	ND		ug/kg	6.4	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.2	--	1
Dibromomethane	ND		ug/kg	32	--	1
Styrene	ND		ug/kg	6.4	--	1
Dichlorodifluoromethane	ND		ug/kg	32	--	1
Acetone	ND		ug/kg	120	--	1
Carbon disulfide	ND		ug/kg	32	--	1
2-Butanone	ND		ug/kg	32	--	1
Vinyl acetate	ND		ug/kg	32	--	1
4-Methyl-2-pentanone	ND		ug/kg	32	--	1
1,2,3-Trichloropropane	ND		ug/kg	32	--	1
2-Hexanone	ND		ug/kg	32	--	1
Bromochloromethane	ND		ug/kg	16	--	1
2,2-Dichloropropane	ND		ug/kg	16	--	1
1,2-Dibromoethane	ND		ug/kg	13	--	1
1,3-Dichloropropane	ND		ug/kg	16	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.2	--	1
Bromobenzene	ND		ug/kg	16	--	1
n-Butylbenzene	ND		ug/kg	3.2	--	1
sec-Butylbenzene	ND		ug/kg	3.2	--	1
tert-Butylbenzene	ND		ug/kg	16	--	1
o-Chlorotoluene	ND		ug/kg	16	--	1
p-Chlorotoluene	ND		ug/kg	16	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	16	--	1
Isopropylbenzene	ND		ug/kg	3.2	--	1
p-Isopropyltoluene	ND		ug/kg	3.2	--	1
Naphthalene	ND		ug/kg	16	--	1
Acrylonitrile	ND		ug/kg	32	--	1
n-Propylbenzene	ND		ug/kg	3.2	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	16	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	16	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	16	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-12
 Client ID: SB/MW-101 (8.5)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:40
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	13	--	1
4-Ethyltoluene	ND		ug/kg	13	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	13	--	1
Ethyl ether	ND		ug/kg	16	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	16	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	99		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-14
 Client ID: SB/MW-101 (128.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 14:30
 Analyst: BN
 Percent Solids: 63%

Date Collected: 05/27/10 08:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	40	--	1
1,1-Dichloroethane	ND		ug/kg	6.0	--	1
Chloroform	ND		ug/kg	6.0	--	1
Carbon tetrachloride	ND		ug/kg	4.0	--	1
1,2-Dichloropropane	ND		ug/kg	14	--	1
Dibromochloromethane	ND		ug/kg	4.0	--	1
1,1,2-Trichloroethane	ND		ug/kg	6.0	--	1
Tetrachloroethene	ND		ug/kg	4.0	--	1
Chlorobenzene	ND		ug/kg	4.0	--	1
Trichlorofluoromethane	ND		ug/kg	20	--	1
1,2-Dichloroethane	ND		ug/kg	4.0	--	1
1,1,1-Trichloroethane	ND		ug/kg	4.0	--	1
Bromodichloromethane	ND		ug/kg	4.0	--	1
trans-1,3-Dichloropropene	ND		ug/kg	4.0	--	1
cis-1,3-Dichloropropene	ND		ug/kg	4.0	--	1
1,1-Dichloropropene	ND		ug/kg	20	--	1
Bromoform	ND		ug/kg	16	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	4.0	--	1
Benzene	ND		ug/kg	4.0	--	1
Toluene	ND		ug/kg	6.0	--	1
Ethylbenzene	ND		ug/kg	4.0	--	1
Chloromethane	ND		ug/kg	20	--	1
Bromomethane	ND		ug/kg	7.9	--	1
Vinyl chloride	ND		ug/kg	7.9	--	1
Chloroethane	ND		ug/kg	7.9	--	1
1,1-Dichloroethene	ND		ug/kg	4.0	--	1
trans-1,2-Dichloroethene	ND		ug/kg	6.0	--	1
Trichloroethene	ND		ug/kg	4.0	--	1
1,2-Dichlorobenzene	ND		ug/kg	20	--	1
1,3-Dichlorobenzene	ND		ug/kg	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-14
 Client ID: SB/MW-101 (128.5)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 08:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	20	--	1
Methyl tert butyl ether	ND		ug/kg	7.9	--	1
p/m-Xylene	ND		ug/kg	7.9	--	1
o-Xylene	ND		ug/kg	7.9	--	1
cis-1,2-Dichloroethene	ND		ug/kg	4.0	--	1
Dibromomethane	ND		ug/kg	40	--	1
Styrene	ND		ug/kg	7.9	--	1
Dichlorodifluoromethane	ND		ug/kg	40	--	1
Acetone	ND		ug/kg	140	--	1
Carbon disulfide	ND		ug/kg	40	--	1
2-Butanone	ND		ug/kg	40	--	1
Vinyl acetate	ND		ug/kg	40	--	1
4-Methyl-2-pentanone	ND		ug/kg	40	--	1
1,2,3-Trichloropropane	ND		ug/kg	40	--	1
2-Hexanone	ND		ug/kg	40	--	1
Bromochloromethane	ND		ug/kg	20	--	1
2,2-Dichloropropane	ND		ug/kg	20	--	1
1,2-Dibromoethane	ND		ug/kg	16	--	1
1,3-Dichloropropane	ND		ug/kg	20	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	4.0	--	1
Bromobenzene	ND		ug/kg	20	--	1
n-Butylbenzene	ND		ug/kg	4.0	--	1
sec-Butylbenzene	ND		ug/kg	4.0	--	1
tert-Butylbenzene	ND		ug/kg	20	--	1
o-Chlorotoluene	ND		ug/kg	20	--	1
p-Chlorotoluene	ND		ug/kg	20	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	20	--	1
Hexachlorobutadiene	ND		ug/kg	20	--	1
Isopropylbenzene	ND		ug/kg	4.0	--	1
p-Isopropyltoluene	ND		ug/kg	4.0	--	1
Naphthalene	ND		ug/kg	20	--	1
Acrylonitrile	ND		ug/kg	40	--	1
n-Propylbenzene	ND		ug/kg	4.0	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	20	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	20	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	20	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-14
 Client ID: SB/MW-101 (128.5)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 08:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	16	--	1
4-Ethyltoluene	ND		ug/kg	16	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	16	--	1
Ethyl ether	ND		ug/kg	20	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	20	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	99		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-16
 Client ID: SB/MW-101 (149)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 14:58
 Analyst: BN
 Percent Solids: 83%

Date Collected: 05/27/10 10:10
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	30	--	1
1,1-Dichloroethane	ND		ug/kg	4.5	--	1
Chloroform	ND		ug/kg	4.5	--	1
Carbon tetrachloride	ND		ug/kg	3.0	--	1
1,2-Dichloropropane	ND		ug/kg	10	--	1
Dibromochloromethane	ND		ug/kg	3.0	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.5	--	1
Tetrachloroethene	ND		ug/kg	3.0	--	1
Chlorobenzene	ND		ug/kg	3.0	--	1
Trichlorofluoromethane	ND		ug/kg	15	--	1
1,2-Dichloroethane	ND		ug/kg	3.0	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.0	--	1
Bromodichloromethane	ND		ug/kg	3.0	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.0	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.0	--	1
1,1-Dichloropropene	ND		ug/kg	15	--	1
Bromoform	ND		ug/kg	12	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.0	--	1
Benzene	ND		ug/kg	3.0	--	1
Toluene	ND		ug/kg	4.5	--	1
Ethylbenzene	ND		ug/kg	3.0	--	1
Chloromethane	ND		ug/kg	15	--	1
Bromomethane	ND		ug/kg	6.0	--	1
Vinyl chloride	ND		ug/kg	6.0	--	1
Chloroethane	ND		ug/kg	6.0	--	1
1,1-Dichloroethene	ND		ug/kg	3.0	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.5	--	1
Trichloroethene	ND		ug/kg	3.0	--	1
1,2-Dichlorobenzene	ND		ug/kg	15	--	1
1,3-Dichlorobenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-16
 Client ID: SB/MW-101 (149)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 10:10
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	15	--	1
Methyl tert butyl ether	ND		ug/kg	6.0	--	1
p/m-Xylene	ND		ug/kg	6.0	--	1
o-Xylene	ND		ug/kg	6.0	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.0	--	1
Dibromomethane	ND		ug/kg	30	--	1
Styrene	ND		ug/kg	6.0	--	1
Dichlorodifluoromethane	ND		ug/kg	30	--	1
Acetone	ND		ug/kg	110	--	1
Carbon disulfide	ND		ug/kg	30	--	1
2-Butanone	ND		ug/kg	30	--	1
Vinyl acetate	ND		ug/kg	30	--	1
4-Methyl-2-pentanone	ND		ug/kg	30	--	1
1,2,3-Trichloropropane	ND		ug/kg	30	--	1
2-Hexanone	ND		ug/kg	30	--	1
Bromochloromethane	ND		ug/kg	15	--	1
2,2-Dichloropropane	ND		ug/kg	15	--	1
1,2-Dibromoethane	ND		ug/kg	12	--	1
1,3-Dichloropropane	ND		ug/kg	15	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.0	--	1
Bromobenzene	ND		ug/kg	15	--	1
n-Butylbenzene	ND		ug/kg	3.0	--	1
sec-Butylbenzene	ND		ug/kg	3.0	--	1
tert-Butylbenzene	ND		ug/kg	15	--	1
o-Chlorotoluene	ND		ug/kg	15	--	1
p-Chlorotoluene	ND		ug/kg	15	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	15	--	1
Isopropylbenzene	ND		ug/kg	3.0	--	1
p-Isopropyltoluene	ND		ug/kg	3.0	--	1
Naphthalene	ND		ug/kg	15	--	1
Acrylonitrile	ND		ug/kg	30	--	1
n-Propylbenzene	ND		ug/kg	3.0	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	15	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	15	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	15	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-16
 Client ID: SB/MW-101 (149)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 10:10
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	12	--	1
4-Ethyltoluene	ND		ug/kg	12	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	12	--	1
Ethyl ether	ND		ug/kg	15	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	15	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	99		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-18
 Client ID: SB/MW-105 (3)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 15:25
 Analyst: BN
 Percent Solids: 93%

Date Collected: 05/28/10 10:55
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	27	--	1
1,1-Dichloroethane	ND		ug/kg	4.0	--	1
Chloroform	ND		ug/kg	4.0	--	1
Carbon tetrachloride	ND		ug/kg	2.7	--	1
1,2-Dichloropropane	ND		ug/kg	9.4	--	1
Dibromochloromethane	ND		ug/kg	2.7	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.0	--	1
Tetrachloroethene	ND		ug/kg	2.7	--	1
Chlorobenzene	ND		ug/kg	2.7	--	1
Trichlorofluoromethane	ND		ug/kg	13	--	1
1,2-Dichloroethane	ND		ug/kg	2.7	--	1
1,1,1-Trichloroethane	ND		ug/kg	2.7	--	1
Bromodichloromethane	ND		ug/kg	2.7	--	1
trans-1,3-Dichloropropene	ND		ug/kg	2.7	--	1
cis-1,3-Dichloropropene	ND		ug/kg	2.7	--	1
1,1-Dichloropropene	ND		ug/kg	13	--	1
Bromoform	ND		ug/kg	11	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.7	--	1
Benzene	4.6		ug/kg	2.7	--	1
Toluene	5.1		ug/kg	4.0	--	1
Ethylbenzene	60		ug/kg	2.7	--	1
Chloromethane	ND		ug/kg	13	--	1
Bromomethane	ND		ug/kg	5.4	--	1
Vinyl chloride	ND		ug/kg	5.4	--	1
Chloroethane	ND		ug/kg	5.4	--	1
1,1-Dichloroethene	ND		ug/kg	2.7	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.0	--	1
Trichloroethene	ND		ug/kg	2.7	--	1
1,2-Dichlorobenzene	ND		ug/kg	13	--	1
1,3-Dichlorobenzene	ND		ug/kg	13	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-18
 Client ID: SB/MW-105 (3)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 10:55
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	13	--	1
Methyl tert butyl ether	ND		ug/kg	5.4	--	1
p/m-Xylene	100		ug/kg	5.4	--	1
o-Xylene	8.2		ug/kg	5.4	--	1
cis-1,2-Dichloroethene	ND		ug/kg	2.7	--	1
Dibromomethane	ND		ug/kg	27	--	1
Styrene	ND		ug/kg	5.4	--	1
Dichlorodifluoromethane	ND		ug/kg	27	--	1
Acetone	ND		ug/kg	97	--	1
Carbon disulfide	ND		ug/kg	27	--	1
2-Butanone	ND		ug/kg	27	--	1
Vinyl acetate	ND		ug/kg	27	--	1
4-Methyl-2-pentanone	ND		ug/kg	27	--	1
1,2,3-Trichloropropane	ND		ug/kg	27	--	1
2-Hexanone	ND		ug/kg	27	--	1
Bromochloromethane	ND		ug/kg	13	--	1
2,2-Dichloropropane	ND		ug/kg	13	--	1
1,2-Dibromoethane	ND		ug/kg	11	--	1
1,3-Dichloropropane	ND		ug/kg	13	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.7	--	1
Bromobenzene	ND		ug/kg	13	--	1
n-Butylbenzene	ND		ug/kg	2.7	--	1
sec-Butylbenzene	8.3		ug/kg	2.7	--	1
tert-Butylbenzene	ND		ug/kg	13	--	1
o-Chlorotoluene	ND		ug/kg	13	--	1
p-Chlorotoluene	ND		ug/kg	13	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	13	--	1
Hexachlorobutadiene	ND		ug/kg	13	--	1
Isopropylbenzene	21		ug/kg	2.7	--	1
p-Isopropyltoluene	ND		ug/kg	2.7	--	1
Naphthalene	ND		ug/kg	13	--	1
Acrylonitrile	ND		ug/kg	27	--	1
n-Propylbenzene	42		ug/kg	2.7	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	13	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	13	--	1
1,3,5-Trimethylbenzene	130		ug/kg	13	--	1
1,2,4-Trimethylbenzene	320		ug/kg	13	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-18
 Client ID: SB/MW-105 (3)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 10:55
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	58		ug/kg	11	--	1
4-Ethyltoluene	87		ug/kg	11	--	1
1,2,4,5-Tetramethylbenzene	11		ug/kg	11	--	1
Ethyl ether	ND		ug/kg	13	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	13	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	70		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-20 D2
 Client ID: SB/MW-105 (9.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/06/10 09:48
 Analyst: BN
 Percent Solids: 82%

Date Collected: 05/28/10 11:20
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
p/m-Xylene	700000		ug/kg	30000	--	5000
1,2,4-Trimethylbenzene	480000		ug/kg	76000	--	5000
4-Ethyltoluene	300000		ug/kg	61000	--	5000

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-20 D
 Client ID: SB/MW-105 (9.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 16:21
 Analyst: BN
 Percent Solids: 82%

Date Collected: 05/28/10 11:20
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	12000	--	400
1,1-Dichloroethane	ND		ug/kg	1800	--	400
Chloroform	ND		ug/kg	1800	--	400
Carbon tetrachloride	ND		ug/kg	1200	--	400
1,2-Dichloropropane	ND		ug/kg	4300	--	400
Dibromochloromethane	ND		ug/kg	1200	--	400
1,1,2-Trichloroethane	ND		ug/kg	1800	--	400
Tetrachloroethene	ND		ug/kg	1200	--	400
Chlorobenzene	ND		ug/kg	1200	--	400
Trichlorofluoromethane	ND		ug/kg	6100	--	400
1,2-Dichloroethane	ND		ug/kg	1200	--	400
1,1,1-Trichloroethane	ND		ug/kg	1200	--	400
Bromodichloromethane	ND		ug/kg	1200	--	400
trans-1,3-Dichloropropene	ND		ug/kg	1200	--	400
cis-1,3-Dichloropropene	ND		ug/kg	1200	--	400
1,1-Dichloropropene	ND		ug/kg	6100	--	400
Bromoform	ND		ug/kg	4900	--	400
1,1,2,2-Tetrachloroethane	ND		ug/kg	1200	--	400
Benzene	ND		ug/kg	1200	--	400
Toluene	12000		ug/kg	1800	--	400
Ethylbenzene	150000		ug/kg	1200	--	400
Chloromethane	ND		ug/kg	6100	--	400
Bromomethane	ND		ug/kg	2400	--	400
Vinyl chloride	ND		ug/kg	2400	--	400
Chloroethane	ND		ug/kg	2400	--	400
1,1-Dichloroethene	ND		ug/kg	1200	--	400
trans-1,2-Dichloroethene	ND		ug/kg	1800	--	400
Trichloroethene	ND		ug/kg	1200	--	400
1,2-Dichlorobenzene	ND		ug/kg	6100	--	400
1,3-Dichlorobenzene	ND		ug/kg	6100	--	400

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-20 D

Date Collected: 05/28/10 11:20

Client ID: SB/MW-105 (9.5)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	6100	--	400
Methyl tert butyl ether	ND		ug/kg	2400	--	400
p/m-Xylene	520000	E	ug/kg	2400	--	400
o-Xylene	170000		ug/kg	2400	--	400
cis-1,2-Dichloroethene	ND		ug/kg	1200	--	400
Dibromomethane	ND		ug/kg	12000	--	400
Styrene	ND		ug/kg	2400	--	400
Dichlorodifluoromethane	ND		ug/kg	12000	--	400
Acetone	ND		ug/kg	44000	--	400
Carbon disulfide	ND		ug/kg	12000	--	400
2-Butanone	ND		ug/kg	12000	--	400
Vinyl acetate	ND		ug/kg	12000	--	400
4-Methyl-2-pentanone	ND		ug/kg	12000	--	400
1,2,3-Trichloropropane	ND		ug/kg	12000	--	400
2-Hexanone	ND		ug/kg	12000	--	400
Bromochloromethane	ND		ug/kg	6100	--	400
2,2-Dichloropropane	ND		ug/kg	6100	--	400
1,2-Dibromoethane	ND		ug/kg	4900	--	400
1,3-Dichloropropane	ND		ug/kg	6100	--	400
1,1,1,2-Tetrachloroethane	ND		ug/kg	1200	--	400
Bromobenzene	ND		ug/kg	6100	--	400
n-Butylbenzene	37000		ug/kg	1200	--	400
sec-Butylbenzene	12000		ug/kg	1200	--	400
tert-Butylbenzene	ND		ug/kg	6100	--	400
o-Chlorotoluene	ND		ug/kg	6100	--	400
p-Chlorotoluene	ND		ug/kg	6100	--	400
1,2-Dibromo-3-chloropropane	ND		ug/kg	6100	--	400
Hexachlorobutadiene	ND		ug/kg	6100	--	400
Isopropylbenzene	22000		ug/kg	1200	--	400
p-Isopropyltoluene	5800		ug/kg	1200	--	400
Naphthalene	17000		ug/kg	6100	--	400
Acrylonitrile	ND		ug/kg	12000	--	400
n-Propylbenzene	81000		ug/kg	1200	--	400
1,2,3-Trichlorobenzene	ND		ug/kg	6100	--	400
1,2,4-Trichlorobenzene	ND		ug/kg	6100	--	400
1,3,5-Trimethylbenzene	110000		ug/kg	6100	--	400
1,2,4-Trimethylbenzene	370000	E	ug/kg	6100	--	400

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-20 D
 Client ID: SB/MW-105 (9.5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:20
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	130000		ug/kg	4900	--	400
4-Ethyltoluene	330000	E	ug/kg	4900	--	400
1,2,4,5-Tetramethylbenzene	34000		ug/kg	4900	--	400
Ethyl ether	ND		ug/kg	6100	--	400
trans-1,4-Dichloro-2-butene	ND		ug/kg	6100	--	400

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-22 D
 Client ID: SB/MW-105 (24)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/04/10 15:53
 Analyst: BN
 Percent Solids: 83%

Date Collected: 05/28/10 11:40
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	30	--	10
1,1-Dichloroethane	ND		ug/kg	4.5	--	10
Chloroform	ND		ug/kg	4.5	--	10
Carbon tetrachloride	ND		ug/kg	3.0	--	10
1,2-Dichloropropane	ND		ug/kg	10	--	10
Dibromochloromethane	ND		ug/kg	3.0	--	10
1,1,2-Trichloroethane	ND		ug/kg	4.5	--	10
Tetrachloroethene	ND		ug/kg	3.0	--	10
Chlorobenzene	ND		ug/kg	3.0	--	10
Trichlorofluoromethane	ND		ug/kg	15	--	10
1,2-Dichloroethane	ND		ug/kg	3.0	--	10
1,1,1-Trichloroethane	ND		ug/kg	3.0	--	10
Bromodichloromethane	ND		ug/kg	3.0	--	10
trans-1,3-Dichloropropene	ND		ug/kg	3.0	--	10
cis-1,3-Dichloropropene	ND		ug/kg	3.0	--	10
1,1-Dichloropropene	ND		ug/kg	15	--	10
Bromoform	ND		ug/kg	12	--	10
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.0	--	10
Benzene	ND		ug/kg	3.0	--	10
Toluene	ND		ug/kg	4.5	--	10
Ethylbenzene	28		ug/kg	3.0	--	10
Chloromethane	ND		ug/kg	15	--	10
Bromomethane	ND		ug/kg	6.0	--	10
Vinyl chloride	ND		ug/kg	6.0	--	10
Chloroethane	ND		ug/kg	6.0	--	10
1,1-Dichloroethene	ND		ug/kg	3.0	--	10
trans-1,2-Dichloroethene	ND		ug/kg	4.5	--	10
Trichloroethene	ND		ug/kg	3.0	--	10
1,2-Dichlorobenzene	ND		ug/kg	15	--	10
1,3-Dichlorobenzene	ND		ug/kg	15	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-22 D
 Client ID: SB/MW-105 (24)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:40
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	15	--	10
Methyl tert butyl ether	ND		ug/kg	6.0	--	10
p/m-Xylene	130		ug/kg	6.0	--	10
o-Xylene	61		ug/kg	6.0	--	10
cis-1,2-Dichloroethene	ND		ug/kg	3.0	--	10
Dibromomethane	ND		ug/kg	30	--	10
Styrene	ND		ug/kg	6.0	--	10
Dichlorodifluoromethane	ND		ug/kg	30	--	10
Acetone	ND		ug/kg	110	--	10
Carbon disulfide	ND		ug/kg	30	--	10
2-Butanone	ND		ug/kg	30	--	10
Vinyl acetate	ND		ug/kg	30	--	10
4-Methyl-2-pentanone	ND		ug/kg	30	--	10
1,2,3-Trichloropropane	ND		ug/kg	30	--	10
2-Hexanone	ND		ug/kg	30	--	10
Bromochloromethane	ND		ug/kg	15	--	10
2,2-Dichloropropane	ND		ug/kg	15	--	10
1,2-Dibromoethane	ND		ug/kg	12	--	10
1,3-Dichloropropane	ND		ug/kg	15	--	10
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.0	--	10
Bromobenzene	ND		ug/kg	15	--	10
n-Butylbenzene	53		ug/kg	3.0	--	10
sec-Butylbenzene	15		ug/kg	3.0	--	10
tert-Butylbenzene	ND		ug/kg	15	--	10
o-Chlorotoluene	ND		ug/kg	15	--	10
p-Chlorotoluene	ND		ug/kg	15	--	10
1,2-Dibromo-3-chloropropane	ND		ug/kg	15	--	10
Hexachlorobutadiene	ND		ug/kg	15	--	10
Isopropylbenzene	10		ug/kg	3.0	--	10
p-Isopropyltoluene	7.3		ug/kg	3.0	--	10
Naphthalene	26		ug/kg	15	--	10
Acrylonitrile	ND		ug/kg	30	--	10
n-Propylbenzene	57		ug/kg	3.0	--	10
1,2,3-Trichlorobenzene	ND		ug/kg	15	--	10
1,2,4-Trichlorobenzene	ND		ug/kg	15	--	10
1,3,5-Trimethylbenzene	100		ug/kg	15	--	10
1,2,4-Trimethylbenzene	370		ug/kg	15	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-22 D
 Client ID: SB/MW-105 (24)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:40
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	200		ug/kg	12	--	10
4-Ethyltoluene	ND		ug/kg	12	--	10
1,2,4,5-Tetramethylbenzene	55		ug/kg	12	--	10
Ethyl ether	ND		ug/kg	15	--	10
trans-1,4-Dichloro-2-butene	ND		ug/kg	15	--	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	95		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/02/10 17:00
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG415913-3					
Methylene chloride	ND		ug/l	5.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/02/10 17:00
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG415913-3					
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/02/10 17:00
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG415913-3					
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
1,4-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	96		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/04/10 09:12
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,04,06-07,10,12,14,16,18,20,22 Batch: WG416404-3					
Methylene chloride	ND		ug/kg	25	--
1,1-Dichloroethane	ND		ug/kg	3.8	--
Chloroform	ND		ug/kg	3.8	--
Carbon tetrachloride	ND		ug/kg	2.5	--
1,2-Dichloropropane	ND		ug/kg	8.8	--
Dibromochloromethane	ND		ug/kg	2.5	--
1,1,2-Trichloroethane	ND		ug/kg	3.8	--
Tetrachloroethene	ND		ug/kg	2.5	--
Chlorobenzene	ND		ug/kg	2.5	--
Trichlorofluoromethane	ND		ug/kg	12	--
1,2-Dichloroethane	ND		ug/kg	2.5	--
1,1,1-Trichloroethane	ND		ug/kg	2.5	--
Bromodichloromethane	ND		ug/kg	2.5	--
trans-1,3-Dichloropropene	ND		ug/kg	2.5	--
cis-1,3-Dichloropropene	ND		ug/kg	2.5	--
1,1-Dichloropropene	ND		ug/kg	12	--
Bromoform	ND		ug/kg	10	--
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.5	--
Benzene	ND		ug/kg	2.5	--
Toluene	ND		ug/kg	3.8	--
Ethylbenzene	ND		ug/kg	2.5	--
Chloromethane	ND		ug/kg	12	--
Bromomethane	ND		ug/kg	5.0	--
Vinyl chloride	ND		ug/kg	5.0	--
Chloroethane	ND		ug/kg	5.0	--
1,1-Dichloroethene	ND		ug/kg	2.5	--
trans-1,2-Dichloroethene	ND		ug/kg	3.8	--
Trichloroethene	ND		ug/kg	2.5	--
1,2-Dichlorobenzene	ND		ug/kg	12	--
1,3-Dichlorobenzene	ND		ug/kg	12	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/04/10 09:12
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,04,06-07,10,12,14,16,18,20,22 Batch: WG416404-3					
1,4-Dichlorobenzene	ND		ug/kg	12	--
Methyl tert butyl ether	ND		ug/kg	5.0	--
p/m-Xylene	ND		ug/kg	5.0	--
o-Xylene	ND		ug/kg	5.0	--
cis-1,2-Dichloroethene	ND		ug/kg	2.5	--
Dibromomethane	ND		ug/kg	25	--
Styrene	ND		ug/kg	5.0	--
Dichlorodifluoromethane	ND		ug/kg	25	--
Acetone	ND		ug/kg	90	--
Carbon disulfide	ND		ug/kg	25	--
2-Butanone	ND		ug/kg	25	--
Vinyl acetate	ND		ug/kg	25	--
4-Methyl-2-pentanone	ND		ug/kg	25	--
1,2,3-Trichloropropane	ND		ug/kg	25	--
2-Hexanone	ND		ug/kg	25	--
Bromochloromethane	ND		ug/kg	12	--
2,2-Dichloropropane	ND		ug/kg	12	--
1,2-Dibromoethane	ND		ug/kg	10	--
1,3-Dichloropropane	ND		ug/kg	12	--
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.5	--
Bromobenzene	ND		ug/kg	12	--
n-Butylbenzene	ND		ug/kg	2.5	--
sec-Butylbenzene	ND		ug/kg	2.5	--
tert-Butylbenzene	ND		ug/kg	12	--
o-Chlorotoluene	ND		ug/kg	12	--
p-Chlorotoluene	ND		ug/kg	12	--
1,2-Dibromo-3-chloropropane	ND		ug/kg	12	--
Hexachlorobutadiene	ND		ug/kg	12	--
Isopropylbenzene	ND		ug/kg	2.5	--
p-Isopropyltoluene	ND		ug/kg	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/04/10 09:12
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,04,06-07,10,12,14,16,18,20,22 Batch: WG416404-3					
Naphthalene	ND		ug/kg	12	--
Acrylonitrile	ND		ug/kg	25	--
n-Propylbenzene	ND		ug/kg	2.5	--
1,2,3-Trichlorobenzene	ND		ug/kg	12	--
1,2,4-Trichlorobenzene	ND		ug/kg	12	--
1,3,5-Trimethylbenzene	ND		ug/kg	12	--
1,2,4-Trimethylbenzene	ND		ug/kg	12	--
1,4-Diethylbenzene	ND		ug/kg	10	--
4-Ethyltoluene	ND		ug/kg	10	--
1,2,4,5-Tetramethylbenzene	ND		ug/kg	10	--
Ethyl ether	ND		ug/kg	12	--
trans-1,4-Dichloro-2-butene	ND		ug/kg	12	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/06/10 09:20
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 20 Batch: WG416404-8					
Methylene chloride	ND		ug/kg	25	--
1,1-Dichloroethane	ND		ug/kg	3.8	--
Chloroform	ND		ug/kg	3.8	--
Carbon tetrachloride	ND		ug/kg	2.5	--
1,2-Dichloropropane	ND		ug/kg	8.8	--
Dibromochloromethane	ND		ug/kg	2.5	--
1,1,2-Trichloroethane	ND		ug/kg	3.8	--
Tetrachloroethene	ND		ug/kg	2.5	--
Chlorobenzene	ND		ug/kg	2.5	--
Trichlorofluoromethane	ND		ug/kg	12	--
1,2-Dichloroethane	ND		ug/kg	2.5	--
1,1,1-Trichloroethane	ND		ug/kg	2.5	--
Bromodichloromethane	ND		ug/kg	2.5	--
trans-1,3-Dichloropropene	ND		ug/kg	2.5	--
cis-1,3-Dichloropropene	ND		ug/kg	2.5	--
1,1-Dichloropropene	ND		ug/kg	12	--
Bromoform	ND		ug/kg	10	--
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.5	--
Benzene	ND		ug/kg	2.5	--
Toluene	ND		ug/kg	3.8	--
Ethylbenzene	ND		ug/kg	2.5	--
Chloromethane	ND		ug/kg	12	--
Bromomethane	ND		ug/kg	5.0	--
Vinyl chloride	ND		ug/kg	5.0	--
Chloroethane	ND		ug/kg	5.0	--
1,1-Dichloroethene	ND		ug/kg	2.5	--
trans-1,2-Dichloroethene	ND		ug/kg	3.8	--
Trichloroethene	ND		ug/kg	2.5	--
1,2-Dichlorobenzene	ND		ug/kg	12	--
1,3-Dichlorobenzene	ND		ug/kg	12	--
1,4-Dichlorobenzene	ND		ug/kg	12	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
 Analytical Date: 06/06/10 09:20
 Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 20 Batch: WG416404-8					
Methyl tert butyl ether	ND		ug/kg	5.0	--
p/m-Xylene	ND		ug/kg	5.0	--
o-Xylene	ND		ug/kg	5.0	--
cis-1,2-Dichloroethene	ND		ug/kg	2.5	--
Dibromomethane	ND		ug/kg	25	--
Styrene	ND		ug/kg	5.0	--
Dichlorodifluoromethane	ND		ug/kg	25	--
Acetone	ND		ug/kg	90	--
Carbon disulfide	ND		ug/kg	25	--
2-Butanone	ND		ug/kg	25	--
Vinyl acetate	ND		ug/kg	25	--
4-Methyl-2-pentanone	ND		ug/kg	25	--
1,2,3-Trichloropropane	ND		ug/kg	25	--
2-Hexanone	ND		ug/kg	25	--
Bromochloromethane	ND		ug/kg	12	--
2,2-Dichloropropane	ND		ug/kg	12	--
1,2-Dibromoethane	ND		ug/kg	10	--
1,3-Dichloropropane	ND		ug/kg	12	--
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.5	--
Bromobenzene	ND		ug/kg	12	--
n-Butylbenzene	ND		ug/kg	2.5	--
sec-Butylbenzene	ND		ug/kg	2.5	--
tert-Butylbenzene	ND		ug/kg	12	--
o-Chlorotoluene	ND		ug/kg	12	--
p-Chlorotoluene	ND		ug/kg	12	--
1,2-Dibromo-3-chloropropane	ND		ug/kg	12	--
Hexachlorobutadiene	ND		ug/kg	12	--
Isopropylbenzene	ND		ug/kg	2.5	--
p-Isopropyltoluene	ND		ug/kg	2.5	--
Naphthalene	ND		ug/kg	12	--
Acrylonitrile	ND		ug/kg	25	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/06/10 09:20
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 20 Batch: WG416404-8					
n-Propylbenzene	ND		ug/kg	2.5	--
1,2,3-Trichlorobenzene	ND		ug/kg	12	--
1,2,4-Trichlorobenzene	ND		ug/kg	12	--
1,3,5-Trimethylbenzene	ND		ug/kg	12	--
1,2,4-Trimethylbenzene	ND		ug/kg	12	--
1,4-Diethylbenzene	ND		ug/kg	10	--
4-Ethyltoluene	ND		ug/kg	10	--
1,2,4,5-Tetramethylbenzene	ND		ug/kg	10	--
Ethyl ether	ND		ug/kg	12	--
trans-1,4-Dichloro-2-butene	ND		ug/kg	12	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG415913-1 WG415913-2								
Chlorobenzene	100		97		75-130	3		20
Benzene	103		100		76-127	3		20
Toluene	101		99		76-125	2		20
1,1-Dichloroethene	100		96		61-145	4		20
Trichloroethene	100		98		71-120	2		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	99		100		70-130
Toluene-d8	102		101		70-130
4-Bromofluorobenzene	105		106		70-130
Dibromofluoromethane	97		99		70-130

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,04,06-07,10,12,14,16,18,20,22 Batch: WG416404-1 WG416404-2								
Chlorobenzene	91		95		60-133	4		30
Benzene	92		97		66-142	5		30
Toluene	87		91		59-139	4		30
1,1-Dichloroethene	96		126		59-172	27		30
Trichloroethene	90		94		62-137	4		30

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	98		97		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	99		99		70-130
Dibromofluoromethane	100		100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 20 Batch: WG416404-6 WG416404-7								
Chlorobenzene	94		92		60-133	2		30
Benzene	96		95		66-142	1		30
Toluene	94		92		59-139	2		30
1,1-Dichloroethene	114		114		59-172	0		30
Trichloroethene	95		92		62-137	3		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	96		97		70-130
Toluene-d8	99		99		70-130
4-Bromofluorobenzene	96		98		70-130
Dibromofluoromethane	98		99		70-130

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,04,06-07,10,12,14,16,18,20,22 QC Batch ID: WG416404-4 WG416404-5 QC Sample: L1008075-01 Client ID: SS-101												
Chlorobenzene	ND	54.9	40	74		39	71		60-133	4		30
Benzene	ND	54.9	46	83		45	82		66-142	1		30
Toluene	ND	54.9	42	77		42	77		59-139	0		30
1,1-Dichloroethene	ND	54.9	58	106		48	87		59-172	20		30
Trichloroethene	ND	54.9	43	79		43	78		62-137	1		30

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		96		70-130
4-Bromofluorobenzene	99		99		70-130
Dibromofluoromethane	100		99		70-130
Toluene-d8	99		98		70-130

SEMIVOLATILES

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01
 Client ID: SS-101
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 04:22
 Analyst: PS
 Percent Solids: 91%

Date Collected: 05/25/10 09:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	350	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	350	--	1
1,2-Dichlorobenzene	ND		ug/kg	350	--	1
1,3-Dichlorobenzene	ND		ug/kg	350	--	1
1,4-Dichlorobenzene	ND		ug/kg	350	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	700	--	1
2,4-Dinitrotoluene	ND		ug/kg	350	--	1
2,6-Dinitrotoluene	ND		ug/kg	350	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	350	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	350	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	350	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	350	--	1
Hexachlorocyclopentadiene	ND		ug/kg	700	--	1
Isophorone	ND		ug/kg	350	--	1
Nitrobenzene	ND		ug/kg	350	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1000	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	350	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	700	--	1
Butyl benzyl phthalate	ND		ug/kg	350	--	1
Di-n-butylphthalate	ND		ug/kg	350	--	1
Di-n-octylphthalate	ND		ug/kg	350	--	1
Diethyl phthalate	ND		ug/kg	350	--	1
Dimethyl phthalate	ND		ug/kg	350	--	1
Biphenyl	ND		ug/kg	350	--	1
4-Chloroaniline	ND		ug/kg	350	--	1
2-Nitroaniline	ND		ug/kg	350	--	1
3-Nitroaniline	ND		ug/kg	350	--	1
4-Nitroaniline	ND		ug/kg	490	--	1
Dibenzofuran	ND		ug/kg	350	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1400	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01

Date Collected: 05/25/10 09:00

Client ID: SS-101

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1400	--	1
2,4,6-Trichlorophenol	ND		ug/kg	350	--	1
P-Chloro-M-Cresol	ND		ug/kg	350	--	1
2-Chlorophenol	ND		ug/kg	420	--	1
2,4-Dichlorophenol	ND		ug/kg	700	--	1
2,4-Dimethylphenol	ND		ug/kg	350	--	1
2-Nitrophenol	ND		ug/kg	1400	--	1
4-Nitrophenol	ND		ug/kg	700	--	1
2,4-Dinitrophenol	ND		ug/kg	1400	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1400	--	1
Phenol	ND		ug/kg	490	--	1
2-Methylphenol	ND		ug/kg	420	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	420	--	1
2,4,5-Trichlorophenol	ND		ug/kg	350	--	1
Benzoic Acid	ND		ug/kg	3500	--	1
Benzyl Alcohol	ND		ug/kg	700	--	1
Carbazole	ND		ug/kg	350	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	55		25-120
Phenol-d6	57		10-120
Nitrobenzene-d5	48		23-120
2-Fluorobiphenyl	61		30-120
2,4,6-Tribromophenol	71		0-136
4-Terphenyl-d14	77		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-01 D
Client ID: SS-101
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 05:07
Analyst: HL
Percent Solids: 91%

Date Collected: 05/25/10 09:00
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	140	--	10
2-Chloronaphthalene	ND		ug/kg	140	--	10
Fluoranthene	320		ug/kg	140	--	10
Hexachlorobutadiene	ND		ug/kg	350	--	10
Naphthalene	ND		ug/kg	140	--	10
Benzo(a)anthracene	190		ug/kg	140	--	10
Benzo(a)pyrene	270		ug/kg	140	--	10
Benzo(b)fluoranthene	290		ug/kg	140	--	10
Benzo(k)fluoranthene	ND		ug/kg	140	--	10
Chrysene	200		ug/kg	140	--	10
Acenaphthylene	ND		ug/kg	140	--	10
Anthracene	ND		ug/kg	140	--	10
Benzo(ghi)perylene	160		ug/kg	140	--	10
Fluorene	ND		ug/kg	140	--	10
Phenanthrene	ND		ug/kg	140	--	10
Dibenzo(a,h)anthracene	ND		ug/kg	140	--	10
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	140	--	10
Pyrene	280		ug/kg	140	--	10
2-Methylnaphthalene	ND		ug/kg	140	--	10
Pentachlorophenol	ND		ug/kg	560	--	10
Hexachlorobenzene	ND		ug/kg	560	--	10
Hexachloroethane	ND		ug/kg	560	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01 D

Date Collected: 05/25/10 09:00

Client ID: SS-101

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	64		25-120
Phenol-d6	69		10-120
Nitrobenzene-d5	62		23-120
2-Fluorobiphenyl	76		30-120
2,4,6-Tribromophenol	83		0-136
4-Terphenyl-d14	80		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03
 Client ID: SS-104 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 04:47
 Analyst: PS
 Percent Solids: 70%

Date Collected: 05/25/10 10:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	480	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	480	--	1
1,2-Dichlorobenzene	ND		ug/kg	480	--	1
1,3-Dichlorobenzene	ND		ug/kg	480	--	1
1,4-Dichlorobenzene	ND		ug/kg	480	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	970	--	1
2,4-Dinitrotoluene	ND		ug/kg	480	--	1
2,6-Dinitrotoluene	ND		ug/kg	480	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	480	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	480	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	480	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	480	--	1
Hexachlorocyclopentadiene	ND		ug/kg	970	--	1
Isophorone	ND		ug/kg	480	--	1
Nitrobenzene	ND		ug/kg	480	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1400	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	480	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	970	--	1
Butyl benzyl phthalate	ND		ug/kg	480	--	1
Di-n-butylphthalate	ND		ug/kg	480	--	1
Di-n-octylphthalate	ND		ug/kg	480	--	1
Diethyl phthalate	ND		ug/kg	480	--	1
Dimethyl phthalate	ND		ug/kg	480	--	1
Biphenyl	ND		ug/kg	480	--	1
4-Chloroaniline	ND		ug/kg	480	--	1
2-Nitroaniline	ND		ug/kg	480	--	1
3-Nitroaniline	ND		ug/kg	480	--	1
4-Nitroaniline	ND		ug/kg	680	--	1
Dibenzofuran	ND		ug/kg	480	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1900	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03

Date Collected: 05/25/10 10:00

Client ID: SS-104 (0-4)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1900	--	1
2,4,6-Trichlorophenol	ND		ug/kg	480	--	1
P-Chloro-M-Cresol	ND		ug/kg	480	--	1
2-Chlorophenol	ND		ug/kg	580	--	1
2,4-Dichlorophenol	ND		ug/kg	970	--	1
2,4-Dimethylphenol	ND		ug/kg	480	--	1
2-Nitrophenol	ND		ug/kg	1900	--	1
4-Nitrophenol	ND		ug/kg	970	--	1
2,4-Dinitrophenol	ND		ug/kg	1900	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1900	--	1
Phenol	ND		ug/kg	680	--	1
2-Methylphenol	ND		ug/kg	580	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	580	--	1
2,4,5-Trichlorophenol	ND		ug/kg	480	--	1
Benzoic Acid	ND		ug/kg	4800	--	1
Benzyl Alcohol	ND		ug/kg	970	--	1
Carbazole	ND		ug/kg	480	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	66		25-120
Phenol-d6	63		10-120
Nitrobenzene-d5	58		23-120
2-Fluorobiphenyl	61		30-120
2,4,6-Tribromophenol	61		0-136
4-Terphenyl-d14	73		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03 D
 Client ID: SS-104 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 05:36
 Analyst: HL
 Percent Solids: 70%

Date Collected: 05/25/10 10:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	420		ug/kg	190	--	10
2-Chloronaphthalene	ND		ug/kg	190	--	10
Fluoranthene	5400		ug/kg	190	--	10
Hexachlorobutadiene	ND		ug/kg	480	--	10
Naphthalene	300		ug/kg	190	--	10
Benzo(a)anthracene	2400		ug/kg	190	--	10
Benzo(a)pyrene	1900		ug/kg	190	--	10
Benzo(b)fluoranthene	2800		ug/kg	190	--	10
Benzo(k)fluoranthene	1000		ug/kg	190	--	10
Chrysene	2200		ug/kg	190	--	10
Acenaphthylene	340		ug/kg	190	--	10
Anthracene	1200		ug/kg	190	--	10
Benzo(ghi)perylene	1100		ug/kg	190	--	10
Fluorene	580		ug/kg	190	--	10
Phenanthrene	4800		ug/kg	190	--	10
Dibenzo(a,h)anthracene	320		ug/kg	190	--	10
Indeno(1,2,3-cd)Pyrene	1000		ug/kg	190	--	10
Pyrene	4500		ug/kg	190	--	10
2-Methylnaphthalene	ND		ug/kg	190	--	10
Pentachlorophenol	ND		ug/kg	780	--	10
Hexachlorobenzene	ND		ug/kg	780	--	10
Hexachloroethane	ND		ug/kg	780	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03 D

Date Collected: 05/25/10 10:00

Client ID: SS-104 (0-4)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	83		25-120
Phenol-d6	83		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	88		30-120
2,4,6-Tribromophenol	84		0-136
4-Terphenyl-d14	94		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-05
 Client ID: SS-104 (8-9)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/06/10 03:47
 Analyst: PS
 Percent Solids: 73%

Date Collected: 05/25/10 10:10
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	450	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	450	--	1
1,2-Dichlorobenzene	ND		ug/kg	450	--	1
1,3-Dichlorobenzene	ND		ug/kg	450	--	1
1,4-Dichlorobenzene	ND		ug/kg	450	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	900	--	1
2,4-Dinitrotoluene	ND		ug/kg	450	--	1
2,6-Dinitrotoluene	ND		ug/kg	450	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	450	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	450	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	450	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	450	--	1
Hexachlorocyclopentadiene	ND		ug/kg	900	--	1
Isophorone	ND		ug/kg	450	--	1
Nitrobenzene	ND		ug/kg	450	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1400	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	450	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	900	--	1
Butyl benzyl phthalate	ND		ug/kg	450	--	1
Di-n-butylphthalate	ND		ug/kg	450	--	1
Di-n-octylphthalate	ND		ug/kg	450	--	1
Diethyl phthalate	ND		ug/kg	450	--	1
Dimethyl phthalate	ND		ug/kg	450	--	1
Biphenyl	ND		ug/kg	450	--	1
4-Chloroaniline	ND		ug/kg	450	--	1
2-Nitroaniline	ND		ug/kg	450	--	1
3-Nitroaniline	ND		ug/kg	450	--	1
4-Nitroaniline	ND		ug/kg	630	--	1
Dibenzofuran	ND		ug/kg	450	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1800	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-05

Date Collected: 05/25/10 10:10

Client ID: SS-104 (8-9)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1800	--	1
2,4,6-Trichlorophenol	ND		ug/kg	450	--	1
P-Chloro-M-Cresol	ND		ug/kg	450	--	1
2-Chlorophenol	ND		ug/kg	540	--	1
2,4-Dichlorophenol	ND		ug/kg	900	--	1
2,4-Dimethylphenol	ND		ug/kg	450	--	1
2-Nitrophenol	ND		ug/kg	1800	--	1
4-Nitrophenol	ND		ug/kg	900	--	1
2,4-Dinitrophenol	ND		ug/kg	1800	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1800	--	1
Phenol	ND		ug/kg	630	--	1
2-Methylphenol	ND		ug/kg	540	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	540	--	1
2,4,5-Trichlorophenol	ND		ug/kg	450	--	1
Benzoic Acid	ND		ug/kg	4500	--	1
Benzyl Alcohol	ND		ug/kg	900	--	1
Carbazole	ND		ug/kg	450	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	60		25-120
Phenol-d6	60		10-120
Nitrobenzene-d5	54		23-120
2-Fluorobiphenyl	58		30-120
2,4,6-Tribromophenol	61		0-136
4-Terphenyl-d14	71		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-05
Client ID: SS-104 (8-9)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 06:04
Analyst: HL
Percent Solids: 73%

Date Collected: 05/25/10 10:10
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	18	--	1
2-Chloronaphthalene	ND		ug/kg	18	--	1
Fluoranthene	ND		ug/kg	18	--	1
Hexachlorobutadiene	ND		ug/kg	45	--	1
Naphthalene	ND		ug/kg	18	--	1
Benzo(a)anthracene	ND		ug/kg	18	--	1
Benzo(a)pyrene	ND		ug/kg	18	--	1
Benzo(b)fluoranthene	ND		ug/kg	18	--	1
Benzo(k)fluoranthene	ND		ug/kg	18	--	1
Chrysene	ND		ug/kg	18	--	1
Acenaphthylene	ND		ug/kg	18	--	1
Anthracene	ND		ug/kg	18	--	1
Benzo(ghi)perylene	ND		ug/kg	18	--	1
Fluorene	ND		ug/kg	18	--	1
Phenanthrene	ND		ug/kg	18	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	18	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	18	--	1
Pyrene	ND		ug/kg	18	--	1
2-Methylnaphthalene	ND		ug/kg	18	--	1
Pentachlorophenol	ND		ug/kg	72	--	1
Hexachlorobenzene	ND		ug/kg	72	--	1
Hexachloroethane	ND		ug/kg	72	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-05

Date Collected: 05/25/10 10:10

Client ID: SS-104 (8-9)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	55		25-120
Phenol-d6	58		10-120
Nitrobenzene-d5	63		23-120
2-Fluorobiphenyl	64		30-120
2,4,6-Tribromophenol	61		0-136
4-Terphenyl-d14	71		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06
 Client ID: DUP-(0525)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 05:12
 Analyst: PS
 Percent Solids: 94%

Date Collected: 05/25/10 13:30
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	340	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	340	--	1
1,2-Dichlorobenzene	ND		ug/kg	340	--	1
1,3-Dichlorobenzene	ND		ug/kg	340	--	1
1,4-Dichlorobenzene	ND		ug/kg	340	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	680	--	1
2,4-Dinitrotoluene	ND		ug/kg	340	--	1
2,6-Dinitrotoluene	ND		ug/kg	340	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	340	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	340	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	340	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	340	--	1
Hexachlorocyclopentadiene	ND		ug/kg	680	--	1
Isophorone	ND		ug/kg	340	--	1
Nitrobenzene	ND		ug/kg	340	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1000	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	340	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	680	--	1
Butyl benzyl phthalate	ND		ug/kg	340	--	1
Di-n-butylphthalate	ND		ug/kg	340	--	1
Di-n-octylphthalate	ND		ug/kg	340	--	1
Diethyl phthalate	ND		ug/kg	340	--	1
Dimethyl phthalate	ND		ug/kg	340	--	1
Biphenyl	ND		ug/kg	340	--	1
4-Chloroaniline	ND		ug/kg	340	--	1
2-Nitroaniline	ND		ug/kg	340	--	1
3-Nitroaniline	ND		ug/kg	340	--	1
4-Nitroaniline	ND		ug/kg	470	--	1
Dibenzofuran	ND		ug/kg	340	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1400	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06

Date Collected: 05/25/10 13:30

Client ID: DUP-(0525)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1400	--	1
2,4,6-Trichlorophenol	ND		ug/kg	340	--	1
P-Chloro-M-Cresol	ND		ug/kg	340	--	1
2-Chlorophenol	ND		ug/kg	410	--	1
2,4-Dichlorophenol	ND		ug/kg	680	--	1
2,4-Dimethylphenol	ND		ug/kg	340	--	1
2-Nitrophenol	ND		ug/kg	1400	--	1
4-Nitrophenol	ND		ug/kg	680	--	1
2,4-Dinitrophenol	ND		ug/kg	1400	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1400	--	1
Phenol	ND		ug/kg	470	--	1
2-Methylphenol	ND		ug/kg	410	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	410	--	1
2,4,5-Trichlorophenol	ND		ug/kg	340	--	1
Benzoic Acid	ND		ug/kg	3400	--	1
Benzyl Alcohol	ND		ug/kg	680	--	1
Carbazole	ND		ug/kg	340	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	56		25-120
Phenol-d6	61		10-120
Nitrobenzene-d5	52		23-120
2-Fluorobiphenyl	62		30-120
2,4,6-Tribromophenol	68		0-136
4-Terphenyl-d14	76		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-06 D
Client ID: DUP-(0525)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 06:32
Analyst: HL
Percent Solids: 94%

Date Collected: 05/25/10 13:30
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	140	--	10
2-Chloronaphthalene	ND		ug/kg	140	--	10
Fluoranthene	480		ug/kg	140	--	10
Hexachlorobutadiene	ND		ug/kg	340	--	10
Naphthalene	ND		ug/kg	140	--	10
Benzo(a)anthracene	240		ug/kg	140	--	10
Benzo(a)pyrene	310		ug/kg	140	--	10
Benzo(b)fluoranthene	350		ug/kg	140	--	10
Benzo(k)fluoranthene	140		ug/kg	140	--	10
Chrysene	240		ug/kg	140	--	10
Acenaphthylene	ND		ug/kg	140	--	10
Anthracene	ND		ug/kg	140	--	10
Benzo(ghi)perylene	180		ug/kg	140	--	10
Fluorene	ND		ug/kg	140	--	10
Phenanthrene	220		ug/kg	140	--	10
Dibenzo(a,h)anthracene	ND		ug/kg	140	--	10
Indeno(1,2,3-cd)Pyrene	150		ug/kg	140	--	10
Pyrene	420		ug/kg	140	--	10
2-Methylnaphthalene	ND		ug/kg	140	--	10
Pentachlorophenol	ND		ug/kg	540	--	10
Hexachlorobenzene	ND		ug/kg	540	--	10
Hexachloroethane	ND		ug/kg	540	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06 D

Date Collected: 05/25/10 13:30

Client ID: DUP-(0525)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	70		25-120
Phenol-d6	72		10-120
Nitrobenzene-d5	65		23-120
2-Fluorobiphenyl	83		30-120
2,4,6-Tribromophenol	84		0-136
4-Terphenyl-d14	86		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-08
 Client ID: SB-104 (80-89)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 05:37
 Analyst: PS
 Percent Solids: 66%

Date Collected: 05/25/10 14:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	490	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	490	--	1
1,2-Dichlorobenzene	ND		ug/kg	490	--	1
1,3-Dichlorobenzene	ND		ug/kg	490	--	1
1,4-Dichlorobenzene	ND		ug/kg	490	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	980	--	1
2,4-Dinitrotoluene	ND		ug/kg	490	--	1
2,6-Dinitrotoluene	ND		ug/kg	490	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	490	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	490	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	490	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	490	--	1
Hexachlorocyclopentadiene	ND		ug/kg	980	--	1
Isophorone	ND		ug/kg	490	--	1
Nitrobenzene	ND		ug/kg	490	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1500	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	490	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	980	--	1
Butyl benzyl phthalate	ND		ug/kg	490	--	1
Di-n-butylphthalate	ND		ug/kg	490	--	1
Di-n-octylphthalate	ND		ug/kg	490	--	1
Diethyl phthalate	ND		ug/kg	490	--	1
Dimethyl phthalate	ND		ug/kg	490	--	1
Biphenyl	ND		ug/kg	490	--	1
4-Chloroaniline	ND		ug/kg	490	--	1
2-Nitroaniline	ND		ug/kg	490	--	1
3-Nitroaniline	ND		ug/kg	490	--	1
4-Nitroaniline	ND		ug/kg	680	--	1
Dibenzofuran	ND		ug/kg	490	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	2000	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-08
 Client ID: SB-104 (80-89)
 Sample Location: BRONX, NY

Date Collected: 05/25/10 14:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	2000	--	1
2,4,6-Trichlorophenol	ND		ug/kg	490	--	1
P-Chloro-M-Cresol	ND		ug/kg	490	--	1
2-Chlorophenol	ND		ug/kg	590	--	1
2,4-Dichlorophenol	ND		ug/kg	980	--	1
2,4-Dimethylphenol	ND		ug/kg	490	--	1
2-Nitrophenol	ND		ug/kg	2000	--	1
4-Nitrophenol	ND		ug/kg	980	--	1
2,4-Dinitrophenol	ND		ug/kg	2000	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	2000	--	1
Phenol	ND		ug/kg	680	--	1
2-Methylphenol	ND		ug/kg	590	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	590	--	1
2,4,5-Trichlorophenol	ND		ug/kg	490	--	1
Benzoic Acid	ND		ug/kg	4900	--	1
Benzyl Alcohol	ND		ug/kg	980	--	1
Carbazole	ND		ug/kg	490	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	58		25-120
Phenol-d6	56		10-120
Nitrobenzene-d5	53		23-120
2-Fluorobiphenyl	55		30-120
2,4,6-Tribromophenol	53		0-136
4-Terphenyl-d14	71		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-08
Client ID: SB-104 (80-89)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 07:01
Analyst: HL
Percent Solids: 66%

Date Collected: 05/25/10 14:15
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	20	--	1
2-Chloronaphthalene	ND		ug/kg	20	--	1
Fluoranthene	ND		ug/kg	20	--	1
Hexachlorobutadiene	ND		ug/kg	49	--	1
Naphthalene	ND		ug/kg	20	--	1
Benzo(a)anthracene	ND		ug/kg	20	--	1
Benzo(a)pyrene	ND		ug/kg	20	--	1
Benzo(b)fluoranthene	ND		ug/kg	20	--	1
Benzo(k)fluoranthene	ND		ug/kg	20	--	1
Chrysene	ND		ug/kg	20	--	1
Acenaphthylene	ND		ug/kg	20	--	1
Anthracene	ND		ug/kg	20	--	1
Benzo(ghi)perylene	ND		ug/kg	20	--	1
Fluorene	ND		ug/kg	20	--	1
Phenanthrene	ND		ug/kg	20	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	20	--	1
Pyrene	ND		ug/kg	20	--	1
2-Methylnaphthalene	ND		ug/kg	20	--	1
Pentachlorophenol	ND		ug/kg	78	--	1
Hexachlorobenzene	ND		ug/kg	78	--	1
Hexachloroethane	ND		ug/kg	78	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-08
 Client ID: SB-104 (80-89)
 Sample Location: BRONX, NY

Date Collected: 05/25/10 14:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	61		25-120
Phenol-d6	59		10-120
Nitrobenzene-d5	63		23-120
2-Fluorobiphenyl	63		30-120
2,4,6-Tribromophenol	59		0-136
4-Terphenyl-d14	74		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09
Client ID: EQ FB
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/04/10 20:04
Analyst: RL

Date Collected: 05/26/10 07:15
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/01/10 23:04

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.49	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.79	--	1
Hexachlorobenzene	ND		ug/l	0.79	--	1
Hexachloroethane	ND		ug/l	0.79	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-09

Date Collected: 05/26/10 07:15

Client ID: EQ FB

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	46		21-120
Phenol-d6	33		10-120
Nitrobenzene-d5	75		23-120
2-Fluorobiphenyl	71		15-120
2,4,6-Tribromophenol	76		10-120
4-Terphenyl-d14	67		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09
 Client ID: EQ FB
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/06/10 01:16
 Analyst: PS

Date Collected: 05/26/10 07:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/01/10 22:59

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.9	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09

Date Collected: 05/26/10 07:15

Client ID: EQ FB

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.9	--	1
2,4-Dimethylphenol	ND		ug/l	9.9	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.9	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.9	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.9	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		21-120
Phenol-d6	30		10-120
Nitrobenzene-d5	69		23-120
2-Fluorobiphenyl	74		15-120
2,4,6-Tribromophenol	74		10-120
4-Terphenyl-d14	88		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-11
Client ID: SB/MW-101 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 06:02
Analyst: PS
Percent Solids: 88%

Date Collected: 05/26/10 10:35
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	370	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	370	--	1
1,2-Dichlorobenzene	ND		ug/kg	370	--	1
1,3-Dichlorobenzene	ND		ug/kg	370	--	1
1,4-Dichlorobenzene	ND		ug/kg	370	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	740	--	1
2,4-Dinitrotoluene	ND		ug/kg	370	--	1
2,6-Dinitrotoluene	ND		ug/kg	370	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	370	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	370	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	370	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	370	--	1
Hexachlorocyclopentadiene	ND		ug/kg	740	--	1
Isophorone	ND		ug/kg	370	--	1
Nitrobenzene	ND		ug/kg	370	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1100	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	370	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	740	--	1
Butyl benzyl phthalate	ND		ug/kg	370	--	1
Di-n-butylphthalate	ND		ug/kg	370	--	1
Di-n-octylphthalate	ND		ug/kg	370	--	1
Diethyl phthalate	ND		ug/kg	370	--	1
Dimethyl phthalate	ND		ug/kg	370	--	1
Biphenyl	ND		ug/kg	370	--	1
4-Chloroaniline	ND		ug/kg	370	--	1
2-Nitroaniline	ND		ug/kg	370	--	1
3-Nitroaniline	ND		ug/kg	370	--	1
4-Nitroaniline	ND		ug/kg	520	--	1
Dibenzofuran	640		ug/kg	370	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1500	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-11
 Client ID: SB/MW-101 (0-4)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:35
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1500	--	1
2,4,6-Trichlorophenol	ND		ug/kg	370	--	1
P-Chloro-M-Cresol	ND		ug/kg	370	--	1
2-Chlorophenol	ND		ug/kg	440	--	1
2,4-Dichlorophenol	ND		ug/kg	740	--	1
2,4-Dimethylphenol	ND		ug/kg	370	--	1
2-Nitrophenol	ND		ug/kg	1500	--	1
4-Nitrophenol	ND		ug/kg	740	--	1
2,4-Dinitrophenol	ND		ug/kg	1500	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1500	--	1
Phenol	ND		ug/kg	520	--	1
2-Methylphenol	ND		ug/kg	440	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	440	--	1
2,4,5-Trichlorophenol	ND		ug/kg	370	--	1
Benzoic Acid	ND		ug/kg	3700	--	1
Benzyl Alcohol	ND		ug/kg	740	--	1
Carbazole	990		ug/kg	370	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	57		25-120
Phenol-d6	57		10-120
Nitrobenzene-d5	54		23-120
2-Fluorobiphenyl	63		30-120
2,4,6-Tribromophenol	67		0-136
4-Terphenyl-d14	77		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-11 D
Client ID: SB/MW-101 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 07:29
Analyst: HL
Percent Solids: 88%

Date Collected: 05/26/10 10:35
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	1200		ug/kg	300	--	20
2-Chloronaphthalene	ND		ug/kg	300	--	20
Fluoranthene	14000		ug/kg	300	--	20
Hexachlorobutadiene	ND		ug/kg	740	--	20
Naphthalene	490		ug/kg	300	--	20
Benzo(a)anthracene	6200		ug/kg	300	--	20
Benzo(a)pyrene	5000		ug/kg	300	--	20
Benzo(b)fluoranthene	7300		ug/kg	300	--	20
Benzo(k)fluoranthene	2800		ug/kg	300	--	20
Chrysene	6000		ug/kg	300	--	20
Acenaphthylene	ND		ug/kg	300	--	20
Anthracene	3200		ug/kg	300	--	20
Benzo(ghi)perylene	3100		ug/kg	300	--	20
Fluorene	1200		ug/kg	300	--	20
Phenanthrene	13000		ug/kg	300	--	20
Dibenzo(a,h)anthracene	840		ug/kg	300	--	20
Indeno(1,2,3-cd)Pyrene	2800		ug/kg	300	--	20
Pyrene	12000		ug/kg	300	--	20
2-Methylnaphthalene	380		ug/kg	300	--	20
Pentachlorophenol	ND		ug/kg	1200	--	20
Hexachlorobenzene	ND		ug/kg	1200	--	20
Hexachloroethane	ND		ug/kg	1200	--	20

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-11 D

Date Collected: 05/26/10 10:35

Client ID: SB/MW-101 (0-4)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	0		25-120
Phenol-d6	0		10-120
Nitrobenzene-d5	0		23-120
2-Fluorobiphenyl	0		30-120
2,4,6-Tribromophenol	0		0-136
4-Terphenyl-d14	0		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-13
Client ID: SB/MW-101 (6-9)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 07:57
Analyst: HL
Percent Solids: 90%

Date Collected: 05/26/10 10:45
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	14	--	1
2-Chloronaphthalene	ND		ug/kg	14	--	1
Fluoranthene	77		ug/kg	14	--	1
Hexachlorobutadiene	ND		ug/kg	36	--	1
Naphthalene	ND		ug/kg	14	--	1
Benzo(a)anthracene	40		ug/kg	14	--	1
Benzo(a)pyrene	44		ug/kg	14	--	1
Benzo(b)fluoranthene	59		ug/kg	14	--	1
Benzo(k)fluoranthene	20		ug/kg	14	--	1
Chrysene	41		ug/kg	14	--	1
Acenaphthylene	ND		ug/kg	14	--	1
Anthracene	ND		ug/kg	14	--	1
Benzo(ghi)perylene	26		ug/kg	14	--	1
Fluorene	ND		ug/kg	14	--	1
Phenanthrene	48		ug/kg	14	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	14	--	1
Indeno(1,2,3-cd)Pyrene	22		ug/kg	14	--	1
Pyrene	71		ug/kg	14	--	1
2-Methylnaphthalene	ND		ug/kg	14	--	1
Pentachlorophenol	ND		ug/kg	58	--	1
Hexachlorobenzene	ND		ug/kg	58	--	1
Hexachloroethane	ND		ug/kg	58	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-13
 Client ID: SB/MW-101 (6-9)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	65		25-120
Phenol-d6	74		10-120
Nitrobenzene-d5	82		23-120
2-Fluorobiphenyl	85		30-120
2,4,6-Tribromophenol	56		0-136
4-Terphenyl-d14	84		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-13
 Client ID: SB/MW-101 (6-9)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 09:13
 Analyst: PS
 Percent Solids: 90%

Date Collected: 05/26/10 10:45
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	360	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	360	--	1
1,2-Dichlorobenzene	ND		ug/kg	360	--	1
1,3-Dichlorobenzene	ND		ug/kg	360	--	1
1,4-Dichlorobenzene	ND		ug/kg	360	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	720	--	1
2,4-Dinitrotoluene	ND		ug/kg	360	--	1
2,6-Dinitrotoluene	ND		ug/kg	360	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	360	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	360	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	360	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	360	--	1
Hexachlorocyclopentadiene	ND		ug/kg	720	--	1
Isophorone	ND		ug/kg	360	--	1
Nitrobenzene	ND		ug/kg	360	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1100	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	360	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	720	--	1
Butyl benzyl phthalate	ND		ug/kg	360	--	1
Di-n-butylphthalate	ND		ug/kg	360	--	1
Di-n-octylphthalate	ND		ug/kg	360	--	1
Diethyl phthalate	ND		ug/kg	360	--	1
Dimethyl phthalate	ND		ug/kg	360	--	1
Biphenyl	ND		ug/kg	360	--	1
4-Chloroaniline	ND		ug/kg	360	--	1
2-Nitroaniline	ND		ug/kg	360	--	1
3-Nitroaniline	ND		ug/kg	360	--	1
4-Nitroaniline	ND		ug/kg	510	--	1
Dibenzofuran	ND		ug/kg	360	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1400	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-13
 Client ID: SB/MW-101 (6-9)
 Sample Location: BRONX, NY

Date Collected: 05/26/10 10:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1400	--	1
2,4,6-Trichlorophenol	ND		ug/kg	360	--	1
P-Chloro-M-Cresol	ND		ug/kg	360	--	1
2-Chlorophenol	ND		ug/kg	440	--	1
2,4-Dichlorophenol	ND		ug/kg	720	--	1
2,4-Dimethylphenol	ND		ug/kg	360	--	1
2-Nitrophenol	ND		ug/kg	1400	--	1
4-Nitrophenol	ND		ug/kg	720	--	1
2,4-Dinitrophenol	ND		ug/kg	1400	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1400	--	1
Phenol	ND		ug/kg	510	--	1
2-Methylphenol	ND		ug/kg	440	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	440	--	1
2,4,5-Trichlorophenol	ND		ug/kg	360	--	1
Benzoic Acid	ND		ug/kg	3600	--	1
Benzyl Alcohol	ND		ug/kg	720	--	1
Carbazole	ND		ug/kg	360	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	64		25-120
Phenol-d6	69		10-120
Nitrobenzene-d5	68		23-120
2-Fluorobiphenyl	71		30-120
2,4,6-Tribromophenol	47		0-136
4-Terphenyl-d14	73		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-15
Client ID: SB/MW-101 (128-130)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 10:47
Analyst: HL
Percent Solids: 78%

Date Collected: 05/27/10 08:50
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	18	--	1
2-Chloronaphthalene	ND		ug/kg	18	--	1
Fluoranthene	ND		ug/kg	18	--	1
Hexachlorobutadiene	ND		ug/kg	44	--	1
Naphthalene	ND		ug/kg	18	--	1
Benzo(a)anthracene	ND		ug/kg	18	--	1
Benzo(a)pyrene	ND		ug/kg	18	--	1
Benzo(b)fluoranthene	ND		ug/kg	18	--	1
Benzo(k)fluoranthene	ND		ug/kg	18	--	1
Chrysene	ND		ug/kg	18	--	1
Acenaphthylene	ND		ug/kg	18	--	1
Anthracene	ND		ug/kg	18	--	1
Benzo(ghi)perylene	ND		ug/kg	18	--	1
Fluorene	ND		ug/kg	18	--	1
Phenanthrene	ND		ug/kg	18	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	18	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	18	--	1
Pyrene	ND		ug/kg	18	--	1
2-Methylnaphthalene	ND		ug/kg	18	--	1
Pentachlorophenol	ND		ug/kg	70	--	1
Hexachlorobenzene	ND		ug/kg	70	--	1
Hexachloroethane	ND		ug/kg	70	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-15
 Client ID: SB/MW-101 (128-130)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 08:50
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	37		25-120
Phenol-d6	35		10-120
Nitrobenzene-d5	36		23-120
2-Fluorobiphenyl	39		30-120
2,4,6-Tribromophenol	31		0-136
4-Terphenyl-d14	41		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-15
 Client ID: SB/MW-101 (128-130)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/08/10 13:04
 Analyst: PS
 Percent Solids: 78%

Date Collected: 05/27/10 08:50
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/07/10 15:44

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	400	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	400	--	1
1,2-Dichlorobenzene	ND		ug/kg	400	--	1
1,3-Dichlorobenzene	ND		ug/kg	400	--	1
1,4-Dichlorobenzene	ND		ug/kg	400	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	800	--	1
2,4-Dinitrotoluene	ND		ug/kg	400	--	1
2,6-Dinitrotoluene	ND		ug/kg	400	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	400	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	400	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	400	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	400	--	1
Hexachlorocyclopentadiene	ND		ug/kg	800	--	1
Isophorone	ND		ug/kg	400	--	1
Nitrobenzene	ND		ug/kg	400	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1200	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	400	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	800	--	1
Butyl benzyl phthalate	ND		ug/kg	400	--	1
Di-n-butylphthalate	ND		ug/kg	400	--	1
Di-n-octylphthalate	ND		ug/kg	400	--	1
Diethyl phthalate	ND		ug/kg	400	--	1
Dimethyl phthalate	ND		ug/kg	400	--	1
Biphenyl	ND		ug/kg	400	--	1
4-Chloroaniline	ND		ug/kg	400	--	1
2-Nitroaniline	ND		ug/kg	400	--	1
3-Nitroaniline	ND		ug/kg	400	--	1
4-Nitroaniline	ND		ug/kg	560	--	1
Dibenzofuran	ND		ug/kg	400	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1600	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-15
 Client ID: SB/MW-101 (128-130)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 08:50
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1600	--	1
2,4,6-Trichlorophenol	ND		ug/kg	400	--	1
P-Chloro-M-Cresol	ND		ug/kg	400	--	1
2-Chlorophenol	ND		ug/kg	480	--	1
2,4-Dichlorophenol	ND		ug/kg	800	--	1
2,4-Dimethylphenol	ND		ug/kg	400	--	1
2-Nitrophenol	ND		ug/kg	1600	--	1
4-Nitrophenol	ND		ug/kg	800	--	1
2,4-Dinitrophenol	ND		ug/kg	1600	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1600	--	1
Phenol	ND		ug/kg	560	--	1
2-Methylphenol	ND		ug/kg	480	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	480	--	1
2,4,5-Trichlorophenol	ND		ug/kg	400	--	1
Benzoic Acid	ND		ug/kg	4000	--	1
Benzyl Alcohol	ND		ug/kg	800	--	1
Carbazole	ND		ug/kg	400	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	54		25-120
Phenol-d6	52		10-120
Nitrobenzene-d5	40		23-120
2-Fluorobiphenyl	53		30-120
2,4,6-Tribromophenol	53		0-136
4-Terphenyl-d14	58		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-17
 Client ID: SB/MW-101 (148-150)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/06/10 03:22
 Analyst: PS
 Percent Solids: 75%

Date Collected: 05/27/10 10:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	420	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	420	--	1
1,2-Dichlorobenzene	ND		ug/kg	420	--	1
1,3-Dichlorobenzene	ND		ug/kg	420	--	1
1,4-Dichlorobenzene	ND		ug/kg	420	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	840	--	1
2,4-Dinitrotoluene	ND		ug/kg	420	--	1
2,6-Dinitrotoluene	ND		ug/kg	420	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	420	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	420	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	420	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	420	--	1
Hexachlorocyclopentadiene	ND		ug/kg	840	--	1
Isophorone	ND		ug/kg	420	--	1
Nitrobenzene	ND		ug/kg	420	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1200	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	420	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	840	--	1
Butyl benzyl phthalate	ND		ug/kg	420	--	1
Di-n-butylphthalate	ND		ug/kg	420	--	1
Di-n-octylphthalate	ND		ug/kg	420	--	1
Diethyl phthalate	ND		ug/kg	420	--	1
Dimethyl phthalate	ND		ug/kg	420	--	1
Biphenyl	ND		ug/kg	420	--	1
4-Chloroaniline	ND		ug/kg	420	--	1
2-Nitroaniline	ND		ug/kg	420	--	1
3-Nitroaniline	ND		ug/kg	420	--	1
4-Nitroaniline	ND		ug/kg	580	--	1
Dibenzofuran	ND		ug/kg	420	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1700	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-17
 Client ID: SB/MW-101 (148-150)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 10:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1700	--	1
2,4,6-Trichlorophenol	ND		ug/kg	420	--	1
P-Chloro-M-Cresol	ND		ug/kg	420	--	1
2-Chlorophenol	ND		ug/kg	500	--	1
2,4-Dichlorophenol	ND		ug/kg	840	--	1
2,4-Dimethylphenol	ND		ug/kg	420	--	1
2-Nitrophenol	ND		ug/kg	1700	--	1
4-Nitrophenol	ND		ug/kg	840	--	1
2,4-Dinitrophenol	ND		ug/kg	1700	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1700	--	1
Phenol	ND		ug/kg	580	--	1
2-Methylphenol	ND		ug/kg	500	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	500	--	1
2,4,5-Trichlorophenol	ND		ug/kg	420	--	1
Benzoic Acid	ND		ug/kg	4200	--	1
Benzyl Alcohol	ND		ug/kg	840	--	1
Carbazole	ND		ug/kg	420	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	64		25-120
Phenol-d6	62		10-120
Nitrobenzene-d5	48		23-120
2-Fluorobiphenyl	62		30-120
2,4,6-Tribromophenol	61		0-136
4-Terphenyl-d14	71		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-17
Client ID: SB/MW-101 (148-150)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 08:54
Analyst: HL
Percent Solids: 75%

Date Collected: 05/27/10 10:15
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	17	--	1
2-Chloronaphthalene	ND		ug/kg	17	--	1
Fluoranthene	ND		ug/kg	17	--	1
Hexachlorobutadiene	ND		ug/kg	42	--	1
Naphthalene	ND		ug/kg	17	--	1
Benzo(a)anthracene	ND		ug/kg	17	--	1
Benzo(a)pyrene	ND		ug/kg	17	--	1
Benzo(b)fluoranthene	ND		ug/kg	17	--	1
Benzo(k)fluoranthene	ND		ug/kg	17	--	1
Chrysene	ND		ug/kg	17	--	1
Acenaphthylene	ND		ug/kg	17	--	1
Anthracene	ND		ug/kg	17	--	1
Benzo(ghi)perylene	ND		ug/kg	17	--	1
Fluorene	ND		ug/kg	17	--	1
Phenanthrene	ND		ug/kg	17	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	17	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	17	--	1
Pyrene	ND		ug/kg	17	--	1
2-Methylnaphthalene	ND		ug/kg	17	--	1
Pentachlorophenol	ND		ug/kg	67	--	1
Hexachlorobenzene	ND		ug/kg	67	--	1
Hexachloroethane	ND		ug/kg	67	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-17
 Client ID: SB/MW-101 (148-150)
 Sample Location: BRONX, NY

Date Collected: 05/27/10 10:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	65		25-120
Phenol-d6	62		10-120
Nitrobenzene-d5	54		23-120
2-Fluorobiphenyl	65		30-120
2,4,6-Tribromophenol	61		0-136
4-Terphenyl-d14	74		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-19 D
Client ID: SB/MW-105 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 09:22
Analyst: HL
Percent Solids: 92%

Date Collected: 05/28/10 11:00
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	350		ug/kg	280	--	20
2-Chloronaphthalene	ND		ug/kg	280	--	20
Fluoranthene	6700		ug/kg	280	--	20
Hexachlorobutadiene	ND		ug/kg	700	--	20
Naphthalene	360		ug/kg	280	--	20
Benzo(a)anthracene	3300		ug/kg	280	--	20
Benzo(a)pyrene	3300		ug/kg	280	--	20
Benzo(b)fluoranthene	4700		ug/kg	280	--	20
Benzo(k)fluoranthene	1800		ug/kg	280	--	20
Chrysene	3200		ug/kg	280	--	20
Acenaphthylene	320		ug/kg	280	--	20
Anthracene	1100		ug/kg	280	--	20
Benzo(ghi)perylene	2300		ug/kg	280	--	20
Fluorene	400		ug/kg	280	--	20
Phenanthrene	4100		ug/kg	280	--	20
Dibenzo(a,h)anthracene	560		ug/kg	280	--	20
Indeno(1,2,3-cd)Pyrene	2100		ug/kg	280	--	20
Pyrene	5900		ug/kg	280	--	20
2-Methylnaphthalene	ND		ug/kg	280	--	20
Pentachlorophenol	ND		ug/kg	1100	--	20
Hexachlorobenzene	ND		ug/kg	1100	--	20
Hexachloroethane	ND		ug/kg	1100	--	20

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-19 D

Date Collected: 05/28/10 11:00

Client ID: SB/MW-105 (0-4)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	0		25-120
Phenol-d6	0		10-120
Nitrobenzene-d5	0		23-120
2-Fluorobiphenyl	0		30-120
2,4,6-Tribromophenol	0		0-136
4-Terphenyl-d14	0		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-19 D
 Client ID: SB/MW-105 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 09:43
 Analyst: PS
 Percent Solids: 92%

Date Collected: 05/28/10 11:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	1800	--	5
Bis(2-chloroethyl)ether	ND		ug/kg	1800	--	5
1,2-Dichlorobenzene	ND		ug/kg	1800	--	5
1,3-Dichlorobenzene	ND		ug/kg	1800	--	5
1,4-Dichlorobenzene	ND		ug/kg	1800	--	5
3,3'-Dichlorobenzidine	ND		ug/kg	3500	--	5
2,4-Dinitrotoluene	ND		ug/kg	1800	--	5
2,6-Dinitrotoluene	ND		ug/kg	1800	--	5
4-Chlorophenyl phenyl ether	ND		ug/kg	1800	--	5
4-Bromophenyl phenyl ether	ND		ug/kg	1800	--	5
Bis(2-chloroisopropyl)ether	ND		ug/kg	1800	--	5
Bis(2-chloroethoxy)methane	ND		ug/kg	1800	--	5
Hexachlorocyclopentadiene	ND		ug/kg	3500	--	5
Isophorone	ND		ug/kg	1800	--	5
Nitrobenzene	ND		ug/kg	1800	--	5
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	5300	--	5
n-Nitrosodi-n-propylamine	ND		ug/kg	1800	--	5
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	3500	--	5
Butyl benzyl phthalate	ND		ug/kg	1800	--	5
Di-n-butylphthalate	ND		ug/kg	1800	--	5
Di-n-octylphthalate	ND		ug/kg	1800	--	5
Diethyl phthalate	ND		ug/kg	1800	--	5
Dimethyl phthalate	ND		ug/kg	1800	--	5
Biphenyl	ND		ug/kg	1800	--	5
4-Chloroaniline	ND		ug/kg	1800	--	5
2-Nitroaniline	ND		ug/kg	1800	--	5
3-Nitroaniline	ND		ug/kg	1800	--	5
4-Nitroaniline	ND		ug/kg	2500	--	5
Dibenzofuran	ND		ug/kg	1800	--	5
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	7000	--	5

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-19 D

Date Collected: 05/28/10 11:00

Client ID: SB/MW-105 (0-4)

Date Received: 05/28/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	7000	--	5
2,4,6-Trichlorophenol	ND		ug/kg	1800	--	5
P-Chloro-M-Cresol	ND		ug/kg	1800	--	5
2-Chlorophenol	ND		ug/kg	2100	--	5
2,4-Dichlorophenol	ND		ug/kg	3500	--	5
2,4-Dimethylphenol	ND		ug/kg	1800	--	5
2-Nitrophenol	ND		ug/kg	7000	--	5
4-Nitrophenol	ND		ug/kg	3500	--	5
2,4-Dinitrophenol	ND		ug/kg	7000	--	5
4,6-Dinitro-o-cresol	ND		ug/kg	7000	--	5
Phenol	ND		ug/kg	2500	--	5
2-Methylphenol	ND		ug/kg	2100	--	5
3-Methylphenol/4-Methylphenol	ND		ug/kg	2100	--	5
2,4,5-Trichlorophenol	ND		ug/kg	1800	--	5
Benzoic Acid	ND		ug/kg	18000	--	5
Benzyl Alcohol	ND		ug/kg	3500	--	5
Carbazole	ND		ug/kg	1800	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	56		25-120
Phenol-d6	78		10-120
Nitrobenzene-d5	78		23-120
2-Fluorobiphenyl	79		30-120
2,4,6-Tribromophenol	3		0-136
4-Terphenyl-d14	84		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-21
Client ID: SB/MW-105 (8-9.5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 09:50
Analyst: HL
Percent Solids: 85%

Date Collected: 05/28/10 11:25
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	24		ug/kg	15	--	1
2-Chloronaphthalene	ND		ug/kg	15	--	1
Fluoranthene	380		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	38	--	1
Naphthalene	5100	E	ug/kg	15	--	1
Benzo(a)anthracene	200		ug/kg	15	--	1
Benzo(a)pyrene	190		ug/kg	15	--	1
Benzo(b)fluoranthene	290		ug/kg	15	--	1
Benzo(k)fluoranthene	100		ug/kg	15	--	1
Chrysene	190		ug/kg	15	--	1
Acenaphthylene	18		ug/kg	15	--	1
Anthracene	45		ug/kg	15	--	1
Benzo(ghi)perylene	130		ug/kg	15	--	1
Fluorene	28		ug/kg	15	--	1
Phenanthrene	210		ug/kg	15	--	1
Dibenzo(a,h)anthracene	33		ug/kg	15	--	1
Indeno(1,2,3-cd)Pyrene	120		ug/kg	15	--	1
Pyrene	340		ug/kg	15	--	1
2-Methylnaphthalene	1700	E	ug/kg	15	--	1
Pentachlorophenol	ND		ug/kg	61	--	1
Hexachlorobenzene	ND		ug/kg	61	--	1
Hexachloroethane	ND		ug/kg	61	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-21
 Client ID: SB/MW-105 (8-9.5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:25
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		25-120
Phenol-d6	45		10-120
Nitrobenzene-d5	56		23-120
2-Fluorobiphenyl	80		30-120
2,4,6-Tribromophenol	65		0-136
4-Terphenyl-d14	79		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-21
 Client ID: SB/MW-105 (8-9.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 12:16
 Analyst: PS
 Percent Solids: 85%

Date Collected: 05/28/10 11:25
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	380	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	380	--	1
1,2-Dichlorobenzene	ND		ug/kg	380	--	1
1,3-Dichlorobenzene	ND		ug/kg	380	--	1
1,4-Dichlorobenzene	ND		ug/kg	380	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	760	--	1
2,4-Dinitrotoluene	ND		ug/kg	380	--	1
2,6-Dinitrotoluene	ND		ug/kg	380	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	380	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	380	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	380	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	380	--	1
Hexachlorocyclopentadiene	ND		ug/kg	760	--	1
Isophorone	ND		ug/kg	380	--	1
Nitrobenzene	ND		ug/kg	380	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1100	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	380	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	760	--	1
Butyl benzyl phthalate	ND		ug/kg	380	--	1
Di-n-butylphthalate	ND		ug/kg	380	--	1
Di-n-octylphthalate	ND		ug/kg	380	--	1
Diethyl phthalate	ND		ug/kg	380	--	1
Dimethyl phthalate	ND		ug/kg	380	--	1
Biphenyl	ND		ug/kg	380	--	1
4-Chloroaniline	ND		ug/kg	380	--	1
2-Nitroaniline	ND		ug/kg	380	--	1
3-Nitroaniline	ND		ug/kg	380	--	1
4-Nitroaniline	ND		ug/kg	530	--	1
Dibenzofuran	ND		ug/kg	380	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1500	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-21
 Client ID: SB/MW-105 (8-9.5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:25
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1500	--	1
2,4,6-Trichlorophenol	ND		ug/kg	380	--	1
P-Chloro-M-Cresol	ND		ug/kg	380	--	1
2-Chlorophenol	ND		ug/kg	460	--	1
2,4-Dichlorophenol	ND		ug/kg	760	--	1
2,4-Dimethylphenol	ND		ug/kg	380	--	1
2-Nitrophenol	ND		ug/kg	1500	--	1
4-Nitrophenol	ND		ug/kg	760	--	1
2,4-Dinitrophenol	ND		ug/kg	1500	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1500	--	1
Phenol	ND		ug/kg	530	--	1
2-Methylphenol	ND		ug/kg	460	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	460	--	1
2,4,5-Trichlorophenol	ND		ug/kg	380	--	1
Benzoic Acid	ND		ug/kg	3800	--	1
Benzyl Alcohol	ND		ug/kg	760	--	1
Carbazole	ND		ug/kg	380	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	62		25-120
Phenol-d6	63		10-120
Nitrobenzene-d5	61		23-120
2-Fluorobiphenyl	62		30-120
2,4,6-Tribromophenol	61		0-136
4-Terphenyl-d14	69		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-21 D
Client ID: SB/MW-105 (8-9.5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 12:12
Analyst: HL
Percent Solids: 85%

Date Collected: 05/28/10 11:25
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Naphthalene	6700		ug/kg	150	--	10
2-Methylnaphthalene	2100		ug/kg	150	--	10

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-23
Client ID: SB/MW-105 (23-24.5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/07/10 10:19
Analyst: HL
Percent Solids: 84%

Date Collected: 05/28/10 11:45
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	33		ug/kg	16	--	1
2-Chloronaphthalene	ND		ug/kg	16	--	1
Fluoranthene	1000		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	41	--	1
Naphthalene	210		ug/kg	16	--	1
Benzo(a)anthracene	700		ug/kg	16	--	1
Benzo(a)pyrene	770		ug/kg	16	--	1
Benzo(b)fluoranthene	1100		ug/kg	16	--	1
Benzo(k)fluoranthene	430		ug/kg	16	--	1
Chrysene	650		ug/kg	16	--	1
Acenaphthylene	57		ug/kg	16	--	1
Anthracene	100		ug/kg	16	--	1
Benzo(ghi)perylene	520		ug/kg	16	--	1
Fluorene	55		ug/kg	16	--	1
Phenanthrene	380		ug/kg	16	--	1
Dibenzo(a,h)anthracene	130		ug/kg	16	--	1
Indeno(1,2,3-cd)Pyrene	490		ug/kg	16	--	1
Pyrene	1000		ug/kg	16	--	1
2-Methylnaphthalene	83		ug/kg	16	--	1
Pentachlorophenol	ND		ug/kg	66	--	1
Hexachlorobenzene	ND		ug/kg	66	--	1
Hexachloroethane	290		ug/kg	66	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-23
 Client ID: SB/MW-105 (23-24.5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	70		25-120
Phenol-d6	68		10-120
Nitrobenzene-d5	72		23-120
2-Fluorobiphenyl	72		30-120
2,4,6-Tribromophenol	70		0-136
4-Terphenyl-d14	76		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-23
 Client ID: SB/MW-105 (23-24.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/07/10 12:41
 Analyst: PS
 Percent Solids: 84%

Date Collected: 05/28/10 11:45
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	410	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	410	--	1
1,2-Dichlorobenzene	ND		ug/kg	410	--	1
1,3-Dichlorobenzene	ND		ug/kg	410	--	1
1,4-Dichlorobenzene	ND		ug/kg	410	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	820	--	1
2,4-Dinitrotoluene	ND		ug/kg	410	--	1
2,6-Dinitrotoluene	ND		ug/kg	410	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	410	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	410	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	410	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	410	--	1
Hexachlorocyclopentadiene	ND		ug/kg	820	--	1
Isophorone	ND		ug/kg	410	--	1
Nitrobenzene	ND		ug/kg	410	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1200	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	410	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	820	--	1
Butyl benzyl phthalate	ND		ug/kg	410	--	1
Di-n-butylphthalate	ND		ug/kg	410	--	1
Di-n-octylphthalate	ND		ug/kg	410	--	1
Diethyl phthalate	ND		ug/kg	410	--	1
Dimethyl phthalate	ND		ug/kg	410	--	1
Biphenyl	ND		ug/kg	410	--	1
4-Chloroaniline	ND		ug/kg	410	--	1
2-Nitroaniline	ND		ug/kg	410	--	1
3-Nitroaniline	ND		ug/kg	410	--	1
4-Nitroaniline	ND		ug/kg	570	--	1
Dibenzofuran	ND		ug/kg	410	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1600	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-23
 Client ID: SB/MW-105 (23-24.5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 11:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1600	--	1
2,4,6-Trichlorophenol	ND		ug/kg	410	--	1
P-Chloro-M-Cresol	ND		ug/kg	410	--	1
2-Chlorophenol	ND		ug/kg	490	--	1
2,4-Dichlorophenol	ND		ug/kg	820	--	1
2,4-Dimethylphenol	ND		ug/kg	410	--	1
2-Nitrophenol	ND		ug/kg	1600	--	1
4-Nitrophenol	ND		ug/kg	820	--	1
2,4-Dinitrophenol	ND		ug/kg	1600	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1600	--	1
Phenol	ND		ug/kg	570	--	1
2-Methylphenol	ND		ug/kg	490	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	490	--	1
2,4,5-Trichlorophenol	ND		ug/kg	410	--	1
Benzoic Acid	ND		ug/kg	4100	--	1
Benzyl Alcohol	ND		ug/kg	820	--	1
Carbazole	ND		ug/kg	410	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	64		25-120
Phenol-d6	63		10-120
Nitrobenzene-d5	60		23-120
2-Fluorobiphenyl	63		30-120
2,4,6-Tribromophenol	64		0-136
4-Terphenyl-d14	67		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/04/10 12:06
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/01/10 22:59

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG415560-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--
1,2-Dichlorobenzene	ND		ug/l	5.0	--
1,3-Dichlorobenzene	ND		ug/l	5.0	--
1,4-Dichlorobenzene	ND		ug/l	5.0	--
3,3'-Dichlorobenzidine	ND		ug/l	50	--
2,4-Dinitrotoluene	ND		ug/l	6.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorocyclopentadiene	ND		ug/l	30	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	5.0	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-Ethylhexyl)phthalate	5.0		ug/l	5.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Biphenyl	ND		ug/l	5.0	--
4-Chloroaniline	ND		ug/l	5.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	7.0	--
Dibenzofuran	ND		ug/l	5.0	--
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--
Acetophenone	ND		ug/l	20	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/04/10 12:06
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/01/10 22:59

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 09 Batch: WG415560-1					
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
P-Chloro-M-Cresol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	6.0	--
2,4-Dichlorophenol	ND		ug/l	10	--
2,4-Dimethylphenol	ND		ug/l	10	--
2-Nitrophenol	ND		ug/l	20	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	30	--
4,6-Dinitro-o-cresol	ND		ug/l	20	--
Phenol	ND		ug/l	7.0	--
2-Methylphenol	ND		ug/l	6.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	10	--
Carbazole	ND		ug/l	5.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	56		21-120
Phenol-d6	38		10-120
Nitrobenzene-d5	100		23-120
2-Fluorobiphenyl	82		15-120
2,4,6-Tribromophenol	104		10-120
4-Terphenyl-d14	97		33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/04/10 16:42
Analyst: RL

Extraction Method: EPA 3510C
Extraction Date: 06/01/10 23:04

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 09 Batch: WG415562-1					
Acenaphthene	ND		ug/l	0.20	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.20	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.20	--
Benzo(a)anthracene	ND		ug/l	0.20	--
Benzo(a)pyrene	ND		ug/l	0.20	--
Benzo(b)fluoranthene	ND		ug/l	0.20	--
Benzo(k)fluoranthene	ND		ug/l	0.20	--
Chrysene	ND		ug/l	0.20	--
Acenaphthylene	ND		ug/l	0.20	--
Anthracene	ND		ug/l	0.20	--
Benzo(ghi)perylene	ND		ug/l	0.20	--
Fluorene	ND		ug/l	0.20	--
Phenanthrene	ND		ug/l	0.20	--
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--
Pyrene	ND		ug/l	0.20	--
2-Methylnaphthalene	ND		ug/l	0.20	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
 Analytical Date: 06/04/10 16:42
 Analyst: RL

Extraction Method: EPA 3510C
 Extraction Date: 06/01/10 23:04

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 09 Batch: WG415562-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	57		21-120
Phenol-d6	43		10-120
Nitrobenzene-d5	96		23-120
2-Fluorobiphenyl	80		15-120
2,4,6-Tribromophenol	101		10-120
4-Terphenyl-d14	88		33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/07/10 10:33
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,03,05-06,08,11,13,17,19,21,23 Batch: WG416118-1					
1,2,4-Trichlorobenzene	ND		ug/kg	330	--
Bis(2-chloroethyl)ether	ND		ug/kg	330	--
1,2-Dichlorobenzene	ND		ug/kg	330	--
1,3-Dichlorobenzene	ND		ug/kg	330	--
1,4-Dichlorobenzene	ND		ug/kg	330	--
3,3'-Dichlorobenzidine	ND		ug/kg	660	--
2,4-Dinitrotoluene	ND		ug/kg	330	--
2,6-Dinitrotoluene	ND		ug/kg	330	--
4-Chlorophenyl phenyl ether	ND		ug/kg	330	--
4-Bromophenyl phenyl ether	ND		ug/kg	330	--
Bis(2-chloroisopropyl)ether	ND		ug/kg	330	--
Bis(2-chloroethoxy)methane	ND		ug/kg	330	--
Hexachlorocyclopentadiene	ND		ug/kg	660	--
Isophorone	ND		ug/kg	330	--
Nitrobenzene	ND		ug/kg	330	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	990	--
n-Nitrosodi-n-propylamine	ND		ug/kg	330	--
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	660	--
Butyl benzyl phthalate	ND		ug/kg	330	--
Di-n-butylphthalate	ND		ug/kg	330	--
Di-n-octylphthalate	ND		ug/kg	330	--
Diethyl phthalate	ND		ug/kg	330	--
Dimethyl phthalate	ND		ug/kg	330	--
Biphenyl	ND		ug/kg	330	--
4-Chloroaniline	ND		ug/kg	330	--
2-Nitroaniline	ND		ug/kg	330	--
3-Nitroaniline	ND		ug/kg	330	--
4-Nitroaniline	ND		ug/kg	460	--
Dibenzofuran	ND		ug/kg	330	--
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1300	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/07/10 10:33
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:31

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01,03,05-06,08,11,13,17,19,21,23 Batch: WG416118-1					
Acetophenone	ND		ug/kg	1300	--
2,4,6-Trichlorophenol	ND		ug/kg	330	--
P-Chloro-M-Cresol	ND		ug/kg	330	--
2-Chlorophenol	ND		ug/kg	400	--
2,4-Dichlorophenol	ND		ug/kg	660	--
2,4-Dimethylphenol	ND		ug/kg	330	--
2-Nitrophenol	ND		ug/kg	1300	--
4-Nitrophenol	ND		ug/kg	660	--
2,4-Dinitrophenol	ND		ug/kg	1300	--
4,6-Dinitro-o-cresol	ND		ug/kg	1300	--
Phenol	ND		ug/kg	460	--
2-Methylphenol	ND		ug/kg	400	--
3-Methylphenol/4-Methylphenol	ND		ug/kg	400	--
2,4,5-Trichlorophenol	ND		ug/kg	330	--
Benzoic Acid	ND		ug/kg	3300	--
Benzyl Alcohol	ND		ug/kg	660	--
Carbazole	ND		ug/kg	330	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	90		25-120
Phenol-d6	88		10-120
Nitrobenzene-d5	83		23-120
2-Fluorobiphenyl	82		30-120
2,4,6-Tribromophenol	71		0-136
4-Terphenyl-d14	85		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/07/10 02:46
Analyst: HL

Extraction Method: EPA 3546
Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416119-1					
Acenaphthene	ND		ug/kg	13	--
2-Chloronaphthalene	ND		ug/kg	13	--
Fluoranthene	ND		ug/kg	13	--
Hexachlorobutadiene	ND		ug/kg	33	--
Naphthalene	ND		ug/kg	13	--
Benzo(a)anthracene	ND		ug/kg	13	--
Benzo(a)pyrene	ND		ug/kg	13	--
Benzo(b)fluoranthene	ND		ug/kg	13	--
Benzo(k)fluoranthene	ND		ug/kg	13	--
Chrysene	ND		ug/kg	13	--
Acenaphthylene	ND		ug/kg	13	--
Anthracene	ND		ug/kg	13	--
Benzo(ghi)perylene	ND		ug/kg	13	--
Fluorene	ND		ug/kg	13	--
Phenanthrene	ND		ug/kg	13	--
Dibenzo(a,h)anthracene	ND		ug/kg	13	--
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	13	--
Pyrene	ND		ug/kg	13	--
2-Methylnaphthalene	ND		ug/kg	13	--
Pentachlorophenol	ND		ug/kg	53	--
Hexachlorobenzene	ND		ug/kg	53	--
Hexachloroethane	ND		ug/kg	53	--

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
 Analytical Date: 06/07/10 02:46
 Analyst: HL

Extraction Method: EPA 3546
 Extraction Date: 06/04/10 06:37

Parameter	Result	Qualifier	Units	RL	MDL
-----------	--------	-----------	-------	----	-----

Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416119-1

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	81		25-120
Phenol-d6	75		10-120
Nitrobenzene-d5	81		23-120
2-Fluorobiphenyl	80		30-120
2,4,6-Tribromophenol	73		0-136
4-Terphenyl-d14	83		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/08/10 09:58
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 06/07/10 10:00

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 15 Batch: WG416455-1					
1,2,4-Trichlorobenzene	ND		ug/kg	330	--
Bis(2-chloroethyl)ether	ND		ug/kg	330	--
1,2-Dichlorobenzene	ND		ug/kg	330	--
1,3-Dichlorobenzene	ND		ug/kg	330	--
1,4-Dichlorobenzene	ND		ug/kg	330	--
3,3'-Dichlorobenzidine	ND		ug/kg	670	--
2,4-Dinitrotoluene	ND		ug/kg	330	--
2,6-Dinitrotoluene	ND		ug/kg	330	--
4-Chlorophenyl phenyl ether	ND		ug/kg	330	--
4-Bromophenyl phenyl ether	ND		ug/kg	330	--
Bis(2-chloroisopropyl)ether	ND		ug/kg	330	--
Bis(2-chloroethoxy)methane	ND		ug/kg	330	--
Hexachlorocyclopentadiene	ND		ug/kg	670	--
Isophorone	ND		ug/kg	330	--
Nitrobenzene	ND		ug/kg	330	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1000	--
n-Nitrosodi-n-propylamine	ND		ug/kg	330	--
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	670	--
Butyl benzyl phthalate	ND		ug/kg	330	--
Di-n-butylphthalate	ND		ug/kg	330	--
Di-n-octylphthalate	ND		ug/kg	330	--
Diethyl phthalate	ND		ug/kg	330	--
Dimethyl phthalate	ND		ug/kg	330	--
Biphenyl	ND		ug/kg	330	--
4-Chloroaniline	ND		ug/kg	330	--
2-Nitroaniline	ND		ug/kg	330	--
3-Nitroaniline	ND		ug/kg	330	--
4-Nitroaniline	ND		ug/kg	470	--
Dibenzofuran	ND		ug/kg	330	--
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1300	--
Acetophenone	ND		ug/kg	1300	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/08/10 09:58
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 06/07/10 10:00

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 15 Batch: WG416455-1					
2,4,6-Trichlorophenol	ND		ug/kg	330	--
P-Chloro-M-Cresol	ND		ug/kg	330	--
2-Chlorophenol	ND		ug/kg	400	--
2,4-Dichlorophenol	ND		ug/kg	670	--
2,4-Dimethylphenol	ND		ug/kg	330	--
2-Nitrophenol	ND		ug/kg	1300	--
4-Nitrophenol	ND		ug/kg	670	--
2,4-Dinitrophenol	ND		ug/kg	1300	--
4,6-Dinitro-o-cresol	ND		ug/kg	1300	--
Phenol	ND		ug/kg	470	--
2-Methylphenol	ND		ug/kg	400	--
3-Methylphenol/4-Methylphenol	ND		ug/kg	400	--
2,4,5-Trichlorophenol	ND		ug/kg	330	--
Benzoic Acid	ND		ug/kg	3300	--
Benzyl Alcohol	ND		ug/kg	670	--
Carbazole	ND		ug/kg	330	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	53		25-120
Phenol-d6	51		10-120
Nitrobenzene-d5	49		23-120
2-Fluorobiphenyl	50		30-120
2,4,6-Tribromophenol	48		0-136
4-Terphenyl-d14	50		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG415560-2 WG415560-3								
1,2,4-Trichlorobenzene	68		65		39-98	5		30
1,2-Dichlorobenzene	71		68		40-140	4		30
1,4-Dichlorobenzene	71		66		36-97	7		30
2,4-Dinitrotoluene	111	Q	102	Q	24-96	8		30
2,6-Dinitrotoluene	94		101		40-140	7		30
4-Chlorophenyl phenyl ether	81		77		40-140	5		30
n-Nitrosodi-n-propylamine	84		80		41-116	5		30
Butyl benzyl phthalate	92		92		40-140	0		30
P-Chloro-M-Cresol	90		86		23-97	5		30
2-Chlorophenol	84		84		27-123	0		30
2-Nitrophenol	107		106		30-130	1		30
4-Nitrophenol	52		50		10-80	4		30
2,4-Dinitrophenol	200	Q	193	Q	20-130	4		30
Phenol	42		46		12-110	9		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 09 Batch: WG415560-2 WG415560-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	54		57		21-120
Phenol-d6	35		39		10-120
Nitrobenzene-d5	97		100		23-120
2-Fluorobiphenyl	77		81		15-120
2,4,6-Tribromophenol	99		101		10-120
4-Terphenyl-d14	89		88		33-120

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 09 Batch: WG415562-2 WG415562-3

Acenaphthene	77		71		37-111	8	40
2-Chloronaphthalene	116		108		40-140	7	40
Fluoranthene	80		75		40-140	6	40
Anthracene	88		83		40-140	6	40
Pyrene	85		79		26-127	7	40
Pentachlorophenol	72		69		9-103	4	40

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 09 Batch: WG415562-2 WG415562-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	52		50		21-120
Phenol-d6	37		34		10-120
Nitrobenzene-d5	93		83		23-120
2-Fluorobiphenyl	78		74		15-120
2,4,6-Tribromophenol	101		94		10-120
4-Terphenyl-d14	88		80		33-120

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,17,19,21,23 Batch: WG416118-2 WG416118-3

1,2,4-Trichlorobenzene	53		60		38-107	12		50
1,2-Dichlorobenzene	58		60		40-140	3		50
1,4-Dichlorobenzene	57		57		28-104	0		50
2,4-Dinitrotoluene	62		61		28-89	2		50
2,6-Dinitrotoluene	55		62		40-140	12		50
4-Chlorophenyl phenyl ether	60		64		40-140	6		50
n-Nitrosodi-n-propylamine	62		64		41-126	3		50
Butyl benzyl phthalate	61		66		40-140	8		50
P-Chloro-M-Cresol	62		67		26-103	8		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,17,19,21,23 Batch: WG416118-2 WG416118-3								
2-Chlorophenol	63		65		25-102	3		50
2-Nitrophenol	54		52		30-130	4		50
4-Nitrophenol	51		61		11-114	18		50
2,4-Dinitrophenol	15		6		4-130	86	Q	50
Phenol	64		69		26-90	8		50

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	71		80		25-120
Phenol-d6	71		77		10-120
Nitrobenzene-d5	68		74		23-120
2-Fluorobiphenyl	69		73		30-120
2,4,6-Tribromophenol	73		73		0-136
4-Terphenyl-d14	80		78		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416119-2 WG416119-3								
Acenaphthene	62		73		31-137	16		50
2-Chloronaphthalene	95		109		40-140	14		50
Fluoranthene	82		91		40-140	10		50
Anthracene	96		110		40-140	14		50
Pyrene	78		86		35-142	10		50
Pentachlorophenol	36		25		17-109	36		50

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	78		91		25-120
Phenol-d6	78		94		10-120
Nitrobenzene-d5	81		98		23-120
2-Fluorobiphenyl	81		97		30-120
2,4,6-Tribromophenol	72		81		0-136
4-Terphenyl-d14	88		102		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 15 Batch: WG416455-2 WG416455-3								
1,2,4-Trichlorobenzene	53		54		38-107	2		50
1,2-Dichlorobenzene	56		58		40-140	4		50
1,4-Dichlorobenzene	54		56		28-104	4		50
2,4-Dinitrotoluene	58		61		28-89	5		50
2,6-Dinitrotoluene	55		57		40-140	4		50
4-Chlorophenyl phenyl ether	53		57		40-140	7		50
n-Nitrosodi-n-propylamine	62		63		41-126	2		50
Butyl benzyl phthalate	58		60		40-140	3		50
P-Chloro-M-Cresol	60		65		26-103	8		50
2-Chlorophenol	60		62		25-102	3		50
2-Nitrophenol	56		60		30-130	7		50
4-Nitrophenol	50		56		11-114	11		50
2,4-Dinitrophenol	18		22		4-130	20		50
Phenol	60		64		26-90	6		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 15 Batch: WG416455-2 WG416455-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	64		62		25-120
Phenol-d6	62		63		10-120
Nitrobenzene-d5	58		58		23-120
2-Fluorobiphenyl	58		58		30-120
2,4,6-Tribromophenol	58		61		0-136
4-Terphenyl-d14	61		60		18-120

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
-----------	---------------	----------	----------	--------------	------	-----------	---------------	------	-----------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,17,19,21,23 QC Batch ID: WG416118-4 WG416118-5 QC Sample: L1008075-01 Client ID: SS-101

1,2,4-Trichlorobenzene	ND	708	380	54		360	52		38-107	4		50
1,2-Dichlorobenzene	ND	708	360	51		ND	46		40-140	10		50
1,4-Dichlorobenzene	ND	708	360	51		ND	46		28-104	10		50
2,4-Dinitrotoluene	ND	708	380	54		380	55		28-89	2		50
2,6-Dinitrotoluene	ND	708	380	54		350	51		40-140	6		50
4-Chlorophenyl phenyl ether	ND	708	430	61		420	61		40-140	0		50
n-Nitrosodi-n-propylamine	ND	708	390	55		340	49		41-126	12		50
Butyl benzyl phthalate	ND	708	520	73		500	72		40-140	1		50
P-Chloro-M-Cresol	ND	708	480	68		450	65		26-103	5		50
2-Chlorophenol	ND	708	ND	55		ND	55		25-102	0		50
2-Nitrophenol	ND	708	ND	49		ND	48		30-130	2		50
4-Nitrophenol	ND	708	ND	64		ND	69		11-114	8		50
2,4-Dinitrophenol	ND	708	ND	18		ND	17		4-130	6		50
Phenol	ND	708	ND	56		ND	58		26-90	4		50

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
2,4,6-Tribromophenol	76		71		0-136
2-Fluorobiphenyl	66		62		30-120
2-Fluorophenol	63		58		25-120
4-Terphenyl-d14	80		78		18-120
Nitrobenzene-d5	58		52		23-120

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
-----------	---------------	----------	----------	--------------	------	-----------	---------------	------	-----------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,17,19,21,23 QC Batch ID: WG416118-4 WG416118-5 QC Sample: L1008075-01 Client ID: SS-101

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
Phenol-d6	63		58		10-120

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 QC Batch ID: WG416119-4												
WG416119-5 QC Sample: L1008075-01 Client ID: SS-101												
Acenaphthene	ND	708	660	93		560	81		31-137	14		50
2-Chloronaphthalene	ND	708	820	120		690	100		40-140	18		50
Fluoranthene	320	708	1000	96		940	90		40-140	6		50
Anthracene	ND	708	600	85		530	77		40-140	10		50
Pyrene	280	708	990	100		880	87		35-142	14		50
Pentachlorophenol	ND	708	ND	58		ND	49		17-109	17		50

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
2,4,6-Tribromophenol	101		82		0-136
2-Fluorobiphenyl	94		78		30-120
2-Fluorophenol	84		65		25-120
4-Terphenyl-d14	102		87		18-120
Nitrobenzene-d5	85		66		23-120
Phenol-d6	86		68		10-120

PCBS

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-01
Client ID: SS-101
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/05/10 09:47
Analyst: KB
Percent Solids: 91%

Date Collected: 05/25/10 09:00
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	34.4	--	1
Aroclor 1221	ND		ug/kg	34.4	--	1
Aroclor 1232	ND		ug/kg	34.4	--	1
Aroclor 1242	ND		ug/kg	34.4	--	1
Aroclor 1248	ND		ug/kg	34.4	--	1
Aroclor 1254	ND		ug/kg	34.4	--	1
Aroclor 1260	ND		ug/kg	34.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	75		30-150	A
Decachlorobiphenyl	72		30-150	A
2,4,5,6-Tetrachloro-m-xylene	83		30-150	B
Decachlorobiphenyl	71		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-03
Client ID: SS-104 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/05/10 09:10
Analyst: KB
Percent Solids: 70%

Date Collected: 05/25/10 10:00
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	49.7	--	1
Aroclor 1221	ND		ug/kg	49.7	--	1
Aroclor 1232	ND		ug/kg	49.7	--	1
Aroclor 1242	ND		ug/kg	49.7	--	1
Aroclor 1248	ND		ug/kg	49.7	--	1
Aroclor 1254	ND		ug/kg	49.7	--	1
Aroclor 1260	ND		ug/kg	49.7	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	86		30-150	A
Decachlorobiphenyl	86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	91		30-150	B
Decachlorobiphenyl	83		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-05
Client ID: SS-104 (8-9)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 15:43
Analyst: KB
Percent Solids: 73%

Date Collected: 05/25/10 10:10
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	46.6	--	1
Aroclor 1221	ND		ug/kg	46.6	--	1
Aroclor 1232	ND		ug/kg	46.6	--	1
Aroclor 1242	ND		ug/kg	46.6	--	1
Aroclor 1248	ND		ug/kg	46.6	--	1
Aroclor 1254	ND		ug/kg	46.6	--	1
Aroclor 1260	ND		ug/kg	46.6	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	87		30-150	A
Decachlorobiphenyl	62		30-150	A
2,4,5,6-Tetrachloro-m-xylene	95		30-150	B
Decachlorobiphenyl	77		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06
 Client ID: DUP-(0525)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8082
 Analytical Date: 06/05/10 09:23
 Analyst: KB
 Percent Solids: 94%

Date Collected: 05/25/10 13:30
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 20:43
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/04/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	35.9	--	1
Aroclor 1221	ND		ug/kg	35.9	--	1
Aroclor 1232	ND		ug/kg	35.9	--	1
Aroclor 1242	ND		ug/kg	35.9	--	1
Aroclor 1248	ND		ug/kg	35.9	--	1
Aroclor 1254	ND		ug/kg	35.9	--	1
Aroclor 1260	ND		ug/kg	35.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	79		30-150	A
Decachlorobiphenyl	83		30-150	A
2,4,5,6-Tetrachloro-m-xylene	89		30-150	B
Decachlorobiphenyl	86		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-08
Client ID: SB-104 (80-89)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 15:55
Analyst: KB
Percent Solids: 66%

Date Collected: 05/25/10 14:15
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	51.5	--	1
Aroclor 1221	ND		ug/kg	51.5	--	1
Aroclor 1232	ND		ug/kg	51.5	--	1
Aroclor 1242	ND		ug/kg	51.5	--	1
Aroclor 1248	ND		ug/kg	51.5	--	1
Aroclor 1254	ND		ug/kg	51.5	--	1
Aroclor 1260	ND		ug/kg	51.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	87		30-150	A
Decachlorobiphenyl	83		30-150	A
2,4,5,6-Tetrachloro-m-xylene	95		30-150	B
Decachlorobiphenyl	75		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-09
Client ID: EQ FB
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/06/10 13:53
Analyst: KB

Date Collected: 05/26/10 07:15
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/04/10 10:15
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/06/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/06/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.104	--	1
Aroclor 1221	ND		ug/l	0.104	--	1
Aroclor 1232	ND		ug/l	0.104	--	1
Aroclor 1242	ND		ug/l	0.104	--	1
Aroclor 1248	ND		ug/l	0.104	--	1
Aroclor 1254	ND		ug/l	0.104	--	1
Aroclor 1260	ND		ug/l	0.104	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	56		30-150	A
Decachlorobiphenyl	39		30-150	A
2,4,5,6-Tetrachloro-m-xylene	67		30-150	B
Decachlorobiphenyl	40		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-11
Client ID: SB/MW-101 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 16:07
Analyst: KB
Percent Solids: 88%

Date Collected: 05/26/10 10:35
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	36.9	--	1
Aroclor 1221	ND		ug/kg	36.9	--	1
Aroclor 1232	ND		ug/kg	36.9	--	1
Aroclor 1242	ND		ug/kg	36.9	--	1
Aroclor 1248	ND		ug/kg	36.9	--	1
Aroclor 1254	ND		ug/kg	36.9	--	1
Aroclor 1260	ND		ug/kg	36.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	76		30-150	A
2,4,5,6-Tetrachloro-m-xylene	73		30-150	B
Decachlorobiphenyl	59		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-13
Client ID: SB/MW-101 (6-9)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 16:20
Analyst: KB
Percent Solids: 90%

Date Collected: 05/26/10 10:45
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	38.6	--	1
Aroclor 1221	ND		ug/kg	38.6	--	1
Aroclor 1232	ND		ug/kg	38.6	--	1
Aroclor 1242	ND		ug/kg	38.6	--	1
Aroclor 1248	ND		ug/kg	38.6	--	1
Aroclor 1254	ND		ug/kg	38.6	--	1
Aroclor 1260	ND		ug/kg	38.6	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	80		30-150	A
Decachlorobiphenyl	67		30-150	A
2,4,5,6-Tetrachloro-m-xylene	89		30-150	B
Decachlorobiphenyl	70		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-15
Client ID: SB/MW-101 (128-130)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 16:32
Analyst: KB
Percent Solids: 78%

Date Collected: 05/27/10 08:50
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	44.4	--	1
Aroclor 1221	ND		ug/kg	44.4	--	1
Aroclor 1232	ND		ug/kg	44.4	--	1
Aroclor 1242	ND		ug/kg	44.4	--	1
Aroclor 1248	ND		ug/kg	44.4	--	1
Aroclor 1254	ND		ug/kg	44.4	--	1
Aroclor 1260	ND		ug/kg	44.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	87		30-150	A
2,4,5,6-Tetrachloro-m-xylene	103		30-150	B
Decachlorobiphenyl	82		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-17
Client ID: SB/MW-101 (148-150)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 16:44
Analyst: KB
Percent Solids: 75%

Date Collected: 05/27/10 10:15
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	44.4	--	1
Aroclor 1221	ND		ug/kg	44.4	--	1
Aroclor 1232	ND		ug/kg	44.4	--	1
Aroclor 1242	ND		ug/kg	44.4	--	1
Aroclor 1248	ND		ug/kg	44.4	--	1
Aroclor 1254	ND		ug/kg	44.4	--	1
Aroclor 1260	ND		ug/kg	44.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	101		30-150	A
Decachlorobiphenyl	93		30-150	A
2,4,5,6-Tetrachloro-m-xylene	116		30-150	B
Decachlorobiphenyl	90		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-19
Client ID: SB/MW-105 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/05/10 09:35
Analyst: KB
Percent Solids: 92%

Date Collected: 05/28/10 11:00
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:43
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	37.7	--	1
Aroclor 1221	ND		ug/kg	37.7	--	1
Aroclor 1232	ND		ug/kg	37.7	--	1
Aroclor 1242	ND		ug/kg	37.7	--	1
Aroclor 1248	ND		ug/kg	37.7	--	1
Aroclor 1254	ND		ug/kg	37.7	--	1
Aroclor 1260	ND		ug/kg	37.7	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	90		30-150	A
Decachlorobiphenyl	93		30-150	A
2,4,5,6-Tetrachloro-m-xylene	93		30-150	B
Decachlorobiphenyl	88		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-21
Client ID: SB/MW-105 (8-9.5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/04/10 16:56
Analyst: KB
Percent Solids: 85%

Date Collected: 05/28/10 11:25
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:46
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	40.0	--	1
Aroclor 1221	ND		ug/kg	40.0	--	1
Aroclor 1232	ND		ug/kg	40.0	--	1
Aroclor 1242	ND		ug/kg	40.0	--	1
Aroclor 1248	ND		ug/kg	40.0	--	1
Aroclor 1254	ND		ug/kg	40.0	--	1
Aroclor 1260	ND		ug/kg	40.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	102		30-150	A
Decachlorobiphenyl	104		30-150	A
2,4,5,6-Tetrachloro-m-xylene	102		30-150	B
Decachlorobiphenyl	92		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-23
Client ID: SB/MW-105 (23-24.5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/05/10 10:37
Analyst: KB
Percent Solids: 84%

Date Collected: 05/28/10 11:45
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 20:46
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/04/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	41.8	--	1
Aroclor 1221	ND		ug/kg	41.8	--	1
Aroclor 1232	ND		ug/kg	41.8	--	1
Aroclor 1242	ND		ug/kg	41.8	--	1
Aroclor 1248	ND		ug/kg	41.8	--	1
Aroclor 1254	ND		ug/kg	41.8	--	1
Aroclor 1260	ND		ug/kg	41.8	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	102		30-150	A
Decachlorobiphenyl	101		30-150	A
2,4,5,6-Tetrachloro-m-xylene	102		30-150	B
Decachlorobiphenyl	84		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082
 Analytical Date: 06/05/10 10:49
 Analyst: KB

Extraction Method: EPA 3546
 Extraction Date: 06/03/10 20:43
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/04/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416082-1					
Aroclor 1016	ND		ug/kg	33.1	--
Aroclor 1221	ND		ug/kg	33.1	--
Aroclor 1232	ND		ug/kg	33.1	--
Aroclor 1242	ND		ug/kg	33.1	--
Aroclor 1248	ND		ug/kg	33.1	--
Aroclor 1254	ND		ug/kg	33.1	--
Aroclor 1260	ND		ug/kg	33.1	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	89		30-150	A
Decachlorobiphenyl	80		30-150	A
2,4,5,6-Tetrachloro-m-xylene	91		30-150	B
Decachlorobiphenyl	68		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082
 Analytical Date: 06/06/10 12:38
 Analyst: KB

Extraction Method: EPA 3510C
 Extraction Date: 06/04/10 10:15
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/06/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/06/10

Parameter	Result	Qualifier	Units	RL	MDL
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 09 Batch: WG416156-1					
Aroclor 1016	ND		ug/l	0.100	--
Aroclor 1221	ND		ug/l	0.100	--
Aroclor 1232	ND		ug/l	0.100	--
Aroclor 1242	ND		ug/l	0.100	--
Aroclor 1248	ND		ug/l	0.100	--
Aroclor 1254	ND		ug/l	0.100	--
Aroclor 1260	ND		ug/l	0.100	--

Surrogate	%Recovery	Qualifier	Acceptance	
			Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	61		30-150	A
Decachlorobiphenyl	84		30-150	A
2,4,5,6-Tetrachloro-m-xylene	69		30-150	B
Decachlorobiphenyl	70		30-150	B

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 QC Batch ID: WG416082-4 WG416082-5												
QC Sample: L1008075-01 Client ID: SS-101												
Aroclor 1016	ND	232	157	68		209	89		40-140	27		50
Aroclor 1260	ND	232	156	67		210	89		40-140	28		50

Surrogate	MS		MSD		Acceptance Criteria	Column
	% Recovery	Qualifier	% Recovery	Qualifier		
2,4,5,6-Tetrachloro-m-xylene	64		86		30-150	A
Decachlorobiphenyl	58		81		30-150	A
2,4,5,6-Tetrachloro-m-xylene	68		89		30-150	B
Decachlorobiphenyl	55		76		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416082-2 WG416082-3								
Aroclor 1016	102		92		40-140	10		30
Aroclor 1260	82		89		40-140	8		30

Surrogate	LCS		LCSD		Acceptance Criteria	Column
	%Recovery	Qual	%Recovery	Qual		
2,4,5,6-Tetrachloro-m-xylene	93		85		30-150	A
Decachlorobiphenyl	86		88		30-150	A
2,4,5,6-Tetrachloro-m-xylene	96		92		30-150	B
Decachlorobiphenyl	73		77		30-150	B

Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 09 Batch: WG416156-2 WG416156-3								
Aroclor 1016	83		73		40-140	14		30
Aroclor 1260	95		74		40-140	26		30

Surrogate	LCS		LCSD		Acceptance Criteria	Column
	%Recovery	Qual	%Recovery	Qual		
2,4,5,6-Tetrachloro-m-xylene	61		58		30-150	A
Decachlorobiphenyl	91		77		30-150	A
2,4,5,6-Tetrachloro-m-xylene	65		62		30-150	B
Decachlorobiphenyl	73		64		30-150	B

PESTICIDES

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01
 Client ID: SS-101
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 17:57
 Analyst: JB
 Percent Solids: 91%

Date Collected: 05/25/10 09:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:06
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	8.66	--	1
Lindane	ND		ug/kg	3.61	--	1
Alpha-BHC	ND		ug/kg	3.61	--	1
Beta-BHC	ND		ug/kg	8.66	--	1
Heptachlor	ND		ug/kg	4.33	--	1
Aldrin	ND		ug/kg	8.66	--	1
Heptachlor epoxide	ND		ug/kg	16.2	--	1
Endrin	ND		ug/kg	3.61	--	1
Endrin ketone	ND		ug/kg	8.66	--	1
Dieldrin	ND		ug/kg	5.42	--	1
4,4'-DDE	24.1		ug/kg	8.66	--	1
4,4'-DDD	ND		ug/kg	8.66	--	1
4,4'-DDT	ND		ug/kg	16.2	--	1
Endosulfan I	ND		ug/kg	8.66	--	1
Endosulfan II	ND		ug/kg	8.66	--	1
Endosulfan sulfate	ND		ug/kg	3.61	--	1
Methoxychlor	ND		ug/kg	16.2	--	1
Toxaphene	ND		ug/kg	162	--	1
trans-Chlordane	ND		ug/kg	10.8	--	1
Chlordane	ND		ug/kg	70.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	57		30-150	A
Decachlorobiphenyl	48		30-150	A
2,4,5,6-Tetrachloro-m-xylene	57		30-150	B
Decachlorobiphenyl	53		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03
 Client ID: SS-104 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 18:10
 Analyst: JB
 Percent Solids: 70%

Date Collected: 05/25/10 10:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	11.2	--	1
Alpha-BHC	ND		ug/kg	4.69	--	1
Beta-BHC	ND		ug/kg	11.2	--	1
Heptachlor	ND		ug/kg	5.62	--	1
Aldrin	ND		ug/kg	11.2	--	1
Heptachlor epoxide	ND		ug/kg	21.1	--	1
Endrin	ND		ug/kg	4.69	--	1
Endrin ketone	ND		ug/kg	11.2	--	1
Dieldrin	ND		ug/kg	7.03	--	1
4,4'-DDE	ND		ug/kg	11.2	--	1
4,4'-DDD	ND		ug/kg	11.2	--	1
4,4'-DDT	ND		ug/kg	21.1	--	1
Endosulfan I	ND		ug/kg	11.2	--	1
Endosulfan II	ND		ug/kg	11.2	--	1
Endosulfan sulfate	ND		ug/kg	4.69	--	1
Methoxychlor	ND		ug/kg	21.1	--	1
Toxaphene	ND		ug/kg	211	--	1
trans-Chlordane	ND		ug/kg	14.1	--	1
Chlordane	ND		ug/kg	91.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	50		30-150	A
Decachlorobiphenyl	34		30-150	A
2,4,5,6-Tetrachloro-m-xylene	46		30-150	B
Decachlorobiphenyl	39		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-03
Client ID: SS-104 (0-4)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/07/10 18:10
Analyst: JB
Percent Solids: 70%

Date Collected: 05/25/10 10:00
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 14:02
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Lindane	20.9		ug/kg	4.69	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	50		30-150	A
Decachlorobiphenyl	34		30-150	A
2,4,5,6-Tetrachloro-m-xylene	46		30-150	B
Decachlorobiphenyl	39		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-05
 Client ID: SS-104 (8-9)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 18:23
 Analyst: JB
 Percent Solids: 73%

Date Collected: 05/25/10 10:10
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	10.9	--	1
Lindane	ND		ug/kg	4.55	--	1
Alpha-BHC	ND		ug/kg	4.55	--	1
Beta-BHC	ND		ug/kg	10.9	--	1
Heptachlor	ND		ug/kg	5.46	--	1
Aldrin	ND		ug/kg	10.9	--	1
Heptachlor epoxide	ND		ug/kg	20.5	--	1
Endrin	ND		ug/kg	4.55	--	1
Endrin ketone	ND		ug/kg	10.9	--	1
Dieldrin	ND		ug/kg	6.82	--	1
4,4'-DDE	ND		ug/kg	10.9	--	1
4,4'-DDD	ND		ug/kg	10.9	--	1
4,4'-DDT	ND		ug/kg	20.5	--	1
Endosulfan I	ND		ug/kg	10.9	--	1
Endosulfan II	ND		ug/kg	10.9	--	1
Endosulfan sulfate	ND		ug/kg	4.55	--	1
Methoxychlor	ND		ug/kg	20.5	--	1
Toxaphene	ND		ug/kg	205	--	1
trans-Chlordane	ND		ug/kg	13.6	--	1
Chlordane	ND		ug/kg	88.7	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	79		30-150	A
Decachlorobiphenyl	55		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		30-150	B
Decachlorobiphenyl	64		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06
 Client ID: DUP-(0525)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 18:36
 Analyst: JB
 Percent Solids: 94%

Date Collected: 05/25/10 13:30
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	8.44	--	1
Lindane	ND		ug/kg	3.52	--	1
Alpha-BHC	ND		ug/kg	3.52	--	1
Beta-BHC	ND		ug/kg	8.44	--	1
Heptachlor	ND		ug/kg	4.22	--	1
Aldrin	ND		ug/kg	8.44	--	1
Heptachlor epoxide	ND		ug/kg	15.8	--	1
Endrin	ND		ug/kg	3.52	--	1
Endrin ketone	ND		ug/kg	8.44	--	1
Dieldrin	ND		ug/kg	5.27	--	1
4,4'-DDE	45.2		ug/kg	8.44	--	1
4,4'-DDD	ND		ug/kg	8.44	--	1
Endosulfan I	ND		ug/kg	8.44	--	1
Endosulfan II	ND		ug/kg	8.44	--	1
Endosulfan sulfate	ND		ug/kg	3.52	--	1
Methoxychlor	ND		ug/kg	15.8	--	1
Toxaphene	ND		ug/kg	158	--	1
trans-Chlordane	ND		ug/kg	10.5	--	1
Chlordane	ND		ug/kg	68.6	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	58		30-150	A
Decachlorobiphenyl	51		30-150	A
2,4,5,6-Tetrachloro-m-xylene	58		30-150	B
Decachlorobiphenyl	54		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-06
Client ID: DUP-(0525)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/07/10 18:36
Analyst: JB
Percent Solids: 94%

Date Collected: 05/25/10 13:30
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 14:02
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
4,4'-DDT	49.5		ug/kg	15.8	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	58		30-150	A
Decachlorobiphenyl	51		30-150	A
2,4,5,6-Tetrachloro-m-xylene	58		30-150	B
Decachlorobiphenyl	54		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-08
 Client ID: SB-104 (80-89)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 18:49
 Analyst: JB
 Percent Solids: 66%

Date Collected: 05/25/10 14:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	11.5	--	1
Lindane	ND		ug/kg	4.81	--	1
Alpha-BHC	ND		ug/kg	4.81	--	1
Beta-BHC	ND		ug/kg	11.5	--	1
Heptachlor	ND		ug/kg	5.77	--	1
Aldrin	ND		ug/kg	11.5	--	1
Heptachlor epoxide	ND		ug/kg	21.6	--	1
Endrin	ND		ug/kg	4.81	--	1
Endrin ketone	ND		ug/kg	11.5	--	1
Dieldrin	ND		ug/kg	7.22	--	1
4,4'-DDE	ND		ug/kg	11.5	--	1
4,4'-DDD	ND		ug/kg	11.5	--	1
4,4'-DDT	ND		ug/kg	21.6	--	1
Endosulfan I	ND		ug/kg	11.5	--	1
Endosulfan II	ND		ug/kg	11.5	--	1
Endosulfan sulfate	ND		ug/kg	4.81	--	1
Methoxychlor	ND		ug/kg	21.6	--	1
Toxaphene	ND		ug/kg	216	--	1
trans-Chlordane	ND		ug/kg	14.4	--	1
Chlordane	ND		ug/kg	93.8	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	56		30-150	A
Decachlorobiphenyl	51		30-150	A
2,4,5,6-Tetrachloro-m-xylene	55		30-150	B
Decachlorobiphenyl	52		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09
 Client ID: EQ FB
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/03/10 17:07
 Analyst: JB

Date Collected: 05/26/10 07:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/01/10 10:45
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/03/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.212	--	1
Toxaphene	ND		ug/l	0.212	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.212	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	84		30-150	A
Decachlorobiphenyl	77		30-150	A
2,4,5,6-Tetrachloro-m-xylene	70		30-150	B
Decachlorobiphenyl	69		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-11 D
 Client ID: SB/MW-101 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 19:15
 Analyst: JB
 Percent Solids: 88%

Date Collected: 05/26/10 10:35
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	44.9	--	5
Lindane	ND		ug/kg	18.7	--	5
Alpha-BHC	ND		ug/kg	18.7	--	5
Beta-BHC	ND		ug/kg	44.9	--	5
Heptachlor	ND		ug/kg	22.5	--	5
Aldrin	ND		ug/kg	44.9	--	5
Heptachlor epoxide	ND		ug/kg	84.3	--	5
Endrin	ND		ug/kg	18.7	--	5
Endrin ketone	ND		ug/kg	44.9	--	5
Dieldrin	ND		ug/kg	28.1	--	5
4,4'-DDE	ND		ug/kg	44.9	--	5
4,4'-DDD	ND		ug/kg	44.9	--	5
4,4'-DDT	ND		ug/kg	84.3	--	5
Endosulfan I	ND		ug/kg	44.9	--	5
Endosulfan II	ND		ug/kg	44.9	--	5
Endosulfan sulfate	ND		ug/kg	18.7	--	5
Methoxychlor	ND		ug/kg	84.3	--	5
Toxaphene	ND		ug/kg	843	--	5
trans-Chlordane	ND		ug/kg	56.2	--	5
Chlordane	ND		ug/kg	365	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	124		30-150	A
Decachlorobiphenyl	129		30-150	A
2,4,5,6-Tetrachloro-m-xylene	109		30-150	B
Decachlorobiphenyl	183	Q	30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-13
Client ID: SB/MW-101 (6-9)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/07/10 19:28
Analyst: JB
Percent Solids: 90%

Date Collected: 05/26/10 10:45
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 14:02
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	8.80	--	1
Lindane	ND		ug/kg	3.66	--	1
Alpha-BHC	ND		ug/kg	3.66	--	1
Beta-BHC	ND		ug/kg	8.80	--	1
Heptachlor	ND		ug/kg	4.40	--	1
Aldrin	ND		ug/kg	8.80	--	1
Heptachlor epoxide	ND		ug/kg	16.5	--	1
Endrin	ND		ug/kg	3.66	--	1
Endrin ketone	ND		ug/kg	8.80	--	1
Dieldrin	ND		ug/kg	5.50	--	1
4,4'-DDE	ND		ug/kg	8.80	--	1
4,4'-DDD	ND		ug/kg	8.80	--	1
4,4'-DDT	ND		ug/kg	16.5	--	1
Endosulfan I	ND		ug/kg	8.80	--	1
Endosulfan II	ND		ug/kg	8.80	--	1
Endosulfan sulfate	ND		ug/kg	3.66	--	1
Methoxychlor	ND		ug/kg	16.5	--	1
Toxaphene	ND		ug/kg	165	--	1
trans-Chlordane	ND		ug/kg	11.0	--	1
Chlordane	ND		ug/kg	71.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	57		30-150	A
Decachlorobiphenyl	54		30-150	A
2,4,5,6-Tetrachloro-m-xylene	56		30-150	B
Decachlorobiphenyl	56		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-15
Client ID: SB/MW-101 (128-130)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/07/10 19:41
Analyst: JB
Percent Solids: 78%

Date Collected: 05/27/10 08:50
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/03/10 14:02
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	10.2	--	1
Lindane	ND		ug/kg	4.26	--	1
Alpha-BHC	ND		ug/kg	4.26	--	1
Beta-BHC	ND		ug/kg	10.2	--	1
Heptachlor	ND		ug/kg	5.11	--	1
Aldrin	ND		ug/kg	10.2	--	1
Heptachlor epoxide	ND		ug/kg	19.2	--	1
Endrin	ND		ug/kg	4.26	--	1
Endrin ketone	ND		ug/kg	10.2	--	1
Dieldrin	ND		ug/kg	6.38	--	1
4,4'-DDE	ND		ug/kg	10.2	--	1
4,4'-DDD	ND		ug/kg	10.2	--	1
4,4'-DDT	ND		ug/kg	19.2	--	1
Endosulfan I	ND		ug/kg	10.2	--	1
Endosulfan II	ND		ug/kg	10.2	--	1
Endosulfan sulfate	ND		ug/kg	4.26	--	1
Methoxychlor	ND		ug/kg	19.2	--	1
Toxaphene	ND		ug/kg	192	--	1
trans-Chlordane	ND		ug/kg	12.8	--	1
Chlordane	ND		ug/kg	83.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	30		30-150	A
Decachlorobiphenyl	26	Q	30-150	A
2,4,5,6-Tetrachloro-m-xylene	31		30-150	B
Decachlorobiphenyl	28	Q	30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-15 RE
Client ID: SB/MW-101 (128-130)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/11/10 15:09
Analyst: JB
Percent Solids: 78%

Date Collected: 05/27/10 08:50
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/11/10 10:39
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/11/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	10.9	--	1
Lindane	ND		ug/kg	4.55	--	1
Alpha-BHC	ND		ug/kg	4.55	--	1
Beta-BHC	ND		ug/kg	10.9	--	1
Heptachlor	ND		ug/kg	5.46	--	1
Aldrin	ND		ug/kg	10.9	--	1
Heptachlor epoxide	ND		ug/kg	20.4	--	1
Endrin	ND		ug/kg	4.55	--	1
Endrin ketone	ND		ug/kg	10.9	--	1
Dieldrin	ND		ug/kg	6.82	--	1
4,4'-DDE	ND		ug/kg	10.9	--	1
4,4'-DDD	ND		ug/kg	10.9	--	1
4,4'-DDT	ND		ug/kg	20.4	--	1
Endosulfan I	ND		ug/kg	10.9	--	1
Endosulfan II	ND		ug/kg	10.9	--	1
Endosulfan sulfate	ND		ug/kg	4.55	--	1
Methoxychlor	ND		ug/kg	20.4	--	1
Toxaphene	ND		ug/kg	204	--	1
trans-Chlordane	ND		ug/kg	13.6	--	1
Chlordane	ND		ug/kg	88.6	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	94		30-150	A
Decachlorobiphenyl	82		30-150	A
2,4,5,6-Tetrachloro-m-xylene	83		30-150	B
Decachlorobiphenyl	87		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-17
 Client ID: SB/MW-101 (148-150)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 19:54
 Analyst: JB
 Percent Solids: 75%

Date Collected: 05/27/10 10:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	10.5	--	1
Lindane	ND		ug/kg	4.39	--	1
Alpha-BHC	ND		ug/kg	4.39	--	1
Beta-BHC	ND		ug/kg	10.5	--	1
Heptachlor	ND		ug/kg	5.27	--	1
Aldrin	ND		ug/kg	10.5	--	1
Heptachlor epoxide	ND		ug/kg	19.7	--	1
Endrin	ND		ug/kg	4.39	--	1
Endrin ketone	ND		ug/kg	10.5	--	1
Dieldrin	ND		ug/kg	6.58	--	1
4,4'-DDE	ND		ug/kg	10.5	--	1
4,4'-DDD	ND		ug/kg	10.5	--	1
4,4'-DDT	ND		ug/kg	19.7	--	1
Endosulfan I	ND		ug/kg	10.5	--	1
Endosulfan II	ND		ug/kg	10.5	--	1
Endosulfan sulfate	ND		ug/kg	4.39	--	1
Methoxychlor	ND		ug/kg	19.7	--	1
Toxaphene	ND		ug/kg	197	--	1
trans-Chlordane	ND		ug/kg	13.2	--	1
Chlordane	ND		ug/kg	85.6	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	1	Q	30-150	A
Decachlorobiphenyl	0	Q	30-150	A
2,4,5,6-Tetrachloro-m-xylene	1	Q	30-150	B
Decachlorobiphenyl	0	Q	30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-17 RE
 Client ID: SB/MW-101 (148-150)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 15:21
 Analyst: JB
 Percent Solids: 75%

Date Collected: 05/27/10 10:15
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/11/10 10:39
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/11/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	11.2	--	1
Lindane	ND		ug/kg	4.68	--	1
Alpha-BHC	ND		ug/kg	4.68	--	1
Beta-BHC	ND		ug/kg	11.2	--	1
Heptachlor	ND		ug/kg	5.61	--	1
Aldrin	ND		ug/kg	11.2	--	1
Heptachlor epoxide	ND		ug/kg	21.0	--	1
Endrin	ND		ug/kg	4.68	--	1
Endrin ketone	ND		ug/kg	11.2	--	1
Dieldrin	ND		ug/kg	7.01	--	1
4,4'-DDE	ND		ug/kg	11.2	--	1
4,4'-DDD	ND		ug/kg	11.2	--	1
4,4'-DDT	ND		ug/kg	21.0	--	1
Endosulfan I	ND		ug/kg	11.2	--	1
Endosulfan II	ND		ug/kg	11.2	--	1
Endosulfan sulfate	ND		ug/kg	4.68	--	1
Methoxychlor	ND		ug/kg	21.0	--	1
Toxaphene	ND		ug/kg	210	--	1
trans-Chlordane	ND		ug/kg	14.0	--	1
Chlordane	ND		ug/kg	91.2	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	102		30-150	A
Decachlorobiphenyl	86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	93		30-150	B
Decachlorobiphenyl	93		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-19
 Client ID: SB/MW-105 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/07/10 20:07
 Analyst: JB
 Percent Solids: 92%

Date Collected: 05/28/10 11:00
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	8.45	--	1
Lindane	ND		ug/kg	3.52	--	1
Alpha-BHC	ND		ug/kg	3.52	--	1
Beta-BHC	ND		ug/kg	8.45	--	1
Heptachlor	ND		ug/kg	4.22	--	1
Aldrin	ND		ug/kg	8.45	--	1
Heptachlor epoxide	ND		ug/kg	15.8	--	1
Endrin	ND		ug/kg	3.52	--	1
Endrin ketone	ND		ug/kg	8.45	--	1
Dieldrin	ND		ug/kg	5.28	--	1
4,4'-DDE	ND		ug/kg	8.45	--	1
4,4'-DDD	ND		ug/kg	8.45	--	1
4,4'-DDT	ND		ug/kg	15.8	--	1
Endosulfan I	ND		ug/kg	8.45	--	1
Endosulfan II	ND		ug/kg	8.45	--	1
Endosulfan sulfate	ND		ug/kg	3.52	--	1
Methoxychlor	ND		ug/kg	15.8	--	1
Toxaphene	ND		ug/kg	158	--	1
trans-Chlordane	ND		ug/kg	10.6	--	1
Chlordane	ND		ug/kg	68.6	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	55		30-150	A
Decachlorobiphenyl	49		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		30-150	B
Decachlorobiphenyl	58		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008075**Project Number:** 11160**Report Date:** 06/14/10**SAMPLE RESULTS**

Lab ID: L1008075-21
Client ID: SB/MW-105 (8-9.5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/11/10 15:34
Analyst: SS
Percent Solids: 85%

Date Collected: 05/28/10 11:25
Date Received: 05/28/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/11/10 10:39
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/11/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	9.78	--	1
Lindane	ND		ug/kg	4.08	--	1
Alpha-BHC	ND		ug/kg	4.08	--	1
Beta-BHC	ND		ug/kg	9.78	--	1
Heptachlor	ND		ug/kg	4.89	--	1
Aldrin	ND		ug/kg	9.78	--	1
Heptachlor epoxide	ND		ug/kg	18.3	--	1
Endrin	ND		ug/kg	4.08	--	1
Endrin ketone	ND		ug/kg	9.78	--	1
Dieldrin	ND		ug/kg	6.11	--	1
4,4'-DDE	ND		ug/kg	9.78	--	1
4,4'-DDD	ND		ug/kg	9.78	--	1
4,4'-DDT	ND		ug/kg	18.3	--	1
Endosulfan I	ND		ug/kg	9.78	--	1
Endosulfan II	ND		ug/kg	9.78	--	1
Endosulfan sulfate	ND		ug/kg	4.08	--	1
Methoxychlor	ND		ug/kg	18.3	--	1
Toxaphene	ND		ug/kg	183	--	1
trans-Chlordane	ND		ug/kg	12.2	--	1
Chlordane	ND		ug/kg	79.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	75		30-150	A
Decachlorobiphenyl	65		30-150	A
2,4,5,6-Tetrachloro-m-xylene	69		30-150	B
Decachlorobiphenyl	70		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-23
 Client ID: SB/MW-105 (23-24.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/10/10 11:06
 Analyst: JB
 Percent Solids: 84%

Date Collected: 05/28/10 11:45
 Date Received: 05/28/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/03/10 14:02
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	9.40	--	1
Lindane	ND		ug/kg	3.92	--	1
Alpha-BHC	ND		ug/kg	3.92	--	1
Beta-BHC	ND		ug/kg	9.40	--	1
Heptachlor	ND		ug/kg	4.70	--	1
Aldrin	ND		ug/kg	9.40	--	1
Heptachlor epoxide	ND		ug/kg	17.6	--	1
Endrin	ND		ug/kg	3.92	--	1
Endrin ketone	ND		ug/kg	9.40	--	1
Dieldrin	ND		ug/kg	5.88	--	1
4,4'-DDE	ND		ug/kg	9.40	--	1
4,4'-DDD	ND		ug/kg	9.40	--	1
4,4'-DDT	ND		ug/kg	17.6	--	1
Endosulfan I	ND		ug/kg	9.40	--	1
Endosulfan II	ND		ug/kg	9.40	--	1
Endosulfan sulfate	ND		ug/kg	3.92	--	1
Methoxychlor	ND		ug/kg	17.6	--	1
Toxaphene	ND		ug/kg	176	--	1
trans-Chlordane	ND		ug/kg	11.8	--	1
Chlordane	ND		ug/kg	76.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	70		30-150	A
Decachlorobiphenyl	61		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		30-150	B
Decachlorobiphenyl	68		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081A
Analytical Date: 06/03/10 16:28
Analyst: JB

Extraction Method: EPA 3510C
Extraction Date: 06/01/10 10:45
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/03/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 09 Batch: WG415398-1					
Delta-BHC	ND		ug/l	0.020	--
Lindane	ND		ug/l	0.020	--
Alpha-BHC	ND		ug/l	0.020	--
Beta-BHC	ND		ug/l	0.020	--
Heptachlor	ND		ug/l	0.020	--
Aldrin	ND		ug/l	0.020	--
Heptachlor epoxide	ND		ug/l	0.020	--
Endrin	ND		ug/l	0.040	--
Endrin ketone	ND		ug/l	0.040	--
Dieldrin	ND		ug/l	0.040	--
4,4'-DDE	ND		ug/l	0.040	--
4,4'-DDD	ND		ug/l	0.040	--
4,4'-DDT	ND		ug/l	0.040	--
Endosulfan I	ND		ug/l	0.020	--
Endosulfan II	ND		ug/l	0.040	--
Endosulfan sulfate	ND		ug/l	0.040	--
Methoxychlor	ND		ug/l	0.200	--
Toxaphene	ND		ug/l	0.200	--
trans-Chlordane	ND		ug/l	0.020	--
Chlordane	ND		ug/l	0.200	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	84		30-150	A
Decachlorobiphenyl	97		30-150	A
2,4,5,6-Tetrachloro-m-xylene	74		30-150	B
Decachlorobiphenyl	97		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081A
Analytical Date: 06/07/10 16:52
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 06/03/10 14:02
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 03,05-06,08,11,13,15,17,19,23 Batch: WG415981-1					
Delta-BHC	ND		ug/kg	7.59	--
Lindane	ND		ug/kg	3.16	--
Alpha-BHC	ND		ug/kg	3.16	--
Beta-BHC	ND		ug/kg	7.59	--
Heptachlor	ND		ug/kg	3.80	--
Aldrin	ND		ug/kg	7.59	--
Heptachlor epoxide	ND		ug/kg	14.2	--
Endrin	ND		ug/kg	3.16	--
Endrin ketone	ND		ug/kg	7.59	--
Dieldrin	ND		ug/kg	4.74	--
4,4'-DDE	ND		ug/kg	7.59	--
4,4'-DDD	ND		ug/kg	7.59	--
4,4'-DDT	ND		ug/kg	14.2	--
Endosulfan I	ND		ug/kg	7.59	--
Endosulfan II	ND		ug/kg	7.59	--
Endosulfan sulfate	ND		ug/kg	3.16	--
Methoxychlor	ND		ug/kg	14.2	--
Toxaphene	ND		ug/kg	142	--
trans-Chlordane	ND		ug/kg	9.49	--
Chlordane	ND		ug/kg	61.7	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	A
Decachlorobiphenyl	61		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		30-150	B
Decachlorobiphenyl	60		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081A
Analytical Date: 06/07/10 16:52
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 06/03/10 14:06
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/04/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01 Batch: WG415984-1					
Delta-BHC	ND		ug/kg	7.59	--
Lindane	ND		ug/kg	3.16	--
Alpha-BHC	ND		ug/kg	3.16	--
Beta-BHC	ND		ug/kg	7.59	--
Heptachlor	ND		ug/kg	3.80	--
Aldrin	ND		ug/kg	7.59	--
Heptachlor epoxide	ND		ug/kg	14.2	--
Endrin	ND		ug/kg	3.16	--
Endrin ketone	ND		ug/kg	7.59	--
Dieldrin	ND		ug/kg	4.74	--
4,4'-DDE	ND		ug/kg	7.59	--
4,4'-DDD	ND		ug/kg	7.59	--
4,4'-DDT	ND		ug/kg	14.2	--
Endosulfan I	ND		ug/kg	7.59	--
Endosulfan II	ND		ug/kg	7.59	--
Endosulfan sulfate	ND		ug/kg	3.16	--
Methoxychlor	ND		ug/kg	14.2	--
Toxaphene	ND		ug/kg	142	--
trans-Chlordane	ND		ug/kg	9.49	--
Chlordane	ND		ug/kg	61.7	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	A
Decachlorobiphenyl	61		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		30-150	B
Decachlorobiphenyl	60		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081A
Analytical Date: 06/11/10 15:47
Analyst: SS

Extraction Method: EPA 3546
Extraction Date: 06/11/10 10:39
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/11/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 21 Batch: WG417396-1					
Delta-BHC	ND		ug/kg	7.98	--
Lindane	ND		ug/kg	3.32	--
Alpha-BHC	ND		ug/kg	3.32	--
Beta-BHC	ND		ug/kg	7.98	--
Heptachlor	ND		ug/kg	3.99	--
Aldrin	ND		ug/kg	7.98	--
Heptachlor epoxide	ND		ug/kg	15.0	--
Endrin	ND		ug/kg	3.32	--
Endrin ketone	ND		ug/kg	7.98	--
Dieldrin	ND		ug/kg	4.99	--
4,4'-DDE	ND		ug/kg	7.98	--
4,4'-DDD	ND		ug/kg	7.98	--
4,4'-DDT	ND		ug/kg	15.0	--
Endosulfan I	ND		ug/kg	7.98	--
Endosulfan II	ND		ug/kg	7.98	--
Endosulfan sulfate	ND		ug/kg	3.32	--
Methoxychlor	ND		ug/kg	15.0	--
Toxaphene	ND		ug/kg	150	--
trans-Chlordane	ND		ug/kg	9.97	--
Chlordane	ND		ug/kg	64.8	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	96		30-150	A
Decachlorobiphenyl	87		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		30-150	B
Decachlorobiphenyl	91		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 09 Batch: WG415398-2 WG415398-3								
Delta-BHC	74		78		30-150	5		20
Lindane	69		72		30-150	4		20
Alpha-BHC	70		74		30-150	6		20
Beta-BHC	61		63		30-150	3		20
Heptachlor	57		60		30-150	6		20
Aldrin	60		66		30-150	9		20
Heptachlor epoxide	68		72		30-150	6		20
Endrin	73		75		30-150	3		20
Endrin ketone	62		63		30-150	1		20
Dieldrin	70		74		30-150	5		20
4,4'-DDE	80		83		30-150	3		20
4,4'-DDD	89		90		30-150	1		20
4,4'-DDT	76		77		30-150	1		20
Endosulfan I	57		58		30-150	2		20
Endosulfan II	72		72		30-150	0		20
Endosulfan sulfate	65		65		30-150	0		20
Methoxychlor	78		80		30-150	3		20
trans-Chlordane	65		68		30-150	5		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 09 Batch: WG415398-2 WG415398-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	98		102		30-150	A
Decachlorobiphenyl	95		102		30-150	A
2,4,5,6-Tetrachloro-m-xylene	78		81		30-150	B
Decachlorobiphenyl	85		91		30-150	B

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 03,05-06,08,11,13,15,17,19,23 Batch: WG415981-2 WG415981-3

Delta-BHC	75		72		30-150	4	30
Lindane	73		70		30-150	4	30
Alpha-BHC	72		69		30-150	4	30
Beta-BHC	69		66		30-150	4	30
Heptachlor	68		66		30-150	3	30
Aldrin	70		68		30-150	3	30
Heptachlor epoxide	71		68		30-150	4	30
Endrin	73		72		30-150	1	30
Endrin ketone	65		64		30-150	2	30

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 03,05-06,08,11,13,15,17,19,23 Batch: WG415981-2 WG415981-3								
Dieldrin	68		72		30-150	6		30
4,4'-DDE	85		81		30-150	5		30
4,4'-DDD	85		81		30-150	5		30
4,4'-DDT	77		75		30-150	3		30
Endosulfan I	64		62		30-150	3		30
Endosulfan II	75		72		30-150	4		30
Endosulfan sulfate	65		64		30-150	2		30
Methoxychlor	70		68		30-150	3		30
trans-Chlordane	70		68		30-150	3		30

Surrogate	LCS		LCSD		Acceptance Criteria	Column
	%Recovery	Qual	%Recovery	Qual		
2,4,5,6-Tetrachloro-m-xylene	56		64		30-150	A
Decachlorobiphenyl	53		63		30-150	A
2,4,5,6-Tetrachloro-m-xylene	55		63		30-150	B
Decachlorobiphenyl	55		62		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 Batch: WG415984-2 WG415984-3								
Delta-BHC	75		72		30-150	4		30
Lindane	73		70		30-150	4		30
Alpha-BHC	72		69		30-150	4		30
Beta-BHC	69		66		30-150	4		30
Heptachlor	68		66		30-150	3		30
Aldrin	70		68		30-150	3		30
Heptachlor epoxide	71		68		30-150	4		30
Endrin	73		72		30-150	1		30
Endrin ketone	65		64		30-150	2		30
Dieldrin	68		72		30-150	6		30
4,4'-DDE	85		81		30-150	5		30
4,4'-DDD	85		81		30-150	5		30
4,4'-DDT	77		75		30-150	3		30
Endosulfan I	64		62		30-150	3		30
Endosulfan II	75		72		30-150	4		30
Endosulfan sulfate	66		64		30-150	3		30
Methoxychlor	70		68		30-150	3		30
trans-Chlordane	71		68		30-150	4		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 Batch: WG415984-2 WG415984-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	56		64		30-150	A
Decachlorobiphenyl	53		63		30-150	A
2,4,5,6-Tetrachloro-m-xylene	55		63		30-150	B
Decachlorobiphenyl	55		62		30-150	B

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 21 Batch: WG417396-2 WG417396-3

Delta-BHC	88		92		30-150	4	30
Lindane	89		95		30-150	7	30
Alpha-BHC	90		95		30-150	5	30
Beta-BHC	83		90		30-150	8	30
Heptachlor	85		90		30-150	6	30
Aldrin	89		95		30-150	7	30
Heptachlor epoxide	86		91		30-150	6	30
Endrin	83		87		30-150	5	30
Endrin ketone	83		89		30-150	7	30

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 21 Batch: WG417396-2 WG417396-3								
Dieldrin	89		93		30-150	4		30
4,4'-DDE	86		91		30-150	6		30
4,4'-DDD	89		92		30-150	3		30
4,4'-DDT	80		83		30-150	4		30
Endosulfan I	87		93		30-150	7		30
Endosulfan II	92		98		30-150	6		30
Endosulfan sulfate	84		91		30-150	8		30
Methoxychlor	84		89		30-150	6		30
trans-Chlordane	85		90		30-150	6		30

Surrogate	LCS		LCSD		Acceptance Criteria	Column
	%Recovery	Qual	%Recovery	Qual		
2,4,5,6-Tetrachloro-m-xylene	88		94		30-150	A
Decachlorobiphenyl	83		86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	80		84		30-150	B
Decachlorobiphenyl	86		87		30-150	B

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG415984-4 WG415984-5 QC Sample: L1008075-01 Client ID: SS-101												
Delta-BHC	ND	286	157	55		167	61		30-150	10		50
Lindane	ND	286	162	57		174	63		30-150	11		50
Alpha-BHC	ND	286	162	57		175	64		30-150	11		50
Beta-BHC	ND	286	158	55		175	64		30-150	14		50
Heptachlor	ND	286	139	49		147	53		30-150	9		50
Aldrin	ND	286	164	57		177	64		30-150	11		50
Heptachlor epoxide	ND	286	162	57		177	64		30-150	12		50
Endrin	ND	286	167	59		184	67		30-150	13		50
Endrin ketone	ND	286	142	50		150	54		30-150	9		50
Dieldrin	ND	286	169	59		184	67		30-150	12		50
4,4'-DDE	24.1	286	213	66		240	78		30-150	17		50
4,4'-DDD	ND	286	188	66		216	78		30-150	17		50
4,4'-DDT	ND	286	168	59		176	64		30-150	8		50
Endosulfan I	ND	286	140	49		153	56		30-150	12		50
Endosulfan II	ND	286	166	58		175	64		30-150	9		50
Endosulfan sulfate	ND	286	137	48		141	51		30-150	6		50
Methoxychlor	ND	286	147	52		143	52		30-150	1		50
trans-Chlordane	ND	286	160	56		174	63		30-150	12		50

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
-----------	---------------	----------	----------	--------------	------	-----------	---------------	------	-----------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG415984-4 WG415984-5 QC Sample: L1008075-01 Client ID: SS-101

Surrogate	MS		MSD		Acceptance Criteria	Column
	% Recovery	Qualifier	% Recovery	Qualifier		
2,4,5,6-Tetrachloro-m-xylene	49		56		30-150	A
Decachlorobiphenyl	44		49		30-150	A
2,4,5,6-Tetrachloro-m-xylene	49		56		30-150	B
Decachlorobiphenyl	46		54		30-150	B

METALS

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01
 Client ID: SS-101
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 91%

Date Collected: 05/25/10 09:00
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	8100		mg/kg	4.4	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Arsenic, Total	4.3		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Barium, Total	73		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Beryllium, Total	0.48		mg/kg	0.22	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Calcium, Total	9500		mg/kg	4.4	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Chromium, Total	13		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Cobalt, Total	5.2		mg/kg	0.88	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Copper, Total	27		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Iron, Total	14000		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Lead, Total	60		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Magnesium, Total	3500		mg/kg	4.4	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Manganese, Total	410		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Mercury, Total	0.40		mg/kg	0.08	--	1	06/03/10 17:50	06/04/10 13:35	EPA 7471A	1,7471A	EZ
Nickel, Total	12		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Potassium, Total	970		mg/kg	110	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	0.88	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Sodium, Total	190		mg/kg	88	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.88	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Vanadium, Total	25		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI
Zinc, Total	67		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 15:47	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03
 Client ID: SS-104 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 70%

Date Collected: 05/25/10 10:00
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	8900		mg/kg	5.4	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Arsenic, Total	3.9		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Barium, Total	120		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Beryllium, Total	0.52		mg/kg	0.27	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Calcium, Total	11000		mg/kg	5.4	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Chromium, Total	13		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Cobalt, Total	4.4		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Copper, Total	32		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Iron, Total	13000		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Lead, Total	250		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Magnesium, Total	2100		mg/kg	5.4	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Manganese, Total	180		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Mercury, Total	1.8		mg/kg	0.10	--	1	06/03/10 17:50	06/04/10 13:41	EPA 7471A	1,7471A	EZ
Nickel, Total	14		mg/kg	1.4	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Potassium, Total	780		mg/kg	140	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Sodium, Total	280		mg/kg	110	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Vanadium, Total	16		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI
Zinc, Total	680		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:00	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-05
 Client ID: SS-104 (8-9)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 73%

Date Collected: 05/25/10 10:10
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	9300		mg/kg	5.4	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Arsenic, Total	2.8		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Barium, Total	21		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Beryllium, Total	0.60		mg/kg	0.27	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Calcium, Total	700		mg/kg	5.4	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Chromium, Total	12		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Cobalt, Total	7.5		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Copper, Total	11		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Iron, Total	17000		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Lead, Total	8.7		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Magnesium, Total	3000		mg/kg	5.4	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Manganese, Total	110		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Mercury, Total	ND		mg/kg	0.09	--	1	06/03/10 17:50	06/04/10 13:42	EPA 7471A	1,7471A	EZ
Nickel, Total	15		mg/kg	1.4	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Potassium, Total	810		mg/kg	140	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Sodium, Total	ND		mg/kg	110	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Vanadium, Total	20		mg/kg	0.54	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI
Zinc, Total	52		mg/kg	2.7	--	1	06/04/10 13:45	06/07/10 16:03	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06
 Client ID: DUP-(0525)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 94%

Date Collected: 05/25/10 13:30
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	9700		mg/kg	4.2	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Arsenic, Total	7.2		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Barium, Total	77		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Beryllium, Total	0.58		mg/kg	0.21	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Calcium, Total	2400		mg/kg	4.2	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Chromium, Total	18		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Cobalt, Total	5.4		mg/kg	0.83	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Copper, Total	31		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Iron, Total	12000		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Lead, Total	120		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Magnesium, Total	2000		mg/kg	4.2	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Manganese, Total	330		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Mercury, Total	0.75		mg/kg	0.08	--	1	06/03/10 17:50	06/04/10 13:44	EPA 7471A	1,7471A	EZ
Nickel, Total	15		mg/kg	1.0	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Potassium, Total	860		mg/kg	100	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	0.83	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Sodium, Total	90		mg/kg	83	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.83	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Vanadium, Total	31		mg/kg	0.42	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI
Zinc, Total	100		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:06	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-08
 Client ID: SB-104 (80-89)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 66%

Date Collected: 05/25/10 14:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	2800		mg/kg	6.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	3.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Arsenic, Total	1.0		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Barium, Total	43		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Beryllium, Total	0.59		mg/kg	0.30	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Cadmium, Total	0.93		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Calcium, Total	180000		mg/kg	6.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Chromium, Total	6.0		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Cobalt, Total	5.2		mg/kg	1.2	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Copper, Total	5.0		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Iron, Total	5400		mg/kg	3.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Lead, Total	5.3		mg/kg	3.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Magnesium, Total	54000		mg/kg	6.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Manganese, Total	460		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Mercury, Total	ND		mg/kg	0.12	--	1	06/03/10 17:50	06/04/10 13:46	EPA 7471A	1,7471A	EZ
Nickel, Total	6.1		mg/kg	1.5	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Potassium, Total	960		mg/kg	150	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	1.2	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Sodium, Total	210		mg/kg	120	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	1.2	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Vanadium, Total	9.0		mg/kg	0.60	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI
Zinc, Total	31		mg/kg	3.0	--	1	06/04/10 13:45	06/07/10 16:28	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09
 Client ID: EQ FB
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 05/26/10 07:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	ND		mg/l	0.10	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.050	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Arsenic, Total	ND		mg/l	0.005	--	1	06/07/10 15:50	06/08/10 17:36	EPA 3005A	1,6010B	MG
Barium, Total	ND		mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.005	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Cadmium, Total	ND		mg/l	0.005	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Calcium, Total	0.47		mg/l	0.10	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 15:50	06/08/10 17:36	EPA 3005A	1,6010B	MG
Cobalt, Total	ND		mg/l	0.020	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 15:50	06/08/10 17:36	EPA 3005A	1,6010B	MG
Iron, Total	0.34		mg/l	0.05	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Magnesium, Total	0.12		mg/l	0.10	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Manganese, Total	ND		mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/04/10 19:15	06/05/10 11:55	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Potassium, Total	ND		mg/l	2.5	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Sodium, Total	ND		mg/l	2.0	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.020	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Vanadium, Total	ND		mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/03/10 12:30	06/05/10 16:47	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.050	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/02/10 16:00	06/06/10 14:57	EPA 3005A	1,6010B	AI
Barium, Dissolved	ND		mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.005	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-09
Client ID: EQ FB
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 05/26/10 07:15
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	0.42		mg/l	0.10	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Iron, Dissolved	ND		mg/l	0.05	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	ND		mg/l	0.10	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Manganese, Dissolved	ND		mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/04/10 19:15	06/05/10 11:33	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Potassium, Dissolved	ND		mg/l	2.5	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Sodium, Dissolved	ND		mg/l	2.0	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.020	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/02/10 16:00	06/05/10 14:44	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-11
 Client ID: SB/MW-101 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 05/26/10 10:35
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	5400		mg/kg	4.4	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Arsenic, Total	4.2		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Barium, Total	110		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Beryllium, Total	0.46		mg/kg	0.22	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Cadmium, Total	2.0		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Calcium, Total	13000		mg/kg	4.4	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Chromium, Total	9.4		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Cobalt, Total	6.0		mg/kg	0.89	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Copper, Total	240		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Iron, Total	12000		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Lead, Total	210		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Magnesium, Total	6400		mg/kg	4.4	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Manganese, Total	270		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Mercury, Total	0.71		mg/kg	0.09	--	1	06/03/10 17:50	06/04/10 13:48	EPA 7471A	1,7471A	EZ
Nickel, Total	23		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Potassium, Total	880		mg/kg	110	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Selenium, Total	1.0		mg/kg	0.89	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Sodium, Total	220		mg/kg	89	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.89	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Vanadium, Total	16		mg/kg	0.44	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI
Zinc, Total	1200		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:31	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-13
 Client ID: SB/MW-101 (6-9)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 90%

Date Collected: 05/26/10 10:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6300		mg/kg	4.3	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Arsenic, Total	2.7		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Barium, Total	36		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Beryllium, Total	0.40		mg/kg	0.22	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Calcium, Total	1500		mg/kg	4.3	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Chromium, Total	11		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Cobalt, Total	4.5		mg/kg	0.87	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Copper, Total	22		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Iron, Total	11000		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Lead, Total	49		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Magnesium, Total	2300		mg/kg	4.3	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Manganese, Total	170		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Mercury, Total	ND		mg/kg	0.09	--	1	06/03/10 17:50	06/04/10 13:50	EPA 7471A	1,7471A	EZ
Nickel, Total	13		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Potassium, Total	780		mg/kg	110	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	0.87	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Sodium, Total	100		mg/kg	87	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.87	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Vanadium, Total	13		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI
Zinc, Total	160		mg/kg	2.2	--	1	06/04/10 13:45	06/07/10 16:34	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-15
 Client ID: SB/MW-101 (128-130)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 78%

Date Collected: 05/27/10 08:50
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	32000		mg/kg	50	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	25	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Arsenic, Total	6.0		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Barium, Total	16		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Beryllium, Total	ND		mg/kg	2.5	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Calcium, Total	2500		mg/kg	50	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Chromium, Total	120		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Cobalt, Total	ND		mg/kg	9.9	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Copper, Total	13		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Iron, Total	100000		mg/kg	25	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Lead, Total	ND		mg/kg	25	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Magnesium, Total	3000		mg/kg	50	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Manganese, Total	200		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Mercury, Total	ND		mg/kg	0.10	--	1	06/03/10 17:50	06/04/10 13:51	EPA 7471A	1,7471A	EZ
Nickel, Total	ND		mg/kg	12	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Potassium, Total	ND		mg/kg	1200	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	9.9	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Sodium, Total	ND		mg/kg	990	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	9.9	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Vanadium, Total	220		mg/kg	5.0	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI
Zinc, Total	82		mg/kg	25	--	10	06/04/10 13:45	06/07/10 16:47	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-17
 Client ID: SB/MW-101 (148-150)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 75%

Date Collected: 05/27/10 10:15
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	30000		mg/kg	54	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	27	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Arsenic, Total	ND		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Barium, Total	19		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Beryllium, Total	ND		mg/kg	2.7	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Calcium, Total	6600		mg/kg	54	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Chromium, Total	140		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Cobalt, Total	ND		mg/kg	11	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Copper, Total	23		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Iron, Total	120000		mg/kg	27	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Lead, Total	ND		mg/kg	27	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Magnesium, Total	4800		mg/kg	54	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Manganese, Total	640		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Mercury, Total	ND		mg/kg	0.11	--	1	06/03/10 17:50	06/04/10 13:57	EPA 7471A	1,7471A	EZ
Nickel, Total	16		mg/kg	14	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Potassium, Total	ND		mg/kg	1400	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	11	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Sodium, Total	ND		mg/kg	1100	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	11	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Vanadium, Total	220		mg/kg	5.4	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI
Zinc, Total	120		mg/kg	27	--	10	06/04/10 13:45	06/07/10 16:50	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-19
 Client ID: SB/MW-105 (0-4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 92%

Date Collected: 05/28/10 11:00
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	4900		mg/kg	4.3	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Arsenic, Total	3.7		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Barium, Total	91		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Beryllium, Total	0.35		mg/kg	0.21	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Cadmium, Total	0.54		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Calcium, Total	23000		mg/kg	4.3	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Chromium, Total	9.4		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Cobalt, Total	3.8		mg/kg	0.85	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Copper, Total	65		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Iron, Total	8800		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Lead, Total	170		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Magnesium, Total	5700		mg/kg	4.3	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Manganese, Total	190		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Mercury, Total	0.42		mg/kg	0.08	--	1	06/03/10 17:50	06/04/10 13:59	EPA 7471A	1,7471A	EZ
Nickel, Total	11		mg/kg	1.1	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Potassium, Total	740		mg/kg	110	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	0.85	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Silver, Total	0.72		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Sodium, Total	150		mg/kg	85	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.85	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Vanadium, Total	13		mg/kg	0.43	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI
Zinc, Total	190		mg/kg	2.1	--	1	06/04/10 13:45	06/07/10 16:37	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-21
 Client ID: SB/MW-105 (8-9.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 85%

Date Collected: 05/28/10 11:25
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6300		mg/kg	4.7	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Arsenic, Total	2.2		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Barium, Total	25		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Beryllium, Total	0.40		mg/kg	0.24	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Calcium, Total	1100		mg/kg	4.7	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Chromium, Total	10		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Cobalt, Total	5.4		mg/kg	0.94	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Copper, Total	13		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Iron, Total	12000		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Lead, Total	10		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Magnesium, Total	2300		mg/kg	4.7	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Manganese, Total	400		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Mercury, Total	ND		mg/kg	0.09	--	1	06/03/10 17:50	06/04/10 14:01	EPA 7471A	1,7471A	EZ
Nickel, Total	12		mg/kg	1.2	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Potassium, Total	870		mg/kg	120	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	0.94	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Sodium, Total	ND		mg/kg	94	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.94	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Vanadium, Total	12		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI
Zinc, Total	44		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:40	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-23
 Client ID: SB/MW-105 (23-24.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 84%

Date Collected: 05/28/10 11:45
 Date Received: 05/28/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6000		mg/kg	4.7	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Antimony, Total	ND		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Arsenic, Total	1.8		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Barium, Total	26		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Beryllium, Total	0.36		mg/kg	0.24	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Cadmium, Total	ND		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Calcium, Total	1300		mg/kg	4.7	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Chromium, Total	10		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Cobalt, Total	4.8		mg/kg	0.95	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Copper, Total	140		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Iron, Total	11000		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Lead, Total	60		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Magnesium, Total	2400		mg/kg	4.7	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Manganese, Total	140		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Mercury, Total	0.09		mg/kg	0.08	--	1	06/03/10 17:50	06/04/10 14:02	EPA 7471A	1,7471A	EZ
Nickel, Total	13		mg/kg	1.2	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Potassium, Total	680		mg/kg	120	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Selenium, Total	ND		mg/kg	0.95	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Silver, Total	ND		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Sodium, Total	96		mg/kg	95	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Thallium, Total	ND		mg/kg	0.95	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Vanadium, Total	12		mg/kg	0.47	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI
Zinc, Total	98		mg/kg	2.4	--	1	06/04/10 13:45	06/07/10 16:44	EPA 3050B	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 09 Batch: WG415779-1									
Aluminum, Dissolved	ND	mg/l	0.10	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Antimony, Dissolved	ND	mg/l	0.050	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Arsenic, Dissolved	ND	mg/l	0.005	--	1	06/02/10 16:00	06/06/10 14:48	1,6010B	AI
Barium, Dissolved	ND	mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Beryllium, Dissolved	ND	mg/l	0.005	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Cadmium, Dissolved	ND	mg/l	0.005	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Calcium, Dissolved	ND	mg/l	0.10	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Chromium, Dissolved	ND	mg/l	0.01	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Cobalt, Dissolved	ND	mg/l	0.020	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Copper, Dissolved	ND	mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Iron, Dissolved	ND	mg/l	0.05	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Lead, Dissolved	ND	mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Magnesium, Dissolved	ND	mg/l	0.10	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Manganese, Dissolved	ND	mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Nickel, Dissolved	ND	mg/l	0.025	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Potassium, Dissolved	ND	mg/l	2.5	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Selenium, Dissolved	ND	mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Silver, Dissolved	ND	mg/l	0.007	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Sodium, Dissolved	ND	mg/l	2.0	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Thallium, Dissolved	ND	mg/l	0.020	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Vanadium, Dissolved	ND	mg/l	0.010	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD
Zinc, Dissolved	ND	mg/l	0.050	--	1	06/02/10 16:00	06/05/10 14:35	1,6010B	TD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 09 Batch: WG416018-1									
Aluminum, Total	ND	mg/l	0.10	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Antimony, Total	ND	mg/l	0.050	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Barium, Total	ND	mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Beryllium, Total	ND	mg/l	0.005	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis Batch Quality Control

Cadmium, Total	ND	mg/l	0.005	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Calcium, Total	ND	mg/l	0.10	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Cobalt, Total	ND	mg/l	0.020	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Iron, Total	ND	mg/l	0.05	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Lead, Total	ND	mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Magnesium, Total	ND	mg/l	0.10	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Manganese, Total	ND	mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Nickel, Total	ND	mg/l	0.025	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Potassium, Total	ND	mg/l	2.5	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Selenium, Total	ND	mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Silver, Total	ND	mg/l	0.007	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Sodium, Total	ND	mg/l	2.0	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Thallium, Total	ND	mg/l	0.020	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Vanadium, Total	ND	mg/l	0.010	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD
Zinc, Total	ND	mg/l	0.050	--	1	06/03/10 12:30	06/05/10 16:37	1,6010B	TD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416065-1									
Mercury, Total	ND	mg/kg	0.08	--	1	06/03/10 17:50	06/04/10 13:28	1,7471A	EZ

Prep Information

Digestion Method: EPA 7471A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416245-1									
Aluminum, Total	ND	mg/kg	4.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Antimony, Total	ND	mg/kg	2.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Arsenic, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Barium, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Beryllium, Total	ND	mg/kg	0.20	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis Batch Quality Control

Cadmium, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Calcium, Total	ND	mg/kg	4.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Chromium, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Cobalt, Total	ND	mg/kg	0.80	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Copper, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Iron, Total	ND	mg/kg	2.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Lead, Total	ND	mg/kg	2.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Magnesium, Total	ND	mg/kg	4.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Manganese, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Nickel, Total	ND	mg/kg	1.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Potassium, Total	ND	mg/kg	100	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Selenium, Total	ND	mg/kg	0.80	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Silver, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Sodium, Total	ND	mg/kg	80	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Thallium, Total	ND	mg/kg	0.80	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Vanadium, Total	ND	mg/kg	0.40	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI
Zinc, Total	ND	mg/kg	2.0	--	1	06/04/10 13:45	06/07/10 15:41	1,6010B	AI

Prep Information

Digestion Method: EPA 3050B

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 09 Batch: WG416342-1									
Mercury, Dissolved	ND	mg/l	0.0002	--	1	06/04/10 19:15	06/05/10 11:28	1,7470A	EZ

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 09 Batch: WG416346-1									
Mercury, Total	ND	mg/l	0.0002	--	1	06/04/10 19:15	06/05/10 11:52	1,7470A	EZ



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 09 Batch: WG416516-1									
Arsenic, Total	ND	mg/l	0.005	--	1	06/07/10 15:50	06/08/10 17:20	1,6010B	MG
Chromium, Total	ND	mg/l	0.01	--	1	06/07/10 15:50	06/08/10 17:20	1,6010B	MG
Copper, Total	ND	mg/l	0.010	--	1	06/07/10 15:50	06/08/10 17:20	1,6010B	MG

Prep Information

Digestion Method: EPA 3005A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Dissolved Metals - Westborough Lab Associated sample(s): 09 Batch: WG415779-2								
Aluminum, Dissolved	90		-		80-120	-		
Antimony, Dissolved	102		-		80-120	-		
Arsenic, Dissolved	101		-		80-120	-		
Barium, Dissolved	98		-		80-120	-		
Beryllium, Dissolved	102		-		80-120	-		
Cadmium, Dissolved	108		-		80-120	-		
Calcium, Dissolved	99		-		80-120	-		
Chromium, Dissolved	100		-		80-120	-		
Cobalt, Dissolved	99		-		80-120	-		
Copper, Dissolved	96		-		80-120	-		
Iron, Dissolved	98		-		80-120	-		
Lead, Dissolved	103		-		80-120	-		
Magnesium, Dissolved	97		-		80-120	-		
Manganese, Dissolved	101		-		80-120	-		
Nickel, Dissolved	96		-		80-120	-		
Potassium, Dissolved	100		-		80-120	-		
Selenium, Dissolved	107		-		80-120	-		
Silver, Dissolved	95		-		80-120	-		
Sodium, Dissolved	99		-		80-120	-		
Thallium, Dissolved	97		-		80-120	-		
Vanadium, Dissolved	98		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 09 Batch: WG415779-2					
Zinc, Dissolved	100	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 09 Batch: WG416018-2					
Aluminum, Total	90	-	80-120	-	
Antimony, Total	100	-	80-120	-	
Barium, Total	96	-	80-120	-	
Beryllium, Total	99	-	80-120	-	
Cadmium, Total	104	-	80-120	-	
Calcium, Total	95	-	80-120	-	
Cobalt, Total	94	-	80-120	-	
Iron, Total	93	-	80-120	-	
Lead, Total	101	-	80-120	-	
Magnesium, Total	92	-	80-120	-	
Manganese, Total	95	-	80-120	-	
Nickel, Total	93	-	80-120	-	
Potassium, Total	98	-	80-120	-	
Selenium, Total	105	-	80-120	-	
Silver, Total	92	-	80-120	-	
Sodium, Total	97	-	80-120	-	
Thallium, Total	93	-	80-120	-	
Vanadium, Total	96	-	80-120	-	
Zinc, Total	96	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416065-2					
Mercury, Total	107	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416245-2					
Aluminum, Total	96	-	75-125	-	
Antimony, Total	101	-	75-125	-	
Arsenic, Total	105	-	75-125	-	
Barium, Total	98	-	75-125	-	
Beryllium, Total	106	-	75-125	-	
Cadmium, Total	109	-	75-125	-	
Calcium, Total	93	-	75-125	-	
Chromium, Total	94	-	75-125	-	
Cobalt, Total	96	-	75-125	-	
Copper, Total	101	-	75-125	-	
Iron, Total	96	-	75-125	-	
Lead, Total	99	-	75-125	-	
Magnesium, Total	93	-	75-125	-	
Manganese, Total	96	-	75-125	-	
Nickel, Total	101	-	75-125	-	
Potassium, Total	93	-	75-125	-	
Selenium, Total	103	-	75-125	-	
Silver, Total	101	-	75-125	-	
Sodium, Total	98	-	75-125	-	
Thallium, Total	103	-	75-125	-	
Vanadium, Total	106	-	75-125	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 Batch: WG416245-2					
Zinc, Total	101	-	75-125	-	
Dissolved Metals - Westborough Lab Associated sample(s): 09 Batch: WG416342-2					
Mercury, Dissolved	107	-	70-130	-	
Total Metals - Westborough Lab Associated sample(s): 09 Batch: WG416346-2					
Mercury, Total	106	-	80-120	-	
Total Metals - Westborough Lab Associated sample(s): 09 Batch: WG416516-2					
Arsenic, Total	98	-	80-120	-	
Chromium, Total	90	-	80-120	-	
Copper, Total	87	-	80-120	-	

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	Qual	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG415779-4 QC Sample: L1008075-09 Client ID: EQ FB												
Aluminum, Dissolved	ND	2	1.8	90	-	-	-	-	75-125	-	-	20
Antimony, Dissolved	ND	0.5	0.495	99	-	-	-	-	75-125	-	-	20
Arsenic, Dissolved	ND	0.12	0.118	98	-	-	-	-	75-125	-	-	20
Barium, Dissolved	ND	2	1.95	98	-	-	-	-	75-125	-	-	20
Beryllium, Dissolved	ND	0.05	0.050	101	-	-	-	-	75-125	-	-	20
Cadmium, Dissolved	ND	0.051	0.053	104	-	-	-	-	75-125	-	-	20
Calcium, Dissolved	0.42	10	10	96	-	-	-	-	75-125	-	-	20
Chromium, Dissolved	ND	0.2	0.19	95	-	-	-	-	75-125	-	-	20
Cobalt, Dissolved	ND	0.5	0.478	96	-	-	-	-	75-125	-	-	20
Copper, Dissolved	ND	0.25	0.236	94	-	-	-	-	75-125	-	-	20
Iron, Dissolved	ND	1	0.97	97	-	-	-	-	75-125	-	-	20
Lead, Dissolved	ND	0.51	0.511	100	-	-	-	-	75-125	-	-	20
Magnesium, Dissolved	ND	10	9.4	94	-	-	-	-	75-125	-	-	20
Manganese, Dissolved	ND	0.5	0.492	98	-	-	-	-	75-125	-	-	20
Nickel, Dissolved	ND	0.5	0.464	93	-	-	-	-	75-125	-	-	20
Potassium, Dissolved	ND	10	9.8	98	-	-	-	-	75-125	-	-	20
Selenium, Dissolved	ND	0.12	0.123	102	-	-	-	-	75-125	-	-	20
Silver, Dissolved	ND	0.05	0.046	92	-	-	-	-	75-125	-	-	20
Sodium, Dissolved	ND	10	10	100	-	-	-	-	75-125	-	-	20
Thallium, Dissolved	ND	0.12	0.114	95	-	-	-	-	75-125	-	-	20
Vanadium, Dissolved	ND	0.5	0.486	97	-	-	-	-	75-125	-	-	20

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG415779-4 QC Sample: L1008075-09 Client ID: EQ FB									
Zinc, Dissolved	ND	0.5	0.487	97	-	-	75-125	-	20
Total Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416018-4 QC Sample: L1008075-09 Client ID: EQ FB									
Aluminum, Total	ND	2	1.8	90	-	-	75-125	-	20
Antimony, Total	ND	0.5	0.486	97	-	-	75-125	-	20
Barium, Total	ND	2	1.92	96	-	-	75-125	-	20
Beryllium, Total	ND	0.05	0.049	98	-	-	75-125	-	20
Cadmium, Total	ND	0.051	0.052	101	-	-	75-125	-	20
Calcium, Total	0.47	10	9.8	93	-	-	75-125	-	20
Cobalt, Total	ND	0.5	0.464	93	-	-	75-125	-	20
Iron, Total	0.34	1	1.2	86	-	-	75-125	-	20
Lead, Total	ND	0.51	0.504	99	-	-	75-125	-	20
Magnesium, Total	0.12	10	9.2	91	-	-	75-125	-	20
Manganese, Total	ND	0.5	0.477	95	-	-	75-125	-	20
Nickel, Total	ND	0.5	0.453	91	-	-	75-125	-	20
Potassium, Total	ND	10	9.7	97	-	-	75-125	-	20
Selenium, Total	ND	0.12	0.124	103	-	-	75-125	-	20
Silver, Total	ND	0.05	0.046	92	-	-	75-125	-	20
Sodium, Total	ND	10	10	100	-	-	75-125	-	20
Thallium, Total	ND	0.12	0.112	93	-	-	75-125	-	20
Vanadium, Total	ND	0.5	0.475	95	-	-	75-125	-	20
Zinc, Total	ND	0.5	0.465	93	-	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 QC Batch ID: WG416065-3 WG416065-4 QC Sample: L1008075-01 Client ID: SS-101									
Mercury, Total	0.40	0.177	0.60	113	0.66	150	Q 70-130	28	35

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 QC Batch ID: WG416245-3 WG416245-4 QC Sample: L1008075-01 Client ID: SS-101									
Aluminum, Total	8100	86.6	8000	0	8800	829	75-125	NC	35
Antimony, Total	ND	21.6	8.1	37	Q 7.0	33	Q 75-125	11	35
Arsenic, Total	4.3	5.2	9.2	94	9.8	108	75-125	14	35
Barium, Total	73	86.6	130	66	Q 130	67	Q 75-125	2	35
Beryllium, Total	0.48	2.16	2.6	98	2.4	91	75-125	7	35
Cadmium, Total	ND	2.21	2.3	104	2.2	102	75-125	2	35
Calcium, Total	9500	433	9500	0	5800	0	75-125	NC	35
Chromium, Total	13	8.66	21	92	21	95	75-125	3	35
Cobalt, Total	5.2	21.6	23	82	22	80	75-125	2	35
Copper, Total	27	10.8	35	74	Q 34	66	Q 75-125	11	35
Iron, Total	14000	43.3	12000	0	11000	0	75-125	NC	35
Lead, Total	60	22.1	72	54	Q 86	121	75-125	77	Q 35
Magnesium, Total	3500	433	3500	0	3200	0	75-125	NC	35
Manganese, Total	410	21.6	290	0	280	0	75-125	NC	35
Nickel, Total	12	21.6	31	88	30	85	75-125	3	35
Potassium, Total	970	433	1300	76	1300	78	75-125	3	35
Selenium, Total	ND	5.2	5.2	100	4.9	97	75-125	3	35
Silver, Total	ND	13	13	100	12	95	75-125	5	35
Sodium, Total	190	433	540	81	490	71	Q 75-125	13	35
Thallium, Total	ND	5.2	4.5	87	4.0	79	75-125	10	35
Vanadium, Total	25	21.6	48	106	44	90	75-125	16	35

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 QC Batch ID: WG416245-3 WG416245-4 QC Sample: L1008075-01 Client ID: SS-101									
Zinc, Total	67	21.6	78	51	Q	92	75-125	79	Q 35
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416342-4 QC Sample: L1008075-09 Client ID: EQ FB									
Mercury, Dissolved	ND	0.001	0.0012	122	-	-	70-130	-	20
Total Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416346-4 QC Sample: L1008075-09 Client ID: EQ FB									
Mercury, Total	ND	0.001	0.0012	122	-	-	70-130	-	20
Total Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416516-4 QC Sample: L1008075-09 Client ID: EQ FB									
Arsenic, Total	ND	0.12	0.120	100	-	-	75-125	-	20
Chromium, Total	ND	0.2	0.18	90	-	-	75-125	-	20
Copper, Total	ND	0.25	0.222	89	-	-	75-125	-	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG415779-3 QC Sample: L1008075-09 Client ID: EQ FB						
Aluminum, Dissolved	ND	ND	mg/l	NC		20
Antimony, Dissolved	ND	ND	mg/l	NC		20
Barium, Dissolved	ND	ND	mg/l	NC		20
Beryllium, Dissolved	ND	ND	mg/l	NC		20
Cadmium, Dissolved	ND	ND	mg/l	NC		20
Calcium, Dissolved	0.42	0.42	mg/l	0		20
Chromium, Dissolved	ND	ND	mg/l	NC		20
Cobalt, Dissolved	ND	ND	mg/l	NC		20
Copper, Dissolved	ND	ND	mg/l	NC		20
Iron, Dissolved	ND	ND	mg/l	NC		20
Lead, Dissolved	ND	ND	mg/l	NC		20
Magnesium, Dissolved	ND	ND	mg/l	NC		20
Manganese, Dissolved	ND	ND	mg/l	NC		20
Nickel, Dissolved	ND	ND	mg/l	NC		20
Potassium, Dissolved	ND	ND	mg/l	NC		20
Selenium, Dissolved	ND	ND	mg/l	NC		20
Silver, Dissolved	ND	ND	mg/l	NC		20
Sodium, Dissolved	ND	ND	mg/l	NC		20
Thallium, Dissolved	ND	ND	mg/l	NC		20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG415779-3 QC Sample: L1008075-09 Client ID: EQ FB					
Vanadium, Dissolved	ND	ND	mg/l	NC	20
Zinc, Dissolved	ND	ND	mg/l	NC	20
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG415779-3 QC Sample: L1008075-09 Client ID: EQ FB					
Arsenic, Dissolved	ND	ND	mg/l	NC	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416018-3 QC Sample: L1008075-09 Client ID: EQ FB					
Aluminum, Total	ND	ND	mg/l	NC	20
Antimony, Total	ND	ND	mg/l	NC	20
Barium, Total	ND	ND	mg/l	NC	20
Beryllium, Total	ND	ND	mg/l	NC	20
Cadmium, Total	ND	ND	mg/l	NC	20
Calcium, Total	0.47	0.36	mg/l	27	20
Cobalt, Total	ND	ND	mg/l	NC	20
Iron, Total	0.34	0.25	mg/l	31	Q 20
Lead, Total	ND	ND	mg/l	NC	20
Magnesium, Total	0.12	0.10	mg/l	18	20
Manganese, Total	ND	ND	mg/l	NC	20
Nickel, Total	ND	ND	mg/l	NC	20
Potassium, Total	ND	ND	mg/l	NC	20
Selenium, Total	ND	ND	mg/l	NC	20
Silver, Total	ND	ND	mg/l	NC	20
Sodium, Total	ND	ND	mg/l	NC	20
Thallium, Total	ND	ND	mg/l	NC	20
Vanadium, Total	ND	ND	mg/l	NC	20
Zinc, Total	ND	ND	mg/l	NC	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416342-3 QC Sample: L1008075-09 Client ID: EQ FB					
Mercury, Dissolved	ND	ND	mg/l	NC	20
Total Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416346-3 QC Sample: L1008075-09 Client ID: EQ FB					
Mercury, Total	ND	ND	mg/l	NC	20
Total Metals - Westborough Lab Associated sample(s): 09 QC Batch ID: WG416516-3 QC Sample: L1008075-09 Client ID: EQ FB					
Arsenic, Total	ND	ND	mg/l	NC	20
Chromium, Total	ND	ND	mg/l	NC	20
Copper, Total	ND	ND	mg/l	NC	20

INORGANICS & MISCELLANEOUS

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-01
Client ID: SS-101
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 09:00
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	91		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-02
Client ID: SS-104 (3)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 09:55
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	78		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-03
Client ID: SS-104 (0-4)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 10:00
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	70		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-04
Client ID: SS-104 (8)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 10:05
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	80		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-05
Client ID: SS-104 (8-9)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 10:10
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	73		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-06
Client ID: DUP-(0525)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 13:30
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	94		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-07
Client ID: SB-104 (88)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 14:10
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	80		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-08
Client ID: SB-104 (80-89)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/25/10 14:15
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	66		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-10
Client ID: SB/MW-101 (2.5)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/26/10 10:30
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	89		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-11
Client ID: SB/MW-101 (0-4)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/26/10 10:35
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	88		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-12
Client ID: SB/MW-101 (8.5)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/26/10 10:40
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	78		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-13
Client ID: SB/MW-101 (6-9)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/26/10 10:45
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	90		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-14
Client ID: SB/MW-101 (128.5)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/27/10 08:45
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	63		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-15
Client ID: SB/MW-101 (128-130)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/27/10 08:50
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	78		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-16
Client ID: SB/MW-101 (149)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/27/10 10:10
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	83		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-17
Client ID: SB/MW-101 (148-150)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/27/10 10:15
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	75		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-18
Client ID: SB/MW-105 (3)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/28/10 10:55
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	93		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-19
Client ID: SB/MW-105 (0-4)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/28/10 11:00
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	92		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-20
Client ID: SB/MW-105 (9.5)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/28/10 11:20
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	82		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-21
Client ID: SB/MW-105 (8-9.5)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/28/10 11:25
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	85		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-22
Client ID: SB/MW-105 (24)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/28/10 11:40
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	83		%	0.10	NA	1	-	06/04/10 11:15	30,2540G	AC



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

SAMPLE RESULTS

Lab ID: L1008075-23
Client ID: SB/MW-105 (23-24.5)
Sample Location: BRONX, NY
Matrix: Soil

Date Collected: 05/28/10 11:45
Date Received: 05/28/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	84		%	0.10	NA	1	-	06/01/10 18:45	30,2540G	DD



Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03,05-06,08,11,13,15,17,19,21,23 QC Batch ID: WG415527-1 QC Sample: L1008075-01 Client ID: SS-101						
Solids, Total	91	88	%	3		20
General Chemistry - Westborough Lab Associated sample(s): 02,04,07,10,12,14,16,18,20,22 QC Batch ID: WG416166-1 QC Sample: L1008075-02 Client ID: SS-104 (3)						
Solids, Total	78	78	%	0		20

Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008075-01A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8260(14)
L1008075-01B	Vial Large unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8260(14)
L1008075-01C	Vial Large unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8260(14)
L1008075-01D	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-01E	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-01F	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-01G	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-01H	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008075-01I	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-02A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-03A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-03B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-04A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-05A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-05B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-06A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8260(14)
L1008075-06B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-06C	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-07A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008075-08A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-08B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-09A	Vial HCl preserved	A	N/A	4.6	Y	Absent	NYTCL-8260(14)
L1008075-09B	Vial HCl preserved	A	N/A	4.6	Y	Absent	NYTCL-8260(14)
L1008075-09C	Plastic 500ml unpreserved	A	7	4.6	Y	Absent	-
L1008075-09D	Plastic 500ml HNO3 preserved spl	A	<2	4.6	Y	Absent	PB-SI(180),FE-SI(180),TL-SI(180),BA-SI(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),BE-SI(180),CD-SI(180),CO-SI(180),CR-SI(180),K-SI(180),MG-SI(180),SB-SI(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008075-09E	Amber 1000ml unpreserved	A	7	4.6	Y	Absent	NYTCL-8081(7)
L1008075-09F	Amber 1000ml unpreserved	A	7	4.6	Y	Absent	NYTCL-8082()
L1008075-09G	Amber 1000ml unpreserved	A	7	4.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008075-09H	Plastic 500ml HNO3 preserved	A	<2	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-10A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-11A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008075-11B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-12A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-13A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-13B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-14A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-15A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-15B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-16A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-17A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-17B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-18A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008075

Report Date: 06/14/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008075-19A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-19B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-20A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-21A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-21B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008075-22A	Vial Large unpreserved	A	N/A	4.6	Y	Absent	TS(7),NYTCL-8260(14)
L1008075-23A	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008075-23B	Amber 250ml unpreserved	A	N/A	4.6	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)

Container Comments

L1008075-17A

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

GLOSSARY

Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD** - Laboratory Control Sample Duplicate: Refer to LCS.
- MDL** - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI** - Not Ignitable.
- RL** - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.

Report Format: Data Usability Report



Project Name: 2477 THIRD AVE.

Lab Number: L1008075

Project Number: 11160

Report Date: 06/14/10

Data Qualifiers

J -Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND -Not detected at the reporting limit (RL) for the sample.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008075
Report Date: 06/14/10

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.
- 30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised May 19, 2010 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

Drinking Water (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Haloacetic Acids, Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB).)

Wastewater/Non-Potable Water (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Calcium Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH.)

Solid Waste/Soil (Inorganic Parameters: Lead in Paint, pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), Reactivity. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Volatile Organics, Acid Extractables (Phenols), 3,3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Maine Department of Human Services Certificate/Lab ID: 2009024.

Drinking Water (Inorganic Parameters: SM9215B, 9221E, 9222B, 9222D, 9223B, EPA 180.1, 300.0, 353.2, SM2130B, 2320B, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1. Organic Parameters: 504.1, 524.2, SM 6251B.)

Wastewater/Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, Lachat 10-107-06-1-B, SM2320B, 2340B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NH3-H, 4500NO3-F, 4500P-B.5, 4500P-E, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

Drinking Water

Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl)

(EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate)

353.2 for: Nitrate-N, Nitrite-N; SM4500NO3-F, 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B.

Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics)

(504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), 314.0, 332.

Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; MF-SM9222D

Non-Potable Water

Inorganic Parameters: (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn)

(EPA 200.7 for: Al,Sb,As,Be,Cd,Cr,Co,Cu,Fe,Pb,Mn,Mo,Ni,Se,Ag,Sr,Ti,Tl, V,Zn,Ca,Mg,Na,K)

245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2540B, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-B,C-Titr, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420, SM4500-CN-CE, SM2540D.

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics)

(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables, 600/4-81-045-PCB-Oil

New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM6215B, 9222B, 9223B Colilert, EPA 200.7, 200.8, 245.2, 120.1, 300.0, 314.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 331.0. Organic Parameters: 504.1, 524.2, SM6251B.)

Non-Potable Water (Inorganic Parameters: SM9222D, 9221B, 9222B, 9221E-EC, EPA 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 420.1, 1664A, SW-846 9010, 9030, 9040B, SM426C, SM2310B, 2540B, 2540D, 4500H+B, 4500NH3-H, 4500NH3-E, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 2320B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-117-07-1-B, LACHAT 10-107-06-1-B, LACHAT 10-107-04-1-C, LACHAT 10-107-04-1-J, LACHAT 10-117-07-1-A, SM4500CL-E, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. Organic Parameters: SW-846 3005A, 3015A, 3510C, 5030B, 8021B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6010B, 7196A, 7471A, 7.3.3.2, 7.3.4.2, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040, 9045C, 9050C, 1311, 3005A, 3050B, 3051A. Organic Parameters: SW-846 3540C, 3545, 3580A, 5030B, 5035, 8021B, 8260B, 8270C, 8330, 8151A, 8082, 8081A.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM9222B, 9221E, 9223B, 9215B, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 2540C, 2320B, 314.0, SM2120B, 2510B, 5310C, SM4500H-B, EPA 200.8, 245.2. Organic Parameters: 504.1, SM6251B, 524.2.)

Non-Potable Water (Inorganic Parameters: SM5210B, EPA 410.4, SM5220D, 4500CI-D, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, SM9221CE, 9222D, 9221B, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, SM5210B, SW-846 3015, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. Organic Parameters: SW-846 8260B, 8270C, 3510C, EPA 608, 624, 625, SW-846 5030B, 8021B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 9040B, 3005A, 6010B, 7196A, 5030B, 9010B, 9030B, 1030, 1311, 3050B, 3051, 7471A, 9014, 9012A, 9045C, 9050A, 9065. Organic Parameters: SW-846 8021B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 1311, 1312, 3540C, 3545, 3550B, 3580A, 5035L, 5035H, NJ OQA-QAM-025 Rev.7.)

New York Department of Health Certificate/Lab ID: 11148. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 314.0, 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, EPA 120.1, SM 2510B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, LACHAT 10-117-07-1A or B, SM4500CI-E, 4500F-C, SM15 426C, EPA 350.1, LACHAT 10-107-06-1-B, SM4500NH3-H, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-041-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, SM4500-CN-E LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, SM5310C, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015. Organic Parameters: EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B, 9010B, 9030B.)

Solid & Hazardous Waste (Inorganic Parameters: 1010, 1030, SW-846 Ch 7 Sec 7.3, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

North Carolina Department of the Environment and Natural Resources Certificate/Lab ID : 666. Organic Parameters: MA-EPH, MA-VPH.

Pennsylvania Department of Environmental Protection Certificate/Lab ID : 68-03671. NELAP Accredited.

Non-Potable Water (Organic Parameters: EPA 3510C, 5030B, 625, 624. 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1010, 1030, 1311, 3050B, 3051, 6010B, EPA 7.3.3.2, EPA 7.3.4.2, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065. Organic Parameters: 3540C, 3545, 3580A, 5035, 8021B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Rhode Island Department of Health Certificate/Lab ID: LAO00065. NELAP Accredited via NY-DOH.

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NY-DOH Certificate for Potable and Non-Potable Water.

Texas Commission on Environmental Quality Certificate/Lab ID: T104704476-09-1. NELAP Accredited.

Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 376.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH3-H, 4500NO2B, 4500P-E, 4500 S²⁻ D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)

Department of Defense Certificate/Lab ID: L2217.

Drinking Water (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6020, 245.1, 245.2, 7470A, 9040B, 300.0, 9251, 9038, 350.1, 353.2, 351.1, 314, 120.1, 9050A, 410.4, 9060, 1664, 420.1, LACHAT 10-107-06-1-B, SM 4500CN-E, 4500H-B, 4500CL-E, 4500F-BC, 4500SO4-E, 426C, 4500NH3-B, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500Norg-C, 4500PE, 2510B, 5540C, 5220D, 5310C, 2540B, 2540C, 2540D, 510C, 4500S2-AD, 3005A, 3015, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8330, 625, 8082, 8151A, 8081A, 3510C, 5030B.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 200.7, 6010B, 7471A, 9040B, 9045C, 9065, 420.1, 9012A, 6860, 1311, 1312, 3050B, 9030B, 3051, 9010B, 3540C, SM 510ABC, 4500CN-CE, 2540G, SW-846 7.3, Organic Parameters: EPA 8260B, 8270C, 8330, 8082, 8081A, 8151A, 3545, 3546, 3580, 5035.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **EPA 8260B**: Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A**: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C**: Methyl naphthalene, Dimethyl naphthalene, Total Methyl naphthalenes, Total Dimethyl naphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625**: 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.



CHAIN OF CUSTODY

WESTBORO, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

MANFIELD, MA
 TEL: 508-822-9300
 FAX: 508-822-3288

Client Information

Client: **AKRF INC**
 Address: **440 PARK AVE SOUTH NEW YORK, NY 10016**
 Phone:
 Fax:

Project Information

Project Name: **2477 THIRD AVE**
 Project Location: **BROX, NY**
 Project #: **1160**
 Project Manager: **Axel Schwandt**
 ALPHA Quote #:
 Turn-Around Time

Email: **aschwandt@akrf.com**
 These samples have been previously analyzed by Alpha

Standard RUSH (only confirmed if pre-approved)
 Date Due: **6/7/10** Time:

Other Project Specific Requirements/Comments/Detection Limits:
CAT B DELIVERABLES

Date Rec'd in Lab: **5/28/10**

ALPHA Job #: **L1008075**

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Billing Information

Same as Client info PO #:

Regulatory Requirements/Report Limits

State / Fed Program: **CAT B** Criteria:

ANALYSIS
 TCL VOC 8260
 TCL SVOC 8270
 TCL METALS (6000/7000)
 PESTICIDES 8081
 PCB 8082

SAMPLE HANDLING
 Filtration _____
 Done
 Not needed
 Lab to do
 Preservation
 Lab to do
 (Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Container Type		Date/Time	Received By:	Date/Time	Sample Specific Comments
		Date	Time			Preservative	Preservative				
08075	1 SS-101	05/25/10	0900	SGK	EK	4oz	8oz	5/28/10 1240	From SS-101	5/28/10 2310	
	2 SB-104 (3)		0955		EK/AS	4oz	8oz	5/28/10 2014		5/28/10 2310	
	3 SB-104 (0-4)		1000			4oz	8oz	5/28/10 2014		5/28/10 2310	
	4 SB-104 (8)		1005			4oz	8oz	5/28/10 2014		5/28/10 2310	
	5 SB-104 (8-9)		1010			4oz	8oz	5/28/10 2014		5/28/10 2310	
	6 DUF (0525)		1330			4oz	8oz	5/28/10 2014		5/28/10 2310	
	1 MS-101 (0525)		1335			4oz	8oz	5/28/10 2014		5/28/10 2310	
	1 MS-D-101 (0525)		1340			4oz	8oz	5/28/10 2014		5/28/10 2310	
	7 SB-104 (88)		1410			4oz	8oz	5/28/10 2014		5/28/10 2310	
	8 SB-104 (80-89)		1415			4oz	8oz	5/28/10 2014		5/28/10 2310	

Relinquished By: **Eric Winkler** Date/Time: **5/28/10 1240**
 Received By: **Eric Winkler** Date/Time: **5/28/10 1240**
 From: **SS-101**
 From: **SS-101**

Please print clearly, legibly, and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



CHAIN OF CUSTODY

PAGE 2 OF 3

WESTBORO, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

MANSFIELD, MA
 TEL: 508-422-9300
 FAX: 508-422-3288

Client Information

Client: **AKRF Inc**
 Address: **4400 PARK AVE SOUTH**
NEW YORK, NY 10016

Project Information
 Project Name: **2477 THIRD AVE**
 Project Location: **BROX, NY**
 Project #: **11160**
 Project Manager: **AXEL SCHWENST**
 ALPHA Quote #:

Phone:
 Fax:

Email: **aschwendt@akrf.com**

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:
CAT B

Standard RUSH (only confirmed if pre-approved!)
 Date Due: **6/7/10** Time:

Turn-Around Time

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		

0805	9	EA FB	65/24/10	0715	WHSR	EK
	10	SB/MW-101 (2.5)	65/24/10	1030	SOIL	
	11	SB/MW-101 (0-4)		1035		
	12	SB/MW-101 (8.5)		1040		
	13	SB/MW-101 (6-9)		1045		
	14	SB/MW-101 (128.5)	05/27/10	0845		
	15	SB/MW-101 (128-130)		0850		
	16	SB/MW-101 (149)		1010		
	17	SB/MW-101 (148-150)		1015		
	18	SB/MW-105 (3)	05/28/10	1055		

Date Rec'd In Lab: 5/28/10		ALPHA Job #: 11068075	
Report Information - Data Deliverables			
<input type="checkbox"/> FAX	<input type="checkbox"/> EMAIL		
<input type="checkbox"/> ADEX	<input type="checkbox"/> Add'l Deliverables		
Regulatory Requirements/Report Limits			
State / Fed Program	Criteria		
CAT B			
Billing Information			
<input type="checkbox"/> Same as Client Info	PO #:		
<p>ANALYSIS</p> <p>VOC 8260</p> <p>TCL SVOC 8270</p> <p>TAL METALS</p> <p>TAL METALS - FILTERED</p> <p>PESTICIDES UNFILTERED</p> <p>PCB 8082</p> <p>TAL METALS (6000/100)</p>			
<p>SAMPLE HANDLING</p> <p>Filtration _____</p> <p><input type="checkbox"/> Done</p> <p><input type="checkbox"/> Not needed</p> <p><input checked="" type="checkbox"/> Lab to do</p> <p>Preservation _____</p> <p><input type="checkbox"/> Lab to do</p> <p>(Please specify below)</p>			
Sample Specific Comments			

Relinquished By:	Date/Time	Container Type	Preservative
BRIC KUNER	05/28/10 1240	4oz 8oz	LC8

Received By:	Date/Time
Sam Lunngrn	5/28/10 15:30

FORM NO: 01-01 (rev. 14-OCT-07)

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. (see reverse side)

Relinquished By: BRIC KUNER Date/Time: 05/28/10 1240
 Received By: Sam Lunngrn Date/Time: 5/28/10 15:30

Other Project Specific Requirements/Comments/Detection Limits: CAT B

ANALYSIS: VOC 8260, TCL SVOC 8270, TAL METALS, TAL METALS - FILTERED, PESTICIDES UNFILTERED, PCB 8082, TAL METALS (6000/100)

SAMPLE HANDLING: Filtration _____, Done, Not needed, Lab to do (checked), Preservation _____, Lab to do

Relinquished By: BRIC KUNER Date/Time: 05/28/10 1240
 Received By: Sam Lunngrn Date/Time: 5/28/10 15:30



CHAIN OF CUSTODY

PAGE 3 OF 6

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-3900
FAX: 508-822-3288

Client Information

Client: AKRF INC

Address: 440 PARK AVE SOUTH

New York, NY 10016

Phone:

Fax:

Email: aschwendt@akrf.com

Other Project Specific Requirements/Comments/Detection Limits:

CAT B

Project Information

Project Name: 2477 THIRD AVE

Project Location: BEAUX, NY

Project #: 1160

Project Manager: AKEL SCHWENDT

ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: 6/7/10 Time:

Date Rec'd in Lab: 5/28/10

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Regulatory Requirements/Report Limits

State/Fed Program

CAT B

Criteria

ALPHA Job #: 61008675

Billing Information

Same as Client info PO #:

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		

08075	19	SB/MW-105 (0-4)	05/28/10	1100	SOIL	EK
	20	SB/MW-105 (9,15)		1120		
	21	SB/MW-105 (8-9,5)		1125		
	22	SB/MW-105 (24)		1140		
	23	SB/MW-105 (23-24,5)		1145		

ANALYSIS	Report Information - Data Deliverables	
	State/Fed Program	Criteria
VOC 8260		
SVOC 8270 (P)		
TAL METALS (background)		
PESTICIDES 8081		
PEB 8082		

SAMPLE HANDLING

Filtration

Done

Not needed

Lab to do

Preservation

Lab to do

(Please specify below)

Sample Specific Comments

Container Type	Date/Time
Preservative	

Relinquished By: Eric Kuntz

Eric Kuntz

Date/Time: 05/29/10 12:40

Eric Kuntz

Received By: Eric Kuntz

Eric Kuntz

Date/Time: 5/28/10 12:40

Eric Kuntz

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



WESTBORO, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

CHAIN OF CUSTODY

PAGE 2 OF 3

Project Information

Project Name: 2477 THIRD AVE
 Project Location: BRONX, NY
 Project #: 11160
 Project Manager: AXEL SCHWENDT
 ALPHA Quote #:

Client Information

Client: AKRF INC
 Address: 1440 PARK AVE SOUTH
 New York, NY 10016

Phone:

Fax:

Email: wschwendt@akrf.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

CAT B

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: 6/7/10 Time:

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Regulatory Requirements/Report Limits

State/Fed Program: CATB

Criteria:

Date Rec'd in Lab: 5/28/10

ALPHA Job #: L1068075

Billing Information

Same as Client info PO #:

TOTAL # BOTTLES

SAMPLE HANDLING

- Filtration _____
 - Done
 - Not needed
 - Lab to do
 - Preservation _____
 - Lab to do
- (Please specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sample Matrix	Sampler's Initials	ANALYSIS	THE METALS - UNFILTERED	THE METALS - FILTERED	PCB 8082	THE METALS (6000/100)
0805	9 EaFB	05/25/10	0715	WATER	EK	VOC 8260	X	X	X	X
10	SB/MW-101 (2.5)	05/26/10	1030	SOIL		TCL SVOC 8270	X	X	X	X
11	SB/MW-101 (0-4)		1035				X	X	X	X
12	SB/MW-101 (8.5)		1040				X	X	X	X
13	SB/MW-101 (6-9)		1045				X	X	X	X
14	SB/MW-101 (128.5)	05/27/10	0845				X	X	X	X
15	SB/MW-101 (128-130)		0850				X	X	X	X
16	SB/MW-101 (149)		1010				X	X	X	X
17	SB/MW-101 (148-150)		1015				X	X	X	X
18	SB/MW-105 (3)	05/28/10	1055				X	X	X	X

Container Type: 4oz 8oz
 Preservative: 100%

Relinquished By:

ERIC KUTNER
 Date: 5/28/10 12:40
 Signature: [Signature]

Received By:

Eric Kuter
 Date: 5/28/10 12:40
 Signature: [Signature]

Please print clearly. Legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

CHAIN OF CUSTODY

PAGE 3 OF 3

ALPHA Job #: 11008075

Date Rec'd in Lab: 5/28/10

Serial No. 06141008.01

Client Information
 Client: AKRF INC
 Address: 440 PARK AVE SOUTH
 NEW YORK, NY 10016

Project Information
 Project Name: 2477 THIRD AVE
 Project Location: BRONX, NY
 Project #: 11160
 Project Manager: AXEL SCHWENDT
 ALPHA Quote #:

Report Information - Data Deliverables
 FAX EMAIL
 ADEX Add'l Deliverables

Billing Information
 Same as Client info PO #:

Regulatory Requirements/Report Limits
 State/Fed Program: CAT B

Turn-Around Time
 Standard RUSH (only confirmed if pre-approved)
 Date Due: 6/7/10 Time:

Phone:
 Fax:
 Email: aschwendt@akrf.com

Other Project Specific Requirements/Comments/Detection Limits:
 CAT B

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS	TOTAL # BOTTLES
		Date	Time				
08075	SB/MW-105 (0-4)	05/28/10	1100	SOIL	EK	VOC 8260 THL METALS (CAL) PESTICIDES 8081 Pb 8082	
20	SB/MW-105 (9-5)		1120				
21	SB/MW-105 (8-9.5)		1125				
22	SB/MW-105 (24)		1140				
23	SB/MW-105 (23-24.5)		1145				

Container Type	Relinquished By:	Date/Time	Received By:	Date/Time
Preservative	ERIC KUTNER	05/28/10 1240	Wendy	5/28/10 2440
	from [Signature]	5/28/10 18:30	James A. [Signature]	5/28/10 8:50
	[Signature]	5/28/10 20:15	[Signature]	5/28/10 20:15
	[Signature]	5/28/10 20:15	[Signature]	5/28/10 20:15

SAMPLE HANDLING
 Filtration: Done Not needed Lab to do Lab to do
 Preservation: Lab to do (Please specify below)

Sample Specific Comments

Please print clearly, legibly, and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

CHAIN OF CUSTODY

PAGE 1 OF 1

Project Information

Project Name: 2477 THIRD AVE
Project Location: BRONX, NY
Project #: W160
Project Manager: AVEL SCHWENDT
ALPHA Quote #:

Client Information

Client: AKRF INC
Address: 440 PARK AVE SOUTH
New York, NY 10016

Phone:
Fax:

Email: aschwendt@akrf.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

CAT B

Standard RUSH (only confirmed if pre-approved)

Date Due: 6/9/10 Time:

Turn-Around Time

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Regulatory Requirements/Report Limits

State / Fed Program

CAT B

Billing Information

Same as Client info PO #:

Date Rec'd in Lab: 6/3/10

ALPHA Job #: L1008218

TOTAL # BOTTLES

SAMPLE HANDLING

- Filtration _____
- Done
- Not needed
- Lab to do
- Preservation _____
- Lab to do

Sample Specific Comments

ANALYSIS
VOC 8260
TL SVOC 8270
THE METALS (see page)
PCB 8082

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
08218-1	SB/MW-105 (SS)	05/28/10	1435	SOIL	Ek
2	SB/MW-105 (S3-SS)	05/28/10	1438		
3	SB-102 (4)	06/02/10	0900		
4	SB-102 (0-5)		0905		
5	SB-102 (9.5)		0920		
6	SB-102 (5-10)		0925		
7	SB-103 (4)		0950		
8	SB-103 (0-5)		0955		
9	SB-103 (9)		1000		
10	SB-103 (5-10)		1005		

Container Type 4oz
Preservative ICE

Relinquished By:

ERIC KUTNER
6/2/10 14:30
6/2/10 19:30
6/2/10 20:45

Received By:

6/2/10 16:16
6/2/10 17:00
6/3/10 07:35
6/3/10 00:45

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

AIR ANALYSIS

CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: **AKRF INC**
 Address: **440 PARK AVE SOUTH**
NEW YORK, NY 10016

Project Name: **2477 Third Ave**
 Project Location: **BROOKLYN, NY**
 Project #: **11160**

Project Manager: **Axel Schwendt**
 ALPHA Quote #: _____

Phone: _____
 Fax: _____

Email: **aschwendt@akrf.com**

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Date Rec'd in Lab: _____

Report Information - Data Deliverables

FAX
 ADEX

Criteria Checker: _____
 (Default based on Regulatory Criteria Indicated)

Other Formats:
 EMAIL (standard pdf report)
 Additional Deliverables:

Report to: (if different than Project Manager)

ALPHA Job #: **1108224**

Billing Information

Same as Client info
 PO #: _____

Regulatory Requirements/Report Limits

State/Fed Program Criteria

ANALYSIS

TO-15
 TO-14A BY TO-15
 APH
 FIXED GASES
 TO-13A
 TO-4/TO-10

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	Collector				Date	Start Time	End Time	Initial Vacuum	Final Vacuum	Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	Sample Comments (i.e. PID)
		N/A	N/A	N/A	N/A											
8224.1	TRIP					6/27/10	N/A	N/A	N/A	N/A	SV	AK	1L	891 0158	X	
2	SG-103					1149	1201	25.0"	-6.7"					812 0059	X	
3	SG-104					1245	1300	30.0"	-8.2"					1499 0049	X	
4	SG-102					1320	1343	29.0"	-26.5"					676 0303	X	Panel; No Sample in Summary;
5	SG-101					1404	1419	27.0"	-5.5"					836 0267	X	No analytical results.
6	SG-105					1441	1502	27.2"	-18.0"					720 0067	X	

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Relinquished By:

Eric Winger 6/27/10 16:10
 James Winger 6/27/10 17:00
 Axel Schwendt 6/27/10 19:33
 Kathleen Sullivan 6/27/10 23:50

Date/Time

6/27/10 16:10
 6/27/10 17:00
 6/27/10 19:33
 6/27/10 23:50

Received By:

Eric Winger 6/27/10
 James Winger 6/27/10
 Axel Schwendt 6/27/10
 Kathleen Sullivan 6/27/10

Container Type

IL

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

CHAIN OF CUSTODY

PAGE 1 OF 2

ALPHA Job #: L1008380

Date Rec'd in Lab: 6/4/10

WESTBORO, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

Project Information

Report Information - Data Deliverables

Billing Information

Project Name: 2477 Third Ave
 Project Location: BRONX, NY
 Project #: 11160
 Project Manager: AXEL SCHWENDT
 ALPHA Quote #: _____

FAX
 EMAIL
 Add'l Deliverables

Same as Client info
 PO #:

Client Information

Client: AKRF INC
 Address: 640 PARK AVE SOUTH
NEW YORK, NY 10016
 Phone: _____
 Fax: _____

Regulatory Requirements/Report Limits

State/Fed Program
CAT B

Turn-Around Time

Standard
 RUSH (only confirmed if pre-approved)
 Date Due: 6/11/10 Time: _____

Email: aschwendt@akrf.com
 These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:
CAT B

ANALYSIS	VOC 8260	SVOC 8270	TRM METALS (DISSOLVED)	TRM METALS (TOTAL)	PCBS 8081	METALS 8082	NITRATE + SULFATE	ALKALINITY	SULFIDE	Reduced Mn + Reduced Fe
VOC 8260	X	X	X	X	X	X	X	X	X	X
SVOC 8270	X	X	X	X	X	X	X	X	X	X
TRM METALS (DISSOLVED)	X	X	X	X	X	X	X	X	X	X
TRM METALS (TOTAL)	X	X	X	X	X	X	X	X	X	X
PCBS 8081	X	X	X	X	X	X	X	X	X	X
METALS 8082	X	X	X	X	X	X	X	X	X	X
NITRATE + SULFATE	X	X	X	X	X	X	X	X	X	X
ALKALINITY	X	X	X	X	X	X	X	X	X	X
SULFIDE	X	X	X	X	X	X	X	X	X	X
Reduced Mn + Reduced Fe	X	X	X	X	X	X	X	X	X	X

SAMPLE HANDLING
 Filtration: _____
 Done
 Not needed
 Lab to do
 Preservation
 Lab to do
 (Please specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sample Matrix	Samplers' Initials
06380-1	MW-3	06/03/10	1025	AOL	AS
1	MS (MW3)	1045			AS
1	MSD (MW3)	1100			AS
2	DUP (060310)	1115			AS
3	MW-6	1205			EK
4	MW-10	1430			EK
5	EQFB	1200			EK
6	MW-2	06/04/10	0835		EK
7	MW-1	0853			AS
8	TRIP BLANK	N/A	N/A		N/A

Container Type	Preservative	Date/Time	Received By:
40L IL	HCL	6/4/10 11:30 AM	Eric Kutter
1L	HCL	6/4/10 10:15 AM	Eric Kutter
1L	HCL	6/4/10 2035	Eric Kutter
1L	HCL	6/4/10 2335	Eric Kutter

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

CHAIN OF CUSTODY

PAGE 2 OF 2

Project Information

Project Name: 2577 Third Ave
Project Location: BRANX, NY
Project #: 11160
Project Manager: AXEL SCHWENDT
ALPHA Quote #: CAT B

Client Information

Client: AKRE INC
Address: 480 Park Ave South
New York, NY 10016

Phone:

Fax:

Email: aschwendt@akre-f.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:
CAT B

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: 6/11/10 Time:

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Regulatory Requirements/Report Limits

State/Fed Program: CAT B

Criteria:

Billing Information

Same as Client info PO #:

Date Rec'd in Lab: 6/4/10

ALPHA Job #: 21008380

TOTAL # BOTTLES

SAMPLE HANDLING

- Filtration: _____
 - Done
 - Not needed
 - Lab to do
 - Preservation: _____
 - Lab to do
- (Please specify below)

Sample Specific Comments

ANALYSIS
VOC 8260
THE NEMTS (DISOLV)
THE NEMTS (PART)
PESTICIDES (PART)
PbS 8082

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sample Matrix	Sampler's Initials
08380-9	MW-9	6/6/10	1110	AQ	EK
10	MW-4	↓	1235	↓	AS
11	MW-8	↓	1350	↓	EK

Container Type: Soil Ice 1 25 25
 Preservative 1L 1L 1L

Relinquished By: ERIC KOTER 6/10/10 1545
Received By: SCOTT 6/10/10 1109

Date/Time: 6/10/10 1545
Date/Time: 6/10/10 1109

Page 2 of 2

Serial No: 06151014-50

FORM NO: 01-01 (rev. 14-OCT-07)

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA Job #: 21009083

Date Rec'd in Lab: 6/16/10

Project Information

Project Name: 2477 Third Ave
 Project Location: BRONX, NY
 Project #: 11160
 Project Manager: Axel Schwendt
 ALPHA Quote #: _____

Report Information - Data Deliverables

FAX EMAIL
 ADEX Add'l Deliverables

Billing Information

Same as Client info PO #:

Client Information

Client: AKRF INC
 Address: 440 PARK AVE SOUTH
NEW YORK, NY 10016

Regulatory Requirements/Report Limits

State/Fed Program CAT B

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: 6/23/10 Time: _____

Email: aschwendt@akrf.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits: CAT B

ANALYSIS		VOC 8260		THL METALS 8270		Pesticides 8082		THL METALS (6000/7000)		THL METALS (DISCOVERED)	
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sample Matrix	Sampler's Initials	Container Type	Preservative	Relinquished By	Date/Time	Container Type	Date/Time
09083	1 MW-104	06/15/10	1120	AQ	EK	40ml	16	Eric Witter	6/16/10 14:25	40ml	16
	2 MW-101	06/15/10	1510	AQ	EK			S. Lobe	6/16/10 14:25		
	3 MW-105	06/16/10	0940	AQ	EK			J. Thredwell	6/16/10 21:50		
<div style="display: flex; justify-content: space-between;"> <div> <p>Sample HANDLING</p> <p>Filtration _____</p> <p><input type="checkbox"/> Done</p> <p><input checked="" type="checkbox"/> Not needed</p> <p><input checked="" type="checkbox"/> Lab to do</p> <p><input type="checkbox"/> Preservation</p> <p><input type="checkbox"/> Lab to do (please specify below)</p> </div> <div> <p>Sample Specific Comments</p> </div> </div>											
<p>TOTAL # BOTTLES</p>											

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO. 01-01 (rev. 14-OCT-07)

Relinquished By: ERIC WITTER 6/16/10 14:25
S. Lobe 6/16/10 14:25
J. Thredwell 6/16/10 21:50

Received By: S. Lobe 6/16/10 14:25
J. Thredwell 6/16/10 21:50



ANALYTICAL REPORT

Lab Number:	L1008218
Client:	AKRF, Inc. 440 Park Avenue South New York, NY 10016
ATTN:	Axel Schwendt
Phone:	(646) 388-9529
Project Name:	2477 THIRD AVE.
Project Number:	11160
Report Date:	06/10/10

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1008218-01	SB/MW-105 (S5)	BRONX, NY	05/28/10 14:35
L1008218-02	SB/MW-105 (S3-S5)	BRONX, NY	05/28/10 14:38
L1008218-03	SB-102 (4)	BRONX, NY	06/02/10 09:00
L1008218-04	SB-102 (0-5)	BRONX, NY	06/02/10 09:05
L1008218-05	SB-102 (9.5)	BRONX, NY	06/02/10 09:20
L1008218-06	SB-102 (5-10)	BRONX, NY	06/02/10 09:25
L1008218-07	SB-103 (4)	BRONX, NY	06/02/10 09:50
L1008218-08	SB-103 (0-5)	BRONX, NY	06/02/10 09:55
L1008218-09	SB-103 (9)	BRONX, NY	06/02/10 10:00
L1008218-10	SB-103 (5-10)	BRONX, NY	06/02/10 10:05

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.

Semivolatile Organics by SIM

L1008218-08 has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L1008218-10 has elevated detection limits due to the dilution required by the sample matrix.

The WG416424-2/-3 LCS/LCSD RPD, associated with L1008218-02, -04, -06, -08, and -10, is above the acceptance criteria for Anthracene (56%); however, the individual LCS/LCSD recoveries are within method limits.

Pesticides

L1008218-08 has elevated detection limits due to the dilution required by the sample matrix.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Case Narrative (continued)

Metals

L1008218-02 has an elevated detection limit for Calcium due to the dilution required to quantitate the result within the calibration range.

L1008218-08 and -10 have elevated detection limits for Mercury due to the analytical dilutions required by matrix interferences encountered during analysis.

L1008218-08 and -10 have elevated detection limits for Zinc due to the dilutions required to quantitate the results within the calibration range.

The WG416573-4 MS recoveries for Aluminum (222%), Calcium (7770%), Iron (0%), Magnesium (1110%), and Manganese (133%), performed on L1008218-02, are invalid because the sample concentrations are greater than four times the spike amount added. The MS recoveries are below the acceptance criteria for Antimony (32%), Cobalt (60%), and Nickel (73%). Post digestion spikes were performed with acceptable recoveries of: Antimony (86%), Cobalt (75%), and Nickel (75%).

The WG416612-4 MS recovery for Mercury (0%), performed on L1008218-04, is invalid because the sample concentration is greater than four times the spike amount added.

The WG416573-3 Laboratory Duplicate RPDs, performed on L1008218-02, are outside the acceptance criteria for Cobalt (50%) and Calcium (68%). The elevated RPDs have been attributed to the non-homogenous nature of the sample utilized for the laboratory duplicate.

Solids, Total

WG416217: A laboratory duplicate was prepared with the sample batch, however, the sample and duplicate required re-analysis; therefore, the duplicate result cannot be reported.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Lisa Westerlind

Title: Technical Director/Representative

Date: 06/10/10

ORGANICS

VOLATILES

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-01
 Client ID: SB/MW-105 (S5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/06/10 11:20
 Analyst: BN
 Percent Solids: 89%

Date Collected: 05/28/10 14:35
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	28	--	1
1,1-Dichloroethane	ND		ug/kg	4.2	--	1
Chloroform	ND		ug/kg	4.2	--	1
Carbon tetrachloride	ND		ug/kg	2.8	--	1
1,2-Dichloropropane	ND		ug/kg	9.8	--	1
Dibromochloromethane	ND		ug/kg	2.8	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.2	--	1
Tetrachloroethene	ND		ug/kg	2.8	--	1
Chlorobenzene	ND		ug/kg	2.8	--	1
Trichlorofluoromethane	ND		ug/kg	14	--	1
1,2-Dichloroethane	ND		ug/kg	2.8	--	1
1,1,1-Trichloroethane	ND		ug/kg	2.8	--	1
Bromodichloromethane	ND		ug/kg	2.8	--	1
trans-1,3-Dichloropropene	ND		ug/kg	2.8	--	1
cis-1,3-Dichloropropene	ND		ug/kg	2.8	--	1
1,1-Dichloropropene	ND		ug/kg	14	--	1
Bromoform	ND		ug/kg	11	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.8	--	1
Benzene	ND		ug/kg	2.8	--	1
Toluene	ND		ug/kg	4.2	--	1
Ethylbenzene	ND		ug/kg	2.8	--	1
Chloromethane	ND		ug/kg	14	--	1
Bromomethane	ND		ug/kg	5.6	--	1
Vinyl chloride	ND		ug/kg	5.6	--	1
Chloroethane	ND		ug/kg	5.6	--	1
1,1-Dichloroethene	ND		ug/kg	2.8	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.2	--	1
Trichloroethene	ND		ug/kg	2.8	--	1
1,2-Dichlorobenzene	ND		ug/kg	14	--	1
1,3-Dichlorobenzene	ND		ug/kg	14	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-01
 Client ID: SB/MW-105 (S5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 14:35
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	14	--	1
Methyl tert butyl ether	ND		ug/kg	5.6	--	1
p/m-Xylene	ND		ug/kg	5.6	--	1
o-Xylene	ND		ug/kg	5.6	--	1
cis-1,2-Dichloroethene	ND		ug/kg	2.8	--	1
Dibromomethane	ND		ug/kg	28	--	1
Styrene	ND		ug/kg	5.6	--	1
Dichlorodifluoromethane	ND		ug/kg	28	--	1
Acetone	ND		ug/kg	100	--	1
Carbon disulfide	ND		ug/kg	28	--	1
2-Butanone	ND		ug/kg	28	--	1
Vinyl acetate	ND		ug/kg	28	--	1
4-Methyl-2-pentanone	ND		ug/kg	28	--	1
1,2,3-Trichloropropane	ND		ug/kg	28	--	1
2-Hexanone	ND		ug/kg	28	--	1
Bromochloromethane	ND		ug/kg	14	--	1
2,2-Dichloropropane	ND		ug/kg	14	--	1
1,2-Dibromoethane	ND		ug/kg	11	--	1
1,3-Dichloropropane	ND		ug/kg	14	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.8	--	1
Bromobenzene	ND		ug/kg	14	--	1
n-Butylbenzene	ND		ug/kg	2.8	--	1
sec-Butylbenzene	ND		ug/kg	2.8	--	1
tert-Butylbenzene	ND		ug/kg	14	--	1
o-Chlorotoluene	ND		ug/kg	14	--	1
p-Chlorotoluene	ND		ug/kg	14	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	14	--	1
Hexachlorobutadiene	ND		ug/kg	14	--	1
Isopropylbenzene	ND		ug/kg	2.8	--	1
p-Isopropyltoluene	ND		ug/kg	2.8	--	1
Naphthalene	ND		ug/kg	14	--	1
Acrylonitrile	ND		ug/kg	28	--	1
n-Propylbenzene	ND		ug/kg	2.8	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	14	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	14	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	14	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	14	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-01
 Client ID: SB/MW-105 (S5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 14:35
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	11	--	1
4-Ethyltoluene	ND		ug/kg	11	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	11	--	1
Ethyl ether	ND		ug/kg	14	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	14	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	130		70-130
Toluene-d8	120		70-130
4-Bromofluorobenzene	118		70-130
Dibromofluoromethane	113		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-03
 Client ID: SB-102 (4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/06/10 11:54
 Analyst: BN
 Percent Solids: 85%

Date Collected: 06/02/10 09:00
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	29	--	1
1,1-Dichloroethane	ND		ug/kg	4.4	--	1
Chloroform	ND		ug/kg	4.4	--	1
Carbon tetrachloride	ND		ug/kg	2.9	--	1
1,2-Dichloropropane	ND		ug/kg	10	--	1
Dibromochloromethane	ND		ug/kg	2.9	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.4	--	1
Tetrachloroethene	ND		ug/kg	2.9	--	1
Chlorobenzene	ND		ug/kg	2.9	--	1
Trichlorofluoromethane	ND		ug/kg	15	--	1
1,2-Dichloroethane	ND		ug/kg	2.9	--	1
1,1,1-Trichloroethane	ND		ug/kg	2.9	--	1
Bromodichloromethane	ND		ug/kg	2.9	--	1
trans-1,3-Dichloropropene	ND		ug/kg	2.9	--	1
cis-1,3-Dichloropropene	ND		ug/kg	2.9	--	1
1,1-Dichloropropene	ND		ug/kg	15	--	1
Bromoform	ND		ug/kg	12	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.9	--	1
Benzene	ND		ug/kg	2.9	--	1
Toluene	ND		ug/kg	4.4	--	1
Ethylbenzene	ND		ug/kg	2.9	--	1
Chloromethane	ND		ug/kg	15	--	1
Bromomethane	ND		ug/kg	5.9	--	1
Vinyl chloride	ND		ug/kg	5.9	--	1
Chloroethane	ND		ug/kg	5.9	--	1
1,1-Dichloroethene	ND		ug/kg	2.9	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.4	--	1
Trichloroethene	ND		ug/kg	2.9	--	1
1,2-Dichlorobenzene	ND		ug/kg	15	--	1
1,3-Dichlorobenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-03

Date Collected: 06/02/10 09:00

Client ID: SB-102 (4)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	15	--	1
Methyl tert butyl ether	ND		ug/kg	5.9	--	1
p/m-Xylene	ND		ug/kg	5.9	--	1
o-Xylene	ND		ug/kg	5.9	--	1
cis-1,2-Dichloroethene	ND		ug/kg	2.9	--	1
Dibromomethane	ND		ug/kg	29	--	1
Styrene	ND		ug/kg	5.9	--	1
Dichlorodifluoromethane	ND		ug/kg	29	--	1
Acetone	ND		ug/kg	100	--	1
Carbon disulfide	ND		ug/kg	29	--	1
2-Butanone	ND		ug/kg	29	--	1
Vinyl acetate	ND		ug/kg	29	--	1
4-Methyl-2-pentanone	ND		ug/kg	29	--	1
1,2,3-Trichloropropane	ND		ug/kg	29	--	1
2-Hexanone	ND		ug/kg	29	--	1
Bromochloromethane	ND		ug/kg	15	--	1
2,2-Dichloropropane	ND		ug/kg	15	--	1
1,2-Dibromoethane	ND		ug/kg	12	--	1
1,3-Dichloropropane	ND		ug/kg	15	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.9	--	1
Bromobenzene	ND		ug/kg	15	--	1
n-Butylbenzene	ND		ug/kg	2.9	--	1
sec-Butylbenzene	ND		ug/kg	2.9	--	1
tert-Butylbenzene	ND		ug/kg	15	--	1
o-Chlorotoluene	ND		ug/kg	15	--	1
p-Chlorotoluene	ND		ug/kg	15	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	15	--	1
Isopropylbenzene	ND		ug/kg	2.9	--	1
p-Isopropyltoluene	ND		ug/kg	2.9	--	1
Naphthalene	ND		ug/kg	15	--	1
Acrylonitrile	ND		ug/kg	29	--	1
n-Propylbenzene	ND		ug/kg	2.9	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	15	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	15	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	15	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-03

Date Collected: 06/02/10 09:00

Client ID: SB-102 (4)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	12	--	1
4-Ethyltoluene	ND		ug/kg	12	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	12	--	1
Ethyl ether	ND		ug/kg	15	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	15	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	93		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-05
 Client ID: SB-102 (9.5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/06/10 12:28
 Analyst: BN
 Percent Solids: 83%

Date Collected: 06/02/10 09:20
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	30	--	1
1,1-Dichloroethane	ND		ug/kg	4.5	--	1
Chloroform	ND		ug/kg	4.5	--	1
Carbon tetrachloride	ND		ug/kg	3.0	--	1
1,2-Dichloropropane	ND		ug/kg	10	--	1
Dibromochloromethane	ND		ug/kg	3.0	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.5	--	1
Tetrachloroethene	ND		ug/kg	3.0	--	1
Chlorobenzene	ND		ug/kg	3.0	--	1
Trichlorofluoromethane	ND		ug/kg	15	--	1
1,2-Dichloroethane	ND		ug/kg	3.0	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.0	--	1
Bromodichloromethane	ND		ug/kg	3.0	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.0	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.0	--	1
1,1-Dichloropropene	ND		ug/kg	15	--	1
Bromoform	ND		ug/kg	12	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.0	--	1
Benzene	ND		ug/kg	3.0	--	1
Toluene	ND		ug/kg	4.5	--	1
Ethylbenzene	ND		ug/kg	3.0	--	1
Chloromethane	ND		ug/kg	15	--	1
Bromomethane	ND		ug/kg	6.0	--	1
Vinyl chloride	ND		ug/kg	6.0	--	1
Chloroethane	ND		ug/kg	6.0	--	1
1,1-Dichloroethene	ND		ug/kg	3.0	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.5	--	1
Trichloroethene	ND		ug/kg	3.0	--	1
1,2-Dichlorobenzene	ND		ug/kg	15	--	1
1,3-Dichlorobenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-05

Date Collected: 06/02/10 09:20

Client ID: SB-102 (9.5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	15	--	1
Methyl tert butyl ether	ND		ug/kg	6.0	--	1
p/m-Xylene	ND		ug/kg	6.0	--	1
o-Xylene	ND		ug/kg	6.0	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.0	--	1
Dibromomethane	ND		ug/kg	30	--	1
Styrene	ND		ug/kg	6.0	--	1
Dichlorodifluoromethane	ND		ug/kg	30	--	1
Acetone	ND		ug/kg	110	--	1
Carbon disulfide	ND		ug/kg	30	--	1
2-Butanone	ND		ug/kg	30	--	1
Vinyl acetate	ND		ug/kg	30	--	1
4-Methyl-2-pentanone	ND		ug/kg	30	--	1
1,2,3-Trichloropropane	ND		ug/kg	30	--	1
2-Hexanone	ND		ug/kg	30	--	1
Bromochloromethane	ND		ug/kg	15	--	1
2,2-Dichloropropane	ND		ug/kg	15	--	1
1,2-Dibromoethane	ND		ug/kg	12	--	1
1,3-Dichloropropane	ND		ug/kg	15	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.0	--	1
Bromobenzene	ND		ug/kg	15	--	1
n-Butylbenzene	26		ug/kg	3.0	--	1
sec-Butylbenzene	16		ug/kg	3.0	--	1
tert-Butylbenzene	ND		ug/kg	15	--	1
o-Chlorotoluene	ND		ug/kg	15	--	1
p-Chlorotoluene	ND		ug/kg	15	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	15	--	1
Isopropylbenzene	3.0		ug/kg	3.0	--	1
p-Isopropyltoluene	7.4		ug/kg	3.0	--	1
Naphthalene	ND		ug/kg	15	--	1
Acrylonitrile	ND		ug/kg	30	--	1
n-Propylbenzene	19		ug/kg	3.0	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	15	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	15	--	1
1,3,5-Trimethylbenzene	17		ug/kg	15	--	1
1,2,4-Trimethylbenzene	73		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-05

Date Collected: 06/02/10 09:20

Client ID: SB-102 (9.5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	56		ug/kg	12	--	1
4-Ethyltoluene	29		ug/kg	12	--	1
1,2,4,5-Tetramethylbenzene	62		ug/kg	12	--	1
Ethyl ether	ND		ug/kg	15	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	15	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	95		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-07
 Client ID: SB-103 (4)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8260B
 Analytical Date: 06/06/10 13:02
 Analyst: BN
 Percent Solids: 78%

Date Collected: 06/02/10 09:50
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	32	--	1
1,1-Dichloroethane	ND		ug/kg	4.8	--	1
Chloroform	ND		ug/kg	4.8	--	1
Carbon tetrachloride	ND		ug/kg	3.2	--	1
1,2-Dichloropropane	ND		ug/kg	11	--	1
Dibromochloromethane	ND		ug/kg	3.2	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.8	--	1
Tetrachloroethene	ND		ug/kg	3.2	--	1
Chlorobenzene	ND		ug/kg	3.2	--	1
Trichlorofluoromethane	ND		ug/kg	16	--	1
1,2-Dichloroethane	ND		ug/kg	3.2	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.2	--	1
Bromodichloromethane	ND		ug/kg	3.2	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.2	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.2	--	1
1,1-Dichloropropene	ND		ug/kg	16	--	1
Bromoform	ND		ug/kg	13	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.2	--	1
Benzene	ND		ug/kg	3.2	--	1
Toluene	ND		ug/kg	4.8	--	1
Ethylbenzene	ND		ug/kg	3.2	--	1
Chloromethane	ND		ug/kg	16	--	1
Bromomethane	ND		ug/kg	6.4	--	1
Vinyl chloride	ND		ug/kg	6.4	--	1
Chloroethane	ND		ug/kg	6.4	--	1
1,1-Dichloroethene	ND		ug/kg	3.2	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.8	--	1
Trichloroethene	ND		ug/kg	3.2	--	1
1,2-Dichlorobenzene	ND		ug/kg	16	--	1
1,3-Dichlorobenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-07

Date Collected: 06/02/10 09:50

Client ID: SB-103 (4)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	16	--	1
Methyl tert butyl ether	ND		ug/kg	6.4	--	1
p/m-Xylene	ND		ug/kg	6.4	--	1
o-Xylene	ND		ug/kg	6.4	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.2	--	1
Dibromomethane	ND		ug/kg	32	--	1
Styrene	ND		ug/kg	6.4	--	1
Dichlorodifluoromethane	ND		ug/kg	32	--	1
Acetone	ND		ug/kg	120	--	1
Carbon disulfide	ND		ug/kg	32	--	1
2-Butanone	ND		ug/kg	32	--	1
Vinyl acetate	ND		ug/kg	32	--	1
4-Methyl-2-pentanone	ND		ug/kg	32	--	1
1,2,3-Trichloropropane	ND		ug/kg	32	--	1
2-Hexanone	ND		ug/kg	32	--	1
Bromochloromethane	ND		ug/kg	16	--	1
2,2-Dichloropropane	ND		ug/kg	16	--	1
1,2-Dibromoethane	ND		ug/kg	13	--	1
1,3-Dichloropropane	ND		ug/kg	16	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.2	--	1
Bromobenzene	ND		ug/kg	16	--	1
n-Butylbenzene	ND		ug/kg	3.2	--	1
sec-Butylbenzene	ND		ug/kg	3.2	--	1
tert-Butylbenzene	ND		ug/kg	16	--	1
o-Chlorotoluene	ND		ug/kg	16	--	1
p-Chlorotoluene	ND		ug/kg	16	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	16	--	1
Isopropylbenzene	ND		ug/kg	3.2	--	1
p-Isopropyltoluene	ND		ug/kg	3.2	--	1
Naphthalene	ND		ug/kg	16	--	1
Acrylonitrile	ND		ug/kg	32	--	1
n-Propylbenzene	ND		ug/kg	3.2	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	16	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	16	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	16	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	16	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-07

Date Collected: 06/02/10 09:50

Client ID: SB-103 (4)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	13	--	1
4-Ethyltoluene	ND		ug/kg	13	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	13	--	1
Ethyl ether	ND		ug/kg	16	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	16	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	92		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-09
Client ID: SB-103 (9)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8260B
Analytical Date: 06/06/10 13:35
Analyst: BN
Percent Solids: 82%

Date Collected: 06/02/10 10:00
Date Received: 06/03/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/kg	30	--	1
1,1-Dichloroethane	ND		ug/kg	4.6	--	1
Chloroform	ND		ug/kg	4.6	--	1
Carbon tetrachloride	ND		ug/kg	3.0	--	1
1,2-Dichloropropane	ND		ug/kg	11	--	1
Dibromochloromethane	ND		ug/kg	3.0	--	1
1,1,2-Trichloroethane	ND		ug/kg	4.6	--	1
Tetrachloroethene	ND		ug/kg	3.0	--	1
Chlorobenzene	ND		ug/kg	3.0	--	1
Trichlorofluoromethane	ND		ug/kg	15	--	1
1,2-Dichloroethane	ND		ug/kg	3.0	--	1
1,1,1-Trichloroethane	ND		ug/kg	3.0	--	1
Bromodichloromethane	ND		ug/kg	3.0	--	1
trans-1,3-Dichloropropene	ND		ug/kg	3.0	--	1
cis-1,3-Dichloropropene	ND		ug/kg	3.0	--	1
1,1-Dichloropropene	ND		ug/kg	15	--	1
Bromoform	ND		ug/kg	12	--	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	3.0	--	1
Benzene	ND		ug/kg	3.0	--	1
Toluene	ND		ug/kg	4.6	--	1
Ethylbenzene	ND		ug/kg	3.0	--	1
Chloromethane	ND		ug/kg	15	--	1
Bromomethane	ND		ug/kg	6.1	--	1
Vinyl chloride	ND		ug/kg	6.1	--	1
Chloroethane	ND		ug/kg	6.1	--	1
1,1-Dichloroethene	ND		ug/kg	3.0	--	1
trans-1,2-Dichloroethene	ND		ug/kg	4.6	--	1
Trichloroethene	ND		ug/kg	3.0	--	1
1,2-Dichlorobenzene	ND		ug/kg	15	--	1
1,3-Dichlorobenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-09

Date Collected: 06/02/10 10:00

Client ID: SB-103 (9)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/kg	15	--	1
Methyl tert butyl ether	ND		ug/kg	6.1	--	1
p/m-Xylene	ND		ug/kg	6.1	--	1
o-Xylene	ND		ug/kg	6.1	--	1
cis-1,2-Dichloroethene	ND		ug/kg	3.0	--	1
Dibromomethane	ND		ug/kg	30	--	1
Styrene	ND		ug/kg	6.1	--	1
Dichlorodifluoromethane	ND		ug/kg	30	--	1
Acetone	ND		ug/kg	110	--	1
Carbon disulfide	ND		ug/kg	30	--	1
2-Butanone	ND		ug/kg	30	--	1
Vinyl acetate	ND		ug/kg	30	--	1
4-Methyl-2-pentanone	ND		ug/kg	30	--	1
1,2,3-Trichloropropane	ND		ug/kg	30	--	1
2-Hexanone	ND		ug/kg	30	--	1
Bromochloromethane	ND		ug/kg	15	--	1
2,2-Dichloropropane	ND		ug/kg	15	--	1
1,2-Dibromoethane	ND		ug/kg	12	--	1
1,3-Dichloropropane	ND		ug/kg	15	--	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	3.0	--	1
Bromobenzene	ND		ug/kg	15	--	1
n-Butylbenzene	ND		ug/kg	3.0	--	1
sec-Butylbenzene	ND		ug/kg	3.0	--	1
tert-Butylbenzene	ND		ug/kg	15	--	1
o-Chlorotoluene	ND		ug/kg	15	--	1
p-Chlorotoluene	ND		ug/kg	15	--	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	15	--	1
Isopropylbenzene	ND		ug/kg	3.0	--	1
p-Isopropyltoluene	ND		ug/kg	3.0	--	1
Naphthalene	ND		ug/kg	15	--	1
Acrylonitrile	ND		ug/kg	30	--	1
n-Propylbenzene	ND		ug/kg	3.0	--	1
1,2,3-Trichlorobenzene	ND		ug/kg	15	--	1
1,2,4-Trichlorobenzene	ND		ug/kg	15	--	1
1,3,5-Trimethylbenzene	ND		ug/kg	15	--	1
1,2,4-Trimethylbenzene	ND		ug/kg	15	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-09

Date Collected: 06/02/10 10:00

Client ID: SB-103 (9)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/kg	12	--	1
4-Ethyltoluene	ND		ug/kg	12	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	12	--	1
Ethyl ether	ND		ug/kg	15	--	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	15	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	94		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/06/10 09:03
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03,05,07,09 Batch: WG416534-3					
Methylene chloride	ND		ug/kg	25	--
1,1-Dichloroethane	ND		ug/kg	3.8	--
Chloroform	ND		ug/kg	3.8	--
Carbon tetrachloride	ND		ug/kg	2.5	--
1,2-Dichloropropane	ND		ug/kg	8.8	--
Dibromochloromethane	ND		ug/kg	2.5	--
1,1,2-Trichloroethane	ND		ug/kg	3.8	--
Tetrachloroethene	ND		ug/kg	2.5	--
Chlorobenzene	ND		ug/kg	2.5	--
Trichlorofluoromethane	ND		ug/kg	12	--
1,2-Dichloroethane	ND		ug/kg	2.5	--
1,1,1-Trichloroethane	ND		ug/kg	2.5	--
Bromodichloromethane	ND		ug/kg	2.5	--
trans-1,3-Dichloropropene	ND		ug/kg	2.5	--
cis-1,3-Dichloropropene	ND		ug/kg	2.5	--
1,1-Dichloropropene	ND		ug/kg	12	--
Bromoform	ND		ug/kg	10	--
1,1,2,2-Tetrachloroethane	ND		ug/kg	2.5	--
Benzene	ND		ug/kg	2.5	--
Toluene	ND		ug/kg	3.8	--
Ethylbenzene	ND		ug/kg	2.5	--
Chloromethane	ND		ug/kg	12	--
Bromomethane	ND		ug/kg	5.0	--
Vinyl chloride	ND		ug/kg	5.0	--
Chloroethane	ND		ug/kg	5.0	--
1,1-Dichloroethene	ND		ug/kg	2.5	--
trans-1,2-Dichloroethene	ND		ug/kg	3.8	--
Trichloroethene	ND		ug/kg	2.5	--
1,2-Dichlorobenzene	ND		ug/kg	12	--
1,3-Dichlorobenzene	ND		ug/kg	12	--
1,4-Dichlorobenzene	ND		ug/kg	12	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/06/10 09:03
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03,05,07,09 Batch: WG416534-3					
Methyl tert butyl ether	ND		ug/kg	5.0	--
p/m-Xylene	ND		ug/kg	5.0	--
o-Xylene	ND		ug/kg	5.0	--
cis-1,2-Dichloroethene	ND		ug/kg	2.5	--
Dibromomethane	ND		ug/kg	25	--
Styrene	ND		ug/kg	5.0	--
Dichlorodifluoromethane	ND		ug/kg	25	--
Acetone	ND		ug/kg	90	--
Carbon disulfide	ND		ug/kg	25	--
2-Butanone	ND		ug/kg	25	--
Vinyl acetate	ND		ug/kg	25	--
4-Methyl-2-pentanone	ND		ug/kg	25	--
1,2,3-Trichloropropane	ND		ug/kg	25	--
2-Hexanone	ND		ug/kg	25	--
Bromochloromethane	ND		ug/kg	12	--
2,2-Dichloropropane	ND		ug/kg	12	--
1,2-Dibromoethane	ND		ug/kg	10	--
1,3-Dichloropropane	ND		ug/kg	12	--
1,1,1,2-Tetrachloroethane	ND		ug/kg	2.5	--
Bromobenzene	ND		ug/kg	12	--
n-Butylbenzene	ND		ug/kg	2.5	--
sec-Butylbenzene	ND		ug/kg	2.5	--
tert-Butylbenzene	ND		ug/kg	12	--
o-Chlorotoluene	ND		ug/kg	12	--
p-Chlorotoluene	ND		ug/kg	12	--
1,2-Dibromo-3-chloropropane	ND		ug/kg	12	--
Hexachlorobutadiene	ND		ug/kg	12	--
Isopropylbenzene	ND		ug/kg	2.5	--
p-Isopropyltoluene	ND		ug/kg	2.5	--
Naphthalene	ND		ug/kg	12	--
Acrylonitrile	ND		ug/kg	25	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
Analytical Date: 06/06/10 09:03
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03,05,07,09 Batch: WG416534-3					
n-Propylbenzene	ND		ug/kg	2.5	--
1,2,3-Trichlorobenzene	ND		ug/kg	12	--
1,2,4-Trichlorobenzene	ND		ug/kg	12	--
1,3,5-Trimethylbenzene	ND		ug/kg	12	--
1,2,4-Trimethylbenzene	ND		ug/kg	12	--
1,4-Diethylbenzene	ND		ug/kg	10	--
4-Ethyltoluene	ND		ug/kg	10	--
1,2,4,5-Tetramethylbenzene	ND		ug/kg	10	--
Ethyl ether	ND		ug/kg	12	--
trans-1,4-Dichloro-2-butene	ND		ug/kg	12	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	92		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008218

Report Date: 06/10/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03,05,07,09 Batch: WG416534-1 WG416534-2								
Chlorobenzene	95		95		60-133	0		30
Benzene	105		106		66-142	1		30
Toluene	94		95		59-139	1		30
1,1-Dichloroethene	104		102		59-172	2		30
Trichloroethene	97		97		62-137	0		30

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	106		107		70-130
Toluene-d8	102		102		70-130
4-Bromofluorobenzene	98		98		70-130
Dibromofluoromethane	106		106		70-130

SEMIVOLATILES

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-02
Client ID: SB/MW-105 (S3-S5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/08/10 17:22
Analyst: HL
Percent Solids: 84%

Date Collected: 05/28/10 14:38
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	15	--	1
2-Chloronaphthalene	ND		ug/kg	15	--	1
Fluoranthene	ND		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	38	--	1
Naphthalene	ND		ug/kg	15	--	1
Benzo(a)anthracene	ND		ug/kg	15	--	1
Benzo(a)pyrene	ND		ug/kg	15	--	1
Benzo(b)fluoranthene	ND		ug/kg	15	--	1
Benzo(k)fluoranthene	ND		ug/kg	15	--	1
Chrysene	ND		ug/kg	15	--	1
Acenaphthylene	ND		ug/kg	15	--	1
Anthracene	ND		ug/kg	15	--	1
Benzo(ghi)perylene	ND		ug/kg	15	--	1
Fluorene	ND		ug/kg	15	--	1
Phenanthrene	ND		ug/kg	15	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	15	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	15	--	1
Pyrene	ND		ug/kg	15	--	1
2-Methylnaphthalene	ND		ug/kg	15	--	1
Pentachlorophenol	ND		ug/kg	60	--	1
Hexachlorobenzene	ND		ug/kg	60	--	1
Hexachloroethane	ND		ug/kg	60	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-02
 Client ID: SB/MW-105 (S3-S5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 14:38
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	58		25-120
Phenol-d6	61		10-120
Nitrobenzene-d5	62		23-120
2-Fluorobiphenyl	63		30-120
2,4,6-Tribromophenol	71		0-136
4-Terphenyl-d14	68		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-02
 Client ID: SB/MW-105 (S3-S5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/09/10 01:25
 Analyst: PS
 Percent Solids: 84%

Date Collected: 05/28/10 14:38
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	380	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	380	--	1
1,2-Dichlorobenzene	ND		ug/kg	380	--	1
1,3-Dichlorobenzene	ND		ug/kg	380	--	1
1,4-Dichlorobenzene	ND		ug/kg	380	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	760	--	1
2,4-Dinitrotoluene	ND		ug/kg	380	--	1
2,6-Dinitrotoluene	ND		ug/kg	380	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	380	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	380	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	380	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	380	--	1
Hexachlorocyclopentadiene	ND		ug/kg	760	--	1
Isophorone	ND		ug/kg	380	--	1
Nitrobenzene	ND		ug/kg	380	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1100	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	380	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	760	--	1
Butyl benzyl phthalate	ND		ug/kg	380	--	1
Di-n-butylphthalate	ND		ug/kg	380	--	1
Di-n-octylphthalate	ND		ug/kg	380	--	1
Diethyl phthalate	ND		ug/kg	380	--	1
Dimethyl phthalate	ND		ug/kg	380	--	1
Biphenyl	ND		ug/kg	380	--	1
4-Chloroaniline	ND		ug/kg	380	--	1
2-Nitroaniline	ND		ug/kg	380	--	1
3-Nitroaniline	ND		ug/kg	380	--	1
4-Nitroaniline	ND		ug/kg	530	--	1
Dibenzofuran	ND		ug/kg	380	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1500	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-02
 Client ID: SB/MW-105 (S3-S5)
 Sample Location: BRONX, NY

Date Collected: 05/28/10 14:38
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1500	--	1
2,4,6-Trichlorophenol	ND		ug/kg	380	--	1
P-Chloro-M-Cresol	ND		ug/kg	380	--	1
2-Chlorophenol	ND		ug/kg	450	--	1
2,4-Dichlorophenol	ND		ug/kg	760	--	1
2,4-Dimethylphenol	ND		ug/kg	380	--	1
2-Nitrophenol	ND		ug/kg	1500	--	1
4-Nitrophenol	ND		ug/kg	760	--	1
2,4-Dinitrophenol	ND		ug/kg	1500	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1500	--	1
Phenol	ND		ug/kg	530	--	1
2-Methylphenol	ND		ug/kg	450	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	450	--	1
2,4,5-Trichlorophenol	ND		ug/kg	380	--	1
Benzoic Acid	ND		ug/kg	3800	--	1
Benzyl Alcohol	ND		ug/kg	760	--	1
Carbazole	ND		ug/kg	380	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	59		25-120
Phenol-d6	57		10-120
Nitrobenzene-d5	54		23-120
2-Fluorobiphenyl	56		30-120
2,4,6-Tribromophenol	59		0-136
4-Terphenyl-d14	62		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04
Client ID: SB-102 (0-5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/08/10 17:51
Analyst: HL
Percent Solids: 87%

Date Collected: 06/02/10 09:05
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	16	--	1
2-Chloronaphthalene	ND		ug/kg	16	--	1
Fluoranthene	62		ug/kg	16	--	1
Hexachlorobutadiene	ND		ug/kg	40	--	1
Naphthalene	26		ug/kg	16	--	1
Benzo(a)anthracene	39		ug/kg	16	--	1
Benzo(a)pyrene	49		ug/kg	16	--	1
Benzo(b)fluoranthene	66		ug/kg	16	--	1
Benzo(k)fluoranthene	26		ug/kg	16	--	1
Chrysene	43		ug/kg	16	--	1
Acenaphthylene	ND		ug/kg	16	--	1
Anthracene	ND		ug/kg	16	--	1
Benzo(ghi)perylene	31		ug/kg	16	--	1
Fluorene	ND		ug/kg	16	--	1
Phenanthrene	35		ug/kg	16	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	16	--	1
Indeno(1,2,3-cd)Pyrene	30		ug/kg	16	--	1
Pyrene	47		ug/kg	16	--	1
2-Methylnaphthalene	16		ug/kg	16	--	1
Pentachlorophenol	ND		ug/kg	63	--	1
Hexachlorobenzene	ND		ug/kg	63	--	1
Hexachloroethane	ND		ug/kg	63	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04

Date Collected: 06/02/10 09:05

Client ID: SB-102 (0-5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	67		25-120
Phenol-d6	65		10-120
Nitrobenzene-d5	71		23-120
2-Fluorobiphenyl	71		30-120
2,4,6-Tribromophenol	76		0-136
4-Terphenyl-d14	71		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04
 Client ID: SB-102 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/09/10 01:50
 Analyst: PS
 Percent Solids: 87%

Date Collected: 06/02/10 09:05
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	400	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	400	--	1
1,2-Dichlorobenzene	ND		ug/kg	400	--	1
1,3-Dichlorobenzene	ND		ug/kg	400	--	1
1,4-Dichlorobenzene	ND		ug/kg	400	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	790	--	1
2,4-Dinitrotoluene	ND		ug/kg	400	--	1
2,6-Dinitrotoluene	ND		ug/kg	400	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	400	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	400	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	400	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	400	--	1
Hexachlorocyclopentadiene	ND		ug/kg	790	--	1
Isophorone	ND		ug/kg	400	--	1
Nitrobenzene	ND		ug/kg	400	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1200	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	400	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	790	--	1
Butyl benzyl phthalate	ND		ug/kg	400	--	1
Di-n-butylphthalate	ND		ug/kg	400	--	1
Di-n-octylphthalate	ND		ug/kg	400	--	1
Diethyl phthalate	ND		ug/kg	400	--	1
Dimethyl phthalate	ND		ug/kg	400	--	1
Biphenyl	ND		ug/kg	400	--	1
4-Chloroaniline	ND		ug/kg	400	--	1
2-Nitroaniline	ND		ug/kg	400	--	1
3-Nitroaniline	ND		ug/kg	400	--	1
4-Nitroaniline	ND		ug/kg	550	--	1
Dibenzofuran	ND		ug/kg	400	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1600	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04

Date Collected: 06/02/10 09:05

Client ID: SB-102 (0-5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1600	--	1
2,4,6-Trichlorophenol	ND		ug/kg	400	--	1
P-Chloro-M-Cresol	ND		ug/kg	400	--	1
2-Chlorophenol	ND		ug/kg	480	--	1
2,4-Dichlorophenol	ND		ug/kg	790	--	1
2,4-Dimethylphenol	ND		ug/kg	400	--	1
2-Nitrophenol	ND		ug/kg	1600	--	1
4-Nitrophenol	ND		ug/kg	790	--	1
2,4-Dinitrophenol	ND		ug/kg	1600	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1600	--	1
Phenol	ND		ug/kg	550	--	1
2-Methylphenol	ND		ug/kg	480	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	480	--	1
2,4,5-Trichlorophenol	ND		ug/kg	400	--	1
Benzoic Acid	ND		ug/kg	4000	--	1
Benzyl Alcohol	ND		ug/kg	790	--	1
Carbazole	ND		ug/kg	400	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	69		25-120
Phenol-d6	67		10-120
Nitrobenzene-d5	65		23-120
2-Fluorobiphenyl	65		30-120
2,4,6-Tribromophenol	63		0-136
4-Terphenyl-d14	67		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-06
Client ID: SB-102 (5-10)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/08/10 18:19
Analyst: HL
Percent Solids: 88%

Date Collected: 06/02/10 09:25
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	15	--	1
2-Chloronaphthalene	ND		ug/kg	15	--	1
Fluoranthene	ND		ug/kg	15	--	1
Hexachlorobutadiene	ND		ug/kg	38	--	1
Naphthalene	ND		ug/kg	15	--	1
Benzo(a)anthracene	ND		ug/kg	15	--	1
Benzo(a)pyrene	ND		ug/kg	15	--	1
Benzo(b)fluoranthene	ND		ug/kg	15	--	1
Benzo(k)fluoranthene	ND		ug/kg	15	--	1
Chrysene	ND		ug/kg	15	--	1
Acenaphthylene	ND		ug/kg	15	--	1
Anthracene	ND		ug/kg	15	--	1
Benzo(ghi)perylene	ND		ug/kg	15	--	1
Fluorene	ND		ug/kg	15	--	1
Phenanthrene	ND		ug/kg	15	--	1
Dibenzo(a,h)anthracene	ND		ug/kg	15	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	15	--	1
Pyrene	ND		ug/kg	15	--	1
2-Methylnaphthalene	ND		ug/kg	15	--	1
Pentachlorophenol	ND		ug/kg	60	--	1
Hexachlorobenzene	ND		ug/kg	60	--	1
Hexachloroethane	ND		ug/kg	60	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-06

Date Collected: 06/02/10 09:25

Client ID: SB-102 (5-10)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	50		25-120
Phenol-d6	48		10-120
Nitrobenzene-d5	51		23-120
2-Fluorobiphenyl	52		30-120
2,4,6-Tribromophenol	55		0-136
4-Terphenyl-d14	54		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-06
 Client ID: SB-102 (5-10)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/09/10 02:15
 Analyst: PS
 Percent Solids: 88%

Date Collected: 06/02/10 09:25
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	380	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	380	--	1
1,2-Dichlorobenzene	ND		ug/kg	380	--	1
1,3-Dichlorobenzene	ND		ug/kg	380	--	1
1,4-Dichlorobenzene	ND		ug/kg	380	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	750	--	1
2,4-Dinitrotoluene	ND		ug/kg	380	--	1
2,6-Dinitrotoluene	ND		ug/kg	380	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	380	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	380	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	380	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	380	--	1
Hexachlorocyclopentadiene	ND		ug/kg	750	--	1
Isophorone	ND		ug/kg	380	--	1
Nitrobenzene	ND		ug/kg	380	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1100	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	380	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	750	--	1
Butyl benzyl phthalate	ND		ug/kg	380	--	1
Di-n-butylphthalate	ND		ug/kg	380	--	1
Di-n-octylphthalate	ND		ug/kg	380	--	1
Diethyl phthalate	ND		ug/kg	380	--	1
Dimethyl phthalate	ND		ug/kg	380	--	1
Biphenyl	ND		ug/kg	380	--	1
4-Chloroaniline	ND		ug/kg	380	--	1
2-Nitroaniline	ND		ug/kg	380	--	1
3-Nitroaniline	ND		ug/kg	380	--	1
4-Nitroaniline	ND		ug/kg	530	--	1
Dibenzofuran	ND		ug/kg	380	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1500	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-06
 Client ID: SB-102 (5-10)
 Sample Location: BRONX, NY

Date Collected: 06/02/10 09:25
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1500	--	1
2,4,6-Trichlorophenol	ND		ug/kg	380	--	1
P-Chloro-M-Cresol	ND		ug/kg	380	--	1
2-Chlorophenol	ND		ug/kg	450	--	1
2,4-Dichlorophenol	ND		ug/kg	750	--	1
2,4-Dimethylphenol	ND		ug/kg	380	--	1
2-Nitrophenol	ND		ug/kg	1500	--	1
4-Nitrophenol	ND		ug/kg	750	--	1
2,4-Dinitrophenol	ND		ug/kg	1500	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1500	--	1
Phenol	ND		ug/kg	530	--	1
2-Methylphenol	ND		ug/kg	450	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	450	--	1
2,4,5-Trichlorophenol	ND		ug/kg	380	--	1
Benzoic Acid	ND		ug/kg	3800	--	1
Benzyl Alcohol	ND		ug/kg	750	--	1
Carbazole	ND		ug/kg	380	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	56		25-120
Phenol-d6	52		10-120
Nitrobenzene-d5	51		23-120
2-Fluorobiphenyl	54		30-120
2,4,6-Tribromophenol	54		0-136
4-Terphenyl-d14	57		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-08
 Client ID: SB-103 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/09/10 02:40
 Analyst: PS
 Percent Solids: 83%

Date Collected: 06/02/10 09:55
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	410	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	410	--	1
1,2-Dichlorobenzene	ND		ug/kg	410	--	1
1,3-Dichlorobenzene	ND		ug/kg	410	--	1
1,4-Dichlorobenzene	ND		ug/kg	410	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	820	--	1
2,4-Dinitrotoluene	ND		ug/kg	410	--	1
2,6-Dinitrotoluene	ND		ug/kg	410	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	410	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	410	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	410	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	410	--	1
Hexachlorocyclopentadiene	ND		ug/kg	820	--	1
Isophorone	ND		ug/kg	410	--	1
Nitrobenzene	ND		ug/kg	410	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1200	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	410	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	820	--	1
Butyl benzyl phthalate	ND		ug/kg	410	--	1
Di-n-butylphthalate	ND		ug/kg	410	--	1
Di-n-octylphthalate	ND		ug/kg	410	--	1
Diethyl phthalate	ND		ug/kg	410	--	1
Dimethyl phthalate	ND		ug/kg	410	--	1
Biphenyl	ND		ug/kg	410	--	1
4-Chloroaniline	ND		ug/kg	410	--	1
2-Nitroaniline	ND		ug/kg	410	--	1
3-Nitroaniline	ND		ug/kg	410	--	1
4-Nitroaniline	ND		ug/kg	570	--	1
Dibenzofuran	ND		ug/kg	410	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1600	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-08

Date Collected: 06/02/10 09:55

Client ID: SB-103 (0-5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1600	--	1
2,4,6-Trichlorophenol	ND		ug/kg	410	--	1
P-Chloro-M-Cresol	ND		ug/kg	410	--	1
2-Chlorophenol	ND		ug/kg	490	--	1
2,4-Dichlorophenol	ND		ug/kg	820	--	1
2,4-Dimethylphenol	ND		ug/kg	410	--	1
2-Nitrophenol	ND		ug/kg	1600	--	1
4-Nitrophenol	ND		ug/kg	820	--	1
2,4-Dinitrophenol	ND		ug/kg	1600	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1600	--	1
Phenol	ND		ug/kg	570	--	1
2-Methylphenol	ND		ug/kg	490	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	490	--	1
2,4,5-Trichlorophenol	ND		ug/kg	410	--	1
Benzoic Acid	ND		ug/kg	4100	--	1
Benzyl Alcohol	ND		ug/kg	820	--	1
Carbazole	ND		ug/kg	410	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		25-120
Phenol-d6	57		10-120
Nitrobenzene-d5	36		23-120
2-Fluorobiphenyl	60		30-120
2,4,6-Tribromophenol	43		0-136
4-Terphenyl-d14	69		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-08 D
Client ID: SB-103 (0-5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/08/10 18:47
Analyst: HL
Percent Solids: 83%

Date Collected: 06/02/10 09:55
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	320		ug/kg	160	--	10
2-Chloronaphthalene	ND		ug/kg	160	--	10
Fluoranthene	10000		ug/kg	160	--	10
Hexachlorobutadiene	ND		ug/kg	410	--	10
Naphthalene	740		ug/kg	160	--	10
Benzo(a)anthracene	4800		ug/kg	160	--	10
Benzo(a)pyrene	4100		ug/kg	160	--	10
Benzo(b)fluoranthene	6900		ug/kg	160	--	10
Benzo(k)fluoranthene	2300		ug/kg	160	--	10
Chrysene	5000		ug/kg	160	--	10
Acenaphthylene	520		ug/kg	160	--	10
Anthracene	1200		ug/kg	160	--	10
Benzo(ghi)perylene	3200		ug/kg	160	--	10
Fluorene	320		ug/kg	160	--	10
Phenanthrene	5400		ug/kg	160	--	10
Dibenzo(a,h)anthracene	840		ug/kg	160	--	10
Indeno(1,2,3-cd)Pyrene	2800		ug/kg	160	--	10
Pyrene	9000		ug/kg	160	--	10
2-Methylnaphthalene	ND		ug/kg	160	--	10
Pentachlorophenol	ND		ug/kg	650	--	10
Hexachlorobenzene	ND		ug/kg	650	--	10
Hexachloroethane	ND		ug/kg	650	--	10

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-08 D

Date Collected: 06/02/10 09:55

Client ID: SB-103 (0-5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		25-120
Phenol-d6	59		10-120
Nitrobenzene-d5	39		23-120
2-Fluorobiphenyl	74		30-120
2,4,6-Tribromophenol	62		0-136
4-Terphenyl-d14	74		18-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-10
 Client ID: SB-103 (5-10)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8270C
 Analytical Date: 06/09/10 03:05
 Analyst: PS
 Percent Solids: 82%

Date Collected: 06/02/10 10:05
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/kg	420	--	1
Bis(2-chloroethyl)ether	ND		ug/kg	420	--	1
1,2-Dichlorobenzene	ND		ug/kg	420	--	1
1,3-Dichlorobenzene	ND		ug/kg	420	--	1
1,4-Dichlorobenzene	ND		ug/kg	420	--	1
3,3'-Dichlorobenzidine	ND		ug/kg	840	--	1
2,4-Dinitrotoluene	ND		ug/kg	420	--	1
2,6-Dinitrotoluene	ND		ug/kg	420	--	1
4-Chlorophenyl phenyl ether	ND		ug/kg	420	--	1
4-Bromophenyl phenyl ether	ND		ug/kg	420	--	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	420	--	1
Bis(2-chloroethoxy)methane	ND		ug/kg	420	--	1
Hexachlorocyclopentadiene	ND		ug/kg	840	--	1
Isophorone	ND		ug/kg	420	--	1
Nitrobenzene	ND		ug/kg	420	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1300	--	1
n-Nitrosodi-n-propylamine	ND		ug/kg	420	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	840	--	1
Butyl benzyl phthalate	ND		ug/kg	420	--	1
Di-n-butylphthalate	ND		ug/kg	420	--	1
Di-n-octylphthalate	ND		ug/kg	420	--	1
Diethyl phthalate	ND		ug/kg	420	--	1
Dimethyl phthalate	ND		ug/kg	420	--	1
Biphenyl	ND		ug/kg	420	--	1
4-Chloroaniline	ND		ug/kg	420	--	1
2-Nitroaniline	ND		ug/kg	420	--	1
3-Nitroaniline	ND		ug/kg	420	--	1
4-Nitroaniline	ND		ug/kg	590	--	1
Dibenzofuran	ND		ug/kg	420	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1700	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-10
 Client ID: SB-103 (5-10)
 Sample Location: BRONX, NY

Date Collected: 06/02/10 10:05
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/kg	1700	--	1
2,4,6-Trichlorophenol	ND		ug/kg	420	--	1
P-Chloro-M-Cresol	ND		ug/kg	420	--	1
2-Chlorophenol	ND		ug/kg	510	--	1
2,4-Dichlorophenol	ND		ug/kg	840	--	1
2,4-Dimethylphenol	ND		ug/kg	420	--	1
2-Nitrophenol	ND		ug/kg	1700	--	1
4-Nitrophenol	ND		ug/kg	840	--	1
2,4-Dinitrophenol	ND		ug/kg	1700	--	1
4,6-Dinitro-o-cresol	ND		ug/kg	1700	--	1
Phenol	ND		ug/kg	590	--	1
2-Methylphenol	ND		ug/kg	510	--	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	510	--	1
2,4,5-Trichlorophenol	ND		ug/kg	420	--	1
Benzoic Acid	ND		ug/kg	4200	--	1
Benzyl Alcohol	ND		ug/kg	840	--	1
Carbazole	ND		ug/kg	420	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	75		25-120
Phenol-d6	74		10-120
Nitrobenzene-d5	68		23-120
2-Fluorobiphenyl	71		30-120
2,4,6-Tribromophenol	74		0-136
4-Terphenyl-d14	78		18-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-10 D
Client ID: SB-103 (5-10)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8270C
Analytical Date: 06/08/10 19:15
Analyst: HL
Percent Solids: 82%

Date Collected: 06/02/10 10:05
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/kg	170	--	10
2-Chloronaphthalene	ND		ug/kg	170	--	10
Fluoranthene	4400		ug/kg	170	--	10
Hexachlorobutadiene	ND		ug/kg	420	--	10
Naphthalene	380		ug/kg	170	--	10
Benzo(a)anthracene	2800		ug/kg	170	--	10
Benzo(a)pyrene	3000		ug/kg	170	--	10
Benzo(b)fluoranthene	4000		ug/kg	170	--	10
Benzo(k)fluoranthene	1600		ug/kg	170	--	10
Chrysene	2600		ug/kg	170	--	10
Acenaphthylene	400		ug/kg	170	--	10
Anthracene	460		ug/kg	170	--	10
Benzo(ghi)perylene	1900		ug/kg	170	--	10
Fluorene	ND		ug/kg	170	--	10
Phenanthrene	1100		ug/kg	170	--	10
Dibenzo(a,h)anthracene	480		ug/kg	170	--	10
Indeno(1,2,3-cd)Pyrene	1800		ug/kg	170	--	10
Pyrene	4600		ug/kg	170	--	10
2-Methylnaphthalene	ND		ug/kg	170	--	10
Pentachlorophenol	ND		ug/kg	680	--	10
Hexachlorobenzene	ND		ug/kg	680	--	10
Hexachloroethane	ND		ug/kg	680	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-10 D

Date Collected: 06/02/10 10:05

Client ID: SB-103 (5-10)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	76		25-120
Phenol-d6	76		10-120
Nitrobenzene-d5	74		23-120
2-Fluorobiphenyl	84		30-120
2,4,6-Tribromophenol	84		0-136
4-Terphenyl-d14	85		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/08/10 20:48
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416423-1					
1,2,4-Trichlorobenzene	ND		ug/kg	330	--
Bis(2-chloroethyl)ether	ND		ug/kg	330	--
1,2-Dichlorobenzene	ND		ug/kg	330	--
1,3-Dichlorobenzene	ND		ug/kg	330	--
1,4-Dichlorobenzene	ND		ug/kg	330	--
3,3'-Dichlorobenzidine	ND		ug/kg	660	--
2,4-Dinitrotoluene	ND		ug/kg	330	--
2,6-Dinitrotoluene	ND		ug/kg	330	--
4-Chlorophenyl phenyl ether	ND		ug/kg	330	--
4-Bromophenyl phenyl ether	ND		ug/kg	330	--
Bis(2-chloroisopropyl)ether	ND		ug/kg	330	--
Bis(2-chloroethoxy)methane	ND		ug/kg	330	--
Hexachlorocyclopentadiene	ND		ug/kg	660	--
Isophorone	ND		ug/kg	330	--
Nitrobenzene	ND		ug/kg	330	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	1000	--
n-Nitrosodi-n-propylamine	ND		ug/kg	330	--
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	660	--
Butyl benzyl phthalate	ND		ug/kg	330	--
Di-n-butylphthalate	ND		ug/kg	330	--
Di-n-octylphthalate	ND		ug/kg	330	--
Diethyl phthalate	ND		ug/kg	330	--
Dimethyl phthalate	ND		ug/kg	330	--
Biphenyl	ND		ug/kg	330	--
4-Chloroaniline	ND		ug/kg	330	--
2-Nitroaniline	ND		ug/kg	330	--
3-Nitroaniline	ND		ug/kg	330	--
4-Nitroaniline	ND		ug/kg	460	--
Dibenzofuran	ND		ug/kg	330	--
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1300	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/08/10 20:48
Analyst: PS

Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:11

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416423-1					
Acetophenone	ND		ug/kg	1300	--
2,4,6-Trichlorophenol	ND		ug/kg	330	--
P-Chloro-M-Cresol	ND		ug/kg	330	--
2-Chlorophenol	ND		ug/kg	400	--
2,4-Dichlorophenol	ND		ug/kg	660	--
2,4-Dimethylphenol	ND		ug/kg	330	--
2-Nitrophenol	ND		ug/kg	1300	--
4-Nitrophenol	ND		ug/kg	660	--
2,4-Dinitrophenol	ND		ug/kg	1300	--
4,6-Dinitro-o-cresol	ND		ug/kg	1300	--
Phenol	ND		ug/kg	460	--
2-Methylphenol	ND		ug/kg	400	--
3-Methylphenol/4-Methylphenol	ND		ug/kg	400	--
2,4,5-Trichlorophenol	ND		ug/kg	330	--
Benzoic Acid	ND		ug/kg	3300	--
Benzyl Alcohol	ND		ug/kg	660	--
Carbazole	ND		ug/kg	330	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	76		25-120
Phenol-d6	74		10-120
Nitrobenzene-d5	70		23-120
2-Fluorobiphenyl	75		30-120
2,4,6-Tribromophenol	69		0-136
4-Terphenyl-d14	77		18-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/08/10 15:58
Analyst: HL

Extraction Method: EPA 3546
Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416424-1					
Acenaphthene	ND		ug/kg	13	--
2-Chloronaphthalene	ND		ug/kg	13	--
Fluoranthene	ND		ug/kg	13	--
Hexachlorobutadiene	ND		ug/kg	33	--
Naphthalene	ND		ug/kg	13	--
Benzo(a)anthracene	ND		ug/kg	13	--
Benzo(a)pyrene	ND		ug/kg	13	--
Benzo(b)fluoranthene	ND		ug/kg	13	--
Benzo(k)fluoranthene	ND		ug/kg	13	--
Chrysene	ND		ug/kg	13	--
Acenaphthylene	ND		ug/kg	13	--
Anthracene	ND		ug/kg	13	--
Benzo(ghi)perylene	ND		ug/kg	13	--
Fluorene	ND		ug/kg	13	--
Phenanthrene	ND		ug/kg	13	--
Dibenzo(a,h)anthracene	ND		ug/kg	13	--
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	13	--
Pyrene	ND		ug/kg	13	--
2-Methylnaphthalene	ND		ug/kg	13	--
Pentachlorophenol	ND		ug/kg	53	--
Hexachlorobenzene	ND		ug/kg	53	--
Hexachloroethane	ND		ug/kg	53	--

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270C
 Analytical Date: 06/08/10 15:58
 Analyst: HL

Extraction Method: EPA 3546
 Extraction Date: 06/06/10 21:12

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416424-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	74		25-120
Phenol-d6	72		10-120
Nitrobenzene-d5	76		23-120
2-Fluorobiphenyl	78		30-120
2,4,6-Tribromophenol	73		0-136
4-Terphenyl-d14	78		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008218

Report Date: 06/10/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416423-2 WG416423-3								
1,2,4-Trichlorobenzene	47		62		38-107	28		50
1,2-Dichlorobenzene	53		64		40-140	19		50
1,4-Dichlorobenzene	53		64		28-104	19		50
2,4-Dinitrotoluene	51		68		28-89	29		50
2,6-Dinitrotoluene	46		66		40-140	36		50
4-Chlorophenyl phenyl ether	53		71		40-140	29		50
n-Nitrosodi-n-propylamine	55		72		41-126	27		50
Butyl benzyl phthalate	54		69		40-140	24		50
P-Chloro-M-Cresol	59		74		26-103	23		50
2-Chlorophenol	53		73		25-102	32		50
2-Nitrophenol	50		72		30-130	36		50
4-Nitrophenol	44		62		11-114	34		50
2,4-Dinitrophenol	11		13		4-130	17		50
Phenol	55		76		26-90	32		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416423-2 WG416423-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	77		92		25-120
Phenol-d6	78		91		10-120
Nitrobenzene-d5	73		85		23-120
2-Fluorobiphenyl	75		87		30-120
2,4,6-Tribromophenol	74		87		0-136
4-Terphenyl-d14	76		87		18-120

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416424-2 WG416424-3

Acenaphthene	46		71		31-137	43		50
2-Chloronaphthalene	68		107		40-140	45		50
Fluoranthene	52		86		40-140	49		50
Anthracene	47		84		40-140	56	Q	50
Pyrene	50		81		35-142	47		50
Pentachlorophenol	24		34		17-109	34		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416424-2 WG416424-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	66		97		25-120
Phenol-d6	66		98		10-120
Nitrobenzene-d5	69		101		23-120
2-Fluorobiphenyl	69		103		30-120
2,4,6-Tribromophenol	68		91		0-136
4-Terphenyl-d14	69		104		18-120

PCBS

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-02
Client ID: SB/MW-105 (S3-S5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/08/10 17:13
Analyst: KB
Percent Solids: 84%

Date Collected: 05/28/10 14:38
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 15:16
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	38.8	--	1
Aroclor 1221	ND		ug/kg	38.8	--	1
Aroclor 1232	ND		ug/kg	38.8	--	1
Aroclor 1242	ND		ug/kg	38.8	--	1
Aroclor 1248	ND		ug/kg	38.8	--	1
Aroclor 1254	ND		ug/kg	38.8	--	1
Aroclor 1260	ND		ug/kg	38.8	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	79		30-150	A
Decachlorobiphenyl	90		30-150	A
2,4,5,6-Tetrachloro-m-xylene	87		30-150	B
Decachlorobiphenyl	80		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-04
Client ID: SB-102 (0-5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/08/10 17:25
Analyst: KB
Percent Solids: 87%

Date Collected: 06/02/10 09:05
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 15:16
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	37.4	--	1
Aroclor 1221	ND		ug/kg	37.4	--	1
Aroclor 1232	ND		ug/kg	37.4	--	1
Aroclor 1242	ND		ug/kg	37.4	--	1
Aroclor 1248	ND		ug/kg	37.4	--	1
Aroclor 1254	ND		ug/kg	37.4	--	1
Aroclor 1260	ND		ug/kg	37.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76		30-150	A
Decachlorobiphenyl	88		30-150	A
2,4,5,6-Tetrachloro-m-xylene	81		30-150	B
Decachlorobiphenyl	77		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-06
Client ID: SB-102 (5-10)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/08/10 17:38
Analyst: KB
Percent Solids: 88%

Date Collected: 06/02/10 09:25
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 15:16
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	36.8	--	1
Aroclor 1221	ND		ug/kg	36.8	--	1
Aroclor 1232	ND		ug/kg	36.8	--	1
Aroclor 1242	ND		ug/kg	36.8	--	1
Aroclor 1248	ND		ug/kg	36.8	--	1
Aroclor 1254	ND		ug/kg	36.8	--	1
Aroclor 1260	ND		ug/kg	36.8	--	1

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Aroclor 1016	ND		ug/kg	36.8	--	1
Aroclor 1221	ND		ug/kg	36.8	--	1
Aroclor 1232	ND		ug/kg	36.8	--	1
Aroclor 1242	ND		ug/kg	36.8	--	1
Aroclor 1248	ND		ug/kg	36.8	--	1
Aroclor 1254	ND		ug/kg	36.8	--	1
Aroclor 1260	ND		ug/kg	36.8	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	75		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-08
 Client ID: SB-103 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8082
 Analytical Date: 06/08/10 17:50
 Analyst: KB
 Percent Solids: 83%

Date Collected: 06/02/10 09:55
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 15:16
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/08/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	39.3	--	1
Aroclor 1221	ND		ug/kg	39.3	--	1
Aroclor 1232	ND		ug/kg	39.3	--	1
Aroclor 1242	ND		ug/kg	39.3	--	1
Aroclor 1248	ND		ug/kg	39.3	--	1
Aroclor 1254	ND		ug/kg	39.3	--	1
Aroclor 1260	ND		ug/kg	39.3	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	62		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	56		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-10
Client ID: SB-103 (5-10)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8082
Analytical Date: 06/08/10 18:02
Analyst: KB
Percent Solids: 82%

Date Collected: 06/02/10 10:05
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 15:16
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/kg	39.7	--	1
Aroclor 1221	ND		ug/kg	39.7	--	1
Aroclor 1232	ND		ug/kg	39.7	--	1
Aroclor 1242	ND		ug/kg	39.7	--	1
Aroclor 1248	ND		ug/kg	39.7	--	1
Aroclor 1254	ND		ug/kg	39.7	--	1
Aroclor 1260	ND		ug/kg	39.7	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	81		30-150	A
2,4,5,6-Tetrachloro-m-xylene	76		30-150	B
Decachlorobiphenyl	71		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082
 Analytical Date: 06/08/10 18:15
 Analyst: KB

Extraction Method: EPA 3546
 Extraction Date: 06/06/10 15:16
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/08/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416413-1					
Aroclor 1016	ND		ug/kg	32.8	--
Aroclor 1221	ND		ug/kg	32.8	--
Aroclor 1232	ND		ug/kg	32.8	--
Aroclor 1242	ND		ug/kg	32.8	--
Aroclor 1248	ND		ug/kg	32.8	--
Aroclor 1254	ND		ug/kg	32.8	--
Aroclor 1260	ND		ug/kg	32.8	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	46		30-150	A
Decachlorobiphenyl	54		30-150	A
2,4,5,6-Tetrachloro-m-xylene	50		30-150	B
Decachlorobiphenyl	48		30-150	B

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416413-2 WG416413-3								
Aroclor 1016	65		72		40-140	10		30
Aroclor 1260	70		80		40-140	13		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	80		66		30-150	A
Decachlorobiphenyl	93		81		30-150	A
2,4,5,6-Tetrachloro-m-xylene	83		69		30-150	B
Decachlorobiphenyl	81		70		30-150	B

PESTICIDES

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-02
Client ID: SB/MW-105 (S3-S5)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/10/10 12:36
Analyst: JB
Percent Solids: 84%

Date Collected: 05/28/10 14:38
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 14:55
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	9.03	--	1
Lindane	ND		ug/kg	3.76	--	1
Alpha-BHC	ND		ug/kg	3.76	--	1
Beta-BHC	ND		ug/kg	9.03	--	1
Heptachlor	ND		ug/kg	4.52	--	1
Aldrin	ND		ug/kg	9.03	--	1
Heptachlor epoxide	ND		ug/kg	16.9	--	1
Endrin	ND		ug/kg	3.76	--	1
Endrin ketone	ND		ug/kg	9.03	--	1
Dieldrin	ND		ug/kg	5.64	--	1
4,4'-DDE	ND		ug/kg	9.03	--	1
4,4'-DDD	ND		ug/kg	9.03	--	1
4,4'-DDT	ND		ug/kg	16.9	--	1
Endosulfan I	ND		ug/kg	9.03	--	1
Endosulfan II	ND		ug/kg	9.03	--	1
Endosulfan sulfate	ND		ug/kg	3.76	--	1
Methoxychlor	ND		ug/kg	16.9	--	1
Toxaphene	ND		ug/kg	169	--	1
trans-Chlordane	ND		ug/kg	11.3	--	1
Chlordane	ND		ug/kg	73.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76		30-150	A
Decachlorobiphenyl	74		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	77		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04
 Client ID: SB-102 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/10/10 12:49
 Analyst: JB
 Percent Solids: 87%

Date Collected: 06/02/10 09:05
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 14:55
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	8.77	--	1
Lindane	ND		ug/kg	3.66	--	1
Alpha-BHC	ND		ug/kg	3.66	--	1
Beta-BHC	ND		ug/kg	8.77	--	1
Heptachlor	ND		ug/kg	4.39	--	1
Aldrin	ND		ug/kg	8.77	--	1
Heptachlor epoxide	ND		ug/kg	16.4	--	1
Endrin	ND		ug/kg	3.66	--	1
Endrin ketone	ND		ug/kg	8.77	--	1
Dieldrin	ND		ug/kg	5.48	--	1
4,4'-DDE	ND		ug/kg	8.77	--	1
4,4'-DDD	ND		ug/kg	8.77	--	1
4,4'-DDT	ND		ug/kg	16.4	--	1
Endosulfan I	ND		ug/kg	8.77	--	1
Endosulfan II	ND		ug/kg	8.77	--	1
Endosulfan sulfate	ND		ug/kg	3.66	--	1
Methoxychlor	ND		ug/kg	16.4	--	1
Toxaphene	ND		ug/kg	164	--	1
trans-Chlordane	ND		ug/kg	11.0	--	1
Chlordane	ND		ug/kg	71.3	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	56		30-150	A
Decachlorobiphenyl	54		30-150	A
2,4,5,6-Tetrachloro-m-xylene	53		30-150	B
Decachlorobiphenyl	55		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-06
 Client ID: SB-102 (5-10)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/10/10 13:02
 Analyst: JB
 Percent Solids: 88%

Date Collected: 06/02/10 09:25
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 14:55
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	8.74	--	1
Lindane	ND		ug/kg	3.64	--	1
Alpha-BHC	ND		ug/kg	3.64	--	1
Beta-BHC	ND		ug/kg	8.74	--	1
Heptachlor	ND		ug/kg	4.37	--	1
Aldrin	ND		ug/kg	8.74	--	1
Heptachlor epoxide	ND		ug/kg	16.4	--	1
Endrin	ND		ug/kg	3.64	--	1
Endrin ketone	ND		ug/kg	8.74	--	1
Dieldrin	ND		ug/kg	5.46	--	1
4,4'-DDE	ND		ug/kg	8.74	--	1
4,4'-DDD	ND		ug/kg	8.74	--	1
4,4'-DDT	ND		ug/kg	16.4	--	1
Endosulfan I	ND		ug/kg	8.74	--	1
Endosulfan II	ND		ug/kg	8.74	--	1
Endosulfan sulfate	ND		ug/kg	3.64	--	1
Methoxychlor	ND		ug/kg	16.4	--	1
Toxaphene	ND		ug/kg	164	--	1
trans-Chlordane	ND		ug/kg	10.9	--	1
Chlordane	ND		ug/kg	71.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	61		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		30-150	B
Decachlorobiphenyl	65		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-08 D
 Client ID: SB-103 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Analytical Method: 1,8081A
 Analytical Date: 06/10/10 13:15
 Analyst: JB
 Percent Solids: 83%

Date Collected: 06/02/10 09:55
 Date Received: 06/03/10
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 06/06/10 14:55
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	47.1	--	5
Lindane	ND		ug/kg	19.6	--	5
Alpha-BHC	ND		ug/kg	19.6	--	5
Beta-BHC	ND		ug/kg	47.1	--	5
Heptachlor	ND		ug/kg	23.5	--	5
Aldrin	ND		ug/kg	47.1	--	5
Heptachlor epoxide	ND		ug/kg	88.2	--	5
Endrin	ND		ug/kg	19.6	--	5
Endrin ketone	ND		ug/kg	47.1	--	5
Dieldrin	ND		ug/kg	29.4	--	5
4,4'-DDE	ND		ug/kg	47.1	--	5
4,4'-DDD	ND		ug/kg	47.1	--	5
4,4'-DDT	ND		ug/kg	88.2	--	5
Endosulfan I	ND		ug/kg	47.1	--	5
Endosulfan II	ND		ug/kg	47.1	--	5
Endosulfan sulfate	ND		ug/kg	19.6	--	5
Methoxychlor	ND		ug/kg	88.2	--	5
Toxaphene	ND		ug/kg	882	--	5
trans-Chlordane	ND		ug/kg	58.8	--	5
Chlordane	ND		ug/kg	382	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	67		30-150	A
Decachlorobiphenyl	63		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	65		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008218**Project Number:** 11160**Report Date:** 06/10/10**SAMPLE RESULTS**

Lab ID: L1008218-10
Client ID: SB-103 (5-10)
Sample Location: BRONX, NY
Matrix: Soil
Analytical Method: 1,8081A
Analytical Date: 06/10/10 13:27
Analyst: JB
Percent Solids: 82%

Date Collected: 06/02/10 10:05
Date Received: 06/03/10
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 06/06/10 14:55
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/kg	9.53	--	1
Lindane	ND		ug/kg	3.97	--	1
Alpha-BHC	ND		ug/kg	3.97	--	1
Beta-BHC	ND		ug/kg	9.53	--	1
Heptachlor	ND		ug/kg	4.76	--	1
Aldrin	ND		ug/kg	9.53	--	1
Heptachlor epoxide	ND		ug/kg	17.9	--	1
Endrin	ND		ug/kg	3.97	--	1
Endrin ketone	ND		ug/kg	9.53	--	1
Dieldrin	ND		ug/kg	5.95	--	1
4,4'-DDE	ND		ug/kg	9.53	--	1
4,4'-DDD	ND		ug/kg	9.53	--	1
4,4'-DDT	ND		ug/kg	17.9	--	1
Endosulfan I	ND		ug/kg	9.53	--	1
Endosulfan II	ND		ug/kg	9.53	--	1
Endosulfan sulfate	ND		ug/kg	3.97	--	1
Methoxychlor	ND		ug/kg	17.9	--	1
Toxaphene	ND		ug/kg	179	--	1
trans-Chlordane	ND		ug/kg	11.9	--	1
Chlordane	ND		ug/kg	77.4	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	69		30-150	A
Decachlorobiphenyl	53		30-150	A
2,4,5,6-Tetrachloro-m-xylene	60		30-150	B
Decachlorobiphenyl	59		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081A
 Analytical Date: 06/10/10 11:57
 Analyst: JB

Extraction Method: EPA 3546
 Extraction Date: 06/06/10 14:55
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416412-1					
Delta-BHC	ND		ug/kg	7.87	--
Lindane	ND		ug/kg	3.28	--
Alpha-BHC	ND		ug/kg	3.28	--
Beta-BHC	ND		ug/kg	7.87	--
Heptachlor	ND		ug/kg	3.93	--
Aldrin	ND		ug/kg	7.87	--
Heptachlor epoxide	ND		ug/kg	14.8	--
Endrin	ND		ug/kg	3.28	--
Endrin ketone	ND		ug/kg	7.87	--
Dieldrin	ND		ug/kg	4.92	--
4,4'-DDE	ND		ug/kg	7.87	--
4,4'-DDD	ND		ug/kg	7.87	--
4,4'-DDT	ND		ug/kg	14.8	--
Endosulfan I	ND		ug/kg	7.87	--
Endosulfan II	ND		ug/kg	7.87	--
Endosulfan sulfate	ND		ug/kg	3.28	--
Methoxychlor	ND		ug/kg	14.8	--
Toxaphene	ND		ug/kg	148	--
trans-Chlordane	ND		ug/kg	9.84	--
Chlordane	ND		ug/kg	63.9	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
Decachlorobiphenyl	69		30-150	A
2,4,5,6-Tetrachloro-m-xylene	69		30-150	B
Decachlorobiphenyl	76		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416412-2 WG416412-3								
Delta-BHC	67		75		30-150	11		30
Lindane	69		76		30-150	10		30
Alpha-BHC	68		76		30-150	11		30
Beta-BHC	62		69		30-150	11		30
Heptachlor	69		76		30-150	10		30
Aldrin	68		75		30-150	10		30
Heptachlor epoxide	68		75		30-150	10		30
Endrin	71		78		30-150	9		30
Endrin ketone	65		74		30-150	13		30
Dieldrin	70		77		30-150	10		30
4,4'-DDE	69		74		30-150	7		30
4,4'-DDD	74		79		30-150	7		30
4,4'-DDT	72		79		30-150	9		30
Endosulfan I	71		76		30-150	7		30
Endosulfan II	65		76		30-150	16		30
Endosulfan sulfate	62		74		30-150	18		30
Methoxychlor	75		84		30-150	11		30
trans-Chlordane	68		74		30-150	8		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416412-2 WG416412-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		68		30-150	A
Decachlorobiphenyl	65		68		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		63		30-150	B
Decachlorobiphenyl	69		70		30-150	B

METALS

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-02
 Client ID: SB/MW-105 (S3-S5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 84%

Date Collected: 05/28/10 14:38
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6300		mg/kg	4.6	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Antimony, Total	ND		mg/kg	2.3	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Arsenic, Total	0.64		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Barium, Total	40		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Beryllium, Total	0.98		mg/kg	0.23	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Cadmium, Total	ND		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Calcium, Total	52000		mg/kg	93	--	20	06/07/10 13:25	06/09/10 15:53	EPA 3050B	1,6010B	MG
Chromium, Total	11		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Cobalt, Total	9.5		mg/kg	0.93	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Copper, Total	11		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Iron, Total	8700		mg/kg	2.3	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Lead, Total	6.0		mg/kg	2.3	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Magnesium, Total	26000		mg/kg	4.6	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Manganese, Total	150		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Mercury, Total	ND		mg/kg	0.08	--	1	06/07/10 15:45	06/08/10 12:42	EPA 7471A	1,7471A	EZ
Nickel, Total	9.5		mg/kg	1.2	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Potassium, Total	3800		mg/kg	120	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Selenium, Total	ND		mg/kg	0.93	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Silver, Total	ND		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Sodium, Total	ND		mg/kg	93	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Thallium, Total	ND		mg/kg	0.93	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Vanadium, Total	16		mg/kg	0.46	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG
Zinc, Total	38		mg/kg	2.3	--	1	06/07/10 13:25	06/09/10 09:19	EPA 3050B	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04
 Client ID: SB-102 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 87%

Date Collected: 06/02/10 09:05
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	7100		mg/kg	4.4	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Antimony, Total	2.4		mg/kg	2.2	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Arsenic, Total	5.3		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Barium, Total	94		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Beryllium, Total	0.71		mg/kg	0.22	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Cadmium, Total	ND		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Calcium, Total	13000		mg/kg	4.4	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Chromium, Total	12		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Cobalt, Total	5.7		mg/kg	0.87	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Copper, Total	18		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Iron, Total	14000		mg/kg	2.2	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Lead, Total	120		mg/kg	2.2	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Magnesium, Total	8800		mg/kg	4.4	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Manganese, Total	260		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Mercury, Total	1.0		mg/kg	0.09	--	1	06/07/10 15:45	06/08/10 15:37	EPA 7471A	1,7471A	EZ
Nickel, Total	14		mg/kg	1.1	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Potassium, Total	1600		mg/kg	110	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Selenium, Total	ND		mg/kg	0.87	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Silver, Total	ND		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Sodium, Total	170		mg/kg	87	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Thallium, Total	ND		mg/kg	0.87	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Vanadium, Total	16		mg/kg	0.44	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG
Zinc, Total	48		mg/kg	2.2	--	1	06/07/10 13:25	06/09/10 09:31	EPA 3050B	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-06
 Client ID: SB-102 (5-10)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 06/02/10 09:25
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	8000		mg/kg	4.3	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Antimony, Total	ND		mg/kg	2.1	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Arsenic, Total	2.4		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Barium, Total	28		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Beryllium, Total	0.59		mg/kg	0.21	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Cadmium, Total	ND		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Calcium, Total	930		mg/kg	4.3	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Chromium, Total	12		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Cobalt, Total	6.2		mg/kg	0.86	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Copper, Total	13		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Iron, Total	14000		mg/kg	2.1	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Lead, Total	12		mg/kg	2.1	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Magnesium, Total	3200		mg/kg	4.3	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Manganese, Total	290		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Mercury, Total	ND		mg/kg	0.08	--	1	06/07/10 15:45	06/08/10 12:50	EPA 7471A	1,7471A	EZ
Nickel, Total	13		mg/kg	1.1	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Potassium, Total	1200		mg/kg	110	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Selenium, Total	ND		mg/kg	0.86	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Silver, Total	ND		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Sodium, Total	ND		mg/kg	86	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Thallium, Total	ND		mg/kg	0.86	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Vanadium, Total	15		mg/kg	0.43	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG
Zinc, Total	34		mg/kg	2.1	--	1	06/07/10 13:25	06/09/10 09:33	EPA 3050B	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-08
 Client ID: SB-103 (0-5)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 83%

Date Collected: 06/02/10 09:55
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6200		mg/kg	4.8	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Antimony, Total	2.9		mg/kg	2.4	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Arsenic, Total	11		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Barium, Total	390		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Beryllium, Total	0.79		mg/kg	0.24	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Cadmium, Total	1.4		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Calcium, Total	13000		mg/kg	4.8	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Chromium, Total	25		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Cobalt, Total	8.6		mg/kg	0.97	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Copper, Total	180		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Iron, Total	37000		mg/kg	2.4	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Lead, Total	1200		mg/kg	2.4	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Magnesium, Total	2200		mg/kg	4.8	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Manganese, Total	320		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Mercury, Total	3.0		mg/kg	0.16	--	2	06/07/10 15:45	06/08/10 15:57	EPA 7471A	1,7471A	EZ
Nickel, Total	19		mg/kg	1.2	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Potassium, Total	960		mg/kg	120	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Selenium, Total	1.2		mg/kg	0.97	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Silver, Total	0.87		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Sodium, Total	880		mg/kg	97	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Thallium, Total	ND		mg/kg	0.97	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Vanadium, Total	41		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:36	EPA 3050B	1,6010B	MG
Zinc, Total	850		mg/kg	24	--	10	06/07/10 13:25	06/09/10 10:25	EPA 3050B	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-10
 Client ID: SB-103 (5-10)
 Sample Location: BRONX, NY
 Matrix: Soil
 Percent Solids: 82%

Date Collected: 06/02/10 10:05
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	11000		mg/kg	4.8	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Antimony, Total	ND		mg/kg	2.4	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Arsenic, Total	6.0		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Barium, Total	140		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Beryllium, Total	0.71		mg/kg	0.24	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Cadmium, Total	0.64		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Calcium, Total	8100		mg/kg	4.8	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Chromium, Total	18		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Cobalt, Total	7.7		mg/kg	0.96	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Copper, Total	59		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Iron, Total	23000		mg/kg	2.4	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Lead, Total	540		mg/kg	2.4	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Magnesium, Total	4200		mg/kg	4.8	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Manganese, Total	360		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Mercury, Total	3.6		mg/kg	0.20	--	2	06/07/10 15:45	06/08/10 16:01	EPA 7471A	1,7471A	EZ
Nickel, Total	16		mg/kg	1.2	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Potassium, Total	1600		mg/kg	120	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Selenium, Total	ND		mg/kg	0.96	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Silver, Total	ND		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Sodium, Total	450		mg/kg	96	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Thallium, Total	ND		mg/kg	0.96	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Vanadium, Total	22		mg/kg	0.48	--	1	06/07/10 13:25	06/09/10 09:39	EPA 3050B	1,6010B	MG
Zinc, Total	710		mg/kg	24	--	10	06/07/10 13:25	06/09/10 10:28	EPA 3050B	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416573-1									
Aluminum, Total	ND	mg/kg	4.0	--	1		06/09/10 08:34	1,6010B	MG
Antimony, Total	ND	mg/kg	2.0	--	1		06/09/10 08:34	1,6010B	MG
Arsenic, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Barium, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Beryllium, Total	ND	mg/kg	0.20	--	1		06/09/10 08:34	1,6010B	MG
Cadmium, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Calcium, Total	ND	mg/kg	4.0	--	1		06/09/10 08:34	1,6010B	MG
Chromium, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Cobalt, Total	ND	mg/kg	0.80	--	1		06/09/10 08:34	1,6010B	MG
Copper, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Iron, Total	ND	mg/kg	2.0	--	1		06/09/10 08:34	1,6010B	MG
Lead, Total	ND	mg/kg	2.0	--	1		06/09/10 08:34	1,6010B	MG
Magnesium, Total	ND	mg/kg	4.0	--	1		06/09/10 08:34	1,6010B	MG
Manganese, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Nickel, Total	ND	mg/kg	1.0	--	1		06/09/10 08:34	1,6010B	MG
Potassium, Total	ND	mg/kg	100	--	1		06/09/10 08:34	1,6010B	MG
Selenium, Total	ND	mg/kg	0.80	--	1		06/09/10 08:34	1,6010B	MG
Silver, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Sodium, Total	ND	mg/kg	80	--	1		06/09/10 08:34	1,6010B	MG
Thallium, Total	ND	mg/kg	0.80	--	1		06/09/10 08:34	1,6010B	MG
Vanadium, Total	ND	mg/kg	0.40	--	1		06/09/10 08:34	1,6010B	MG
Zinc, Total	ND	mg/kg	2.0	--	1		06/09/10 08:34	1,6010B	MG

Prep Information

Digestion Method: EPA 3050B

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 02,04,06,08,10 Batch: WG416612-1									
Mercury, Total	ND	mg/kg	0.08	--	1	06/07/10 15:45	06/08/10 12:35	1,7471A	EZ



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 7471A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416573-2								
Aluminum, Total	90		-		75-125	-		
Antimony, Total	95		-		75-125	-		
Arsenic, Total	96		-		75-125	-		
Barium, Total	93		-		75-125	-		
Beryllium, Total	100		-		75-125	-		
Cadmium, Total	98		-		75-125	-		
Calcium, Total	93		-		75-125	-		
Chromium, Total	93		-		75-125	-		
Cobalt, Total	90		-		75-125	-		
Copper, Total	93		-		75-125	-		
Iron, Total	106		-		75-125	-		
Lead, Total	98		-		75-125	-		
Magnesium, Total	93		-		75-125	-		
Manganese, Total	95		-		75-125	-		
Nickel, Total	90		-		75-125	-		
Potassium, Total	88		-		75-125	-		
Selenium, Total	94		-		75-125	-		
Silver, Total	100		-		75-125	-		
Sodium, Total	98		-		75-125	-		
Thallium, Total	92		-		75-125	-		
Vanadium, Total	95		-		75-125	-		

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416573-2					
Zinc, Total	90	-	75-125	-	
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 Batch: WG416612-2					
Mercury, Total	105	-	80-120	-	

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416573-4 QC Sample: L1008218-02 Client ID: SB/MW-105 (S3-S5)												
Aluminum, Total	6300	90.1	6500	222		-	-		75-125	-		35
Antimony, Total	ND	22.5	7.2	32	Q	-	-		75-125	-		35
Arsenic, Total	0.64	5.41	5.5	90		-	-		75-125	-		35
Barium, Total	40	90.1	110	78		-	-		75-125	-		35
Beryllium, Total	0.98	2.25	3.0	90		-	-		75-125	-		35
Cadmium, Total	ND	2.3	1.9	83		-	-		75-125	-		35
Calcium, Total	52000	450	64000	7770		-	-		75-125	-		35
Chromium, Total	11	9.01	18	78		-	-		75-125	-		35
Cobalt, Total	9.5	22.5	23	60	Q	-	-		75-125	-		35
Copper, Total	11	11.3	22	98		-	-		75-125	-		35
Iron, Total	8700	45	8500	0		-	-		75-125	-		35
Lead, Total	6.0	23	25	83		-	-		75-125	-		35
Magnesium, Total	26000	450	31000	1110		-	-		75-125	-		35
Manganese, Total	150	22.5	180	133		-	-		75-125	-		35
Nickel, Total	9.5	22.5	26	73	Q	-	-		75-125	-		35
Potassium, Total	3800	450	4300	111		-	-		75-125	-		35
Selenium, Total	ND	5.41	4.2	78		-	-		75-125	-		35
Silver, Total	ND	13.5	14	104		-	-		75-125	-		35
Sodium, Total	ND	450	550	122		-	-		75-125	-		35
Thallium, Total	ND	5.41	4.6	85		-	-		75-125	-		35
Vanadium, Total	16	22.5	35	84		-	-		75-125	-		35

Matrix Spike Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416573-4 QC Sample: L1008218-02 Client ID: SB/MW-105 (S3-S5)									
Zinc, Total	38	22.5	55	75	-	-	75-125	-	35
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416612-4 QC Sample: L1008218-04 Client ID: SB-102 (0-5)									
Mercury, Total	1.0	0.157	0.58	0	-	-	70-130	-	35

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008218

Report Date: 06/10/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416573-3 QC Sample: L1008218-02 Client ID: SB/MW-105 (S3-S5)						
Aluminum, Total	6300	6400	mg/kg	2		35
Antimony, Total	ND	ND	mg/kg	NC		35
Arsenic, Total	0.64	0.69	mg/kg	8		35
Barium, Total	40	46	mg/kg	14		35
Beryllium, Total	0.98	1.0	mg/kg	2		35
Cadmium, Total	ND	ND	mg/kg	NC		35
Chromium, Total	11	11	mg/kg	0		35
Cobalt, Total	9.5	5.7	mg/kg	50	Q	35
Copper, Total	11	12	mg/kg	9		35
Iron, Total	8700	9000	mg/kg	3		35
Lead, Total	6.0	6.5	mg/kg	8		35
Magnesium, Total	26000	30000	mg/kg	14		35
Manganese, Total	150	160	mg/kg	6		35
Nickel, Total	9.5	9.5	mg/kg	0		35
Potassium, Total	3800	4000	mg/kg	5		35
Selenium, Total	ND	ND	mg/kg	NC		35
Silver, Total	ND	ND	mg/kg	NC		35
Sodium, Total	ND	ND	mg/kg	NC		35
Thallium, Total	ND	ND	mg/kg	NC		35

Lab Duplicate Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416573-3 QC Sample: L1008218-02 Client ID: SB/MW-105 (S3-S5)					
Vanadium, Total	16	17	mg/kg	6	35
Zinc, Total	38	37	mg/kg	3	35
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416573-3 QC Sample: L1008218-02 Client ID: SB/MW-105 (S3-S5)					
Calcium, Total	52000	59000	mg/kg	68 Q	35
Total Metals - Westborough Lab Associated sample(s): 02,04,06,08,10 QC Batch ID: WG416612-3 QC Sample: L1008218-04 Client ID: SB-102 (0-5)					
Mercury, Total	1.0	0.93	mg/kg	7	35



INORGANICS & MISCELLANEOUS

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-01

Date Collected: 05/28/10 14:35

Client ID: SB/MW-105 (S5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	89		%	0.10	NA	1	-	06/07/10 11:50	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-02
 Client ID: SB/MW-105 (S3-S5)
 Sample Location: BRONX, NY
 Matrix: Soil

Date Collected: 05/28/10 14:38
 Date Received: 06/03/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	84		%	0.10	NA	1	-	06/04/10 14:00	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-03

Date Collected: 06/02/10 09:00

Client ID: SB-102 (4)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	85		%	0.10	NA	1	-	06/07/10 11:50	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-04

Date Collected: 06/02/10 09:05

Client ID: SB-102 (0-5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	87		%	0.10	NA	1	-	06/04/10 14:00	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-05

Date Collected: 06/02/10 09:20

Client ID: SB-102 (9.5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	83		%	0.10	NA	1	-	06/07/10 11:50	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-06

Date Collected: 06/02/10 09:25

Client ID: SB-102 (5-10)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	88		%	0.10	NA	1	-	06/04/10 14:00	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-07

Date Collected: 06/02/10 09:50

Client ID: SB-103 (4)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	78		%	0.10	NA	1	-	06/07/10 11:50	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-08

Date Collected: 06/02/10 09:55

Client ID: SB-103 (0-5)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	83		%	0.10	NA	1	-	06/04/10 14:00	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-09

Date Collected: 06/02/10 10:00

Client ID: SB-103 (9)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	82		%	0.10	NA	1	-	06/07/10 11:50	30,2540G	AC



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

SAMPLE RESULTS

Lab ID: L1008218-10

Date Collected: 06/02/10 10:05

Client ID: SB-103 (5-10)

Date Received: 06/03/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	82		%	0.10	NA	1	-	06/04/10 14:00	30,2540G	AC



Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008218

Report Date: 06/10/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03,05,07,09 QC Batch ID: WG416489-1 QC Sample: L1008403-21 Client ID: DUP Sample						
Solids, Total	94	94	%	0		20

Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008218-01A	Vial Large unpreserved	A	N/A	2	Y	Absent	TS(7),NYTCL-8260(14)
L1008218-02A	Amber 250ml unpreserved	A	N/A	2	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008218-02B	Amber 250ml unpreserved	A	N/A	2	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008218-03A	Vial Large unpreserved	A	N/A	2	Y	Absent	TS(7),NYTCL-8260(14)
L1008218-04A	Amber 250ml unpreserved	A	N/A	2	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008218-04B	Amber 250ml unpreserved	A	N/A	2	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008218-05A	Vial Large unpreserved	A	N/A	2	Y	Absent	TS(7),NYTCL-8260(14)
L1008218-06A	Amber 250ml unpreserved	A	N/A	2	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008218

Report Date: 06/10/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008218-06B	Amber 250ml unpreserved	A	N/A	2	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008218-07A	Vial Large unpreserved	A	N/A	2	Y	Absent	TS(7),NYTCL-8260(14)
L1008218-08A	Amber 250ml unpreserved	A	N/A	2	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008218-08B	Amber 250ml unpreserved	A	N/A	2	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008218-09A	Vial Large unpreserved	A	N/A	2	Y	Absent	TS(7),NYTCL-8260(14)
L1008218-10A	Amber 250ml unpreserved	A	N/A	2	Y	Absent	NYTCL-8082(),NYTCL-8270(14),NYTCL-8270-SIM(14),NYTCL-8081(14)
L1008218-10B	Amber 250ml unpreserved	A	N/A	2	Y	Absent	BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TS(7),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

GLOSSARY

Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD** - Laboratory Control Sample Duplicate: Refer to LCS.
- MDL** - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI** - Not Ignitable.
- RL** - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.

Report Format: Data Usability Report



Project Name: 2477 THIRD AVE.

Lab Number: L1008218

Project Number: 11160

Report Date: 06/10/10

Data Qualifiers

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND - Not detected at the reporting limit (RL) for the sample.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008218
Report Date: 06/10/10

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.
- 30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised May 19, 2010 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

Drinking Water (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Haloacetic Acids, Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB).)

Wastewater/Non-Potable Water (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Calcium Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH.)

Solid Waste/Soil (Inorganic Parameters: Lead in Paint, pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), Reactivity. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Volatile Organics, Acid Extractables (Phenols), 3,3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Maine Department of Human Services Certificate/Lab ID: 2009024.

Drinking Water (Inorganic Parameters: SM9215B, 9221E, 9222B, 9222D, 9223B, EPA 180.1, 300.0, 353.2, SM2130B, 2320B, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1. Organic Parameters: 504.1, 524.2, SM 6251B.)

Wastewater/Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, Lachat 10-107-06-1-B, SM2320B, 2340B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NH3-H, 4500NO3-F, 4500P-B.5, 4500P-E, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

Drinking Water

Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl)

(EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate)

353.2 for: Nitrate-N, Nitrite-N; SM4500NO3-F, 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B.

Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics)

(504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), 314.0, 332.

Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; MF-SM9222D

Non-Potable Water

Inorganic Parameters: (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn)

(EPA 200.7 for: Al,Sb,As,Be,Cd,Cr,Co,Cu,Fe,Pb,Mn,Mo,Ni,Se,Ag,Sr,Ti,Tl, V,Zn,Ca,Mg,Na,K)

245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2540B, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-B,C-Titr, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420, SM4500-CN-CE, SM2540D.

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics)

(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables, 600/4-81-045-PCB-Oil

New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM6215B, 9222B, 9223B Colilert, EPA 200.7, 200.8, 245.2, 120.1, 300.0, 314.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 331.0. Organic Parameters: 504.1, 524.2, SM6251B.)

Non-Potable Water (Inorganic Parameters: SM9222D, 9221B, 9222B, 9221E-EC, EPA 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 420.1, 1664A, SW-846 9010, 9030, 9040B, SM426C, SM2310B, 2540B, 2540D, 4500H+B, 4500NH3-H, 4500NH3-E, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 2320B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-117-07-1-B, LACHAT 10-107-06-1-B, LACHAT 10-107-04-1-C, LACHAT 10-107-04-1-J, LACHAT 10-117-07-1-A, SM4500CL-E, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. Organic Parameters: SW-846 3005A, 3015A, 3510C, 5030B, 8021B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6010B, 7196A, 7471A, 7.3.3.2, 7.3.4.2, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040, 9045C, 9050C, 1311, 3005A, 3050B, 3051A. Organic Parameters: SW-846 3540C, 3545, 3580A, 5030B, 5035, 8021B, 8260B, 8270C, 8330, 8151A, 8082, 8081A.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM9222B, 9221E, 9223B, 9215B, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 2540C, 2320B, 314.0, SM2120B, 2510B, 5310C, SM4500H-B, EPA 200.8, 245.2. Organic Parameters: 504.1, SM6251B, 524.2.)

Non-Potable Water (Inorganic Parameters: SM5210B, EPA 410.4, SM5220D, 4500CI-D, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, SM9221CE, 9222D, 9221B, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, SM5210B, SW-846 3015, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. Organic Parameters: SW-846 8260B, 8270C, 3510C, EPA 608, 624, 625, SW-846 5030B, 8021B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 9040B, 3005A, 6010B, 7196A, 5030B, 9010B, 9030B, 1030, 1311, 3050B, 3051, 7471A, 9014, 9012A, 9045C, 9050A, 9065. Organic Parameters: SW-846 8021B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 1311, 1312, 3540C, 3545, 3550B, 3580A, 5035L, 5035H, NJ OQA-QAM-025 Rev.7.)

New York Department of Health Certificate/Lab ID: 11148. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 314.0, 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, EPA 120.1, SM 2510B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, LACHAT 10-117-07-1A or B, SM4500CI-E, 4500F-C, SM15 426C, EPA 350.1, LACHAT 10-107-06-1-B, SM4500NH3-H, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-041-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, SM4500-CN-E LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, SM5310C, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015. Organic Parameters: EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B, 9010B, 9030B.)

Solid & Hazardous Waste (Inorganic Parameters: 1010, 1030, SW-846 Ch 7 Sec 7.3, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

North Carolina Department of the Environment and Natural Resources Certificate/Lab ID : 666. *Organic Parameters: MA-EPH, MA-VPH.***Pennsylvania Department of Environmental Protection Certificate/Lab ID : 68-03671. *NELAP Accredited.***

Non-Potable Water (Organic Parameters: EPA 3510C, 5030B, 625, 624. 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1010, 1030, 1311, 3050B, 3051, 6010B, EPA 7.3.3.2, EPA 7.3.4.2, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065. Organic Parameters: 3540C, 3545, 3580A, 5035, 8021B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Rhode Island Department of Health Certificate/Lab ID: LAO00065. *NELAP Accredited via NY-DOH.*

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NY-DOH Certificate for Potable and Non-Potable Water.

Texas Commission on Environmental Quality Certificate/Lab ID: T104704476-09-1. NELAP Accredited.

Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 376.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH3-H, 4500NO2B, 4500P-E, 4500 S²⁻ D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)

Department of Defense Certificate/Lab ID: L2217.

Drinking Water (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6020, 245.1, 245.2, 7470A, 9040B, 300.0, 9251, 9038, 350.1, 353.2, 351.1, 314, 120.1, 9050A, 410.4, 9060, 1664, 420.1, LACHAT 10-107-06-1-B, SM 4500CN-E, 4500H-B, 4500CL-E, 4500F-BC, 4500SO4-E, 426C, 4500NH3-B, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500Norg-C, 4500PE, 2510B, 5540C, 5220D, 5310C, 2540B, 2540C, 2540D, 510C, 4500S2-AD, 3005A, 3015, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8330, 625, 8082, 8151A, 8081A, 3510C, 5030B.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 200.7, 6010B, 7471A, 9040B, 9045C, 9065, 420.1, 9012A, 6860, 1311, 1312, 3050B, 9030B, 3051, 9010B, 3540C, SM 510ABC, 4500CN-CE, 2540G, SW-846 7.3, Organic Parameters: EPA 8260B, 8270C, 8330, 8082, 8081A, 8151A, 3545, 3546, 3580, 5035.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **EPA 8260B**: Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A**: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C**: Methyl naphthalene, Dimethyl naphthalene, Total Methyl naphthalenes, Total Dimethyl naphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625**: 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.

CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 6/3/10

ALPHA Job #: L1008218

Report Information - Data Deliverables

- FAX EMAIL
 ADEX Add'l Deliverables

Billing Information

PO #: _____

Regulatory Requirements/Report Limits

State / Fed Program Criteria

CAT B

Project Information

Project Name: 2477 Third Ave
 Project Location: Bronx, NY
 Project #: W160
 Project Manager: Axel Schwendst

Client Information

Client: AKRF INC

Address: 440 Park Ave South
 New York, NY 10016

Phone: _____
 Fax: _____

Turn-Around Time

- Standard RUSH (only confirmed if pre-approved)

Date Due: 6/19/10

Time: _____

Other Project Specific Requirements/Comments/Detection Limits:

CAT B

ALPHA Lab ID (Lab Use Only)

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

ANALYSIS
 VOC 8260
 TCL SVOC 8270
 TAL METALS (600/700)
 PESTICIDES 8081
 PCB 8082

Sample Specific Comments

- SAMPLE HANDLING**
- Filtration _____
 Done
 Not needed
 Lab to do
 Preservation
 Lab to do
 (Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sample Matrix	Sampler's Initials	VOC 8260	TCL SVOC 8270	TAL METALS (600/700)	PESTICIDES 8081	PCB 8082
08218.1	SB/MMW-105 (SS)	05/28/10	1435	SOIL	Ek	X	X	X	X	X
2	SB/MMW-105 (S3-SS)	05/28/10	1438			X	X	X	X	X
3	SB-102 (4)	06/03/10	0900			X	X	X	X	X
4	SB-102 (0-5)		0905			X	X	X	X	X
5	SB-102 (9.5)		0920			X	X	X	X	X
6	SB-102 (5-10)		0925			X	X	X	X	X
7	SB-103 (4)		0950			X	X	X	X	X
8	SB-103 (0-5)		0955			X	X	X	X	X
9	SB-103 (9)		1000			X	X	X	X	X
10	SB-103 (5-10)		1005			X	X	X	X	X

Container Type: 4oz 802
 Preservative: 100

Relinquished By: Eric Kuter

Date/Time: 6/2/10 16:10

Received By: [Signature]

Date/Time: 6/2/10 16:16

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



ANALYTICAL REPORT

Lab Number:	L1008224
Client:	AKRF, Inc. 440 Park Avenue South New York, NY 10016
ATTN:	Axel Schwendt
Phone:	(646) 388-9529
Project Name:	2477 THIRD AVE
Project Number:	11160
Report Date:	06/09/10

Certifications & Approvals: MA (M-MA030), NY (11627), CT (PH-0141), NH (2206), NJ (MA015), RI (LAO00299), ME (MA0030), PA (Registration #68-02089), LA NELAC (03090), FL NELAC (E87814), US Army Corps of Engineers.

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1008224-01	TRIP	BRONX, NY	06/02/10 00:00
L1008224-02	SG-103	BRONX, NY	06/02/10 12:04
L1008224-03	SG-104	BRONX, NY	06/02/10 13:00
L1008224-04	SG-102	BRONX, NY	06/02/10 13:43
L1008224-05	SG-101	BRONX, NY	06/02/10 14:19
L1008224-06	SG-105	BRONX, NY	06/02/10 15:02
L1008224-07	CAN 723	BRONX, NY	

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.

Login Narrative

The sample canister identified as "SG-102" was received empty and therefore, the analysis was cancelled.

The canister certification results are provided as an addendum.

Volatile Organics in Air (Low Level)

L1008224-02, -03, -05, and -06: Prior to sample analysis, the canisters were pressurized with UHP Nitrogen due to canister size. The pressurization resulted in a dilution of the samples. The reporting limits have been elevated accordingly.

L1008224-02, -03, -05, and -06: results for Propylene should be considered estimated due to co-elution with

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Case Narrative (continued)

a non-target peak.


L1008224-02 results for Acetone should be considered estimated due to co-elution with a non-target peak.

L1008224-03 The presence of Acetone could not be determined in this sample due to non-target compounds interfering with the identification and quantification of this compound.

L1008224-03 was re-analyzed on dilution in order to quantitate the sample within the calibration range. The result should be considered estimated, and is qualified with an E flag, for any compound that exceeded the calibration on the initial analysis. The re-analysis was performed only for the compound that exceeded the calibration range.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Kathleen O'Brien

Title: Technical Director/Representative

Date: 06/09/10

AIR

Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-01
 Client ID: TRIP
 Sample Location: BRONX, NY
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 06/07/10 18:40
 Analyst: AJ

Date Collected: 06/02/10 00:00
 Date Received: 06/02/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Propylene	ND	0.200	--	ND	0.344	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.988	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.776	--		1
Chloroethane	ND	0.200	--	ND	0.527	--		1
Ethanol	ND	2.50	--	ND	4.71	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.37	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.792	--		1
Methylene chloride	0.597	0.500	--	2.07	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.622	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.720	--		1
Vinyl acetate	ND	0.200	--	ND	0.704	--		1
2-Butanone	ND	0.200	--	ND	0.589	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-01

Date Collected: 06/02/10 00:00

Client ID: TRIP

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Chloroform	ND	0.200	--	ND	0.976	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.589	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.704	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.638	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.720	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.819	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
4-Methyl-2-pentanone	ND	0.200	--	ND	0.819	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.753	--		1
2-Hexanone	ND	0.200	--	ND	0.819	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.920	--		1
Ethylbenzene	ND	0.200	--	ND	0.868	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.06	--		1
Styrene	ND	0.200	--	ND	0.851	--		1



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-01

Date Collected: 06/02/10 00:00

Client ID: TRIP

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.868	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.982	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
Benzyl chloride	ND	0.200	--	ND	1.03	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-02 D
 Client ID: SG-103
 Sample Location: BRONX, NY
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 06/07/10 21:12
 Analyst: AJ

Date Collected: 06/02/10 12:04
 Date Received: 06/02/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Propylene	23.8	5.25	--	41.0	9.03	--		26.25
Dichlorodifluoromethane	ND	5.25	--	ND	25.9	--		26.25
Chloromethane	ND	5.25	--	ND	10.8	--		26.25
Freon-114	ND	5.25	--	ND	36.7	--		26.25
Vinyl chloride	ND	5.25	--	ND	13.4	--		26.25
1,3-Butadiene	ND	5.25	--	ND	11.6	--		26.25
Bromomethane	ND	5.25	--	ND	20.4	--		26.25
Chloroethane	ND	5.25	--	ND	13.8	--		26.25
Ethanol	ND	65.6	--	ND	124	--		26.25
Vinyl bromide	ND	5.25	--	ND	22.9	--		26.25
Acetone	137	26.2	--	325	62.3	--		26.25
Trichlorofluoromethane	ND	5.25	--	ND	29.5	--		26.25
Isopropanol	34.5	13.1	--	84.8	32.2	--		26.25
1,1-Dichloroethene	ND	5.25	--	ND	20.8	--		26.25
Methylene chloride	ND	13.1	--	ND	45.6	--		26.25
3-Chloropropene	ND	5.25	--	ND	16.4	--		26.25
Carbon disulfide	ND	5.25	--	ND	16.3	--		26.25
Freon-113	ND	5.25	--	ND	40.2	--		26.25
trans-1,2-Dichloroethene	ND	5.25	--	ND	20.8	--		26.25
1,1-Dichloroethane	ND	5.25	--	ND	21.2	--		26.25
Methyl tert butyl ether	28.7	5.25	--	103	18.9	--		26.25
Vinyl acetate	ND	5.25	--	ND	18.5	--		26.25
2-Butanone	9.06	5.25	--	26.7	15.5	--		26.25
cis-1,2-Dichloroethene	ND	5.25	--	ND	20.8	--		26.25
Ethyl Acetate	ND	13.1	--	ND	47.2	--		26.25



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-02 D

Date Collected: 06/02/10 12:04

Client ID: SG-103

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Chloroform	ND	5.25	--	ND	25.6	--		26.25
Tetrahydrofuran	ND	5.25	--	ND	15.5	--		26.25
1,2-Dichloroethane	ND	5.25	--	ND	21.2	--		26.25
n-Hexane	53.8	5.25	--	189	18.5	--		26.25
1,1,1-Trichloroethane	ND	5.25	--	ND	28.6	--		26.25
Benzene	21.7	5.25	--	69.4	16.8	--		26.25
Carbon tetrachloride	ND	5.25	--	ND	33.0	--		26.25
Cyclohexane	12.1	5.25	--	41.5	18.0	--		26.25
1,2-Dichloropropane	ND	5.25	--	ND	24.2	--		26.25
Bromodichloromethane	ND	5.25	--	ND	35.1	--		26.25
1,4-Dioxane	ND	5.25	--	ND	18.9	--		26.25
Trichloroethene	ND	5.25	--	ND	28.2	--		26.25
2,2,4-Trimethylpentane	1610	5.25	--	7520	24.5	--		26.25
Heptane	28.9	5.25	--	118	21.5	--		26.25
cis-1,3-Dichloropropene	ND	5.25	--	ND	23.8	--		26.25
4-Methyl-2-pentanone	ND	5.25	--	ND	21.5	--		26.25
trans-1,3-Dichloropropene	ND	5.25	--	ND	23.8	--		26.25
1,1,2-Trichloroethane	ND	5.25	--	ND	28.6	--		26.25
Toluene	9.98	5.25	--	37.6	19.8	--		26.25
2-Hexanone	ND	5.25	--	ND	21.5	--		26.25
Dibromochloromethane	ND	5.25	--	ND	44.7	--		26.25
1,2-Dibromoethane	ND	5.25	--	ND	40.3	--		26.25
Tetrachloroethene	ND	5.25	--	ND	35.6	--		26.25
Chlorobenzene	ND	5.25	--	ND	24.1	--		26.25
Ethylbenzene	ND	5.25	--	ND	22.8	--		26.25
p/m-Xylene	ND	10.5	--	ND	45.6	--		26.25
Bromoform	ND	5.25	--	ND	54.2	--		26.25
Styrene	ND	5.25	--	ND	22.3	--		26.25



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-02 D

Date Collected: 06/02/10 12:04

Client ID: SG-103

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,1,2-Tetrachloroethane	ND	5.25	--	ND	36.0	--		26.25
o-Xylene	ND	5.25	--	ND	22.8	--		26.25
4-Ethyltoluene	ND	5.25	--	ND	25.8	--		26.25
1,3,5-Trimethylbenzene	ND	5.25	--	ND	25.8	--		26.25
1,2,4-Trimethylbenzene	ND	5.25	--	ND	25.8	--		26.25
Benzyl chloride	ND	5.25	--	ND	27.2	--		26.25
1,3-Dichlorobenzene	ND	5.25	--	ND	31.5	--		26.25
1,4-Dichlorobenzene	ND	5.25	--	ND	31.5	--		26.25
1,2-Dichlorobenzene	ND	5.25	--	ND	31.5	--		26.25
1,2,4-Trichlorobenzene	ND	5.25	--	ND	38.9	--		26.25
Hexachlorobutadiene	ND	5.25	--	ND	55.9	--		26.25

Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-03 D
 Client ID: SG-104
 Sample Location: BRONX, NY
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 06/07/10 21:48
 Analyst: AJ

Date Collected: 06/02/10 13:00
 Date Received: 06/02/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Propylene	152	5.82	--	261	10.0	--		29.08
Dichlorodifluoromethane	ND	5.82	--	ND	28.7	--		29.08
Chloromethane	ND	5.82	--	ND	12.0	--		29.08
Freon-114	ND	5.82	--	ND	40.6	--		29.08
Vinyl chloride	ND	5.82	--	ND	14.8	--		29.08
1,3-Butadiene	ND	5.82	--	ND	12.8	--		29.08
Bromomethane	ND	5.82	--	ND	22.6	--		29.08
Chloroethane	ND	5.82	--	ND	15.3	--		29.08
Ethanol	ND	72.7	--	ND	137	--		29.08
Vinyl bromide	ND	5.82	--	ND	25.4	--		29.08
Acetone	ND	29.1	--	ND	69.0	--		29.08
Trichlorofluoromethane	ND	5.82	--	ND	32.6	--		29.08
Isopropanol	20.6	14.5	--	50.7	35.7	--		29.08
1,1-Dichloroethene	ND	5.82	--	ND	23.0	--		29.08
Methylene chloride	ND	14.5	--	ND	50.5	--		29.08
3-Chloropropene	ND	5.82	--	ND	18.2	--		29.08
Carbon disulfide	5.84	5.82	--	18.2	18.1	--		29.08
Freon-113	ND	5.82	--	ND	44.5	--		29.08
trans-1,2-Dichloroethene	ND	5.82	--	ND	23.0	--		29.08
1,1-Dichloroethane	ND	5.82	--	ND	23.5	--		29.08
Methyl tert butyl ether	183	5.82	--	660	21.0	--		29.08
Vinyl acetate	ND	5.82	--	ND	20.5	--		29.08
2-Butanone	ND	5.82	--	ND	17.1	--		29.08
cis-1,2-Dichloroethene	ND	5.82	--	ND	23.0	--		29.08
Ethyl Acetate	ND	14.5	--	ND	52.4	--		29.08



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-03 D

Date Collected: 06/02/10 13:00

Client ID: SG-104

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Chloroform	ND	5.82	--	ND	28.4	--		29.08
Tetrahydrofuran	ND	5.82	--	ND	17.1	--		29.08
1,2-Dichloroethane	ND	5.82	--	ND	23.5	--		29.08
n-Hexane	1010	5.82	--	3570	20.5	--		29.08
1,1,1-Trichloroethane	ND	5.82	--	ND	31.7	--		29.08
Benzene	47.9	5.82	--	153	18.6	--		29.08
Carbon tetrachloride	ND	5.82	--	ND	36.6	--		29.08
Cyclohexane	1400	5.82	--	4800	20.0	--		29.08
1,2-Dichloropropane	ND	5.82	--	ND	26.8	--		29.08
Bromodichloromethane	ND	5.82	--	ND	38.9	--		29.08
1,4-Dioxane	ND	5.82	--	ND	20.9	--		29.08
Trichloroethene	ND	5.82	--	ND	31.2	--		29.08
2,2,4-Trimethylpentane	6760	5.82	--	31600	27.1	--	E	29.08
Heptane	183	5.82	--	749	23.8	--		29.08
cis-1,3-Dichloropropene	ND	5.82	--	ND	26.4	--		29.08
4-Methyl-2-pentanone	ND	5.82	--	ND	23.8	--		29.08
trans-1,3-Dichloropropene	ND	5.82	--	ND	26.4	--		29.08
1,1,2-Trichloroethane	ND	5.82	--	ND	31.7	--		29.08
Toluene	8.38	5.82	--	31.5	21.9	--		29.08
2-Hexanone	ND	5.82	--	ND	23.8	--		29.08
Dibromochloromethane	ND	5.82	--	ND	49.5	--		29.08
1,2-Dibromoethane	ND	5.82	--	ND	44.6	--		29.08
Tetrachloroethene	ND	5.82	--	ND	39.4	--		29.08
Chlorobenzene	ND	5.82	--	ND	26.8	--		29.08
Ethylbenzene	ND	5.82	--	ND	25.2	--		29.08
p/m-Xylene	ND	11.6	--	ND	50.5	--		29.08
Bromoform	ND	5.82	--	ND	60.1	--		29.08
Styrene	ND	5.82	--	ND	24.8	--		29.08



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-03 D

Date Collected: 06/02/10 13:00

Client ID: SG-104

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	5.82	--	ND	39.9	--		29.08
o-Xylene	ND	5.82	--	ND	25.2	--		29.08
4-Ethyltoluene	ND	5.82	--	ND	28.6	--		29.08
1,3,5-Trimethylbenzene	ND	5.82	--	ND	28.6	--		29.08
1,2,4-Trimethylbenzene	ND	5.82	--	ND	28.6	--		29.08
Benzyl chloride	ND	5.82	--	ND	30.1	--		29.08
1,3-Dichlorobenzene	ND	5.82	--	ND	34.9	--		29.08
1,4-Dichlorobenzene	ND	5.82	--	ND	34.9	--		29.08
1,2-Dichlorobenzene	ND	5.82	--	ND	34.9	--		29.08
1,2,4-Trichlorobenzene	ND	5.82	--	ND	43.1	--		29.08
Hexachlorobutadiene	ND	5.82	--	ND	62.0	--		29.08

Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-03 D2
Client ID: SG-104
Sample Location: BRONX, NY
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 06/08/10 09:58
Analyst: AJ

Date Collected: 06/02/10 13:00
Date Received: 06/02/10
Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
2,2,4-Trimethylpentane	12200	59.3	--	56800	277	--		296.7

Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-05 D
 Client ID: SG-101
 Sample Location: BRONX, NY
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 06/07/10 22:24
 Analyst: AJ

Date Collected: 06/02/10 14:19
 Date Received: 06/02/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Propylene	120	5.49	--	206	9.44	--		27.46
Dichlorodifluoromethane	ND	5.49	--	ND	27.1	--		27.46
Chloromethane	ND	5.49	--	ND	11.3	--		27.46
Freon-114	ND	5.49	--	ND	38.4	--		27.46
Vinyl chloride	ND	5.49	--	ND	14.0	--		27.46
1,3-Butadiene	9.86	5.49	--	21.8	12.1	--		27.46
Bromomethane	ND	5.49	--	ND	21.3	--		27.46
Chloroethane	ND	5.49	--	ND	14.5	--		27.46
Ethanol	ND	68.6	--	ND	129	--		27.46
Vinyl bromide	ND	5.49	--	ND	24.0	--		27.46
Acetone	1240	27.5	--	2940	65.2	--		27.46
Trichlorofluoromethane	ND	5.49	--	ND	30.8	--		27.46
Isopropanol	49.0	13.7	--	120	33.7	--		27.46
1,1-Dichloroethene	ND	5.49	--	ND	21.8	--		27.46
Methylene chloride	ND	13.7	--	ND	47.6	--		27.46
3-Chloropropene	ND	5.49	--	ND	17.2	--		27.46
Carbon disulfide	ND	5.49	--	ND	17.1	--		27.46
Freon-113	ND	5.49	--	ND	42.0	--		27.46
trans-1,2-Dichloroethene	ND	5.49	--	ND	21.8	--		27.46
1,1-Dichloroethane	ND	5.49	--	ND	22.2	--		27.46
Methyl tert butyl ether	90.0	5.49	--	324	19.8	--		27.46
Vinyl acetate	ND	5.49	--	ND	19.3	--		27.46
2-Butanone	14.1	5.49	--	41.6	16.2	--		27.46
cis-1,2-Dichloroethene	ND	5.49	--	ND	21.8	--		27.46
Ethyl Acetate	ND	13.7	--	ND	49.4	--		27.46



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-05 D

Date Collected: 06/02/10 14:19

Client ID: SG-101

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Chloroform	ND	5.49	--	ND	26.8	--		27.46
Tetrahydrofuran	ND	5.49	--	ND	16.2	--		27.46
1,2-Dichloroethane	ND	5.49	--	ND	22.2	--		27.46
n-Hexane	20.6	5.49	--	72.6	19.3	--		27.46
1,1,1-Trichloroethane	ND	5.49	--	ND	29.9	--		27.46
Benzene	11.7	5.49	--	37.3	17.5	--		27.46
Carbon tetrachloride	ND	5.49	--	ND	34.5	--		27.46
Cyclohexane	14.3	5.49	--	49.3	18.9	--		27.46
1,2-Dichloropropane	ND	5.49	--	ND	25.4	--		27.46
Bromodichloromethane	ND	5.49	--	ND	36.8	--		27.46
1,4-Dioxane	ND	5.49	--	ND	19.8	--		27.46
Trichloroethene	ND	5.49	--	ND	29.5	--		27.46
2,2,4-Trimethylpentane	133	5.49	--	620	25.6	--		27.46
Heptane	14.0	5.49	--	57.5	22.5	--		27.46
cis-1,3-Dichloropropene	ND	5.49	--	ND	24.9	--		27.46
4-Methyl-2-pentanone	ND	5.49	--	ND	22.5	--		27.46
trans-1,3-Dichloropropene	ND	5.49	--	ND	24.9	--		27.46
1,1,2-Trichloroethane	ND	5.49	--	ND	29.9	--		27.46
Toluene	13.1	5.49	--	49.2	20.7	--		27.46
2-Hexanone	ND	5.49	--	ND	22.5	--		27.46
Dibromochloromethane	ND	5.49	--	ND	46.7	--		27.46
1,2-Dibromoethane	ND	5.49	--	ND	42.2	--		27.46
Tetrachloroethene	ND	5.49	--	ND	37.2	--		27.46
Chlorobenzene	ND	5.49	--	ND	25.3	--		27.46
Ethylbenzene	ND	5.49	--	ND	23.8	--		27.46
p/m-Xylene	ND	11.0	--	ND	47.6	--		27.46
Bromoform	ND	5.49	--	ND	56.7	--		27.46
Styrene	ND	5.49	--	ND	23.4	--		27.46



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-05 D

Date Collected: 06/02/10 14:19

Client ID: SG-101

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	5.49	--	ND	37.7	--		27.46
o-Xylene	ND	5.49	--	ND	23.8	--		27.46
4-Ethyltoluene	ND	5.49	--	ND	27.0	--		27.46
1,3,5-Trimethylbenzene	ND	5.49	--	ND	27.0	--		27.46
1,2,4-Trimethylbenzene	ND	5.49	--	ND	27.0	--		27.46
Benzyl chloride	ND	5.49	--	ND	28.4	--		27.46
1,3-Dichlorobenzene	ND	5.49	--	ND	33.0	--		27.46
1,4-Dichlorobenzene	ND	5.49	--	ND	33.0	--		27.46
1,2-Dichlorobenzene	ND	5.49	--	ND	33.0	--		27.46
1,2,4-Trichlorobenzene	ND	5.49	--	ND	40.7	--		27.46
Hexachlorobutadiene	ND	5.49	--	ND	58.5	--		27.46

Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-06 D
 Client ID: SG-105
 Sample Location: BRONX, NY
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 06/07/10 23:01
 Analyst: AJ

Date Collected: 06/02/10 15:02
 Date Received: 06/02/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Propylene	139	8.47	--	239	14.6	--		42.37
Dichlorodifluoromethane	ND	8.47	--	ND	41.9	--		42.37
Chloromethane	ND	8.47	--	ND	17.5	--		42.37
Freon-114	ND	8.47	--	ND	59.2	--		42.37
Vinyl chloride	ND	8.47	--	ND	21.6	--		42.37
1,3-Butadiene	ND	8.47	--	ND	18.7	--		42.37
Bromomethane	ND	8.47	--	ND	32.9	--		42.37
Chloroethane	ND	8.47	--	ND	22.3	--		42.37
Ethanol	ND	106	--	ND	199	--		42.37
Vinyl bromide	ND	8.47	--	ND	37.0	--		42.37
Acetone	1790	42.4	--	4250	100	--		42.37
Trichlorofluoromethane	ND	8.47	--	ND	47.6	--		42.37
Isopropanol	58.9	21.2	--	145	52.0	--		42.37
1,1-Dichloroethene	ND	8.47	--	ND	33.6	--		42.37
Methylene chloride	ND	21.2	--	ND	73.5	--		42.37
3-Chloropropene	ND	8.47	--	ND	26.5	--		42.37
Carbon disulfide	10.4	8.47	--	32.3	26.4	--		42.37
Freon-113	ND	8.47	--	ND	64.9	--		42.37
trans-1,2-Dichloroethene	ND	8.47	--	ND	33.6	--		42.37
1,1-Dichloroethane	ND	8.47	--	ND	34.3	--		42.37
Methyl tert butyl ether	44.7	8.47	--	161	30.5	--		42.37
Vinyl acetate	ND	8.47	--	ND	29.8	--		42.37
2-Butanone	16.4	8.47	--	48.3	25.0	--		42.37
cis-1,2-Dichloroethene	ND	8.47	--	ND	33.6	--		42.37
Ethyl Acetate	ND	21.2	--	ND	76.3	--		42.37



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-06 D

Date Collected: 06/02/10 15:02

Client ID: SG-105

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Chloroform	ND	8.47	--	ND	41.3	--		42.37
Tetrahydrofuran	ND	8.47	--	ND	25.0	--		42.37
1,2-Dichloroethane	ND	8.47	--	ND	34.3	--		42.37
n-Hexane	67.6	8.47	--	238	29.8	--		42.37
1,1,1-Trichloroethane	ND	8.47	--	ND	46.2	--		42.37
Benzene	28.8	8.47	--	92.0	27.0	--		42.37
Carbon tetrachloride	ND	8.47	--	ND	53.3	--		42.37
Cyclohexane	31.5	8.47	--	108	29.1	--		42.37
1,2-Dichloropropane	ND	8.47	--	ND	39.1	--		42.37
Bromodichloromethane	ND	8.47	--	ND	56.7	--		42.37
1,4-Dioxane	ND	8.47	--	ND	30.5	--		42.37
Trichloroethene	ND	8.47	--	ND	45.5	--		42.37
2,2,4-Trimethylpentane	1360	8.47	--	6380	39.6	--		42.37
Heptane	23.6	8.47	--	96.8	34.7	--		42.37
cis-1,3-Dichloropropene	ND	8.47	--	ND	38.4	--		42.37
4-Methyl-2-pentanone	ND	8.47	--	ND	34.7	--		42.37
trans-1,3-Dichloropropene	ND	8.47	--	ND	38.4	--		42.37
1,1,2-Trichloroethane	ND	8.47	--	ND	46.2	--		42.37
Toluene	11.3	8.47	--	42.4	31.9	--		42.37
2-Hexanone	ND	8.47	--	ND	34.7	--		42.37
Dibromochloromethane	ND	8.47	--	ND	72.1	--		42.37
1,2-Dibromoethane	ND	8.47	--	ND	65.0	--		42.37
Tetrachloroethene	ND	8.47	--	ND	57.4	--		42.37
Chlorobenzene	ND	8.47	--	ND	39.0	--		42.37
Ethylbenzene	ND	8.47	--	ND	36.8	--		42.37
p/m-Xylene	ND	16.9	--	ND	73.5	--		42.37
Bromoform	ND	8.47	--	ND	87.5	--		42.37
Styrene	ND	8.47	--	ND	36.1	--		42.37



Project Name: 2477 THIRD AVE**Lab Number:** L1008224**Project Number:** 11160**Report Date:** 06/09/10**SAMPLE RESULTS**

Lab ID: L1008224-06 D

Date Collected: 06/02/10 15:02

Client ID: SG-105

Date Received: 06/02/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	8.47	--	ND	58.1	--		42.37
o-Xylene	ND	8.47	--	ND	36.8	--		42.37
4-Ethyltoluene	ND	8.47	--	ND	41.6	--		42.37
1,3,5-Trimethylbenzene	ND	8.47	--	ND	41.6	--		42.37
1,2,4-Trimethylbenzene	ND	8.47	--	ND	41.6	--		42.37
Benzyl chloride	ND	8.47	--	ND	43.8	--		42.37
1,3-Dichlorobenzene	ND	8.47	--	ND	50.9	--		42.37
1,4-Dichlorobenzene	ND	8.47	--	ND	50.9	--		42.37
1,2-Dichlorobenzene	ND	8.47	--	ND	50.9	--		42.37
1,2,4-Trichlorobenzene	ND	8.47	--	ND	62.8	--		42.37
Hexachlorobutadiene	ND	8.47	--	ND	90.3	--		42.37

Project Name: 2477 THIRD AVE

Lab Number: L1008224

Project Number: 11160

Report Date: 06/09/10

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/07/10 16:11

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab for sample(s): 01-03,05-06 Batch: WG416588-4								
Propylene	ND	0.200	--	ND	0.344	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.988	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.776	--		1
Chloroethane	ND	0.200	--	ND	0.527	--		1
Ethanol	ND	2.50	--	ND	4.71	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.37	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.792	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.622	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.720	--		1
Vinyl acetate	ND	0.200	--	ND	0.704	--		1
2-Butanone	ND	0.200	--	ND	0.589	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1



Project Name: 2477 THIRD AVE

Lab Number: L1008224

Project Number: 11160

Report Date: 06/09/10

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/07/10 16:11

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab for sample(s): 01-03,05-06 Batch: WG416588-4								
Chloroform	ND	0.200	--	ND	0.976	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.589	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.704	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.638	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.720	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.819	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
4-Methyl-2-pentanone	ND	0.200	--	ND	0.819	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.753	--		1
2-Hexanone	ND	0.200	--	ND	0.819	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.920	--		1
Ethylbenzene	ND	0.200	--	ND	0.868	--		1

Project Name: 2477 THIRD AVE

Lab Number: L1008224

Project Number: 11160

Report Date: 06/09/10

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 06/07/10 16:11

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab for sample(s): 01-03,05-06 Batch: WG416588-4								
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.06	--		1
Styrene	ND	0.200	--	ND	0.851	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.868	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.982	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
Benzyl chloride	ND	0.200	--	ND	1.03	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 Batch: WG416588-3								
Chlorodifluoromethane	81		-		70-130	-		
Propylene	82		-		70-130	-		
Propane	68	Q	-		70-130	-		
Dichlorodifluoromethane	93		-		70-130	-		
Chloromethane	88		-		70-130	-		
1,2-Dichloro-1,1,2,2-tetrafluoroethane	99		-		70-130	-		
Methanol	123		-		70-130	-		
Vinyl chloride	91		-		70-130	-		
1,3-Butadiene	88		-		70-130	-		
Butane	76		-		70-130	-		
Bromomethane	95		-		70-130	-		
Chloroethane	91		-		70-130	-		
Ethyl Alcohol	91		-		70-130	-		
Dichlorofluoromethane	83		-		70-130	-		
Vinyl bromide	93		-		70-130	-		
Acrolein	85		-		70-130	-		
Acetone	92		-		70-130	-		
Acetonitrile	80		-		70-130	-		
Trichlorofluoromethane	99		-		70-130	-		
iso-Propyl Alcohol	98		-		70-130	-		
Acrylonitrile	88		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE

Project Number: 11160

Lab Number: L1008224

Report Date: 06/09/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 Batch: WG416588-3								
Pentane	79		-		70-130	-		
Ethyl ether	79		-		70-130	-		
1,1-Dichloroethene	92		-		70-130	-		
tert-Butyl Alcohol	97		-		70-130	-		
Methylene chloride	84		-		70-130	-		
3-Chloropropene	73		-		70-130	-		
Carbon disulfide	86		-		70-130	-		
1,1,2-Trichloro-1,2,2-Trifluoroethane	99		-		70-130	-		
trans-1,2-Dichloroethene	108		-		70-130	-		
1,1-Dichloroethane	116		-		70-130	-		
Methyl tert butyl ether	118		-		70-130	-		
Vinyl acetate	98		-		70-130	-		
2-Butanone	99		-		70-130	-		
cis-1,2-Dichloroethene	88		-		70-130	-		
Ethyl Acetate	103		-		70-130	-		
Chloroform	95		-		70-130	-		
Tetrahydrofuran	102		-		70-130	-		
2,2-Dichloropropane	78		-		70-130	-		
1,2-Dichloroethane	83		-		70-130	-		
n-Hexane	78		-		70-130	-		
Isopropyl Ether	91		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 Batch: WG416588-3								
Ethyl-Tert-Butyl-Ether	92		-		70-130	-		
1,1,1-Trichloroethane	85		-		70-130	-		
1,1-Dichloropropene	79		-		70-130	-		
Benzene	78		-		70-130	-		
Carbon tetrachloride	88		-		70-130	-		
Cyclohexane	79		-		70-130	-		
Tertiary-Amyl Methyl Ether	93		-		70-130	-		
Dibromomethane	77		-		70-130	-		
1,2-Dichloropropane	81		-		70-130	-		
Bromodichloromethane	78		-		70-130	-		
1,4-Dioxane	97		-		70-130	-		
Trichloroethene	88		-		70-130	-		
2,2,4-Trimethylpentane	75		-		70-130	-		
Heptane	70		-		70-130	-		
2,4,4-Trimethyl-1-Pentene	76		-		70-130	-		
cis-1,3-Dichloropropene	83		-		70-130	-		
4-Methyl-2-pentanone	94		-		70-130	-		
2,4,4-Trimethyl-2-Pentene	85		-		70-130	-		
trans-1,3-Dichloropropene	75		-		70-130	-		
1,1,2-Trichloroethane	88		-		70-130	-		
Toluene	89		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 Batch: WG416588-3								
1,3-Dichloropropane	87		-		70-130	-		
2-Hexanone	106		-		70-130	-		
Dibromochloromethane	85		-		70-130	-		
1,2-Dibromoethane	93		-		70-130	-		
Butyl Acetate	98		-		70-130	-		
Octane	81		-		70-130	-		
Tetrachloroethene	90		-		70-130	-		
1,1,1,2-Tetrachloroethane	84		-		70-130	-		
Chlorobenzene	93		-		70-130	-		
Ethylbenzene	97		-		70-130	-		
p/m-Xylene	99		-		70-130	-		
Bromoform	89		-		70-130	-		
Styrene	102		-		70-130	-		
1,1,2,2-Tetrachloroethane	112		-		70-130	-		
o-Xylene	102		-		70-130	-		
1,2,3-Trichloropropane	98		-		70-130	-		
Nonane (C9)	85		-		70-130	-		
Isopropylbenzene	99		-		70-130	-		
Bromobenzene	91		-		70-130	-		
o-Chlorotoluene	93		-		70-130	-		
n-Propylbenzene	101		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE

Project Number: 11160

Lab Number: L1008224

Report Date: 06/09/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 Batch: WG416588-3								
p-Chlorotoluene	97		-		70-130	-		
4-Ethyltoluene	102		-		70-130	-		
1,3,5-Trimethylbenzene	108		-		70-130	-		
tert-Butylbenzene	104		-		70-130	-		
1,2,4-Trimethylbenzene	116		-		70-130	-		
Decane (C10)	98		-		70-130	-		
Benzyl chloride	100		-		70-130	-		
1,3-Dichlorobenzene	108		-		70-130	-		
1,4-Dichlorobenzene	109		-		70-130	-		
sec-Butylbenzene	104		-		70-130	-		
p-Isopropyltoluene	102		-		70-130	-		
1,2-Dichlorobenzene	111		-		70-130	-		
n-Butylbenzene	113		-		70-130	-		
1,2-Dibromo-3-chloropropane	107		-		70-130	-		
Undecane	110		-		70-130	-		
Dodecane (C12)	126		-		70-130	-		
1,2,4-Trichlorobenzene	124		-		70-130	-		
Naphthalene	113		-		70-130	-		
1,2,3-Trichlorobenzene	112		-		70-130	-		
Hexachlorobutadiene	114		-		70-130	-		

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE

Project Number: 11160

Lab Number: L1008224

Report Date: 06/09/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 QC Batch ID: WG416588-5 QC Sample: L1008313-01 Client ID: DUP Sample						
Dichlorodifluoromethane	14.9	15.1	ppbV	1		25
Chloromethane	ND	ND	ppbV	NC		25
Freon-114	75.6	76.2	ppbV	1		25
Vinyl chloride	ND	ND	ppbV	NC		25
1,3-Butadiene	9.21	9.23	ppbV	0		25
Bromomethane	ND	ND	ppbV	NC		25
Chloroethane	ND	ND	ppbV	NC		25
Vinyl bromide	ND	ND	ppbV	NC		25
Acetone	276	364	ppbV	28	Q	25
Trichlorofluoromethane	ND	ND	ppbV	NC		25
1,1-Dichloroethene	ND	ND	ppbV	NC		25
Methylene chloride	ND	ND	ppbV	NC		25
3-Chloropropene	ND	ND	ppbV	NC		25
Carbon disulfide	5.06	5.40	ppbV	7		25
Freon-113	ND	ND	ppbV	NC		25
trans-1,2-Dichloroethene	ND	ND	ppbV	NC		25
1,1-Dichloroethane	ND	ND	ppbV	NC		25
Methyl tert butyl ether	ND	ND	ppbV	NC		25
2-Butanone	13.4	18.0	ppbV	29	Q	25

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE

Project Number: 11160

Lab Number: L1008224

Report Date: 06/09/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 QC Batch ID: WG416588-5 QC Sample: L1008313-01 Client ID: DUP Sample					
cis-1,2-Dichloroethene	ND	ND	ppbV	NC	25
Chloroform	ND	ND	ppbV	NC	25
1,2-Dichloroethane	ND	ND	ppbV	NC	25
n-Hexane	23.3	25.6	ppbV	9	25
1,1,1-Trichloroethane	ND	ND	ppbV	NC	25
Benzene	30.9	34.9	ppbV	12	25
Carbon tetrachloride	ND	ND	ppbV	NC	25
Cyclohexane	30.1	33.0	ppbV	9	25
1,2-Dichloropropane	ND	ND	ppbV	NC	25
Bromodichloromethane	ND	ND	ppbV	NC	25
Trichloroethene	ND	ND	ppbV	NC	25
2,2,4-Trimethylpentane	ND	ND	ppbV	NC	25
Heptane	18.1	20.2	ppbV	11	25
cis-1,3-Dichloropropene	ND	ND	ppbV	NC	25
4-Methyl-2-pentanone	ND	ND	ppbV	NC	25
trans-1,3-Dichloropropene	ND	ND	ppbV	NC	25
1,1,2-Trichloroethane	ND	ND	ppbV	NC	25
Toluene	5.39	6.16	ppbV	13	25
Dibromochloromethane	ND	ND	ppbV	NC	25

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 QC Batch ID: WG416588-5 QC Sample: L1008313-01 Client ID: DUP Sample					
1,2-Dibromoethane	ND	ND	ppbV	NC	25
Tetrachloroethene	5.48	6.27	ppbV	13	25
Chlorobenzene	70.5	81.3	ppbV	14	25
Ethylbenzene	10.3	12.5	ppbV	19	25
p/m-Xylene	6.37	7.70	ppbV	19	25
Bromoform	ND	ND	ppbV	NC	25
Styrene	101	126	ppbV	22	25
1,1,2,2-Tetrachloroethane	ND	ND	ppbV	NC	25
o-Xylene	5.18	6.25	ppbV	19	25
4-Ethyltoluene	ND	ND	ppbV	NC	25
1,3,5-Trimethylbenzene	ND	ND	ppbV	NC	25
1,2,4-Trimethylbenzene	2.73	3.37	ppbV	21	25
1,3-Dichlorobenzene	ND	ND	ppbV	NC	25
1,4-Dichlorobenzene	4.04	5.21	ppbV	25	25
1,2-Dichlorobenzene	ND	ND	ppbV	NC	25
1,2,4-Trichlorobenzene	ND	ND	ppbV	NC	25
Hexachlorobutadiene	ND	ND	ppbV	NC	25

Lab Duplicate Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Volatile Organics in Air (Low Level) - Mansfield Lab Associated sample(s): 01-03,05-06 QC Batch ID: WG416588-5 QC Sample: L1008313-01 Client ID: DUP Sample					

Project Name: 2477 THIRD AVE

Serial_No:06091015:11

Lab Number: L1008224

Project Number: 11160

Report Date: 06/09/10

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Cleaning Batch ID	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Out mL/min	Flow In mL/min	% RSD
L1008224-01	TRIP	0158	#90 SV		-	-	48	48	0
L1008224-01	TRIP	891	1.0L Can	I0917393	-29.2	-29.2	-	-	-
L1008224-02	SG-103	0059	#90 SV		-	-	50	50	0
L1008224-02	SG-103	812	1.0L Can	I0917393	-29.2	-7.3	-	-	-
L1008224-03	SG-104	0049	#90 SV		-	-	48	50	4
L1008224-03	SG-104	1499	1.0L Can	I0917393	-29.2	-7.7	-	-	-
L1008224-04	SG-102	0303	#90 SV		-	-	49	46	6
L1008224-04	SG-102	676	1.0L Can	I1003751	-29.2	-26.1	-	-	-
L1008224-05	SG-101	0267	#90 SV		-	-	51	54	6
L1008224-05	SG-101	836	1.0L Can	I0917393	-29.2	-6.5	-	-	-
L1008224-06	SG-105	0067	#90 SV		-	-	48	51	6
L1008224-06	SG-105	720	1.0L Can	I1003751	-29.2	-14.7	-	-	-
L1008224-07	CAN 723	0052	#90 AMB		-	-	53	53	0



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01
 Client ID: CAN 803 SHELF 21
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 12/03/09 20:19
 Analyst: RY

Date Collected: 12/02/09 00:00
 Date Received: 12/02/09
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.792	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dioxane	ND	0.200	--	ND	0.720	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
2-Butanone	ND	0.200	--	ND	0.589	--		1
2-Hexanone	ND	0.200	--	ND	0.819	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.982	--		1
Acetone	ND	1.00	--	ND	2.37	--		1
Benzene	ND	0.200	--	ND	0.638	--		1
Benzyl chloride	ND	0.200	--	ND	1.03	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01

Date Collected: 12/02/09 00:00

Client ID: CAN 803 SHELF 21

Date Received: 12/02/09

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Bromoform	ND	0.200	--	ND	2.06	--		1
Bromomethane	ND	0.200	--	ND	0.776	--		1
Carbon disulfide	ND	0.200	--	ND	0.622	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Chlorobenzene	ND	0.200	--	ND	0.920	--		1
Chloroethane	ND	0.200	--	ND	0.527	--		1
Chloroform	ND	0.200	--	ND	0.976	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.988	--		1
Ethanol	ND	2.50	--	ND	4.71	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Ethylbenzene	ND	0.200	--	ND	0.868	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
4-Methyl-2-pentanone	ND	0.200	--	ND	0.819	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.720	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
o-Xylene	ND	0.200	--	ND	0.868	--		1
Heptane	ND	0.200	--	ND	0.819	--		1
n-Hexane	ND	0.200	--	ND	0.704	--		1
Propylene	ND	0.200	--	ND	0.344	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01

Date Collected: 12/02/09 00:00

Client ID: CAN 803 SHELF 21

Date Received: 12/02/09

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Styrene	ND	0.200	--	ND	0.851	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.589	--		1
Toluene	ND	0.200	--	ND	0.753	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Vinyl acetate	ND	0.200	--	ND	0.704	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
Propane	ND	0.200	--	ND	0.606	--		1
Acrylonitrile	ND	0.200	--	ND	0.434	--		1
Acrolein	ND	0.500	--	ND	1.14	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Isopropylbenzene	ND	0.200	--	ND	0.982	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.20	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Bromobenzene	ND	0.200	--	ND	1.28	--		1
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.841	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Octane	ND	0.200	--	ND	0.934	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.835	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.03	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.03	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01
 Client ID: CAN 803 SHELF 21
 Sample Location:

Date Collected: 12/02/09 00:00
 Date Received: 12/02/09
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
2,2-Dichloropropane	ND	0.200	--	ND	0.923	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.907	--		1
Diisopropyl ether	ND	0.200	--	ND	0.835	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.835	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
n-Propylbenzene	ND	0.200	--	ND	0.982	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.923	--		1
Methanol	5.55	5.00	--	7.26	6.55	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
Butyl acetate	ND	0.500	--	ND	2.37	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1

Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01
 Client ID: CAN 803 SHELF 21
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 12/03/09 20:19
 Analyst: RY

Date Collected: 12/02/09 00:00
 Date Received: 12/02/09
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
1,1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
Bromoform	ND	0.020	--	ND	0.206	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1
Chlorobenzene	ND	0.020	--	ND	0.092	--		1
Chloroethane	ND	0.020	--	ND	0.053	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
Chloromethane	ND	0.500	--	ND	2.44	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01

Date Collected: 12/02/09 00:00

Client ID: CAN 803 SHELF 21

Date Received: 12/02/09

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
Dibromochloromethane	ND	0.020	--	ND	0.096	--		1
Dichlorodifluoromethane	ND	0.050	--	ND	0.247	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Methyl tert butyl ether	ND	0.020	--	ND	0.072	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
Toluene	ND	0.020	--	ND	0.075	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.192	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
Acrylonitrile	ND	0.500	--	ND	1.08	--		1
n-Butylbenzene	ND	0.500	--	ND	2.74	--		1
sec-Butylbenzene	ND	0.500	--	ND	2.74	--		1
Isopropylbenzene	ND	0.500	--	ND	2.46	--		1
p-Isopropyltoluene	ND	0.500	--	ND	2.74	--		1
Acetone	ND	2.00	--	ND	4.75	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L0917393**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L0917393-01

Date Collected: 12/02/09 00:00

Client ID: CAN 803 SHELF 21

Date Received: 12/02/09

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
2-Butanone	ND	0.500	--	ND	1.47	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01
 Client ID: CAN 1511 SHELF 14
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 03/16/10 18:32
 Analyst: AJ

Date Collected: 03/12/10 00:00
 Date Received: 03/12/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.792	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.982	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dioxane	ND	0.200	--	ND	0.720	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
2-Butanone	ND	0.200	--	ND	0.589	--		1
2-Hexanone	ND	0.200	--	ND	0.819	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.982	--		1
Acetone	ND	1.00	--	ND	2.37	--		1
Benzene	ND	0.200	--	ND	0.638	--		1
Benzyl chloride	ND	0.200	--	ND	1.03	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01

Date Collected: 03/12/10 00:00

Client ID: CAN 1511 SHELF 14

Date Received: 03/12/10

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Bromoform	ND	0.200	--	ND	2.06	--		1
Bromomethane	ND	0.200	--	ND	0.776	--		1
Carbon disulfide	ND	0.200	--	ND	0.622	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Chlorobenzene	ND	0.200	--	ND	0.920	--		1
Chloroethane	ND	0.200	--	ND	0.527	--		1
Chloroform	ND	0.200	--	ND	0.976	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.988	--		1
Ethanol	ND	2.50	--	ND	4.71	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Ethylbenzene	ND	0.200	--	ND	0.868	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
4-Methyl-2-pentanone	ND	0.200	--	ND	0.819	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.720	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
o-Xylene	ND	0.200	--	ND	0.868	--		1
Heptane	ND	0.200	--	ND	0.819	--		1
n-Hexane	ND	0.200	--	ND	0.704	--		1
Propylene	ND	0.200	--	ND	0.344	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01

Date Collected: 03/12/10 00:00

Client ID: CAN 1511 SHELF 14

Date Received: 03/12/10

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
Styrene	ND	0.200	--	ND	0.851	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.589	--		1
Toluene	ND	0.200	--	ND	0.753	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.792	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.907	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Vinyl acetate	ND	0.200	--	ND	0.704	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
Propane	ND	0.200	--	ND	0.606	--		1
Acrylonitrile	ND	0.200	--	ND	0.434	--		1
Acrolein	ND	0.500	--	ND	1.14	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Isopropylbenzene	ND	0.200	--	ND	0.982	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.20	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Bromobenzene	ND	0.200	--	ND	1.28	--		1
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.841	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Octane	ND	0.200	--	ND	0.934	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.835	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.03	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.03	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01
 Client ID: CAN 1511 SHELF 14
 Sample Location:

Date Collected: 03/12/10 00:00
 Date Received: 03/12/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air (Low Level) - Mansfield Lab								
2,2-Dichloropropane	ND	0.200	--	ND	0.923	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.907	--		1
Diisopropyl ether	ND	0.200	--	ND	0.835	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.835	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
n-Propylbenzene	ND	0.200	--	ND	0.982	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.923	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
Butyl acetate	ND	0.500	--	ND	2.37	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1

Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01
 Client ID: CAN 1511 SHELF 14
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 03/16/10 18:32
 Analyst: AJ

Date Collected: 03/12/10 00:00
 Date Received: 03/12/10
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
1,1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
Bromoform	ND	0.020	--	ND	0.206	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1
Chlorobenzene	ND	0.020	--	ND	0.092	--		1
Chloroethane	ND	0.020	--	ND	0.053	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
Chloromethane	ND	0.500	--	ND	2.44	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01

Date Collected: 03/12/10 00:00

Client ID: CAN 1511 SHELF 14

Date Received: 03/12/10

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
Dibromochloromethane	ND	0.020	--	ND	0.096	--		1
Dichlorodifluoromethane	ND	0.050	--	ND	0.247	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Methyl tert butyl ether	ND	0.020	--	ND	0.072	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
Toluene	ND	0.020	--	ND	0.075	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.192	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
Acrylonitrile	ND	0.500	--	ND	1.08	--		1
n-Butylbenzene	ND	0.500	--	ND	2.74	--		1
sec-Butylbenzene	ND	0.500	--	ND	2.74	--		1
Isopropylbenzene	ND	0.500	--	ND	2.46	--		1
p-Isopropyltoluene	ND	0.500	--	ND	2.74	--		1
Acetone	ND	2.00	--	ND	4.75	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L1003751**Project Number:** CANISTER QC BAT**Report Date:** 06/09/10**Air Canister Certification Results**

Lab ID: L1003751-01

Date Collected: 03/12/10 00:00

Client ID: CAN 1511 SHELF 14

Date Received: 03/12/10

Sample Location:

Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
2-Butanone	ND	0.500	--	ND	1.47	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
Halothane	ND	0.050	--	ND	0.403	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1



Project Name: 2477 THIRD AVE

Lab Number: L1008224

Project Number: 11160

Report Date: 06/09/10

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal**Cooler**

N/A Present/Intact

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008224-01A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	TO15-LL(30)
L1008224-02A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	TO15-LL(30)
L1008224-03A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	TO15-LL(30)
L1008224-04A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	CLEAN-FEE()
L1008224-05A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	TO15-LL(30)
L1008224-06A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	TO15-LL(30)
L1008224-07A	Canister - 1 Liter	N/A	NA		NA	Present/Intact	CLEAN-FEE()

*Values in parentheses indicate holding time in days

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

GLOSSARY

Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD** - Laboratory Control Sample Duplicate: Refer to LCS.
- MDL** - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI** - Not Ignitable.
- RL** - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.

Report Format: Data Usability Report



Project Name: 2477 THIRD AVE

Lab Number: L1008224

Project Number: 11160

Report Date: 06/09/10

Data Qualifiers

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND - Not detected at the reporting limit (RL) for the sample.

Project Name: 2477 THIRD AVE
Project Number: 11160

Lab Number: L1008224
Report Date: 06/09/10

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised June 1, 2010 – Mansfield Facility

The following list includes only those analytes/methods for which certification/approval is currently held. For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0141.

Wastewater/Non-Potable Water (Inorganic Parameters: pH, Turbidity, Conductivity, Alkalinity, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Vanadium, Zinc, Total Residue (Solids), Total Suspended Solids (non-filterable), Total Cyanide. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Acid Extractables, Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, PAHs, Haloethers, Chlorinated Hydrocarbons, Volatile Organics.)

Solid Waste/Soil (Inorganic Parameters: pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Organic Carbon, Total Cyanide, Corrosivity, TCLP 1311. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Volatile Organics, Acid Extractables, Benzidines, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Florida Department of Health Certificate/Lab ID: E87814. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: SM2320B, EPA 120.1, SM2510B, EPA 245.1, EPA 150.1, EPA 160.2, SM2540D, EPA 335.2, SM2540G, EPA 180.1. Organic Parameters: EPA 625, 608.)

Solid & Chemical Materials (Inorganic Parameters: 6020, 7470, 7471, 9045, 9014. Organic Parameters: EPA 8260, 8270, 8082, 8081.)

Air & Emissions (EPA TO-15.)

Louisiana Department of Environmental Quality Certificate/Lab ID: 03090. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: EPA 120.1, 150.1, 160.2, 180.1, 200.8, 245.1, 310.1, 335.2, 608, 625, 1631, 3010, 3015, 3020, 6020, 9010, 9014, 9040, SM2320B, 2510B, 2540D, 2540G, 4500CN-E, 4500H-B, Organic Parameters: EPA 3510, 3580, 3630, 3640, 3660, 3665, 5030, 8015 (mod), 3570, 8081, 8082, 8260, 8270,)

Solid & Chemical Materials (Inorganic Parameters: 6020, 7196, 7470, 7471, 7474, 9010, 9014, 9040, 9045, 9060. Organic Parameters: EPA 8015 (mod), EPA 3570, 1311, 3050, 3051, 3060, 3580, 3630, 3640, 3660, 3665, 5035, 8081, 8082, 8260, 8270.)

Biological Tissue (Inorganic Parameters: EPA 6020. Organic Parameters: EPA 3570, 3510, 3610, 3630, 3640, 8270.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA030.

Non-Potable Water (Inorganic Parameters: SM4500H+B. Organic Parameters: EPA 624.)

New Hampshire Department of Environmental Services Certificate/Lab ID: 2206. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: EPA 200.8, 245.1, 1631E, 120.1, 150.1, 180.1, 310.1, 335.2, 160.2, SM2540D, 2540G, 4500CN-E, 4500H+B, 2320B, 2510B. Organic Parameters: EPA 625, 608.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA015. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: SW-846 1312, 3010, 3020A, 3015, 6020, SM2320B, EPA 200.8, SM2540C, 2540D, 2540G, EPA 120.1, SM2510B, EPA 180.1, 245.1, 1631E, SW-846 9040B, 6020, 9010B, 9014 Organic Parameters: EPA 608, 625, SW-846 3510C, 3580A, 5030B, 3035L, 5035H, 3630C, 3640A, 3660B, 3665A, 8081A, 8082 8260B, 8270C)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6020, 9010B, 9014, 1311, 1312, 3050B, 3051, 3060A, 7196A, 7470A, 7471A, 9045C, 9060. Organic Parameters: SW-846 3580A, 5030B, 3035L, 5035H, 3630C, 3640A, 3660B, 3665A, 8081A, 8082, 8260B, 8270C, 3570, 8015B.)

Atmospheric Organic Parameters (EPA TO-15)

Biological Tissue (Inorganic Parameters: SW-846 6020 Organic Parameters: SW-846 8270C, 3510C, 3570, 3610B, 3630C, 3640A)

New York Department of Health Certificate/Lab ID: 11627. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: EPA 310.1, SM2320B, EPA 365.2, 160.1, EPA 160.2, SM2540D, EPA 200.8, 6020, 1631E, 245.1, 335.2, 9014, 150.1, 9040B, 120.1, SM2510B, EPA 376.2, 180.1, 9010B. Organic Parameters: EPA 624, 8260B, 8270C, 608, 8081A, 625, 8082, 3510C, 3511, 5030B.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 9040B, 9045C, SW-846 Ch7 Sec 7.3, EPA 6020, 7196A, 7471A, 7474, 9014, 9040B, 9045C, 9010B. Organic Parameters: EPA 8260B, 8270C, 8081A, DRO 8015B, 8082, 1311, 3050B, 3580, 3050B, 3035, 3570, 3051, 5035, 5030B.)

Air & Emissions (EPA TO-15.)

Rhode Island Department of Health Certificate/Lab ID: LAO00299. *NELAP Accredited via LA-DEQ.*

Refer to MA-DEP Certificate for Non-Potable Water.

Refer to LA-DEQ Certificate for Non-Potable Water.

Texas Commission of Environmental Quality Certificate/Lab ID: T104704419-08-TX. *NELAP Accredited.*

Solid & Chemical Materials (Inorganic Parameters: EPA 6020, 7470, 7471, 1311, 7196, 9014, 9040, 9045, 9060. Organic Parameters: EPA 8015, 8270, 8260, 8081, 8082.)

Air (Organic Parameters: EPA TO-15)

U.S. Army Corps of Engineers

Department of Defense Certificate/Lab ID: L2217.01.


Non-Potable Water (Inorganic Parameters: EPA 3005A,3020, 6020, 245.1, 245.7, 1631E, 7470A, 7474, 9014, 120.1, 9050A, 180.1, SM4500H-B, 2320B, 2510B, 2540D,9040. Organic Parameters: EPA 3510C, 5030B, 9010B, 624, 8260B, 8270C, 8270 Alk-PAH, 8082, 8081A, 8015 (SHC), 8015 (DRO).)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312,3051, 6020, 747A, 7474, 9045C,9060, SM 2540G, ASTM D422-63. Organic Parameters: EPA 3580, 3570, 3540C, 5035, 8260B, 8270C, 8270 Alk-PAH, 8082, 8081A, 8015 (SHC), 8015 (DRO).

Air & Emissions (EPA TO-15.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **8270C**: Biphenyl.



AIR ANALYSIS

PAGE 1 OF 1

320 Forbes Blvd, Mansfield, MA 02048
 TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: AKRF INC
 Address: 440 Park Ave South
New York, NY 10016
 Phone:
 Fax:

Email: aschwendt@akrf.com

These samples have been previously analyzed by Alpha
 Other Project Specific Requirements/Comments:

Project Information

Project Name: 2477 Third Ave
 Project Location: Bronx, NY
 Project #: 1160
 Project Manager: Axel Schwendt
 ALPHA Quote #:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved!)
 Date Due: Time:

Date Rec'd in Lab:

Report Information - Data Deliverables

FAX
 ADEX
 Criteria Checker:
 (Default based on Regulatory Criteria Indicated)
 Other Formats:
 EMAIL (standard pdf report)
 Additional Deliverables:
 Report to: (if different than Project Manager)

ALPHA Job #: 11008224

Billing Information

Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed Program Criteria

All Columns Below Must Be Filled Out

ALPHALab ID (Lab Use Only)	Sample ID	COLLECTION				Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID-Flow Controller	Sample Comments (i.e. PID)
		Date	Start Time	End Time	Vacuum						
8224.1	TRIP	06/02/10	N/A	N/A	N/A	SV	AK	1L	891 0188	X	
2	SG-103	1149	1204	1204	-25.0"				812 0059	X	
3	SG-104	1245	1300	1300	-30.0"				1499 0049	X	
4	SG-102	1320	1345	1345	-29.0"				676 0303	X	
5	SG-101	1404	1419	1419	-27.0"				836 0267	X	
6	SG-105	1441	1502	1502	-27.2"				720 0067	X	

***SAMPLE MATRIX CODES**

AA = Ambient Air (Indoor/Outdoor)
 SV = Soil Vapor/Landfill Gas/SVE
 Other = Please Specify

Container Type

1L

ANALYSIS

TO-14A by TO-15
 TO-15
 TO-15 SIM
 APH
 FIXED GASES
 TO-13A
 TO-4 / TO-10

Relinquished By:

Received By:

Date/Time:

Eric Kuter 6/2/10 8:02:10 AM
 Eric Kuter 6/2/10 17:00
 James J. Sullivan 6/2/10 19:35
 James J. Sullivan 6/2/10 23:50

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



ANALYTICAL REPORT

Lab Number:	L1008380
Client:	AKRF, Inc. 440 Park Avenue South New York, NY 10016
ATTN:	Axel Schwendt
Phone:	(646) 388-9529
Project Name:	2477 THIRD AVE.
Project Number:	11160
Report Date:	06/15/10

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1008380-01	MW-3	BRONX, NY	06/03/10 10:25
L1008380-02	DUP (060310)	BRONX, NY	06/03/10 11:15
L1008380-03	MW-6	BRONX, NY	06/03/10 12:05
L1008380-04	MW-10	BRONX, NY	06/03/10 14:30
L1008380-05	EQFB	BRONX, NY	06/03/10 12:00
L1008380-06	MW-2	BRONX, NY	06/04/10 08:35
L1008380-07	MW-1	BRONX, NY	06/04/10 08:58
L1008380-08	TRIP BLANK	BRONX, NY	06/03/10 00:00
L1008380-09	MW-9	BRONX, NY	06/04/10 11:10
L1008380-10	MW-4	BRONX, NY	06/04/10 12:35
L1008380-11	MW-8	BRONX, NY	06/04/10 13:50
L1008380-12	MW-3 ADD'L VOLUME FOR (MS/MSD)	BRONX, NY	06/04/10 10:25

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEX data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.

Dissolved Gases

L1008380-01 has an elevated detection limit due to the dilution required by the elevated concentration of target compound in the sample.

L1008380-01, -03 and -07 were re-analyzed on dilutions in order to quantitate the samples within the calibration range. The result should be considered estimated, and is qualified with an E flag, for any compound that exceeded the calibration on the initial analysis. The re-analysis was performed only for the compound that exceeded the calibration range.

The WG417202-4 MS recovery, performed on L1008380-06, is below the acceptance criteria for Methane (47%). The unacceptable percent recovery is attributed to the elevated concentration of target compound present in the sample utilized for the MS. The associated LCS was within criteria; therefore, no further action was taken.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Case Narrative (continued)

Volatile Organics

L1008380-01, -02, -06, -07, -10 and -11 have elevated detection limits due to the dilutions required by the elevated concentrations of target compounds in the samples.

The WG417472-4/-5 MS/MSD recoveries, performed on L1008380-01, are below the acceptance criteria for Toluene (67%/46%). The unacceptable percent recoveries are attributed to the elevated concentrations of target compounds present in the sample utilized for the MS/MSD. In addition, the associated MS/MSD RPD is above the acceptance criteria for Toluene (37%).

Semivolatile Organics by SIM

L1008380-01 and -02 were re-extracted with the method required holding time exceeded due to low surrogates in the method blank of the original extraction and target hits in the samples. The results of both extractions are reported. The re-extract prep batch is WG417540.

L1008380-01, -01RE, -02, -02RE, -07, -10 and -11 have elevated detection limits due to the dilutions required by the sample matrices.

The surrogate recoveries for the WG417017-1 Method Blank, associated with L1008380-01, are below the acceptance criteria for 2-Fluorophenol (11%), Phenol-d6 (7%), Nitrobenzene-d5 (16%) and 4-Terphenyl-d14 (18%).

The surrogate recoveries for the WG417021-1 Method Blank, associated with L1008380-02 through -05 and -09, are below the acceptance criteria for 2-Fluorophenol (11%), Phenol-d6 (7%), Nitrobenzene-d5 (16%) and 4-Terphenyl-d14 (18%).

The surrogate recovery for the WG417017-2 LCS, associated with L1008380-01, is above the acceptance criteria for 2,4,6-Tribromophenol (135%). The associated LCS spike compounds are within overall acceptance criteria; therefore, no further action was taken.

The surrogate recovery for the WG417021-2 LCS, associated with L1008380-02 through -05 and -09, is above the acceptance criteria for 2,4,6-Tribromophenol (135%). The associated LCS spike compounds are within overall acceptance criteria; therefore, no further action was taken.

The surrogate recoveries for the WG417017-4/-5 MS/MSD, performed on L1008380-01, are above the acceptance criteria for 2,4,6-Tribromophenol (134%/145%). The associated MS/MSD spike compounds are

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Case Narrative (continued)

within overall acceptance criteria; therefore, no further action was taken.

The WG417540-4/-5 MS/MSD, performed on L1008380-01RE, was extracted with the method required holding time exceeded.

The WG417540-4 MS recovery, performed on L1008380-01RE, is above the acceptance criteria for Pentachlorophenol (110%); however, the associated LCS recovery is within criteria. No further action was required.

Semivolatile Organics

L1008380-01 has elevated detection limits due to the dilution required by the sample matrix.

The surrogate recoveries for the WG417015-1 Method Blank, associated with L1008380-01, are below the acceptance criteria for 2-Fluorophenol (8%), Phenol-d6 (5%), Nitrobenzene-d5 (13%), 2-Fluorobiphenyl (11%) and 4-Terphenyl-d14 (13%).

The surrogate recoveries for the WG417019-1 Method Blank, associated with L1008380-02 through -07, -09 and -10, are below the acceptance criteria for 2-Fluorophenol (8%), Phenol-d6 (5%), Nitrobenzene-d5 (13%), 2-Fluorobiphenyl (11%) and 4-Terphenyl-d14 (13%). The associated samples are non-detect and have acceptable surrogate recoveries; therefore, no further action was taken.

The WG417015-2 LCS recoveries, associated with L1008380-01, were above the acceptance criteria for 2,4-Dinitrotoluene (101%) and P-Chloro-M-Cresol (99%); however, the associated sample was non-detect for these target compounds. The results of the original analysis are reported.

The WG417019-2 LCS recoveries, associated with L1008380-02 through -07, -09 and -10, were above the acceptance criteria for 2,4-Dinitrotoluene (101%) and P-Chloro-M-Cresol (99%); however, the associated samples were non-detect for these target compounds. The results of the original analysis are reported.

Dissolved Metals

The WG416512-3/-4 MS/MSD recoveries, performed on L1008380-01, are above the acceptance criteria for Sodium (140%/130%). A post digestion spike was performed with an acceptable recovery of 100%.

The WG417042-3 MS recovery, performed on L1008380-01, is above the acceptance criteria for Mercury (133%). A post digestion spike was performed with an acceptable result of 116%.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Case Narrative (continued)


Total Metals

The WG416513-3/-4 MS/MSD recoveries for Iron (200%/200%), performed on L1008380-01, are invalid because the sample concentration is greater than four times the spike amount added.

The WG417043-3 MS recovery, performed on L1008380-01, is above the acceptance criteria for Mercury (131%). A post digestion spike was performed with an acceptable result of 123%.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Michelle M. Morris

Title: Technical Director/Representative

Date: 06/15/10

ORGANICS

VOLATILES

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-01 D2
Client ID: MW-3
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 13:53
Analyst: RY

Date Collected: 06/03/10 10:25
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	5370		ug/l	10.0	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01 D
 Client ID: MW-3
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 12:05
 Analyst: PD

Date Collected: 06/03/10 10:25
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	50	--	10
1,1-Dichloroethane	ND		ug/l	7.5	--	10
Chloroform	ND		ug/l	7.5	--	10
Carbon tetrachloride	ND		ug/l	5.0	--	10
1,2-Dichloropropane	ND		ug/l	18	--	10
Dibromochloromethane	ND		ug/l	5.0	--	10
1,1,2-Trichloroethane	ND		ug/l	7.5	--	10
Tetrachloroethene	ND		ug/l	5.0	--	10
Chlorobenzene	ND		ug/l	5.0	--	10
Trichlorofluoromethane	ND		ug/l	25	--	10
1,2-Dichloroethane	ND		ug/l	5.0	--	10
1,1,1-Trichloroethane	ND		ug/l	5.0	--	10
Bromodichloromethane	ND		ug/l	5.0	--	10
trans-1,3-Dichloropropene	ND		ug/l	5.0	--	10
cis-1,3-Dichloropropene	ND		ug/l	5.0	--	10
1,1-Dichloropropene	ND		ug/l	25	--	10
Bromoform	ND		ug/l	20	--	10
1,1,2,2-Tetrachloroethane	ND		ug/l	5.0	--	10
Benzene	42		ug/l	5.0	--	10
Toluene	410		ug/l	7.5	--	10
Ethylbenzene	350		ug/l	5.0	--	10
Chloromethane	ND		ug/l	25	--	10
Bromomethane	ND		ug/l	10	--	10
Vinyl chloride	ND		ug/l	10	--	10
Chloroethane	ND		ug/l	10	--	10
1,1-Dichloroethene	ND		ug/l	5.0	--	10
trans-1,2-Dichloroethene	ND		ug/l	7.5	--	10
Trichloroethene	ND		ug/l	5.0	--	10
1,2-Dichlorobenzene	ND		ug/l	25	--	10
1,3-Dichlorobenzene	ND		ug/l	25	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01 D Date Collected: 06/03/10 10:25
 Client ID: MW-3 Date Received: 06/04/10
 Sample Location: BRONX, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	25	--	10
Methyl tert butyl ether	28		ug/l	10	--	10
p/m-Xylene	980		ug/l	10	--	10
o-Xylene	450		ug/l	10	--	10
cis-1,2-Dichloroethene	ND		ug/l	5.0	--	10
Dibromomethane	ND		ug/l	50	--	10
1,2,3-Trichloropropane	ND		ug/l	50	--	10
Acrylonitrile	ND		ug/l	50	--	10
Styrene	ND		ug/l	10	--	10
Dichlorodifluoromethane	ND		ug/l	50	--	10
Acetone	ND		ug/l	50	--	10
Carbon disulfide	ND		ug/l	50	--	10
2-Butanone	ND		ug/l	50	--	10
Vinyl acetate	ND		ug/l	50	--	10
4-Methyl-2-pentanone	ND		ug/l	50	--	10
2-Hexanone	ND		ug/l	50	--	10
Bromochloromethane	ND		ug/l	25	--	10
2,2-Dichloropropane	ND		ug/l	25	--	10
1,2-Dibromoethane	ND		ug/l	20	--	10
1,3-Dichloropropane	ND		ug/l	25	--	10
1,1,1,2-Tetrachloroethane	ND		ug/l	5.0	--	10
Bromobenzene	ND		ug/l	25	--	10
n-Butylbenzene	43		ug/l	5.0	--	10
sec-Butylbenzene	38		ug/l	5.0	--	10
tert-Butylbenzene	ND		ug/l	25	--	10
o-Chlorotoluene	ND		ug/l	25	--	10
p-Chlorotoluene	ND		ug/l	25	--	10
1,2-Dibromo-3-chloropropane	ND		ug/l	25	--	10
Hexachlorobutadiene	ND		ug/l	6.0	--	10
Isopropylbenzene	85		ug/l	5.0	--	10
p-Isopropyltoluene	ND		ug/l	5.0	--	10
Naphthalene	54		ug/l	25	--	10
n-Propylbenzene	270		ug/l	5.0	--	10
1,2,3-Trichlorobenzene	ND		ug/l	25	--	10
1,2,4-Trichlorobenzene	ND		ug/l	25	--	10
1,3,5-Trimethylbenzene	57		ug/l	25	--	10
1,2,4-Trimethylbenzene	200		ug/l	25	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01 D
 Client ID: MW-3
 Sample Location: BRONX, NY

Date Collected: 06/03/10 10:25
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	50		ug/l	20	--	10
4-Ethyltoluene	160		ug/l	20	--	10
1,2,4,5-Tetramethylbenzene	96		ug/l	20	--	10
Ethyl ether	ND		ug/l	25	--	10
trans-1,4-Dichloro-2-butene	ND		ug/l	25	--	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	103		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-01 D
Client ID: MW-3
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 12:06
Analyst: RY

Date Collected: 06/03/10 10:25
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	6120	E	ug/l	4.00	--	4

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02 D
 Client ID: DUP (060310)
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 12:39
 Analyst: PD

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	120	--	25
1,1-Dichloroethane	ND		ug/l	19	--	25
Chloroform	ND		ug/l	19	--	25
Carbon tetrachloride	ND		ug/l	12	--	25
1,2-Dichloropropane	ND		ug/l	44	--	25
Dibromochloromethane	ND		ug/l	12	--	25
1,1,2-Trichloroethane	ND		ug/l	19	--	25
Tetrachloroethene	ND		ug/l	12	--	25
Chlorobenzene	ND		ug/l	12	--	25
Trichlorofluoromethane	ND		ug/l	62	--	25
1,2-Dichloroethane	ND		ug/l	12	--	25
1,1,1-Trichloroethane	ND		ug/l	12	--	25
Bromodichloromethane	ND		ug/l	12	--	25
trans-1,3-Dichloropropene	ND		ug/l	12	--	25
cis-1,3-Dichloropropene	ND		ug/l	12	--	25
1,1-Dichloropropene	ND		ug/l	62	--	25
Bromoform	ND		ug/l	50	--	25
1,1,2,2-Tetrachloroethane	ND		ug/l	12	--	25
Benzene	34		ug/l	12	--	25
Toluene	280		ug/l	19	--	25
Ethylbenzene	300		ug/l	12	--	25
Chloromethane	ND		ug/l	62	--	25
Bromomethane	ND		ug/l	25	--	25
Vinyl chloride	ND		ug/l	25	--	25
Chloroethane	ND		ug/l	25	--	25
1,1-Dichloroethene	ND		ug/l	12	--	25
trans-1,2-Dichloroethene	ND		ug/l	19	--	25
Trichloroethene	ND		ug/l	12	--	25
1,2-Dichlorobenzene	ND		ug/l	62	--	25
1,3-Dichlorobenzene	ND		ug/l	62	--	25

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02 D Date Collected: 06/03/10 11:15
 Client ID: DUP (060310) Date Received: 06/04/10
 Sample Location: BRONX, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	62	--	25
Methyl tert butyl ether	ND		ug/l	25	--	25
p/m-Xylene	820		ug/l	25	--	25
o-Xylene	360		ug/l	25	--	25
cis-1,2-Dichloroethene	ND		ug/l	12	--	25
Dibromomethane	ND		ug/l	120	--	25
1,2,3-Trichloropropane	ND		ug/l	120	--	25
Acrylonitrile	ND		ug/l	120	--	25
Styrene	ND		ug/l	25	--	25
Dichlorodifluoromethane	ND		ug/l	120	--	25
Acetone	ND		ug/l	120	--	25
Carbon disulfide	ND		ug/l	120	--	25
2-Butanone	ND		ug/l	120	--	25
Vinyl acetate	ND		ug/l	120	--	25
4-Methyl-2-pentanone	ND		ug/l	120	--	25
2-Hexanone	ND		ug/l	120	--	25
Bromochloromethane	ND		ug/l	62	--	25
2,2-Dichloropropane	ND		ug/l	62	--	25
1,2-Dibromoethane	ND		ug/l	50	--	25
1,3-Dichloropropane	ND		ug/l	62	--	25
1,1,1,2-Tetrachloroethane	ND		ug/l	12	--	25
Bromobenzene	ND		ug/l	62	--	25
n-Butylbenzene	40		ug/l	12	--	25
sec-Butylbenzene	34		ug/l	12	--	25
tert-Butylbenzene	ND		ug/l	62	--	25
o-Chlorotoluene	ND		ug/l	62	--	25
p-Chlorotoluene	ND		ug/l	62	--	25
1,2-Dibromo-3-chloropropane	ND		ug/l	62	--	25
Hexachlorobutadiene	ND		ug/l	15	--	25
Isopropylbenzene	79		ug/l	12	--	25
p-Isopropyltoluene	ND		ug/l	12	--	25
Naphthalene	ND		ug/l	62	--	25
n-Propylbenzene	270		ug/l	12	--	25
1,2,3-Trichlorobenzene	ND		ug/l	62	--	25
1,2,4-Trichlorobenzene	ND		ug/l	62	--	25
1,3,5-Trimethylbenzene	ND		ug/l	62	--	25
1,2,4-Trimethylbenzene	150		ug/l	62	--	25

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-02 D
 Client ID: DUP (060310)
 Sample Location: BRONX, NY

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	50	--	25
4-Ethyltoluene	120		ug/l	50	--	25
1,2,4,5-Tetramethylbenzene	98		ug/l	50	--	25
Ethyl ether	ND		ug/l	62	--	25
trans-1,4-Dichloro-2-butene	ND		ug/l	62	--	25

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	100		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03
 Client ID: MW-6
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/10/10 19:36
 Analyst: PD

Date Collected: 06/03/10 12:05
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03

Date Collected: 06/03/10 12:05

Client ID: MW-6

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03

Date Collected: 06/03/10 12:05

Client ID: MW-6

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	104		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-03
Client ID: MW-6
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 16:15
Analyst: RY

Date Collected: 06/03/10 12:05
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	2070	E	ug/l	1.00	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-03 D
Client ID: MW-6
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 15:49
Analyst: RY

Date Collected: 06/03/10 12:05
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	1730		ug/l	4.00	--	4

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04
 Client ID: MW-10
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/10/10 20:10
 Analyst: PD

Date Collected: 06/03/10 14:30
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04

Date Collected: 06/03/10 14:30

Client ID: MW-10

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04

Date Collected: 06/03/10 14:30

Client ID: MW-10

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	101		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-04
Client ID: MW-10
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 14:43
Analyst: RY

Date Collected: 06/03/10 14:30
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	614		ug/l	1.00	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05
 Client ID: EQFB
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/10/10 20:45
 Analyst: PD

Date Collected: 06/03/10 12:00
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05

Date Collected: 06/03/10 12:00

Client ID: EQFB

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	11		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05

Date Collected: 06/03/10 12:00

Client ID: EQFB

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	102		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-05

Date Collected: 06/03/10 12:00

Client ID: EQFB

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Analytical Method: 53,-

Analytical Date: 06/11/10 13:11

Analyst: RY

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	ND		ug/l	1.00	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-06
Client ID: MW-2
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 14:56
Analyst: RY

Date Collected: 06/04/10 08:35
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	820		ug/l	1.00	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06 D
 Client ID: MW-2
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 13:14
 Analyst: PD

Date Collected: 06/04/10 08:35
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	10	--	2
1,1-Dichloroethane	ND		ug/l	1.5	--	2
Chloroform	ND		ug/l	1.5	--	2
Carbon tetrachloride	ND		ug/l	1.0	--	2
1,2-Dichloropropane	ND		ug/l	3.5	--	2
Dibromochloromethane	ND		ug/l	1.0	--	2
1,1,2-Trichloroethane	ND		ug/l	1.5	--	2
Tetrachloroethene	ND		ug/l	1.0	--	2
Chlorobenzene	ND		ug/l	1.0	--	2
Trichlorofluoromethane	ND		ug/l	5.0	--	2
1,2-Dichloroethane	ND		ug/l	1.0	--	2
1,1,1-Trichloroethane	ND		ug/l	1.0	--	2
Bromodichloromethane	ND		ug/l	1.0	--	2
trans-1,3-Dichloropropene	ND		ug/l	1.0	--	2
cis-1,3-Dichloropropene	ND		ug/l	1.0	--	2
1,1-Dichloropropene	ND		ug/l	5.0	--	2
Bromoform	ND		ug/l	4.0	--	2
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	2
Benzene	ND		ug/l	1.0	--	2
Toluene	ND		ug/l	1.5	--	2
Ethylbenzene	7.9		ug/l	1.0	--	2
Chloromethane	ND		ug/l	5.0	--	2
Bromomethane	ND		ug/l	2.0	--	2
Vinyl chloride	ND		ug/l	2.0	--	2
Chloroethane	ND		ug/l	2.0	--	2
1,1-Dichloroethene	ND		ug/l	1.0	--	2
trans-1,2-Dichloroethene	ND		ug/l	1.5	--	2
Trichloroethene	ND		ug/l	1.0	--	2
1,2-Dichlorobenzene	ND		ug/l	5.0	--	2
1,3-Dichlorobenzene	ND		ug/l	5.0	--	2

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06 D Date Collected: 06/04/10 08:35
 Client ID: MW-2 Date Received: 06/04/10
 Sample Location: BRONX, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	5.0	--	2
Methyl tert butyl ether	ND		ug/l	2.0	--	2
p/m-Xylene	2.3		ug/l	2.0	--	2
o-Xylene	ND		ug/l	2.0	--	2
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	2
Dibromomethane	ND		ug/l	10	--	2
1,2,3-Trichloropropane	ND		ug/l	10	--	2
Acrylonitrile	ND		ug/l	10	--	2
Styrene	ND		ug/l	2.0	--	2
Dichlorodifluoromethane	ND		ug/l	10	--	2
Acetone	ND		ug/l	10	--	2
Carbon disulfide	ND		ug/l	10	--	2
2-Butanone	ND		ug/l	10	--	2
Vinyl acetate	ND		ug/l	10	--	2
4-Methyl-2-pentanone	ND		ug/l	10	--	2
2-Hexanone	ND		ug/l	10	--	2
Bromochloromethane	ND		ug/l	5.0	--	2
2,2-Dichloropropane	ND		ug/l	5.0	--	2
1,2-Dibromoethane	ND		ug/l	4.0	--	2
1,3-Dichloropropane	ND		ug/l	5.0	--	2
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	2
Bromobenzene	ND		ug/l	5.0	--	2
n-Butylbenzene	33		ug/l	1.0	--	2
sec-Butylbenzene	33		ug/l	1.0	--	2
tert-Butylbenzene	ND		ug/l	5.0	--	2
o-Chlorotoluene	ND		ug/l	5.0	--	2
p-Chlorotoluene	ND		ug/l	5.0	--	2
1,2-Dibromo-3-chloropropane	ND		ug/l	5.0	--	2
Hexachlorobutadiene	ND		ug/l	1.2	--	2
Isopropylbenzene	12		ug/l	1.0	--	2
p-Isopropyltoluene	1.1		ug/l	1.0	--	2
Naphthalene	ND		ug/l	5.0	--	2
n-Propylbenzene	84		ug/l	1.0	--	2
1,2,3-Trichlorobenzene	ND		ug/l	5.0	--	2
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	2
1,3,5-Trimethylbenzene	ND		ug/l	5.0	--	2
1,2,4-Trimethylbenzene	14		ug/l	5.0	--	2

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06 D
 Client ID: MW-2
 Sample Location: BRONX, NY

Date Collected: 06/04/10 08:35
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	32		ug/l	4.0	--	2
4-Ethyltoluene	ND		ug/l	4.0	--	2
1,2,4,5-Tetramethylbenzene	61		ug/l	4.0	--	2
Ethyl ether	ND		ug/l	5.0	--	2
trans-1,4-Dichloro-2-butene	ND		ug/l	5.0	--	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	102		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07
Client ID: MW-1
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 16:00
Analyst: RY

Date Collected: 06/04/10 08:58
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	5870	E	ug/l	1.00	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07 D
 Client ID: MW-1
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 13:48
 Analyst: PD

Date Collected: 06/04/10 08:58
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	50	--	10
1,1-Dichloroethane	ND		ug/l	7.5	--	10
Chloroform	ND		ug/l	7.5	--	10
Carbon tetrachloride	ND		ug/l	5.0	--	10
1,2-Dichloropropane	ND		ug/l	18	--	10
Dibromochloromethane	ND		ug/l	5.0	--	10
1,1,2-Trichloroethane	ND		ug/l	7.5	--	10
Tetrachloroethene	ND		ug/l	5.0	--	10
Chlorobenzene	ND		ug/l	5.0	--	10
Trichlorofluoromethane	ND		ug/l	25	--	10
1,2-Dichloroethane	ND		ug/l	5.0	--	10
1,1,1-Trichloroethane	ND		ug/l	5.0	--	10
Bromodichloromethane	ND		ug/l	5.0	--	10
trans-1,3-Dichloropropene	ND		ug/l	5.0	--	10
cis-1,3-Dichloropropene	ND		ug/l	5.0	--	10
1,1-Dichloropropene	ND		ug/l	25	--	10
Bromoform	ND		ug/l	20	--	10
1,1,2,2-Tetrachloroethane	ND		ug/l	5.0	--	10
Benzene	ND		ug/l	5.0	--	10
Toluene	65		ug/l	7.5	--	10
Ethylbenzene	360		ug/l	5.0	--	10
Chloromethane	ND		ug/l	25	--	10
Bromomethane	ND		ug/l	10	--	10
Vinyl chloride	ND		ug/l	10	--	10
Chloroethane	ND		ug/l	10	--	10
1,1-Dichloroethene	ND		ug/l	5.0	--	10
trans-1,2-Dichloroethene	ND		ug/l	7.5	--	10
Trichloroethene	ND		ug/l	5.0	--	10
1,2-Dichlorobenzene	ND		ug/l	25	--	10
1,3-Dichlorobenzene	ND		ug/l	25	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07 D
 Client ID: MW-1
 Sample Location: BRONX, NY

Date Collected: 06/04/10 08:58
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	25	--	10
Methyl tert butyl ether	ND		ug/l	10	--	10
p/m-Xylene	700		ug/l	10	--	10
o-Xylene	190		ug/l	10	--	10
cis-1,2-Dichloroethene	ND		ug/l	5.0	--	10
Dibromomethane	ND		ug/l	50	--	10
1,2,3-Trichloropropane	ND		ug/l	50	--	10
Acrylonitrile	ND		ug/l	50	--	10
Styrene	ND		ug/l	10	--	10
Dichlorodifluoromethane	ND		ug/l	50	--	10
Acetone	ND		ug/l	50	--	10
Carbon disulfide	ND		ug/l	50	--	10
2-Butanone	ND		ug/l	50	--	10
Vinyl acetate	ND		ug/l	50	--	10
4-Methyl-2-pentanone	ND		ug/l	50	--	10
2-Hexanone	ND		ug/l	50	--	10
Bromochloromethane	ND		ug/l	25	--	10
2,2-Dichloropropane	ND		ug/l	25	--	10
1,2-Dibromoethane	ND		ug/l	20	--	10
1,3-Dichloropropane	ND		ug/l	25	--	10
1,1,1,2-Tetrachloroethane	ND		ug/l	5.0	--	10
Bromobenzene	ND		ug/l	25	--	10
n-Butylbenzene	18		ug/l	5.0	--	10
sec-Butylbenzene	19		ug/l	5.0	--	10
tert-Butylbenzene	ND		ug/l	25	--	10
o-Chlorotoluene	ND		ug/l	25	--	10
p-Chlorotoluene	ND		ug/l	25	--	10
1,2-Dibromo-3-chloropropane	ND		ug/l	25	--	10
Hexachlorobutadiene	ND		ug/l	6.0	--	10
Isopropylbenzene	100		ug/l	5.0	--	10
p-Isopropyltoluene	7.6		ug/l	5.0	--	10
Naphthalene	33		ug/l	25	--	10
n-Propylbenzene	240		ug/l	5.0	--	10
1,2,3-Trichlorobenzene	ND		ug/l	25	--	10
1,2,4-Trichlorobenzene	ND		ug/l	25	--	10
1,3,5-Trimethylbenzene	45		ug/l	25	--	10
1,2,4-Trimethylbenzene	220		ug/l	25	--	10

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07 D

Date Collected: 06/04/10 08:58

Client ID: MW-1

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	33		ug/l	20	--	10
4-Ethyltoluene	120		ug/l	20	--	10
1,2,4,5-Tetramethylbenzene	72		ug/l	20	--	10
Ethyl ether	ND		ug/l	25	--	10
trans-1,4-Dichloro-2-butene	ND		ug/l	25	--	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	107		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07 D
Client ID: MW-1
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 53,-
Analytical Date: 06/11/10 15:37
Analyst: RY

Date Collected: 06/04/10 08:58
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Dissolved Gases by GC - Mansfield Lab						
Methane	4360		ug/l	5.00	--	5

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-08
 Client ID: TRIP BLANK
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 10:22
 Analyst: PD

Date Collected: 06/03/10 00:00
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-08

Date Collected: 06/03/10 00:00

Client ID: TRIP BLANK

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-08

Date Collected: 06/03/10 00:00

Client ID: TRIP BLANK

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	104		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09
 Client ID: MW-9
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/10/10 23:02
 Analyst: PD

Date Collected: 06/04/10 11:10
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	0.58		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	0.68		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09

Date Collected: 06/04/10 11:10

Client ID: MW-9

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	2.2		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	8.9		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09

Date Collected: 06/04/10 11:10

Client ID: MW-9

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	102		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10 D
 Client ID: MW-4
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 14:23
 Analyst: PD

Date Collected: 06/04/10 12:35
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	25	--	5
1,1-Dichloroethane	ND		ug/l	3.8	--	5
Chloroform	ND		ug/l	3.8	--	5
Carbon tetrachloride	ND		ug/l	2.5	--	5
1,2-Dichloropropane	ND		ug/l	8.8	--	5
Dibromochloromethane	ND		ug/l	2.5	--	5
1,1,2-Trichloroethane	ND		ug/l	3.8	--	5
Tetrachloroethene	ND		ug/l	2.5	--	5
Chlorobenzene	ND		ug/l	2.5	--	5
Trichlorofluoromethane	ND		ug/l	12	--	5
1,2-Dichloroethane	ND		ug/l	2.5	--	5
1,1,1-Trichloroethane	ND		ug/l	2.5	--	5
Bromodichloromethane	ND		ug/l	2.5	--	5
trans-1,3-Dichloropropene	ND		ug/l	2.5	--	5
cis-1,3-Dichloropropene	ND		ug/l	2.5	--	5
1,1-Dichloropropene	ND		ug/l	12	--	5
Bromoform	ND		ug/l	10	--	5
1,1,2,2-Tetrachloroethane	ND		ug/l	2.5	--	5
Benzene	ND		ug/l	2.5	--	5
Toluene	4.0		ug/l	3.8	--	5
Ethylbenzene	47		ug/l	2.5	--	5
Chloromethane	ND		ug/l	12	--	5
Bromomethane	ND		ug/l	5.0	--	5
Vinyl chloride	ND		ug/l	5.0	--	5
Chloroethane	ND		ug/l	5.0	--	5
1,1-Dichloroethene	ND		ug/l	2.5	--	5
trans-1,2-Dichloroethene	ND		ug/l	3.8	--	5
Trichloroethene	ND		ug/l	2.5	--	5
1,2-Dichlorobenzene	ND		ug/l	12	--	5
1,3-Dichlorobenzene	ND		ug/l	12	--	5

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10 D Date Collected: 06/04/10 12:35
 Client ID: MW-4 Date Received: 06/04/10
 Sample Location: BRONX, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	12	--	5
Methyl tert butyl ether	ND		ug/l	5.0	--	5
p/m-Xylene	160		ug/l	5.0	--	5
o-Xylene	43		ug/l	5.0	--	5
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	5
Dibromomethane	ND		ug/l	25	--	5
1,2,3-Trichloropropane	ND		ug/l	25	--	5
Acrylonitrile	ND		ug/l	25	--	5
Styrene	ND		ug/l	5.0	--	5
Dichlorodifluoromethane	ND		ug/l	25	--	5
Acetone	ND		ug/l	25	--	5
Carbon disulfide	ND		ug/l	25	--	5
2-Butanone	ND		ug/l	25	--	5
Vinyl acetate	ND		ug/l	25	--	5
4-Methyl-2-pentanone	ND		ug/l	25	--	5
2-Hexanone	ND		ug/l	25	--	5
Bromochloromethane	ND		ug/l	12	--	5
2,2-Dichloropropane	ND		ug/l	12	--	5
1,2-Dibromoethane	ND		ug/l	10	--	5
1,3-Dichloropropane	ND		ug/l	12	--	5
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	--	5
Bromobenzene	ND		ug/l	12	--	5
n-Butylbenzene	3.2		ug/l	2.5	--	5
sec-Butylbenzene	ND		ug/l	2.5	--	5
tert-Butylbenzene	ND		ug/l	12	--	5
o-Chlorotoluene	ND		ug/l	12	--	5
p-Chlorotoluene	ND		ug/l	12	--	5
1,2-Dibromo-3-chloropropane	ND		ug/l	12	--	5
Hexachlorobutadiene	ND		ug/l	3.0	--	5
Isopropylbenzene	6.7		ug/l	2.5	--	5
p-Isopropyltoluene	ND		ug/l	2.5	--	5
Naphthalene	26		ug/l	12	--	5
n-Propylbenzene	17		ug/l	2.5	--	5
1,2,3-Trichlorobenzene	ND		ug/l	12	--	5
1,2,4-Trichlorobenzene	ND		ug/l	12	--	5
1,3,5-Trimethylbenzene	31		ug/l	12	--	5
1,2,4-Trimethylbenzene	130		ug/l	12	--	5

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10 D
 Client ID: MW-4
 Sample Location: BRONX, NY

Date Collected: 06/04/10 12:35
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	14		ug/l	10	--	5
4-Ethyltoluene	77		ug/l	10	--	5
1,2,4,5-Tetramethylbenzene	12		ug/l	10	--	5
Ethyl ether	ND		ug/l	12	--	5
trans-1,4-Dichloro-2-butene	ND		ug/l	12	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	102		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11 D
 Client ID: MW-8
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/11/10 14:57
 Analyst: PD

Date Collected: 06/04/10 13:50
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	50	--	10
1,1-Dichloroethane	ND		ug/l	7.5	--	10
Chloroform	ND		ug/l	7.5	--	10
Carbon tetrachloride	ND		ug/l	5.0	--	10
1,2-Dichloropropane	ND		ug/l	18	--	10
Dibromochloromethane	ND		ug/l	5.0	--	10
1,1,2-Trichloroethane	ND		ug/l	7.5	--	10
Tetrachloroethene	ND		ug/l	5.0	--	10
Chlorobenzene	ND		ug/l	5.0	--	10
Trichlorofluoromethane	ND		ug/l	25	--	10
1,2-Dichloroethane	ND		ug/l	5.0	--	10
1,1,1-Trichloroethane	ND		ug/l	5.0	--	10
Bromodichloromethane	ND		ug/l	5.0	--	10
trans-1,3-Dichloropropene	ND		ug/l	5.0	--	10
cis-1,3-Dichloropropene	ND		ug/l	5.0	--	10
1,1-Dichloropropene	ND		ug/l	25	--	10
Bromoform	ND		ug/l	20	--	10
1,1,2,2-Tetrachloroethane	ND		ug/l	5.0	--	10
Benzene	33		ug/l	5.0	--	10
Toluene	770		ug/l	7.5	--	10
Ethylbenzene	920		ug/l	5.0	--	10
Chloromethane	ND		ug/l	25	--	10
Bromomethane	ND		ug/l	10	--	10
Vinyl chloride	ND		ug/l	10	--	10
Chloroethane	ND		ug/l	10	--	10
1,1-Dichloroethene	ND		ug/l	5.0	--	10
trans-1,2-Dichloroethene	ND		ug/l	7.5	--	10
Trichloroethene	ND		ug/l	5.0	--	10
1,2-Dichlorobenzene	ND		ug/l	25	--	10
1,3-Dichlorobenzene	ND		ug/l	25	--	10

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11 D Date Collected: 06/04/10 13:50
 Client ID: MW-8 Date Received: 06/04/10
 Sample Location: BRONX, NY Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	25	--	10
Methyl tert butyl ether	ND		ug/l	10	--	10
p/m-Xylene	1900		ug/l	10	--	10
o-Xylene	620		ug/l	10	--	10
cis-1,2-Dichloroethene	ND		ug/l	5.0	--	10
Dibromomethane	ND		ug/l	50	--	10
1,2,3-Trichloropropane	ND		ug/l	50	--	10
Acrylonitrile	ND		ug/l	50	--	10
Styrene	ND		ug/l	10	--	10
Dichlorodifluoromethane	ND		ug/l	50	--	10
Acetone	ND		ug/l	50	--	10
Carbon disulfide	ND		ug/l	50	--	10
2-Butanone	ND		ug/l	50	--	10
Vinyl acetate	ND		ug/l	50	--	10
4-Methyl-2-pentanone	ND		ug/l	50	--	10
2-Hexanone	ND		ug/l	50	--	10
Bromochloromethane	ND		ug/l	25	--	10
2,2-Dichloropropane	ND		ug/l	25	--	10
1,2-Dibromoethane	ND		ug/l	20	--	10
1,3-Dichloropropane	ND		ug/l	25	--	10
1,1,1,2-Tetrachloroethane	ND		ug/l	5.0	--	10
Bromobenzene	ND		ug/l	25	--	10
n-Butylbenzene	9.1		ug/l	5.0	--	10
sec-Butylbenzene	8.4		ug/l	5.0	--	10
tert-Butylbenzene	ND		ug/l	25	--	10
o-Chlorotoluene	ND		ug/l	25	--	10
p-Chlorotoluene	ND		ug/l	25	--	10
1,2-Dibromo-3-chloropropane	ND		ug/l	25	--	10
Hexachlorobutadiene	ND		ug/l	6.0	--	10
Isopropylbenzene	90		ug/l	5.0	--	10
p-Isopropyltoluene	ND		ug/l	5.0	--	10
Naphthalene	51		ug/l	25	--	10
n-Propylbenzene	180		ug/l	5.0	--	10
1,2,3-Trichlorobenzene	ND		ug/l	25	--	10
1,2,4-Trichlorobenzene	ND		ug/l	25	--	10
1,3,5-Trimethylbenzene	75		ug/l	25	--	10
1,2,4-Trimethylbenzene	420		ug/l	25	--	10

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-11 D

Date Collected: 06/04/10 13:50

Client ID: MW-8

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	26		ug/l	20	--	10
4-Ethyltoluene	220		ug/l	20	--	10
1,2,4,5-Tetramethylbenzene	26		ug/l	20	--	10
Ethyl ether	ND		ug/l	25	--	10
trans-1,4-Dichloro-2-butene	ND		ug/l	25	--	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	98		70-130

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**Method Blank Analysis
Batch Quality Control**

Analytical Method: 53,-

Analytical Date: 06/11/10 11:05

Analyst: RY

Parameter	Result	Qualifier	Units	RL	MDL
Dissolved Gases by GC - Mansfield Lab for sample(s): 01,03-07 Batch: WG417202-2					
Methane	ND		ug/l	1.00	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/10/10 13:15
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03-05,09 Batch: WG417371-3					
Methylene chloride	ND		ug/l	5.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
Analytical Date: 06/10/10 13:15
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03-05,09 Batch: WG417371-3					
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
Analytical Date: 06/10/10 13:15
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03-05,09 Batch: WG417371-3					
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
1,4-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	103		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/11/10 09:40
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,06-08,10-11 Batch: WG417472-3					
Methylene chloride	ND		ug/l	5.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/11/10 09:40
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,06-08,10-11 Batch: WG417472-3					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	0.50	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/11/10 09:40
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02,06-08,10-11 Batch: WG417472-3					
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
1,4-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	104		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Dissolved Gases by GC - Mansfield Lab Associated sample(s): 01,03-07 Batch: WG417202-1								
Methane	114		-		80-120	-		25

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03-05,09 Batch: WG417371-1 WG417371-2								
Chlorobenzene	105		103		75-130	2		20
Benzene	99		96		76-127	3		20
Toluene	101		99		76-125	2		20
1,1-Dichloroethene	94		91		61-145	3		20
Trichloroethene	102		102		71-120	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03-05,09 Batch: WG417371-1 WG417371-2								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	105		104		70-130
Toluene-d8	101		102		70-130
4-Bromofluorobenzene	101		101		70-130
Dibromofluoromethane	109		109		70-130

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,06-08,10-11 Batch: WG417472-1 WG417472-2								
Chlorobenzene	92		95		75-130	3		20
Benzene	91		93		76-127	2		20
Toluene	89		94		76-125	5		20
1,1-Dichloroethene	86		88		61-145	2		20
Trichloroethene	90		92		71-120	2		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,06-08,10-11 Batch: WG417472-1 WG417472-2

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	104		100		70-130
Toluene-d8	101		102		70-130
4-Bromofluorobenzene	101		100		70-130
Dibromofluoromethane	106		106		70-130

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Dissolved Gases by GC - Mansfield Lab Associated sample(s): 01,03-07 QC Batch ID: WG417202-4 QC Sample: L1008380-06 Client ID: MW-2												
Methane	820	103	868	47	Q	-	-		80-120	-		25

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02,06-08,10-11 QC Batch ID: WG417472-4 WG417472-5 QC Sample: L1008380-01 Client ID: MW-3												
Chlorobenzene	ND	100	91	91		86	86		75-130	6		20
Benzene	42	100	130	90		130	86		76-127	5		20
Toluene	410	100	480	67	Q	450	46	Q	76-125	37	Q	20
1,1-Dichloroethene	ND	100	91	91		88	88		61-145	3		20
Trichloroethene	ND	100	97	97		94	94		71-120	3		20

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		106		70-130
4-Bromofluorobenzene	97		99		70-130
Dibromofluoromethane	104		107		70-130
Toluene-d8	100		102		70-130

Lab Duplicate Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Dissolved Gases by GC - Mansfield Lab Associated sample(s): 01,03-07 QC Batch ID: WG417202-3 QC Sample: L1008380-06 Client ID: MW-2						
Methane	820	896	ug/l	9		25

SEMIVOLATILES

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-01 **RE/D**
Client ID: MW-3
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/12/10 14:43
Analyst: ND

Date Collected: 06/03/10 10:25
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	1.0	--	5
2-Chloronaphthalene	ND		ug/l	1.0	--	5
Fluoranthene	ND		ug/l	1.0	--	5
Hexachlorobutadiene	ND		ug/l	2.5	--	5
Naphthalene	34		ug/l	1.0	--	5
Benzo(a)anthracene	ND		ug/l	1.0	--	5
Benzo(a)pyrene	ND		ug/l	1.0	--	5
Benzo(b)fluoranthene	ND		ug/l	1.0	--	5
Benzo(k)fluoranthene	ND		ug/l	1.0	--	5
Chrysene	ND		ug/l	1.0	--	5
Acenaphthylene	ND		ug/l	1.0	--	5
Anthracene	ND		ug/l	1.0	--	5
Benzo(ghi)perylene	ND		ug/l	1.0	--	5
Fluorene	ND		ug/l	1.0	--	5
Phenanthrene	ND		ug/l	1.0	--	5
Dibenzo(a,h)anthracene	ND		ug/l	1.0	--	5
Indeno(1,2,3-cd)Pyrene	ND		ug/l	1.0	--	5
Pyrene	ND		ug/l	1.0	--	5
2-Methylnaphthalene	4.5		ug/l	1.0	--	5
Pentachlorophenol	ND		ug/l	4.0	--	5
Hexachlorobenzene	ND		ug/l	4.0	--	5
Hexachloroethane	ND		ug/l	4.0	--	5

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01 RE/D

Date Collected: 06/03/10 10:25

Client ID: MW-3

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		21-120
Phenol-d6	29		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	80		15-120
2,4,6-Tribromophenol	87		10-120
4-Terphenyl-d14	92		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-01 D
Client ID: MW-3
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/10/10 15:39
Analyst: HL

Date Collected: 06/03/10 10:25
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:06

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	2.0	--	10
2-Chloronaphthalene	ND		ug/l	2.0	--	10
Fluoranthene	ND		ug/l	2.0	--	10
Hexachlorobutadiene	ND		ug/l	5.0	--	10
Naphthalene	41		ug/l	2.0	--	10
Benzo(a)anthracene	ND		ug/l	2.0	--	10
Benzo(a)pyrene	ND		ug/l	2.0	--	10
Benzo(b)fluoranthene	ND		ug/l	2.0	--	10
Benzo(k)fluoranthene	ND		ug/l	2.0	--	10
Chrysene	ND		ug/l	2.0	--	10
Acenaphthylene	ND		ug/l	2.0	--	10
Anthracene	ND		ug/l	2.0	--	10
Benzo(ghi)perylene	ND		ug/l	2.0	--	10
Fluorene	ND		ug/l	2.0	--	10
Phenanthrene	ND		ug/l	2.0	--	10
Dibenzo(a,h)anthracene	ND		ug/l	2.0	--	10
Indeno(1,2,3-cd)Pyrene	ND		ug/l	2.0	--	10
Pyrene	ND		ug/l	2.0	--	10
2-Methylnaphthalene	7.3		ug/l	2.0	--	10
Pentachlorophenol	ND		ug/l	8.0	--	10
Hexachlorobenzene	ND		ug/l	8.0	--	10
Hexachloroethane	ND		ug/l	8.0	--	10

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-01 D

Date Collected: 06/03/10 10:25

Client ID: MW-3

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	47		21-120
Phenol-d6	29		10-120
Nitrobenzene-d5	78		23-120
2-Fluorobiphenyl	84		15-120
2,4,6-Tribromophenol	98		10-120
4-Terphenyl-d14	99		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01 D
 Client ID: MW-3
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 00:20
 Analyst: PS

Date Collected: 06/03/10 10:25
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:02

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	25	--	5
Bis(2-chloroethyl)ether	ND		ug/l	25	--	5
1,2-Dichlorobenzene	ND		ug/l	25	--	5
1,3-Dichlorobenzene	ND		ug/l	25	--	5
1,4-Dichlorobenzene	ND		ug/l	25	--	5
3,3'-Dichlorobenzidine	ND		ug/l	250	--	5
2,4-Dinitrotoluene	ND		ug/l	30	--	5
2,6-Dinitrotoluene	ND		ug/l	25	--	5
4-Chlorophenyl phenyl ether	ND		ug/l	25	--	5
4-Bromophenyl phenyl ether	ND		ug/l	25	--	5
Bis(2-chloroisopropyl)ether	ND		ug/l	25	--	5
Bis(2-chloroethoxy)methane	ND		ug/l	25	--	5
Hexachlorocyclopentadiene	ND		ug/l	150	--	5
Isophorone	ND		ug/l	25	--	5
Nitrobenzene	ND		ug/l	25	--	5
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	75	--	5
n-Nitrosodi-n-propylamine	ND		ug/l	25	--	5
Bis(2-Ethylhexyl)phthalate	ND		ug/l	25	--	5
Butyl benzyl phthalate	ND		ug/l	25	--	5
Di-n-butylphthalate	ND		ug/l	25	--	5
Di-n-octylphthalate	ND		ug/l	25	--	5
Diethyl phthalate	ND		ug/l	25	--	5
Dimethyl phthalate	ND		ug/l	25	--	5
Biphenyl	ND		ug/l	25	--	5
4-Chloroaniline	ND		ug/l	25	--	5
2-Nitroaniline	ND		ug/l	25	--	5
3-Nitroaniline	ND		ug/l	25	--	5
4-Nitroaniline	ND		ug/l	35	--	5
Dibenzofuran	ND		ug/l	25	--	5
1,2,4,5-Tetrachlorobenzene	ND		ug/l	100	--	5

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01 D
 Client ID: MW-3
 Sample Location: BRONX, NY

Date Collected: 06/03/10 10:25
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	100	--	5
2,4,6-Trichlorophenol	ND		ug/l	25	--	5
P-Chloro-M-Cresol	ND		ug/l	25	--	5
2-Chlorophenol	ND		ug/l	30	--	5
2,4-Dichlorophenol	ND		ug/l	50	--	5
2,4-Dimethylphenol	ND		ug/l	50	--	5
2-Nitrophenol	ND		ug/l	100	--	5
4-Nitrophenol	ND		ug/l	50	--	5
2,4-Dinitrophenol	ND		ug/l	150	--	5
4,6-Dinitro-o-cresol	ND		ug/l	100	--	5
Phenol	ND		ug/l	35	--	5
2-Methylphenol	ND		ug/l	30	--	5
3-Methylphenol/4-Methylphenol	ND		ug/l	30	--	5
2,4,5-Trichlorophenol	ND		ug/l	25	--	5
Benzoic Acid	ND		ug/l	250	--	5
Benzyl Alcohol	ND		ug/l	50	--	5
Carbazole	ND		ug/l	25	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	38		21-120
Phenol-d6	23		10-120
Nitrobenzene-d5	68		23-120
2-Fluorobiphenyl	63		15-120
2,4,6-Tribromophenol	79		10-120
4-Terphenyl-d14	85		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02
 Client ID: DUP (060310)
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 00:45
 Analyst: PS

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.8	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.8	--	1
1,2-Dichlorobenzene	ND		ug/l	4.8	--	1
1,3-Dichlorobenzene	ND		ug/l	4.8	--	1
1,4-Dichlorobenzene	ND		ug/l	4.8	--	1
3,3'-Dichlorobenzidine	ND		ug/l	48	--	1
2,4-Dinitrotoluene	ND		ug/l	5.8	--	1
2,6-Dinitrotoluene	ND		ug/l	4.8	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.8	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.8	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.8	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.8	--	1
Hexachlorocyclopentadiene	ND		ug/l	29	--	1
Isophorone	ND		ug/l	4.8	--	1
Nitrobenzene	ND		ug/l	4.8	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	14	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.8	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.8	--	1
Butyl benzyl phthalate	ND		ug/l	4.8	--	1
Di-n-butylphthalate	ND		ug/l	4.8	--	1
Di-n-octylphthalate	ND		ug/l	4.8	--	1
Diethyl phthalate	ND		ug/l	4.8	--	1
Dimethyl phthalate	ND		ug/l	4.8	--	1
Biphenyl	ND		ug/l	4.8	--	1
4-Chloroaniline	ND		ug/l	4.8	--	1
2-Nitroaniline	ND		ug/l	4.8	--	1
3-Nitroaniline	ND		ug/l	4.8	--	1
4-Nitroaniline	ND		ug/l	6.8	--	1
Dibenzofuran	ND		ug/l	4.8	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	19	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02
 Client ID: DUP (060310)
 Sample Location: BRONX, NY

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	19	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.8	--	1
P-Chloro-M-Cresol	ND		ug/l	4.8	--	1
2-Chlorophenol	ND		ug/l	5.8	--	1
2,4-Dichlorophenol	ND		ug/l	9.7	--	1
2,4-Dimethylphenol	ND		ug/l	9.7	--	1
2-Nitrophenol	ND		ug/l	19	--	1
4-Nitrophenol	ND		ug/l	9.7	--	1
2,4-Dinitrophenol	ND		ug/l	29	--	1
4,6-Dinitro-o-cresol	ND		ug/l	19	--	1
Phenol	ND		ug/l	6.8	--	1
2-Methylphenol	ND		ug/l	5.8	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.8	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.8	--	1
Benzoic Acid	ND		ug/l	48	--	1
Benzyl Alcohol	ND		ug/l	9.7	--	1
Carbazole	ND		ug/l	4.8	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	55		21-120
Phenol-d6	34		10-120
Nitrobenzene-d5	90		23-120
2-Fluorobiphenyl	85		15-120
2,4,6-Tribromophenol	91		10-120
4-Terphenyl-d14	86		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-02 RE/D
 Client ID: DUP (060310)
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/12/10 15:11
 Analyst: ND

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	1.0	--	5
2-Chloronaphthalene	ND		ug/l	1.0	--	5
Fluoranthene	ND		ug/l	1.0	--	5
Hexachlorobutadiene	ND		ug/l	2.5	--	5
Naphthalene	5.0		ug/l	1.0	--	5
Benzo(a)anthracene	ND		ug/l	1.0	--	5
Benzo(a)pyrene	ND		ug/l	1.0	--	5
Benzo(b)fluoranthene	ND		ug/l	1.0	--	5
Benzo(k)fluoranthene	ND		ug/l	1.0	--	5
Chrysene	ND		ug/l	1.0	--	5
Acenaphthylene	ND		ug/l	1.0	--	5
Anthracene	ND		ug/l	1.0	--	5
Benzo(ghi)perylene	ND		ug/l	1.0	--	5
Fluorene	ND		ug/l	1.0	--	5
Phenanthrene	ND		ug/l	1.0	--	5
Dibenzo(a,h)anthracene	ND		ug/l	1.0	--	5
Indeno(1,2,3-cd)Pyrene	ND		ug/l	1.0	--	5
Pyrene	ND		ug/l	1.0	--	5
2-Methylnaphthalene	ND		ug/l	1.0	--	5
Pentachlorophenol	ND		ug/l	4.0	--	5
Hexachlorobenzene	ND		ug/l	4.0	--	5
Hexachloroethane	ND		ug/l	4.0	--	5

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-02 RE/D

Date Collected: 06/03/10 11:15

Client ID: DUP (060310)

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	40		21-120
Phenol-d6	25		10-120
Nitrobenzene-d5	72		23-120
2-Fluorobiphenyl	68		15-120
2,4,6-Tribromophenol	82		10-120
4-Terphenyl-d14	90		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-02 D
Client ID: DUP (060310)
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/11/10 17:04
Analyst: ND

Date Collected: 06/03/10 11:15
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.97	--	5
2-Chloronaphthalene	ND		ug/l	0.97	--	5
Fluoranthene	ND		ug/l	0.97	--	5
Hexachlorobutadiene	ND		ug/l	2.4	--	5
Naphthalene	27		ug/l	0.97	--	5
Benzo(a)anthracene	ND		ug/l	0.97	--	5
Benzo(a)pyrene	ND		ug/l	0.97	--	5
Benzo(b)fluoranthene	ND		ug/l	0.97	--	5
Benzo(k)fluoranthene	ND		ug/l	0.97	--	5
Chrysene	ND		ug/l	0.97	--	5
Acenaphthylene	ND		ug/l	0.97	--	5
Anthracene	ND		ug/l	0.97	--	5
Benzo(ghi)perylene	ND		ug/l	0.97	--	5
Fluorene	ND		ug/l	0.97	--	5
Phenanthrene	ND		ug/l	0.97	--	5
Dibenzo(a,h)anthracene	ND		ug/l	0.97	--	5
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.97	--	5
Pyrene	ND		ug/l	0.97	--	5
2-Methylnaphthalene	4.6		ug/l	0.97	--	5
Pentachlorophenol	ND		ug/l	3.9	--	5
Hexachlorobenzene	ND		ug/l	3.9	--	5
Hexachloroethane	ND		ug/l	3.9	--	5

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-02 D

Date Collected: 06/03/10 11:15

Client ID: DUP (060310)

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	61		21-120
Phenol-d6	35		10-120
Nitrobenzene-d5	95		23-120
2-Fluorobiphenyl	96		15-120
2,4,6-Tribromophenol	103		10-120
4-Terphenyl-d14	99		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-03
Client ID: MW-6
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/10/10 16:37
Analyst: HL

Date Collected: 06/03/10 12:05
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.49	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.78	--	1
Hexachlorobenzene	ND		ug/l	0.78	--	1
Hexachloroethane	ND		ug/l	0.78	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-03

Date Collected: 06/03/10 12:05

Client ID: MW-6

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		21-120
Phenol-d6	31		10-120
Nitrobenzene-d5	74		23-120
2-Fluorobiphenyl	62		15-120
2,4,6-Tribromophenol	96		10-120
4-Terphenyl-d14	85		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03
 Client ID: MW-6
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 01:10
 Analyst: PS

Date Collected: 06/03/10 12:05
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	29	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.8	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03

Date Collected: 06/03/10 12:05

Client ID: MW-6

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.8	--	1
2,4-Dimethylphenol	ND		ug/l	9.8	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.8	--	1
2,4-Dinitrophenol	ND		ug/l	29	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.8	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.8	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	40		21-120
Phenol-d6	27		10-120
Nitrobenzene-d5	61		23-120
2-Fluorobiphenyl	60		15-120
2,4,6-Tribromophenol	78		10-120
4-Terphenyl-d14	82		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-04
Client ID: MW-10
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/10/10 17:06
Analyst: HL

Date Collected: 06/03/10 14:30
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.49	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.78	--	1
Hexachlorobenzene	ND		ug/l	0.78	--	1
Hexachloroethane	ND		ug/l	0.78	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-04

Date Collected: 06/03/10 14:30

Client ID: MW-10

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	51		21-120
Phenol-d6	34		10-120
Nitrobenzene-d5	88		23-120
2-Fluorobiphenyl	70		15-120
2,4,6-Tribromophenol	94		10-120
4-Terphenyl-d14	90		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04
 Client ID: MW-10
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 01:35
 Analyst: PS

Date Collected: 06/03/10 14:30
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	29	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.8	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04

Date Collected: 06/03/10 14:30

Client ID: MW-10

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.8	--	1
2,4-Dimethylphenol	ND		ug/l	9.8	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.8	--	1
2,4-Dinitrophenol	ND		ug/l	29	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.8	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.8	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	47		21-120
Phenol-d6	31		10-120
Nitrobenzene-d5	76		23-120
2-Fluorobiphenyl	71		15-120
2,4,6-Tribromophenol	77		10-120
4-Terphenyl-d14	87		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-05
Client ID: EQFB
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/10/10 17:35
Analyst: HL

Date Collected: 06/03/10 12:00
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.49	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.79	--	1
Hexachlorobenzene	ND		ug/l	0.79	--	1
Hexachloroethane	ND		ug/l	0.79	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-05

Date Collected: 06/03/10 12:00

Client ID: EQFB

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	50		21-120
Phenol-d6	35		10-120
Nitrobenzene-d5	80		23-120
2-Fluorobiphenyl	67		15-120
2,4,6-Tribromophenol	99		10-120
4-Terphenyl-d14	81		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05
 Client ID: EQFB
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 02:00
 Analyst: PS

Date Collected: 06/03/10 12:00
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.9	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05

Date Collected: 06/03/10 12:00

Client ID: EQFB

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.9	--	1
2,4-Dimethylphenol	ND		ug/l	9.9	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.9	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.9	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.9	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		21-120
Phenol-d6	30		10-120
Nitrobenzene-d5	67		23-120
2-Fluorobiphenyl	65		15-120
2,4,6-Tribromophenol	84		10-120
4-Terphenyl-d14	85		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06
 Client ID: MW-2
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 02:25
 Analyst: PS

Date Collected: 06/04/10 08:35
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.9	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06

Date Collected: 06/04/10 08:35

Client ID: MW-2

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.9	--	1
2,4-Dimethylphenol	ND		ug/l	9.9	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.9	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.9	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.9	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	50		21-120
Phenol-d6	31		10-120
Nitrobenzene-d5	77		23-120
2-Fluorobiphenyl	76		15-120
2,4,6-Tribromophenol	85		10-120
4-Terphenyl-d14	81		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-06
Client ID: MW-2
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/14/10 11:14
Analyst: ND

Date Collected: 06/04/10 08:35
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.49	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.79	--	1
Hexachlorobenzene	ND		ug/l	0.79	--	1
Hexachloroethane	ND		ug/l	0.79	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-06

Date Collected: 06/04/10 08:35

Client ID: MW-2

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	29		21-120
Phenol-d6	21		10-120
Nitrobenzene-d5	57		23-120
2-Fluorobiphenyl	54		15-120
2,4,6-Tribromophenol	65		10-120
4-Terphenyl-d14	88		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07
 Client ID: MW-1
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 02:50
 Analyst: PS

Date Collected: 06/04/10 08:58
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	29	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.8	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07

Date Collected: 06/04/10 08:58

Client ID: MW-1

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.8	--	1
2,4-Dimethylphenol	ND		ug/l	9.8	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.8	--	1
2,4-Dinitrophenol	ND		ug/l	29	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.8	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.8	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		21-120
Phenol-d6	28		10-120
Nitrobenzene-d5	69		23-120
2-Fluorobiphenyl	69		15-120
2,4,6-Tribromophenol	83		10-120
4-Terphenyl-d14	83		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07 D
Client ID: MW-1
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/12/10 15:40
Analyst: ND

Date Collected: 06/04/10 08:58
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	1.0	--	5
2-Chloronaphthalene	ND		ug/l	1.0	--	5
Fluoranthene	ND		ug/l	1.0	--	5
Hexachlorobutadiene	ND		ug/l	2.5	--	5
Naphthalene	26		ug/l	1.0	--	5
Benzo(a)anthracene	ND		ug/l	1.0	--	5
Benzo(a)pyrene	ND		ug/l	1.0	--	5
Benzo(b)fluoranthene	ND		ug/l	1.0	--	5
Benzo(k)fluoranthene	ND		ug/l	1.0	--	5
Chrysene	ND		ug/l	1.0	--	5
Acenaphthylene	ND		ug/l	1.0	--	5
Anthracene	ND		ug/l	1.0	--	5
Benzo(ghi)perylene	ND		ug/l	1.0	--	5
Fluorene	ND		ug/l	1.0	--	5
Phenanthrene	ND		ug/l	1.0	--	5
Dibenzo(a,h)anthracene	ND		ug/l	1.0	--	5
Indeno(1,2,3-cd)Pyrene	ND		ug/l	1.0	--	5
Pyrene	ND		ug/l	1.0	--	5
2-Methylnaphthalene	8.4		ug/l	1.0	--	5
Pentachlorophenol	ND		ug/l	4.0	--	5
Hexachlorobenzene	ND		ug/l	4.0	--	5
Hexachloroethane	ND		ug/l	4.0	--	5

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07 D

Date Collected: 06/04/10 08:58

Client ID: MW-1

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	34		21-120
Phenol-d6	23		10-120
Nitrobenzene-d5	65		23-120
2-Fluorobiphenyl	68		15-120
2,4,6-Tribromophenol	76		10-120
4-Terphenyl-d14	82		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-09
Client ID: MW-9
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/10/10 19:01
Analyst: HL

Date Collected: 06/04/10 11:10
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.49	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.79	--	1
Hexachlorobenzene	ND		ug/l	0.79	--	1
Hexachloroethane	ND		ug/l	0.79	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09

Date Collected: 06/04/10 11:10

Client ID: MW-9

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	51		21-120
Phenol-d6	37		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	77		15-120
2,4,6-Tribromophenol	113		10-120
4-Terphenyl-d14	88		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09
 Client ID: MW-9
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 03:15
 Analyst: PS

Date Collected: 06/04/10 11:10
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.9	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09

Date Collected: 06/04/10 11:10

Client ID: MW-9

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.9	--	1
2,4-Dimethylphenol	ND		ug/l	9.9	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.9	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.9	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.9	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	45		21-120
Phenol-d6	30		10-120
Nitrobenzene-d5	67		23-120
2-Fluorobiphenyl	64		15-120
2,4,6-Tribromophenol	82		10-120
4-Terphenyl-d14	77		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10
 Client ID: MW-4
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/11/10 03:40
 Analyst: PS

Date Collected: 06/04/10 12:35
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--	1
1,2-Dichlorobenzene	ND		ug/l	5.0	--	1
1,3-Dichlorobenzene	ND		ug/l	5.0	--	1
1,4-Dichlorobenzene	ND		ug/l	5.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	50	--	1
2,4-Dinitrotoluene	ND		ug/l	6.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	5.0	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Biphenyl	ND		ug/l	5.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	7.0	--	1
Dibenzofuran	ND		ug/l	5.0	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10

Date Collected: 06/04/10 12:35

Client ID: MW-4

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
P-Chloro-M-Cresol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	6.0	--	1
2,4-Dichlorophenol	ND		ug/l	10	--	1
2,4-Dimethylphenol	ND		ug/l	10	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	7.0	--	1
2-Methylphenol	ND		ug/l	6.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	10	--	1
Carbazole	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	51		21-120
Phenol-d6	32		10-120
Nitrobenzene-d5	75		23-120
2-Fluorobiphenyl	73		15-120
2,4,6-Tribromophenol	85		10-120
4-Terphenyl-d14	80		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-10 D
Client ID: MW-4
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/12/10 16:08
Analyst: ND

Date Collected: 06/04/10 12:35
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	1.0	--	5
2-Chloronaphthalene	ND		ug/l	1.0	--	5
Fluoranthene	ND		ug/l	1.0	--	5
Hexachlorobutadiene	ND		ug/l	2.5	--	5
Naphthalene	15		ug/l	1.0	--	5
Benzo(a)anthracene	ND		ug/l	1.0	--	5
Benzo(a)pyrene	ND		ug/l	1.0	--	5
Benzo(b)fluoranthene	ND		ug/l	1.0	--	5
Benzo(k)fluoranthene	ND		ug/l	1.0	--	5
Chrysene	ND		ug/l	1.0	--	5
Acenaphthylene	ND		ug/l	1.0	--	5
Anthracene	ND		ug/l	1.0	--	5
Benzo(ghi)perylene	ND		ug/l	1.0	--	5
Fluorene	ND		ug/l	1.0	--	5
Phenanthrene	ND		ug/l	1.0	--	5
Dibenzo(a,h)anthracene	ND		ug/l	1.0	--	5
Indeno(1,2,3-cd)Pyrene	ND		ug/l	1.0	--	5
Pyrene	ND		ug/l	1.0	--	5
2-Methylnaphthalene	1.4		ug/l	1.0	--	5
Pentachlorophenol	ND		ug/l	4.0	--	5
Hexachlorobenzene	ND		ug/l	4.0	--	5
Hexachloroethane	9.9		ug/l	4.0	--	5

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-10 D

Date Collected: 06/04/10 12:35

Client ID: MW-4

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	42		21-120
Phenol-d6	26		10-120
Nitrobenzene-d5	77		23-120
2-Fluorobiphenyl	75		15-120
2,4,6-Tribromophenol	102		10-120
4-Terphenyl-d14	97		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11
 Client ID: MW-8
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/12/10 11:23
 Analyst: PS

Date Collected: 06/04/10 13:50
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/11/10 19:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	4.9	--	1
Bis(2-chloroethyl)ether	ND		ug/l	4.9	--	1
1,2-Dichlorobenzene	ND		ug/l	4.9	--	1
1,3-Dichlorobenzene	ND		ug/l	4.9	--	1
1,4-Dichlorobenzene	ND		ug/l	4.9	--	1
3,3'-Dichlorobenzidine	ND		ug/l	49	--	1
2,4-Dinitrotoluene	ND		ug/l	5.9	--	1
2,6-Dinitrotoluene	ND		ug/l	4.9	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	4.9	--	1
4-Bromophenyl phenyl ether	ND		ug/l	4.9	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	4.9	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	4.9	--	1
Hexachlorocyclopentadiene	ND		ug/l	29	--	1
Isophorone	ND		ug/l	4.9	--	1
Nitrobenzene	ND		ug/l	4.9	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	4.9	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	4.9	--	1
Butyl benzyl phthalate	ND		ug/l	4.9	--	1
Di-n-butylphthalate	ND		ug/l	4.9	--	1
Di-n-octylphthalate	ND		ug/l	4.9	--	1
Diethyl phthalate	ND		ug/l	4.9	--	1
Dimethyl phthalate	ND		ug/l	4.9	--	1
Biphenyl	ND		ug/l	4.9	--	1
4-Chloroaniline	ND		ug/l	4.9	--	1
2-Nitroaniline	ND		ug/l	4.9	--	1
3-Nitroaniline	ND		ug/l	4.9	--	1
4-Nitroaniline	ND		ug/l	6.8	--	1
Dibenzofuran	ND		ug/l	4.9	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11

Date Collected: 06/04/10 13:50

Client ID: MW-8

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	4.9	--	1
P-Chloro-M-Cresol	ND		ug/l	4.9	--	1
2-Chlorophenol	ND		ug/l	5.9	--	1
2,4-Dichlorophenol	ND		ug/l	9.8	--	1
2,4-Dimethylphenol	ND		ug/l	9.8	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	9.8	--	1
2,4-Dinitrophenol	ND		ug/l	29	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	6.8	--	1
2-Methylphenol	ND		ug/l	5.9	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.9	--	1
2,4,5-Trichlorophenol	ND		ug/l	4.9	--	1
Benzoic Acid	ND		ug/l	49	--	1
Benzyl Alcohol	ND		ug/l	9.8	--	1
Carbazole	ND		ug/l	4.9	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	31		21-120
Phenol-d6	21		10-120
Nitrobenzene-d5	54		23-120
2-Fluorobiphenyl	58		15-120
2,4,6-Tribromophenol	84		10-120
4-Terphenyl-d14	82		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-11 D
Client ID: MW-8
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/12/10 16:36
Analyst: ND

Date Collected: 06/04/10 13:50
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.98	--	5
2-Chloronaphthalene	ND		ug/l	0.98	--	5
Fluoranthene	ND		ug/l	0.98	--	5
Hexachlorobutadiene	ND		ug/l	2.4	--	5
Naphthalene	40		ug/l	0.98	--	5
Benzo(a)anthracene	ND		ug/l	0.98	--	5
Benzo(a)pyrene	ND		ug/l	0.98	--	5
Benzo(b)fluoranthene	ND		ug/l	0.98	--	5
Benzo(k)fluoranthene	ND		ug/l	0.98	--	5
Chrysene	ND		ug/l	0.98	--	5
Acenaphthylene	ND		ug/l	0.98	--	5
Anthracene	ND		ug/l	0.98	--	5
Benzo(ghi)perylene	ND		ug/l	0.98	--	5
Fluorene	ND		ug/l	0.98	--	5
Phenanthrene	ND		ug/l	0.98	--	5
Dibenzo(a,h)anthracene	ND		ug/l	0.98	--	5
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.98	--	5
Pyrene	ND		ug/l	0.98	--	5
2-Methylnaphthalene	4.5		ug/l	0.98	--	5
Pentachlorophenol	ND		ug/l	3.9	--	5
Hexachlorobenzene	ND		ug/l	3.9	--	5
Hexachloroethane	ND		ug/l	3.9	--	5

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-11 D

Date Collected: 06/04/10 13:50

Client ID: MW-8

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	32		21-120
Phenol-d6	25		10-120
Nitrobenzene-d5	69		23-120
2-Fluorobiphenyl	71		15-120
2,4,6-Tribromophenol	94		10-120
4-Terphenyl-d14	93		33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/10/10 19:52
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:02

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG417015-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--
1,2-Dichlorobenzene	ND		ug/l	5.0	--
1,3-Dichlorobenzene	ND		ug/l	5.0	--
1,4-Dichlorobenzene	ND		ug/l	5.0	--
3,3'-Dichlorobenzidine	ND		ug/l	50	--
2,4-Dinitrotoluene	ND		ug/l	6.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorocyclopentadiene	ND		ug/l	30	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	5.0	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Biphenyl	ND		ug/l	5.0	--
4-Chloroaniline	ND		ug/l	5.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	7.0	--
Dibenzofuran	ND		ug/l	5.0	--
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--
Acetophenone	ND		ug/l	20	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/10/10 19:52
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:02

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG417015-1					
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
P-Chloro-M-Cresol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	6.0	--
2,4-Dichlorophenol	ND		ug/l	10	--
2,4-Dimethylphenol	ND		ug/l	10	--
2-Nitrophenol	ND		ug/l	20	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	30	--
4,6-Dinitro-o-cresol	ND		ug/l	20	--
Phenol	ND		ug/l	7.0	--
2-Methylphenol	ND		ug/l	6.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	10	--
Carbazole	ND		ug/l	5.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	8	Q	21-120
Phenol-d6	5	Q	10-120
Nitrobenzene-d5	13	Q	23-120
2-Fluorobiphenyl	11	Q	15-120
2,4,6-Tribromophenol	12		10-120
4-Terphenyl-d14	13	Q	33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/10/10 13:15
Analyst: HL

Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:06

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG417017-1					
Acenaphthene	ND		ug/l	0.20	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.20	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.20	--
Benzo(a)anthracene	ND		ug/l	0.20	--
Benzo(a)pyrene	ND		ug/l	0.20	--
Benzo(b)fluoranthene	ND		ug/l	0.20	--
Benzo(k)fluoranthene	ND		ug/l	0.20	--
Chrysene	ND		ug/l	0.20	--
Acenaphthylene	ND		ug/l	0.20	--
Anthracene	ND		ug/l	0.20	--
Benzo(ghi)perylene	ND		ug/l	0.20	--
Fluorene	ND		ug/l	0.20	--
Phenanthrene	ND		ug/l	0.20	--
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--
Pyrene	ND		ug/l	0.20	--
2-Methylnaphthalene	ND		ug/l	0.20	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270C
 Analytical Date: 06/10/10 13:15
 Analyst: HL

Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:06

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG417017-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	11	Q	21-120
Phenol-d6	7	Q	10-120
Nitrobenzene-d5	16	Q	23-120
2-Fluorobiphenyl	15		15-120
2,4,6-Tribromophenol	17		10-120
4-Terphenyl-d14	18	Q	33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/10/10 19:52
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 02-07,09-10 Batch: WG417019-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--
1,2-Dichlorobenzene	ND		ug/l	5.0	--
1,3-Dichlorobenzene	ND		ug/l	5.0	--
1,4-Dichlorobenzene	ND		ug/l	5.0	--
3,3'-Dichlorobenzidine	ND		ug/l	50	--
2,4-Dinitrotoluene	ND		ug/l	6.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorocyclopentadiene	ND		ug/l	30	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	5.0	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Biphenyl	ND		ug/l	5.0	--
4-Chloroaniline	ND		ug/l	5.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	7.0	--
Dibenzofuran	ND		ug/l	5.0	--
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/10/10 19:52
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:08

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 02-07,09-10 Batch: WG417019-1					
Acetophenone	ND		ug/l	20	--
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
P-Chloro-M-Cresol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	6.0	--
2,4-Dichlorophenol	ND		ug/l	10	--
2,4-Dimethylphenol	ND		ug/l	10	--
2-Nitrophenol	ND		ug/l	20	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	30	--
4,6-Dinitro-o-cresol	ND		ug/l	20	--
Phenol	ND		ug/l	7.0	--
2-Methylphenol	ND		ug/l	6.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	10	--
Carbazole	ND		ug/l	5.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	8	Q	21-120
Phenol-d6	5	Q	10-120
Nitrobenzene-d5	13	Q	23-120
2-Fluorobiphenyl	11	Q	15-120
2,4,6-Tribromophenol	12		10-120
4-Terphenyl-d14	13	Q	33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/10/10 13:15
Analyst: HL

Extraction Method: EPA 3510C
Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 02-05,09 Batch: WG417021-1					
Acenaphthene	ND		ug/l	0.20	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.20	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.20	--
Benzo(a)anthracene	ND		ug/l	0.20	--
Benzo(a)pyrene	ND		ug/l	0.20	--
Benzo(b)fluoranthene	ND		ug/l	0.20	--
Benzo(k)fluoranthene	ND		ug/l	0.20	--
Chrysene	ND		ug/l	0.20	--
Acenaphthylene	ND		ug/l	0.20	--
Anthracene	ND		ug/l	0.20	--
Benzo(ghi)perylene	ND		ug/l	0.20	--
Fluorene	ND		ug/l	0.20	--
Phenanthrene	ND		ug/l	0.20	--
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--
Pyrene	ND		ug/l	0.20	--
2-Methylnaphthalene	ND		ug/l	0.20	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
 Analytical Date: 06/10/10 13:15
 Analyst: HL

Extraction Method: EPA 3510C
 Extraction Date: 06/09/10 16:10

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 02-05,09 Batch: WG417021-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	11	Q	21-120
Phenol-d6	7	Q	10-120
Nitrobenzene-d5	16	Q	23-120
2-Fluorobiphenyl	15		15-120
2,4,6-Tribromophenol	17		10-120
4-Terphenyl-d14	18	Q	33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/12/10 08:54
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:51

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 11 Batch: WG417539-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--
1,2-Dichlorobenzene	ND		ug/l	5.0	--
1,3-Dichlorobenzene	ND		ug/l	5.0	--
1,4-Dichlorobenzene	ND		ug/l	5.0	--
3,3'-Dichlorobenzidine	ND		ug/l	50	--
2,4-Dinitrotoluene	ND		ug/l	6.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorocyclopentadiene	ND		ug/l	30	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	5.0	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Biphenyl	ND		ug/l	5.0	--
4-Chloroaniline	ND		ug/l	5.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	7.0	--
Dibenzofuran	ND		ug/l	5.0	--
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--
Acetophenone	ND		ug/l	20	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/12/10 08:54
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:51

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 11 Batch: WG417539-1					
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
P-Chloro-M-Cresol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	6.0	--
2,4-Dichlorophenol	ND		ug/l	10	--
2,4-Dimethylphenol	ND		ug/l	10	--
2-Nitrophenol	ND		ug/l	20	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	30	--
4,6-Dinitro-o-cresol	ND		ug/l	20	--
Phenol	ND		ug/l	7.0	--
2-Methylphenol	ND		ug/l	6.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	10	--
Carbazole	ND		ug/l	5.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	43		21-120
Phenol-d6	28		10-120
Nitrobenzene-d5	63		23-120
2-Fluorobiphenyl	68		15-120
2,4,6-Tribromophenol	84		10-120
4-Terphenyl-d14	92		33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/12/10 12:22
Analyst: ND

Extraction Method: EPA 3510C
Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 06-07,10-11 Batch: WG417540-1					
Acenaphthene	ND		ug/l	0.20	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.20	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.20	--
Benzo(a)anthracene	ND		ug/l	0.20	--
Benzo(a)pyrene	ND		ug/l	0.20	--
Benzo(b)fluoranthene	ND		ug/l	0.20	--
Benzo(k)fluoranthene	ND		ug/l	0.20	--
Chrysene	ND		ug/l	0.20	--
Acenaphthylene	ND		ug/l	0.20	--
Anthracene	ND		ug/l	0.20	--
Benzo(ghi)perylene	ND		ug/l	0.20	--
Fluorene	ND		ug/l	0.20	--
Phenanthrene	ND		ug/l	0.20	--
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--
Pyrene	ND		ug/l	0.20	--
2-Methylnaphthalene	ND		ug/l	0.20	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270C
 Analytical Date: 06/12/10 12:22
 Analyst: ND

Extraction Method: EPA 3510C
 Extraction Date: 06/11/10 19:57

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 06-07,10-11 Batch: WG417540-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		21-120
Phenol-d6	28		10-120
Nitrobenzene-d5	72		23-120
2-Fluorobiphenyl	59		15-120
2,4,6-Tribromophenol	72		10-120
4-Terphenyl-d14	74		33-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG417015-2 WG417015-3								
1,2,4-Trichlorobenzene	77		69		39-98	11		30
1,2-Dichlorobenzene	82		74		40-140	10		30
1,4-Dichlorobenzene	80		69		36-97	15		30
2,4-Dinitrotoluene	101	Q	94		24-96	7		30
2,6-Dinitrotoluene	92		86		40-140	7		30
4-Chlorophenyl phenyl ether	91		82		40-140	10		30
n-Nitrosodi-n-propylamine	99		90		41-116	10		30
Butyl benzyl phthalate	102		95		40-140	7		30
P-Chloro-M-Cresol	99	Q	90		23-97	10		30
2-Chlorophenol	86		81		27-123	6		30
2-Nitrophenol	92		83		30-130	10		30
4-Nitrophenol	46		44		10-80	4		30
2,4-Dinitrophenol	65		62		20-130	5		30
Phenol	41		37		12-110	10		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG417015-2 WG417015-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	57		55		21-120
Phenol-d6	39		37		10-120
Nitrobenzene-d5	97		93		23-120
2-Fluorobiphenyl	96		90		15-120
2,4,6-Tribromophenol	103		100		10-120
4-Terphenyl-d14	100		101		33-120

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG417017-2 WG417017-3

Acenaphthene	94		82		37-111	14	40
2-Chloronaphthalene	124		112		40-140	10	40
Fluoranthene	115		104		40-140	10	40
Anthracene	101		95		40-140	6	40
Pyrene	100		90		26-127	11	40
Pentachlorophenol	103		95		9-103	8	40

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG417017-2 WG417017-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	80		75		21-120
Phenol-d6	67		61		10-120
Nitrobenzene-d5	111		102		23-120
2-Fluorobiphenyl	97		86		15-120
2,4,6-Tribromophenol	135	Q	113		10-120
4-Terphenyl-d14	112		94		33-120

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-07,09-10 Batch: WG417019-2 WG417019-3

1,2,4-Trichlorobenzene	77		69		39-98	11	30
1,2-Dichlorobenzene	82		74		40-140	10	30
1,4-Dichlorobenzene	80		69		36-97	15	30
2,4-Dinitrotoluene	101	Q	94		24-96	7	30
2,6-Dinitrotoluene	92		86		40-140	7	30
4-Chlorophenyl phenyl ether	91		82		40-140	10	30
n-Nitrosodi-n-propylamine	99		90		41-116	10	30
Butyl benzyl phthalate	102		95		40-140	7	30
P-Chloro-M-Cresol	99	Q	90		23-97	10	30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-07,09-10 Batch: WG417019-2 WG417019-3								
2-Chlorophenol	86		81		27-123	6		30
2-Nitrophenol	92		83		30-130	10		30
4-Nitrophenol	46		44		10-80	4		30
2,4-Dinitrophenol	65		62		20-130	5		30
Phenol	41		37		12-110	10		30

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	57		55		21-120
Phenol-d6	39		37		10-120
Nitrobenzene-d5	97		93		23-120
2-Fluorobiphenyl	96		90		15-120
2,4,6-Tribromophenol	103		100		10-120
4-Terphenyl-d14	100		101		33-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 02-05,09 Batch: WG417021-2 WG417021-3								
Acenaphthene	94		82		37-111	14		40
2-Chloronaphthalene	124		112		40-140	10		40
Fluoranthene	115		104		40-140	10		40
Anthracene	101		95		40-140	6		40
Pyrene	100		90		26-127	11		40
Pentachlorophenol	103		95		9-103	8		40

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	80		75		21-120
Phenol-d6	67		61		10-120
Nitrobenzene-d5	111		102		23-120
2-Fluorobiphenyl	97		86		15-120
2,4,6-Tribromophenol	135	Q	113		10-120
4-Terphenyl-d14	112		94		33-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 11 Batch: WG417539-2 WG417539-3								
1,2,4-Trichlorobenzene	63		70		39-98	11		30
1,2-Dichlorobenzene	64		76		40-140	17		30
1,4-Dichlorobenzene	58		72		36-97	22		30
2,4-Dinitrotoluene	83		92		24-96	10		30
2,6-Dinitrotoluene	82		85		40-140	4		30
4-Chlorophenyl phenyl ether	85		88		40-140	3		30
n-Nitrosodi-n-propylamine	72		82		41-116	13		30
Butyl benzyl phthalate	81		91		40-140	12		30
P-Chloro-M-Cresol	82		85		23-97	4		30
2-Chlorophenol	79		83		27-123	5		30
2-Nitrophenol	84		87		30-130	4		30
4-Nitrophenol	43		57		10-80	28		30
2,4-Dinitrophenol	50		47		20-130	6		30
Phenol	38		39		12-110	3		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 11 Batch: WG417539-2 WG417539-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	50		51		21-120
Phenol-d6	34		35		10-120
Nitrobenzene-d5	79		85		23-120
2-Fluorobiphenyl	82		77		15-120
2,4,6-Tribromophenol	87		88		10-120
4-Terphenyl-d14	88		91		33-120

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 06-07,10-11 Batch: WG417540-2 WG417540-3

Acenaphthene	61		68		37-111	11	40
2-Chloronaphthalene	80		92		40-140	14	40
Fluoranthene	78		82		40-140	5	40
Anthracene	68		75		40-140	10	40
Pyrene	74		77		26-127	4	40
Pentachlorophenol	36		43		9-103	18	40

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 06-07,10-11 Batch: WG417540-2 WG417540-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	38		42		21-120
Phenol-d6	24		28		10-120
Nitrobenzene-d5	77		81		23-120
2-Fluorobiphenyl	69		73		15-120
2,4,6-Tribromophenol	76		74		10-120
4-Terphenyl-d14	78		78		33-120

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 QC Batch ID: WG417015-4 WG417015-5 QC Sample: L1008380-01 Client ID: MW-3												
1,2,4-Trichlorobenzene	ND	80	54	68		57	71		39-98	4		30
1,2-Dichlorobenzene	ND	80	57	71		64	80		40-140	12		30
1,4-Dichlorobenzene	ND	80	52	65		60	75		36-97	14		30
2,4-Dinitrotoluene	ND	80	68	85		77	96		24-96	12		30
2,6-Dinitrotoluene	ND	80	60	75		65	81		40-140	8		30
4-Chlorophenyl phenyl ether	ND	80	64	80		66	83		40-140	4		30
n-Nitrosodi-n-propylamine	ND	80	70	88		78	98		41-116	11		30
Butyl benzyl phthalate	ND	80	70	88		74	93		40-140	6		30
P-Chloro-M-Cresol	ND	80	73	91		77	96		23-97	5		30
2-Chlorophenol	ND	80	62	78		69	86		27-123	10		30
2-Nitrophenol	ND	80	ND	80		ND	88		30-130	10		30
4-Nitrophenol	ND	80	48	60		51	64		10-80	6		30
2,4-Dinitrophenol	ND	80	ND	61		ND	60		20-130	2		30
Phenol	ND	80	45	56		49	61		12-110	9		30

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
2,4,6-Tribromophenol	87		105		10-120
2-Fluorobiphenyl	84		96		15-120
2-Fluorophenol	64		82		21-120
4-Terphenyl-d14	86		100		33-120
Nitrobenzene-d5	83		98		23-120

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
-----------	---------------	----------	----------	--------------	------	-----------	---------------	------	-----------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 QC Batch ID: WG417015-4 WG417015-5 QC Sample: L1008380-01 Client ID: MW-3

Surrogate	MS % Recovery	MS Qualifier	MSD % Recovery	MSD Qualifier	Acceptance Criteria
Phenol-d6	52		65		10-120

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 QC Batch ID: WG417017-4 WG417017-5 QC Sample: L1008380-01												
Client ID: MW-3												
Acenaphthene	ND	80	77	96		80	100		37-111	4		40
2-Chloronaphthalene	ND	80	110	140		110	140		40-140	0		40
Fluoranthene	ND	80	86	110		86	110		40-140	0		40
Anthracene	ND	80	79	99		77	96		40-140	3		40
Pyrene	ND	80	76	95		78	98		26-127	3		40
Pentachlorophenol	ND	80	83	100		83	100		9-103	0		40

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
2,4,6-Tribromophenol	134	Q	145	Q	10-120
2-Fluorobiphenyl	114		120		15-120
2-Fluorophenol	89		100		21-120
4-Terphenyl-d14	105		118		33-120
Nitrobenzene-d5	119		119		23-120
Phenol-d6	68		76		10-120

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 06-07,10-11 QC Batch ID: WG417540-4 WG417540-5 QC Sample: L1008380-01 Client ID: MW-3												
Acenaphthene	ND	20	17	85		15	75		37-111	13		40
2-Chloronaphthalene	ND	20	24	120		22	110		40-140	9		40
Fluoranthene	ND	20	22	110		18	90		40-140	20		40
Anthracene	ND	20	19	95		15	75		40-140	24		40
Pyrene	ND	20	20	100		16	80		26-127	22		40
Pentachlorophenol	ND	20	22	110	Q	18	90		9-103	20		40

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
2,4,6-Tribromophenol	90		85		10-120
2-Fluorobiphenyl	77		74		15-120
2-Fluorophenol	59		53		21-120
4-Terphenyl-d14	97		85		33-120
Nitrobenzene-d5	80		72		23-120
Phenol-d6	44		42		10-120

PCBS

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01
Client ID: MW-3
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/08/10 15:47
Analyst: SS

Date Collected: 06/03/10 10:25
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	58		30-150	A
Decachlorobiphenyl	62		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		30-150	B
Decachlorobiphenyl	56		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02
 Client ID: DUP (060310)
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8082
 Analytical Date: 06/11/10 10:09
 Analyst: SS

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/07/10 15:58
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/08/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Polychlorinated Biphenyls by GC - Westborough Lab

Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	75		30-150	A
Decachlorobiphenyl	92		30-150	A
2,4,5,6-Tetrachloro-m-xylene	82		30-150	B
Decachlorobiphenyl	84		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-03
Client ID: MW-6
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/09/10 09:22
Analyst: SS

Date Collected: 06/03/10 12:05
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	A
Decachlorobiphenyl	53		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	43		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-04
Client ID: MW-10
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/09/10 09:35
Analyst: SS

Date Collected: 06/03/10 14:30
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	83		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	64		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-05
Client ID: EQFB
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/09/10 09:47
Analyst: SS

Date Collected: 06/03/10 12:00
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	67		30-150	A
Decachlorobiphenyl	51		30-150	A
2,4,5,6-Tetrachloro-m-xylene	70		30-150	B
Decachlorobiphenyl	40		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06
 Client ID: MW-2
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8082
 Analytical Date: 06/09/10 09:59
 Analyst: SS

Date Collected: 06/04/10 08:35
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/07/10 15:58
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/08/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
Decachlorobiphenyl	65		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	52		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07
Client ID: MW-1
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/09/10 10:12
Analyst: SS

Date Collected: 06/04/10 08:58
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	92		30-150	A
2,4,5,6-Tetrachloro-m-xylene	81		30-150	B
Decachlorobiphenyl	79		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-09
Client ID: MW-9
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/09/10 10:24
Analyst: SS

Date Collected: 06/04/10 11:10
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	74		30-150	A
Decachlorobiphenyl	80		30-150	A
2,4,5,6-Tetrachloro-m-xylene	79		30-150	B
Decachlorobiphenyl	66		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10
 Client ID: MW-4
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8082
 Analytical Date: 06/09/10 10:36
 Analyst: SS

Date Collected: 06/04/10 12:35
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/07/10 15:58
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/08/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	61		30-150	A
Decachlorobiphenyl	51		30-150	A
2,4,5,6-Tetrachloro-m-xylene	67		30-150	B
Decachlorobiphenyl	46		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-11
Client ID: MW-8
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/09/10 10:49
Analyst: SS

Date Collected: 06/04/10 13:50
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/07/10 15:58
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/08/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	62		30-150	A
Decachlorobiphenyl	73		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	61		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082
 Analytical Date: 06/08/10 16:24
 Analyst: SS

Extraction Method: EPA 3510C
 Extraction Date: 06/07/10 15:58
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 06/08/10
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 06/08/10

Parameter	Result	Qualifier	Units	RL	MDL
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-07,09-11 Batch: WG416575-1					
Aroclor 1016	ND		ug/l	0.083	--
Aroclor 1221	ND		ug/l	0.083	--
Aroclor 1232	ND		ug/l	0.083	--
Aroclor 1242	ND		ug/l	0.083	--
Aroclor 1248	ND		ug/l	0.083	--
Aroclor 1254	ND		ug/l	0.083	--
Aroclor 1260	ND		ug/l	0.083	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	55		30-150	A
Decachlorobiphenyl	72		30-150	A
2,4,5,6-Tetrachloro-m-xylene	58		30-150	B
Decachlorobiphenyl	62		30-150	B

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG416575-4 WG416575-5 QC Sample: L1008380-01 Client ID: MW-3												
Aroclor 1016	ND	6.01	4.91	82		4.16	69		40-140	17		30
Aroclor 1260	ND	6.01	4.53	75		4.37	73		40-140	3		30

Surrogate	MS		MSD		Acceptance Criteria	Column
	% Recovery	Qualifier	% Recovery	Qualifier		
2,4,5,6-Tetrachloro-m-xylene	72		59		30-150	A
Decachlorobiphenyl	54		52		30-150	A
2,4,5,6-Tetrachloro-m-xylene	73		61		30-150	B
Decachlorobiphenyl	50		44		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG416575-2 WG416575-3								
Aroclor 1016	76		74		40-140	2		30
Aroclor 1260	85		80		40-140	6		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	58		65		30-150	A
Decachlorobiphenyl	79		70		30-150	A
2,4,5,6-Tetrachloro-m-xylene	60		67		30-150	B
Decachlorobiphenyl	64		58		30-150	B

PESTICIDES

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01
 Client ID: MW-3
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 09:14
 Analyst: SS

Date Collected: 06/03/10 10:25
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:17
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.020	--	1
Lindane	ND		ug/l	0.020	--	1
Alpha-BHC	ND		ug/l	0.020	--	1
Beta-BHC	ND		ug/l	0.020	--	1
Heptachlor	ND		ug/l	0.020	--	1
Aldrin	ND		ug/l	0.020	--	1
Heptachlor epoxide	0.035		ug/l	0.020	--	1
Endrin	ND		ug/l	0.040	--	1
Endrin ketone	ND		ug/l	0.040	--	1
Dieldrin	ND		ug/l	0.040	--	1
4,4'-DDE	ND		ug/l	0.040	--	1
4,4'-DDD	ND		ug/l	0.040	--	1
4,4'-DDT	ND		ug/l	0.040	--	1
Endosulfan I	ND		ug/l	0.020	--	1
Endosulfan II	ND		ug/l	0.040	--	1
Endosulfan sulfate	ND		ug/l	0.040	--	1
Methoxychlor	ND		ug/l	0.200	--	1
Toxaphene	ND		ug/l	0.200	--	1
trans-Chlordane	ND		ug/l	0.020	--	1
Chlordane	ND		ug/l	0.200	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	A
Decachlorobiphenyl	55		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		30-150	B
Decachlorobiphenyl	57		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02
 Client ID: DUP (060310)
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 06:50
 Analyst: JB

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.020	--	1
Lindane	ND		ug/l	0.020	--	1
Alpha-BHC	ND		ug/l	0.020	--	1
Beta-BHC	ND		ug/l	0.020	--	1
Heptachlor	ND		ug/l	0.020	--	1
Aldrin	ND		ug/l	0.020	--	1
Heptachlor epoxide	0.031		ug/l	0.020	--	1
Endrin	ND		ug/l	0.040	--	1
Endrin ketone	ND		ug/l	0.040	--	1
Dieldrin	ND		ug/l	0.040	--	1
4,4'-DDE	ND		ug/l	0.040	--	1
4,4'-DDD	ND		ug/l	0.040	--	1
4,4'-DDT	ND		ug/l	0.040	--	1
Endosulfan I	ND		ug/l	0.020	--	1
Endosulfan II	ND		ug/l	0.040	--	1
Endosulfan sulfate	ND		ug/l	0.040	--	1
Methoxychlor	ND		ug/l	0.200	--	1
Toxaphene	ND		ug/l	0.200	--	1
trans-Chlordane	ND		ug/l	0.020	--	1
Chlordane	ND		ug/l	0.200	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	59		30-150	A
Decachlorobiphenyl	42		30-150	A
2,4,5,6-Tetrachloro-m-xylene	58		30-150	B
Decachlorobiphenyl	45		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03
 Client ID: MW-6
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 07:03
 Analyst: JB

Date Collected: 06/03/10 12:05
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.210	--	1
Toxaphene	ND		ug/l	0.210	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.210	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	36		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		30-150	B
Decachlorobiphenyl	38		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04
 Client ID: MW-10
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 07:16
 Analyst: JB

Date Collected: 06/03/10 14:30
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.041	--	1
Endrin ketone	ND		ug/l	0.041	--	1
Dieldrin	ND		ug/l	0.041	--	1
4,4'-DDE	ND		ug/l	0.041	--	1
4,4'-DDD	ND		ug/l	0.041	--	1
4,4'-DDT	ND		ug/l	0.041	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.041	--	1
Endosulfan sulfate	ND		ug/l	0.041	--	1
Methoxychlor	ND		ug/l	0.205	--	1
Toxaphene	ND		ug/l	0.205	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.205	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	66		30-150	A
Decachlorobiphenyl	55		30-150	A
2,4,5,6-Tetrachloro-m-xylene	60		30-150	B
Decachlorobiphenyl	59		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05
 Client ID: EQFB
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 07:29
 Analyst: JB

Date Collected: 06/03/10 12:00
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.022	--	1
Lindane	ND		ug/l	0.022	--	1
Alpha-BHC	ND		ug/l	0.022	--	1
Beta-BHC	ND		ug/l	0.022	--	1
Heptachlor	ND		ug/l	0.022	--	1
Aldrin	ND		ug/l	0.022	--	1
Heptachlor epoxide	ND		ug/l	0.022	--	1
Endrin	ND		ug/l	0.044	--	1
Endrin ketone	ND		ug/l	0.044	--	1
Dieldrin	ND		ug/l	0.044	--	1
4,4'-DDE	ND		ug/l	0.044	--	1
4,4'-DDD	ND		ug/l	0.044	--	1
4,4'-DDT	ND		ug/l	0.044	--	1
Endosulfan I	ND		ug/l	0.022	--	1
Endosulfan II	ND		ug/l	0.044	--	1
Endosulfan sulfate	ND		ug/l	0.044	--	1
Methoxychlor	ND		ug/l	0.222	--	1
Toxaphene	ND		ug/l	0.222	--	1
trans-Chlordane	ND		ug/l	0.022	--	1
Chlordane	ND		ug/l	0.222	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	61		30-150	A
Decachlorobiphenyl	43		30-150	A
2,4,5,6-Tetrachloro-m-xylene	56		30-150	B
Decachlorobiphenyl	45		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-06
Client ID: MW-2
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8081A
Analytical Date: 06/11/10 07:42
Analyst: JB

Date Collected: 06/04/10 08:35
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/05/10 10:09
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Heptachlor epoxide	0.024		ug/l	0.021	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		30-150	A
Decachlorobiphenyl	46		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		30-150	B
Decachlorobiphenyl	50		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06
 Client ID: MW-2
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 07:42
 Analyst: JB

Date Collected: 06/04/10 08:35
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.212	--	1
Toxaphene	ND		ug/l	0.212	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.212	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		30-150	A
Decachlorobiphenyl	46		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		30-150	B
Decachlorobiphenyl	50		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1008380**Project Number:** 11160**Report Date:** 06/15/10**SAMPLE RESULTS**

Lab ID: L1008380-07
Client ID: MW-1
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8081A
Analytical Date: 06/11/10 07:55
Analyst: JB

Date Collected: 06/04/10 08:58
Date Received: 06/04/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/05/10 10:09
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Heptachlor epoxide	0.804		ug/l	0.024	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	84		30-150	A
Decachlorobiphenyl	76		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	79		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07
 Client ID: MW-1
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 07:55
 Analyst: JB

Date Collected: 06/04/10 08:58
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.024	--	1
Lindane	ND		ug/l	0.024	--	1
Alpha-BHC	ND		ug/l	0.024	--	1
Beta-BHC	ND		ug/l	0.024	--	1
Heptachlor	ND		ug/l	0.024	--	1
Aldrin	ND		ug/l	0.024	--	1
Endrin	ND		ug/l	0.047	--	1
Endrin ketone	ND		ug/l	0.047	--	1
Dieldrin	ND		ug/l	0.047	--	1
4,4'-DDE	ND		ug/l	0.047	--	1
4,4'-DDD	ND		ug/l	0.047	--	1
4,4'-DDT	ND		ug/l	0.047	--	1
Endosulfan I	ND		ug/l	0.024	--	1
Endosulfan II	ND		ug/l	0.047	--	1
Endosulfan sulfate	ND		ug/l	0.047	--	1
Methoxychlor	ND		ug/l	0.235	--	1
Toxaphene	ND		ug/l	0.235	--	1
trans-Chlordane	ND		ug/l	0.024	--	1
Chlordane	ND		ug/l	0.235	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	84		30-150	A
Decachlorobiphenyl	76		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	79		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09
 Client ID: MW-9
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 08:08
 Analyst: JB

Date Collected: 06/04/10 11:10
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.020	--	1
Lindane	ND		ug/l	0.020	--	1
Alpha-BHC	ND		ug/l	0.020	--	1
Beta-BHC	ND		ug/l	0.020	--	1
Heptachlor	ND		ug/l	0.020	--	1
Aldrin	ND		ug/l	0.020	--	1
Heptachlor epoxide	0.037		ug/l	0.020	--	1
Endrin	ND		ug/l	0.040	--	1
Endrin ketone	ND		ug/l	0.040	--	1
Dieldrin	ND		ug/l	0.040	--	1
4,4'-DDE	ND		ug/l	0.040	--	1
4,4'-DDD	ND		ug/l	0.040	--	1
4,4'-DDT	ND		ug/l	0.040	--	1
Endosulfan I	ND		ug/l	0.020	--	1
Endosulfan II	ND		ug/l	0.040	--	1
Endosulfan sulfate	ND		ug/l	0.040	--	1
Methoxychlor	ND		ug/l	0.200	--	1
Toxaphene	ND		ug/l	0.200	--	1
trans-Chlordane	ND		ug/l	0.020	--	1
Chlordane	ND		ug/l	0.200	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	70		30-150	A
Decachlorobiphenyl	69		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		30-150	B
Decachlorobiphenyl	72		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10
 Client ID: MW-4
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 08:20
 Analyst: JB

Date Collected: 06/04/10 12:35
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	0.050		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.212	--	1
Toxaphene	ND		ug/l	0.212	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.212	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	A
Decachlorobiphenyl	50		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		30-150	B
Decachlorobiphenyl	38		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11
 Client ID: MW-8
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/11/10 08:33
 Analyst: JB

Date Collected: 06/04/10 13:50
 Date Received: 06/04/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/05/10 10:09
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	0.150		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.212	--	1
Toxaphene	ND		ug/l	0.212	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.212	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	78		30-150	A
Decachlorobiphenyl	72		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	67		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081A
Analytical Date: 06/08/10 12:55
Analyst: JB

Extraction Method: EPA 3510C
Extraction Date: 06/05/10 01:58
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 02-07,09-11 Batch: WG416316-1					
Delta-BHC	ND		ug/l	0.020	--
Lindane	ND		ug/l	0.020	--
Alpha-BHC	ND		ug/l	0.020	--
Beta-BHC	ND		ug/l	0.020	--
Heptachlor	ND		ug/l	0.020	--
Aldrin	ND		ug/l	0.020	--
Heptachlor epoxide	ND		ug/l	0.020	--
Endrin	ND		ug/l	0.040	--
Endrin ketone	ND		ug/l	0.040	--
Dieldrin	ND		ug/l	0.040	--
4,4'-DDE	ND		ug/l	0.040	--
4,4'-DDD	ND		ug/l	0.040	--
4,4'-DDT	ND		ug/l	0.040	--
Endosulfan I	ND		ug/l	0.020	--
Endosulfan II	ND		ug/l	0.040	--
Endosulfan sulfate	ND		ug/l	0.040	--
Methoxychlor	ND		ug/l	0.200	--
Toxaphene	ND		ug/l	0.200	--
trans-Chlordane	ND		ug/l	0.020	--
Chlordane	ND		ug/l	0.200	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	60		30-150	A
Decachlorobiphenyl	87		30-150	A
2,4,5,6-Tetrachloro-m-xylene	59		30-150	B
Decachlorobiphenyl	106		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8081A
Analytical Date: 06/08/10 12:55
Analyst: SS

Extraction Method: EPA 3510C
Extraction Date: 06/05/10 10:17
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/07/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01 Batch: WG416356-1					
Delta-BHC	ND		ug/l	0.020	--
Lindane	ND		ug/l	0.020	--
Alpha-BHC	ND		ug/l	0.020	--
Beta-BHC	ND		ug/l	0.020	--
Heptachlor	ND		ug/l	0.020	--
Aldrin	ND		ug/l	0.020	--
Heptachlor epoxide	ND		ug/l	0.020	--
Endrin	ND		ug/l	0.040	--
Endrin ketone	ND		ug/l	0.040	--
Dieldrin	ND		ug/l	0.040	--
4,4'-DDE	ND		ug/l	0.040	--
4,4'-DDD	ND		ug/l	0.040	--
4,4'-DDT	ND		ug/l	0.040	--
Endosulfan I	ND		ug/l	0.020	--
Endosulfan II	ND		ug/l	0.040	--
Endosulfan sulfate	ND		ug/l	0.040	--
Methoxychlor	ND		ug/l	0.200	--
Toxaphene	ND		ug/l	0.200	--
trans-Chlordane	ND		ug/l	0.020	--
Chlordane	ND		ug/l	0.200	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	60		30-150	A
Decachlorobiphenyl	87		30-150	A
2,4,5,6-Tetrachloro-m-xylene	59		30-150	B
Decachlorobiphenyl	106		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 02-07,09-11 Batch: WG416316-2 WG416316-3								
Delta-BHC	103		93		30-150	10		20
Lindane	100		90		30-150	10		20
Alpha-BHC	100		90		30-150	10		20
Beta-BHC	97		86		30-150	12		20
Heptachlor	79		69		30-150	13		20
Aldrin	74		65		30-150	14		20
Heptachlor epoxide	95		86		30-150	10		20
Endrin	95		86		30-150	10		20
Endrin ketone	88		81		30-150	9		20
Dieldrin	100		92		30-150	9		20
4,4'-DDE	106		96		30-150	10		20
4,4'-DDD	108		96		30-150	12		20
4,4'-DDT	96		89		30-150	8		20
Endosulfan I	88		80		30-150	10		20
Endosulfan II	102		92		30-150	11		20
Endosulfan sulfate	91		84		30-150	8		20
Methoxychlor	91		89		30-150	2		20
trans-Chlordane	90		81		30-150	11		20

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 02-07,09-11 Batch: WG416316-2 WG416316-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	64		50		30-150	A
Decachlorobiphenyl	83		75		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		48		30-150	B
Decachlorobiphenyl	94		82		30-150	B

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 Batch: WG416356-2 WG416356-3

Delta-BHC	103		93		30-150	10	20
Lindane	100		90		30-150	10	20
Alpha-BHC	100		90		30-150	10	20
Beta-BHC	97		86		30-150	12	20
Heptachlor	79		69		30-150	13	20
Aldrin	74		65		30-150	14	20
Heptachlor epoxide	95		86		30-150	10	20
Endrin	95		86		30-150	10	20
Endrin ketone	88		81		30-150	9	20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 Batch: WG416356-2 WG416356-3								
Dieldrin	100		92		30-150	9		20
4,4'-DDE	106		96		30-150	10		20
4,4'-DDD	108		96		30-150	12		20
4,4'-DDT	96		89		30-150	8		20
Endosulfan I	88		80		30-150	10		20
Endosulfan II	102		92		30-150	11		20
Endosulfan sulfate	91		84		30-150	8		20
Methoxychlor	91		89		30-150	2		20
trans-Chlordane	90		81		30-150	11		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	64		50		30-150	A
Decachlorobiphenyl	83		75		30-150	A
2,4,5,6-Tetrachloro-m-xylene	62		48		30-150	B
Decachlorobiphenyl	94		82		30-150	B

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG416356-4 WG416356-5 QC Sample: L1008380-01 Client ID: MW-3												
Delta-BHC	ND	1	0.867	87		0.828	83		30-150	5		30
Lindane	ND	1	0.858	86		0.826	83		30-150	4		30
Alpha-BHC	ND	1	0.856	86		0.823	82		30-150	5		30
Beta-BHC	ND	1	0.827	83		0.812	81		30-150	2		30
Heptachlor	ND	1	0.802	80		0.784	78		30-150	3		30
Aldrin	ND	1	0.776	78		0.764	76		30-150	3		30
Heptachlor epoxide	0.035	1	0.844	81		0.818	78		30-150	4		30
Endrin	ND	1	0.833	83		0.798	80		30-150	4		30
Endrin ketone	ND	1	0.859	86		0.847	85		30-150	1		30
Dieldrin	ND	1	0.864	86		0.839	84		30-150	2		30
4,4'-DDE	ND	1	0.772	77		0.767	77		30-150	0		30
4,4'-DDD	ND	1	0.882	88		0.859	86		30-150	2		30
4,4'-DDT	ND	1	0.820	82		0.774	77		30-150	6		30
Endosulfan I	ND	1	0.859	86		0.840	84		30-150	2		30
Endosulfan II	ND	1	0.895	90		0.883	88		30-150	2		30
Endosulfan sulfate	ND	1	0.850	85		0.845	84		30-150	1		30
Methoxychlor	ND	1	0.953	95		0.886	89		30-150	7		30
trans-Chlordane	ND	1	0.823	82		0.798	80		30-150	2		30

Matrix Spike Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
-----------	---------------	----------	----------	--------------	------	-----------	---------------	------	-----------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG416356-4 WG416356-5 QC Sample: L1008380-01 Client ID: MW-3

Surrogate	MS		MSD		Acceptance Criteria	Column
	% Recovery	Qualifier	% Recovery	Qualifier		
2,4,5,6-Tetrachloro-m-xylene	76		75		30-150	A
Decachlorobiphenyl	66		65		30-150	A
2,4,5,6-Tetrachloro-m-xylene	70		67		30-150	B
Decachlorobiphenyl	67		66		30-150	B

METALS

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01
 Client ID: MW-3
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/03/10 10:25
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	0.38		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 03:56	EPA 3005A	1,6020	BM
Arsenic, Total	0.026		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Barium, Total	0.084		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 03:56	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Calcium, Total	36		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Iron, Total	27		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Magnesium, Total	5.3		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Manganese, Total	1.61		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:42	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Potassium, Total	6.6		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Sodium, Total	33		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 03:56	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:22	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:19	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.052		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:19	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01
Client ID: MW-3
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/03/10 10:25
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	34		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Iron, Dissolved	1.3		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	4.8		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Manganese, Dissolved	1.39		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:35	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Potassium, Dissolved	6.0		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Sodium, Dissolved	32		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:19	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD
Zinc, Dissolved	0.229		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:24	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02
 Client ID: DUP (060310)
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/03/10 11:15
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	0.60		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:20	EPA 3005A	1,6020	BM
Arsenic, Total	0.027		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Barium, Total	0.086		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:20	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Calcium, Total	37		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Iron, Total	27		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Magnesium, Total	5.3		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Manganese, Total	1.60		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:47	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Potassium, Total	6.6		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Sodium, Total	34		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:20	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Zinc, Total	0.073		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:35	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:43	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.054		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:43	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-02
Client ID: DUP (060310)
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/03/10 11:15
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	36		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Iron, Dissolved	1.5		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	5.2		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Manganese, Dissolved	1.55		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:41	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Potassium, Dissolved	6.6		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Sodium, Dissolved	35		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:43	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:43	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03
 Client ID: MW-6
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/03/10 12:05
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	3.1		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:26	EPA 3005A	1,6020	BM
Arsenic, Total	0.012		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Barium, Total	0.070		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:26	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Calcium, Total	27		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Chromium, Total	0.01		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Copper, Total	0.012		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Iron, Total	24		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Magnesium, Total	4.9		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Manganese, Total	0.913		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:49	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Potassium, Total	4.3		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Sodium, Total	36		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:26	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:38	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:49	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.041		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:49	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03
Client ID: MW-6
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/03/10 12:05
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	26		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Iron, Dissolved	2.8		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	3.8		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Manganese, Dissolved	0.787		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:42	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Potassium, Dissolved	3.1		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Sodium, Dissolved	34		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:49	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:47	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04
 Client ID: MW-10
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/03/10 14:30
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	1.8		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:44	EPA 3005A	1,6020	BM
Arsenic, Total	0.005		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Barium, Total	0.017		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:44	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Calcium, Total	10		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Iron, Total	6.7		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Magnesium, Total	2.0		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Manganese, Total	0.105		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:51	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Potassium, Total	ND		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Sodium, Total	14		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:44	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:41	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:55	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Barium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:55	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04
Client ID: MW-10
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/03/10 14:30
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	10		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Iron, Dissolved	0.53		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	1.6		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Manganese, Dissolved	0.074		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:44	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Potassium, Dissolved	ND		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Sodium, Dissolved	15		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 02:55	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:50	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05
 Client ID: EQFB
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/03/10 12:00
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:50	EPA 3005A	1,6020	BM
Arsenic, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Barium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:50	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Calcium, Total	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Iron, Total	ND		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Magnesium, Total	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Manganese, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:52	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Potassium, Total	ND		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Sodium, Total	ND		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:50	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:55	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:01	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Barium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:01	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05
 Client ID: EQFB
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/03/10 12:00
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	0.21		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Iron, Dissolved	ND		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Manganese, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:46	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Potassium, Dissolved	ND		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Sodium, Dissolved	ND		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:01	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:53	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06
 Client ID: MW-2
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/04/10 08:35
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	4.4		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:56	EPA 3005A	1,6020	BM
Arsenic, Total	0.006		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Barium, Total	0.096		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:56	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Calcium, Total	130		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Copper, Total	0.013		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Iron, Total	14		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Lead, Total	0.010		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Magnesium, Total	18		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Manganese, Total	5.97		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:54	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Potassium, Total	10		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Sodium, Total	120		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 04:56	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Zinc, Total	0.051		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:59	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:08	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.076		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:08	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06
Client ID: MW-2
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/04/10 08:35
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	130		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Iron, Dissolved	0.63		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	17		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Manganese, Dissolved	5.70		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:48	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Potassium, Dissolved	9.7		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Sodium, Dissolved	120		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:08	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:56	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07
 Client ID: MW-1
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/04/10 08:58
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	0.43		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:02	EPA 3005A	1,6020	BM
Arsenic, Total	0.010		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Barium, Total	0.054		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:02	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Calcium, Total	31		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Iron, Total	12		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Magnesium, Total	4.9		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Manganese, Total	1.16		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:59	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Potassium, Total	5.0		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Sodium, Total	72		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:02	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:02	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:14	EPA 3005A	1,6020	BM
Arsenic, Dissolved	0.005		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.022		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:14	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07
Client ID: MW-1
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/04/10 08:58
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	30		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Iron, Dissolved	0.22		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	4.8		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Manganese, Dissolved	1.03		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:50	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Potassium, Dissolved	4.8		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Sodium, Dissolved	71		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:14	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:59	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09
 Client ID: MW-9
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/04/10 11:10
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	0.25		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:08	EPA 3005A	1,6020	BM
Arsenic, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Barium, Total	0.014		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:08	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Calcium, Total	20		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Iron, Total	3.1		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Magnesium, Total	2.9		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Manganese, Total	0.139		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 13:01	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Potassium, Total	ND		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Sodium, Total	11		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:08	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:05	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:32	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Barium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:32	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-09
Client ID: MW-9
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/04/10 11:10
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	20		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Iron, Dissolved	1.5		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	3.0		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Manganese, Dissolved	0.132		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:51	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Potassium, Dissolved	ND		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Sodium, Dissolved	11		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:32	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 12:03	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10
 Client ID: MW-4
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/04/10 12:35
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	0.88		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:14	EPA 3005A	1,6020	BM
Arsenic, Total	0.027		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Barium, Total	0.097		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:14	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Calcium, Total	64		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Iron, Total	33		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Magnesium, Total	11		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Manganese, Total	2.44		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 13:03	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Potassium, Total	7.4		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Sodium, Total	40		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:14	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Zinc, Total	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:08	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:38	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.065		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:38	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-10
Client ID: MW-4
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/04/10 12:35
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	64		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Iron, Dissolved	6.3		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	11		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Manganese, Dissolved	2.35		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:06	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Potassium, Dissolved	7.4		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Sodium, Dissolved	41		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:38	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 12:22	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11
 Client ID: MW-8
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/04/10 13:50
 Date Received: 06/04/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Antimony, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:20	EPA 3005A	1,6020	BM
Arsenic, Total	0.009		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Barium, Total	0.232		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Beryllium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:20	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Calcium, Total	160		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Chromium, Total	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Cobalt, Total	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Copper, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Iron, Total	15		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Lead, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Magnesium, Total	12		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Manganese, Total	2.17		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Mercury, Total	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 13:05	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Potassium, Total	9.4		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Selenium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Silver, Total	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Sodium, Total	350		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Thallium, Total	ND		mg/l	0.0005	--	1	06/05/10 12:45	06/08/10 05:20	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Zinc, Total	0.073		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 12:28	EPA 3005A	1,6010B	TD
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:44	EPA 3005A	1,6020	BM
Arsenic, Dissolved	0.005		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Barium, Dissolved	0.168		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:44	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-11
Client ID: MW-8
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/04/10 13:50
Date Received: 06/04/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	150		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Copper, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Iron, Dissolved	0.33		mg/l	0.05	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Lead, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Magnesium, Dissolved	12		mg/l	0.10	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Manganese, Dissolved	2.13		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:08	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Potassium, Dissolved	9.1		mg/l	2.5	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Silver, Dissolved	ND		mg/l	0.007	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Sodium, Dissolved	330		mg/l	2.0	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/07/10 10:10	06/08/10 03:44	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/07/10 12:40	06/11/10 12:25	EPA 3005A	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-07,09-11 Batch: WG416383-1									
Antimony, Total	ND	mg/l	0.0005	--	1	06/05/10 12:45	06/07/10 18:33	1,6020	BM
Beryllium, Total	ND	mg/l	0.0005	--	1	06/05/10 12:45	06/07/10 18:33	1,6020	BM
Thallium, Total	ND	mg/l	0.0005	--	1	06/05/10 12:45	06/07/10 18:33	1,6020	BM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-07,09-11 Batch: WG416502-1									
Antimony, Dissolved	ND	mg/l	0.0005	--	1	06/07/10 10:10	06/07/10 22:06	1,6020	BM
Beryllium, Dissolved	ND	mg/l	0.0005	--	1	06/07/10 10:10	06/07/10 22:06	1,6020	BM
Thallium, Dissolved	ND	mg/l	0.0005	--	1	06/07/10 10:10	06/07/10 22:06	1,6020	BM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-07,09-11 Batch: WG416512-1									
Aluminum, Dissolved	ND	mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Arsenic, Dissolved	ND	mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Barium, Dissolved	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Cadmium, Dissolved	ND	mg/l	0.005	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Calcium, Dissolved	ND	mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Chromium, Dissolved	ND	mg/l	0.01	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Cobalt, Dissolved	ND	mg/l	0.020	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Copper, Dissolved	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Iron, Dissolved	ND	mg/l	0.05	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Lead, Dissolved	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Magnesium, Dissolved	ND	mg/l	0.10	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Manganese, Dissolved	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis Batch Quality Control

Nickel, Dissolved	ND	mg/l	0.025	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Potassium, Dissolved	ND	mg/l	2.5	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Selenium, Dissolved	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Silver, Dissolved	ND	mg/l	0.007	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Sodium, Dissolved	ND	mg/l	2.0	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Vanadium, Dissolved	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD
Zinc, Dissolved	ND	mg/l	0.050	--	1	06/07/10 12:40	06/11/10 11:15	1,6010B	TD

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-07,09-11 Batch: WG416513-1									
Aluminum, Total	ND	mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Arsenic, Total	ND	mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Barium, Total	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Cadmium, Total	ND	mg/l	0.005	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Calcium, Total	ND	mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Chromium, Total	ND	mg/l	0.01	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Cobalt, Total	ND	mg/l	0.020	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Copper, Total	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Iron, Total	ND	mg/l	0.05	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Lead, Total	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Magnesium, Total	ND	mg/l	0.10	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Manganese, Total	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Nickel, Total	ND	mg/l	0.025	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Potassium, Total	ND	mg/l	2.5	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Selenium, Total	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Silver, Total	ND	mg/l	0.007	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Sodium, Total	ND	mg/l	2.0	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Vanadium, Total	ND	mg/l	0.010	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD
Zinc, Total	ND	mg/l	0.050	--	1	06/07/10 12:40	06/11/10 10:12	1,6010B	TD

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-07,09-11 Batch: WG417042-1									
Mercury, Dissolved	ND	mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 11:26	1,7470A	EZ

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-07,09-11 Batch: WG417043-1									
Mercury, Total	ND	mg/l	0.0002	--	1	06/09/10 18:40	06/10/10 12:38	1,7470A	EZ

Prep Information

Digestion Method: EPA 7470A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG416383-2								
Antimony, Total	94		-		80-120	-		
Beryllium, Total	99		-		80-120	-		
Thallium, Total	93		-		80-120	-		
Dissolved Metals - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG416502-2								
Antimony, Dissolved	88		-		80-120	-		
Beryllium, Dissolved	103		-		80-120	-		
Thallium, Dissolved	91		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG416512-2					
Aluminum, Dissolved	95	-	80-120	-	
Arsenic, Dissolved	112	-	80-120	-	
Barium, Dissolved	100	-	80-120	-	
Cadmium, Dissolved	110	-	80-120	-	
Calcium, Dissolved	94	-	80-120	-	
Chromium, Dissolved	100	-	80-120	-	
Cobalt, Dissolved	97	-	80-120	-	
Copper, Dissolved	96	-	80-120	-	
Iron, Dissolved	93	-	80-120	-	
Lead, Dissolved	102	-	80-120	-	
Magnesium, Dissolved	96	-	80-120	-	
Manganese, Dissolved	96	-	80-120	-	
Nickel, Dissolved	100	-	80-120	-	
Potassium, Dissolved	100	-	80-120	-	
Selenium, Dissolved	111	-	80-120	-	
Silver, Dissolved	91	-	80-120	-	
Sodium, Dissolved	100	-	80-120	-	
Vanadium, Dissolved	100	-	80-120	-	
Zinc, Dissolved	99	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG416513-2					
Aluminum, Total	95	-	80-120	-	
Arsenic, Total	108	-	80-120	-	
Barium, Total	98	-	80-120	-	
Cadmium, Total	108	-	80-120	-	
Calcium, Total	92	-	80-120	-	
Chromium, Total	100	-	80-120	-	
Cobalt, Total	96	-	80-120	-	
Copper, Total	94	-	80-120	-	
Iron, Total	93	-	80-120	-	
Lead, Total	102	-	80-120	-	
Magnesium, Total	97	-	80-120	-	
Manganese, Total	94	-	80-120	-	
Nickel, Total	98	-	80-120	-	
Potassium, Total	98	-	80-120	-	
Selenium, Total	108	-	80-120	-	
Silver, Total	94	-	80-120	-	
Sodium, Total	99	-	80-120	-	
Vanadium, Total	100	-	80-120	-	
Zinc, Total	99	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG417042-2					
Mercury, Dissolved	117	-	70-130	-	
Total Metals - Westborough Lab Associated sample(s): 01-07,09-11 Batch: WG417043-2					
Mercury, Total	101	-	80-120	-	

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG416383-3 WG416383-4 QC Sample: L1008380-01 Client ID: MW-3												
Antimony, Total	ND	0.5	0.4617	92		0.4747	95		80-120	3		20
Beryllium, Total	ND	0.05	0.0491	98		0.0509	102		80-120	4		20
Thallium, Total	ND	0.12	0.1175	98		0.1183	98		80-120	0		20
Dissolved Metals - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG416502-3 WG416502-4 QC Sample: L1008380-01 Client ID: MW-3												
Antimony, Dissolved	ND	0.5	0.4568	91		0.4338	87		80-120	4		20
Beryllium, Dissolved	ND	0.05	0.0494	99		0.0482	96		80-120	3		20
Thallium, Dissolved	ND	0.12	0.1128	94		0.1066	89		80-120	5		20

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG416512-3 WG416512-4 QC Sample: L1008380-01 Client ID: MW-3									
Aluminum, Dissolved	ND	2	2.0	100	1.9	95	75-125	5	20
Arsenic, Dissolved	ND	0.12	0.137	114	0.137	114	75-125	0	20
Barium, Dissolved	0.052	2	2.08	101	2.07	101	75-125	0	20
Cadmium, Dissolved	ND	0.051	0.056	110	0.056	110	75-125	0	20
Calcium, Dissolved	34	10	46	120	46	120	75-125	0	20
Chromium, Dissolved	ND	0.2	0.20	100	0.20	100	75-125	0	20
Cobalt, Dissolved	ND	0.5	0.486	97	0.483	97	75-125	0	20
Copper, Dissolved	ND	0.25	0.244	98	0.242	97	75-125	1	20
Iron, Dissolved	1.3	1	2.4	110	2.2	90	75-125	20	20
Lead, Dissolved	ND	0.51	0.520	102	0.517	101	75-125	1	20
Magnesium, Dissolved	4.8	10	15	102	15	102	75-125	0	20
Manganese, Dissolved	1.39	0.5	2.00	122	1.98	118	75-125	3	20
Nickel, Dissolved	ND	0.5	0.497	99	0.494	99	75-125	0	20
Potassium, Dissolved	6.0	10	17	110	16	100	75-125	10	20
Selenium, Dissolved	ND	0.12	0.132	110	0.132	110	75-125	0	20
Silver, Dissolved	ND	0.05	0.047	93	0.046	91	75-125	2	20
Sodium, Dissolved	32	10	46	140	Q 45	130	Q 75-125	7	20
Vanadium, Dissolved	ND	0.5	0.509	102	0.506	101	75-125	1	20
Zinc, Dissolved	0.229	0.5	0.743	103	0.705	95	75-125	8	20

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG416513-3 WG416513-4 QC Sample: L1008380-01 Client ID: MW-3									
Aluminum, Total	0.38	2	2.3	96	2.3	96	75-125	0	20
Arsenic, Total	0.026	0.12	0.159	111	0.159	111	75-125	0	20
Barium, Total	0.084	2	2.05	98	2.07	99	75-125	1	20
Cadmium, Total	ND	0.051	0.055	109	0.056	109	75-125	0	20
Calcium, Total	36	10	46	100	47	110	75-125	10	20
Chromium, Total	ND	0.2	0.20	100	0.20	100	75-125	0	20
Cobalt, Total	ND	0.5	0.479	96	0.483	97	75-125	1	20
Copper, Total	ND	0.25	0.242	97	0.244	98	75-125	1	20
Iron, Total	27	1	29	200	29	200	75-125	0	20
Lead, Total	ND	0.51	0.511	100	0.516	101	75-125	1	20
Magnesium, Total	5.3	10	14	87	14	87	75-125	0	20
Manganese, Total	1.61	0.5	2.12	102	2.16	110	75-125	8	20
Nickel, Total	ND	0.5	0.487	97	0.488	98	75-125	1	20
Potassium, Total	6.6	10	17	104	17	104	75-125	0	20
Selenium, Total	ND	0.12	0.132	110	0.132	110	75-125	0	20
Silver, Total	ND	0.05	0.047	94	0.046	93	75-125	1	20
Sodium, Total	33	10	44	110	45	120	75-125	9	20
Vanadium, Total	ND	0.5	0.505	101	0.504	101	75-125	0	20
Zinc, Total	ND	0.5	0.512	102	0.516	103	75-125	1	20

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits	
Dissolved Metals - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG417042-3 WG417042-4 QC Sample: L1008380-01 Client ID: MW-3										
Mercury, Dissolved	ND	0.001	0.0013	133	Q	0.0012	124	70-130	7	20
Total Metals - Westborough Lab Associated sample(s): 01-07,09-11 QC Batch ID: WG417043-3 WG417043-4 QC Sample: L1008380-01 Client ID: MW-3										
Mercury, Total	ND	0.001	0.0013	131	Q	0.0013	128	70-130	2	20

INORGANICS & MISCELLANEOUS

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-01

Date Collected: 06/03/10 10:25

Client ID: MW-3

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	170		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD
Nitrogen, Nitrate	ND		mg/l	0.10	--	1	-	06/05/10 01:18	30,4500NO3-F	DD
Sulfide	0.02		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
Sulfate	ND		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD



Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-03

Date Collected: 06/03/10 12:05

Client ID: MW-6

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	60		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD
Nitrogen, Nitrate	ND		mg/l	0.10	--	1	-	06/05/10 01:19	30,4500NO3-F	DD
Sulfide	ND		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
Sulfate	ND		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD



Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-04

Date Collected: 06/03/10 14:30

Client ID: MW-10

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	35		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD
Nitrogen, Nitrate	ND		mg/l	0.10	--	1	-	06/05/10 01:20	30,4500NO3-F	DD
Sulfide	ND		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
Sulfate	ND		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD



Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-05

Date Collected: 06/03/10 12:00

Client ID: EQFB

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	ND		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD
Nitrogen, Nitrate	ND		mg/l	0.10	--	1	-	06/05/10 01:20	30,4500NO3-F	DD
Sulfide	ND		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
Sulfate	ND		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD



Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-06

Date Collected: 06/04/10 08:35

Client ID: MW-2

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	230		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD
Nitrogen, Nitrate	0.10		mg/l	0.10	--	1	-	06/05/10 01:21	30,4500NO3-F	DD
Sulfide	0.24		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
Sulfate	19		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD



Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

SAMPLE RESULTS

Lab ID: L1008380-07

Date Collected: 06/04/10 08:58

Client ID: MW-1

Date Received: 06/04/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Alkalinity, Total	180		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD
Nitrogen, Nitrate	0.15		mg/l	0.10	--	1	-	06/05/10 01:22	30,4500NO3-F	DD
Sulfide	0.09		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
Sulfate	ND		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03-07 Batch: WG416278-2										
Nitrogen, Nitrate	ND		mg/l	0.10	--	1	-	06/04/10 18:30	30,4500NO3-F	DD
General Chemistry - Westborough Lab for sample(s): 01,03-07 Batch: WG416812-1										
Sulfate	ND		mg/l	10	--	1	06/08/10 13:00	06/08/10 13:00	1,9038	SD
General Chemistry - Westborough Lab for sample(s): 01,03-07 Batch: WG417049-1										
Sulfide	ND		mg/l	0.02	--	.2	06/09/10 16:30	06/09/10 17:30	1,9030B	AT
General Chemistry - Westborough Lab for sample(s): 01,03-07 Batch: WG417125-1										
Alkalinity, Total	ND		mg CaCO3/L	2.0	NA	1	-	06/09/10 09:07	30,2320B	SD

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 Batch: WG416278-1								
Nitrogen, Nitrate	100		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 Batch: WG416812-2								
Sulfate	95		-		90-115	-		
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 Batch: WG417049-2								
Sulfide	88		-		75-125	-		
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 Batch: WG417125-2								
Alkalinity, Total	104		-		80-115	-		4

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG416278-3 QC Sample: L1008260-07 Client ID: MS Sample												
Nitrogen, Nitrate	0.21	4	4.3	104	-	-	-	-	83-113	-	-	17
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG416812-3 QC Sample: L1008423-05 Client ID: MS Sample												
Sulfate	ND	20	25	125	-	-	-	-	55-147	-	-	14
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG417049-3 QC Sample: L1008380-04 Client ID: MW-10												
Sulfide	ND	0.24	0.22	92	-	-	-	-	70-130	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG417125-3 QC Sample: L1008536-06 Client ID: MS Sample												
Alkalinity, Total	400	100	490	93	-	-	-	-	86-116	-	-	4

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG416278-4 QC Sample: L1008260-07 Client ID: DUP Sample						
Nitrogen, Nitrate	0.21	0.25	mg/l	50	Q	17
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG416812-4 QC Sample: L1008423-05 Client ID: DUP Sample						
Sulfate	ND	ND	mg/l	NC		14
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG417049-4 QC Sample: L1008380-06 Client ID: MW-2						
Sulfide	0.24	0.25	mg/l	4		20
General Chemistry - Westborough Lab Associated sample(s): 01,03-07 QC Batch ID: WG417125-4 QC Sample: L1008536-06 Client ID: DUP Sample						
Alkalinity, Total	400	390	mg CaCO3/L	3		4

Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A	Absent
D	Absent
B	Absent
C	Absent
E	Absent
F	Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-01A	Vial HCl preserved	F	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-01B	Vial HCl preserved	F	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-01C	Vial HCl preserved	F	N/A	2	Y	Absent	DISSGAS(14)
L1008380-01D	Vial HCl preserved	F	N/A	2	Y	Absent	DISSGAS(14)
L1008380-01E	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-01F	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-01G	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8081(7)
L1008380-01H	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8081(7)
L1008380-01I	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8082()
L1008380-01J	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8082()
L1008380-01K	Plastic 500ml unpreserved	F	7	2	Y	Absent	SO4-9038(28),NO3-4500(2)
L1008380-01L	Plastic 500ml HNO3 preserved	F	<2	2	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-01M	Plastic 500ml unpreserved	F	7	2	Y	Absent	-
L1008380-01N	Plastic 250ml unpreserved	F	N/A	2	Y	Absent	ALK-T-2320(14)
L1008380-01O	Plastic 250ml Zn Acetate/NaOH pr	F	>12	2	Y	Absent	SULFIDE-9030(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-01P	Plastic 250ml Zn Acetate/NaOH pr	F	>12	2	Y	Absent	SULFIDE-9030(7)
L1008380-01Q	Plastic 250ml Zn Acetate/NaOH pr	F	>12	2	Y	Absent	SULFIDE-9030(7)
L1008380-01R	Vial HCl preserved	F	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-01S	Vial HCl preserved	F	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-01T	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-01U	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-01V	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8081(7)
L1008380-01W	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8081(7)
L1008380-01X	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8082()
L1008380-01Y	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8082()
L1008380-01Z	Plastic 500ml HNO3 preserved spl	A	<2	3.4	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-02A	Vial HCl preserved	A	N/A	3.4	Y	Absent	NYTCL-8260(14)
L1008380-02B	Vial HCl preserved	A	N/A	3.4	Y	Absent	NYTCL-8260(14)
L1008380-02C	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-02D	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-02E	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8081(7)
L1008380-02F	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8081(7)
L1008380-02G	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8082()
L1008380-02H	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	NYTCL-8082()
L1008380-02I	Plastic 500ml unpreserved	A	7	3.4	Y	Absent	-
L1008380-02J	Plastic 500ml HNO3 preserved	A	<2	3.4	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-02X	Plastic 500ml HNO3 preserved spl	A	<2	3.4	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-03A	Vial HCl preserved	E	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-03B	Vial HCl preserved	E	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-03C	Vial HCl preserved	E	N/A	2	Y	Absent	DISSGAS(14)
L1008380-03D	Vial HCl preserved	E	N/A	2	Y	Absent	DISSGAS(14)
L1008380-03E	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-03F	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-03G	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8081(7)
L1008380-03H	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8081(7)
L1008380-03I	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8082()
L1008380-03J	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8082()
L1008380-03K	Plastic 500ml unpreserved	E	7	2	Y	Absent	SO4-9038(28),NO3-4500(2)
L1008380-03L	Plastic 500ml HNO3 preserved	E	<2	2	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-03M	Plastic 500ml unpreserved	E	7	2	Y	Absent	-
L1008380-03N	Plastic 250ml unpreserved	E	N/A	2	Y	Absent	ALK-T-2320(14)
L1008380-03O	Plastic 250ml Zn Acetate/NaOH pr	E	>12	2	Y	Absent	SULFIDE-9030(7)
L1008380-03P	Plastic 250ml Zn Acetate/NaOH pr	E	>12	2	Y	Absent	SULFIDE-9030(7)
L1008380-03Q	Plastic 250ml Zn Acetate/NaOH pr	E	>12	2	Y	Absent	SULFIDE-9030(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-03X	Plastic 500ml HNO3 preserved spl	E	<2	2	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-03Z	Plastic 500ml HNO3 preserved	E	<2	2	Y	Absent	-
L1008380-04A	Vial HCl preserved	C	N/A	3.7	Y	Absent	NYTCL-8260(14)
L1008380-04B	Vial HCl preserved	C	N/A	3.7	Y	Absent	NYTCL-8260(14)
L1008380-04C	Vial HCl preserved	C	N/A	3.7	Y	Absent	DISSGAS(14)
L1008380-04D	Vial HCl preserved	C	N/A	3.7	Y	Absent	DISSGAS(14)
L1008380-04E	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-04F	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-04G	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8081(7)
L1008380-04H	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8081(7)
L1008380-04I	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8082()
L1008380-04J	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8082()
L1008380-04K	Plastic 500ml unpreserved	C	7	3.7	Y	Absent	SO4-9038(28),NO3-4500(2)
L1008380-04L	Plastic 500ml HNO3 preserved	C	<2	3.7	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-04M	Plastic 500ml unpreserved	C	7	3.7	Y	Absent	-
L1008380-04N	Plastic 250ml unpreserved	C	N/A	3.7	Y	Absent	ALK-T-2320(14)
L1008380-04O	Plastic 250ml Zn Acetate/NaOH pr	C	>12	3.7	Y	Absent	SULFIDE-9030(7)
L1008380-04P	Plastic 250ml Zn Acetate/NaOH pr	C	>12	3.7	Y	Absent	SULFIDE-9030(7)
L1008380-04Q	Plastic 250ml Zn Acetate/NaOH pr	C	>12	3.7	Y	Absent	SULFIDE-9030(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-04X	Plastic 500ml HNO3 preserved spl	C	<2	3.7	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-04Z	Plastic 500ml HNO3 preserved	C	<2	3.7	Y	Absent	-
L1008380-05A	Vial HCl preserved	E	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-05B	Vial HCl preserved	E	N/A	2	Y	Absent	NYTCL-8260(14)
L1008380-05C	Vial HCl preserved	E	N/A	2	Y	Absent	DISSGAS(14)
L1008380-05D	Vial HCl preserved	E	N/A	2	Y	Absent	DISSGAS(14)
L1008380-05E	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-05F	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-05G	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8081(7)
L1008380-05H	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8081(7)
L1008380-05I	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8082()
L1008380-05J	Amber 1000ml unpreserved	E	7	2	Y	Absent	NYTCL-8082()
L1008380-05K	Plastic 500ml unpreserved	E	7	2	Y	Absent	SO4-9038(28),NO3-4500(2)
L1008380-05L	Plastic 500ml HNO3 preserved	E	<2	2	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-05M	Plastic 500ml unpreserved	E	7	2	Y	Absent	-
L1008380-05N	Plastic 250ml unpreserved	E	N/A	2	Y	Absent	ALK-T-2320(14)
L1008380-05O	Plastic 250ml Zn Acetate/NaOH pr	E	>12	2	Y	Absent	SULFIDE-9030(7)
L1008380-05P	Plastic 250ml Zn Acetate/NaOH pr	E	>12	2	Y	Absent	SULFIDE-9030(7)
L1008380-05Q	Plastic 250ml Zn Acetate/NaOH pr	E	>12	2	Y	Absent	SULFIDE-9030(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-05X	Plastic 500ml HNO3 preserved spl	E	<2	2	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-05Z	Plastic 500ml HNO3 preserved	E	<2	2	Y	Absent	-
L1008380-06A	Vial HCl preserved	B	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-06B	Vial HCl preserved	B	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-06C	Vial HCl preserved	B	N/A	3.6	Y	Absent	DISSGAS(14)
L1008380-06D	Vial HCl preserved	B	N/A	3.6	Y	Absent	DISSGAS(14)
L1008380-06E	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-06F	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-06G	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8081(7)
L1008380-06H	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8081(7)
L1008380-06I	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8082()
L1008380-06J	Amber 1000ml unpreserved	C	7	3.7	Y	Absent	NYTCL-8082()
L1008380-06K	Plastic 500ml unpreserved	C	7	3.7	Y	Absent	SO4-9038(28),NO3-4500(2)
L1008380-06L	Plastic 500ml HNO3 preserved	C	<2	3.7	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-06M	Plastic 500ml unpreserved	C	7	3.7	Y	Absent	-
L1008380-06N	Plastic 250ml unpreserved	C	N/A	3.7	Y	Absent	ALK-T-2320(14)
L1008380-06O	Plastic 250ml Zn Acetate/NaOH pr	C	>12	3.7	Y	Absent	SULFIDE-9030(7)
L1008380-06P	Plastic 250ml Zn Acetate/NaOH pr	C	>12	3.7	Y	Absent	SULFIDE-9030(7)
L1008380-06Q	Plastic 250ml Zn Acetate/NaOH pr	C	>12	3.7	Y	Absent	SULFIDE-9030(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-06X	Plastic 500ml HNO3 preserved spl	C	<2	3.7	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-06Z	Plastic 500ml HNO3 preserved	C	<2	3.7	Y	Absent	-
L1008380-07A	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-07B	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-07C	Vial HCl preserved	D	N/A	3.6	Y	Absent	DISSGAS(14)
L1008380-07D	Vial HCl preserved	D	N/A	3.6	Y	Absent	DISSGAS(14)
L1008380-07E	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-07F	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-07G	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-07H	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-07I	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8082()
L1008380-07J	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8082()
L1008380-07K	Plastic 500ml unpreserved	D	7	3.6	Y	Absent	SO4-9038(28),NO3-4500(2)
L1008380-07L	Plastic 500ml HNO3 preserved	D	<2	3.6	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-07M	Plastic 500ml unpreserved	D	7	3.6	Y	Absent	-
L1008380-07N	Plastic 250ml unpreserved	D	N/A	3.6	Y	Absent	ALK-T-2320(14)
L1008380-07O	Plastic 250ml Zn Acetate/NaOH pr	D	>12	3.6	Y	Absent	SULFIDE-9030(7)
L1008380-07P	Plastic 250ml Zn Acetate/NaOH pr	D	>12	3.6	Y	Absent	SULFIDE-9030(7)
L1008380-07Q	Plastic 250ml Zn Acetate/NaOH pr	D	>12	3.6	Y	Absent	SULFIDE-9030(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-07X	Plastic 500ml HNO3 preserved spl	D	<2	3.6	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-07Z	Plastic 500ml HNO3 preserved	D	<2	3.6	Y	Absent	-
L1008380-08A	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-09A	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-09B	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-09C	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-09D	Amber 1000ml unpreserved	B	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-09E	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-09F	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-09G	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8082()
L1008380-09H	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8082()
L1008380-09I	Plastic 500ml unpreserved	D	7	3.6	Y	Absent	-
L1008380-09J	Plastic 500ml HNO3 preserved	D	<2	3.6	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-09X	Plastic 500ml HNO3 preserved spl	D	<2	3.6	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-10A	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-10B	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-10C	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-10D	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-10E	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-10F	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8081(7)
L1008380-10G	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8082()
L1008380-10H	Amber 1000ml unpreserved	F	7	2	Y	Absent	NYTCL-8082()
L1008380-10I	Plastic 500ml unpreserved	D	7	3.6	Y	Absent	-
L1008380-10J	Plastic 500ml HNO3 preserved	D	<2	3.6	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1008380-10X	Plastic 500ml HNO3 preserved spl	D	<2	3.6	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-11A	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-11B	Vial HCl preserved	D	N/A	3.6	Y	Absent	NYTCL-8260(14)
L1008380-11C	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-11D	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1008380-11E	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-11F	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8081(7)
L1008380-11G	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8082()
L1008380-11H	Amber 1000ml unpreserved	D	7	3.6	Y	Absent	NYTCL-8082()
L1008380-11I	Plastic 500ml unpreserved	D	7	3.6	Y	Absent	-
L1008380-11J	Plastic 500ml HNO3 preserved	D	<2	3.6	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1008380

Report Date: 06/15/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1008380-11X	Plastic 500ml HNO3 preserved spl	D	<2	3.6	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1008380-12A	Plastic 500ml unpreserved	D	7	3.6	Y	Absent	HOLD(14)
L1008380-12B	Plastic 500ml HNO3 preserved	D	<2	3.6	Y	Absent	HOLD(14)
L1008380-12C	Plastic 500ml unpreserved	A	7	3.4	Y	Absent	HOLD(14)
L1008380-12D	Plastic 500ml HNO3 preserved	A	<2	3.4	Y	Absent	HOLD(14)
L1008380-12E	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	HOLD(14)
L1008380-12F	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	HOLD(14)
L1008380-12G	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	HOLD(14)
L1008380-12H	Amber 1000ml unpreserved	A	7	3.4	Y	Absent	HOLD(14)
L1008380-12I	Plastic 500ml HNO3 preserved	A	<2	3.4	Y	Absent	HOLD(14)
L1008380-12J	Plastic 500ml unpreserved	A	7	3.4	Y	Absent	HOLD(14)
L1008380-12K	Vial HCl preserved	A	N/A	3.4	Y	Absent	HOLD(14)
L1008380-12L	Vial HCl preserved	A	N/A	3.4	Y	Absent	HOLD(14)
L1008380-12Z	Plastic 500ml HNO3 preserved	A	<2	3.4	Y	Absent	HOLD(14)

Container Comments

L1008380-03D

L1008380-03X

L1008380-05X

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

GLOSSARY

Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD** - Laboratory Control Sample Duplicate: Refer to LCS.
- MDL** - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI** - Not Ignitable.
- RL** - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.

Report Format: Data Usability Report



Project Name: 2477 THIRD AVE.

Lab Number: L1008380

Project Number: 11160

Report Date: 06/15/10

Data Qualifiers

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND - Not detected at the reporting limit (RL) for the sample.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1008380
Report Date: 06/15/10

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.
- 30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.
- 53 Analysis of Dissolved Methane, Ethane & Ethylene in Groundwater by a Standard Gas Chromatographic Technique, Kampbell & Vandegrift, EPA-OK, Journal of Chrom, Vol 36, May 1998 & Technical Guidance for the Natural Attenuation Indicators, EPA-NE, July 2001.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised May 19, 2010 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

Drinking Water (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Haloacetic Acids, Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB).)

Wastewater/Non-Potable Water (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Calcium Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH.)

Solid Waste/Soil (Inorganic Parameters: Lead in Paint, pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), Reactivity. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Volatile Organics, Acid Extractables (Phenols), 3,3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Maine Department of Human Services Certificate/Lab ID: 2009024.

Drinking Water (Inorganic Parameters: SM9215B, 9221E, 9222B, 9222D, 9223B, EPA 180.1, 300.0, 353.2, SM2130B, 2320B, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1. Organic Parameters: 504.1, 524.2, SM 6251B.)

Wastewater/Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, Lachat 10-107-06-1-B, SM2320B, 2340B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NH3-H, 4500NO3-F, 4500P-B.5, 4500P-E, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

Drinking Water

Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl)

(EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate)

353.2 for: Nitrate-N, Nitrite-N; SM4500NO3-F, 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B.

Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics)

(504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), 314.0, 332.

Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; MF-SM9222D

Non-Potable Water

Inorganic Parameters: (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn)

(EPA 200.7 for: Al,Sb,As,Be,Cd,Cr,Co,Cu,Fe,Pb,Mn,Mo,Ni,Se,Ag,Sr,Ti,Tl, V,Zn,Ca,Mg,Na,K)

245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2540B, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-B,C-Titr, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420, SM4500-CN-CE, SM2540D.

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics)

(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables, 600/4-81-045-PCB-Oil

New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM6215B, 9222B, 9223B Colilert, EPA 200.7, 200.8, 245.2, 120.1, 300.0, 314.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 331.0. Organic Parameters: 504.1, 524.2, SM6251B.)

Non-Potable Water (Inorganic Parameters: SM9222D, 9221B, 9222B, 9221E-EC, EPA 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 420.1, 1664A, SW-846 9010, 9030, 9040B, SM426C, SM2310B, 2540B, 2540D, 4500H+B, 4500NH3-H, 4500NH3-E, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 2320B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-117-07-1-B, LACHAT 10-107-06-1-B, LACHAT 10-107-04-1-C, LACHAT 10-107-04-1-J, LACHAT 10-117-07-1-A, SM4500CL-E, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. Organic Parameters: SW-846 3005A, 3015A, 3510C, 5030B, 8021B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6010B, 7196A, 7471A, 7.3.3.2, 7.3.4.2, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040, 9045C, 9050C, 1311, 3005A, 3050B, 3051A. Organic Parameters: SW-846 3540C, 3545, 3580A, 5030B, 5035, 8021B, 8260B, 8270C, 8330, 8151A, 8082, 8081A.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM9222B, 9221E, 9223B, 9215B, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 2540C, 2320B, 314.0, SM2120B, 2510B, 5310C, SM4500H-B, EPA 200.8, 245.2. Organic Parameters: 504.1, SM6251B, 524.2.)

Non-Potable Water (Inorganic Parameters: SM5210B, EPA 410.4, SM5220D, 4500CI-D, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, SM9221CE, 9222D, 9221B, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, SM5210B, SW-846 3015, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. Organic Parameters: SW-846 8260B, 8270C, 3510C, EPA 608, 624, 625, SW-846 5030B, 8021B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 9040B, 3005A, 6010B, 7196A, 5030B, 9010B, 9030B, 1030, 1311, 3050B, 3051, 7471A, 9014, 9012A, 9045C, 9050A, 9065. Organic Parameters: SW-846 8021B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 1311, 1312, 3540C, 3545, 3550B, 3580A, 5035L, 5035H, NJ OQA-QAM-025 Rev.7.)

New York Department of Health Certificate/Lab ID: 11148. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 314.0, 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, EPA 120.1, SM 2510B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, LACHAT 10-117-07-1A or B, SM4500CI-E, 4500F-C, SM15 426C, EPA 350.1, LACHAT 10-107-06-1-B, SM4500NH3-H, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-041-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, SM4500-CN-E LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, SM5310C, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015. Organic Parameters: EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B, 9010B, 9030B.)

Solid & Hazardous Waste (Inorganic Parameters: 1010, 1030, SW-846 Ch 7 Sec 7.3, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

North Carolina Department of the Environment and Natural Resources Certificate/Lab ID : 666. *Organic Parameters: MA-EPH, MA-VPH.***Pennsylvania Department of Environmental Protection Certificate/Lab ID : 68-03671. *NELAP Accredited.***

Non-Potable Water (Organic Parameters: EPA 3510C, 5030B, 625, 624. 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1010, 1030, 1311, 3050B, 3051, 6010B, EPA 7.3.3.2, EPA 7.3.4.2, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065. Organic Parameters: 3540C, 3545, 3580A, 5035, 8021B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Rhode Island Department of Health Certificate/Lab ID: LAO00065. *NELAP Accredited via NY-DOH.*

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NY-DOH Certificate for Potable and Non-Potable Water.

Texas Commission on Environmental Quality Certificate/Lab ID: T104704476-09-1. NELAP Accredited.

Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 376.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH3-H, 4500NO2B, 4500P-E, 4500 S²⁻ D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)

Department of Defense Certificate/Lab ID: L2217.

Drinking Water (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6020, 245.1, 245.2, 7470A, 9040B, 300.0, 9251, 9038, 350.1, 353.2, 351.1, 314, 120.1, 9050A, 410.4, 9060, 1664, 420.1, LACHAT 10-107-06-1-B, SM 4500CN-E, 4500H-B, 4500CL-E, 4500F-BC, 4500SO4-E, 426C, 4500NH3-B, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500Norg-C, 4500PE, 2510B, 5540C, 5220D, 5310C, 2540B, 2540C, 2540D, 510C, 4500S2-AD, 3005A, 3015, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8330, 625, 8082, 8151A, 8081A, 3510C, 5030B.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 200.7, 6010B, 7471A, 9040B, 9045C, 9065, 420.1, 9012A, 6860, 1311, 1312, 3050B, 9030B, 3051, 9010B, 3540C, SM 510ABC, 4500CN-CE, 2540G, SW-846 7.3, Organic Parameters: EPA 8260B, 8270C, 8330, 8082, 8081A, 8151A, 3545, 3546, 3580, 5035.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **EPA 8260B**: Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A**: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C**: Methyl naphthalene, Dimethyl naphthalene, Total Methyl naphthalenes, Total Dimethyl naphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625**: 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.

Certificate/Approval Program Summary

Last revised June 1, 2010 – Mansfield Facility

The following list includes only those analytes/methods for which certification/approval is currently held. For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0141.

Wastewater/Non-Potable Water (Inorganic Parameters: pH, Turbidity, Conductivity, Alkalinity, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Vanadium, Zinc, Total Residue (Solids), Total Suspended Solids (non-filterable), Total Cyanide. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Acid Extractables, Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, PAHs, Haloethers, Chlorinated Hydrocarbons, Volatile Organics.)

Solid Waste/Soil (Inorganic Parameters: pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Organic Carbon, Total Cyanide, Corrosivity, TCLP 1311. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Volatile Organics, Acid Extractables, Benzidines, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Florida Department of Health Certificate/Lab ID: E87814. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: SM2320B, EPA 120.1, SM2510B, EPA 245.1, EPA 150.1, EPA 160.2, SM2540D, EPA 335.2, SM2540G, EPA 180.1. Organic Parameters: EPA 625, 608.)

Solid & Chemical Materials (Inorganic Parameters: 6020, 7470, 7471, 9045, 9014. Organic Parameters: EPA 8260, 8270, 8082, 8081.)

Air & Emissions (EPA TO-15.)

Louisiana Department of Environmental Quality Certificate/Lab ID: 03090. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: EPA 120.1, 150.1, 160.2, 180.1, 200.8, 245.1, 310.1, 335.2, 608, 625, 1631, 3010, 3015, 3020, 6020, 9010, 9014, 9040, SM2320B, 2510B, 2540D, 2540G, 4500CN-E, 4500H-B, Organic Parameters: EPA 3510, 3580, 3630, 3640, 3660, 3665, 5030, 8015 (mod), 3570, 8081, 8082, 8260, 8270,)

Solid & Chemical Materials (Inorganic Parameters: 6020, 7196, 7470, 7471, 7474, 9010, 9014, 9040, 9045, 9060. Organic Parameters: EPA 8015 (mod), EPA 3570, 1311, 3050, 3051, 3060, 3580, 3630, 3640, 3660, 3665, 5035, 8081, 8082, 8260, 8270.)

Biological Tissue (Inorganic Parameters: EPA 6020. Organic Parameters: EPA 3570, 3510, 3610, 3630, 3640, 8270.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA030.

Non-Potable Water (Inorganic Parameters: SM4500H+B. Organic Parameters: EPA 624.)

New Hampshire Department of Environmental Services Certificate/Lab ID: 2206. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: EPA 200.8, 245.1, 1631E, 120.1, 150.1, 180.1, 310.1, 335.2, 160.2, SM2540D, 2540G, 4500CN-E, 4500H+B, 2320B, 2510B. Organic Parameters: EPA 625, 608.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA015. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: SW-846 1312, 3010, 3020A, 3015, 6020, SM2320B, EPA 200.8, SM2540C, 2540D, 2540G, EPA 120.1, SM2510B, EPA 180.1, 245.1, 1631E, SW-846 9040B, 6020, 9010B, 9014 Organic Parameters: EPA 608, 625, SW-846 3510C, 3580A, 5030B, 3035L, 5035H, 3630C, 3640A, 3660B, 3665A, 8081A, 8082 8260B, 8270C)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6020, 9010B, 9014, 1311, 1312, 3050B, 3051, 3060A, 7196A, 7470A, 7471A, 9045C, 9060. Organic Parameters: SW-846 3580A, 5030B, 3035L, 5035H, 3630C, 3640A, 3660B, 3665A, 8081A, 8082, 8260B, 8270C, 3570, 8015B.)

Atmospheric Organic Parameters (EPA TO-15)

Biological Tissue (Inorganic Parameters: SW-846 6020 Organic Parameters: SW-846 8270C, 3510C, 3570, 3610B, 3630C, 3640A)

New York Department of Health Certificate/Lab ID: 11627. **NELAP Accredited.**

Non-Potable Water (Inorganic Parameters: EPA 310.1, SM2320B, EPA 365.2, 160.1, EPA 160.2, SM2540D, EPA 200.8, 6020, 1631E, 245.1, 335.2, 9014, 150.1, 9040B, 120.1, SM2510B, EPA 376.2, 180.1, 9010B. Organic Parameters: EPA 624, 8260B, 8270C, 608, 8081A, 625, 8082, 3510C, 3511, 5030B.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 9040B, 9045C, SW-846 Ch7 Sec 7.3, EPA 6020, 7196A, 7471A, 7474, 9014, 9040B, 9045C, 9010B. Organic Parameters: EPA 8260B, 8270C, 8081A, DRO 8015B, 8082, 1311, 3050B, 3580, 3050B, 3035, 3570, 3051, 5035, 5030B.)

Air & Emissions (EPA TO-15.)

Rhode Island Department of Health Certificate/Lab ID: LAO00299. **NELAP Accredited via LA-DEQ.**

Refer to MA-DEP Certificate for Non-Potable Water.

Refer to LA-DEQ Certificate for Non-Potable Water.

Texas Commission of Environmental Quality Certificate/Lab ID: T104704419-08-TX. **NELAP Accredited.**

Solid & Chemical Materials (Inorganic Parameters: EPA 6020, 7470, 7471, 1311, 7196, 9014, 9040, 9045, 9060. Organic Parameters: EPA 8015, 8270, 8260, 8081, 8082.)

Air (Organic Parameters: EPA TO-15)

U.S. Army Corps of Engineers

Department of Defense Certificate/Lab ID: L2217.01.

Non-Potable Water (Inorganic Parameters: EPA 3005A,3020, 6020, 245.1, 245.7, 1631E, 7470A, 7474, 9014, 120.1, 9050A, 180.1, SM4500H-B, 2320B, 2510B, 2540D,9040. Organic Parameters: EPA 3510C, 5030B, 9010B, 624, 8260B, 8270C, 8270 Alk-PAH, 8082, 8081A, 8015 (SHC), 8015 (DRO).)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312,3051, 6020, 747A, 7474, 9045C,9060, SM 2540G, ASTM D422-63. Organic Parameters: EPA 3580, 3570, 3540C, 5035, 8260B, 8270C, 8270 Alk-PAH, 8082, 8081A, 8015 (SHC), 8015 (DRO).)

Air & Emissions (EPA TO-15.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **8270C**: Biphenyl.



CHAIN OF CUSTODY

PAGE 1 OF 2

WESTBORO, MA
TEL: 508-892-9220
FAX: 508-892-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Client Information

Client: **AKRF Inc**
 Address: **440 PARK AVE SOUTHWEST, NEW YORK, NY 10016**
 Phone: _____
 Fax: _____

Email: **aschwendt@akrf.com**
 Date Due: **6/11/10** Time: _____
 Standard RUSH (only confirmed if pre-approved!)

Other Project Specific Requirements/Comments/Detection Limits:

CAT B

Report Information - Data Deliverables

Date Rec'd in Lab: **6/14/10**
 FAX EMAIL
 ADEX Add'l Deliverables

Billing Information

ALPHA Job #: **L1008380**
 Same as Client Info PO #: _____

Regulatory Requirements/Report Limits

State/Fed Program: **CAT B**
 Criteria: _____

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
06380.1	MW-3	06/09/10	1005	AQ	AS
1	MS (MW3)		1045		AS
1	MSD (MW3)		1100		AS
2	DUP (060310)		1115		AS
3	MW-6		1205		EK
4	MW-10		1430		EK
5	EQ FB		1200		EK
6	MW-2	06/09/10	0835		EK
7	MW-1		0858		AS
8	TRIP BLANK	N/A	N/A		N/A

ANALYSIS	1	2	3	4	5	6	7	8	9
VOC 8260	X	X	X	X	X	X	X	X	X
SVOC 8270	X	X	X	X	X	X	X	X	X
TAL METALS (DISSOLVED)	X	X	X	X	X	X	X	X	X
TAL METALS (TOTAL)	X	X	X	X	X	X	X	X	X
PESTICIDES 8081	X	X	X	X	X	X	X	X	X
PCBs 8082	X	X	X	X	X	X	X	X	X
METHANE	X	X	X	X	X	X	X	X	X
NITRATE + SULFATE	X	X	X	X	X	X	X	X	X
ALKALINITY	X	X	X	X	X	X	X	X	X
SULFIDE	X	X	X	X	X	X	X	X	X
REDUCED Mn + REDUCED Fe	X	X	X	X	X	X	X	X	X

SAMPLE HANDLING
 Filtration: _____
 Done
 Not needed
 Lab to do
 Preservation: _____
 Lab to do
 (Please specify below)

TOTAL # BOTTLES

Container Type	Preservative	Date/Time	Received By:	Date/Time
40L	HCl	6/9/10 15:35	<i>[Signature]</i>	6/9/10 15:35
1L	HCl	6/9/10 23:35	<i>[Signature]</i>	6/9/10 23:35
1L	HCl	6/9/10 23:35	<i>[Signature]</i>	6/9/10 23:35
1L	HCl	6/9/10 23:35	<i>[Signature]</i>	6/9/10 23:35
1L	HCl	6/9/10 23:35	<i>[Signature]</i>	6/9/10 23:35

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



WESTBORO, MA
 TEL: 508-898-9220
 FAX: 508-898-9193

MANSFIELD, MA
 TEL: 508-822-9300
 FAX: 508-822-3286

CHAIN OF CUSTODY

Project Information

Project Name: 2477 Third Ave

Project Location: BROUX, NY

Project #: 1160

Project Manager: ALPHA SCHWENDT

ALPHA Quote #:

Turn-Around Time

Client Information

Client: AKBE INC

Address: 440 Park Ave South
New York, NY 10014

Phone:

Fax:

Email: aschwendt@akbe.com

Date Due: 6/11/10 Time:

Standard RUSH (only confirmed if pre-approved)

Other Project Specific Requirements/Comments/Detection Limits:

CAT B

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
<u>08386</u>	<u>9</u>	<u>06/07/10</u>	<u>1110</u>	<u>AQ</u>	<u>EK</u>
	<u>10</u>		<u>1235</u>		<u>AS</u>
	<u>11</u>		<u>1350</u>		<u>EK</u>

Date Rec'd in Lab: 6/14/10

Report Information - Data Deliverables

FAX EMAIL

ADEX Add'l Deliverables

Regulatory Requirements/Report Limits

State/Fed Program: CAT B

Criteria:

Billing Information

ALPHA Job #: 21008380

PO #:

Same as Client info

ANALYSIS

VOC 8260

SVOC 8270

TAL METALS (DISSOLVED)

TAL METALS (TOTAL)

PESTICIDES 8081

PCBS 8082

SAMPLE HANDLING

Filtration _____

Done

Not needed

Lab to do

Preservation

Lab to do

(Please specify below)

Sample Specific Comments

Container Type	Preservative	Date/Time	Received By:	Date/Time
<u>1L</u>	<u>None</u>	<u>6/10/10 1545</u>	<u>[Signature]</u>	<u>6/10/10 1550</u>
<u>1L</u>	<u>None</u>	<u>6/10/10 1545</u>	<u>[Signature]</u>	<u>6/10/10 1550</u>

Relinquished By: [Signature] Date/Time: 6/10/10 1545

Received By: [Signature] Date/Time: 6/10/10 1550

FORM NO: 01-01 (rev. 14-OCT-07)

Page 22 of 230

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-9288

CHAIN OF CUSTODY

Client: **AKRF Inc**

Project Name: **2477 Third Ave**

Address: **440 Park Ave South
New York, NY 10016**

Project Location: **BRONX, NY**

Phone:

Project Manager: **Axel Schwandt**

Fax:

Project #:

Email: **aschwandt@akrf.com**

Project Manager: **ALPHA Quote #:**

Other Project Specific Requirements/Comments/Detection Limits:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved!)

Date Due: **6/11/10** Time:

Other Project Specific Requirements/Comments/Detection Limits:

Turn-Around Time

CRB

Date Rec'd in Lab: **6/9/10**

ALPHA Job #: **16063660**

Report Information - Data Deliverables
 FAX EMAIL
 ADEX Add'l Deliverables

Billing Information
 Same as Client Info PO #:

Regulatory Requirements/Report Limits
State/Fed Program **CRB** Criteria

ANALYSIS	DATE	INITIALS
PERMETHANOL		
ETHANOL		
ACETONE		
BENZENE		
CHLOROBENZENE		
DICHLOROMETHANE		
TRICHLOROETHYLENE		
PERCHLOROETHYLENE		
1,1,1-TRICHLOROETHANE		
METHANE		
ETHANE		
PROPANE		
BUTANE		
PENTANE		
HEXANE		
HEPTANE		
OCTANE		
NONANE		
DODECANE		

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Container Type	Preservative	Date/Time
		Date	Time					
06380	MW-3	06/09/10	1005	AQ	AS	HD	HD	6/10/10 15:15
	MS (MW3)		1045		AS			
	MSD (MW3)		1100		AS			
	DUP (060310)		1115		AS			
	MW-6		1205		EK			
	MW-10		1430		EK			
	EQFB		1200		EK			
	MW-2	06/09/10	0835		EK			
	MW-1		0858		AS			
	TRIP BLANK	N/A	N/A		N/A			

Relinquished By: **[Signature]** Date/Time: **06/04/10 15:15**

Received By: **[Signature]** Date/Time: **6/10/10 15:15**

Sample Specific Comments

Filtration: Done Not needed

Lab to do Preservation Lab to do (Please specify below)

Sample Specific Comments



ANALYTICAL REPORT

Lab Number:	L1009083
Client:	AKRF, Inc. 440 Park Avenue South New York, NY 10016
ATTN:	Axel Schwendt
Phone:	(646) 388-9529
Project Name:	2477 THIRD AVE.
Project Number:	11160
Report Date:	06/25/10

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1009083-01	MW-104	BRONX, NY	06/15/10 11:20
L1009083-02	MW-101	BRONX, NY	06/15/10 15:10
L1009083-03	MW-105	BRONX, NY	06/16/10 09:40

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.

Semivolatile Organics

The surrogate recovery for L1009083-01 is outside the individual acceptance criteria for 2-Fluorophenol (20%).

The WG419051-2/-3 LCS/LCSD recoveries, associated with L1009083-01 through -03, are above the acceptance criteria for 2,4-Dinitrotoluene (104%/98%); however, the associated samples were non-detect for this target compound. The results of the original analysis are reported.

PCB

The WG419403-2/-3 LCS/LCSD RPDs, associated with L1009083-01 through -03, are above the acceptance criteria for Aroclor 1016 (41%) and Aroclor 1260 (35%); however, the individual LCS/LCSD recoveries are within method limits.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Case Narrative (continued)

Total Metals

The WG418483-3 Laboratory Duplicate RPD, performed on L1009083-03, is above the acceptance criteria for Zinc (33%); however, the sample and duplicate results are less than five times the reporting limit. Therefore, the RPD is valid.

The WG418483-4 MS recovery, performed on L1009083-03, is above the acceptance criteria for Potassium (130%) . A post digestion spike was performed with an acceptable recovery of 110%.


The WG418483-4 MS recovery for Aluminum (130%) performed on L1009083-03, is invalid because the sample concentration is greater than four times the spike amount added.

Dissolved Metals

The WG418733-4 MS recovery for Calcium (60%), performed on L1009083-02, is invalid because the sample concentration is greater than four times the spike amount added.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Michelle M. Morris

Title: Technical Director/Representative

Date: 06/25/10

ORGANICS

VOLATILES

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01
 Client ID: MW-104
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/21/10 02:38
 Analyst: PD

Date Collected: 06/15/10 11:20
 Date Received: 06/16/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	4.1		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	1.1		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01

Date Collected: 06/15/10 11:20

Client ID: MW-104

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	3.0		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	0.78		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01

Date Collected: 06/15/10 11:20

Client ID: MW-104

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	126		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	117		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02
 Client ID: MW-101
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/21/10 03:13
 Analyst: PD

Date Collected: 06/15/10 15:10
 Date Received: 06/16/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	2.6		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02

Date Collected: 06/15/10 15:10

Client ID: MW-101

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02

Date Collected: 06/15/10 15:10

Client ID: MW-101

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	ND		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	124		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	117		70-130

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03
 Client ID: MW-105
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 06/23/10 11:18
 Analyst: PD

Date Collected: 06/16/10 09:40
 Date Received: 06/16/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	0.80		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	4.0		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03

Date Collected: 06/16/10 09:40

Client ID: MW-105

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	1.4		ug/l	1.0	--	1
p/m-Xylene	15		ug/l	1.0	--	1
o-Xylene	4.2		ug/l	1.0	--	1
cis-1,2-Dichloroethene	14		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	6.2		ug/l	2.5	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-03

Date Collected: 06/16/10 09:40

Client ID: MW-105

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Diethylbenzene	ND		ug/l	2.0	--	1
4-Ethyltoluene	5.1		ug/l	2.0	--	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	100		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/20/10 16:44
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG418992-3					
Methylene chloride	ND		ug/l	5.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/20/10 16:44
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG418992-3					
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/20/10 16:44
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG418992-3					
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
1,4-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	129		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	114		70-130

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/23/10 10:43
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG419454-3					
Methylene chloride	ND		ug/l	5.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260B
Analytical Date: 06/23/10 10:43
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG419454-3					
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
Analytical Date: 06/23/10 10:43
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG419454-3					
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
1,4-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	95		70-130

Lab Control Sample Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG418992-1 WG418992-2								
Chlorobenzene	97		99		75-130	2		20
Benzene	101		102		76-127	1		20
Toluene	95		96		76-125	1		20
1,1-Dichloroethene	100		101		61-145	1		20
Trichloroethene	108		108		71-120	0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	130		129		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	101		97		70-130
Dibromofluoromethane	119		120		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG419454-1 WG419454-2								
Chlorobenzene	96		94		75-130	2		20
Benzene	97		94		76-127	3		20
Toluene	95		93		76-125	2		20
1,1-Dichloroethene	95		92		61-145	3		20
Trichloroethene	96		95		71-120	1		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	102		100		70-130
Toluene-d8	101		101		70-130
4-Bromofluorobenzene	102		99		70-130
Dibromofluoromethane	102		100		70-130

SEMIVOLATILES

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01
Client ID: MW-104
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/23/10 12:47
Analyst: HL

Date Collected: 06/15/10 11:20
Date Received: 06/16/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/21/10 16:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-01

Date Collected: 06/15/10 11:20

Client ID: MW-104

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	29		21-120
Phenol-d6	19		10-120
Nitrobenzene-d5	57		23-120
2-Fluorobiphenyl	51		15-120
2,4,6-Tribromophenol	41		10-120
4-Terphenyl-d14	65		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01
 Client ID: MW-104
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/24/10 15:59
 Analyst: PS

Date Collected: 06/15/10 11:20
 Date Received: 06/16/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 14:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--	1
1,2-Dichlorobenzene	ND		ug/l	5.0	--	1
1,3-Dichlorobenzene	ND		ug/l	5.0	--	1
1,4-Dichlorobenzene	ND		ug/l	5.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	50	--	1
2,4-Dinitrotoluene	ND		ug/l	6.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	5.0	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Biphenyl	ND		ug/l	5.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	7.0	--	1
Dibenzofuran	ND		ug/l	5.0	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01

Date Collected: 06/15/10 11:20

Client ID: MW-104

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
P-Chloro-M-Cresol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	6.0	--	1
2,4-Dichlorophenol	ND		ug/l	10	--	1
2,4-Dimethylphenol	ND		ug/l	10	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	7.0	--	1
2-Methylphenol	ND		ug/l	6.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	10	--	1
Carbazole	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	20	Q	21-120
Phenol-d6	13		10-120
Nitrobenzene-d5	44		23-120
2-Fluorobiphenyl	38		15-120
2,4,6-Tribromophenol	39		10-120
4-Terphenyl-d14	60		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-02
Client ID: MW-101
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/23/10 13:51
Analyst: HL

Date Collected: 06/15/10 15:10
Date Received: 06/16/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/21/10 16:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-02

Date Collected: 06/15/10 15:10

Client ID: MW-101

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	44		21-120
Phenol-d6	27		10-120
Nitrobenzene-d5	89		23-120
2-Fluorobiphenyl	78		15-120
2,4,6-Tribromophenol	73		10-120
4-Terphenyl-d14	83		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02
 Client ID: MW-101
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/24/10 16:24
 Analyst: PS

Date Collected: 06/15/10 15:10
 Date Received: 06/16/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 14:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--	1
1,2-Dichlorobenzene	ND		ug/l	5.0	--	1
1,3-Dichlorobenzene	ND		ug/l	5.0	--	1
1,4-Dichlorobenzene	ND		ug/l	5.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	50	--	1
2,4-Dinitrotoluene	ND		ug/l	6.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	5.0	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Biphenyl	ND		ug/l	5.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	7.0	--	1
Dibenzofuran	ND		ug/l	5.0	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02

Date Collected: 06/15/10 15:10

Client ID: MW-101

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
P-Chloro-M-Cresol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	6.0	--	1
2,4-Dichlorophenol	ND		ug/l	10	--	1
2,4-Dimethylphenol	ND		ug/l	10	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	7.0	--	1
2-Methylphenol	ND		ug/l	6.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	10	--	1
Carbazole	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	29		21-120
Phenol-d6	18		10-120
Nitrobenzene-d5	64		23-120
2-Fluorobiphenyl	60		15-120
2,4,6-Tribromophenol	64		10-120
4-Terphenyl-d14	74		33-120

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-03
Client ID: MW-105
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8270C
Analytical Date: 06/23/10 14:22
Analyst: HL

Date Collected: 06/16/10 09:40
Date Received: 06/16/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/21/10 16:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	--	1
2-Chloronaphthalene	ND		ug/l	0.20	--	1
Fluoranthene	ND		ug/l	0.20	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	0.20	--	1
Benzo(a)anthracene	ND		ug/l	0.20	--	1
Benzo(a)pyrene	ND		ug/l	0.20	--	1
Benzo(b)fluoranthene	ND		ug/l	0.20	--	1
Benzo(k)fluoranthene	ND		ug/l	0.20	--	1
Chrysene	ND		ug/l	0.20	--	1
Acenaphthylene	ND		ug/l	0.20	--	1
Anthracene	ND		ug/l	0.20	--	1
Benzo(ghi)perylene	ND		ug/l	0.20	--	1
Fluorene	ND		ug/l	0.20	--	1
Phenanthrene	ND		ug/l	0.20	--	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--	1
Pyrene	ND		ug/l	0.20	--	1
2-Methylnaphthalene	ND		ug/l	0.20	--	1
Pentachlorophenol	ND		ug/l	0.80	--	1
Hexachlorobenzene	ND		ug/l	0.80	--	1
Hexachloroethane	ND		ug/l	0.80	--	1

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-03

Date Collected: 06/16/10 09:40

Client ID: MW-105

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	46		21-120
Phenol-d6	28		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	73		15-120
2,4,6-Tribromophenol	67		10-120
4-Terphenyl-d14	79		33-120

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03
 Client ID: MW-105
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8270C
 Analytical Date: 06/24/10 16:49
 Analyst: PS

Date Collected: 06/16/10 09:40
 Date Received: 06/16/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 14:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--	1
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--	1
1,2-Dichlorobenzene	ND		ug/l	5.0	--	1
1,3-Dichlorobenzene	ND		ug/l	5.0	--	1
1,4-Dichlorobenzene	ND		ug/l	5.0	--	1
3,3'-Dichlorobenzidine	ND		ug/l	50	--	1
2,4-Dinitrotoluene	ND		ug/l	6.0	--	1
2,6-Dinitrotoluene	ND		ug/l	5.0	--	1
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--	1
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--	1
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--	1
Hexachlorocyclopentadiene	ND		ug/l	30	--	1
Isophorone	ND		ug/l	5.0	--	1
Nitrobenzene	ND		ug/l	5.0	--	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--	1
Butyl benzyl phthalate	ND		ug/l	5.0	--	1
Di-n-butylphthalate	ND		ug/l	5.0	--	1
Di-n-octylphthalate	ND		ug/l	5.0	--	1
Diethyl phthalate	ND		ug/l	5.0	--	1
Dimethyl phthalate	ND		ug/l	5.0	--	1
Biphenyl	ND		ug/l	5.0	--	1
4-Chloroaniline	ND		ug/l	5.0	--	1
2-Nitroaniline	ND		ug/l	5.0	--	1
3-Nitroaniline	ND		ug/l	5.0	--	1
4-Nitroaniline	ND		ug/l	7.0	--	1
Dibenzofuran	ND		ug/l	5.0	--	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--	1

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03

Date Collected: 06/16/10 09:40

Client ID: MW-105

Date Received: 06/16/10

Sample Location: BRONX, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acetophenone	ND		ug/l	20	--	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	--	1
P-Chloro-M-Cresol	ND		ug/l	5.0	--	1
2-Chlorophenol	ND		ug/l	6.0	--	1
2,4-Dichlorophenol	ND		ug/l	10	--	1
2,4-Dimethylphenol	ND		ug/l	10	--	1
2-Nitrophenol	ND		ug/l	20	--	1
4-Nitrophenol	ND		ug/l	10	--	1
2,4-Dinitrophenol	ND		ug/l	30	--	1
4,6-Dinitro-o-cresol	ND		ug/l	20	--	1
Phenol	ND		ug/l	7.0	--	1
2-Methylphenol	ND		ug/l	6.0	--	1
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	--	1
Benzoic Acid	ND		ug/l	50	--	1
Benzyl Alcohol	ND		ug/l	10	--	1
Carbazole	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	29		21-120
Phenol-d6	19		10-120
Nitrobenzene-d5	61		23-120
2-Fluorobiphenyl	60		15-120
2,4,6-Tribromophenol	59		10-120
4-Terphenyl-d14	73		33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/22/10 19:07
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/21/10 14:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG419051-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	--
Bis(2-chloroethyl)ether	ND		ug/l	5.0	--
1,2-Dichlorobenzene	ND		ug/l	5.0	--
1,3-Dichlorobenzene	ND		ug/l	5.0	--
1,4-Dichlorobenzene	ND		ug/l	5.0	--
3,3'-Dichlorobenzidine	ND		ug/l	50	--
2,4-Dinitrotoluene	ND		ug/l	6.0	--
2,6-Dinitrotoluene	ND		ug/l	5.0	--
4-Chlorophenyl phenyl ether	ND		ug/l	5.0	--
4-Bromophenyl phenyl ether	ND		ug/l	5.0	--
Bis(2-chloroisopropyl)ether	ND		ug/l	5.0	--
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	--
Hexachlorocyclopentadiene	ND		ug/l	30	--
Isophorone	ND		ug/l	5.0	--
Nitrobenzene	ND		ug/l	5.0	--
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	15	--
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	--
Bis(2-Ethylhexyl)phthalate	ND		ug/l	5.0	--
Butyl benzyl phthalate	ND		ug/l	5.0	--
Di-n-butylphthalate	ND		ug/l	5.0	--
Di-n-octylphthalate	ND		ug/l	5.0	--
Diethyl phthalate	ND		ug/l	5.0	--
Dimethyl phthalate	ND		ug/l	5.0	--
Biphenyl	ND		ug/l	5.0	--
4-Chloroaniline	ND		ug/l	5.0	--
2-Nitroaniline	ND		ug/l	5.0	--
3-Nitroaniline	ND		ug/l	5.0	--
4-Nitroaniline	ND		ug/l	7.0	--
Dibenzofuran	ND		ug/l	5.0	--
1,2,4,5-Tetrachlorobenzene	ND		ug/l	20	--
Acetophenone	ND		ug/l	20	--

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/22/10 19:07
Analyst: PS

Extraction Method: EPA 3510C
Extraction Date: 06/21/10 14:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG419051-1					
2,4,6-Trichlorophenol	ND		ug/l	5.0	--
P-Chloro-M-Cresol	ND		ug/l	5.0	--
2-Chlorophenol	ND		ug/l	6.0	--
2,4-Dichlorophenol	ND		ug/l	10	--
2,4-Dimethylphenol	ND		ug/l	10	--
2-Nitrophenol	ND		ug/l	20	--
4-Nitrophenol	ND		ug/l	10	--
2,4-Dinitrophenol	ND		ug/l	30	--
4,6-Dinitro-o-cresol	ND		ug/l	20	--
Phenol	ND		ug/l	7.0	--
2-Methylphenol	ND		ug/l	6.0	--
3-Methylphenol/4-Methylphenol	ND		ug/l	6.0	--
2,4,5-Trichlorophenol	ND		ug/l	5.0	--
Benzoic Acid	ND		ug/l	50	--
Benzyl Alcohol	ND		ug/l	10	--
Carbazole	ND		ug/l	5.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	48		21-120
Phenol-d6	29		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	79		15-120
2,4,6-Tribromophenol	81		10-120
4-Terphenyl-d14	95		33-120

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270C
Analytical Date: 06/22/10 12:43
Analyst: HL

Extraction Method: EPA 3510C
Extraction Date: 06/21/10 16:51

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01-03 Batch: WG419094-1					
Acenaphthene	ND		ug/l	0.20	--
2-Chloronaphthalene	ND		ug/l	0.20	--
Fluoranthene	ND		ug/l	0.20	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	0.20	--
Benzo(a)anthracene	ND		ug/l	0.20	--
Benzo(a)pyrene	ND		ug/l	0.20	--
Benzo(b)fluoranthene	ND		ug/l	0.20	--
Benzo(k)fluoranthene	ND		ug/l	0.20	--
Chrysene	ND		ug/l	0.20	--
Acenaphthylene	ND		ug/l	0.20	--
Anthracene	ND		ug/l	0.20	--
Benzo(ghi)perylene	ND		ug/l	0.20	--
Fluorene	ND		ug/l	0.20	--
Phenanthrene	ND		ug/l	0.20	--
Dibenzo(a,h)anthracene	ND		ug/l	0.20	--
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	--
Pyrene	ND		ug/l	0.20	--
2-Methylnaphthalene	ND		ug/l	0.20	--
Pentachlorophenol	ND		ug/l	0.80	--
Hexachlorobenzene	ND		ug/l	0.80	--
Hexachloroethane	ND		ug/l	0.80	--

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270C
 Analytical Date: 06/22/10 12:43
 Analyst: HL

Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 16:51

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01-03 Batch: WG419094-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	52		21-120
Phenol-d6	35		10-120
Nitrobenzene-d5	89		23-120
2-Fluorobiphenyl	73		15-120
2,4,6-Tribromophenol	77		10-120
4-Terphenyl-d14	70		33-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG419051-2 WG419051-3								
1,2,4-Trichlorobenzene	83		72		39-98	14		30
1,2-Dichlorobenzene	88		72		40-140	20		30
1,4-Dichlorobenzene	80		69		36-97	15		30
2,4-Dinitrotoluene	104	Q	98	Q	24-96	6		30
2,6-Dinitrotoluene	89		84		40-140	6		30
4-Chlorophenyl phenyl ether	102		92		40-140	10		30
n-Nitrosodi-n-propylamine	97		83		41-116	16		30
Butyl benzyl phthalate	106		93		40-140	13		30
P-Chloro-M-Cresol	96		86		23-97	11		30
2-Chlorophenol	87		76		27-123	13		30
2-Nitrophenol	91		81		30-130	12		30
4-Nitrophenol	55		53		10-80	4		30
2,4-Dinitrophenol	50		45		20-130	11		30
Phenol	40		35		12-110	13		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG419051-2 WG419051-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	50		50		21-120
Phenol-d6	33		31		10-120
Nitrobenzene-d5	85		85		23-120
2-Fluorobiphenyl	80		81		15-120
2,4,6-Tribromophenol	95		96		10-120
4-Terphenyl-d14	92		92		33-120

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-03 Batch: WG419094-2 WG419094-3

Acenaphthene	85		93		37-111	9	40
2-Chloronaphthalene	108		115		40-140	6	40
Fluoranthene	92		96		40-140	4	40
Anthracene	91		95		40-140	4	40
Pyrene	90		95		26-127	5	40
Pentachlorophenol	68		70		9-103	3	40

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-03 Batch: WG419094-2 WG419094-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	69		67		21-120
Phenol-d6	48		51		10-120
Nitrobenzene-d5	91		97		23-120
2-Fluorobiphenyl	69		81		15-120
2,4,6-Tribromophenol	82		84		10-120
4-Terphenyl-d14	66		71		33-120

PCBS

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-01
Client ID: MW-104
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/23/10 09:47
Analyst: KB

Date Collected: 06/15/10 11:20
Date Received: 06/16/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/23/10 05:34
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/23/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	104		30-150	A
2,4,5,6-Tetrachloro-m-xylene	100		30-150	B
Decachlorobiphenyl	85		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02
Client ID: MW-101
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/23/10 09:59
Analyst: KB

Date Collected: 06/15/10 15:10
Date Received: 06/16/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/23/10 05:34
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/23/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	A
Decachlorobiphenyl	108		30-150	A
2,4,5,6-Tetrachloro-m-xylene	101		30-150	B
Decachlorobiphenyl	88		30-150	B

Project Name: 2477 THIRD AVE.**Lab Number:** L1009083**Project Number:** 11160**Report Date:** 06/25/10**SAMPLE RESULTS**

Lab ID: L1009083-03
Client ID: MW-105
Sample Location: BRONX, NY
Matrix: Water
Analytical Method: 1,8082
Analytical Date: 06/23/10 10:11
Analyst: KB

Date Collected: 06/16/10 09:40
Date Received: 06/16/10
Field Prep: Not Specified
Extraction Method: EPA 3510C
Extraction Date: 06/23/10 05:34
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/23/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Polychlorinated Biphenyls by GC - Westborough Lab						
Aroclor 1016	ND		ug/l	0.083	--	1
Aroclor 1221	ND		ug/l	0.083	--	1
Aroclor 1232	ND		ug/l	0.083	--	1
Aroclor 1242	ND		ug/l	0.083	--	1
Aroclor 1248	ND		ug/l	0.083	--	1
Aroclor 1254	ND		ug/l	0.083	--	1
Aroclor 1260	ND		ug/l	0.083	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		30-150	A
Decachlorobiphenyl	73		30-150	A
2,4,5,6-Tetrachloro-m-xylene	82		30-150	B
Decachlorobiphenyl	59		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082
Analytical Date: 06/23/10 09:10
Analyst: KB

Extraction Method: EPA 3510C
Extraction Date: 06/23/10 05:34
Cleanup Method1: EPA 3665A
Cleanup Date1: 06/23/10
Cleanup Method2: EPA 3660B
Cleanup Date2: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-03 Batch: WG419403-1					
Aroclor 1016	ND		ug/l	0.083	--
Aroclor 1221	ND		ug/l	0.083	--
Aroclor 1232	ND		ug/l	0.083	--
Aroclor 1242	ND		ug/l	0.083	--
Aroclor 1248	ND		ug/l	0.083	--
Aroclor 1254	ND		ug/l	0.083	--
Aroclor 1260	ND		ug/l	0.083	--

Surrogate	%Recovery	Qualifier	Acceptance	
			Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	98		30-150	A
Decachlorobiphenyl	134		30-150	A
2,4,5,6-Tetrachloro-m-xylene	105		30-150	B
Decachlorobiphenyl	118		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-03 Batch: WG419403-2 WG419403-3								
Aroclor 1016	98		65		40-140	41	Q	30
Aroclor 1260	127		89		40-140	35	Q	30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	82		62		30-150	A
Decachlorobiphenyl	112		88		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		55		30-150	B
Decachlorobiphenyl	93		65		30-150	B

PESTICIDES

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01
 Client ID: MW-104
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/24/10 17:02
 Analyst: JB

Date Collected: 06/15/10 11:20
 Date Received: 06/16/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 16:42
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.210	--	1
Toxaphene	ND		ug/l	0.210	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.210	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	53		30-150	A
Decachlorobiphenyl	45		30-150	A
2,4,5,6-Tetrachloro-m-xylene	46		30-150	B
Decachlorobiphenyl	44		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02
 Client ID: MW-101
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/24/10 17:15
 Analyst: JB

Date Collected: 06/15/10 15:10
 Date Received: 06/16/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 16:42
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.042	--	1
Endrin ketone	ND		ug/l	0.042	--	1
Dieldrin	ND		ug/l	0.042	--	1
4,4'-DDE	ND		ug/l	0.042	--	1
4,4'-DDD	ND		ug/l	0.042	--	1
4,4'-DDT	ND		ug/l	0.042	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.042	--	1
Endosulfan sulfate	ND		ug/l	0.042	--	1
Methoxychlor	ND		ug/l	0.210	--	1
Toxaphene	ND		ug/l	0.210	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.210	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	60		30-150	A
Decachlorobiphenyl	59		30-150	A
2,4,5,6-Tetrachloro-m-xylene	50		30-150	B
Decachlorobiphenyl	58		30-150	B

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03
 Client ID: MW-105
 Sample Location: BRONX, NY
 Matrix: Water
 Analytical Method: 1,8081A
 Analytical Date: 06/24/10 17:28
 Analyst: JB

Date Collected: 06/16/10 09:40
 Date Received: 06/16/10
 Field Prep: Not Specified
 Extraction Method: EPA 3510C
 Extraction Date: 06/21/10 16:42
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Organochlorine Pesticides by GC - Westborough Lab						
Delta-BHC	ND		ug/l	0.021	--	1
Lindane	ND		ug/l	0.021	--	1
Alpha-BHC	ND		ug/l	0.021	--	1
Beta-BHC	ND		ug/l	0.021	--	1
Heptachlor	ND		ug/l	0.021	--	1
Aldrin	ND		ug/l	0.021	--	1
Heptachlor epoxide	ND		ug/l	0.021	--	1
Endrin	ND		ug/l	0.041	--	1
Endrin ketone	ND		ug/l	0.041	--	1
Dieldrin	ND		ug/l	0.041	--	1
4,4'-DDE	ND		ug/l	0.041	--	1
4,4'-DDD	ND		ug/l	0.041	--	1
4,4'-DDT	ND		ug/l	0.041	--	1
Endosulfan I	ND		ug/l	0.021	--	1
Endosulfan II	ND		ug/l	0.041	--	1
Endosulfan sulfate	ND		ug/l	0.041	--	1
Methoxychlor	ND		ug/l	0.206	--	1
Toxaphene	ND		ug/l	0.206	--	1
trans-Chlordane	ND		ug/l	0.021	--	1
Chlordane	ND		ug/l	0.206	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	60		30-150	A
Decachlorobiphenyl	50		30-150	A
2,4,5,6-Tetrachloro-m-xylene	50		30-150	B
Decachlorobiphenyl	46		30-150	B

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081A
Analytical Date: 06/24/10 16:11
Analyst: JB

Extraction Method: EPA 3510C
Extraction Date: 06/21/10 16:42
Cleanup Method1: EPA 3620B
Cleanup Date1: 06/23/10

Parameter	Result	Qualifier	Units	RL	MDL
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-03 Batch: WG419091-1					
Delta-BHC	ND		ug/l	0.020	--
Lindane	ND		ug/l	0.020	--
Alpha-BHC	ND		ug/l	0.020	--
Beta-BHC	ND		ug/l	0.020	--
Heptachlor	ND		ug/l	0.020	--
Aldrin	ND		ug/l	0.020	--
Heptachlor epoxide	ND		ug/l	0.020	--
Endrin	ND		ug/l	0.040	--
Endrin ketone	ND		ug/l	0.040	--
Dieldrin	ND		ug/l	0.040	--
4,4'-DDE	ND		ug/l	0.040	--
4,4'-DDD	ND		ug/l	0.040	--
4,4'-DDT	ND		ug/l	0.040	--
Endosulfan I	ND		ug/l	0.020	--
Endosulfan II	ND		ug/l	0.040	--
Endosulfan sulfate	ND		ug/l	0.040	--
Methoxychlor	ND		ug/l	0.200	--
Toxaphene	ND		ug/l	0.200	--
trans-Chlordane	ND		ug/l	0.020	--
Chlordane	ND		ug/l	0.200	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	48		30-150	A
Decachlorobiphenyl	54		30-150	A
2,4,5,6-Tetrachloro-m-xylene	43		30-150	B
Decachlorobiphenyl	54		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-03 Batch: WG419091-2 WG419091-3								
Delta-BHC	89		84		30-150	7		20
Lindane	93		87		30-150	7		20
Alpha-BHC	93		86		30-150	7		20
Beta-BHC	87		81		30-150	7		20
Heptachlor	88		90		30-150	2		20
Aldrin	76		79		30-150	4		20
Heptachlor epoxide	91		85		30-150	7		20
Endrin	97		90		30-150	8		20
Endrin ketone	88		81		30-150	8		20
Dieldrin	94		87		30-150	7		20
4,4'-DDE	88		82		30-150	7		20
4,4'-DDD	94		87		30-150	7		20
4,4'-DDT	122		110		30-150	10		20
Endosulfan I	92		84		30-150	8		20
Endosulfan II	91		82		30-150	11		20
Endosulfan sulfate	87		80		30-150	8		20
Methoxychlor	123		109		30-150	12		20
trans-Chlordane	87		82		30-150	6		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-03 Batch: WG419091-2 WG419091-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	52		55		30-150	A
Decachlorobiphenyl	54		38		30-150	A
2,4,5,6-Tetrachloro-m-xylene	44		49		30-150	B
Decachlorobiphenyl	57		39		30-150	B

METALS

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01
 Client ID: MW-104
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/15/10 11:20
 Date Received: 06/16/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6.6		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Antimony, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 22:50	EPA 3005A	1,6020	BM
Arsenic, Total	ND		mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Barium, Total	0.066		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Beryllium, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 22:50	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Calcium, Total	78		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Chromium, Total	0.02		mg/l	0.01	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Cobalt, Total	ND		mg/l	0.020	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Copper, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Iron, Total	11		mg/l	0.05	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Lead, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Magnesium, Total	3.2		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Manganese, Total	0.025		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Mercury, Total	ND		mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 13:09	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Potassium, Total	19		mg/l	2.5	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Selenium, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Silver, Total	ND		mg/l	0.007	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Sodium, Total	22		mg/l	2.0	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Thallium, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 22:50	EPA 3005A	1,6020	BM
Vanadium, Total	0.031		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Zinc, Total	ND		mg/l	0.050	--	1	06/17/10 12:15	06/22/10 11:38	EPA 3005A	1,6010B	MG
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 22:53	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Barium, Dissolved	0.028		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 22:53	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-01
Client ID: MW-104
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/15/10 11:20
Date Received: 06/16/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	56		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Copper, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Iron, Dissolved	0.21		mg/l	0.05	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Lead, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Magnesium, Dissolved	74		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Manganese, Dissolved	0.039		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 12:04	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Potassium, Dissolved	14		mg/l	2.5	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Silver, Dissolved	ND		mg/l	0.007	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Sodium, Dissolved	100		mg/l	2.0	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 22:53	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/18/10 11:45	06/22/10 10:54	EPA 3005A	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02
 Client ID: MW-101
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/15/10 15:10
 Date Received: 06/16/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	2.1		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Antimony, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 23:02	EPA 3005A	1,6020	BM
Arsenic, Total	ND		mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Barium, Total	0.068		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Beryllium, Total	0.0006		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 23:02	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Calcium, Total	76		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Chromium, Total	ND		mg/l	0.01	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Cobalt, Total	ND		mg/l	0.020	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Copper, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Iron, Total	6.6		mg/l	0.05	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Lead, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Magnesium, Total	88		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Manganese, Total	0.622		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Mercury, Total	ND		mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 13:11	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Potassium, Total	16		mg/l	2.5	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Selenium, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Silver, Total	ND		mg/l	0.007	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Sodium, Total	100		mg/l	2.0	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Thallium, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 23:02	EPA 3005A	1,6020	BM
Vanadium, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Zinc, Total	ND		mg/l	0.050	--	1	06/17/10 12:15	06/22/10 11:42	EPA 3005A	1,6010B	MG
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	0.49		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 23:18	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Barium, Dissolved	0.054		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 23:18	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-02
Client ID: MW-101
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/15/10 15:10
Date Received: 06/16/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	65		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Copper, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Iron, Dissolved	ND		mg/l	0.05	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Lead, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Magnesium, Dissolved	0.21		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Manganese, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 12:05	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Potassium, Dissolved	18		mg/l	2.5	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Silver, Dissolved	ND		mg/l	0.007	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Sodium, Dissolved	22		mg/l	2.0	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 23:18	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/18/10 11:45	06/22/10 10:39	EPA 3005A	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03
 Client ID: MW-105
 Sample Location: BRONX, NY
 Matrix: Water

Date Collected: 06/16/10 09:40
 Date Received: 06/16/10
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	8.4		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Antimony, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 23:27	EPA 3005A	1,6020	BM
Arsenic, Total	ND		mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Barium, Total	0.164		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Beryllium, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 23:27	EPA 3005A	1,6020	BM
Cadmium, Total	ND		mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Calcium, Total	110		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Chromium, Total	0.01		mg/l	0.01	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Cobalt, Total	ND		mg/l	0.020	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Copper, Total	0.017		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Iron, Total	12		mg/l	0.05	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Lead, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Magnesium, Total	72		mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Manganese, Total	0.901		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Mercury, Total	ND		mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 13:13	EPA 7470A	1,7470A	EZ
Nickel, Total	ND		mg/l	0.025	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Potassium, Total	28		mg/l	2.5	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Selenium, Total	ND		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Silver, Total	ND		mg/l	0.007	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Sodium, Total	110		mg/l	2.0	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Thallium, Total	ND		mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 23:27	EPA 3005A	1,6020	BM
Vanadium, Total	0.017		mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG
Zinc, Total	0.053		mg/l	0.050	--	1	06/17/10 12:15	06/22/10 11:24	EPA 3005A	1,6010B	MG

Dissolved Metals - Westborough Lab

Aluminum, Dissolved	ND		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Antimony, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 23:24	EPA 3005A	1,6020	BM
Arsenic, Dissolved	ND		mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Barium, Dissolved	0.107		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Beryllium, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 23:24	EPA 3005A	1,6020	BM
Cadmium, Dissolved	ND		mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

SAMPLE RESULTS

Lab ID: L1009083-03
Client ID: MW-105
Sample Location: BRONX, NY
Matrix: Water

Date Collected: 06/16/10 09:40
Date Received: 06/16/10
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	96		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Chromium, Dissolved	ND		mg/l	0.01	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Cobalt, Dissolved	ND		mg/l	0.020	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Copper, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Iron, Dissolved	0.16		mg/l	0.05	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Lead, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Magnesium, Dissolved	57		mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Manganese, Dissolved	0.681		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Mercury, Dissolved	ND		mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 12:11	EPA 7470A	1,7470A	EZ
Nickel, Dissolved	ND		mg/l	0.025	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Potassium, Dissolved	22		mg/l	2.5	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Selenium, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Silver, Dissolved	ND		mg/l	0.007	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Sodium, Dissolved	100		mg/l	2.0	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Thallium, Dissolved	ND		mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 23:24	EPA 3005A	1,6020	BM
Vanadium, Dissolved	ND		mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG
Zinc, Dissolved	ND		mg/l	0.050	--	1	06/18/10 11:45	06/22/10 10:58	EPA 3005A	1,6010B	MG



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-03 Batch: WG418474-1									
Antimony, Total	ND	mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 17:55	1,6020	BM
Beryllium, Total	ND	mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 17:55	1,6020	BM
Thallium, Total	ND	mg/l	0.0005	--	1	06/17/10 10:45	06/18/10 17:55	1,6020	BM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-03 Batch: WG418483-1									
Aluminum, Total	ND	mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Arsenic, Total	ND	mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Barium, Total	ND	mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Cadmium, Total	ND	mg/l	0.005	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Calcium, Total	ND	mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Chromium, Total	ND	mg/l	0.01	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Cobalt, Total	ND	mg/l	0.020	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Copper, Total	ND	mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Iron, Total	ND	mg/l	0.05	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Lead, Total	ND	mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Magnesium, Total	ND	mg/l	0.10	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Manganese, Total	ND	mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Nickel, Total	ND	mg/l	0.025	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Potassium, Total	ND	mg/l	2.5	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Selenium, Total	ND	mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Silver, Total	ND	mg/l	0.007	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Sodium, Total	ND	mg/l	2.0	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Vanadium, Total	ND	mg/l	0.010	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG
Zinc, Total	ND	mg/l	0.050	--	1	06/17/10 12:15	06/22/10 11:12	1,6010B	MG

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-03 Batch: WG418717-1									
Antimony, Dissolved	ND	mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 21:05	1,6020	BM
Beryllium, Dissolved	ND	mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 21:05	1,6020	BM
Thallium, Dissolved	ND	mg/l	0.0005	--	1	06/18/10 10:30	06/21/10 21:05	1,6020	BM

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-03 Batch: WG418733-1									
Aluminum, Dissolved	ND	mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Arsenic, Dissolved	ND	mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Barium, Dissolved	ND	mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Cadmium, Dissolved	ND	mg/l	0.005	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Calcium, Dissolved	ND	mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Chromium, Dissolved	ND	mg/l	0.01	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Cobalt, Dissolved	ND	mg/l	0.020	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Copper, Dissolved	ND	mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Iron, Dissolved	ND	mg/l	0.05	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Lead, Dissolved	ND	mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Magnesium, Dissolved	ND	mg/l	0.10	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Manganese, Dissolved	ND	mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Nickel, Dissolved	ND	mg/l	0.025	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Potassium, Dissolved	ND	mg/l	2.5	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Selenium, Dissolved	ND	mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Silver, Dissolved	ND	mg/l	0.007	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Sodium, Dissolved	ND	mg/l	2.0	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Vanadium, Dissolved	ND	mg/l	0.010	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG
Zinc, Dissolved	ND	mg/l	0.050	--	1	06/18/10 11:45	06/22/10 10:28	1,6010B	MG

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-03 Batch: WG419108-1									
Mercury, Total	ND	mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 13:05	1,7470A	EZ

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-03 Batch: WG419110-1									
Mercury, Dissolved	ND	mg/l	0.0002	--	1	06/21/10 17:45	06/22/10 11:58	1,7470A	EZ

Prep Information

Digestion Method: EPA 7470A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 Batch: WG418474-2								
Antimony, Total	88		-		80-120	-		
Beryllium, Total	92		-		80-120	-		
Thallium, Total	88		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 Batch: WG418483-2					
Aluminum, Total	95	-	80-120	-	
Arsenic, Total	105	-	80-120	-	
Barium, Total	93	-	80-120	-	
Cadmium, Total	103	-	80-120	-	
Calcium, Total	91	-	80-120	-	
Chromium, Total	95	-	80-120	-	
Cobalt, Total	95	-	80-120	-	
Copper, Total	96	-	80-120	-	
Iron, Total	95	-	80-120	-	
Lead, Total	100	-	80-120	-	
Magnesium, Total	94	-	80-120	-	
Manganese, Total	94	-	80-120	-	
Nickel, Total	94	-	80-120	-	
Potassium, Total	94	-	80-120	-	
Selenium, Total	109	-	80-120	-	
Silver, Total	99	-	80-120	-	
Sodium, Total	100	-	80-120	-	
Vanadium, Total	95	-	80-120	-	
Zinc, Total	97	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 Batch: WG418717-2					
Antimony, Dissolved	90	-	80-120	-	
Beryllium, Dissolved	94	-	80-120	-	
Thallium, Dissolved	94	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 Batch: WG418733-2					
Aluminum, Dissolved	95	-	80-120	-	
Arsenic, Dissolved	107	-	80-120	-	
Barium, Dissolved	94	-	80-120	-	
Cadmium, Dissolved	105	-	80-120	-	
Calcium, Dissolved	93	-	80-120	-	
Chromium, Dissolved	95	-	80-120	-	
Cobalt, Dissolved	97	-	80-120	-	
Copper, Dissolved	97	-	80-120	-	
Iron, Dissolved	96	-	80-120	-	
Lead, Dissolved	102	-	80-120	-	
Magnesium, Dissolved	96	-	80-120	-	
Manganese, Dissolved	96	-	80-120	-	
Nickel, Dissolved	96	-	80-120	-	
Potassium, Dissolved	96	-	80-120	-	
Selenium, Dissolved	110	-	80-120	-	
Silver, Dissolved	100	-	80-120	-	
Sodium, Dissolved	100	-	80-120	-	
Vanadium, Dissolved	97	-	80-120	-	
Zinc, Dissolved	98	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 Batch: WG419108-2					
Mercury, Total	114	-	80-120	-	
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 Batch: WG419110-2					
Mercury, Dissolved	108	-	70-130	-	

Matrix Spike Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418474-4 QC Sample: L1009083-02 Client ID: MW-101												
Antimony, Total	ND	0.5	0.4225	84		-	-		80-120	-		20
Beryllium, Total	0.0006	0.05	0.0481	95		-	-		80-120	-		20
Thallium, Total	ND	0.12	0.1084	90		-	-		80-120	-		20

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418483-4 QC Sample: L1009083-03 Client ID: MW-105									
Aluminum, Total	8.4	2	11	130	-	-	75-125	-	20
Arsenic, Total	ND	0.12	0.129	108	-	-	75-125	-	20
Barium, Total	0.164	2	2.00	92	-	-	75-125	-	20
Cadmium, Total	ND	0.051	0.050	99	-	-	75-125	-	20
Calcium, Total	110	10	120	100	-	-	75-125	-	20
Chromium, Total	0.01	0.2	0.19	88	-	-	75-125	-	20
Cobalt, Total	ND	0.5	0.466	93	-	-	75-125	-	20
Copper, Total	0.017	0.25	0.257	96	-	-	75-125	-	20
Iron, Total	12	1	13	100	-	-	75-125	-	20
Lead, Total	ND	0.51	0.501	98	-	-	75-125	-	20
Magnesium, Total	72	10	84	120	-	-	75-125	-	20
Manganese, Total	0.901	0.5	1.37	94	-	-	75-125	-	20
Nickel, Total	ND	0.5	0.457	91	-	-	75-125	-	20
Potassium, Total	28	10	41	130	Q	-	75-125	-	20
Selenium, Total	ND	0.12	0.128	107	-	-	75-125	-	20
Silver, Total	ND	0.05	0.049	99	-	-	75-125	-	20
Sodium, Total	110	10	120	100	-	-	75-125	-	20
Vanadium, Total	0.017	0.5	0.483	93	-	-	75-125	-	20
Zinc, Total	0.053	0.5	0.530	95	-	-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418717-4 QC Sample: L1009083-01 Client ID: MW-104									
Antimony, Dissolved	ND	0.5	0.4781	96	-	-	80-120	-	20
Beryllium, Dissolved	ND	0.05	0.0514	103	-	-	80-120	-	20
Thallium, Dissolved	ND	0.12	0.1166	97	-	-	80-120	-	20

Matrix Spike Analysis Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418733-4 QC Sample: L1009083-02 Client ID: MW-101									
Aluminum, Dissolved	0.49	2	2.4	96	-	-	75-125	-	20
Arsenic, Dissolved	ND	0.12	0.129	108	-	-	75-125	-	20
Barium, Dissolved	0.054	2	1.93	94	-	-	75-125	-	20
Cadmium, Dissolved	ND	0.051	0.053	104	-	-	75-125	-	20
Calcium, Dissolved	65	10	71	60	-	-	75-125	-	20
Chromium, Dissolved	ND	0.2	0.19	95	-	-	75-125	-	20
Cobalt, Dissolved	ND	0.5	0.482	96	-	-	75-125	-	20
Copper, Dissolved	ND	0.25	0.245	98	-	-	75-125	-	20
Iron, Dissolved	ND	1	0.96	96	-	-	75-125	-	20
Lead, Dissolved	ND	0.51	0.508	100	-	-	75-125	-	20
Magnesium, Dissolved	0.21	10	9.5	93	-	-	75-125	-	20
Manganese, Dissolved	ND	0.5	0.476	95	-	-	75-125	-	20
Nickel, Dissolved	ND	0.5	0.469	94	-	-	75-125	-	20
Potassium, Dissolved	18	10	29	110	-	-	75-125	-	20
Selenium, Dissolved	ND	0.12	0.130	108	-	-	75-125	-	20
Silver, Dissolved	ND	0.05	0.050	100	-	-	75-125	-	20
Sodium, Dissolved	22	10	32	100	-	-	75-125	-	20
Vanadium, Dissolved	ND	0.5	0.489	98	-	-	75-125	-	20
Zinc, Dissolved	ND	0.5	0.488	98	-	-	75-125	-	20
Total Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG419108-4 QC Sample: L1009083-03 Client ID: MW-105									
Mercury, Total	ND	0.001	0.0013	129	-	-	70-130	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG419110-4 QC Sample: L1009083-03 Client ID: MW-105									
Mercury, Dissolved	ND	0.001	0.0012	124	-	-	70-130	-	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418474-3 QC Sample: L1009083-02 Client ID: MW-101						
Antimony, Total	ND	ND	mg/l	NC		20
Beryllium, Total	0.0006	0.0005	mg/l	4		20
Thallium, Total	ND	ND	mg/l	NC		20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418483-3 QC Sample: L1009083-03 Client ID: MW-105					
Aluminum, Total	8.4	8.6	mg/l	2	20
Arsenic, Total	ND	ND	mg/l	NC	20
Barium, Total	0.164	0.169	mg/l	3	20
Cadmium, Total	ND	ND	mg/l	NC	20
Calcium, Total	110	120	mg/l	9	20
Chromium, Total	0.01	0.01	mg/l	0	20
Cobalt, Total	ND	ND	mg/l	NC	20
Copper, Total	0.017	0.018	mg/l	6	20
Iron, Total	12	12	mg/l	0	20
Lead, Total	ND	0.010	mg/l	NC	20
Magnesium, Total	72	75	mg/l	4	20
Manganese, Total	0.901	0.930	mg/l	3	20
Nickel, Total	ND	ND	mg/l	NC	20
Potassium, Total	28	29	mg/l	4	20
Selenium, Total	ND	ND	mg/l	NC	20
Silver, Total	ND	ND	mg/l	NC	20
Sodium, Total	110	110	mg/l	0	20
Vanadium, Total	0.017	0.018	mg/l	5	20
Zinc, Total	0.053	0.074	mg/l	33	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418717-3 QC Sample: L1009083-01 Client ID: MW-104					
Antimony, Dissolved	ND	ND	mg/l	NC	20
Beryllium, Dissolved	ND	ND	mg/l	NC	20
Thallium, Dissolved	ND	ND	mg/l	NC	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG418733-3 QC Sample: L1009083-02 Client ID: MW-101					
Aluminum, Dissolved	0.49	0.48	mg/l	2	20
Arsenic, Dissolved	ND	ND	mg/l	NC	20
Barium, Dissolved	0.054	0.053	mg/l	2	20
Cadmium, Dissolved	ND	ND	mg/l	NC	20
Calcium, Dissolved	65	63	mg/l	3	20
Chromium, Dissolved	ND	ND	mg/l	NC	20
Cobalt, Dissolved	ND	ND	mg/l	NC	20
Copper, Dissolved	ND	ND	mg/l	NC	20
Iron, Dissolved	ND	ND	mg/l	NC	20
Lead, Dissolved	ND	ND	mg/l	NC	20
Magnesium, Dissolved	0.21	0.20	mg/l	5	20
Manganese, Dissolved	ND	ND	mg/l	NC	20
Nickel, Dissolved	ND	ND	mg/l	NC	20
Potassium, Dissolved	18	18	mg/l	0	20
Selenium, Dissolved	ND	ND	mg/l	NC	20
Silver, Dissolved	ND	ND	mg/l	NC	20
Sodium, Dissolved	22	22	mg/l	0	20
Vanadium, Dissolved	ND	ND	mg/l	NC	20
Zinc, Dissolved	ND	ND	mg/l	NC	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG419108-3 QC Sample: L1009083-03 Client ID: MW-105					
Mercury, Total	ND	ND	mg/l	NC	20
Dissolved Metals - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG419110-3 QC Sample: L1009083-03 Client ID: MW-105					
Mercury, Dissolved	ND	ND	mg/l	NC	20

Project Name: 2477 THIRD AVE.

Lab Number: L1009083

Project Number: 11160

Report Date: 06/25/10

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1009083-01A	Vial HCl preserved	A	N/A	2.2	Y	Absent	NYTCL-8260(14)
L1009083-01B	Vial HCl preserved	A	N/A	2.2	Y	Absent	NYTCL-8260(14)
L1009083-01C	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1009083-01D	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1009083-01E	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8081(7)
L1009083-01F	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8081(7)
L1009083-01G	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8082()
L1009083-01H	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8082()
L1009083-01I	Plastic 500ml HNO3 preserved	A	<2	2.2	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1009083-01J	Plastic 500ml unpreserved	A	7	2.2	Y	Absent	-
L1009083-01X	Plastic 500ml HNO3 preserved spl	A	<2	2.2	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1009083-02A	Vial HCl preserved	A	N/A	2.2	Y	Absent	NYTCL-8260(14)
L1009083-02B	Vial HCl preserved	A	N/A	2.2	Y	Absent	NYTCL-8260(14)
L1009083-02C	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1009083-02D	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1009083-02E	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8081(7)
L1009083-02F	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8081(7)
L1009083-02G	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8082()
L1009083-02H	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8082()
L1009083-02I	Plastic 500ml HNO3 preserved	A	<2	2.2	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1009083-02J	Plastic 500ml unpreserved	A	7	2.2	Y	Absent	-
L1009083-02X	Plastic 500ml HNO3 preserved spl	A	<2	2.2	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)
L1009083-03A	Vial HCl preserved	A	N/A	2.2	Y	Absent	NYTCL-8260(14)
L1009083-03B	Vial HCl preserved	A	N/A	2.2	Y	Absent	NYTCL-8260(14)
L1009083-03C	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1009083-03D	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1009083-03E	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8081(7)
L1009083-03F	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8081(7)
L1009083-03G	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8082()
L1009083-03H	Amber 1000ml unpreserved	A	7	2.2	Y	Absent	NYTCL-8082()
L1009083-03I	Plastic 500ml HNO3 preserved	A	<2	2.2	Y	Absent	TL-6020T(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),BE-6020T(180),CU-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),SB-6020T(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1009083-03J	Plastic 500ml unpreserved	A	7	2.2	Y	Absent	-

*Values in parentheses indicate holding time in days



Project Name: 2477 THIRD AVE.

Project Number: 11160

Lab Number: L1009083

Report Date: 06/25/10

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1009083-03X	Plastic 500ml HNO3 preserved spl	A	<2	2.2	Y	Absent	PB-SI(180),FE-SI(180),BA-SI(180),BE-6020S(180),AG-SI(180),AS-SI(180),CU-SI(180),MN-SI(180),NA-SI(180),NI-SI(180),AL-SI(180),CD-SI(180),CO-SI(180),TL-6020S(180),CR-SI(180),K-SI(180),MG-SI(180),SB-6020S(180),CA-SI(180),HG-S(28),SE-SI(180),V-SI(180),ZN-SI(180)

Container Comments

L1009083-01H

L1009083-02E

L1009083-03A

L1009083-03H

*Values in parentheses indicate holding time in days

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

GLOSSARY

Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD** - Laboratory Control Sample Duplicate: Refer to LCS.
- MDL** - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI** - Not Ignitable.
- RL** - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.

Report Format: Data Usability Report



Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

Data Qualifiers

- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: 2477 THIRD AVE.
Project Number: 11160

Lab Number: L1009083
Report Date: 06/25/10

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised June 17, 2010 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

Drinking Water (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Haloacetic Acids, Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB).)

Wastewater/Non-Potable Water (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Calcium Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH.)

Solid Waste/Soil (Inorganic Parameters: Lead in Paint, pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), Reactivity. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Volatile Organics, Acid Extractables (Phenols), 3,3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Maine Department of Human Services Certificate/Lab ID: 2009024.

Drinking Water (Inorganic Parameters: SM9215B, 9221E, 9222B, 9222D, 9223B, EPA 180.1, 300.0, 353.2, SM2130B, 2320B, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1. Organic Parameters: 504.1, 524.2, SM 6251B.)

Wastewater/Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, Lachat 10-107-06-1-B, SM2320B, 2340B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NH3-H, 4500NO3-F, 4500P-B.5, 4500P-E, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

Drinking Water

Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl)

(EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate)

353.2 for: Nitrate-N, Nitrite-N; SM4500NO3-F, 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B.

Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics)

(504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), 314.0, 332.

Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; MF-SM9222D

Non-Potable Water

Inorganic Parameters: (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn)

(EPA 200.7 for: Al,Sb,As,Be,Cd,Cr,Co,Cu,Fe,Pb,Mn,Mo,Ni,Se,Ag,Sr,Ti,Tl, V,Zn,Ca,Mg,Na,K)

245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2540B, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-B,C-Titr, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420, SM4500-CN-CE, SM2540D.

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics)

(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables, 600/4-81-045-PCB-Oil

New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM6215B, 9222B, 9223B Colilert, EPA 200.7, 200.8, 245.2, 120.1, 300.0, 314.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 331.0. Organic Parameters: 504.1, 524.2, SM6251B.)

Non-Potable Water (Inorganic Parameters: SM9222D, 9221B, 9222B, 9221E-EC, EPA 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 420.1, 1664A, SW-846 9010, 9030, 9040B, SM426C, SM2310B, 2540B, 2540D, 4500H+B, 4500NH3-H, 4500NH3-E, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 2320B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-117-07-1-B, LACHAT 10-107-06-1-B, LACHAT 10-107-04-1-C, LACHAT 10-107-04-1-J, LACHAT 10-117-07-1-A, SM4500CL-E, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. Organic Parameters: SW-846 3005A, 3015A, 3510C, 5030B, 8021B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6010B, 7196A, 7471A, 7.3.3.2, 7.3.4.2, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040, 9045C, 9050C, 1311, 3005A, 3050B, 3051A. Organic Parameters: SW-846 3540C, 3545, 3580A, 5030B, 5035, 8021B, 8260B, 8270C, 8330, 8151A, 8082, 8081A.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM9222B, 9221E, 9223B, 9215B, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 2540C, 2320B, 314.0, SM2120B, 2510B, 5310C, SM4500H-B, EPA 200.8, 245.2. Organic Parameters: 504.1, SM6251B, 524.2.)

Non-Potable Water (Inorganic Parameters: SM5210B, EPA 410.4, SM5220D, 4500CI-D, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, SM9221CE, 9222D, 9221B, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, SM5210B, SW-846 3015, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. Organic Parameters: SW-846 8260B, 8270C, 3510C, EPA 608, 624, 625, SW-846 5030B, 8021B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 9040B, 3005A, 6010B, 7196A, 5030B, 9010B, 9030B, 1030, 1311, 3050B, 3051, 7471A, 9014, 9012A, 9045C, 9050A, 9065. Organic Parameters: SW-846 8021B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 1311, 1312, 3540C, 3545, 3550B, 3580A, 5035L, 5035H, NJ OQA-QAM-025 Rev.7.)

New York Department of Health Certificate/Lab ID: 11148. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 314.0, 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, EPA 120.1, SM 2510B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, LACHAT 10-117-07-1A or B, SM4500CI-E, 4500F-C, SM15 426C, EPA 350.1, LACHAT 10-107-06-1-B, SM4500NH3-H, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-041-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, SM4500-CN-E LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, SM5310C, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015. Organic Parameters: EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B, 9010B, 9030B.)

Solid & Hazardous Waste (Inorganic Parameters: 1010, 1030, SW-846 Ch 7 Sec 7.3, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

North Carolina Department of the Environment and Natural Resources Certificate/Lab ID : 666. Organic Parameters: MA-EPH, MA-VPH.

Pennsylvania Department of Environmental Protection Certificate/Lab ID : 68-03671. NELAP Accredited.

Non-Potable Water (Organic Parameters: EPA 3510C, 5030B, 625, 624. 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1010, 1030, 1311, 3050B, 3051, 6010B, EPA 7.3.3.2, EPA 7.3.4.2, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065. Organic Parameters: 3540C, 3545, 3580A, 5035, 8021B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Rhode Island Department of Health Certificate/Lab ID: LAO00065. NELAP Accredited via NY-DOH.

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NY-DOH Certificate for Potable and Non-Potable Water.

Texas Commission on Environmental Quality Certificate/Lab ID: T104704476-09-1. NELAP Accredited.

Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 376.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH3-H, 4500NO2B, 4500P-E, 4500 S²⁻ D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)

Department of Defense Certificate/Lab ID: L2217.

Drinking Water (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6020, 245.1, 245.2, 7470A, 9040B, 300.0, 9251, 9038, 350.1, 353.2, 351.1, 314, 120.1, 9050A, 410.4, 9060, 1664, 420.1, LACHAT 10-107-06-1-B, SM 4500CN-E, 4500H-B, 4500CL-E, 4500F-BC, 4500SO4-E, 426C, 4500NH3-B, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500Norg-C, 4500PE, 2510B, 5540C, 5220D, 5310C, 2540B, 2540C, 2540D, 510C, 4500S2-AD, 3005A, 3015, 9010B, 9030B.

Organic Parameters: EPA 8260B, 8270C, 8330, 625, 8082, 8151A, 8081A, 3510C, 5030B, MassDEP EPH, MassDEP VPH.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 200.7, 6010B, 7471A, 9040B, 9045C, 9065, 420.1, 9012A, 6860, 1311, 1312, 3050B, 9030B, 3051, 9010B, 3540C, SM 510ABC, 4500CN-CE, 2540G, SW-846 7.3, Organic Parameters: EPA 8260B, 8270C, 8330, 8082, 8081A, 8151A, 3545, 3546, 3580, 5035, MassDEP EPH, MassDEP VPH.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **EPA 8260B**: Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A**: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C**: Methyl naphthalene, Dimethyl naphthalene, Total Methylnaphthalenes, Total Dimethylnaphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625**: 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.



CHAIN OF CUSTODY

PAGE 1 OF 1

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Client Information

Client: AKRF INC
Address: 440 PARK AVE SOUTH NEW YORK, NY 10016
Project #: 11160
Project Manager: ARZEL SCHWENDT
ALPHA Quote #:
Phone:
Fax:
Turn-Around Time

Email: aschwendt@akrf.com

These samples have been previously analyzed by Alpha
Date Due: 6/23/10 Time:
 Standard RUSH (only confirmed if pre-approved)

CRT B

ALPHA Lab ID (Lab Use Only) Sample ID

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Samplers Initials
		Date	Time		
<u>09083</u>	<u>MW-104</u>	<u>06/15/10</u>	<u>1120</u>	<u>AQ</u>	<u>EK</u>
	<u>2 MW-101</u>	<u>06/15/10</u>	<u>1510</u>	<u>AQ</u>	<u>EK</u>
	<u>3 MW-105</u>	<u>06/16/10</u>	<u>0940</u>	<u>AQ</u>	<u>EK</u>

Date Rec'd in Lab: 6/16/10

Report Information - Data Deliverables
 FAX EMAIL
 ADEX Add'l Deliverables

Regulatory Requirements/Report Limits
State/Fed Program: CRT B Criteria

ALPHA Job #: L1009083

Billing Information
 Same as Client info PO #:

ANALYSIS
VOC 8260
SVOC 8270
TOTAL METALS (6000/2000)
PESTICIDES 8081
PCB 8082
TOTAL METALS (DISSOLVED)

SAMPLE HANDLING
Filtration _____
 Done
 Not needed
 Lab to do
 Lab to do
(Please specify below)
Sample Specific Comments

Container Type	Date/Time	Preservative
<u>28</u>	<u>6/16/10</u>	<u>1</u>
<u>11</u>	<u>6/16/10</u>	<u>1</u>
<u>11</u>	<u>6/16/10</u>	<u>1</u>

Relinquished By: ERIC WITTE Date/Time: 6/16/10 1425
Thaddeus Date/Time: 6/16/10 2150
Received By: Eric Witte Date/Time: 6/16/10 1425
Thaddeus Date/Time: 6/16/10 2150

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



ANALYTICAL REPORT

Lab Number:	L0915390
Client:	AKRF, Inc. 440 Park Avenue South New York, NY 10016
ATTN:	Axel Schwendt
Project Name:	11160
Project Number:	11160
Report Date:	11/03/09

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 11160
Project Number: 11160

Lab Number: L0915390
Report Date: 11/03/09

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L0915390-01	MW-1	2477 THIRD AVE., BRONX	10/27/09 10:00
L0915390-02	MW-2	2477 THIRD AVE., BRONX	10/27/09 10:15
L0915390-03	MW-3	2477 THIRD AVE., BRONX	10/27/09 10:30
L0915390-04	MW-4	2477 THIRD AVE., BRONX	10/27/09 10:45
L0915390-05	MW-5	2477 THIRD AVE., BRONX	10/27/09 11:00
L0915390-06	MW-6	2477 THIRD AVE., BRONX	10/27/09 11:15
L0915390-07	MW-8	2477 THIRD AVE., BRONX	10/27/09 11:30
L0915390-08	MW-9	2477 THIRD AVE., BRONX	10/27/09 11:45
L0915390-09	MW-10	2477 THIRD AVE., BRONX	10/27/09 12:00
L0915390-10	TRIP BLANK	2477 THIRD AVE., BRONX	10/27/09 00:00

Project Name: 11160
Project Number: 11160

Lab Number: L0915390
Report Date: 11/03/09

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.


Volatile Organics

L0915390-01 and -05 have elevated detection limits due to the dilutions required by the elevated concentrations of target compounds in the samples.

L0915390-03 and -05 were re-analyzed on dilution in order to quantitate the samples within the calibration range. The result is qualified with an E flag for any compound that exceeded the calibration on the initial analysis. The re-analysis was performed only for the compound that exceeded the calibration range.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Title: Technical Director/Representative

Date: 11/03/09

ORGANICS

VOLATILES

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-01
 Client ID: MW-1
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 11/01/09 14:33
 Analyst: PD

Date Collected: 10/27/09 10:00
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	6.4		ug/l	5.0	10
Toluene	70		ug/l	7.5	10
Ethylbenzene	550		ug/l	5.0	10
Methyl tert butyl ether	ND		ug/l	10	10
p/m-Xylene	990		ug/l	10	10
o-Xylene	200		ug/l	10	10
n-Butylbenzene	36		ug/l	5.0	10
sec-Butylbenzene	22		ug/l	5.0	10
tert-Butylbenzene	ND		ug/l	25	10
Isopropylbenzene	110		ug/l	5.0	10
p-Isopropyltoluene	9.2		ug/l	5.0	10
Naphthalene	80		ug/l	25	10
n-Propylbenzene	320		ug/l	5.0	10
1,3,5-Trimethylbenzene	89		ug/l	25	10
1,2,4-Trimethylbenzene	510		ug/l	25	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	127		70-130
Toluene-d8	106		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	103		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-02
 Client ID: MW-2
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 10/31/09 12:32
 Analyst: PD

Date Collected: 10/27/09 10:15
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	0.88		ug/l	0.50	1
Toluene	0.98		ug/l	0.75	1
Ethylbenzene	23		ug/l	0.50	1
Methyl tert butyl ether	ND		ug/l	1.0	1
p/m-Xylene	6.0		ug/l	1.0	1
o-Xylene	1.0		ug/l	1.0	1
n-Butylbenzene	81		ug/l	0.50	1
sec-Butylbenzene	70		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	26		ug/l	0.50	1
p-Isopropyltoluene	4.7		ug/l	0.50	1
Naphthalene	8.3		ug/l	2.5	1
n-Propylbenzene	100		ug/l	0.50	1
1,3,5-Trimethylbenzene	4.0		ug/l	2.5	1
1,2,4-Trimethylbenzene	46		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	89		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-03
 Client ID: MW-3
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 10/31/09 13:08
 Analyst: PD

Date Collected: 10/27/09 10:30
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	72		ug/l	0.50	1
Toluene	36		ug/l	0.75	1
Ethylbenzene	140	E	ug/l	0.50	1
Methyl tert butyl ether	46		ug/l	1.0	1
p/m-Xylene	240	E	ug/l	1.0	1
o-Xylene	82		ug/l	1.0	1
n-Butylbenzene	37		ug/l	0.50	1
sec-Butylbenzene	32		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	95		ug/l	0.50	1
p-Isopropyltoluene	0.71		ug/l	0.50	1
Naphthalene	92		ug/l	2.5	1
n-Propylbenzene	140	E	ug/l	0.50	1
1,3,5-Trimethylbenzene	34		ug/l	2.5	1
1,2,4-Trimethylbenzene	91		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	97		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-03 R
 Client ID: MW-3
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 11/01/09 15:06
 Analyst: PD

Date Collected: 10/27/09 10:30
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Ethylbenzene	400		ug/l	5.0	10
p/m-Xylene	630		ug/l	10	10
n-Propylbenzene	400		ug/l	5.0	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	119		70-130
Toluene-d8	106		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	108		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-04
 Client ID: MW-4
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 11/01/09 15:40
 Analyst: PD

Date Collected: 10/27/09 10:45
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	0.50	1
Toluene	ND		ug/l	0.75	1
Ethylbenzene	2.6		ug/l	0.50	1
Methyl tert butyl ether	ND		ug/l	1.0	1
p/m-Xylene	ND		ug/l	1.0	1
o-Xylene	ND		ug/l	1.0	1
n-Butylbenzene	ND		ug/l	0.50	1
sec-Butylbenzene	ND		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	0.69		ug/l	0.50	1
p-Isopropyltoluene	ND		ug/l	0.50	1
Naphthalene	ND		ug/l	2.5	1
n-Propylbenzene	1.7		ug/l	0.50	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	1
1,2,4-Trimethylbenzene	4.9		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	107		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-05
 Client ID: MW-5
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 11/01/09 16:13
 Analyst: PD

Date Collected: 10/27/09 11:00
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	5.0	10
Toluene	11		ug/l	7.5	10
Ethylbenzene	730		ug/l	5.0	10
Methyl tert butyl ether	ND		ug/l	10	10
p/m-Xylene	2300	E	ug/l	10	10
o-Xylene	370		ug/l	10	10
n-Butylbenzene	140		ug/l	5.0	10
sec-Butylbenzene	ND		ug/l	5.0	10
tert-Butylbenzene	ND		ug/l	25	10
Isopropylbenzene	160		ug/l	5.0	10
p-Isopropyltoluene	27		ug/l	5.0	10
Naphthalene	90		ug/l	25	10
n-Propylbenzene	560		ug/l	5.0	10
1,3,5-Trimethylbenzene	820		ug/l	25	10
1,2,4-Trimethylbenzene	3300	E	ug/l	25	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	97		70-130

Project Name: 11160**Lab Number:** L0915390**Project Number:** 11160**Report Date:** 11/03/09**SAMPLE RESULTS**

Lab ID: L0915390-05 R
Client ID: MW-5
Sample Location: 2477 THIRD AVE., BRONX
Matrix: Water
Analytical Method: 1,8260B
Analytical Date: 11/02/09 15:41
Analyst: PD

Date Collected: 10/27/09 11:00
Date Received: 10/28/09
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
p/m-Xylene	950		ug/l	100	100
1,2,4-Trimethylbenzene	1500		ug/l	250	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	107		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	105		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-06
 Client ID: MW-6
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 11/01/09 16:47
 Analyst: PD

Date Collected: 10/27/09 11:15
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	0.50	1
Toluene	ND		ug/l	0.75	1
Ethylbenzene	ND		ug/l	0.50	1
Methyl tert butyl ether	ND		ug/l	1.0	1
p/m-Xylene	ND		ug/l	1.0	1
o-Xylene	ND		ug/l	1.0	1
n-Butylbenzene	ND		ug/l	0.50	1
sec-Butylbenzene	ND		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	ND		ug/l	0.50	1
p-Isopropyltoluene	ND		ug/l	0.50	1
Naphthalene	ND		ug/l	2.5	1
n-Propylbenzene	ND		ug/l	0.50	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	101		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-07
 Client ID: MW-8
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 10/31/09 15:26
 Analyst: PD

Date Collected: 10/27/09 11:30
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	0.50	1
Toluene	ND		ug/l	0.75	1
Ethylbenzene	4.7		ug/l	0.50	1
Methyl tert butyl ether	ND		ug/l	1.0	1
p/m-Xylene	2.1		ug/l	1.0	1
o-Xylene	ND		ug/l	1.0	1
n-Butylbenzene	0.70		ug/l	0.50	1
sec-Butylbenzene	0.66		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	1.6		ug/l	0.50	1
p-Isopropyltoluene	ND		ug/l	0.50	1
Naphthalene	ND		ug/l	2.5	1
n-Propylbenzene	3.2		ug/l	0.50	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	1
1,2,4-Trimethylbenzene	5.5		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	94		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-08
 Client ID: MW-9
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 10/31/09 16:00
 Analyst: PD

Date Collected: 10/27/09 11:45
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	0.50	1
Toluene	ND		ug/l	0.75	1
Ethylbenzene	0.76		ug/l	0.50	1
Methyl tert butyl ether	4.2		ug/l	1.0	1
p/m-Xylene	1.4		ug/l	1.0	1
o-Xylene	ND		ug/l	1.0	1
n-Butylbenzene	ND		ug/l	0.50	1
sec-Butylbenzene	ND		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	ND		ug/l	0.50	1
p-Isopropyltoluene	ND		ug/l	0.50	1
Naphthalene	ND		ug/l	2.5	1
n-Propylbenzene	0.55		ug/l	0.50	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	95		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-09
 Client ID: MW-10
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 10/31/09 16:35
 Analyst: PD

Date Collected: 10/27/09 12:00
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	0.50	1
Toluene	ND		ug/l	0.75	1
Ethylbenzene	ND		ug/l	0.50	1
Methyl tert butyl ether	ND		ug/l	1.0	1
p/m-Xylene	ND		ug/l	1.0	1
o-Xylene	ND		ug/l	1.0	1
n-Butylbenzene	ND		ug/l	0.50	1
sec-Butylbenzene	ND		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	ND		ug/l	0.50	1
p-Isopropyltoluene	ND		ug/l	0.50	1
Naphthalene	ND		ug/l	2.5	1
n-Propylbenzene	ND		ug/l	0.50	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	98		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

SAMPLE RESULTS

Lab ID: L0915390-10
 Client ID: TRIP BLANK
 Sample Location: 2477 THIRD AVE., BRONX
 Matrix: Water
 Analytical Method: 1,8260B
 Analytical Date: 10/31/09 17:09
 Analyst: PD

Date Collected: 10/27/09 00:00
 Date Received: 10/28/09
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab					
Benzene	ND		ug/l	0.50	1
Toluene	ND		ug/l	0.75	1
Ethylbenzene	ND		ug/l	0.50	1
Methyl tert butyl ether	ND		ug/l	1.0	1
p/m-Xylene	ND		ug/l	1.0	1
o-Xylene	ND		ug/l	1.0	1
n-Butylbenzene	ND		ug/l	0.50	1
sec-Butylbenzene	ND		ug/l	0.50	1
tert-Butylbenzene	ND		ug/l	2.5	1
Isopropylbenzene	ND		ug/l	0.50	1
p-Isopropyltoluene	ND		ug/l	0.50	1
Naphthalene	ND		ug/l	2.5	1
n-Propylbenzene	ND		ug/l	0.50	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	96		70-130

Project Name: 11160
Project Number: 11160

Lab Number: L0915390
Report Date: 11/03/09

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
Analytical Date: 10/31/09 08:30
Analyst: PD

Parameter	Result	Qualifier	Units	RDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02-03,07-10 Batch: WG387132-3				
Benzene	ND		ug/l	0.50
Toluene	ND		ug/l	0.75
Ethylbenzene	ND		ug/l	0.50
Methyl tert butyl ether	ND		ug/l	1.0
p/m-Xylene	ND		ug/l	1.0
o-Xylene	ND		ug/l	1.0
n-Butylbenzene	ND		ug/l	0.50
sec-Butylbenzene	ND		ug/l	0.50
tert-Butylbenzene	ND		ug/l	2.5
Isopropylbenzene	ND		ug/l	0.50
p-Isopropyltoluene	ND		ug/l	0.50
Naphthalene	ND		ug/l	2.5
n-Propylbenzene	ND		ug/l	0.50
1,3,5-Trimethylbenzene	ND		ug/l	2.5
1,2,4-Trimethylbenzene	ND		ug/l	2.5

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	99		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
 Analytical Date: 11/01/09 09:27
 Analyst: PD

Parameter	Result	Qualifier	Units	RDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-06 Batch: WG387132-6				
Benzene	ND		ug/l	0.50
Toluene	ND		ug/l	0.75
Ethylbenzene	ND		ug/l	0.50
Methyl tert butyl ether	ND		ug/l	1.0
p/m-Xylene	ND		ug/l	1.0
o-Xylene	ND		ug/l	1.0
n-Butylbenzene	ND		ug/l	0.50
sec-Butylbenzene	ND		ug/l	0.50
tert-Butylbenzene	ND		ug/l	2.5
Isopropylbenzene	ND		ug/l	0.50
p-Isopropyltoluene	ND		ug/l	0.50
Naphthalene	ND		ug/l	2.5
n-Propylbenzene	ND		ug/l	0.50
1,3,5-Trimethylbenzene	ND		ug/l	2.5
1,2,4-Trimethylbenzene	ND		ug/l	2.5

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	106		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260B
 Analytical Date: 11/02/09 13:12
 Analyst: PD

Parameter	Result	Qualifier	Units	RDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 05 Batch: WG387132-9				
Benzene	ND		ug/l	0.50
Toluene	ND		ug/l	0.75
Ethylbenzene	ND		ug/l	0.50
Methyl tert butyl ether	ND		ug/l	1.0
p/m-Xylene	ND		ug/l	1.0
o-Xylene	ND		ug/l	1.0
n-Butylbenzene	ND		ug/l	0.50
sec-Butylbenzene	ND		ug/l	0.50
tert-Butylbenzene	ND		ug/l	2.5
Isopropylbenzene	ND		ug/l	0.50
p-Isopropyltoluene	ND		ug/l	0.50
Naphthalene	ND		ug/l	2.5
n-Propylbenzene	ND		ug/l	0.50
1,3,5-Trimethylbenzene	ND		ug/l	2.5
1,2,4-Trimethylbenzene	ND		ug/l	2.5

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	98		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11160

Project Number: 11160

Lab Number: L0915390

Report Date: 11/03/09

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-03,07-10 Batch: WG387132-1 WG387132-2								
Chlorobenzene	104		92		75-130	12		20
Benzene	102		92		76-127	10		20
Toluene	103		93		76-125	10		20
1,1-Dichloroethene	100		88		61-145	13		20
Trichloroethene	99		89		71-120	11		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	94		97		70-130
Toluene-d8	100		101		70-130
4-Bromofluorobenzene	100		100		70-130
Dibromofluoromethane	99		100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11160

Project Number: 11160

Lab Number: L0915390

Report Date: 11/03/09

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-06 Batch: WG387132-4 WG387132-5								
Chlorobenzene	100		105		75-130	5		20
Benzene	85		89		76-127	5		20
Toluene	98		104		76-125	6		20
1,1-Dichloroethene	82		83		61-145	1		20
Trichloroethene	83		85		71-120	2		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	119		117		70-130
Toluene-d8	108		111		70-130
4-Bromofluorobenzene	101		100		70-130
Dibromofluoromethane	108		112		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11160

Project Number: 11160

Lab Number: L0915390

Report Date: 11/03/09

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 05 Batch: WG387132-7 WG387132-8								
Chlorobenzene	100		96		75-130	4		20
Benzene	83		81		76-127	5		20
Toluene	96		93		76-125	5		20
1,1-Dichloroethene	86		82		61-145	0		20
Trichloroethene	84		81		71-120	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	103		100		70-130
Toluene-d8	104		103		70-130
4-Bromofluorobenzene	95		95		70-130
Dibromofluoromethane	105		103		70-130

Project Name: 11160

Lab Number: L0915390

Project Number: 11160

Report Date: 11/03/09

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis
L0915390-01A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-01B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-02A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-02B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-03A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-03B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-04A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-04B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-05A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-05B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-06A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-06B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-07A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-07B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-08A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-08B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-09A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-09B	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)
L0915390-10A	Vial HCl preserved	A	N/A	2.1	Y	Absent	NYTCL-8260(14)

Container Comments

L0915390-01B

L0915390-03B

L0915390-04B

L0915390-05B

L0915390-06B

*Hold days indicated by values in parentheses



Project Name: 11160
Project Number: 11160

Lab Number: L0915390
Report Date: 11/03/09

GLOSSARY

Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCS D** - Laboratory Control Sample Duplicate: Refer to LCS.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MS D** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- ND** - Not detected at the reported detection limit for the sample.
- NI** - Not Ignitable.
- RDL** - Reported Detection Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RDL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

Report Format: Data Usability Report



Project Name: 11160
Project Number: 11160

Lab Number: L0915390
Report Date: 11/03/09

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Woods Hole Labs shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Woods Hole Labs.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised October 22, 2009 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

Drinking Water (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Haloacetic Acids, Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB).)

Wastewater/Non-Potable Water (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Calcium Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH.)

Solid Waste/Soil (Inorganic Parameters: Lead in Paint, pH, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), Reactivity. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP (Silvex), Volatile Organics, Acid Extractables (Phenols), 3,3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Maine Department of Human Services Certificate/Lab ID: 2009024.

Drinking Water (Inorganic Parameters: SM9215B, 9221E, 9222B, 9222D, 9223B, EPA 180.1, 300.0, 353.2, SM2130B, 2320B, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1. Organic Parameters: 504.1, 524.2, SM 6251B.)

Wastewater/Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, Lachat 10-107-06-1-B, SM2320B, 2340B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NH3-H, 4500NO3-F, 4500P-B.5, 4500P-E, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

Drinking Water

Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl)

(EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate)

353.2 for: Nitrate-N, Nitrite-N; SM4500NO3-F, 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B.

Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics)

(504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), 314.0, 332.

Microbiology Parameters: SM9215B; MF-SM9222B; ENZ. SUB. SM9223; EC-SM9221E; MF-SM9222D

Non-Potable Water

Inorganic Parameters: (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn)

(EPA 200.7 for: Al,Sb,As,Be,Cd,Cr,Co,Cu,Fe,Pb,Mn,Mo,Ni,Se,Ag,Sr,Tl,Ti,V,Zn,Ca,Mg,Na,K)

245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2540B, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-B,C-Titr, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CN-CE, 2540D, 4500CL-D, EPA 1664, SM14 510AC, EPA 420.1

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics)

(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables, 600/4-81-045-PCB-Oil

New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM6215B, 9222B, 9223B Colilert, EPA 200.7, 200.8, 245.2, 120.1, 300.0, 314.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 331.0. Organic Parameters: 504.1, 524.2, SM6251B.)

Non-Potable Water (Inorganic Parameters: SM9222D, 9221B, 9222B, 9221E-EC, EPA 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 420.1, 1664A, SW-846 9010, 9030, 9040B, SM426C, SM2310B, 2540B, 2540D, 4500H+B, 4500NH3-H, 4500NH3-E, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 2320B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-117-07-1-B, LACHAT 10-107-06-1-B, LACHAT 10-107-04-1-C, LACHAT 10-107-04-1-J, LACHAT 10-117-07-1-A, SM4500CL-E, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. Organic Parameters: SW-846 3005A, 3015A, 3510C, 5030B, 8021B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6010B, 7196A, 7471A, 7.3.3.2, 7.3.4.2, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040, 9045C, 9050C, 1311, 3005A, 3050B, 3051A. Organic Parameters: SW-846 3540C, 3545, 3580A, 5030B, 5035, 8021B, 8260B, 8270C, 8330, 8151A, 8082, 8081A.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM9222B, 9221E, 9223B, 9215B, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 2540C, 2320B, 314.0, SM2120B, 2510B, 5310C, SM4500H-B, EPA 200.8, 245.2. Organic Parameters: 504.1, SM6251B, 524.2.)

Non-Potable Water (Inorganic Parameters: SM5210B, EPA 410.4, SM5220D, 4500CI-D, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, SM9221CE, 9222D, 9221B, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, SM5210B, SW-846 3015, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. Organic Parameters: SW-846 8260B, 8270C, 3510C, EPA 608, 624, 625, SW-846 5030B, 8021B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 9040B, 3005A, 6010B, 7196A, 5030B, 9010B, 9030B, 1030, 1311, 3050B, 3051, 7471A, 9014, 9012A, 9045C, 9050A, 9065. Organic Parameters: SW-846 8021B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 1311, 1312, 3540C, 3545, 3550B, 3580A, 5035L, 5035H, NJ OQA-QAM-025 Rev.7.)

New York Department of Health Certificate/Lab ID: 11148. *NELAP Accredited.*

Drinking Water (Inorganic Parameters: SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 314.0, 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, EPA 120.1, SM 2510B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, LACHAT 10-117-07-1A or B, SM4500CI-E, 4500F-C, SM15 426C, EPA 350.1, LACHAT 10-107-06-1-B, SM4500NH3-H, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-041-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, SM4500-CN-E LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, SM5310C, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015. Organic Parameters: EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B, 9010B, 9030B.)

Solid & Hazardous Waste (Inorganic Parameters: 1010, 1030, SW-846 Ch 7 Sec 7.3, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

North Carolina Department of the Environment and Natural Resources Certificate/Lab ID : 666. *Organic Parameters: MA-EPH, MA-VPH.***Pennsylvania Department of Environmental Protection Certificate/Lab ID : 68-03671. *NELAP Accredited.***

Non-Potable Water (Organic Parameters: EPA 3510C, 5030B, 625, 624. 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1010, 1030, 1311, 3050B, 3051, 6010B, EPA 7.3.3.2, EPA 7.3.4.2, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065. Organic Parameters: 3540C, 3545, 3580A, 5035, 8021B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Rhode Island Department of Health Certificate/Lab ID: LAO00065. *NELAP Accredited via NY-DOH.*

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NY-DOH Certificate for Potable and Non-Potable Water.

Utah Department of Health Certificate/Lab ID: AAMA. *NELAP Accredited.*

Non-Potable Water (Inorganic Parameters: Chloride EPA 300.0)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **EPA 8260B:** Freon-113, 1,2,4,5-Tetramethylbenzene. **EPA 8330A:** PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C:** Methyl naphthalene, Dimethyl naphthalene, Total Methylnaphthalenes, Total Dimethylnaphthalenes. **EPA 625:** 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.



WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-9288

CHAIN OF CUSTODY

PAGE 1 OF 1

Client Information

Client: AKRE, Inc.
Address: 440 Park Ave South
7th Fl, NY, NY
Phone: 212-696-0690
Fax: _____
Email: Aschwandt@akre.com

Project Information

Project Name: 11/60
Project Location: 2472 Highland Ave, Bronx
Project #: 11/60
Project Manager: Axel Schwandt
ALPHA Quote #: _____
Turn-Around Time _____

Standard RUSH (only confirmed if pre-approved)
Date Due: 11/3/09 Time: _____
Other: Project Specific Requirements/Comments/Detection Limits: _____

Report Information - Data Deliverables

Date Rec'd in Lab: 10/28/09
 FAX EMAIL
 E-INDEX Add'l Deliverables

Billing Information

ALPHA Job #: 10915390
 Same as Client Info PO #: _____

Regulatory Requirements/Report Limits

State/Fed Program _____ Criteria _____
MIA MCP PRESUMPTIVE CERTAINTY --- CT REASONABLE CONFIDENCE PROTO.

Yes No Are MCP Analytical Methods Required?
 Yes No Are CT RCP (Reasonable Confidence Protocols) Required?

ANALYSIS		SAMPLE HANDLING	
8260 STAINS	VOC	Filtration	_____
		<input type="checkbox"/> Done	
		<input type="checkbox"/> Not needed	
		<input type="checkbox"/> Lab to do	
		<input type="checkbox"/> Preservation	
		<input type="checkbox"/> Lab to do	
		(Please specify below)	
		Sample Specific Comments	

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Container Type	Date/Time	Received By:	Date/Time
		Date	Time						
5390	1 MW-1	10/27/09	1000	GW	GR	V	10/27/09 1440	_____	10/27/09 1440
	2 MW-2		1015			V			
	3 MW-3		1030			V			
	4 MW-4		1045			V			
	5 MW-5		1100			V			
	6 MW-6		1115			V			
	7 MW-8		1130			V			
	8 MW-9		1145			V			
	9 MW-10		1205			V			
	10 Trip/blank					V			

PLEASE ANSWER QUESTIONS ABOVE!

IS YOUR PROJECT
MAMCP or CT RCP?

Relinquished By: _____

Date/Time _____

Received By: _____

Date/Time _____

FORM NO. 01-01 (rev. 14-OCT-07)

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.