Daily Activity Report

Seton Brilla Charter School
1956 Jerome Avenue, Bronx, NY
BCP No. C203152

General Site Information

Date:	Wednesday, January 18, 2023
Weather:	Sunny, 30°F
Wind Direction/Speed:	N @ 10 mph
AKRF Personnel on Site:	J. Kelleher-Ferguson
AKRF Equipment on Site:	Mini RAE 3000 Photoionization Detector [(PID) x1], 2 Fixed Air Monitoring Stations
Visitors:	None.

Contractor Information

Contracting Company	Main Personnel	Equipment
Casino Construction	Connor McGrory	Excavator, CFA Drill Rig
Control Point		Surveyor Tools
Brookside Environmental		Vacuum Truck
Isotec	Tom Masser	Modified Fentons Reagent

Description and Location of Work Activities Performed

1) Isotec worked with JEL to remediate groundwater in the southwest corner of the site using Modified Fentons Reagent. Isotec added 1200 gallons of hydrogen peroxide and 550 gallons of catalyst to the area. Documentation samples were collected from the sidewalls and bottom of the excavation area, and a NYS certified surveyor marked the extents of the excavation.

2) Brookside Environmental was on-site to remove the contents of the 3 recently discovered USTs with a vacuum truck. JEL removed the tanks and placed them on plastic once they were empty. Brookside will return to clean the tanks and remove them from the Site.

Site Soil Disposal Tracking Information

Destination Facility	Daily Trucks	Total Trucks	Daily Approx. Cubic Yds	Total Approx. Cubic Yds	Total Site Loads	Total Approximate Cubic Yards
Clean Earth Carteret	0	40	0	800	67	1,340
Clean Earth Southeastern Pennsylvania	3	7	60	140		
Concrete Disposal	0	20	0	400		
N/A	0	0	0	0		
N/A	0	0	0	0		

CAMP Air Monitoring Results

CAMP Station	UPWIND				DOWNWIND		
Odors:	None.				None.		
VOC Action Level Exceedance(s):	None.				None.		
Particulate Action Level Exceedance(s):	None.				None.		
Maximum VOC Level (15 min ppm):	0.587				0.00		
Maximum Particulate Level (15 min mg/m³):	0.033				0.064		

Notes: Roving air monitoring for VOCs and particulates was performed throughout the day. CAMP monitoring did not begin until approximately 1100 after the internet connection within both CAMP boxes was restored.

Additional Information

Planned Work Activity for Following Day/Week:	1) Groundwater treatment. 2) Excavation and disposal of soil/fill from the Site. 3) Brookside will clean USTs, and remove them from the Site.
Comments:	None.

Site Map

APPROXIMATE SOIL PRE-CHARACTERIZATION GRID

LEGEND

- PROJECT SITE BOUNDARY
- 22 — LOT BOUNDARY AND TAX LOT NUMBER
- 2853 — BLOCK NUMBER
- REMEDIAL EXCAVATION TO APPROXIMATELY TWO FEET BELOW EXISTING GRADE
- REMEDIAL EXCAVATION TO GROUNDWATER (SOURCE AREA)
- CONFIRMATION DOCUMENTATION BOTTOM SAMPLE
- SOURCE AREA DOCUMENTATION BOTTOM SAMPLE
- DOCUMENTATION SIDEWALL SAMPLE

0 30 60
SCALE IN FEET

NOTE
REMEDIAL EXCAVATION WILL INCLUDE REMOVAL OF APPROXIMATELY 1,280 TONS (850 CUBIC YARDS) OF SOURCE MATERIAL ASSOCIATED WITH NYSDEC SPILL NO. 2103719 AND APPROXIMATELY 860 TONS (570 CUBIC YARDS) OF SOIL/FILL FROM THE UPPER 2 FEET SITE-WIDE.

Map Source:
NYCDCP (NYC Dept. of City Planning) GIS database

AKRF
440 Park Avenue South, New York, NY 10016

1956 Jerome Avenue
Bronx, New York

TRACK 4 CLEANUP AND DOCUMENTATION SAMPLE LOCATION PLAN

DATE: 04/29/2022
PROJECT NO.: 210024
FIGURE: 11

©2021 AKRF W:\Projects\210024 - 1956 JEROME AVENUE\Technical\GIS and Graphics\SAR\RAW\P210024 Figure 9 Proposed Remedial Excavation and Documentation Sample Location Plan.mxd 10/25/2021 2:03:38 PM iszalus

Site Photographs	
Photograph 1 - Brookside Environmental pumping out the USTs before removal, view facing southeast	
Photograph 2 - Isotec added Modified Fentons Reagent to the groundwater while JEL mixes the soil, view facing east.	
Photograph 3 - JEL backfilling the excavation with 3/4"stone following Isotec activities, view facing east.	

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 11:07		0.03	0.03	No		No
1/18/2023 11:08		0.023	0.0265	No		No
1/18/2023 11:09		0.041	0.0313	No		No
1/18/2023 11:10		0.035	0.0323	No		No
1/18/2023 11:11		0.034	0.0326	No		No
1/18/2023 11:12		0.033	0.0327	No		No
1/18/2023 11:13		0.015	0.0301	No		No
1/18/2023 11:14		0.015	0.0283	No		No
1/18/2023 11:15		0.02	0.0273	No		No
1/18/2023 11:16		0.026	0.0272	No		No
1/18/2023 11:19		0.043	0.0286	No		No
1/18/2023 11:20		0.016	0.0276	No		No
1/18/2023 11:21		0.016	0.0267	No		No
1/18/2023 11:22	0	0.02	0.0259	No	0	No
1/18/2023 11:23	0	0.026	0.0262	No	0	No
1/18/2023 11:24	0.048	0.014	0.0241	No	0.016	No
1/18/2023 11:25	0	0.025	0.0233	No	0.012	No
1/18/2023 11:26	0	0.017	0.022	No	0.0096	No
1/18/2023 11:27	0	0.035	0.0222	No	0.008	No
1/18/2023 11:28	0.055	0.043	0.0243	No	0.0147	No
1/18/2023 11:29	0	0.028	0.0253	No	0.0129	No
1/18/2023 11:30	0	0.013	0.0248	No	0.0114	No
1/18/2023 11:31	0.153	0.024	0.0246	No	0.0256	No
1/18/2023 11:32	0	0.027	0.0248	No	0.0233	No
1/18/2023 11:33	0	0.021	0.0245	No	0.0213	No
1/18/2023 11:34	0	0.022	0.0231	No	0.0197	No
1/18/2023 11:35	0	0.038	0.0246	No	0.0183	No
1/18/2023 11:36	0	0.031	0.0256	No	0.0171	No
1/18/2023 11:37	0.39	0.019	0.0255	No	0.0431	No
1/18/2023 11:38	0.238	0.021	0.0252	No	0.0589	No
1/18/2023 11:39	0.472	0.021	0.0257	No	0.0872	No
1/18/2023 11:40	0	0.065	0.0283	No	0.0872	No
1/18/2023 11:41	1.403	0.041	0.0299	No	0.1807	No
1/18/2023 11:42	0.438	0.015	0.0286	No	0.2099	No
1/18/2023 11:43	1.568	0.015	0.0267	No	0.3108	No
1/18/2023 11:44	0.3	0.034	0.0271	No	0.3308	No
1/18/2023 11:45	0.047	0.013	0.0271	No	0.3339	No
1/18/2023 11:46	0.001	0.011	0.0263	No	0.3238	No
1/18/2023 11:47	0.742	0.026	0.0262	No	0.3733	No
1/18/2023 11:48	0.341	0.02	0.0261	No	0.396	No
1/18/2023 11:49	0.377	0.025	0.0263	No	0.4211	No
1/18/2023 11:50	0.247	0.012	0.0246	No	0.4376	No
1/18/2023 11:51	0	0.027	0.0243	No	0.4376	No
1/18/2023 11:52	0.345	0.013	0.0239	No	0.4346	No
1/18/2023 11:53	0.098	0.015	0.0235	No	0.4253	No
1/18/2023 11:54	0.033	0.013	0.023	No	0.396	No
1/18/2023 11:55	0	0.023	0.0202	No	0.396	No
1/18/2023 11:56	0	0.014	0.0184	No	0.3025	No
1/18/2023 11:57	0	0.032	0.0195	No	0.2733	No
1/18/2023 11:58	0	0.01	0.0192	No	0.1687	No
1/18/2023 11:59	0	0.011	0.0177	No	0.1487	No
1/18/2023 12:00	0.329	0.007	0.0173	No	0.1675	No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 12:01	0.008	0.009	0.0171	No	0.168	No
1/18/2023 12:02	0	0.01	0.0161	No	0.1185	No
1/18/2023 12:03	1.244	0.006	0.0151	No	0.1787	No
1/18/2023 12:04	2.86	0.016	0.0145	No	0.3443	No
1/18/2023 12:05	0.836	0.017	0.0149	No	0.3835	No
1/18/2023 12:06	0.354	0.021	0.0145	No	0.4071	No
1/18/2023 12:07	0.173	0.011	0.0143	No	0.3957	No
1/18/2023 12:08	0.117	0.031	0.0154	No	0.3969	No
1/18/2023 12:09	0.246	0.054	0.0181	No	0.4111	No
1/18/2023 12:10	0	0.007	0.0171	No	0.4111	No
1/18/2023 12:11	0	0.015	0.0171	No	0.4111	No
1/18/2023 12:12	2.486	0.01	0.0157	No	0.5769	No
1/18/2023 12:13	0.162	0.012	0.0158	No	0.5877	No
1/18/2023 12:14	0	0.006	0.0155	No	0.5877	No
1/18/2023 12:15	0	0.006	0.0154	No	0.5657	No
1/18/2023 12:16	0.053	0.012	0.0156	No	0.5687	No
1/18/2023 12:17	0.103	0.042	0.0177	No	0.5756	No
1/18/2023 12:18	0.466	0.008	0.0179	No	0.5237	No
1/18/2023 12:19	1.248	0.049	0.0201	No	0.4163	No
1/18/2023 12:20	1.012	0.026	0.0207	No	0.428	No
1/18/2023 12:21	0.323	0.012	0.0201	No	0.4259	No
1/18/2023 12:22	0.1	0.018	0.0205	No	0.4211	No
1/18/2023 12:23	0.027	0.006	0.0189	No	0.4151	No
1/18/2023 12:24	0.536	0.021	0.0167	No	0.4344	No
1/18/2023 12:25	0.229	0.035	0.0185	No	0.4497	No
1/18/2023 12:26	0.645	0.02	0.0189	No	0.4927	No
1/18/2023 12:27	0.195	0.041	0.0209	No	0.3399	No
1/18/2023 12:28	0.054	0.018	0.0213	No	0.3327	No
1/18/2023 12:29	0.002	0.015	0.0219	No	0.3329	No
1/18/2023 12:30	0.462	0.025	0.0232	No	0.3637	No
1/18/2023 12:31	0.652	0.03	0.0244	No	0.4036	No
1/18/2023 12:32	0.031	0.017	0.0227	No	0.3988	No
1/18/2023 12:33	0	0.023	0.0237	No	0.3677	No
1/18/2023 12:34	0.656	0.011	0.0212	No	0.3283	No
1/18/2023 12:35	0.284	0.023	0.021	No	0.2797	No
1/18/2023 12:36	0.01	0.022	0.0217	No	0.2589	No
1/18/2023 12:37	0	0.023	0.022	No	0.2522	No
1/18/2023 12:38	0	0.008	0.0221	No	0.2504	No
1/18/2023 12:39	0	0.015	0.0217	No	0.2147	No
1/18/2023 12:40	0	0.011	0.0201	No	0.1994	No
1/18/2023 12:41	0	0.008	0.0193	No	0.1564	No
1/18/2023 12:42	0.002	0.009	0.0172	No	0.1435	No
1/18/2023 12:43	0	0.032	0.0181	No	0.1399	No
1/18/2023 12:44	0.796	0.043	0.02	No	0.1929	No
1/18/2023 12:45	0.199	0.032	0.0205	No	0.1753	No
1/18/2023 12:46	0.091	0.036	0.0209	No	0.1379	No
1/18/2023 12:47	0	0.013	0.0206	No	0.1359	No
1/18/2023 12:48	0.155	0.015	0.0201	No	0.1462	No
1/18/2023 12:49	0	0.011	0.0201	No	0.1025	No
1/18/2023 12:50	0.064	0.02	0.0199	No	0.0878	No
1/18/2023 12:51	0.026	0.028	0.0203	No	0.0889	No
1/18/2023 12:52	0	0.01	0.0194	No	0.0889	No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 12:53	0.003	0.006	0.0193	No	0.0891	No
1/18/2023 12:54	0	0.012	0.0191	No	0.0891	No
1/18/2023 12:55	0	0.011	0.0191	No	0.0891	No
1/18/2023 12:56	0	0.008	0.0191	No	0.0891	No
1/18/2023 12:57	0	0.009	0.0191	No	0.0889	No
1/18/2023 12:58	0.356	0.01	0.0176	No	0.1127	No
1/18/2023 12:59	0.215	0.006	0.0151	No	0.0739	No
1/18/2023 13:00	0	0.008	0.0135	No	0.0607	No
1/18/2023 13:01	0	0.005	0.0115	No	0.0546	No
1/18/2023 13:02	0	0.029	0.0125	No	0.0546	No
1/18/2023 13:03	0	0.022	0.013	No	0.0443	No
1/18/2023 13:04	0	0.008	0.0128	No	0.0443	No
1/18/2023 13:05	0.022	0.006	0.0119	No	0.0415	No
1/18/2023 13:06	0.121	0.009	0.0106	No	0.0478	No
1/18/2023 13:07	0	0.006	0.0103	No	0.0478	No
1/18/2023 13:08	0	0.009	0.0105	No	0.0476	No
1/18/2023 13:09	0	0.006	0.0101	No	0.0476	No
1/18/2023 13:10	0.092	0.01	0.0101	No	0.0537	No
1/18/2023 13:11	0.465	0.011	0.0103	No	0.0847	No
1/18/2023 13:12	0.123	0.011	0.0104	No	0.0929	No
1/18/2023 13:13	0.108	0.013	0.0106	No	0.0764	No
1/18/2023 13:14	0.194	0.03	0.0122	No	0.075	No
1/18/2023 13:15	0.01	0.013	0.0125	No	0.0757	No
1/18/2023 13:16	1.643	0.01	0.0129	No	0.1852	No
1/18/2023 13:17	0.551	0.02	0.0123	No	0.2219	No
1/18/2023 13:18	0.243	0.033	0.013	No	0.2381	No
1/18/2023 13:19	0.032	0.018	0.0137	No	0.2403	No
1/18/2023 13:20	0.32	0.021	0.0147	No	0.2601	No
1/18/2023 13:21	0.216	0.023	0.0156	No	0.2665	No
1/18/2023 13:22	0	0.012	0.016	No	0.2665	No
1/18/2023 13:23	0.397	0.028	0.0173	No	0.2929	No
1/18/2023 13:24	0.882	0.031	0.0189	No	0.3517	No
1/18/2023 13:25	0.218	0.024	0.0199	No	0.3601	No
1/18/2023 13:26	0	0.038	0.0217	No	0.3291	No
1/18/2023 13:27	0.151	0.02	0.0223	No	0.331	No
1/18/2023 13:28	0	0.017	0.0225	No	0.3238	No
1/18/2023 13:29	0	0.013	0.0214	No	0.3109	No
1/18/2023 13:30	0	0.017	0.0217	No	0.3102	No
1/18/2023 13:31	0.008	0.01	0.0217	No	0.2012	No
1/18/2023 13:32	0.03	0.049	0.0236	No	0.1665	No
1/18/2023 13:33	0	0.022	0.0229	No	0.1503	No
1/18/2023 13:34	0	0.006	0.0221	No	0.1481	No
1/18/2023 13:35	0	0.018	0.0219	No	0.1268	No
1/18/2023 13:36	0	0.015	0.0213	No	0.1124	No
1/18/2023 13:37	0	0.007	0.021	No	0.1124	No
1/18/2023 13:38	0	0.007	0.0196	No	0.0859	No
1/18/2023 13:39	0	0.009	0.0181	No	0.0271	No
1/18/2023 13:40	0	0.013	0.0174	No	0.0126	No
1/18/2023 13:41	0	0.019	0.0161	No	0.0126	No
1/18/2023 13:42	0	0.02	0.0161	No	0.0025	No
1/18/2023 13:43	0	0.008	0.0155	No	0.0025	No
1/18/2023 13:44	0	0.021	0.0161	No	0.0025	No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 13:45	0	0.016	0.016	No	0.0025	No
1/18/2023 13:46	0	0.032	0.0175	No	0.002	No
1/18/2023 13:47	0	0.019	0.0155	No	0	No
1/18/2023 13:48	0	0.024	0.0156	No	0	No
1/18/2023 13:49	0	0.024	0.0168	No	0	No
1/18/2023 13:50	0	0.012	0.0164	No	0	No
1/18/2023 13:51	0	0.007	0.0159	No	0	No
1/18/2023 13:52	0	0.01	0.0161	No	0	No
1/18/2023 13:53	0	0.006	0.016	No	0	No
1/18/2023 13:54	0	0.006	0.0158	No	0	No
1/18/2023 13:55	0	0.017	0.0161	No	0	No
1/18/2023 13:56	0	0.008	0.0153	No	0	No
1/18/2023 13:57	0	0.007	0.0145	No	0	No
1/18/2023 13:58	0	0.008	0.0145	No	0	No
1/18/2023 13:59	0	0.015	0.0141	No	0	No
1/18/2023 14:00	0	0.017	0.0141	No	0	No
1/18/2023 14:01	0	0.004	0.0123	No	0	No
1/18/2023 14:02	0	0.011	0.0117	No	0	No
1/18/2023 14:03	0	0.009	0.0107	No	0	No
1/18/2023 14:04	0	0.01	0.0098	No	0	No
1/18/2023 14:05	0	0.012	0.0098	No	0	No
1/18/2023 14:06	0	0.078	0.0145	No	0	No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Upwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 11:07	0	0.064	0.064	No		No
1/18/2023 11:08	0	0.042	0.053	No		No
1/18/2023 11:09	0	0.085	0.0637	No		No
1/18/2023 11:10	0	0.048	0.0598	No		No
1/18/2023 11:11	0	0.048	0.0574	No		No
1/18/2023 11:12	0.021	0.043	0.055	No		No
1/18/2023 11:13	0	0.041	0.053	No		No
1/18/2023 11:14	0	0.037	0.051	No		No
1/18/2023 11:15	0	0.033	0.049	No		No
1/18/2023 11:16	0	0.039	0.048	No		No
1/18/2023 11:17	0	0.031	0.0465	No		No
1/18/2023 11:18	0	0.039	0.0458	No		No
1/18/2023 11:19	0	0.032	0.0448	No		No
1/18/2023 11:20	0	0.033	0.0439	No		No
1/18/2023 11:21	0	0.033	0.0432	No		No
1/18/2023 11:22	0	0.031	0.041	No		No
1/18/2023 11:23	0	0.029	0.0401	No		No
1/18/2023 11:24	0	0.04	0.0371	No		No
1/18/2023 11:25	0	0.031	0.036	No		No
1/18/2023 11:26	0	0.026	0.0345	No		No
1/18/2023 11:27	0	0.055	0.0353	No		No
1/18/2023 11:28	0	0.039	0.0352	No		No
1/18/2023 11:29	0	0.041	0.0355	No		No
1/18/2023 11:30	0	0.034	0.0355	No		No
1/18/2023 11:31	0	0.035	0.0353	No		No
1/18/2023 11:32	0	0.042	0.036	No		No
1/18/2023 11:33	0	0.037	0.0359	No		No
1/18/2023 11:34	0	0.033	0.0359	No		No
1/18/2023 11:35	0	0.035	0.0361	No		No
1/18/2023 11:36	0	0.038	0.0364	No		No
1/18/2023 11:37	0	0.048	0.0375	No		No
1/18/2023 11:38	0	0.044	0.0385	No		No
1/18/2023 11:39	0.201	0.037	0.0383	No		No
1/18/2023 11:40	0	0.046	0.0393	No		No
1/18/2023 11:41	0.498	0.044	0.0405	No		No
1/18/2023 11:42	0	0.038	0.0394	No		No
1/18/2023 11:43	0.219	0.044	0.0397	No		No
1/18/2023 11:44	0	0.035	0.0393	No		No
1/18/2023 11:45	0	0.035	0.0394	No		No
1/18/2023 11:46	0	0.035	0.0394	No		No
1/18/2023 11:47	1.382	0.051	0.04	No		No
1/18/2023 11:48	0	0.045	0.0405	No		No
1/18/2023 11:49	0.614	0.049	0.0416	No		No
1/18/2023 11:50	0	0.048	0.0425	No		No
1/18/2023 11:51	0	0.048	0.0431	No		No
1/18/2023 11:52	0.007	0.042	0.0427	No		No
1/18/2023 11:53	0	0.042	0.0426	No		No
1/18/2023 11:54	0	0.038	0.0427	No		No
1/18/2023 11:55	0	0.041	0.0423	No		No
1/18/2023 11:56	0	0.042	0.0422	No		No
1/18/2023 11:57	0	0.037	0.0421	No		No
1/18/2023 11:58	0	0.038	0.0417	No		No
1/18/2023 11:59	0	0.041	0.0421	No		No
1/18/2023 12:00	0	0.041	0.0425	No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 12:01	0	0.042	0.043	No		No
1/18/2023 12:02	0	0.041	0.0423	No		No
1/18/2023 12:03	0.508	0.039	0.0419	No		No
1/18/2023 12:04	0.741	0.045	0.0417	No		No
1/18/2023 12:05	0.076	0.044	0.0414	No		No
1/18/2023 12:06	0	0.044	0.0411	No		No
1/18/2023 12:07	0	0.058	0.0422	No		No
1/18/2023 12:08	0	0.05	0.0427	No		No
1/18/2023 12:09	0.031	0.042	0.043	No		No
1/18/2023 12:10	0	0.043	0.0431	No		No
1/18/2023 12:11	0	0.045	0.0433	No		No
1/18/2023 12:12	0.018	0.043	0.0437	No		No
1/18/2023 12:13	0.099	0.042	0.044	No		No
1/18/2023 12:14	0	0.041	0.044	No		No
1/18/2023 12:15	0	0.043	0.0441	No		No
1/18/2023 12:16	0	0.047	0.0445	No		No
1/18/2023 12:17	0	0.049	0.045	No		No
1/18/2023 12:18	0.149	0.057	0.0462	No		No
1/18/2023 12:19	0.927	0.067	0.0477	No		No
1/18/2023 12:20	0.231	0.062	0.0489	No		No
1/18/2023 12:21	0	0.043	0.0488	No		No
1/18/2023 12:22	0	0.047	0.0481	No		No
1/18/2023 12:23	0	0.042	0.0475	No		No
1/18/2023 12:24	0	0.054	0.0483	No		No
1/18/2023 12:25	0	0.064	0.0497	No		No
1/18/2023 12:26	0	0.05	0.0501	No		No
1/18/2023 12:27	0	0.051	0.0506	No		No
1/18/2023 12:28	0	0.053	0.0513	No		No
1/18/2023 12:29	0	0.064	0.0529	No		No
1/18/2023 12:30	0.181	0.06	0.054	No		No
1/18/2023 12:31	0.251	0.069	0.0555	No		No
1/18/2023 12:32	0	0.043	0.0551	No		No
1/18/2023 12:33	0	0.051	0.0547	No		No
1/18/2023 12:34	0.521	0.047	0.0533	No		No
1/18/2023 12:35	0	0.055	0.0529	No		No
1/18/2023 12:36	0	0.053	0.0535	No		No
1/18/2023 12:37	0	0.063	0.0546	No		No
1/18/2023 12:38	0	0.043	0.0547	No		No
1/18/2023 12:39	0	0.063	0.0553	No		No
1/18/2023 12:40	0	0.042	0.0538	No		No
1/18/2023 12:41	0	0.038	0.053	No		No
1/18/2023 12:42	0.165	0.045	0.0526	No		No
1/18/2023 12:43	0.202	0.092	0.0552	No		No
1/18/2023 12:44	0.002	0.065	0.0553	No		No
1/18/2023 12:45	0	0.05	0.0546	No		No
1/18/2023 12:46	0	0.044	0.0529	No		No
1/18/2023 12:47	0	0.046	0.0531	No		No
1/18/2023 12:48	0	0.046	0.0528	No		No
1/18/2023 12:49	0	0.042	0.0525	No		No
1/18/2023 12:50	0	0.042	0.0516	No		No
1/18/2023 12:51	0	0.053	0.0516	No		No
1/18/2023 12:52	0	0.044	0.0503	No		No
1/18/2023 12:53	0	0.04	0.0501	No		No
1/18/2023 12:54	0	0.042	0.0487	No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 12:55	0	0.039	0.0485	No		No
1/18/2023 12:56	0	0.044	0.0489	No		No
1/18/2023 12:57	0	0.042	0.0487	No		No
1/18/2023 12:58	0	0.044	0.0455	No		No
1/18/2023 12:59	0	0.04	0.0439	No		No
1/18/2023 13:00	0	0.042	0.0433	No		No
1/18/2023 13:01	0	0.039	0.043	No		No
1/18/2023 13:02	0	0.046	0.043	No		No
1/18/2023 13:03	0	0.053	0.0435	No		No
1/18/2023 13:04	0	0.043	0.0435	No		No
1/18/2023 13:05	0	0.041	0.0435	No		No
1/18/2023 13:06	0	0.041	0.0427	No		No
1/18/2023 13:07	0	0.04	0.0424	No		No
1/18/2023 13:08	0	0.044	0.0427	No		No
1/18/2023 13:09	0	0.04	0.0425	No		No
1/18/2023 13:10	0	0.041	0.0427	No		No
1/18/2023 13:11	0.059	0.042	0.0425	No		No
1/18/2023 13:12	0	0.047	0.0429	No		No
1/18/2023 13:13	0	0.045	0.0429	No		No
1/18/2023 13:14	0	0.046	0.0433	No		No
1/18/2023 13:15	0	0.049	0.0438	No		No
1/18/2023 13:16	0.106	0.047	0.0443	No		No
1/18/2023 13:17	0.016	0.046	0.0443	No		No
1/18/2023 13:18	0.221	0.044	0.0437	No		No
1/18/2023 13:19	0	0.04	0.0435	No		No
1/18/2023 13:20	0	0.053	0.0443	No		No
1/18/2023 13:21	0	0.049	0.0449	No		No
1/18/2023 13:22	0	0.044	0.0451	No		No
1/18/2023 13:23	0.447	0.056	0.0459	No		No
1/18/2023 13:24	0.136	0.057	0.0471	No		No
1/18/2023 13:25	0	0.058	0.0482	No		No
1/18/2023 13:26	0	0.05	0.0487	No		No
1/18/2023 13:27	0.002	0.051	0.049	No		No
1/18/2023 13:28	0	0.046	0.0491	No		No
1/18/2023 13:29	0	0.05	0.0493	No		No
1/18/2023 13:30	0	0.047	0.0492	No		No
1/18/2023 13:31	0	0.052	0.0495	No		No
1/18/2023 13:32	0	0.059	0.0504	No		No
1/18/2023 13:33	0	0.055	0.0511	No		No
1/18/2023 13:34	0	0.045	0.0515	No		No
1/18/2023 13:35	0	0.059	0.0519	No		No
1/18/2023 13:36	0	0.052	0.0521	No		No
1/18/2023 13:37	0	0.047	0.0523	No		No
1/18/2023 13:38	0	0.045	0.0515	No		No
1/18/2023 13:39	0	0.048	0.0509	No		No
1/18/2023 13:40	0	0.054	0.0507	No		No
1/18/2023 13:41	0	0.047	0.0505	No		No
1/18/2023 13:42	0	0.051	0.0505	No		No
1/18/2023 13:43	0	0.047	0.0505	No		No
1/18/2023 13:44	0	0.057	0.051	No		No
1/18/2023 13:45	0	0.053	0.0514	No		No
1/18/2023 13:46	0	0.056	0.0517	No		No
1/18/2023 13:47	0	0.059	0.0517	No		No
1/18/2023 13:48	0	0.055	0.0517	No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
1/18/2023 13:49	0	0.07	0.0533	No		No
1/18/2023 13:50	0	0.051	0.0528	No		No
1/18/2023 13:51	0	0.052	0.0528	No		No
1/18/2023 13:52	0	0.047	0.0528	No		No
1/18/2023 13:53	0	0.048	0.053	No		No
1/18/2023 13:54	0	0.052	0.0533	No		No
1/18/2023 13:55	0	0.057	0.0535	No		No
1/18/2023 13:56	0	0.044	0.0533	No		No
1/18/2023 13:57	0	0.042	0.0527	No		No
1/18/2023 13:58	0	0.048	0.0527	No		No
1/18/2023 13:59	0	0.062	0.0531	No		No
1/18/2023 14:00	0	0.056	0.0533	No		No
1/18/2023 14:01	0	0.053	0.0531	No		No
1/18/2023 14:02	0	0.049	0.0524	No		No
1/18/2023 14:03	0	0.046	0.0518	No		No
1/18/2023 14:04	0	0.05	0.0505	No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No
				No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No

Downwind Station						
Time	Instaneous VOC (ppm)	Instaneous Mass Conc. Total (mg/m³)	Mass Conc. Total mg/m³ AVG 15m (mg/m³)	Dust Exceedance	VOC ppm AVG 15m (ppm)	VOC Exceedance
				No		No
				No		No
				No		No