

PROJECT No.: 170364005	CLIENT: President Union LLC 505 Flushing Avenue, #1D Brooklyn, New York 11205	DATE: Fri., January 06, 2023
PROJECT: President Street Properties		WEATHER: Overcast, 45 – 47 °F, Wind: E @ 0.7 – 2.4 mph
LOCATION: Brooklyn, New York		TIME: 6:45 am – 2:45 pm
BCP SITE ID: C224221		MONITOR: Jack Frey
EQUIPMENT: Fraste XL Max Sonic Drill Rig DustTrak II Aerosol Monitors MiniRAE 3000 Photoionization Detector		PRESENT AT SITE: Langan: Jack Frey Aquifer Drilling and Testing (ADT) (Drilling Contractor): Dave Moon, Patrick MaGill
OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.: Langan was present to implement the New York State Department of Environmental Conservation (NYSDEC)-approved December 20, 2022 Supplemental Remedial Investigation Work Plan (SRIWP) for Brownfield Cleanup Program (BCP) Site No. C224221).		
Site Activities <ul style="list-style-type: none">• ADT used a Fraste XL Max sonic drill rig with dedicated plastic liners to advance soil borings SSB-06S1 and SSB-06SW for delineation of grossly contaminated material and/or non-aqueous phase liquid (NAPL) in the northeastern part of the site. Langan documented the work and screened the soil for environmental impacts.<ul style="list-style-type: none">• Soil boring SSB-06S1 was advanced to a depth of about 50 feet below grade surface (bgs). Soil was recovered continuously in 10-foot intervals and was screened for odors, staining, and organic vapor using a photoionization detector (PID). Coal tar-like odors, staining, sheen, coated soil, saturated soil, and PID readings of up to 92.9 parts per million (ppm) were observed on most of the soil from about 24 to 45 feet bgs.<ul style="list-style-type: none">○ Langan conducted a sheen test on the recovered soil from about 26 to 27 feet bgs using an Oil-in-Soil™ test kit. The result of the sheen test was positive, indicating that NAPL was present in the soil.○ Langan conducted a sheen test on the recovered soil from about 46 to 47 feet bgs using an Oil-in-Soil™ test kit. The result of the sheen test was negative, indicating that NAPL was not present in the soil.• Soil boring SSB-06SW was advanced to a depth of about 50 feet bgs. Soil was recovered continuously in 10-foot intervals and was screened for odors, staining, and organic vapor using a PID. Coal tar-like odors, staining, sheen, coated soil, saturated soil and PID readings of up to 148.8 ppm were observed from about 29 to 37 feet bgs.<ul style="list-style-type: none">○ Langan conducted a sheen test on the recovered soil from about 28 to 29 feet bgs using an Oil-in-Soil™ test kit. The result of the sheen test was positive, indicating that NAPL was present in the soil.○ Langan conducted a sheen test on the recovered soil from about 37 to 38 feet bgs using an Oil-in-Soil™ test kit. The result of the sheen test was negative, indicating that NAPL was not present in the soil.• ADT placed grout within the borehole of soil borings SSB-06S1 and SSB-06SW from the boring termination depth to surface grade.		
Cc: R. Manderbach, J. Armstrong, M. Au - File	By: Jack Frey	
	Langan D.P.C.	

- Soil cuttings recovered from soil borings SSB-06S1 and SSB-06SW return water from the sonic drill rig were containerized in two sealed and labeled 55-gallon drums, which were staged in the northeastern part of the site in preparation for off-site disposal at a later date.

Sampling

- Langan collected four grab soil samples for laboratory analysis of Target Compound List (TCL) and NYSDEC Part 375-list volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), pesticides, herbicides, polychlorinated biphenyls (PCBs), and target analyte list (TAL) metals (including hexavalent and trivalent chromium and total cyanide).
 - SSB-06S1_27-28
 - SSB-06SW_33-34
 - SSB-06S1_46-47
 - SSB-06SW_37-38
- Samples were relinquished to York Analytical Laboratories Inc., an Environmental Laboratory Accredited Program (ELAP)-certified laboratory under standard chain-of-custody protocols.

CAMP Activities

- Langan performed air monitoring in accordance with the community air monitoring plan (CAMP) for particulate matter less than 10 microns in diameter (PM10) and VOCs at upwind and downwind site perimeter locations, including the northern boundary of the site (adjacent to the adjoining restaurant). No PM10 or VOC concentrations exceeded the action levels established in the CAMP.

Particulate Monitoring (mg/m³)			Organic Vapor Monitoring (ppm)		
Averaging Period	Upwind	Downwind	Averaging Period	Upwind	Downwind
Daily Time-Weighted Average	0.000	0.032	Daily Time-Weighted Average	0.0	0.0
Maximum 15-min Average	0.027	0.051	Maximum 15-min Average	0.0	0.0

mg/m³ = milligrams per cubic meter

ppm = parts per million

Anticipated Activities

- ADT will continue advancing soil borings and Langan will screen soil for grossly contaminated material and/or NAPL in the northeastern part of the site.

Cc: R. Manderbach, J. Armstrong, M. Au - File

By:







Jack Frey

Langan D.P.C.

Site Map



Legend

- | | |
|---|--|
|  | Site Boundary |
|  | Approximate Location of Soil Boring Completed Today |
|  | Approximate Location of Soil Boring Completed Previously |
|  | Soil Boring with Grossly Contaminated Material and/or NAPL |
|  | Approximate Location of Upwind CAMP Station |
|  | Approximate Location of Downwind CAMP Station |

Notes:

1. Basemap is referenced from Figure 2 of the Supplemental Remedial Investigation Work Plan, titled "Proposed Boring Location Plan", dated October 26, 2022.
2. Soil boring locations are approximate.

Photographs:



Photo 1: View of recovered soil from 20 to 30 feet bgs at soil boring SSB-06S1 (facing northeast)



Photo 2: View of recovered soil from 40 to 50 feet bgs at soil boring SSB-06S1 (facing north)

Cc: R. Manderbach, J. Armstrong, M. Au - File

By: Jack Frey



Langan D.P.C.

Project President Street Properties				Project No. 170364001			
Location 319-327 Bond Street / 426 President Street / 383				Elevation and Datum EL. 5.18 NAVD88			
Drilling Company Carroll Street Aquifer Drilling and Testing, Inc. (Cascade)				Date Started 01/06/2023		Date Finished 01/06/2023	
Drilling Equipment Fraste XL Max Sonic Drill Rig				Completion Depth 50 ft		Rock Depth NA	
Size and Type of Bit 6-inch Casing; 4-inch Sampler (Sonic)				Number of Samples 5		Disturbed NA	
Casing Diameter (in) 6 inches		Casing Depth (ft) NA		Water Level (ft.) First 10		Completion NA	
Casing Hammer NA		Weight (lbs) NA		Drop (in) NA		Drilling Foreman Dave Moon	
Sampler 4-inch-diameter Plastic Liner				Field Engineer Jack Frey			
Sampler Hammer NA		Weight (lbs) NA		Drop (in) NA			

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BLU/in	PID (ppm)	
	+5.2	M-0 (Hand Clear) Gray fine GRAVEL, some fine sand (moist) [FILL]	0	M-0	AUGER	NA			Hand cleared to 5 feet bgs.
			1						
			2						
			3						
			4						
	-4.8	M-1A (0-24") Gray fine GRAVEL, some fine sand (moist) [FILL]	5	M-1	Macrocore	24/60		0.0	Sonic advanced starting from 5 feet bgs.
			6					0.0	
			7					0.0	
			8					0.0	
			9					0.0	
	-13.3	M-2A (0-12") Dark gray organic CLAY, wood, vegetation (wet) [CH]	10	M-2A	Macrocore	30/120			Poor recovery due to wood.
			11						
			12						
			13						
			14						
		M-2B (12-30") Dark gray fine SAND, some silt (wet) [SM]	15	M-2B				0.0	
			16					0.0	
			17					0.0	
			18					0.0	
			19					2.2	
			20					3.7	
								3.8	

\\LANGAN.COM\DATA\NYC\DATA0170364001\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170364001 ENTERPRISE.GPJ ... 1/9/2023 12:36:31 PM ... Report: Log - LANGAN

\\LANGAN.COM\DATA\NYC\DATA0\170364001\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170364001_ENTERPRISE.GPJ ... 1/9/2023 12:36:32 PM ... Report: Log - LANGAN

Project			Project No.						
President Street Properties			170364001						
Location			Elevation and Datum						
319-327 Bond Street / 426 President Street / 383 Carroll Street			EL. 5.18 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BU/6in	PID (ppm)	
	-39.8		45	M-5	Macrocore	66/120		2.4	No evidence of coal tar-related impacts. Sheen test conducted using Oil-in-Soil test kit. Result of the test is negative. Sample SSB-06S1_46-47 collected.
								2.9	
			46					2.7	
								3.8	
			47					0.0	
								0.0	
			48					0.0	
								0.0	
			49					0.0	
								0.0	
	-44.8		50						E.O.B. at 50 feet bgs. Grouted from the boring termination depth to surface grade.
			51						
			52						
			53						
			54						
			55						
			56						
			57						
			58						
			59						
			60						
	61								
	62								
	63								
	64								
	65								
	66								
	67								
	68								
	69								
	70								




Project President Street Properties				Project No. 170364001			
Location 319-327 Bond Street / 426 President Street / 383				Elevation and Datum EL. 5.18 NAVD88			
Drilling Company Carroll Street Aquifer Drilling and Testing, Inc. (Cascade)				Date Started 01/06/2023		Date Finished 01/06/2023	
Drilling Equipment Fraste XL Max Sonic Drill Rig				Completion Depth 50 ft		Rock Depth NA	
Size and Type of Bit 6-inch Casing; 4-inch Sampler (Sonic)				Number of Samples 5		Disturbed NA	
Casing Diameter (in) 6 inches		Casing Depth (ft) NA		Water Level (ft.) First 10		Completion NA	
Casing Hammer NA		Weight (lbs) NA		Drop (in) NA		24 HR. NA	
Sampler 4-inch-diameter Plastic Liner				Drilling Foreman Dave Moon			
Sampler Hammer NA				Field Engineer Jack Frey			
Weight (lbs) NA				Drop (in) NA			

MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist BL/6in	PID (ppm)	
	+5.2	M-0 (Hand Clear) Gray fine GRAVEL, some fine sand (moist) [FILL]	0	M-0	AUGER	NA			Hand cleared to 5 feet bgs.
		1							
		2							
		3							
		4							
		M-1A (0-18") Gray fine GRAVEL, some fine sand (moist) [FILL]	5	M-1	Macrocore	18/60		0.0	Sonic advanced starting from 5 feet bgs.
		6	0.0						
		7	0.0						
		8							
		9							
	-4.8	M-2A (0-76") Gray organic CLAY, vegetation (wet) [OH]	10	M-2A	Macrocore	96/120			
		11							
		12	0.0						
		13	0.0						
		14	0.0						
			15	M-2A	Macrocore	96/120		2.4	
		16	1.8						
		17	3.7						
		18	0.0						
		19	10.1						
	-13.3	M-2B (78-96") Gray clayey fine SAND, trace silt (wet) [SM]	20	M-2B	Macrocore			13.1	
			5.3						
			9.4						
			1.7						
			14.3						
	-14.8			M-2B	Macrocore			1.2	
			0.0						

I:\LANGAN.COM\DATA\NYC\DATA0170364001\ENGINEERING DATA\ENVIRONMENTAL\GINTLOGS\170364001 ENTERPRISE.GPJ ... 1/9/2023 12:36:36 PM ... Report: Log - LANGAN

Project		Project No.											
President Street Properties		170364001											
Location		Elevation and Datum											
319-327 Bond Street / 426 President Street / 383 Carroll Street		EL. 5.18 NAVD88											
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)				
				Number	Type	Recov. (in)	Penetr. resist. BU/6in	PID (ppm)					
	-14.8	M-3A (0-30") Gray CLAY, trace silt, trace fine sand (wet) [CL]	20	M-3A	Macrocore	66/120			Coal-tar like odors, staining, sheen, and saturated soil. Sheen test conducted using Oil-in-Soil test kit. Result of the test is positive. Coal-tar like odors, staining, and sheen.				
		21											
		22											
		23											
		24											
		25											
		-21.8	M-3B (30-66") Gray fine SAND, some silt (wet) [SM]	27	M-3B					1.9 0.0 2.9 0.0 0.0 1.5 3.3 9.0 121.7			
		28											
		29											
			M-4A (0-6") Gray fine SAND, some silt, trace fine gravel (wet) [SM]	30	M-4A					Sample SSB-06SW_33-34 collected.			
	31												
	32												
	33												
	34												
	35												
	-28.8	M-4B (6-24") Brown CLAY (wet) [CL]	36	M-4B	Macrocore	78/120		30.5 36.7 148.8 21.0 11.9					
	-30.3	M-4C (24-27") Brown medium SAND, some silt (wet) [SM]	37						M-4C				
	-30.6	M-4D (27-42") Brown CLAY (wet) [CL]	38										
			39	M-4D				6.5 4.4 3.5 0.0 0.0 0.0 0.0 0.0					
	-31.8	M-4E (42-78") Brown medium SAND, trace silt, trace fine gravel (wet) [SP]	40						M-4E				
			41										
			42										
			43										
		M-5A (0-66") Brown medium SAND, trace silt, trace fine gravel (wet) [SP]	44	M-5	Macrocore	66/120			No evidence of coal tar-related impacts. Sheen test conducted using Oil-in-Soil test kit. Result of the test is negative. Sample SSB-06SW_37-38 collected.				
			45										





Project President Street Properties			Project No. 170364001						
Location 319-327 Bond Street / 426 President Street / 383 Carroll Street			Elevation and Datum EL. 5.18 NAVD88						
MATERIAL SYMBOL	Elev. (ft)	Sample Description	Depth Scale	Sample Data					Remarks (Drilling Fluid, Depth of Casing, Fluid Loss, Drilling Resistance, etc.)
				Number	Type	Recov. (in)	Penetr. resist. BL/6in	PID (ppm)	
	-39.8		45	M-5		66/120		0.0	E.O.B. at 50 feet bgs. Grouted from the boring termination depth to surface grade.
	46		0.0						
	47		0.0						
	48		0.0						
	49		0.0						
	50		0.0						
	51		0.0						
	52		0.0						
	53		0.0						
	54		0.0						
	-44.8		50						
	51								
	52								
	53								
	54								
	55								
	56								
	57								
	58								
	59								
	60								
	61								
	62								
	63								
	64								
	65								
	66								
	67								
	68								
	69								
	70								

	<h2 style="text-align: center;">DAILY AIR MONITORING REPORT</h2> <p style="text-align: center;">President Street Properties Brooklyn, New York</p>				01/06/23	
					Project number: 170364005	
					Page 1 of 1	Rev. No. 0
					Submitted By:	
					Dust Action Level	150 $\mu\text{g}/\text{m}^3$
TVOC Action Level	5 ppm					

Weather Data Range for Work Day		Wind Direction	E	Relative Humidity (%)	83.0 - 96.0	Daily Rain (in)	0.02	Readings in the summary table and graphs below are the reported downwind concentrations.
Temp (°F)	45.0 - 47.0	Wind Speed (MPH)	0.7 - 2.4	Barometer (inHg)	0.00 - 0.00			

Station Location Area	Work	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15 Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Maximum 15 Minute Avg Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15 Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind		0.0	26.8	9:29	0.0	0.0	9:29
Downwind		31.5	51.0	11:34	0.0	0.0	9:50



Air Monitoring Notes:

Sampling Notes:

Weather Notes:

