## **DAILY STATUS REPORT**

Prepared By: HP Lau

WEATHER	Snow	Rain	Overcast		Partly Cloudy	Bright Sun	X
TEMP.	< 32	32-50	50-70	X	70-85	>85	

BCP Site ID #:	C224267	E-Number Project No.:	Date:	4/8/2023
Project Name:	3901-3913 8th Ave	enue – Brooklyn, NY		

Consultant: Matthew Carroll, P.E. Tenen Environmental	Safety Officer: HP Lau Tenen Environmental
General Contractor: AARCO Environmental Service Inc.	Site Manager/ Supervisor: Bradley Lubin (site owner)

Work Activities Performed (Since Last Report):

Installation of soil boring TSB-8.

Working In Grid #: 6C

Samples Collected (Since Last Report):

TSB-8 (0-2'), TSB-8 (5-7')

Air Monitoring (Since Last Report):

**Prestart Conditions** 

Upwind: Dust: 0.025 mg/m3 PID: 0.0 ppm Downwind: Dust: 0.058 mg/m3 PID: 0.0 ppm

**High Conditions** 

Upwind: Dust: 0.075 mg/m3 PID: 0.0 ppm Downwind: Dust: 0.090 mg/m3 PID: 0.0 ppm

Problems Encountered:

None

Planned Activities for the Next Day/ Week:

Planning and mobilize for future excavation and S.O.E. work.

Facility # Name/ Location Type of Waste Solid <u>Or</u> Liquid	Facility # Name Location Type of Waste Solid <u>Or</u> Liquid		Facility # Name Location Type of Waste Solid <u>Or</u> Liquid							
(Trucks, Cu.Yds. <u>Or</u> Gallons)	Trucks	Cu. Yds. <u>Or</u> Gallons	Trucks	Cu. Yds.						
Today										
Total										



## Photo Log

Photo 1 – View of the Site.



Photo 2 – Install TSB-8.

Photo 3 – View of work area.

## **CAMP Data**

CAMP	A BERNAMAN	Air Mo	nitoring				
	uw		O	DW	-	1210	
	Time	Dust	PID	True	Dust	PIP	
	8:00	0.015	0.0	800	0.021	0-0	
	8215	0.017	0.0	815	0-029	0-10	
	8:30	0.029	0.0	830	0.034	0.0	
	845	0-019	0.0	845	0-047	0.0	
	400	0.02	0-0	900	0.050	0-0	
	915	0.028	0.0	915	0.041	0.0	
	930	0-038	00	930	0.079	0-0	
	945	0.024	0-0	9 45	0.085	0.0	
	1000	0-023	0.0	1000	0.067	0.0	
	1005	0-017	0.0	1015	0.077	0-0	
	1032	0-029	000	1030	0.072	0.0	
	104	0-031	0.0	1040	0-069	0.0	
	1100	0-034	0.0	1100	0-064	0-0	
	un	0.022	0.0	1105	0-054	0.0	
	1130	2-025	0.0	1130	0.06=	0:0	
	1145	0.012		11 405	0.07	2 0.0	
		0.027		1200	0-069	7	
	1200	0-028	0-6	1215	0.054	0.0	
	1215	0.031	0-0	(230	0-064		
	1730	0.05	0				