

SITE OBSERVATION REPORT

Monday, December 19, **PROJECT No.:** 170552901 DATE: 2022 Clear, 31-38 °F CLIENT: **PROJECT:** 159 Boerum Street WEATHER: Wind: WNW @ 4.0-7.1 SPG Boerum LLC mph LOCATION: Brooklyn, NY TIME: 6:45 am to 6:00 pm **CONTRACTOR:** LANGAN REP. : SD Builders Lauren Roper

CONTRACTOR'S EQUIPMENT: Hitachi ZX 160LC Excavator

Deere 300G Excavator Kubota SVL65-2 Skid Steer Deere 135G Excavator **PRESENT AT SITE:**

Lauren Roper – Langan

Kevin Grey – SD Builders - General Contractor

Lucas Alvarez - Rise Concrete (Rise) - Foundation Contractor

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan was present to observe environmental protocols in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved Remedial Action Work Plan (RAWP) for Brownfield Cleanup Program (BCP) site C224291 at 159 Boerum Street (Block 3071, Lot 40). Observed activities were as follows:

Site Activities

- Rise excavated two about 25-foot-long by 5-foot-wide areas to about 9 feet below grade surface (bgs) in the
 southeastern part of the site for support of excavation (SOE) installation. Excavated material consisted of nonhazardous fill and was screened for odors, staining, and organic vapors using a photoionization detector (PID);
 evidence of impacts was not observed. Excavated fill was live-loaded into permitted tri-axel trucks for off-site
 disposal.
- Rise excavated an about 50-foot-long by 20-foot-wide area to about 16 feet bgs in the northwestern part of
 the site for SOE installation. Excavated material consisted of native soil and was screened for odors, staining,
 and organic vapors using a PID; evidence of impacts was not observed. Excavated soil was live-loaded into
 permitted tri-axel trucks for off-site disposal.
- Rise excavated two about 5-foot-long by 5-foot-wide areas to about 16 feet bgs in the southeastern part of
 the site for SOE underpinning installation. Excavated material consisted of native soil and was screened for
 odors, staining, and organic vapors using a PID; evidence of impacts was not observed. The excavated soil
 was subsequently backfilled to its original location and will be removed at a later date.
- Rise relocated about 30 cubic yards (CY) of hazardous lead contaminated soil from a roll-off container to the southeastern part of the site for off-site disposal on the following work day. The material was screened for odors, staining and organic vapors using a PID; evidence of impacts was not observed. The hazardous lead contaminated soil was stockpiled on and covered with polyethylene sheeting at the conclusion of relocation.

Cc:	L. Haley, K. Semon, B. Gochenaur (Langan)	Ву:	Lauren Roper
			LANGAN



Langan PN: 170552901 Monday, December 19, 2022

Page 2 of 6

SITE OBSERVATION REPORT

Material Tracking

- No material was imported to the site.
- Six truckloads (approximately 120 cubic yards [CY]) of non-hazardous fill (waste characterization grids, WC05_COMP_6-20, WC06_COMP_0-20 and WC07_COMP_0-20) were exported to the Bayshore Soil Management facility in Keasbey, New Jersey for off-site disposal.

Materials Import Summary						
Facility Imported Today Total						
Allocco Recycling, Inc.	No. Loads	0	45			
Brooklyn, NY	Quantity (CY)	0	900			
¾-inch RCA	NYSDEC Approved Qu	1,000				

Materials Export Summary						
Facility	Exported	Today	Total			
Cycle Chem, Inc. Elizabeth, NJ Lead Contaminated Soil	No. Loads	0	14			
	Quantity (CY)	0	280			
Bayshore Soil Management	No. Loads	6	253			
Keasbey, NJ Non-Hazardous Fill/Soil	Quantity (CY)	120	5,060			
Clean Earth of North Jersey	No. Loads	0	4			
Kearny, NJ Hazardous Lead Historic FIII	Quantity (CY)	0	100			

Sampling

• Two endpoint samples, EP-09 and EP-12, were collected at about 9 feet bgs in the southwestern and southeastern parts of the site and analyzed for parameters outlined in the RAWP. The samples were relinquished to Alpha Analytical Inc. (Alpha) of Westborough, Massachusetts, a New York State Department of Health (NYSDOH) Environmental Laboratory Accredited Program (ELAP)-certified laboratory.

Cc:	L. Haley, K. Semon, B. Gochenaur (Langan)	Ву:	Lauren Roper
			LANGAN



Langan PN: 170552901 Monday, December 19, 2022

Page 3 of 6

SITE OBSERVATION REPORT

CAMP Activities

Langan performed on-site air monitoring during ground-intrusive activities for particulate matter smaller than 10 microns in diameter (PM10) or volatile organic compounds (VOCs). Fifteen-minute average concentrations of PM10 and VOCs did not exceed action levels established by the community air monitoring plan (CAMP). No fugitive dust or odors were observed leaving the site.

Particulate Monit	toring (mg/n	n³)	Organic Vapor Monitoring (ppm)			
Daily background	0.020		Daily Background	C).1	
Averaging Period	Upwind	Downwind	Averaging Period	Upwind	Downwind	
Daily Time Weighted Average	0.020	0.024	Daily Time Weighted Average	0.1	0.0	
Maximum 15-min Average	0.035	0.079	Maximum 15-min Average	0.2	0.0	
Minimum 1-min Instant Reading	0.011	0.013	Minimum 1-min Instant Reading	0.0	0.0	
Maximum 1-min Instant Reading	0.051	0.204	Maximum 1-min Instant Reading	0.2	0.0	

mg/m³ = milligrams per cubic meter

ppm = parts per million

NA = Not Available

Anticipated Activities

- Rise will export hazardous lead-impacted fill for off-site disposal.
- Rise will install SOE elements along the site boundaries.


Cc:	L. Haley, K. Semon, B. Gochenaur (Langan)	Ву:	Lauren Roper
			LANGAN



Langan PN: 170552901 Monday, December 19, 2022

Page 4 of 6

SITE OBSERVATION REPORT





Langan PN: 170552901 Monday, December 19, 2022 Page 5 of 6

SITE OBSERVATION REPORT

SITE PHOTOGRAPHS



Photo 1: View of Rise excavating native soil for SOE underpinning installation (facing northeast).



Photo 2: View of Rise live-loading non-hazardous fill/soil into permitted tri-axle trucks for off-site disposal (facing west).

Cc:	L. Haley, K. Semon, B. Gochenaur (Langan)	Ву:	Lauren Roper
			LANGAN



Langan PN: 170552901 Monday, December 19, 2022 Page 6 of 6

SITE OBSERVATION REPORT

SITE PHOTOGRAPHS (CONTINUED)



Photo 3: View of stockpiled hazardous lead contaminated soil on top of and covered with polyethlyene sheeting in the southeastern part of the site (facing west).

Cc:	L. Haley, K. Semon, B. Gochenaur (Langan)	Ву:	Lauren Roper
			LANGAN