Phase I Environmental Site Assessment



Prepared for:

The Great Atlantic & Pacific Tea Company, Inc. 2 Paragon Drive Montvale, NJ 07645

Pathmark Supermarket 410 West 207th Street New York, New York

EBI Project No. 11105061

October 7, 2010



EBI CONSULTING 21 B STREET BURLINGTON, MASSACHUSETTS 01803 (800) 786-2346

PROJECT No. 11105061

PHASE I ENVIRONMENTAL SITE ASSESSMENT

Pathmark Supermarket 410 West 207th Street New York, New York 10034

Prepared for:

The Great Atlantic & Pacific Tea Company, Inc. 2 Paragon Drive Montvale, NJ 07645



21 B Street Burlington, MA 01803 Tel: (800) 786-2346 Fax: (617) 273-3311

October 7, 2010

Mr. David O'Sullivan The Great Atlantic & Pacific Tea Company, Inc. 2 Paragon Drive Montvale, NI 07645

Subject: Phase I Environmental Site Assessment

Pathmark Supermarket

410 West 207th Street, New York, New York

EBI Project No. 11105061

Dear Mr. O'Sullivan:

Attached please find our Phase I Environmental Site Assessment (the report) for the above-mentioned asset (the Subject Property). During the survey and research, our surveyor met with agents representing the Subject Property, or agents of the owner, and reviewed the Subject Property and its history. The report was completed according to the terms and conditions authorized by you. This report has been completed in general conformance with the ASTM Standard E 1527-05.

The purpose of this report is to assist The Great Atlantic & Pacific Tea Company, Inc. in its underwriting of a proposed mortgage loan on the Subject Property described herein.

This report is addressed to The Great Atlantic & Pacific Tea Company, Inc. and such other persons as may be designated by The Great Atlantic & Pacific Tea Company, Inc. and their respective successors and assigns.

Reliance on the report and the information contained herein shall mean (i) the report may be relied upon by The Great Atlantic & Pacific Tea Company, Inc., in determining whether to make a loan evidenced by a note secured by the Subject Property ("the Mortgage Loan"); (ii) the report may be relied upon by any loan purchaser in determining whether to purchase the Mortgage Loan from The Great Atlantic & Pacific Tea Company, Inc., or an interest in the Mortgage Loan or securities backed or secured by the Mortgage Loan, and any rating agency rating securities representing an interest in the Mortgage Loan or backed or secured by the Mortgage Loan; (iii) the report may be referred to in and included, in whole or in part, with materials offering for sale the Mortgage Loan or an interest in the Mortgage Loan or securities backed or secured by the Mortgage Loan; (iv) the report speaks only as of its date in the absence of a specific written update of the report signed and delivered by EBI Consulting.

There are no intended or unintended third party beneficiaries to this report, except as expressly stated herein.

EBI is an independent contractor, not an employee of either the issuer or the borrower, and its compensation was not based on the findings or recommendations made in the report or on the closing of any business transaction.

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312 and we have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Subject Property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Thank you very much for the opportunity to provide environmental consulting services to The Great Atlantic & Pacific Tea Company, Inc.. Should you have any questions or require additional information, please do contact the undersigned.

Respectfully submitted,

EBI CONSULTING

Kenneth Deemer Author/Staff Scientist Stephanie Trueb Reviewer/Program Manager

(803) 412-7823

Rich MacAulay Managing Consultant

TABLE OF CONTENTS

| EXEC | UTIVE SUMMARY | ••• |
|--------|---|--------|
| 1.0 It | NTRODUCTION | |
| 1.1 | Purpose | |
| 1.2 | · | |
| 1.3 | Assumptions, Limitations and Exceptions | ٠ ' |
| 1.4 | Special Terms and Conditions | |
| 1.5 | | |
| 2.0 S | UBJECT PROPERTY DESCRIPTION | |
| 2.1 | Ownership and Location | •••• |
| 2.2 | Subject Property Improvements | |
| 2.3 | Current Use of the Subject Property | |
| 2.4 | | |
| 2.5 | , , , | |
| 3.0 U | JSER PROVIDED INFORMATION | (|
| 3.1 | | |
| 3.2 | <i>'</i> | |
| 3.3 | - F · · · - O - · · · · · · · · · · · · | |
| 3.4 | 1 | |
| 3.5 | | |
| 3.6 | , | |
| 3.7 | Reason for Performing Phase I ESA | |
| | | |
| 4.1 | | |
| | 4.1.1 Federal Agency Database Records | |
| | 4.1.3 Local Regulatory Agency Records | |
| | Physical Setting | |
| | 4.2.1 Topography | |
| | 4.2.2 Geology and Soils | |
| | 4.2.3 Hydrogeology and Hydrology | |
| 4 | 4.2.4 Flood Zone | |
| 4.3 | Historical Use of the Subject Property and Adjoining Properties | I |
| 4 | 4.3.1 Aerial Photographs | 10 |
| 4 | 4.3.2 Fire Insurance Maps | 1 |
| | 4.3.3 Topographic Maps | [9 |
| | 4.3.4 Street Directories | |
| | 4.3.5 Recorded Land Title Records | |
| | 4.3.8 Previous Environmental Reports | |
| | 4.3.9 Other Historical Records and Interviews | |
| | UBJECT PROPERTY RECONNAISSANCE | |
| 5.1 | 0 | |
| 5.2 | | |
| _ | 5.2.1 Hazardous Substances and Petroleum Products (Identified Uses) | |
| | 5.2.2 Hazardous Substances and Petroleum Products (Unidentified Uses) | ۷. |
| | 5.2.3 Unidentified Substances Containers | |
| 5.3 | | ک د |
| 5.4 | Underground Storage Tanks (USTs) & Aboveground Storage Tanks (ASTs) | Zʻ |



| 5.4.1 E | xisting Storage Tanks | 24 |
|------------|---|----|
| 5.4.2 Fo | ormer Storage Tanks | 24 |
| 5.5 Oil-Co | ontaining Equipment and Polychlorinated Biphenyls (PCBs) | 24 |
| | onal Site Conditions | |
| | WS | |
| | ONS OUTSIDE THE SCOPE OF ASTM PRACTICE E 1527-05 | |
| 7.1 Asbes | tos-Containing Material (ACM) | 27 |
| 7.2 Radon | | 27 |
| | Based Paint (LBP) | |
| | n Drinking Water | |
| | AND OPINIONS | |
| | ENDATIONS | |
| | ICES | |
| Appendix A | PHOTOGRAPHS | |
| APPENDIX B | | |
| | Pre-Survey Questionnaire and Other Relevant Documentation | |
| APPENDIX D | • | |
| APPENDIX E | REGULATORY DATABASE REPORT | |
| | | |
| APPENDIX F | HISTORICAL DOCUMENTATION | |
| APPENDIX G | | |
| APPENDIX H | TERMINOLOGY | |



EXECUTIVE SUMMARY

At the request of The Great Atlantic & Pacific Tea Company, Inc., EBI has performed a Phase I Environmental Site Assessment (ESA) of the property located at 410 West 207th Street in New York, New York, herein referred to as the Subject Property. The main objective of this ESA was to identify recognized environmental conditions in connection with the Subject Property, defined in ASTM Practice E 1527-05 as the presence or likely presence of any hazardous substances or petroleum products that indicate an existing release, a past release, or a material threat of a release. This ESA also includes a preliminary evaluation of certain potential environmental conditions that are outside the scope of ASTM Practice E 1527-05.

The Subject Property includes two contiguous, rectangular-shaped parcels, cumulatively totaling approximately 2.285 acres. The Subject Property is currently improved with a one-story, 31,881 square foot (footprint), Pathmark supermarket with basement located on the western portion of the Subject Property. The eastern portion of the property is utilized as a parking area. The existing improvements were reportedly constructed in 1968.

At the time of inspection, the Subject Property was occupied by a Pathmark supermarket. There are currently no manufacturing or industrial operations conducted at the Subject Property.

Below is the Assessment Summary Table presenting our recommended actions for the Subject Property. EBI's Findings and Opinions are presented in Section 8.0, and recommendations for further action or investigation are presented in Section 9.0.



| ASSESSMENT SUMMARY TABLE | | | | |
|---|------------|--|--|--|
| Assessment Component | Section(s) | Recommended Actions | Estimated Cost | |
| Historical Review | 4.3 | EBI recommends that a geophysical survey, including a ground penetrating radar (GPR) survey and/or magnetometer survey, be conducted in order to determine whether any underground storage tank (UST) systems associated with the former on-site gasoline service station remain on the northeastern portion of the Subject Property. EBI additionally recommends that a limited subsurface investigation be conducted, in order to characterize subsurface soil and/or groundwater conditions due to historic use, potential presence of urban fill material and potential PCB-containing elevator equipment. | \$3,500 for geophysical survey; \$8,000 to \$12,000 for limited subsurface investigation. | |
| Current Occupants / Operations | 2.3, 5.0 | No Further Action | | |
| Hazardous Substances / Petroleum Products | 5.2 | No Further Action | | |
| Waste Generation | 5.3 | No Further Action | | |
| Storage Tanks | 5.4 | No Further Action | | |
| PCBs | 5.5 | No Further Action | | |
| Potential Off-site Sources | 2.5, 4.1 | No Further Action | | |
| Regulatory Agency / Database Review | 4.1 | No Further Action | | |
| Asbestos Containing Materials | 7.1 | EBI recommends that all suspect asbestoscontaining materials (ACM) identified be bulk sampled by a licensed asbestos inspector prior to any renovation or demolition activities. Any materials that are determined to be asbestoscontaining through bulk sampling should be removed by a licensed abatement contractor prior to renovation or demolition activities that would disturb these materials. | Action Item | |
| Radon | 7.2 | No Further Action | | |
| Lead-Based Paint | 7.3 | No Further Action | | |
| Lead in Drinking Water | 7.4 | No Further Action | | |



1.0 Introduction

This report documents the findings, opinions, and conclusions of a Phase I Environmental Site Assessment (ESA) of the property located at 410 West 207th Street in New York, New York.

I.I PURPOSE

The purpose of this ESA was to identify recognized environmental conditions and certain environmental conditions outside the scope of ASTM Practice E 1527-05 in connection with the property at the time of the property reconnaissance.

1.2 SCOPE-OF-SERVICES

This ESA was conducted utilizing a standard of good commercial and customary practice that was consistent with the ASTM Practice E 1527-05. Any significant scope-of-work additions, deletions or deviations to ASTM Practice E 1527-05 are noted below or in the corresponding sections of this report. The scope-of-work for this assessment included an evaluation of the following:

- Physical characteristics of the Subject Property through a review of referenced sources for topographic, geologic, soils and hydrologic data.
- Subject Property history through a review of referenced sources such as land deeds, fire insurance maps, city directories, aerial photographs, prior reports, and interviews.
- Current Subject Property conditions, including observations and interviews regarding the following: the presence or absence of hazardous substances or petroleum products; generation, treatment, storage, or disposal of hazardous, regulated, or biomedical waste; equipment that utilizes oils which potentially contain PCBs; and storage tanks (aboveground and underground).
- Usage of surrounding area properties and the likelihood for releases of hazardous substances and petroleum products (if known and/or suspected) to migrate onto the Subject Property.
- Information in referenced environmental agency databases and local environmental records, within specified minimum search distances.
- Past ownership through a review of available prior reports and local municipal file review.

The scope-of-work also included consideration of the following potential environmental conditions that are outside the scope of ASTM Practice E 1527-05: asbestos-containing materials (ACM), lead-based paint (LBP), lead in drinking water, and radon.



1.3 Assumptions, Limitations and Exceptions

This Phase I Environmental Site Assessment (the report) has been prepared for the use of The Great Atlantic & Pacific Tea Company, Inc., in accordance with our Standard Conditions for Engagement and Authorization Letter and Agreement for Environmental Services approved and signed by The Great Atlantic & Pacific Tea Company, Inc., and with the limitations described below, all of which are integral parts of this report. A copy of the signed Standard Conditions For Engagement and Authorization Letter and Agreement for Environmental Services is maintained at the EBI Consulting office in Burlington, Massachusetts.

EBI has performed this Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Standard E 1527-05, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process. This report was prepared with no exceptions or deletions from ASTM Standard E 1527-05.

This Phase I Environmental Site Assessment has been prepared to assess a parcel of commercial real estate with respect to the range of contaminants within the scope of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) and petroleum products. As such, this practice is intended to permit The Great Atlantic & Pacific Tea Company, Inc. to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on CERCLA liability: that is, the practices that constitute "all appropriate inquiry into the previous ownership and uses of the Subject Property consistent with good commercial or customary practice" as defined in 42 U.S.C. § 9601(35)(B).

In defining a standard of good commercial and customary practice for conducting an environmental site assessment of a parcel of property, the goal of the processes established by this practice is to identify recognized environmental conditions. The term recognized environmental conditions means the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, ground water, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de minimis conditions that generally do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions.

The information reported was obtained through sources deemed reasonably ascertainable, as defined in ASTM Standard E 1527-05; a visual site survey of areas readily observable, easily accessible or made accessible by the Subject Property contact and interviews with owners, agents, occupants, or other appropriate persons involved with the Subject Property. Municipal information was obtained through review of reasonably ascertainable standard government record sources and interviews with the authorities having jurisdiction over the Subject Property. Findings, conclusions, and recommendations included in the report are based on our visual observations in the field, the municipal information reasonably obtained, information provided by the Client, and/or a review of readily available and supplied documents and drawings. EBI relies completely on the information, whether written, graphic, or verbal, provided by the Subject Property contact or as shown on any documents reviewed or received from the Subject Property contact, owner or agent, or municipal source, and assumes that information to be true and correct. Although there may have been some degree of overlap in the information provided by these various sources, EBI did not attempt to independently verify the accuracy



or completeness of all information reviewed or received during the course of these environmental services.

The observations in this report are valid on the date of the investigation. Where access to portions of the Subject Property or to structures on the Subject Property was unavailable or limited, EBI renders no opinion as to the presence of hazardous substances or petroleum products in that portion of the Subject Property or structure. Inaccessible portions of the Subject Property are described below. In addition, EBI renders no opinion as to the presence of, or indirect evidence relating to, hazardous substances or petroleum products where direct observation of the interior walls, floor, or ceiling of a structure was obstructed by objects or coverings on or over these surfaces.

It is acknowledged that EBI judgments shall not be based on scientific or technical tests or procedures beyond the scope of the Services or beyond the time and budgetary constraints imposed by the Client. It is acknowledged further that EBI conclusions shall not rest on pure science but on such considerations as economic feasibility and available alternatives. Client also acknowledges that, because geologic and soil formations are inherently random, variable, and indeterminate in nature, the Services and opinions provided under this Agreement with respect to such Services are not guaranteed to be a representation of actual conditions on the Subject Property, which are also subject to change with time as a result of natural or man-made processes, including water permeation. In performing the Services, EBI shall use that degree of care and skill ordinarily exercised by environmental consultants or engineers performing similar services in the same or similar locality. The standard of care shall be determined solely at the time the Services are rendered and not according to standards utilized at a later date. The Services shall be rendered without any other warranty, expressed or implied, including, without limitation, the warranty of merchantability and the warranty of fitness for a particular purpose.

Client and EBI agree that to the fullest extent permitted by law, EBI shall not be liable to Client for any special, indirect or consequential damages whatsoever, whether caused by EBI's negligence, errors, omissions, strict liability, breach of contract, breach of warranty or other cause or causes whatsoever.

The ASTM Standard E 1527-05 does not encompass analytical testing to evaluate asbestos containing materials, radon, lead-based paint, drinking water quality, indoor air quality, stored chemicals, debris, fill materials, surface water, or subsurface samples (soil and groundwater) as part of a Phase I ESA. Any analytical testing performed at the Subject Property has been conducted in accordance with the Standard Conditions for Engagement and Authorization Letter and Agreement for Environmental Services and the client-specific Scope of Work. Unless otherwise specified herein, such testing involves screening methods intended to provide a broad and approximate evaluation of conditions at readily accessible portions of the Subject Property, limited by project constraints, and should not be construed as a comprehensive program designed to comply with a specific regulatory program. If a thorough and regulatory-compliant study is warranted based on the findings of the Phase I ESA, EBI will recommend the appropriate further investigation. In certain cases, quantitative laboratory testing is performed as part of the assessment and analyses have been conducted by an outside laboratory. EBI relies upon the data provided by the outside laboratory, and has not conducted an independent evaluation of the reliability of this data.

The assessment was conducted in a manner consistent with the level of care and skill ordinarily exercised by members of the profession, and in accordance with generally accepted practices of other consultants currently practicing in the same locality under similar conditions. No other representation, expressed or implied, and no warranty or guarantee is included or intended. The report speaks only as of its date, in the absence of a specific written update of the report, signed and delivered by EBI.



Additional information that becomes available after our survey and draft submission concerning the Subject Property should be provided to EBI so that our conclusions may be revised and modified if necessary, at additional cost. This report has been prepared in accordance with our Standard Conditions for Engagement, which is an integral part of this report.

I.4 SPECIAL TERMS AND CONDITIONS

This Phase I Environmental Site Assessment (the report) has been prepared to assist The Great Atlantic & Pacific Tea Company, Inc. in its underwriting of a proposed mortgage loan on the Subject Property. This report can be relied upon by only the parties stated in the transmittal letter at the front of this report. EBI's liability to a purchaser wishing to use this report is limited to the cost of the report. Amendments to EBI's limitations as stated herein that may occur after issuance of the report are considered to be included in this report. Payment for the report is made by, and EBI's contract and report extends to The Great Atlantic & Pacific Tea Company, Inc. only, in accordance with our Standard Conditions For Engagement and, Authorization Letter and Agreement for Environmental Services.

1.5 DATA GAPS

Any data gaps identified herein, as defined by ASTM Practice E 1527-05 § 3.2.20, are not considered to have significantly affected the ability to identify recognized environmental conditions in connection with the Subject Property and do not alter the conclusions of this report.



2.0 SUBJECT PROPERTY DESCRIPTION

2.1 OWNERSHIP AND LOCATION

According to the City of New York Department of Finance online website, the Subject Property is currently owned by Sand Merger Corp. c/o The Great Atlantic & Pacific Tea Company, Inc.

The Subject Property is located at 410 West 207th Street in New York, New York. The Subject Property includes two contiguous, rectangular -shaped parcels, identified by the New York, New York Assessor's Office as Block 2203, Lots 9 and 21, cumulatively totaling approximately 2.285 acres. The Subject Property is located in the southwest quadrant of the intersection of West 207th Street and Ninth Avenue. Figure 1 - Location Map depicts the location of the Subject Property on a street map of New York, New York. Figure 2 - Locus Map depicts the location of the Subject Property on the Central Park, New York United States Geological Survey (USGS) 7.5 Minute Topographic Quadrangle. Figure 3 - Site Plan depicts the configuration of the Subject Property and adjoining properties.

2.2 **SUBJECT PROPERTY IMPROVEMENTS**

The Subject Property is currently improved with a one-story, 31,881 square foot (footprint), Pathmark supermarket with basement located on the western portion of the Subject Property. The eastern portion of the property is utilized as a parking area. The existing improvements were reportedly constructed in 1968.

The existing building is located on the western portion of the property. Areas of the Subject Property surrounding the existing building include the following: asphalt-paved surface parking, located along the eastern side of the building; and concrete walkways, located on the northern and southern sides of the building.

2.3 CURRENT USE OF THE SUBJECT PROPERTY

At the time of inspection, the Subject Property was occupied by a Pathmark supermarket. There are currently no manufacturing or industrial operations conducted at the Subject Property.

| CURRENT OCCUPANTS AND OPERATIONS | | | | |
|----------------------------------|-----------------|---------------|--|--|
| Occupant | Location | Operations | Notable Hazardous Substances / Petroleum Products Identified | |
| Pathmark supermarket | Entire building | Grocery store | Yes | |

Please refer to Section 5.2 for further discussion regarding hazardous substances and petroleum products at the Subject Property.



2.4 MUNICIPAL SERVICES & UTILITIES

The Subject Property is serviced by the following municipal services and utilities:

| MUNICIPAL SERVICES AND UTILITIES | | | |
|---|--|--|--|
| Utility | Provider/Source | | |
| Potable Water Supply | New York City Department of Environmental Protection | | |
| Sewage Disposal System New York City Department of Environmental Protection | | | |
| Electrical Service | Con Edison | | |
| Natural Gas Service | Con Edison | | |
| Oil Service | Not provided | | |
| Heating/Cooling Systems | Rooftop-mounted electric / natural gas HVAC units | | |
| Emergency Power | One natural gas-fired emergency generator | | |

2.5 ADJOINING PROPERTIES

Property use in the vicinity of the Subject Property is primarily characterized by residential and retail/commercial development.

| | ADJOINING PROPERTIES | | | |
|-------|---|--|--|--|
| North | North The Subject Property is bound to the north by West 207 th Street, beyond which is a Hess Service Station (401 W 207 th). | | | |
| South | The Subject Property is bound to the south by 206 th Street, beyond which is an apartment building and Lebron Restaurant Equipment & Supply Inc (3835 9th Avenue). | | | |
| East | The Subject Property is bound to the east by 9 th Avenue, beyond which is Beer and Soda Wholesale (3857 9th Ave.) | | | |
| West | The Subject Property is bound to the west by 206 th Street, beyond which is an apartment/retail building. | | | |

No visual evidence of adverse environmental conditions was observed during the survey of the adjoining properties with the exception of the Hess Service Station at 401 W. 207th Street, which is listed as a Closed Case Leaking Storage Tank site and is further discussed in Section 4.1.2.



3.0 USER PROVIDED INFORMATION

The following section summarizes information provided by The Great Atlantic & Pacific Tea Company, Inc. with regard to this Phase I Environmental Site Assessment. Additionally, a User Questionnaire was forwarded to the designated Client contact. The User Questionnaire has been completed and returned to our offices. The information requested in the User Questionnaire is intended to assist in gathering information that may be material to identifying recognized environmental conditions in connection with the Subject Property. The User Questionnaire and any additional documentation referenced below is presented in Appendix C.

3.1 TITLE RECORDS

Title record information associated with the Subject Property has not been provided to EBI by The Great Atlantic & Pacific Tea Company, Inc.. A detailed discussion regarding review of information obtained from other sources is presented in Section 4.3.5 of this report.

3.2 ENVIRONMENTAL LIENS AND ACTIVITY AND USE LIMITATIONS

The Great Atlantic & Pacific Tea Company, Inc. has provided no information regarding environmental liens or activity and use limitations in connection with the Subject Property. A detailed discussion regarding environmental liens is presented in Section 4.3.7 of this report. A detailed discussion regarding activity and use limitations is presented in Sections 4.1.1 and 4.1.2 of this report.

3.3 SPECIALIZED KNOWLEDGE

The Great Atlantic & Pacific Tea Company, Inc. provided no specialized knowledge that is material to recognized environmental conditions in connection with the Subject Property. EBI was not provided with or made aware of previous environmental assessments or other documentation that is material to recognized environmental conditions in connection with the Subject Property, except as presented in Section 4.3.8 of this report.

3.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION

The Great Atlantic & Pacific Tea Company, Inc. has provided no commonly known or reasonably ascertainable information within the local community about the Subject Property that is material to recognized environmental conditions in connection with the Subject Property.

3.5 VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES

The Great Atlantic & Pacific Tea Company, Inc. has provided no information regarding valuation reduction for environmental issues in connection with the Subject Property.

3.6 OWNER, PROPERTY MANAGER, AND OCCUPANT INFORMATION

The Great Atlantic & Pacific Tea Company, Inc. provided contact information for the Subject Property owner, manager and/or occupants.

3.7 REASON FOR PERFORMING PHASE I ESA

The Great Atlantic & Pacific Tea Company, Inc. retained EBI to complete this Phase I Environmental Site Assessment in connection with a real estate transaction.



4.0 RECORDS REVIEW

4.1 STANDARD ENVIRONMENTAL RECORDS

A review of standard environmental databases maintained by Federal, state, and tribal offices was completed through Environmental Data Resources, Inc. (EDR) of Milford, Connecticut. The databases were searched for properties with reported environmental conditions located within approximate minimum search distances as specified by ASTM Standard E 1527-05, by using geocoding information that identified the coordinates of the properties in the databases or by checking the street addresses of practically reviewable non-geocoded "orphan" properties within the same zip code. The database report is presented in Appendix E.

The database report identified 20 "orphan sites." Orphan sites are those sites that could not be accurately mapped or geocoded due to inadequate location information. EBI attempted to locate these sites via vehicular reconnaissance and interviews with personnel familiar with the area. Based on this research, EBI did not identify listed orphan sites within the approximate minimum search distances that may be considered likely to have impacted conditions at the Subject Property.

It should be noted that plotted locations of listed sites are not always accurate. With regard to listings that are determined or suspected to be inaccurate, based on information from other sources such as direct observation or consultation with individuals familiar with the property, EBI uses the best available data when evaluating the location of listed sites discussed below.

The following table provides a summary of the findings of the environmental database report. Specific properties identified within the database report are further discussed below.

| SUMMARY OF FEDERAL, STATE, AND TRIBAL AGENCY DATABASE FINDINGS | | | | |
|--|---|-------------------------------|--|--|
| Regulatory Database | Approximate Minimum Search Distance | Subject Property Listed | Off-site Listings Within Search Distance | |
| Federal NPL Sites | I.0 mile | No | ı | |
| Federal Delisted NPL Sites | 0.5 mile | No | 0 | |
| Federal CERCLIS Sites | 0.5 mile | No | 0 | |
| Federal CERCLIS NFRAP Sites | 0.5 mile | No | 0 | |
| Federal RCRA CORRACTS Sites | I.0 mile | No | 0 | |
| Federal RCRA non-CORRACTS TSD Sites | 0.5 mile | No | 0 | |
| Federal RCRA Generators Sites | Property & Adjoining | No | 0 | |
| Federal Engineering / Institutional Control Sites | 0.5 mile | No | 0 | |
| Federal ERNS Sites | Property | No | NA | |
| State and Tribal equivalent NPL / CERCLIS Sites | 1.0 / 0.5 mile | No | 0 | |
| State and Tribal Spills Sites | Property | No | NA | |
| State and Tribal Landfill or Solid Waste Disposal Sites | 0.5 mile | No | 0 | |
| State and Tribal Leaking Storage Tank Sites | 0.5 mile | No | 60 | |
| State and Tribal Registered Storage Tank Sites | Property & Adjoining | No | 0 | |
| State and Tribal Engineering / Institutional Control Sites | 0.5 mile | No | 0 | |
| State and Tribal Voluntary Cleanup Sites | 0.5 mile | No | 0 | |
| State and Tribal Brownfield Sites | 0.5 mile | No | 0 | |



4.1.1 Federal Agency Database Records

National Priority List (NPL)

The NPL database, also known as the Superfund List, is a subset of CERCLIS and identifies sites that are ranked as high priority for remedial action under the Federal Superfund Act. The Subject Property was not identified on the NPL. However, one site located within 1.0 mile of the Subject Property was identified on the NPL. Information regarding the listed site is presented in the following table:

| NPL | | | | |
|-------------------|---|--------------|---|--|
| Site | Distance / Direction / Gradient* | EPA ID No. | Regulatory Status | |
| Hudson River PCBs | 0.8 miles/ Northwest/ Crossgradient | NYD980763841 | Discovery: Not Reported Proposed: 09/08/1983 Status: Final 09/21/1984 Contaminants: PCBs Media Impacted: GW | |

^{*} Presumed hydrogeologic gradient based upon regional topography

Based upon the distance and presumed hydrogeologic gradient relative to the Subject Property, it is considered unlikely that conditions associated with the identified NPL facility represent an environmental concern to the Subject Property.

Delisted National Priority List (NPL)

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the Delisted NPL database.

Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) CERCLIS contains data regarding potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies, and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability ACT (CERCLA). CERCLIS contains sites that are included on the National Priority List (NPL), as well as sites which are in the screening and assessment phase for possible inclusion on the NPL. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the CERCLIS database.

<u>CERCLIS – No Further Remedial Action Planned (CERCLIS-NFRAP)</u>

As of February 1995, CERCLIS sites designated as No Further Remedial Action Planned (NFRAP) have been removed from the CERCLIS list. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed without the need for the site to be placed on the NPL, or the contamination was not considered sufficient to warrant Federal Superfund action or NPL consideration. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the CERCLIS-NFRAP database.



Resource Conservation and Recovery Act (RCRA) – Corrective Action Tracking System (CORRACTS) RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information regarding sites that generate, transport, store, treat, and/or dispose of hazardous waste as defined by RCRA. The RCRA-CORRACTS database identifies TSD facilities that have conducted, or are currently conducting, corrective action(s) as regulated under RCRA. Neither the Subject Property nor

any sites located within 1.0 mile of the Subject Property were identified on the RCRA CORRACTS

RCRA non-CORRACTS Treatment, Storage and/or Disposal (TSD) Facilities

RCRA non-CORRACTS Treatment, Storage and/or Disposal (TSD) facilities are required to register hazardous waste activity under the Resource Conservation and Recovery Act (RCRA). Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on the RCRA non-CORRACTS TSD database.

RCRA Hazardous Waste Generators

database.

Hazardous waste generators tracked under the Resource Conservation and Recovery Act (RCRA) are classified as either Large Quantity Generators (LQGs), Small Quantity Generators (SQGs), or Conditionally Exempt Small Quantity Generators (CESQG). A RCRA-LQG is defined as a facility that generates over 1,000 kilograms (Kg) of hazardous waste, or over 1 Kg of acutely hazardous waste per month. A RCRA-SQG is defined as a facility that generates between 100 Kg and 1,000 Kg of hazardous waste per month. A RCRA-CESQG is defined as a facility that generates less than 100 Kg of hazardous waste, or less than 1 Kg of acutely hazardous waste per month. Neither the Subject Property nor any adjoining properties were identified on the RCRA Generator database.

Federal Engineering Control / Institutional Control Registries

The completion of site cleanup activities may include the implementation of engineering controls or institutional controls as part of the response action. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on Federal Engineering Control or Institutional Control Registries.

Emergency Response Notification System (ERNS)

ERNS is a national database used to collect information regarding reported releases of petroleum products and/or hazardous substances. The database contains information from spill reports submitted to Federal agencies, including the EPA, the U.S. Coast Guard, the National Response Center, and the U.S. Department of Transportation. A review of this database was conducted in order to determine whether any spills or incidents involving releases of hazardous substances or petroleum products have occurred at the Subject Property. The Subject Property was not identified on the ERNS database.

4.1.2 State and Tribal Agency Database Records

State and Tribal equivalent NPL Sites and CERCLIS Sites



State and tribal equivalent NPL and CERCLIS databases were searched for sites located within 1.0 mile and 0.5 mile of the Subject Property, respectively. Neither the Subject Property nor any sites located within the specified minimum search distances were identified on state and/or tribal databases.

State and Tribal Spills Sites (Spills)

A review of available Spills databases was conducted in order to determine whether any spills or incidents involving releases of hazardous substances or petroleum products have occurred at the Subject Property. The Subject Property was not identified on the Spills database.

State and Tribal Landfill Sites and Solid Waste Disposal Sites

The state and tribal landfill and solid waste disposal site databases identify active or inactive landfill and transfer station facilities, as well as open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on state or tribal landfill and solid waste disposal site databases.

State and Tribal Leaking Storage Tank Sites

Leaking Storage Tank Sites are properties where releases of hazardous substances or petroleum products from underground storage tanks (USTs) and/or aboveground storage tanks (ASTs) have been identified and reported to state, tribal, or local agencies. The Subject Property was not identified on state or tribal Leaking Storage Tank databases. According to the Leaking Storage Tank database, 60 sites located within 0.5 mile of the Subject Property were identified on state or tribal Leaking Storage Tank databases. Of the listed sites, 44 sites are located greater than 0.25 mile from the Subject Property. Based upon the distance from the Subject Property, these I4 sites are considered unlikely to represent an environmental concern to the Subject Property. The remaining sixteen (16) LUST sites located within 0.25 mile of the Subject Property have been granted "Closed Case" and/or "No Further Action" status by the New York State Department of Environmental Conservation (NYSDEC). Based on their current regulatory status, the remaining 16 sites are considered unlikely to represent an environmental concern to the Subject Property.

State and Tribal Registered Storage Tanks

Neither the Subject Property nor any adjoining properties were identified on state or tribal Registered Storage Tank databases.

State and Tribal Engineering Control / Institutional Control Registries

The completion of site cleanup activities may include the implementation of engineering controls or institutional controls as part of the response action. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or affect human health. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls. Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on state or tribal Engineering Control or Institutional Control Registries.

State and Tribal Voluntary Cleanup Sites

Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on state or tribal Voluntary Cleanup Site databases.



State and Tribal Brownfield Sites

Neither the Subject Property nor any sites located within 0.5 mile of the Subject Property were identified on state or tribal Brownfield Sites databases.

4.1.3 Local Regulatory Agency Records

Local municipal offices consulted during the completion of this assessment included the City of New York Building Department, Planning Department, Department of Environmental Protection, Department of Health, and Fire Department. EBI did not identify documented adverse environmental conditions, violations, or complaints associated with the Subject Property. EBI did not identify records of spills or releases of hazardous substances or petroleum products having occurred at the Subject Property.

City of New York Building Department

EBI reviewed available online files regarding the Subject Property at the City of New York Building Department (DOB) website for information regarding past uses of the Subject Property. The review of the online files indicates that the Building Permit for the construction of the existing building was issued in 1968. The review of DOB records also showed that Certificates of Occupancy were issued for the former auto garage and office in 1925, Miramar Baths in 1926, and the former gas station in 1947.

City of New York Department of Environmental Protection

EBI has submitted a written request to City of New York Department of Environmental Protection for information regarding the generation, transportation, storage, treatment, disposal, and/or spills or releases of hazardous substances or petroleum products at the Subject Property, in accordance with the Freedom of Information Act (FOIA). As of the date of this report, EBI has not received a response to this inquiry. Upon receipt of the agency response, if the provided information has a material effect on the findings of this report, EBI will forward this information as an addendum to this report. If no response is received, or no material information is identified, our report will not be modified.

City of New York Department of Health

EBI has submitted a written request to the City of New York Department of Health for information regarding the generation, transportation, storage, treatment, disposal, and/or spills or releases of hazardous substances or petroleum products at the Subject Property, in accordance with the Freedom of Information Act (FOIA). As of the date of this report, EBI has not received a response to this inquiry. Upon receipt of the agency response, if the provided information has a material effect on the findings of this report, EBI will forward this information as an addendum to this report. If no response is received, or no material information is identified, our report will not be modified.

City of New York Fire Department

EBI has submitted a written request to the City of New York Fire Department for information regarding the generation, transportation, storage, treatment, disposal, and/or spills or releases of hazardous substances or petroleum products at the Subject Property, in accordance with the Freedom of Information Act (FOIA). As of the date of this report, EBI has not received a response to this inquiry. Upon receipt of the agency response, if the provided information has a material effect on the findings of this report, EBI will forward this information as an addendum to this report. If no response is received, or no material information is identified, our report will not be modified.



4.2 PHYSICAL SETTING

4.2.1 Topography

The Subject Property is located at an elevation of approximately 20 feet above mean sea level (msl). The topography of the Subject Property is relatively flat and slopes gently to the southeast. Two artificial basins are located on the western portion of the Subject Property. The Subject Property is located in a relatively flat area, and the general slope of the surrounding region is to the southeast (see Figure 2 - Locus Map, which depicts the location of the Subject Property on the Central Park, New York USGS 7.5 Minute Topographic Quadrangle).

4.2.2 Geology and Soils

No bedrock outcroppings were observed at the Subject Property. Near-surface geology in heavily developed areas such as the Subject Property and vicinity is considered "urban land" and is characterized by a non-homogeneous distribution of soil and fill types. Excavation and backfilling for building foundations, utility conduits, subway systems and other construction results in a varied subsurface profile. In this setting, estimation of local subsurface parameters such as permeability, moisture content, and organic fraction is not feasible without site-specific testing data. Urban sites such as the Subject Property have typically been filled with material imported from off-site sources during development. Such fill material may have unknown origins and has the potential to exhibit contaminant concentrations above regulatory cleanup criteria. The potential presence of fill material is considered a recognized environmental condition (REC).

4.2.3 Hydrogeology and Hydrology

No natural surface water bodies were identified on or adjacent to the Subject Property. The nearest downgradient surface water body is the Harlem River, located approximately 1,000 feet southeast of the Subject Property.

Local groundwater gradient is expected to follow surface topography; therefore, groundwater flow near the Subject Property is expected to flow to the southeast. Groundwater depths and flow gradients are best evaluated by a subsurface investigation involving the installation of at least three groundwater monitoring wells and precise measurements of hydrostatic pressure. Monitoring wells were not observed on the Subject Property.

4.2.4 Flood Zone

The Federal Emergency Management Agency (FEMA) maps and rates flood hazard zones throughout the United States. These zones are depicted on a Flood Insurance Rate Map (FIRM), designated by Community Map and Panel numbers. The flood hazard zones range from Zone A or AE (AI – AI30), with Base Flood Elevations (BFE) determined, to Zone X, unshaded areas outside the 500-year floodplain. EBI utilizes CDYS' RiskMeter (Transamerica Data) First American Flood Data Services Flood Insights mapping system to obtain the Flood Zone Determination of the Subject Property. First American Flood Data Services searches the FEMA FIRM Map and Panel to obtain the Flood Zone Determination of the Subject Property.

The Subject Property Flood Zone Determination appears to be Zone X, defined as an area outside the I00-year and 500-year floodplains, as depicted on the First American Flood Data Services Flood Hazard Certification, Community Map #360497, Panel #0081F, dated September 5, 2007. A copy of the Flood Zone Map is presented as Figure 4.



4.3 HISTORICAL USE OF THE SUBJECT PROPERTY AND ADJOINING PROPERTIES

EBI attempted to determine the history of the Subject Property dating back to 1940 or first developed use. The following table summarizes the historical use of the Subject Property and surrounding area.

| HISTORICAL USE SUMMARY | | | | |
|------------------------|-----------------------------------|------------------------|---------------------|--|
| Period | Historic | Source(s) | | |
| reriou | Subject Property | Surrounding Area | Source(s) | |
| At least 1896- | Undeveloped land. | Undeveloped land. | Aerial Photographs | |
| 1925 | | | Fire Insurance Maps | |
| | | | Topographic Maps | |
| | | | City Directories | |
| | | | Municipal Records | |
| | | | Personal Interviews | |
| 1926-1946 | Miramar Bath House and auto | Mix of residential and | Aerial Photographs | |
| | garage. | commercial properties. | Fire Insurance Maps | |
| | | | Topographic Maps | |
| | | | City Directories | |
| | | | Municipal Records | |
| | | | Personal Interviews | |
| 1947-1968 | Miramar Bath House, gasoline | Mix of residential and | Aerial Photographs | |
| | filling station, and auto garage. | commercial properties. | Fire Insurance Maps | |
| | | | Topographic Maps | |
| | | | City Directories | |
| | | | Municipal Records | |
| | | | Personal Interviews | |
| 1969 to | Existing Pathmark supermarket | Mix of residential and | Aerial Photographs | |
| Present | building. | commercial properties. | Fire Insurance Maps | |
| | | | Topographic Maps | |
| | | | City Directories | |
| | | | Municipal Records | |
| | | | Personal Interviews | |

No environmentally significant conditions were identified on the Subject Property or surrounding properties during the historical review with the exception of the former gasoline filling station, which is further discussed in Section 4.3.8.

4.3.1 Aerial Photographs

Historical aerial photographs may be used to evaluate changes in land use and to identify visible areas of potential environmental concern. Historical aerial photographs depicting the Subject Property and vicinity were obtained from EDR/Aerial Photographs. It should be noted that due to size of the Subject Property and scale of available aerial photographs, limited details of the Subject Property and its surrounding area was identifiable. Aerial photographs depicting the Subject Property were reviewed and are summarized in the following table. Copies of the aerial photographs are presented in Appendix F.

| | AERIAL PHOTOGRAPH SUMMARY | | | | |
|--------------------------------|---------------------------|---|--|--|--|
| Year Issues Noted Observations | | | | | |
| 1954 | No | Subject Property: The Subject Property appears to consist of a large commercial building and swimming pool located on the northern portion and two small structures depicted on the eastern portion of the Property. | | | |
| | | Surrounding Area: Surrounding properties appear to consist of a mix of commercial and | | | |



| | AERIAL PHOTOGRAPH SUMMARY | | | | |
|----------------------------------|---------------------------|---|--|--|--|
| Year | Issues Noted | Observations | | | |
| | | residential properties. | | | |
| 1966 | No | Subject Property: Conditions on the Subject Property appear to be similar to those | | | |
| | | depicted on the 1954 photograph. | | | |
| | | Surrounding Area: Conditions on the surrounding properties appear to be similar to | | | |
| | | those depicted on the 1954 photograph. | | | |
| 1975 | No | Subject Property: Conditions on the Subject Property are depicted as they exist at the | | | |
| | | present day. The current Pathmark supermarket and associated parking areas are depicted | | | |
| | | on the Subject Property. | | | |
| | | Surrounding Area: Conditions on the surrounding properties appear to be similar to | | | |
| | | those depicted on the 1966 photograph. | | | |
| depicted on the 1975 photograph. | | Subject Property: Conditions on the Subject Property appear to be similar to those | | | |
| | | | | | |
| | | Surrounding Area: Conditions on the Subject Property appear to be similar to those | | | |
| | | depicted on the 1975 photograph. | | | |
| 1994 | No | Subject Property: Conditions on the Subject Property appear to be similar to those | | | |
| | | depicted on the 1984 photograph. | | | |
| | | Surrounding Properties: Conditions on the Subject Property appear to be similar to | | | |
| | | those depicted on the 1984 photograph. | | | |
| 2006 | No | Subject Property: Conditions on the Subject Property appear to be similar to those | | | |
| | | depicted on the 1994 photograph. | | | |
| | | Surrounding Properties: Conditions on the Subject Property appear to be similar to | | | |
| | | those depicted on the 1994 photograph. | | | |

4.3.2 Fire Insurance Maps

A search for historical fire insurance maps depicting the Subject Property and vicinity was conducted by EDR Sanborn Maps, Inc. Historical fire insurance maps depicting the Subject Property were reviewed and are summarized in the following table. Copies of the fire insurance maps are presented in Appendix F.

| | FIRE INSURANCE MAP SUMMARY | | | | |
|------|----------------------------|---|--|--|--|
| Year | Issues Noted | Observations | | | |
| 1893 | No | Subject Property: The Subject Property is shown us unimproved. | | | |
| | | Surrounding Properties: The surrounding properties are shown as unimproved. | | | |
| 1900 | No | Subject Property: The Subject Property is shown us unimproved. | | | |
| | | Surrounding Properties: The surrounding properties are shown as unimproved. | | | |
| 1913 | No | Subject Property: The Subject Property is shown us unimproved. | | | |
| | | Surrounding Properties: One apartment building is depicted to the west. | | | |
| 1935 | No | Subject Property: The northern portion of the Subject Property is improved with a 3- | | | |
| | | story structure and swimming pool, occupied by Miramar Baths (bath house). | | | |
| | | Surrounding Properties: Several apartment/ retail buildings are depicted to the west. | | | |
| 1950 | Yes | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1935 map with the addition of a filling station on the northeastern portion of the Subject Property and an auto garage on the southeastern portion of the Subject Property. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1935 map with the addition of a large apartment building to the south. | | | |



| | FIRE INSURANCE MAP SUMMARY | | | | |
|-------|--|---|--|--|--|
| Year | Issues Noted | Observations | | | |
| 1968 | Yes | Subject Property: The Subject Property is developed with the current Pathmark building on the northwestern portion of the property, along with the filling station on the northeastern portion of the Subject Property and an auto garage on the southeastern | | | |
| | | portion of the Subject Property. Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1950 map, with the addition of a filling station and auto facility located to the north, across West 207th Street. | | | |
| 1969 | No | Subject Property: : Conditions on the Subject Property appear to be similar to those depicted in the 1968 map with the exception of the filling station, which is no longer present. Surrounding Properties: Conditions on the surrounding properties appear to be similar | | | |
| | | to those depicted in the 1968 map. | | | |
| 1977 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1969 map with the exception of the auto garage, which is no longer present. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1969 map. | | | |
| 1979 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1977 map. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1977 map. | | | |
| 1980 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1979 map. Surrounding Properties: Conditions on the surrounding properties appear to be similar | | | |
| 1981 | No | to those depicted in the 1979 map. Subject Property: Conditions on the Subject Property appear to be similar to those | | | |
| 1701 | INO | depicted in the 1980 map. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1980 map. | | | |
| 1983 | No Subject Property: Conditions on the Subject Property appear to be similar depicted in the 1981 map. | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1981 map. | | | |
| 1985 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1983 map. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1983 map. | | | |
| 1986 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1985 map. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1985 map. | | | |
| 1988 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1986 map. Surrounding Properties: Conditions on the surrounding properties appear to be similar | | | |
| 1989 | No | to those depicted in the 1986 map. Subject Property: Conditions on the Subject Property appear to be similar to those | | | |
| 1 707 | INO | depicted in the 1988 map. | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1988 map. | | | |
| 1991 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1989 map. | | | |



| FIRE INSURANCE MAP SUMMARY | | | | | | | |
|---|-----------------|---|--|--|--|--|--|
| Year | Issues Noted | | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1989 map. | | | | | |
| 1992 No Subject Property: Conditions on the Subject Property appear to be sim depicted in the 1991 map. | | | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1991 map. | | | | | |
| 1994 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1992 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1992 map. | | | | | |
| 1995 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1994 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1994 map. | | | | | |
| 1996 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1995 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 1995 map. | | | | | |
| 2001 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 1996 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be sit to those depicted in the 1996 map. | | | | | |
| 2002 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 2001 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 2001 map. | | | | | |
| 2003 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 2002 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 2002 map. | | | | | |
| 2004 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 2003 map. | | | | | |
| | | Surrounding Properties: Conditions on the surrounding properties appear to be similar to those depicted in the 2003 map. | | | | | |
| 2005 | No | Subject Property: Conditions on the Subject Property appear to be similar to those depicted in the 2004 map. | | | | | |
| Surrounding Properties: Conditions on the surrounding properties appear to be sin to those depicted in the 2004 map. | | | | | | | |

4.3.3 Topographic Maps

Historical topographic maps provide information related to physical land configuration such as elevation, ground slope, surface water and other features. While most buildings in densely developed urban centers are not depicted, topographic maps typically show structures equal to or larger than the size of a single-family residence in rural areas. Other notable features such as woods, pipelines, municipal boundaries, and areas of filled land are often marked on topographic maps.

A search for historical topographic maps depicting the Subject Property and vicinity was conducted by Environmental Data Resources, Inc. (EDR). Historical topographic maps depicting the Subject Property



were reviewed and are summarized in the following table. Copies of the topographic maps are presented in Appendix F.

| | TOPOGRAPHIC MAP SUMMARY | | | | | |
|------|-------------------------|--|--|--|--|--|
| Year | Issues Noted | Observations | | | | |
| 1897 | No | Subject Property: No structures or other notable features are depicted on the Subject | | | | |
| | | Property. | | | | |
| | | Surrounding Properties: No structures or other notable features are depicted on the | | | | |
| | | surrounding properties. | | | | |
| 1947 | No | Subject Property: No structures or other notable features are depicted on the Subject | | | | |
| | | Property. | | | | |
| | | Surrounding Properties: A large building is depicted to the northwest. | | | | |
| 1966 | | | | | | |
| | | distinct structures or other notable features are depicted. | | | | |
| | | Surrounding Properties: The surrounding properties are shaded to represent urban | | | | |
| | | development; no distinct structures or other notable features are depicted. | | | | |
| 1979 | No | Subject Property: The Subject Property is shaded to represent urban development; no | | | | |
| | | distinct structures or other notable features are depicted. | | | | |
| | | Surrounding Properties: The surrounding properties are shaded to represent urban | | | | |
| | | development; no distinct structures or other notable features are depicted. | | | | |
| 1995 | No | Subject Property: The Subject Property is shaded to represent urban development; no | | | | |
| | | distinct structures or other notable features are depicted. | | | | |
| | | Surrounding Properties: The surrounding properties are shaded to represent urban | | | | |
| | | development; no distinct structures or other notable features are depicted. | | | | |

4.3.4 Street Directories

Street directories are commercial publications containing names and addresses, and in many cases, occupations of the occupants of a particular community. The directories may also contain information pertaining to business processes conducted within a community. A search for historical street directories was conducted by Environmental Data Resources, Inc. (EDR). Historical street directories were reviewed and are summarized in the following table. Copies of the street directories are presented in Appendix F.

| STREET DIRECTORY SUMMARY | | | | | | |
|--------------------------|-----------------|-----------------------|--|--|--|--|
| Year | Issues Noted | Occupants | | | | |
| 1920 | No | No listing | | | | |
| 1923 | No | No listing | | | | |
| 1927 | No | No listing | | | | |
| 1931 | No | No listing | | | | |
| 1934 | No | No listing | | | | |
| 1938 | No | No listing | | | | |
| 1942 | No | No listing | | | | |
| 1947 | No | No listing | | | | |
| 1950 | No | No listing | | | | |
| 1956 | No | No listing | | | | |
| 1958 | No | No listing | | | | |
| 1963 | No | Miramar Swimming Pool | | | | |
| 1968 | No | No listing | | | | |
| 1973 | No | Pathmark of Inwood | | | | |



| STREET DIRECTORY SUMMARY | | | | |
|--------------------------|-----------------|--------------------|--|--|
| Year | Issues Noted | Occupants | | |
| 1978 | No | Pathmark of Inwood | | |
| 1983 | No | Pathmark of Inwood | | |
| 1988 | No | Pathmark of Inwood | | |
| 1993 | No | Pathmark of Inwood | | |
| 1996 | No | No listing | | |
| 1998 | No | Pathmark of Inwood | | |
| 2000 | No | Pathmark of Inwood | | |
| 2006 | No | Pathmark of Inwood | | |

4.3.5 Recorded Land Title Records

Land title records provide information on previous ownership of a property. Typically, deeds signifying transfer of a land parcel are recorded in county files and can be researched to determine the identity of past owners. A "chain of title" is a continuous record of ownership for a specific parcel. A 50-year chain of title search was not included in the scope of work for this assessment.

4.3.6 Property Tax Records

The property card for the Subject Property was obtained at the City of New York Department of Finance online website. The property card identifies the current owner as Sand Merger Corp. c/o The Great Atlantic & Pacific Tea Company, Inc. Assessor's Office records indicate that the existing building was constructed in 1968. A listing of the former Subject Property owners was not available for review.

4.3.7 Environmental Liens and Activity and Use Limitations

A search for Environmental Liens and Activity and Use Limitations was not included in the scope of this assessment.

4.3.8 Previous Environmental Reports

EBI was provided with the following previous environmental report performed for the Subject Property. Relevant information from the previous report is discussed in the appropriate sections of this report, and portions of the previous report are presented in Appendix G.

Phase I Environmental Site Assessment, Existing Pathmark Supermarket, 410 West 207th St, New York, NY, prepared by Whitestone Associates, Inc. (Whitestone) of Warren, NJ, dated October 4, 2007.

The Whitestone Report was completed in general conformance with ASTM Standard E 1527-05. The scope of the Whitestone Report investigation included visual reconnaissance of the Subject Property, interviews with knowledgeable persons associated with the Subject Property, review of available regulatory information contained within federal and state environmental databases and other local environmental records, review of the physical characteristics and history of the Subject Property, and a limited visual survey for the presence of asbestos-containing materials (ACM), and a limited lead-based paint (LBP) visual survey. The following information was presented in the Whitestone Report:



- At the time of the Whitestone Report, the Subject Property was improved with a Pathmark supermarket and associated parking areas.
- According to resources reviewed by Whitestone, the site building was constructed in 1968 and was utilized as a supermarket since that time. Prior to the construction of the existing site building, the property was occupied my Miramar Baths from 1926 until at least 1963. In addition, a gasoline station and office had been located in the northeastern portion of the site from 1947 until 1968 and an auto garage and office had been located in the southeastern portion of the site from 1925 until 1968. Prior to 1926, the Subject Property was undeveloped.
- Whitestone reported that the operations of the former on-site gasoline station are suspected to have included the on-site storage and use of petroleum products, automotive fluids, battery acids, solvents, and/or other hazardous materials. Discharges of such materials may have resulted in adverse impacts to the subsurface soil and /or groundwater at the site. In addition, underground storage tanks utilized by the gasoline station may remain abandoned on site.
- Whitestone reported that two (2) elevators are located within the site building. The elevators utilize belowground hydraulic cylinders. Potentially, release of hydraulic fluid from these cylinders may have adversely impacted the subsurface soil and/or groundwater at the site.
- Based upon the 1968 construction date of the building, Whitestone reported that the buildings were suspected of containing asbestos-containing materials (ACM).
- Based upon the findings of the Phase I Environmental Site Assessment, Whitestone offered the following recommendation(s):

Whitestone recommended conducting a Phase II Site Investigation (SI) including ground penetrating radar (GPR) survey and soil and groundwater sampling and analysis to determine if historic site operations, suspect USTs and elevators, hazardous material discharges, and /or fill material have adversely impacted the subsurface soil/groundwater conditions at the site.

4.3.9 Other Historical Records and Interviews

Mr. Neil Fowlers, Facility Manager, was interviewed to obtain information regarding the history of the Subject Property. Mr. Fowlers reported that he has been familiar with the Subject Property for approximately 10 years and that the existing building was constructed in 1968. Mr. Fowlers was unaware of the use or occupants of the Subject Property prior to 2000 but thought that the building was always a supermarket.



5.0 SUBJECT PROPERTY RECONNAISSANCE

The Subject Property reconnaissance was conducted by Mr. Kenneth Deemer, EBI Staff Scientist, on October 5, 2010. Mr. Deemer was accompanied by and interviewed Mr. Neil Fowlers, the Subject Property Manager.

5.1 METHODOLOGY AND LIMITING CONDITIONS

The Subject Property reconnaissance consisted of visual and/or physical observations of the Subject Property and improvements, adjoining properties as viewed from the Subject Property boundaries, and the surrounding area based on visual observations made from adjacent public thoroughfares. Building exteriors were observed along the perimeter from the ground, unless described otherwise. Building interiors were observed as they were made safely accessible, unless described otherwise.

At the time of the survey, the weather was overcast and approximately 45° Fahrenheit. During the survey, representative tenant spaces, mechanical spaces, and/or equipment components were observed. There were no significant portions of the Subject Property that were inaccessible or excluded from this survey.

5.2 HAZARDOUS SUBSTANCES AND PETROLEUM PRODUCTS

5.2.1 Hazardous Substances and Petroleum Products (Identified Uses)

Notable hazardous substances or petroleum products in connection with identified uses observed at the Subject Property are described below.

| HAZARDOUS SUBSTANCES AND PETROLEUM PRODUCTS | | | | |
|---|--|--------------------|----------------|--|
| General Type of | Approximate Quantity / | Location | Storage | |
| Material | Container / Material | | Condition | |
| Cleaning Compounds and | Various sized containers, ranging from | Janitorial Closets | Good: No leaks | |
| Janitorial Supplies | aerosol cans to five-gallon pails | | or spills | |
| Hydraulic fluid | (I) 55-gallon drum | Basement | Good: No leaks | |
| | | | or spills | |

EBI did not identify evidence of significant leaks, spills, or the improper handling of petroleum or hazardous substances that might impact the environmental condition of the Subject Property.

5.2.2 Hazardous Substances and Petroleum Products (Unidentified Uses)

EBI did not observe evidence of hazardous substance or petroleum products containers at the Subject Property that were not in connection with identified uses.

5.2.3 Unidentified Substances Containers

EBI did not observe evidence of unidentified substances containers at the Subject Property.

5.3 WASTE GENERATION, STORAGE, AND DISPOSAL

EBI identified the following waste streams generated at the Subject Property:



| Waste Generation, Storage, and Disposal | | | | |
|---|--|---|--|--|
| Classification | Type of Waste / Generation Process | Type of Storage / Location | Disposal Method / Contractor | |
| Non-regulated Solid Waste | Municipal Solid Waste / Routine Site Operations | Solid Waste Dumpsters | Waste Management haulers municipal trash pick-up | |
| Non-regulated Liquid Waste | Sanitary Sewage / Routine Site Operations | NA (Municipal Sanitary Sewer) | New York City Bureau of Water and Sewer Operations | |
| | Waste Cooking Grease - Deli Operations | Floor-mounted Grease Trap (Kitchen) 10-gallon Grease Trap (Basement) | Reliable Plumbing | |
| Regulated Solid or Liquid Waste | None identified | NA | NA | |
| Biomedical Waste | None identified | NA | NA | |

No evidence of improper solid waste management or the improper disposal of hazardous substances or petroleum products was observed at the time of reconnaissance. According to information provided by the site contact, the cooking grease generated at the Subject Property is limited in quantity and is generally stored in a ten-gallon grease trap that is serviced by Reliable Plumbing once per quarter.

5.4 UNDERGROUND STORAGE TANKS (USTs) & ABOVEGROUND STORAGE TANKS (ASTs)

5.4.1 Existing Storage Tanks

Based upon site reconnaissance, interviews, and a review of state and local records, EBI identified no evidence of existing USTs or ASTs located at the Subject Property.

5.4.2 Former Storage Tanks

According to historic records reviewed by EBI, a gasoline station occupied the northeastern portion of the Subject Property from 1947 until 1968. The operations of the former on-site gasoline station are suspected to have included the on-site storage and use of petroleum products, automotive fluids, battery acids, solvents, and/or other hazardous materials. No additional documentation regarding closure of the former UST system, or documentation regarding previous soil and/or groundwater investigation at this location, was identified during this assessment. Based upon the absence of closure documentation, the potential exists that the former UST systems have impacted subsurface conditions at the Subject Property. This is currently considered a recognized environmental condition (REC).

5.5 OIL-CONTAINING EQUIPMENT AND POLYCHLORINATED BIPHENYLS (PCBs)

Polychlorinated biphenyls (PCBs) are a chemical component of many dielectric fluids, heat transfer fluids, hydraulic fluids, lubricating oils, paints, or coatings manufactured prior to July 2, 1979. Equipment that may potentially contain PCBs includes electrical equipment such as transformers or capacitors or hydraulically operated equipment, such as elevators, compaction equipment, or manufacturing equipment. The manufacture and distribution in commerce of PCBs was banned for use in 1979 by the United States Congress, which enacted the Toxic Substance and Control Act (TSCA). In accordance with US Code of Federal Regulations Title 40 - Protection of Environment, Chapter 1 - Environmental Protection Agency, Subchapter R - Toxic Substance Control Act (TSCA), Part 761 - Polychlorinated Biphenyls (PCBs)



Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions, the owner of a transformer or other PCB-containing equipment is responsible for equipment maintenance and remediation in the event of a leak or release.

The following oil-containing equipment was identified at the Subject Property:

| OIL-CONTAINING EQUIPMENT | | | | |
|--|-----------------------|-----------------------------------|--------------------------------|--|
| Classification | Type of Equipment | Year Installed / Location | Staining / Releases Identified | |
| Transformers and Fluid-Containing Electrical Equipment | None identified | NA | No | |
| Hydraulic Equipment | (2) freight elevators | 1968/ central portion of building | No | |
| Other Oil-containing Equipment | None identified | NA | Yes No NA | |

Two freight elevators service the facility. The elevators are hydraulically powered and are maintained by a local maintenance company. Inspection of the elevator mechanical rooms did not reveal staining or other evidence of a release of hydraulic fluid; however, based on the elevator shafts being located below grade and the potential presence of PCBs in the hydraulic fluid, the presence of the two elevators is considered a recognized environmental condition (REC).

5.6 ADDITIONAL SITE CONDITIONS

The following is a summary of visual and/or physical observations of the Subject Property on the day of the site visit. Photographs of pertinent Subject Property features are presented in Appendix A.

| ADDITIONAL SITE CONDITIONS | | | |
|---|------------|--|--|
| Condition | Identified | | |
| Interior Drains, Trenches, or Sumps | Yes | | |
| Interior Stains or Corrosion | No | | |
| Unusual Odors | No | | |
| Interior Pools of Liquid | No | | |
| Stained Soil or Pavement | No | | |
| Stressed Vegetation | No | | |
| Indications of Solid Waste Disposal | No | | |
| Exterior Pits, Ponds, or Lagoons | No | | |
| Wastewater or Stormwater Discharge/Disposal | No | | |
| Oil-Water Separators or Clarifiers | No | | |
| Septic Systems or Cesspools | No | | |
| Wells (Drinking Water Wells, Monitoring Wells, Agricultural/Irrigation Wells, or Process Water Wells) | No | | |
| Petroleum or Natural Gas Pipelines/Easements | No | | |

Floor drains and several sump pits were observed in the basement area. The floor drains and sump pits reportedly discharge to the municipal sewer system. No staining or other evidence of a release of hazardous substances or petroleum products was observed in the vicinity of these structures.



6.0 INTERVIEWS

The following persons were interviewed to obtain information regarding recognized environmental conditions in connection with the property. Additionally, a Pre-Survey Questionnaire was forwarded to the designated Subject Property contact. The Pre-Survey Questionnaire has been completed and returned to our offices. The information requested in the Pre-Survey Questionnaire is intended to assist in gathering information that may be material to identifying recognized environmental conditions in connection with the Subject Property. The Pre-Survey Questionnaire and any accompanying documentation is presented in Appendix C.

| Interviews | | | | |
|-----------------------|--------------------------|--|----------------|--|
| Contact / Affiliation | Date of Communication | Years Associated with Subject Property | Telephone No. | |
| Mr. Neil Fowlers | 10/5/2010 | 10 | (212) 569-0600 | |
| Store Manager | | | | |
| Pathmark Supermarket | | | | |

Pertinent information from the interviews is presented in applicable sections of this report.



7.0 CONDITIONS OUTSIDE THE SCOPE OF ASTM PRACTICE E 1527-05

The following sections address environmental issues or conditions at the Subject Property that parties may wish to assess in connection with commercial real estate that are outside the scope of ASTM Practice E 1527-05 (non-scope considerations).

7.1 ASBESTOS-CONTAINING MATERIAL (ACM)

Asbestos is a term used to describe a group of six naturally occurring crystalline fiber minerals. Asbestos has excellent thermal stability, a high degree of tensile strength, and has been used extensively in the textile, insulation, and building industries, particularly as a component in fireproofing, decorative coatings, insulation materials, and as reinforcement for plaster binders in building products. Asbestos-containing building materials are generally classified as friable or non-friable. Friable materials are those which can be crumbled, pulverized, or reduced to powder by hand pressure, or by normal use or maintenance can be expected to emit asbestos fibers into the air. Non-friable ACM is a potential concern if it is damaged by maintenance work, demolition, or other activities, at which time it may be considered friable.

EBI conducted a limited visual screening survey for the presence of ACM at the Subject Property. EBI identified friable suspect ACM in the form of textured ceiling and wall surfacing materials, sheetrock/joint compound composite material, and 2'x4' white perforated ceiling tile and non-friable suspect ACM in the form of vinyl floor tile and associated mastic, sheet vinyl flooring and associated mastic and various construction mastics and caulking. These materials were observed to be undamaged and in good condition at the time of inspection. Please note that this survey was limited to visual observations of accessible areas and that the scope of work for this assessment did not include the collection and laboratory analysis of bulk samples of undamaged suspect ACM. Additional suspect ACM may be present in inaccessible areas, including, but not limited to, roofs, pipe chases behind solid walls and ceilings, concealed floor coverings, the interior of machinery or equipment, or water and sewer systems.

It should be noted that the limited visual screening survey conducted under the scope of work for this assessment does not constitute a full asbestos inspection, in which all areas of the building would have been thoroughly surveyed and sampled. The possibility exists for ACM to be present in areas of the building not accessed or sampled by EBI personnel.

Due to the continued distribution of a wide variety of asbestos-containing building materials, asbestos may be present in some of the roofing, flooring, caulking/putties, adhesives, spackling compounds, and/or non-accessible insulation materials at the Subject Property. Sampling of these types of materials require techniques that may be destructive to subject facilities, and in the case of roofing material, may void warranties. It is recommended that all such suspect asbestos-containing materials be tested prior to renovation or demolition activities that could disturb the materials. Any testing, removal, or disturbance of ACM should be handled in compliance with federal, state, and local regulations. Licensed, qualified asbestos abatement personnel should be retained prior to demolition or renovation of subject facilities.

7.2 RADON

Radon is a naturally-occurring, colorless and odorless radioactive gas that is generated primarily in granitic rocks. The United States Surgeon General has published information that radon is a cause of lung cancer. Radon usually enters a building through openings in the foundation, and therefore is a potential health concern to residents of the lowest level of a building with inadequate ventilation.



The EPA Map of Radon Zones indicates that Manhattan County is located within a Zone 3 radon area. Zone 3 is defined as an area that has a low potential for radon gas, with a predicted average indoor radon screening level less than 2.0 picoCuries per liter (pCi/L). The EPA recommended Action Level for radon is 4.0 pCi/L.

Based upon the non-residential nature of the Subject Property and in accordance with the scope of work for this assessment, EBI did not conduct a limited short-term radon screening at the Subject Property.

7.3 LEAD-BASED PAINT (LBP)

Use of lead in household paint was banned by the U.S. Environmental Protection Agency (EPA) effective January I, 1978. The EPA and the U.S. Department of Housing and Urban Development (HUD) consider lead-based paint as containing a lead concentration equal to or greater than I.0 milligram per square centimeter (mg/cm²) or 0.5% lead by weight, as defined by Title X of the 1992 Housing and Community Development Act.

Based on the non-residential use of the existing building and in accordance with the scope of work of this assessment, a lead-based paint (LBP) survey was not conducted at the Subject Property.

7.4 LEAD IN DRINKING WATER

Lead has historically been used in pipes, solder, and brass fixtures used in water distribution systems and building plumbing systems. In 1986, EPA banned the use of lead at concentrations exceeding 0.2% lead in solder and 8% lead in other plumbing materials. Lead in drinking water results primarily from corrosion of lead containing materials in service lines or from corrosion of lead containing materials in building plumbing systems such as lead solder, brass, bronze, and other lead containing alloys. The EPA Action Level for lead in public drinking water supplies is 0.015 parts per million (ppm) or 0.015 milligrams per liter (mg /L).

The New York City DEP Water Supply Division provides potable water to the buildings. According to the EPA's Safe Drinking Water Information System (SDWIS), potable drinking water is obtained from lakes and reservoirs located in the Upstate New York area. The most recent analytical testing data indicates compliance with Safe Drinking Water Act (SDWA) requirements and other federal and local regulations concerning water quality, including SDWA requirements for lead. Based upon the existing municipal water service and in accordance with the scope of work for this assessment, EBI did not conduct lead-in-drinking water sampling at the Subject Property.



8.0 FINDINGS AND OPINIONS

EBI has performed this Phase I Environmental Site Assessment of the Subject Property in conformance with the scope and limitations of ASTM Standard E 1527-05. Any exceptions to, or deletions from, this practice are described in Section 1.0 of this report. This assessment has identified evidence of the following recognized environmental conditions (RECs) in connection with the Subject Property:

- According to historic records reviewed by EBI, a gasoline station occupied the northeastern portion of the Subject Property from 1947 until 1968, and an auto garage occupied the southeastern portion of the Subject Property from 1926 until 1968. The former operations are suspected to have included the on-site storage and use of petroleum products, automotive fluids, battery acids, solvents, and/or other hazardous materials. No additional documentation regarding closure of the former UST systems, or documentation regarding previous soil and/or groundwater investigation in this area, was identified during this assessment. Based upon the absence of closure documentation, the potential exists that the former UST systems and historical use have impacted subsurface conditions at the Subject Property. This is currently considered a recognized environmental condition (REC).
- Near-surface geology in heavily developed areas such as the Subject Property and vicinity is considered "urban land" and is characterized by a non-homogeneous distribution of soil and fill types. Urban sites such as the Subject Property have typically been filled with material imported from off-site sources during development. Such fill material may have unknown origins and has the potential to exhibit contaminant concentrations above regulatory cleanup criteria. The potential presence of fill material at the Subject Property is considered a REC.
- Two freight elevators with below-grade hydraulic cylinders service the Subject Property. The elevators are reportedly maintained by a local maintenance company. Inspection of the elevator mechanical rooms did not reveal staining or other evidence of a release of hydraulic fluid; however, based on the hydraulic cylinders being located below grade and the potential presence of PCBs in the hydraulic fluid, the presence of the two elevators is considered a REC.

In addition, the following condition outside the scope of ASTM Practice E 1527-05 was identified in connection with the Subject Property:

EBI conducted a limited visual screening survey for the presence of ACM at the Subject Property. EBI identified friable suspect ACM in the form of textured ceiling and wall surfacing materials, sheetrock/joint compound composite material, and 2'x4' white perforated ceiling tile and non-friable suspect ACM in the form of vinyl floor tile and associated mastic, sheet vinyl flooring and associated mastic and various construction mastics and caulking. These materials were observed to be undamaged and in good condition at the time of inspection. Please note that this survey was limited to visual observations of accessible areas and that the scope of work for this assessment did not include the collection and laboratory analysis of bulk samples of undamaged suspect ACM. Additional suspect ACM may be present in inaccessible areas, including, but not limited to, roofs, pipe chases behind solid walls and ceilings, concealed floor coverings, the interior of machinery or equipment, or water and sewer systems. Based on the condition of suspect ACM, these materials do not currently pose a significant environmental threat to the occupants of the Subject Property. Suspect ACM do not present a problem when maintained in good condition. However, additional sampling, removal, and disposal arrangements may be necessary should building construction or renovation activities be conducted. Asbestos is a condition outside the scope of ASTM E 1527-05 and is not considered a recognized environmental condition (REC).



9.0 RECOMMENDATIONS

Based upon the findings of this investigation, EBI offers the following recommendations:

- EBI recommends that a geophysical survey, including a ground penetrating radar (GPR) survey and/or magnetometer survey, be conducted in order to determine whether any underground storage tank (UST) systems associated with the former on-site gasoline service station remain on the Subject Property. EBI additionally recommends that a limited subsurface investigation be conducted, in order to characterize subsurface soil and/or groundwater conditions due to historic use, potential presence of urban fill material and potential PCB-containing elevator equipment. Estimated cost: \$3,500 for geophysical survey; \$8,000 to \$12,000 for limited subsurface investigation.
- EBI recommends that all suspect asbestos-containing materials (ACM) identified be bulk sampled by a licensed asbestos inspector prior to any renovation or demolition activities. Any materials that are determined to be asbestos-containing through bulk sampling should be removed by a licensed abatement contractor prior to renovation or demolition activities that would disturb these materials.



10.0 REFERENCES

PHASE I ENVIRONMENTAL SITE ASSESSMENT REFERENCES

ASTM Designation E 1527-05 Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

Bedrock Geologic Map of New York State; New York State Geological Survey.

Environmental Data Resources, Inc., Aerial Decade Package; Inquiry Number 2874993.5, dated September 21, 2010.

Environmental Data Resources, Inc., Certified Sanborn Map Report; Inquiry Number 2874993.3, dated September 21, 2010.

Environmental Data Resources, Inc., EDR Historical Topographic Map report; Inquiry Number 2874993.4, dated September 21, 2010.

Environmental Data Resources, Inc., The EDR Radius Report with GeoCheck®; Inquiry Number 2874993.2r, dated September 21, 2010.

Environmental Data Resources, Inc., The EDR-City Directory Abstract; Inquiry Number 2874993.6, dated September 21, 2010.

ESRI/FEMA Flood Hazard Map, September 23, 2010, On-line: http://www.esri.com/hazards/faq.html.

Phase I Environmental Site Assessment, 410 West 207th Street, New York, NY, conducted by Whitestone Associates, Inc., dated October 4, 2007.

USGS Topographic Map, Central Park, NY Quadrangle, 7.5-Minute Series, dated 1979.

Web Soil Survey, NRCS, U.S. Department of Agriculture, October 6, 2010, On-line: http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx



APPENDIX A PHOTOGRAPHS






I. Subject Property viewed from the southwest.



2. Subject Property viewed from the southeast.



3. Subject Property viewed from the north.



4. Subject Property viewed from the northwest.



5. View east from the Subject Property.



6. View north from the Subject Property.





7. View east from the Subject Property.



8. View west from the Subject Property.



9. View of natural gas fired emergency generator.



10. View of typical sump pump location.



II. View of typical sump pump location.



12. View of typical restroom.





13. View of typical floor drain in basement.



14. View of grease trap.



15. View of freight elevator.



16. View of sales floor.



17. View of sales floor.



18. View of sales floor.



APPENDIX B FIGURES








Source: Selected data from ESRI, EBI and NWI

Pathmark Supermarket 410 West 207th Street New York, NY 10034

0 500 1000 foot





Legend

★ Project Site 🛄 Site Buffer at 1/4 and 1/2 mile

USGS 24k Quad: Central Park, NY 1979

Source: Selected data from ESRI, EBI and USGS

Figure 2 - USGS Quad Location Map

Pathmark Supermarket 410 West 207th Street New York, NY 10034

0 500 1000 feet



FIGURE 3 — SITE PLAN



Not to scale





FIGURE 4 – TAX MAP



Not to scale



Flood Insights test results for :

410 W 207TH ST, NEW YORK,NY 10034

Geocoding Accuracy: <u>S5 - Matched to Street Address (Best)</u>

Flood Zone Determinations

Test Description

SFHA (Flood Zone) Within 250 feet of multiple flood zones?

Out Yes

The property is located close to multiple zones. Further analysis may be required to determine the exact placement and proper zone. Please <u>Click Here</u> if you would like to order a Manual Flood Determination

Zone Community Community Name Panel Panel Date Cobra Map Number

X 360497 NEW YORK, CITY OF 2007 OUT 3604970081F

FIPS Code Census Tract
36061 0289.00

Copyright 2000, First American Flood Data Services. All rights reserved.



This report was generated by: ebi on 09-26-2010

This Report is for the sole benefit of the Customer that ordered and paid for the Report and is based on the property information provided by that Customer. That Customer's use of this Report is subject to the terms agreed to by that Customer when accessing this product. No third party is authorized to use or rely on this Report for any purpose. NEITHER FIRST AMERICAN FLOOD DATA SERVICES NOR THE SELLER OF THIS REPORT MAKES ANY REPRESENTATIONS OR WARRANTIES TO ANY PARTY CONCERNING THE CONTENT, ACCURACY OR COMPLETENESS OF THIS REPORT, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Neither TFHC nor the seller of this Report shall have any liability to any third party for any use or misuse of this Report.

APPENDIX C

PRE-SURVEY QUESTIONNAIRE AND OTHER RELEVANT DOCUMENTATION





Please fill out and sign this questionnaire to the best of your knowledge for the Scientist's site visit. Email to Kristine Lind at nequestionnaires@ebiconsulting.com or fax to (781) 425-3620, for our report files, and keep the original to provide to the Scientist.

| Subject Property Name: Pathmark Supermarket Address: 410 West 207th Street New York NY | | | EBI Project #: 11105061 | | | |
|--|--|---|---|--|--|--|
| | oject Property Owner: | 12 | Purchase Date: | | | |
| | -Site Property Contact: | Telephone: 212 | | | | |
| Fax | | Email: | | | | |
| 2 | at Maltiner Mal Fowlers | cman; | | | | |
| You | ur Name and title | Signature | Date | | | |
| Accu | tional plans and documentation (see page 4) must be forwarded to and "N/A." Attach additional pages if necessary. This questionnain trate and full completion is critical to a timely completion of our reportant JURISDICTIONAL INFORMATION | e and your responses will be included as an | For questions not applicable please exhibit in the Environmental report | | | |
| 1. | What is the property ID #, Lot and Block, or Towns | hip/Range ID #? | | | | |
| 2. | What is the legal Municipality or County that has juri | 7 | | | | |
| PRO | PERTY INFORMATION | | | | | |
| 3. | What is the size of the subject property lot or lots, it | nacres? Zaren | | | | |
| 4. | How many buildings comprise the subject property? | 1 | | | | |
| | a. If the property is a mall or large retail center, p | lease confirm and list ownership of | each building. | | | |
| 5. | What is the gross and net rentable square footage of | the building(s)? | | | | |
| 6. | What is the date of construction of the building(s)? | When was the building(s) first occup | oled? 1968- | | | |
| 7. | How many tenant spaces or apartments are at the Su | | | | | |
| 8. | Please list, to the best of your knowledge, any structure or electrical deficiencies or problems. | tural, water infiltration, mold, roof, | plumbing, HVAC, Fire Alarm | | | |
| 9. | Please list any deficiencies noted during any Building | , Fire or Health Department inspe | ctions in the last three years, | | | |
| 10. | Please list the following utility providers: | Electricity: Con Edward | | | | |
| | Water: WC | Storm Drainage: LYC | | | | |
| | Sanitary Sewer: VYC | Natural Gas or Oil; Con Ed | f. Jan | | | |
| | Trash Hauler West May. | and, Frequency of Pick-ups: U-sk | kly | | | |
| | Please attach a brief history of the property. This infe | | * | | | |

property. The information should include:

ENVIRONMENTAL SITE ASSESSMENT PRE- SURVEY QUESTIONNAIRE

| I. | Describe the current uses of the property noting tenant names and oil/chemical usage. Syptemble + |
|-----|---|
| 2. | Describe the past uses of the property noting tenant names and oil/chemical usage. Supermude 4. |
| 3. | (X) Has a previous environmental site assessment report been prepared for the property? If yes, for what reason Can EBI have a copy? |
| 4. | (Y) (N) Has a subsurface investigation (Phase II) ever been conducted on the property, including soil sampling groundwater sampling, or installation of groundwater monitoring wells? If yes, for what reason? What were the results Can EBI have a copy of the report? Are there any groundwater monitoring wells currently located on the property? |
| 5. | (Y) (N) Has contamination been identified at the Subject Property? Describe the nature of the contamination (i.e., source, media impacted, location, sampling, cleanup activities, regulatory status, etc.). Can EBI have copies of related documentation? |
| 6. | (Y) (N) Has a spill or surficial release occurred at the Subject Property? Describe the nature of the spill/surficial release (i.e., source, location, response/cleanup actions, regulatory status, etc.). Can EBI have copies of related documentation? |
| 7. | (Y) (N) Is the Subject Property listed with the USEPA and/or the state environmental regulatory agency as contaminated site? If yes, please describe. Can EBI have copies of related documentation? |
| 8. | (Y) (N) Has there ever been previous sampling for Asbestos, Lead-Based Paint, Lead in Water, or Radon? If yes, pleas describe. Can EBI have copies of related documentation? |
| 9. | (Y) (N) Has there been any Asbestos or Lead-Based Paint abatement or Radon mitigation conducted at the Subject Property? Are there Asbestos and/or Lead-Based Paint Operations and Maintenance Plans for the Subject Property? yes, please describe. Can EBI have copies of related documentation? |
| 10. | (Y) (N) Any known environmental liens, deed restrictions, or use limitations for the Property? If yes, please describe Can EBI have copies of related documentation? |
| 11. | (Y) (N) Any permitted or regulated activities (Hazardous waste generator, air) on the Property? If yes, please describe. |
| 12. | (Y) (N) Are there any transformers or other electrical equipment, which may contain PCBs? If yes, please describe Where are they? Who owns the transformer(s)? Who services them? |
| 13. | (Y) (N) Has an industrial or manufacturing operation, gas station, motor repair facility, commercial printing facility, dry cleaners, photo-developing laboratory, junk yard, landfill or waste, treatment, storage, disposal processing or recycling facility ever been located at or adjacent to the property? If yes, please describe. |
| 14. | (Y) Are there any discarded drums, barrels or containers, construction debris, damaged or discarded automobile or industrial batteries, or pesticides, paints or other chemicals in individual containers or drums of greater than five gallons or fifty gallons in aggregate located on the property? If yes, please describe, |
| 5. | (Y) (A Have there ever been any waste storage or treatment lagoons, pits, ponds, or surface impoundments on the property? If yes, please describe, |
| 64 | Does the property have floor drains not discharging to a sewer? Septic System? If yes, please describe. |

EBI Consulting

17. (Y) (N) Are there currently aboveground or underground storage tanks at the property? If yes, complete table.

| Type of Tank | Size | Content | Installation Date | Spill/Leak Detection? Y or N |
|----------------------|------|---------|-------------------|---------------------------------|
| Above or Underground | gal | | | |
| Above or Underground | gal | | | |
| Above or Underground | gal | | | |
| Above or Underground | gal | | | |

| | Are you aware of any information to indicate that the Subject Property was sold for substantially below its fair market value? If so, please provide an explanation: |
|-----|--|
| 19. | Additional comments and/or pertinent information relevant to this Phase I ESA: |
| | |

DOCUMENT AND INFORMATION CHECKLIST

Please provide the following information (as much as possible in electronic format) so the Scientist can proceed with the survey of the property.

| A. Plans | B. Municipal Documents | C. Additional Information |
|---|--|---|
| ALTA Survey or Site Plan Reduced scale Site and Building Plans | Certificate of Occupancy Building Permit Copy of tax cards UST/AST Registrations | Tenant Rent Roll Historical Uses Previous Due Diligence Reports Copy of most Recent Appraisal |

EBI ACCESS REQUIREMENTS

At the time of the site visit the Consultant is required to gain access to all areas of the property. This includes:

- All building interiors, including as applicable, common areas, lobbies, a representative sampling of offices, retail spaces, manufacturing or assembly areas, or apartments, community rooms, exercise rooms, pool areas, storage rooms, attics and basements, garages.
- All building perimeters
- All site amenities
- All building roofs, unless pitched asphalt shingles. This may require you to obtain and provide a ladder.
- All mechanical, electric, sprinkler, HVAC, utility, service, elevator, storage and equipment rooms

Property Tax Details Page 1 of 1

Property Tax Details

PATHMARK STORES INC Name: Address: 2 PARAGON DR MONTVALE, NJ 07645-1718 BBL: 1-02203-0021/0 Charges Details as of Monday, Oct. 4, 2010 01:30 PM Description: Finance-Property Tax \$ 17,908.22 **Charges:** Period Begin: 01/01/2011 Interest: +\$ 0.00 Balance: \$ 17,908.22

Print

Property Tax Details Page 1 of 1

Property Tax Details

| P | r | ^ | f | Ħ | ı | _ |
|---|---|---|---|---|---|---|
| | | v | ш | Ш | Ш | C |

Name: SAND MERGER CORP. C/O Address: 430 WEST 207 STREET THE GREAT ATL NEW YORK, NY 10034 BBL: 1-02203-0009/0 Charges Details as of Monday, Oct. 4, 2010 01:28 PM \$ 88,355.92 Description: Finance-Property Tax Charges: Period Begin: 01/01/2011 Interest: +\$ 0.00 Balance: \$ 88,355.92

Print

A&P Portfolio: Environmental Report Summary

| Property | Phase I Date/ Recommendation | Phase II Date/ Recommendation |
|------------------|------------------------------|---|
| Belleville, NJ | NAV | 1/18/08 - Report to NJDEP / Remediation / Tests |
| Clifton, NJ | 10/9/07 - Phase II | NAV |
| Edgewater Pk, NJ | 10/10/07 - Phase II | NAV |
| Lawnside, NJ | 10/10/07 - Phase II | NAV |
| Ozone Park, NY | 10/11/07 - Phase II | 1/18/08 - Action likely not required; consult counsel |
| Hempstead, NY | 10/4/07 - None | ** |
| Upper Darby, PA | 10/5/07 - Further Testing | NAV |
| Wilmington, DE | 10/9/07 - Phase II | NAV |
| Baldwin, NY | 10/4/07 - Gather information | |
| Inwood, NY | NAV | NAV |
| Clinton, NJ | NAV | NAV |

Property Existing Pathmark Supermarket

115 Belmont Avenue, Belleville Township, Essex County, NJ

Firm Whitestone Associates, Inc.

Report Type Phase II
Report Date 18-Jan-08
Project Number WJ07-10006

| | Environmental Conditions | |
|---|---|---|
| 1 | Occupied by a battery manufacturing facility from prior to 1903 until 1971. Battery manufacturing operations als hazardous materials and wastes. Impacts to subsurface conditions at the site and underground storage tanks (US | · · · · · · · · · · · · · · · · · · · |
| 2 | Occupied by a dry cleaning facility in 2004. Discharges of chlorinated solvents from the dry cleaning operations of | may have impacted subsurface conditions. |
| | Conclusions | Recommendations |
| 1 | The GPR survey conducted at the subject site did not detect subsurface anomalies that would be indicative of a UST. Subsurface concrete debris was identified throughout the site, and the remnants of former building foundations were identified in the northern portion of the site. | None |
| 2 | Lead, mercury, and nickel were detected in soil at concentrations exceeding NJDEP's most stringent Soil Cleanup Criteria, however, at concentrations less than NJDEP's NRDCSCC. | The metals exceedences identified in soil samples B-2 and B-7 should be reported to NJDEP. The impacted material could be excavated for regulated off-site disposal with post-excavation soil sampling conducted to confirm that soil cleanup criteria have been met. These remediation activities could be managed through NJDEP's Cleanup Star program in order to obtain an expedited No Further Action determination. Alternatively, this material could remain in place subject to engineering controls (capping) and/or institutional controls (Deed Notice). Such remediation activities could be managed through NJDEP's Voluntary Cleanup Program. |
| 3 | Select metals were detected in each groundwater sample at concentrations exceeding NJDEP Groundwater Quality Standards. The metals detections likely are attributable to suspended sediment within the groundwater samples (common when using temporary wellpoints). The compounds detected are typical of historic fill (in this case, as sediment in the groundwater samples) common to developed urban areas such as the subject site. | Further groundwater investigation including the installation and sampling of permanent monitor wells and NJDEP reporting would be required to confirm this condition and address these exceedences. |

Property Existing Pathmark Supermarket

895 Paulison Avenue, Clifton, Passaic County, NJ

Firm Whitestone Associates, Inc.

Report Type Phase I Report Date 9-Oct-07 Project Number WP07-9920

| | Recognized Environmental Conditions | Opinion |
|---|---|---|
| 1 | Between 1935-1965, the Campbell Morrell & Company Coal Yard operated in the northern and central portion | The REC will impact any future site redevelopment plans. A Phase II including soil borings and groundwater |
| | of the Property. Historic site use as a coal yard and the potential for buried fill material may have adversely | sampling and analyses should be completed in the vicinity of the former coal yard and railroad spur. |
| | impacted subsurface conditions at the site. Additionally, railroad tracks and historic rail operations can be a | |
| | source of PCB and/or semi-volatile organic, and/or other contamination in shallow or near-surface soils. | |
| | | Recommendations |
| | | If soil or groundwater contamination is encountered, NJDEP must be notified, and appropriate investigative and |
| | | corrective actions and supplemental reporting will be required. |
| | | |

Property Existing Pathmark Supermarket

2110 Route 130, Edgewater Park (Beverly), Burlington County, NJ

Firm Whitestone Associates, Inc.

Report Type Phase I Report Date 10-Oct-07 Project Number WP07-9921

| | Recognized Environmental Conditions | Opinion |
|---|---|--|
| 1 | Four USTs are registered at the Property, including four 8,000 gallon gasoline USTs located in the southeastern portion of the site associated with the Getty gasoline service station (Facility ID: 001727). Each of these USTs reportedly were installed on 1/1/63. A letter prepared by BCM Engineers, Inc. indicated that 16.38 tons of petroleum contaminated soil that had previously been stockpiled at the site were deposed off-site on 1/23/90. No additional information was available. Accordingly, subsurface conditions in the vicinity of the USTs may have been adversely impacted by site operation as a gasoline service station. | The REC will impact any future site redevelopment plans. A Phase II including soil borings and groundwater sampling and analyses should be completed to evaluate subsurface conditions in the Getty gasoline service station. Recommendations If soil or groundwater contamination is encountered, NJDEP must be notified, and appropriate investigative and corrective actions and supplemental reporting will be required. In addition, verification should be obtained to document that Getty will remain responsible for any environmental liability associated with the gasoline station portion of the site. |

Property Existing Pathmark Supermarket & Shopping Center Site

130 White Horse Pike and Gloucester Pike, Lawnside Borough, Camden County, NJ

Firm Whitestone Associates, Inc.

Report Type Phase I Report Date 10-Oct-07 Project Number WP07-9923

| | Recognized Environmental Conditions | Opinion |
|---|--|--|
| 1 | The Lawnside LukOil service station located at 100 White Horse Pike in the southeastern portion of the Property | The REC may present a significant threat of future liability, impact premium costs, or impose a significant time |
| | is identified on the registered UST database (UST Facility I.D. No. 001728). According to the database report, | delay to the implementation for he proposed site use. |
| | three 8,000-gallon unleaded gasoline USTs and one 8,000-gallon diesel fuel UST were installed at the site in 1963 | |
| | and presently are in use. In addition, the LukOil site is identified as an active SHWS site (NJDEP Case No. 88-12- | A Phase II site investigation should be conducted. It should included a geophysical survey to evaluate the site |
| | 09-1332), and on-site soil and groundwater contamination associated with releases of petroleum products have | for the presence of additional/previously undocumented USTs, former USTs, former UST removal excavations, |
| | been documented. | and other previously unknown subsurface features. In addition, the SI should include a soil boring installation |
| | | and sampling program to evaluate current soil and groundwater contaminant conditions at the Property. |
| | | |
| | | |
| | | Recommendations |
| | | In the event USTs or other previously unknown subsurface features are encountered during the Phase II , they |
| | | should be closed in accordance with state and local guidelines. In addition, NJDEP should be notified and an |
| | | appropriate subsurface evaluation should be conducted including sampling and laboratory analysis. |
| | | |
| | | If contamination is encountered via laboratory analyses during the Phase II, such conditions must be reported to |
| | | NJDEP by the current site owner or responsible party and additional site investigation, reporting, and potential |
| | | remediation may be required. |
| | | L., |
| | | Whitestone understands that the NJDEP case currently assigned to the Property is active and that groundwater |
| | | monitoring and remediation currently is being performed by Getty Properties Corporation (former site owner |
| | | and responsible party). The responsible party should provide copies of all monitoring results for review and |
| | | continue monitoring and remediation activities as required by NJDEP to achieve closure. Reliance or verification |
| | | should be obtained to ensure that the responsible party will continue management of environmental liabilities |
| | | associated with contaminated soil and groundwater at the Property subsequent to property transfer. |
| | Business Environmental Risks | Recommendations |
| 1 | Former Clean Machine Dry Cleaners site (Facility I.D. No. 37183; Program Interest No. G000039347; CEA Case | Ongoing groundwater monitoring and NJDEP reporting activities associated with the CEA are being managed |
| 1 | Track No. 71023) located at 200 White Horse Pike borders the Property to the west. A Classification exception | by Pathmark Stores, Inc., the current responsible party. |
| | Area (CEA) for tetrachloroethylene (PCE) and trichloroethylene (TCE) contamination above NJDEP in | |
| | groundwater was established for this property on 2/1/02. | |
| | Browniance: The established for this property on 2, 2, 02 | |
| | 1 | I . |

Property Existing Pathmark Supermarket & Retail Stores

92-10 Atlantic Avenue, Ozone Park, Queens County, New York

Firm Whitestone Associates, Inc.

Report Type Phase I Report Date 11-Oct-07 Project Number WJ07-9912

| | Recognized Environmental Conditions | Opinion |
|---|--|--|
| 1 | The Property was historically occupied by LaLance and Grosjean Manufacturing Co. (a manufacturer of nickel, steel and agate ware) between at least 1901 and early 1950s. The western portion of the site historically was occupied by Hussey Williams Co., Inc. (a machine manufacturing and millworking company) between 1950 and early 1980s. The eastern portion of the site historically was occupied by Electro Products Manufacturing between 1960 and the early 1980s. In addition, a dry cleaning facility historically was located at the Property. These former site operations likely included the on-site storage and use of hazardous materials and/or generation of hazardous wastes. These wastes also may have been stored in ASTs and/or USTs. Historic | The REC may present a significant threat of future liability, impact premium costs, or impose a significant time delay to the implementation of the proposed site use and/or future redevelopment. A Phase II including soil and groundwater sampling and analysis and a ground penetration radar (GPR) survey should be conducted to determine if historic site operations have adversely impacted subsurface soil and/or groundwater conditions at the site and to document if USTs remain on site. |
| | discharges may have resulted in residual subsurface contamination. In addition, USTs may remain abandoned on site. | Recommendations |

Report Type Report Date Project Number Phase II 18-Jan-08 WJ07-9912

| | | 5 1 10 PV | |
|---|---|--|---|
| ŀ | | Environmental Conditions | |
| Ŀ | 1 | See above | |
| | | Conclusions | Recommendations |
| : | 1 | The GPR survey conducted at the subject site did not detect subsurface anomalies that would be indicative of a UST. | NAP |
| | 2 | The PCB Aroclor-1260 was detected in soil sample B-7 at a concentration exceeding NYSDEC's most stringent RPSCO, however, this most stringent soil cleanup objective is based on NYSDEC's unrestricted use criteria. The contaminant concentration is below the allowable NYSDEC criteria for commercial properties. | As the site is intended for continued commercial/retail use, this PCB detection would not warrant further remediation if left in place, however, may require further investigation if reported to NYSDEC. Since the minor PCB detection does not appear to have resulted from a past or ongoing contaminant discharge or release, and appears to be from a historic fill condition, reporting to NYSDEC should not be required. Whitestone recommends discussing the issue of reporting such compliant, low-level contamination with environmental legal counsel. |
| | 3 | Fill material was encountered throughout the subject site. Laboratory results confirmed select SVO constituents and metals in on-site fill material at concentrations exceeding select NYSDEC criteria. | These contaminants are typical of historic urban fill and generally would not require corrective action if left in place . Since the metals and SVO detections do not appear to have resulted from a past or ongoing contaminant discharge or release, and appear to be from a historic fill condition, reporting to NYSDEC should not be required . Whitestone recommends discussing the issue of reporting such contamination with environmental legal counsel. |
| - | 4 | Groundwater was not encountered on site to a maximum depth of 32.0 fbgs during Whitestone's Phase II activities. Accordingly, groundwater is not suspected to have been impacted by former site operations and would not be anticipated to be encountered during potential future redevelopment activities. | NAP |

Property Existing Pathmark Supermarket

4055 Merrick Road, Seaford, Town of Hempstead, Nassau County, NY

Firm Whitestone Associates, Inc.

Report Type Phase I Report Date 4-Oct-07 Project Number WJ07-9918

| | Recognized Environmental Conditions | Opinion |
|---|-------------------------------------|---------|
| 1 | None | NAP |

Property Existing Pathmark Supermarket

421 South 69th Street, Upper Darby, Delaware County, PA

Firm Whitestone Associates, Inc.

Report Type Phase I Report Date 5-Oct-07 Project Number WP07-9926

| | Recognized Environmental Conditions | Opinion |
|---|---|---|
| 1 | Discussions with an Upper Darby Township representative revealed that the western portion of the Property historically was utilized as a municipal waste landfill by Upper Darby Township in the 1940s. | The REC will impact future redevelopment activities. Subsurface soil and groundwater sampling and a geophysical survey should be conducted at the site to identify potential impacts to subsurface conditions |
| | | resulting from historic operations as a landfill. Recommendations |
| | | If contamination is documented, PADEP must be notified, and additional site characterization, analyses, reporting, and potential remediation will be required. |

Property Existing Pathmark Supermarket

3901 Lancaster Pike, Wilmington, New Castle County, DE

Firm Whitestone Associates, Inc.

Report Type Phase I

Report Date 9-Oct-07 **Project Number** WP07-9924

| | Recognized Environmental Conditions | Opinion |
|---|---|--|
| 1 | The site was occupied by a portion of a greenhouse and gardening facility identified as J. Elmer Betty & Sons | The REC may impact any future site redevelopment plans. A Phase II including a geophysical survey to identify |
| | between prior to 1942 until the late 1960s or early 1970s. The historic use of pesticides, herbicides, spray oil, | USTs and the installation of soil borings for the collection of soil and groundwater samples for analyses should |
| | and other assorted chemical applicants likely occurred throughout the site. Impacts to surficial and subsurface | be completed to evaluate subsurface conditions. |
| | site soils may have occurred. | |
| | | Recommendations |
| | | |

Property Existing Pathmark Supermarket

1764 Grand Avenue, Baldwin, Town of Hempstead, Nassau County, NY

Firm Whitestone Associates, Inc.

Report Type Phase I
Report Date 4-Oct-07
Project Number WJ07-99214

| | Recognized Environmental Conditions | Opinion |
|---|--|---|
| 1 | An unidentified manhole in a concrete pad was observed to the south of the supermarket building. Information | The REC is not likeley to present a significant threat of future liability or potential premium cost or time delay |
| | regarding the nature of this manhole could not be obtained by Whitestone. | to impleemnt the porposed site use or future redevelopment. |
| | | |
| | | Recommendations |
| | | Information regarding the nature of the unidentified manhole should be obtained from the site owner. In the |
| | | event this information cannot be obtained, additional investigation should be conducted. |
| | | |

APPENDIX D PROFESSIONAL QUALIFICATIONS



SUMMARY OF EXPERIENCE

Mr. Deemer is a Staff Scientist. He completed his Bachelor's degree in Environmental Science in 2004.

Mr. Deemer has conducted over 30 Phase I Environmental Site Assessments and over 25 NEPA site screening assessments in accordance with ASTM standards and the National Environmental Policy Act (NEPA).

RELEVANT PROJECT EXPERIENCE

Mr. Deemer has also conducted preliminary field investigations, soil sampling, well sampling, asbestos sampling, asbestos and mold remediation oversight, and has prepared Phase I and NEPA site screening compliance reports for a variety of properties located in West Virginia, Ohio, and Pennsylvania. These properties have included telecommunications, municipal, residential, commercial, agricultural, and retail properties. These assessments have been performed to evaluate potential liabilities, site conditions, and site remediation costs in order to advise prospective buyers, current operators, and owners of telecommunication facilities of potential and existing environmental concerns.

Mr. Deemer worked in the environmental consulting field since the completion of Bachelors Degree. During that period, he conducted asbestos building inspections, provided air monitoring services, and provided project health and safety oversight. Other duties performed included data collection and analysis.

EDUCATION

BS Environmental Science - Allegheny College, Meadville Pennsylvania

TECHNICAL/PROFESSIONAL CERTIFICATIONS

NIOSH 582 for Asbestos Fiber Counting - Duquesne, PA

Pennsylvania Asbestos Building Inspector - Duquesne, PA

OSHA 40hr HAZWOPER Initial - Duguesne, PA



Stephanie W. Trueb

Program Manager 21 B Street Burlington, MA 01803 Office: 803.412.7823

SUMMARY OF EXPERIENCE

Stephanie W. Trueb, EIT, is a Program Manager with over 14 years of experience specializing in environmental site assessments and property condition assessments. In addition, Ms. Trueb has experience conducting subsurface investigations, including groundwater sampling, conducting file reviews and extensive environmental research, and performing asbestos and lead paint assessments and sampling. Ms. Trueb has over 7 years of experience as an in-house technical consultant for a high-volume corporate client and performing technical reviews of environmental site assessments. Ms Trueb also has over 4 years experience performing technical reviews of property condition screening reports.

Ms. Trueb has conducted over 400 environmental and property condition site-acquisition assessments/due diligence assignments for a wide range of properties throughout the United States to evaluate site and building conditions, potential off-site liabilities, environmental control systems, and site remediation costs. The assessments are provided in order to advise prospective buyers, current operators, and owners of potential and existing property condition and environmental concerns.

RELEVANT PROJECT EXPERIENCE

Manage the technical review and completion of environmental due diligence reports and client management for property owners and financial institutions for portfolios and individual projects throughout the country. Property types included industrial, retail, multifamily apartment, office buildings and large-scale commercial developments.

Program Manager and in-house technical consultant, 1998-2004, for high-volume client. Managed client account by coordinating all communication, tracking status of client projects, and providing technical consulting services.

EDUCATION

Bachelor of Civil Engineering, Auburn University, 1996

PROFESSIONAL AFFILIATIONS & REGISTRATIONS

American Society of Civil Engineers AHERA Building Inspector, certified 1996

SUMMARY OF EXPERIENCE

Mr. MacAulay has several years experience in naval nuclear power plant operations, including health and safety programs, and environmental site assessment experience. Experience includes management of routine power plant operations to completion of extensive engines room and reactor plant overhauls under stringent health and safety procedures. He successfully supervised over 20 personnel in daily preventative maintenance of mechanical, electrical and electronic systems as well as casualty repairs. Successfully managed over 150 maintenance intensive projects from origin to completion.

At EBI, Mr. MacAulay specializes in servicing and managing existing accounts in Real Estate/Financial Services Program.

RELEVANT PROJECT EXPERIENCE

Power Plant Operation: In a heavy industrial environment trained personnel on all safety requirements and propulsion plant procedures and ensured compliance. Evaluated daily cleanliness, mechanical condition and current maintenance activities of a nuclear power plant. Directed the daily chemical controls of the most complex naval nuclear power plant. Controlled the discharge and containment of radioactive liquid and handling of radioactive materials.

EDUCATION

B.A. Physics, College of the Holy Cross
Graduate of Naval Officer Candidate School
Graduate of Naval Nuclear Power School
Graduate of Naval Nuclear Prototype
Graduate of the Army Chemical, Biological, and Radiological School

PROFESSIONAL AFFILIATIONS

Member of the Retired Officers Association Member of Veterans Affairs Organization Member of the Mortgage Bankers Association

APPENDIX E REGULATORY DATABASE REPORT



Pathmark Supermarket 410 W 207th St New York, NY 10034

Inquiry Number: 02874993.2r

September 21, 2010

The EDR Radius Map™ Report with GeoCheck®




TABLE OF CONTENTS

| SECTION | PAGE |
|--|----------|
| Executive Summary | ES1 |
| Overview Map. | 2 |
| Detail Map. | |
| Map Findings Summary. | 4 |
| Map Findings | 7 |
| Orphan Summary | 698 |
| Government Records Searched/Data Currency Tracking | GR-1 |
| GEOCHECK ADDENDUM | |
| Physical Setting Source Addendum | A-1 |
| Physical Setting Source Summary | A-2 |
| Physical Setting Source Map | A-7 |
| Physical Setting Source Map Findings | A-8 |
| Physical Setting Source Records Searched | A-13 |

Thank you for your business.Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

410 W 207TH ST NEW YORK, NY 10034

COORDINATES

Latitude (North): 40.863900 - 40° 51' 50.0" Longitude (West): 73.917500 - 73° 55' 3.0"

Universal Tranverse Mercator: Zone 18 UTM X (Meters): 591230.2 UTM Y (Meters): 4524001.0

Elevation: 19 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-G8 CENTRAL PARK, NY

Most Recent Revision: 1995

North Map: 40073-H8 YONKERS, NJ

Most Recent Revision: 1998

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 2006, 2008 Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

Proposed NPL..... Proposed National Priority List Sites

NPL LIENS..... Federal Superfund Liens Federal Delisted NPL site list Delisted NPL..... National Priority List Deletions Federal CERCLIS list CERCLIS....... Comprehensive Environmental Response, Compensation, and Liability Information System FEDERAL FACILITY....... Federal Facility Site Information listing Federal CERCLIS NFRAP site List CERC-NFRAP..... CERCLIS No Further Remedial Action Planned Federal RCRA CORRACTS facilities list CORRACTS...... Corrective Action Report Federal RCRA non-CORRACTS TSD facilities list RCRA-TSDF...... RCRA - Treatment, Storage and Disposal Federal institutional controls / engineering controls registries US ENG CONTROLS..... Engineering Controls Sites List US INST CONTROL..... Sites with Institutional Controls State- and tribal - equivalent CERCLIS Inactive Hazardous Waste Disposal Sites in New York State VAPOR REOPENED...... Vapor Intrustion Legacy Site List State and tribal landfill and/or solid waste disposal site lists SWF/LF..... Facility Register State and tribal leaking storage tank lists INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land State and tribal registered storage tank lists CBS UST...... Chemical Bulk Storage Database MOSF UST..... Major Oil Storage Facilities Database CBS AST...... Chemical Bulk Storage Database MOSF AST..... Major Oil Storage Facilities Database CBS..... Chemical Bulk Storage Site Listing MOSF..... Major Oil Storage Facility Site Listing INDIAN UST...... Underground Storage Tanks on Indian Land FEMA UST..... Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Registry of Engineering Controls

State and tribal voluntary cleanup sites

VCP....... Voluntary Cleanup Agreements INDIAN VCP...... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

ERP...... Environmental Restoration Program Listing

BROWNFIELDS..... Brownfields Site List

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

SWTIRE...... Registered Waste Tire Storage & Facility List

SWRCY...... Registered Recycling Facility List

INDIAN ODI...... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL...... Clandestine Drug Labs DEL SHWS...... Delisted Registry Sites

US HIST CDL...... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

HIST AST..... Historical Petroleum Bulk Storage Database

Local Land Records

LIENS 2..... CERCLA Lien Information

LUCIS_____Land Use Control Information System

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

TRIS...... Toxic Chemical Release Inventory System

TSCA..... Toxic Substances Control Act

Act)/TSCA (Toxic Substances Control Act)

HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing

SSTS..... Section 7 Tracking Systems

ICIS...... Integrated Compliance Information System

AIRS_____ Air Emissions Data

E DESIGNATION..... E DESIGNATION SITE LISTING

INDIAN RESERV..... Indian Reservations

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing COAL ASH EPA...... Coal Combustion Residues Surface Impoundments List

PCB TRANSFORMER....... PCB Transformer Registration Database COAL ASH DOE....... Sleam-Electric Plan Operation Data FINANCIAL ASSURANCE.... Financial Assurance Information Listing

COAL ASH..... Coal Ash Disposal Site Listing

EDR PROPRIETARY RECORDS

EDR Proprietary Records

EDR Historical Auto Stations... EDR Proprietary Historic Gas Stations EDR Historical Cleaners...... EDR Proprietary Historic Dry Cleaners

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in bold italics are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and

identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 03/31/2010 has revealed that there is 1 NPL site within approximately 2 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|------------------------|----------------------|-------------------------|--------|------|
| HUDSON RIVER PCBS | NO STREET APPLICABLE | WNW 1/2 - 1 (0.808 mi.) | 0 | 7 |

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 02/17/2010 has revealed that there is 1 RCRA-LQG site within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|------------------------|------------------|-------------------------|--------|------|
| NYCT-207TH STREET YARD | 3961 10TH AVENUE | N 1/8 - 1/4 (0.234 mi.) | Q125 | 443 |

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/17/2010 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|------------------------|----------------|--------------------------|--------|------|
| DESCARTES DRY CLEANERS | 527 W 207TH ST | NW 1/8 - 1/4 (0.142 mi.) | J51 | 229 |

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are 3 RCRA-CESQG sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--------------------------------|-------------------|-----------------------------|--------|------|
| B P PRODUCTS NORTH AMERICA INC | 3936 10TH AVE | N 1/8 - 1/4 (0.193 mi.) | Q89 | 352 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| NYCTA - 9TH AVE UNIT SHOP | 3884 NINTH AVENUE | E 0 - 1/8 (0.029 mi.) | A12 | 56 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|-----------------|------------------|-------------------------|--------|------|
| CON EDISON | W 205 ST & 9 AVE | SSW 0 - 1/8 (0.107 mi.) | B34 | 121 |

Federal ERNS list

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 07/09/2010 has revealed that there is 1 ERNS site within approximately 0.125 miles of the target property.

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|-------------------------|-------------------------|-------------------------|--------|------|
| WEST 205 ST. & 9TH AVE. | WEST 205 ST. & 9TH AVE. | SSW 0 - 1/8 (0.107 mi.) | B33 | 121 |

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 05/24/2010 has revealed that there are 60 LTANKS sites within approximately 0.5 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|----------------------------------|--|--------------|------------|
| 3852-6 10TH AVE/RAMIERO Date Closed: 12/31/1991 | 3852-6 10TH AVE | W 0 - 1/8 (0.104 mi.) | F22 | 94 |
| BUSINESS Date Closed: 3/15/2006 | 513 WEST 207TH STREET | WNW 0 - 1/8 (0.118 mi.) | D40 | 139 |
| COMMERCIAL BLDG Date Closed: 8/16/2006 | 513 W. 207TH ST. | WNW 0 - 1/8 (0.118 mi.) | D42 | 144 |
| 101-109 POST AVE/MANHATTA Date Closed: 2/23/1989 | 101-109 POST AVENUE | W 1/8 - 1/4 (0.196 mi.) | R93 | 369 |
| 204 SHERMAN AVE Date Closed: 11/2/1992 | 204 SHERMAN AVE | WNW 1/8 - 1/4 (0.210 mi.) | P106 | 394 |
| DERMOT COMPANY Date Closed: 12/16/2008 | 87 POST AVE | W 1/8 - 1/4 (0.222 mi.) | R118 | 428 |
| NYC TRANSIT 3961 TENTH AVE Date Closed: 11/20/2003 | 3961 TENTH AVE 3961 TENTH AVE | N 1/8 - 1/4 (0.238 mi.) N 1/8 - 1/4 (0.239 mi.) | Q130 U131 | 493 496 |
| 3961 TENTH AVE/SHELL SERV Date Closed: 6/27/1995 | 3961 TENTH AVE | N 1/8 - 1/4 (0.239 mi.) | U132 | 499 |
| 65 POST AVENUE Date Closed: 12/16/1994 | 65 POST AVENUE | W 1/4 - 1/2 (0.266 mi.) | W142 | 548 |
| 4960 BROADWAY Date Closed: 10/14/2004 | 4960 BROADWAY | NNW 1/4 - 1/2 (0.318 mi.) | 146 | 565 |
| 85-87 VERMILIA ST/MANH Date Closed: 12/11/1990 | 85-87 VERMILIA STREET | WNW 1/4 - 1/2 (0.320 mi.) | Y147 | 568 |

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|---|--|---------------------------------|---------------------------------|
| 85-87 VERMILYEA AVE Date Closed: 6/11/1993 | 85-87 VERMILYEA AVE | WNW 1/4 - 1/2 (0.321 mi.) | Y148 | 570 |
| GASETERIA Date Closed: 7/26/2007 | 296 WEST FORDHAM ROAD | ESE 1/4 - 1/2 (0.334 mi.) | Z149 | 573 |
| MOBIL S/S Date Closed: 2/9/1998 | 296 WEST FORDHAM ROAD. | ESE 1/4 - 1/2 (0.334 mi.) | Z150 | 576 |
| MOBIL S/S Date Closed: 12/5/2003 | 296 WEST FORDHAM ROAD | ESE 1/4 - 1/2 (0.334 mi.) | Z151 | 578 |
| BROADWAY Date Closed: 11/12/2003 | 207 TH ST | NW 1/4 - 1/2 (0.337 mi.) | AA152 | 581 |
| THE DERMOT COMPANY Date Closed: 2/13/2009 | 623-631 WEST 207TH ST | NW 1/4 - 1/2 (0.363 mi.) | AA154 | 589 |
| GETTY - MAN Date Closed: 7/29/1994 | 4880 BROADWAY | NW 1/4 - 1/2 (0.364 mi.) | AB155 | 591 |
| 4880 BROADWAY/MANH/GETTY Date Closed: 7/16/1992 | 4880 BROADWAY | NW 1/4 - 1/2 (0.364 mi.) | AB156 | 593 |
| 2269 HAMPDEN PLACE Date Closed: 4/4/2003 | 2269 HAMPDEN PLACE | ESE 1/4 - 1/2 (0.380 mi.) | Z158 | 596 |
| GOOD SHEPARD SCHOOL Date Closed: 7/31/1997 | 608 ISHAM ST | NNW 1/4 - 1/2 (0.381 mi.) | AD159 | 598 |
| 608 ISHAM STREET Date Closed: 11/9/2004 | 608 ISHAM STREET | NNW 1/4 - 1/2 (0.381 mi.) | AD160 | 600 |
| 608 ISHAM STREET Date Closed: 12/22/2004 | 608 ISHAM STREET | NNW 1/4 - 1/2 (0.381 mi.) | AD161 | 602 |
| 4848 BROADWAY Date Closed: 1/15/2009 | 4848 BROADWAY | WNW 1/4 - 1/2 (0.386 mi.) | AB162 | 603 |
| RESIDENTIAL APT COMPLEX Date Closed: 4/26/2004 | 4861 BROADWAY | WNW 1/4 - 1/2 (0.387 mi.) | AB163 | 608 |
| 620 ISHAM STREET Date Closed: 9/29/1992 | 620 ISHAM STREET | NNW 1/4 - 1/2 (0.390 mi.) | AD164 | 611 |
| 677 WEST 204 Date Closed: 1/2/1998 | 677 WEST 204 | NW 1/4 - 1/2 (0.399 mi.) | AB166 | 616 |
| GASETERIA Date Closed: 12/8/2005 | 205 WEST FORDHAM ROAD | ESE 1/4 - 1/2 (0.413 mi.) | AC168 | 628 |
| BRONX COMMUNITY COLLEGE Date Closed: 9/1/2009 | WEST 181ST / UNIVERSI | SE 1/4 - 1/2 (0.427 mi.) | 173 | 644 |
| FAILED VACUM TEST THE DERMOT COMPANY 2445 SEDGWICK AVE Date Closed: 2/27/2003 | 4036 9TH AVE 121 SEAMAN AVE 2445 SEDGWICK AVE | NNE 1/4 - 1/2 (0.444 mi.) NW 1/4 - 1/2 (0.450 mi.) E 1/4 - 1/2 (0.456 mi.) | 175 176 177 | 648 651 652 |
| 65 PARK TERRACE WEST X Date Closed: 12/29/2005 | 65-67 PARK TERRACE EAST 45 PARK TERRACE WEST | N 1/4 - 1/2 (0.462 mi.) N 1/4 - 1/2 (0.465 mi.) | AG178 AH179 | 655 657 |
| NORTH EASTERN ACADEMY - TTF Date Closed: 7/17/2009 | 532 WEST 215TH ST | N 1/4 - 1/2 (0.467 mi.) | AH180 | 658 |
| 5080 BROADWAY OPERATING CORP Date Closed: 2/12/2003 | 5080 BROADWAY | NNE 1/4 - 1/2 (0.467 mi.) | AI181 | 659 |

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--|---|---|-------------------|-------------------|
| KINGS BRIDGE BUS DEPO Date Closed: 1/30/2004 | 4056 10TH AVE | NNE 1/4 - 1/2 (0.468 mi.) | AI182 | 677 |
| 70 PARK TERR EAST Date Closed: 2/4/2004 | 70 PARK TERR EAST | N 1/4 - 1/2 (0.490 mi.) | AG183 | 683 |
| FORHDHAM HILL Date Closed: 5/18/2007 | 1 FORDHAM HILL OVAL | E 1/4 - 1/2 (0.493 mi.) | 184 | 686 |
| INSIGNEA Date Closed: 6/16/2003 | 75-77 PARK TERRACE EAST | N 1/4 - 1/2 (0.494 mi.) | AG185 | 687 |
| Not reported Date Closed: 5/27/2003 | 75 PARK TERRACE EAST | N 1/4 - 1/2 (0.494 mi.) | AG186 | 689 |
| ECR REALTY Date Closed: 5/6/2005 | 2326 LORING PLACE | ESE 1/4 - 1/2 (0.497 mi.) | 187 | 691 |
| Not reported Date Closed: 7/19/2002 | 68-76 THAYER ST | W 1/4 - 1/2 (0.498 mi.) | 188 | 694 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| MERIT SERVICE STATION Date Closed: 6/30/2004 | 401 WEST 207TH STREET | ESE 0 - 1/8 (0.028 mi.) | A6 | 37 |
| 333 EAST 206TH ST./ST. BR Date Closed: 7/26/1993 | 333 EAST 206TH ST. | SSE 0 - 1/8 (0.095 mi.) | B18 | 83 |
| HARLEM RIVER FACILITY Date Closed: 12/18/2007 | 300 206 STREET | SSE 0 - 1/8 (0.115 mi.) | G38 | 131 |
| DYCKMAN Date Closed: 3/24/2004 Date Closed: 4/25/1995 *Additional key fields are available in the M | 3798 TENTH AVENUE Map Findings section | WSW 1/8 - 1/4 (0.171 mi.) | L66 | 279 |
| 518 WEST 204TH ST DYCKMAN HOUSES Date Closed: 11/17/1994 | 518 WEST 204TH 3790 10TH AVENUE | WSW 1/8 - 1/4 (0.174 mi.) SW 1/8 - 1/4 (0.200 mi.) | L72 097 | 297 377 |
| 296 WEST FORDHAM ROAD./ B Date Closed: 1/1/1991 | MOBIL OIL | ESE 1/8 - 1/4 (0.225 mi.) | 119 | 429 |
| DYCKMAN Date Closed: 7/7/1993 Date Closed: 3/27/1991 | 215 NAGLE AVENUE | WSW 1/4 - 1/2 (0.298 mi.) | X144 | 557 |
| DYCKMAN HOUSES Date Closed: 3/24/2004 | 215 NAGLE AVENUE | WSW 1/4 - 1/2 (0.309 mi.) | X145 | 562 |
| IN STREET Date Closed: 1/29/1997 | 182 NAGLE AVE | WSW 1/4 - 1/2 (0.397 mi.) | AE165 | 613 |
| BRONX WEST 08 DOS -DDC Date Closed: 5/13/2009 | 423 WEST 215TH STREET | NE 1/4 - 1/2 (0.412 mi.) | AF167 | 622 |
| 33 VERMILYEA AVE/MANH Date Closed: 2/21/1995 Date Closed: 3/1/2005 | 33 VERMILYEA AVENUE | W 1/4 - 1/2 (0.413 mi.) | 169 | 630 |
| DEPT OF SANITATION Date Closed: 1/6/2005 | 301 W 215H ST | NE 1/4 - 1/2 (0.416 mi.) | AF170 | 637 |
| DOS MANHATTAN W.12 GARAGE Date Closed: 10/26/1998 | 301 WEST 215TH ST. | NE 1/4 - 1/2 (0.416 mi.) | AF171 | 640 |
| | | | | |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|------------------------|---------------------------|--------|------|
| SANITATION GARGE Date Closed: 8/21/2008 | 301 WEST 215TH STREET | NE 1/4 - 1/2 (0.417 mi.) | AF172 | 643 |
| 189-02 HILLSIDE AV/EXXON Date Closed: 8/11/1993 | 189-02 HILLSIDE AVENUE | WSW 1/4 - 1/2 (0.434 mi.) | AE174 | 645 |

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 42 HIST LTANKS sites within approximately 0.5 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--|-------------------------|---------------------------|--------------|------|
| 3852-6 10TH AVE/RAMIERO Date Closed: 12/31/91 | 3852-6 10TH AVE | W 0 - 1/8 (0.104 mi.) | F22 | 94 |
| 101-109 POST AVE/MANHATTA Date Closed: 02/23/89 | 101-109 POST AVENUE | W 1/8 - 1/4 (0.196 mi.) | R93 | 369 |
| 204 SHERMAN AVE Date Closed: 11/02/92 | 204 SHERMAN AVE | WNW 1/8 - 1/4 (0.210 mi.) | P106 | 394 |
| NYC TRANSIT Date Closed: / / | 3961 TENTH AVE | N 1/8 - 1/4 (0.238 mi.) | Q130 | 493 |
| 3961 TENTH AVE Date Closed: / / | 3961 TENTH AVE | N 1/8 - 1/4 (0.239 mi.) | U131 | 496 |
| 3961 TENTH AVE/SHELL SERV Date Closed: 06/27/95 | 3961 TENTH AVE | N 1/8 - 1/4 (0.239 mi.) | U132 | 499 |
| 65 POST AVENUE Date Closed: 12/16/94 | 65 POST AVENUE | W 1/4 - 1/2 (0.266 mi.) | W142 | 548 |
| 4960 BROADWAY Date Closed: / / | 4960 BROADWAY | NNW 1/4 - 1/2 (0.318 mi.) | 146 | 565 |
| 85-87 VERMILIA ST/MANH Date Closed: 12/11/90 | 85-87 VERMILIA STREET | WNW 1/4 - 1/2 (0.320 mi.) | Y147 | 568 |
| 85-87 VERMILYEA AVE Date Closed: 06/11/93 | 85-87 VERMILYEA AVE | WNW 1/4 - 1/2 (0.321 mi.) | Y148 | 570 |
| MOBIL S/S Date Closed: 02/09/98 | 296 WEST FORDHAM ROAD. | ESE 1/4 - 1/2 (0.334 mi.) | Z 150 | 576 |
| MOBIL S/S Date Closed: / / | 296 WEST FORDHAM ROAD | ESE 1/4 - 1/2 (0.334 mi.) | Z151 | 578 |
| BROADWAY Date Closed: / / | 207 TH ST | NW 1/4 - 1/2 (0.337 mi.) | AA152 | 581 |
| GETTY PETROLEUM CORP Date Closed: / / | 4880 BROADWAY & 204TH S | NW 1/4 - 1/2 (0.362 mi.) | AB153 | 584 |
| GETTY - MAN Date Closed: 07/29/94 | 4880 BROADWAY | NW 1/4 - 1/2 (0.364 mi.) | AB155 | 591 |
| 4880 BROADWAY/MANH/GETTY Date Closed: 07/16/92 | 4880 BROADWAY | NW 1/4 - 1/2 (0.364 mi.) | AB156 | 593 |

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|--|---|--|--|
| GOOD SHEPARD SCHOOL Date Closed: 07/31/97 | 608 ISHAM ST | NNW 1/4 - 1/2 (0.381 mi.) | AD159 | 598 |
| RESIDENTIAL APT COMPLEX Date Closed: / / | 4861 BROADWAY | WNW 1/4 - 1/2 (0.387 mi.) | AB163 | 608 |
| 620 ISHAM STREET Date Closed: 09/29/92 | 620 ISHAM STREET | NNW 1/4 - 1/2 (0.390 mi.) | AD164 | 611 |
| 677 WEST 204 Date Closed: 01/02/98 | 677 WEST 204 | NW 1/4 - 1/2 (0.399 mi.) | AB166 | 616 |
| FAILED VACUM TEST Date Closed: / / | 4036 9TH AVE | NNE 1/4 - 1/2 (0.444 mi.) | 175 | 648 |
| 2445 SEDGWICK AVE Date Closed: / / | 2445 SEDGWICK AVE | E 1/4 - 1/2 (0.456 mi.) | 177 | 652 |
| 5080 BROADWAY OPERATING CORP Date Closed: / / | 5080 BROADWAY | NNE 1/4 - 1/2 (0.467 mi.) | AI181 | 659 |
| KINGS BRIDGE BUS DEPO Date Closed: / / | 4056 10TH AVE | NNE 1/4 - 1/2 (0.468 mi.) | AI182 | 677 |
| 70 PARK TERR EAST Date Closed: / / | 70 PARK TERR EAST | N 1/4 - 1/2 (0.490 mi.) | AG183 | 683 |
| Not reported Date Closed: / / | 75 PARK TERRACE EAST | N 1/4 - 1/2 (0.494 mi.) | AG186 | 689 |
| ECR REALTY Date Closed: / / | 2326 LORING PLACE | ESE 1/4 - 1/2 (0.497 mi.) | 187 | 691 |
| | | | | |
| Not reported Date Closed: / / | 68-76 THAYER ST | W 1/4 - 1/2 (0.498 mi.) | 188 | 694 |
| • | Address | W 1/4 - 1/2 (0.498 mi.) Direction / Distance | 188 <u>Map I</u> D | 694 Page |
| Date Closed: / / | | , , | | |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION | Address | Direction / Distance | Map ID | Page |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION Date Closed: / / 333 EAST 206TH ST./ST. BR | Address 401 WEST 207TH STREET | Direction / Distance ESE 0 - 1/8 (0.028 mi.) | Map ID | Page |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION Date Closed: / / 333 EAST 206TH ST./ST. BR Date Closed: 07/26/93 HARLEM RIVER FACILITY | Address 401 WEST 207TH STREET 333 EAST 206TH ST. 300 206 STREET 3798 TENTH AVENUE | Direction / Distance ESE 0 - 1/8 (0.028 mi.) SSE 0 - 1/8 (0.095 mi.) | Map ID A6 B18 G38 | Page 37 83 |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION Date Closed: / / 333 EAST 206TH ST./ST. BR Date Closed: 07/26/93 HARLEM RIVER FACILITY Date Closed: / / DYCKMAN Date Closed: 04/25/95 Date Closed: 04/25/95 | Address 401 WEST 207TH STREET 333 EAST 206TH ST. 300 206 STREET 3798 TENTH AVENUE | Direction / Distance ESE 0 - 1/8 (0.028 mi.) SSE 0 - 1/8 (0.095 mi.) SSE 0 - 1/8 (0.115 mi.) | Map ID A6 B18 G38 | Page 37 83 131 |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION Date Closed: / / 333 EAST 206TH ST./ST. BR Date Closed: 07/26/93 HARLEM RIVER FACILITY Date Closed: / / DYCKMAN Date Closed: 04/25/95 Date Closed: 04/25/95 *Additional key fields are available in the independent of the second content of the second | Address 401 WEST 207TH STREET 333 EAST 206TH ST. 300 206 STREET 3798 TENTH AVENUE Map Findings section | Direction / Distance ESE 0 - 1/8 (0.028 mi.) SSE 0 - 1/8 (0.095 mi.) SSE 0 - 1/8 (0.115 mi.) WSW 1/8 - 1/4 (0.171 mi.) | Map ID A6 B18 G38 L66 | Page 37 83 131 279 |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION Date Closed: / / 333 EAST 206TH ST./ST. BR Date Closed: 07/26/93 HARLEM RIVER FACILITY Date Closed: / / DYCKMAN Date Closed: 04/25/95 Date Closed: 04/25/95 *Additional key fields are available in the in the closed: 11/17/94 296 WEST FORDHAM ROAD./ B | Address 401 WEST 207TH STREET 333 EAST 206TH ST. 300 206 STREET 3798 TENTH AVENUE Map Findings section 3790 10TH AVENUE | Direction / Distance ESE 0 - 1/8 (0.028 mi.) SSE 0 - 1/8 (0.095 mi.) SSE 0 - 1/8 (0.115 mi.) WSW 1/8 - 1/4 (0.171 mi.) SW 1/8 - 1/4 (0.200 mi.) | Map ID A6 B18 G38 L66 | Page 37 83 131 279 |
| Date Closed: / / Lower Elevation MERIT SERVICE STATION Date Closed: / / 333 EAST 206TH ST./ST. BR Date Closed: 07/26/93 HARLEM RIVER FACILITY Date Closed: / / DYCKMAN Date Closed: 04/25/95 Date Closed: 04/25/95 *Additional key fields are available in the in the closed: 11/17/94 296 WEST FORDHAM ROAD./ B Date Closed: 01/01/91 204TH STREET AND ACADEMY | Address 401 WEST 207TH STREET 333 EAST 206TH ST. 300 206 STREET 3798 TENTH AVENUE Map Findings section 3790 10TH AVENUE MOBIL OIL | Direction / Distance ESE 0 - 1/8 (0.028 mi.) SSE 0 - 1/8 (0.095 mi.) SSE 0 - 1/8 (0.115 mi.) WSW 1/8 - 1/4 (0.171 mi.) SW 1/8 - 1/4 (0.200 mi.) ESE 1/8 - 1/4 (0.225 mi.) | Map ID A6 B18 G38 L66 O97 119 143 | Page 37 83 131 279 377 429 |

| Lower Elevation | Address | Direction / Distance | Map ID | Page |
|---|------------------------|-----------------------------|--------|------|
| IN STREET Date Closed: 01/29/97 | 182 NAGLE AVE | WSW 1/4 - 1/2 (0.397 mi.) | AE165 | 613 |
| 33 VERMILYEA AVE/MANH Date Closed: 02/21/95 | 33 VERMILYEA AVENUE | W 1/4 - 1/2 (0.413 mi.) | 169 | 630 |
| DEPT OF SANITATION Date Closed: / / | 301 W 215H ST | NE 1/4 - 1/2 (0.416 mi.) | AF170 | 637 |
| DOS MANHATTAN W.12 GARAGE Date Closed: 10/26/98 | 301 WEST 215TH ST. | NE 1/4 - 1/2 (0.416 mi.) | AF171 | 640 |
| 189-02 HILLSIDE AV/EXXON Date Closed: 08/11/93 | 189-02 HILLSIDE AVENUE | WSW 1/4 - 1/2 (0.434 mi.) | AE174 | 645 |

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 06/17/2010 has revealed that there are 13 UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--------------------------------|-------------------------|---------------------------|--------|------|
| AUDUBON PARTNERSHIP | 513 WEST 207TH STREET | WNW 0 - 1/8 (0.118 mi.) | D41 | 141 |
| SHERMAN 232, LLC | 232 SHERMAN AVE | NW 1/8 - 1/4 (0.185 mi.) | J84 | 331 |
| SHERMAN PETROLEUM, LLC | 3936 10TH AVENUE | N 1/8 - 1/4 (0.193 mi.) | Q88 | 344 |
| 541 ISHAM STREET | 541 ISHAM STREET | NNW 1/8 - 1/4 (0.206 mi.) | M104 | 390 |
| PS/IS 263M | 202 SHERMAN AVENUE | WNW 1/8 - 1/4 (0.213 mi.) | P109 | 404 |
| NYCTA 207TH STREET OVERHAUL SH | 3961 TENTH AVENUE | N 1/8 - 1/4 (0.234 mi.) | Q128 | 488 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| MANHATTAN BIBLE CHURCH INC | 401 W 205TH ST | SSW 0 - 1/8 (0.106 mi.) | B27 | 108 |
| HARLEM RIVER BRIDGES | 300 WEST 206TH STREET | SSE 0 - 1/8 (0.113 mi.) | G36 | 123 |
| MERIT OIL CORP | 401 W 207TH ST & 9TH AV | NE 1/8 - 1/4 (0.128 mi.) | 47 | 153 |
| CHURCH OF ST. JUDE | 431 WEST 204TH STREET | SSW 1/8 - 1/4 (0.152 mi.) | E57 | 251 |
| BP TRIANGLE | 265 NAGLE AVENUE | WSW 1/8 - 1/4 (0.165 mi.) | L65 | 271 |
| DYCKMAN HOUSES | 3798 10TH AVENUE | WSW 1/8 - 1/4 (0.186 mi.) | O85 | 333 |
| NAGLE HOUSE INC | 240 NAGLE AVE | WSW 1/8 - 1/4 (0.230 mi.) | 121 | 434 |

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 06/17/2010 has revealed that there are 54 AST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|----------------------------|-----------------|---------------------------|------------|------|
| 3852-3856 10TH AVENUE | 3856 10TH AVE | W 0 - 1/8 (0.095 mi.) | D19 | 86 |
| 207 SHERMAN ASSOCIATE, LLC | 130 POST AVENUE | WNW 1/8 - 1/4 (0.132 mi.) | D49 | 223 |
| APARTMENT HOUSE | 125 POST AVE | WNW 1/8 - 1/4 (0.141 mi.) | <i>150</i> | 226 |
| H R S EQUITES | 512 ISHAM ST | NNW 1/8 - 1/4 (0.149 mi.) | H54 | 243 |

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--------------------------------|-------------------------|---|-------------|------|
| | | | | |
| ALGA REAL ESTATE CORP | 121 POST AVE | WNW 1/8 - 1/4 (0.150 mi.) | <i>155</i> | 247 |
| 118-128 POST AVENUE | 118-128 POST AVE | WNW 1/8 - 1/4 (0.155 mi.) | <i>1</i> 62 | 262 |
| 115-117-119 POST AVENUE | 115-117-119 POST AVENUE | WNW 1/8 - 1/4 (0.163 mi.) | l64 | 269 |
| 110 POST LLC | 110 POST AVENUE | W 1/8 - 1/4 (0.172 mi.) | 170 | 294 |
| CATELLO STRIANO | 250-252 SHERMAN AVENUE | NNW 1/8 - 1/4 (0.176 mi.) | M74 | 302 |
| 248 SHERMAN AVE | 248 SHERMAN AVE | NNW 1/8 - 1/4 (0.177 mi.) | M76 | 306 |
| 241-51 SHERMAN AVE | 241-51 SHERMAN AVE | NW 1/8 - 1/4 (0.177 mi.) | M77 | 310 |
| 521 ISHAM ST | 521 ISHAM ST | NNW 1/8 - 1/4 (0.178 mi.) | M78 | 313 |
| 272 SHERMAN AVENUE | 272 SHERMAN AVENUE | NNW 1/8 - 1/4 (0.180 mi.) | N79 | 316 |
| 276 SHERMAN AVENUE | 276 SHERMAN AVENUE | N 1/8 - 1/4 (0.182 mi.) | N81 | 323 |
| 231 SHERMAN AVE | 231 SHERMAN AVE | NW 1/8 - 1/4 (0.184 mi.) | J82 | 327 |
| 530 ISHAM STREET PARTNERS | 530 ISHAM STREET | NNW 1/8 - 1/4 (0.187 mi.) | M86 | 339 |
| 207 SHERMAN ASSOC. LLC | 221 SHERMAN AVENUE | NW 1/8 - 1/4 (0.193 mi.) | P87 | 342 |
| POST AVENUE ASSOCIATES | 101-109 POST AVENUE | W 1/8 - 1/4 (0.194 mi.) | R90 | 361 |
| ALDUS ST CORP | 100 POST AVENUE | W 1/8 - 1/4 (0.195 mi.) | R91 | 364 |
| 100 POST AVE | 100 POST AVE | W 1/8 - 1/4 (0.195 mi.) | R92 | 367 |
| 570 WEST 204, LLC | 570 WEST 204TH STREET | W 1/8 - 1/4 (0.199 mi.) | R95 | 373 |
| 536 REALTY CO. LLC | 536 ISHAM STREET | NNW 1/8 - 1/4 (0.200 mi.) | M98 | 380 |
| 536-44 ISHAM ST | 536-44 ISHAM ST | NNW 1/8 - 1/4 (0.200 mi.) | M100 | 383 |
| THE CAROLINE APARTMENTS | 210 SHERMAN AVE. | NW 1/8 - 1/4 (0.203 mi.) | P102 | 387 |
| 204 SHERMAN AVE | 204 SHERMAN AVE | WNW 1/8 - 1/4 (0.210 mi.) | | 394 |
| 204 SHERMAN AVENUE | 204 SHERMAN AVENUE | WNW 1/8 - 1/4 (0.210 mi.) | P107 | 399 |
| HN BALDWIN ISHAM LLC | 549 ISHAM STREET | NNW 1/8 - 1/4 (0.217 mi.) | N111 | 410 |
| 207 SHERMAN ASSOC., LLC. | 201-211 SHERMAN AVENUE | WNW 1/8 - 1/4 (0.218 mi.) | P115 | 419 |
| FREEWAY COMPANY, LLC | 546 ISHAM STREET | NNW 1/8 - 1/4 (0.222 mi.) | N116 | 421 |
| 87 POST AVENUE CORP. | 87 POST AVENUE | W 1/8 - 1/4 (0.222 mi.) | R117 | 424 |
| 204 REALTY HOLDINGS LLC | 590 W. 204TH ST. | WNW 1/8 - 1/4 (0.229 mi.) | T120 | 432 |
| NUE83 POST AVE | 83 POST AVENUE | W 1/8 - 1/4 (0.230 mi.) | R122 | 437 |
| 514 W. 211TH ST | 514 WEST 211TH STREET | N 1/8 - 1/4 (0.232 mi.) | Q123 | 439 |
| NYCTA 207TH STREET OVERHAUL SH | 3961 TENTH AVENUE | N 1/8 - 1/4 (0.234 mi.) | Q126 | 468 |
| 79 POST AVENUE | 79 POST AVENUE | W 1/8 - 1/4 (0.234 mi.) | R129 | 491 |
| 207 SHERMAN ASSOC., LLC. | 189-199 SHERMAN AVENUE | WNW 1/8 - 1/4 (0.242 mi.) | T133 | 501 |
| 526 WEST 211ST STREET | 526 WEST 211ST STREET | N 1/8 - 1/4 (0.246 mi.) | 136 | 518 |
| 75 PORT AVE | 75 POST AVENUE | W 1/8 - 1/4 (0.246 mi.) | W137 | 522 |
| SHERMAN HOLDING CORP. | 600 W 204TH ST | WNW 1/8 - 1/4 (0.246 mi.) | | 525 |
| W.D. AUTO REPAIRS INC. | | • | | |
| 155 REALTY CORP | 3966 10TH AVENUE | N 1/8 - 1/4 (0.248 mi.) | U140 | 543 |
| 133 REALTY CORP | 153 VERMILYEA AVE | NNW 1/8 - 1/4 (0.250 mi.) | V141 | 545 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| | | | | |
| 9TH AVENUE SHOP | 3884 NINTH AVENUE | E 0 - 1/8 (0.029 mi.) | A11 | 53 |
| 420 WEST 206TH ST OWNERS CORP | 420 WEST 206TH STREET | WSW 0 - 1/8 (0.065 mi.) | C14 | 73 |
| 425 WEST 205TH ST CORP | 425 WEST 205TH ST | SSW 0 - 1/8 (0.103 mi.) | E21 | 91 |
| 407 WEST 205TH STREET | 407 WEST 205TH STREET | SSW 0 - 1/8 (0.105 mi.) | B23 | 97 |
| WEST 205TH STREET REALTY CO. L | 410-430 W 205 ST | SSW 0 - 1/8 (0.105 mi.) | E24 | 100 |
| 403 WEST 205TH ST | 403 WEST 205TH ST | SSW 0 - 1/8 (0.106 mi.) | B25 | 103 |
| 274-278 NAGLE AVENUE HDFC | 274 NAGLE AVENUE | WSW 1/8 - 1/4 (0.143 mi.) | F53 | 241 |
| 428 W 204TH STREET | 428 W 204TH ST | SSW 1/8 - 1/4 (0.154 mi.) | K59 | 255 |
| 432 WEST 204TH STREET | 432 W 204TH ST | SSW 1/8 - 1/4 (0.154 mi.) | K60 | 257 |
| 436 W 204TH STREET | 436 W 204TH STREET | SW 1/8 - 1/4 (0.155 mi.) | K61 | 259 |
| 266-272 NAGLE AVENUE | 266-272 NAGLE AVENUE | WSW 1/8 - 1/4 (0.158 mi.) | L63 | 266 |
| 518 WEST 204TH STREET | 518 WEST 204TH STREET | WSW 1/8 - 1/4 (0.174 mi.) | L73 | 299 |
| 541-551 WEST 204TH STREET | 541-551 WEST 204TH STRE | W 1/8 - 1/4 (0.180 mi.) | L80 | 320 |
| | | | | |

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Registered Storage Tanks

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 14 HIST UST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|----------------------------|-------------------------|---------------------------|--------|------|
| AUDUBON PARTNERSHIP | 513 WEST 207TH STREET | WNW 0 - 1/8 (0.118 mi.) | D41 | 141 |
| MULTIPLE DWELLING | 232 SHERMAN AVE | NW 1/8 - 1/4 (0.185 mi.) | J83 | 330 |
| SHERMAN PETROLEUM, LLC | 3936 10TH AVENUE | N 1/8 - 1/4 (0.193 mi.) | Q88 | 344 |
| ISHAM REALTY CO. LLC | 536 ISHAM STREET | NNW 1/8 - 1/4 (0.200 mi.) | M99 | 382 |
| 541 ISHAM STREET | 541 ISHAM STREET | NNW 1/8 - 1/4 (0.206 mi.) | M105 | 392 |
| ST MATTHEW LUTHERAN CHURCH | 202/200 SHERMAN AVENUE | WNW 1/8 - 1/4 (0.212 mi.) | P108 | 402 |
| INWOOD EQUITY ASSOCIATES | 514 WEST 211TH STREET | N 1/8 - 1/4 (0.232 mi.) | Q124 | 441 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| MANHATTAN BIBLE CHURCH INC | 401 W 205TH ST | SSW 0 - 1/8 (0.106 mi.) | B26 | 107 |
| HARLEM RIVER BRIDGES | 300 WEST 206TH STREET | SSE 0 - 1/8 (0.113 mi.) | G36 | 123 |
| MERIT OIL CORP | 401 W 207TH ST & 9TH AV | NE 1/8 - 1/4 (0.128 mi.) | 47 | 153 |
| CHURCH OF ST JUDES | 431 WEST 204TH ST | SSW 1/8 - 1/4 (0.152 mi.) | E56 | 250 |
| BP TRIANGLE | 265 NAGLE AVENUE | WSW 1/8 - 1/4 (0.165 mi.) | L65 | 271 |
| DYCKMAN HOUSES | 3798 10TH AVENUE | WSW 1/8 - 1/4 (0.186 mi.) | | 333 |
| NAGLE HOUSE INC | 240 NAGLE AVE | WSW 1/8 - 1/4 (0.230 mi.) | 121 | 434 |

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 05/24/2010 has revealed that there are 24 NY Spills sites within approximately 0.125 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--|-------------------------|-------------------------|--------|------|
| 10TH AVE & 207TH STREET Date Closed: 12/20/2004 | 10TH AVE / 207TH STREET | WNW 0 - 1/8 (0.087 mi.) | D16 | 78 |
| MANHOLE #43436 Date Closed: 10/20/1999 | 3871 10TH AVE | WNW 0 - 1/8 (0.090 mi.) | D17 | 81 |
| MAN HOLE # 406 Date Closed: 9/6/2006 | 10TH AVE / POST AVE | NNW 0 - 1/8 (0.100 mi.) | D20 | 88 |
| TRAIN MAINTAINANCE FACILI Date Closed: 4/5/2001 | 3900 AVE 10 | NNW 0 - 1/8 (0.115 mi.) | H37 | 128 |
| ON THE STREET Date Closed: 1/31/2008 | ISHAM STREET / 10TH | NNW 0 - 1/8 (0.124 mi.) | H43 | 146 |
| AUTO REPAIR SHOP Date Closed: 12/10/2007 | 10TH AVE / ISHAM ST | NNW 0 - 1/8 (0.124 mi.) | H44 | 148 |

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---|--|--|----------|------------|
| MANHOLE #407M Date Closed: 5/18/2000 | 10TH AV / ISHAM ST | NNW 0 - 1/8 (0.124 mi.) | H45 | 149 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| MERIT SERVICE STATION Date Closed: 12/9/2003 | 401 W 207TH ST | ESE 0 - 1/8 (0.028 mi.) | A3 | 31 |
| STREET Date Closed: 6/21/2007 | 401 WEST 207TH | ESE 0 - 1/8 (0.028 mi.) | A4 | 34 |
| ONE QT OIL LEAKED FROM PIPE IN Date Closed: 11/8/2007 | 207 STREET / 9 AVENUE | ESE 0 - 1/8 (0.028 mi.) | A5 | 36 |
| MERIT SERVICE STATION MERIT INWOOD GAS STATION Date Closed: 4/3/2003 Date Closed: 12/9/2003 | 401 WEST 207TH STREET 401 WEST 207TH ST | ESE 0 - 1/8 (0.028 mi.) ESE 0 - 1/8 (0.028 mi.) | A6 A7 | 37 43 |
| MANHOLE #40048 Date Closed: 1/30/2004 | 207TH ST/9TH AVE | ESE 0 - 1/8 (0.028 mi.) | A8 | 47 |
| HESS STATION Date Closed: 12/9/2003 | 401 WEST 207TH ST | ESE 0 - 1/8 (0.028 mi.) | A9 | 48 |
| MANHOLE #40048 Date Closed: 12/23/2002 | 207TH ST/9TH AVE | ESE 0 - 1/8 (0.028 mi.) | A10 | 51 |
| ON STREET Date Closed: 6/28/2004 | WEST 206TH ST./9TH AVE | S 0 - 1/8 (0.061 mi.) | B13 | 72 |
| 420 W 206TH ST OWNERS Date Closed: 2/6/1996 | 420 W 206TH ST | WSW 0 - 1/8 (0.067 mi.) | C15 | <i>7</i> 5 |
| 315 EAST 206TH ST/BX Date Closed: 10/24/1990 | 315 EAST 206TH STREET | SSE 0 - 1/8 (0.106 mi.) | G28 | 110 |
| Not reported Date Closed: 8/13/2002 | 3835 9TH AVE | SSW 0 - 1/8 (0.107 mi.) | B29 | 113 |
| ONE QT OIL IN MH 40038 (TIDAL) Date Closed: 5/12/2008 | WEST 205 STREET / 9 A | SSW 0 - 1/8 (0.107 mi.) | B30 | 114 |
| VAULT 1734 Date Closed: 3/17/2000 | 9TH AV / W 205TH ST | SSW 0 - 1/8 (0.107 mi.) | B31 | 115 |
| VAULT V1734 Date Closed: 4/20/2000 | 205TH ST / 9TH AV | SSW 0 - 1/8 (0.107 mi.) | B32 | 118 |
| HARLEM RIVER FACILITY Date Closed: 11/22/1996 | 300 206 STREET | SSE 0 - 1/8 (0.115 mi.) | G38 | 131 |
| NAGLE AV Date Closed: 6/4/1998 | 204 TH ST | WSW 0 - 1/8 (0.117 mi.) | F39 | 137 |

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there

are 15 NY Hist Spills sites within approximately 0.125 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|---------------------------|-------------------------|-------------------------|--------|------------|
| 10TH AVE & 207TH STREET | 10TH AVE / 207TH STREET | WNW 0 - 1/8 (0.087 mi.) | D16 | 78 |
| MANHOLE #43436 | 3871 10TH AVE | WNW 0 - 1/8 (0.090 mi.) | D17 | 81 |
| MAN HOLE # 406 | 10TH AVE / POST AVE | NNW 0 - 1/8 (0.100 mi.) | D20 | 88 |
| TRAIN MAINTAINANCE FACILI | 3900 AVE 10 | NNW 0 - 1/8 (0.115 mi.) | H37 | 128 |
| MANHOLE #407M | 10TH AV / ISHAM ST | NNW 0 - 1/8 (0.124 mi.) | H45 | 149 |
| Lower Elevation | Address | Direction / Distance | Map ID | Page |
| MERIT SERVICE STATION | 401 W 207TH ST | ESE 0 - 1/8 (0.028 mi.) | A3 | 31 |
| MERIT INWOOD GAS STATION | 401 WEST 207TH ST | ESE 0 - 1/8 (0.028 mi.) | A7 | 43 |
| HESS STATION | 401 WEST 207TH ST | ESE 0 - 1/8 (0.028 mi.) | A9 | 48 |
| MANHOLE #40048 | 207TH ST/9TH AVE | ESE 0 - 1/8 (0.028 mi.) | A10 | 51 |
| 420 W 206TH ST OWNERS | 420 W 206TH ST | WSW 0 - 1/8 (0.067 mi.) | C15 | <i>7</i> 5 |
| 315 EAST 206TH ST/BX | 315 EAST 206TH STREET | SSE 0 - 1/8 (0.106 mi.) | G28 | 110 |
| VAULT 1734 | 9TH AV / W 205TH ST | SSW 0 - 1/8 (0.107 mi.) | B31 | 115 |
| VAULT V1734 | 205TH ST / 9TH AV | SSW 0 - 1/8 (0.107 mi.) | B32 | 118 |
| HARLEM RIVER FACILITY | 300 206 STREET | SSE 0 - 1/8 (0.115 mi.) | G38 | 131 |
| NAGLE AV | 204 TH ST | WSW 0 - 1/8 (0.117 mi.) | F39 | 137 |

Other Ascertainable Records

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, and dated 04/11/2010 has revealed that there is 1 CONSENT site within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|------------------------|----------------------|-------------------------|--------|------|
| HUDSON RIVER PCBS | NO STREET APPLICABLE | WNW 1/2 - 1 (0.808 mi.) | 0 | 7 |

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 06/01/2010 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|------------------------|----------------------|-------------------------|--------|------|
| HUDSON RIVER PCBS | NO STREET APPLICABLE | WNW 1/2 - 1 (0.808 mi.) | 0 | 7 |

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 04/30/2010 has revealed that there are 24 MANIFEST sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|------------------------|--------------|--------------------------|--------|------|
| POST CLEANERS | 131 POST AVE | WNW 1/8 - 1/4 (0.131 mi. | D48 | 209 |

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page | |
|--|---|---|--|--|--|
| DESCARTES DRY CLEANERS | 527 W 207TH ST | NW 1/8 - 1/4 (0.142 mi.) | J51 | 229 | |
| M I CLEANER | 543 W 207TH ST | NW 1/8 - 1/4 (0.171 mi.) | J68 | 290 | |
| CON EDISON - MH 46213 | 260 SHERMAN STREET | NNW 1/8 - 1/4 (0.176 mi.) | M75 | 304 | |
| B P PRODUCTS NORTH AMERICA INC | 3936 10TH AVE | N 1/8 - 1/4 (0.193 mi.) | Q89 | 352 | |
| CONSOLIDATED EDISON | SHERMAN AVE / 10TH AV | N 1/8 - 1/4 (0.200 mi.) | Q96 | 375 | |
| VERIZON NEW YORK INC. MANHOLE | 211TH ST 10TH AVE SW C | N 1/8 - 1/4 (0.218 mi.) | Q112 | 412 | |
| NYNEX | 211TH ST/10TH AVE | N 1/8 - 1/4 (0.218 mi.) | Q113 | 416 | |
| NEW YORK TELEPHONE | W 211 & 10 AVE | N 1/8 - 1/4 (0.218 mi.) | Q114 | 417 | |
| NEW YORK CITY TRANSIT AUTH | 3961 10TH AVE NYD980646 | N 1/8 - 1/4 (0.234 mi.) | Q127 | 477 | |
| LEEDS CLEANERS | 575 W 207TH ST | NW 1/8 - 1/4 (0.244 mi.) | V134 | 504 | |
| LEEDS DRY CLEANERS INC | 576 W 207TH ST | NW 1/8 - 1/4 (0.246 mi.) | V139 | 528 | |
| | | D. | | _ | |
| Lower Elevation | Address | Direction / Distance | Map ID | Page | |
| NYNEX | Address 207TH ST/9TH AVE | ESE 0 - 1/8 (0.027 mi.) | Map ID A1 | Page 25 | |
| | | | | | |
| NYNEX | 207TH ST/9TH AVE | ESE 0 - 1/8 (0.027 mi.) | A1 | 25 | |
| NYNEX CONSOLIDATED EDISON | 207TH ST/9TH AVE W 207 ST / 9 AVE | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) | A1 A2 | 25 26 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) | A1 A2 A12 | 25 26 56 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP CONSOLIDATED EDISON OF NY | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE W. 205 ST / 9 AVE | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) SSW 0 - 1/8 (0.107 mi.) | A1 A2 A12 B35 | 25 26 56 122 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP CONSOLIDATED EDISON OF NY CONED | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE W. 205 ST / 9 AVE 3820 9TH AVE | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) SSW 0 - 1/8 (0.107 mi.) SSW 1/8 - 1/4 (0.127 mi.) | A1 A2 A12 B35 E46 | 25 26 56 122 152 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP CONSOLIDATED EDISON OF NY CONED MERIT OIL CORP | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE W. 205 ST / 9 AVE 3820 9TH AVE 401 W 207TH ST & 9TH AV | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) SSW 0 - 1/8 (0.107 mi.) SSW 1/8 - 1/4 (0.127 mi.) NE 1/8 - 1/4 (0.128 mi.) | A1 A2 A12 B35 E46 47 | 25 26 56 122 152 153 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP CONSOLIDATED EDISON OF NY CONED MERIT OIL CORP CONSOLIDATED EDISON | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE W. 205 ST / 9 AVE 3820 9TH AVE 401 W 207TH ST & 9TH AV OPPOSITE 411 WEST 204 S | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) SSW 0 - 1/8 (0.107 mi.) SSW 1/8 - 1/4 (0.127 mi.) NE 1/8 - 1/4 (0.128 mi.) SSW 1/8 - 1/4 (0.152 mi.) | A1 A2 A12 B35 E46 47 K58 | 25 26 56 122 152 153 253 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP CONSOLIDATED EDISON OF NY CONED MERIT OIL CORP CONSOLIDATED EDISON NYNEX | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE W. 205 ST / 9 AVE 3820 9TH AVE 401 W 207TH ST & 9TH AV OPPOSITE 411 WEST 204 S 204TH STREET / NAGLE | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) SSW 0 - 1/8 (0.107 mi.) SSW 1/8 - 1/4 (0.127 mi.) NE 1/8 - 1/4 (0.128 mi.) SSW 1/8 - 1/4 (0.152 mi.) WSW 1/8 - 1/4 (0.172 mi.) WSW 1/8 - 1/4 (0.172 mi.) SSW 1/8 - 1/4 (0.201 mi.) | A1 A2 A12 B35 E46 47 K58 L69 | 25 26 56 122 152 153 253 293 | |
| NYNEX CONSOLIDATED EDISON NYCTA - 9TH AVE UNIT SHOP CONSOLIDATED EDISON OF NY CONED MERIT OIL CORP CONSOLIDATED EDISON NYNEX NYNEX | 207TH ST/9TH AVE W 207 ST / 9 AVE 3884 NINTH AVENUE W. 205 ST / 9 AVE 3820 9TH AVE 401 W 207TH ST & 9TH AV OPPOSITE 411 WEST 204 S 204TH STREET / NAGLE NAGLE STREET / 204TH ST | ESE 0 - 1/8 (0.027 mi.) ESE 0 - 1/8 (0.027 mi.) E 0 - 1/8 (0.029 mi.) SSW 0 - 1/8 (0.107 mi.) SSW 1/8 - 1/4 (0.127 mi.) NE 1/8 - 1/4 (0.128 mi.) SSW 1/8 - 1/4 (0.152 mi.) WSW 1/8 - 1/4 (0.172 mi.) WSW 1/8 - 1/4 (0.172 mi.) | A1 A2 A12 B35 E46 47 K58 L69 L71 | 25 26 56 122 152 153 253 293 296 | |

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 03/23/2010 has revealed that there are 3 DRYCLEANERS sites within approximately 0.25 miles of the target property.

| Equal/Higher Elevation | I/Higher Elevation Address | | Map ID | Page | |
|--------------------------|----------------------------|--------------------------|--------|------|--|
| DESCARTES DRY CLEANERS | 527 WEST 207TH STREET | NW 1/8 - 1/4 (0.142 mi.) | J52 | 241 | |
| MI CLEANERS | 543 W 207TH ST | NW 1/8 - 1/4 (0.171 mi.) | J67 | 290 | |
| LEED'S ONE HOUR CLEANERS | 575W 207TH ST. | NW 1/8 - 1/4 (0.244 mi.) | V135 | 518 | |

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there are 2

Manufactured Gas Plants sites within approximately 1 mile of the target property.

| Equal/Higher Elevation | Address | Direction / Distance | Map ID | Page |
|--------------------------------|------------------------|-------------------------|--------|------|
| CON EDISON - KINGSBRIDGE STATI | BLOCK 3236, LOT 25 AND | E 1/4 - 1/2 (0.374 mi.) | AC157 | 596 |
| CON EDISON - BROADWAY/DYCKMAN | 12 DONGAN PLACE | W 1/2 - 1 (0.643 mi.) | 189 | 697 |

Due to poor or inadequate address information, the following sites were not mapped:

Site Name Database(s)

NYCDOT

GETTY PETROLEUM

FORT WASHINGTON AUTO BODY

NYCTA - JEROME BX

CONSOLIDATED EDISON CO OF NY INC

CONSOLIDATED EDISON

NYCDEP

NYC DOT

CONSOLIDATED EDISON

CONSOLIDATED EDISON

CONSOLIDATED EDISON

CONSOLIDATED EDISON

CONSOLIDATED EDISON CONSOLIDATED EDISON

NYSDOT BIN 107696A

CONSOLIDATED EDISON

CONSOLIDATED EDISON

NYSDOT BIN 107696A

59TH GENERATION STATION

LUCETTE PICARD PROPERTY

FINDS, MANIFEST, RCRA-NLR

MANIFEST

MANIFEST

FINDS,RCRA-NLR,MANIFEST

RCRA-NLR, MANIFEST

RCRA-NLR, MANIFEST

MANIFEST

FINDS,RCRA-NLR,MANIFEST

RCRA-NLR, MANIFEST

MANIFEST

MANIFEST

MANIFEST

MANIFEST

MANIFEST


MANIFEST

RCRA-NLR, MANIFEST

MANIFEST RCRA-LQG

SPILLS VCP

OVERVIEW MAP - 02874993.2r



Copyright © 2010 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

September 21, 2010 12:26 pm


INQUIRY #: 02874993.2r

DATE:

LAT/LONG:

40.8639 / 73.9175

DETAIL MAP - 02874993.2r



New York NY 10034

40.8639 / 73.9175

LAT/LONG:

Copyright © 2010 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

September 21, 2010 12:26 pm

INQUIRY #: 02874993.2r

DATE:

MAP FINDINGS SUMMARY

| Database | Target Property | Search Distance (Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | >1 | Total Plotted |
|--|--------------------|-------------------------------|--------------|--------------|----------------|----------------|----------------|------------------|
| STANDARD ENVIRONMENT | AL RECORDS | | | | | | | |
| Federal NPL site list | | | | | | | | |
| NPL Proposed NPL NPL LIENS | | 2.000 1.000 TP | 0 0 NR | 0 0 NR | 0 0 NR | 1 0 NR | 0 NR NR | 1 0 0 |
| Federal Delisted NPL site | e list | | | | | | | |
| Delisted NPL | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| Federal CERCLIS list | | | | | | | | |
| CERCLIS FEDERAL FACILITY | | 0.500 1.000 | 0 0 | 0 0 | 0 0 | NR 0 | NR NR | 0 0 |
| Federal CERCLIS NFRAF | site List | | | | | | | |
| CERC-NFRAP | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| Federal RCRA CORRACT | TS facilities li | st | | | | | | |
| CORRACTS | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| Federal RCRA non-CORF | RACTS TSD fa | acilities list | | | | | | |
| RCRA-TSDF | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| Federal RCRA generators | s list | | | | | | | |
| RCRA-LQG RCRA-SQG RCRA-CESQG | | 0.250 0.250 0.250 | 0 0 2 | 1 1 1 | NR NR NR | NR NR NR | NR NR NR | 1 1 3 |
| Federal institutional contended in the contended in the control of | | | | | | | | |
| US ENG CONTROLS US INST CONTROL | | 0.500 0.500 | 0 0 | 0 0 | 0 0 | NR NR | NR NR | 0 0 |
| Federal ERNS list | | | | | | | | |
| ERNS | | 0.125 | 1 | NR | NR | NR | NR | 1 |
| State- and tribal - equival | lent CERCLIS | ; | | | | | | |
| SHWS VAPOR REOPENED | | 1.000 1.000 | 0 0 | 0 0 | 0 0 | 0 0 | NR NR | 0 0 |
| State and tribal landfill a solid waste disposal site | | | | | | | | |
| SWF/LF | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| State and tribal leaking s | torage tank li | ists | | | | | | |
| LTANKS HIST LTANKS INDIAN LUST | | 0.500 0.500 0.500 | 6 4 0 | 10 8 0 | 44 30 0 | NR NR NR | NR NR NR | 60 42 0 |
| State and tribal registere | d storage tan | k lists | | | | | | |
| UST | | 0.250 | 3 | 10 | NR | NR | NR | 13 |

MAP FINDINGS SUMMARY

| Database | Target Property | Search Distance (Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---|--------------------|--|----------------------------|-----------------------------|---|--|--|-----------------------------|
| CBS UST MOSF UST AST CBS AST MOSF AST CBS MOSF INDIAN UST | | 0.250 0.500 0.250 0.250 0.500 0.250 0.500 0.250 | 0 0 7 0 0 0 | 0 0 47 0 0 0 | NR 0 NR NR 0 NR 0 NR | NR NR NR NR NR NR NR | NR NR NR NR NR NR NR | 0 0 54 0 0 0 |
| FEMA UST State and tribal institutio control / engineering con | | 0.250 | 0 | Ö | NR | NR | NR | Ö |
| ENG CONTROLS INST CONTROL RES DECL | u or regisure | 0.500 0.500 0.180 | 0 0 0 | 0 0 0 | 0 0 NR | NR NR NR | NR NR NR | 0 0 0 |
| State and tribal voluntary VCP INDIAN VCP | / cleanup site | 0.500 0.500 | 0 0 | 0 0 | 0 0 | NR NR | NR NR | 0 0 |
| State and tribal Brownfie | lds sites | | | | | | | |
| ERP BROWNFIELDS | | 0.500 0.500 | 0 0 | 0 0 | 0 0 | NR NR | NR NR | 0 |
| ADDITIONAL ENVIRONMEN | TAL RECORD | <u>s</u> | | | | | | |
| Local Brownfield lists | | | | | | | | |
| US BROWNFIELDS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| Local Lists of Landfill / S Waste Disposal Sites | olid | | | | | | | |
| ODI DEBRIS REGION 9 SWTIRE SWRCY INDIAN ODI | | 0.500 0.500 0.500 0.500 0.500 | 0 0 0 0 | 0 0 0 0 | 0 0 0 0 | NR NR NR NR NR | NR NR NR NR NR | 0 0 0 0 |
| Local Lists of Hazardous Contaminated Sites | waste / | | | | | | | |
| US CDL DEL SHWS US HIST CDL | | TP 1.000 TP | NR 0 NR | NR 0 NR | NR 0 NR | NR 0 NR | NR NR NR | 0 0 0 |
| Local Lists of Registered | l Storage Tar | nks | | | | | | |
| HIST UST HIST AST | | 0.250 TP | 3 NR | 11 NR | NR NR | NR NR | NR NR | 14 0 |
| Local Land Records | | | | | | | | |
| LIENS 2 LUCIS | | TP 0.500 | NR 0 | NR 0 | NR 0 | NR NR | NR NR | 0 |

MAP FINDINGS SUMMARY

| Database | Target Property | Search Distance (Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|--|--------------------|--|--|--|--|---|---------------------------------------|--|
| Records of Emergency | Release Repo | orts | | | | | | |
| HMIRS NY Spills NY Hist Spills | | TP 0.125 0.125 | NR 24 15 | NR NR NR | NR NR NR | NR NR NR | NR NR NR | 0 24 15 |
| Other Ascertainable Re | cords | | | | | | | |
| RCRA-NonGen DOT OPS DOD FUDS CONSENT ROD UMTRA MINES TRIS TSCA FTTS HIST FTTS SSTS ICIS PADS MLTS RADINFO FINDS RAATS HSWDS MANIFEST DRYCLEANERS NPDES AIRS E DESIGNATION INDIAN RESERV SCRD DRYCLEANERS COAL ASH EPA PCB TRANSFORMER COAL ASH DOE FINANCIAL ASSURANCI | ≡ | TP TP 1.000 1.000 1.000 1.000 0.500 0.250 TP | NR 0 0 0 0 0 0 R R R R R R R R R R R R R | NR NR OOOOONR NR NR NR NR NR NR OOOONR NR NR NR NR NR NR NR NR NR NR NR NR N | NR O O O O O R R R R R R R R R R R R O R R R R O O O R R R R N N N N | NR 0 0 1 1 NR | R R R R R R R R R R R R R R R R R R R | 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| EDR PROPRIETARY RECO | RDS | | ŭ | • | · | | • •• • | • |
| EDR Proprietary Record | —— Is | | | | | | | |
| Manufactured Gas Plants EDR Historical Auto Stati EDR Historical Cleaners | | 1.000 0.250 0.250 | 0 0 0 | 0 0 0 | 1 NR NR | 1 NR NR | NR NR NR | 2 0 0 |

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Direction Distance

4268 ft.

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NPL HUDSON RIVER PCBS Region **NO STREET APPLICABLE** WNW **HUDSON RIVER, NY 12801** 1/2-1

NPL 1000384273 CERCLIS NYD980763841 **RCRA-LQG US ENG CONTROLS US INST CONTROL** CONSENT

> ROD **FINDS HIST LTANKS NY Spills**

NPL:

NYD980763841 EPA ID:

EPA Region: 02 Federal: Ν

Final Date: Not reported

Category Details:

NPL Status: Currently on the Final NPL Category Description: Depth To Aquifer-<= 10 Feet

Category Value:

NPL Status: Currently on the Final NPL

Distance To Nearest Population-> 0 And <= 1/4 Mile Category Description:

Category Value:

Site Details:

HUDSON RIVER PCBS Site Name:

Site Status: Final Site Zip: 12801

Site City: **HUDSON RIVER**

Site State: NY Federal Site: No

Site County: WASHINGTON

EPA Region: 02 Date Proposed: 09/08/83 Date Deleted: Not reported Date Finalized: 09/21/84

Substance Details:

NPL Status: Currently on the Final NPL

Substance ID: Not reported Substance: Not reported CAS #: Not reported Not reported Pathway: Scoring: Not reported

NPL Status: Currently on the Final NPL

Substance ID: A046

POLYCHLORINATED BIPHENYLS Substance:

CAS #: 1336-36-3 Pathway: AIR PATHWAY

Scoring:

NPL Status: Currently on the Final NPL

Substance ID: A046

POLYCHLORINATED BIPHENYLS Substance:

1336-36-3 CAS #:

Direction
Distance
Elevation

Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Pathway: SURFACE WATER PATHWAY

Scoring: 4

Summary Details:

Conditions at listing September 1983): The Hudson River PCBs Site is a 40-mile stretch of the Hudson River between Mechanicville and Fort Edward, New York. General Electric Co. discharged an estimated I.I million pounds of PCBs into this stretch of river. The State has identified 40 hot spots, defined as sediments contaminated with greater than 50 parts per million ppm) of PCBs. Also included in the site are five remnant areas, which are river sediments exposed when thelevel of the river was lowered due to removal of the Fort Edward Dam. The State has taken initial measures to stabili e the remnant areas from erosion. In September 1980, Congress passed an amendment to the Clean Water Act CWA) that included the Hudson River PCB Reclamation Demonstration Project. Under this legislation, the EPA Administrator could authori e a 75 percent grant, not to exceed 20 million. EPA issued a final Environmental Impact Statement in October 1982 evaluating various dredging alternatives for a demonstration project. EPA has prepared a feasibility study to evaluate alternative remedial actions under CERCLA. The Administrator has determined that CERCLA funds may be used for remedial action atthe remnant areas and for evaluating the effectiveness of the water supply system at Waterford, New York. Status June 1984): EPA has completed a draft feasibility study identifying alternatives for remedial action. A search for partiespotentially responsible for wastes associated with the site has been completed, and EPA has sent letters to two potentially responsible parties notifying them of possible legal action under CERCLA.

Site Status Details:

NPL Status: Final
Proposed Date: 09/08/1983
Final Date: 09/21/1984
Deleted Date: Not reported

Narratives Details:

NPL Name: HUDSON RIVER PCBS City: HUDSON RIVER

State: NY

CERCLIS:

Site ID: 0202229

Federal Facility: Not a Federal Facility
NPL Status: Currently on the Final NPL

Non NPL Status: Not reported

CERCLIS Site Contact Name(s):

Contact Name: BENNY CONETTA Contact Tel: (212) 637-3030

Contact Title: Remedial Project Manager (RPM)

CERCLIS Site Alias Name(s):

Alias Name: HUDSON RIVER PCBS

Alias Address: Not reported

WARREN, NY

Alias Name: HUDSON RIVER PCBS

MAP FINDINGS Map ID Direction

Distance Elevation

EPA ID Number Site Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Alias Address: NO STREET APPLICABLE

NO CITY APPLICABLE, NY 12801

HUDSON RIVER PCBS Alias Name: Alias Address: NO STREET APPLICABLE

HUDSON RIVER, NY 12801

Site Description: The Hudson River PCBs Site includes a nearly 200 river-mile stretch of the Hudson River in eastern New York State from the Village of Hudson Falls to the Battery in New York City. The Hudson River has been designated an American Heritage River because of its important role in American history and culture. This federal Superfund Record of Decision (ROD) addresses the risks to people and ecological receptors associated with polychlorinated biphenyls (PCBs) in the in-place sediments of the Upper Hudson River. The Site is divided into the Upper Hudson River which is the length of river between Hudson Falls and the Federal Dam at Troy, New York and the Lower Hudson River which is the length of river between Federal Dam at Troy and the Battery. For purposes of this project, EPA further divided the Upper Hudson River area into three main sections known as River Section 1, River Section 2, and River Section 3. The Site also includes five Remnant Deposits, which are areas of PCB-contaminated sediment that became exposed after the river water level dropped following removal of the Fort Edward Dam in 1973. The Upper Hudson River portion of the Site extends from the Fenimore Bridge in Hudson Falls to the Federal Dam at Troy, a distance of just over 43 river miles. The Lower Hudson River extends from the Federal Dam to the southern tip of Manhattan at the Battery in New York City. The Mid-Hudson River, which is primarily a subset of the Lower Hudson River, extends from the Federal Dam at Troy to just south of Poughkeepsie. The predominant sources of PCB contamination to the Upper Hudson River were two capacitor manufacturing plants owned and operated by GE. The plants are located adjacent to or near the Hudson River in the Village of Hudson Falls and the Town of Fort Edward. Over a 30-year period, the plants discharged a substantial amount of PCBs into the river. At the GE Hudson Falls plant, leakage of non-aqueous phase PCB-bearing oils through bedrock to the river continues to be a source of PCB contamination. Regarding the former outfall to the Hudson River from the GE Fort Edward plant, New York State Department of Environmental Conservation (NYSDEC) issued a Record of Decision in January 2000 that calls for the excavation of PCB-contaminated soil and sediment in this area of the Upper Hudson River shoreline in order to eliminate this source of PCBs to the river. EPA's analysis assumes a significantly reduced PCB loading to the river from these sources once the State's plans for remediation are implemented. PCBs, the chemicals of concern addressed in this decision document, have been classified by EPA as probable human carcinogens. They are also linked to other serious non- cancer adverse health effects based on observations in animals and emerging evidence in humans. Once discharged from the GE plants, the PCBs adhered to river sediment and accumulated downstream as they settled in impounded pools and other depositional areas. Historic fish and sediment data indicated PCBs were accumulating downstream of the old Fort Edward Dam as well as accumulating behind the dam. The removal of the dam in 1973 resulted in a remobilization and downstream distribution of PCBs that had accumulated behind the dam. Historically, the highest PCB sediment concentrations have been detected in the cohesive sediments within the Upper Hudson River. River scouring/ erosion and other mechanisms have mobilized PCB- contaminated sediments from the extensive cohesive deposits, redepositing them farther downstream all the way to the Battery. The preponderance of data indicates that burial of contaminated sediment by cleaner materials is not universally or uniformly occurring. Data also indicate that contaminated sediments in River Sections 1, 2 and 3 continue to serve as the major source of PCBs to the water column and the fish within the Upper Hudson River. During an approximate 30-year period ending in 1977,

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Dat

Database(s)

EDR ID Number EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

PCBs were used in capacitor manufacturing operations Hudson Falls and Fort Edward, New York facilities. PCB oils were discharged both directly and indirectly from these plants into the Hudson River. This included both non-permitted and permitted discharges. Even after permits were received in 1975, permit exceedances occurred. Estimates of the total quantity of PCBs discharged directly from the two plants into the river from the 1940s to 1977 are as high as 1,330,000 pounds (about 605,000 kg). Many of the PCBs discharged to the river adhered to sediments and accumulated with the sediments as they settled in the impounded pool behind the Fort Edward Dam, as well as other depositional areas farther downstream. Because of its deteriorating condition, the Fort Edward Dam was removed in 1973. Five areas of PCB-contaminated sediments were exposed due to the lowering of the river water level when the Fort Edward Dam was removed. These five areas are known as the Remnant Deposits. During subsequent floods, PCB-contaminated sediments from the Fort Edward Dam area were scoured and transported downstream. EPA notified the company that had the two plants of the remedy selected in the 1984 ROD and offered the company the opportunity to implement the selected remedy with respect to the Remnant Deposits and the Waterford drinking water supply evaluation. The company declined EPA's offer. NYSDEC, with funding provided by EPA, conducted the evaluation at the Waterford Water Works. In addition, NYSDEC prepared a design for the in-place containment of the Remnant Deposits. This design was completed in 1988. In March 1989, the company offered to assume responsibility for the implementation of the in-place containment remedy for the Remnant Deposits. EPA issued a September 27, 1989 Administrative Order on Consent to the company which required the company to prepare a remedial design report for the construction of access roads to the Remnant Deposits and to submit a design for the in-place containment of the Remnant Deposits incorporating the NYSDEC-prepared design, plus any EPA-approved refinements to that design. EPA also issued a September 27, 1989 Administrative Order to the company requiring the company to construct and maintain the access roads to the Remnant Deposits. The company constructed the in-place containment of the Remnant Deposits under a 1990 Consent Decree with EPA. EPA will evaluate the need for further remedial action for the Remnant Deposits after completion of a 5-year review of the Remnant Deposit containment remedy, performed pursuant to CERCLA ?121(c). The company's manufacturing plants in Hudson Falls and Fort Edward are listed under the New York State Inactive Hazardous Waste Disposal Sites Remedial program. The company currently is conducting remedial activities near the Hudson Falls and Fort Edward plants pursuant to Orders on Consent with NYSDEC. The company has thus far declined to implement the January 2000 NYSDEC Record of Decision for the Fort Edward plant Outfall 004. The NYSDEC is conducting the remedial design for that ROD. As one of America's great rivers, the Hudson has played and will continue to play a major role in the history, culture, and economy of the area. The Hudson has been designated an American Heritage River because of its important role in American history and culture. Current and reasonably-anticipated future land use and surface water use are described below. Current land use includes a variety of residential, commercial and industrial activities. Use of the river and lands surrounding the river are projected to remain the same. At this time, no changes in future land use are known, nor are any new uses expected. The Site passes through 14 different counties as the river flows to its final discharge point in New York Harbor, Four counties (Albany, Washington, Rensselaer, and Saratoga) lie adjacent to the more highly contaminated portions (areas of proposed active remediation in River Sections 1, 2 and 3) of the Upper Hudson River between Troy (Federal Dam) and Hudson Falls. Within these four counties, forests and farmlands surround urban centers and historic villages. There are apple orchards and dairy farms, parks, nature preserves and gardens. In addition to the GE Hudson Falls and Fort Edward plants, the area is home to technology

Direction Distance Elevation

Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

companies, oil service companies and food companies. Saratoga and Washington Counties have experienced population growth between 1990 and 1999 of 10.2 percent and 1.4 percent, respectively, while Rensselaer and Albany Counties have experienced population declines of 1.9 percent and 0.3 percent, respectively. Total population of these four counties, according to July 1999 estimates by the US Department of Commerce Bureau of the Census, is just under 700,000. Warren County, in which the City of Glens Falls is located, has a population of just over 60,000 and is just to the northwest of the Hudson River PCBs Site. A Record of Decision (ROD) addressing operable unit 1 (OU 01) was completed in September 1984. A Record of Decision addressing OU 2 was completed in February 2002.

CERCLIS Assessment History:

Action: DISCOVERY
Date Started: Not reported
Date Completed: 07/01/83
Priority Level: Not reported

Action: SITE INSPECTION

Date Started: 08/01/83

Date Completed: 09/01/83

Priority Level: Higher priority for further assessment

Action: PRELIMINARY ASSESSMENT

Date Started: Not reported
Date Completed: 09/01/83

Priority Level: Low priority for further assessment

Action: PROPOSAL TO NATIONAL PRIORITIES LIST

Date Started: Not reported
Date Completed: 09/08/83
Priority Level: Not reported

Action: NATIONAL PRIORITIES LIST RESPONSIBLE PARTY SEARCH

Date Started: Not reported
Date Completed: 11/15/83
Priority Level: Not reported

Action: FINAL LISTING ON NATIONAL PRIORITIES LIST

Date Started: Not reported
Date Completed: 09/21/84
Priority Level: Not reported

Action: COMBINED REMEDIAL INVESTIGATION/FEASIBILITY STUDY

Date Started: 03/30/84
Date Completed: 09/25/84
Priority Level: Not reported

Action: RECORD OF DECISION

Date Started: Not reported
Date Completed: 09/25/84
Priority Level: Not reported

Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS

Date Started: 10/27/83
Date Completed: 09/28/84
Priority Level: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

Action: ADMINISTATIVE/VOLUNTARY COST RECOVERY

Not reported Date Started: Date Completed: 05/04/88 Priority Level: Not reported

REMEDIAL DESIGN Action:

Date Started: 02/02/89 Date Completed: 06/05/89 Priority Level: Not reported

REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS Action:

Date Started: 06/09/89 Date Completed: 09/27/89 Priority Level: Not reported

Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS

Date Started: 06/09/89 09/27/89 Date Completed: Priority Level: Not reported

Action: ADMINISTRATIVE ORDER ON CONSENT

Date Started: Not reported Date Completed: 09/27/89 Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER

Date Started: Not reported Date Completed: 09/27/89 Priority Level: Not reported

REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS Action:

Date Started: 03/03/89 Date Completed: 04/06/90 Priority Level: Not reported

REMEDIAL DESIGN Action:

Date Started: 09/28/84 Date Completed: 05/18/90 Priority Level: Not reported

Lodged By DOJ Action: Date Started: Not reported Date Completed: 05/18/90 Priority Level: Not reported

CONSENT DECREE Action:

Date Started: 04/06/90 Date Completed: 07/21/90 Priority Level: Not reported

REMOVAL ASSESSMENT Action:

Date Started: 04/17/90 Date Completed: 08/21/90 Priority Level: Stabilized

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN

Date Started: 09/27/89

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

Date Completed: 09/28/90 Priority Level: Not reported

Action: REMEDIAL INVESTIGATION/FEASIBILITY STUDY NEGOTIATIONS

Date Started: 03/12/90 Date Completed: 10/04/90 Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN

Date Started: 05/18/89 01/07/91 Date Completed: Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION

Date Started: 10/13/89 09/29/92 Date Completed: Priority Level: Not reported

POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION Action:

09/28/90 Date Started: Date Completed: 09/29/92 Priority Level: Not reported

REMOVAL ASSESSMENT Action:

Date Started: 11/19/92 12/01/92 Date Completed: Priority Level: Stabilized

COMFORT/STATUS LETTER Action:

Date Started: Not reported Date Completed: 11/02/98 Priority Level: Not reported

Action: REMOVAL ASSESSMENT

10/14/98 Date Started: Date Completed: 01/07/99 Priority Level: Not reported

REMOVAL ASSESSMENT Action:

06/03/98 Date Started: Date Completed: 06/24/99 Priority Level: Not reported

Public Notice Published Action:

Not reported Date Started: Date Completed: 03/28/00 Priority Level: Not reported

REMOVAL Action: Date Started: 10/06/99 Date Completed: 09/14/01 Priority Level: Stabilized

Action: COMBINED REMEDIAL INVESTIGATION/FEASIBILITY STUDY

Date Started: 07/25/90 Date Completed: 02/01/02 Priority Level: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

RECORD OF DECISION Action:

Not reported Date Started: Date Completed: 02/01/02

Priority Level: Final Remedy Selected at Site

Special Notice Issued Action:

Not reported Date Started: 02/04/02 Date Completed: Priority Level: Not reported

Special Notice Issued Action:

Not reported Date Started: Date Completed: 02/04/02 Priority Level: Not reported

Special Notice Issued Action:

Date Started: Not reported 02/04/02 Date Completed: Priority Level: Not reported

Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS

Date Started: 02/04/02 Date Completed: 07/23/02 Priority Level: Not reported

Action: ADMINISTRATIVE ORDER ON CONSENT

Date Started: Not reported Date Completed: 07/23/02 Priority Level: Not reported

REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS Action:

Date Started: 07/23/02 Date Completed: 08/13/03 Priority Level: Not reported

ADMINISTRATIVE ORDER ON CONSENT Action:

Date Started: Not reported Date Completed: 08/13/03 Priority Level: Not reported

EXPANDED SITE INSPECTION/REMEDIAL INVESTIGATION Action:

Date Started: Not reported Date Completed: 08/31/05

Priority Level: Referred to Removal, no further Rmdl Asmt

REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS Action:

Date Started: 02/04/02 09/06/05 Date Completed: Priority Level: Not reported

TECHNICAL ASSISTANCE GRANT Action:

Date Started: 09/29/95 Date Completed: 09/20/05 Priority Level: Not reported

Action: Lodged By DOJ Date Started: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

Date Completed: 10/06/05 Not reported Priority Level:

Action: COMMUNITY INVOLVEMENT

Date Started: 03/25/02 Date Completed: 11/02/06 Priority Level: Not reported

Action: CONSENT DECREE

Date Started: 09/06/05 11/02/06 Date Completed: Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER

Not reported Date Started: 03/29/07 Date Completed: Priority Level: Not reported

STATE SUPPORT AGENCY COOPERATIVE AGREEMENT Action:

02/22/91 Date Started: Date Completed: 04/03/07 Priority Level: Not reported

ADMINISTRATIVE ORDER ON CONSENT Action:

Date Started: Not reported Date Completed: 07/11/07 Priority Level: Not reported

REMOVAL NEGOTIATIONS Action:

Date Started: Not reported Date Completed: 07/11/07 Priority Level: Not reported

POTENTIALLY RESPONSIBLE PARTY EMERGENCY REMOVAL Action:

Date Started: 08/24/07 Date Completed: 08/27/07 Priority Level: Cleaned up

POTENTIALLY RESPONSIBLE PARTY REMOVAL Action:

Date Started: 09/11/07 Date Completed: 10/24/07 Priority Level: Stabilized

POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN Action:

08/14/03 Date Started: Date Completed: 01/25/08 Priority Level: Not reported

SECTION 104(E) REF LITIGATION Action:

Date Started: 09/27/07 Date Completed: 07/28/08 Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER

Date Started: Not reported Date Completed: 09/05/08 Priority Level: Not reported

Direction Distance Flevation

Elevation Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Action: UNILATERAL ADMIN ORDER

Date Started: Not reported
Date Completed: 09/05/08
Priority Level: Not reported

Action: REMEDIAL INVESTIGATION/FEASIBILITY STUDY NEGOTIATIONS

Date Started: 02/04/02
Date Completed: 09/08/08
Priority Level: Not reported

Action: ADMINISTRATIVE ORDER ON CONSENT

Date Started: Not reported
Date Completed: 09/08/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER

Date Started: Not reported
Date Completed: 09/11/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER

Date Started: Not reported
Date Completed: 10/14/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER

Date Started: Not reported
Date Completed: 02/03/09
Priority Level: Not reported

Action: REMEDIAL ACTION

Date Started: 05/09/08
Date Completed: 11/24/09
Priority Level: Final RA Report

Action: REMEDIAL ACTION

Date Started: 12/04/08
Date Completed: 12/23/09
Priority Level: Final RA Report

Action: TECHNICAL ASSISTANCE

Date Started: 09/30/97
Date Completed: Not reported
Priority Level: Not reported

Action: REMEDIAL DESIGN

Date Started: 02/15/02
Date Completed: Not reported
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN

Date Started: 07/23/02
Date Completed: Not reported
Priority Level: Not reported

Action: TECHNICAL ASSISTANCE

Date Started: 07/08/03

Direction Distance

Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Date Completed: Not reported Not reported Priority Level:

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN

Date Started: 08/14/03 Date Completed: Not reported Priority Level: Not reported

POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION Action:

Date Started: 09/06/05 Date Completed: Not reported Priority Level: Not reported

Action: REMEDIAL ACTION

Date Started: 01/19/07 Date Completed: Not reported Priority Level: Not reported

REAL PROPERTY ACQUISITION Action:

Date Started: 02/15/08 Date Completed: Not reported Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL INVESTIGATION/FEASIBILITY

STUDY 09/08/08

Date Started: Date Completed: Not reported Priority Level: Not reported

POTENTIALLY RESPONSIBLE PARTY REMOVAL Action:

Date Started: 09/11/08 Date Completed: Not reported Priority Level: Stabilized

RCRA-LQG:

Date form received by agency: 08/29/2008

Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF

HUDSON RIVER PCBS (ROGERS ISLAND) SUPERFUND USEPA Site name:

446 LOCK 8 WAY Facility address:

(27 BRADLEY ST, FORT EDWARD, NY)

HUDSON FALLS, NY 12839

EPA ID: NYD980763841

Mailing address: BROADWAY, BLDG 40

FORT EDWARD, NY 12828

Contact: ROBERT GIBSON Contact address: BROADWAY, BLDG 40 FORT EDWARD, NY 12828

US Contact country:

Contact telephone: (518) 746-5253

Contact email: BOB.GIBSON@GE.COM

EPA Region:

Classification: Large Quantity Generator

Handler: generates 1,000 kg or more of hazardous waste during any Description:

calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the

Direction Distance Elevation

Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CANADIAN PACIFIC RAILROAD
Owner/operator address: 9TH AVE SW GULF CANADA SQ

CALGARY, AB T2P4Z

Owner/operator country: CA

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 05/02/2007 Owner/Op end date: Not reported

Owner/operator name: USEPA
Owner/operator address: Not reported
Not reported

Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 06/04/2008
Owner/Op end date: Not reported

Owner/operator name: WCC LLC
Owner/operator address: WILLOW GLEN

MECHANICVILLE, NY 12188

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/02/2007
Owner/Op end date: Not reported

Owner/operator name: GENERAL ELECTRIC CO

Owner/operator address: Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Operator

Not reported
Not reported
Private
Operator
Operator
Operator

Owner/Operator Type: Operator
Owner/Op start date: 04/02/2007
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No

Distance Elevation

evation Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: Nο Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Consumer Electronics

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Oil-Based Finishes

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Any Universal Waste

Accumulated waste on-site: No Generated waste on-site: No

Waste type: Batteries Accumulated waste on-site: No

Generated waste on-site: Not reported

Waste type: Lamps Accumulated waste on-site: No

Generated waste on-site: Not reported

Waste type: Pesticides Accumulated waste on-site: No

Generated waste on-site: Not reported

Waste type: Thermostats

Accumulated waste on-site: No

Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 01/01/2007

Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA

Classification: Not a generator, verified

Date form received by agency: 01/01/2006

Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA

Classification: Not a generator, verified

Date form received by agency: 01/01/2001

Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA

Classification: Large Quantity Generator

Direction Distance

Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Violation Status: No violations found

US ENG CONTROLS:

EPA ID: NYD980763841 Site ID: 0202229

Name: **HUDSON RIVER PCBS** NO STREET APPLICABLE Address: HUDSON RIVER, NY 12801

EPA Region: 02

County: WASHINGTON Event Code: Not reported Actual Date: Not reported

001 Action ID:

RECORD OF DECISION Action Name:

Action Completion date: 9/25/1984 Planned Complet. date: 9/30/1984 Operable Unit: 01 Contaminated Media: Sediment

Engineering Control: Containment, (N.O.S.)

Action ID: 001

RECORD OF DECISION Action Name:

Action Completion date: 9/25/1984 Planned Complet. date: 9/30/1984 Operable Unit: 01 Contaminated Media: Sediment Engineering Control: No Action

Action ID: 001

RECORD OF DECISION Action Name:

Action Completion date: 9/25/1984 Planned Complet. date: 9/30/1984 Operable Unit: Contaminated Media: Sediment Engineering Control: Revegetation

Action ID:

Action Name: RECORD OF DECISION

Action Completion date: 9/25/1984 Planned Complet. date: 9/30/1984 Operable Unit: Contaminated Media: Sediment

Engineering Control: Slope Stabilization

Action ID: 002

RECORD OF DECISION Action Name:

Action Completion date: 2/1/2002 Planned Complet. date: 12/30/2001 Operable Unit: 02 Contaminated Media: Sediment Engineering Control: Dewatering

Action ID: 002

RECORD OF DECISION Action Name:

Action Completion date: 2/1/2002 Planned Complet. date: 12/30/2001 Operable Unit: 02

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

Contaminated Media: Sediment **Engineering Control:** Disposal

Action ID: 002

RECORD OF DECISION Action Name:

Action Completion date: 2/1/2002 Planned Complet. date: 12/30/2001 Operable Unit: 02 Contaminated Media: Sediment Engineering Control: Excavation

Action ID: 002

RECORD OF DECISION Action Name:

Action Completion date: 2/1/2002 Planned Complet. date: 12/30/2001 Operable Unit: 02 Contaminated Media: Sediment

Solidification/ Stabilization Engineering Control:

Action ID: 002

RECORD OF DECISION Action Name:

Action Completion date: 2/1/2002 Planned Complet. date: 12/30/2001 Operable Unit: 02 Contaminated Media: Surface Water Engineering Control: Monitoring

Action ID: 002

RECORD OF DECISION Action Name:

Action Completion date: 2/1/2002 Planned Complet. date: 12/30/2001 Operable Unit: 02

Contaminated Media: Surface Water Engineering Control: **Natural Attenuation**

US INST CONTROL:

EPA ID: NYD980763841 Site ID: 0202229

HUDSON RIVER PCBS Name: RECORD OF DECISION Action Name: Address: NO STREET APPLICABLE

HUDSON RIVER, NY 12801

EPA Region: 02

WASHINGTON County: Event Code: Not reported Inst. Control: Fishing Advisory Actual Date: Not reported Complet. Date: 2/1/2002 Operable Unit: 02

Contaminated Media: Surface Water

CONSENT:

EPA ID: NYD980763841

Site ID: 0284

Case Title: U.S.V. GENERAL ELECTRIC COMPANY (HUDSON RIVER) (EPA-SUPERFUND)

Direction Distance Elevation

Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Court Num: 05-1270
District: New York, North
Entered Date: 11/02/06

Full-text of the consent decree for this site issued by the United States District Court is available from EDR. Contact your EDR Account

Executive.

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

FINDS:

Registry ID: 110009302879

Environmental Interest/Information System

CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System) is the Superfund database that is used to support management in all phases of the Superfund program. The system contains information on all aspects of hazardous waste sites, including an inventory of sites, planned and actual site activities, and financial information.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

HIST LTANKS:

Region of Spill:

Spill Number: 8704920
Spill Date: 09/13/1987
Spill Time: 18:30
Spill Cause: Tank Failure
Resource Affectd: Surface Water
Water Affected: HUDSON RIVER \$
Spill Source: Other Commercial/Industrial

Spill Class:

Not reported
Spill Closed Dt:

02/18/88
Cleanup Ceased:
10/15/87
Cleanup Meets Standard:
Investigator:
Caller Name:

Not reported

Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/13/87
Reported to Department Time: 18:45
SWIS: 19

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: WANTON ISLAND INC.

Spiller Address: PO BOX 119

Spiller City, St, Zip: WEST CAMP, NY 12490

Spiller Cleanup Date: / /

Facility Contact:

Not reported
Facility Phone:

Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Last Inspection:

Not reported

Citizen

Not reported

O9/13/87

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/22/87
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 11/12/92 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 500 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 200 Unkonwn Quantity Recovered: False Material: DIESEL Class Type: **DIESEL** 10625 Times Material Entry In File: CAS Number: Not reported 19940728 Last Date:

DEC Remarks: 02/18/88: COMPANY HIRED DOMERMUTH AFTER MCDONALD INITIATED CLEANUP.

Spill Cause: 275 GAL TANK LEAKING INTO CEMENTON RIVER AT EDGE OF HUDSON. MCDONALD WILL

INVESTIGATE

NY Spills:

Site ID: 237813

Direction Distance

Elevation Site Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Facility Addr2: Not reported 0308107 Facility ID: Spill Number: 0308107 Facility Type: ER SWIS: 6000 Investigator: rxamato Referred To: Not reported Spill Date: 10/31/2003 Reported to Dept: 10/31/2003 CID: 297

Spill Cause: Abandoned Drums
Water Affected: HUDSON RIVER
Spill Source: Unknown

Spill Notifier: Federal Government

Cleanup Ceased: Not reported

Cleanup Meets Std: True

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 10/31/2003
Remediation Phase: 0
Date Entered In Computer: 10/31/2003
Spill Record Last Update: 11/6/2003
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported

Spiller City,St,Zip: ZZ -Spiller Company: 001

Contact Name: PETTY OFFFICER HAWKINS

Contact Phone: (718) 354-4121

DEC Region: 3
DER Facility ID: 278391

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SMITH" 10/31/03: MEG hired by USCG to remove test and dispose.

Container did not leak.

Remarks: CALL TO NRC REPORTING A 55 GALLON DRUM OF UNKNOWN PETROLEUM FLOATING -

USCG IS REPOSNDING TO THE SITE

Material:

 Site ID:
 237813

 Operable Unit ID:
 874400

 Operable Unit:
 01

 Material ID:
 501630

 Material Code:
 0066A

Material Name: UNKNOWN PETROLEUM

Case No.: Not reported Material FA: Petroleum Quantity: 55 Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Direction Distance

Elevation Site Database(s) **EPA ID Number**

HUDSON RIVER PCBS (Continued)

1000384273

EDR ID Number

Site ID: Not reported Not reported Spill Tank Test: Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Α1 **NYNEX** MANIFEST 1009233876 N/A

207TH ST/9TH AVE **ESE**

NYP000922252

Not reported

MID096963194

< 1/8 NEW YORK, NY 10027

0.027 mi.

141 ft. Site 1 of 12 in cluster A

NY MANIFEST: Relative: EPA ID: Lower

Country: USA

Actual: Mailing Name: **NYNEX** 16 ft.

Trans1 State ID:

Mailing Contact: SUSHMITA BISWAS Mailing Address: 221 EAST 37TH STREET

Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10016 Mailing Zip4: Not reported

Mailing Country: USA

Mailing Phone: 212-338-7126

Document ID: MIA4133891

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans2 State ID: Not reported 951010 Generator Ship Date: Trans1 Recv Date: 951010 Trans2 Recv Date: Not reported TSD Site Recv Date: 951025 Part A Recv Date: Not reported Part B Recv Date: 951113 Generator EPA ID: NYP000922252 NYD046765574 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID:

D008 - LEAD 5.0 MG/L TCLP Waste Code:

Quantity: 00600 Units: P - Pounds Number of Containers: 002

DM - Metal drums, barrels Container Type:

Handling Method: L Landfill. Specific Gravity: 100 Year: 95

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYNEX (Continued) 1009233876

Discr Quantity Ind: Not reported Not reported Discr Type Ind: Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Not reported Alt Fac RCRA Id: Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

MANIFEST

CONSOLIDATED EDISON A2 ESE W 207 ST / 9 AVE < 1/8 NEW YORK, NY 10034 0.027 mi.

Site 2 of 12 in cluster A 141 ft.

NY MANIFEST: Relative:

EPA ID: NYP004148946 Lower

Country: USA Actual: Mailing Name: CONSOLIDATED EDISON 16 ft. Mailing Contact: FRANKLYN MURRAY

Mailing Address: 4 IRVING PLACE RM 828

Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-460-2808

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Trans2 State ID: Not reported 4/2/2007 Generator Ship Date: Trans1 Recv Date: 4/2/2007 Trans2 Recv Date: Not reported TSD Site Recv Date: 4/3/2007 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004148946 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD002200046

Quantity: 985

Units: K - Kilograms (2.2 pounds)

Number of Containers:

Waste Code:

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Not reported

Specific Gravity: Year: 07

Manifest Tracking Num: 001027061JJK

Import Ind: Ν Ν Export Ind: Discr Quantity Ind: Ν Discr Type Ind: Ν S108650819

N/A

Direction Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650819

Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 4/2/2007 Trans1 Recv Date: 4/2/2007 Trans2 Recv Date: Not reported TSD Site Recy Date: 4/2/2007 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004148946 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD002200046 Waste Code: Not reported Quantity: 509

Units: K - Kilograms (2.2 pounds)

Number of Containers: 16

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill.
Specific Gravity: 1
Year: 07

Manifest Tracking Num: 001027090JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Not reported
Not reported
Not reported
Not reported
Not reported
Mgmt Method Type Code:
H141

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 4/2/2007 4/2/2007 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 4/16/2007 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004148946 Generator EPA ID: Trans1 EPA ID: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

S108650819

EDR ID Number

Trans2 EPA ID: Not reported NYD049836679 TSDF ID: Waste Code: Not reported Quantity: 2313

Units: K - Kilograms (2.2 pounds)

Number of Containers:

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill. Specific Gravity: 1 Year: 07

001027063JJK Manifest Tracking Num:

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Υ Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H132

07 Document ID:

001027061JJK Manifest Status: Trans1 State ID: NYP004148946 Trans2 State ID: Not reported NJD002200046 Generator Ship Date: Trans1 Recv Date: Not reported NJ0000027193 Trans2 Recv Date: TSD Site Recv Date: Not reported Part A Recv Date: Not reported Part B Recv Date: Not reported

Generator EPA ID: Ν Trans1 EPA ID: Ν Trans2 EPA ID: Ν TSDF ID: Ν Waste Code: Ν

Not reported Quantity:

Units: Number of Containers: TT Container Type: 985 Handling Method: Κ Specific Gravity: 1 Waste Code: Т

Quantity: Not reported Units: Not reported Number of Containers: Not reported Container Type: Not reported Not reported Handling Method: Specific Gravity: Not reported Not reported Year: Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

S108650819

EDR ID Number

Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: 07

001027090JJK Manifest Status: NYP004148946 Trans1 State ID: Trans2 State ID: Not reported NJD002200046 Generator Ship Date: Trans1 Recv Date: Not reported Trans2 Recy Date: NJ0000027193 TSD Site Recv Date: Not reported Part A Recv Date: Not reported Part B Recv Date: Not reported

 Generator EPA ID:
 N

 Trans1 EPA ID:
 N

 Trans2 EPA ID:
 N

 TSDF ID:
 N

 Waste Code:
 N

Quantity: Not reported

Units: 16
Number of Containers: DM
Container Type: 509
Handling Method: K
Specific Gravity: 1
Waste Code: L

Quantity: Not reported Units: Not reported Number of Containers: Not reported Not reported Container Type: Handling Method: Not reported Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

S108650819

EDR ID Number

Generator Ship Date: 2007-04-02 2007-04-02 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 2007-04-03 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004148946 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD002200046 Waste Code: Not reported Quantity: 985.0

Units: K - Kilograms (2.2 pounds)

Number of Containers: 1.0

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 07

Manifest Tracking Num: 001027061JJK

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Not reported Trans2 State ID: Generator Ship Date: 2007-04-02 Trans1 Recv Date: 2007-04-02 Trans2 Recv Date: Not reported TSD Site Recv Date: 2007-04-02 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004148946 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD002200046 Waste Code: Not reported 509.0

Quantity:

Units: K - Kilograms (2.2 pounds)

Number of Containers: 16.0

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill. Specific Gravity: 1.0 Year: 07

Manifest Tracking Num: 001027090JJK

Import Ind: Ν Export Ind: Ν

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

S108650819

Discr Quantity Ind: Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported H141 Mgmt Method Type Code:

Not reported Document ID: Not reported Manifest Status: Trans1 State ID: NJ0000027193 Trans2 State ID: Not reported 2007-04-02 Generator Ship Date: 2007-04-02 Trans1 Recy Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 2007-04-16 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004148946 Generator EPA ID: Not reported Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD049836679 Waste Code: Not reported Quantity: 2313.0

Units: K - Kilograms (2.2 pounds)

Number of Containers:

Container Type: CM - Metal boxes, cases, roll-offs

Handling Method: L Landfill. Specific Gravity: 1.0 Year: 07

Manifest Tracking Num: 001027063JJK

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Υ Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H132

Α3

S102239434 **MERIT SERVICE STATION NY Spills** 401 W 207TH ST **NY Hist Spills** N/A INWOOD, NY

< 1/8 0.028 mi.

ESE

Site 3 of 12 in cluster A 146 ft.

NY Spills: Relative:

64697 Site ID: Lower Facility Addr2: Not reported

Actual: Facility ID: 9516087 16 ft. Spill Number: 9516087 Facility Type: ER

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT SERVICE STATION (Continued)

S102239434

EDR ID Number

SWIS: 3101 Investigator: **WXSUN** Referred To: Not reported Spill Date: 3/15/1996 Reported to Dept: 3/15/1996 CID: 15 Spill Cause: Unknown Water Affected: Not reported Spill Source: Gasoline Station

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/9/2003

Remediation Phase: 0
Date Entered In Computer: 3/15/1996
Spill Record Last Update: 7/19/2005

Spiller Name: ROBERT LLOYD

Spiller Company: MERIT SERVICE STATION

Spiller Address: 401 W 207TH ST Spiller City,St,Zip: INWOOD, ZZ

Spiller Company: 001

Contact Name: ROBERT LLOYD Contact Phone: (610) 866-7799

DEC Region: 2
DER Facility ID: 62298

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SUN" Contaminated soil discovered during tank pull PRIMARY SPILL

NUMBER FOR THIS SITE IS 9706124 FOR NOTES, LOOK UP THAT SPILL NUMBER.

12/9/2003 Reassigned from Sangesland to Sun. To be investigated and

remediated under Spill # 97-06124.

Remarks: preliminary soil test indicate contamination around tanks

Material:

Site ID: 64697 Operable Unit ID: 1027056 Operable Unit: 01 Material ID: 566859 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

MERIT SERVICE STATION (Continued)

S102239434

EDR ID Number

Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 9516087 Spill Number: Investigator: O'DOWD Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 03/15/1996 09:00 Reported to Dept Date/Time: 03/15/96 09:29

SWIS: 60

Spiller Name: MERIT SERVICE STATION

On Land

Spiller Contact: ROBERT LLOYD
Spiller Phone: (610) 866-7799
Spiller Contact: ROBERT LLOYD
Spiller Phone: (610) 866-7799
Spiller Address: 401 W 207TH ST
Spiller City, St, Zip: INWOOD
Spill Cause: Unknown

Water Affected: Not reported
Spill Source: 05
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: //
Cleanup Moets Std: False

Cleanup Meets Std: False Last Inspection: //

Reported to Dept:

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Corrective Action Plan Submitted:

Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/15/96
Date Spill Entered In Computer Data File: Not reported

Update Date: 04/02/96
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT SERVICE STATION (Continued)

S102239434

Leak Rate Failed Tank: Not reported Not reported Gross Leak Rate:

Material:

Petroleum Material Class Type: Quantity Spilled: Unkonwn Quantity Spilled: True Gallons Units: Quantity Recovered: Unkonwn Quantity Recovered: True Material:

GASOLINE GASOLINE Class Type: Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: Contaminated soil discovered during tank pull

380084

Not reported

Remark: preliminary soil test indicate contamination around tanks

STREET NY Spills S108636298 Α4 **ESE** 401 WEST 207TH N/A

< 1/8 MANHATTAN, NY

0.028 mi.

Site 4 of 12 in cluster A 146 ft.

Relative: Lower

NY Spills: Site ID: Facility Addr2:

Actual: 16 ft.

0700699 Facility ID: Spill Number: 0700699 Facility Type: ER SWIS: 3101 Investigator: ibvought Referred To: Not reported 4/18/2007 Spill Date: Reported to Dept: 4/18/2007 CID: 15 Spill Cause: Other Water Affected: Not reported

Institutional, Educational, Gov., Other Spill Source:

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False Spill Class: Not reported Spill Closed Dt: 6/21/2007 Remediation Phase: Date Entered In Computer: 4/18/2007 Spill Record Last Update: 6/21/2007 Spiller Name: STEVE FRANK Spiller Company: STREET Spiller Address: 401 WEST 207TH Spiller City, St, Zip: MANHATTEN, NY

Spiller Company: 001

Contact Name: STEVE FRANK Contact Phone: (718) 321-3136

DEC Region:

Map ID MAP FINDINGS
Direction

Distance Elevation

Site Database(s) EPA ID Number

STREET (Continued) S108636298

DER Facility ID: DEC Memo: 329567

Liro Construction is installing a sewer line for NYC-DDC project -While digging a trench in front of an existing gas station (401 West 207th st) they found weathered petroleum contaminated soil. Sangesland asked Mr. Frank to confirm that the contaminated soil was NOT dumped back into the trench after the new line was installed. Mr. Frank will confirm and call back. Apparently there is already an open spill for the gas station at this location. 4/23/07 - Carlson -Received email from Steve Frank at Liro Engineering: "The trench was excavated to install a new water line. Trench length is more than 100 ' but the affected area is only about 10' wide. The trench is about 10' deep there. The contractor reported that nothing unusual was noticed in the soil when the trench was dug and that no liquid was in the trench when excavated. The substance in the trench was not noticed until after the big rainstorm. We inspected the fluid Weds. AM, collected a sample and called the hotline as it smelled and looked like a petroleum product to us. The trench is still open and the Contractor does not intend to backfill with the soil that was removed from the trench. " Received laboratory results of sample. DEC Carlson performed site inspection. The sewer line is being installed at approximately 8 ft below grade. One portion about 10ft long is contains water and floating product. This portion is directly downgradient of the Hess station. The portion with water and product is greater than 8 ft deep, and will have a concrete box and manhole around it. The construction operator reported seeing soil staining when groundwater was encountered at approximately 8 ft below grade. Met with the engineer on site Attef Farag (phone 973-623-2999, email afarag@kseng.com). Met with Hess's consultant, Jonathan Curran from Delta. Tim Fisher from Delta will be managing this incident. I indicated to Attef Farag that the water in the excavation will need to pumped out and properly disposed of. 05/14/07-Vought-Called Farag for update on trench installation and to notify him that spill will be closed and referred to Hess open spill at adjacent site. Vought left message for Farag to return call to DEC. 05/16/07-Vought-Called Farag for update as no call received and told to call 718-424-4157. Vought called Steve Frank (Liro) and left message to return call to DEC and will provide him with contact info for DEC Carlson and Hess (who will be managing remediation of source site). 06/21/07-Vought-Called Frank (718)321-3136x236 for update and left message that case will be closed and referred to open spill for source Hess Station located at 401W207th Street (spill #0201597). Spill closed by Vought.

Remarks: FOUND CONTAMINATED WHILE DIGGING A TRENCH FOUND WEATHERED PRODUCT

Material:

380084 Site ID: Operable Unit ID: 1137575 Operable Unit: 01 2127525 Material ID: Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Not reported Gallons I Inits: Recovered: No

Resource Affected: Not reported Oxygenate: False

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

STREET (Continued) S108636298

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Α5 ONE QT OIL LEAKED FROM PIPE IN NY Spills S108636983

ESE 207 STREET / 9 AVENUE

< 1/8 MANHATTAN, NY

0.028 mi.

146 ft. Site 5 of 12 in cluster A

NY Spills: Relative:

381165 Site ID: Lower Facility Addr2: **EXCAVATION** Actual: Facility ID: 0701614 16 ft. Spill Number: 0701614

> Facility Type: ER SWIS: 3101 Investigator: gdbreen Referred To: Not reported Spill Date: 5/9/2007 Reported to Dept: 5/9/2007 CID: 444 Spill Cause: Unknown Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/8/2007 Remediation Phase: Date Entered In Computer: 5/9/2007

Spill Record Last Update: 11/8/2007 Spiller Name: **ERTSDESK** Spiller Company: **CON EDISON** Spiller Address: 207TH & 9TH AVE Spiller City, St, Zip: MANHATTEN, NY

Spiller Company: 999

Contact Name: **ERTSDESK** Contact Phone: (212) 580-8383

DEC Region: DER Facility ID:

DEC Memo: 11/08/07 - See eDocs for Con Ed report detailing cleanup and closure.

205759. see eDocs

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ONE QT OIL LEAKED FROM PIPE IN (Continued)

S108636983

Remarks: while digging found contaminated soil: coned # 205759

Material:

Site ID: 381165 Operable Unit ID: 1138631 Operable Unit: 01 Material ID: 2128625 Material Code: 0066A

UNKNOWN PETROLEUM Material Name:

Case No.: Not reported Material FA: Petroleum Quantity: 0 Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Not reported Test Method:

MERIT SERVICE STATION LTANKS S104276971 **401 WEST 207TH STREET HIST LTANKS** N/A **NEW YORK CITY, NY NY Spills**

0.028 mi.

Α6

ESE

< 1/8

Site 6 of 12 in cluster A 146 ft. LTANKS:

Relative:

158033 Site ID: Lower Spill No: 9706124 Actual: Spill Date: 8/20/1997 16 ft. Spill Cause: Tank Test Failure Spill Source: **Gasoline Station**

> Spill Class: Known release that creates potential for fire or hazard. DEC Response.

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/30/2004 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **WXSUN**

CONSOLIDATED WITH 0201957 Referred To:

Reported to Dept: 8/20/1997 CID: 15

Not reported Water Affected: Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT SERVICE STATION (Continued)

S104276971

Remediation Phase: 0

Date Entered In Computer: 8/20/1997 Spill Record Last Update: 2/1/2007 Spiller Name: SAME

Spiller Company: HESS/MERIT OIL CORP

Spiller Address: UNK Spiller City,St,Zip: UNK, PA Spiller County: 001 Spiller Contact:

ANDY FORD Spiller Phone: (215) 527-7900 Spiller Extention: Not reported

DEC Region: DER Facility ID: 62298

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SUN" PRIMARY SPILL NUMBER FOR THIS SITE: (Ref: 9516087, 9504685,

0010612) 12/9/2003 Reassigned from O'Dowd to Sun. 06/30/04 Site tracked under spill 0201957. See 0201957 for site status. Rommel

CALLER STATES BOTH TANKS FAILED TEST. Remarks:

Material:

158033 Site ID: Operable Unit ID: 1052303 Operable Unit: 01 Material ID: 331724 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: 0 Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 158033 Spill Tank Test: 1545281 046-047 Tank Number: 4000 Tank Size: 20 Test Method: Leak Rate: 0

Gross Fail: Not reported

Modified By: Spills Last Modified: 10/1/2004

Test Method: USTest 2000/P/LL plus USTest 2000/U

HIST LTANKS:

Region of Spill:

Spill Number: 9706124 Spill Date: 08/20/1997 Spill Time: 10:00

Spill Cause: Tank Test Failure Resource Affectd: On Land Water Affected: Not reported Spill Source: Gas Station

Direction
Distance
Elevation

ance EDR ID Number ration Site Database(s) EPA ID Number

MERIT SERVICE STATION (Continued)

S104276971

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: Cleanup Meets Standard: False Investigator: O'DOWD Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Not reported Notifier Name: Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 08/20/97 Reported to Department Time: 10:24 SWIS: 62

Spiller Contact: ANDY FORD
Spiller Phone: (215) 527-7900
Spiller Extention: Not reported
Spiller Name: MERIT OIL CORP

Spiller Address: UNK Spiller City, St, Zip: UNK, PA Spiller Cleanup Date: / / Facility Contact: SAME Facility Phone: Not reported Facility Extention: Not reported Spill Notifier: Tank Tester 2-297453 PBS Number:

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/20/97
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 08/21/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: 046-047 Tank Size: 4000 Test Method: USTest 2000 Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: GASOLINE

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT SERVICE STATION (Continued)

S104276971

EDR ID Number

Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: Not reported

Spill Cause: CALLER STATES BOTH TANKS FAILED TEST.

NY Spills:

Site ID: 158032
Facility Addr2: Not reported
Facility ID: 0201957
Spill Number: 0201957
Facility Type: ER
SWIS: 3101
Investigator: skcarlso

Referred To: SVE/AS TO BE EXPANDED

Spill Date: 5/23/2002 Reported to Dept: 5/23/2002 CID: 15 Spill Cause: Unknown Water Affected: Not reported Spill Source: Gasoline Station Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase: 5
Date Entered In Computer: 5/23/2002
Spill Record Last Update: 2/19/2010
Spiller Name: DAVID LEE
Spiller Company: HESS AMERADA
Spiller Address: 1 HESS PLAZA

Spiller City, St, Zip: WOODBRIDGE, NY 07095-

Spiller Company: 001
Contact Name: DAVID LEE
Contact Phone: (518) 436-6585

DEC Region: 2 DER Facility ID: 133605

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SUN" See 9706124. Rommel 10/28/05: Project reassigned from Sun to Andersen. Reviewed the quarterly report dated 8/19/05. An SVE/AS system has been operation since 1/03. There is still high contaminant concentration and free product in monitoring wells. 1/26/06: 1/25/06 meeting between Quantum, NYSDEC and ET. Fluctuating concentrations. Will wait one more quarter to assess situation. 2/2/06: Reviewed September - November 2005 update report. SVE/AS system is working fine. No product detected this quarter. Max BTEX 63,090 (MW2), max

MTBE 175 ppb (MW2). 4/4/06: Reviewed First quarterly 2006 report. Remedial progress is slow. ORM socks installed in MW2 and SVE-4.

Large BTEX and MTBE increase in SVE-4. Max BTEX 61,740 ppb (MW2) and max MTBE 1,250 ppb (SVE-4). 7/5/06: Meeting on 6/28/06 with Hess, Quantum, NYSDEC, EnviroTrac, and GSC. MW-2 is not hooked up to the

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

MERIT SERVICE STATION (Continued)

S104276971

SVE/AS system because utilities are in the way. ORC can't be used because it is too close to the tanks. 8/1/06: Reviewed second quarterly 2006 report. SVE/AS is operational. Depth to water 7-11 ft. Max BTEX 48,028 (MW2) and max MTBE 726 (SVE-4). Remediation at MW2 has not been resolved yet. 10/31/06: Reviewed the third quarterly 2006 update report. Wells sampled on 8/31/06. Max BTEX 21,677 (MW2) and max MTBE 602 (SVE4). Decreasing trend in contaminant concentrations. The SVE/AS system is operational and effective. ORM socks in MW-2 and SVE-4. 1/17/07: Meeting on 1/16/07 with Hess, Delta, and NYSDEC. Vacuum in AS/SVE3 may be increased to improve remediation in MW2. 2/12/07: Reviewed update report. AS/SVE3 dry. High concentrations remain in MW2. Wells sampled on 11/21/06. Max BTEX 31,253 ppb (MW2), max MTBE 261 ppb (SVE4). Requested that air effluent samples be laboratory analyzed if PID > 5. 4/18/07: New spill number 0700699 was opened when the city found petroleum contamination in the trench during the installation of a new sewer line in the street in front of this station. Spill 0700699 will be closed out once the sewer installation consultant confirms that the contaminated soil removed during the trenching was disposed of off site and not dumped back in the hole. This consultant DID NOT trace any information on the path/source/etc of this contamination. 4/20/07: Spoke to Steve Frank at Liro Engineering regarding Spill 0700699. Product was accumulating in the excavation. The product was fingerprinted (weathered gasoline) and he will send me the laboratory report. I notified Hess that they need to investigate this issue. There is no product on the Hess station, they have had an SVE/AS system in operation since 1/3/2003, and it appears as through the excavation is sidegradient of the Hess station. I am not clear if the product was in the vadose zone or on the groundwater table. The excavation was to a depth of 10 to 15 ft. The trench was sheeted. 4/23/07: See spill 0700699 for info about the sewer excavation: DEC Carlson performed site inspection. The sewer line is being installed at approximately 8 ft below grade. One portion about 10ft long is contains water and floating product. (see pics in edocs) This portion is directly downgradient of the Hess station. The portion with water and product is greater than 8 ft deep, and will have a concrete box and manhole around it. The construction operator reported seeing soil staining when groundwater was encountered at approximately 8 ft below grade. Met with the engineer on site Attef Farag (phone 973-623-2999, email afarag@kseng.com). Met with Hess's consultant, Jonathan Curran from Delta. Tim Fisher from Delta will be managing this incident. I indicated to Attef Farag that the water in the excavation will need to pumped out and properly disposed of. 4/30/07: Received update report. Wells sampled on 2/26/07. LNAPL in MW2 (0.04 ft). The last reported presence of LNAPL was in 8/2005. The SVE/AS system was adjusted to focus on area around MW2. Sent tank test required letter. 5/9/07: Spoke to Steve Crompco (800-646-3161). Tanks will be tested tomorrow at 9am. Tanks last tested 5/25/2002. Tanks and lines are double wall fiberglass. 5/21/07: Received results of tank tightness test - all tanks, lines, leak detector passed. 6/22/07: See spill 0700699. 6/29/07: Sent additional delineation required letter, well required on the eastern side of 9th Avenue by 8/31/07. 7/26/07: Reviewed site status report. Wells sampled on 5/30/07. LNAPL present in MW2 at depth of 0.04 ft. SVE/AS in operation. 9/6/07: Approved monitoring well installation workplan and extension. Well installation and sampling data will be reported in October 2007 site status report. 10/22/07: Reviewed site status report. Wells sampled

Map ID
Direction
Distance

Site

Elevation

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

MERIT SERVICE STATION (Continued)

S104276971

on 8/8/07. Off-site MW10 installed on 9/18/07. LNAPL present in MW2 (sheen). Max BTEX 4190 (MW4). Max MTBE 18 ppb (SVE3). SVE/AS in operation. System not operation on July 2007, back in operation in August. Air effluent sample collected in September 2007, benzene within limits. 2/13/08: Reviewed October 2007 - December 2007 Site Status Report. SVE/AS system in operation. Wells sampled on November 6, 2007. Max BTEX 508 ppb (SVE1), max MTBE 23 ppb (SVE3). 5/14/08 -Carlson: May 7th 2008 meeting with Hess and Envirotrac. The Department requested additional delineation around the pump island and product recovery from MW2. Reviewed the first quarterly 2008 update report. Wells sampled on 2/5/08. SVE-1 and SVE-3 were dry. LNAPL in MW2 (0.01 ft). Maximum BTEX concentration 257 ppb (MW4), maximum MTBE concentration 27 ppb (SVE4). SVE/AS in operation. 8/7/08 - Carlson: Reviewed July 2008 Update Report. Wells sampled on 5/6/08. Maximum BTEX concentration 39,950 ppb (MW2). SVE/AS in operation. Two on-site delineation well locations proposed. 8/11/08 - Carlson: Received email from Ed Russo indicating the two additional wells will be installed on 8/18/08. Sent email approving well locations. 10/22/08 - Carlson: Meeting with Hess/Envirotrac. Perform weekly VEFR for one month to evaluate effectiveness. Well installation data will be included in next quarterly report. 11/17/08 - Carlson: Reviewed October 2008 Update Report. Wells sampled on 8/26/08. Maximum BTEX concentration 62.360 ppb (MW2). No LNAPL detected this quarter. SVE/AS in operation. Wells MW11 and MW12 were installed 8/18/08. EFR events will be conducted from MW2. 2/20/09 - Carlson: Reviewed January 2009 Update Report. SVE/AS in operation. Weekly EFR from MW2 because of recent sheen. EFR will be conducted monthly henceforth. 3/18/09 - Carlson: Meeting with Hess and Envirotrac. Should another AS well be installed by MW2? 5/7/09 - Carlson: Reviewed April 2009 Update Report. SVE/AS in operation since 2003 - review effectiveness. Monthly EFR from MW2. Wells sampled on 2/25/09. Maximum BTEX concentration 19.277 ppb (MW2). Fluctuating concentrations, 8/7/09 Carlson: Reviewed update report. SVE/AS down for repair since March. Hess is evaluating installation of additional remedials wells or injection points near MW2 and MW12. 8/19/09 - Carlson: Meeting with Hess. They are evaluating extending system/installing remedial well in MW2 area. Work plan will be submitted by 9/30/09. 11/17/09 -Carlson: Reviewed October 2009 update report. System down for evalutation of extending system to MW2 area. 1/27/2010 - Carlson: Meeting with Hess and Envirotrac. Delineation work plan received, need to review. 2/2/2010 - Carlson: Approved work plan for installation of one monitoring well and 3-4 air sparge wells, depending on site conditions. Results to be submitted in subsequest update report. 2/5/2010 - Carlson: Reviewed 4th Quarter 2009 Update report. SVE/AS down for system upgrade, as per above entry. 2/19/2010 - Carlson: Received notification - drilling scheduled for 2/22/2010. gas spilled at the premise they will be testing tanks and lines there tommorow to see why spill occurred.

Remarks:

Material:

Site ID: 158032 Operable Unit ID: 852881 Operable Unit: 01 Material ID: 523367 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT SERVICE STATION (Continued)

S104276971

Quantity: 0 Gallons Units: Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

MERIT INWOOD GAS STATION NY Spills

274848

Not reported

Α7 **ESE 401 WEST 207TH ST** MANHATTAN, NY < 1/8

NY Hist Spills N/A

S104496117

0.028 mi.

146 ft. Site 7 of 12 in cluster A

Relative:

Lower

NY Spills: Site ID: Facility Addr2:

Actual: 16 ft.

Facility ID: 0206149 Spill Number: 0206149 Facility Type: ER SWIS: 3101 Investigator: **SMSANGES** Referred To: Not reported Spill Date: 9/13/2002 Reported to Dept: 9/13/2002 CID: 15 Spill Cause: Unknown Water Affected: Not reported

Spill Source: **Gasoline Station** Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/3/2003 Remediation Phase: Date Entered In Computer: 9/13/2002 Spill Record Last Update: 4/3/2003 DAVID LEE Spiller Name: Spiller Company: HESS 32517

Spiller Address: 401 WEST 207TH ST Spiller City, St, Zip: MANHATTAN, NY

Spiller Company: 001

Direction Distance Elevation

on Site Database(s) EPA ID Number

MERIT INWOOD GAS STATION (Continued)

S104496117

EDR ID Number

Contact Name: DAVID LEE
Contact Phone: (518) 436-6585

DEC Region: 2
DER Facility ID: 223558

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND" 4/3/2003 Hess submitted documentation showing repairs made to their STP sumps and remote fill line. Fuel had accumulated in the sump and the system was tightened and repaired to prevent this

leak. Spill Closed

Remarks: contained in stp sump. no call back needed. in process of clean up.

Material:

274848 Site ID: Operable Unit ID: 858648 Operable Unit: 01 Material ID: 516759 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: 20 Gallons Units: Recovered: No Not reported

Resource Affected: Not repo Oxygenate: False

Oxygenate. Paise

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Not reported Modified By: Last Modified: Not reported Test Method: Not reported

Site ID: 246119 Facility Addr2: Not reported Facility ID: 9504685 Spill Number: 9504685 Facility Type: ER SWIS: 2401 **WXSUN** Investigator: Referred To: Not reported Spill Date: 2/1/1995 7/8/1995 Reported to Dept: CID: 15 Spill Cause: Unknown Water Affected: Not reported

Spill Source: Gasoline Station
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT INWOOD GAS STATION (Continued)

S104496117

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/9/2003 Remediation Phase: Date Entered In Computer: 8/2/1995 Spill Record Last Update: 7/19/2005 Spiller Name: Not reported Spiller Company: **MERIT** Spiller Address: Not reported

Spiller City, St, Zip: ZZ 001 Spiller Company:

Contact Name: Not reported Contact Phone: Not reported

DEC Region: DER Facility ID: 202117

Prior to Sept, 2004 data translation this spill Lead DEC Field was DEC Memo:

"SUN" PRIMARY SPILL NUMBER FOR THIS SITE IS 9706124 FOR NOTES, LOOK

AT THAT SPILL NUMBER 12/9/2003 Reassigned from Sangesland to Sun. To

be investigated and remediated under Spill # 97-06124.

TOOKL SAMPLES FOR DEP - DEWATERING PERMIT FOR GASOLINE COMPONENTS. Remarks:

Material:

246119 Site ID: Operable Unit ID: 1019445 Operable Unit: 01 Material ID: 366196 Material Code: 0009 Material Name: Gasoline Not reported Case No.: Material FA: Petroleum Quantity: -1 Units: Gallons Recovered: No Not reported Resource Affected:

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

> Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: Spill Number: 9504685

Direction
Distance

Elevation Site Database(s) EPA ID Number

MERIT INWOOD GAS STATION (Continued)

S104496117

EDR ID Number

Investigator: ODOWD Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Not reported Notifier Phone: Spill Date/Time: 02/01/1995 00:01 Reported to Dept Date/Time: 07/08/95 15:25

SWIS: 61 Spiller Name: **MERIT** Spiller Contact: Not reported Spiller Phone: Not reported Spiller Address: Not reported Spiller City, St, Zip: Not reported Spill Cause: Unknown Reported to Dept: On Land Water Affected: Not reported

Spill Source: 05
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Corrective Action Plan Submitted:

Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/02/95
Date Spill Entered In Computer Data File: Not reported

Update Date: 08/09/95
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False **GASOLINE** Material: Class Type: **GASOLINE** Times Material Entry In File: 21329 CAS Number: Not reported

Direction Distance

Distance Elevation Site EDR ID Number Database(s) EPA ID Number

MERIT INWOOD GAS STATION (Continued)

S104496117

Last Date: 19940929

DEC Remarks: Not reported

Remark: TOOKL SAMPLES FOR DEP - DEWATERING PERMIT FOR GASOLINE COMPONENTS.

A8 MANHOLE #40048 NY Spills S107407406
ESE 207TH ST/9TH AVE N/A

< 1/8 MANHATTAN, NY

0.028 mi.

146 ft. Site 8 of 12 in cluster A

Relative: NY Spills:

 Lower
 Site ID:
 199471

 Facility Addr2:
 Not reported

 Actual:
 Facility ID:
 9903956

 16 ft.
 Spill Number:
 9903956

 Facility Type:
 ER

SWIS: 3101
Investigator: CAENGELH
Referred To: Not reported
Spill Date: 7/6/1999
Reported to Dept: 7/6/1999
CID: 252

Spill Cause: Equipment Failure
Water Affected: Not reported

Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/30/2004 Remediation Phase: 0 Date Entered In Computer: 7/6/1999 Spill Record Last Update: 1/30/2004

Spiller Name: STEPHEN CRIBBIN
Spiller Company: MANHOLE #40048
Spiller Address: 207TH ST/9TH AVE
Spiller City,St,Zip: MANHATTAN, ZZ

Spiller Company: 001

Contact Name: STEPHEN CRIBBIN Contact Phone: (212) 580-6763

DEC Region: 2 DER Facility ID: 166023

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ENGELHARDT" e2mis no. 126144: Found spill approx 5 gal dielectric fluid from cable ends. Found sump, placed pads and diapers around

sump. PCB Sample taken. LAB SEQUENCE # 99-06999 AROCLOR - 1260 PCB 4.

PPM Cleanup completed on 7-18-99 at 0230 hours. 1-gallon oil removed

with absorbants. Stain double washed.

Remarks: NO WATERWAYS AFFECTED-SAMPLE TAKEN-CLEAN UP PENDING RESULTS- AND

AVAILABILITY OF CREW. CON ED #126144

Material:

 Site ID:
 199471

 Operable Unit ID:
 1082880

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MANHOLE #40048 (Continued)

S107407406

Operable Unit: 01 303856 Material ID: Material Code: 0541A

Material Name: DIELECTRIC FLUID Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Α9 **HESS STATION NY Spills** S104881227 **ESE 401 WEST 207TH ST NY Hist Spills** N/A

< 1/8 0.028 mi.

146 ft. Site 9 of 12 in cluster A

Relative:

Actual:

16 ft.

NY Spills:

MANHATTAN, NY

Lower

Site ID: 274847 Facility Addr2: Not reported Facility ID: 0010612 Spill Number: 0010612 Facility Type: ER SWIS: 3101

Investigator: **WXSUN** Referred To: Not reported Spill Date: 12/21/2000 Reported to Dept: 12/21/2000 CID: 15

Spill Cause: Human Error Water Affected: Not reported Spill Source: **Gasoline Station** Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

Not reported

UST Trust:

Last Inspection:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/9/2003 Remediation Phase: n

Date Entered In Computer: 12/21/2000

Direction Distance

Elevation Site Database(s) EPA ID Number

HESS STATION (Continued)

S104881227

EDR ID Number

Spill Record Last Update: 12/9/2003
Spiller Name: Not reported
Spiller Company: AMERADA HESS
Spiller Address: 1 HESS PLAZA

Spiller City, St, Zip: WOODBRIDGE, NJ 07095-

Spiller Company: 001

Contact Name: Not reported Contact Phone: (212) 567-9862

DEC Region: 2
DER Facility ID: 223558

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SUN" PRIMARY SPILL NUMBER FOR THIS SITE IS 9706124 FOR ALL NOTES,

LOOK THERE. 12/9/2003 Reassigned from Sangesland to Sun. To be

investigated and remediated under Spill # 97-06124.

Remarks: DRILLER DRILLED THRU PRODUCT DISPENSING PIPING - POSS ABOUT 5 GAL -

WAS CLEANED UP

Material:

Site ID: 274847 Operable Unit ID: 832645 Operable Unit: 01 544505 Material ID: Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: Spill Number: 0010612 ROMMEL Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 12/21/2000 13:30 Reported to Dept Date/Time: 12/21/00 13:56

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HESS STATION (Continued)

S104881227

SWIS: 62

AMERADA HESS Spiller Name: Spiller Contact: Not reported Spiller Phone: (732) 750-6000 Spiller Phone: (212) 567-9862 Spiller Address: 1 HESS PLAZA

Spiller City,St,Zip: WOODBRIDGE, NJ 07095-

Spill Cause: **Human Error** Reported to Dept: On Land Water Affected: Not reported

Spill Source: 05

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: Cleanup Meets Std: False Last Inspection:

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: **Enforcement Date:** Invstgn Complete: // False **UST Involvement:**

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt:

Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 12/21/00 Date Spill Entered In Computer Data File: Not reported

Update Date: 12/21/00 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False **GASOLINE** Material: Class Type: **GASOLINE** Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

Not reported **DEC Remarks:**

DRILLER DRILLED THRU PRODUCT DISPENSING PIPING - POSS ABOUT 5 GAL - WAS CLEANED Remark:

UP

Direction Distance

Elevation Site Database(s) EPA ID Number

A10 MANHOLE #40048 NY Spills S104192342
ESE 207TH ST/9TH AVE NY Hist Spills N/A

< 1/8 MANHATTAN, NY

0.028 mi.

146 ft. Site 10 of 12 in cluster A

Relative: Lower NY Spills: Site ID: 92011

Actual: 16 ft.

Facility Addr2: Not reported Facility ID: 0208829 Spill Number: 0208829 Facility Type: ER SWIS: 3101 MCTIBBE Investigator: Referred To: Not reported Spill Date: 11/25/2002 Reported to Dept: 11/26/2002 CID: 396

Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported

Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/23/2002

Remediation Phase: 0

Date Entered In Computer: 11/26/2002 Spill Record Last Update: 12/23/2002 Spiller Name: Not reported

Spiller Company: NEW YORK CITY TRANSIT AUT

Spiller Address: 370 JAY STREET
Spiller City,St,Zip: BROOKLYN, NY 11201-

Spiller Company: 001

Contact Name: PASHKO CAMAJ Contact Phone: (718) 243-4581

DEC Region: 2 DER Facility ID: 82639

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" All State Power Vac 718-456-7779 or 800-876-9699 was contracted for clean up. It was a 2' x 3' area affected. Spill was vaccumed by contractor. Zhao sujested Pashko to contact NYCDEP to measure the concentrations to make sure clean up complete. Contained

and cleaned by NYCT contractor.

Remarks: all cleaned up. may have come off a truck.

Material:

 Site ID:
 92011

 Operable Unit ID:
 860257

 Operable Unit:
 01

 Material ID:
 515821

 Material Code:
 0031A

 Material Name:
 MERCURY

 Case No.:
 07439976

Material FA: Hazardous Material

Quantity: 2

EDR ID Number

Direction Distance Elevation

Site Database(s) EPA ID Number

MANHOLE #40048 (Continued)

S104192342

EDR ID Number

Units: Pounds
Recovered: 2
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Not reported Site ID: Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

9903956 Spill Number: Investigator: **ENGELHARDT** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 07/06/1999 12:15 Spill Date/Time: Reported to Dept Date/Time: 07/06/99 13:52

SWIS: 62

Spiller Name: MANHOLE #40048 Spiller Contact: STEPHEN CRIBBIN Spiller Phone: (212) 580-6763 Spiller Contact: STEPHEN CRIBBIN Spiller Phone: (212) 580-6763 Spiller Address: 207TH ST/9TH AVE Spiller City, St, Zip: **MANHATTAN** Spill Cause: **Equipment Failure**

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 01

Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: //

Corrective Action Plan Submitted: //

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MANHOLE #40048 (Continued)

S104192342

Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/06/99
Date Spill Entered In Computer Data File: Not reported

Update Date: 07/07/99
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True

Material: DIELECTRIC FLUID Class Type: DIELECTRIC FLUID

Times Material Entry In File: 41

CAS Number: Not reported Last Date: Not reported

DEC Remarks: Not reported

Remark: NO WATERWAYS AFFECTED-SAMPLE TAKEN-CLEAN UP PENDING RESULTS- AND AVAILABILITY

OF CREW. CON ED 126144

STATE

A11 9TH AVENUE SHOP AST A100292918
East 3884 NINTH AVENUE N/A

East 3884 NINTH AVENUE < 1/8 NEW YORK, NY 10034

0.029 mi.

155 ft. Site 11 of 12 in cluster A

Relative: AST: Lower Region:

DEC Region: 2

Actual: Site Status: Active

17 ft. Facility Id: 2-609046

Program Type: PBS

UTM X: 591300.84149999998 UTM Y: 4524242.6077100001

Expiration Date: 2013/06/24

Tank Number: W/O-1
Tank Id: 66231
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1982
Capacity Gallons: 275
Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

9TH AVENUE SHOP (Continued)

A100292918

EDR ID Number

Register: True
Modified By: dxliving
Last Modified: 4/30/2008

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

H99 - Tank Leak Detection - Other K99 - Spill Prevention - Other A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

G01 - Tank Secondary Containment - Diking (Aboveground)

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating

J00 - Dispenser - None

E01 - Piping Secondary Containment - Diking (Aboveground)

L00 - Piping Leak Detection - None

100 - Overfill - None

Tank Number: W/O-2
Tank Id: 66232
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1982
Capacity Gallons: 275
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
dxliving
Last Modified:
4/30/2008

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

A00 - Tank Internal Protection - None

K99 - Spill Prevention - Other

G01 - Tank Secondary Containment - Diking (Aboveground)

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating B01 - Tank External Protection - Painted/Asphalt Coating

100 - Overfill - None

E01 - Piping Secondary Containment - Diking (Aboveground)

H99 - Tank Leak Detection - Other

J00 - Dispenser - None

L00 - Piping Leak Detection - None

Affiliation Records:

Site Id: 30893

Affiliation Type: On-Site Operator
Company Name: 9TH AVENUE SHOP

Contact Type: Not reported
Contact Name: NYC TRANSIT
Address1: Not reported
Address2: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

9TH AVENUE SHOP (Continued)

A100292918

EDR ID Number

City: Not reported

State: NY

Zip Code: Not reported

Country Code: 001

Phone: (718) 243-3449
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: exrossan
Date Last Modified: 5/26/2004

Site Id: 30893

Affiliation Type: Emergency Contact

Company Name: NEW YORK CITY TRANSIT

Contact Type: Not reported

Contact Name: JENNIFER WUOTINEN

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Not reported Zip Code: Country Code: 999 Phone: (646) 252-5777 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: kakyer Date Last Modified: 4/1/2010

Site Id: 30893 Affiliation Type: Mail Contact

Company Name: NEW YORK CITY TRANSIT

Contact Type: Not reported

Contact Name: JENNIFER WUOTINEN, OSS

Address1: 2 BROADWAY
Address2: 27TH FLOOR
City: NEW YORK

State: NY
Zip Code: 10004
Country Code: 001

Phone: (646) 252-5777
Phone Ext: Not reported

Email: JENNIFER.WUOTINEN@NYCT.COM

Fax Number: Not reported Modified By: BVCAMPBE Date Last Modified: 5/12/2010

Site Id: 30893 Affiliation Type: Owner

Company Name: NEW YORK CITY TRANSIT

Contact Type: MANAGER

Contact Name: JENNIFER WUOTINEN

Address1: 2 BROADWAY
Address2: Not reported
City: NEW YORK

State: NY Zip Code: 10004

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

9TH AVENUE SHOP (Continued)

A100292918

Country Code: 001

(646) 252-5777 Phone: Not reported Phone Ext: Not reported Email: Fax Number: Not reported Modified By: kakyer Date Last Modified: 8/3/2009

A12 **NYCTA - 9TH AVE UNIT SHOP** RCRA-CESQG 1000404653 NYD982269573 FINDS

East 3884 NINTH AVENUE < 1/8

NEW YORK, NY 10034 **MANIFEST** 0.029 mi. **MANIFEST**

155 ft. Site 12 of 12 in cluster A

RCRA-CESQG: Relative:

Date form received by agency: 01/01/2007 Lower

NYCTA - 9TH AVE UNIT SHOP Facility name:

Actual: Facility address: 3884 NINTH AVENUE 17 ft.

NEW YORK, NY 10034

EPA ID: NYD982269573 370 JAY STREET Mailing address:

BROOKLYN, NY 11201

Contact: JOSEPHINE F BROWN 370 JAY STREET Contact address:

BROOKLYN, NY 11201

Contact country: US

Contact telephone: (718) 243-4581

JOBROWN4@NYCT.COM Contact email:

02 EPA Region: Land type: State

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from

the cleanup of a spill, into or on any land or water, of acutely

hazardous waste

Owner/Operator Summary:

NYCT Owner/operator name:

Owner/operator address: 370 JAY ST - RM 819 BROOKLYN, NY 11201

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: State Owner/Operator Type: Owner Owner/Op start date: 06/01/1953 Owner/Op end date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

Owner/operator name: NO NAME FOUND Owner/operator address: Not reported

Not reported

Owner/operator country:

Owner/operator telephone:

Legal status:

Owner/Operator Type:

Owner/Op start date:

Owner/Op end date:

US

Not reported

Operator

Operator

O6/01/1953

Owner/Op end date:

Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: Nο Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: Nο Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: NYCTA - 9TH AVE UNIT SHOP

Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 02/05/2004

Facility name: NYCTA - 9TH AVE UNIT SHOP Classification: Large Quantity Generator

Date form received by agency: 02/20/2002

Facility name: NYCTA - 9TH AVE UNIT SHOP
Site name: NYCTA-9TH AVENUE UNIT SHOP

Classification: Large Quantity Generator

Date form received by agency: 07/08/1999

Facility name: NYCTA - 9TH AVE UNIT SHOP
Site name: NYCTA - 9TH AVENUE UNIT SHOP

Classification: Not a generator, verified

Date form received by agency: 03/30/1994

Facility name: NYCTA - 9TH AVE UNIT SHOP
Site name: NYCTA / 9TH AVENUE UNIT SHOP

Classification: Large Quantity Generator

Date form received by agency: 03/01/1992

Facility name: NYCTA - 9TH AVE UNIT SHOP

Site name: NYCTA

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

Classification: Large Quantity Generator

Date form received by agency: 03/01/1990

Facility name: NYCTA - 9TH AVE UNIT SHOP

Site name: NEW YORK CITY TRANSIT AUTHORITY

Classification: Large Quantity Generator

Date form received by agency: 06/29/1987

Facility name: NYCTA - 9TH AVE UNIT SHOP
Site name: NYCTA - 9TH AVENUE UNIT SHOP

Classification: Large Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Listing - General
Date violation determined: 03/06/2008
Date achieved compliance: 05/23/2008
Violation lead agency: State

Enforcement action: WRITTEN INFORMAL

Enforcement action date: 04/02/2008

Enf. disposition status: Action Satisfied (Case Closed)

Enf. disp. status date: 10/17/2008
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 03/06/2008

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Listing - General Date achieved compliance: 05/23/2008 Evaluation lead agency: State

Evaluation date: 10/11/1993

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Not reported Date achieved compliance: Not reported

Evaluation lead agency: EPA Contractor/Grantee

FINDS:

Registry ID: 110004416935

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

MANIFEST:

GEN Cert Date: 6/19/2008 Transporter Recpt Date: 6/19/2008

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

Number Of Containers: 4
Container Type: DM
Waste Code1: R003
Waste Code2: D039
Waste Code3: Not reported
Comment: Not reported
Fee Exempt Code: Not reported

TSDF Name: United Oil Recovery Inc

TSDF ID: RID084802842 TSDF Date: 6/18/2008

Date Imported: 9/29/2008 4:08:25 PM

Transporter 2 Name: Not reported Transporter 2 ID: CTD021816889 Manifest Docket Number: Not reported Not reported Waste Description: Not reported Quantity: WT/Vol Units: Not reported Item Number: Not reported Transporter Name: Not reported Not reported Transporter EPA ID: **GEN Cert Date:** Not reported Transporter Recpt Date: Not reported Transporter 2 Recpt Date: Not reported TSDF Recpt Date: Not reported Not reported EPA ID: Transporter 2 ID: Not reported

NY MANIFEST:

EPA ID: NYD982269573

Country: USA
Mailing Name: NYCTA
Mailing Contact: KEN CADUGAN
Mailing Address: 370 JAY ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN

Mailing State: NY
Mailing Zip: 11201
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Country: USA
Mailing Phone: 212-304-3600

Document ID: NJA1849092

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 931104 Trans1 Recv Date: 931104 Trans2 Recv Date: Not reported TSD Site Recv Date: 931104 Part A Recv Date: 931124 Part B Recv Date: 931206

 Generator EPA ID:
 NYD982269573

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00432

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 024

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

100 Specific Gravity: Year: 93

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1741326

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 930804 Trans1 Recv Date: 930804 Trans2 Recv Date: Not reported TSD Site Recv Date: 930804 Part A Recv Date: Not reported Part B Recv Date: 940428

Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 00303

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 020

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 93

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

Document ID: NJA1807123 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 931209 Trans1 Recv Date: 931209 Trans2 Recv Date: Not reported TSD Site Recy Date: 931209 Part A Recv Date: 931222 Part B Recv Date: 931227 NYD982269573 Generator EPA ID: Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported

NJD000768093 Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00373

G - Gallons (liquids only)* (8.3 pounds) Units:

Number of Containers: 023

TSDF ID:

Container Type: DM - Metal drums, barrels

R Material recovery of more than 75 percent of the total material. Handling Method:

Specific Gravity: 100 Year: 93

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1943571

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 940621 Trans1 Recv Date: 940621 Trans2 Recv Date: Not reported TSD Site Recv Date: 940621 Part A Recv Date: 940701 Part B Recv Date: 940719

Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00324

G - Gallons (liquids only)* (8.3 pounds) Units:

Number of Containers: 021

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

Mgmt Method Type Code:

1000404653

Year: 94 Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Document ID: NJA1816348 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 940426 Generator Ship Date: Trans1 Recv Date: 940426 Trans2 Recv Date: Not reported TSD Site Recy Date: 940426 Part A Recv Date: 940509 Part B Recv Date: 940510

Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Not reported

00357 Quantity:

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 021

Container Type: DM - Metal drums, barrels

R Material recovery of more than 75 percent of the total material. Handling Method:

100 Specific Gravity: 94 Year:

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1805323 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 940331 Trans1 Recv Date: 940331

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

Trans2 Recv Date: Not reported TSD Site Recv Date: 940331 Part A Recv Date: 940412 Part B Recv Date: 940414 Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00336

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 021

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1825872 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 940317 Generator Ship Date: Trans1 Recv Date: 940317 Trans2 Recv Date: Not reported TSD Site Recv Date: 940317 Part A Recv Date: 940329 Part B Recv Date: 940330

 Generator EPA ID:
 NYD982269573

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00320

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 020

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 94

Manifest Tracking Num:
Import Ind:
Export Ind:
Discr Quantity Ind:
Not reported

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: Not reported Manifest Status: Not reported TXR000050930 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2008-09-11 Trans1 Recv Date: 2008-09-11 Trans2 Recv Date: Not reported TSD Site Recy Date: 2008-09-16 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD982269573 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: RID084802842 Waste Code: Not reported 256.0

Quantity:

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 4.0

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 1.0 80 Year:

Manifest Tracking Num: 001523620SKS

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H020

Document ID: Not reported Manifest Status: Not reported TXR000050930 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2008-07-17 2008-07-17 Trans1 Recv Date: Trans2 Recv Date: Not reported 2008-07-24 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYD982269573 Generator EPA ID: Trans1 EPA ID: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Trans2 EPA ID: Not reported TSDF ID: RID084802842 Waste Code: Not reported 256.0 Quantity:

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 4.0

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 1.0 Year: 80

001269945SKS Manifest Tracking Num:

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H020

Document ID: NJA0501042 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 880921 Generator Ship Date: Trans1 Recv Date: 880921 Trans2 Recv Date: Not reported TSD Site Recy Date: 880921 Part A Recv Date: 881003 Part B Recv Date: 881007 NYD982269573 Generator EPA ID:

Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

01280 Quantity: Units: P - Pounds Number of Containers: 016

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 88

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Map ID MAP FINDINGS
Direction

Distance

Elevation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

Mgmt Method Type Code: Not reported

Document ID: NJA0504695 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 881116 Trans1 Recv Date: 881116 Trans2 Recv Date: Not reported TSD Site Recv Date: 881116 Part A Recv Date: 881121 Part B Recv Date: 881125

Generator EPA ID: NYD982269573
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01280 Units: P - Pounds

Number of Containers: 016

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported

Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code:

Document ID: NJA0497670 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 881213 Trans1 Recv Date: 881213 Trans2 Recv Date: Not reported TSD Site Recv Date: 881213 Part A Recv Date: 881223 Part B Recv Date: 881222

 Generator EPA ID:
 NYD982269573

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01360
Units: P - Pounds
Number of Containers: 017

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 88

Manifest Tracking Num: Not reported Not reported Import Ind: Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0620017 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 890516 Trans1 Recv Date: 890516 Trans2 Recv Date: Not reported TSD Site Recv Date: 890517 Part A Recy Date: 890523 Part B Recv Date: 890525

Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00688 P - Pounds Units: 800 Number of Containers:

DM - Metal drums, barrels Container Type:

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0564175 Completed copy Manifest Status: Trans1 State ID: NJDEPS869

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Trans2 State ID: Not reported 890623 Generator Ship Date: Trans1 Recv Date: 890623 Trans2 Recv Date: Not reported TSD Site Recv Date: 890623 Part A Recv Date: 890705 Part B Recv Date: 890629 Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00688
Units: P - Pounds
Number of Containers: 008

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0511228 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 890207 Trans1 Recv Date: 890207 Trans2 Recv Date: Not reported TSD Site Recy Date: 890207 Part A Recv Date: 890224 Part B Recv Date: 890224 Generator EPA ID: NYD982269573

 Generator EPA ID:
 NYD982269573

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00720
Units: P - Pounds
Number of Containers: 012

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported

Direction Distance Elevation

EDR ID Number

n Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: NJA1349261 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 911220 Trans1 Recv Date: 911220 Trans2 Recv Date: Not reported TSD Site Recv Date: 911220 Part A Recv Date: 920107 Part B Recv Date: 920114

 Generator EPA ID:
 NYD982269573

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01720
Units: P - Pounds
Number of Containers: 020

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 91

Manifest Tracking Num: Not reported Not reported Import Ind: Not reported **Export Ind:** Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: NJA1332593 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 911112 Trans1 Recv Date: 911112 Trans2 Recy Date: Not reported 911112 TSD Site Recy Date: Part A Recv Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

EDR ID Number

 Part B Recv Date:
 911119

 Generator EPA ID:
 NYD982269573

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

TSDF ID: Not reported NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 02494
Units: P - Pounds

Number of Containers: 029

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 91

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1346247 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 911031 Trans1 Recv Date: 911031 Trans2 Recv Date: Not reported TSD Site Recv Date: 911031 Part A Recv Date: Not reported Part B Recv Date: 911114 Generator EPA ID: NYD982269573 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01858 Units: P - Pounds Number of Containers: 018

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100
Year: 91
Manifest Tracking Num: Not

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1328622 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 911125 Trans1 Recv Date: 911125 Trans2 Recv Date: Not reported TSD Site Recv Date: 911125 Part A Recv Date: Not reported Part B Recv Date: 911205

NYD982269573 Generator EPA ID: Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported NJD000768093 TSDF ID:

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01720 Units: P - Pounds

Number of Containers: 020

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 91

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1217449 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 910807 Trans1 Recv Date: 910807 Trans2 Recv Date: Not reported TSD Site Recy Date: 910807 Part A Recv Date: 910820 Part B Recv Date: 910816 NYD982269573 Generator EPA ID: Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported

TSDF ID:

NJD000768093 Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA - 9TH AVE UNIT SHOP (Continued)

1000404653

Quantity: 00688 P - Pounds Units: Number of Containers: 800

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: Year: 91

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

> Click this hyperlink while viewing on your computer to access 165 additional NY_MANIFEST: record(s) in the EDR Site Report.

NY Spills B13 **ON STREET** S106470016 South WEST 206TH ST./9TH AVE (N/A

< 1/8 0.061 mi.

323 ft. Site 1 of 13 in cluster B

MANHATTAN, NY

NY Spills:

Relative: Lower

Site ID: 103140 Facility Addr2: Not reported Facility ID: 0402794

Actual: 13 ft.

Spill Number: 0402794 Facility Type: ER SWIS: 3101 Investigator: **TJDEMEO** Referred To: Not reported 6/14/2004 Spill Date: Reported to Dept: 6/14/2004 CID: 444 Spill Cause: Other Water Affected: Not reported Spill Source: Unknown Spill Notifier: Local Agency Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/28/2004

Remediation Phase: 0 Date Entered In Computer: 6/14/2004 Spill Record Last Update: 6/28/2004 Spiller Name: **CHRIS HAAS**

Spiller Company: **ON STREET**

Direction Distance

Elevation Site Database(s) EPA ID Number

ON STREET (Continued) S106470016

Spiller Address: WEST 206TH ST./9TH AVE (

Spiller City,St,Zip: MANHATTAN, NY

Spiller Company: 001

Contact Name: CHRIS HAAS Contact Phone: (917) 769-1263

DEC Region: 2 DER Facility ID: 91250

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"DEMEO" 6/29/04 TJD Drum emptied during drum run on 6/23/04. No

further action required. Spill closed.

Remarks: ABANDONED DRUMS OF WASTE OIL, NONE SPILLED

Material:

 Site ID:
 103140

 Operable Unit ID:
 884379

 Operable Unit:
 01

 Material ID:
 490408

 Material Code:
 0022

Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported

False

Tank Test:

Oxygenate:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

C14 420 WEST 206TH ST OWNERS CORP

WSW 420 WEST 206TH STREET < 1/8 NEW YORK, NY 10034

0.065 mi.

Actual:

17 ft.

345 ft. Site 1 of 2 in cluster C

Relative: AST:

Lower Region: STATE DEC Region: 2

 DEC Region:
 2

 Site Status:
 Active

 Facility Id:
 2-147362

 Program Type:
 PBS

UTM X: 591219.50743

UTM Y: 4524139.5596099999

Expiration Date: 2012/08/26

Tank Number: 001 Tank Id: 19296 A100168812

N/A

AST

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

420 WEST 206TH ST OWNERS CORP (Continued)

Tank Location: 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/14/1947
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
KAKYER
Last Modified:
6/11/2007

Equipment Records:

C00 - Pipe Location - No Piping B00 - Tank External Protection - None F00 - Pipe External Protection - None I04 - Overfill - Product Level Gauge (A/G) H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

Affiliation Records:

Site Id: 4327 Affiliation Type: Mail Contact

Company Name: 420 W 206 ST OWNERS CORP

Contact Type: Not reported
Contact Name: FRANK GARCIA

Address1: % TOTAL REALTY ASSOCIATES, INC. Address2: 733 YONKERS AVENUE, SUITE 103

 City:
 YONKERS

 State:
 NY

 Zip Code:
 10704

 Country Code:
 001

Phone: (212) 304-0423
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 6/1/2009

Site Id: 4327

Affiliation Type: Emergency Contact

Company Name: 420 W 206 ST OWNERS CORP

Contact Type: Not reported

Contact Name: WALTER CAMBRELAIN

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

EDR ID Number

A100168812

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

420 WEST 206TH ST OWNERS CORP (Continued)

A100168812

Phone: (212) 304-0423 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 4327 Affiliation Type: Owner

Company Name: 420 W 206 ST OWNERS CORP

Contact Type: VΡ

Contact Name: IRMA COLLAZO Address1: **BOX 266** Address2: Not reported City: **NEW YORK** State: NY Zip Code: 10034

Country Code: 001 (212) 304-0423 Phone:

Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **KAKYER** Date Last Modified: 6/11/2007

Site Id: 4327

Affiliation Type: On-Site Operator

Company Name: 420 WEST 206TH ST OWNERS CORP

Contact Type: Not reported

WALTER CAMBRELAIN Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 304-0423 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

C15 **420 W 206TH ST OWNERS**

wsw 420 W 206TH ST < 1/8 RIVERDALE, NY

0.067 mi.

355 ft. Site 2 of 2 in cluster C

NY Spills: Relative:

269517 Site ID: Lower Facility Addr2: Not reported Actual: Facility ID: 9514127 17 ft. Spill Number: 9514127

Facility Type: ER SWIS: 0301 **SMMARTIN** Investigator: Referred To: Not reported S102239000

N/A

NY Spills

NY Hist Spills

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

420 W 206TH ST OWNERS (Continued)

S102239000

Spill Date: 2/6/1996 Reported to Dept: 2/6/1996 CID: 349 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False

Recommended Penalty: Penalty Not Recommended

Not reported

UST Trust: False

Last Inspection:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/6/1996 Remediation Phase: Date Entered In Computer: 2/6/1996 Spill Record Last Update: 2/26/1996 Spiller Name: Not reported Spiller Company: UNKNOWN Spiller Address: Not reported Spiller City, St, Zip: NY Spiller Company: 999

Contact Name: Not reported Contact Phone: (212) 304-0423

DEC Region: 2

DER Facility ID: 219507

DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was

"MARTINKAT"

CALLER DID NOT TALK TO DRIVER YET AND DOES NOT KNOW WHAT CAUSED SPILL Remarks:

Material:

Site ID: 269517 Operable Unit ID: 1028661 Operable Unit: 01 Material ID: 354267 0003 Material Code: Material Name: #6 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: 5 Gallons Units:

Resource Affected: Not reported Oxygenate: False

Tank Test:

Recovered:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

420 W 206TH ST OWNERS (Continued)

S102239000

EDR ID Number

NY Hist Spills: Region of Spill: Spill Number: 9514127 Investigator: **MARTINKAT** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 02/06/1996 07:30 Spill Date/Time: Reported to Dept Date/Time: 02/06/96 11:42 SWIS: 60 UNKNOWN Spiller Name: Spiller Contact: Not reported Spiller Phone: Not reported

Spiller Contact:

Spiller Contact:

Spiller Phone:

Spiller Phone:

Spiller Address:

Spiller Address:

Spiller City,St,Zip:

Spiller City,St,Zip:

Not reported

Spill Cause:

Unknown

Reported to Dept:

Water Affected:

Spill Source:

Unknown

Not reported

Spill Notifier: Responsible Party

PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/06/95 Corrective Action Plan Submitted:

Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/06/96
Date Spill Entered In Computer Data File: Not reported

Update Date: 02/26/96 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 5
Unkonwn Quantity Recovered: False

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

420 W 206TH ST OWNERS (Continued)

S102239000

Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: Not reported

Remark: CALLER DID NOT TALK TO DRIVER YET AND DOES NOT KNOW WHAT CAUSED SPILL

D16 10TH AVE & 207TH STREET
WNW 10TH AVE / 207TH STREET
< 1/8 NEW YORK, NY

NY Spills S102149664 NY Hist Spills N/A

< 1/8 0.087 mi.

460 ft. Site 1 of 9 in cluster D

Relative: Higher

Actual:

20 ft.

NY Spills:

Site ID: 291128
Facility Addr2: Not reported
Facility ID: 9415475
Spill Number: 9415475
Facility Type: FR

Facility Type: ER SWIS: 3101 Investigator: **JHOCONNE** Not reported Referred To: 2/27/1995 Spill Date: Reported to Dept: 2/27/1995 CID: Not reported Spill Cause: **Equipment Failure** Water Affected: Not reported Spill Source: Unknown Spill Notifier: Responsible Party

Cleanup Meets Std: Responsible False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/20/2004
Remediation Phase: 0
Date Entered In Computer: 4/6/1995
Spill Record Last Update: 12/20/2004
Spiller Name: Not reported
Spiller Company: CON EDISON

Spiller Address: 128 WEST END AVENUE Spiller City,St,Zip: NEW YORK, NY 10023

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 235744

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ENGLEHARDT" 12/20/04: Con Ed submitted copy of OIL, TOXIC OR

HAZARDOUS SUBSTANCE (INCLUDING PCB'S AND ASBESTOS) SPILL OR FIRE

NOTIFICATION FORM dated 2/27/95, which states: "TYPE OF SPILL/FIRE

AND CAUSE: DIELECTRIC FLUID, LEAKING FROM LOW PRESSURE OIL FILLED

CABLE AT A 1/2 GAL/HR RATE. DIELECTRIC FLUID IS NON PCB OIL. ESTIMATED AMOUNT OF SPILL: 5 gallons. CONTAINMENT (DESCRIPTION):

MANHOLE # 405. STEPS ARE BEING TAKEN TO REPAIR THE LEAK AND CLEAN UP.

Direction Distance

Elevation Site Database(s) EPA ID Number

10TH AVE & 207TH STREET (Continued)

S102149664

EDR ID Number

3/1/95 0800: Update from Romero CIG. Leak cut and capped. 50 gallons

lost. Cleanup scheduled for 3/1/95." Close out. (JHO)

Remarks: SPILL IN MANHOLE, CONTAINED, FLUID FROM CABLE.

Material:

Site ID: 291128 1008918 Operable Unit ID: Operable Unit: 01 Material ID: 370656 Material Code: 0016A Material Name: NON PCB OIL Case No.: Not reported Material FA: Petroleum Quantity: 5 Units: Gallons Recovered: 5

Resource Affected: Not reported
Oxygenate: False
Site ID: 291128
Operable Unit ID: 1008918
Operable Unit: 01
Material ID: 370657
Material Code: 0541A

Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum

Quantity: 0

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

Spill Number: 9415475 **ENGLEHARDT** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 02/27/1995 08:00 Reported to Dept Date/Time: 02/27/95 08:47

Direction Distance

Elevation Site Database(s) EPA ID Number

10TH AVE & 207TH STREET (Continued)

S102149664

EDR ID Number

SWIS: 62

Spiller Name: CON EDISON
Spiller Contact: Not reported
Spiller Phone: (212) 580-6763

Spiller Address: 128 WEST END AVENUE
Spiller City,St,Zip: NEW YORK, NY 10023
Spill Cause: Equipment Failure

Reported to Dept: On Land
Water Affected: Not reported

Spill Source: 12

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 04/06/95
Date Spill Entered In Computer Data File: Not reported

Update Date: 08/16/95 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 5
Unkonwn Quantity Recovered: False

Material: NON PCB OIL
Class Type: NON PCB OIL

Times Material Entry In File: 2798

CAS Number: Not reported 19940928

Material Class Type: Petroleum Quantity Spilled: 0

Unkonwn Quantity Spilled: False Units: Not reported

Quantity Recovered: 0 Unkonwn Quantity Recovered: False

Material: DIELECTRIC FLUID
Class Type: DIELECTRIC FLUID

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

10TH AVE & 207TH STREET (Continued)

S102149664

Times Material Entry In File:

Not reported CAS Number: Not reported Last Date:

DEC Remarks: Not reported

Remark: SPILL IN MANHOLE, CONTAINED, FLUID FROM CABLE.

D17 **MANHOLE #43436 NY Spills** S104507648 WNW 3871 10TH AVE **NY Hist Spills** N/A MANHATTAN, NY

< 1/8 0.090 mi.

473 ft. Site 2 of 9 in cluster D

Relative: Higher

Actual:

20 ft.

NY Spills:

329919 Site ID: Facility Addr2: Not reported Facility ID: 9904135 Spill Number: 9904135 Facility Type: ER SWIS:

3101 Investigator: **JHOCONNE** Referred To: Not reported Spill Date: 7/8/1999 Reported to Dept: 7/8/1999 CID: 15

Spill Cause: **Equipment Failure** Water Affected: Not reported

Spill Source: Commercial/Industrial Spill Notifier: Responsible Party Not reported Cleanup Ceased: Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/20/1999

Remediation Phase: 0

Date Entered In Computer: 7/8/1999 Spill Record Last Update: 6/2/2000 Spiller Name: **CALLER** Spiller Company: CON ED Spiller Address: 4 ERVING PL

Spiller City, St, Zip: MANHATTAN, NY 10003-

Spiller Company: 001

STEPHEN CRIBBIN Contact Name: Contact Phone: (212) 580-6763

DEC Region: 2 DER Facility ID: 265438

DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was

"O'CONNELL" Con ed e2mis notes: Found spill approx 6 oz cable oil from burnout on feeder cable. Sump in structure, sump pump not running. Oil absorbent and baloneys placed around sump. Oil filled equipment: PILC. Sample taken and enroute to astoria chem lab. Chem lab reports the sample taken is no good due to improper jar used. will have to be retested by area u.g. Cleanup completed. 6oz oil removed with absorbent. stain double washed. Oil treated as 50-499

Remarks: APPROX 6 OUNCES OF DIELECTRIC FLUID-NO SEWERS OR WATERWAYS AFFECTED

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MANHOLE #43436 (Continued)

S104507648

SAMPLE TAKEN - CLEANUP PENDING RESULTS - CON ED #126241

Material:

329919 Site ID: Operable Unit ID: 1083077 Operable Unit: 01 Material ID: 304028 Material Code: 0541A

Material Name: DIELECTRIC FLUID

Case No.: Not reported Material FA: Petroleum Quantity: 0 Units: Gallons Recovered: No Not reported Resource Affected: Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill:

Spill Number: 9904135 O'CONNELL Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 07/08/1999 10:45 Reported to Dept Date/Time: 07/08/99 13:34

SWIS: CON ED Spiller Name: Spiller Contact: **CALLER** Spiller Phone: () -

STEPHEN CRIBBIN Spiller Contact: Spiller Phone: (212) 580-6763 Spiller Address: 4 ERVING PL

MANHATTEN, NY 10003-Spiller City,St,Zip: Spill Cause: **Equipment Failure**

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 01

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: / /

Direction Distance

Elevation **EPA ID Number** Site Database(s)

MANHOLE #43436 (Continued)

S104507648

EDR ID Number

Cleanup Meets Std: False Last Inspection:

Penalty Not Recommended Recommended Penalty:

Spiller Cleanup Dt: **Enforcement Date:** Invstgn Complete: // **UST Involvement:** False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt:

Corrective Action Plan Submitted: 11 Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 07/08/99 Date Spill Entered In Computer Data File: Not reported

Update Date: 06/02/00 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: True

Material: DIELECTRIC FLUID DIELECTRIC FLUID Class Type:

Times Material Entry In File:

CAS Number: Not reported Last Date: Not reported

DEC Remarks: Con ed e2mis notes: Found spill approx 6 o cable oil from burnout on feeder

> cable. Sump in structure, sump pump not running. Oil absorbent and baloneys placed around sump. Oil filled equipment: PILC. Sample taken and enroute to astoria chemlab. Chem lab reports the sample taken is no good due to improper jar used. will have to be retested by area u.g. Cleanup completed. 60 oil

removed with absorbent. stain double washed. Oil treated as 50-499 ppm.

Remark: APPROX 6 OUNCES OF DIELECTRIC FLUID-NO SEWERS OR WATERWAYS AFFECTED SAMPLE

TAKEN - CLEANUP PENDING RESULTS - CON ED 126241

B18 333 EAST 206TH ST./ST. BR **LTANKS** S104275483 SSE 333 EAST 206TH ST. **HIST LTANKS** N/A

< 1/8 **NEW YORK CITY, NY**

0.095 mi.

501 ft. Site 2 of 13 in cluster B

LTANKS: Relative:

251982 Site ID: Lower Spill No: 8705619 Actual: Spill Date: 10/3/1987 10 ft. Spill Cause: Tank Test Failure

> Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

333 EAST 206TH ST./ST. BR (Continued)

S104275483

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/26/1993 Facility Addr2: Not reported Cleanup Ceased: 7/26/1993 Cleanup Meets Standard: False SWIS: 0301 Investigator: **BATTISTA** Referred To: Not reported Reported to Dept: 10/3/1987 CID: 15 Water Affected:

Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended **UST Involvement:** False

Remediation Phase: Date Entered In Computer: 10/5/1987 Spill Record Last Update: 2/15/1994

Spiller Name: Not reported Spiller Company: ST. BRENDAN'S CHURCH Spiller Address: 333 EAST 206TH ST.

Spiller City, St, Zip: BX, NY Spiller County: 001

Spiller Contact: Not reported Not reported Spiller Phone: Spiller Extention: Not reported

DEC Region: DER Facility ID: 206478 DEC Memo: Not reported

2500 GAL. TANK FAILED TEST, HIGH VOLUME LEAK, WILL EXCAVATE, Remarks:

ISOLATE, AND RETEST. CONTACT: FR. BOYLE (212) 547-6655.

Material:

251982 Site ID: Operable Unit ID: 911744 Operable Unit: 01 Material ID: 468205 Material Code: 0001 #2 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum

Quantity:

Units: Not reported

Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 251982 Spill Tank Test: 1531821 Tank Number: Not reported

Tank Size: Test Method: 00 Leak Rate:

Gross Fail: Not reported Modified By: Spills

Direction
Distance

Elevation Site Database(s) EPA ID Number

333 EAST 206TH ST./ST. BR (Continued)

S104275483

EDR ID Number

Last Modified: 10/1/2004 Test Method: Unknown

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 8705619

 Spill Date:
 10/03/1987

 Spill Time:
 17:30

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/26/93 Cleanup Ceased: 07/26/93 Cleanup Meets Standard: False Investigator: **BATTISTA** Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Not reported Notifier Extension: Reported to Department Date: 10/03/87 Reported to Department Time: 19:43 SWIS: 60

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: ST. BRENDAN'S CHURCH Spiller Address: 333 EAST 206TH ST.

Spiller City,St,Zip: BX, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 547-6655
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-346632

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/05/87
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 02/15/94
Is Updated: False

Tank:

PBS Number: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

333 EAST 206TH ST./ST. BR (Continued)

S104275483

Tank Number: Not reported

Tank Size: O

Test Method: Not reported Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Not reported Quantity Recovered: 0

Unkonwn Quantity Recovered: False #2 FUEL OIL Material: Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported Last Date: 19941207

DEC Remarks: 07/26/93: TANK WAS REMOVED IN 6/88 BY BAYSHORE ENVIRONMENTAL.

Spill Cause: 2500 GAL. TANK FAILED TEST, HIGH VOLUME LEAK, WILL EXCAVATE, ISOLATE, AND

RETEST. CONTACT: FR. BOYLE 212) 547-6655.

D19 3852-3856 10TH AVENUE AST A100173354 N/A

3856 10TH AVE West < 1/8 NEW YORK, NY 10034

0.095 mi.

502 ft. Site 3 of 9 in cluster D

Relative: Higher

AST: Region:

Actual: 20 ft.

STATE DEC Region: 2 Site Status: Active Facility Id: 2-268836 Program Type: **PBS**

UTM X: 591115.48513000004 UTM Y: 4524256.0715600001

Expiration Date: 2010/10/26

001 Tank Number: Tank Id: 13537 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None C00 - Pipe Location - No Piping

L09 - Piping Leak Detection - Exempt Suction Piping

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

3852-3856 10TH AVENUE (Continued)

A100173354

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None 104 - Overfill - Product Level Gauge (A/G) G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

D01 - Pipe Type - Steel/Carbon Steel/Iron B00 - Tank External Protection - None

Affiliation Records:

Site Id: 11221 Affiliation Type: Owner

Company Name: CONFE RALTY CORP. Contact Type: MANAGING AGENT Contact Name: CONFE REALTY CORP Address1: 708 W. 177TH ST., SUITE AA

Address2: Not reported **NEW YORK** City: State: NY Zip Code: 10033 Country Code: 001

Phone: (212) 740-2347 Not reported Phone Ext: Email: Not reported Fax Number: Not reported **KXTANG** Modified By: Date Last Modified: 8/9/2005

Site Id: 11221

Affiliation Type: **Emergency Contact** Company Name: CONFE RALTY CORP.

Contact Type: Not reported Contact Name: KITTY HUANG Address1: Not reported Not reported Address2: Not reported City: State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 740-2347 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 11221 Affiliation Type: Mail Contact

Company Name: CONFE REALTY CORP.

Contact Type: Not reported Contact Name: KITTY HUANG Address1: 708 W. 177TH ST. Address2: SUITE AA City: **NEW YORK**

State: NY Zip Code: 10033 Country Code:

(212) 740-2347 Phone:

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

3852-3856 10TH AVENUE (Continued)

A100173354

Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Site Id: 11221

Affiliation Type: On-Site Operator

Company Name: 3852-3856 10TH AVENUE

Contact Type: Not reported

Contact Name: CONFE REALTY CORP

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 740-2347
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

D20 MAN HOLE # 406 NY Spills S105141703
NNW 10TH AVE / POST AVE NY Hist Spills N/A
< 1/8 MANHATTEN, NY

0.100 mi.

526 ft. Site 4 of 9 in cluster D

Relative: NY Spills:

 Equal
 Site ID:
 87881

 Facility Addr2:
 Not reported

 Actual:
 Facility ID:
 0105510

 19 ft.
 Spill Number:
 0105510

Facility Type: ER
SWIS: 3101
Investigator: JHOCONNE

Referred To: Not reported Spill Date: 8/21/2001 Reported to Dept: 8/21/2001 CID: 233 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Affected Persons Not reported Cleanup Ceased: Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 9/6/2006

Remediation Phase: 0
Date Entered In Computer: 8/21/2001
Spill Record Last Update: 9/7/2006
Spiller Name: UNKNOWN

Direction Distance

Elevation Site Database(s) **EPA ID Number**

MAN HOLE # 406 (Continued)

S105141703

EDR ID Number

Spiller Company: **UNKNOWN** UNKNOWN Spiller Address: Spiller City, St, Zip: UNKNOWN, ZZ

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 80456

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"RODRIGUEZ" 9/6/06 - See e-docs for spill closure documentation. (JHO)

Not reported

con ed # 139038 spill confined in man hole on 200 gallons of water Remarks:

clean up pending lab results no to all 5 questions

Material:

87881 Site ID: Operable Unit ID: 843870 Operable Unit: 01 Material ID: 533974 Material Code: 0066A

UNKNOWN PETROLEUM Material Name:

Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported

False Oxygenate:

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

0105510 Spill Number: **RODRIGUEZ** Investigator: Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 08/21/2001 10:00 Spill Date/Time: Reported to Dept Date/Time: 08/21/01 15:25

SWIS: 62 Spiller Name: UNK Spiller Contact: UNK

Direction Distance

Elevation Site Database(s) EPA ID Number

MAN HOLE # 406 (Continued)

S105141703

EDR ID Number

Spiller Phone: (000) 000-0000

Spiller Address: UNK
Spiller City,St,Zip: UNK
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported

Spill Source: 12

Spill Notifier: Affected Persons
PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt:

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 08/21/01
Date Spill Entered In Computer Data File: Not reported

Update Date: 10/12/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Remark:

Material Class Type: Petroleum Quantity Spilled: 5
Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Material: UNKNOWN PETROLEUM Class Type: UNKNOWN PETROLEUM

Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: Con Ed e2mis Notes: 8/21/01 5gal unknown oil on 200gal water. Manhole will

be inspected after it has been pumped. Treating as 50-499ppm PCB. Clean Harbors cleaned hole. DEC Inspector Notes: 10/12/01 Sample results? How was cleaned perfected? Was there any company equipment involved?

was cleanup completed? Was there any company equipment involved? con ed 139038 spill confined in man hole on 200 gallons of water clean

up pending lab results no to all 5 questions

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

E21 425 WEST 205TH ST CORP AST U003386423 SSW 425 WEST 205TH ST N/A

< 1/8 0.103 mi.

544 ft. Site 1 of 5 in cluster E

NEW YORK, NY 10034

Relative: Lower AST:
Region: STATE
DEC Region: 2

Actual: 13 ft.

DEC Region: 2
Site Status: Active
Facility Id: 2-241164
Program Type: PBS

UTM X: 591181.64020999998 UTM Y: 4524086.5768100005

Expiration Date: 2012/06/30

Tank Number: 001
Tank Id: 9914
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1947
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
KAKYER
Last Modified:
8/23/2007

Equipment Records:

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None I04 - Overfill - Product Level Gauge (A/G) H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

C00 - Pipe Location - No Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron B00 - Tank External Protection - None G99 - Tank Secondary Containment - Other

Affiliation Records:

Site Id: 9172

Affiliation Type: On-Site Operator

Company Name: 425 WEST 205TH ST CORP

Contact Type: Not reported

Contact Name: ROGELIO TRAVIESO

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-5387
Phone Ext: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

425 WEST 205TH ST CORP (Continued)

U003386423

EDR ID Number

Email: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Site Id: 9172 Affiliation Type: Owner

Company Name: 425 WEST 205TH ST CORP

Contact Type: PRES
Contact Name: CARL YOUNG
Address1: 500 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY

Zip Code: 13318-1935

Country Code: 001

Phone: (212) 840-1919
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/23/2007

Site Id: 9172 Affiliation Type: Mail Contact

Company Name: 425 WEST 205TH ST CORP

001

Contact Type: Not reported
Contact Name: CARL S. YOUNG
Address1: 350 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10118

Phone: (212) 594-8870
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9172

Country Code:

Affiliation Type: Emergency Contact

Company Name: 425 WEST 205TH ST CORP

Contact Type: Not reported
Contact Name: CARL S YOUNG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 594-8870
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Direction Distance

Elevation Site Database(s) EPA ID Number

425 WEST 205TH ST CORP (Continued)

U003386423

EDR ID Number

Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-241164 SWIS Code: 6201

Operator: ROGELIO TRAVIESO
Facility Phone: (212) 569-5387
Facility Addr2: 425 WEST 205TH ST
Facility Type: APARTMENT BUILDING
Emergency: CARL S YOUNG

Emergency: CARL S YOUNG
Emergency Tel: (212) 594-8870
Old PBSNO: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: 425 WEST 205TH ST CORP

Owner Address: 500 FIFTH AVE

Owner City,St,Zip: NEW YORK, NY 13318-1935

Federal ID: Not reported
Owner Tel: (212) 840-1919
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: CARL S. YOUNG

Mailing Name: 425 WEST 205TH ST CORP

Mailing Address: 350 FIFTH AVE
Mailing Address 2: Not reported

Mailing City, St, Zip: NEW YORK, NY 10118

Mailing Telephone: (212) 594-8870 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 06/23/1997
Expiration: 06/30/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 5000

Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

425 WEST 205TH ST CORP (Continued)

U003386423

Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Not reported Pipe Internal: Pipe External: Not reported Tank Containment: Other Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Not reported Date Closed: Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

F22 S106703594 3852-6 10TH AVE/RAMIERO **LTANKS** West 3852-6 10TH AVE **HIST LTANKS** N/A

< 1/8 NYC, NY

0.104 mi.

19 ft.

Site 1 of 3 in cluster F 550 ft.

LTANKS: Relative:

Site ID: 204008 Equal Spill No: 9110175 Actual: Spill Date: 12/27/1991

Spill Cause: Tank Overfill Spill Source: Commercial/Industrial

Spill Class: Not reported

Spill Closed Dt: 12/31/1991 Facility Addr2: Not reported Cleanup Ceased: 12/31/1991 Cleanup Meets Standard: True SWIS: 3101 Investigator: **SULLIVAN** Referred To: Not reported Reported to Dept: 12/27/1991 CID: 15

Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: Remediation Phase: Date Entered In Computer: 1/8/1992 Spill Record Last Update: 5/19/2004 Spiller Name: Not reported Spiller Company: COASTAL Spiller Address: Not reported

Spiller City,St,Zip: NY Spiller County: 999

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2

Direction Distance Elevation

ation Site Database(s) EPA ID Number

3852-6 10TH AVE/RAMIERO (Continued)

S106703594

EDR ID Number

DER Facility ID: 169640
DEC Memo: Not reported

Remarks: COASTAL TEAM CONTAINING, MILRO TEAM ENROUTE TO CLEAN.

Material:

204008 Site ID: Operable Unit ID: 960173 Operable Unit: 01 Material ID: 567547 Material Code: 0003 #6 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: 300 Units: Gallons Recovered: No Not reported Resource Affected: Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9110175
Spill Date: 12/27/1991
Spill Time: 09:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Not reported Spill Closed Dt: 12/31/91 Cleanup Ceased: 12/31/91 Cleanup Meets Standard: True SULLIVAN Investigator: Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 12/27/91 Reported to Department Time: 11:13

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

3852-6 10TH AVE/RAMIERO (Continued)

S106703594

SWIS: 62 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: COASTAL Spiller Address: Not reported Spiller City, St, Zip: Not reported

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: Not reported Facility Extention: Not reported Spill Notifier: Responsible Party PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: 11 **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 01/08/92 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 02/12/92 Is Updated: False

Tank:

Not reported PBS Number: Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

DEC Remarks:

Material Class Type: Petroleum 300 Quantity Spilled: Unkonwn Quantity Spilled: False Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: #6 FUEL OIL #6 FUEL OIL Class Type: Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

Not reported

Spill Cause: COASTAL TEAM CONTAINING, MILRO TEAM ENROUTE TO CLEAN.

Direction Distance

Elevation Site Database(s) EPA ID Number

< 1/8 0.105 mi.

552 ft. Site 3 of 13 in cluster B

NEW YORK, NY 10034

Relative: Lower AST:
Region: STATE
DEC Region: 2

Actual: 12 ft.

DEC Region: 2
Site Status: Active
Facility Id: 2-129925
Program Type: PBS

UTM X: 591208.12494999997 UTM Y: 4524071.5827400004

Expiration Date: 2012/12/04

Tank Number: 001
Tank Id: 5080
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/1/1981
Capacity Gallons: 2000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
MSBAPTIS
Last Modified:
6/15/2009

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron I04 - Overfill - Product Level Gauge (A/G) E00 - Piping Secondary Containment - None

H00 - Tank Leak Detection - None

F00 - Pipe External Protection - None C00 - Pipe Location - No Piping

G03 - Tank Secondary Containment - Vault (w/o access)

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Affiliation Records:

Site Id: 4056

Affiliation Type: On-Site Operator

Company Name: 407 WEST 205TH STREET

Contact Type: Not reported
Contact Name: NOBERTO ROZON
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported

Country Code: 001

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

407 WEST 205TH STREET (Continued)

U003385108

EDR ID Number

Phone: (212) 942-0365
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/5/2009

Site Id: 4056 Affiliation Type: Mail Contact

Company Name: YORKSHIRE MGT.CORP

Contact Type: Not reported

Contact Name: MORREY A. FORMAN Address1: 775 BROOKLYN AVE.

 Address2:
 SUITE103

 City:
 BALDWIN

 State:
 NY

 Zip Code:
 11510

 Country Code:
 001

Phone: (516) 868-5224
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/15/2009

Site Id: 4056
Affiliation Type: Owner
Company Name: 407-205 LLC
Contact Type: AGENT

Contact Name: MORREY A. FORMAN

Address1: 775 BROOKLYN AVE, SUITE103

 Address2:
 Not reported

 City:
 BALDWIN

 State:
 NY

 Zip Code:
 11510

 Country Code:
 001

Phone: (516) 868-5224
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/5/2009

Site Id: 4056

Affiliation Type: Emergency Contact
Company Name: 407-205 LLC
Contact Type: Not reported
Contact Name: YORKSHIRE MGT.
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN Zip Code: Not reported

Country Code: 100 Teported 999

Phone: (516) 987-6570
Phone Ext: Not reported
Email: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

407 WEST 205TH STREET (Continued)

U003385108

EDR ID Number

Fax Number: Not reported Modified By: MSBAPTIS Date Last Modified: 6/5/2009

HIST AST:

PBS Number: 2-129925 SWIS Code: 6201

Operator: VERTICO ROZON Facility Phone: (212) 304-2462

Facility Addr2: 407 WEST 205TH STREET
Facility Type: APARTMENT BUILDING
Emergency: PALE MGMT CO.
Emergency Tel: (212) 496-1001

Emergency Tel: (212) 496-100
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: 407-205 ASSOCIATES
Owner Address: 132 WEST 81ST STREET
Owner City,St,Zip: NEW YORK, NY 10024
Federal ID: Not reported

Federal ID: Not reported
Owner Tel: (212) 362-2221
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Mailing Contact: SCOTT LEISNER
Mailing Name: PALE MANAGEMENT
Mailing Address: 200 WEST 72ND STREET

Mailing Address 2: ROOM #61

Mailing City,St,Zip: NEW YORK, NY 10023

Mailing Telephone: (212) 496-1001 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 05/20/1997
Expiration: 05/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19810201
Capacity (Gal): 2000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

407 WEST 205TH STREET (Continued)

U003385108

U003387658

N/A

AST

HIST AST

Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Not reported Pipe Location: Pipe Type: STEEL/IRON Not reported Pipe Internal: Not reported Pipe External: Tank Containment: Diking Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported False Deleted: Updated: False SPDES Number: Not reported Lat/Long: Not reported

WEST 205TH STREET REALTY CO. LLC E24 SSW

410-430 W 205 ST NY, NY 10034

0.105 mi.

< 1/8

554 ft. Site 2 of 5 in cluster E

AST: Relative:

STATE Region: Lower DEC Region: 2 Actual: Site Status: Active 13 ft.

Facility Id: 2-198307 Program Type: **PBS**

UTM X: 591172.62350999995 UTM Y: 4524073.7204999998

Expiration Date: 2012/07/10

001 Tank Number: Tank Id: 12346 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 11/1/1947 Install Date: Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None

C03 - Pipe Location - Aboveground/Underground Combination

Direction Distance

Elevation Site Database(s) EPA ID Number

WEST 205TH STREET REALTY CO. LLC (Continued)

U003387658

EDR ID Number

H00 - Tank Leak Detection - None

B01 - Tank External Protection - Painted/Asphalt Coating

104 - Overfill - Product Level Gauge (A/G)

F01 - Pipe External Protection - Painted/Asphalt Coating

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

Affiliation Records:

Site Id: 6567
Affiliation Type: Mail Contact

Company Name: WEST 205TH STREET REALTY CO. LLC

Contact Type: Not reported
Contact Name: WAITER CZOLACZ
Address1: 616 PALISADE AVE
Address2: Not reported

City: ENGLEWOOD CLIFFS

State: NJ
Zip Code: 07632
Country Code: 001

Phone: (718) 601-8268
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6567

Affiliation Type: On-Site Operator

Company Name: WEST 205TH STREET REALTY CO. LLC

Contact Type: Not reported

Contact Name: JONATHAN FERNANDEZ

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 825-3213

Phone: (718) 825-32
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/18/2007

Site Id: 6567

Affiliation Type: Emergency Contact

Company Name: WEST 205TH STREET REALTY CO. LLC

Contact Type: Not reported

Contact Name: JONATHAN FERNANDEZ

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 999

Phone: (718) 825-3213

Direction Distance

Elevation Site Database(s) EPA ID Number

WEST 205TH STREET REALTY CO. LLC (Continued)

U003387658

EDR ID Number

Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: msbaptis Date Last Modified: 6/18/2007

Site Id: 6567 Affiliation Type: Owner

Company Name: WEST 205TH STREET REALTY CO. LLC

Contact Type: MANAGING AGENT
Contact Name: WALTER CZOLACZ
Address1: 616 PALISADE AVE
Address2: Not reported

City: ENGLEWOOD CLIFFS

 State:
 NJ

 Zip Code:
 07632

 Country Code:
 001

Phone: (718) 601-8268
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/18/2007

HIST AST:

PBS Number: 2-198307 SWIS Code: 6201

Operator: SENEN PALERMO Facility Phone: (212) 942-3406 Facility Addr2: 410 W 205 ST

Facility Type: APARTMENT BUILDING
Emergency: SENEN PALERMO
Emergency Tel: (212) 942-3406
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: WEST 205TH STREET REALTY CO. LLC

Owner Address: 616 PALISADE AVE

Owner City,St,Zip: ENGLEWOOD CLIFFS, NJ 07632

Federal ID: Not reported
Owner Tel: (718) 601-8268
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: RUTH SHACHNOW

Mailing Name: WEST 205TH STREET REALTY CO. LLC

Mailing Address: 616 PALISADE AVE

Mailing Address 2: Not reported

Mailing City, St, Zip: ENGLEWOOD CLIFFS, NJ 07632

Mailing Telephone: (718) 601-8268 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 07/15/1997
Expiration: 07/10/2002

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

WEST 205TH STREET REALTY CO. LLC (Continued)

U003387658

Renew Flag: False Renew Date: Not reported Total Capacity: 5000 FAMT: True

Facility Screen: No Missing Data No Missing Data Owner Screen: No Missing Data Tank Screen:

Dead Letter: False CBS Number: Not reported Town or City: **NEW YORK CITY**

County Code: 62 01 Town or City Code: Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND 10% OR MORE BELOW GROUND

In Service Tank Status: 19471101 Install Date: Capacity (Gal): 5000

NOS 5 OR 6 FUEL OIL Product Stored: Steel/carbon steel Tank Type:

Tank Internal: 0

Tank External:

Pipe Location: Aboveground/Underground Combination

Not reported

Pipe Type: STEEL/IRON Pipe Internal: None Pipe External:

Tank Containment: None Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported

B25 403 WEST 205TH ST SSW **403 WEST 205TH ST** < 1/8 NEW YORK, NY 10034

Lat/Long:

0.106 mi.

557 ft. Site 4 of 13 in cluster B

AST: Relative: Lower

STATE Region: DEC Region: 2 Site Status: Active

Actual: 12 ft. Facility Id: 2-266353 Program Type: **PBS**

UTM X: 591213.98282999999 UTM Y: 4524068.2133799996

Expiration Date: 2012/03/21

Tank Number: 001 U003392909

N/A

AST

HIST AST

Direction Distance

Elevation Site Database(s) EPA ID Number

403 WEST 205TH ST (Continued)

U003392909

EDR ID Number

Tank Id: 25624 Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1940
Capacity Gallons: 4000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
Modified:
Modified:

Not reported
True
Modified By:
Modified:

Not reported
Not reported
2/20/2007

Equipment Records:

B00 - Tank External Protection - None 104 - Overfill - Product Level Gauge (A/G)

C00 - Pipe Location - No Piping

L09 - Piping Leak Detection - Exempt Suction Piping

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron H99 - Tank Leak Detection - Other F00 - Pipe External Protection - None

G03 - Tank Secondary Containment - Vault (w/o access)

Affiliation Records:

Site Id: 11006 Affiliation Type: Owner

Company Name: MIRIAM YEDID REALTY LLC

Contact Type: MGR

Contact Name: MIRIAM YEDID REALTY LLC

 Address1:
 448 AVE W

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11223

 Country Code:
 001

Phone: (718) 339-7979
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 2/20/2007

Site Id: 11006 Affiliation Type: Mail Contact

Company Name: MIRIAM YEDID REALTY LLC

Contact Type: Not reported
Contact Name: DAVID TOBAL
Address1: 448 AVE W
Address2: Not reported
City: BROOKLYN

State: NY Zip Code: 11223

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

403 WEST 205TH ST (Continued)

U003392909

Country Code: 001

Phone: (718) 339-7979
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11006

Affiliation Type: On-Site Operator

Company Name: MIRIAM YEDID REALTY LLC

Contact Type: Not reported
Contact Name: LOUISE PENA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (646) 522-0272
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 2/20/2007

Site Id: 11006

Affiliation Type: Emergency Contact

Company Name: MIRIAM YEDID REALTY LLC

Contact Type: Not reported
Contact Name: DAVID TOBAL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (718) 339-7979
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-266353 SWIS Code: 6201

Operator: MARK REALTY CO
Facility Phone: (212) 367-1200
Facility Addr2: 403 WEST 205TH ST

Facility Type: Not reported

Emergency: H S C MANAGEMENT CORP

Emergency Tel: (212) 543-2800
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

403 WEST 205TH ST (Continued)

U003392909

EDR ID Number

Owner Name: MARK REALTY CO
Owner Address: 141 SOUTH CENTRAL AVE

Owner City,St,Zip: HARTSDALE, NY 10530

Federal ID: Not reported
Owner Tel: (212) 367-1200
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: EDWIN TORRES

Mailing Name: H.S.C. MANAGEMENT CORP. Mailing Address: 5919 RIVERDALE AVE.

Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10471
Mailing Telephone: (212) 367-1200
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 10/26/1992
Expiration: 10/23/1997
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 3000

Date Closed:

Test Method:

Deleted:

Product Stored: NOS 1,2, OR 4 FUEL OIL

Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Diking Leak Detection: 9 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing

Not reported

Not reported

False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

403 WEST 205TH ST (Continued) U003392909

Updated: False SPDES Number: Not reported Lat/Long: Not reported

B26 MANHATTAN BIBLE CHURCH INC HIST UST U001835969

SSW 401 W 205TH ST NEW YORK, NY 10034 < 1/8

0.106 mi.

Site 5 of 13 in cluster B 559 ft.

HIST UST: Relative: Lower

2-197432 PBS Number: SPDES Number: Not reported **Emergency Contact: EDWARD TORRES**

Actual: 11 ft. Emergency Telephone: (917) 279-8978

Operator: MANHATTAN BIBLE CHURCH INC

Operator Telephone: (212) 567-2276

Owner Name: MANHATTAN BIBLE CHURCH INC

Owner Address: 401 W 205TH ST Owner City, St, Zip: NEW YORK, NY 10034 Owner Telephone: (212) 567-2276 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: MANHATTAN BIBLE CHURCH INC

Mailing Address: 401 W 205TH ST Mailing Address 2: Not reported

Mailing City, St, Zip: NEW YORK, NY 10034 SUPER FACILITY MANAGER Mailing Contact:

Mailing Telephone: (212) 567-2276 First Owner Owner Mark:

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

401 W 205TH ST Facility Addr2: SWIS ID: 6201 Old PBS Number: Not reported

Facility Type: **SCHOOL** Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 04/02/1998 **Expiration Date:** 07/20/2002 Renew Flag: False Renewal Date: Not reported 3000 **Total Capacity:**

Facility Screen: No Missing Data Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing

True

Dead Letter: False CBS Number: Not reported NEW YORK CITY Town or City:

County Code: 62 Town or City: 01 2 Region:

FAMT:

N/A

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MANHATTAN BIBLE CHURCH INC (Continued)

U001835969

Tank Id: 001

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service Install Date: Not reported Capacity (gals): 3000

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: Other

Overfill Prot: Product Level Gauge

Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False Lat/long: Not reported

B27 MANHATTAN BIBLE CHURCH INC

SSW 401 W 205TH ST < 1/8 NEW YORK, NY 10034

0.106 mi.

559 ft. Site 6 of 13 in cluster B

Relative: UST:

 Lower
 Facility Id: Region:
 2-197432

 Actual:
 DEC Region:
 2

 11 ft.
 Site Status:
 Active

 Program Type:
 PBS

 Expiration Date:
 2012/07/20

 UTM X:
 591216.86893999996

UTM Y: 4524066.5836899998

Site ID: 6490

001 Tank Number: Tank ID: 16873 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 2/2/1989 Install Date: Capacity Gallons: 3000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 6

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING

UST U004076939

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

MANHATTAN BIBLE CHURCH INC (Continued)

U004076939

EDR ID Number

Last Modified: 4/10/2007

Equipment Records:

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping G03 - Tank Secondary Containment - Vault (w/o access)

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 6490 Affiliation Type: Owner

Company Name: MANHATTAN BIBLE CHURCH INC Contact Type: FACILITIES ADMINISTRATOR

Contact Name: WILLIAM LOPEZ
Address1: 401 W 205TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10034
Country Code: 001

Phone: (212) 567-2276
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/10/2007

Site Id: 6490

Affiliation Type: On-Site Operator

Company Name: MANHATTAN BIBLE CHURCH INC

Contact Type: Not reported

Contact Name: MANHATTAN BIBLE CHURCH INC

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 567-2276
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6490 Affiliation Type: Mail Contact

Company Name: MANHATTAN BIBLE CHURCH INC Contact Type: FACILITIES ADMINISTRATOR

Contact Name: WILLIAM LOPEZ
Address1: 401 W 205TH ST

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

MANHATTAN BIBLE CHURCH INC (Continued)

U004076939

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10034

 Country Code:
 001

Phone: (212) 567-2276
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/10/2007

Site Id: 6490

Affiliation Type: Emergency Contact

Company Name: MANHATTAN BIBLE CHURCH INC

Contact Type: Not reported
Contact Name: WILLIAM LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported
Country Code: 999
Phone: (914) 787-8864
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING

Date Last Modified: 4/10/2007

 G28
 315 EAST 206TH ST/BX
 NY Spills
 S104495258

 SSE
 315 EAST 206TH STREET
 NY Hist Spills
 N/A

< 1/8 0.106 mi.

562 ft. Site 1 of 3 in cluster G

NEW YORK CITY, NY

Relative: NY Spills:

 Lower
 Site ID:
 66997

 Facility Addr2:
 Not reported

 Actual:
 Facility ID:
 9008108

 8 ft.
 Spill Number:
 9008108

Facility Type: ER
SWIS: 0301
Investigator: WILSON
Referred To: Not reported
Spill Date: 10/24/1990
Reported to Dept: 10/24/1990

CID: 15

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial

Spill Notifier: Other
Cleanup Ceased: 10/24/1990
Cleanup Meets Std: True
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False
Spill Class: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

315 EAST 206TH ST/BX (Continued)

S104495258

EDR ID Number

Spill Closed Dt: 10/24/1990

Remediation Phase: 0

Date Entered In Computer: 11/1/1990
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Address: Not reported
Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2
DER Facility ID: 64082
DEC Memo: Not reported

Remarks: SPEEDY DRY USED, PICKED UP & DISPOSED OF.

Material:

66997 Site ID: Operable Unit ID: 945312 Operable Unit: 01 Material ID: 431938 Material Code: 0002 #4 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum 10 Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 9008108 Spill Number: WILSON Investigator: Not reported Caller Name: Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 10/24/1990 14:00 Spill Date/Time: Reported to Dept Date/Time: 10/24/90 16:06

SWIS: 60

Direction Distance

Elevation Site Database(s) EPA ID Number

315 EAST 206TH ST/BX (Continued)

S104495258

EDR ID Number

Spiller Name:

Spiller Contact:

Spiller Phone:

Spiller Address:

Spiller City,St,Zip:

Spill Cause:

Not reported

Not reported

Not reported

Spiller City,St,Zip:

Spill Cause:

Spiller Spiller City,St,Zip:

Spiller City,St,Zip:

Spill Cause:

Spiller Not reported

Equipment Failure

Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01

Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: 10/24/90
Cleanup Meets Std: True
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 10/24/90

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 11/01/90
Date Spill Entered In Computer Data File: Not reported

Update Date: / /
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 10 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: #4 FUEL OIL #4 FUEL OIL Class Type: Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: Not reported

Remark: SPEEDY DRY USED, PICKED UP DISPOSED OF.

Direction Distance

Elevation Site Database(s) EPA ID Number

3835 9TH AVE
MANHATTAN, NY

< 1/8 N 0.107 mi.

564 ft. Site 7 of 13 in cluster B

Relative: Lower NY Spills: Site ID: 269427

Actual: 11 ft. Facility Addr2: Not reported
Facility ID: 0204986
Spill Number: 0204986
Facility Type: ER
SWIS: 3101
Investigator: SMSANGES

Referred To: Not reported Spill Date: 8/12/2002 Reported to Dept: 8/12/2002 CID: 15 Spill Cause: Other Water Affected: Not reported Spill Source: Commercial Vehicle Spill Notifier: Affected Persons Cleanup Ceased: Not reported Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 8/13/2002 Remediation Phase: 0 Date Entered In Computer: 8/12/2002

Spill Record Last Update: 8/13/2002
Spiller Name: Not reported

Spiller Company: BOBBIES FISH & SEAFOOD

Spiller Address: 3842 9TH AVE Spiller City,St,Zip: MANHATTAN, NY

Spiller Company: 001
Contact Name: CALLER
Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 219432

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND" 8/13/2002 - Sangesland spoke with Jose Garcia of Bobby's

Fish & Seafood (212-304-9440). He said the cooler in the van broke and it was rotted food dripping out the back door. The van had been cleaned out already. DEC requested Mr. Garcia to wash down the street

with some soap & water.

Remarks: CALLER REPORTS A VAN PARKED AT BUSINESS LEAKS UNK SUBSTANCE TO STREET.

Material:

 Site ID:
 269427

 Operable Unit ID:
 857746

 Operable Unit:
 01

 Material ID:
 519201

 Material Code:
 0064A

Material Name: UNKNOWN MATERIAL

Case No.: Not reported Material FA: Other Quantity: 0

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

(Continued) S106006484

Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Not reported Site ID: Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

B30 ONE QT OIL IN MH 40038 (TIDAL)
SSW WEST 205 STREET / 9 AVENUE
N/A

< 1/8 MANHATTAN, NY

0.107 mi.

564 ft. Site 8 of 13 in cluster B

Relative: NY Spills:

Lower Site ID: Facility Addr2:

Facility Addr2: Not reported

Actual: Facility ID: 0712932

11 ft. Spill Number: 0712932

Facility Type: ER

SWIS: 3101 Investigator: gdbreen Not reported Referred To: 3/8/2008 Spill Date: Reported to Dept: 3/8/2008 CID: 74 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Responsible Party

394617

Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/12/2008 Remediation Phase: 0

Date Entered In Computer: 3/8/2008
Spill Record Last Update: 5/12/2008
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: 205TH ST/9TH AVE
Spiller City,St,Zip: MANHATTAN, NY

Spiller Company: 001
Contact Name: ERT DESK

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ONE QT OIL IN MH 40038 (TIDAL) (Continued)

S109060370

Contact Phone: (212) 580-8383

DEC Region: DER Facility ID: 344176

DEC Memo: 05/12/08 - See eDocs for Con Ed report detailing cleanup and closure.

210215. see eDocs

Remarks: 13: 00 discovered to be a possible tidal manhole - water coming into

the manhole (1 block from river) 1 quart - not cleaned up - pending

resources con ed #210215 NRC 864419

Material:

Site ID: 394617 Operable Unit ID: 1151570 Operable Unit: 01 Material ID: 2142313 Material Code: 0066A

Material Name: **UNKNOWN PETROLEUM**

Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons Recovered: No Not reported Resource Affected:

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

B31 VAULT 1734 NY Spills S104285164 ssw 9TH AV / W 205TH ST NY Hist Spills N/A

< 1/8 MANHATTAN, NY 0.107 mi.

Site 9 of 13 in cluster B 564 ft.

Relative:

11 ft.

NY Spills:

Lower Actual: Site ID: 229866 Facility Addr2: Not reported Facility ID: 9911453 Spill Number: 9911453 Facility Type: ER

SWIS: 3101 Investigator: **JHOCONNE** Referred To: Not reported 12/31/1999 Spill Date: Reported to Dept: 12/31/1999

CID: 211 Spill Cause: **Equipment Failure**

Water Affected: Not reported Spill Source: Commercial/Industrial

Direction Distance

Elevation Site Database(s) EPA ID Number

VAULT 1734 (Continued) S104285164

Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/17/2000

Remediation Phase: 0

Date Entered In Computer: 12/31/1999
Spill Record Last Update: 5/22/2000
Spiller Name: RICHARD ROACH
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE

Spiller City,St,Zip: NEW YORK, NY Spiller Company: 001

Contact Name: RICHARD ROCHE Contact Phone: (212) 580-6764

DEC Region: 2

DER Facility ID: 189460

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"O'CONNELL" CON ED E2 MIS REPORT 12/31/99 A spill of 8 gals. of transformer oil from a transformer due to a bottom leak. A PCB sample was taken and sign #10720 was placed... there is no water, visual movement, fire or smoke. No sump a sper Mannino, no conduit plate 77-E to verify. DEC INSPECTOR NOTES Called Mike Kessler 1/07/00 to request te following info. Analysis: Transformer Drained?: Capacity:

Final Cleanup: Ok

Remarks: TRANSFORMER LEAKED - SAMPLE TAKEN CLEAN UP PENDING RESULTS - SPILL

CONTAINED IN VAULT CON ED 129453

Material:

 Site ID:
 229866

 Operable Unit ID:
 1090147

 Operable Unit:
 01

 Material ID:
 296912

 Material Code:
 0020A

Material Name: TRANSFORMER OIL

Case No.: Not reported Material FA: Petroleum

Quantity: 8
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported **EDR ID Number**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

VAULT 1734 (Continued) S104285164

Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9911453 Investigator: O'CONNELL Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 12/31/1999 10:30 Reported to Dept Date/Time: 12/31/99 11:46

SWIS: 62 CON ED Spiller Name:

Spiller Contact: RICHARD ROACH Spiller Phone: (212) 580-6763 Spiller Contact: RICHARD ROCHE Spiller Phone: (212) 580-6764 Spiller Address: 4 IRVING PL Spiller City, St, Zip: NEW YORK, NY Spill Cause: **Equipment Failure**

Reported to Dept: On Land Water Affected: Not reported

Spill Source:

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: 11 Cleanup Meets Std: False Last Inspection:

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: Enforcement Date: 11 Invstgn Complete: 11 **UST** Involvement:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

03/17/00 Spill Closed Dt:

Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 12/31/99 Date Spill Entered In Computer Data File: Not reported

Update Date: 05/22/00 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: 8

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

VAULT 1734 (Continued) S104285164

Unkonwn Quantity Spilled: False Gallons Units: Quantity Recovered: O Unkonwn Quantity Recovered: False

Material: TRANSFORMER OIL TRANSFORMER OIL Class Type:

Times Material Entry In File: 533 CAS Number: Not reported 19940926 Last Date:

CON ED E2 MIS REPORT 12/31/99 A spill of 8 gals. of transformer oil from DEC Remarks:

> a transformer due to a bottom leak. A PCB sample was taken and sign 10720 was placed... there is no water, visual movement, fire or smoke. No sump a sper Mannino, no conduit plate 77-E to verify. DEC INSPECTOR NOTES Called Mike Kessler 1/07/00 to request te following info. Analysis: Transformer Drained?:

Capacity: Final Cleanup: Ok

TRANSFORMER LEAKED - SAMPLE TAKEN CLEAN UP PENDING RESULTS - SPILL CONTAINED Remark:

IN VAULT CON ED 129453

218544

Not reported

B32 VAULT V1734 NY Spills S104509125 SSW 205TH ST / 9TH AV **NY Hist Spills** N/A

< 1/8 0.107 mi.

564 ft. Site 10 of 13 in cluster B

MANHATTAN, NY

NY Spills: Relative: Site ID: Lower

Actual: Facility ID: 9911939 11 ft. 9911939 Spill Number: Facility Type: ER SWIS: 3101

Last Inspection:

Facility Addr2:

Investigator: **COMENALE** Referred To: Not reported 1/14/2000 Spill Date: Reported to Dept: 1/14/2000 CID: 365 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Affected Persons Cleanup Ceased: Not reported Cleanup Meets Std: False

Penalty Not Recommended Recommended Penalty:

Not reported

UST Trust:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/20/2000 Remediation Phase: 0 Date Entered In Computer: 1/14/2000 Spill Record Last Update: 8/16/2000

Spiller Name: Not reported UNKNOWN Spiller Company: Spiller Address: Not reported Spiller City, St, Zip: NY

Spiller Company: 999

100 FT NW OF 205TH ST Contact Name:

Contact Phone: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

VAULT V1734 (Continued) S104509125

DEC Region: 2 DER Facility ID: 180800 DEC Memo: Not reported

Remarks: third party spill - 1 pint - all cleaned up - ref #129614

Material:

Site ID: 218544 Operable Unit ID: 1086464 Operable Unit: 01 Material ID: 297372 Material Code: 0066A

UNKNOWN PETROLEUM Material Name:

Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: Yes Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: Spill Number: 9911939 Investigator: **COMENALE** Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 01/14/2000 13:45 Spill Date/Time: 01/14/00 15:28 Reported to Dept Date/Time:

SWIS: 62

UNKNOWN Spiller Name: Spiller Contact: Not reported Not reported Spiller Phone:

Spiller Contact: 100 FT NW OF 205TH ST

Spiller Address: Not reported Spiller City, St, Zip: Not reported Spill Cause: Unknown Reported to Dept: On Land Water Affected: Not reported

Spill Source:

Spill Notifier: Affected Persons

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

VAULT V1734 (Continued) S104509125

PBS Number: Not reported

Cleanup Ceased: 11 Cleanup Meets Std: False Last Inspection: 11

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: **Enforcement Date:** 1 1 Invstgn Complete: 11 **UST** Involvement:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt:

Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 01/14/00 Date Spill Entered In Computer Data File: Not reported

08/16/00 Update Date: Is Updated: False

Tank:

PBS Number: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Not reported Gross Leak Rate:

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False

Material: UNKNOWN PETROLEUM UNKNOWN PETROLEUM Class Type:

Times Material Entry In File: 16414 CAS Number: Not reported Last Date: 19940929

UPDATE ON 1/19/00 FROM CRIBBIN TWICE AND JOE A. ONCE ON SITE. SOIL OUTSIDE **DEC Remarks:**

VAULT CONTAMINATED AND INVESTIGATION GOING ON. ENTERING THE VAUAL AND REMOVING

SOME WALL TO VERIFY THEIR OIL. COMENALE E2MIS notes: 1/14/00- In process of clean up from previous spill incident 129-453) found oil in sump pit with oil

leaking from crack in same. Approx. amount was 1 ounce. Found capped sewer connection in sump. 1/15/00- oil sample results 47 ppm PCB. Oil ID d as similar to lubricating oil . 1/16/00- checked vautl found no oil leaking through crack in sump wall. 1/18/00- Found 1 quart oil had leached through the drack in the sump wall. Oil was contained to sump pit. 1/19/00- break out wall of sump to determine source of oil. Oil started to come in at heavier rate and found soil saturated. ERT Joe Arcoleo spoke with DEC representative and instructed to install absprbent pads in sump pit and follow up to check pads. 1/21/00- removed 15 oil saturated pads from structure and installed 14 new clean pads. 1/24/00-removed 14 oil absorbent pads saturated and installed 15 new clean pads. 1/26/00- removed 15 pads. 8 saturated with oil, 7 not saturated. Installed 19 new pads. 1/31/00- Removed 15 pads/ 1/2 of 1 pads saturated withoil. 15 new pads installed. 2/2/00- removed 15 pads. 1 pad had oil stain approx. 5 inches in diameter. Installed 15 new pads. 2/4/00-1 pad had oil stain approx. 4 inches in diameter, pad was removed. Installed 1 new

Direction Distance

EDR ID Number Elevation **EPA ID Number** Site Database(s)

VAULT V1734 (Continued) S104509125

> pad. 2/6/00- Found 1 pads with two 1 inch diameter oil stains. Removed all pads and replaced with 2 pads. 2/8/00- Found 1 pads with two 3/4 inch oil stains. Installed 1 new pad. 2/14/00- Found one 3/4 inch stain on one pad. Replaced pad. 2/21/00 -Found 1 1/2 inch stain on one pad. Replaced pad. 2/23/00- Found 1 inch oil stain on pad - replaced pad. 2/25/00- Found approx. 1 inch oil stain on one pad. Replaced pad. 2/28/00- Found 1 inch stain on pad. Repalced pad. 4/24/00- Instructed by G. Kat , Remediation to seal sump pit as per DEC. No specific instruction from DEC how to seal sump. 4/28/00- Sump sealed with hydraulic cement. 4/29/00- Structure inspected - no sign of oil leaking through patch. 5/9/00- Clean up completed. 1 drum clean up debris removed from location to 110th St. Yard. 5/15/00- Structure inspected - no sign of oil leaking through patch. O CONNELL NOTES: 4/20/00 - Site visit accompanied by Glen Kat, Brian McGeever Con Ed). Was told histiry of sump leakage. Told them to ceal sump, send me documentation of same and I will close

Remark: third party spill - 1 pint - all cleaned up - ref 129614

ERNS 2008864419 **B33** WEST 205 ST. & 9TH AVE.

SSW WEST 205 ST. & 9TH AVE.

< 1/8 **NEW YORK, NY**

0.107 mi.

Relative:

565 ft. Site 11 of 13 in cluster B

Relative: Click this hyperlink while viewing on your computer to access Lower

additional ERNS detail in the EDR Site Report.

Actual:

11 ft. B34 **CON EDISON** RCRA-CESQG 1012184953 SSW W 205 ST & 9 AVE NYP004157202

< 1/8 NEW YORK, NY 10040 0.107 mi.

565 ft. Site 12 of 13 in cluster B

RCRA-CESQG:

Date form received by agency: 03/09/2008 Lower Facility name: CON EDISON Actual: Facility address: W 205 ST & 9 AVE

11 ft. NEW YORK, NY 10040

NYP004157202 EPA ID: Mailing address: 4 IRVING PL, RM 828 NEW YORK, NY 10003

Contact: MICHAEL D'AGOSTINO

Contact address: Not reported

Not reported Contact country: Not reported Contact telephone: (212) 580-8383 Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CON EDISON (Continued)

1012184953

MANIFEST

S109584462

N/A

hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Unknown Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: Unknown Underground injection activity: Unknown On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Unknown Used oil processor: Unknown User oil refiner: Unknown Used oil fuel marketer to burner: Unknown Used oil Specification marketer: Unknown Used oil transfer facility: Unknown Used oil transporter: Unknown

Off-site waste receiver: Commercial status unknown

Violation Status: No violations found

B35 CONSOLIDATED EDISON OF NY

SSW W. 205 ST / 9 AVE NEW YORK, NY 10040 < 1/8

0.107 mi.

565 ft. Site 13 of 13 in cluster B

NY MANIFEST: Relative:

NYP004157202 EPA ID: Lower

USA Country:

Actual: Mailing Name: CONSOLIDATED EDISON OF NY 11 ft.

Mailing Contact: FRANKLYN MURRAY Mailing Address: **4 IRVING PLACE** Mailing Address 2: Not reported NEW YORK Mailing City:

Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-460-2808

NY MANIFEST:

No Manifest Records Available

Direction Distance

Elevation Site Database(s) **EPA ID Number**

G36 HARLEM RIVER BRIDGES UST U001833827 SSE 300 WEST 206TH STREET **HIST UST** N/A

< 1/8 0.113 mi.

598 ft. Site 2 of 3 in cluster G

NEW YORK, NY 10034

Relative:

UST:

Facility Id: 2-242179 Lower STATE Region: DEC Region:

Actual: 3 ft.

Site Status: Unregulated Program Type: **PBS Expiration Date:** N/A

UTM X: 591357.51254999998 UTM Y: 4524069.9891600003

Site ID: 9262

Tank Number: 001 Tank ID: 145221

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1952 Capacity Gallons: 3000 Tightness Test Method: NN Next Test Date: Not reported

4/5/1995 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None

C00 - Pipe Location - No Piping B00 - Tank External Protection - None

100 - Overfill - None

Tank Number: 001-A Tank ID: 145226

Tank Status: Closed - In Place Tank Model: Not reported Pipe Model: Not reported Not reported Install Date: Capacity Gallons: 3000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 7/1/2003

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HARLEM RIVER BRIDGES (Continued)

U001833827

Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction C00 - Pipe Location - No Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None

100 - Overfill - None

B00 - Tank External Protection - None

Tank Number: 002 Tank ID: 10027

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 12/1/1952 Install Date: Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 11/1/1994 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True **TRANSLAT** Modified By: Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping

100 - Overfill - None

B00 - Tank External Protection - None

003 Tank Number: Tank ID: 10028

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1952 Capacity Gallons: 550 Tightness Test Method: NN Next Test Date: Not reported

11/1/1994 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True

Direction Distance

Elevation Site Database(s) EPA ID Number

HARLEM RIVER BRIDGES (Continued)

U001833827

EDR ID Number

Modified By: TRANSLAT Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None

100 - Overfill - None

F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None

C00 - Pipe Location - No Piping

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None

Affiliation Records:

Site Id: 9262 Affiliation Type: Owner

Company Name: NYC DEPARTMENT OF TRANSPORTATION

Contact Type: Not reported Contact Name: Not reported

Address1: 40 WORTH STREET

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10013

 Country Code:
 001

Phone: (212) 566-1125
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9262

Affiliation Type: Emergency Contact

Company Name: NYC DEPARTMENT OF TRANSPORTATION

Contact Type: Not reported
Contact Name: DOT CONTROL RM.

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 442-7070
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9262
Affiliation Type: Mail Contact
Company Name: N.Y.C. D.O.T.
Contact Type: Not reported
Contact Name: VIVIAN MARCOVICI

Address1: 69-46 SYBILLA STREET

Direction Distance

Elevation Site Database(s) EPA ID Number

HARLEM RIVER BRIDGES (Continued)

U001833827

EDR ID Number

Address2: Not reported City: FOREST HILLS

State: NY
Zip Code: 11375
Country Code: 001

Phone: (718) 793-7186
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9262

Affiliation Type: On-Site Operator

Company Name: HARLEM RIVER BRIDGES

Contact Type: Not reported

Contact Name: FACILITY MANAGER

Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-5100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-242179 SPDES Number: Not reported

Emergency Contact: DOT CONTROL RM
Emergency Telephone: (212) 442-7070
Operator: FACULTY MANAGER

Operator Telephone: (212) 569-5100
Owner Name: NYC DOT
Owner Address: 40 WORTH ST
Owner City,St,Zip: NY, NY 10013
Owner Telephone: (212) 566-1125
Owner Type: Local Government
Owner Subtype: The City of New York

Mailing Name: NYC DOT FACILITIES MAINTENANCE

Mailing Address: 69-46 SYBILLA STR

Mailing Address 2: Not reported

Mailing City,St,Zip: FOREST HILLS, NY 11375
Mailing Contact: VIVIAN MARCOVICI
Mailing Telephone: (718) 793-7186
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 300 W 206TH ST

SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported

Direction Distance Elevation

evation Site Database(s) EPA ID Number

HARLEM RIVER BRIDGES (Continued)

U001833827

EDR ID Number

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 10/02/1997 06/30/2002 **Expiration Date:** Renew Flag: False Renewal Date: Not reported Total Capacity: 3000 FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19521201
Capacity (gals): 3000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Not reported Pipe Location: Pipe Type: STEEL/IRON Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: 12/27/1987

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank ld: 002

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: 19521201

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HARLEM RIVER BRIDGES (Continued)

U001833827

Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: 11/01/1994 Test Method: Not reported

Deleted: False Updated: True Lat/long: Not reported

Tank Id: 003

UNDERGROUND Tank Location: Tank Status: Closed-Removed

Install Date: 19521201

Capacity (gals):

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported Not reported Pipe External: Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported

Missing Data for Tank: Minor Data Missing Date Closed: 11/01/1994 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

H37 TRAIN MAINTAINANCE FACILI

NNW 3900 AVE 10 < 1/8 MANHATTAN, NY

0.115 mi.

608 ft. Site 1 of 5 in cluster H

NY Spills: Relative:

105523 Higher Site ID: Facility Addr2: Not reported Actual: Facility ID: 0008710 20 ft.

Spill Number: 0008710 Facility Type: ER SWIS: 3101 Investigator: **MCTIBBE**

TC02874993.2r Page 128

S104880025

N/A

NY Spills

NY Hist Spills

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

TRAIN MAINTAINANCE FACILI (Continued)

S104880025

Referred To: Not reported 10/26/2000 Spill Date: Reported to Dept: 10/26/2000 CID: 390

Spill Cause: **Equipment Failure** Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Local Agency Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/5/2001

Remediation Phase:

Date Entered In Computer: 10/26/2000 Spill Record Last Update: 10/19/2005

Spiller Name: **DENNIS RAMDAHIN**

Spiller Company: TRAIN MAINTAINANCE FACILI

Spiller Address: 3900 AVE 10 Spiller City, St, Zip: MANHATTAN, ZZ

Spiller Company: 001

Contact Name: **DENNIS RAMDAHIN** Contact Phone: (718) 243-4581

DEC Region: DER Facility ID: 93076

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" PIPE BROKE DURING MAINTENANCE WORK IN THE BOILER ROOM.

CONTAINED AND CLEANED BY NYCT.

Remarks: small pipe at the boiler broke - all cleaned up

Material:

105523 Site ID: Operable Unit ID: 829305 Operable Unit: 01 546213 Material ID: Material Code: 0003 #6 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: 10

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

TRAIN MAINTAINANCE FACILI (Continued)

S104880025

EDR ID Number

Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

2 Region of Spill: Spill Number: 0008710 Investigator: **TIBBE** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 10/26/2000 11:00

Reported to Dept Date/Time: 10/26/00 12:55 SWIS: 62

5VVIS. 02

Spiller Name: TRAIN MAINTAINANCE FACILI

Spiller Contact:

Spiller Phone:

Spiller Contact:

Spiller Contact:

Spiller Phone:

Spiller Phone:

Spiller Address:

Spiller City,St,Zip:

Spill Cause:

DENNIS RAMDAHIN

(718) 243-4581

3900 AVE 10

MANHATTAN

Equipment Failure

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 02

Spill Notifier: Local Agency PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/05/01

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/26/00
Date Spill Entered In Computer Data File: Not reported

Update Date: 04/05/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

TRAIN MAINTAINANCE FACILI (Continued)

S104880025

NY Hist Spills

Quantity Spilled: 10 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 10 Unkonwn Quantity Recovered: False #6 FUEL OIL Material: #6 FUEL OIL Class Type: Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

PIPE BROKE DURING MAINTENANCE WORK IN THE BOILER ROOM. CONTAINED AND CLEANED DEC Remarks:

BY NYCT.

Remark: small pipe at the boiler broke - all cleaned up

HARLEM RIVER FACILITY G38 **LTANKS** S104501355 SSE **300 206 STREET HIST LTANKS** N/A **NY Spills**

< 1/8 MANHATTAN, NY 0.115 mi.

609 ft. Site 3 of 3 in cluster G

LTANKS: Relative:

Site ID: 243745 Lower Spill No: 0104067

Actual: Spill Date: 7/17/2001 2 ft. Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial

> Spill Class: Known release that creates potential for fire or hazard. DEC Response.

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/18/2007 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: True

SWIS: 3101 **AXDORONO** Investigator:

REQUEST FOR SPILL CLOSURE Referred To:

Reported to Dept: 7/17/2001 CID: 15 Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 7/17/2001 Spill Record Last Update: 12/26/2007 Spiller Name: Not reported Spiller Company: NYC DOT Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller County: 999

Spiller Contact: LUCILLE FITZGERALD Spiller Phone: (516) 485-0000

Spiller Extention: Not reported DEC Region: 2 **DER Facility ID:** 200203

DEC Memo: 06/14/2007: This spill case was transferred to A. Doronova. AD

> 06/19/2007: Reviewed Tank Closure report. It states that: On July 16, 2003 one 3,000 gallon fuel oil UST was permanently abandoned in-place

Map ID
Direction
Distance

Elevation

Site

MAP FINDINGS

EDR ID Number
Database(s) EPA ID Number

HARLEM RIVER FACILITY (Continued)

S104501355

at the Harlem River Bridge site. It is DDC site. Visual inspection of the tank reveled no evidence of leakage. Since the tank was closed in place, post tank closure soil samples were not collected. However four soil borings, SB-01 through SB-04, were performed adjacent to UST on August 11, 2003. Analytical results of sampling revealed the presence of residual concentrations of VOCs in two of the four samples and SVOCs in one of the four samples, all at concentrations below ASCs (Allowable Soil Concentration). Based on the data consultant (Shaw) requested NFA for this spill. In lab data method detection limit is elevated and varies all the time for the same compound depending of the soil boring. Have to ask J. Kolleeny. AD Sent an email to A. Samani (DDC) with the request for additional soil and groundwater investigation in the vicinity of the closed in-place fuel oil UST. (cc: J. Kolleeny; T. Ahmad; J. Staten and H. Roberts). AD 09/17/2007: Received Additional Site Subsurface Investigation Work Plan dated September 17, 2007, submitted by URS. The plan proposes installation of two monitoring wells on the eastern and western sides of abandoned in-place UST. It states that monitoring wells cannot be installed north and south of the USt, because West 206th Street and a existing building located immediately north and south of the UST. URC proposes to collect soil and groundwater samples and analyze them for VOCs and SVOCs. Monitoring wells also will be surveyed for location and elevation. According to the Tank Closure Report, submitted by Shaw earlier, four soil borings were advanced around the fuel oil UST for collecting end-point samples. Soil samples from borings on the northern and southern sides of the UST indicated elevated concentrations of SVOCs. This data indicates, that installation of monitoring wells to the north and south of UST is feasible. Have to speak to J. Staten of URS. AD 09/27/2007: Spoke with J. Staten regarding feasibility of installation of the wells on the northern and southern sides of UST. She said that it involves obtaining a street permit, traffic plan and other procedures. I asked, if it possible to relocate MW-01 close to the UST. I sent a Figure 3 with indication of new location of MW-01 to Jane by fax. AD 12/17/2007: Received Field Investigation Summary and Request for Spill Closure from URS. The summary states that on October 16, 2007 two monitoring wells were installed at the approved locations. Two soil samples were collected from each well borehole at 3 to 5 feet bgs and 7 to 9 feet bgs. The analytical data indicated presence of trace levels of VOCs and SVOCs at concentrations below TAGM #4046 soil guidance values. On November 14, 2007, groundwater samples were collected from wells MW-01 and MW-02. According to labresults, presence of any VOCs or SVOCs were not detected in the sampled groundwater. Based on the data, URS recommended closure of the spill case. AD 12/18/2007: Spoke with J. Kolleeny regarding this site. Sent a No Further Action letter to A. Samani (cc: J.Kolleeny; M.Asbagh; H.Roberts and J.Staten). PDF version is in eDocs. AD

Remarks: gross failure.

Material:

 Site ID:
 243745

 Operable Unit ID:
 840688

 Operable Unit:
 01

 Material ID:
 532573

 Material Code:
 0001

 Material Name:
 #2 Fuel Oil

 Case No.:
 Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

HARLEM RIVER FACILITY (Continued)

S104501355

EDR ID Number

Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

 Site ID:
 243745

 Spill Tank Test:
 1526461

 Tank Number:
 1

 Tank Size:
 3000

 Test Method:
 03

 Leak Rate:
 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 0104067

 Spill Date:
 07/17/2001

 Spill Time:
 10:00

Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **DEMEO** Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Not reported Caller Extension: Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 07/17/01 Reported to Department Time: 12:13 SWIS:

Spiller Contact:

Spiller Phone:

Spiller Extention:

Spiller Name:

Spiller Address:

Spiller City,St,Zip:

LUCILLE FITZGERALD

(516) 485-0000

Not reported

NYC DOT

Not reported

Not reported

Spiller Cleanup Date: / /

Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

HARLEM RIVER FACILITY (Continued)

Spill Notifier: Tank Tester PBS Number: 2-242179

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/17/01
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 07/17/01 Is Updated: False

Tank:

PBS Number: Not reported

Tank Number: 1
Tank Size: 3000

Test Method: Horner EZ Check

Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: #2 FUEL OIL Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported

19941207

DEC Remarks: Not reported Spill Cause: gross failure.

NY Spills:

Last Date:

Site ID: 175857 Facility Addr2: Not reported Facility ID: 9515576 Spill Number: 9515576 Facility Type: ER SWIS: 3101 Investigator: **JMKRIMGO** Referred To: Not reported Spill Date: 3/4/1996 Reported to Dept: 3/4/1996 CID: 15 Spill Cause: Other Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

S104501355

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

HARLEM RIVER FACILITY (Continued)

S104501355

EDR ID Number

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/22/1996
Remediation Phase: 0
Date Entered In Computer: 3/4/1996
Spill Record Last Update: 5/11/2004
Spiller Name: SAME
Spiller Company: DOT
Spiller Address: Not reported

Spiller City,St,Zip: NY
Spiller Company: 001

Contact Name: MIKE ILIAKIS
Contact Phone: (212) 569-5100

DEC Region: 2 DER Facility ID: 147808

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"KRIMGOLD" NO SPILL.

Remarks: they removed 2 550 gallon tanks from the dot facility. nothing was

spilled removal date was april 5 1995.

Material:

Site ID: Not reported Operable Unit ID: Not reported Operable Unit: Not reported Material ID: Not reported Material Code: Not reported Material Name: Not reported Case No.: Not reported Material FA: Not reported Not reported Quantity: Not reported Units: Recovered: Not reported Resource Affected: Not reported Oxygenate: Not reported

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

Spill Number: 9515576
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

HARLEM RIVER FACILITY (Continued)

S104501355

EDR ID Number

Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/04/1996 16:27
Reported to Dept Date/Time: 03/04/96 16:33

SWIS: 62
Spiller Name: DOT
Spiller Contact: SAME
Spiller Phone: Not reported
Spiller Contact: MIKE ILIAKIS
Spiller Phone: (212) 569-5100
Spiller Address: Not reported

Spiller City,St,Zip: NY
Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01

Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/22/96

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/04/96
Date Spill Entered In Computer Data File: Not reported

Update Date: 05/07/98
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Not reported Quantity Spilled: Not reported Unkonwn Quantity Spilled: Not reported Not reported Quantity Recovered: Not reported Unkonwn Quantity Recovered: Not reported Material: Not reported Class Type: Not reported Times Material Entry In File: Not reported Not reported CAS Number: Last Date: Not reported

DEC Remarks: NO SPILL.

Remark: they removed 2 550 gallon tanks from the dot facility. nothing was spilled

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HARLEM RIVER FACILITY (Continued)

S104501355

removal date was april 5 1995.

F39 **NAGLE AV** NY Spills S103274876 **WSW 204 TH ST NY Hist Spills** N/A

MANHATTAN, NY < 1/8

0.117 mi.

619 ft. Site 2 of 3 in cluster F

NY Spills: Relative:

83940 Site ID: Lower Facility Addr2: Not reported Actual: Facility ID: 9802755 18 ft. Spill Number: 9802755 Facility Type: ER

SWIS: 3101 Investigator: **MCTIBBE** Referred To: Not reported Spill Date: 6/2/1998 Reported to Dept: 6/2/1998 CID: 211 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/4/1998 Remediation Phase: 0 Date Entered In Computer: 6/2/1998 Spill Record Last Update: 3/25/2004 Spiller Name: Not reported Spiller Company: **UNKNOWN** Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller Company: 999

Contact Name: LORETTA DANGELO Contact Phone: (516) 379-1500

DEC Region: **DER Facility ID:** 77225

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" FAX TO ECS. CLEANED BY BELL ATLANTIC.

Remarks: CALLER WAS CONTACTED BY BELL ATLANTIC TO PUMP MANHOLE OUT AND

DISCOVERED AN OIL SHEEN ON TOP OF WATER -CLEAN UP CREW IS ON SCENE

Material:

Site ID: 83940 Operable Unit ID: 1063409 Operable Unit: 01 Material ID: 321075 Material Code: 0066A

Material Name: **UNKNOWN PETROLEUM**

Case No.: Not reported Petroleum Material FA:

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NAGLE AV (Continued) S103274876

Quantity: 0 Gallons Units: Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9802755 Investigator: **TIBBE** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 06/02/1998 10:00 Reported to Dept Date/Time: 06/02/98 11:08

SWIS: 62

Spiller Name: UNKNOWN Spiller Contact: Not reported Spiller Phone: Not reported

Spiller Contact: LORETTA DANGELO Spiller Phone: (516) 379-1500 Spiller Address: Not reported Spiller City, St, Zip: Not reported Spill Cause: Unknown Reported to Dept: In Sewer Water Affected: Not reported

Spill Source: 12 Spill Notifier: Other PBS Number: Not reported Cleanup Ceased: / / Cleanup Meets Std: False

Last Inspection:

Penalty Not Recommended Recommended Penalty:

Spiller Cleanup Dt: **Enforcement Date:** / / Invstgn Complete: / / False **UST Involvement:**

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NAGLE AV (Continued) S103274876

Corrective Action Plan Submitted: // Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 06/02/98 Date Spill Entered In Computer Data File: Not reported

Update Date: 06/02/98 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Gallons Quantity Recovered: O

Unkonwn Quantity Recovered: False UNKNOWN PETROLEUM Material:

Class Type: UNKNOWN PETROLEUM Times Material Entry In File: 16414

CAS Number: Not reported Last Date: 19940929

DEC Remarks: FAX TO ECS

Remark: CALLER WAS CONTACTED BY BELL ATLANTIC TO PUMP MANHOLE OUT AND DISCOVERED AN OIL

SHEEN ON TOP OF WATER -CLEAN UP CREW IS ON SCENE

D40 BUSINESS LTANKS S107410652 WNW **513 WEST 207TH STREET** N/A

< 1/8 **NEW YORK, NY**

0.118 mi.

Site 5 of 9 in cluster D 621 ft.

LTANKS: Relative:

Site ID: 353294 Higher Spill No: 0507807 Actual: Spill Date: 9/29/2005 21 ft. Spill Cause: Tank Test Failure

> Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/15/2006 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **SFRAHMAN** Referred To: Not reported Reported to Dept: 9/29/2005 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Direction Distance

Elevation Site Database(s) **EPA ID Number**

BUSINESS (Continued) S107410652

Remediation Phase: 0

Date Entered In Computer: 9/29/2005 Spill Record Last Update: 3/15/2006

Spiller Name: MARLON JOESPH

Spiller Company: **BUSINESS**

Spiller Address: 513 WEST 207TH STREET

Spiller City,St,Zip: NEW YORK, NY

Spiller County:

Spiller Contact: MARLON JOESPH Spiller Phone: (718) 624-4842 Spiller Extention: Not reported

DEC Region: DER Facility ID: 300614

DEC Memo: TTF letter sent to: Chase Bank 1 Chase Plaza - 23rd Flr New York, NY

10081 Attn: Jack Fucich 03/01/06 Sharif Rahman- TTF letter was resent

to AUDUBON PARTNERSHIP FOR ECONOMIC 513 West 207th Street New York,

NY 10034 Attn: Carmen Diaz Fax:(212)544-0248 03/15/06 Sharif Rahman-Rec'd report from PTC. The tank is under the sidewalk. Lines run aboveground. The sidewalk was opened up and tank was emptied and cleaned out. Three holes were drilled through the bottom of the tank,

a sample was taken from each hole. Samples were VOC/SVOC non detect.

Remarks: dry portion leak, above liquid leak:

Material:

Site ID: 353294 Operable Unit ID: 1110756 Operable Unit: 01 Material ID: 2100796 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Gallons Recovered: No Not reported Resource Affected:

Oxygenate: False

Tank Test:

353294 Site ID: Spill Tank Test: 1549349 Tank Number: 3000 Tank Size: Test Method: 03 Leak Rate:

Gross Fail: Not reported Modified By: Watchdog 9/29/2005 Last Modified:

Test Method: Horner EZ Check I or II **EDR ID Number**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

D41 **AUDUBON PARTNERSHIP** UST U001836601 WNW **513 WEST 207TH STREET HIST UST** N/A

< 1/8 0.118 mi.

621 ft. Site 6 of 9 in cluster D

Relative: Higher

UST: Facility Id: 2-289647

STATE Region: Actual: DEC Region: 21 ft.

NEW YORK, NY 10034

Site Status: Unregulated Program Type: **PBS Expiration Date:** N/A

591097.63684000005 UTM X: UTM Y: 4524343.1166399997

Site ID: 13053

Tank Number: 001 Tank ID: 18906

Closed - In Place Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 2000 Tightness Test Method: 00 Next Test Date: Not reported

3/21/2006 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 9/7/2006

Equipment Records:

L00 - Piping Leak Detection - None

J02 - Dispenser - Suction

E00 - Piping Secondary Containment - None

C03 - Pipe Location - Aboveground/Underground Combination

H00 - Tank Leak Detection - None

G03 - Tank Secondary Containment - Vault (w/o access)

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron 104 - Overfill - Product Level Gauge (A/G)

K00 - Spill Prevention - None

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 13053

Affiliation Type: On-Site Operator

AUDUBON PARTNERSHIP Company Name:

Contact Type: Not reported

Contact Name: ALBERTINA CABRERA

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

AUDUBON PARTNERSHIP (Continued)

U001836601

EDR ID Number

Country Code: 001

(212) 544-2400 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 9/7/2006

Site Id: 13053 Affiliation Type: Owner

LUIS A. MIRANDA Company Name: Contact Type: **CHAIR PERSON** Contact Name: LUIS A. MIRANDA Address1: 105 PAYSON AVE Address2: Not reported City: **NEW YORK**

State: NY 10034 Zip Code: Country Code: 001

(212) 569-9148 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 9/7/2006

Site Id: 13053 Affiliation Type: Mail Contact

Company Name: AUDUBON PARTNERSHIP FOR

Contact Type: Not reported Contact Name: CARMEN DIAZ

Address1: ECONOMIC DEVELOPMENT LDC Address2: 513 WEST 207TH STREET

City: **NEW YORK** State: $\mathsf{N}\mathsf{Y}$ 10034 Zip Code: Country Code: 001

(212) 544-2400 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 9/7/2006

Site Id: 13053

Emergency Contact Affiliation Type:

Company Name: AUDUBON PARTNERSHIP FOR ECONOMIC DEVELP

Contact Type: Not reported

WALTHER DELGADO Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999 Phone:

(917) 771-6566 Phone Ext: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

AUDUBON PARTNERSHIP (Continued)

U001836601

EDR ID Number

Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/1/2005

HIST UST:

PBS Number: 2-289647
SPDES Number: Not reported
Emergency Contact: JACK FUCICH
Emergency Telephone: (212) 552-5377
Operator: CHASE BANK
Operator Telephone: (212) 567-8120
Owner Name: CHEMICAL BANK

Owner Address: 1 CHASE PLAZA
Owner City,St,Zip: NEW YORK, NY 10081
Owner Telephone: (212) 622-8078
Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Name: CHASE BANK
Mailing Address: 1 CHASE PLAZA
Mailing Address 2: 23RD FLOOR

Mailing City,St,Zip: NEW YORK, NY 10081
Mailing Contact: JACK FUCICH
Mailing Telephone: (212) 552-5377
Owner Mark: Second Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 513 WEST 207TH ST

SWIS ID: 6201

Old PBS Number: Not reported Facility Type: **OTHER** Inspected Date: Not reported Not reported Inspector: Not reported Inspection Result: Federal ID: Not reported Certification Flag: False Certification Date: 12/21/1998 **Expiration Date:** 12/14/2003 Renew Flag: False Renewal Date: Not reported **Total Capacity:** 2000 FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service Install Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

AUDUBON PARTNERSHIP (Continued)

U001836601

EDR ID Number

Capacity (gals): 2000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Aboveground/Underground Combination

Pipe Type: STEEL/IRON Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: Diking Leak Detection: None Overfill Prot: Vent Whistle Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

D42 COMMERCIAL BLDG LTANKS S107489073 WNW 513 W. 207TH ST. N/A

< 1/8 NEW YORK, NY

0.118 mi.

621 ft. Site 7 of 9 in cluster D

Relative: LTANKS:

 Higher
 Site ID:
 355301

 Spill No:
 0509515

 Actual:
 Spill Date:
 11/8/2005

 21 ft.
 Spill Cause:
 Tank Test Failure

Spill Source: Tank Test Failure

Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

8/16/2006 Spill Closed Dt: Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: rvketani Referred To: Not reported Reported to Dept: 11/8/2005 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/8/2005
Spill Record Last Update: 8/16/2006

Spiller Name: MARLON JOSEPH
Spiller Company: COMMERCIAL BLDG
Spiller Address: 513 W. 207TH ST.
Spiller City,St,Zip: NEW YORK, NY

Spiller County: 001

Direction Distance Elevation

Site Database(s) EPA ID Number

COMMERCIAL BLDG (Continued)

S107489073

EDR ID Number

Spiller Contact: MARLON JOSEPH
Spiller Phone: (646) 772-7949
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 305314

DEC Memo:

PBS 2-289647 Need to send a TTF letter Nov. 25, 2005 A "Tank Test Failure Letter" was sent to: Mr. Walter Delgado Audubon Partnershipp for Economic Devel 513 West 207th Street New York, NY 10034 05/17/06-Vought-Spill transferred from DEC Vought to DEC Ketani as per DEC Austin. 6/22/06 - Raphael Ketani. I called up Joe at PTC (718) 624-4842. He said that this is an old case (spill happened 11/8/05) and that he will have Diana call me back. The tank is 2000 gal., contained #2 fuel oil, and is listed as in service. 7/5/06 -Raphael Ketani. I reached Diana. She gave me the phone number to Audubon (212) 544-2400. She said that they had a failed tank only test, abandoned the tank in place with slurry, had 2 275 gal. tanks installed in place, and other work. I called Audubon and was told to call Carmen Diaz after 12 noon. Ms. Diaz called me back to say that her contractor had sent her documents for the abandonmnent of the tank and other items. She asked which documents I needed. I told her I needed a revised PBS application for the 2000 gal. tank and any documents regarding cleanup and soil removal. She said she will call her vendor and get back to me. 7/11/06 - Raphael Ketani, I received a call from Nora Hines of the Audubon Partnership. She said that she was the assistant for Ms. Diaz. She said she had a bunch of papers that she could send me copies of regarding the work that was done at the site. Ms. Hines went through the list of documents, but none were the ones I needed. I checked the PBS record and the tank is still listed as in service. I told Ms. Hines that I needed a revised PBS application to show that the tank is abandoned and a report from PTC describing the abandonment work and the removal of any contamination. She said she will talk to Ms. Diaz on monday when she comes back and get the proper paperwork. 7/13/06 - Raphael Ketani. Ms. Hines FAXed me a copy of the current PBS record, and the failing tank test results (in the dry portion). I still need an official document regarding abandonment of the tank (and any cleanup that was needed) and a revised PBS application. 7/20/06 - Raphael Ketani. I spoke to Ms. Diaz regarding the revised PBS application and the official letter regarding the abandonment of the tank and the replacement. She said that the person who normally handles these documents is on vacation and will be back on monday. She said she will get me these documents. 7/25/06 - Raphael Ketani. Ms. Albertina Cabrera, assistant to Ms. Diaz, called up to ask what documents I needed from the Audubon Partnership. I told her that I needed a revised PBS and a letter describing the cleanup and the tank abandonment. She said she will send it. 8/15/06 - Raphael Ketani. Mark Salamack of PTC (718) 624-4842 called regarding the site. He said that he will submit to me a cover letter explaining what went on at the site, with soil test results, tanks test results, and a revised PBS application. 8/16/06 -Raphael Ketani. I received a FAX late yesterday from Mr. Salamack regarding the site. The FAX consisted of a letter to Sharif Rahman dated March 9, 2006 from PTC, soil analytical data, a site map, a copy of Mr. Rahman's tank test failure letter, and a copy of the closed record from the publicly accessible spill database. Mr. Rahman's spill case record number was 0507807 and was initiated due to a failed tank test for a 2000 gal. #2 fuel oil tank. His case was initiated on 9/29/05 and closed on 3/15/06. The case that I have,

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

COMMERCIAL BLDG (Continued)

S107489073

#0509515, also lists a 2000 gal. #2 fuel oil tank for the same site. This case was opened on 11/8/05 due to a tank test failure. The two cases appear to be exactly the same and are for the same site. I called up Mr. Salamack and he said that what they normally do is test the tank system first and then isolate the tank and test it alone. This would explain the two test dates. Based upon the documentation mentioned above that I received from Mr. Salamack, I am closing the

spill case.

System test was done in October 2005 and failed. Tank was then Remarks:

evacuated and the holes in the line were plugged. A tank test was done today and it failed again. Now they are looking for a new tank

and abandon the old one. (No release)

Material:

355301 Site ID: Operable Unit ID: 1112668 Operable Unit: 01 Material ID: 2102713 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 355301 Spill Tank Test: 1549497 Tank Number: Tank Size: 3000 Test Method: 03 Leak Rate:

Gross Fail: Not reported Modified By: Watchdog 11/8/2005 Last Modified:

Test Method: Horner EZ Check I or II

H43 ON THE STREET NNW **ISHAM STREET / 10TH** < 1/8 MANHATTEN, NY

0.124 mi.

655 ft. Site 2 of 5 in cluster H

NY Spills: Relative: Equal

Site ID: 392959 Facility Addr2: Not reported

Actual: Facility ID: 19 ft. Spill Number:

0711470 Facility Type: ER SWIS: 3101 Investigator: rvketani Referred To: Not reported Spill Date: 1/31/2008

0711470

NY Spills S108982609

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

ON THE STREET (Continued)

S108982609

EDR ID Number

Reported to Dept: 1/31/2008 CID: 444 Spill Cause: Deliberate Water Affected: Not reported Spill Source: Passenger Vehicle Spill Notifier: Local Agency Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/31/2008

Remediation Phase: 0
Date Entered In Computer: 1/31/2008
Spill Record Last Update: 1/31/2008

Spiller Name: MANUEL GERRERO
Spiller Company: ON THE STREET
Spiller Address: ISHAM STREET & 10TH
Spiller City, St, Zip: MANHATTEN, NY

Spiller Company: 001

Contact Name: MANUEL GERRERO
Contact Phone: (212) 942-4351
DEC Region: 2

DER Facility ID: 342552

DEC Memo: 1/31/08 - Raphael Ketani. I contacted the Terry Bung of the DEP. He

said he didn't have any other information than what was on the spill report. I tried contacting the citizen, Manuel Gerrero, at (212) 942-4351. However, when I spoke to a guy at this number, he said it was the wrong number, Mr. Gerrero isn't at this phone, and that he knew nothing about the spill. I contacted NYC DOS operations and gave them the location of the oil changing. They said they will check it out. Based upon my inability to reach Mr. Gerrero for further

information and DOS's willingness to respond, I am closing the spill

case.

Remarks: CHANGING OIL IN STREET

Material:

392959 Site ID: Operable Unit ID: 1149935 Operable Unit: 01 Material ID: 2140497 Material Code: 0015 Motor Oil Material Name: Not reported Case No.: Material FA: Petroleum Quantity: 0 Units: Gallons

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ON THE STREET (Continued)

S108982609

Tank Size: Not reported Not reported Test Method: Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

AUTO REPAIR SHOP H44 **NY Spills** S108981057 10TH AVE / ISHAM ST NNW N/A

< 1/8 0.124 mi.

655 ft. Site 3 of 5 in cluster H

Relative:

NY Spills:

MANHATTEN, NY

Equal Actual:

19 ft.

Site ID: 390830 Facility Addr2: Not reported Facility ID: 0709713 Spill Number: 0709713 Facility Type: ER

SWIS: 3101 Investigator: hrpatel Referred To: Not reported Spill Date: 12/10/2007 Reported to Dept: 12/10/2007 CID: 444 Spill Cause: Other Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: Spill Class: Not reported Spill Closed Dt: 12/10/2007

Remediation Phase: 0

Date Entered In Computer: 12/10/2007 Spill Record Last Update: 12/10/2007

Spiller Name: MANUEL CUSTODIUS Spiller Company: **AUTO REPAIR SHOP** Spiller Address: 10TH AVE & ISHAM ST Spiller City, St, Zip: MANHATTEN, NY

Spiller Company: 999

MANUEL CUSTODIUS Contact Name: Contact Phone: (921) 294-2435

DEC Region: 2 **DER Facility ID:** 340441

DEC Memo: 12/10/07-Hiralkumar Patel. contact number for Mr. Custodius is wrong.

no contact info. insufficient information. case closed.

Remarks: THEY DUMP OIL ON GROUND AT ABOVE ADDRESS

Material:

Site ID: 390830 Operable Unit ID: 1147924 Operable Unit: 01

Direction Distance

Elevation Site Database(s) **EPA ID Number**

AUTO REPAIR SHOP (Continued)

S108981057

EDR ID Number

Material ID: 2138405 0015 Material Code: Material Name: Motor Oil Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Gallons Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

H45 **MANHOLE #407M NY Spills** S103938890 NNW 10TH AV / ISHAM ST **NY Hist Spills** N/A < 1/8 MANHATTAN, NY

0.124 mi.

655 ft. Site 4 of 5 in cluster H

Relative:

NY Spills:

Equal

Site ID: 265291 Facility Addr2: Not reported

Actual: 19 ft.

Facility ID: 9903526 Spill Number: 9903526 Facility Type: ER SWIS: 3101 **COMENALE** Investigator: Referred To: Not reported Spill Date: 6/28/1999 Reported to Dept: 6/28/1999 CID: 255

Spill Cause: **Equipment Failure** Water Affected: Not reported

Spill Source: Commercial/Industrial Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/18/2000

Remediation Phase: Date Entered In Computer: 6/28/1999 Spill Record Last Update: 6/6/2000

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MANHOLE #407M (Continued)

S103938890

Spiller Name: Not reported UKNOWN Spiller Company: Spiller Address: Not reported Spiller City, St, Zip: NY

Spiller Company: 999

Contact Name: STEVE ROMERO Contact Phone: (212) 580-6763

DEC Region: DER Facility ID: 216178 DEC Memo: Not reported

Coming from feeders - unknown exact source - cleanup pending test Remarks:

results Con Ed #125788

Material:

265291 Site ID: Operable Unit ID: 1078105 Operable Unit: 01 Material ID: 303441 Material Code: 0541A

Material Name: DIELECTRIC FLUID Case No.: Not reported Petroleum Material FA: Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 9903526 Spill Number: Investigator: **COMENALE** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 06/28/1999 01:30

Reported to Dept Date/Time: 06/28/99 02:30 SWIS: 62 UKNOWN Spiller Name:

Spiller Contact: Not reported Spiller Phone: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

MANHOLE #407M (Continued)

S103938890

EDR ID Number

Spiller Contact: STEVE ROMERO
Spiller Phone: (212) 580-6763
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 01

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 05/18/00

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 06/28/99
Date Spill Entered In Computer Data File: Not reported

Update Date: 06/06/00 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 7
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Material: DIELECTRIC FLUID
Class Type: DIELECTRIC FLUID

Times Material Entry In File: 41

CAS Number: Not reported Last Date: Not reported

DEC Remarks: con ed e2mis notes: 6-7 gallons of transmission feeder. Approx 20 gallons

of water in manhole. Connection not verified. Dielectric fluid 7 gal. Found spill of approx 6-7 gallons of transmission feeder dielectric fluid mixed with approx 20gallons water in manhole 407M, on the west side of tenth ave. A

small oil spill is a spill of oil containing less than 50 ppm pcbs. pcb concentration: greater than 50 ppm, amount spilled/discovered: 7 gal, 20 gals

water. When was spill discovered? Date: 6-28-99, Time: 01:30

Remark: Coming from feeders - unknown exact source - cleanup pending test results Con

Ed 125788

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

E46 **CONED MANIFEST** S109825052 SSW 3820 9TH AVE N/A

1/8-1/4 NEW YORK, NY 10001

0.127 mi.

Site 3 of 5 in cluster E 669 ft.

Relative: Lower

Actual:

11 ft.

NY MANIFEST:

NYP004181277 EPA ID:

Country: USA Mailing Name: CONED Mailing Contact: CONED

Mailing Address: 4 IRVING PLACE Mailing Address 2: **ROOM 818** Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-460-2808

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2009-06-26 2009-06-26 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-06-26 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004181277 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD002200046 Waste Code: Not reported 1000.0 Quantity: P - Pounds Units:

Number of Containers: 1.0

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 001083802GBF

Import Ind: **Export Ind:** Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H111

Document ID: Not reported Manifest Status: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

CONED (Continued) S109825052

Trans1 State ID: NJ0000027193 Trans2 State ID: Not reported Generator Ship Date: 2009-06-26 Trans1 Recv Date: 2009-06-26 Trans2 Recv Date: Not reported 2009-06-26 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004181277 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NJD002200046 TSDF ID: Waste Code: Not reported Quantity: 1000.0 Units: P - Pounds

Number of Containers: 1.0

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 09

001083802GBF Manifest Tracking Num:

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H111

MERIT OIL CORP RCRA-NonGen 1000263773

ΝE 401 W 207TH ST & 9TH AVE 1/8-1/4 NEW YORK, NY 10034 0.128 mi. **HIST UST** 674 ft. **MANIFEST**

RCRA-NonGen: Relative:

47

Date form received by agency: 01/01/2007 Lower

> Facility name: MERIT OIL CORP

Actual: Facility address: 401 W 207TH ST & 9TH AVE 12 ft. NEW YORK, NY 10034

> EPA ID: NYD982185662 Mailing address: W LANCASTER AVE

HAVERFORD, NY 19041

Contact: Not reported

Contact address: W LANCASTER AVE

HAVERFORD, NY 19041

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

FINDS

UST

NYD982185662

EDR ID Number

Direction
Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Owner/Operator Summary:

Owner/operator name: MERIT OIL CORP
Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MERIT OIL CORP
Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Nο Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: MERIT OIL CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: MERIT OIL CORP
Classification: Not a generator, verified

Date form received by agency: 05/11/1987
Facility name: MERIT OIL CORP
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Map ID Direction Distance Elevation

ance EDR ID Number ation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

Registry ID: 110008024994

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

UST:

Facility Id: 2-297453 Region: STATE DEC Region: 2 Site Status: Active Program Type: PBS **Expiration Date:** 2015/05/23 UTM X: 591295.10884 UTM Y: 4524208.4419

Site ID: 13738

Tank Number: 009 Tank ID: 43935

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

7/1/1991

550

00

Next Test Date: Not reported Date Tank Closed: 3/21/2002

Tank Location: 5

Tank Type: Fiberglass coated steel

 Date Test:
 7/1/1995

 Register:
 True

 Modified By:
 NRLOMBAR

 Last Modified:
 11/12/2009

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

B04 - Tank External Protection - Fiberglass F00 - Pipe External Protection - None I01 - Overfill - Float Vent Valve C00 - Pipe Location - No Piping

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

K01 - Spill Prevention - Catch Basin

A00 - Tank Internal Protection - None

E04 - Piping Secondary Containment - Double-Walled (Underground)

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

J00 - Dispenser - None

D00 - Pipe Type - No Piping

G04 - Tank Secondary Containment - Double-Walled (Underground)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

010 Tank Number: Tank ID: 50845

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None A00 - Tank Internal Protection - None B00 - Tank External Protection - None

011 Tank Number: Tank ID: 50846

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

B00 - Tank External Protection - None

012 Tank Number: Tank ID: 50847

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction 100 - Overfill - None

A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None F00 - Pipe External Protection - None

G00 - Tank Secondary Containment - None

D02 - Pipe Type - Galvanized Steel

C02 - Pipe Location - Underground/On-ground

B00 - Tank External Protection - None

013 Tank Number: Tank ID: 50848

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None B00 - Tank External Protection - None

014 Tank Number: Tank ID: 50849

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel 100 - Overfill - None

H00 - Tank Leak Detection - None

C02 - Pipe Location - Underground/On-ground

J02 - Dispenser - Suction

B00 - Tank External Protection - None

015 Tank Number: Tank ID: 50850

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

H00 - Tank Leak Detection - None

100 - Overfill - None

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

D02 - Pipe Type - Galvanized Steel

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

016 Tank Number: Tank ID: 50851

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

100 - Overfill - None

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None F00 - Pipe External Protection - None

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

B00 - Tank External Protection - None

017 Tank Number: Tank ID: 50852

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Tank Number: 018 Tank ID: 50853

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Capacity Gallons: 550
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1996

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel

C02 - Pipe Location - Underground/On-ground

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None

100 - Overfill - None

B00 - Tank External Protection - None

Tank Number: 019 Tank ID: 50854

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

Next Test Date: Not reported Date Tank Closed: 4/1/1996

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

100 - Overfill - None

H00 - Tank Leak Detection - None F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

B00 - Tank External Protection - None

020 Tank Number: Tank ID: 50855

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel

100 - Overfill - None

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

021 Tank Number: Tank ID: 50856

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

F00 - Pipe External Protection - None

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None

D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None B00 - Tank External Protection - None

 Tank Number:
 022

 Tank ID:
 50857

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Capacity Gallons: 550
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1996

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

100 - Overfill - None

H00 - Tank Leak Detection - None

C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

B00 - Tank External Protection - None

Tank Number: 023 Tank ID: 50858

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

Next Test Date: Not reported Date Tank Closed: 4/1/1996

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

D02 - Pipe Type - Galvanized Steel B00 - Tank External Protection - None

024 Tank Number: Tank ID: 50859

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel

100 - Overfill - None J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None B00 - Tank External Protection - None

025 Tank Number: Tank ID: 50860

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

D02 - Pipe Type - Galvanized Steel

100 - Overfill - None

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None F00 - Pipe External Protection - None A00 - Tank Internal Protection - None J02 - Dispenser - Suction

B00 - Tank External Protection - None

026 Tank Number: Tank ID: 50861

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None

100 - Overfill - None J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

C02 - Pipe Location - Underground/On-ground F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

027 Tank Number: Tank ID: 50862

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported Date Tank Closed: 4/1/1996

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

C02 - Pipe Location - Underground/On-ground

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

100 - Overfill - None

H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

028 Tank Number: Tank ID: 50863

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction 100 - Overfill - None

H00 - Tank Leak Detection - None D02 - Pipe Type - Galvanized Steel

G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground

B00 - Tank External Protection - None

029 Tank Number: Tank ID: 50864

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 NN

Tightness Test Method: Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None

J02 - Dispenser - Suction 100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None F00 - Pipe External Protection - None B00 - Tank External Protection - None

030 Tank Number: Tank ID: 50865

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

100 - Overfill - None J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

031 Tank Number: Tank ID: 50866

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None

D02 - Pipe Type - Galvanized Steel

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None B00 - Tank External Protection - None

032 Tank Number: Tank ID: 50867

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

G00 - Tank Secondary Containment - None

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None B00 - Tank External Protection - None

033 Tank Number: Tank ID: 50868

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None

100 - Overfill - None

D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None B00 - Tank External Protection - None

034 Tank Number: Tank ID: 50869

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction 100 - Overfill - None

D02 - Pipe Type - Galvanized Steel G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

C02 - Pipe Location - Underground/On-ground

B00 - Tank External Protection - None

035 Tank Number: Tank ID: 50870

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

H00 - Tank Leak Detection - None D02 - Pipe Type - Galvanized Steel G00 - Tank Secondary Containment - None

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None B00 - Tank External Protection - None

036 Tank Number: Tank ID: 50871

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

100 - Overfill - None J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

C02 - Pipe Location - Underground/On-ground

F00 - Pipe External Protection - None B00 - Tank External Protection - None

037 Tank Number: Tank ID: 50872

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 NN

Tightness Test Method: Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None

100 - Overfill - None

G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground F00 - Pipe External Protection - None

B00 - Tank External Protection - None

038 Tank Number: Tank ID: 50873

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

100 - Overfill - None

D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

F00 - Pipe External Protection - None A00 - Tank Internal Protection - None B00 - Tank External Protection - None

039 Tank Number: Tank ID: 50874

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

B00 - Tank External Protection - None

040 Tank Number: Tank ID: 50875

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

100 - Overfill - None

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

041 Tank Number: Tank ID: 50876

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1996

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

100 - Overfill - None

G00 - Tank Secondary Containment - None

D02 - Pipe Type - Galvanized Steel H00 - Tank Leak Detection - None F00 - Pipe External Protection - None

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

B00 - Tank External Protection - None

042 Tank Number: Tank ID: 50877

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel B00 - Tank External Protection - None

043 Tank Number: Tank ID: 50878

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

100 - Overfill - None

A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

F00 - Pipe External Protection - None B00 - Tank External Protection - None

044 Tank Number: Tank ID: 50879

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

H00 - Tank Leak Detection - None G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

045 Tank Number: Tank ID: 50880

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 550

Tightness Test Method: NN Next Test Date: Not reported 4/1/1996 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

A00 - Tank Internal Protection - None

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel B00 - Tank External Protection - None

046 Tank Number: 50881 Tank ID: In Service Tank Status: Tank Model: Not reported Pipe Model: Not reported 4/1/1996 Install Date: 4000 Capacity Gallons: Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: KXTANG Last Modified: 3/29/2005

Equipment Records:

J01 - Dispenser - Submersible

K01 - Spill Prevention - Catch Basin

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

E04 - Piping Secondary Containment - Double-Walled (Underground)

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

B04 - Tank External Protection - Fiberglass

H05 - Tank Leak Detection - In-Tank System (ATG)

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

102 - Overfill - High Level Alarm

C02 - Pipe Location - Underground/On-ground

F04 - Pipe External Protection - Fiberglass

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number: 047 Tank ID: 50882 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 4/1/1996 Capacity Gallons: 4000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True

Direction Distance

EDR ID Number Elevation **EPA ID Number** Site Database(s)

MERIT OIL CORP (Continued)

1000263773

Modified By: **KXTANG** 3/29/2005 Last Modified:

Equipment Records:

J01 - Dispenser - Submersible

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

F04 - Pipe External Protection - Fiberglass

E04 - Piping Secondary Containment - Double-Walled (Underground)

C02 - Pipe Location - Underground/On-ground

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

102 - Overfill - High Level Alarm

B04 - Tank External Protection - Fiberglass

H05 - Tank Leak Detection - In-Tank System (ATG)

K01 - Spill Prevention - Catch Basin

G04 - Tank Secondary Containment - Double-Walled (Underground) L07 - Piping Leak Detection - Pressurized Piping Leak Detector

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

Tank Number: 048 50883 Tank ID: Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 4/1/1996 Capacity Gallons: 4000 Tightness Test Method: 20

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Equivalent technology Tank Type:

Date Test: 8/1/1997 Register: True Modified By: **KXTANG** Last Modified: 3/29/2005

Equipment Records:

E04 - Piping Secondary Containment - Double-Walled (Underground)

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

J01 - Dispenser - Submersible

F04 - Pipe External Protection - Fiberglass

101 - Overfill - Float Vent Valve

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

K01 - Spill Prevention - Catch Basin

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

B04 - Tank External Protection - Fiberglass C02 - Pipe Location - Underground/On-ground

H05 - Tank Leak Detection - In-Tank System (ATG) D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 049

Tank ID: 50884 In Service Tank Status: Tank Model: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Pipe Model: Not reported Install Date: 4/1/1996
Capacity Gallons: 4000
Tightness Test Method: 20
Nort Test Date: Not reported

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: 8/1/1997
Register: True
Modified By: KXTANG
Last Modified: 3/29/2005

Equipment Records:

B04 - Tank External Protection - Fiberglass

E04 - Piping Secondary Containment - Double-Walled (Underground)

101 - Overfill - Float Vent Valve

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

K01 - Spill Prevention - Catch Basin J01 - Dispenser - Submersible

F04 - Pipe External Protection - Fiberglass

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

C02 - Pipe Location - Underground/On-ground

H05 - Tank Leak Detection - In-Tank System (ATG)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

G04 - Tank Secondary Containment - Double-Walled (Underground)

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

Tank Number: 050
Tank ID: 50885
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1996
Capacity Gallons: 4000
Tightness Test Method: 20
Not Teet Date: Not reported

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: 8/1/1997
Register: True
Modified By: KXTANG
Last Modified: 3/29/2005

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)

101 - Overfill - Float Vent Valve

B04 - Tank External Protection - Fiberglass

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

E04 - Piping Secondary Containment - Double-Walled (Underground)

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

J01 - Dispenser - Submersible

F04 - Pipe External Protection - Fiberglass

K01 - Spill Prevention - Catch Basin

Direction Distance Elevation

ce EDR ID Number ion Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

C02 - Pipe Location - Underground/On-ground

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground) L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number: 0F7
Tank ID: 15692

Tank Status:

Closed - Removed
Tank Model:

Pipe Model:

Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed
Not reported

Not reported

2000

2000

2000

Next Test Date: Not reported
Date Tank Closed: 7/1/1991

Tank Location: 5

Tank Type: Steel/carbon steel

Date Test: 4/1/1991
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping

100 - Overfill - None

H99 - Tank Leak Detection - Other

G00 - Tank Secondary Containment - None

D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
J01 - Dispenser - Submersible
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 0W8
Tank ID: 15693

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported

Install Date:

Capacity Gallons:

Tightness Test Method:

Not reported

Next Test Date: Not reported Date Tank Closed: 7/1/1991
Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

J00 - Dispenser - None

F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

G00 - Tank Secondary Containment - None

100 - Overfill - None

H00 - Tank Leak Detection - None B00 - Tank External Protection - None

Tank Number: Tank ID: 15688

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 9/1/1980 Install Date: Capacity Gallons: 2000 Tightness Test Method:

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type:

Date Test: 7/1/1995 Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

C02 - Pipe Location - Underground/On-ground

J01 - Dispenser - Submersible D02 - Pipe Type - Galvanized Steel 101 - Overfill - Float Vent Valve F00 - Pipe External Protection - None H99 - Tank Leak Detection - Other

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Tank Number: 2 Tank ID: 15687

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 9/1/1980 Capacity Gallons: 4000 Tightness Test Method:

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type:

Date Test: 7/1/1995 Register: True **TRANSLAT** Modified By: 3/4/2004 Last Modified:

Equipment Records:

D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None H99 - Tank Leak Detection - Other 101 - Overfill - Float Vent Valve

G00 - Tank Secondary Containment - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

F00 - Pipe External Protection - None

C02 - Pipe Location - Underground/On-ground

J01 - Dispenser - Submersible B00 - Tank External Protection - None

Tank Number: 3 Tank ID: 15689

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 9/1/1980 Install Date: Capacity Gallons: 2000 Tightness Test Method:

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type:

Date Test: 7/1/1995 Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None

101 - Overfill - Float Vent Valve

C02 - Pipe Location - Underground/On-ground

H99 - Tank Leak Detection - Other D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None F00 - Pipe External Protection - None J01 - Dispenser - Submersible B00 - Tank External Protection - None

Tank Number: 38 Tank ID: 52893

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 2/1/1964 Capacity Gallons: 2000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type: Date Test: Not reported Register: True TRANSLAT Modified By: 3/4/2004 Last Modified:

Equipment Records:

100 - Overfill - None

A00 - Tank Internal Protection - None

J00 - Dispenser - None

H99 - Tank Leak Detection - Other D10 - Pipe Type - Copper

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground B00 - Tank External Protection - None

Tank Number: Tank ID: 15686

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 9/1/1980 4000 Capacity Gallons: Tightness Test Method:

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type:

Date Test: 7/1/1995 Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

H99 - Tank Leak Detection - Other A00 - Tank Internal Protection - None F00 - Pipe External Protection - None D02 - Pipe Type - Galvanized Steel 101 - Overfill - Float Vent Valve

G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground

J01 - Dispenser - Submersible B00 - Tank External Protection - None

Tank Number: Tank ID: 15690

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 9/1/1980 4000 Capacity Gallons: Tightness Test Method:

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type:

Date Test: 7/1/1995 Register: True **TRANSLAT** Modified By: 3/4/2004 Last Modified:

Equipment Records:

F00 - Pipe External Protection - None H99 - Tank Leak Detection - Other D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None 101 - Overfill - Float Vent Valve

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

J01 - Dispenser - Submersible

G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground B00 - Tank External Protection - None

Tank Number: 6 Tank ID: 15691

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 9/1/1980 Install Date: 4000 Capacity Gallons: Tightness Test Method:

Next Test Date: Not reported Date Tank Closed: 4/1/1996 Tank Location:

Steel/carbon steel Tank Type:

Date Test: 7/1/1995 Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

101 - Overfill - Float Vent Valve

C02 - Pipe Location - Underground/On-ground F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel H99 - Tank Leak Detection - Other

G00 - Tank Secondary Containment - None

J01 - Dispenser - Submersible B00 - Tank External Protection - None

Affiliation Records:

13738 Site Id: Affiliation Type: Mail Contact

AMERADA HESS CORP. Company Name:

Contact Type: Not reported JANICE FLAHERTY Contact Name: Address1: 1 HESS PLAZA Address2: Not reported City: WOODBRIDGE

State: NJ 07095 Zip Code: Country Code: 001

Phone: (732) 750-6350 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **CGFREEDM** Modified By: Date Last Modified: 3/16/2010

Site Id: 13738

On-Site Operator Affiliation Type: Company Name: HESS 32517 Contact Type: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

Contact Name: AMERADA HESS CORP.

Address1: Not reported Address2: Not reported City: Not reported State: NY

Zip Code: Not reported

Country Code: 001

(732) 750-6000 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 4/5/2007

Site Id: 13738 Affiliation Type: Owner

Company Name: AMERADA HESS CORPORATION

LICENSE COORDINATOR Contact Type: Contact Name: JANICE FLAHERTY 1 HESS PLAZA Address1: Address2: Not reported WOODBRIDGE City:

State: NJ Zip Code: 07095 Country Code: 001

Phone: (732) 750-6000 Phone Ext: Not reported

Email: JFLAHERTY@HESS.COM

Fax Number: Not reported Modified By: **CGFREEDM** Date Last Modified: 3/16/2010

Site Id: 13738

Affiliation Type: **Emergency Contact**

AMERADA HESS CORPORATION Company Name:

Contact Type: Not reported

Contact Name: AMERADA HESS CORP.

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

(732) 750-6000 Phone: Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **BKFALVEY** Date Last Modified: 10/5/2009

HIST UST:

PBS Number: 2-297453 SPDES Number: Not reported

AMERADA HESS CORP. **Emergency Contact:**

Emergency Telephone: (732) 750-6000

Operator: AMERADA HESS CORP.

Operator Telephone: (732) 750-6000

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Owner Name: AMERADA HESS CORPORATION

Owner Address: 1 HESS PLAZA

Owner City,St,Zip: WOODBRIDGE, NJ 07095

Owner Telephone: (732) 750-6000 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: AMERADA HESS CORP.

Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported

Mailing City,St,Zip: WOODBRIDGE, NJ 07095
Mailing Contact: JANICE FLAHERTY
Mailing Telephone: (732) 750-6350
Owner Mark: Second Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: Not reported

SWIS ID: 6201

Old PBS Number: Not reported

Facility Type: RETAIL GASOLINE SALES

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 05/30/2000 **Expiration Date:** 05/23/2005 Renew Flag: False Renewal Date: Not reported 20550 Total Capacity: FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 009

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19910701
Capacity (gals): 550

Product Stored: UNKNOWN

Tank Type: Fiberglass coated steel

Tank Internal:
None
Tank External:
Pipe Location:
Pipe Type:
Pipe Internal:
None
Pipe External:
None

Second Containment: Vault (w/access)
Leak Detection: Electronic

Overfill Prot: Float Vent Valve, Catch Basin

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Dispenser: Not reported 07/01/1995 Date Tested: Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

Tank ld: 010

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 011

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

None Pipe Internal: Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank Id: 012

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground

GALVANIZED STEEL Pipe Type: None

Pipe Internal: Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

013 Tank Id:

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: Not reported

550 Capacity (gals):

UNLEADED GASOLINE Product Stored: Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground

GALVANIZED STEEL Pipe Type: Pipe Internal:

None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported

Direction Distance Elevation

evation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 014

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank ld: 015

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

None

Underground

GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date:

Missing Data for Tank: No Missing Data
Date Closed: 04/01/1996
Test Method: Not reported
Deleted: False
Updated: True

Lat/long: Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Tank Id: 016

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

None Pipe Internal: Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Not reported Test Method: Deleted:

Deleted: False Updated: True

Lat/long: Not reported

Tank ld: 017

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal:
None
Tank External:
None
Pipe Location:
Underground

Pipe Type: GALVANIZED STEEL Pipe Internal: None

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 018

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal:
None
Tank External:
Pipe Location:
Underground
Pipe Type:
GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank ld: 019

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 020

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE

Direction Distance Elevation

Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground

GALVANIZED STEEL Pipe Type:

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank Id: 021

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: Not reported

550 Capacity (gals):

UNLEADED GASOLINE Product Stored:

Tank Type: Steel/carbon steel

Tank Internal: None None Tank External: Underground Pipe Location:

Pipe Type: **GALVANIZED STEEL**

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 022

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 023

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank ld: 024

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Direction
Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 025

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Pipe Location:

Vone

Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 026

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Direction
Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Overfill Prot: None Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank ld: 027

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported False Deleted: Updated: True Not reported Lat/long:

Tank ld: 028

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal:
Pipe External:
None
Second Containment:
Leak Detection:
Overfill Prot:
Dispenser:
None
Suction
Date Tested:
None
None
None
None

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 04/01/1996
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 029

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Under

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: 04/01/1996 Date Closed: Not reported Test Method: Deleted: False Updated: True

Lat/long: Not reported

Tank ld: 030

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank Id: 031

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Steel/carbon steel Tank Type:

Tank Internal: None Tank External: None Pipe Location: Underground Pipe Type: **GALVANIZED STEEL**

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported False Deleted: Updated: True Not reported Lat/long:

Tank Id: 032

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

UNLEADED GASOLINE Product Stored: Steel/carbon steel Tank Type:

Tank Internal: None Tank External: None Pipe Location: Underground

GALVANIZED STEEL Pipe Type: Pipe Internal: None

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Not reported Test Method: Deleted: False Updated: True

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

Lat/long: Not reported

Tank ld: 033

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Not reported Test Method: Deleted: False

Updated: True

Lat/long: Not reported

Tank ld: 034

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Direction Distance Elevation

ation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Tank ld: 035

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

None Pipe Internal: Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Not reported Test Method: Deleted: False Updated: True

Tank ld: 036

Lat/long:

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Not reported

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

None

Underground

Pipe Type:

GALVANIZED STEEL

Pipe Internal: None

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 037

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

Install Date: Not reported

Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground **GALVANIZED STEEL** Pipe Type:

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

038 Tank Id:

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

UNLEADED GASOLINE Product Stored: Steel/carbon steel Tank Type:

Tank Internal: None Tank External: None Pipe Location: Underground

GALVANIZED STEEL Pipe Type:

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank Id: 039

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE**

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank Id: 040

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 041

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 042

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank ld: 043

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Direction
Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 044

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported Deleted: False Updated: True

Tank ld: 045

Lat/long:

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Not reported

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

None

Underground

GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Direction Distance Elevation

vation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Overfill Prot: None Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank Id: 046

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19960401
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal: Fiberglass Liner (FRP)

Tank External: Fiberglass
Pipe Location: Underground

Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)

Fiberglass Liner (FRP)

Pipe External: Fiberglass
Second Containment: Vault (w/access)

Leak Detection: 14

Overfill Prot: High Level Alarm, Catch Basin

Dispenser: Submersible Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank ld: 047

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19960401
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal: Fiberglass Liner (FRP)

Tank External: Fiberglass
Pipe Location: Underground

Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)

Pipe External: Fiberglass
Second Containment: Vault (w/access)

Leak Detection: 14

Overfill Prot: High Level Alarm, Catch Basin

Dispenser: Submersible Date Tested: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 048

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19960401
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal: Fiberglass Liner (FRP)

Tank External: Fiberglass
Pipe Location: Underground

Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)

Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: 14

Overfill Prot: Float Vent Valve, Catch Basin

Dispenser: Submersible Date Tested: 08/01/1997 Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: USTest 2000 Deleted: False Updated: True Lat/long: Not reported

Tank ld: 049

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19960401
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal: Fiberglass Liner (FRP)

Tank External: Fiberglass
Pipe Location: Underground

Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)

Pipe External: Fiberglass
Second Containment: Vault (w/access)

Leak Detection: 14

Overfill Prot: Float Vent Valve, Catch Basin

Dispenser: Submersible
Date Tested: 08/01/1997
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Test Method: USTest 2000
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 050

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19960401
Capacity (gals): 4000
Product Stored: DIESEL

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal: Fiberglass Liner (FRP)

Tank External: Fiberglass
Pipe Location: Underground

Pipe Type: STAINLESS STEEL ALLOY Pipe Internal: Fiberglass Liner (FRP)

Pipe External: Fiberglass
Second Containment: Vault (w/access)

Leak Detection: 14

Overfill Prot: Float Vent Valve, Catch Basin

Dispenser: Submersible Date Tested: 08/01/1997 Next Test Date: Not reported Missing Data for Tank: No Missing Data Not reported Date Closed: Test Method: USTest 2000 Deleted: False Updated: True Lat/long: Not reported

Tank ld: 0F7

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19800901
Capacity (gals): 2000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

Pipe Internal:

Not reported

Not reported

STEEL

Not reported

Not reported

Not reported

Pipe External: Not reported
Second Containment: None
Leak Detection: Other
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: 04/01/1991
Next Test Date: Not reported

Missing Data for Tank: Minor Data Missing
Date Closed: 07/01/1991
Test Method: Tank Auditor
Deleted: False
Updated: True

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

Lat/long:

1000263773

Tank Id: 8W0

UNDERGROUND Tank Location: Tank Status: Closed-Removed 19800901 Install Date: Capacity (gals): 550

Not reported

Product Stored: UNKNOWN Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Underground Pipe Location:

Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None

Leak Detection: Not reported Overfill Prot: Not reported Not reported Dispenser: Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: 07/01/1991 Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank Id:

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: 19800901

2000 Capacity (gals):

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground Pipe Type: **GALVANIZED STEEL** None

Pipe Internal: Pipe External: None Second Containment: None Other Leak Detection:

Overfill Prot: Float Vent Valve Dispenser: Submersible Date Tested: 07/01/1995 Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

Tank ld: 2

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19800901
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal:
None
Tank External:
None
Pipe Location:
Underground
Pipe Type:
GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: 90

Overfill Prot: Float Vent Valve, Float Vent Valve

Dispenser: Submersible 07/01/1995 Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

Tank ld: 3

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19800901
Capacity (gals): 2000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Pipe Location:

Vone

Underground

Pipe Type:

GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Other

Overfill Prot: Float Vent Valve Dispenser: Submersible 07/01/1995 Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1996 Date Closed: Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

Tank Id: 38

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

Install Date: 19640201 2000 Capacity (gals):

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground

FIBERGLASS COATED STEEL Pipe Type:

Not reported

Pipe Internal: Not reported Pipe External: None Second Containment: None Leak Detection: Other Overfill Prot: None Dispenser: Not reported Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing 04/01/1996 Date Closed: Test Method: Not reported False Deleted: Updated: True

Tank Id:

Lat/long:

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: 19800901

Capacity (gals): 4000

UNLEADED GASOLINE Product Stored: Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground

GALVANIZED STEEL Pipe Type:

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: Other

Float Vent Valve Overfill Prot: Dispenser: Submersible Date Tested: 07/01/1995 Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

Tank Id:

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: 19800901

Capacity (gals): 4000

Product Stored: **UNLEADED GASOLINE**

Direction Distance

Elevation Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Other

Overfill Prot: Float Vent Valve Dispenser: Submersible Date Tested: 07/01/1995 Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: 04/01/1996 Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

Tank ld: 6

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Install Date: 19800901

Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Pipe Location:

Vinderground

Pipe Type:

Vonderground

GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Other

Overfill Prot: Float Vent Valve Dispenser: Submersible 07/01/1995 Date Tested: Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: 04/01/1996 Test Method: Unknown Deleted: False Updated: True Lat/long: Not reported

NY MANIFEST:

EPA ID: NYD982185662

Country: USA

Mailing Name: AMERADA HESS CORPORATION

Mailing Contact: PAUL MARINO
Mailing Address: 1 HESS PLAZA
Mailing Address 2: Not reported
Mailing City: WOODBRIDGE

Mailing State: NJ Mailing Zip: 07095

Direction Distance Elevation

Site Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263773

EDR ID Number

Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 732-750-6000

Document ID: NYB7205022 Manifest Status: Completed copy Trans1 State ID: PD9938 Trans2 State ID: Not reported Generator Ship Date: 960731 960731 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 960731 Part A Recv Date: 960830 Part B Recv Date: 960814

 Generator EPA ID:
 NYD982185662

 Trans1 EPA ID:
 NYD082785429

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD082785429

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01000

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 020

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1301777 Manifest Status: Completed copy Trans1 State ID: NYMK8837 NJDEPS727 Trans2 State ID: Generator Ship Date: 920325 Trans1 Recv Date: 920325 Trans2 Recv Date: 920325 TSD Site Recv Date: 920325 Part A Recv Date: 920416 Part B Recv Date: 920409

 Generator EPA ID:
 NYD982185662

 Trans1 EPA ID:
 NYD006801245

 Trans2 EPA ID:
 NJD986609949

 TSDF ID:
 NJD991291105

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00110

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MERIT OIL CORP (Continued)

1000263773

1004758790

NYD987023355

FINDS

MANIFEST

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 002

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

D48 **POST CLEANERS RCRA-NonGen**

1/8-1/4 0.131 mi. 689 ft.

WNW

NEW YORK, NY 10034 Site 8 of 9 in cluster D

131 POST AVE

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher

Facility name: **POST CLEANERS** Actual: Facility address: 131 POST AVE 21 ft. NEW YORK, NY 10034

> EPA ID: NYD987023355

Mailing address: **POST AVE**

NEW YORK, NY 10034 JULIA CAMPOS Contact:

Contact address: POST AVE NEW YORK, NY 10034

Contact country: US

Contact telephone: (212) 567-6855 Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PEDRO CAMPOS Owner/operator address: 117 POST AVE NEW YORK, NY 10034

Owner/operator country: US

(212) 567-6855 Owner/operator telephone: Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported

Owner/operator name: PEDRO CAMPOS Owner/operator address: 117 POST AVE

NEW YORK, NY 10034

Direction Distance

Elevation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Owner/operator country: US

Owner/operator telephone: (212) 567-6855
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: POST CLEANERS
Classification: Not a generator, verified

Date form received by agency: 11/27/1992 Facility name: POST CLEANERS

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004498641

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD987023355

Country: USA

Mailing Name: POST CLEANERS
Mailing Contact: PEDRO CAMPOS
Mailing Address: 131 POST AVE

Direction Distance Elevation

ce EDR ID Number on Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

Mailing Address 2: Not reported Mailing City: NEW YORK

Mailing State: NY
Mailing Zip: 10034
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 212-567-6855

Document ID: NJA1848522 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 931229 Trans1 Recv Date: 931229 Trans2 Recv Date: Not reported TSD Site Recy Date: 931229 Part A Recv Date: 940118 Part B Recv Date: 940120

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 93 Manifest Tracking Num: Not

Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NJA1807336 Document ID: Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 940615 940615 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 940615 Part A Recv Date: 940811 Part B Recv Date: 940630

Generator EPA ID: NYD987023355 Trans1 EPA ID: ILD984908202

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

POST CLEANERS (Continued)

1004758790

Trans2 EPA ID: Not reported NJD000768093 TSDF ID:

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

00070 Quantity: Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYC6269231 Manifest Status: Not reported Trans1 State ID: SCR000075150 Trans2 State ID: SCR000074591 Generator Ship Date: 09/25/2000 Trans1 Recv Date: 09/25/2000 Trans2 Recv Date: 09/28/2000 TSD Site Recy Date: 10/02/2000 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD987023355 Generator EPA ID: Trans1 EPA ID: OHD980587364 Trans2 EPA ID: Not reported TSDF ID: 08690

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

Quantity: 00060 Units: P - Pounds

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 00

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Direction Distance Flevation

Elevation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Mgmt Method Type Code: Not reported

Document ID: NJA2524107

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 960614 Generator Ship Date: Trans1 Recv Date: 960614 Trans2 Recv Date: Not reported TSD Site Recv Date: 960614 Part A Recv Date: 960708 Part B Recv Date: 960710

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 Units: P - Pounds

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code:

Document ID: NJA2230749 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 960221 Trans1 Recv Date: 960221 Trans2 Recv Date: Not reported TSD Site Recv Date: 960221 Part A Recv Date: 960229 Part B Recv Date: 960312 Generator EPA ID: NYD987023355

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Direction Distance Elevation

ation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Not reported Import Ind: Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYC6251668 Manifest Status: Not reported Trans1 State ID: SCR000075150 Trans2 State ID: SCR000074591 Generator Ship Date: 11/30/2000 Trans1 Recv Date: 11/30/2000 Trans2 Recv Date: 12/07/2000 TSD Site Recv Date: 12/12/2000 Part A Recy Date: Not reported Part B Recv Date: Not reported NYD987023355 Generator EPA ID: Trans1 EPA ID: OHD980587364 Trans2 EPA ID: Not reported TSDF ID: 08690

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00065 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 00

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Not reported Discr Type Ind: Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1840351
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

POST CLEANERS (Continued)

TSDF ID:

1004758790

Trans2 State ID: Not reported 940304 Generator Ship Date: Trans1 Recv Date: 940304 Trans2 Recv Date: Not reported TSD Site Recv Date: 940304 Part A Recv Date: 940310 Part B Recv Date: 940316 Generator EPA ID: NYD987023355 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

NJD000768093

Quantity: 00070 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1950534 Manifest Status: Completed copy

58149 Trans1 State ID: Not reported Trans2 State ID: Generator Ship Date: 941018 Trans1 Recv Date: 941018 Not reported Trans2 Recv Date: TSD Site Recv Date: 941018 Part A Recv Date: 941026 Part B Recv Date: 941104

Generator EPA ID: NYD987023355 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 P - Pounds Units: Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported

Direction Distance Elevation

ation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1954571 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 940718 Trans1 Recv Date: 940718 Trans2 Recv Date: Not reported TSD Site Recv Date: 940718 Part A Recv Date: 940731 Part B Recv Date: 940731

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Not reported Import Ind: **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: NYC6539725 Not reported Manifest Status: SCR000075150 Trans1 State ID: Trans2 State ID: NJD071629976 Generator Ship Date: 11/07/2001 Trans1 Recv Date: 11/07/2001 Trans2 Recy Date: 11/12/2001 TSD Site Recy Date: 11/13/2001 Part A Recv Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Part B Recv Date: Not reported
Generator EPA ID: NYD987023355
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 08690

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00060
Units: P - Pounds
Number of Containers: 002

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 01

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2041921 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 950113 Trans1 Recv Date: 950113 Trans2 Recv Date: Not reported TSD Site Recv Date: 950113 Part A Recv Date: 950123 950207 Part B Recv Date: Generator EPA ID: NYD987023355 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2153242 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 950329 Generator Ship Date: Trans1 Recv Date: 950329 Trans2 Recv Date: Not reported TSD Site Recv Date: 950329 Part A Recv Date: 950414 Part B Recv Date: 950417 NYD987023355 Generator EPA ID: Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 Units: P - Pounds

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2549523 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 960415 960415 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recy Date: 960415 960424 Part A Recv Date: Part B Recv Date: 960426

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Direction Distance

Elevation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2656319

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: 08690 Trans2 State ID: Not reported Generator Ship Date: 961104 Trans1 Recy Date: 961104 Trans2 Recv Date: Not reported TSD Site Recv Date: 961104 Part A Recv Date: 961211 Part B Recv Date: 961203 Generator EPA ID: NYD987023355

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Year: 96
Manifest Tracking Num: Not reported

Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

POST CLEANERS (Continued)

1004758790

Document ID: NJA1749829

Completed after the designated time period for a TSDF to get a copy to the DEC Manifest Status:

Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 930818 Trans1 Recv Date: 930818 Trans2 Recv Date: Not reported TSD Site Recy Date: 930818 Part A Recv Date: 930826 Part B Recv Date: 930923 NYD987023355 Generator EPA ID: Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 P - Pounds Units: 001 Number of Containers:

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 93

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1743145 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 930722 Trans1 Recv Date: 930722 Trans2 Recv Date: Not reported TSD Site Recv Date: 930722 Part A Recv Date: Not reported Part B Recv Date: 930802

Generator EPA ID: NYD987023355 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

Quantity: 00070 P - Pounds Units: Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Direction Distance

Elevation Site Database(s) EPA ID Number

POST CLEANERS (Continued)

1004758790

EDR ID Number

Year: 93

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1544395 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 930406 Generator Ship Date: Trans1 Recv Date: 930406 Trans2 Recv Date: Not reported TSD Site Recy Date: 930406 Part A Recv Date: 930414 Part B Recv Date: 930422

 Generator EPA ID:
 NYD987023355

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 93

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1359408

Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930108

Trans1 Recv Date: 930108

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

POST CLEANERS (Continued)

1004758790

Trans2 Recv Date: Not reported 930108 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: 930127 Generator EPA ID: NYD987023355 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Year: 93

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1659815 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 930428 Generator Ship Date: Trans1 Recv Date: 930428 Trans2 Recv Date: Not reported TSD Site Recv Date: 930428 Part A Recv Date: 930511 Part B Recv Date: 930513 Generator EPA ID: NYD987023355

Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year:

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

POST CLEANERS (Continued)

1004758790

Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1621207

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 930625 Trans1 Recv Date: 930625 Trans2 Recv Date: Not reported TSD Site Recv Date: 930625 Part A Recv Date: 930707 Part B Recv Date: 930721

NYD987023355 Generator EPA ID: Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 93 Manifest Tracking Num:

Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

> Click this hyperlink while viewing on your computer to access 11 additional NY_MANIFEST: record(s) in the EDR Site Report.

D49 207 SHERMAN ASSOCIATE, LLC AST A100146969

WNW **130 POST AVENUE** 1/8-1/4 NEW YORK, NY 10034

0.132 mi.

696 ft. Site 9 of 9 in cluster D

AST: Relative:

Region: STATE Higher DEC Region:

Actual: Site Status: Active 21 ft. Facility Id: 2-145785 N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

207 SHERMAN ASSOCIATE, LLC (Continued)

A100146969

PBS Program Type:

591019.47661999997 UTM X: UTM Y: 4524276.6473500002

Expiration Date: 2014/05/25

001 Tank Number: Tank Id: 8634 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/1949 Install Date: Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **MSBAPTIS** Modified By: Last Modified: 2/27/2009

Equipment Records:

A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron G99 - Tank Secondary Containment - Other

J02 - Dispenser - Suction

B01 - Tank External Protection - Painted/Asphalt Coating

105 - Overfill - Vent Whistle C01 - Pipe Location - Aboveground H00 - Tank Leak Detection - None

F01 - Pipe External Protection - Painted/Asphalt Coating

Affiliation Records:

4193 Site Id: Affiliation Type: Mail Contact

C/O SDG MANAGEMENT CORP. Company Name:

Contact Type: Not reported

Contact Name: 207 SHERMAN ASSOC, LLC. Address1: 888 SEVENTH AVENUE

Address2: 24TH FLOOR City: **NEW YORK** State: NY Zip Code: 10019 Country Code: 001

Phone: (212) 660-1237 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **NRLOMBAR** Modified By: Date Last Modified: 11/7/2005

Site Id: 4193 Affiliation Type: Owner

Company Name: 207 SHERMAN ASSOCIATES, LLC.

Contact Type: **AGENT**

Direction Distance

Elevation Site Database(s) **EPA ID Number**

207 SHERMAN ASSOCIATE, LLC (Continued)

A100146969

EDR ID Number

CYNTHIA MARRERO Contact Name: Address1: 888 7TH AVE, 24FL. Address2: Not reported City: **NEW YORK**

State: NY Zip Code: 10019 Country Code: 001

(212) 755-5390 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 2/27/2009

Site Id:

Affiliation Type: **Emergency Contact**

207 SHERMAN ASSOCIATES, LLC. Company Name:

Contact Type: Not reported

SDG MANAGEMENT Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

(212) 660-1200 Phone: Not reported Phone Ext: Email: Not reported Not reported Fax Number: Modified By: **MSBAPTIS** Date Last Modified: 2/27/2009

Site Id: 4193

On-Site Operator Affiliation Type:

207 SHERMAN ASSOCIATE, LLC Company Name:

Contact Type: Not reported Contact Name: **BLACIDES GOMEZ** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (917) 416-1094 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **MSBAPTIS** Modified By: Date Last Modified: 2/27/2009

Direction Distance

Elevation Site Database(s) **EPA ID Number**

150 **APARTMENT HOUSE AST** U003388852 WNW 125 POST AVE **HIST AST** N/A

1/8-1/4 NEW YORK, NY 10034

0.141 mi.

747 ft. Site 1 of 5 in cluster I

Relative: Higher

Actual:

21 ft.

AST: STATE Region: DEC Region: 2 Site Status: Active Facility Id: 2-281964 Program Type: **PBS**

UTM X: 591001.88245000003 UTM Y: 4524281.6484700004

2012/08/24 **Expiration Date:**

Tank Number: 001 Tank Id: 14751 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 9/24/2004 Capacity Gallons: 3000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: kakyer 9/26/2007 Last Modified:

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None 104 - Overfill - Product Level Gauge (A/G) D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None H00 - Tank Leak Detection - None C01 - Pipe Location - Aboveground

Affiliation Records:

Site Id: 12387 Affiliation Type: Mail Contact

Company Name: **GREEN SEAL REALTY CORP**

Contact Type: Not reported Contact Name: E. BREHM Address1: 170 BROADWAY Address2: RM. 610 **NEW YORK** City: State: NY Zip Code: 10038-4154

Country Code: 001

Phone: (212) 267-6767 Phone Ext: Not reported Email: Not reported Fax Number: Not reported

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

APARTMENT HOUSE (Continued)

U003388852

EDR ID Number

Modified By: TRANSLAT Date Last Modified: 3/4/2004

Site Id: 12387

Affiliation Type: On-Site Operator
Company Name: APARTMENT HOUSE

Contact Type: Not reported

Contact Name: GREEN SEAL REALTY CORP

Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported

Country Code: 001

Phone: (212) 569-6736
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12387 Affiliation Type: Owner

Company Name: GREEN SEAL REALTY CORP

Contact Type: VP

Contact Name: GREEN SEAL

Address1: 170 BROADWAY RM 610

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10038

 Country Code:
 001

Phone: (212) 267-6767
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 9/26/2007

Site Id: 12387

Affiliation Type: Emergency Contact

Company Name: GREEN SEAL REALTY CORP

Contact Type: Not reported Contact Name: SUPER Address1: Not reported Address2: Not reported City: Not reported State: NN

Country Code: 001

Phone: (212) 569-6736
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Direction Distance

Elevation Site Database(s) EPA ID Number

APARTMENT HOUSE (Continued)

U003388852

EDR ID Number

HIST AST:

Federal ID:

PBS Number: 2-281964 SWIS Code: 6201

Operator: GREEN SEAL REALTY CORP

Facility Phone: (212) 569-6736 Facility Addr2: 125 POST AVE

Facility Type: APARTMENT BUILDING

Emergency: SUPER
Emergency Tel: (212) 569-6736
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: GREEN SEAL REALTY CORP
Owner Address: 6 PARK PLACE RM 4702
Owner City,St,Zip: NEW YORK, NY 10007

Not reported

Owner Tel: (212) 267-6767
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Owner Subtype: Not reported Mailing Contact: M. MANNION

Mailing Name: GREEN SEAL REALTY CORP Mailing Address: 6 PARK PLACE RM 4702

Mailing Address 2: Not reported

Mailing City,St,Zip: NEW YORK, NY 10007

Mailing Telephone: (212) 267-6767 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 01/16/1998
Expiration: 08/24/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 3000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 1

Pipe Location: Aboveground

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

APARTMENT HOUSE (Continued)

U003388852

1005417250

NYR000103754

RCRA-SQG

MANIFEST

FINDS

Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0

Pipe External: 0

Tank Containment: Not reported

Leak Detection: Overfill Protection: 4 Dispenser Method: Gravity Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: Not reported Not reported Test Method: Deleted: False Updated: True SPDES Number: Not reported Lat/Long: Not reported

J51 DESCARTES DRY CLEANERS

NW 527 W 207TH ST 1/8-1/4 NEW YORK, NY 10034

0.142 mi.

752 ft. Site 1 of 7 in cluster J

Relative: RCRA-SQG:

Higher Date form received by agency: 01/01/2007

Facility name: DESCARTES DRY CLEANERS
Facility address: 527 W 207TH ST

Actual: 22 ft. 527 W 207TH ST NEW YORK, NY 10034

EPA ID: NYR000103754

Mailing address: W 207TH ST

NEW YORK, NY 10034

Contact: JOSE CAMACHO

Contact address: W 207TH ST

NEW YORK, NY 10034

Contact country: US

Contact telephone: (917) 529-2972 Contact email: Not reported

EPA Region: 02

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous

waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: JACQUELINE WAREHOUSE CORP

Owner/operator address: 523 W 207TH ST NEW YORK, NY 10034

Owner/operator country: US

Owner/operator telephone: (212) 567-1221 Legal status: Private

Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: JACQUELINE WAREHOUSE CORP

Direction Distance

Elevation Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Owner/operator address: 523 W 207TH ST

NEW YORK, NY 10034

Owner/operator country: US

Owner/operator telephone: (212) 567-1221
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: Nο

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: DESCARTES DRY CLEANERS

Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 01/29/2002

Facility name: DESCARTES DRY CLEANERS
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110012197997

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under DCDA

corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000103754

Country: USA

Mailing Name: DESCARTES DRY CLEANERS

Distance Elevation

Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Mailing Contact: N/S

Mailing Address: 527 W 207TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10034
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 917-529-2972

Document ID: 06

NYC7875551 Manifest Status: Trans1 State ID: NYR000103754 Trans2 State ID: Not reported Generator Ship Date: OHD980587364 Trans1 Recy Date: Not reported Trans2 Recv Date: TXR000050930 TSD Site Recv Date: Not reported NJD986607380 Part A Recv Date: Part B Recv Date: 2006-06-15

 Generator EPA ID:
 N

 Trans1 EPA ID:
 N

 Trans2 EPA ID:
 N

 TSDF ID:
 N

 Waste Code:
 N

Quantity: Not reported

Units: 2
Number of Containers: DF
Container Type: 390
Handling Method: P
Specific Gravity: 1
Waste Code: B

Quantity: Not reported Not reported Units: Not reported Number of Containers: Not reported Container Type: Handling Method: Not reported Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: 06

Manifest Status: NYC7875551
Trans1 State ID: NYR000103754

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

Trans2 State ID:

Generator Ship Date:

OHD980587364

Trans1 Recv Date:

Not reported

Not reported

TXR000050930

TSD Site Recv Date:

Part A Recv Date:

NJD986607380

Part B Recv Date:

2006-06-15

 Generator EPA ID:
 N

 Trans1 EPA ID:
 N

 Trans2 EPA ID:
 N

 TSDF ID:
 N

 Waste Code:
 N

Quantity: Not reported

Units: 5
Number of Containers: DF
Container Type: 60
Handling Method: P
Specific Gravity: 1
Waste Code: B

Quantity: Not reported Units: Not reported Number of Containers: Not reported Not reported Container Type: Handling Method: Not reported Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Not reported Manifest Ref Num: Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYC6980861 Manifest Status: Not reported Trans1 State ID: TXR000050930 Trans2 State ID: NJD071629976 03/11/2003 Generator Ship Date: Trans1 Recv Date: 03/11/2003 Trans2 Recv Date: 03/14/2003 TSD Site Recv Date: 03/17/2003 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000103754 Generator EPA ID: Trans1 EPA ID: OHD980587364 Trans2 EPA ID: Not reported TSDF ID: NY94887JE

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00340 Units: P - Pounds

Direction Distance Elevation

ion Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Number of Containers: 002

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 03

Manifest Tracking Num: Not reported Not reported Import Ind: **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NYC7394883 Document ID: Manifest Status: Not reported Trans1 State ID: NY58468JH NJ132TWA Trans2 State ID: Generator Ship Date: 07/28/2004 Trans1 Recv Date: 07/28/2004 Trans2 Recv Date: 07/30/2004 TSD Site Recy Date: 08/02/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000103754 Generator EPA ID: TXR000050930 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: OHD980587

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00005 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00795 Units: P - Pounds

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 04

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported

Direction Distance Elevation

evation Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported Not reported Manifest Status: Trans1 State ID: TXR000050930 Trans2 State ID: MOD095038998 Generator Ship Date: 5/17/2007 Trans1 Recv Date: 5/17/2007 Trans2 Recv Date: 5/24/2007 TSD Site Recv Date: 5/25/2007 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000103754 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: OHD980587364 Waste Code: Not reported Quantity: 190 Units: P - Pounds

Number of Containers: 2

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 1

Year: 07

Manifest Tracking Num: 000049601SKS

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Not reported
Not reported
Not reported
Not reported
Mgmt Method Type Code:
H020

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: TXR000050930 MOD095038998 Trans2 State ID: Generator Ship Date: 5/17/2007 Trans1 Recv Date: 5/17/2007 Trans2 Recv Date: 5/24/2007 TSD Site Recv Date: 5/25/2007 Part A Recy Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000103754 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: OHD980587364 Waste Code: Not reported

Quantity: 160

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DESCARTES DRY CLEANERS (Continued)

1005417250

Units: P - Pounds

Number of Containers:

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: Year: 07

000049601SKS Manifest Tracking Num:

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Ν Discr Type Ind: Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H020

Document ID: NYC7517711 Manifest Status: Not reported Trans1 State ID: TXR000050930 Trans2 State ID: NJD000682061 Generator Ship Date: 05/17/2005 Trans1 Recv Date: 05/17/2005 Trans2 Recy Date: 05/20/2005 TSD Site Recv Date: 05/23/2005 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000103754 Generator EPA ID: Trans1 EPA ID: NY94881JE Trans2 EPA ID: 080489 TSDF ID: OHD980587364

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

00150 Quantity: P - Pounds Units: Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

Quantity: 00100 P - Pounds Units: Number of Containers: 002

DF - Fiberboard or plastic drums (glass) Container Type:

Handling Method: Not reported Specific Gravity: 01.00 Waste Code: Not reported Quantity: Not reported Units: Not reported Number of Containers: Not reported Container Type: Not reported

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Not reported 2005 Year: Manifest Tracking Num: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DESCARTES DRY CLEANERS (Continued)

1005417250

Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYC7875551 Manifest Status: Not reported Trans1 State ID: TXR000050930 Trans2 State ID: NJD986607380 Generator Ship Date: 06/07/2006 Trans1 Recv Date: 06/07/2006 Trans2 Recv Date: 06/15/2006 TSD Site Recv Date: 06/16/2006 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000103754 Trans1 EPA ID: NY55817JL Trans2 EPA ID: NJ50059

TSDF ID: OHD980587364

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00390 P - Pounds Units: Number of Containers: 002

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

00060 Quantity: Units: P - Pounds Number of Containers: 005

DF - Fiberboard or plastic drums (glass) Container Type: Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 06

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: 07

Direction Distance Elevation

n Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Manifest Status: 000049601SKS Trans1 State ID: NYR000103754 Not reported Trans2 State ID: Generator Ship Date: OHD980587364 Trans1 Recv Date: Not reported Trans2 Recv Date: TXR000050930 TSD Site Recv Date: Not reported Part A Recv Date: MOD095038998 Part B Recv Date: 2007-05-24

 Generator EPA ID:
 N

 Trans1 EPA ID:
 N

 Trans2 EPA ID:
 N

 TSDF ID:
 N

 Waste Code:
 N

Quantity: Not reported

Units: DF Number of Containers: Container Type: 190 Handling Method: Ρ Specific Gravity: 1 Waste Code: R Quantity: D040 Units: Not reported Number of Containers:

Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: 07

000049601SKS Manifest Status: Trans1 State ID: NYR000103754 Trans2 State ID: Not reported Generator Ship Date: OHD980587364 Trans1 Recv Date: Not reported Trans2 Recv Date: TXR000050930 TSD Site Recv Date: Not reported MOD095038998 Part A Recv Date: Part B Recv Date: 2007-05-24

 Generator EPA ID:
 N

 Trans1 EPA ID:
 N

 Trans2 EPA ID:
 N

 TSDF ID:
 N

 Waste Code:
 N

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DESCARTES DRY CLEANERS (Continued)

1005417250

Quantity: Not reported Units: Number of Containers: DF Container Type: 160 Handling Method: Ρ Specific Gravity: Waste Code: R D040 Quantity: Units: Not reported Number of Containers: Not reported Container Type: Not reported Not reported Handling Method: Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported

Alt Fac RCRA Id:

Alt Fac Sign Date:

Mgmt Method Type Code:

NYC7517711 Document ID: Manifest Status: Not reported Trans1 State ID: TXR000050930 Trans2 State ID: NJD000682061 Generator Ship Date: 05/17/2005 Trans1 Recv Date: 05/17/2005 Trans2 Recv Date: 05/20/2005 TSD Site Recv Date: 05/23/2005 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000103754 Generator EPA ID: Trans1 EPA ID: NY94881JE Trans2 EPA ID: 080489 TSDF ID: OHD980587364

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00150 P - Pounds Units:

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Not reported

Not reported

Not reported

Specific Gravity: 01.00

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

00100 Quantity: Units: P - Pounds Number of Containers: 002

DF - Fiberboard or plastic drums (glass) Container Type:

Handling Method: Not reported Specific Gravity: 01.00 Waste Code: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYC6869046 Manifest Status: Not reported Trans1 State ID: SCR000075150 Trans2 State ID: NJD071629976 Generator Ship Date: 09/23/2002 Trans1 Recy Date: 09/23/2002 Trans2 Recv Date: 09/27/2002 TSD Site Recv Date: 09/27/2002 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000103754 Trans1 EPA ID: OHD980587364 Trans2 EPA ID: Not reported TSDF ID: NY94886JE

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00190
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 01.00 Year: 02

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

DESCARTES DRY CLEANERS (Continued)

1005417250

EDR ID Number

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: TXR000050930 Trans2 State ID: MOD095038998 Generator Ship Date: 2007-05-17 Trans1 Recv Date: 2007-05-17 Trans2 Recv Date: 2007-05-24 2007-05-25 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000103754 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: OHD980587364 Waste Code: Not reported Quantity: 160.0 P - Pounds Units:

Number of Containers: 1.0

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 1.0 Year: 07

Manifest Tracking Num: 000049601SKS

Import Ind: Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H020

Document ID: Not reported Manifest Status: Not reported TXR000050930 Trans1 State ID: Trans2 State ID: MOD095038998 Generator Ship Date: 2007-05-17 Trans1 Recv Date: 2007-05-17 Trans2 Recv Date: 2007-05-24 TSD Site Recv Date: 2007-05-25 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000103754 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: OHD980587364 Waste Code: Not reported Quantity: 190.0 P - Pounds Units:

Number of Containers: 2.0

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 1.0

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

DESCARTES DRY CLEANERS (Continued)

Year: 07

Manifest Tracking Num: 000049601SKS

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

J52 DESCARTES DRY CLEANERS DRYCLEANERS S110246387
NW 527 WEST 207TH STREET N/A

NW 527 WEST 207TH STREET 1/8-1/4 NEW YORK, NY 10034

1/8-1/4 NEW YORK, NY 100. 0.142 mi.

752 ft. Site 2 of 7 in cluster J

Relative: DRYCLEANERS:

Higher Facility ID: 2-6201-00367

Region:

Actual: Registration Effective Date: 10/8/2002 15:41:18:73

22 ft. Inspection Date: 08MAY22
Drop Shop: Not reported
Shutdown: Not reported

Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: PERC DRY CLEANER

F53 274-278 NAGLE AVENUE HDFC AST U004045333
WSW 274 NAGLE AVENUE N/A

WSW 274 NAGLE AVENUE 1/8-1/4 NEW YORK, NY 10034 0.143 mi.

757 44

757 ft. Site 3 of 3 in cluster F

 Relative:
 AST:

 Lower
 Region:
 STATE

 DEC Region:
 2

Actual: Site Status: Unregulated 18 ft. Facility Id: 2-606761 Program Type: PBS

UTM X: 591002.91335000005 UTM Y: 4524157.8781399997

Expiration Date: N/A

Tank Number: 1
Tank Id: 61853
Tank Location: 1

Tank Type:

Tank Type:

Steel/Carbon Steel/Iron

Closed - Removed

Not reported

Not reported

Install Date:

Capacity Gallons:

Tightness Test Method:

Notel/Carbon Steel/Iron

Not reported

Not reported

Not reported

Not reported

Not reported

Not reported

1005417250

Direction Distance

Elevation Site Database(s) EPA ID Number

274-278 NAGLE AVENUE HDFC (Continued)

U004045333

EDR ID Number

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Register:
True
Modified By:
NRLOMBAR
Last Modified:
Not reported

Equipment Records:

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

B01 - Tank External Protection - Painted/Asphalt Coating C03 - Pipe Location - Aboveground/Underground Combination

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron

105 - Overfill - Vent Whistle

Affiliation Records:

Site Id: 28618
Affiliation Type: Mail Contact

Company Name: 274-78 NAGLE AVE HDFC

Contact Type: Not reported

Contact Name: ISABEL NILMA BAEZ, PRESIDENT

Address1: 274 NAGLE AVENUE

 Address2:
 APT 2A

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10034

 Country Code:
 001

Phone: (212) 569-8915
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/10/2004

Site Id: 28618

Affiliation Type: On-Site Operator

Company Name: 274-278 NAGLE AVENUE HDFC

Contact Type: Not reported

Contact Name: ISABEL NILMA BAEZ

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported

Country Code: 999
Phone: (212) 569-8915
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/10/2004

Site Id: 28618

Direction Distance

Elevation Site Database(s) EPA ID Number

274-278 NAGLE AVENUE HDFC (Continued)

U004045333

EDR ID Number

Affiliation Type: Emergency Contact

Company Name: 274-278 NAGLE AVENUE HDFC

Contact Type: Not reported

Contact Name: ISABEL NILMA BAEZ

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 999

Phone: (212) 569-8915
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/10/2004

Site Id: 28618 Affiliation Type: Owner

Company Name: 274-278 NAGLE AVENUE HDFC

Contact Type: PRESIDENT

Contact Name: ISABEL NILMA BAEZ
Address1: 274 NAGLE AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10034
Country Code: 001

Phone: (212) 569-8915
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/10/2004

H R S EQUITES AST U003384781 512 ISHAM ST HIST AST N/A

1/8-1/4 NEW YORK, NY 10034

0.149 mi.

788 ft. Site 5 of 5 in cluster H

Relative: Higher

Actual:

21 ft.

H54

NNW

AST: Region:

DEC Region: 2
Site Status: Active
Facility Id: 2-094536
Program Type: PBS

UTM X: 591181.13486999995 UTM Y: 4524448.1783999996

STATE

Expiration Date: 2012/08/17

Tank Number: 001
Tank Id: 4452
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

HRS EQUITES (Continued)

U003384781

EDR ID Number

Install Date: 1/1/1968
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
DXLIVING
Last Modified:
6/19/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

C00 - Pipe Location - No Piping H00 - Tank Leak Detection - None F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

G03 - Tank Secondary Containment - Vault (w/o access)

104 - Overfill - Product Level Gauge (A/G)B00 - Tank External Protection - None

Affiliation Records:

Site Id: 2568 Affiliation Type: Owner

Company Name: H R S EQUITIES C/O MILBROOK PR

Contact Type: AGENT
Contact Name: JEFF KATZ
Address1: 42 BAYVIEW AVE
Address2: Not reported
City: MANHASSET

State: NY
Zip Code: 11030
Country Code: 001

Phone: (516) 869-1240
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/19/2007

Site Id: 2568

Affiliation Type: Emergency Contact

Company Name: H R S EQUITIES C/O MILBROOK PR

Contact Type: Not reported

Contact Name: MILBROOK POROPERTIES

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 999

Phone: (516) 869-1240
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HRS EQUITES (Continued)

U003384781

Date Last Modified: 6/19/2007

2568 Site Id: Affiliation Type: Mail Contact

HRS EQUITIES C/O MILBROOK PR Company Name:

Contact Type: Not reported Contact Name: CHARLES HIRSCH 42 BAYVIEW AVE Address1: Address2: Not reported City: **MANHASSET**

State: NY Zip Code: 11030 Country Code: 001

Phone: (516) 568-1240 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

Site Id: 2568

On-Site Operator Affiliation Type: Company Name: **HRSEQUITES** Contact Type: Not reported

RADHAMES PUJOLS Contact Name:

Not reported Address1: Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 942-1449 Phone Ext: Not reported Email: Not reported Not reported Fax Number: **TRANSLAT** Modified By:

HIST AST:

Date Last Modified:

2-094536 PBS Number: SWIS Code: 6201

Operator: **RADHAMES PUJOLS** Facility Phone: (212) 942-1449 512 ISHAM ST Facility Addr2: Facility Type: Not reported

MILLBROOK PROPERTIES Emergency:

Emergency Tel: (718) 520-1240 Old PBSNO: Not reported Date Inspected: Not reported Not reported Inspector: Result of Inspection: Not reported

HR S EQUITIES C/O MILBROOK PR Owner Name:

3/4/2004

108-18 QUEENS BLVD Owner Address: Owner City,St,Zip: FOREST HILL, NY 11375

Federal ID: Not reported Owner Tel: (718) 520-1240 Owner Type: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HRS EQUITES (Continued)

U003384781

Owner Subtype: Not reported CAHRLES HIRSCH Mailing Contact:

Mailing Name: HRS EQUITIES C/O MILBROOK PR

Mailing Address: 108-18 QUEENS BLVD

Mailing Address 2: Not reported

Mailing City, St, Zip: FOREST HILL, NY 11375

Mailing Telephone: (718) 520-1240 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False 07/15/1997 Certification Date: Expiration: 08/17/2002 Renew Flag: False Renew Date: Not reported Total Capacity: 5000 FAMT: True

Facility Screen: Minor Data Missing Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing

Dead Letter: False CBS Number: Not reported **NEW YORK CITY** Town or City:

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Lat/Long:

ABOVEGROUND Tank Location: Tank Status: In Service Install Date: Not reported Capacity (Gal): 5000

Product Stored: NOS 5 OR 6 FUEL OIL Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Pipe Type: STEEL/IRON Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Diking Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported

Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

I55 ALGA REAL ESTATE CORP AST U003386763 WNW 121 POST AVE HIST AST N/A

1/8-1/4 NY, NY 10034

0.150 mi.

791 ft. Site 2 of 5 in cluster I

Relative: Higher

Actual:

21 ft.

AST:

Region: STATE

DEC Region: 2

Site Status: Active

Facility Id: 2-247073

Program Type: PBS

UTM X: 590992.83105000004 UTM Y: 4524277.4289199999

Expiration Date: 2008/07/15

Tank Number: 001
Tank Id: 10654
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN

Date Test:

Not reported

Next Test Date:

Not reported

Not reported

Not reported

Not reported

Not reported

True

Modified By:

TRANSLAT

Last Modified:

3/4/2004

Equipment Records:

100 - Overfill - None

F01 - Pipe External Protection - Painted/Asphalt Coating

C01 - Pipe Location - Aboveground H00 - Tank Leak Detection - None G00 - Tank Secondary Containment - None

J01 - Dispenser - Submersible A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel B00 - Tank External Protection - None

Affiliation Records:

Site Id: 9694

Affiliation Type: Emergency Contact
Company Name: MARINO JIMENEZ
Contact Type: Not reported
Contact Name: MARINO JIMENEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

State: NN Zip Code: Not reported

Country Code: 001

Phone: (212) 569-5986
Phone Ext: Not reported
Email: Not reported

EDR ID Number

Direction Distance Elevation

vation Site Database(s) EPA ID Number

ALGA REAL ESTATE CORP (Continued)

U003386763

EDR ID Number

Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Site Id: 9694 Affiliation Type: Owner

Company Name: MARINO JIMENEZ Contact Type: Not reported Contact Name: Not reported Address1: P.O. BOX 936 Address2: Not reported City: FORT LEE State: NJ Zip Code: 07024 Country Code:

Phone: (212) 567-0500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9694

Affiliation Type: On-Site Operator

Company Name: 121 POST REALTY CORP

Contact Type: Not reported
Contact Name: MARINO JIMENEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (917) 601-1280
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9694
Affiliation Type: Mail Contact

Company Name: 121 POST REALTY CORP.

Contact Type: Not reported Contact Name: MARINO JIMENEZ Address1: P.O. BOX 936 Address2: Not reported City: FORT LEE State: NJ Zip Code: 07024 Country Code: 001

Phone: (917) 601-1280
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Direction Distance

Elevation Site Database(s) **EPA ID Number**

ALGA REAL ESTATE CORP (Continued)

U003386763

EDR ID Number

HIST AST:

2-247073 PBS Number: SWIS Code: 6201

Operator: ALDO GARCIA PRESIDENT

Facility Phone: (212) 567-7349 121 POST AVE Facility Addr2:

APARTMENT BUILDING Facility Type: ALDO GARCIA PRESIDENT Emergency:

Emergency Tel: (516) 567-9012 Old PBSNO: Not reported Date Inspected: Not reported Not reported Inspector: Result of Inspection: Not reported

Owner Name: ALDO GARCIA PRESIDENT 59 NORMANDY DRIVE Owner Address: Owner City, St, Zip: NOLBROOK, NY 11741

Federal ID: Not reported Owner Tel: (212) 569-9050 Owner Type: Corporate/Commercial Owner Subtype: Not reported

ALDO GARCIA Mailing Contact:

Mailing Name: ALDO GARCIA PRESIDENT Mailing Address: 59 NORMANDY DRIVE

Mailing Address 2: Not reported

Mailing City, St, Zip: NOLBROOK, NY 11741

Mailing Telephone: (516) 567-9012 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False Certification Date: 07/24/1997 Expiration: 07/07/2002 Renew Flag: False Renew Date: Not reported 1500 Total Capacity: FAMT: True

Facility Screen: No Missing Data No Missing Data Owner Screen: Minor Data Missing Tank Screen:

Dead Letter: False CBS Number: Not reported Town or City: **NEW YORK CITY**

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

ABOVEGROUND Tank Location: Tank Status: In Service Not reported Install Date: Capacity (Gal): 1500

NOS 1,2, OR 4 FUEL OIL Product Stored: Steel/carbon steel Tank Type:

Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

ALGA REAL ESTATE CORP (Continued)

U003386763

HIST UST U000402613

N/A

EDR ID Number

Pipe Type: STEEL/IRON Pipe Internal: Not reported Pipe External: Not reported Tank Containment: None Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

E56 CHURCH OF ST JUDES SSW 431 WEST 204TH ST 1/8-1/4 NEW YORK, NY 10034

HIST UST:

0.152 mi.

804 ft. Site 4 of 5 in cluster E

Relative: Lower

PBS Number: 2-317969
SPDES Number: Not reported

Actual: 12 ft. Emergency Contact: CASTLE OIL
Emergency Telephone: (212) 823-8800
Operator: MIGUEL GARCIA
Operator Telephone: (212) 569-3000

Owner Name: CHURCH OF ST JUDE
Owner Address: 431 WEST 204TH ST
Owner City,St,Zip: NEW YORK, NY 10034

Owner Telephone: (212) 569-3000
Owner Type: Not reported
Owner Subtype: Not reported

Mailing Name: CHURCH OF ST JUDE
Mailing Address: 431 WEST 204TH ST

Mailing Address 2: Not reported

Mailing City, St, Zip: NEW YORK, NY 10034

Mailing Contact: Not reported
Mailing Telephone: (212) 569-3000
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 431 WEST 204TH ST

SWIS ID: 6201 Old PBS Number: Not reported Facility Type: **SCHOOL** Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 07/16/1997 07/20/2002 **Expiration Date:** Renew Flag: False

Direction Distance

Elevation Site Database(s) EPA ID Number

CHURCH OF ST JUDES (Continued)

U000402613

EDR ID Number

Renewal Date: Not reported Total Capacity: 8000 FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank Id: 001

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service
Install Date: Not reported
Capacity (gals): 8000

NOS 5 OR 6 FUEL OIL Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Pipe Type: Not reported Pipe Internal: Not reported Pipe External: Not reported

Second Containment: None Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported False Deleted: False Updated: Lat/long: Not reported

E57 CHURCH OF ST. JUDE SSW 431 WEST 204TH STREET 1/8-1/4 NEW YORK, NY 10034 0.152 mi.

804 ft. Site 5 of 5 in cluster E

Relative: UST:

Lower Facility Id: 2-317969
Region: STATE

 Actual:
 DEC Region:
 2

 12 ft.
 Site Status:
 Active

 Program Type:
 PBS

 Expiration Date:
 2012/07/20

UTM X: 591135.51017999998 UTM Y: 4524020.0581700001

Site ID: 14643

Tank Number: 001 Tank ID: 17876 UST

U004078215

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CHURCH OF ST. JUDE (Continued)

U004078215

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 3/1/1952 Capacity Gallons: 8000 Tightness Test Method: NN

Next Test Date: Not reported Not reported Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **DXLIVING** Last Modified: 6/18/2007

Equipment Records:

H00 - Tank Leak Detection - None D01 - Pipe Type - Steel/Carbon Steel/Iron C01 - Pipe Location - Aboveground

J02 - Dispenser - Suction

B99 - Tank External Protection - Other G00 - Tank Secondary Containment - None

L09 - Piping Leak Detection - Exempt Suction Piping

E00 - Piping Secondary Containment - None

K01 - Spill Prevention - Catch Basin 104 - Overfill - Product Level Gauge (A/G) A01 - Tank Internal Protection - Epoxy Liner

105 - Overfill - Vent Whistle

F06 - Pipe External Protection - Wrapped

Affiliation Records:

Site Id: 14643

Affiliation Type: On-Site Operator Company Name: CHURCH OF ST. JUDE

Contact Type: Not reported Contact Name: BUILLERMO SAEZ Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-3000 Not reported Phone Ext: Not reported Email: Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 14643 Affiliation Type: Mail Contact

Company Name: CHURCH OF ST. JUDE

Contact Type: Not reported Contact Name: FR. ELIAS ISLA

Address1: 431 WEST 204TH STREET

Address2: Not reported City: **NEW YORK**

Direction Distance

Elevation Site Database(s) EPA ID Number

CHURCH OF ST. JUDE (Continued)

U004078215

EDR ID Number

State: NY
Zip Code: 10034
Country Code: 001

Phone: (212) 569-3000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14643

Affiliation Type: Emergency Contact
Company Name: CHURCH OF ST. JUDE

Contact Type: Not reported
Contact Name: ELIAS ISLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-3000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14643 Affiliation Type: Owner

Company Name: CHURCH OF ST. JUDE

Contact Type: PRINCIPAL

Contact Name: JOSEPH V. CARPENELLA Address1: 431 WEST 204TH ST

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10034

 Country Code:
 001

Phone: (212) 569-3000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/18/2007

K58 CONSOLIDATED EDISON SSW OPPOSITE 411 WEST 204 ST 1/8-1/4 NEW YORK, NY 10020

0.152 mi.

805 ft. Site 1 of 4 in cluster K

Relative: NY MANIFEST:

Lower EPA ID: NYP004186508

Country: USA

Actual: Mailing Name: CONSOLIDATED EDISON 11 ft. Mailing Contact: CONSOLIDATED EDISON Mailing Address: 4 IRVING PLACE RM 828

TC02874993.2r Page 253

S110046573

N/A

MANIFEST

Direction Distance Elevation

ance EDR ID Number vation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046573

Mailing Address 2: Not reported New YORK

Mailing City.

Mailing State:

My

Mailing Zip:

Mailing Zip:

Mailing Zip4:

Mailing Country:

New York

NY

Not reported

USA

Mailing Phone: 212-460-2808

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2009-08-05 Trans1 Recv Date: 2009-08-05 Trans2 Recv Date: Not reported TSD Site Recy Date: 2009-08-05 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004186508 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD002200046 Waste Code: Not reported Quantity: 2000.0 P - Pounds Units:

Number of Containers: 1.0

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 001084265GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
H111

Document ID: Not reported Manifest Status: Not reported NJ0000027193 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2009-08-05 2009-08-05 Trans1 Recv Date: Trans2 Recv Date: Not reported 2009-08-05 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004186508 Generator EPA ID: Trans1 EPA ID: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

S110046573

EDR ID Number

Trans2 EPA ID: Not reported TSDF ID: NJD002200046 Not reported Waste Code: Quantity: 2000.0 Units: P - Pounds Number of Containers: 1.0

Container Type:

TT - Cargo tank, tank trucks Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 09

001084265GBF Manifest Tracking Num:

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H111

A100168916 K59 **428 W 204TH STREET** AST SSW 428 W 204TH ST N/A

1/8-1/4

0.154 mi.

Site 2 of 4 in cluster K 814 ft.

NEW YORK, NY 10034

AST: Relative:

Region: STATE Lower DEC Region: Actual: Site Status: Active 12 ft.

Facility Id: 2-334553 Program Type: **PBS**

UTM X: 591133.73069999996 UTM Y: 4524007.1573099997 **Expiration Date:** 2007/11/19

Tank Number: 022

Tank Id: 20885 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Not reported Install Date: Capacity Gallons: 3500 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

G99 - Tank Secondary Containment - Other

Direction Distance

Elevation Site Database(s) **EPA ID Number**

428 W 204TH STREET (Continued)

A100168916

EDR ID Number

C01 - Pipe Location - Aboveground

B01 - Tank External Protection - Painted/Asphalt Coating

A00 - Tank Internal Protection - None F06 - Pipe External Protection - Wrapped

105 - Overfill - Vent Whistle

D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None

Affiliation Records:

Site Id: 15919 Mail Contact Affiliation Type: Company Name: LEMLE & WOLFF Contact Type: Not reported Contact Name: Not reported Address1: 5925 BROADWAY Address2: Not reported BRONX City: State: NY Zip Code: 10463 Country Code: 001

Phone: (718) 884-7676 Not reported Phone Ext: Email: Not reported Not reported Fax Number: **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

Site Id: 15919

On-Site Operator Affiliation Type: 428 W 204TH STREET Company Name:

Contact Type: Not reported Contact Name: JUAN DELA CRUZ Address1: Not reported Not reported Address2: Not reported City: State: NN Zip Code: Not reported

Country Code: 001 Phone: (212) 942-4509 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 15919

Affiliation Type: **Emergency Contact**

Company Name: 83 POST AVE ASSOCIATES

Contact Type: Not reported STEPHEN SDEO Contact Name: Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code:

(718) 884-7676 Phone:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

428 W 204TH STREET (Continued)

A100168916

Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

15919 Site Id: Affiliation Type: Owner

Company Name: 83 POST AVE ASSOCIATES

Contact Type: Not reported Contact Name: Not reported Address1: 5925 BROADWAY Address2: Not reported City: **BRONX** State: NYZip Code: 10463 Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported TRANSLAT Modified By: Date Last Modified: 3/4/2004

AST A100168917 K60 **432 WEST 204TH STREET** SSW 432 W 204TH ST N/A

1/8-1/4 0.154 mi.

814 ft. Site 3 of 4 in cluster K

NEW YORK, NY 10034

AST: Relative:

STATE Region: Lower DEC Region: Actual:

Site Status: Active 12 ft. Facility Id: 2-334561 Program Type: **PBS**

UTM X: 591127.78853000002 4524010.5256899996 UTM Y:

Expiration Date: 2012/11/19

Tank Number: 033 Tank Id: 20886 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/1938 Install Date: Capacity Gallons: 3500 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **KXTANG** Last Modified: 10/30/2007

Equipment Records:

Direction Distance

Elevation Site Database(s) EPA ID Number

432 WEST 204TH STREET (Continued)

A100168917

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

B01 - Tank External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None C01 - Pipe Location - Aboveground A00 - Tank Internal Protection - None F06 - Pipe External Protection - Wrapped

105 - Overfill - Vent Whistle

G99 - Tank Secondary Containment - Other

Affiliation Records:

Site Id: 15920

Affiliation Type: Emergency Contact

Company Name: 83 POST AVE ASSOCIATES

Contact Type: Not reported
Contact Name: STEPHEN SDEO
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15920

Affiliation Type: On-Site Operator

Company Name: 432 WEST 204TH STREET

Contact Type: Not reported
Contact Name: JUAN DELA CRUZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Country Code: 001

Phone: (212) 942-4509
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15920 Affiliation Type: Mail Contact

Company Name: LEMLE & WOLFF INC.

001

Contact Type: Not reported
Contact Name: Not reported
Address1: 5925 BROADWAY
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10463

Country Code:

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

432 WEST 204TH STREET (Continued)

A100168917

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15920 Affiliation Type: Owner

Company Name: 83 POST AVE ASSOCIATES
Contact Type: REGISTERED MANAGING AGENT

Contact Name: EDMUND N. MILLER
Address1: 5925 BROADWAY
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10463
Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/30/2007

K61 436 W 204TH STREET AST U003391620 SW 436 W 204TH STREET HIST AST N/A

1/8-1/4 0.155 mi.

816 ft. Site 4 of 4 in cluster K

NEW YORK, NY 10034

Relative: AST:

 Lower
 Region:
 STATE

 DEC Region:
 2

 Actual:
 Site Status:
 Active

 13 ft.
 Facility Id:
 2-402281

Program Type: PBS
UTM X: 591121.93201999995
UTM Y: 4524013.7840999998

Expiration Date: 2007/12/14

Tank Number: 050
Tank Id: 21908
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3500
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
TRANSLAT
Last Modified:
3/4/2004

Direction Distance Elevation

ance EDR ID Number ation Site Database(s) EPA ID Number

436 W 204TH STREET (Continued)

U003391620

Equipment Records:

F00 - Pipe External Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating L09 - Piping Leak Detection - Exempt Suction Piping

J02 - Dispenser - Suction

C03 - Pipe Location - Aboveground/Underground Combination

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None

105 - Overfill - Vent Whistle

Affiliation Records:

Site Id: 19264 Affiliation Type: Owner

Company Name: 83 POST AVE ASSOCIATES

Contact Type: Not reported Contact Name: Not reported 5925 BROADWAY Address1: Address2: Not reported City: **BRONX** State: NY Zip Code: 10463 Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19264

Affiliation Type: On-Site Operator
Company Name: 436 W 204TH STREET

Contact Type: Not reported

Contact Name: LEMLE & WOLFF, INC.

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19264 Affiliation Type: Mail Contact

Company Name: LEMLE & WOLFF, INC.

Contact Type: Not reported
Contact Name: W. EGAN
Address1: 5925 BROADWAY
Address2: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

436 W 204TH STREET (Continued)

U003391620

EDR ID Number

City: BRONX
State: NY
Zip Code: 10463
Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19264

Affiliation Type: Emergency Contact

Company Name: 83 POST AVE ASSOCIATES

Contact Type: Not reported

Contact Name: LEMLE & WOLFF INC

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: 001 Phone: (718) 884-7676 Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-402281 SWIS Code: 6201

Operator: LEMLE & WOLFF, INC.
Facility Phone: (718) 884-7676
Facility Addr2: 436 W 204TH STREET
Facility Type: APARTMENT BUILDING
Emergency: LEMLE & WOLFF INC
Emergency Tel: (718) 884-7676

Old PBSNO: Not reported Inspector: Not reported Not reported Result of Inspection: Not reported Not reported

Owner Name: 83 POST AVE ASSOCIATES

Owner Address: 5925 BROADWAY
Owner City,St,Zip: BRONX, NY 10463
Federal ID: Not reported
Owner Tel: (718) 884-7676
Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: W. EGAN

Mailing Name: LEMLE & WOLFF, INC.
Mailing Address: 5925 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10463
Mailing Telephone: (718) 884-7676
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

Direction Distance

Elevation Site Database(s) EPA ID Number

436 W 204TH STREET (Continued)

U003391620

EDR ID Number

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 12/21/1998
Expiration: 12/14/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 050

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3500

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 01

Pipe Location: Aboveground/Underground Combination

Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: 00 Tank Containment: None Leak Detection: 00 06 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported Not reported Lat/Long:

 I62
 118-128 POST AVENUE
 AST U003386226

 WNW
 118-128 POST AVE
 HIST AST N/A

1/8-1/4 0.155 mi.

819 ft. Site 3 of 5 in cluster I

Relative: AST:

 Higher
 Region:
 STATE

 DEC Region:
 2

 Actual:
 Site Status:
 Active

NEW YORK, NY 10034

 Actual:
 Site Status:
 Active

 21 ft.
 Facility Id:
 2-206148

 Program Type:
 PBS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

118-128 POST AVENUE (Continued)

U003386226

UTM X: 591014.02579999994 UTM Y: 4524296.3854999999

Expiration Date: 2014/07/01

Tank Number: 001 Tank Id: 9484 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/1935 Install Date: 5000 Capacity Gallons: Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **MSBAPTIS** Modified By: Last Modified: 7/23/2009

Equipment Records:

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None C00 - Pipe Location - No Piping

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None E00 - Piping Secondary Containment - None 104 - Overfill - Product Level Gauge (A/G)

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

7/23/2009

K00 - Spill Prevention - None

Affiliation Records:

Date Last Modified:

Site Id: 7251

Affiliation Type: **Emergency Contact** Company Name: POST 118,LLC Not reported Contact Type: BARRY RUDOFSKY Contact Name:

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: 999 (718) 261-5235 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **MSBAPTIS**

Site Id: 7251 Affiliation Type: Owner Company Name: POST 118,LLC

Direction Distance

Elevation Site Database(s) EPA ID Number

118-128 POST AVENUE (Continued)

U003386226

EDR ID Number

Contact Type: MEMBER

Contact Name: BARRY RUDOFSKY

Address1: 108-18 QUEENS BLVD. SUITE 302

Address2: Not reported City: FOREST HILLS

State: NY
Zip Code: 11375
Country Code: 001

Phone: (718) 261-5235
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/23/2009

Site Id: 7251

Affiliation Type: Mail Contact

Company Name: POST 118,LLC

Contact Type: Not reported

Contact Name: BRONSTEIN PROPERTIES
Address1: 108-18 QUEENS BLVD. SUITE 302

Address2: Not reported City: FOREST HILLS

State: NY
Zip Code: 11375
Country Code: 001

Phone: (718) 261-5235
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/23/2009

Site Id: 7251

Affiliation Type: On-Site Operator
Company Name: POST 118,LLC
Contact Type: Not reported

Contact Name: MANUAL AGRANONTE

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (646) 345-3468
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 7/23/2009

HIST AST:

PBS Number: 2-206148 SWIS Code: 6201

Operator: JOSE ESTRELLA Facility Phone: (212) 942-8736 Facility Addr2: 118 POST AVE

Direction Distance

Elevation Site Database(s) EPA ID Number

118-128 POST AVENUE (Continued)

U003386226

EDR ID Number

Facility Type: APARTMENT BUILDING
Emergency: SORKIN HOWARD
Emergency Tel: (914) 993-0300
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: MARLO EQUITIES INC C/O SIERRA ASSETS GROUP LTD.

Owner Address: 30 GLENN STREET BOX 399
Owner City,St,Zip: WHITE PLAINS, NY 10603

Federal ID: Not reported

Owner Tel: (914) 993-0300

Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Contact: HOWARD SORKIN

Mailing Name: MARLO EQUTIESINC, C/O SIERRA ASSETS GROUP

Mailing Address: 30 GLENN STREET BOX 399

Mailing Address 2: Not reported

Mailing City,St,Zip: WHITE PLAINS, NY 10603

Mailing Telephone: (914) 993-0300 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 08/19/1997
Expiration: 06/30/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND Tank Status: In Service Install Date: Not reported

Capacity (Gal): 5000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Not reported Pipe Location: Pipe Type: STEEL/IRON Not reported Pipe Internal: Pipe External: Not reported Tank Containment: None

Leak Detection: 0
Overfill Protection: 4

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

118-128 POST AVENUE (Continued)

U003386226

Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

L63 266-272 NAGLE AVENUE AST U003395621 wsw 266-272 NAGLE AVENUE **HIST AST** N/A 1/8-1/4 NEW YORK, NY 10034

0.158 mi.

834 ft. Site 1 of 8 in cluster L

Relative: Lower

AST: STATE Region:

Actual: 17 ft.

DEC Region: Site Status: Active Facility Id: 2-600418 Program Type: **PBS**

591003.89593999996 UTM X: UTM Y: 4524146.46796 **Expiration Date:** 2015/01/14

Tank Number: 001 42584 Tank Id: Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Not reported Pipe Model: 10/1/1988 Install Date: Capacity Gallons: 3000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **MSBAPTIS** Modified By: Last Modified: 10/27/2009

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

104 - Overfill - Product Level Gauge (A/G)

L09 - Piping Leak Detection - Exempt Suction Piping

J02 - Dispenser - Suction

C01 - Pipe Location - Aboveground

F06 - Pipe External Protection - Wrapped

A00 - Tank Internal Protection - None

G03 - Tank Secondary Containment - Vault (w/o access)

105 - Overfill - Vent Whistle

H00 - Tank Leak Detection - None

E00 - Piping Secondary Containment - None

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Direction Distance

Elevation Site Database(s) EPA ID Number

266-272 NAGLE AVENUE (Continued)

U003395621

EDR ID Number

Affiliation Records:

Site Id: 22400
Affiliation Type: Mail Contact
Company Name: 266 LLC
Contact Type: Not reported
Contact Name: JOHN G JONAJ

Address1: 280 EAST 204TH STREET

Address2: Not reported
City: BRONX
State: NY
Zip Code: 10467
Country Code: 001

Phone: (718) 882-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 11/20/2006

Site Id: 22400

Affiliation Type: On-Site Operator

Company Name: 266-272 NAGLE AVENUE

Contact Type: Not reported
Contact Name: FAHRI SYLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-6120
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 11/20/2006

Site Id: 22400
Affiliation Type: Owner
Company Name: 266 LLC
Contact Type: MEMBER

Contact Name: G. JORALIN G JONAJ Address1: 280 EAST 204TH STREET

 Address2:
 Not reported

 City:
 BRONX

 State:
 NY

 Zip Code:
 10467

 Country Code:
 001

Phone: (718) 882-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 11/20/2006

Site Id: 22400

Affiliation Type: Emergency Contact

Direction Distance

Elevation Site Database(s) EPA ID Number

266-272 NAGLE AVENUE (Continued)

U003395621

EDR ID Number

Company Name: 266 LLC
Contact Type: Not reported
Contact Name: JOHN G JONAJ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 999

Phone: (718) 882-3995
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 11/20/2006

HIST AST:

PBS Number: 2-600418 SWIS Code: 6201

JULIO ESPINOSA Operator: Facility Phone: (212) 569-8795 Facility Addr2: 266 NAGLE AVENUE Facility Type: APARTMENT BUILDING Emergency: JULIO ESPINOSA Emergency Tel: (212) 569-8795 Old PBSNO: Not reported Not reported Date Inspected: Inspector: Not reported Result of Inspection: Not reported

Owner Name: NAGLE HOLDING CO LP
Owner Address: 825 EAST 233RD STREET
Owner City,St,Zip: BRONX, NY 10466

Federal ID: Not reported
Owner Tel: (212) 324-1950
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: MICHAEL LAUB

Mailing Name: NAGLE HOLDING CO LLC Mailing Address: 825 EAST 233RD STREET

Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX,, NY 10466
Mailing Telephone: (212) 324-1950
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 09/21/2001
Expiration: 11/07/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False

Direction Distance

Elevation Site Database(s) EPA ID Number

266-272 NAGLE AVENUE (Continued)

CBS Number: Not reported Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 0

Pipe Location: Aboveground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: Tank Containment: Diking Leak Detection: 0 Overfill Protection: 64 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported

I64 115-117-119 POST AVENUE WNW 115-117-119 POST AVENUE 1/8-1/4 NEW YORK, NY 10034 0.163 mi.

Lat/Long:

860 ft. Site 4 of 5 in cluster I

Relative: Higher

Actual:

21 ft.

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-334456
Program Type: PBS

UTM X: 591003.72357000003 UTM Y: 4524290.8733700002

Not reported

Expiration Date: 2012/10/02

Tank Number: 042
Tank Id: 20875
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/6/1927
Capacity Gallons: 5000

AST

A100129024

N/A

EDR ID Number

U003395621

Direction Distance

Elevation Site Database(s) EPA ID Number

115-117-119 POST AVENUE (Continued)

A100129024

EDR ID Number

Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
KAKYER
Last Modified:
8/16/2007

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None J02 - Dispenser - Suction

C03 - Pipe Location - Aboveground/Underground Combination B01 - Tank External Protection - Painted/Asphalt Coating

F00 - Pipe External Protection - None H00 - Tank Leak Detection - None I05 - Overfill - Vent Whistle

G00 - Tank Secondary Containment - None

Affiliation Records:

Site Id: 15909

Affiliation Type: Emergency Contact

Company Name: 83 POST AVE ASSOCIATES, LLC

Contact Type: Not reported

Contact Name: LEMLE & WOLFE INC

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Site Id: 15909

Date Last Modified:

Affiliation Type:

Company Name: 83 POST AVE ASSOCIATES, LLC

3/4/2004

Owner

Contact Type: REG MANAGING AGENT
Contact Name: EDMUND MILLER
Address1: 5925 BROADWAY
Address2: Not reported

City: BROADWAY
State: NY
Zip Code: 10463
Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/16/2007

Direction Distance

Elevation Site Database(s) **EPA ID Number**

115-117-119 POST AVENUE (Continued)

A100129024

EDR ID Number

Site Id: 15909

Affiliation Type: On-Site Operator

Company Name: 115-117-119 POST AVENUE

Contact Type: Not reported

LEMLE & WOLFF, INC Contact Name:

Address1: Not reported Not reported Address2: City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported TRANSLAT Modified By: Date Last Modified: 3/4/2004

Site Id: 15909 Affiliation Type: Mail Contact

LEMLE & WOLFF, INC. Company Name:

Contact Type: Not reported Contact Name: S. SDEO Address1: 5925 BROADWAY Address2: Not reported City: **BRONX** State: NY

Zip Code: 10463 Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

U000396451 **BP TRIANGLE** UST **265 NAGLE AVENUE HIST UST** N/A

1/8-1/4 0.165 mi.

L65

wsw

873 ft. Site 2 of 8 in cluster L

Relative: Lower

Actual:

17 ft.

UST:

NEW YORK, NY 10034

Facility Id: 2-191353 Region: STATE DEC Region: 2 Site Status: Active Program Type: **PBS**

Expiration Date: 2012/06/05 UTM X: 590948.72704999999 UTM Y: 4524108.0165200001

Site ID: 5960

Tank Number: 001 Tank ID: 7482

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BP TRIANGLE (Continued)

U000396451

Install Date: 12/1/1976 Capacity Gallons: 4000 Tightness Test Method: 21

Next Test Date: Not reported Date Tank Closed: 5/20/2009 Tank Location:

Steel/carbon steel Tank Type:

3/3/2005 Date Test: Register: True Modified By: **NRLOMBAR** Last Modified: 9/17/2009

Equipment Records:

C02 - Pipe Location - Underground/On-ground

B01 - Tank External Protection - Painted/Asphalt Coating B08 - Tank External Protection - Retrofitted Impressed Current F08 - Pipe External Protection - Retrofitted Impressed Current

D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

A00 - Tank Internal Protection - None K01 - Spill Prevention - Catch Basin 101 - Overfill - Float Vent Valve

E00 - Piping Secondary Containment - None

H99 - Tank Leak Detection - Other

G00 - Tank Secondary Containment - None

Tank Number: 002 Tank ID: 7483

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1976 Capacity Gallons: 4000 Tightness Test Method: 21 Next Test Date: Not reported

Date Tank Closed: 5/20/2009

Tank Location:

Tank Type: Steel/carbon steel

Date Test: 3/3/2005 Register: True Modified By: **NRLOMBAR** Last Modified: 9/17/2009

Equipment Records:

D02 - Pipe Type - Galvanized Steel

G00 - Tank Secondary Containment - None

F08 - Pipe External Protection - Retrofitted Impressed Current

101 - Overfill - Float Vent Valve

C02 - Pipe Location - Underground/On-ground

L09 - Piping Leak Detection - Exempt Suction Piping

H99 - Tank Leak Detection - Other

B08 - Tank External Protection - Retrofitted Impressed Current

K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

E00 - Piping Secondary Containment - None

Direction Distance

Elevation Site Database(s) EPA ID Number

BP TRIANGLE (Continued) U000396451

J02 - Dispenser - Suction

Tank Number: 003 Tank ID: 7484

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

12/1/1976

4000

21

Next Test Date: Not reported
Date Tank Closed: 5/20/2009
Tank Leasting: 5/20/2009

Tank Location: 5

Tank Type: Steel/carbon steel

Date Test: 3/3/2005
Register: True
Modified By: NRLOMBAR
Last Modified: 9/17/2009

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

101 - Overfill - Float Vent Valve

B08 - Tank External Protection - Retrofitted Impressed Current F08 - Pipe External Protection - Retrofitted Impressed Current

D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

C02 - Pipe Location - Underground/On-ground

K01 - Spill Prevention - Catch Basin

E00 - Piping Secondary Containment - None G00 - Tank Secondary Containment - None

H99 - Tank Leak Detection - Other

Tank Number: 004 230689 Tank ID: Tank Status: In Service Tank Model: 104 Pipe Model: D 6/12/2009 Install Date: Capacity Gallons: 12000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 12/31/2009

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

C02 - Pipe Location - Underground/On-ground

102 - Overfill - High Level Alarm

F04 - Pipe External Protection - Fiberglass

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BP TRIANGLE (Continued)

U000396451

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

103 - Overfill - Automatic Shut-Off

J01 - Dispenser - Submersible

K01 - Spill Prevention - Catch Basin

H05 - Tank Leak Detection - In-Tank System (ATG)

B04 - Tank External Protection - Fiberglass

E04 - Piping Secondary Containment - Double-Walled (Underground)

L08 - Piping Leak Detection - Tank Top Sump

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 005 Tank ID: 230690 Tank Status: In Service Tank Model: 104 Pipe Model: D Install Date: 6/12/2009 Capacity Gallons: 7000

Tightness Test Method: NN Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 12/31/2009

Equipment Records:

F04 - Pipe External Protection - Fiberglass

K01 - Spill Prevention - Catch Basin

103 - Overfill - Automatic Shut-Off

J01 - Dispenser - Submersible

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

102 - Overfill - High Level Alarm

C02 - Pipe Location - Underground/On-ground

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

L08 - Piping Leak Detection - Tank Top Sump

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

H05 - Tank Leak Detection - In-Tank System (ATG)

B04 - Tank External Protection - Fiberglass

E04 - Piping Secondary Containment - Double-Walled (Underground)

Tank Number: 006 Tank ID: 230691 Tank Status: In Service Tank Model: 104 Pipe Model: Install Date: 6/12/2009 5000 Capacity Gallons: Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

BP TRIANGLE (Continued)

U000396451

EDR ID Number

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 12/31/2009

Equipment Records:

L08 - Piping Leak Detection - Tank Top Sump

C02 - Pipe Location - Underground/On-ground

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

102 - Overfill - High Level Alarm

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

B04 - Tank External Protection - Fiberglass

H05 - Tank Leak Detection - In-Tank System (ATG)

F04 - Pipe External Protection - Fiberglass

J01 - Dispenser - Submersible K01 - Spill Prevention - Catch Basin

E04 - Piping Secondary Containment - Double-Walled (Underground)

103 - Overfill - Automatic Shut-Off

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Affiliation Records:

Site Id: 5960

Affiliation Type: Emergency Contact
Company Name: NAPA REALTY CORP.

Contact Type: Not reported

Contact Name: ROBERTO PORCELLI

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (917) 294-3511
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/31/2009

Site Id: 5960

Affiliation Type: Mail Contact

Company Name: GASETERIA OIL CORP.

Contact Type: VF

Contact Name: ROBERTO PORCELLI Address1: 364 MASPETH AVENUE

Address2: Not reported City: BROOKLYN State: NY Zip Code: 11211 Country Code: 001

Phone: (718) 782-4200 Phone Ext: Not reported

Email: ROBERTOPORCELLI@GASETERIA.COM

Direction Distance Elevation

Site Database(s) **EPA ID Number**

BP TRIANGLE (Continued)

U000396451

EDR ID Number

Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 7/30/2009

5960 Site Id: Affiliation Type: Owner

Company Name: NAPA REALTY CORP.

Contact Type: Not reported Contact Name: Not reported Address1: 364 MASPETH AVE Address2: Not reported **BROOKLYN** City: State: NY

Zip Code: 11211 Country Code: 001

Phone: (718) 782-4200 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: NRLOMBAR Date Last Modified: 12/31/2009

Site Id: 5960

On-Site Operator Affiliation Type: Company Name: **BP TRIANGLE** Contact Type: Not reported

Contact Name: NAGLE ENERGY CORP

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code:

Phone: (212) 304-9618 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 12/31/2009

HIST UST:

PBS Number: 2-191353 SPDES Number: Not reported

ROBERTO PORCELLI **Emergency Contact: Emergency Telephone:** (718) 782-4200

GASETERIA OIL CORP Operator:

Operator Telephone: (212) 567-0031 Owner Name: NAPA REALTY CORP Owner Address: 364 MASPETH AVE Owner City, St, Zip: BROOKLYN, NY 11211 Owner Telephone: (718) 782-4200 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: NAPA REALTY CORP Mailing Address: 364 MASPETH AVE

Mailing Address 2: Not reported

Mailing City, St, Zip: BROOKLYN, NY 11211

Direction Distance

Elevation Site Database(s) EPA ID Number

BP TRIANGLE (Continued) U000396451

Mailing Contact: ROBERTO PORCELLI
Mailing Telephone: (718) 782-4200
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 265 NAGLE AVE

SWIS ID: 6201

Old PBS Number: Not reported Facility Type: Not reported Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 05/30/2000 06/05/2002 **Expiration Date:** Renew Flag: False Renewal Date: Not reported 12000 **Total Capacity:** FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19761201
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None Tank External: 13

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Pipe External: Impressed Current

Second Containment: Other Leak Detection: Other

Overfill Prot: Catch Basin, Float Vent Valve

Dispenser: Suction
Date Tested: 05/12/2000
Next Test Date: 05/12/2005
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Horner EZ Check

Deleted: False
Updated: True
Lat/long: Not reported

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

BP TRIANGLE (Continued)

Tank ld: 002

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19761201
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None Tank External: 13

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Pipe External: Impressed Current

Second Containment: Other Leak Detection: Other

Overfill Prot: Catch Basin, Float Vent Valve

Dispenser: Suction
Date Tested: 05/12/2000
Next Test Date: 05/12/2005
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Horner EZ Check

Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 003

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19761201
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None Tank External: 13

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Pipe External: Impressed Current

Second Containment: Other Leak Detection: Other

Overfill Prot: Catch Basin, Float Vent Valve

Dispenser: Suction
Date Tested: 05/12/2000
Next Test Date: 05/12/2005
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Horner EZ Check

Deleted: False
Updated: True
Lat/long: Not reported

EDR ID Number

U000396451

Direction Distance

Elevation Site Database(s) **EPA ID Number**

L66 **DYCKMAN LTANKS** S104073520 **WSW**

3798 TENTH AVENUE HIST LTANKS N/A

1/8-1/4 **NEW YORK CITY, NY NY Spills**

0.171 mi.

Actual:

16 ft.

905 ft. Site 3 of 8 in cluster L

LTANKS: Relative:

319721 Lower Site ID:

9300549 Spill No: Spill Date: 4/12/1993 Spill Cause: Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/24/2004 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **JAKOLLEE** Referred To: Not reported Reported to Dept: 4/12/1993 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/13/1993 Spill Record Last Update: 12/30/2005 Spiller Name: Not reported Spiller Company: NYCHA Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller County: 999

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 124111 DEC Memo: Not reported

Remarks: EIR. See 9409078. George Breen

Material:

Site ID: 319721 Operable Unit ID: 979161 Operable Unit: 01 Material ID: 401301 Material Code: 0001 #2 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Pounds No Recovered:

Resource Affected: Not reported Oxygenate: False

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Tank Test:

319721 Site ID: Spill Tank Test: 1541397 Tank Number: 001 Tank Size: 00 Test Method: Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown

Site ID: 323749 Spill No: 9200115 Spill Date: 4/3/1992 Spill Cause: Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release that creates potential for fire or hazard. (Highly

Improbable)

Spill Closed Dt: 4/25/1995 Facility Addr2: Not reported Cleanup Ceased: 4/25/1995 Cleanup Meets Standard: True SWIS: 3101 Investigator: **HEALY** Referred To: Not reported Reported to Dept: 4/3/1992 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/7/1992 Spill Record Last Update: 12/30/2005 Spiller Name: Not reported Spiller Company: **NYCHA** Spiller Address: 250 BWAY. Spiller City,St,Zip: NY, NY 10007

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 124111 Not reported DEC Memo:

UNK. FURTHER ACTION. UPDATE 4/24/92 - TANK #2 RETESTED, FAILED. SEE Remarks:

SPILL # 9300549 & 9315476

Material:

Site ID: 323749 Operable Unit ID: 967346 Operable Unit: 01 Material ID: 414942

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Material Code: 0001 #2 Fuel Oil Material Name: Not reported Case No.: Material FA: Petroleum

Quantity:

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 323749 Spill Tank Test: 1539826 Tank Number: 001 Tank Size: 0 Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown Site ID: 323749 Spill Tank Test: 1539827 Tank Number: 002 Tank Size: Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Spills Modified By: 10/1/2004 Last Modified: Test Method: Unknown

Site ID: 330864 Spill No: 9004308 Spill Date: 7/18/1990 Spill Cause: Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/25/1995 Facility Addr2: Not reported Cleanup Ceased: 4/25/1995 Cleanup Meets Standard: True SWIS: 3101 **HEALY** Investigator: Referred To: Not reported Reported to Dept: 7/18/1990 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 7/19/1990 Spill Record Last Update: 12/30/2005

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Spiller Name: Not reported Spiller Company: **NYCHA** Spiller Address: Not reported

Spiller City, St, Zip: ΖZ Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 124111 Not reported DEC Memo:

(2) 20K TANKS MANIFOLDED FAILED A HORNER EZY CHECK WITH A GROSS LEAK, Remarks:

VISUAL LEAK AT PETROMETER FLANGE ON TANK TOP, WILL EXCAVATE, ISOLATE &

RETEST. SEE SPILL # 9300549 & 9315476. See 9409078. George Breen

Material:

330864 Site ID: Operable Unit ID: 944653 Operable Unit: 01 Material ID: 435407 Material Code: 0002 #4 Fuel Oil Material Name: Case No.: Not reported Petroleum Material FA: Quantity: Units: Pounds Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 330864 Spill Tank Test: 1537315 Tank Number: 001 Tank Size: 0 Test Method: 00 Leak Rate: 0

Not reported Gross Fail: Spills Modified By: 10/1/2004 Last Modified: Test Method: Unknown Site ID: 330864 Spill Tank Test: 1537316 Tank Number: 002 Tank Size: 0 Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004 Test Method: Unknown

HIST LTANKS:

Region of Spill: Spill Number: 9004308

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Spill Date: 07/18/1990 Spill Time: 13:00

Spill Cause: Tank Test Failure Resource Affectd: On Land Water Affected: Not reported

Other Non Commercial/Industrial Spill Source:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/25/95 Cleanup Ceased: 04/25/95 Cleanup Meets Standard: True Investigator: **HEALY** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Not reported Notifier Extension: Reported to Department Date: 07/18/90 Reported to Department Time: 15:25 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: **NYCHA** Spiller Address: Not reported Spiller City, St, Zip: Not reported

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (212) 306-3142 Facility Extention: Not reported Spill Notifier: Tank Tester PBS Number: 2-474843

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: // **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: 07/19/90 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 04/25/95 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: 001 Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported Not reported PBS Number:

Tank Number: 002 Tank Size: 0

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S104073520

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751

Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: Not reported

Spill Cause: 2) 20K TANKS MANIFOLDED FAILED A HORNER EZY CHECK WITH A GROSS LEAK, VISUAL

LEAK AT PETROMETER FLANGE ON TANK TOP, WILL EXCAVATE, ISOLATE RETEST. SEE SPILL

9300549 9315476

Region of Spill: 2

Spill Number: 9409078
Spill Date: 10/07/1994
Spill Time: 07:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **SACCACIO** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Not reported Notifier Name: Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 10/07/94 Reported to Department Time: 09:44 SWIS: Spiller Contact: Not reported

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: NYC HOUSING AUTHORITY

Spiller Address: Not reported
Spiller City, St, Zip: Not reported
Spiller Cleanup Pate:

Spiller Cleanup Date: //
Facility Contact: Not

Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: 2-474843

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S104073520

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/11/94
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: //
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: O Unkonwn Quantity Recovered: False Material: #6 FUEL OIL Class Type: #6 FUEL OIL Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

Material Class Type: Nonpetroleum/Nonhazardous

Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported

Quantity Recovered: 0 Unkonwn Quantity Recovered: False

Material: UNKNOWN HAZARDOUS MATERIAL Class Type: UNKNOWN HAZARDOUS MATERIAL

Times Material Entry In File: 2093
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: CONTAMINATED SOIL FOUND DURING TANK PULL. SOIL BEING STOCKPILED - SAMPLES

TAKEN FOR LAB ANALYSIS

Region of Spill:

 Spill Number:
 9300549

 Spill Date:
 04/12/1993

 Spill Time:
 11:30

 Spill Cause:
 Tank Test Failure

Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Spill Closed Dt: / / Cleanup Ceased: // Cleanup Meets Standard: False Investigator: SACCACIO Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Not reported Notifier Extension: Reported to Department Date: 04/12/93 Reported to Department Time: 15:21 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: **NYCHA** Spiller Address: Not reported Spiller City, St, Zip: Not reported

Spiller Cleanup Date: 11

Facility Contact: Not reported Facility Phone: Not reported Facility Extention: Not reported Spill Notifier: Tank Tester 2-474843 PBS Number:

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: // **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 04/13/93 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 08/16/95 Is Updated: False

Tank:

Not reported PBS Number: Tank Number: 001 Tank Size: Test Method:

Not reported 0.00 Leak Rate Failed Tank: Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: False Not reported

Quantity Recovered: Unkonwn Quantity Recovered: False Material: #2 FUEL OIL #2 FUEL OIL Class Type: Times Material Entry In File: 24464

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S104073520

CAS Number: Not reported Last Date: 19941207

DEC Remarks: Not reported

Spill Cause: EIR

 Region of Spill:
 2

 Spill Number:
 9200115

 Spill Date:
 04/03/1992

 Spill Time:
 11:30

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. (Highly

Improbable)

Spill Closed Dt: 04/25/95 Cleanup Ceased: 04/25/95 Cleanup Meets Standard: True Investigator: **HEALY** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 04/03/92 Reported to Department Time: 15:08 SWIS: 62

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: 250 BWAY.
Spiller City, St, Zip: NY, NY 10007

Spiller Cleanup Date: / /

Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-474843

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 04/07/92
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 04/25/95 Is Updated: False

Tank:

PBS Number: Not reported

Tank Number: 001

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S104073520

Tank Size: 0

Test Method: Not reported

Leak Rate Failed Tank:

Gross Leak Rate:

PBS Number:

Not reported

Not reported

Tank Number: 002 Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: Not reported

Spill Cause: UNK. FURTHER ACTION. UPDATE 4/24/92 - TANK 2 RETESTED, FAILED. SEE SPILL

9300549 9315476

<u>Click this hyperlink</u> while viewing on your computer to access additional NY_HIST_LTANK: detail in the EDR Site Report.

NY Spills:

Site ID: 145673
Facility Addr2: Not reported
Facility ID: 9409078
Spill Number: 9409078
Facility Type: ER
SWIS: 3101
Investigator: jkkann

Referred To: WP RCVD 11/19/08

Spill Date: 10/7/1994
Reported to Dept: 10/7/1994
CID: 15
Spill Cause: Unknown
Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase: 1

Date Entered In Computer: 10/11/1994 Spill Record Last Update: 11/24/2008

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Spiller Name: Not reported

NYC HOUSING AUTHORITY Spiller Company:

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: DER Facility ID: 124111

DEC Memo: 10/3/08: Spill transferred from J. Kolleeney to J.Kann. 10/09/08:

J.kann - Met with NYCHA and their consultant (Prefferred Environmental) on October 3 to discuss requirements of the site. Proposed and agreed to the installation of 5 borings (collection of gw and soil from each) and 1 additional wells (3 wells remains on site, 2 with product). Work Plan will be submitted shortly. 11/24/08:

J.Kann - WP submitted on 11/19/08

CONTAMINATED SOIL FOUND DURING TANK PULL. SOIL BEING STOCKPILED -Remarks:

SAMPLES TAKEN FOR LAB ANALYSIS. See 9300549 and 9315476. George Breen.

Material:

145673 Site ID: Operable Unit ID: 1003087 Operable Unit: 01 Material ID: 378506 Material Code: 0003 #6 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons

Recovered: No Resource Affected: Not reported Oxygenate: False Site ID: 145673

Operable Unit ID: 1003087 Operable Unit: 01 Material ID: 378507 Material Code: 0063A

Material Name: UNKNOWN HAZARDOUS MATERIAL

Case No.: Not reported Hazardous Material Material FA:

Quantity: Units: Pounds Recovered: No Resource Affected: Not reported

False Oxygenate:

Tank Test:

Site ID: 145673 Spill Tank Test: 1543225 Tank Number: Not reported

Tank Size: 00 Test Method: Leak Rate:

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S104073520

Test Method: Unknown

DRYCLEANERS S110247281 **J67 MI CLEANERS** NW

543 W 207TH ST N/A

1/8-1/4 NEW YORK, NY 10034

0.171 mi.

905 ft. Site 3 of 7 in cluster J

DRYCLEANERS: Relative:

2-6201-00302 Facility ID: Higher

Region: 2 Actual: Registration Effective Date: N/A

23 ft. Inspection Date: 03OCT21 Drop Shop: Not reported

Shutdown:

Alternate Solvent: Not reported

Current Business: NOW A RESTAURANT

J68 MICLEANER RCRA-NonGen 1000990301 NYR000002600

NW 543 W 207TH ST **FINDS** NEW YORK, NY 10034 **MANIFEST**

1/8-1/4 0.171 mi.

905 ft. Site 4 of 7 in cluster J

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher Facility name:

M I CLEANER Actual: Facility address: 543 W 207TH ST 23 ft.

NEW YORK, NY 100342645

EPA ID: NYR000002600 Mailing address: W 207TH ST

NEW YORK, NY 10034

Contact: Not reported

Contact address: W 207TH ST

NEW YORK, NY 10034

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

HECTOR ACOSTA Owner/operator name: Owner/operator address: 543 W 207TH ST

NEW YORK, NY 10034

Owner/operator country: US

Owner/operator telephone: (718) 365-0914 Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

HECTOR ACOSTA Owner/operator name: Owner/operator address: 543 W 207TH ST

Direction Distance

Elevation Site Database(s) EPA ID Number

MICLEANER (Continued) 1000990301

NEW YORK, NY 10034

Owner/operator country: US

Owner/operator telephone: (718) 365-0914
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006 Facility name: M I CLEANER

Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: M I CLEANER

Classification: Not a generator, verified

Date form received by agency: 04/04/1995
Facility name: MICLEANER

Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004512368

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NY MANIFEST:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MICLEANER (Continued) 1000990301

EPA ID: NYR000002600

Country: USA

Mailing Name: MI CLEANER Mailing Contact: RAFAEL DEAZA Mailing Address: 543 W 207TH STREET

Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10034 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-365-0914

Document ID: NJA2696940 Manifest Status: Completed copy

Trans1 State ID: 08690 Trans2 State ID: Not reported Generator Ship Date: 961007 Trans1 Recv Date: 961007 Trans2 Recv Date: Not reported TSD Site Recv Date: 961007 Part A Recv Date: 961024 Part B Recv Date: 961031

Generator EPA ID: NYR000002600 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

00390 Quantity: P - Pounds Units: Number of Containers: 002

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Waste Code: Not reported Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

MICLEANER (Continued) 1000990301

Document ID: NJA2149079 Manifest Status: Completed copy Trans1 State ID: S8690 Not reported Trans2 State ID: Generator Ship Date: 950919 950919 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 950919 Part A Recv Date: Not reported Part B Recv Date: 951003 NYR000002600 Generator EPA ID:

ILD984908202 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00585 P - Pounds Units: 003 Number of Containers:

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Not reported Manifest Tracking Num: Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

L69 **NYNEX** MANIFEST 1009233693 N/A

WSW 204TH STREET / NAGLE AVENUE

1/8-1/4 **NEW YORK, NY**

0.172 mi.

907 ft. Site 4 of 8 in cluster L

Relative: Lower

NY MANIFEST:

EPA ID: NYP000919191

Country: USA

Actual: Mailing Name: **NYNEX** 17 ft.

Mailing Contact: SUSHMITA BISWAS Mailing Address: 221 EAST 37TH STREET

Mailing Address 2: Not reported **NEW YORK** Mailing City: Mailing State: NY Mailing Zip: 10016 Mailing Zip4: Not reported Mailing Country: **USA**

Mailing Phone: 212-338-7126

Document ID: MIA3014447 Manifest Status: Completed copy

Direction Distance

Elevation Site Database(s) EPA ID Number

NYNEX (Continued) 1009233693

Trans1 State ID: Not reported Not reported Trans2 State ID: Generator Ship Date: 950314 Trans1 Recv Date: 950314 Trans2 Recv Date: Not reported TSD Site Recv Date: 950320 Part A Recv Date: Not reported Part B Recv Date: 950403 Generator EPA ID: NYP000919191 Trans1 EPA ID: NYD046765574

Trans2 EPA ID: NYD04676574
Trans2 EPA ID: Not reported
TSDF ID: MID096963194

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 01200
Units: P - Pounds
Number of Containers: 004

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill.
Specific Gravity: 100
Year: 95

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

I70 110 POST LLC AST A100177732
West 110 POST AVENUE N/A

1/8-1/4 0.172 mi.

909 ft. Site 5 of 5 in cluster I

NEW YORK, NY 10034

Relative: Higher AST:

Actual: 20 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-061549
Program Type: PBS

UTM X: 590974.56078000006 UTM Y: 4524255.22071 Expiration Date: 2011/06/18

Tank Number: 001
Tank Id: 5399
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status:
In Service
Tank Model:
Pipe Model:
Not reported
Install Date:
Not reported
Not reported
Source
Not reported
Source
Source
Source
Not reported
Source
S

Direction Distance

Elevation Site Database(s) EPA ID Number

110 POST LLC (Continued)

A100177732

EDR ID Number

Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
TRANSLAT
Last Modified:
3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping

104 - Overfill - Product Level Gauge (A/G) F00 - Pipe External Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

H99 - Tank Leak Detection - Other

J02 - Dispenser - Suction

G03 - Tank Secondary Containment - Vault (w/o access) L09 - Piping Leak Detection - Exempt Suction Piping

A00 - Tank Internal Protection - None B00 - Tank External Protection - None

Affiliation Records:

Site Id: 1097 Affiliation Type: Owner

Company Name: 110 POST LLC
Contact Type: BUILDING MANAGER

Contact Type: BUILDING MANAGER
Contact Name: JOSEPH FIGUEROA

Address1: 98 CUTTERMILL ROAD, SUITE 444 SOUTH

Address2: Not reported GREAT NECK

State: NY
Zip Code: 11021
Country Code: 001

Phone: (718) 225-5046
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/4/2006

Site Id: 1097
Affiliation Type: Mail Contact
Company Name: 110 POST LLC
Contact Type: Not reported

Contact Name: JOSEPH FIGUEROA
Address1: 98 CUTTERMILL ROAD
Address2: SUITE 444 SOUTH
City: GREAT NECK

 State:
 NY

 Zip Code:
 11021

 Country Code:
 001

Phone: (718) 225-5046
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

110 POST LLC (Continued) A100177732

Site Id: 1097

Affiliation Type: On-Site Operator Company Name: 110 POST LLC Contact Type: Not reported Contact Name: LUIS BARRERA Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 942-3496 Phone Ext: Not reported Email: Not reported Fax Number: Not reported TRANSLAT Modified By: Date Last Modified: 3/4/2004

Site Id: 1097

Emergency Contact Affiliation Type: Company Name: 110 POST LLC Contact Type: Not reported Contact Name: LUIS BARRERA Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 942-3496 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** 3/4/2004 Date Last Modified:

1009234486 **NYNEX** MANIFEST

wsw NAGLE STREET / 204TH STREET

NEW YORK, NY 1/8-1/4 0.172 mi.

L71

Lower

908 ft. Site 5 of 8 in cluster L

NY MANIFEST: Relative:

NYP000931584 EPA ID: USA Country:

Actual: Mailing Name: **NYNEX** 17 ft. Mailing Contact: **V ORCHIER**

221 EAST 37TH STREET Mailing Address:

Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10016 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-338-7126

Document ID: MIA4512969 N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYNEX (Continued) 1009234486

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: Not reported Not reported Trans2 State ID: Generator Ship Date: 961025 Trans1 Recv Date: 961025 Trans2 Recv Date: 961029 TSD Site Recv Date: 961107 Part A Recv Date: Not reported Part B Recv Date: 961204

Generator EPA ID: NYP000931584 Trans1 EPA ID: NYD010951986 Trans2 EPA ID: NYD046765574 TSDF ID: MID096963194

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 00400 Units: P - Pounds

001 Number of Containers:

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill. Specific Gravity: 100 96 Year:

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

L72 **518 WEST 204TH ST LTANKS** S109064297 N/A

WSW 518 WEST 204TH **NEW YORK, NY** 1/8-1/4

0.174 mi.

Site 6 of 8 in cluster L 917 ft.

Relative: Lower

LTANKS:

Site ID: 396991 Spill No: 0801121

Actual: Spill Date: 4/28/2008 18 ft. Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial

> Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: bkfalvey Referred To: Not reported Reported to Dept: 4/28/2008 CID: 15

Water Affected: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

518 WEST 204TH ST (Continued)

S109064297

EDR ID Number

Spill Notifier: Tank Tester
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 4/28/2008
Spill Record Last Update: 11/3/2008

Spiller Name: CARMEN SANTIAGO

Spiller Company: Not reported
Spiller Address: 518 WEST 204TH
Spiller City,St,Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: CARMEN SANTIAGO
Spiller Phone: (646) 673-6714
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 346448

DEC Memo: 5/2/08 sent ttf letter to: Carmen Santiago The Dermot Company 1775

Broadway, Suite 510 New york, NY 10019 Letter from True Blue Environmental dated Aug 13, 2008 says this site is "Very Bad" see eDocs. 11/3/08 Recieved letter on 10/27/08 from Robert Urban of Pro Test. Tank failed with a dry leak. Cut in top of tank was repaired. Tank passed test on 8/29/08. Letter did not address contamination found (if any). Sent request for contamination discussion in tt return letter that was sent today to: 91 Post LLC Accord Realty Rervices, Inc. 55 West 45th Street, 7th Floor New York, NY 10036 Letter also need clarification on gw determination and tank is registered as AST, but is UST. Information correction application

included. bf DRY LEAK

Material:

Remarks:

Site ID: 396991 Operable Unit ID: 1153955 Operable Unit: 01 Material ID: 2144736 Material Code: 0002 #4 Fuel Oil Material Name: Not reported Case No.: Material FA: Petroleum

Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

 Site ID:
 396991

 Spill Tank Test:
 2453609

 Tank Number:
 Not reported

 Tank Size:
 4000

 Test Method:
 03

 Leak Rate:
 0

Gross Fail: Not reported Modified By: Watchdog Last Modified: 4/28/2008

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

518 WEST 204TH ST (Continued)

S109064297

Test Method: Horner EZ Check I or II

L73 518 WEST 204TH STREET wsw **518 WEST 204TH STREET** 1/8-1/4 NEW YORK, NY 10034

U003397266 AST **HIST AST** N/A

0.174 mi.

Actual:

18 ft.

921 ft. Site 7 of 8 in cluster L

AST: Relative: Region: Lower

STATE DEC Region: 2 Site Status: Active Facility Id: 2-603578 Program Type: **PBS**

590976.47898000001 UTM X: UTM Y: 4524167.9789300002

Expiration Date: 2012/05/08

001 Tank Number: Tank Id: 54858 Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Not reported Pipe Model: Install Date: 1/1/1980 Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **MSBAPTIS** Modified By: Last Modified: 2/26/2009

Equipment Records:

F00 - Pipe External Protection - None

J02 - Dispenser - Suction

C01 - Pipe Location - Aboveground A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None

D10 - Pipe Type - Copper

G02 - Tank Secondary Containment - Vault (w/access)

E00 - Piping Secondary Containment - None

L09 - Piping Leak Detection - Exempt Suction Piping

105 - Overfill - Vent Whistle

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Affiliation Records:

25492 Site Id:

Affiliation Type: **Emergency Contact** Company Name: 91 POST, LLC Contact Type: Not reported

DOMINIQUE BAUDUY Contact Name:

Address1: Not reported Not reported Address2:

Direction Distance

Elevation Site Database(s) EPA ID Number

518 WEST 204TH STREET (Continued)

U003397266

EDR ID Number

City: Not reported

State: NN Zip Code: Not reported Country Code: 999

Phone: (646) 235-5655
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/26/2009

Site Id: 25492

On-Site Operator Affiliation Type: Company Name: 91 POST, LLC Not reported Contact Type: Contact Name: MARCOS SUAREZ Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001 Phone: (917) 642-6671 Phone Ext: Not reported Not reported Email: Fax Number: Not reported **MSBAPTIS** Modified By: Date Last Modified: 2/26/2009

Site Id: 25492 Affiliation Type: Mail Contact

Company Name: C/O THE DERMONT REALTY MGMT.CO.INC

Contact Type: Not reported

Contact Name: THAYER STREET PORTFOLIO Address1: 1775 BROADWAY, SUITE 510

Address2: Not reported City: NEW YORK State: NY Zip Code: 10019 Country Code: 001

Phone: (212) 488-1770
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/26/2009

Site Id: 25492 Affiliation Type: Owner

Company Name: THAYER STREET PORTFOLIO

Contact Type: MGR

Contact Name: RAJIVE MARET

Address1: 1775 BROADWAY, SUITE 510

Address2: Not reported City: NEW YORK State: NY Zip Code: 10019

Direction Distance

Elevation Site Database(s) EPA ID Number

518 WEST 204TH STREET (Continued)

U003397266

EDR ID Number

Country Code: 001

Phone: (212) 488-1770
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/26/2009

HIST AST:

PBS Number: 2-603578 SWIS Code: 6201

Operator: JAMES NADEL Facility Phone: (212) 928-2400

Facility Addr2: 518 WEST 204TH STREET Facility Type: APARTMENT BUILDING Emergency: ANTONIO ABREU (212) 569-2396 Emergency Tel: Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported Result of Inspection: Not reported

Owner Name: HEIGHTS INVESTMENT GROUP LLC.

Owner Address: P.O.BOX 87

Owner City, St, Zip: WHITE PLAINS, NY 10605

Federal ID: Not reported
Owner Tel: (212) 928-2400
Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: JAMES NADEL

Mailing Name: HEIGHTS INVESTMENTS GROUP LLC

Mailing Address: P.O. BOX 87
Mailing Address 2: Not reported

Mailing City,St,Zip: WHITEPLAINS, NY 10605

Mailing Telephone: (212) 928-2400 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 08/05/1998
Expiration: 07/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND

Direction Distance

Elevation Site Database(s) **EPA ID Number**

518 WEST 204TH STREET (Continued)

U003397266

AST

A100173677

N/A

EDR ID Number

Tank Status: In Service Install Date: Not reported

4000 Capacity (Gal):

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: Tank External: 00

Pipe Location: Aboveground

Pipe Type: FIBERGLASS COATED STEEL

Pipe Internal: None Pipe External: 00 Tank Containment: Diking Leak Detection: 00 Overfill Protection: 26 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: Not reported Not reported Test Method: Deleted: False Updated: True SPDES Number: Not reported

Lat/Long: Not reported

M74 **CATELLO STRIANO** 250-252 SHERMAN AVENUE NNW 1/8-1/4 NEW YORK, NY 10035

0.176 mi.

931 ft. Site 1 of 11 in cluster M

Relative:

STATE Higher Region: DEC Region: Actual: Site Status: Active 23 ft. Facility Id: 2-604932

Program Type: **PBS**

591104.25176999997 UTM X: 4524476.8407899998 UTM Y:

Expiration Date: 2010/12/26

Tank Number: 001 Tank Id: 59193 Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported Capacity Gallons: 2500 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Direction Distance

Elevation Site Database(s) **EPA ID Number**

CATELLO STRIANO (Continued)

A100173677

EDR ID Number

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None C01 - Pipe Location - Aboveground

F03 - Pipe External Protection - Original Impressed Current

D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None 104 - Overfill - Product Level Gauge (A/G)

Affiliation Records:

Site Id: 26801 Affiliation Type: Mail Contact

Company Name: PAT SEMENTA PLUMBING AND HEATING

Contact Type: Not reported

Contact Name: PATRICK L. SEMENTA **677 VAN NEST AVENUE** Address1:

Address2: Not reported **BRONX** City: State: NYZip Code: 10462 Country Code: 001

Phone: (718) 829-5464 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

26801 Site Id:

Emergency Contact Affiliation Type: Company Name: **CATELLO STRIANO**

Contact Type: Not reported

Contact Name: CATELLO STRIANO

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (718) 904-9167 Phone Ext: Not reported Email: Not reported Not reported Fax Number: KXTANG Modified By: Date Last Modified: 10/25/2005

Site Id: 26801 Affiliation Type: Owner

CATELLO STRIANO Company Name:

Contact Type: **OWNER**

Contact Name: **CATELLO STRINO** Address1: 1960 EDISON AVENUE

Address2: Not reported City: **BRONX** State: NY

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CATELLO STRIANO (Continued)

A100173677

Zip Code: 10461 Country Code: 001

(718) 904-9167 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: KXTANG Date Last Modified: 10/25/2005

Site Id: 26801

Affiliation Type: On-Site Operator CATELLO STRIANO Company Name:

Contact Type: Not reported Contact Name: **SUPER** Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code: 001

Phone: (917) 449-5144 Phone Ext: Not reported Email: Not reported Fax Number: Not reported KXTANG Modified By: Date Last Modified: 10/25/2005

CON EDISON - MH 46213 M75 NNW **260 SHERMAN STREET** 1/8-1/4 NEW YORK, NY 10034

0.176 mi.

931 ft. Site 2 of 11 in cluster M

RCRA-NonGen: Relative:

Date form received by agency: 02/27/2004 Higher

CON EDISON - MH 46213 Facility name: Actual: Facility address: 260 SHERMAN STREET 22 ft. NEW YORK, NY 10034

NYP004108940 EPA ID: 4 IRVING PLACE Mailing address:

NEW YORK, NY 10003

Contact: ANTHONY DRUMMINGS

Contact address: **4 IRVING PLACE** NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 460-3770 Not reported Contact email:

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner/operator address: **4 IRVING PLACE**

NEW YORK, NY 10003

Owner/operator country: US

Owner/operator telephone: Not reported RCRA-NonGen

MANIFEST

1008195575

NYP004108940

Direction Distance

Elevation Site Database(s) EPA ID Number

CON EDISON - MH 46213 (Continued)

1008195575

EDR ID Number

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 03/27/2003
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner/operator address: 4 IRVING PLACE

NEW YORK, NY 10003

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 03/27/2003
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: Nο Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/26/2004

Facility name: CON EDISON - MH 46213
Classification: Not a generator, verified

Date form received by agency: 02/25/2004

Facility name: CON EDISON - MH 46213 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004108940

Country: USA

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828

Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported

Mailing Country: USA

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CON EDISON - MH 46213 (Continued)

1008195575

Mailing Phone: 212-460-2808

Document ID: MAM0677667 Manifest Status: Not reported Trans1 State ID: MAD039322250 Trans2 State ID: Not reported Generator Ship Date: 03/28/2003 Trans1 Recv Date: 03/28/2003 Trans2 Recv Date: Not reported TSD Site Recv Date: 04/01/2003 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004108940 Trans1 EPA ID: MAD053452637 Trans2 EPA ID: Not reported TSDF ID: 614146ME

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 09318

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 03 Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported

Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

U003386102 248 SHERMAN AVE AST 248 SHERMAN AVE **HIST AST** N/A

1/8-1/4 0.177 mi.

M76

NNW

932 ft. Site 3 of 11 in cluster M

NEW YORK, NY 10034

Relative: Higher

AST: Region: STATE

DEC Region: 2 Actual: Site Status: Active 23 ft. Facility Id: 2-271977 Program Type: **PBS**

> UTM X: 591116.69373000006 UTM Y: 4524472.2517900001

Expiration Date: 2012/10/18

Tank Number: 001 Tank Id: 9179 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Direction Distance

Elevation Site Database(s) EPA ID Number

248 SHERMAN AVE (Continued)

U003386102

EDR ID Number

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/1/1990
Capacity Gallons: 4000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
Last Modified:
1/22/2008

Equipment Records:

A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

104 - Overfill - Product Level Gauge (A/G) B05 - Tank External Protection - Jacketed F05 - Pipe External Protection - Jacketed

H99 - Tank Leak Detection - Other

C03 - Pipe Location - Aboveground/Underground Combination

G99 - Tank Secondary Containment - Other

Affiliation Records:

Site Id: 11501

Affiliation Type: On-Site Operator

Company Name: BPIV-SHERMAN AVE OWNER, LLC

Contact Type: Not reported
Contact Name: NEFTALI PINERA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (917) 807-3117
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 1/22/2008

Site Id: 11501

Affiliation Type: Emergency Contact

Company Name: BPIV-248 SHERMAN AVE OWNER LLC

Contact Type: Not reported
Contact Name: SANDRA CARPIO
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported

Country Code: 999

Phone: (917) 225-5938
Phone Ext: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

248 SHERMAN AVE (Continued)

U003386102

EDR ID Number

Email: Not reported Fax Number: Not reported Modified By: msbaptis Date Last Modified: 1/22/2008

Site Id: 11501 Affiliation Type: Mail Contact

Company Name: VANTAGE MANAGEMENT SERVICES, LLC

Contact Type: Not reported
Contact Name: TACIA ARBONA
Address1: 31-10 37TH AVENUE
Address2: 3RD FLOOR
City: LONG ISLAND CITY

State: NY
Zip Code: 11101
Country Code: 001

Phone: (718) 685-3347
Phone Ext: Not reported

Email: TARBONA@VANTAGENY.COM

Fax Number: Not reported Modified By: CGFREEDM Date Last Modified: 4/22/2008

Site Id: 11501 Affiliation Type: Owner

Company Name: BPIV-248 SHERMAN AVENUE OWNER LLC

Contact Type: ASST MANAGER
Contact Name: TACIA ARBONA

Address1: 31-10 37TH AVE, 3RD FLOOR

Address2: Not reported
City: LONG ISLAND CITY

State: NY
Zip Code: 11101
Country Code: 001

Phone: (888) 867-2497
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 4/24/2008

HIST AST:

PBS Number: 2-271977 SWIS Code: 6201

Operator: MR GEORGE ELLIS
Facility Phone: (212) 942-2623
Facility Addr2: 248 SHERMAN AVE
Facility Type: APARTMENT BUILDING
Emergency: MR JIMMY CALDWELL

Emergency Tel: (212) 567-0538
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: 248 SHERMAN AVE CORP

Owner Address: P O BOX 186

Owner City, St, Zip: NEW YORK, NY 10033

Direction Distance

Elevation Site Database(s) EPA ID Number

248 SHERMAN AVE (Continued)

U003386102

EDR ID Number

Federal ID: Not reported

Owner Tel: (212) 942-2623

Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Contact: GOERGE ELLIS

Mailing Name: 248 SHERMAN AVE CORP

Mailing Address: P O BOX 186
Mailing Address 2: Not reported

Mailing City,St,Zip: NEW YORK, NY 10033 Mailing Telephone: (212) 942-2623

Mailing Telephone: (212) 942-2623

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 12/11/1997
Expiration: 06/18/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000

FAMT: 4000

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 4000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Not reported

Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 5

Pipe Location:

STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Other Leak Detection: 9 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported

Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

M77 241-51 SHERMAN AVE AST U003387326 NW 241-51 SHERMAN AVE HIST AST N/A

1/8-1/4 NY, NY 10034

0.177 mi.

935 ft. Site 4 of 11 in cluster M

AST:

Relative: Higher

Actual:

23 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-250775
Program Type: PBS

UTM X: 591076.16514000006 UTM Y: 4524462.2625500001

Expiration Date: 2015/01/11

Tank Number: 001
Tank Id: 11687
Tank Location: 3

Tank Type: Fiberglass Coated Steel

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/11/1997
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
MSBAPTIS
Last Modified:
1/14/2010

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)

H00 - Tank Leak Detection - None

E00 - Piping Secondary Containment - None F00 - Pipe External Protection - None

C00 - Pipe Location - No Piping 104 - Overfill - Product Level Gauge (A/G)

L09 - Piping Leak Detection - Exempt Suction Piping

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction D00 - Pipe Type - No Piping

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Affiliation Records:

Site Id: 10027 Affiliation Type: Mail Contact

Company Name: PINNACLE MANAGING CO. LLC

Contact Type: Not reported Contact Name: Not reported

Address1: 1 PENN PLAZA - SUITE 4000

Address2: Not reported City: NEW YORK State: NY Zip Code: 10119

Zip Code: 1011: Country Code: 001

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

241-51 SHERMAN AVE (Continued)

U003387326

Phone: (212) 564-2111

Phone Ext: 3021 Email: Not reported Fax Number: Not reported **MSBAPTIS** Modified By: Date Last Modified: 1/14/2010

Site Id: 10027 Affiliation Type: Owner

Company Name: 241 SHERMAN LLC

Contact Type: **MEMBER** Contact Name: MEIR BOUSKILA

Address1: 1 PENN PLAZA SUITE 4000

Address2: Not reported City: **NEW YORK** State: NY

Zip Code: 10119 Country Code: 001

Phone: (212) 564-2111 Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **MSBAPTIS** Date Last Modified: 1/14/2010

Site Id: 10027

Affiliation Type: On-Site Operator Company Name: 241 SHERMAN LLC Contact Type: Not reported JOSE BATISTA Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (646) 523-0735 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **MSBAPTIS** Modified By: Date Last Modified: 1/14/2010

10027 Site Id:

Affiliation Type: **Emergency Contact** Company Name: JOHN LOPEZ Contact Type: Not reported MARC BARHORIN Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (646) 210-7142

Phone Ext: 3021

Email: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

241-51 SHERMAN AVE (Continued)

U003387326

EDR ID Number

Fax Number: Not reported Modified By: MSBAPTIS Date Last Modified: 1/14/2010

HIST AST:

PBS Number: 2-250775 SWIS Code: 6201

Operator: EDDIE CEPEDA
Facility Phone: (212) 419-4566
Facility Addr2: 241 SHERMAN AVE
Facility Type: APARTMENT BUILDING

Emergency: DEL ARAGONA
Emergency Tel: (212) 977-8828
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: WADSWORTH ASSOCIATES 9

Owner Address: 1780 BROADWAY
Owner City,St,Zip: NYC, NY 10019
Federal ID: Not reported
Owner Tel: (212) 977-8828
Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Contact: SUPER FACILITY MANAGER Mailing Name: ARAGONA MANAGEMENT

Mailing Address: 1780 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: NYC, NY 10019
Mailing Telephone: (212) 977-8828
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 06/29/1998
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE

Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

241-51 SHERMAN AVE (Continued)

U003387326

Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Not reported Pipe Location: Pipe Type: Not reported Not reported Pipe Internal: Not reported Pipe External:

Tank Containment: 41 Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported False Deleted: Updated: True SPDES Number: Not reported Lat/Long: Not reported

U003386225 M78 **521 ISHAM ST AST** NNW **521 ISHAM ST HIST AST** N/A

1/8-1/4 NEW YORK, NY 10034

0.178 mi.

942 ft. Site 5 of 11 in cluster M

AST: Relative:

STATE Region: Higher DEC Region: 2 Actual: Site Status: Active 22 ft.

Facility Id: 2-206121 Program Type: **PBS**

UTM X: 591164.10583000001 UTM Y: 4524509.8087900002

Expiration Date: 2014/07/01

001 Tank Number: 9483 Tank Id: Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/1930 Install Date: Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **MSBAPTIS** Last Modified: 7/23/2009

Equipment Records:

K00 - Spill Prevention - None

B00 - Tank External Protection - None F00 - Pipe External Protection - None

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

521 ISHAM ST (Continued) U003386225

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None

E00 - Piping Secondary Containment - None D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None

C00 - Pipe Location - No Piping

104 - Overfill - Product Level Gauge (A/G)

L09 - Piping Leak Detection - Exempt Suction Piping

Affiliation Records:

Site Id: 7250

Affiliation Type: **Emergency Contact** Company Name: ISHAM 521,LLC Contact Type: Not reported Contact Name: BARRY RUDOFSKY Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (718) 261-5235 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 7/23/2009

7250 Site Id: Affiliation Type: Owner

Company Name: ISHAM 521,LLC Contact Type: Not reported Contact Name: Not reported

Address1: 108-18 QUEENS BLVD., SUITE 302

Address2: Not reported City: **FOREST HILLS**

State: NY Zip Code: 11375 Country Code: 001

Phone: (718) 261-5235 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **MSBAPTIS** Modified By: Date Last Modified: 7/23/2009

Site Id: 7250 Affiliation Type: Mail Contact Company Name: ISHAM 521,LLC Contact Type: Not reported

BRONSTEIN PROPERTIES, LLC Contact Name: 108-18 QUEENS BLVD., SUITE 302 Address1:

Address2: Not reported **FOREST HILLS** City:

State: NYZip Code: 11375

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

521 ISHAM ST (Continued)

U003386225

Country Code: 001

(718) 261-5235 Phone: Not reported Phone Ext: Email: Not reported Fax Number: Not reported **MSBAPTIS** Modified By: Date Last Modified: 7/23/2009

Site Id: 7250

Affiliation Type: On-Site Operator ISHAM 521,LLC Company Name: Contact Type: Not reported

MAXIMO RODRIGUEZ Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(347) 726-7367 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 7/23/2009

HIST AST:

PBS Number: 2-206121 SWIS Code: 6201

Result of Inspection:

CAMILO LOPEZ Operator: Facility Phone: (212) 567-0986 Facility Addr2: 521 ISHAM ST Facility Type: Not reported Emergency: HOWARD SORKIN Emergency Tel: (212) 993-0300 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported

HARVARD EQUITIES, INC. C/O SIERRA ASSETS GOURP LTD Owner Name:

Owner Address: 30 GLENN STREET Owner City, St, Zip: WHITE PLAINS, NY 10603

Federal ID: Not reported Owner Tel: (914) 993-0300 Owner Type: Not reported Owner Subtype: Not reported

Mailing Contact: HARVARD EQUITIES, INC.

Mailing Name: C/O SIERRA ASSETS GROUP, LTD. Mailing Address: 30 GLENN STREET, BOX 399

Not reported

Mailing Address 2: Not reported

Mailing City, St, Zip: WHITE PLAINS, NY 10603

Mailing Telephone: (917) 993-0300 Owner Mark: Second Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False

Direction Distance

Elevation Site Database(s) **EPA ID Number**

521 ISHAM ST (Continued)

U003386225

EDR ID Number

Certification Date: 05/21/1998 05/11/2003 Expiration: Renew Flag: False Renew Date: Not reported Total Capacity: 5000 FAMT: True

Facility Screen: Minor Data Missing Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing

Dead Letter: False CBS Number: Not reported **NEW YORK CITY** Town or City:

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE

Tank Status: In Service Install Date: Not reported 5000 Capacity (Gal):

NOS 1,2, OR 4 FUEL OIL Product Stored:

Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: None Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date:

Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

272 SHERMAN AVENUE AST U003384352 NNW **272 SHERMAN AVENUE HIST AST** N/A

1/8-1/4 0.180 mi.

N79

Site 1 of 4 in cluster N 950 ft.

NEW YORK, NY 10040

AST: Relative: Region: Higher

STATE DEC Region: 2 Actual: Site Status: Active 21 ft. Facility Id: 2-091472

Program Type: **PBS** UTM X: 591199.56111000001 4524512.2454599999

UTM Y: **Expiration Date:** 2012/06/24

Direction Distance

Elevation Site Database(s) EPA ID Number

272 SHERMAN AVENUE (Continued)

U003384352

EDR ID Number

Tank Number: 001
Tank Id: 3623
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/31/1989
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:

Not reported

Next Test Date:

Not reported

Date Tank Closed:

Register:

Modified By:

Last Modified:

Not reported

Not reported

KXTANG

Last Modified:

10/1/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 2298

Affiliation Type: On-Site Operator
Company Name: 272 SHERMAN AVENUE

Contact Type: Not reported
Contact Name: MANUEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-8566
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/1/2007

Site Id: 2298
Affiliation Type: Mail Contact

Company Name: AGGRESSIVE HEATING, INC.

Contact Type: Not reported
Contact Name: MARSHA BALLOW
Address1: 78 RAPELYE STREET

Address2: Not reported City: BROOKLYN

State: NY

Direction Distance

Elevation Site Database(s) **EPA ID Number**

272 SHERMAN AVENUE (Continued)

U003384352

EDR ID Number

Zip Code: 11231 Country Code: 001

Phone: (718) 836-9222 Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **NRLOMBAR** Date Last Modified: 5/16/2008

Site Id: 2298 Affiliation Type: Owner

Company Name: 272 SHERMAN LLC C/O NEW REALTY

Contact Type: **PRESIDENT** Contact Name: ZAHAVA DUAHI

450 7TH AVE SUITE 907 Address1:

Address2: Not reported City: **NEW YORK** NY State: Zip Code: 10123 Country Code: 001

Phone: (212) 643-8117 Phone Ext: Not reported Email: Not reported Fax Number: Not reported KXTANG Modified By: Date Last Modified: 10/1/2007

Site Id: 2298

Affiliation Type: **Emergency Contact**

272 SHERMAN LLC C/O NEW REALTY Company Name:

Contact Type: Not reported Contact Name: **MANUEL** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

(917) 570-0865 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 10/1/2007

HIST AST:

PBS Number: 2-091472 SWIS Code: 6201

ELIGIO DE LA ROSA Operator: Facility Phone: (212) 569-3473

Facility Addr2: 272 SHERMAN AVENUE Facility Type: APARTMENT BUILDING

Emergency: ISAAC HEITZ Emergency Tel: (718) 851-3473 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

272 SHERMAN AVENUE (Continued)

U003384352

Result of Inspection: Not reported

SHERMAN PARTNERS ASSOCIATES LLC Owner Name:

272 SHERMAN AVENUE Owner Address: Owner City,St,Zip: BROOKLYN, NY 11219

Federal ID: Not reported (718) 851-4114 Owner Tel: Private Resident Owner Type: Owner Subtype: Not reported Mailing Contact: ISAAC HEITZ

Mailing Name: C/O MANOR MANAGEMENT Mailing Address: 5114-7T HAMILTON PARKWAY

Mailing Address 2: Not reported

Mailing City, St, Zip: BROOKLYN, NY 11219

Mailing Telephone: (718) 851-4114 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False 05/30/1997 Certification Date: Expiration: 05/07/2002 Renew Flag: False Renew Date: Not reported Total Capacity: 5000 FAMT: True

Facility Screen: No Missing Data Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing

Dead Letter: False CBS Number: Not reported **NEW YORK CITY** Town or City:

County Code: 62 Town or City Code: 01 Region: 2

001 Tank ID:

Tank Location: **ABOVEGROUND** Tank Status: In Service Install Date: Not reported Capacity (Gal): 5000

NOS 5 OR 6 FUEL OIL Product Stored: Steel/carbon steel Tank Type: Tank Internal: Not reported Not reported Tank External: Not reported Pipe Location: STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Vault (w/access)

0 Leak Detection: Overfill Protection: 4 Dispenser Method: Gravity Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Not reported Date Closed: Test Method: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

272 SHERMAN AVENUE (Continued)

U003384352

Deleted: False Updated: True

SPDES Number: Not reported Not reported Lat/Long:

541-551 WEST 204TH STREET AST U003394553 **541-551 WEST 204TH STREET HIST AST** N/A

1/8-1/4

L80

West

0.180 mi.

NEW YORK, NY 10034

952 ft. Site 8 of 8 in cluster L AST:

Relative: Lower

Actual:

18 ft.

Region: STATE DEC Region: 2 Site Status: Active Facility Id: 2-457396 Program Type: **PBS**

UTM X: 590959.76326000004 UTM Y: 4524202.7401200002

2014/01/18 **Expiration Date:**

Tank Number: 001 36806 Tank Id: Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 1/1/1927 Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Not reported Date Tank Closed: Register: True Modified By: **MSBAPTIS** Last Modified: 1/15/2009

Equipment Records:

J02 - Dispenser - Suction C00 - Pipe Location - No Piping L00 - Piping Leak Detection - None H00 - Tank Leak Detection - None

E00 - Piping Secondary Containment - None

A00 - Tank Internal Protection - None

G02 - Tank Secondary Containment - Vault (w/access)

D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None

100 - Overfill - None

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Affiliation Records:

Site Id: 20209

Affiliation Type: On-Site Operator

541-551 WEST 204TH STREET Company Name:

Contact Type: Not reported Contact Name: RAFAEL ORTEGA

Direction Distance Elevation

Site Database(s) **EPA ID Number**

541-551 WEST 204TH STREET (Continued)

U003394553

EDR ID Number

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001 Phone: (212) 569-0608 Phone Ext: Not reported Email: Not reported

Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 1/15/2009

Site Id: 20209

Affiliation Type: **Emergency Contact** 204 REALTY, LLC. Company Name: Contact Type: Not reported Contact Name: **AARON BAUER** Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: (212) 731-2383 Phone: Not reported Phone Ext: Email: Not reported Fax Number: Not reported **TRANSLAT** Modified By:

Site Id: 20209 Affiliation Type: Owner

Company Name: 204 REALTY, LLC.

VΡ Contact Type:

Date Last Modified:

Contact Name: AARON BAUER

Address1: 1624 WEBSTER AVENUE

3/4/2004

Address2: Not reported City: **BRONX** State: NYZip Code: 10457 Country Code: 001

Phone: (718) 583-4905 Not reported Phone Ext: Not reported Email: Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 1/15/2009

Site Id: 20209 Affiliation Type: Mail Contact

Company Name: BB & BB MANAGEMENT CORP.

Contact Type: Not reported Contact Name: Not reported

1624 WEBSTER AVENUE Address1:

Address2: Not reported City: **BRONX**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

541-551 WEST 204TH STREET (Continued)

U003394553

State: NY 10457 Zip Code: Country Code: 001

Phone: (718) 583-4905 Phone Ext: Not reported Not reported Email: Not reported Fax Number: Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-457396 SWIS Code: 6201

Operator: JULIO APONTE Facility Phone: (212) 569-2691

Facility Addr2: 541 WEST 204TH STREET Facility Type: APARTMENT BUILDING

Emergency: **AARON BAUER** Emergency Tel: (212) 731-2383 Old PBSNO: Not reported Not reported Date Inspected: Inspector: Not reported Result of Inspection: Not reported 204 REALTY, LLC. Owner Name: 1624 WEBSTER AVENUE Owner Address: Owner City, St, Zip: **BRONX, NY 10457**

Not reported Federal ID: Owner Tel: (718) 583-4905 Owner Type: Private Resident Not reported Owner Subtype: Mailing Contact: Not reported

Mailing Name: BB & BB MANAGEMENT CORP. Mailing Address: 1624 WEBSTER AVENUE

Mailing Address 2: Not reported Mailing City, St, Zip: BRONX, NY 10457 Mailing Telephone: (718) 583-4905 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False Certification Date: 10/15/1999 Expiration: 01/18/2004 Renew Flag: False Renew Date: Not reported Total Capacity: 5000 FAMT: True

Facility Screen: No Missing Data No Missing Data Owner Screen: Minor Data Missing Tank Screen:

Dead Letter: False CBS Number: Not reported **NEW YORK CITY** Town or City:

County Code: 62 Town or City Code: 01 Region: 2

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

541-551 WEST 204TH STREET (Continued)

U003394553

U003394555

N/A

AST

HIST AST

Tank ID: 001

ABOVEGROUND Tank Location: Tank Status: In Service Install Date: Not reported

Capacity (Gal): 5000

NOS 5 OR 6 FUEL OIL Product Stored: Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Pipe Type: Not reported Pipe Internal: Not reported Not reported Pipe External: Tank Containment: None

Leak Detection:

Overfill Protection: Not reported Dispenser Method: Gravity Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported

N81 **276 SHERMAN AVENUE** North **276 SHERMAN AVENUE** 1/8-1/4 NEW YORK, NY 10034 0.182 mi.

Lat/Long:

962 ft. Site 2 of 4 in cluster N

AST: Relative:

STATE Region: Higher DEC Region: Actual: Site Status: Active 21 ft. Facility Id: 2-457426 Program Type: **PBS**

UTM X: 591210.36679 UTM Y: 4524517.7082399996

Not reported

Expiration Date: 2014/01/18

Tank Number: 001 36808 Tank Id: Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 1/1/1926 Capacity Gallons: 4000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **MSBAPTIS**

Direction Distance

Elevation Site Database(s) **EPA ID Number**

276 SHERMAN AVENUE (Continued)

U003394555

EDR ID Number

Last Modified: 1/20/2009

Equipment Records:

L00 - Piping Leak Detection - None

J02 - Dispenser - Suction

G02 - Tank Secondary Containment - Vault (w/access)

A00 - Tank Internal Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None E00 - Piping Secondary Containment - None D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None

100 - Overfill - None

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Affiliation Records:

20211 Site Id: Affiliation Type: Mail Contact

Company Name: BB & BB MANAGEMENT CORP.

Contact Type: Not reported Contact Name: Not reported

Address1: 1624 WEBSTER AVENUE

Address2: Not reported City: **BRONX** State: NY Zip Code: 10457 Country Code: 001

(718) 583-4905 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 20211

Affiliation Type: **Emergency Contact** Company Name: 276 REALTY, LLC. Contact Type: Not reported AARON BAUER Contact Name: Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 731-2383 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

Site Id: 20211

On-Site Operator Affiliation Type: Company Name: 276 SHERMAN AVENUE

Contact Type: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

276 SHERMAN AVENUE (Continued)

U003394555

EDR ID Number

Contact Name: MIGUEL TRINIDAD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 567-7938
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20211 Affiliation Type: Owner

Company Name: 276 REALTY, LLC.

Contact Type: VP

Contact Name: AARON BAUER

Address1: 1624 WEBSTER AVENUE

Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001

Phone: (718) 583-4905
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 1/20/2009

HIST AST:

PBS Number: 2-457426 SWIS Code: 6201

Operator: ANTONIO PENA Facility Phone: (212) 567-0666

Facility Addr2: 276 SHERMAN AVENUE
Facility Type: APARTMENT BUILDING

Emergency: AARON BAUER Emergency Tel: (718) 731-2383 Old PBSNO: Not reported Date Inspected: Not reported Not reported Inspector: Result of Inspection: Not reported 276 REALTY, LLC. Owner Name: 1624 WEBSTER AVENUE Owner Address: Owner City, St, Zip: **BRONX, NY 10457**

Federal ID: Not reported
Owner Tel: (718) 583-4905
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: Not reported

Mailing Name: BB & BB MANAGEMENT CORP.
Mailing Address: 1624 WEBSTER AVENUE

Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10457

Distance

Elevation Site Database(s) EPA ID Number

276 SHERMAN AVENUE (Continued)

U003394555

EDR ID Number

Mailing Telephone: (718) 583-4905 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 10/15/1999
Expiration: 01/18/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 4000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Pipe Location: Not reported Pipe Type: Not reported Pipe Internal: Not reported Not reported Pipe External: Tank Containment: None

Leak Detection: None

0

Lat/Long:

Overfill Protection: Not reported Dispenser Method: Gravity Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported

Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

J82 231 SHERMAN AVE **AST** U003386067 NW 231 SHERMAN AVE **HIST AST** N/A

1/8-1/4 NEW YORK, NY 10034

0.184 mi.

970 ft. Site 5 of 7 in cluster J

Relative: Higher

Actual:

23 ft.

AST: STATE Region: DEC Region: 2 Site Status: Active Facility Id: 2-271322 Program Type: **PBS**

UTM X: 591075.96161 UTM Y: 4524439.7736799996

2012/06/18 **Expiration Date:**

Tank Number: 001 Tank Id: 9096 Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 9/21/1939 Capacity Gallons: 3000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **DXLIVING** Modified By: 6/19/2007 Last Modified:

Equipment Records:

A00 - Tank Internal Protection - None 104 - Overfill - Product Level Gauge (A/G)

H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Affiliation Records:

Site Id: 11443

On-Site Operator Affiliation Type: Company Name: 231 SHERMAN AVE

Contact Type: Not reported Contact Name: **FELIX SANCHEZ** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (917) 538-3115 Phone Ext: Not reported

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

231 SHERMAN AVE (Continued)

U003386067

Email: Not reported Fax Number: Not reported Modified By: **DXLIVING** Date Last Modified: 6/19/2007

Site Id: 11443 Affiliation Type: Owner

Company Name: SHERMAN REALTY LLC

Contact Type: **MEMBER**

Contact Name: RICHARD SCHARF PO BOX 574 Address1: Address2: Not reported CEDARHURST City:

State: NY Zip Code: 11516 Country Code: 001

Phone: (718) 327-9640 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **DXLIVING** Date Last Modified: 6/19/2007

Site Id: 11443 Affiliation Type: Mail Contact

SHERMAN REALTY LLC Company Name:

Contact Type: **MEMBER**

Contact Name: RICHARD SCHARF PO BOX 574 Address1: Address2: Not reported CEDARHURST City:

State: NY Zip Code: 11516 Country Code: 001

(718) 327-9640 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **DXLIVING** Date Last Modified: 6/19/2007

Site Id: 11443

Affiliation Type: **Emergency Contact** SHERMAN REALTY LLC Company Name:

Contact Type: Not reported Contact Name: M SCHARF Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code:

(516) 569-7001 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

231 SHERMAN AVE (Continued)

U003386067

Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-271322 SWIS Code: 6201 Operator: JUAN RUIZ (212) 569-0391 Facility Phone: Facility Addr2: 231 SHERMAN AVE Facility Type: APARTMENT BUILDING

Emergency: M SCHARF Emergency Tel: (516) 569-7001 Old PBSNO: Not reported Not reported Date Inspected: Inspector: Not reported Result of Inspection: Not reported A SCHARF Owner Name: Owner Address: PO BOX 574

Owner City,St,Zip: CEDARHURST, NY 11516

Federal ID: Not reported Owner Tel: (718) 327-9640 Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: ABRAHAM SCHARF

A SCHARF Mailing Name: Mailing Address: PO BOX 574 Mailing Address 2: Not reported

Mailing City, St, Zip: CEDARHURST, NY 11516

Mailing Telephone: (718) 327-9640 Owner Mark: First Owner

1 - Active PBS facility, i.e. total capacity of the PBS tanks is Facility Status:

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False Certification Date: 07/30/1997 06/18/2002 Expiration: Renew Flag: False Not reported Renew Date: Total Capacity: 3000 FAMT: True

Facility Screen: No Missing Data No Missing Data Owner Screen: Tank Screen: Minor Data Missing

Dead Letter: False CBS Number: Not reported **NEW YORK CITY** Town or City:

County Code: 62 Town or City Code: 01 2 Region:

Tank ID: 001

Tank Location: **ABOVEGROUND** Tank Status: In Service Install Date: Not reported

Capacity (Gal): 3000

NOS 5 OR 6 FUEL OIL Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

231 SHERMAN AVE (Continued)

U003386067

Tank External: Not reported Not reported Pipe Location: STEEL/IRON Pipe Type: Not reported Pipe Internal: Pipe External: Not reported Tank Containment: None Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Not reported Lat/Long:

HIST UST U000416859 J83 **MULTIPLE DWELLING** NW 232 SHERMAN AVE N/A

1/8-1/4 **NEW YORK CITY, NY 10034**

0.185 mi.

978 ft. Site 6 of 7 in cluster J

HIST UST: Relative:

PBS Number: 2-274119 Higher SPDES Number: Not reported

Actual: JEFF FARKAS **Emergency Contact:** 23 ft. Emergency Telephone: (718) 263-5211

Operator: **CURT REALTY CORP LLC**

Operator Telephone: (718) 263-5211

CURT REALTY CORP LLV Owner Name: Owner Address: PO BOX 750443 Owner City, St, Zip: FOREST HILLS, NY 11375

Owner Telephone: (718) 263-5211 Owner Type: Corporate/Commercial

Owner Subtype: Not reported **CURT REALTY CORP LLC** Mailing Name:

Mailing Address: PO BOX 750443 Mailing Address 2: Not reported

Mailing City, St, Zip: FOREST HILLS, NY 11375

Mailing Contact: JEFF FARKAS Mailing Telephone: (718) 263-5211 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

232 SHERMAN AVE Facility Addr2:

SWIS ID: 6201 Old PBS Number: Not reported

APARTMENT BUILDING Facility Type:

Not reported Inspected Date: Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 06/23/1997

Direction Distance

Elevation Site Database(s) EPA ID Number

MULTIPLE DWELLING (Continued)

U000416859

EDR ID Number

Expiration Date: 06/30/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank Id: 001

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service Install Date: Not reported

Capacity (gals): 5000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Pipe Type: STEEL/IRON Pipe Internal: Not reported Not reported Pipe External: Second Containment: Diking Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

SHERMAN 232, LLC

NW 232 SHERMAN AVE 1/8-1/4 NEW YORK, NY 10034

0.185 mi.

Actual:

23 ft.

J84

978 ft. Site 7 of 7 in cluster J

Relative: UST:

Higher Facility Id: 2-274119
Region: STATE

DEC Region: 2
Site Status: Active
Program Type: PBS

Expiration Date: 2010/08/09

UTM X: 591060.54526000004 UTM Y: 4524445.9117900003

Site ID: 11695

U004077081

N/A

UST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SHERMAN 232, LLC (Continued)

U004077081

Tank Number: 001 9209 Tank ID: Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 5000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

104 - Overfill - Product Level Gauge (A/G) D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

105 - Overfill - Vent Whistle

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None

L09 - Piping Leak Detection - Exempt Suction Piping B01 - Tank External Protection - Painted/Asphalt Coating G03 - Tank Secondary Containment - Vault (w/o access)

Affiliation Records:

Site Id: 11695

Affiliation Type: On-Site Operator Company Name: SHERMAN 232, LLC Contact Type: Not reported Contact Name: JULIO ORTIZ Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 304-0391 Not reported Phone Ext: Not reported Email: Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 8/9/2005

Site Id: 11695

Affiliation Type: **Emergency Contact** Company Name: SHERMAN 232, LLC

Contact Type: Not reported BARRY RUDOFSKY Contact Name:

Address1: Not reported Address2: Not reported City: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN 232, LLC (Continued)

U004077081

EDR ID Number

State: NN

Zip Code: Not reported

Country Code: 999

Phone: (718) 261-5235
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/9/2005

Site Id: 11695 Affiliation Type: Mail Contact

Company Name: BRONSTEIN PROPERTIES, LLC.

Contact Type: Not reported
Contact Name: BARRY RUDOFSKY

Address1: 108-18 QUEENS BLVD, SUITE 302

Address2: Not reported City: FOREST HILLS

State: NY
Zip Code: 11375
Country Code: 001

Phone: (718) 261-5235
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/9/2005

Site Id: 11695 Affiliation Type: Owner

Company Name: SHERMAN 232, LLC Contact Type: LLC MEMBER Contact Name: BARRY RUDOFSKY

Address1: 108-18 QUEENS BLVD, SUITE 302

Address2: Not reported City: FOREST HILLS

State: NY
Zip Code: 11375
Country Code: 001

Phone: (718) 261-5235
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/9/2005

 085
 DYCKMAN HOUSES
 UST U000410772

 WSW
 3798 10TH AVENUE
 HIST UST N/A

 1/8-1/4
 NEW YORK, NY 10034

0.186 mi.

984 ft. Site 1 of 3 in cluster O

Relative: UST:

Lower Facility Id: 2-474843 Region: STATE

 Actual:
 DEC Region:
 2

 15 ft.
 Site Status:
 Active

 Program Type:
 PBS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN HOUSES (Continued)

U000410772

Expiration Date: 2014/03/28

591017.53394999995 UTM X: UTM Y: 4524071.89377

Site ID: 20948

Tank Number: 49022 Tank ID: Tank Status: In Service Tank Model: 106 Pipe Model: Not reported

Install Date: 11/1/1994 30000 Capacity Gallons: Tightness Test Method: NN Next Test Date: Not reported

Date Tank Closed: Not reported

Tank Location:

Fiberglass coated steel Tank Type:

Date Test: Not reported Register: True

NRLOMBAR Modified By: Last Modified: 9/16/2008

Equipment Records:

C02 - Pipe Location - Underground/On-ground E00 - Piping Secondary Containment - None

D01 - Pipe Type - Steel/Carbon Steel/Iron

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

F06 - Pipe External Protection - Wrapped

F02 - Pipe External Protection - Original Sacrificial Anode

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

102 - Overfill - High Level Alarm K00 - Spill Prevention - None

B04 - Tank External Protection - Fiberglass

G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: OLD 1 Tank ID: 37686

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 4/1/1951 Capacity Gallons: 20000 Tightness Test Method: NN Next Test Date: Not reported

Date Tank Closed: 11/1/1994

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

U000410772

EDR ID Number

G00 - Tank Secondary Containment - None F06 - Pipe External Protection - Wrapped

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron B00 - Tank External Protection - None

100 - Overfill - None

Tank Number: OLD 2 Tank ID: 37687

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed
Not reported
No

Next Test Date: Not reported Date Tank Closed: 11/1/1994

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None

J02 - Dispenser - Suction

F06 - Pipe External Protection - Wrapped D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None

100 - Overfill - None

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None B00 - Tank External Protection - None

Affiliation Records:

Site Id: 20948 Affiliation Type: Mail Contact

Company Name: NYC HOUSING AUTHORITY

Contact Type: Not reported

Contact Name: FUEL OIL REMEDIATION COORDINATOR

Address1: 23-02 49TH AVENUE
Address2: 23-02 49TH AVENUE
City: LONG ISLAND CITY

State: NY
Zip Code: 11101
Country Code: 001

Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 9/16/2008

Site Id: 20948

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

U000410772

EDR ID Number

Affiliation Type: Owner

Company Name: NEW YORK CITY HOUSING AUTHORITY
Contact Type: FUEL OIL REMEDIATION COORDINATOR

Contact Name: Not reported
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY

State: NY
Zip Code: 11101
Country Code: 001

Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/22/2010

Site Id: 20948

Affiliation Type: Emergency Contact

Company Name: NEW YORK CITY HOUSING AUTHORITY

Contact Type: Not reported

Contact Name: EMERGENCY SERVICES DEPARTMENT

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999

Phone: (718) 707-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Modified By: bkfalvey
Date Last Modified: 1/14/2009

Site Id: 20948

Affiliation Type: On-Site Operator
Company Name: DYCKMAN HOUSES

Contact Type: Not reported

Contact Name: FUEL OIL REMEDIATION UNIT

Address1: Not reported Address2: Not reported City: Not reported State: NN

nate. ININ

Zip Code: Not reported Country Code: 001

Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 9/16/2008

HIST UST:

PBS Number: 2-474843 SPDES Number: Not reported

Emergency Contact: EMERGENCY SERVICE DEPT.

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

U000410772

EDR ID Number

Emergency Telephone: (718) 289-3940 Operator: LUIS PONCE Operator Telephone: (718) 707-5725

Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE

Owner City, St, Zip: LONG ISLAND CITY, NY 11101

Owner Telephone: (718) 707-5725 Owner Type: Local Government

Owner Subtype: 51

Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE

Mailing Address 2: Not reported

Mailing City, St, Zip: LONG ISLAND CITY, NY 11101

Mailing Contact: LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 215 NAGLE AVENUE (MANAGEMENT OFFICE)

SWIS ID: 6201

Old PBS Number: Not reported

Facility Type: APARTMENT BUILDING

Inspected Date: Not reported Inspector: Not reported Not reported Inspection Result: Federal ID: Not reported Certification Flag: False Certification Date: 10/13/2000 03/28/2004 **Expiration Date:** Renew Flag: False Renewal Date: Not reported **Total Capacity:** 30000

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data

True

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

FAMT:

Tank ld: 001

Tank Location: UNDERGROUND Tank Status: Closed-Removed

Install Date: 19510401 Capacity (gals): 20000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Wrapped (Piping)

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

U000410772

EDR ID Number

Second Containment: Not reported Not reported Leak Detection: Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: 11/01/1994 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 001

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19941101
Capacity (gals): 30000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Fiberglass coated steel

Tank Internal:
None
Tank External:
Pipe Location:
Underground
Pipe Type:
VSTEEL/IRON
Pipe Internal:
Vone

Pipe External: Sacrificial Anode Second Containment: Vault (w/access) Leak Detection: Electronic

Overfill Prot: Catch Basin, High Level Alarm

Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 002

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Install Date: 19510401 Capacity (gals): 20000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Underground Pipe Location: Pipe Type: STEEL/IRON Not reported Pipe Internal: Wrapped (Piping) Pipe External: Not reported Second Containment: Not reported Leak Detection: Overfill Prot: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DYCKMAN HOUSES (Continued)

U000410772

EDR ID Number

Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: 11/01/1994 Test Method: Not reported

Deleted: False Updated: True Lat/long: Not reported

530 ISHAM STREET PARTNERS M86 U003395583 **AST** NNW **530 ISHAM STREET HIST AST** N/A

1/8-1/4 NEW YORK, NY 10034 0.187 mi.

986 ft. Site 6 of 11 in cluster M

Relative:

Region: Higher

STATE DEC Region: Actual: Site Status: Active 23 ft. Facility Id: 2-600217 Program Type: **PBS**

UTM X: 591152.17709999997 UTM Y: 4524506.5526999999

Expiration Date: 2012/04/23

Tank Number: 001 Tank Id: 41583 Tank Location: 3

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Not reported Pipe Model: Install Date: 7/6/1953 3000 Capacity Gallons: Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **KXTANG** Last Modified: 6/27/2007

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)

F00 - Pipe External Protection - None

J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

H00 - Tank Leak Detection - None 104 - Overfill - Product Level Gauge (A/G) C00 - Pipe Location - No Piping B00 - Tank External Protection - None

Affiliation Records:

Site Id: 22200

Affiliation Type: On-Site Operator

Direction Distance Elevation

evation Site Database(s) EPA ID Number

530 ISHAM STREET PARTNERS (Continued)

U003395583

EDR ID Number

Company Name: K INWOOD LLC
Contact Type: Not reported
Contact Name: ISRAEL FRANKEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 258-4288
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG

Date Last Modified:

Site Id: 22200
Affiliation Type: Mail Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: YURI GEYLIK

Address1: 56 WILLOUGHBY STREET

6/27/2007

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11201

 Country Code:
 001

Phone: (718) 855-6110

Phone Ext: 115

Email: Not reported Fax Number: Not reported Modified By: KXTANG Date Last Modified: 10/23/2007

Site Id: 22200

Affiliation Type: Emergency Contact

Company Name: 530 ISHAM STREET OWNER, LLC

Contact Type: Not reported
Contact Name: JACK JAFFA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 999

Phone: (718) 781-6110
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/27/2007

Site Id: 22200 Affiliation Type: Owner

Company Name: 530 ISHAM STREET OWNER, LLC

Contact Type: OFFICER
Contact Name: JACK JAFFA

Direction Distance

Elevation Site Database(s) EPA ID Number

530 ISHAM STREET PARTNERS (Continued)

Address1: 56 WILLOUGHBY STREET

Address2: Not reported City: BROOKLYN State: NY

State: NY
Zip Code: 11201
Country Code: 001

Phone: (718) 855-6110
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/27/2007

HIST AST:

PBS Number: 2-600217 SWIS Code: 6201

Operator: LYDIA GONZALEZ
Facility Phone: (212) 569-5077
Facility Addr2: 530 ISHAM STREET
Facility Type: APARTMENT BUILDING

Emergency: JOEL ARAGONA
Emergency Tel: (212) 977-8828
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: 530 ISHAM ST PARTNERS C/O ARAGONA MGMNT.

Owner Address: 1780 BROADWAY
Owner City,St,Zip: NEW YORK, NY 10019

Federal ID: Not reported

Owner Tel: (212) 977-8828

Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Contact: JOEL ARAGONA
Mailing Name: ARAGONA MGMT.
Mailing Address: 1780 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10019

Mailing Telephone: (212) 977-8828
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 06/01/2001
Expiration: 07/17/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62

EDR ID Number

U003395583

Direction Distance

Elevation Site Database(s) **EPA ID Number**

530 ISHAM STREET PARTNERS (Continued)

U003395583

EDR ID Number

Town or City Code: 01 Region: 2

Tank ID: 001

ABOVEGROUND Tank Location: Tank Status: In Service Install Date: Not reported Capacity (Gal): 3000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel

Tank Internal: 0 0 Tank External:

Not reported Pipe Location: Pipe Type: STEEL/IRON Pipe Internal: Not reported Not reported Pipe External: Tank Containment: Diking Leak Detection: 0 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported

Lat/Long: Not reported

P87 207 SHERMAN ASSOC. LLC **221 SHERMAN AVENUE** NW 1/8-1/4 NEW YORK, NY 10034

0.193 mi.

1018 ft. Site 1 of 7 in cluster P AST:

Relative: Higher Actual:

23 ft.

STATE Region: DEC Region: 2 Site Status: Active Facility Id: 2-309893 Program Type: **PBS**

591044.12011999998 UTM X: UTM Y: 4524424.5033400003

2014/05/25 **Expiration Date:**

Tank Number: 001 Tank Id: 24314 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/1949 Install Date: Capacity Gallons: 5000 NN Tightness Test Method:

Date Test: Not reported Not reported Next Test Date:

AST

A100146982

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

207 SHERMAN ASSOC. LLC (Continued)

A100146982

EDR ID Number

Date Tank Closed:

Register:

Modified By:

Last Modified:

Not reported

True

MSBAPTIS

2/27/2009

Equipment Records:

H00 - Tank Leak Detection - None

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction I05 - Overfill - Vent Whistle

B01 - Tank External Protection - Painted/Asphalt Coating

A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating

G99 - Tank Secondary Containment - Other

Affiliation Records:

Address2:

Site Id: 14145

Affiliation Type: Mail Contact

Company Name: SDG MANAGEMENT CORP

Contact Type: Not reported

Contact Name: 207 SHERMAN ASSOC LLC Address1: 888 SEVENTH AVENUE

Address2: 24TH FLOOR City: NEW YORK

State: NY
Zip Code: 10019
Country Code: 001

Phone: (212) 660-1237
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 11/7/2005

Site Id: 14145 Affiliation Type: Owner

Company Name: 207 SHERMAN ASSOCIATES, LLC.

Not reported

Contact Type: AGENT

Contact Name: CYNTHIA MARRERO
Address1: 888 7TH AVE, 24TH FL.

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10019

 Country Code:
 001

Phone: (212) 755-5390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/27/2009

Site Id: 14145

Affiliation Type: On-Site Operator

Company Name: 207 SHERMAN ASSOC. LLC

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

207 SHERMAN ASSOC. LLC (Continued)

A100146982

Contact Type: Not reported LUIS VENTHRA Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (917) 245-2197 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: kxtang Date Last Modified: 5/5/2004

Site Id: 14145

Affiliation Type: **Emergency Contact**

Company Name: 207 SHERMAN ASSOCIATES, LLC.

Contact Type: Not reported

Contact Name: SDG MANAGEMENT

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code:

Not reported Country Code: 999

Phone: (212) 755-5390 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: kxtang Date Last Modified: 5/5/2004

SHERMAN PETROLEUM, LLC

North **3936 10TH AVENUE** 1/8-1/4 NEW YORK, NY 10034

0.193 mi.

Q88

1020 ft. Site 1 of 14 in cluster Q

Relative: Higher

Actual:

20 ft.

UST:

Facility Id: 2-337870 Region: STATE DEC Region: 2 Site Status: Active Program Type: PBS **Expiration Date:** 2013/10/15

591266.04370000004 UTM X: 4524534.3844100004 UTM Y:

Site ID: 16214

Tank Number: 001 28887 Tank ID:

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 12/1/1984 Install Date: Capacity Gallons: 4000 Tightness Test Method: 14

UST

HIST UST

U001839107

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel

Date Test: 2/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

100 - Overfill - None

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping

G00 - Tank Secondary Containment - None

D00 - Pipe Type - No Piping J00 - Dispenser - None

B00 - Tank External Protection - None

Tank Number: 002 Tank ID: 28888

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

12/1/1984

4000

14

Next Test Date: Not reported Date Tank Closed: 12/1/2001

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: 2/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None

100 - Overfill - None

A00 - Tank Internal Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None

J00 - Dispenser - None D00 - Pipe Type - No Piping

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Tank Number: 003 Tank ID: 28889

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

12/1/1984

4000

14

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

Next Test Date: Not reported Date Tank Closed: 12/1/2001

Tank Location: 5

Tank Type: Steel/carbon steel

 Date Test:
 2/1/1995

 Register:
 True

 Modified By:
 TRANSLAT

 Last Modified:
 3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping

100 - Overfill - None

A00 - Tank Internal Protection - None

D00 - Pipe Type - No Piping H00 - Tank Leak Detection - None F00 - Pipe External Protection - None

J00 - Dispenser - None

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Tank Number: 004
Tank ID: 28890

Tank Status:

Closed - Removed
Tank Model:

Not reported
Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed
Not reported
12/1/1984
4000
14

Next Test Date: Not reported Date Tank Closed: 12/1/2001

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: 2/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None

D00 - Pipe Type - No Piping J00 - Dispenser - None

A00 - Tank Internal Protection - None

100 - Overfill - None

H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Tank Number: 1
Tank ID: 62782
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/2002
Capacity Gallons: 12000
Tightness Test Method: NN

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

SHERMAN PETROLEUM, LLC (Continued)

U001839107

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Equivalent technology Tank Type:

Date Test: 11/6/2006 Register: True Modified By: dxliving Last Modified: 1/5/2009

Equipment Records:

K01 - Spill Prevention - Catch Basin

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

E00 - Piping Secondary Containment - None

C02 - Pipe Location - Underground/On-ground

102 - Overfill - High Level Alarm

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

B04 - Tank External Protection - Fiberglass

H05 - Tank Leak Detection - In-Tank System (ATG)

F04 - Pipe External Protection - Fiberglass

J01 - Dispenser - Submersible

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 2 Tank ID: 62783 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 4/1/2002 Capacity Gallons: 12000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Equivalent technology

Date Test: 11/6/2002 Register: True Modified By: dxliving Last Modified: 1/5/2009

Equipment Records:

E00 - Piping Secondary Containment - None

J01 - Dispenser - Submersible

B04 - Tank External Protection - Fiberglass

102 - Overfill - High Level Alarm

H05 - Tank Leak Detection - In-Tank System (ATG)

C02 - Pipe Location - Underground/On-ground

K01 - Spill Prevention - Catch Basin

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

F04 - Pipe External Protection - Fiberglass

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

Tank Number: 3
Tank ID: 62784
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/2002
Capacity Gallons: 12000
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: 11/6/2002
Register: True
Modified By: dxliving
Last Modified: 1/5/2009

Equipment Records:

C02 - Pipe Location - Underground/On-ground

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

J01 - Dispenser - Submersible I02 - Overfill - High Level Alarm

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

G04 - Tank Secondary Containment - Double-Walled (Underground)

F04 - Pipe External Protection - Fiberglass

A03 - Tank Internal Protection - Fiberglass Liner (FRP)

K01 - Spill Prevention - Catch Basin E00 - Piping Secondary Containment - None B04 - Tank External Protection - Fiberglass

H05 - Tank Leak Detection - In-Tank System (ATG)

Affiliation Records:

Site Id: 16214 Affiliation Type: Mail Contact

Company Name: GILBARCO VEEDER-ROOT CMS

Contact Type: Not reported

Contact Name: COMPLIANCE MANAGEMENT SERVICES Address1: 7300 W. FRIENDLY AVE., MS F-76

Address2: PO BOX 22087 City: GREENSBORO

State: NC
Zip Code: 27420
Country Code: 001

Phone: (800) 253-8054
Phone Ext: Not reported

Email: ATLANTIS@GILBARCO.COM

Fax Number: Not reported Modified By: dxliving Date Last Modified: 1/5/2009

Site Id: 16214

Affiliation Type: On-Site Operator

Company Name: SHERMAN PETROLEUM, LLC

Contact Type: Not reported

Contact Name: STATION MANAGER

Address1: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

Address2: Not reported Not reported City:

State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 642-4351 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: dxliving Date Last Modified: 1/5/2009

Site Id: 16214

Affiliation Type: **Emergency Contact**

ATLANTIS MANAGEMENT GROUP II, LLC Company Name:

Contact Type: Not reported

ENVIRONMENTAL HELPDESK Contact Name:

Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code: 999

(800) 997-7725 Phone: Not reported Phone Ext: Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 7/8/2009

Site Id: 16214 Affiliation Type: Owner

Company Name: ATLANTIS MANAGEMENT GROUP II, LLC

Contact Type: **OWNER'S AUTHORIZED AGENT** Contact Name: ADRIANNE RUTHERFORD Address1: 555 S. COLUMBUS AVE., SUITE 201

Address2: Not reported MOUNT VERNON City:

State: NY 10550 Zip Code: Country Code: 001

Phone: (914) 699-9500 Phone Ext: Not reported Not reported Email: Not reported Fax Number: Modified By: dxliving Date Last Modified: 1/5/2009

HIST UST:

2-337870 PBS Number: SPDES Number: Not reported AMOCO OIL CO **Emergency Contact:** Emergency Telephone: (800) 892-6626 Operator: DANIA VILLALAONA Operator Telephone: (212) 304-2610

AMOCO OIL COMPANY - RAE ADAMS Owner Name:

MORRIS CORP.CTR.1-BLDG.C/300 INTERP.PKWA Owner Address:

Direction Distance

Elevation Site Database(s) **EPA ID Number**

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

PARSIPPANY, NJ 07054-1177 Owner City, St, Zip:

(800) 802-6626 Owner Telephone: Corporate/Commercial Owner Type:

Owner Subtype: Not reported

Mailing Name: AMOCO OIL COMPANY - RAE ADAMS Mailing Address: MORRIS CORPORATE CENTER 1-BLDG. C.

Mailing Address 2: 300 INTERPACE PARKWAY Mailing City, St, Zip: PARSIPPANY, NJ 07054-1177

Mailing Contact: Not reported Mailing Telephone: (973) 331-7012 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 3936 10TH AVENUE

SWIS ID: 6201 Old PBS Number:

Not reported

RETAIL GASOLINE SALES Facility Type:

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 10/29/1997 **Expiration Date:** 10/29/2002 Renew Flag: False Renewal Date: Not reported Total Capacity: 16000 FAMT: True

Facility Screen: No Missing Data Minor Data Missing Owner Screen: Tank Screen: Minor Data Missing

Dead Letter: False Not reported CBS Number: NEW YORK CITY Town or City:

County Code: 62 Town or City: 01 Region: 2

Tank Id: 001

UNDERGROUND Tank Location: Tank Status: In Service Install Date: 19841201

4000 Capacity (gals):

UNLEADED GASOLINE Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported

Tank External: Not reported Pipe Location: Not reported **GALVANIZED STEEL** Pipe Type:

Pipe Internal: Not reported

Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Submersible Dispenser: Date Tested: 02/01/1995

Direction Distance Elevation

evation Site Database(s) EPA ID Number

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

Next Test Date: 02/01/2000
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Tankology [Vacutect]

Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 002

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL

Pipe Internal:
Pipe External:
Second Containment:
Leak Detection:
Overfill Prot:
Dispenser:
Not reported
None
None
Submersible

Date Tested: 02/01/1995
Next Test Date: 02/01/2000
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Tankology [Vacutect]

Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 003

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Submersible Dispenser: Date Tested: 02/01/1995 Next Test Date: 02/01/2000

Next Test Date: 02/01/2000
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN PETROLEUM, LLC (Continued)

U001839107

EDR ID Number

Test Method: Tankology [Vacutect]

Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 004

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Not reported

Not reported

Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Submersible Date Tested: 02/01/1995 02/01/2000 Next Test Date:

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Tankology [Vacutect]

Deleted: False
Updated: True
Lat/long: Not reported

Q89 B P PRODUCTS NORTH AMERICA INC #20999

North 3936 10TH AVE 1/8-1/4 NEW YORK, NY 10034

0.193 mi.

1020 ft. Site 2 of 14 in cluster Q

Relative: RCRA-CESQG:

Higher Date form received by agency: 01/01/2007

Facility name: B P PRODUCTS NORTH AMERICA INC #20999

 Actual:
 Facility address:
 3936 10TH AVE

 20 ft.
 NEW YORK, NY 10034

EPA ID: NYR000126706

Mailing address: PO BOX 6038 ARTESIA, NY 907026038

Contact: PAULA SKRYJA
Contact address: PO BOX 6038

ARTESIA, NY 907026038

Contact country: US

Contact telephone: (410) 551-6074 Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous

1007571111

NYR000126706

RCRA-CESQG

MANIFEST

Direction Distance Elevation

Site Database(s) **EPA ID Number**

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

EDR ID Number

waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

NO NAME FOUND Owner/operator name: Owner/operator address: Not reported

Not reported

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 10/16/2002 Owner/Op end date: Not reported

Owner/operator name: NO NAME FOUND Owner/operator address: Not reported

Not reported

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner 10/16/2002 Owner/Op start date: Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

No

Handler Activities Summary:

U.S. importer of hazardous waste: Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: Nο On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: Nο

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: B P PRODUCTS NORTH AMERICA INC #20999 Classification: Conditionally Exempt Small Quantity Generator

Direction Distance

Elevation Site Database(s) EPA ID Number

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

EDR ID Number

Date form received by agency: 07/29/2004

Facility name: B P PRODUCTS NORTH AMERICA INC #20999

Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYR000126706

Country: USA

Mailing Name: BP PRODUCTS NORTH AMERICA AMOCO 20999

Mailing Contact: N/S

Mailing Address: PO BOX 80249
Mailing Address 2: Not reported

Mailing City: RANCHO SANTA MARGARITA

Mailing State: CA
Mailing Zip: 92688
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 949-460-5200

Document ID: 06

Manifest Status: 001274545JJK Trans1 State ID: NYR000126706 Trans2 State ID: Not reported Generator Ship Date: NJD991291105 Trans1 Recv Date: Not reported Trans2 Recy Date: NJR000023036 TSD Site Recv Date: Not reported Part A Recv Date: Not reported Not reported Part B Recv Date:

 Generator EPA ID:
 N

 Trans1 EPA ID:
 N

 Trans2 EPA ID:
 N

 TSDF ID:
 N

 Waste Code:
 N

Quantity: Not reported

Units:

Number of Containers: DM
Container Type: 200
Handling Method: P
Specific Gravity: 1
Waste Code: T

Quantity: Not reported Not reported Units: Number of Containers: Not reported Not reported Container Type: Handling Method: Not reported Specific Gravity: Not reported Not reported Year: Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported

Direction Distance Elevation

ration Site Database(s) EPA ID Number

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

EDR ID Number

Manifest Ref Num:
Alt Fac RCRA Id:
Not reported
Not reported
Not reported
Not reported
Mgmt Method Type Code:
Not reported
Not reported

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NJR000023036 Trans2 State ID: Not reported 2008-10-17 Generator Ship Date: 2008-10-17 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 2008-10-17 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000126706 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NJD991291105 TSDF ID: Waste Code: Not reported Quantity: 200.0 Units: P - Pounds

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 08

Manifest Tracking Num: 001274744JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported Not reported Manifest Status: NJR000023036 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2008-05-05 Trans1 Recv Date: 2008-05-05 Trans2 Recv Date: Not reported TSD Site Recv Date: 2008-05-05 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000126706 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD991291105 Waste Code: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

EDR ID Number

Quantity: 200.0 Units: P - Pounds

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 08

Manifest Tracking Num: 001274728JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
Not reported
H061

Document ID: NJA5246489 Manifest Status: Not reported Trans1 State ID: NJR000023036 Not reported Trans2 State ID: Generator Ship Date: 12/19/2005 Trans1 Recv Date: 12/19/2005 Trans2 Recv Date: Not reported TSD Site Recv Date: 12/19/2005 Not reported Part A Recv Date: Part B Recv Date: Not reported Generator EPA ID: NYR000126706

 Trans1 EPA ID:
 56247

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD991291105

Waste Code: D018 - BENZENE 0.5 MG/L TCLP

Quantity: 00200
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported

Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance Elevation

nce EDR ID Number ation Site Database(s) EPA ID Number

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

Document ID: Not reported Not reported Manifest Status: Trans1 State ID: NJR000023036 Trans2 State ID: Not reported Generator Ship Date: 3/2/2007 Trans1 Recv Date: 3/2/2007 Trans2 Recv Date: Not reported TSD Site Recv Date: 3/5/2007 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000126706 Generator EPA ID: Not reported Trans1 EPA ID: Not reported Trans2 EPA ID: TSDF ID: NJD991291105 Waste Code: Not reported Quantity: 400 P - Pounds Units:

Number of Containers: 2

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1

Year: 07

Manifest Tracking Num: 001274587JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported NJR000023036 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2008-05-05 Trans1 Recv Date: 2008-05-05 Trans2 Recv Date: Not reported 2008-05-05 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000126706 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD991291105 Waste Code: Not reported Quantity: 200.0 P - Pounds Units:

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0

Direction Distance Elevation

ion Site Database(s) EPA ID Number

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

EDR ID Number

Year: 08

Manifest Tracking Num: 001274728JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H061

Document ID: Not reported Manifest Status: Not reported NJR000023036 Trans1 State ID: Trans2 State ID: Not reported 2008-05-05 Generator Ship Date: Trans1 Recv Date: 2008-05-05 Trans2 Recv Date: Not reported TSD Site Recy Date: 2008-05-05 Part A Recv Date: Not reported Part B Recv Date: Not reported NYR000126706 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD991291105 Waste Code: Not reported 200.0 Quantity: Units: P - Pounds

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 08

Manifest Tracking Num: 001274728JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H061

Document ID: NJA5246489

Manifest Status: Not reported

Trans1 State ID: NJR000023036

Trans2 State ID: Not reported

Generator Ship Date: 12/19/2005

Trans1 Recv Date: 12/19/2005

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

Trans2 Recv Date: Not reported TSD Site Recv Date: 12/19/2005 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000126706

Trans1 EPA ID: 56247 Trans2 EPA ID: Not reported TSDF ID: NJD991291105

Waste Code: D018 - BENZENE 0.5 MG/L TCLP

Quantity: 00200 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: 07

001274587JJK Manifest Status: Trans1 State ID: NYR000126706 Trans2 State ID: Not reported Generator Ship Date: NJD991291105 Not reported Trans1 Recv Date: Trans2 Recv Date: NJR000023036 TSD Site Recv Date: Not reported Part A Recv Date: Not reported Part B Recv Date: Not reported

Generator EPA ID: Ν Trans1 EPA ID: Ν Trans2 EPA ID: Ν TSDF ID: Ν Waste Code: Ν

Quantity: Not reported

Units: 2 Number of Containers: DM Container Type: 400 Handling Method: Ρ Specific Gravity: 1 Waste Code: В

Quantity: Not reported Units: Not reported Number of Containers: Not reported Not reported Container Type: Handling Method: Not reported

Distance Elevation

on Site Database(s) EPA ID Number

B P PRODUCTS NORTH AMERICA INC #20999 (Continued)

1007571111

EDR ID Number

Specific Gravity: Not reported Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NJR000023036 Trans2 State ID: Not reported Generator Ship Date: 2007-03-02 Trans1 Recv Date: 2007-03-02 Trans2 Recv Date: Not reported TSD Site Recv Date: 2007-03-05 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYR000126706 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD991291105 Waste Code: Not reported Quantity: 400.0 Units: P - Pounds

Number of Containers: 2.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 07

Manifest Tracking Num: 001274587JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Direction Distance

Elevation Site Database(s) **EPA ID Number**

R90 POST AVENUE ASSOCIATES AST U003390534 West **101-109 POST AVENUE HIST AST** N/A

1/8-1/4 0.194 mi.

1022 ft. Site 1 of 9 in cluster R

NEW YORK, NY 10034

Relative: Higher

AST: STATE Region: DEC Region: 2 Site Status: Active Facility Id: 2-151653

Actual: 20 ft. Program Type: **PBS**

UTM X: 590953.98869000003 UTM Y: 4524264.2631000001

2012/08/26 **Expiration Date:**

Tank Number: 001 Tank Id: 19421 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **TRANSLAT** Modified By: 3/4/2004 Last Modified:

Equipment Records:

H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping

F06 - Pipe External Protection - Wrapped 104 - Overfill - Product Level Gauge (A/G) G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None

D01 - Pipe Type - Steel/Carbon Steel/Iron

L09 - Piping Leak Detection - Exempt Suction Piping

J02 - Dispenser - Suction

B00 - Tank External Protection - None

Affiliation Records:

4703 Site Id:

On-Site Operator Affiliation Type:

Company Name: POST AVENUE ASSOCIATES

Contact Type: Not reported ALFREDO Contact Name: Address1: Not reported Address2: Not reported City: Not reported

State: NN Zip Code: Not reported

Country Code: 001

Phone: (646) 342-7070 Phone Ext: Not reported

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

POST AVENUE ASSOCIATES (Continued)

U003390534

EDR ID Number

Email: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Site Id: 4703

Affiliation Type: Emergency Contact

Company Name: POST AVENUE ASSOCIATES C/O M.P. MANAGEMENT

Contact Type: Not reported
Contact Name: ALFREDO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-9128
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4703

Affiliation Type: Mail Contact
Company Name: ABILENE, INC.
Contact Type: Not reported
Contact Name: SABI BONOMOLO
Address1: 2402 NEPTUNE AVENUE

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 PA

 Zip Code:
 11224

 Country Code:
 001

Phone: (718) 372-4210
Phone Ext: Not reported

Email: SABI@ABILENEINC.COM

Fax Number: Not reported Modified By: dxliving Date Last Modified: 11/7/2007

Site Id: 4703 Affiliation Type: Owner

Company Name: POST AVENUE ASSOCIATES C/O M.P. MANAGEMENT

Contact Type: Not reported
Contact Name: Not reported
Address1: 1274 49TH STREET

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11219

 Country Code:
 001

Phone: (718) 972-7660
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Direction Distance

Elevation Site Database(s) EPA ID Number

POST AVENUE ASSOCIATES (Continued)

U003390534

EDR ID Number

Date Last Modified: 3/4/2004

HIST AST:

 PBS Number:
 2-151653

 SWIS Code:
 6201

 Operator:
 ALFREDO

 Facility Phone:
 (646) 342-7070

 Facility Addr2:
 Not reported

Facility Type: APARTMENT BUILDING

Emergency: ALFREDO
Emergency Tel: (212) 569-9128
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: POST AVENUE ASSOCIATES C/O M.P. MANAGEMENT

Owner Address: 1274 49TH STREET
Owner City,St,Zip: BROOKLYN, NY 11219

Federal ID: Not reported
Owner Tel: (718) 972-7660
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Owner Subtype: Not reported
Mailing Contact: SABI BONOMOLO
Mailing Name: ABILENE, INC.

Mailing Address: 2402 NEPTUNE AVENUE

Mailing Address 2: Not reported

Mailing City, St, Zip: BROOKLYN, NY 11224

Mailing Telephone: (718) 372-4210 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 11/05/2001
Expiration: 08/26/2012
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

POST AVENUE ASSOCIATES (Continued)

U003390534

Tank External: 0 Pipe Location: None STEEL/IRON Pipe Type: Pipe Internal: None Pipe External: 06 Tank Containment: None Leak Detection: 00 Overfill Protection: 04 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported Lat/Long: Not reported

R91 U003393989 **ALDUS ST CORP** AST West **100 POST AVENUE HIST AST** N/A

1/8-1/4 0.195 mi.

1029 ft. Site 2 of 9 in cluster R

AST:

NYC, NY 10034

Relative: Higher

Region: STATE

Actual: 20 ft.

DEC Region: Site Status: Active Facility Id: 2-349763 Program Type: **PBS**

UTM X: 590952.10277 UTM Y: 4524244.5075000003

Expiration Date: 1993/05/19

Tank Number: 001 Tank Id: 33610 Tank Location:

Steel/Carbon Steel/Iron Tank Type:

In Service Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported 4000 Capacity Gallons: Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping H99 - Tank Leak Detection - Other F00 - Pipe External Protection - None

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

MAP FINDINGS Map ID Direction

Distance

Elevation Site Database(s) **EPA ID Number**

ALDUS ST CORP (Continued)

U003393989

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

G03 - Tank Secondary Containment - Vault (w/o access)

100 - Overfill - None

L09 - Piping Leak Detection - Exempt Suction Piping

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 17232

Affiliation Type: **Emergency Contact** Company Name: ISMAEL RAMIREZ Contact Type: Not reported Contact Name: ISMAEL RAMIREZ Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported

Country Code:

(212) 569-5865 Phone: Phone Ext: Not reported Not reported Email: Not reported Fax Number: Modified By: **TRANSLAT** 3/4/2004 Date Last Modified:

Site Id: 17232 Affiliation Type: Mail Contact Company Name: ISMAEL RAMIREZ Contact Type: Not reported Contact Name: Not reported

Address1: TREMONT STATION P O BOX 40

Address2: Not reported City: **BRONX** State: NY Zip Code: 10457 . Country Code: 001

Phone: (212) 569-5865 Phone Ext: Not reported Email: Not reported Not reported Fax Number: TRANSLAT Modified By: Date Last Modified: 3/4/2004

Site Id: 17232 Affiliation Type: Owner

Company Name: ISMAEL RAMIREZ Contact Type: Not reported Contact Name: Not reported

TREMONT STATION P O BOX 40 Address1:

Address2: Not reported City: **BRONX** State: NYZip Code: 10457 Country Code: 001

(212) 569-5865 Phone: Phone Ext: Not reported Email: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ALDUS ST CORP (Continued)

U003393989

Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

Site Id: 17232

On-Site Operator Affiliation Type: Company Name: ALDUS ST CORP Contact Type: Not reported

Contact Name: ALEJANDRO ALICEA

Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code:

Phone: (212) 569-5865 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

HIST AST:

2-349763 PBS Number: SWIS Code: 6201

Operator: ALEJANDRO ALICEA Facility Phone: (212) 569-5865 Facility Addr2: 100 POST AVENUE Facility Type: Not reported ISMAEL RAMIREZ Emergency: Emergency Tel: (212) 569-5865 Old PBSNO: Not reported

Date Inspected: Not reported Not reported Inspector: Not reported Result of Inspection: Owner Name: ISMAEL RAMIREZ

Owner Address: TREMONT STATION P O BOX 40

Owner City, St, Zip: **BRONX, NY 10457** Federal ID: Not reported (212) 569-5865 Owner Tel: Not reported Owner Type: Owner Subtype: Not reported Mailing Contact: Not reported Mailing Name: ISMAEL RAMIREZ

Mailing Address: TREMONT STATION P O BOX 40

Mailing Address 2: Not reported Mailing City, St, Zip: **BRONX, NY 10457** Mailing Telephone: (212) 569-5865 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False 05/19/1988 Certification Date: Expiration: 05/19/1993 Renew Flag: False Renew Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

ALDUS ST CORP (Continued)

Total Capacity: 4000 FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 4000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel Tank Internal: Not reported Not reported Tank External: Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Diking Leak Detection: Overfill Protection: Not reported

Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

100 POST AVE AST U004044882

West 100 POST AVE 1/8-1/4 NEW YORK, NY 10034

0.195 mi.

R92

1029 ft. Site 3 of 9 in cluster R

Relative: AST: Re

Region: STATE DEC Region: 2

Actual: Site Status: Administratively Closed 20 ft. Facility Id: 2-346926

Facility Id: 2-346926 Program Type: PBS

UTM X: 590952.10277 UTM Y: 4524244.5075000003

Expiration Date: N/A

Tank Number: 001
Tank Id: 32962
Tank Location: 1

N/A

EDR ID Number

U003393989

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

100 POST AVE (Continued) U004044882

Tank Type: Steel/Carbon Steel/Iron Tank Status: Administratively Closed

Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported 7500 Capacity Gallons: Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: 7/1/1996 Register: True Modified By: **TRANSLAT** 3/4/2004 Last Modified:

Equipment Records:

C00 - Pipe Location - No Piping F00 - Pipe External Protection - None 104 - Overfill - Product Level Gauge (A/G)

H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron G99 - Tank Secondary Containment - Other B00 - Tank External Protection - None

Affiliation Records:

Site Id: 16982

Affiliation Type: **Emergency Contact**

100 POST AVE REALTY CORP Company Name:

Contact Type: Not reported Contact Name: ISMAEL RAMIREZ Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-5865 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

Site Id: 16982

On-Site Operator Affiliation Type: Company Name: 100 POST AVE Contact Type: Not reported Contact Name: ISMAEL RAMIREZ Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 569-5865 Phone Ext: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

100 POST AVE (Continued) U004044882

Email: Not reported Not reported Fax Number: Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 16982 Affiliation Type: Mail Contact

Company Name: 100 POST AVE REALTY CORP

Contact Type: Not reported Contact Name: Not reported 100 POST AVE Address1: Address2: Not reported **NEW YORK** City: State: NY

Zip Code: 10034 Country Code: 001

Phone: (212) 569-5865 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 16982 Affiliation Type: Owner

100 POST AVE REALTY CORP Company Name:

330280

Contact Type: Not reported Contact Name: Not reported 100 POST AVE Address1: Address2: Not reported **NEW YORK** City: State: NY

Zip Code: 10034 Country Code: 001

Phone: (212) 569-5865 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

R93 101-109 POST AVE/MANHATTA **101-109 POST AVENUE** West 1/8-1/4 **NEW YORK CITY, NY**

0.196 mi.

1037 ft. Site 4 of 9 in cluster R

LTANKS: Relative: Site ID: Higher

Spill No: 8808715 Actual: Spill Date: 2/6/1989 20 ft. Spill Cause: Tank Overfill Spill Source: Tank Truck Spill Class: Not reported

Spill Closed Dt: 2/23/1989 Facility Addr2: Not reported Cleanup Ceased: 2/23/1989 Cleanup Meets Standard: True

S104275533

N/A

LTANKS

HIST LTANKS

Direction Distance

Elevation Site Database(s) EPA ID Number

101-109 POST AVE/MANHATTA (Continued)

S104275533

EDR ID Number

SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 2/6/1989
CID: 15

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/7/1989
Spill Record Last Update: 3/2/1989
Spiller Name: Not reported
Spiller Company: VIJAX CORP

Spiller Address: 210 VARRICK AVENUE Spiller City, St, Zip: BROOKLYN, NY 11237

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 265682

DER Facility ID: 265682
DEC Memo: Not reported

Remarks: OIL SPILLED ONTO PAVEMENT IN ALLEY WAY, SPEEDY DRY USED, MILRO

SERVICES INC TO FINISH CLEAN UP.

Material:

Site ID: 330280 925109 Operable Unit ID: Operable Unit: 01 Material ID: 453483 Material Code: 0003 #6 Fuel Oil Material Name: Not reported Case No.: Petroleum Material FA: Quantity: 50 Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Not reported Gross Fail: Modified By: Not reported Not reported Last Modified: Test Method: Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

101-109 POST AVE/MANHATTA (Continued)

S104275533

EDR ID Number

HIST LTANKS:

Region of Spill: 2 Spill Number: 8808715 Spill Date: 02/06/1989 Spill Time: 10:20 Spill Cause: Tank Overfill Resource Affectd: On Land Water Affected: Not reported Spill Source: Tank Truck Spill Class: Not reported Spill Closed Dt: 02/23/89 Cleanup Ceased: 02/23/89 Cleanup Meets Standard: True Investigator: **SIGONA** Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported

Reported to Department Date: 02/06/89 Reported to Department Time: 14:48 SWIS: 62

Notifier Agency:

Notifier Phone:

Notifier Extension:

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Extention: VIJAX CORP
Spiller Address VIJAX CORP

Spiller Address: 210 VARRICK AVENUE Spiller City,St,Zip: BROOKLYN, NY 11237

Not reported

Not reported

Not reported

Spiller Cleanup Date: / /

Facility Contact:

Not reported
Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Last Inspection:

Not reported
Responsible Party
Not reported

Not reported

/ /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/07/89
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 03/02/89 Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

101-109 POST AVE/MANHATTA (Continued)

S104275533

Material:

Material Class Type: Petroleum Quantity Spilled: 50 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: #6 FUEL OIL Class Type: #6 FUEL OIL Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: OIL SPILLED ONTO PAVEMENT IN ALLEY WAY, SPEEDY DRY USED, MILRO SERVICES INC TO

FINISH CLEAN UP.

Q94 CON ED OF NY MANHOLE#43452 MANIFEST S109786655
North SHERMAN / 10TH AVE. N/A

1/8-1/4 MANHATTAN, NY

0.198 mi.

1047 ft. Site 3 of 14 in cluster Q

Relative: CT MANIFEST:

Higher

20 ft.

Waste:

Actual: Manifest No: CTF0964308

Waste Occurence: 1
UNNA: 3077
Hazard Class: 9

US Dot Description: ENVIRONMENTALLY HAZ. SUBSTANCES, SOLID

No of Containers: 001
Container Type: DT
Quantity: 2
Weight/Volume: Y

Additional Description: Not reported Handling Code: Not reported Date Record Was Last Modified: 4/27/2004 DEO Who Last Modified Record: IG

Waste CD:

Manifest No: CTF0964308

Waste Occurence: 1
EPA Waste Code: D008
Recycled Waste?: F

Date Record Was Last Modified: 4/27/2004 DEO Who Last Modified Record: IG

Detail:

 Year:
 2000

 Manifest ID:
 CTF0964308

 TSDF EPA ID:
 CTD000604488

TSDF Name: CLEAN HARBORS OF CONNECTICUT, INC.

TSDF Address: 51 BRODERICK RD TSDF City,St,Zip: BRISTOL, CT 06010

TSDF Country: USA
TSDF Telephone: Not reported
Transport Date: 9/9/2000

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CON ED OF NY MANHOLE#43452 (Continued)

S109786655

A100173346

N/A

AST

Transporter EPA ID: MAD039322250

CLEAN HARBORS ENVIRONMENTAL SERVICES, INC. Transporter Name:

Transporter Country: USA Transporter Phone: Not reported Trans 2 Date: 9/15/2000 Trans 2 EPA ID: Not reported Trans 2 Name: Not reported Not reported Trans 2 Address:

Trans 2 City, St, Zip: СТ Trans 2 Country: USA

Trans 2 Phone: Not reported EPA ID: NYP004061602 2123384488 Generator Phone:

Generator Mailing Addr: SHERMAN & 10TH AVE. MANHATTAN

Generator Mailing Town: Not reported

Generator Mailing State: NY

Generator Mailing Zip: Not reported Generator Mailing Country: USA

Special Handling: Not reported Discrepancies: No

Date Shipped: 9/9/2000 Date Received: 9/15/2000 Last modified date: 4/27/2004

Last modified by: IG

Comments: Not reported

R95 570 WEST 204, LLC West **570 WEST 204TH STREET** 1/8-1/4 NEW YORK, NY 10034

0.199 mi.

1051 ft. Site 5 of 9 in cluster R

AST: Relative:

STATE Region: Higher DEC Region: Actual: Site Status: Active 20 ft. Facility Id: 2-252441 Program Type: **PBS**

UTM X: 590914.43504000001 UTM Y: 4524291.5618099999

Expiration Date: 2012/02/12

Tank Number: 1 11848 Tank Id: Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 1/1/1922 Capacity Gallons: 6000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **MSBAPTIS**

Direction Distance

Elevation Site Database(s) **EPA ID Number**

570 WEST 204, LLC (Continued)

A100173346

EDR ID Number

Last Modified: 4/22/2010

Equipment Records:

B00 - Tank External Protection - None

H04 - Tank Leak Detection - Groundwater Well

A00 - Tank Internal Protection - None C00 - Pipe Location - No Piping

104 - Overfill - Product Level Gauge (A/G) G00 - Tank Secondary Containment - None

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None

Affiliation Records:

Site Id: 10175

Affiliation Type: **Emergency Contact**

Company Name: 570 WEST 204, LLC C/O REM RESIDENTIAL

Contact Type: Not reported Contact Name: **RICK ELEZI** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (212) 260-8060 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 4/22/2010

Site Id: 10175

On-Site Operator Affiliation Type: Company Name: 570 WEST 204, LLC Contact Type: Not reported Contact Name: FREDDY ESPILLAT

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (646) 423-4424 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 4/22/2010

Site Id: 10175 Affiliation Type: Owner

Company Name: 570 WEST 204, LLC C/O REM RESIDENTIAL

Contact Type: **AGENT** Contact Name: RICK ELEZI Address1: 110 E17TH ST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

570 WEST 204, LLC (Continued)

A100173346

Address2: Not reported NEW YORK City: NY State: Zip Code: 10003 Country Code: 001

(212) 260-8060 Phone: Phone Ext: Not reported

SHANE@BRMNYC.COM Email:

Fax Number: Not reported Modified By: **MSBAPTIS** 4/22/2010 Date Last Modified:

Site Id: 10175 Affiliation Type: Mail Contact

Company Name: 570 WEST 204, LLC C/O REM RESIDENTIAL

Contact Type: **AGENT** Contact Name: RICK ELEZI 110 E17TH ST Address1: Address2: Not reported **NEW YORK** City: State: NY

Zip Code: 10003 Country Code: 001

Phone: (212) 260-8060 Phone Ext: Not reported

Email: SHANE@BRMNYC.COM

Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 4/22/2010

Q96 **CONSOLIDATED EDISON** North SHERMAN AVE / 10TH AVE

NEW YORK, NY 1/8-1/4

0.200 mi.

1054 ft. Site 4 of 14 in cluster Q

Relative: Higher

NY MANIFEST:

EPA ID: NYP004108643

Country: USA

Actual: Mailing Name: CONSOLIDATED EDISON 20 ft.

Mailing Contact: FRANKLIN MURRAY Mailing Address: 4 IRVING PLACE RM 828

Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported

Mailing Country: USA

Mailing Phone: 212-460-2808

Document ID: NYE1277793 Manifest Status: Not reported Trans1 State ID: NYD006982359 Trans2 State ID: Not reported Generator Ship Date: 03/16/2003 03/16/2003 Trans1 Recv Date: Trans2 Recv Date: Not reported

MANIFEST

1009242152

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009242152

EDR ID Number

TSD Site Recv Date: 03/17/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004108643
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: 96590JE

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00047

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method:

Specific Gravity:

91.00

Year:

Manifest Tracking Num:

Not reported

Monort Ind:

Not reported

Not reported Import Ind: **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

MAQ0255030 Document ID: Manifest Status: Not reported Trans1 State ID: MAD039322250 Trans2 State ID: Not reported Generator Ship Date: 03/17/2003 03/17/2003 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 03/19/2003 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004108643 Generator EPA ID: Trans1 EPA ID: MAD053452637 Trans2 EPA ID: Not reported TSDF ID: 13014MA

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00001

Units: Y - Cubic yards* (.85 tons)

Number of Containers: 001

Container Type: DT - Dump trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 03

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

1009242152

Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYE0261483 Manifest Status: Not reported Trans1 State ID: NYD006982359 Trans2 State ID: NYD006982359 Generator Ship Date: 03/18/2003 Trans1 Recv Date: 03/18/2003 Trans2 Recv Date: 03/19/2003 TSD Site Recv Date: 03/20/2003 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004108643 Trans1 EPA ID: NYD077444263 Trans2 EPA ID: Not reported TSDF ID: 46630JM

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00050

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill. Specific Gravity: 01.00 Year: 03

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

O97 DYCKMAN HOUSES S102671658 **LTANKS** SW **3790 10TH AVENUE HIST LTANKS** N/A

1/8-1/4 0.200 mi.

1055 ft. Site 2 of 3 in cluster O

MANHATTAN, NY

LTANKS: Relative: Site ID: Lower

116046 Spill No: 9013033 Actual: Spill Date: 3/21/1991 15 ft. Spill Cause: Tank Overfill

> Spill Source: Commercial/Industrial

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/17/1994

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

S102671658

EDR ID Number

Facility Addr2: Not reported 11/17/1994 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 Investigator: **HEALY** Referred To: Not reported Reported to Dept: 3/21/1991 CID: 15

Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/2/1991
Spill Record Last Update: 11/17/1994
Spiller Name: Not reported
Spiller Company: NYCHA

Spiller Address: 250 BROADWAY
Spiller City, St, Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 101014

DEC Memo: Not reported

False

Remarks: OIL WAS SPILLED FROM AN OVERFILLED OIL TANK.

Material:

Site ID: 116046 Operable Unit ID: 950277 Operable Unit: 01 425935 Material ID: Material Code: 0002 #4 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: 100 Units: Gallons Recovered: No Resource Affected: Not reported

Tank Test:

Oxygenate:

Site ID: 116046
Spill Tank Test: 1538355
Tank Number: Not reported
Tank Size: 0

Tank Size: 0
Test Method: 00
Leak Rate: 0

Gross Fail: Not reported Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

S102671658

EDR ID Number

HIST LTANKS:

Region of Spill: 2

Spill Number: 9013033
Spill Date: 03/21/1991
Spill Time: 22:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/17/94 Cleanup Ceased: 11/17/94 Cleanup Meets Standard: True Investigator: **HEALY** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/21/91 Reported to Department Time: 22:09 SWIS:

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYCHA

Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, N.Y.

Spiller Cleanup Date: / /

Facility Contact:

Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Not reported

Not reported

Fire Department

2-474843

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/02/91
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 11/17/94 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

S102671658

EDR ID Number

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL

Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: 11/16/94: REASSIGNED FROM SIGONA TO HEALY ON 11/16/94.

Spill Cause: OIL WAS SPILLED FROM AN OVERFILLED OIL TANK.

·_____

 M98
 536 REALTY CO. LLC
 AST
 A100292510

 NNW
 536 ISHAM STREET
 N/A

1/8-1/4 NEW YORK, NY 10034

0.200 mi.

1055 ft. Site 7 of 11 in cluster M

 Relative:
 AST:

 Higher
 Region:
 STATE

 DEC Region:
 2

 Actual:
 Site Status:
 Active

 24 ft.
 Facility Id:
 2-604745

 Program Type:
 PBS

UTM X: 591141.64051000006 UTM Y: 4524527.07314 Expiration Date: 2015/03/10

 Tank Number:
 001

 Tank Id:
 58804

 Tank Location:
 1

Tank Type: Fiberglass Coated Steel

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/5/1955
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 3/3/2010

Equipment Records:

L00 - Piping Leak Detection - None K00 - Spill Prevention - None

B00 - Tank External Protection - None

J00 - Dispenser - None

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

C03 - Pipe Location - Aboveground/Underground Combination

E00 - Piping Secondary Containment - None

Direction Distance

Elevation Site Database(s) EPA ID Number

536 REALTY CO. LLC (Continued)

A100292510

EDR ID Number

105 - Overfill - Vent Whistle

A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel F00 - Pipe External Protection - None

Affiliation Records:

Site Id: 26614

Affiliation Type: Emergency Contact
Company Name: 526 REALTY CO.LLC

Contact Type: Not reported
Contact Name: MARC BARMORIN
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported

Country Code: 999

Phone: (646) 210-7142

Phone Ext: 3021

Email: Not reported Fax Number: Not reported Modified By: MSBAPTIS Date Last Modified: 3/3/2010

Site Id: 26614 Affiliation Type: Owner

Company Name: 526 REALTY CO.LLC

Contact Type: MEMBER
Contact Name: MEI BOUSKILA

Address1: 1 PENN PLAZA - SUITE 4000

Address2: Not reported City: NEW YORK State: NY Zip Code: 10119 Country Code: 001

 Phone:
 (212) 564-2111

 Phone Ext:
 3021

 Email:
 Not reported

Fax Number: Not reported Modified By: MSBAPTIS Date Last Modified: 3/3/2010

Site Id: 26614
Affiliation Type: Mail Contact
Company Name: MEIR BOUSKILA
Contact Type: Not reported

Contact Name: PINNACLE MGMT CO. LLC
Address1: 1 PENN PLAZA - SUITE 4000

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10119

 Country Code:
 001

Phone: (212) 564-2111

Phone Ext: 3021
Email: Not reported
Fax Number: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

536 REALTY CO. LLC (Continued)

A100292510

EDR ID Number

Modified By: MSBAPTIS
Date Last Modified: 3/3/2010

Site Id: 26614

Affiliation Type: On-Site Operator
Company Name: 536 REALTY CO. LLC

Contact Type: Not reported Contact Name: LOURDES Address1: Not reported Address2: Not reported City: Not reported Not reported Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (917) 218-3769
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/3/2010

M99 ISHAM REALTY CO. LLC HIST UST U003758097
NNW 536 ISHAM STREET N/A

1/8-1/4 NEW YORK, NY 10034 0.200 mi.

1055 ft. Site 8 of 11 in cluster M

Relative: HIST UST:

Higher PBS Number: 2-604745 SPDES Number: Not reported

Actual: Emergency Contact: HARRIET TEDESCO 24 ft. Emergency Telephone: (718) 824-5001

Operator: WILSON CASTILLO
Operator Telephone: (917) 533-4105

Owner Name: ISHAM REALTY CO. LLC
Owner Address: 2123 WILLIAMSBRIDGE ROAD

Owner City,St,Zip: BRONX, NY 10461
Owner Telephone: (718) 824-5001
Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: ISHAM REALTY CO. LLC
Mailing Address: 2123 WILLIAMSBRIDGE ROAD

Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10461
Mailing Contact: JOSEFINA MEDINA
Mailing Telephone: (718) 824-5001
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: Not reported SWIS ID: 6201
Old PBS Number: Not reported

Facility Type: APARTMENT BUILDING

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ISHAM REALTY CO. LLC (Continued)

U003758097

Certification Flag: False Certification Date: 12/14/2001 10/20/2005 **Expiration Date:** Renew Flag: False Renewal Date: Not reported 5000 **Total Capacity:** FAMT: True

Facility Screen: No Missing Data Owner Screen: No Missing Data Tank Screen: Minor Data Missing

False Dead Letter: CBS Number: Not reported NEW YORK CITY Town or City: 62

County Code: Town or City: 01 Region: 2

Tank Id: 001

Tank Location: **UNDERGROUND** Tank Status: In Service Install Date: Not reported

Capacity (gals): 5000

NOS 5 OR 6 FUEL OIL Product Stored: Tank Type: Steel/carbon steel

Tank Internal: None Tank External: Not reported

Pipe Location: Aboveground/Underground Combination

Pipe Type: **GALVANIZED STEEL**

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: Vent Whistle Dispenser: Not reported Not reported Date Tested: Not reported Next Test Date: Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

M100 **536-44 ISHAM ST** AST U004045634 NNW **536-44 ISHAM ST** N/A

1/8-1/4 NEW YORK, NY 10034 0.200 mi.

1055 ft. Site 9 of 11 in cluster M

AST: Relative: Higher

Region: STATE DEC Region:

Actual: Site Status: Administratively Closed 24 ft. Facility Id: 2-200409

Program Type: **PBS**

591122.68050999998 UTM X: UTM Y: 4524537.0316300001

Expiration Date: N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

536-44 ISHAM ST (Continued)

U004045634

EDR ID Number

Tank Number: 001
Tank Id: 24886
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Administratively Closed

Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 5000 Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
7/11/2003
Register:
True
Modified By:
TRANSLAT
Last Modified:
3/4/2004

Equipment Records:

D00 - Pipe Type - No Piping H99 - Tank Leak Detection - Other I05 - Overfill - Vent Whistle J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

C02 - Pipe Location - Underground/On-ground

F01 - Pipe External Protection - Painted/Asphalt Coating

G99 - Tank Secondary Containment - Other B00 - Tank External Protection - None

Affiliation Records:

Site Id: 6750 Affiliation Type: Owner

Company Name: DIMITRIOS KALOIDIS

Contact Type: Not reported Contact Name: Not reported

Address1: 54 LIVINGSTON STREET, #2

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11201

 Country Code:
 001

Phone: (718) 330-1217
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6750

Affiliation Type: Mail Contact

Company Name: Not reported

Contact Type: Not reported

Contact Name: E. M. REALTY MGMT. CORP. Address1: 54 LIVINGSTON STREET, #2

Address2: Not reported City: BROOKLYN State: NY Zip Code: 11201

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

536-44 ISHAM ST (Continued)

U004045634

Country Code: 001

(718) 330-1217 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 6750

Affiliation Type: **Emergency Contact DIMITRIOS KALOIDIS** Company Name:

Contact Type: Not reported Contact Name: ELIA G. MALARA Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(718) 330-1217 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 6750

Affiliation Type: On-Site Operator 536-44 ISHAM ST Company Name: Contact Type: Not reported Contact Name: JUAN CASTILLO Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (914) 423-0656 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

S101 **CONSOLIDATED EDISON** SSW 431 W 203 ST BOX 24164 1/8-1/4 NEW YORK, NY 10029

0.201 mi.

1063 ft. Site 1 of 2 in cluster S

NY MANIFEST: Relative:

EPA ID: NYP004128633 Lower

Country: USA

Actual: Mailing Name: CONSOLIDATED EDISON 12 ft. Mailing Contact: FRANKLIN MURRAY Mailing Address: 4 IRVING PLACE RM 828

> Mailing Address 2: Not reported Mailing City: **NEW YORK**

1009243403

N/A

MANIFEST

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243403

EDR ID Number

Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

NYE0658008 Document ID: Manifest Status: Not reported Trans1 State ID: NYD006982359 Trans2 State ID: Not reported 01/30/2005 Generator Ship Date: 01/30/2005 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 01/31/2005 Part A Recv Date: Not reported Not reported Part B Recv Date: NYP004128633 Generator EPA ID: Trans1 EPA ID: 46299JM Trans2 EPA ID: Not reported TSDF ID: NYD980593636

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 00145

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported

Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYE0658008 Manifest Status: Not reported Trans1 State ID: NYD006982359 Trans2 State ID: Not reported Generator Ship Date: 01/30/2005 Trans1 Recv Date: 01/30/2005 Trans2 Recv Date: Not reported TSD Site Recv Date: 01/31/2005 Part A Recv Date: Not reported Not reported Part B Recv Date: Generator EPA ID: NYP004128633 Trans1 EPA ID: 46299JM Trans2 EPA ID: Not reported TSDF ID: NYD980593636

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

1009243403

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 00145

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: Not reported Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported

Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

A100321707 P102 THE CAROLINE APARTMENTS AST NW 210 SHERMAN AVE. N/A

1/8-1/4 0.203 mi.

1071 ft. Site 2 of 7 in cluster P

NEW YORK, NY 10034

AST: Relative:

STATE Region: Higher DEC Region:

Actual: Site Status: Unregulated 22 ft. 2-610956 Facility Id: Program Type: **PBS**

UTM X: Not reported Not reported

UTM Y: **Expiration Date:** N/A

Tank Number: 1 225725 Tank Id: Tank Location:

Tank Type: Steel/Carbon Steel/Iron Tank Status: Closed - In Place Tank Model: Not reported Not reported Pipe Model: 9/9/1982 Install Date: Capacity Gallons: 10000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: 9/25/2008 Register: True Modified By: dxliving Last Modified: 10/29/2008

Equipment Records:

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron

Direction Distance

Elevation Site Database(s) EPA ID Number

THE CAROLINE APARTMENTS (Continued)

A100321707

EDR ID Number

100 - Overfill - None

C03 - Pipe Location - Aboveground/Underground Combination

H00 - Tank Leak Detection - None

E00 - Piping Secondary Containment - None

F00 - Pipe External Protection - None

G02 - Tank Secondary Containment - Vault (w/access) B01 - Tank External Protection - Painted/Asphalt Coating

L00 - Piping Leak Detection - None K00 - Spill Prevention - None

Affiliation Records:

Site Id: 405509 Affiliation Type: Owner

Company Name: CAROLINE APARTMENTS PRESERVATION, LP

Contact Type: VICE PRESIDENT
Contact Name: MARK E. CARBONE
Address1: 60 COLUMBUS CIRCLE

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10023

 Country Code:
 001

Phone: (212) 801-1073
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/20/2008

Site Id: 405509

Affiliation Type: On-Site Operator

Company Name: THE CAROLINE APARTMENTS

Contact Type: Not reported

Contact Name: MIGUEL HERNANDEZ

Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001

Phone: (212) 304-8526
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/29/2008

Site Id: 405509

Affiliation Type: Emergency Contact

Company Name: CAROLINE APARTMENTS PRESERVATION, LP

Contact Type: Not reported

Contact Name: MIGUEL HERNANDEZ

Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

THE CAROLINE APARTMENTS (Continued)

A100321707

Country Code: 999

Phone: (917) 544-3274
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/29/2008

Site Id: 405509 Affiliation Type: Mail Contact

Company Name: RELATED MANAGEMENT COMPANY

Contact Type: Not reported
Contact Name: HECTOR PINERO
Address1: 423 WEST 55TH STREET

Address2: Not reported City: NEW YORK State: NY Zip Code: 10019 Country Code: 001

Phone: (212) 981-3525
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/20/2008

\$103 NYNEX MANIFEST 1009233874
\$SW 203RD ST/9TH AVE N/A

1/8-1/4 NEW YORK, NY 10027

0.204 mi.

1076 ft. Site 2 of 2 in cluster S

Relative: NY MANIFEST:

Lower EPA ID: NYP000922237
Country: USA

Actual: Mailing Name: NYNEX
11 ft. Mailing Contact: SUSHM

Mailing Contact: SUSHMITA BISWAS
Mailing Address: 221 EAST 37TH STREET

Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10016 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-338-7126

Document ID: MIA4133892

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 951010 Trans1 Recy Date: 951010 Trans2 Recy Date: Not reported TSD Site Recv Date: 951025 Part A Recv Date: Not reported Part B Recv Date: 951113

Generator EPA ID: NYP000922237

Direction Distance

Elevation Site Database(s) EPA ID Number

NYNEX (Continued) 1009233874

Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSDF ID: MID096963194

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 00200
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method:

Specific Gravity:

Year:

Manifest Tracking Num:

Not reported

Not reported

Not reported Import Ind: **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

541 ISHAM STREET UST U004076340

NNW 541 ISHAM STREET 1/8-1/4 NEW YORK, NY 10034

0.206 mi.

M104

1089 ft. Site 10 of 11 in cluster M

Relative: UST:

 Higher
 Facility Id:
 2-116904

 Region:
 STATE

 Actual:
 DEC Region:
 2

 24 ft.
 Site Status:
 Active

Program Type: PBS Expiration Date: 2010/04/25

UTM X: 591138.28237999999 UTM Y: 4524560.1170600001

Site ID: 3959

Tank Number: 001 Tank ID: 7892 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Not reported Install Date: Capacity Gallons: 5000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 6

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 4/25/2005

N/A

EDR ID Number

Direction Distance Elevation

Site Database(s) **EPA ID Number**

541 ISHAM STREET (Continued)

U004076340

EDR ID Number

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination

E00 - Piping Secondary Containment - None

F01 - Pipe External Protection - Painted/Asphalt Coating

101 - Overfill - Float Vent Valve

D01 - Pipe Type - Steel/Carbon Steel/Iron

G01 - Tank Secondary Containment - Diking (Aboveground) B01 - Tank External Protection - Painted/Asphalt Coating H05 - Tank Leak Detection - In-Tank System (ATG)

J03 - Dispenser - Gravity

F06 - Pipe External Protection - Wrapped

105 - Overfill - Vent Whistle

K00 - Spill Prevention - None

A01 - Tank Internal Protection - Epoxy Liner B05 - Tank External Protection - Jacketed

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G) L02 - Piping Leak Detection - Interstitial - Manual Monitoring G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

Affiliation Records:

3959 Site Id:

Affiliation Type: **Emergency Contact** Company Name: BIH REALTY CORP. Contact Type: Not reported

SHABAN CELAJ Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code:

Not reported Country Code: Phone: (718) 882-8116

Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 4/25/2005

Site Id: 3959 Affiliation Type: Mail Contact

Company Name: BIH REALTY CORP.

Contact Type: **PRESIDENT** Contact Name: SHABAN CELAJ Address1: 754 MACE AVENUE

Address2: Not reported City: **BRONX** State: NY Zip Code: 10467 Country Code: 001

Phone: (718) 882-8116 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **KXTANG** Modified By: Date Last Modified: 4/25/2005

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

541 ISHAM STREET (Continued)

U004076340

Site Id: 3959

Affiliation Type: On-Site Operator Company Name: 541 ISHAM STREET Contact Type: Not reported Contact Name: SALMAN HOTI Address1: Not reported Not reported Address2: City: Not reported State: NN Not reported

Zip Code: Country Code: 001

(212) 567-0455 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported KXTANG Modified By: Date Last Modified: 4/25/2005

Site Id: 3959 Affiliation Type: Owner

Company Name: BIH REALTY CORP. Contact Type: **PRESIDENT** Contact Name: SHABAN CELAJ Address1: 754 MACE AVENUE

Address2: Not reported City: **BRONX** State: NY Zip Code: 10467 Country Code: 001

(718) 882-8116 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 4/25/2005

HIST UST U000396553 M105 **541 ISHAM STREET** NNW **541 ISHAM STREET** N/A

1/8-1/4 0.206 mi.

1089 ft. Site 11 of 11 in cluster M

Relative:

HIST UST:

PBS Number: 2-116904 Higher SPDES Number: Not reported

NEW YORK, NY 10034

Actual: **Emergency Contact:** NARCISA CASTILLO 24 ft. Emergency Telephone: (212) 942-0859

Operator: NARCISA CASTILLO Operator Telephone: (212) 942-0859

Owner Name: FERNANDO VALENTE & JACK DA SILVA

Owner Address: 54 LINCOLN BLVD Owner City,St,Zip: BETHPAGE, NY 11714 Owner Telephone: (516) 579-7335 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

FERNANDO VALENTE & JACK DA SILVA Mailing Name:

54 LINCOLN BLVD Mailing Address: Mailing Address 2: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

541 ISHAM STREET (Continued)

U000396553

EDR ID Number

Mailing City, St, Zip: BETHPAGE, NY 11714

Mailing Contact: Not reported
Mailing Telephone: (516) 579-7335
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 541 ISHAM STREET

SWIS ID: 6201
Old PBS Number: Not reported

Facility Type: APARTMENT BUILDING

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False 06/19/1997 Certification Date: **Expiration Date:** 06/05/2002 Renew Flag: False Not reported Renewal Date: 5000

Total Capacity: 5000 FAMT: True

Facility Screen:

Owner Screen:

Tank Screen:

Dead Letter:

CBS Number:

Town or City:

No Missing Data

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service
Install Date: Not reported
Capacity (gals): 5000

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Epoxy Liner

Tank External: Painted/Asphalt Coating

Pipe Location: Aboveground Pipe Type: STEEL/IRON Pipe Internal: Epoxy Liner

Pipe External: Painted/Asphalt Coating

Second Containment: Diking Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

P106 204 SHERMAN AVE LTANKS S103517650
WNW 204 SHERMAN AVE HIST LTANKS N/A

WNW 204 SHERMAN AVE HIST LTANKS N/A
1/8-1/4 NEW YORK CITY, NY AST

0.210 mi.

1110 ft. Site 3 of 7 in cluster P

Relative: LTANKS:

 Higher
 Site ID:
 155065

 Spill No:
 8800633

 Actual:
 Spill Date:
 4/20/1988

 21 ft.
 Spill Cause:
 Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/2/1992 Facility Addr2: Not reported Cleanup Ceased: 11/2/1992 Cleanup Meets Standard: False SWIS: 3101 Investigator: **BATTISTA** Referred To: Not reported Reported to Dept: 4/20/1988 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/25/1988
Spill Record Last Update: 5/12/1994
Spiller Name: Not reported

Spiller Company: ST.MATHEW LUTHERAN SCHOOL

Spiller Address: 204 SHERMAN AVE Spiller City,St,Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 131432
DEC Memo: Not reported

Remarks: 15K TANK SYSTEM FAILED PETRO TITE, PRODUCT LEVEL WOULDN'T HOLD IN

STANDPIPE. CONTACT: MICHAEL WILLIAMS (212)- 567-2699.

Material:

Site ID: 155065 Operable Unit ID: 917631 Operable Unit: 01 Material ID: 459811 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: -1

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

EDR ID Number

HIST AST

Direction Distance

Elevation Site Database(s) EPA ID Number

204 SHERMAN AVE (Continued)

S103517650

EDR ID Number

Tank Test:

Site ID: 155065
Spill Tank Test: 1533700
Tank Number: Not reported

Tank Size: 0
Test Method: 00
Leak Rate: 0

Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 8800633

 Spill Date:
 04/20/1988

 Spill Time:
 12:30

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/02/92 Cleanup Ceased: 11/02/92 Cleanup Meets Standard: False Investigator: **BATTISTA** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 04/20/88 Reported to Department Time: 13:01 SWIS: 62

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: ST.MATHEW LUTHERAN SCHOOL

Spiller Address: 204 SHERMAN AVE Spiller City,St,Zip: NEW YORK, N.Y.

Spiller Cleanup Date: //

Facility Contact:

Facility Phone:

Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Last Inspection:

Not reported

Tank Tester

2-399809

Last Inspection:

/ /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Direction Distance

Elevation Site Database(s) EPA ID Number

204 SHERMAN AVE (Continued)

S103517650

EDR ID Number

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/2

Date Spill Entered In Computer Data File: 04/25/88
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 05/12/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Not reported Units: Quantity Recovered: O Unkonwn Quantity Recovered: False #2 FUEL OIL Material: Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported Last Date: 19941207

DEC Remarks: / / : 21 1 1 0 2 N.T.R2 2-065137 0314100/00+ 0 11 1 1 0 2 N.T.R2 2-065137

0324100/00+ 0 11 1 1 0 2 N.T.R2 2.

Spill Cause: 15K TANK SYSTEM FAILED PETRO TITE, PRODUCT LEVEL WOULDN T HOLD IN STANDPIPE.

CONTACT: MICHAEL WILLIAMS 212)- 567-2699.

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-271802
Program Type: PBS

UTM X: 590956.99962999998 UTM Y: 4524394.3402300002

Expiration Date: 2011/08/08

Tank Number: 001
Tank Id: 9149
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1929
Capacity Gallons: 4000
Tightness Test Method: NN

Date Test:

Not reported

Next Test Date:

Not reported

Not reported

Not reported

Not reported

Not reported

True

Modified By:

Not reported

Register:

True

MAP FINDINGS Map ID Direction

Distance

Elevation Site Database(s) **EPA ID Number**

204 SHERMAN AVE (Continued)

S103517650

EDR ID Number

Last Modified: 2/13/2007

Equipment Records:

104 - Overfill - Product Level Gauge (A/G)

C00 - Pipe Location - No Piping H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

L09 - Piping Leak Detection - Exempt Suction Piping

F00 - Pipe External Protection - None

G03 - Tank Secondary Containment - Vault (w/o access)

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 11486 Mail Contact Affiliation Type:

Company Name: **BRONSTEIN PROPERTIES, LLC**

Contact Type: Not reported Contact Name: PAUL MAYERS

Address1: 108-18 QUEENS BLVD SUITE, 302

Address2: Not reported City: FOREST HILLS

State: NYZip Code: 11375 Country Code: 001

Phone: (718) 261-5235 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: msbaptis Date Last Modified: 2/13/2007

Site Id: 11486

On-Site Operator Affiliation Type: Company Name: 204 SHERMAN Contact Type: Not reported Contact Name: **JESUS** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 304-9131 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 11486 Affiliation Type: Owner

Company Name: INWOOD 204, LLC Contact Type: PROPERTY MGR Contact Name: PAUL MAYERS

Address1: 108-18 QUEENS BLVD SUITE, 302

Direction Distance Elevation

vation Site Database(s) EPA ID Number

204 SHERMAN AVE (Continued)

S103517650

EDR ID Number

Address2: Not reported City: FOREST HILLS

NY State: Zip Code: 11375 Country Code: 001 Phone: Not reported Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: msbaptis 2/13/2007 Date Last Modified:

Site Id: 11486

Affiliation Type: Emergency Contact
Company Name: 204 SHERMAN, LLC.
Contact Type: Not reported
Contact Name: DANNY CABRERA
Address1: Not reported

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported
Country Code: 001
Phone: (718) 796-9595
Phone Ext: Not reported

Email: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

HIST AST:

 PBS Number:
 2-271802

 SWIS Code:
 6201

 Operator:
 JESUS

 Facility Phone:
 (212) 304-9131

Facility Addr2: 204 SHERMAN AVE Facility Type: APARTMENT BUILDING Emergency: DANNY CABRERA Emergency Tel: (718) 796-9595 Old PBSNO: Not reported Not reported Date Inspected: Inspector: Not reported Result of Inspection: Not reported

Owner Name: 204 SHERMAN, LLC.
Owner Address: 3154 ALBANY CRESCENT - 2ND FL

Owner City,St,Zip: BRONX, NY 10463
Federal ID: Not reported
Owner Tel: (718) 796-9595
Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Contact: JONATHAN HOCHHAUSER

Mailing Name: PMG, INC.

Mailing Address: 3154 ALBANY CRESCENT

Mailing Address 2: 2ND FL

Mailing City,St,Zip: BRONX, NY 10463
Mailing Telephone: (718) 796-9595
Owner Mark: Second Owner

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

204 SHERMAN AVE (Continued)

S103517650

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False Certification Date: 09/30/1999 09/17/2004 Expiration: Renew Flag: False Renew Date: Not reported Total Capacity: 4000 FAMT: True

Facility Screen: No Missing Data Owner Screen: No Missing Data Minor Data Missing Tank Screen:

Dead Letter: False CBS Number: Not reported Town or City: **NEW YORK CITY**

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

ABOVEGROUND Tank Location: Tank Status: In Service Install Date: Not reported

Capacity (Gal): 4000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Not reported Pipe Location: STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Diking Leak Detection: 0 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False

Updated: False SPDES Number: Not reported Lat/Long: Not reported

204 SHERMAN AVENUE 204 SHERMAN AVENUE NEW YORK, NY 10034

1/8-1/4 0.210 mi.

P107

WNW

1110 ft. Site 4 of 7 in cluster P

AST: Relative:

Region: STATE Higher DEC Region:

Actual: Site Status: Administratively Closed

21 ft. 2-509221 Facility Id:

U004045165

N/A

AST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

204 SHERMAN AVENUE (Continued)

U004045165

Program Type: **PBS**

590956.99962999998 UTM X: UTM Y: 4524394.3402300002 **Expiration Date:** N/A

001 Tank Number: Tank Id: 39421 Tank Location:

Tank Type: Steel/Carbon Steel/Iron Tank Status: Administratively Closed

Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported 8/1/1999 Date Tank Closed: Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None F00 - Pipe External Protection - None C00 - Pipe Location - No Piping

104 - Overfill - Product Level Gauge (A/G)

J02 - Dispenser - Suction

B00 - Tank External Protection - None

Affiliation Records:

21751 Site Id:

Affiliation Type: On-Site Operator Company Name: 204 SHERMAN AVENUE

Contact Type: Not reported

JOSE SANCHEZHECTOR PICHARDO Contact Name:

Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 837-4800 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 21751

Affiliation Type: **Emergency Contact** FIRST SHERMAN CORP. Company Name:

Contact Type: Not reported

Contact Name: ANDRES REYNOSO

Direction Distance

Elevation Site Database(s) EPA ID Number

204 SHERMAN AVENUE (Continued)

U004045165

EDR ID Number

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 304-8526
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21751 Affiliation Type: Owner

Company Name: FIRST SHERMAN CORP.

Contact Type: Not reported Contact Name: Not reported

Address1: PO BOX 794, BOWLING GREEN STATION

Address2: Not reported City: NEW YORK State: NY Zip Code: 10004 Country Code: 001

Phone: (212) 837-4800
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21751 Affiliation Type: Mail Contact

Company Name: FIRST SHERMAN CORP.

Contact Type: Not reported
Contact Name: Not reported
Address1: PO BOX 794

Address2: BOWLING GREEN STATION

City: NEW YORK

State: NY

Zip Code: 10004-0794

Country Code: 001

Phone: (212) 837-4800
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Direction Distance

Elevation Site Database(s) EPA ID Number

P108 ST MATTHEW LUTHERAN CHURCH HIST UST U003074579
WNW 202/200 SHERMAN AVENUE HIST AST N/A

WNW 202/200 SHERMAN AVENUE 1/8-1/4 NEW YORK, NY 10034

HIST UST:

0.212 mi.

1120 ft. Site 5 of 7 in cluster P

Relative:

Higher PBS Number: 2-399809 SPDES Number: Not report

SPDES Number: Not reported

Actual: Emergency Contact: MICHAEL WILLIAMS

20 ft. Emergency Telephone: (212) 567-2699

Operator: ST MATTHEW LUTHERAN CHURCH

Operator Telephone: (212) 567-2699

Owner Name: ST MATTHEW LUTHERAN CHURCH

Owner Address: 202 SHERMAN AVE
Owner City,St,Zip: NEW YORK, NY 10034
Owner Telephone: (212) 567-2699
Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: ST MATTHEW LUTHERAN CHURCH

Mailing Address: 202 SHERMAN AVE

Mailing Address 2: Not reported

Mailing City, St, Zip: NEW YORK, NY 10034

Mailing Contact: Not reported
Mailing Telephone: (212) 567-2699
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 202 SHERMAN AVENUE

SWIS ID: 6201 Old PBS Number: Not reported OTHER Facility Type: Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Not reported Federal ID: Certification Flag: False 10/29/1997 Certification Date: **Expiration Date:** 10/29/2002 Renew Flag: False Renewal Date: Not reported **Total Capacity:** 3500 FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 1500

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

ST MATTHEW LUTHERAN CHURCH (Continued)

U003074579

EDR ID Number

Product Stored: NOS 1,2, OR 4 FUEL OIL

Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Not reported Pipe Internal: Pipe External: Not reported Second Containment: None Leak Detection: None

Overfill Prot: Product Level Gauge

Suction Dispenser: 05/01/1988 Date Tested: Next Test Date: 05/01/1993 Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Petro-Tite Deleted: False Updated: True Lat/long: Not reported

HIST AST:

PBS Number: 2-399809 SWIS Code: 6201

Operator: ST MATTHEW LUTHERAN CHURCH

Facility Phone: (212) 567-2699

Facility Addr2: 202 SHERMAN AVENUE

Facility Type: OTHER

Emergency: MICHAEL WILLIAMS
Emergency Tel: (212) 567-2699
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: ST MATTHEW LUTHERAN CHURCH

Owner Address: 202 SHERMAN AVE
Owner City,St,Zip: NEW YORK, NY 10034

Federal ID: Not reported

Owner Tel: (212) 567-2699

Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: Not reported

Mailing Name: ST MATTHEW LUTHERAN CHURCH

Mailing Address: 202 SHERMAN AVE

Mailing Address 2: Not reported

Mailing City,St,Zip: NEW YORK, NY 10034 Mailing Telephone: (212) 567-2699

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 10/29/1997
Expiration: 10/29/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ST MATTHEW LUTHERAN CHURCH (Continued)

U003074579

No Missing Data Facility Screen: Owner Screen: No Missing Data Tank Screen: Minor Data Missing

True

Dead Letter: False CBS Number: Not reported NEW YORK CITY Town or City:

County Code: 62 Town or City Code: 01 Region: 2

FAMT:

Tank ID: 002

ABOVEGROUND Tank Location: Tank Status: In Service Install Date: Not reported

Capacity (Gal): 2000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Not reported Pipe Internal: Pipe External: Not reported Tank Containment: None Leak Detection: 0

Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Not reported Lat/Long:

P109 UST U004125638 **PS/IS 263M** WNW **202 SHERMAN AVENUE** N/A

1/8-1/4 0.213 mi.

1124 ft. Site 6 of 7 in cluster P

NEW YORK, NY 10034

Relative: Higher

Actual:

UST:

Site ID:

Facility Id: 2-399809 STATE Region: DEC Region: 2

20 ft. Site Status: Unregulated

Program Type: **PBS Expiration Date:** N/A

UTM X: 590942.01873000001 UTM Y: 4524392.39647

19054

001

Tank Number: Tank ID: 21670

Tank Status: Closed - Removed

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

PS/IS 263M (Continued) U004125638

Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 1500 Tightness Test Method: 01

Next Test Date: Not reported 9/29/2008 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel

Date Test: 5/1/1988 Register: True Modified By: dxliving Last Modified: 4/2/2009

Equipment Records:

A00 - Tank Internal Protection - None G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None 104 - Overfill - Product Level Gauge (A/G) D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping

B00 - Tank External Protection - None

J02 - Dispenser - Suction

Tank Number: 002 Tank ID: 21671

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 2000 Tightness Test Method: NN

Next Test Date: Not reported 9/29/2008 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: dxliving Last Modified: 4/2/2009

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None 104 - Overfill - Product Level Gauge (A/G) H00 - Tank Leak Detection - None

C00 - Pipe Location - No Piping

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Affiliation Records:

Site Id: 19054 Affiliation Type: Mail Contact

NEW YORK CITY SCHOOL CONSTRUCTION AUTHORITY Company Name:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

PS/IS 263M (Continued) U004125638

Contact Type: Not reported EDWARD JALIL Contact Name:

Address1: 30-30 THOMSON AVENUE

Address2: Not reported LONG ISLAND CITY City:

State: NY 11101 Zip Code: Country Code: 001

Phone: (718) 472-8706 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: dxliving Date Last Modified: 4/2/2009

Site Id: 19054

Affiliation Type: On-Site Operator Company Name: **PS/IS 263M** Contact Type: Not reported

SCHOOL CONSTRUCTION AUTHORITY Contact Name:

Address1: Not reported Not reported Address2: City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (646) 208-1325 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: dxliving Date Last Modified: 4/2/2009

Site Id: 19054

Emergency Contact Affiliation Type:

Company Name: NEW YORK CITY SCHOOL CONSTRUCTION AUTHORITY

Contact Type: Not reported **EDWARD JALIL** Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (646) 208-1325 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: dxliving Date Last Modified: 4/2/2009

Site Id: 19054 Affiliation Type: Owner

NEW YORK CITY SCHOOL CONSTRUCTION AUTHORITY Company Name:

CHIEF PROJECT OFFICER Contact Type: Contact Name: NYC-SCA MR. JOSEPH BOVA Address1: 30-30 THOMSON AVENUE

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

PS/IS 263M (Continued) U004125638

Address2: Not reported City: LONG ISLAND CITY

State: NY
Zip Code: 11101
Country Code: 001

Phone: (718) 472-8706
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/2/2009

O110 CITIWIDE AUTO RCRA-NonGen 1000553845
SW 3795 10TH AVE FINDS NYD986962793

1/8-1/4 NEW YORK, NY 10034

0.216 mi.

1142 ft. Site 3 of 3 in cluster O

Relative: RCRA-NonGen:
Lower Date form received by agency: 01/01/2007

Facility name: CITIWIDE AUTO

Actual: Facility address: 3795 10TH AVE
14 ft. NEW YORK NY

14 ft. NEW YORK, NY 100341852

EPA ID: NYD986962793 Mailing address: 10TH AVE

NEW YORK, NY 10034

Contact: Not reported Contact address: Not AVE

10TH AVE NEW YORK, NY 10034

Contact country: US

Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: OMAR TABARES
Owner/operator address: UNKNOWN

UNKNOWN, NY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: OMAR TABARES
Owner/operator address: UNKNOWN

UNKNOWN, NY 99999

Owner/operator country: US

Owner/Operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Operator date: Not reported

Owner/Op start date: Not reported Owner/Op end date: Not reported **MANIFEST**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CITIWIDE AUTO (Continued)

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: Nο User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006 Facility name: CITIWIDE AUTO Classification: Not a generator, verified

Date form received by agency: 07/08/1999 Facility name: CITIWIDE AUTO Not a generator, verified Classification:

Date form received by agency: 01/29/1992 CITIWIDE AUTO Facility name:

Classification: Large Quantity Generator

Facility Has Received Notices of Violations: Regulation violated: Not reported

Area of violation: Generators - Records/Reporting

Date violation determined: 04/30/1993 Date achieved compliance: 08/04/1993 Violation lead agency: State

INITIAL 3008(A) COMPLIANCE Enforcement action:

08/04/1993 Enforcement action date: Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: State Proposed penalty amount: Not reported Final penalty amount: 1200 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 04/30/1993

Evaluation: NON-FINANCIAL RECORD REVIEW Area of violation: Generators - Records/Reporting

Date achieved compliance: 08/04/1993 Evaluation lead agency: State

FINDS:

1000553845

Direction Distance Elevation

tion Site Database(s) EPA ID Number

CITIWIDE AUTO (Continued)

1000553845

EDR ID Number

Registry ID: 110004472552

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986962793

Country: USA

Mailing Name:CITIWIDE MANHATTANMailing Contact:RUSS RODRIGUEZMailing Address:3795 10TH AVEMailing Address 2:Not reportedMailing City:NEW YORKMailing State:NY

Mailing State: NY
Mailing Zip: 10034
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 212-942-2324

Document ID: PAC8433235 Manifest Status: Completed copy Trans1 State ID: PAAH0172 Trans2 State ID: Not reported Generator Ship Date: 921230 Trans1 Recv Date: 921230 Trans2 Recv Date: Not reported 930104 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: 930115 Generator EPA ID: NYD986962793 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: PAD987266715

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 00300

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Not reported Discr Type Ind: Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

CITIWIDE AUTO (Continued) 1000553845

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

N111 HN BALDWIN ISHAM LLC AST A100173318
NNW 549 ISHAM STREET N/A

NNW 549 ISHAM STREET 1/8-1/4 NEW YORK, NY 10034 0.217 mi.

1147 ft. Site 3 of 4 in cluster N

 Relative:
 AST:

 Higher
 Region:
 STATE

 DEC Region:
 2

 Actual:
 Site Status:
 Active

 25 ft.
 Facility Id:
 2-206741

 Program Type:
 PBS

UTM X: 591127.91856999998 UTM Y: 4524580.3065799996

Expiration Date: 2015/02/01

Tank Number: 001
Tank Id: 9569
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1930
Capacity Gallons: 3000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Register:
True
Modified By:
MSBAPTIS
Last Modified:
1/15/2010

Equipment Records:

104 - Overfill - Product Level Gauge (A/G)

H00 - Tank Leak Detection - None C00 - Pipe Location - No Piping

E00 - Piping Secondary Containment - None

J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

A00 - Tank Internal Protection - None

K99 - Spill Prevention - Other

G03 - Tank Secondary Containment - Vault (w/o access)

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 7302 Affiliation Type: Owner

Company Name: MN BALDWIN ISHAM LLC

Contact Type: PRESIDENT
Contact Name: MICHAEL DANIEL
Address1: 234 W 14TH STREET

Direction Distance

Elevation Site Database(s) EPA ID Number

HN BALDWIN ISHAM LLC (Continued)

A100173318

EDR ID Number

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10039

 Country Code:
 001

Phone: (212) 491-2635
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/5/2006

Site Id: 7302

Affiliation Type: Emergency Contact
Company Name: MN BALDWIN ISHAM LLC

Contact Type: Not reported
Contact Name: SARAH COHEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 999

Phone: (212) 491-2635
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 1/15/2010

Site Id: 7302 Affiliation Type: Mail Contact

Company Name: MN BALDWIN ISHAM LLC

Contact Type: Not reported
Contact Name: MICHAEL DANIEL
Address1: FORT GEORGE STATION

 Address2:
 P.O. BOX 697

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10040

 Country Code:
 001

Phone: (212) 491-2635
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/5/2006

Site Id: 7302

Affiliation Type: On-Site Operator

Company Name: HN BALDWIN ISHAM LLC

Contact Type: Not reported
Contact Name: MICHAEL BLAKE
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

HN BALDWIN ISHAM LLC (Continued)

A100173318

1008892080

NYP000959353

RCRA-NonGen

MANIFEST

MANIFEST

Zip Code: Not reported

Country Code: 001

(212) 491-2635 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported KXTANG Modified By: Date Last Modified: 9/5/2006

VERIZON NEW YORK INC. MANHOLE Q112

211TH ST 10TH AVE SW COR North

1/8-1/4 NEW YORK, NY 10034

0.218 mi.

1149 ft. Site 5 of 14 in cluster Q

RCRA-NonGen: Relative:

Date form received by agency: 03/02/2006 Higher

Facility name: VERIZON NEW YORK INC. MANHOLE Facility address: 211TH STREET AND 10TH AVE

Actual: 20 ft. NEW YORK, NY 10016

EPA ID: NYP000959353

Mailing address: E 37TH STREET 4TH FLOOR

NEW YORK, NY 10016

JEROME KUNG Contact:

Contact address: E 37TH STREET 4TH FLOOR

NEW YORK, NY 10016

Contact country: US

Contact telephone: (212) 338-6754

Telephone ext.: **KUNG**

Contact email: JEROME.KUNG@VERIZON.COM

EPA Region: 02

Classification:

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NO NAME FOUND Owner/operator address: Not reported

Not reported

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Operator Owner/Op start date: 12/31/1979 Owner/Op end date: Not reported

VERIZON NEW YORK INC. Owner/operator name: Owner/operator address: AVE OF AMERICAS NEW YORK, NY 10036

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 12/31/1979 Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

VERIZON NEW YORK INC. MANHOLE (Continued)

1008892080

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: Nο Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Used oil transporter:

Date form received by agency: 03/01/2006

VERIZON NEW YORK INC. MANHOLE Facility name:

No

Classification: Not a generator, verified

Date form received by agency: 02/28/2006

Facility name: VERIZON NEW YORK INC. MANHOLE

Classification: Large Quantity Generator

Date form received by agency: 10/11/2005

VERIZON NEW YORK INC. MANHOLE Facility name:

VERIZON Site name:

Classification: Not a generator, verified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP000959353

Country: USA Mailing Name: **VERIZON**

Mailing Contact: TIMOTHY MAYERS Mailing Address: 199 FULTON AVENUE

Mailing Address 2: Not reported Mailing City: **HEMPSTEAD**

Mailing State: NY Mailing Zip: 11550 Not reported Mailing Zip4: Mailing Country:

USA

516-292-8166 Mailing Phone:

NJA5300047 Document ID: Manifest Status: Not reported Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 10/11/2005 Trans1 Recy Date: 10/11/2005 Trans2 Recv Date: Not reported TSD Site Recv Date: 10/13/2005

Direction Distance Elevation

n Site Database(s) EPA ID Number

VERIZON NEW YORK INC. MANHOLE (Continued)

1008892080

EDR ID Number

Part A Recv Date:

Part B Recv Date:

Generator EPA ID:

Trans1 EPA ID:

Trans2 EPA ID:

TSDF ID:

Not reported

NYP000959353

NYP000959353

Not reported

Not reported

NJD002200046

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 00200
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 02400 Units: P - Pounds Number of Containers: 012

Container Type: DM - Metal drums, barrels

Handling Method: Not reported Specific Gravity: 01.00
Waste Code: Not reported Quantity: Not reported Units: Not reported Number of Containers: Not reported Container Type: Not reported

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: Not reported Year: 2005 Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA5300047 Manifest Status: Not reported Trans1 State ID: NJD003812047 Trans2 State ID: Not reported Generator Ship Date: 10/11/2005 Trans1 Recv Date: 10/11/2005 Trans2 Recv Date: Not reported TSD Site Recv Date: 10/13/2005 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP000959353 Generator EPA ID: Trans1 EPA ID: S17262 Trans2 EPA ID: Not reported TSDF ID: NJD002200046

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Direction Distance Elevation

vation Site Database(s) EPA ID Number

VERIZON NEW YORK INC. MANHOLE (Continued)

1008892080

EDR ID Number

Quantity: 00200
Units: P - Pounds

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 02400
Units: P - Pounds
Number of Containers: 012

Container Type: DM - Metal drums, barrels

Handling Method:
Specific Gravity:
O1.00
Waste Code:
Quantity:
Units:
Not reported
Number of Containers:
Not reported

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: Not reported Not reported Year: Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NJ MANIFEST:

Manifest Code: NJA5300047 NYP000959353 EPA ID: Date Shipped: 20051011 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJD003812047 NJD003812047 Transporter 2 EPA ID: Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Not reported Transporter 6 EPA ID: Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 051011 Date Trans2 Transported Waste: 051013 Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

VERIZON NEW YORK INC. MANHOLE (Continued)

1008892080

N/A

Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 051013 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: 01040621 Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Not reported Unit: Hand Code: Not reported

NYNEX MANIFEST 1009233871

North **211TH ST/10TH AVE** 1/8-1/4 NEW YORK, NY 10027

0.218 mi.

Q113

1149 ft. Site 6 of 14 in cluster Q

NY MANIFEST: Relative:

NYP000922195 EPA ID: Higher Country: USA

Actual: Mailing Name: NYNEX 20 ft.

Mailing Contact: SUSHMITA BISWAS Mailing Address: 221 EAST 37TH STREET

Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10016 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-338-7126

MIA4133887 Document ID:

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC Trans1 State ID:

Trans2 State ID: Not reported Generator Ship Date: 951006 Trans1 Recv Date: 951006 Trans2 Recv Date: 951010 TSD Site Recv Date: 951025 Part A Recv Date: Not reported Part B Recv Date: 951113 NYP000922195 Generator EPA ID: Trans1 EPA ID: NYD010951986 Trans2 EPA ID: NYD046765574 TSDF ID: MID096963194

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Not reported

00300 Quantity: Units: P - Pounds

Number of Containers: 001

DM - Metal drums, barrels Container Type:

Handling Method: L Landfill. Specific Gravity: 100

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYNEX (Continued) 1009233871

Year: 95

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Q114 **NEW YORK TELEPHONE** RCRA-NonGen 1007205148 NYP000912055 North W 211 & 10 AVE **MANIFEST**

1/8-1/4 NEW YORK, NY 10036

0.218 mi.

1151 ft. Site 7 of 14 in cluster Q

RCRA-NonGen: Relative:

Date form received by agency: 03/27/1994 Higher

Facility name: NEW YORK TELEPHONE

Actual: Facility address: W 211 & 10 AVE

20 ft.

NEW YORK, NY 100360000

EPA ID: NYP000912055 Mailing address: 1095 AVENUE OF THE AMERICAS

ROOM 3025

NEW YORK, NY 100360000

JOHN QUATRALE Contact:

Contact address: 1095 AVENUE OF THE AMERICAS

NEW YORK, NY 100360000

Contact country: US

Contact telephone: (212) 395-2436

Telephone ext.: 9999

Contact email: Not reported 02

EPA Region:

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Unknown Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: Unknown On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Unknown Used oil processor: Unknown User oil refiner: Unknown Used oil fuel marketer to burner: Unknown Used oil Specification marketer: Unknown Used oil transfer facility: Unknown Used oil transporter: Unknown

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW YORK TELEPHONE (Continued)

1007205148

EDR ID Number

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 03/26/1994

Facility name: NEW YORK TELEPHONE Classification: Not a generator, verified

Date form received by agency: 03/25/1994

Facility name: NEW YORK TELEPHONE Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP000912055

Country: USA
Mailing Name: NYNEX

Mailing Contact: JEFFREY BATT
Mailing Address: 1095 AVE OF AMER

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 212-395-6040

Document ID: NJA1600353

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPES50 Trans2 State ID: Not reported Generator Ship Date: 931117 Trans1 Recv Date: 931117 Not reported Trans2 Recv Date: TSD Site Recv Date: 931117 940127 Part A Recv Date: Part B Recv Date: 931221

 Generator EPA ID:
 NYP000912055

 Trans1 EPA ID:
 NYD980761191

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD002200046

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 00385

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 007

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Year: 93

Manifest Tracking Num:
Import Ind:
Export Ind:
Discr Quantity Ind:
Discr Type Ind:
Discr Residue Ind:
Discr Partial Reject Ind:
Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

NEW YORK TELEPHONE (Continued)

1007205148

N/A

Discr Full Reject Ind:

Manifest Ref Num:

Alt Fac RCRA Id:

Alt Fac Sign Date:

Mgmt Method Type Code:

Not reported

Not reported

Not reported

Not reported

P115 207 SHERMAN ASSOC., LLC. AST A100146977

WNW 201-211 SHERMAN AVENUE 1/8-1/4 NEW YORK, NY 10034

0.218 mi.

1153 ft. Site 7 of 7 in cluster P

 Relative:
 AST:

 Higher
 Region:
 STATE

 DEC Region:
 2

 Actual:
 Site Status:
 Active

 20 ft.
 Facility Id:
 2-275158

 Program Type:
 PBS

UTM X: 590941.17434000003 UTM Y: 4524391.9559899997

Expiration Date: 2014/05/25

Tank Number: 001
Tank Id: 13837
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1925
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
MSBAPTIS
Last Modified:
2/27/2009

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

F01 - Pipe External Protection - Painted/Asphalt Coating

A00 - Tank Internal Protection - None C01 - Pipe Location - Aboveground

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

H00 - Tank Leak Detection - None I05 - Overfill - Vent Whistle

B01 - Tank External Protection - Painted/Asphalt Coating

G99 - Tank Secondary Containment - Other

Affiliation Records:

Site Id: 11787 Affiliation Type: Owner

Company Name: 207 SHERMAN ASSOCIATES, LLC.

Contact Type: AGENT

Contact Name: CYNTHIA MARRERO
Address1: 888 7TH AVE, 24TH FL.

Direction Distance

Elevation Site Database(s) EPA ID Number

207 SHERMAN ASSOC., LLC. (Continued)

A100146977

EDR ID Number

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10019

 Country Code:
 001

Phone: (212) 755-5390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/27/2009

Site Id: 11787

Affiliation Type: On-Site Operator

Company Name: 207 SHERMAN ASSOC., LLC.

Contact Type: Not reported

Contact Name: FERNANDO MACIAS

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported
Country Code: 001
Phone: (347) 728-5689
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Modified By: MSBAPTIS
Date Last Modified: 2/27/2009

Site Id: 11787

Affiliation Type: Emergency Contact

Company Name: 207 SHERMAN ASSOCIATES, LLC.

Contact Type: Not reported

Contact Name: SDG MANAGEMENT

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 999

Phone: (212) 755-5390
Phone Ext: Not reported
Email: Not reported
Fox Number: Not reported

Fax Number: Not reported Modified By: kxtang
Date Last Modified: 5/5/2004

Site Id: 11787 Affiliation Type: Mail Contact

Company Name: C/O SDG MANAGEMENT CORP.

Contact Type: Not reported

Contact Name: 207 SHERMAN ASSOC., LLC Address1: 888 SEVENTH AVENUE

Address2: 24TH FLOOR

City: NEW YORK State: NY

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

207 SHERMAN ASSOC., LLC. (Continued)

A100146977

U003391296

N/A

AST

HIST AST

Zip Code: 10019 Country Code: 001

(212) 660-1237 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **NRLOMBAR** Date Last Modified: 11/7/2005

N116 FREEWAY COMPANY, LLC NNW **546 ISHAM STREET** 1/8-1/4 NEW YORK, NY 10034

0.222 mi.

1171 ft. Site 4 of 4 in cluster N

Relative:

AST:

Region: STATE Higher DEC Region: Actual: Site Status: Active

25 ft. Facility Id: 2-197122 Program Type: PBS

UTM X: 591124.02347999997 UTM Y: 4524561.2732100002

Expiration Date: 2012/10/06

Tank Number: 1 Tank Id: 21199 Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 12/6/1946 Install Date: 4000 Capacity Gallons: Tightness Test Method: NN

Not reported Date Test: Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: dxliving Last Modified: 10/10/2007

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)

F00 - Pipe External Protection - None C01 - Pipe Location - Aboveground H00 - Tank Leak Detection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

L09 - Piping Leak Detection - Exempt Suction Piping

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

105 - Overfill - Vent Whistle

B00 - Tank External Protection - None

K00 - Spill Prevention - None

Affiliation Records:

Site Id: 6466

Affiliation Type: Mail Contact

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FREEWAY COMPANY, LLC (Continued)

U003391296

Company Name: FREEWAY COMPANY, LLC

Contact Type: Not reported

Contact Name: LAWRENCE GEISINGER Address1: 455 CENTRAL PARK AVENUE

Address2: Not reported **SCARSDALE** City: State: NY10583 Zip Code: Country Code: 001

Phone: (914) 723-2121 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 6466 Affiliation Type: Owner

LAWRENCE GEISENGER Company Name:

Contact Type: **MEMBER**

Contact Name: LAWRENCE GEISINGER Address1: 455 CENTRAL PARK AVE.

Address2: Not reported City: **SCARSDALE**

State: NYZip Code: 10583 Country Code: 001

Phone: (914) 723-2121 Phone Ext: Not reported Email: Not reported Fax Number: Not reported dxliving Modified By: Date Last Modified: 10/10/2007

Site Id: 6466

Affiliation Type: On-Site Operator

Company Name: FREEWAY COMPANY, LLC

Contact Type: Not reported Contact Name: **FELIX OQUENDO** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 942-0766 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id:

Affiliation Type: **Emergency Contact** LAWRENCE GEISENGER Company Name:

Contact Type: Not reported Contact Name: **FELIX OQUENDO**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FREEWAY COMPANY, LLC (Continued)

U003391296

Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code: 999

Phone: (646) 345-7738 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 12/22/2004

HIST AST:

PBS Number: 2-197122 SWIS Code: 6201

FELIX OQUENDO Operator: Facility Phone: (212) 942-3714 Facility Addr2: 546 ISHAM STREET Facility Type: APARTMENT BUILDING Emergency: LAWRENCE GEISINGER

Emergency Tel: (914) 723-2121 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported Result of Inspection: Not reported

FREEWAY COMPANY, LLC Owner Name: Owner Address: 455 CENTRAL PARK AVE. SCARSDALE, NY 10583 Owner City, St, Zip:

Federal ID: Not reported Owner Tel: (914) 723-2121 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Contact: LAWRENCE GEISINGER Mailing Name: FREEWAY COMPANY, LLC Mailing Address: 455 CENTRAL PARK AVE.

Mailing Address 2: Not reported Mailing City, St, Zip: SCARSDALE, NY 10583

Mailing Telephone: (914) 723-2121 First Owner Owner Mark:

1 - Active PBS facility, i.e. total capacity of the PBS tanks is Facility Status:

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False Certification Date: 10/10/1997 10/06/2002 Expiration: Renew Flag: False Not reported Renew Date: Total Capacity: 4000 FAMT: True

Facility Screen: No Missing Data Owner Screen: No Missing Data Tank Screen: No Missing Data

Dead Letter: False CBS Number: Not reported Town or City: **NEW YORK CITY**

County Code: 62

Direction Distance

Elevation Site Database(s) EPA ID Number

FREEWAY COMPANY, LLC (Continued)

U003391296

EDR ID Number

Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 0

Pipe Location: Aboveground/Underground Combination

Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: Tank Containment: Diking Leak Detection: 0 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False

Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

87 POST AVENUE CORP.
AST U003396527
87 POST AVENUE HIST AST N/A

1/8-1/4 0.222 mi.

R117

West

1174 ft. Site 6 of 9 in cluster R

Relative: AST:

NEW YORK, NY 10034

Relative: Higher

Actual:

20 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-602240

Program Type: PBS UTM X: 590895.24037000001 UTM Y: 4524228.0412299996

Expiration Date: 2012/05/08

Tank Number: 001
Tank Id: 49642
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/5/1975
Capacity Gallons: 2500
Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

87 POST AVENUE CORP. (Continued)

U003396527

Date Tank Closed: Not reported Register: True Modified By: **MSBAPTIS** Last Modified: 9/18/2008

Equipment Records:

A00 - Tank Internal Protection - None E00 - Piping Secondary Containment - None

C01 - Pipe Location - Aboveground J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None

H99 - Tank Leak Detection - Other 105 - Overfill - Vent Whistle K00 - Spill Prevention - None L00 - Piping Leak Detection - None B05 - Tank External Protection - Jacketed

Affiliation Records:

Site Id: 24198 Affiliation Type: Mail Contact

Company Name: C/O DERMOT REALTY MGT. CO. INC

Contact Type: Not reported

Contact Name: THAYER ST PORTFOLIO INVESTOR, LLC

1775 BROADWAY, STE 510 Address1:

Address2: Not reported City: **NEW YORK** State: NY Zip Code: 10019 Country Code: 001

Phone: (212) 488-1770 Phone Ext: Not reported Email: Not reported Not reported Fax Number: **MSBAPTIS** Modified By: Date Last Modified: 9/19/2008

24198 Site Id: Affiliation Type: Owner

Company Name: THAYER ST PORTFOLIO INVESTOR, LLC

Contact Type: MGR

Contact Name: **RAJIVE MARET**

Address1: 1775 BROADWAY, STE 510

Address2: Not reported **NEW YORK** City: State: NY Zip Code: 10019 Country Code: 001

Phone: (212) 488-1770 Phone Ext: Not reported Email: Not reported Not reported Fax Number: **MSBAPTIS** Modified By: Date Last Modified: 9/18/2008

Site Id: 24198

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number**

87 POST AVENUE CORP. (Continued)

U003396527

EDR ID Number

Affiliation Type: **Emergency Contact**

THAYER ST PORTFOLIO INVESTOR, LLC Company Name:

Contact Type: Not reported Contact Name: **DOMINIQUE** Address1: Not reported Not reported Address2: Not reported City: State: NN

Zip Code: Not reported

Country Code: 999

(646) 235-5655 Phone: Phone Ext: Not reported Not reported Email: Fax Number: Not reported **MSBAPTIS** Modified By: 9/18/2008 Date Last Modified:

24198 Site Id:

On-Site Operator Affiliation Type: **87 POST AVENUE** Company Name: Contact Type: Not reported MARCUS SUAREZ Contact Name: Address1:

Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported

Country Code:

(917) 642-6671 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 9/18/2008

HIST AST:

PBS Number: 2-602240 SWIS Code: 6201

W. RICHARDSON Operator: Facility Phone: (718) 567-6098 Facility Addr2: Not reported

Facility Type: APARTMENT BUILDING Emergency: W. RICHARDSON (718) 601-5858 Emergency Tel: Old PBSNO: Not reported Not reported Date Inspected: Inspector: Not reported Result of Inspection: Not reported

87 POST AVENUE CORP. Owner Name: 3603 FIELDSTON ROAD Owner Address: Owner City, St, Zip: **BRONX, NY 10463** Federal ID: Not reported (718) 601-5858 Owner Tel: Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: Not reported

Mailing Name: 87 POST AVENUE CORP.

Direction Distance

Elevation Site Database(s) EPA ID Number

87 POST AVENUE CORP. (Continued)

U003396527

EDR ID Number

Mailing Address: 3603 FIELDSTON ROAD

Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10463
Mailing Telephone: (718) 601-5858
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 06/06/1995
Expiration: 05/23/2000
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 2500

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel

Tank Internal: 0 Tank External: 05

Lat/Long:

Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None

Pipe External: 00 Tank Containment: None 09 Leak Detection: Overfill Protection: 64 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Not reported Date Closed: Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported

Not reported

Direction Distance

Distance EDR ID Number
Elevation Site EDR ID Number

R118 DERMOT COMPANY LTANKS S109064288
West 87 POST AVE N/A

1/8-1/4 NEW YORK, NY

0.222 mi.

1174 ft. Site 7 of 9 in cluster R

LTANKS:

Relative: Higher

 Site ID:
 396842

 Spill No:
 0800991

 Spill Date:
 4/24/2008

 Spill Course
 Took Took

Actual: Spill Date: 4/24/2008
20 ft. Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/16/2008 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: bkfalvey Referred To: Not reported Reported to Dept: 4/24/2008 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/24/2008
Spill Record Last Update: 12/16/2008

Spiller Name: CARMEN SANTIAGO

Spiller Company: APART
Spiller Address: 87 POST AVE
Spiller City,St,Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: CARMEN SANTIAGO
Spiller Phone: (646) 673-6714
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 346313

DEC Memo: 5/2/08 bf: sent ttf letter to: Carmen Santiago Thayer street

portfolio Investor LLC c/o The Dermot Company 1775 Broadway, Suite 510 New York, NY 10019 08/21/08-Vought-See also open spill #0805791 for 250 gallon spill on 8/20 resulting from overfill of this tank and

associated violation order. 9/3/08 PBS settlement conference scheduled for 9/10/08 at 1:30 PM. bf 12/16/08 Yesterday held PBS settlement conference with Jack Jaffa (expediter) and Asher Taub (attorney) representatives for Dermot. They provided documentation to close the spill. Tank is a covered AST with weepholes. Pro Test

replaced gasketed on tank and tank passed tightness test on 11/19/08.

NFA. bf

Remarks: DRY LEAK

Material:

 Site ID:
 396842

 Operable Unit ID:
 1153811

 Operable Unit:
 01

 Material ID:
 2144583

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DERMOT COMPANY (Continued)

S109064288

LTANKS

HIST LTANKS

S100144714

N/A

Material Code: 0002 #4 Fuel Oil Material Name: Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons

Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 396842 Spill Tank Test: 2453593 Tank Number: Not reported Tank Size: 2500 03 Test Method: Leak Rate: 0

Gross Fail: Not reported Modified By: Watchdog 4/24/2008 Last Modified:

Test Method: Horner EZ Check I or II

119 296 WEST FORDHAM ROAD./ B

ESE MOBIL OIL

1/8-1/4 **NEW YORK CITY, NY**

0.225 mi. 1187 ft.

LTANKS: Relative:

Site ID: 165564 Lower

Last Inspection:

Spill No: 8701258 Actual: Spill Date: 5/14/1987 12 ft. Spill Cause: Tank Test Failure Spill Source: **Gasoline Station**

> Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/1/1991 Facility Addr2: Not reported Cleanup Ceased: 1/1/1991 Cleanup Meets Standard: True SWIS: 0301 Investigator: **BATTISTA** Referred To: Not reported Reported to Dept: 5/14/1987 CID: 17 Water Affected: Not reported Spill Notifier: Tank Tester

Recommended Penalty: Penalty Not Recommended

Not reported

UST Involvement: True Remediation Phase: Date Entered In Computer: 5/19/1987 Spill Record Last Update: 4/21/2010 Spiller Name: Not reported Spiller Company: **MOBIL**

464 DOUGHTY BIVD. Spiller Address:

Direction
Distance

Elevation Site Database(s) EPA ID Number

296 WEST FORDHAM ROAD./ B (Continued)

S100144714

EDR ID Number

Spiller City,St,Zip: INWOOD, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 139546
DEC Memo: Not reported

Remarks: 1-4000 GALLON TANK HAD A LEAK RATE OF 10GAL/HR. - 5-550GAL. TANKS

COULD NOT HOLD PRESSURE.

Material:

Site ID: 165564 Operable Unit ID: 905731 Operable Unit: 01 Material ID: 471205 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: -1

Units: Not reported

Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 165564
Spill Tank Test: 1530823
Tank Number: Not reported

Tank Size: 0
Test Method: 00
Leak Rate: 0

Gross Fail: Not reported Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 8701258

 Spill Date:
 05/14/1987

 Spill Time:
 14:00

Spill Cause: Tank Test Failure Resource Affectd: Groundwater Water Affected: Not reported Spill Source: Gas Station Spill Class: Not reported Spill Closed Dt: 01/01/91 Cleanup Ceased: 01/01/91 Cleanup Meets Standard: True Investigator: **BATTISTA** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

296 WEST FORDHAM ROAD./ B (Continued)

S100144714

Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 05/14/87 Reported to Department Time: 15:30 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported MOBIL Spiller Name:

Spiller Address: 464 DOUGHTY BIVD.

Spiller City, St, Zip: **INWOOD** Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (516) 371-0964 Facility Extention: Not reported Spill Notifier: Tank Tester PBS Number: 2-156434

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: / / **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 05/19/87 Time Spill Entered In Computer Data File: Not reported

Petroleum

Spill Record Last Update: 01/23/91 Is Updated: False

Tank:

PBS Number: Not reported Not reported Tank Number: Tank Size: 0 Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material: Material Class Type:

Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Not reported Quantity Recovered: Unkonwn Quantity Recovered: False Material: GASOLINE Class Type: **GASOLINE** Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

/ / : MOBIL WILL PUMP OUT TANKS BY TOMORROW, AND SET UP RECOVERY SYSTEM. DEC Remarks: Spill Cause: 1-4000 GALLON TANK HAD A LEAK RATE OF 10GAL/HR. - 5-550GAL. TANKS COULD NOT

HOLD PRESSURE.

Direction Distance

Elevation Site Database(s) EPA ID Number

T120 204 REALTY HOLDINGS LLC AST A100177969 WNW 590 W. 204TH ST. N/A

1/8-1/4 NEW YORK, NY 10034 0.229 mi.

1210 ft. Site 1 of 3 in cluster T

Relative: Equal AST:
Region: STATE

Actual: 19 ft.

DEC Region: 2
Site Status: Active
Facility Id: 2-605666
Program Type: PBS

UTM X: 590896.02041 UTM Y: 4524328.9722899999

Expiration Date: 2013/09/10

 Tank Number:
 0001

 Tank Id:
 60217

 Tank Location:
 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1975
Capacity Gallons: 5000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
MSBAPTIS
Last Modified:
9/15/2008

Equipment Records:

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

L09 - Piping Leak Detection - Exempt Suction Piping

C00 - Pipe Location - No Piping

E00 - Piping Secondary Containment - None

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None F00 - Pipe External Protection - None I04 - Overfill - Product Level Gauge (A/G)

K00 - Spill Prevention - None

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 27533

Affiliation Type: Emergency Contact

Company Name: 204 REALTY HOLDINGS LLC

Contact Type: Not reported

Contact Name: MANUAL RODRIGUEZ

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Codo:

Country Code: 999

EDR ID Number

Direction Distance Elevation

evation Site Database(s) EPA ID Number

204 REALTY HOLDINGS LLC (Continued)

A100177969

EDR ID Number

Phone: (212) 567-0336
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/15/2008

Site Id: 27533
Affiliation Type: Mail Contact

Company Name: 204 REALTY HOLDINGS LLC

Contact Type: Not reported
Contact Name: LOU SCHWIMMER
Address1: PO BOX 300513
Address2: Not reported
City: BROOKLYN

State: NY
Zip Code: 11230
Country Code: 001

Phone: (718) 258-8800
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/15/2008

Site Id: 27533 Affiliation Type: Owner

Company Name: 204 REALTY HOLDINGS LLC

001

Contact Type: LLC MEMBER
Contact Name: MARTIN KIRZNER
Address1: PO BOX 300513
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11230

Phone: (718) 258-8800
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/15/2008

Site Id: 27533

Country Code:

Affiliation Type: On-Site Operator

Company Name: 204 REALTY HOLDINGS LLC

Contact Type: Not reported

Contact Name: 204 REALTY HOLDINGS LLC

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: Not reported 001

Phone: (718) 258-8800
Phone Ext: Not reported
Email: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

204 REALTY HOLDINGS LLC (Continued)

A100177969

U003128014

N/A

Fax Number: Not reported Modified By: MSBAPTIS Date Last Modified: 9/15/2008

 121
 NAGLE HOUSE INC
 UST

 WSW
 240 NAGLE AVE
 HIST UST

 1/8-1/4
 NEW YORK, NY 10034

0.230 mi. 1213 ft.

Relative: UST:

 Lower
 Facility Id:
 2-215449

 Region:
 STATE

 Actual:
 DEC Region:
 2

 17 ft.
 Site Status:
 Active

 Program Type:
 PBS

Expiration Date: 2007/12/14 UTM X: 590912.37415000005 UTM Y: 4524103.0164900003

UTM Y: 4524 Site ID: 8053

Tank Number: 001 22267 Tank ID: Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 20000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

104 - Overfill - Product Level Gauge (A/G)
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 F00 - Pipe External Protection - None
 C00 - Pipe Location - No Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

Affiliation Records:

Site Id: 8053

Affiliation Type:

Company Name:

Contact Type:

Contact Name:

MOHAMED YADALI

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Direction Distance

Elevation Site Database(s) EPA ID Number

NAGLE HOUSE INC (Continued)

U003128014

EDR ID Number

Zip Code: Not reported

Country Code: 001

Phone: (212) 567-7500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8053 Affiliation Type: Owner

Company Name: NAGLE HOUSE INC

Contact Type: Not reported Contact Name: Not reported 240 NAGLE AVE Address1: Address2: Not reported City: **NEW YORK** NY State: Zip Code: 10034 Country Code: 001

Phone: (212) 567-7500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8053

Affiliation Type: Emergency Contact
Company Name: NAGLE HOUSE INC
Contact Type: Not reported

Contact Name: ANKER MANAGEMENT CORP

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (914) 347-0300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8053

Affiliation Type: Mail Contact
Company Name: NAGLE HOUSE INC

Contact Type: Not reported

Contact Name: MOHAMED YADALI, SUPER

 Address1:
 240 NAGLE AVE

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10034

 Country Code:
 001

Phone: (212) 567-7500

Direction Distance

Elevation Site Database(s) EPA ID Number

NAGLE HOUSE INC (Continued)

U003128014

EDR ID Number

Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-215449 SPDES Number: Not reported

Emergency Contact: ANKER MANAGEMENT CORP

Emergency Telephone: (914) 793-3200 MOHAMED YADALI Operator: Operator Telephone: (212) 567-7500 Owner Name: NAGLE HOUSE INC Owner Address: 240 NAGLE AVE Owner City, St, Zip: NEW YORK, NY 10034 Owner Telephone: (212) 567-7500 Owner Type: Private Resident Owner Subtype: Not reported Mailing Name: NAGLE HOUSE INC Mailing Address: 240 NAGLE AVE Mailing Address 2: Not reported

Mailing City,St,Zip: NEW YORK, NY 10034
Mailing Contact: MOHAMED YADALI
Mailing Telephone: (212) 567-7500
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 240 NAGLE AVE

SWIS ID: 6201

Old PBS Number: Not reported

Facility Type: APARTMENT BUILDING

Not reported Inspected Date: Not reported Inspector: Inspection Result: Not reported Not reported Federal ID: Certification Flag: False Certification Date: 10/21/1997 12/14/2002 **Expiration Date:** Renew Flag: False Renewal Date: Not reported **Total Capacity:** 20000 FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND

Tank Status: In Service

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NAGLE HOUSE INC (Continued)

U003128014

AST A100129025

N/A

Install Date: Not reported 20000 Capacity (gals):

NOS 5 OR 6 FUEL OIL Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Not reported Pipe Location: STEEL/IRON Pipe Type: Pipe Internal: Not reported

Pipe External: Not reported Second Containment: None Leak Detection: None

Overfill Prot: **Product Level Gauge**

Dispenser: Gravity Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False Lat/long: Not reported

R122 **NUE83 POST AVE** West **83 POST AVENUE** 1/8-1/4 NEW YORK, NY 10034

0.230 mi.

Site 8 of 9 in cluster R 1214 ft.

AST: Relative:

Equal Region: STATE DEC Region: Actual: Site Status: Active 19 ft. Facility Id: 2-334464

Program Type: **PBS**

UTM X: 590882.34620000003 UTM Y: 4524220.9988599997 2012/10/02 **Expiration Date:**

Tank Number: 041

Tank Id: 20876 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 8/23/1916 Install Date: Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **KAKYER** Last Modified: 8/16/2007

Equipment Records:

A00 - Tank Internal Protection - None

Direction Distance

Elevation Site Database(s) EPA ID Number

NUE83 POST AVE (Continued)

A100129025

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

F00 - Pipe External Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

105 - Overfill - Vent Whistle

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

C03 - Pipe Location - Aboveground/Underground Combination

Affiliation Records:

Site Id: 15910 Affiliation Type: Owner

Company Name: 83 POST AVE ASSOCIATES, LLC

Contact Type: REG MANAGING AGENT
Contact Name: EDMUND MILLER
Address1: 5925 BROADWAY
Address2: Not reported
City: BROADWAY

State: NY
Zip Code: 10463
Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/16/2007

Site Id: 15910

Affiliation Type: Emergency Contact

Company Name: 83 POST AVE ASSOCIATES, LLC

Contact Type: Not reported

Contact Name: LEMLE & WOLFE INC

Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15910 Affiliation Type: Mail Contact

Company Name: LEMLE & WOLFF, INC.

Contact Type: Not reported Contact Name: S. SDEO

 Address1:
 5925 BROADWAY

 Address2:
 Not reported

 City:
 BRONX

 State:
 NY

 Zip Code:
 10463

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number**

NUE83 POST AVE (Continued)

A100129025

EDR ID Number

Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** 3/4/2004 Date Last Modified:

Site Id: 15910

Affiliation Type: On-Site Operator NUE83 POST AVE Company Name: Contact Type: Not reported

Contact Name: LEMLE & WOLFF, INC.

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Q123 514 W. 211TH ST

North **514 WEST 211TH STREET** 1/8-1/4 NEW YORK, NY 10034

0.232 mi.

1226 ft. Site 8 of 14 in cluster Q

AST: Relative:

STATE Region: Higher DEC Region: 2 Actual: Site Status: Active 24 ft. Facility Id: 2-195200

> Program Type: UTM X: 591253.27532999997 UTM Y: 4524585.4089400005

PBS

Expiration Date: 2007/07/07

001 Tank Number: Tank Id: 10867 Tank Location:

Stainless Steel Alloy Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 1/1/1960 Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True TRANSLAT Modified By: Last Modified: 3/4/2004

AST A100292482

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

514 W. 211TH ST (Continued)

A100292482

EDR ID Number

Equipment Records:

105 - Overfill - Vent Whistle

C01 - Pipe Location - Aboveground

G10 - Tank Secondary Containment - Impervious Underlayment

J01 - Dispenser - Submersible A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

F00 - Pipe External Protection - None H00 - Tank Leak Detection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

Affiliation Records:

Site Id: 6297
Affiliation Type: Mail Contact

Company Name: 535 MANAGEMENT COMPANY

Contact Type: Not reported Contact Name: DAVID OLINER Address1: 1 SIDNEY PLACE Address2: Not reported City: **BROOKLYN** State: NY Zip Code: 11201 Country Code: 001

Phone: (718) 643-6600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6297 Affiliation Type: Owner

Company Name: INWOOD EQUITY ASSOCIATES

Contact Type: Not reported
Contact Name: Not reported
Address1: 1 SIDNEY PLACE
Address2: Not reported
City: BROOKLYN
State: NY

State: NY
Zip Code: 11201
Country Code: 001

Phone: (718) 643-6600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6297

Affiliation Type:
Company Name:
514 W. 211TH ST
Contact Type:
Not reported
Contact Name:
NINIO GOMEZ
Address1:
Not reported
Address2:
Not reported
City:
Not reported

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

514 W. 211TH ST (Continued)

A100292482

State: NN

Not reported Zip Code:

Country Code: 001

Phone: (718) 643-6600 Phone Ext: Not reported Not reported Email: Not reported Fax Number: Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 6297

Emergency Contact Affiliation Type:

INWOOD EQUITY ASSOCIATES Company Name:

Contact Type: Not reported DAVID OLINER Contact Name: Address1: Not reported Address2: Not reported City: Not reported

State: NN

Not reported Zip Code:

Country Code: 001

Phone: (718) 643-6600 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

INWOOD EQUITY ASSOCIATES 514 WEST 211TH STREET

1/8-1/4 NEW YORK, NY 10034

0.232 mi.

Q124

North

Site 9 of 14 in cluster Q 1226 ft.

Relative: Higher

HIST UST:

PBS Number: 2-195200 SPDES Number: Not reported Actual: **DAVID OLINER Emergency Contact:**

24 ft. Emergency Telephone: (718) 643-6600 NIDIO GOMEZ Operator: Operator Telephone: (212) 991-7451

> Owner Name: INWOOD EQUITY ASSOCIATES

Owner Address: 1 SIDNEY PLACE Owner City, St, Zip: BROOKLYN, NY 11201 Owner Telephone: (718) 643-6600 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

INWOOD EQUITY ASSOCIATES Mailing Name:

Mailing Address: 1 SIDNEY PLACE Mailing Address 2: Not reported

Mailing City, St, Zip: BROOKLYN, NY 11201

Mailing Contact: Not reported Mailing Telephone: (718) 643-6600 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: Not reported HIST UST U001834128

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

INWOOD EQUITY ASSOCIATES (Continued)

U001834128

EDR ID Number

SWIS ID: 6201

Old PBS Number: Not reported

Facility Type: APARTMENT BUILDING

Inspected Date: Not reported Inspector: Not reported Not reported Inspection Result: Not reported Federal ID: Certification Flag: False Certification Date: 07/17/1997 **Expiration Date:** 07/07/2002 Renew Flag: False Renewal Date: Not reported 5000 Total Capacity: FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service Install Date: Not reported Capacity (gals): 5000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal:

None
Tank External:

Pipe Location:

Underground
Pipe Type:

STEEL/IRON
Pipe Internal:

None

None

Pipe External:
Second Containment:
Diking
None
None
None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

Q125 NYCT-207TH STREET YARD RCRA-LQG 1000136838

North 3961 10TH AVENUE FTTS NYD980646335

1/8-1/4 NEW YORK, NY 10034 0.234 mi.

1236 ft. Site 10 of 14 in cluster Q

Relative: Higher

Actual: RCRA-LQG:

20 ft. Date form received by agency: 02/07/2008

Facility name: NYCT-207TH STREET YARD

Facility address: 3961 10TH AVE

MANHATTAN, NY 10034

EPA ID: NYD980646335

Mailing address: BROADWAY 27TH FLOOR

BOWLING GREEN, NY 10004

Contact: JENNIFER WUOTINEN

Contact address: Not reported Not reported

Contact country: Not reported Contact telephone: (646) 252-5777

Contact email: Jennifer.Wuotinen@nyct.com

EPA Region: 02 Land type: State

Classification: Large Quantity Generator

Description: Handler: generates 1,000 kg or more of hazardous waste during any

calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than

100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: NEW YORK CITY TRANSIT
Owner/operator address: BROADWAY 27TH FLOOR
BOWLING GREEN, NY 10004

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: State
Owner/Operator Type: Owner
Owner/Op start date: 06/01/1953
Owner/Op end date: Not reported

Owner/operator name: NEW YORK CITY TRANSIT

Owner/operator address: Not reported

Not reported

Owner/operator country: US

Owner/operator telephone: Not reported Legal status: State
Owner/Operator Type: Operator

Owner/Operator Type: Operator
Owner/Op start date: 06/01/1953
Owner/Op end date: Not reported

EDR ID Number

HIST FTTS

FINDS

RAATS MANIFEST

NY Spills

NY Hist Spills

Direction Distance Elevation

ation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: Nο Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries Accumulated waste on-site: No

Generated waste on-site: Not reported

Waste type: Lamps Accumulated waste on-site: No

Generated waste on-site: Not reported

Waste type: Pesticides Accumulated waste on-site: No

Generated waste on-site: Not reported

Waste type: Thermostats

Accumulated waste on-site: No

Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 01/01/2007

Facility name: NYCT-207TH STREET YARD
Site name: NYCT - 207TH STREET YARD
Classification: Small Quantity Generator

Date form received by agency: 01/31/2006

Facility name: NYCT-207TH STREET YARD
Site name: NYCT - 207TH STREET YARD
Classification: Large Quantity Generator

Date form received by agency: 01/30/2006

Facility name: NYCT-207TH STREET YARD
Site name: NYCT - 207TH STREET YARD
Classification: Large Quantity Generator

Date form received by agency: 02/04/2004

Facility name: NYCT-207TH STREET YARD
Site name: NYCTA - 207TH STREET YARD
Classification: Large Quantity Generator

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Date form received by agency: 02/20/2002

Facility name: NYCT-207TH STREET YARD
Site name: NYCTA-207TH STREET YARD
Classification: Large Quantity Generator

Date form received by agency: 01/01/2001

Facility name: NYCT-207TH STREET YARD Site name: NYC TRANSIT AUTHORITY Classification: Large Quantity Generator

Date form received by agency: 02/08/1998

Facility name: NYCT-207TH STREET YARD
Site name: NYCTA-207TH STREET YARD
Classification: Large Quantity Generator

Date form received by agency: 03/20/1996

Facility name: NYCT-207TH STREET YARD
Site name: 207TH ST YARD / NYCI
Classification: Large Quantity Generator

Date form received by agency: 03/30/1994

Facility name: NYCT-207TH STREET YARD
Site name: NYCTA / 270TH STREET YARD
Classification: Large Quantity Generator

Date form received by agency: 03/16/1992

Facility name: NYCT-207TH STREET YARD

Site name: NYCTA

Classification: Large Quantity Generator

Date form received by agency: 03/01/1990

Facility name: NYCT-207TH STREET YARD

Site name: NEW YORK CITY TRANSIT AUTHORITY

Classification: Large Quantity Generator

Date form received by agency: 12/16/1980

Facility name: NYCT-207TH STREET YARD

Site name: NYCTA

Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D00

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF

LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT

WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002

Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS

CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D006
Waste name: CADMIUM

Waste code: D008 Waste name: LEAD

Waste code: D010
Waste name: SELENIUM

Waste code: D035

Waste name: METHYL ETHYL KETONE

Biennial Reports:

Last Biennial Reporting Year: 2009

Annual Waste Handled:

Waste code: D001

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF

LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT

WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Amount (Lbs): 4041.4

Waste code: D002

Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS

CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Amount (Lbs): 1134.2

Waste code: D006
Waste name: CADMIUM
Amount (Lbs): 25158

Waste code: D008
Waste name: LEAD
Amount (Lbs): 114022.9

Waste code: D010
Waste name: SELENIUM
Amount (Lbs): 3210.9

Waste code: D035

Waste name: METHYL ETHYL KETONE

Amount (Lbs): 2034.8

Facility Has Received Notices of Violations:

Direction Distance Elevation

ance EDR ID Number vation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 12/07/2005
Date achieved compliance: 01/20/2006
Violation lead agency: EPA

Enforcement action: WRITTEN INFORMAL

Enforcement action date: 12/21/2005
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA

Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 04/02/2002
Date achieved compliance: 05/10/2002
Violation lead agency: EPA

Enforcement action: Not reported Enforcement action date: Not reported Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: Not reported Proposed penalty amount: Not reported Not reported Final penalty amount: Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General

Date violation determined: 02/20/1995
Date achieved compliance: 04/13/1995
Violation lead agency: State

Enforcement action: WRITTEN INFORMAL

Enforcement action date: 02/20/1995
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported

Proposed penalty amount: Not reported Not reported Paid penalty amount: Not reported Not reported

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 12/18/1985
Date achieved compliance: 01/20/1987
Violation lead agency: EPA

Enforcement action: Not reported Enforcement action date: Not reported Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: Not reported Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

Regulation violated: Not reported

Map ID MAP FINDINGS
Direction

Distance Elevation

Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Area of violation: Generators - Manifest

Date violation determined: 05/23/1985
Date achieved compliance: 01/28/1987
Violation lead agency: EPA
Enforcement action: Not reported

Enforcement action: Not reported Enforcement action date: Not reported Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: Not reported Proposed penalty amount: Not reported Not reported Final penalty amount: Paid penalty amount: Not reported

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 05/23/1985
Date achieved compliance: 01/28/1987
Violation lead agency: EPA

Enforcement action: Not reported Enforcement action date: Not reported Not reported Enf. disposition status: Enf. disp. status date: Not reported Enforcement lead agency: Not reported Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 05/22/1985
Date achieved compliance: 03/09/1987
Violation lead agency: State

Enforcement action: INITIAL 3008(A) COMPLIANCE

Enforcement action date: 03/09/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported

Area of violation: Generators - General

Date violation determined: 04/15/1985
Date achieved compliance: 07/13/1984
Violation lead agency: EPA

Not reported Enforcement action: Enforcement action date: Not reported Enf. disposition status: Not reported Not reported Enf. disp. status date: Enforcement lead agency: Not reported Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

Regulation violated: Not reported

Area of violation: Generators - General

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

Date violation determined: 08/22/1984 06/10/1985 Date achieved compliance: Violation lead agency: State

WRITTEN INFORMAL Enforcement action:

Enforcement action date: 03/27/1985 Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: State Proposed penalty amount: Not reported Final penalty amount: Not reported Paid penalty amount: Not reported

Regulation violated: Not reported Area of violation: Generators - General

Date violation determined: 05/25/1982 Date achieved compliance: 07/19/1984 **EPA** Violation lead agency:

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER

Enforcement action date: 10/28/1982 Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: **EPA** Proposed penalty amount: Not reported Final penalty amount: 20000

Paid penalty amount: 5000

Regulation violated: Not reported Area of violation: Generators - General

Date violation determined: 05/25/1982 07/19/1984 Date achieved compliance: Violation lead agency: EPA

Enforcement action: INITIAL 3008(A) COMPLIANCE

Enforcement action date: 10/28/1982 Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: **EPA** 20000 Proposed penalty amount: Final penalty amount: Not reported Paid penalty amount: Not reported

Regulation violated: Not reported Area of violation: Generators - General

Date violation determined: 05/25/1982 Date achieved compliance: 07/19/1984 **EPA** Violation lead agency:

FINAL 3008(A) COMPLIANCE ORDER Enforcement action:

06/01/1984 Enforcement action date: Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: EPA Proposed penalty amount: Not reported Final penalty amount: 5000 5000 Paid penalty amount:

Evaluation Action Summary:

Evaluation date: 12/16/2009

COMPLIANCE EVALUATION INSPECTION ON-SITE Evaluation:

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Area of violation:

Date achieved compliance:

Not reported
Not reported

Evaluation lead agency: EPA

Evaluation date: 04/26/2007

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation:

Date achieved compliance:

Evaluation lead agency:

Not reported

Not reported

EPA

Evaluation date: 12/07/2005

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 01/20/2006 Evaluation lead agency: EPA

Evaluation date: 04/02/2002

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 05/10/2002 Evaluation lead agency: EPA

Evaluation date: 09/26/1994

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 04/13/1995 Evaluation lead agency: State

Evaluation date: 03/17/1993

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 01/20/1987

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation:

Date achieved compliance:

Evaluation lead agency:

Not reported

Not reported

State

Evaluation date: 12/18/1985

Evaluation: COMPLIANCE SCHEDULE EVALUATION

Area of violation: Generators - General

Date achieved compliance: 01/20/1987

Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 05/23/1985

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 01/28/1987 Evaluation lead agency: EPA

Evaluation date: 05/23/1985

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - Manifest

Date achieved compliance: 01/28/1987 Evaluation lead agency: EPA

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Evaluation date: 05/22/1985

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 03/09/1987 Evaluation lead agency: State

Evaluation date: 04/15/1985

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 07/13/1984

Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 08/22/1984

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 06/10/1985 Evaluation lead agency: State

Evaluation date: 05/25/1982

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Generators - General

Date achieved compliance: 07/19/1984 Evaluation lead agency: EPA

FTTS INSP:

Inspection Number: 199408095687 2

Region: 04
Inspection Date: 08/09/94
Inspector: PFISTER,BILL

Violation occurred: No

Investigation Type: Section 6 PCB Federal Conducted

Investigation Reason: Neutral Scheme, Region

Legislation Code: TSCA Facility Function: User

HIST FTTS INSP:

Inspection Number: 199408095687 2

Region: 04

Inspection Date: Not reported Inspector: PFISTER,BILL

Violation occurred: No

Investigation Type: Section 6 PCB Federal Conducted

Investigation Reason: Neutral Scheme, Region

Legislation Code: TSCA Facility Function: User

FINDS:

Registry ID: 110011751461

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of

Aerometric Data (SAROAD). AIRS is the national repository for

Map ID MAP FINDINGS
Direction

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NJ MANIFEST:

Manifest Code: 003633870JJK EPA ID: NYD980646335 Date Shipped: 03/27/09 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 03/27/09 Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Not reported Date Trans9 Transported Waste: Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 03/27/09 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: Not reported Reference Manifest Number: Not reported Was Load Rejected (Y/N):

Not reported

Reason Load Was Rejected:

TC02874993.2r Page 452

Direction Distance Elevation

evation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

Waste Code: D006

Manifest Year: 2009 New Jersey Manifest Data

Quantity: 690 Unit: P Hand Code: H111

Manifest Code: NJA5257339 EPA ID: NYD980646335 Date Shipped: 20050620 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 050620 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 050620 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported 07270521 Data Entry Number: Not reported Reference Manifest Number:

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: NJA5257419 EPA ID: NYD980646335 Date Shipped: 20050620 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Not reported Transporter 3 EPA ID: Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported

1000136838

EDR ID Number

Direction Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 050620 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 050620 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: 07220521 Not reported Reference Manifest Number: Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: NJA5241932 EPA ID: NYD980646335 Date Shipped: 20051121 TSDF EPA ID: NJD002200046 NJ0000027193 Transporter EPA ID: Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 051121 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 051210 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: 02030621 Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

MAP FINDINGS Map ID Direction

Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Not reported Unit: Hand Code: Not reported

Manifest Code: NJA5212427 EPA ID: NYD980646335 Date Shipped: 20050121 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 050121 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 050121 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported 03040521 Data Entry Number: Not reported Reference Manifest Number:

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported

Manifest Year: Not reported Quantity: Not reported Not reported Unit: Hand Code: Not reported

Manifest Code: NJA5243174 EPA ID: NYD980646335 Date Shipped: 20050915 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Not reported Transporter 3 EPA ID: Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 050915 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 050915 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: 11100521 Not reported Reference Manifest Number: Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: NJA5259071 EPA ID: NYD980646335 Date Shipped: 20050606 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 050606 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Not reported Date Trans10 Transported Waste: Date TSDF Received Waste: 050606 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: 07180521 Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Distance Elevation

tion Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: NJA5244332 EPA ID: NYD980646335 Date Shipped: 20050225 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 050225 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported 050225 Date TSDF Received Waste: Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported 04220522 Data Entry Number: Not reported Reference Manifest Number:

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: NJA5258854 EPA ID: NYD980646335 Date Shipped: 20050518 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Not reported Transporter 3 EPA ID: Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 050518 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 050518 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: 06280521 Not reported Reference Manifest Number: Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: NJA5212324 EPA ID: NYD980646335 Date Shipped: 20050121 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 050121 Date Trans2 Transported Waste: 000000 Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 050121 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: 03040521 Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Distance Elevation

ion Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: 000892048JJK EPA ID: NYD980646335 Date Shipped: 12/10/2008 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 12/10/2008 Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 12/10/2008 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: Not reported Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: D006

Manifest Year: 2008 New Jersey Manifest Data

Quantity: 55 Unit: G Hand Code: H141

Manifest Code: 003535177JJK EPA ID: NYD980646335 Date Shipped: 12/26/20 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Not reported Transporter 3 EPA ID: Transporter 4 EPA ID: Not reported Not reported Transporter 5 EPA ID: Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 12/26/ Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 12/26/ Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: Not reported Not reported Reference Manifest Number: No

Was Load Rejected (Y/N):

Reason Load Was Rejected: Not reported

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: 003634589JJK EPA ID: NYD980646335 Date Shipped: 11/27/20 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 11/27/ Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 11/27/ Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: Not reported Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Direction Distance Elevation

n Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Waste Code: Not reported Manifest Year: Not reported Quantity: Not reported Unit: Not reported Hand Code: Not reported

Manifest Code: 003633648JJK EPA ID: NYD980646335 Date Shipped: 04/09/09 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 04/09/09 Not reported Date Trans2 Transported Waste: Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 04/09/09 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: Not reported Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: D009

Manifest Year: 2009 New Jersey Manifest Data

Quantity: 227 Unit: P Hand Code: H141

Manifest Code: 003533529JJK EPA ID: NYD980646335 Date Shipped: 04/22/09 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Not reported Transporter 3 EPA ID: Transporter 4 EPA ID: Not reported Not reported Transporter 5 EPA ID: Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported

Direction Distance Elevation

nce EDR ID Number tion Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

Transporter 8 EPA ID: Not reported Not reported Transporter 10 EPA ID: Date Trans1 Transported Waste: 04/22/09 Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 04/22/09 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: Not reported Not reported Reference Manifest Number: Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: D006

Manifest Year: 2009 New Jersey Manifest Data

Quantity: 110
Unit: G
Hand Code: H111

Manifest Code: 003536762JJK EPA ID: NYD980646335 Date Shipped: 11/18/2008 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 11/18/2008 Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 11/18/2008 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: Not reported Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

Waste Code: D008

2008 New Jersey Manifest Data Manifest Year:

Quantity: 55 Unit: G Hand Code: H141

Waste Code: D008

Manifest Year: 2008 New Jersey Manifest Data

Quantity: 40 Unit: Ρ Hand Code: H141

Waste Code: D008

Manifest Year: 2008 New Jersey Manifest Data

Quantity: 880 Unit: Р Hand Code: H111

Manifest Code: 003536822JJK EPA ID: NYD980646335 Date Shipped: 11/24/2008 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported 11/24/2008 Date Trans1 Transported Waste: Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Not reported Date Trans8 Transported Waste: Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 11/24/2008 Tranporter 1 Decal: Not reported Tranporter 2 Decal: Not reported Data Entry Number: Not reported Reference Manifest Number: Not reported Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: D006

Manifest Year: 2008 New Jersey Manifest Data

Quantity: 55 Unit: G Hand Code: H141 1000136838

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

Manifest Code: 003533715JJK EPA ID: NYD980646335 Date Shipped: 05/07/09 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Not reported Transporter 4 EPA ID: Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 05/07/09 Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 05/07/09 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: Not reported Reference Manifest Number: Not reported Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: D008

Manifest Year: 2009 New Jersey Manifest Data

152 Quantity: Unit: H111 Hand Code:

Manifest Code: 003536069JJK EPA ID: NYD980646335 Date Shipped: 05/28/09 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Transporter 8 EPA ID: Not reported Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 05/28/09 Date Trans2 Transported Waste: Not reported Date Trans3 Transported Waste: Not reported Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported

Map ID MAP FINDINGS Direction

Distance Elevation

Site Database(s) **EPA ID Number**

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Date Trans7 Transported Waste: Not reported Not reported Date Trans8 Transported Waste: Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 05/28/09 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: Not reported Reference Manifest Number: Not reported

Was Load Rejected (Y/N): No

Reason Load Was Rejected: Not reported

Waste Code: D006

Manifest Year: 2009 New Jersey Manifest Data

Quantity: 675 Unit: Hand Code: H111

Manifest Code: 003535899JJK EPA ID: NYD980646335 Date Shipped: 10/22/2008 TSDF EPA ID: NJD002200046 Transporter EPA ID: NJ0000027193 Transporter 2 EPA ID: Not reported Transporter 3 EPA ID: Not reported Transporter 4 EPA ID: Not reported Transporter 5 EPA ID: Not reported Transporter 6 EPA ID: Not reported Transporter 7 EPA ID: Not reported Not reported Transporter 8 EPA ID: Transporter 10 EPA ID: Not reported Date Trans1 Transported Waste: 10/22/2008 Date Trans2 Transported Waste: Not reported Not reported Date Trans3 Transported Waste: Date Trans4 Transported Waste: Not reported Date Trans5 Transported Waste: Not reported Date Trans6 Transported Waste: Not reported Date Trans7 Transported Waste: Not reported Date Trans8 Transported Waste: Not reported Date Trans9 Transported Waste: Not reported Date Trans10 Transported Waste: Not reported Date TSDF Received Waste: 10/22/2008 Tranporter 1 Decal: Not reported Not reported Tranporter 2 Decal: Data Entry Number: Not reported Reference Manifest Number: Not reported Was Load Rejected (Y/N):

Reason Load Was Rejected: Not reported

Waste Code: D006

Manifest Year: 2008 New Jersey Manifest Data

Quantity: 55 G Unit: Hand Code: H141

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

NY Spills:

Site ID: 300041 Facility Addr2: Not reported Facility ID: 8906241 Spill Number: 8906241 Facility Type: ER SWIS: 3101 NYC DEP Investigator: Referred To: NYC DEP Spill Date: 9/21/1989 Reported to Dept: 9/25/1989 CID: 15

Spill Cause: Housekeeping Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Citizen
Cleanup Ceased: 9/25/1989
Cleanup Meets Std: True
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 9/25/1989
Remediation Phase: 0
Date Entered In Computer: 9/29/1989
Spill Record Last Update: 3/21/2005
Spiller Name: Not reported

Spiller Company: SAME
Spiller Address: Not reported

Spiller City,St,Zip: NY Spiller Company: 999

Contact Name: Not reported Contact Phone: Not reported DEC Region: 2

DER Facility ID: 280160

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"DEP-ASBSTS"

Remarks: INSULATION COMING OFF PIPE LYING ON GROUND.

Material:

 Site ID:
 300041

 Operable Unit ID:
 931333

 Operable Unit:
 01

 Material ID:
 446644

 Material Code:
 0066A

Material Name: UNKNOWN PETROLEUM

Case No.: Not reported Material FA: Petroleum Quantity: -1 Units: Not reported Recovered: No

Resource Affected: Not reported Oxygenate: False Site ID: 300041 Operable Unit ID: 931333 Operable Unit: 01 Material ID: 446645

Direction Distance Elevation

vation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

Material Code: 0026A Material Name: ASBESTOS Case No.: 01332214

Material FA: Hazardous Material

Quantity: 0

Units: Not reported

Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 8906241 Investigator: **DEP-ASBSTS** Not reported Caller Name: Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 09/21/1989 17:00 Spill Date/Time: Reported to Dept Date/Time: 09/25/89 12:27

SWIS: 62
Spiller Name: SAME
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Housekeeping

Reported to Dept: Air

Last Inspection:

Water Affected: Not reported
Spill Source: 02
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 09/25/89
Cleanup Meets Std: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False
Spill Class: Not reported

TC02874993.2r Page 467

1000136838

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCT-207TH STREET YARD (Continued)

1000136838

EDR ID Number

Spill Closed Dt: 09/25/89
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 09/29/89
Date Spill Entered In Computer Data File: Not reported

Update Date: //
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: UNKNOWN PETROLEUM Class Type: UNKNOWN PETROLEUM

Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929

Material Class Type: Nonpetroleum/Nonhazardous

Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: ASBESTOS
Class Type: ASBESTOS

Times Material Entry In File: 0
CAS Number: 01332214
Last Date: Not reported

DEC Remarks: Not reported

Remark: INSULATION COMING OFF PIPE LYING ON GROUND.

Q126 NYCTA 207TH STREET OVERHAUL SHOP

North 3961 TENTH AVENUE 1/8-1/4 NEW YORK, NY 10038

0.234 mi.

1236 ft. Site 11 of 14 in cluster Q

Relative: AST:

Higher Region: STATE

DEC Region: 2

Actual: Site Status: Active

20 ft. Facility ld: 2-189960

Program Type: PBS

UTM X: 591320.98962000001 UTM Y: 4524610.1172200004

Expiration Date: 2012/10/15

Tank Number: 006

A100300661

N/A

AST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

Tank Id: 6492 Tank Location:

Steel/Carbon Steel/Iron Tank Type: Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 275 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None A00 - Tank Internal Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None H00 - Tank Leak Detection - None J01 - Dispenser - Submersible

G00 - Tank Secondary Containment - None D01 - Pipe Type - Steel/Carbon Steel/Iron

100 - Overfill - None

Tank Number: 207-3 Tank Id: 63896 Tank Location: 2

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 3/7/1999 Install Date: Capacity Gallons: 400 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

L00 - Piping Leak Detection - None

J00 - Dispenser - None

C01 - Pipe Location - Aboveground K01 - Spill Prevention - Catch Basin

B01 - Tank External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None

E00 - Piping Secondary Containment - None

101 - Overfill - Float Vent Valve

F00 - Pipe External Protection - None

A00 - Tank Internal Protection - None

D01 - Pipe Type - Steel/Carbon Steel/Iron

G01 - Tank Secondary Containment - Diking (Aboveground)

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

Tank Number: 207-5 Tank Id: 6493 Tank Location: 2

Steel/Carbon Steel/Iron Tank Type: Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: 1/1/2002 Install Date: Capacity Gallons: 35 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: 9/5/2006 Register: True Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

F00 - Pipe External Protection - None A00 - Tank Internal Protection - None 104 - Overfill - Product Level Gauge (A/G) K01 - Spill Prevention - Catch Basin

B01 - Tank External Protection - Painted/Asphalt Coating

C00 - Pipe Location - No Piping

J00 - Dispenser - None D00 - Pipe Type - No Piping H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None E00 - Piping Secondary Containment - None

L00 - Piping Leak Detection - None

Tank Number: 2071 Tank Id: 6488

Tank Location:

Steel/Carbon Steel/Iron Tank Type: Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 11/7/1997 Capacity Gallons: 120 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **NRLOMBAR** Modified By: Last Modified: 2/22/2007

Equipment Records:

H00 - Tank Leak Detection - None

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating B01 - Tank External Protection - Painted/Asphalt Coating

104 - Overfill - Product Level Gauge (A/G)

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel

Direction Distance Elevation

ation Site Database(s) EPA ID Number

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

EDR ID Number

G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: E/G-SHOP-1
Tank Id: 63895
Tank Location: 2

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/10/2001
Capacity Gallons: 180
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
NRLOMBAR
Last Modified:
2/22/2007

Equipment Records:

L00 - Piping Leak Detection - None

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

C01 - Pipe Location - Aboveground K01 - Spill Prevention - Catch Basin

J00 - Dispenser - None

E00 - Piping Secondary Containment - None 104 - Overfill - Product Level Gauge (A/G)

B01 - Tank External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: E/G-SHOP-2
Tank Id: 66758
Tank Location: 2

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/10/2001
Capacity Gallons: 12
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Register:
True
Modified By:
NRLOMBAR
Last Modified:
2/22/2007

Equipment Records:

L00 - Piping Leak Detection - None

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

E00 - Piping Secondary Containment - None

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

J00 - Dispenser - None

A00 - Tank Internal Protection - None H00 - Tank Leak Detection - None I04 - Overfill - Product Level Gauge (A/G) F00 - Pipe External Protection - None C01 - Pipe Location - Aboveground

B01 - Tank External Protection - Painted/Asphalt Coating

K01 - Spill Prevention - Catch Basin

Tank Number: W/O-BARN-1
Tank Id: 215983
Tank Location: 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/5/2006
Capacity Gallons: 120
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Register:
Modified By:
NRLOMBAR
Last Modified:
2/22/2007

Equipment Records:

A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

F00 - Pipe External Protection - None C00 - Pipe Location - No Piping K01 - Spill Prevention - Catch Basin I04 - Overfill - Product Level Gauge (A/G)

J00 - Dispenser - None D00 - Pipe Type - No Piping

E00 - Piping Secondary Containment - None

H00 - Tank Leak Detection - None L00 - Piping Leak Detection - None

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

Tank Number: W/O-BARN-2
Tank Id: 215984
Tank Location: 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/5/2006
Capacity Gallons: 120
Tightness Test Method: NN

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

A00 - Tank Internal Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None K01 - Spill Prevention - Catch Basin

B01 - Tank External Protection - Painted/Asphalt Coating

104 - Overfill - Product Level Gauge (A/G)

J00 - Dispenser - None

E00 - Piping Secondary Containment - None

H00 - Tank Leak Detection - None

D00 - Pipe Type - No Piping

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

L00 - Piping Leak Detection - None

Tank Number: W/O-SHOP-1 Tank Id: 215985 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 9/5/2006 Capacity Gallons: 120 Tightness Test Method: NN

Date Test: Not reported Not reported Next Test Date: Date Tank Closed: Not reported Register: True

Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

104 - Overfill - Product Level Gauge (A/G) K01 - Spill Prevention - Catch Basin C00 - Pipe Location - No Piping H00 - Tank Leak Detection - None

J00 - Dispenser - None

E00 - Piping Secondary Containment - None

D00 - Pipe Type - No Piping

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

L00 - Piping Leak Detection - None

Tank Number: W/O-SHOP-2 215986 Tank Id: Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

Pipe Model: Not reported Install Date: 9/5/2006 Capacity Gallons: 120 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Not reported Date Tank Closed: Register: True Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

K01 - Spill Prevention - Catch Basin H00 - Tank Leak Detection - None D00 - Pipe Type - No Piping C00 - Pipe Location - No Piping A00 - Tank Internal Protection - None

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

L00 - Piping Leak Detection - None F00 - Pipe External Protection - None 104 - Overfill - Product Level Gauge (A/G)

J00 - Dispenser - None

B01 - Tank External Protection - Painted/Asphalt Coating

E00 - Piping Secondary Containment - None

Tank Number: W/O-SHOP-3 Tank Id: 215987 Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 9/5/2006 Capacity Gallons: 120 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

L00 - Piping Leak Detection - None

B01 - Tank External Protection - Painted/Asphalt Coating

J00 - Dispenser - None

K01 - Spill Prevention - Catch Basin

H00 - Tank Leak Detection - None

104 - Overfill - Product Level Gauge (A/G)

C00 - Pipe Location - No Piping

E00 - Piping Secondary Containment - None

F00 - Pipe External Protection - None

D00 - Pipe Type - No Piping

A00 - Tank Internal Protection - None

Direction Distance

Elevation Site Database(s) EPA ID Number

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

EDR ID Number

Tank Number: W/O-SHOP-4
Tank Id: 6489

Tank Id: 648 Tank Location: 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/3/2001
Capacity Gallons: 120
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
NRLOMBAR
Last Modified:
2/22/2007

Equipment Records:

G09 - Tank Secondary Containment - Modified Double-Walled

(Aboveground)

L00 - Piping Leak Detection - None 104 - Overfill - Product Level Gauge (A/G) H00 - Tank Leak Detection - None

J00 - Dispenser - None

E00 - Piping Secondary Containment - None

C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping
F00 - Pipe External Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None

Affiliation Records:

Site Id: 5834 Affiliation Type: Owner

Company Name: NYC TRANSIT AUTHORITY
Contact Type: ACTING MGR, ENV. PROTECTION

Contact Name: JAMES HAUSER
Address1: 2 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10004
Country Code: 001

Phone: (646) 252-5777
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 10/17/2007

Site Id: 5834

Affiliation Type: On-Site Operator

Company Name: NYCTA 207TH STREET OVERHAUL SHOP

Contact Type: Not reported

Contact Name: NYC TRANSIT AUTHORITY

Address1: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

A100300661

Address2: Not reported Not reported City:

State: NN

Zip Code: Not reported Country Code: 001

(212) 544-3112 Phone: Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 2/22/2007

5834 Site Id:

Affiliation Type: **Emergency Contact**

Company Name: NYC TRANSIT AUTHORITY

Not reported Contact Type: Contact Name: JAMES HAUSER Address1: Not reported Address2: Not reported City: Not reported

State: NN

Not reported Zip Code: Country Code: 999 (646) 252-5777 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: kakyer 10/9/2007 Date Last Modified:

Site Id: 5834 Affiliation Type: Mail Contact

Company Name: NYC TRANSIT AUTHORITY

Contact Type: Not reported

Contact Name: JAMES HAUSER, OSS

Address1: 2 BROADWAY Address2: 27TH FLOOR **NEW YORK** City: State: NY

10004 Zip Code: Country Code: 001 Phone:

(646) 252-5777 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 10/17/2007

Direction Distance

Elevation Site Database(s) **EPA ID Number**

Q127 **NEW YORK CITY TRANSIT AUTH MANIFEST** 1009244578 North 3961 10TH AVE NYD980646335 N/A

1/8-1/4 NEW YORK, NY 10034

0.234 mi.

1236 ft. Site 12 of 14 in cluster Q

Relative: Higher

NY MANIFEST:

NYT370011363 EPA ID:

Country: USA

Actual: Mailing Name: NEW YORK CITY TRANSIT AUTH 20 ft. SQUITIERI JOHN CHEMIST

Mailing Contact:

Mailing Address: 3961 10TH AVE Mailing Address 2: Not reported Mailing City: **BROOKLYN**

Mailing State: NY Mailing Zip: 11201 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-330-4782

Document ID: NYO1057554 Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported

Trans2 Recv Date: Not reported 810914 TSD Site Recy Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYT370011363 Generator EPA ID: Trans1 EPA ID: Not reported

Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Not reported Quantity: Not reported Units: Number of Containers: Not reported Container Type: Not reported

Handling Method: Not reported Specific Gravity: Not reported Year: 80-81

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported **Export Ind:** Discr Quantity Ind: Not reported Not reported Discr Type Ind: Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported

Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYO1057563 Manifest Status: TSDF copy

EDR ID Number

Direction Distance Elevation

EDR ID Number

n Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

Not reported

Trans1 State ID:

1009244578

Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported 810917 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Units: Not reported Number of Containers: Not reported Not reported Container Type: Handling Method: Not reported Specific Gravity: Not reported 80-81 Year: Manifest Tracking Num: Not reported

Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Not reported Alt Fac RCRA Id: Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NYO1057572 Document ID: Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Not reported Trans2 Recv Date: TSD Site Recv Date: 810918 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Not reported Quantity: Units: Not reported Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported 80-81 Year: Manifest Tracking Num: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYO1057581 Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recv Date: 810921 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Not reported Units: Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported Year: 80-81 Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYO1057599 Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recv Date: 810922

Direction Distance Elevation

ce EDR ID Number on Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

Part A Recv Date: Not reported Part B Recv Date: Not reported NYT370011363 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Not reported Units: Number of Containers: Not reported Container Type: Not reported Not reported Handling Method: Specific Gravity: Not reported Year: 80-81 Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NYO1057608 Document ID: Manifest Status: TSDF copy Not reported Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Not reported Trans2 Recv Date: 810915 TSD Site Recv Date: Not reported Part A Recv Date: Part B Recv Date: Not reported NYT370011363 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Not reported Units: Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported 80-81 Year: Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported

Distance Elevation

Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Discr Full Reject Ind:

Manifest Ref Num:

Alt Fac RCRA Id:

Alt Fac Sign Date:

Mgmt Method Type Code:

Not reported

Not reported

Not reported

Not reported

NYO1057662 Document ID: Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported 811021 Generator Ship Date: Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recv Date: 810923 Part A Recv Date: Not reported Not reported Part B Recv Date: NYT370011363 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Not reported Quantity: Units: Not reported Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported 80-81 Year: Manifest Tracking Num: Not reported Not reported Import Ind: **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NJO0053135 Document ID: Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recv Date: 810915 Part A Recv Date: Not reported Not reported Part B Recv Date: Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

Not reported

Waste Code:

1009244578

EDR ID Number

Quantity: Not reported Not reported Units: Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported Year: 80-81 Not reported Manifest Tracking Num: Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJO0053136 Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recv Date: 810922 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported Not reported TSDF ID: Waste Code: Not reported Quantity: Not reported Units: Not reported Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported 80-81 Year: Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance Elevation

Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Document ID: NJO0053138 TSDF copy Manifest Status: Trans1 State ID: Not reported Not reported Trans2 State ID: Generator Ship Date: 811021 Trans1 Recv Date: Not reported Not reported Trans2 Recv Date: 810923 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYT370011363 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Not reported Units: Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported Year: 80-81 Manifest Tracking Num: Not reported Import Ind: Not reported

Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJO0053155 Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 811021 Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recv Date: 810921 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Units: Not reported Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported

Distance Elevation

Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Year: 80-81 Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NJO0053157 Document ID: Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported 811021 Generator Ship Date: Trans1 Recv Date: Not reported Trans2 Recv Date: Not reported TSD Site Recy Date: 810917 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Not reported Quantity: Units: Not reported Number of Containers: Not reported Container Type: Not reported Handling Method: Not reported Not reported Specific Gravity: 80-81 Year: Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJO0053158

Manifest Status: TSDF copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 811021
Trans1 Recv Date: Not reported

Distance Elevation Site

Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Trans2 Recv Date: Not reported 810914 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Waste Code: Not reported Quantity: Not reported Units: Not reported Not reported Number of Containers: Container Type: Not reported Handling Method: Not reported Specific Gravity: Not reported Year: 80-81 Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJO0053159 Manifest Status: TSDF copy Trans1 State ID: Not reported Trans2 State ID: Not reported 811021 Generator Ship Date: Not reported Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 810918 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: Not reported Not reported Waste Code: Quantity: Not reported Units: Not reported Number of Containers: Not reported Container Type: Not reported Not reported Handling Method: Specific Gravity: Not reported Year: 80-81 Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported

Direction Distance Elevation

n Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Discr Residue Ind:
Discr Partial Reject Ind:
Discr Full Reject Ind:
Mot reported
Not reported
Manifest Ref Num:
Not reported
Alt Fac RCRA Id:
Not reported
Not reported
Not reported
Mgmt Method Type Code:
Not reported
Not reported

Document ID: NYO1934253

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NYJA021 Trans2 State ID: Not reported Generator Ship Date: 821018 Trans1 Recv Date: 821018 Trans2 Recv Date: Not reported 821019 TSD Site Recy Date: Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: NJD087623617 Trans2 EPA ID: Not reported TSDF ID: NJD096865837

Waste Code: D002 - NON-LISTED CORROSIVE WASTES

Quantity: 00120

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 006

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported

Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NYO1934262

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NYJA021 Trans2 State ID: Not reported Generator Ship Date: 821019 Trans1 Recv Date: 821019 Trans2 Recv Date: Not reported TSD Site Recv Date: 821019 Part A Recv Date: Not reported Part B Recv Date: Not reported NYT370011363 Generator EPA ID: Trans1 EPA ID: NJD087623617

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

EDR ID Number

Trans2 EPA ID: Not reported TSDF ID: NJD096865837

Waste Code: D000 - NON-LISTED TOXIC WASTES

Quantity: 03700

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: CF - Fiber or plastic boxes, cartons

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Year: 82

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NYO1934334 Document ID: Manifest Status: Completed copy Trans1 State ID: NYJA021 Trans2 State ID: Not reported Generator Ship Date: 821027 Trans1 Recv Date: 821027 Trans2 Recv Date: Not reported TSD Site Recy Date: 821028 Part A Recv Date: Not reported Part B Recv Date: Not reported NYT370011363 Generator EPA ID: NJD087623617 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NJD096865837

Waste Code: D000 - NON-LISTED TOXIC WASTES

Quantity: 03000

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: CF - Fiber or plastic boxes, cartons

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Year: 82

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NEW YORK CITY TRANSIT AUTH (Continued)

1009244578

Mgmt Method Type Code: Not reported

Document ID: NYO1934352

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: RI02854 Trans2 State ID: Not reported Generator Ship Date: 821109 Trans1 Recv Date: 821109 Trans2 Recv Date: Not reported TSD Site Recv Date: 821109 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYT370011363 Trans1 EPA ID: NJD087623617 Trans2 EPA ID: Not reported TSDF ID: NJD096865837

Waste Code: D002 - NON-LISTED CORROSIVE WASTES

Quantity: 03360

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: CF - Fiber or plastic boxes, cartons

T Chemical, physical, or biological treatment. Handling Method:

Specific Gravity: 100 Year: 82 Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:**

Not reported Discr Quantity Ind: Not reported Not reported Discr Type Ind: Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Not reported

Q128 **NYCTA 207TH STREET OVERHAUL SHOP**

Mgmt Method Type Code:

North **3961 TENTH AVENUE** 1/8-1/4 NEW YORK, NY 10038

0.234 mi.

Actual:

20 ft.

1236 ft. Site 13 of 14 in cluster Q

UST: Relative:

Facility Id: 2-189960 Higher

Region: STATE DEC Region: 2 Site Status: Active Program Type: **PBS**

> **Expiration Date:** 2012/10/15 UTM X: 591320.98962000001 UTM Y: 4524610.1172200004

Site ID: 5834

207-1 Tank Number: 6490 Tank ID: Tank Status: In Service UST

U004076827

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

U004076827

Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1954 Capacity Gallons: 35000 Tightness Test Method: NN

Next Test Date: Not reported Not reported Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)

L00 - Piping Leak Detection - None K01 - Spill Prevention - Catch Basin C01 - Pipe Location - Aboveground

B01 - Tank External Protection - Painted/Asphalt Coating

J00 - Dispenser - None

102 - Overfill - High Level Alarm F00 - Pipe External Protection - None E00 - Piping Secondary Containment - None

H05 - Tank Leak Detection - In-Tank System (ATG)

D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None

Tank Number: 207-2 Tank ID: 6491

Tank Status: Temporarily Out of Service

Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1954 Capacity Gallons: 35000 Tightness Test Method: NNNext Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 2/22/2007

Equipment Records:

L00 - Piping Leak Detection - None

102 - Overfill - High Level Alarm

B01 - Tank External Protection - Painted/Asphalt Coating

K01 - Spill Prevention - Catch Basin

A00 - Tank Internal Protection - None

C02 - Pipe Location - Underground/On-ground

H05 - Tank Leak Detection - In-Tank System (ATG)

J00 - Dispenser - None

G03 - Tank Secondary Containment - Vault (w/o access)

F00 - Pipe External Protection - None

E00 - Piping Secondary Containment - None

Direction Distance

Elevation Site Database(s) **EPA ID Number**

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

U004076827

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

Affiliation Records:

Site Id: 5834 Affiliation Type: Owner

NYC TRANSIT AUTHORITY Company Name: Contact Type: ACTING MGR, ENV. PROTECTION

Contact Name: JAMES HAUSER Address1: 2 BROADWAY Address2: Not reported **NEW YORK** City: State: NY Zip Code: 10004 Country Code: 001

Phone: (646) 252-5777 Not reported Phone Ext: Email: Not reported Fax Number: Not reported Modified By: **CGFREEDM** Date Last Modified: 10/17/2007

Site Id: 5834

Affiliation Type: On-Site Operator

NYCTA 207TH STREET OVERHAUL SHOP Company Name:

Contact Type: Not reported

NYC TRANSIT AUTHORITY Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(212) 544-3112 Phone: Not reported Phone Ext: Email: Not reported Not reported Fax Number: Modified By: **NRLOMBAR** Date Last Modified: 2/22/2007

Site Id: 5834

Emergency Contact Affiliation Type:

Company Name: NYC TRANSIT AUTHORITY

Contact Type: Not reported Contact Name: JAMES HAUSER Address1: Not reported Address2: Not reported City: Not reported NN State:

Zip Code: Not reported Country Code: 999

Phone: (646) 252-5777 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: kakyer 10/9/2007 Date Last Modified:

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

NYCTA 207TH STREET OVERHAUL SHOP (Continued)

U004076827

AST

A100183366

N/A

Site Id: 5834 Affiliation Type: Mail Contact

Company Name: NYC TRANSIT AUTHORITY

Contact Type: Not reported

Contact Name: JAMES HAUSER, OSS

 Address1:
 2 BROADWAY

 Address2:
 27TH FLOOR

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10004

 Country Code:
 001

Phone: (646) 252-5777
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/17/2007

R129 79 POST AVENUE West 79 POST AVENUE 1/8-1/4 NEW YORK, NY 10034

0.238 mi.

1256 ft. Site 9 of 9 in cluster R

Relative: AST:

 Equal
 Region:
 STATE

 DEC Region:
 2

 Actual:
 Site Status:
 Active

 19 ft.
 Facility Id:
 2-606787

 Program Type:
 PBS

UTM X: 590837.00286000001 UTM Y: 4524201.2438599998

Expiration Date: 2011/08/22

Tank Number: 001
Tank Id: 61878
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
TRANSLAT
Last Modified:
3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None

B01 - Tank External Protection - Painted/Asphalt Coating

105 - Overfill - Vent Whistle

F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

Direction Distance

Elevation Site Database(s) EPA ID Number

79 POST AVENUE (Continued)

A100183366

EDR ID Number

H00 - Tank Leak Detection - None

C03 - Pipe Location - Aboveground/Underground Combination

J02 - Dispenser - Suction

Affiliation Records:

Site Id: 28644 Affiliation Type: Owner

Company Name: NYC/HPD/DPM
Contact Type: Not reported
Contact Name: Not reported
Address1: 100 GOLD ST., #6Z1

Address2: Not reported City: NEW YORK State: NY

State: NY
Zip Code: 10038
Country Code: 001

Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EXROSSAN
Date Last Modified: 8/19/2004

Site Id: 28644

Affiliation Type: Emergency Contact
Company Name: NYC/HPD/DPM
Contact Type: Not reported

Contact Name: ASST. COMMISSIONER/DPM

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: 999 Phone: (212) 863-7087 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **EXROSSAN** Date Last Modified: 8/19/2004

Site Id: 28644
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DPM
Contact Type: Not reported

Contact Name: ASST. COMMISSIONER/DPM

Address1: 100 GOLD STREET

 Address2:
 #6Z1

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10038

 Country Code:
 001

Phone: (212) 863-7087
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

79 POST AVENUE (Continued)

A100183366

Date Last Modified: 7/11/2006

28644 Site Id:

Affiliation Type: On-Site Operator Company Name: 79 POST AVENUE Contact Type: Not reported

Contact Name: ASST. COMMISSIONER/DPM

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 863-7087 Phone Ext: Not reported Fmail: Not reported Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

NYC TRANSIT LTANKS S105135505 **HIST LTANKS** N/A

North **3961 TENTH AVE** 1/8-1/4 MANHATTEN, NY

0.238 mi.

Q130

1259 ft. Site 14 of 14 in cluster Q

LTANKS: Relative: Site ID: Higher

169693 Spill No: 0106375 Actual: Spill Date: 9/17/2001 20 ft. Spill Cause: Tank Test Failure

Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **MCTIBBE**

Referred To: REMEDIATION TENTATIVELY SCHEDULED FOR 12/2008

Reported to Dept: 9/17/2001 CID: 15 Water Affected: Not reported

Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: 5 Date Entered In Computer: 9/17/2001 Spill Record Last Update: 9/28/2006

FRANCIS VOLMUELLER Spiller Name:

Spiller Company: NYC TRANSIT. Spiller Address: 3961 TENTH AVE Spiller City, St, Zip: MANHATTAN, NY 11201-

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported

Direction
Distance
Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

NYC TRANSIT (Continued)

S105135505

Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 280160

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" See also 02-04997 & 02-02959. This spill will now refer to both #6 heating oil tanks. 06-23-05: Initial site investigation identified soil contamination and free product. It also identified another tank. A supplemental investigation work plan has been submitted and approved to define the extent of contamination and to provide monitroing and bailing points to monitor the plume while the yard is being reconstructed. The tanks and associated contamination will be removed during the reconstruction phase pertaining to the boiler plant. 09/28/06: Tenative schedule for tank and soil removal -

December 2008, if NTP is issued in December 2006.

Remarks: u/g tank failed test property manager will be advised asap retest may

be tried later

Material:

Site ID: 169693 Operable Unit ID: 843280 Operable Unit: 01 Material ID: 531236 Material Code: 0003 #6 Fuel Oil Material Name: Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons

Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

 Site ID:
 169693

 Spill Tank Test:
 1526610

 Tank Number:
 3

 Tank Size:
 35000

 Test Method:
 03

 Leak Rate:
 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II Site ID: 169693

 Site ID:
 169693

 Spill Tank Test:
 1526611

 Tank Number:
 4

 Tank Size:
 35000

 Test Method:
 03

 Leak Rate:
 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II

Direction
Distance

Elevation Site Database(s) EPA ID Number

NYC TRANSIT (Continued) S105135505

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 0106375

 Spill Date:
 09/17/2001

 Spill Time:
 15:30

Spill Cause: Tank Test Failure

Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **TIBBE** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported

Notifier Extension: Not reported Reported to Department Date: 09/17/01 Reported to Department Time: 16:24 SWIS: 62

Spiller Contact: Not reported

Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC TRANSIT.
Spiller Address: 3961 TENTH AVE

Spiller City,St,Zip: MANHATTEN, NY 11201-

Spiller Cleanup Date: / /

Facility Contact: FRANCIS VOLMUELLER

Facility Phone: (718) 243-3449
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/17/01
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 09/18/01 Is Updated: False

Tank:

PBS Number: Not reported

Tank Number: 2 Tank Size: 35000

Test Method: Horner EZ Check

Leak Rate Failed Tank: 0.00

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

NYC TRANSIT (Continued) S105135505

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: u/g tank failed test property manager will be advised asap retest may be tried

later

3961 TENTH AVE LTANKS S101658293 3961 TENTH AVE HIST LTANKS N/A

North 3961 TENTH AVE 1/8-1/4 MANHATTAN, NY

0.239 mi.

U131

1260 ft. Site 1 of 3 in cluster U

Relative: LTANKS:

 Higher
 Site ID:
 330684

 Spill No:
 9301145

 Actual:
 Spill Date:
 4/23/1993

 20 ft.
 Spill Cause:
 Tank Test Failure

 Spill Source:
 Gasoline Station

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/20/2003 Not reported Facility Addr2: Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 **SMSANGES** Investigator: Referred To: Not reported Reported to Dept: 4/23/1993 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 4/27/1993
Spill Record Last Update: 7/20/2005
Spiller Name: Not reported
Spiller Company: SHELL
Spiller Address: Not reported
Spiller City,St,Zip: NY

Spiller City,St,Zip: NY Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

3961 TENTH AVE (Continued)

S101658293

DER Facility ID: 117721

Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEC Memo:

"SANGESLAND" 06/27/95: 88-07698=PRODUCT IN WELL #1.87-08221=(3) 4K UST FAILED TT. 12/06/95 SEE ALSO 87-08221 WHICH MAY BE SAME SITE. WRONG ADDRESS, WILL BE CHECKED OUT 11/20/2003 - Groundwater analysis for VOC and SVOC is completed. Dissolved phase concentrations remain

low. Based on electron acceptor data, biodegradation is acting to reduce the residual concentrations. Minor MTBE hits. Adjacent neighbor to rear and side is Con Ed Power Plant. OK to Close

Remarks: EX ISO RETEST. WAS TOMASELLO SPILL, RE-ASSIGNED-MULQUEEN ON 4/18/95.

SHELL ADDRESSING THE PROBLEM AT THE SITE. SEE FILE ALSO 87-08221 &

88-07698

Material:

Site ID: 330684 Operable Unit ID: 979743 Operable Unit: 01 Material ID: 401872 Material Code: 0009 Material Name: Gasoline Not reported Case No.: Material FA: Petroleum Quantity: Units: Pounds Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 330684 Spill Tank Test: 1541452 Tank Number: Not reported

Tank Size: 00 Test Method: Leak Rate:

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004 Unknown Test Method:

HIST LTANKS:

Region of Spill: 2 Spill Number: 9301145 Spill Date: 04/23/1993 Spill Time: 15:00

Spill Cause: Tank Test Failure Resource Affectd: On Land Water Affected: Not reported Spill Source: Gas Station

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11 Cleanup Ceased: 11 Cleanup Meets Standard: False

MULQUEEN Investigator:

Direction Distance Elevation

tion Site Database(s) EPA ID Number

3961 TENTH AVE (Continued)

S101658293

EDR ID Number

Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 04/23/93 Reported to Department Time: 16:07 SWIS: 62

Spiller Contact:
Spiller Phone:
Not reported
Spiller Extention:
Not reported
Spiller Name:
Spiller Address:
Spiller City, St, Zip:
Not reported
Not reported
Not reported
Not reported

Spiller Cleanup Date:

Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/27/93
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 06/28/95 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Last Date:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: False Not reported Quantity Recovered: O Unkonwn Quantity Recovered: False Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported

19940929

DEC Remarks: 06/27/95: 88-07698=PRODUCT IN WELL 1.87-08221= 3) 4K UST FAILED TT. 12/06/95

SEE ALSO 87-08221 WHICH MAY BE SAME SITE, WRONG ADDRESS, WILL BE CHECKED OUT

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

3961 TENTH AVE (Continued)

S101658293

Spill Cause: EX ISO RETEST. WAS TOMASELLO SPILL, RE-ASSIGNED-MULQUEEN ON 4/18/95. SHELL

ADDRESSING THE PROBLEM AT THE SITE. SEE FILE ALSO 87-08221 88-07698

U132 3961 TENTH AVE/SHELL SERV **LTANKS** S104275502 North **3961 TENTH AVE HIST LTANKS** N/A

1/8-1/4 **NEW YORK CITY, NY**

0.239 mi.

1260 ft. Site 2 of 3 in cluster U

LTANKS: Relative:

169694 Site ID: Higher 8708221 Spill No: Actual: Spill Date: 12/22/1987 20 ft. Spill Cause: Tank Test Failure Spill Source: **Gasoline Station**

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 6/27/1995 Facility Addr2: Not reported Cleanup Ceased: 6/27/1995 Cleanup Meets Standard: True SWIS: 3101 Investigator: **MMMULQUE** Referred To: Not reported

Reported to Dept: 12/22/1987 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: Date Entered In Computer: 3/31/1988 Spill Record Last Update: 6/28/1995 Spiller Name: Not reported

Spiller Company: SHELL SERVICE STATION

Spiller Address: 3961 TENTH AVE NEW YORK, NY Spiller City, St, Zip:

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: **DER Facility ID:** 142861

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"MULQUEEN" / /: WAS A TOMASELLO SPILL. REASSIGNED 4/18/95 TO

MULQUEEN. SHELL ADDRESSING SITE PROBLEM SEE FILE. SEE ALSO 93-01145. 06/27/95: WAS TOMASELLO SPILL, REASSIGNED 4/18/95 TO MULQUEEN. SHELL

ADDRESSING SITE PROBLEM SEE FILE. SEE ALSO 93-01145.

Remarks: (3) 4K TANKS FAILED, 1ST SUPER UNLEADED WITH LEAK RATE OF 1.0GPH, 2ND

REGULAR UNLEADED WITH LEAK RATE OF 4GPH, 3RD REGULAR GASOLINE FAILED

WITH A LEAK RATE OF 1.0GPH. SEE ALSO 9301145.

Material:

Site ID: 169694 Operable Unit ID: 913744 Operable Unit: 01

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

3961 TENTH AVE/SHELL SERV (Continued)

S104275502

Material ID: 463616 0009 Material Code: Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity:

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 169694 Spill Tank Test: 1532779 Tank Number: Not reported

Tank Size: 00 Test Method: Leak Rate:

Gross Fail: Not reported Spills Modified By: Last Modified: 10/1/2004 Test Method: Unknown

HIST LTANKS:

Region of Spill: Spill Number: 8708221 Spill Date: 12/22/1987 Spill Time: 14:10

Spill Cause: Tank Test Failure Resource Affectd: Groundwater Water Affected: Not reported Spill Source: Gas Station

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken. 06/27/95

Spill Closed Dt: Cleanup Ceased: 06/27/95 Cleanup Meets Standard: True MULQUEEN Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Not reported Caller Extension: Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 12/22/87 Reported to Department Time: 15:55 SWIS: 62 Spiller Contact: Not reported

Spiller Phone: Not reported Spiller Extention: Not reported

SHELL SERVICE STATION Spiller Name:

Spiller Address: 3961 TENTH AVE Spiller City, St, Zip: NEW YORK, N.Y.

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

3961 TENTH AVE/SHELL SERV (Continued)

S104275502

Spiller Cleanup Date: / /

Facility Contact: Not reported
Facility Phone: (516) 938-8686
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-190853

Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/31/88
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 06/28/95 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: //: WAS A TOMASELLO SPILL. REASSIGNED 4/18/95 TO MULQUEEN. SHELL

ADDRESSING SITE PROBLEM SEE FILE. SEE ALSO 93-01145. 06/27/95: WAS TOMASELLO SPILL, REASSIGNED 4/18/95 TO MULQUEEN. SHELL ADDRESSING SITE PROBLEM SEE FILE.

SEE ALSO 93-01145.

Spill Cause: 3) 4K TANKS FAILED, 1ST SUPER UNLEADED WITH LEAK RATE OF 1.0GPH, 2ND REGULAR

UNLEADED WITH LEAK RATE OF 4GPH, 3RD REGULAR GASOLINE FAILED WITH A LEAK RATE

OF 1.0GPH. SEE ALSO 9301145.

T133 207 SHERMAN ASSOC., LLC. AST A100146978 WNW 189-199 SHERMAN AVENUE N/A

1/8-1/4 NEW YORK, NY 10034

0.242 mi.

1279 ft. Site 2 of 3 in cluster T

Relative: AST:

Equal Region: STATE DEC Region: 2

 Actual:
 Site Status:
 Active

 19 ft.
 Facility Id:
 2-275166

 Program Type:
 PBS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

207 SHERMAN ASSOC., LLC. (Continued)

A100146978

UTM X: 590887.97777999996 UTM Y: 4524364.20627 **Expiration Date:** 2014/05/25

Tank Number: 001 13838 Tank Id: Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 7/1/1925 Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **MSBAPTIS** Modified By: Last Modified: 2/27/2009

Equipment Records:

G99 - Tank Secondary Containment - Other

H00 - Tank Leak Detection - None

L09 - Piping Leak Detection - Exempt Suction Piping

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating

105 - Overfill - Vent Whistle

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron

B01 - Tank External Protection - Painted/Asphalt Coating

Affiliation Records:

11788 Site Id:

Affiliation Type: On-Site Operator

Company Name: 207 SHERMAN ASSOC., LLC.

Contact Type: Not reported RAFEAL GONZAKZ Contact Name: Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported

Country Code: 001

Phone: (917) 706-9484 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: kxtang Date Last Modified: 5/5/2004

Site Id: 11788 Affiliation Type: Mail Contact

Company Name: 207 SHERMAN ASSOCIATES

Contact Type: Not reported Contact Name: SILVIA PEREZ

Direction Distance

Elevation Site Database(s) EPA ID Number

207 SHERMAN ASSOC., LLC. (Continued)

A100146978

EDR ID Number

Address1: C/O SDG MANAGEMENT CORP.

Address2: 888 7TH AVE, 24TH FL.

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10019

 Country Code:
 001

Phone: (212) 660-1237
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 11/7/2005

Site Id: 11788 Affiliation Type: Owner

Company Name: 207 SHERMAN ASSOC., LLC.

Contact Type: AGENT

Contact Name: CYNTHIA MARRERO Address1: 888 7TH AVE, 24TH FL

Address2: Not reported City: NEW YORK State: NY Zip Code: 10019 Country Code: 001

Phone: (212) 755-5390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/27/2009

Site Id: 11788

Affiliation Type: Emergency Contact

Company Name: 207 SHERMAN ASSOC., LLC.

Contact Type: Not reported

Contact Name: SDG MANAGEMENT

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (212) 755-5390
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 5/5/2004

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

V134 **LEEDS CLEANERS** RCRA-NonGen 1004758323 NW 575 W 207TH ST FINDS NYD986993368

1/8-1/4 NEW YORK, NY 10034

0.244 mi.

26 ft.

1290 ft. Site 1 of 4 in cluster V

RCRA-NonGen:

Relative:

Date form received by agency: 01/01/2007 Higher

Facility name: LEEDS CLEANERS Actual: Facility address: 575 W 207TH ST

NEW YORK, NY 10034

EPA ID: NYD986993368 Mailing address: W 207TH ST

NEW YORK, NY 10034

Contact: JEROME KLEIN Contact address: W 207TH ST

NEW YORK, NY 10034

Contact country: US

(212) 942-6870 Contact telephone: Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: **LEEDS CLEANERS** Classification: Not a generator, verified

Date form received by agency: 07/07/1997

Facility name: **LEEDS CLEANERS**

Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001610757

Environmental Interest/Information System

MANIFEST

Direction Distance Elevation

Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD986993368

Country: USA

Mailing Name: LEEDS DRY CLNRS INC

Mailing Contact: N/S

Mailing Address: 575 W 207TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY

Mailing Zip: 10034
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 212-942-6870

Document ID: NJA1812957 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 931229 Trans1 Recv Date: 931229 Trans2 Recv Date: Not reported TSD Site Recv Date: 931229 Part A Recv Date: 940111 Part B Recv Date: 940120 Generator EPA ID: NYD986993368 ILD984908202

Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS CLEANERS (Continued)

1004758323

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 93 Year:

Manifest Tracking Num: Not reported Not reported Import Ind: Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1822145 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 940128 Trans1 Recv Date: 940128 Trans2 Recv Date: Not reported TSD Site Recv Date: 940128 Part A Recy Date: 940208 Part B Recv Date: 940208

Generator EPA ID: NYD986993368 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 P - Pounds Units: 001 Number of Containers:

DF - Fiberboard or plastic drums (glass) Container Type: Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Not reported Discr Type Ind: Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1804628 Manifest Status: Completed copy

Trans1 State ID: S8690

Direction Distance Elevation

tion Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Trans2 State ID: Not reported 940422 Generator Ship Date: Trans1 Recv Date: 940422 Trans2 Recv Date: Not reported TSD Site Recv Date: 940422 940504 Part A Recv Date: Part B Recv Date: 940510 Generator EPA ID: NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2665848
Manifest Status: Completed copy

08690 Trans1 State ID: Not reported Trans2 State ID: Generator Ship Date: 961122 Trans1 Recv Date: 961122 Trans2 Recv Date: Not reported TSD Site Recv Date: 961122 Part A Recv Date: 961216 Part B Recv Date: 961212

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Import Ind: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Export Ind: Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2698543
Manifest Status: Completed copy

Trans1 State ID: 08690 Trans2 State ID: Not reported Generator Ship Date: 961007 Trans1 Recv Date: 961007 Trans2 Recv Date: Not reported TSD Site Recv Date: 961007 Part A Recv Date: 961024 Part B Recv Date: 961031

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00060
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1444376

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920507
Trans1 Recv Date: 920507
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920507
Part A Recv Date: 920529

Direction Distance

Elevation Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

 Part B Recv Date:
 920908

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2517240 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 960813 Trans1 Recv Date: 960813 Trans2 Recv Date: Not reported TSD Site Recv Date: 960813 960827 Part A Recv Date: 960829 Part B Recv Date: Generator EPA ID: NYD986993368 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00060 Units: P - Pounds

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported

Distance

Elevation Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Manifest Ref Num:
Alt Fac RCRA Id:
Not reported
Alt Fac Sign Date:
Not reported
Not reported
Not reported
Not reported

Document ID: NJA1945807
Manifest Status: Completed copy

Trans1 State ID: 58149 Trans2 State ID: Not reported 941018 Generator Ship Date: 941018 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 941018 Part A Recv Date: 941026 Part B Recv Date: 941104

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1949330 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 940519 940519 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recy Date: 940519 940601 Part A Recv Date: Part B Recv Date: 940602

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Direction Distance Elevation

evation Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Quantity: 00095
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2527224 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 960716 Trans1 Recv Date: 960716 Trans2 Recv Date: Not reported TSD Site Recv Date: 960716 960731 Part A Recv Date: Part B Recv Date: 960801

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00060 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 96

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance Elevation

ance EDR ID Number
vation Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

Document ID: NJA1421093 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Not reported Trans2 State ID: Generator Ship Date: 920603 Trans1 Recv Date: 920603 Trans2 Recv Date: Not reported TSD Site Recv Date: 920603 Part A Recv Date: Not reported Part B Recv Date: 920616 NYD986993368 Generator EPA ID: ILD051060408 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1948162 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 940615 Trans1 Recv Date: 940615 Trans2 Recv Date: Not reported TSD Site Recv Date: 940615 Part A Recv Date: 940628 Part B Recv Date: 940630 Generator EPA ID: NYD986993368

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00150
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Direction Distance Elevation

n Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1802805 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 940304 Generator Ship Date: Trans1 Recv Date: 940304 Trans2 Recv Date: Not reported TSD Site Recy Date: 940304 Part A Recv Date: 940316 Part B Recv Date: 940316

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD984908202

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 94

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1961535

Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 941108

Trans1 Recv Date: 941108

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS CLEANERS (Continued)

1004758323

Trans2 Recv Date: Not reported 941108 TSD Site Recv Date: Part A Recv Date: 941122 Part B Recv Date: 941130 Generator EPA ID: NYD986993368 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00180 Units: P - Pounds Number of Containers: 003

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Year: 94

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA2656320

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: 08690 Trans2 State ID: Not reported 961104 Generator Ship Date: Trans1 Recv Date: 961104 Trans2 Recv Date: Not reported TSD Site Recv Date: 961104 Part A Recv Date: 961126 Part B Recv Date: 961203

Generator EPA ID: NYD986993368 Trans1 EPA ID: ILD984908202 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) B Incineration, heat recovery, burning. Handling Method:

Specific Gravity: 100 Year:

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Discr Residue Ind:
Discr Partial Reject Ind:
Discr Full Reject Ind:
Mot reported
Not reported
Mgmt Method Type Code:
Not reported

Document ID: NJA1351858 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 921104 Trans1 Recv Date: 921104 Trans2 Recv Date: Not reported TSD Site Recy Date: 921104 Part A Recv Date: 921123 Part B Recv Date: 921127 NYD986993368 Generator EPA ID:

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00150
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Not reported Discr Quantity Ind: Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NJA1634775 Document ID: Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 921207 Trans1 Recv Date: 921207 Trans2 Recv Date: Not reported TSD Site Recv Date: 921207 Part A Recv Date: 921222 Part B Recv Date: 921223

 Generator EPA ID:
 NYD986993368

 Trans1 EPA ID:
 ILD051060408

Direction Distance Elevation

Elevation Site Database(s) EPA ID Number

LEEDS CLEANERS (Continued)

1004758323

EDR ID Number

Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1463296 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 920701 Trans1 Recv Date: 920701 Trans2 Recv Date: Not reported TSD Site Recy Date: 920701 Part A Recv Date: Not reported Part B Recv Date: 920714 NYD986993368 Generator EPA ID: ILD051060408 Trans1 EPA ID:

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

 Waste Code:
 F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00040 Units: P - Pounds

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS CLEANERS (Continued)

1004758323

Mgmt Method Type Code: Not reported

Document ID: NJA1415821 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported 920930 Generator Ship Date: Trans1 Recv Date: 920930 Trans2 Recv Date: Not reported 920930 TSD Site Recv Date: Part A Recv Date: Not reported 921008 Part B Recv Date: Generator EPA ID: NYD986993368

Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 P - Pounds Units:

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Not reported Discr Residue Ind: Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code:

NJA1413818 Document ID: Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 920729 Trans1 Recv Date: 920729 Trans2 Recv Date: Not reported TSD Site Recv Date: 920729 Part A Recv Date: Not reported Part B Recv Date: 920812 Generator EPA ID: NYD986993368 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00160 P - Pounds Units: Number of Containers: 001

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS CLEANERS (Continued)

1004758323

Container Type: DF - Fiberboard or plastic drums (glass) B Incineration, heat recovery, burning. Handling Method:

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

> Click this hyperlink while viewing on your computer to access 26 additional NY_MANIFEST: record(s) in the EDR Site Report.

V135 LEED'S ONE HOUR CLEANERS DRYCLEANERS S110247133

N/A

NW 575W 207TH ST. 1/8-1/4 NEW YORK, NY 10034

0.244 mi.

1290 ft. Site 2 of 4 in cluster V

DRYCLEANERS: Relative:

Facility ID: 2-6201-00280 Higher

Region: 2

Actual: Registration Effective Date: 5/22/2002 16:44:48:666

26 ft. Inspection Date: 04AUG26 Drop Shop: Not reported

Shutdown: Alternate Solvent: Not reported

NOT A DRY CLEANER **Current Business:**

136 **526 WEST 211ST STREET AST** U003385320 North **526 WEST 211ST STREET HIST AST** N/A NEW YORK, NY 10034

1/8-1/4 0.246 mi. 1299 ft.

AST: Relative:

Region: STATE Higher DEC Region: Actual: Site Status: Active 26 ft. Facility Id: 2-130044

> Program Type: **PBS** UTM X: 591226.79503000004 UTM Y: 4524600.1808200004

Expiration Date: 2012/08/15

Tank Number: 001 Tank Id: 5550 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Direction Distance

Elevation Site Database(s) EPA ID Number

526 WEST 211ST STREET (Continued)

U003385320

EDR ID Number

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1979
Capacity Gallons: 3000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
MSBAPTIS
Last Modified:
7/31/2009

Equipment Records:

H00 - Tank Leak Detection - None I04 - Overfill - Product Level Gauge (A/G) F00 - Pipe External Protection - None C00 - Pipe Location - No Piping J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

D02 - Pipe Type - Galvanized Steel

G03 - Tank Secondary Containment - Vault (w/o access)

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 4065

Affiliation Type: Emergency Contact
Company Name: 526-211 ASSOCIATES

Contact Type: Not reported
Contact Name: PALE MGMT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 496-1001
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4065

Affiliation Type: On-Site Operator

Company Name: 526 WEST 211TH STREET

Contact Type: Not reported
Contact Name: ANGEL NIEVES
Address1: Not reported
Address2: Not reported
City: Not reported

State: NN

Zip Code: Not reported

Country Code: 001

Phone: (646) 623-1261
Phone Ext: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

526 WEST 211ST STREET (Continued)

U003385320

EDR ID Number

Email: Not reported Fax Number: Not reported Modified By: CGFREEDM Date Last Modified: 8/6/2009

Site Id: 4065 Affiliation Type: Owner

Company Name: 526 WEST 211 GROUP, LLC

Contact Type: AGENT

Contact Name: MORREY A. FORMAN

Address1: 775 BROADWAY AVE, SUITE 103

Address2: Not reported City: BALDWIN State: NY Zip Code: 11510 Country Code: 001

Phone: (516) 868-5224
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 8/6/2009

Site Id: 4065 Affiliation Type: Mail Contact

Company Name: YORKSHIRE MANAGEMENT CORP.

Contact Type: Not reported Contact Name: MORREY A.

Contact Name: MORREY A. FORMAN Address1: 775 BROOKLYN AVE

 Address2:
 SUITE 103

 City:
 BALDWIN

 State:
 NY

 Zip Code:
 11510

 Country Code:
 001

Phone: (516) 868-5224
Phone Ext: Not reported

Email: YORKSHIREPROPERTYMANAGERS@VERIZON.NET

Fax Number: Not reported Modified By: CGFREEDM Date Last Modified: 8/6/2009

HIST AST:

PBS Number: 2-130044 SWIS Code: 6201

Operator: JAMES BEULON Facility Phone: (212) 569-5066

Facility Addr2: 526 WEST 211ST STREET Facility Type: APARTMENT BUILDING

Emergency: PALE MGMT
Emergency Tel: (212) 496-1001
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: 526-211 ASSOCIATES
Owner Address: 132 WEST 81ST STREET
Owner City,St,Zip: NEW YORK, NY 10024

Direction Distance

Elevation Site Database(s) EPA ID Number

526 WEST 211ST STREET (Continued)

U003385320

EDR ID Number

Federal ID: Not reported

Owner Tel: (212) 362-2221

Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Contact: SCOTT LEISNER
Mailing Name: PALE MANAGEMENT
Mailing Address: 200 WEST 72 STREET

Mailing Address 2: ROOM # 61

Mailing City,St,Zip: NEW YORK, NY 10023 Mailing Telephone: (212) 496-1001

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 06/23/1997
Expiration: 06/05/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000

Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Diking Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

W137 **75 PORT AVE AST** U003391415 West **75 POST AVENUE HIST AST** N/A

1/8-1/4 NEW YORK, NY 10034

0.246 mi.

1298 ft. Site 1 of 2 in cluster W

Relative: Equal

AST: STATE Region: DEC Region:

Actual: 19 ft.

Site Status: Unregulated Facility Id: 2-373958 Program Type: **PBS**

UTM X: 590856.47215000005 4524207.02415 UTM Y:

Expiration Date: N/A

Tank Number: 001 Tank Id: 21426 Tank Location:

Steel/Carbon Steel/Iron Tank Type: Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 2000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: 8/29/2008 Register: True NRLOMBAR Modified By: 3/10/2009 Last Modified:

Equipment Records:

105 - Overfill - Vent Whistle

E00 - Piping Secondary Containment - None

C01 - Pipe Location - Aboveground H00 - Tank Leak Detection - None

D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None F00 - Pipe External Protection - None 104 - Overfill - Product Level Gauge (A/G)

B05 - Tank External Protection - Jacketed L00 - Piping Leak Detection - None

K00 - Spill Prevention - None

Affiliation Records:

Site Id: 18795 Affiliation Type: Owner

Company Name: 75 POST REALTY LLC

Contact Type: Not reported Contact Name: Not reported P O BOX 1424 Address1: Address2: Not reported City: LONG ISLAND CITY

State: NY Zip Code: 11101 **EDR ID Number**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

75 PORT AVE (Continued)

U003391415

Country Code: 001

(917) 558-2164 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 3/10/2009

Site Id: 18795

Affiliation Type: **Emergency Contact** 75 POST AVENUE LLC Company Name:

Contact Type: Not reported

Contact Name: SERGIO MARTINES

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

(516) 690-1814 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 6/7/2005

Site Id: 18795

Affiliation Type: On-Site Operator Company Name: **75 PORT AVENUE LLC**

Contact Type: Not reported Contact Name: DANILO MESA Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(917) 442-6802 Phone: Not reported Phone Ext: Email: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 6/7/2005

18795 Site Id: Affiliation Type: Mail Contact

Company Name: 75 POST REALTY LLC

Contact Type: Not reported DAVID NAHUM Contact Name: Address1: P.O. BOX 1424 Address2: Not reported City: LONG ISLAND CITY

State: NY Zip Code: 11101 Country Code: 001

Phone: (917) 558-2164 Phone Ext: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

75 PORT AVE (Continued) U003391415

Email: Not reported Fax Number: Not reported Modified By: NRLOMBAR Date Last Modified: 3/10/2009

HIST AST:

PBS Number: 2-373958 SWIS Code: 6201

Operator: POST AVENUE PARTNERS

Facility Phone: (212) 543-2800
Facility Addr2: 75 POST AVENUE
Facility Type: Not reported

Emergency: HSC MANAGEMENT CORP

Emergency Tel: (212) 543-2800
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: POST AVENUE PARTNERS

Owner Address: 193 MT VIEW DR
Owner City,St,Zip: CLIFTON, NJ 07013
Federal ID: Not reported
Owner Tel: (201) 881-7496
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported

Mailing Name: POST AVENUE PARTNERS

Mailing Address: 193 MT VIEW DR
Mailing Address 2: Not reported
Mailing City,St,Zip: CLIFTON, NJ 07013
Mailing Telephone: (201) 881-7496
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 11/16/1987
Expiration: 11/16/1992
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

75 PORT AVE (Continued) U003391415

NOS 1,2, OR 4 FUEL OIL Product Stored:

Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported

Pipe External: Tank Containment: None Leak Detection: 9 Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

T138 SHERMAN HOLDING CORP. U003388705 **AST** 600 W 204TH ST **HIST AST** WNW N/A

1/8-1/4 0.246 mi.

1300 ft. Site 3 of 3 in cluster T

NEW YORK, NY 10034

AST: Relative: Region: Equal

STATE DEC Region: 2 Actual: Site Status: Active

19 ft. Facility Id: 2-279234 Program Type: **PBS**

UTM X: 590881.84624999994 UTM Y: 4524357.4420499997

Expiration Date: 2012/08/05

Tank Number: 001 14475 Tank Id: Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 9/1/1994 3000 Capacity Gallons: Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **KXTANG** Last Modified: 6/7/2007

Equipment Records:

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN HOLDING CORP. (Continued)

U003388705

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

C01 - Pipe Location - Aboveground F00 - Pipe External Protection - None A00 - Tank Internal Protection - None B05 - Tank External Protection - Jacketed I04 - Overfill - Product Level Gauge (A/G)

L09 - Piping Leak Detection - Exempt Suction Piping

Affiliation Records:

Site Id: 12143

Affiliation Type: On-Site Operator

Company Name: SHERMAN HOLDING CORP.

Contact Type: Not reported

Contact Name: ALEJANDRO NUNEZ

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 567-5955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12143

Affiliation Type: Emergency Contact

Company Name: SHERMAN HOLDING CORP.

Contact Type: Not reported

Contact Name: MARTIN S. LEVINE

Address1: Not reported Address2: Not reported City: Not reported State: NN Zip Code: Not reported

Country Code: 001

Phone: (212) 838-1255
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12143 Affiliation Type: Owner

Company Name: SHERMAN HOLDING CORP.

Contact Type: AGENT

Contact Name: MARTIN S. LEVINE

Address1: 805 THIRD AVENUE - SUITE 1100

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10022

 Country Code:
 001

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN HOLDING CORP. (Continued)

U003388705

EDR ID Number

Phone: (212) 838-1255 Phone Ext: Not reported

Email: ELDOEADO805@AOL.COM

Fax Number: Not reported Modified By: KXTANG Date Last Modified: 6/7/2007

Site Id: 12143 Affiliation Type: Mail Contact

Company Name: SHERMAN HOLDING CORP.

Contact Type: AGENT

Contact Name: MARTIN S. LEVINE

Address1: 805 THIRD AVENUE - SUITE 1100

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10022

 Country Code:
 001

Phone: (212) 838-1255
Phone Ext: Not reported

Email: ELDOEADO805@AOL.COM

Fax Number: Not reported Modified By: KXTANG Date Last Modified: 6/7/2007

HIST AST:

PBS Number: 2-279234 SWIS Code: 6201

JUFAD MARKOVIC Operator: Facility Phone: (212) 304-1617 Facility Addr2: 600 W 204TH ST Facility Type: APARTMENT BUILDING Emergency: MARTIN S. LEVINE Emergency Tel: (212) 838-1255 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported

Result of Inspection: Not reported
Owner Name: SHERMAN HOLDING CORP.
Owner Address: 805 THIRD AVENUE - SUITE 1100

Owner City, St, Zip: NEW YORK, NY 10022

Federal ID: Not reported
Owner Tel: (212) 838-1255
Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Contact: MARTIN S. LEVINE

Mailing Name: SHERMAN HOLDING CORP.
Mailing Address: 805 THIRD AVENUE - SUITE 1100

Mailing Address 2: Not reported

Mailing City,St,Zip: NEW YORK, NY 10022
Mailing Telephone: (212) 838-1255
Owner Mark: Second Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 08/06/1997

Direction Distance

Elevation Site Database(s) EPA ID Number

SHERMAN HOLDING CORP. (Continued)

U003388705

EDR ID Number

Expiration: 08/05/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 3000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal:

Tank External: 05

Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported

Pipe External: Tank Containment: None 0 Leak Detection: Overfill Protection: 4 Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Not reported Date Closed: Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported Not reported Lat/Long:

V139 LEEDS DRY CLEANERS INC

NW 576 W 207TH ST 1/8-1/4 NEW YORK, NY 10034

0.246 mi.

1300 ft. Site 3 of 4 in cluster V

Relative: RCRA-NonGen:

Higher Date form received by agency: 01/01/2007

Facility name: LEEDS DRY CLEANERS INC

Actual: Facility address: 576 W 207TH ST 26 ft. NEW YORK, NY 10034

EPA ID: NYD083616482

Mailing address: W 207TH ST NEW YORK, NY 10034

Contact: Not reported Contact address: W 207TH ST

1004756436

NYD083616482

RCRA-NonGen

MANIFEST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

NEW YORK, NY 10034

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: JEROME KLEIN Owner/operator address: **NOT REQUIRED**

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported

JEROME KLEIN Owner/operator name: NOT REQUIRED Owner/operator address:

NOT REQUIRED, WY 99999

Owner/operator country:

Owner/operator telephone: (212) 555-1212 Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: LEEDS DRY CLEANERS INC Classification: Not a generator, verified

Date form received by agency: 04/05/1995

Facility name: LEEDS DRY CLEANERS INC

Classification: Conditionally Exempt Small Quantity Generator

Direction Distance

Elevation Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

EDR ID Number

Date form received by agency: 07/05/1988

LEEDS DRY CLEANERS INC Facility name: Classification: **Small Quantity Generator**

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYD083616482

Country: USA

Mailing Name: LEEDS DRY CLEANER INC Mailing Contact: LEEDS DRY CLEANER INC

Mailing Address: 576 W 207TH Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10034 Mailing Zip4: Not reported

Mailing Country: USA

Mailing Phone: 212-442-6870

Document ID: NJA0505597 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 881209 Trans1 Recv Date: 881209 Trans2 Recy Date: Not reported TSD Site Recv Date: 881209 Part A Recv Date: 881215 Part B Recv Date: 881220

Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

00070 Quantity: P - Pounds Units: 001

Number of Containers:

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: Year: 88

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: Not reported

Document ID: NJA0501059

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Not reported Trans2 State ID: Generator Ship Date: 880929 Trans1 Recv Date: 880929 Trans2 Recv Date: Not reported TSD Site Recv Date: 880929 Part A Recy Date: 881004 Part B Recv Date: 881007 Generator EPA ID: NYD083616482

ILD051060408 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 P - Pounds Units:

001 Number of Containers:

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 88 Year:

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0637798 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 890508 Trans1 Recv Date: 890508 Trans2 Recv Date: Not reported TSD Site Recv Date: 890508 Part A Recv Date: 890512 Part B Recv Date: 890515 Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported

TSDF ID: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

NJD000768093

Quantity: 00070 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Direction Distance Elevation

ance EDR ID Number ration Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

1004756436

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0510880 Manifest Status: Completed copy NJDEPS869 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 890117 Trans1 Recv Date: 890117 Trans2 Recv Date: Not reported TSD Site Recv Date: 890117 Part A Recv Date: 890126 Part B Recv Date: 890123

 Generator EPA ID:
 NYD083616482

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1211242

Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 910729
Trans1 Recv Date: 910729
Trans2 Recv Date: Not reported

Direction Distance Elevation

levation Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

1004756436

EDR ID Number

TSD Site Recv Date: 910729
Part A Recv Date: 910808
Part B Recv Date: 910813
Generator EPA ID: NYD083616482
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 91

Manifest Tracking Num: Not reported Not reported Import Ind: **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1203327 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 910702 910702 Trans1 Recv Date: Not reported Trans2 Recv Date: TSD Site Recv Date: 910702 Part A Recv Date: 910711 Part B Recv Date: 910716 NYD083616482 Generator EPA ID: Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

NJD000768093

Quantity: 00060
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 91

TSDF ID:

Manifest Tracking Num:
Import Ind:
Export Ind:
Discr Quantity Ind:
Discr Type Ind:
Not reported

Distance

Elevation Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

1004756436

EDR ID Number

Discr Partial Reject Ind:
Discr Full Reject Ind:
Mot reported
Not reported

Document ID: NJA1213812 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 910828 Generator Ship Date: Trans1 Recv Date: 910828 Trans2 Recv Date: Not reported TSD Site Recv Date: 910828 Part A Recv Date: 910909 Part B Recv Date: 910912

 Generator EPA ID:
 NYD083616482

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00135 Units: P - Pounds

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 91

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Not reported Alt Fac RCRA Id: Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1337084 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 911022 Trans1 Recy Date: 911022 Trans2 Recv Date: Not reported TSD Site Recv Date: 911022 Part A Recv Date: Not reported Part B Recv Date: 911115 NYD083616482 Generator EPA ID: ILD051060408 Trans1 EPA ID: Trans2 EPA ID: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

TSDF ID: NJD000768093

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

00060 Quantity: Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 91 Year:

Manifest Tracking Num: Not reported Import Ind: Not reported Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1344269 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 911223 Trans1 Recv Date: 911223 Trans2 Recv Date: Not reported TSD Site Recv Date: 911223 Part A Recv Date: 920106 Part B Recv Date: 920114 Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00060 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 91 Year:

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Direction Distance Elevation

ance EDR ID Number ration Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

1004756436

Document ID: NJA1344615 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Not reported Trans2 State ID: Generator Ship Date: 920212 Trans1 Recv Date: 920212 Trans2 Recv Date: Not reported TSD Site Recv Date: 920212 Part A Recv Date: 920221 Part B Recv Date: 920227 NYD083616482 Generator EPA ID:

 Generator EPA ID.
 NYD0836 16482

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00060
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 92

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA1346548 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 911003 Trans1 Recv Date: 911003 Trans2 Recv Date: Not reported TSD Site Recv Date: 911003 Part A Recv Date: 911017 Part B Recv Date: 911018 Generator EPA ID: NYD083616482

 Generator EPA ID:
 NYD0836 16482

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00195 Units: P - Pounds Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Distance

Elevation Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

Mgmt Method Type Code:

1004756436

EDR ID Number

Year: 91 Not reported Manifest Tracking Num: Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Document ID: NJA0497445 Completed copy Manifest Status: Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 881028 Trans1 Recv Date: 881028 Trans2 Recv Date: Not reported TSD Site Recy Date: 881028 Part A Recv Date: 881103 Part B Recv Date: 881118

 Generator EPA ID:
 NYD083616482

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Not reported

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 88

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0567250

Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 890313
Trans1 Recv Date: 890313

Direction Distance

Elevation Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

1004756436

EDR ID Number

Not reported Trans2 Recv Date: 890313 TSD Site Recv Date: Part A Recv Date: 890320 Part B Recv Date: 890323 Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0618315 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 890606 Generator Ship Date: Trans1 Recv Date: 890606 Trans2 Recv Date: Not reported TSD Site Recv Date: 890606 Part A Recv Date: 890613 Part B Recv Date: 890614 Generator EPA ID: NYD083616482

Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num:
Import Ind:
Export Ind:
Discr Quantity Ind:
Not reported

Direction Distance Elevation

tance EDR ID Number evation Site Database(s) EPA ID Number

LEEDS DRY CLEANERS INC (Continued)

1004756436

Discr Residue Ind:
Discr Partial Reject Ind:
Discr Full Reject Ind:
Mot reported
Not reported
Mgmt Method Type Code:
Not reported

Document ID: NJA9627269 Manifest Status: Completed copy 00000000 Trans1 State ID: 00000000 Trans2 State ID: Generator Ship Date: 890804 Trans1 Recv Date: 890804 Trans2 Recv Date: Not reported TSD Site Recy Date: 890804 Part A Recv Date: 890809 Part B Recv Date: 890809

 Generator EPA ID:
 NYD083616482

 Trans1 EPA ID:
 ILD051060408

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070
Units: P - Pounds
Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NJA9624655 Document ID: Manifest Status: Completed copy Trans1 State ID: 00000000 Trans2 State ID: 00000000 Generator Ship Date: 890706 Trans1 Recv Date: 890706 Trans2 Recv Date: Not reported TSD Site Recv Date: 890706 Part A Recv Date: 890712 Part B Recv Date: 890712 NYD083616482 Generator EPA ID:

Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

Trans2 EPA ID: Not reported NJD000768093 TSDF ID:

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

00070 Quantity: Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0564583 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported 890412 Generator Ship Date: 890412 Trans1 Recv Date: Not reported Trans2 Recv Date: TSD Site Recy Date: 890412 Part A Recv Date: 890418 Part B Recv Date: 890420 NYD083616482 Generator EPA ID:

ILD051060408 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NJD000768093

F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV Waste Code:

Quantity: 00070 Units: P - Pounds Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported Export Ind: Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

Mgmt Method Type Code: Not reported

Document ID: NJA0712395 Manifest Status: Completed copy Trans1 State ID: 00000000 Trans2 State ID: 00000000 Generator Ship Date: 891127 Trans1 Recv Date: 891127 Trans2 Recv Date: Not reported TSD Site Recv Date: 891127 Part A Recv Date: 891201 Part B Recv Date: 891204

Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 P - Pounds Units:

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0714134

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 890927 Trans1 Recv Date: 890927 Trans2 Recv Date: Not reported TSD Site Recv Date: 890927 Part A Recv Date: 891002 Part B Recv Date: 891109

Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 P - Pounds Units: Number of Containers: 001

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

LEEDS DRY CLEANERS INC (Continued)

1004756436

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 89

Manifest Tracking Num: Not reported Not reported Import Ind: Not reported Export Ind: Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Not reported Discr Full Reject Ind: Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

Document ID: NJA0809438 Manifest Status: Completed copy Trans1 State ID: NJDEPS869 Trans2 State ID: Not reported Generator Ship Date: 900313 Trans1 Recv Date: 900313 Trans2 Recv Date: Not reported TSD Site Recv Date: 900313 Part A Recy Date: 900403 Part B Recv Date: 900405

Generator EPA ID: NYD083616482 Trans1 EPA ID: ILD051060408 Trans2 EPA ID: Not reported TSDF ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00070 P - Pounds Units: 001 Number of Containers:

DM - Metal drums, barrels Container Type:

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 90

Manifest Tracking Num: Not reported Not reported Import Ind: Export Ind: Not reported Discr Quantity Ind: Not reported Not reported Discr Type Ind: Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

> Click this hyperlink while viewing on your computer to access 23 additional NY_MANIFEST: record(s) in the EDR Site Report.

Direction Distance

Elevation Site Database(s) **EPA ID Number**

U140 W.D. AUTO REPAIRS INC. A100300927 **3966 10TH AVENUE** N/A

North NEW YORK, NY 10034 1/8-1/4 0.248 mi.

1310 ft. Site 3 of 3 in cluster U

Relative: Equal

Actual:

19 ft.

AST: STATE Region: DEC Region: 2 Site Status: Active Facility Id: 2-610487 Program Type: **PBS**

UTM X: Not reported Not reported UTM Y: 2012/02/16 **Expiration Date:**

Tank Number: 001 Tank Id: 215892 Tank Location: 3 Tank Type: Plastic Tank Status: In Service Not reported Tank Model: Pipe Model: Not reported Install Date: 6/1/2006 Capacity Gallons: 275 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **NRLOMBAR** Modified By: 2/16/2007 Last Modified:

Equipment Records:

100 - Overfill - None

L00 - Piping Leak Detection - None

E00 - Piping Secondary Containment - None F00 - Pipe External Protection - None H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None

J00 - Dispenser - None D00 - Pipe Type - No Piping C00 - Pipe Location - No Piping K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

Affiliation Records:

Site Id: 377378

Affiliation Type: **Emergency Contact** Company Name: WINNA DIAZ Contact Type: Not reported Contact Name: **CHENEY VASQUEZ**

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001 **EDR ID Number**

Direction Distance Elevation

vation Site Database(s) EPA ID Number

W.D. AUTO REPAIRS INC. (Continued)

A100300927

EDR ID Number

Phone: (914) 774-9362
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/16/2007

Site Id: 377378

Affiliation Type: Owner

Company Name: WINNA DIAZ

Contact Type: Not reported

Contact Name: GERSON MARCHENA
Address1: 3966 10TH AVE
Address2: Not reported
City: NEW YORK
State: NY

Zip Code: 10034 Country Code: 001

Phone: (914) 202-8745
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/16/2007

Site Id: 377378
Affiliation Type: Mail Contact

Company Name: W.D. AUTO REPAIRS INC.

Contact Type: Not reported

Contact Name: GERSON MARCHENA Address1: 3966 TENTH AVENUE

 Address2:
 Not reported

 City:
 NEW YORK

 State:
 NY

 Zip Code:
 10034

 Country Code:
 001

Phone: (212) 567-7861
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/16/2007

Site Id: 377378

Affiliation Type: On-Site Operator

Company Name: W.D. AUTO REPAIRS INC.

Contact Type: Not reported

Contact Name: GERSON MARCHENA

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Phone: (212) 567-7861
Phone Ext: Not reported
Email: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

W.D. AUTO REPAIRS INC. (Continued)

A100300927

Fax Number: Not reported Modified By: NRLOMBAR Date Last Modified: 2/16/2007

STATE

V141 155 REALTY CORP AST U003396177
NNW 153 VERMILYEA AVE HIST AST N/A
1/8-1/4 NEW YORK, NY 10034

0.250 mi.

27 ft.

1317 ft. Site 4 of 4 in cluster V

Relative: AST:
Higher Region:
DEC Region:
Actual: Site Status:

 DEC Region:
 2

 Site Status:
 Active

 Facility Id:
 2-601431

 Program Type:
 PBS

UTM X: 591047.76979000005 UTM Y: 4524559.11044 Expiration Date: 2010/08/10

 Tank Number:
 001

 Tank Id:
 45974

 Tank Location:
 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN

Date Test:
Not reported
Next Test Date:
Not reported
Date Tank Closed:
Not reported
Register:
True
Modified By:
TRANSLAT
Last Modified:
3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

F00 - Pipe External Protection - None 104 - Overfill - Product Level Gauge (A/G)

L09 - Piping Leak Detection - Exempt Suction Piping

D01 - Pipe Type - Steel/Carbon Steel/Iron C01 - Pipe Location - Aboveground H00 - Tank Leak Detection - None

105 - Overfill - Vent Whistle

B01 - Tank External Protection - Painted/Asphalt Coating G03 - Tank Secondary Containment - Vault (w/o access)

Affiliation Records:

Site Id: 23397 Affiliation Type: Mail Contact

Company Name: BRONSTEIN PROPERTIES, LLC

Contact Type: Not reported
Contact Name: BARRY RUDOFSKY

Address1: 108-18 QUEENS BLVD, SUITE 302

Address2: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

155 REALTY CORP (Continued)

U003396177

EDR ID Number

City: **FOREST HILLS**

State: NYZip Code: 11375 Country Code: 001

(718) 261-5235 Phone: Phone Ext: Not reported Not reported Email: Not reported Fax Number: Modified By: **KXTANG** Date Last Modified: 8/30/2005

Site Id: 23397

Affiliation Type: **Emergency Contact** Company Name: VERILYEA 153, LLC Contact Type: Not reported Contact Name: BARRY RUDOFSKY Address1: Not reported

Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: 999 Phone: (718) 261-5235 Phone Ext: Not reported Not reported Email: Fax Number: Not reported **KXTANG** Modified By: Date Last Modified: 8/10/2005

Site Id: 23397 Affiliation Type: Owner

Company Name: VERILYEA 153, LLC Contact Type: LLC MEMBER Contact Name: BARRY RUDOFSKY

Address1: 108-18 QUEENS BLVD, SUITE 302

Address2: Not reported City: FOREST HILLS

State: NY Zip Code: 11375 Country Code: 001

(718) 261-5235 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **KXTANG** Date Last Modified: 8/10/2005

Site Id: 23397

Affiliation Type: On-Site Operator Company Name: VERILYEA 153, LLC

Contact Type: Not reported JULIO ORTIZ Contact Name: Not reported Address1: Address2: Not reported City: Not reported State:

NN

Zip Code: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

155 REALTY CORP (Continued)

U003396177

EDR ID Number

Country Code: 001

Phone: (212) 304-0391
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/10/2005

HIST AST:

PBS Number: 2-601431
SWIS Code: 6201
Operator: JULIO ORTIZ
Facility Phone: (212) 304-0391
Facility Addr2: 153 VERMILYEA AVE
Facility Type: APARTMENT BUILDING

Emergency: JEFF FARKAS Emergency Tel: (718) 263-5211 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported Result of Inspection: Not reported 155 REALTY CORP Owner Name: Owner Address: P.O BOX 750443

Owner City,St,Zip: FOREST HILLS, NY 11375

Federal ID: Not reported
Owner Tel: (718) 263-5211
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Mailing Contact: JEFF FARKAS
Mailing Name: 155 REALTY CORP
Mailing Address: P.O BOX 750443
Mailing Address 2: Not reported

Mailing City,St,Zip: FOREST HILLS, NY 11375

Mailing Telephone: (718) 263-5211 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 08/27/1999
Expiration: 04/06/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

155 REALTY CORP (Continued)

U003396177

Tank Status: In Service Not reported Install Date:

2000 Capacity (Gal):

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: Tank External: 01

Pipe Location: Aboveground STEEL/IRON Pipe Type: Pipe Internal: None Pipe External: 00 Tank Containment: Diking Leak Detection: 00 Overfill Protection: 64 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: Not reported

Updated: True SPDES Number: Not reported Lat/Long: Not reported

Not reported

Unknown

False

W142 **65 POST AVENUE LTANKS** S102672740 West **65 POST AVENUE HIST LTANKS** N/A 1/4-1/2 MANHATTAN, NY **AST** 0.266 mi. **HIST AST**

1403 ft. Site 2 of 2 in cluster W

Test Method:

Deleted:

LTANKS: Relative:

210499 Equal Site ID: Spill No: 9412467 Actual: Spill Date: 12/16/1994 19 ft. Spill Cause: Tank Overfill

> Spill Source: Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/16/1994 Facility Addr2: Not reported 12/16/1994 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 **KSTANG** Investigator: Referred To: Not reported Reported to Dept: 12/16/1994 CID: 15

Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: 0 Date Entered In Computer: 3/14/1995 Spill Record Last Update: 9/30/2004 Spiller Name: Not reported Spiller Company: MB TRUCKING CO

Direction Distance

Elevation Site Database(s) **EPA ID Number**

65 POST AVENUE (Continued)

S102672740

EDR ID Number

Spiller Address: Not reported NEW YORK, NY Spiller City, St, Zip:

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 174502

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TANG"

ON SIDEWALK Remarks:

Material:

210499 Site ID: Operable Unit ID: 1010091 Operable Unit: 01 Material ID: 374775 Material Code: 0002 Material Name: #4 Fuel Oil Case No.: Not reported Petroleum Material FA: Quantity: 10 Units: Gallons Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: Spill Number: 9412467 Spill Date: 12/16/1994 Spill Time: 15:40 Spill Cause: Tank Overfill Resource Affectd: On Land Water Affected: Not reported Spill Source: Unknown

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/16/94 Cleanup Ceased: 12/16/94 Cleanup Meets Standard: True Investigator: **TANG** Caller Name: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

65 POST AVENUE (Continued)

S102672740

Caller Agency: Not reported Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 12/16/94 Reported to Department Time: 15:40 SWIS:

Spiller Contact: Not reported Not reported Spiller Phone: Spiller Extention: Not reported Spiller Name: MB TRUCKING CO Spiller Address: Not reported Spiller City, St, Zip: NEW YORK, NY

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (718) 328-3275 Facility Extention: Not reported Spill Notifier: Responsible Party PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: / / Investigation Complete: 11 **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: 03/14/95 Date Spill Entered In Computer Data File:

Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate Failed Tank: Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 10 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: #4 FUEL OIL #4 FUEL OIL Class Type: Times Material Entry In File: CAS Number: Not reported Last Date: 19941205

DEC Remarks: Not reported ON SIDEWALK Spill Cause:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

65 POST AVENUE (Continued)

S102672740

AST:

STATE Region: DEC Region: 2 Site Status: Active Facility Id: 2-334383 Program Type: **PBS**

UTM X: 590824.14950000006 UTM Y: 4524189.6394100003

Expiration Date: 2012/11/16

Tank Number: 019 Tank Id: 30863 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 5/21/1926 Capacity Gallons: 4000 Tightness Test Method: NN

Date Test: Not reported Not reported Next Test Date: Date Tank Closed: Not reported Register: True Modified By: dxliving Last Modified: 10/17/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron

J02 - Dispenser - Suction

F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None A00 - Tank Internal Protection - None

L09 - Piping Leak Detection - Exempt Suction Piping

H00 - Tank Leak Detection - None

B01 - Tank External Protection - Painted/Asphalt Coating C03 - Pipe Location - Aboveground/Underground Combination

105 - Overfill - Vent Whistle

Affiliation Records:

Site Id: 15903 Affiliation Type: Owner

Company Name: KAWOCAR REALTIES INC

Contact Type: REGISTERED MANAGING AGENT

Contact Name: EDMUND N. MILLER 5925 BROADWAY Address1: Address2: Not reported **BRONX** City: State: NY Zip Code: 10463 Country Code: 001

Phone: (718) 884-7676 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: dxliving 10/17/2007 Date Last Modified:

Direction Distance

Elevation Site Database(s) **EPA ID Number**

65 POST AVENUE (Continued)

S102672740

EDR ID Number

Site Id: 15903

Affiliation Type: **Emergency Contact** Company Name: KAWOCAR REALTIES INC

Contact Type: Not reported

LEMLE & WOLFE INC Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported TRANSLAT Modified By: 3/4/2004 Date Last Modified:

Site Id: 15903 Affiliation Type: Mail Contact

LEMLE & WOLFF, INC. Company Name:

Contact Type: Not reported Contact Name: W. EGAN Address1: 5925 BROADWAY Address2: Not reported City: **BRONX** State: NY Zip Code: 10463 Country Code: 001

(718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** 3/4/2004 Date Last Modified:

Site Id: 15903

On-Site Operator Affiliation Type: Company Name: **65 POST AVENUE** Contact Type: Not reported

LEMLE & WOLFF, INC. Contact Name:

Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported Country Code: 001 (718) 884-7676 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-334383 SWIS Code: 6201

Direction Distance

Elevation Site Database(s) EPA ID Number

65 POST AVENUE (Continued)

S102672740

EDR ID Number

Operator: LEMLE & WOLFF, INC.
Facility Phone: (718) 884-7676
Facility Addr2: 65 POST AVENUE
Facility Type: APARTMENT BUILDING
Emergency: LEMLE & WOLFE INC
Emergency Tel: (718) 884-7676

Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: KAWOCAR REALTIES INC

Owner Address: 5925 BROADWAY
Owner City,St,Zip: BRONX, NY 10463
Federal ID: Not reported
Owner Tel: (718) 884-7676
Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: W. EGAN

Mailing Name: LEMLE & WOLFF, INC.
Mailing Address: 5925 BROADWAY
Mailing Address 2: Not reported
Mailing City, St, Zip: BRONX, NY 10463

Mailing City, St, Zip. BRONX, NY 104
Mailing Telephone: (718) 884-7676
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 12/21/1998
Expiration: 11/16/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 019

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 01

Pipe Location: Aboveground/Underground Combination

Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 00

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

65 POST AVENUE (Continued)

S102672740

Tank Containment: None Leak Detection: 00 06 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported Lat/Long: Not reported

 143
 204TH STREET AND ACADEMY
 HIST LTANKS
 \$102671884

 SSW
 204TH ST / ACADEMY ST
 NY Spills
 N/A

1/4-1/2 MANHATTAN, NY

0.285 mi. 1505 ft.

Relative: HIST LTANKS:
Lower Region of Spill:

 Actual:
 Spill Number:
 9201422

 Actual:
 Spill Date:
 01/03/1992

 12 ft.
 Spill Time:
 12:00

 Spill Cause:
 Tank Overfill

Resource Affectd: Air

Water Affected: Not reported Spill Source: Gas Station

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: / / Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **TIBBE** Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Not reported Caller Extension: Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 05/05/92 Reported to Department Time: 15:15 SWIS: 62

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: NYC SCHOOL CONSTRUCTION

Spiller Address: Not reported Spiller City,St,Zip: Not reported

Spiller Cleanup Date: //

Facility Contact: Not reported
Facility Phone: (718) 472-8307
Facility Extention: Not reported
Spill Notifier: Other

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

204TH STREET AND ACADEMY (Continued)

S102671884

PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: / / **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 05/06/92 Time Spill Entered In Computer Data File: Not reported

08/16/95 Spill Record Last Update: Is Updated: False

Tank:

PBS Number: Not reported Not reported Tank Number: Not reported Tank Size: Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: **GASOLINE** Class Type: **GASOLINE** Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: Not reported

TANK-PULLS FORMERLY DICK S DISCOUNT TIRE-AT SITE Spill Cause:

NY Spills:

Site ID: 168469 Facility Addr2: Not reported Facility ID: 9201422 Spill Number: 9201422 Facility Type: ER SWIS: 3101 Investigator: rvketani Referred To: Not reported 1/3/1992 Spill Date: Reported to Dept: 5/5/1992 CID: Not reported **Equipment Failure** Spill Cause: Not reported Water Affected: Spill Source: Gasoline Station

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: True Map ID MAP FINDINGS
Direction

Distance Elevation Site

Site Database(s) EPA ID Number

204TH STREET AND ACADEMY (Continued)

S102671884

EDR ID Number

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 3/26/2008
Remediation Phase: 0
Date Entered In Computer: 5/6/1992
Spill Record Last Update: 3/27/2008
Spiller Name: Not reported

Spiller Company: NYC SCHOOL CONSTRUCTION

Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 141925

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Rommel. Jacob Tambe- NYC School Construction can not locate property address. Base on their information the said address 204th street and Academy does not exist. This need more investigation from the regional office. Spill transferred back to R-2 3/5/08 - Austin -Assigned to Ketani for further investigation - end 3/14/08 - Raphael Ketani. I checked the file cabinet, but there was nothing in the drawer. The case involved a gas tank pull at the former Dick's Discount Tire at 204 Street and Academy Street in the very northern tip of Manhattan. The involved parties were Impact Environmental and the School Construction Authority. Academy Street and 204th Street run PARALLEL to each other. I contacted Tony Kloss of Impact Environmental at (908) 534-8820 and he said that this case predates Impact Environmental. However, he will look into the corporate files and see whether he can come up with anything. I contacted Lee Gutterman (718) 472-8502 of the SCA and asked her whether she had any information. She said she never heard of this site, but she will look into SCA's records and get back to me. Drew Pardus of the SCA (718) 752-5036/cell (646) 577-8280 called me to ask specific questions about the original spill. He was given the assignment of trying to find the SCA site that is present in the area. 3/25/08 - Raphael Ketani. Mr. Kloss sent me an e-mail today. He said that his company doesn't have any records regarding the site. I attempted to make a site visit. I drove up 204th Street, but there were no schools along this street. Next, I drove down Academy Street. The side streets between Academy and 204th did not have any schools on them, only prewar six story apartment buildings. However, there was an old school with a fairly recent addition at the corner of Academy and Broadway. Next to the school addition was a library. Both the school addition and the library looked like they were constructed of the same materials. To the south of the library was an active car wash. It is possible that the tire shop was on the site of the school addition and the library. I tried to look up the school I saw in the government pages of the Bronx phone book. However, there is nothing listed on Academy Street. It may be a parochial school. I called up Mr. Pardus of the SCA and asked him to investigate which school was on Academy and whether they had a spill issue in 1992. 3/26/08 -Raphael Ketani. I did a property search using GOOGLE and the ACRIS

database. I found a couple of addresses through GOOGLE that fit the location of the corner of Academy Street and Broadway. They are 4805

"ROMMEL" 4/12/04-Vought-Spill transferred from Tibbe to Rommel as per

Direction Distance Elevation

tion Site Database(s) EPA ID Number

204TH STREET AND ACADEMY (Continued)

S102671884

EDR ID Number

Broadway and 4795 Broadway. The blocks is 2237 and the lots are 52, and 59, respectively. However, the ownership listings did not include Dicks Discount Tire. I haven't heard back from Mr. Pardus. At this point in time, I believe I have exhausted my resources for locating the spill site. Given the incomplete address, lack of information and the age of the spill (1992), I am closing the case. 3/27/08 - Raphael Ketani. Mr. Pardus called me back. He said that there may be 2 schools in the area. They are PS 52M and PS 176M. However, he isn't sure whether there ever was an oil spill at these locations, or whether they were affected by an oil spill. He will have to do some research and call me back.

Remarks: TANK-PULLS FORMERLY DICK'S DISCOUNT TIRE-AT SITE

Material:

Site ID: 168469 Operable Unit ID: 965396 Operable Unit: 01 Material ID: 412735 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Petroleum Material FA: Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

X144 DYCKMAN LTANKS S102671659
WSW 215 NAGLE AVENUE HIST LTANKS N/A
1/4-1/2 NEW YORK CITY, NY

1/4-1/2 0.298 mi.

1574 ft. Site 1 of 2 in cluster X

Relative: LTANKS:

 Lower
 Site ID:
 219045

 Spill No:
 9103098

 Actual:
 Spill Date:
 6/18/1991

 16 ft.
 Spill Cause:
 Tank Overfill

Spill Source:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/7/1993
Facility Addr2: Not reported
Cleanup Ceased: 7/7/1993

Tank Truck

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S102671659

Cleanup Meets Standard: True SWIS: 3101 Investigator: **HEALY** Referred To: Not reported Reported to Dept: 6/18/1991 CID: 15

Water Affected: Not reported Spill Notifier: Affected Persons Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: 0 Date Entered In Computer: 7/10/1991 Spill Record Last Update: 4/20/1994 Spiller Name: Not reported Spiller Company: **COASTAL OIL** Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Not reported Spiller Extention: DEC Region: 2 DER Facility ID: 181170

DEC Memo: Not reported

SPILLAGE ON SOIL, HOUSING PERSONNEL REMOVING CONTAMINATED SOIL. Remarks:

Material:

219045 Site ID: 953906 Operable Unit ID: Operable Unit: 01 Material ID: 425560 Material Code: 0002 #4 Fuel Oil Material Name: Not reported Case No.: Petroleum Material FA: Quantity: 30 Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 219045 Spill Tank Test: 1538680 Tank Number: Not reported

Tank Size: 0 Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown

Site ID: 219044 **EDR ID Number**

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S102671659

 Spill No:
 9013037

 Spill Date:
 3/21/1991

 Spill Cause:
 Tank Overfill

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Not reported Spill Closed Dt: 3/27/1991 Facility Addr2: Not reported Cleanup Ceased: 3/27/1991 Cleanup Meets Standard: True SWIS: 3101 **HEALY** Investigator: Referred To: Not reported Reported to Dept: 3/22/1991 CID:

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/2/1991
Spill Record Last Update: 11/17/1994
Spiller Name: Not reported
Spiller Company: NYCHA
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 181170
DEC Memo: Not reported

Remarks: NYCHA EMPLOYEE (FIREMAN) OPENED WRONG VALVE DURING FUEL DELIVERY, FUEL

OVERFLOWED TO STREET, CONTAINED WITH SAND, NYCDEP NOTIFIED, SPILL

CONTAINED WITH SPEEDY DRY BY NYCHA EMPLOYEES.

Material:

219044 Site ID: Operable Unit ID: 952960 Operable Unit: 01 Material ID: 425939 Material Code: 0002 #4 Fuel Oil Material Name: Case No.: Not reported Petroleum Material FA: Quantity: 75 Gallons Units: Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 219044
Spill Tank Test: 1538356
Tank Number: Not reported

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN (Continued) S102671659

Tank Size: 0 00 Test Method: Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified: Unknown Test Method:

HIST LTANKS:

Region of Spill: 2

Spill Number: 9103098 Spill Date: 06/18/1991 Spill Time: 14:00 Spill Cause: Tank Overfill Resource Affectd: On Land Water Affected: Not reported Spill Source: Tank Truck

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/07/93 Cleanup Ceased: 07/07/93 Cleanup Meets Standard: True **HEALY** Investigator: Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 06/18/91 Reported to Department Time: 14:15 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported COASTAL OIL Spiller Name: Spiller Address: Not reported Spiller City,St,Zip: Not reported

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (718) 762-4200 Facility Extention: Not reported Spill Notifier: Affected Persons PBS Number: 2-474843

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: / / **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 07/10/91

Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 04/20/94

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S102671659

Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 30
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL

Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: Not reported

Spill Cause: SPILLAGE ON SOIL, HOUSING PERSONNEL REMOVING CONTAMINATED SOIL.

Region of Spill: 2
Spill Number: 9013037
Spill Date: 03/21/1991
Spill Time: 23:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Not reported Spill Closed Dt: 03/27/91 Cleanup Ceased: 03/27/91 Cleanup Meets Standard: True Investigator: **HEALY** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Not reported Caller Extension: Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/22/91 Reported to Department Time: 08:30 SWIS: 62

Spiller Contact:

Spiller Phone:

Spiller Extention:

Spiller Name:

Not reported

Not reported

Not reported

Not reported

NYCHA

Spiller Address: 250 BROADWAY Spiller City,St,Zip: NEW YORK, N.Y.

Spiller Cleanup Date: /

Facility Contact: Not reported

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN (Continued) S102671659

Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Responsible Party

PBS Number: 2-474843 Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/02/91
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 11/17/94
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 75 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: #4 FUEL OIL Class Type: #4 FUEL OIL Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: 03/22/91: CONTAMINATED MATERIAL TO BE PICKED UP DRUMMED, WINSTON CONSTRUCTIONTO

COMPLETE CLEAN UP. 03/22/91: CONTAMINATED MATERIAL TO BE PICKED UP

DRUMMED, WINSTON CONTRACTING TO COMPLETE CLEAN UP

Spill Cause: NYCHA EMPLOYEE FIREMAN) OPENED WRONG VALVE DURING FUEL DELIVERY, FUEL

OVERFLOWED TO STREET, CONTAINED WITH SAND, NYCDEP NOTIFIED, SPILL CONTAINED WITH

SPEEDY DRY BY NYCHA EMPLOYEES.

X145 DYCKMAN HOUSES LTANKS S101103139
WSW 215 NAGLE AVENUE HIST LTANKS N/A

1/4-1/2 BRONX, NY

0.309 mi.

1632 ft. Site 2 of 2 in cluster X

Relative: LTANKS: Lower Site ID:

 Spill No:
 9315476

 Actual:
 Spill Date:
 6/21/1993

 15 ft.
 Spill Cause:
 Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

131908

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/24/2004

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN HOUSES (Continued)

Last Inspection:

S101103139

Facility Addr2: Not reported Not reported Cleanup Ceased: Cleanup Meets Standard: False SWIS: 0301 **JAKOLLEE** Investigator: Referred To: Not reported Reported to Dept: 3/30/1994 CID: Not reported Water Affected: Not reported Spill Notifier: DEC

Penalty Not Recommended Recommended Penalty:

Not reported

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/5/1994 Spill Record Last Update: 3/7/2005 Spiller Name: Not reported

Spiller Company: NYCHA - JOE MONTELLA

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: DER Facility ID: 113643 DEC Memo: Not reported

Remarks: LEAK RATE OF -0.3 GPH. Closed - see 9409078. George Breen

Material:

Site ID: 131908 Operable Unit ID: 997527 Operable Unit: 01 Material ID: 387227 Material Code: 0001 #2 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: -1 Pounds Units: Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 131908 Spill Tank Test: 1542582 Tank Number: 002 Tank Size: 0 00 Test Method: Leak Rate:

Not reported Gross Fail: Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown

Direction
Distance

Elevation Site Database(s) EPA ID Number

DYCKMAN HOUSES (Continued)

S101103139

EDR ID Number

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 9315476

 Spill Date:
 06/21/1993

 Spill Time:
 13:23

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // False Cleanup Meets Standard: Investigator: **SACCACIO** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/30/94 Reported to Department Time: 15:15 SWIS:

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: NYCHA - JOE MONTELLA

Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /

Facility Contact:
Not reported
Facility Phone:
(212) 306-3142
Facility Extention:
Not reported
Spill Notifier:
DEC
PBS Number:
2-474843
Last Inspection:
//

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/05/94
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 12/08/94
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: 002
Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DYCKMAN HOUSES (Continued)

S101103139

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Not reported Quantity Recovered:

Unkonwn Quantity Recovered: False Material: #2 FUEL OIL

Class Type: #2 FUEL OIL Times Material Entry In File: 24464 Not reported CAS Number: 19941207 Last Date:

DEC Remarks: Not reported

LEAK RATE OF -0.3 GPH. Spill Cause:

S106703770 146 **4960 BROADWAY LTANKS** NNW **4960 BROADWAY HIST LTANKS** N/A

1/4-1/2 MANHATTAN, NY 0.318 mi.

1679 ft.

LTANKS: Relative: Site ID: Higher

Spill No: 9513703 Actual: Spill Date: 1/29/1996 39 ft. Spill Cause: Tank Test Failure

Spill Source: **Private Dwelling** Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/14/2004 Facility Addr2: Not reported Not reported Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 Investigator: **SMSANGES** Referred To: Not reported 1/29/1996 Reported to Dept: CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

329319

UST Involvement: False Remediation Phase: Date Entered In Computer: 1/29/1996 Spill Record Last Update: 10/14/2004 Spiller Name: JOHN HICKEY Spiller Company: Not reported Spiller Address: 4960 BROADWAY Spiller City, St, Zip: NEW YORK, NY

Spiller County: 001

JOHN HICKEY Spiller Contact: Spiller Phone: (212) 942-3145 Spiller Extention: Not reported

DEC Region: DER Facility ID: 265009

Direction Distance

Elevation Site Database(s) EPA ID Number

4960 BROADWAY (Continued)

S106703770

EDR ID Number

DEC Memo: 10/14/2004 Sangesland reviewed a package of info submitted by James

Georgiano, Property Manager for Sol Goldman Investments, LLC. Submittal included photo of the AST and the surrounding area showing

no oil spills or stains. Spill closed

Remarks: CALLER BELIEVES LEAK IS AT POINT WHERE VENT GOES THROUGH TANK WALL.

FEELS THERE IS LITTLE CHANCE OF CONTAMINATION. VENT LINE TO BE

REPLACED AND TANK TO BE RE-TESTED.

Material:

Site ID: 329319 Operable Unit ID: 1028204 Operable Unit: 01 Material ID: 357414 Material Code: 0002 #4 Fuel Oil Material Name: Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons

Recovered: No
Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 329319 Spill Tank Test: 1544378 Tank Number: Tank Size: 6000 Test Method: 14 0 Leak Rate: Gross Fail: Modified By: Spills Last Modified: 10/1/2004 VacuTest Test Method:

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 9513703

 Spill Date:
 01/29/1996

 Spill Time:
 09:45

Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **SIGONA** Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4960 BROADWAY (Continued)

S106703770

Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 01/29/96 Reported to Department Time: 11:16 SWIS:

Spiller Contact: JOHN HICKEY Spiller Phone: (212) 942-3145 Spiller Extention: Not reported Spiller Name: Not reported Spiller Address: 4960 BROADWAY Spiller City, St, Zip: MANHATTAN, NY

Spiller Cleanup Date:

Facility Contact: JOHN HICKEY Facility Phone: (212) 942-3145 Facility Extention: Not reported Spill Notifier: Tank Tester PBS Number: Not reported

Last Inspection:

Penalty Not Recommended Recommended Penalty:

Enforcement Date: Investigation Complete: 11 **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted:

Date Spill Entered In Computer Data File: 01/29/96 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 02/05/96 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: 6000 Tank Size:

Tankology [Vacutect] Test Method:

Leak Rate Failed Tank:

Gross Leak Rate: Talk Test Failures only pass or fail

Material: Material Class Type:

Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: True #4 FUEL OIL Material: Class Type: #4 FUEL OIL Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: Not reported

CALLER BELIEVES LEAK IS AT POINT WHERE VENT GOES THROUGH TANK WALL. FEELS Spill Cause:

THERE IS LITTLE CHANCE OF CONTAMINATION. VENT LINE TO BE REPLACED AND TANK TO

BE RE-TESTED.

Direction Distance

Distance EDR ID Number EDevation Site EDR ID Number Database(s) EPA ID Number

Y147 85-87 VERMILIA ST/MANH LTANKS S102671609 WNW 85-87 VERMILIA STREET HIST LTANKS N/A

1/4-1/2 0.320 mi.

1690 ft. Site 1 of 2 in cluster Y

LTANKS:

Relative:

Equal Site ID: 175132 Spill No: 9009853

NEW YORK CITY, NY

Actual: Spill Date: 9009853

Actual: Spill Date: 12/7/1990

19 ft. Spill Cause: Tank Overfill

Spill Source: Commercial/Industrial

Spill Class: Not reported Spill Closed Dt: 12/11/1990 Facility Addr2: Not reported Cleanup Ceased: 12/11/1990 Cleanup Meets Standard: True SWIS: 3101 Investigator: WILSON Not reported Referred To: Reported to Dept: 12/11/1990 CID: 15

Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/12/1990
Spill Record Last Update: 7/3/2006
Spiller Name: Not reported
Spiller Company: CASTLE OIL

Spiller Address: 290 LOCUST AVENUE

Spiller City,St,Zip: BRONX, NY

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 147255
DEC Memo: Not reported

Remarks: DELIVERY TO WRONG TANK (550GAL & 5K TANK), FUEL WENT INTO STREET &

STORM DRAIN, VAC TRUCK & SPEEDY DRY WAS USED, FREE PRODUCT HANDLED BY

A L EASTMOND.

Material:

Site ID: 175132 Operable Unit ID: 946873 Operable Unit: 01 Material ID: 430038 Material Code: 0002 Material Name: #4 Fuel Oil Case No.: Not reported Material FA: Petroleum 400 Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

85-87 VERMILIA ST/MANH (Continued)

S102671609

Tank Test:

Site ID: Not reported Not reported Spill Tank Test: Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2

Spill Number: 9009853 12/07/1990 Spill Date: Spill Time: 16:00 Spill Cause: Tank Overfill Resource Affectd: Surface Water Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Not reported Spill Closed Dt: 12/11/90 Cleanup Ceased: 12/11/90 Cleanup Meets Standard: True Investigator: WILSON Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Not reported Notifier Extension: Reported to Department Date: 12/11/90

SWIS: Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: **CASTLE OIL**

Reported to Department Time: 13:31

Spiller Address: 290 LOCUST AVENUE

Spiller City, St, Zip: BRONX, N.Y

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (212) 823-8800 Facility Extention: Not reported Spill Notifier: Local Agency PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: 11 False **UST Involvement:**

Date Region Sent Summary to Central Office: / /

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

85-87 VERMILIA ST/MANH (Continued)

S102671609

Corrective Action Plan Submitted: / / 12/12/90 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Petroleum Material Class Type: 400 Quantity Spilled: Unkonwn Quantity Spilled: False Gallons Quantity Recovered: O Unkonwn Quantity Recovered: False Material: #4 FUEL OIL

Class Type: #4 FUEL OIL Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: 12/11/90: NYCFD, NYC HAZ MAT, NYCPD, CON ED FUEL CO RESPONDED, NYCDEP

SUPERVISED CLEAN UP OF SPILL.

DELIVERY TO WRONG TANK 550GAL 5K TANK), FUEL WENT INTO STREET STORM DRAIN, VAC Spill Cause:

TRUCK SPEEDY DRY WAS USED, FREE PRODUCT HANDLED BY A L EASTMOND.

Y148 **85-87 VERMILYEA AVE LTANKS** S100560365 WNW **85-87 VERMILYEA AVE HIST LTANKS** N/A 1/4-1/2 MANHATTAN, NY

0.321 mi.

Site 2 of 2 in cluster Y

1695 ft.

Relative: Equal

LTANKS:

Actual: 19 ft.

Site ID: 68225 Spill No: 9303264 Spill Date: 6/11/1993 Spill Cause: Tank Failure Spill Source: Unknown

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 6/11/1993 Facility Addr2: Not reported 6/11/1993 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 **KSTANG** Investigator: Referred To: Not reported Reported to Dept: 6/11/1993 CID: 15

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

85-87 VERMILYEA AVE (Continued)

S100560365

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: 0 Date Entered In Computer: 6/15/1993 Spill Record Last Update: 7/19/1993 Spiller Name: Not reported

Spiller Company: RAYMOND SUPERINTENDENT

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller County: 001

Not reported Spiller Contact: Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: DER Facility ID:

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TANG."

THEY WANTED 200 GAL-DRIER DELIV. 5 GAL AND TANK OVERFIELLED-CREW WILL Remarks:

BE CLEANING UP - ABSORBENT- SPEEDI DRI - SPOKE TO THE SON OF THE

BUILDING SUPER SAID THAT IT WAS ONLY A SMALL SPILL 5 GAL.

Material:

Site ID: 68225 Operable Unit ID: 981428 Operable Unit: 01 Material ID: 396849 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Petroleum Material FA: Quantity:

Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Not reported Site ID: Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill:

Spill Number: 9303264 Spill Date: 06/11/1993 Spill Time: 13:30 Spill Cause: Tank Failure Resource Affectd: On Land

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

85-87 VERMILYEA AVE (Continued)

S100560365

Water Affected: Not reported Spill Source: Unknown

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 06/11/93 Cleanup Ceased: 06/11/93 Cleanup Meets Standard: True Investigator: TANG. Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 06/11/93 Reported to Department Time: 13:45 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

Spiller Name: RAYMOND SUPERINTENDENT

Spiller Address: Not reported Spiller City, St, Zip: Not reported Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (212) 567-1429 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: 11 Investigation Complete: False **UST Involvement:**

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: 06/15/93 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 07/19/93 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Gallons

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

85-87 VERMILYEA AVE (Continued)

S100560365

Quantity Recovered: Unkonwn Quantity Recovered: False Material: #2 FUEL OIL #2 FUEL OIL Class Type: Times Material Entry In File: 24464 CAS Number: Not reported Last Date: 19941207

Not reported DEC Remarks:

THEY WANTED 200 GAL-DRIER DELIV. 5 GAL AND TANK OVERFIELLED-CREW WILL BE Spill Cause:

CLEANING UP - ABSORBENT- SPEEDI DRI - SPOKE TO THE SON OF THE BUILDING SUPER

SAID THAT IT WAS ONLY A SMALL SPILL 5 GAL.

Z149 **GASETERIA**

LTANKS S105995120

296 WEST FORDHAM ROAD **ESE** N/A

1/4-1/2 **BRONX, NY**

0.334 mi.

1762 ft. Site 1 of 4 in cluster Z

LTANKS: Relative:

280649 Site ID: Higher Spill No: 0230030

Actual: Spill Date: 2/7/2002 57 ft. Spill Cause: Tank Failure Spill Source: **Gasoline Station**

> Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/26/2007 Facility Addr2: Not reported Cleanup Ceased: 10/31/2006 Cleanup Meets Standard: False SWIS: 0301 Investigator: aaobliga Referred To: Not reported Reported to Dept: 2/7/2002 CID: 17 Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: Remediation Phase: Date Entered In Computer: 9/26/2002 Spill Record Last Update: 7/26/2007 **ROBERTO** Spiller Name: Spiller Company: **GASETERIA**

Spiller Address: 364 MASPETH AVENUE Spiller City, St, Zip: BROOKLYN, NY -

Spiller County: 001 Spiller Contact: **ROBERTO** Spiller Phone: (718) 782-4200 Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 196875

DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was

"VOUGHT" 12/5/03-Vought-See also closed Spill #8705665. 9/20/05 oBLIGADO -Spill transferred from Vought to obligado 12/5/05 -Obligado - File review. Baseline Assessment Report, Delta, 10/3/02. At time of assessment site was an active Gaseteria with 3 4000 gallon Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database

Database(s)

EDR ID Number EPA ID Number

GASETERIA (Continued)

S105995120

gasoline USTs and 1 4000 gallon diesel UST installed in 1989. Sensitiver receptor survey shows Harlem River located 375 ft west, no wells within 1 mile, Bronx Community college is located 375 ft to the southeast. 1 park 375 ft north. Commercial/residential buliding with basement 20 ft south. Ground water at 10 to 13 ft bgs and flows west. Soil is brown fine to coarse sand with gravel. Weathered rock from 7 to 11 ft bgs. Bedrock at between 2 and 11 ft. 4 soil borings advanced and 4 soil samples collected. Soil results show only one impact of 1720 ppb MTBE. 4 temporary ground water wells installed into bedrock. Ground Water results in ppb: (2/7/02) MW1 - 5.67 benzene, 33.2 toluene, 10.2 ethylbenzene, 158 xylenes, 876 MTBE, 207 BTEX, 1236 VOCs MW3 - 5.49 toluene, 11.5 xylenes, 20 BTEX, 436 MTBE, 478 VOCs MW4 - 2.52 benzene, 6.59 xylenes, 493 MTBE, 12 BTEX, 528 VOCs MW5 -239 MTBE RCRA Mettals - MW1 - 1800 ppb chromium, 7040 ppb barium, 2160 ppb lead (8/7/05) MW1 - 37.3 benzene, 292 MTBE, 39 BTEX, 335 VOCs MW3 - 239 L benzene, 10.5 toluene, 6.77 ethlybenzene, 5730 MTBE, 6020 VOCs MW4 - 19 benzene, 749 MTBE, 19 BTEX, 768 VOCs MW5 - 208 L MTBE UST Closure Report, AGS, January 2004. USTs, piping, dispensers removed Dec 03. Soil endpoint samples show now VOCS above SCOs. Some PAH exceedences. Ground water sample from excavation show 350 ppb benzene, 1300 ppb toluene, 200 ppb ethylbenzene, 1430 ppb xylenes, 21000 ppb MTBE, 3280 BTEX. EXcavated soil was used as backfill. Conclusions: "the operation of this site as a gasoline service station has caused impact to the subsurface soils to warrant further environmental site assessment or action. Upon completion of rebuild activities, AGS on behalf of Gaseteria will prepare a subsurface investigation workplan for NYSDEC approval which will outline additional field activities to investigate and delineate the detected contaminants." UST Closure Report Addendum, AGS, September 2004. Remaining product supply piping under the concrete to the pump islands were removed to facilitate replacment with new BP piping. 5 soil samples were collected from 4-6 inches below the trench bottom. 1 sample was collected from under each of the four removed pump islands and 1 sample from adjacent to the Kiosk. Soil Results in PPB: P3 piping - 3680 xylene P4 piping - 2100 toluene, 300000 xylene, TOTAL VOCs: 977110 P5 piping - 50000 toluene, 91000 ethylbenzene, 318000 xylenes, TOTAL VOCs: 1247000 "The data set indicates very high VOCs; however, the lack of benzene and low MTBE relative to overall concentration is not typical of gasoline. The elevated level of napthalene may indicate diesel fuel; however, no corresponding SVOC's were detected". "Upon completion of the rebuillding activities AGS will prepare a Subsurface Investigation Work Plan". 6/2/06 Obligado - Reviewed subsurface investigation workplan. Proposes 4 monitoring wells to be installed into bedrock. 6/6/06 - Obligado -Sent email to Steve Muller approving workplan with minor adjustments to boring locations. Due date for summary report is 8/8/06. 7/19/06 -Obligado - Meeting with Gaseteria, ASR, DEC on 7/19/06. Wells have been installed at the site. Gaseteria will submit a schedule for submission of work. 9/12/06 - Obligado - Emailed multi-site stipulation agreement to Gaseteria on 9/8/06. Sent original on 9/12/06. Due date for ISR according to DEC approved Corrective Action schedule is 11/1/*06. 10/31/06 - Obligado - Multi Site Stipulation executed by Oliva on 10/31/06 12/6/06 - Obligado - Review ISR, submitted by ASR, dated 10/31/06. 3 monitoring wells installed. MW1 was to turbid for sampling. MW2 and MW3 were both nondetect. Recommended 2 additional monitoring wells. I sent an email to Steve Muller requiring Supplemental Investigation Workplan for additional

Map ID MAP FINDINGS
Direction

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

GASETERIA (Continued) S105995120

monitoring wells and MW1 redevelopment submission by 1/6/07. 2/7/07 -Obligado - Review SIWP. Proposes 2 additional wells in the sidwalk west of the site and redevelopment of MW1. Approve of workplan with modification to attempt to collect soil samples via HSA and split spoons prior to switching to air rotary. 3/7/07 - Obligado - Sent sidewalk opening letter to Steve Muller. 6/1/07 - Obligado - Received ISR via email. 7/27/07 - Obligado - Final summary report submitted. 2 additional wells were installed west of down gradient of tankfield. During installation, 1 soil sample was collected for lab analysis, no VOCs detected in this sample. Ground water samples were collected. MW1 thorugh MW3 were all ND, MW4 and M5 had minor exceedences of TOGS. MW4 had 65 ppb total BTEX, MW5 had 42 total BTEX. The report requested closure due to low numbers. I had a meeting with JOe Sun to discuss this site. Agree to spill closure based on the following. 1) Relatively low concentrations, exceedences of TOGS for only 3-4 compounds in two wells. GW concentrations are significantly lower down those found in Delta baseline assessment, suggesting natural attenduation is occurring 2) No receptors immediately down gradient, immediately down gradient of the site is a major deegan expressway which is an 8 lane highway (including service roads). Downgradient of the highway, according to the ASR report are industrial/commercial buildings. 3) Sensitive receptor survey was previously completed by DElta in 2002. According to this survey, no potable wells within 1 mile. Nearest surface water body is harlem river, 375 ft west of the site. However, due to small size and very low concentrations of contamination in gw, plume eminating from this site most likely will not reach or impact this river. There is a residential building with basement to the south, however, southern most well MW1 was ND so plume does not pose a risk in this dieection. The Data from this site do not indicate potential adverse impacts to human health and the environment. This spill is closed. I emailed an NFA letter to Gaseteria.

Remarks:

contaminated soil and groundwater found. Delta reported spill to DEC despite Gaseteria knowledge as of 8/5/2002.

Material:

Site ID: 280649 Operable Unit ID: 866812 Operable Unit: 01 Material ID: 509671 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons

Resource Affected: Not reported Oxygenate: False

No

Tank Test:

Recovered:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

GASETERIA (Continued) S105995120

Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Z150 MOBIL S/S LTANKS S100144713
ESE 296 WEST FORDHAM ROAD. HIST LTANKS N/A

ESE 290 WEST FORDHAM RC

LTANKS:

1/4-1/2 BRONX, NY

0.334 mi.

1762 ft. Site 2 of 4 in cluster Z

Relative:

 Higher
 Site ID:
 276740

 Spill No:
 8701260

 Actual:
 Spill Date:
 5/14/1987

 57 ft.
 Spill Cause:
 Tank Test Failure

Spill Source: Unknown

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 2/9/1998 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 0301 Investigator: **SIGONA** Referred To: Not reported Reported to Dept: 5/14/1987 CID: 17

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 5/19/1987
Spill Record Last Update: 7/1/2004
Spiller Name: MIKE MEOLA

Spiller Company: EXXONMOBIL CORPORATION

Spiller Address: 3025 GALLOS ROAD

Spiller City, St, Zip: FAIRFAX, VA

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 224989
DEC Memo: Not reported

Remarks: PRODUCT PUMPED OUT OF TANK. FURTHER INVESTMENT TO BE DONE BY MOBIL.

Material:

 Site ID:
 276740

 Operable Unit ID:
 905735

 Operable Unit:
 01

 Material ID:
 471207

 Material Code:
 0009

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL S/S (Continued) S100144713

Material Name: Gasoline Not reported Case No.: Petroleum Material FA:

Quantity: Units: Gallons Recovered: No Not reported Resource Affected:

False

Oxygenate:

Tank Test: Site ID: 276740 Spill Tank Test: 1530824 Not reported Tank Number:

Tank Size: Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown

HIST LTANKS:

Region of Spill: Spill Number: 8701260 Spill Date: 05/14/1987 Spill Time: 16:20

Spill Cause: Tank Test Failure Resource Affectd: On Land Water Affected: Not reported Spill Source: Unknown

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 02/09/98 Cleanup Ceased: 11 Cleanup Meets Standard: False Investigator: **SIGONA** Not reported Caller Name: Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 05/14/87 Reported to Department Time: 16:48 SWIS: 60

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

Spiller Name: **EXXONMOBIL CORP** Spiller Address: 3025 GALLOS ROAD Spiller City, St, Zip: FAIR FAX, VIRGINIA, VA

Spiller Cleanup Date:

Facility Contact: MIKE MEOLA

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL S/S (Continued) S100144713

Facility Phone: Not reported Facility Extention: Not reported Spill Notifier: Responsible Party

PBS Number: 2-156434 Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: 11 Investigation Complete: 11 **UST** Involvement: True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 05/19/87 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 10/30/00 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size:

Not reported Test Method: Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: True Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported 19940929 Last Date:

2/9/98: REFER TO 8701258 BATTISTA / CLOSED) AND 8705665 SULLIVAN / ACTIVE). **DEC Remarks:**

SMM. REASSIGNED FROM BATTISTA TO SIGONA ON 10/30/00.

PRODUCT PUMPED OUT OF TANK. FURTHER INVESTMENT TO BE DONE BY MOBIL. Spill Cause:

Z151 MOBIL S/S **LTANKS** S100144828 296 WEST FORDHAM ROAD **ESE HIST LTANKS** N/A

1/4-1/2 **BRONX, NY**

0.334 mi.

1762 ft. Site 3 of 4 in cluster Z

LTANKS: Relative:

239367 Higher Site ID: Spill No: 8705665

Actual: Spill Date: 10/5/1987 57 ft. Spill Cause: Tank Failure Spill Source: **Gasoline Station**

> Spill Class: Known release that creates potential for fire or hazard. DEC Response.

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/5/2003 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL S/S (Continued) S100144828

SWIS: 0301 Investigator: **DXSMITH** Referred To: Not reported Reported to Dept: 10/6/1987 CID:

Water Affected: Not reported Spill Notifier: Citizen Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: 0

Date Entered In Computer: 10/20/1987 Spill Record Last Update: 6/28/2005 Spiller Name: MIKE MEOLA

EXXONMOBIL CORPORATION Spiller Company:

Spiller Address: 464 DOUGHTY BLVD. Spiller City, St, Zip: **INWOOD, NY 11096**

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 2

DER Facility ID:

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"VOUGHT" reassigned from Sullivan to Sigona on 10/30/00. 12/5/03-Vought-Reassigned from Sigona to Vought on 12/5/03. Spill closed by Vought due to open spill 0230030 at same location. Bureau B, unassigned, due to low priority. Transferred from R-2 on April 27,

2005. Formerly R-2, unassigned

TANK FAILURE- UNKNOWN FUEL OIL, TANK IS EMPTY, WILL BE REMOVED TODAY. Remarks:

Material:

Site ID: 239367 Operable Unit ID: 909485 Operable Unit: 01 Material ID: 468249 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum

Quantity: Units: Gallons Recovered: Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported

MAP FINDINGS Map ID Direction

Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL S/S (Continued) S100144828

Test Method: Not reported

HIST LTANKS:

Region of Spill: 8705665 Spill Number: Spill Date: 10/05/1987 Spill Time: 16:00

Spill Cause: Tank Failure Resource Affectd: Groundwater Water Affected: Not reported Spill Source: Gas Station

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / / // Cleanup Ceased: False Cleanup Meets Standard: Investigator: **SIGONA** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 10/06/87 Reported to Department Time: 08:10 SWIS: 60

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

Spiller Name: EXXONMOBIL CORP. Spiller Address: 464 DOUGHTY BLVD. Spiller City, St, Zip: INWOOD, NY 11096-11

Spiller Cleanup Date:

MIKE MEOLA **Facility Contact:** Facility Phone: (516) 371-0964 Facility Extention: Not reported Spill Notifier: Citizen PBS Number: 2-156434 Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: 11 **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: 10/20/87 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 11/07/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MOBIL S/S (Continued) S100144828

Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Not reported Gross Leak Rate:

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: True **GASOLINE** Material: GASOLINE Class Type: Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: reassigned from Sullivan to Sigona on 10/30/00

Spill Cause: TANK FAILURE- UNKNOWN FUEL OIL, TANK IS EMPTY, WILL BE REMOVED TODAY.

BROADWAY S103823998 **AA152 LTANKS**

NW **207 TH ST** MANHATTAN, NY 1/4-1/2

0.337 mi.

1782 ft. Site 1 of 2 in cluster AA

LTANKS: Relative:

Site ID: 206805 Higher Spill No: 9812706 Actual: Spill Date: 1/15/1999 44 ft. Spill Cause: Tank Failure

Spill Source:

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Commercial Vehicle

Spill Closed Dt: 11/12/2003 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **MCTIBBE** Referred To: Not reported Reported to Dept: 1/15/1999 CID: 211

Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 1/15/1999 Spill Record Last Update: 11/12/2003 Spiller Name: Not reported

Spiller Company: **NEW YORK TRANSIT AUTH**

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller County: 001

SANJIV KURAY Spiller Contact: Spiller Phone: (718) 243-4581

HIST LTANKS

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

BROADWAY (Continued) \$103823998

Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 171679

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" 3-3-03: Closed Due To The Nature / Extent Of The Spill Report.Transfered From Tomasello To Tibbe On 11/12/03.Spill From A Ruptured Tank On A Bus. Small Amount Entered Sewer. Dep Notified.

Contained And Cleaned By Nyct.

Remarks: fuel tank ruptured on bus - fire dept on scene - spill contained with

pads

Material:

206805 Site ID: Operable Unit ID: 1073164 Operable Unit: 01 Material ID: 312989 Material Code: 8000 Material Name: Diesel Case No.: Not reported Material FA: Petroleum Quantity: 50 Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9812706
Spill Date: 01/15/1999
Spill Time: 10:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Commercial Vehicle

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: //
Cleanup Ceased: //
Cleanup Meets Standard: False

Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported

EDR ID Number

Direction Distance Elevation

ation Site Database(s) EPA ID Number

BROADWAY (Continued) \$103823998

Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/15/99
Reported to Department Time: 11:20
SWIS: 62

Spiller Contact: SANJIV KURAY
Spiller Phone: (718) 243-4581
Spiller Extention: Not reported

Spiller Name: NEW YORK TRANSIT AUTH

Spiller Address: Not reported Spiller City,St,Zip: Not reported

Spiller Cleanup Date: / /

Facility Contact:

Facility Phone:

Facility Phone:

Not reported

Not reported

Not reported

Spill Notifier:

PBS Number:

Not reported

Not reported

Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/15/99
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 01/21/99
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 50 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: True Material: DIESEL DIESEL Class Type: Times Material Entry In File: 10625 CAS Number: Not reported Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: fuel tank ruptured on bus - fire dept on scene - spill contained with pads

EDR ID Number

Direction Distance

39 ft.

Elevation Site Database(s) **EPA ID Number**

AB153 GETTY PETROLEUM CORP RCRA-NonGen 1001113455 NW **4880 BROADWAY & 204TH ST** FINDS NYR000024455

1/4-1/2 NEW YORK, NY 10034 0.362 mi.

1911 ft. Site 1 of 6 in cluster AB

RCRA-NonGen: Relative:

Higher Date form received by agency: 01/01/2007

Facility name: **GETTY PETROLEUM CORP** Actual: Facility address: 4880 BROADWAY & 204TH ST

NEW YORK, NY 10034

EPA ID: NYR000024455

Mailing address: JERICHO TNPK

JERICHO, NY 11753

Contact: Not reported Contact address: JERICHO TNPK

JERICHO, NY 11753

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

GETTY PETROLEUM CORP Owner/operator name:

125 JERICHO TNPK Owner/operator address:

JERICHO, NY 11753

Owner/operator country: US

Owner/operator telephone: (516) 286-2600

Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

GETTY PETROLEUM CORP Owner/operator name:

Owner/operator address: 125 JERICHO TNPK

JERICHO, NY 11753

Owner/operator country: US

Owner/operator telephone: (516) 286-2600 Legal status: Private Operator Owner/Operator Type: Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No

EDR ID Number

HIST LTANKS MANIFEST

NY Spills

Direction Distance

Elevation Site Database(s) EPA ID Number

GETTY PETROLEUM CORP (Continued)

1001113455

EDR ID Number

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: GETTY PETROLEUM CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: GETTY PETROLEUM CORP
Classification: Not a generator, verified

Date form received by agency: 05/24/1996

Facility name: GETTY PETROLEUM CORP
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008095015

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

HIST LTANKS:

Region of Spill: 2 Spill Number: 9601093 Spill Date: 04/22/1996 Spill Time: 13:00 Spill Cause: Tank Failure Resource Affectd: On Land Water Affected: Not reported Spill Source: Gas Station

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11 Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: O'DOWD Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

GETTY PETROLEUM CORP (Continued)

1001113455

EDR ID Number

Reported to Department Date: 04/22/96 Reported to Department Time: 15:53

SWIS:

Spiller Contact: LOUIS OCHOTORENA Spiller Phone: (718) 729-6500 Spiller Extention: Not reported Spiller Name: **GETTY** Spiller Address: 4880 BROADWAY Spiller City, St, Zip: NEW YORK, NY

Spiller Cleanup Date:

Facility Contact: LOUIS OCHOTORENA Facility Phone: (718) 729-6500

Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: UST Involvement: False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted:

Date Spill Entered In Computer Data File: 04/22/96 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 05/06/96 Is Updated: False

Tank:

PBS Number: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: **GASOLINE GASOLINE** Class Type: Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: Not reported

Spill Cause: contaminated soil found during tank removal

NY MANIFEST:

EPA ID: NYR000024455

Country: USA

Mailing Name: **GETTY PETROLEUM** Mailing Contact: DALE HOLDEN

Mailing Address: 125 JERICHO TURNPIKE

Mailing Address 2: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

GETTY PETROLEUM CORP (Continued)

1001113455

Mailing City: **JERICHO** Mailing State: NY Mailing Zip: 11753 Mailing Zip4: Not reported Mailing Country: **USA**

Mailing Phone: 516-286-2600

Document ID: PAE5992873

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

PAAH2676 Trans1 State ID: Trans2 State ID: Not reported 960611 Generator Ship Date: Trans1 Recv Date: 960611 Trans2 Recv Date: Not reported TSD Site Recv Date: 960614 Part A Recy Date: 960627 Part B Recv Date: 960710

Generator EPA ID: NYR000024455 Trans1 EPA ID: PAD982661381 Trans2 EPA ID: Not reported TSDF ID: PAD085690592

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 00330

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 006

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 96 Year:

Manifest Tracking Num: Not reported Import Ind: Not reported **Export Ind:** Not reported Discr Quantity Ind: Not reported Discr Type Ind: Not reported Discr Residue Ind: Not reported Discr Partial Reject Ind: Not reported Discr Full Reject Ind: Not reported Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: Not reported

NY Spills:

Site ID: 104421 Facility Addr2: Not reported Facility ID: 9601093 Spill Number: 9601093 Facility Type: ER SWIS: 3101 Investigator: rifeng Referred To: Not reported 4/22/1996 Spill Date: Reported to Dept: 4/22/1996 CID: 15 Spill Cause: Unknown Water Affected: Not reported

Direction Distance

Elevation **EPA ID Number** Site Database(s)

GETTY PETROLEUM CORP (Continued)

1001113455

EDR ID Number

Spill Source: Gasoline Station

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: True

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase:

Date Entered In Computer: 4/22/1996 Spill Record Last Update: 1/28/2010

Spiller Name: LOUIS OCHOTORENA

Spiller Company: **GETTY**

Spiller Address: 4880 BROADWAY Spiller City, St, Zip: NEW YORK, NY

Spiller Company: 001

Contact Name: LOUIS OCHOTORENA Contact Phone: (718) 729-6500

DEC Region: 2 **DER Facility ID:** 92249

DEC Memo: Prior to Sept. 2004 data translation this spill Lead DEC Field was

"VOUGHT" 3/13/03 REASSIGNED FROM ROMMEL TO VOUGHT. 08/31/2005 - Feng

- Project transferred from Vought to Feng. 10/21/2005 - Feng - high gw contamination found on 4/24/2002 as 18,255ppb BTEX in W-1. Tyree proposed BioRemediation on 9/24/2002. No remedial activities on site, keeping monitoring. 10/21/2005 - Feng - Quarterly Monitoring Report, by Tyree, 2/2005 - 4/2005. 3 monitoring wells on site. W-1 which near the existing tank field (3 X 4K) has found 2,782ppb BTEX. Historical data shows that the concentration of BTEX in W-1 was initial

decreased, and then fluctuating on the curve and remains, no trend of decreasing. 11/2/2005 - Feng - Quarterly Monitoring Report, by Tyree, 8/2005 - 10/2005. 3 monitoring wells on site. W-1 which near the existing tank field (3 X 4K) has found 1,505ppb BTEX. Historical data shows that the concentration of BTEX in W-1 was initial decreased, and then fluctuating on the curve and remains, no trend of

decreasing. 2/27/2006 - Feng - Quarterly Monitoring Report, 11/2005 -

1/2006. the site is an active Getty gasoline retail station. Groundwater flows to east at the depth of 18.81' and 26.46' bg. 3

moniotoring wells onsite. W-1, decreased and 825 ppb BTEX, 5 ppb MTBE. W-2, 22 ppb BTEX and MTBE MDL. W-3, 1 ppb BTEX, 4 ppb MTBE.

(RJF) 8/1/2008 - Project reassigned to Feng. 9/4/2008 - Getty Properties portfolio meeting with Tyree and Delta. Need to locate the former tanks. DEC will review the petition closure report. (RJF) 1/6/2009 - Getty Properties portfolio meeting with Tyree and Delta. Extension for closure petition to 1/2009. (RJF) 3/18/2009 - Quarterly Monitoring Report, 5/2008 - 7/2008, 8/2008, by Tyree. Active Getty gasoline retail station. Groundwater was gauged and sampled 7/17/2008. 3 monitoring wells. NO LNAPL. DTW 20.17' to 29.57' bg. Flows to east. BTEX range ND to 583 ppb (W-1). MTBE range ND to 43

ppb (W-1). (RJF) 5/1/2009 - Quarterly Monitoring Report, 8/2008 -10/2008, 11/2008, by Tyree. Active Getty gasoline retail station. Groundwater was gauged and sampled 10/16/2008. 3 monitoring wells. NO

LNApL. DTW 20.03' to 29.52' bg. Flows to east. BTEX range ND to 448 ppb (W-1), MTBE range ND to 37 ppb (W-1), (RJF) 11/6/2009 - 2Q2009. 4/2009-6/2009, 7/2009, pdf, by Tyree. Active Getty gasoline retail

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

GETTY PETROLEUM CORP (Continued)

1001113455

station. 3 monitoring wells. The wells were gauged on 4/23/2009, 5/27/2009, 6/29/2009 and 7/8/2009. Groundwater was sampled 7/8/2009. NO LNAPL. DTW 20.12' to 29.16' bg. Flows to east. BTEX range ND to 561 ppb (W-1). MTBE range ND to 27 ppb (W-1). (RJF) 12/4/2009 -Subsurface Investigation Report, dated 10/2006, resubmitted by Tyree. On September 25, 2006, 2 soil borings were advanced to the depth of 20 feet bgs using Direct push. Refusal was encountered with bedrock. No PID reading. 2 soil samples were taken. B-1 (16-20') and B-2 (16-20'), no exceedances. No groundwater was encountered during this investigation. (RJF) 1/28/2010 - Reviewed Request for NO Further Action, dated July 13, 2009, by Tyree. Comments were sent to Jennifer Kotch (Tyree). Reviewed also the Exposure Assessment Report. The concrete casing which used to encased the tanks were left in place as stated in the EA report and high endpoint samples were detected. DEC required a work plan to delineate the tank field area by 2/2010. (RJF) Not reported

Remarks: contaminated soil found during tank removal

Material:

Site ID: 104421 Operable Unit ID: 1028748 Operable Unit: Λ1 561213 Material ID: Material Code: 0009 Material Name: Gasoline Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Not reported Site ID: Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

THE DERMOT COMPANY **AA154** NW 623-631 WEST 207TH ST **NEW YORK, NY** 1/4-1/2

0.363 mi.

Site 2 of 2 in cluster AA 1918 ft.

I TANKS: Relative: Higher Site ID:

Spill No: 0800990 Actual: Spill Date: 4/24/2008 48 ft. Spill Cause: Tank Test Failure

Spill Source: Commercial/Industrial

396841

S109064287 **LTANKS** N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THE DERMOT COMPANY (Continued)

S109064287

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/13/2009 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: bkfalvey Referred To: Not reported 4/24/2008 Reported to Dept: CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase:

Date Entered In Computer: 4/24/2008 Spill Record Last Update: 2/13/2009

CARMEN SANTIAGO Spiller Name:

Spiller Company: **APART**

Spiller Address: 623-631 WEST 207TH ST

Spiller City, St, Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: **CARMEN SANTIAGO** Spiller Phone: (646) 673-6714 Spiller Extention: Not reported

DEC Region: DER Facility ID: 346312

5/2/08 bf: Sent ttf letter to: Carmen Santiago 623-631 West 207th DEC Memo:

Street Investor, Inc. c/o The Dermot Company 1775 Broadway, Suite 510 New York, NY 10019 2/13/09 Received letter on 2/12/09 from Steve braun of approved Oil. Tank is AST. Manhole cover was regasketed and re-piped section of aboveground fill line weithin the tank room where a minor leak was found. Less than 5 gallons of oil was on concrete

floor and cleaned with absorbent. NFA. bf

DRY LEAK Remarks:

Material:

Site ID: 396841 Operable Unit ID: 1153810 Operable Unit: 01 Material ID: 2144582 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Gallons Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 396841 Spill Tank Test: 2453592

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THE DERMOT COMPANY (Continued)

S109064287

Tank Number: Not reported 4000 Tank Size: Test Method: 03 Leak Rate: 0

Gross Fail: Not reported Modified By: Watchdog Last Modified: 4/24/2008

Horner EZ Check I or II Test Method:

104419

AB155 GETTY - MAN LTANKS S100145900 NW **4880 BROADWAY HIST LTANKS** N/A

1/4-1/2 MANHATTAN, NY

0.364 mi.

1922 ft. Site 2 of 6 in cluster AB

LTANKS: Relative:

Site ID: Higher

Spill No: 8911776 Actual: Spill Date: 3/13/1990 39 ft. Tank Test Failure Spill Cause: Spill Source: **Gasoline Station**

> Known release that creates a file or hazard. DEC Response. Willing Spill Class:

> > Responsible Party. Corrective action taken.

Spill Closed Dt: 7/29/1994 Facility Addr2: Not reported Cleanup Ceased: 7/29/1994 Cleanup Meets Standard: True SWIS: 3101 Investigator: **SULLIVAN** Referred To: Not reported Reported to Dept: 3/13/1990 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Not reported Last Inspection:

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: 0 Date Entered In Computer: 3/15/1990 Spill Record Last Update: 8/1/1994

Spiller Name: TOM DIXON(CONTACT)

Spiller Company: SAME Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller County: 001 Spiller Contact: Not reported

Spiller Phone: Not reported Not reported Spiller Extention: DEC Region:

DER Facility ID: 277512 DEC Memo: Not reported

FOUR 550 GAL TKS FAIL AIR PRESSURE @ UNREADABLE - NYFD ON SCENE - E & Remarks:

1 & R.

Material:

104419 Site ID:

Direction Distance

Elevation Site Database(s) EPA ID Number

GETTY - MAN (Continued)

S100145900

EDR ID Number

Operable Unit ID: 937601
Operable Unit: 01
Material ID: 441281
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 104419
Spill Tank Test: 1536854
Tank Number: Not reported

Tank Size: 0
Test Method: 00
Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004 Test Method: Unknown

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 8911776

 Spill Date:
 03/13/1990

 Spill Time:
 16:00

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Gas Station

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 07/29/94 Cleanup Ceased: 07/29/94 Cleanup Meets Standard: True Investigator: **SULLIVAN** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/13/90 Reported to Department Time: 17:00 SWIS:

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

GETTY - MAN (Continued) S100145900

Spiller Address: Not reported

LOUIE OCHOTORENA Spiller City, St, Zip:

Spiller Cleanup Date: 11

Facility Contact: Not reported Facility Phone: (718) 729-6500 Facility Extention: Not reported Spill Notifier: Tank Tester PBS Number: 2-151297

Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Enforcement Date: / / Investigation Complete: // **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: 03/15/90 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 08/01/94 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size:

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Not reported

Quantity Recovered: Unkonwn Quantity Recovered: False Material: **GASOLINE GASOLINE** Class Type: Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

08/01/94: SEE EPS LETTER 7/29/94 LATEST PRECISION RESULTS GIVEN TO PBS UNIT. DEC Remarks: FOUR 550 GAL TKS FAIL AIR PRESSURE @ UNREADABLE - NYFD ON SCENE - E I R. Spill Cause:

AB156 4880 BROADWAY/MANH/GETTY NW

S100167905 **LTANKS 4880 BROADWAY HIST LTANKS** N/A

1/4-1/2 **NEW YORK CITY, NY**

0.364 mi.

1922 ft. Site 3 of 6 in cluster AB

LTANKS: Relative:

Site ID: 104420 Higher Spill No: 9002535

Actual: Spill Date: 6/4/1990 39 ft. Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial

Known release that creates potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/16/1992

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

4880 BROADWAY/MANH/GETTY (Continued)

S100167905

Facility Addr2: Not reported 7/16/1992 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 Investigator: **SULLIVAN** Referred To: Not reported Reported to Dept: 6/5/1990 CID: 15

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: Date Entered In Computer: 6/13/1990 Spill Record Last Update: 7/28/1992 Spiller Name: Not reported Spiller Company: **GETTY**

30-20 GREENPOINT AVE. Spiller Address:

Spiller City, St, Zip: BROOKLYN, NY

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: DER Facility ID: 282486

DEC Memo: Not reported

Remarks: 550K TANK FAILED VAC-U-TECH TEST, COMPANY TO FIX TANK.

Material:

Site ID: 104420 Operable Unit ID: 942391 Operable Unit: 01 437276 Material ID: Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum

Quantity: -1

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 104420 Spill Tank Test: 1537152 Tank Number: Not reported

Tank Size: 0 00 Test Method: Leak Rate:

Not reported Gross Fail: Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4880 BROADWAY/MANH/GETTY (Continued)

S100167905

HIST LTANKS:

Region of Spill: Spill Number:

9002535 Spill Date: 06/04/1990 Spill Time: 18:00

Spill Cause: Tank Test Failure Resource Affectd: Groundwater Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/16/92 Cleanup Ceased: 07/16/92 Cleanup Meets Standard: True Investigator: SULLIVAN Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 06/05/90 Reported to Department Time: 11:15 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: **GETTY**

Spiller Address: 30-20 GREENPOINT AVE.

Spiller City, St, Zip: BROOKLYN, NY

Spiller Cleanup Date:

Facility Contact: Not reported (718) 729-6500 Facility Phone: Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 06/13/90 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 07/28/92 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size:

Test Method: Not reported Leak Rate Failed Tank: 0.00

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4880 BROADWAY/MANH/GETTY (Continued)

Material:

Last Date:

Gross Leak Rate:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Not reported Quantity Recovered: Unkonwn Quantity Recovered: False Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported

DEC Remarks: Not reported

550K TANK FAILED VAC-U-TECH TEST, COMPANY TO FIX TANK. Spill Cause:

AC157 **CON EDISON - KINGSBRIDGE STATION MGP Manufactured Gas Plants**

19940929

Not reported

East

1008407870 **BLOCK 3236, LOT 25 AND BLOCK 3236 LOT 45** N/A

1/4-1/2 **BRONX, NY 10468**

0.374 mi.

1974 ft. Site 1 of 2 in cluster AC

Relative: Higher

Actual:

33 ft. Z158 2269 HAMPDEN PLACE

S105998602 LTANKS 2269 HAMPDEN PLACE **ESE** N/A

1/4-1/2 **BRONX, NY**

0.380 mi.

Site 4 of 4 in cluster Z 2006 ft.

LTANKS: Relative:

Site ID: 242309 Higher

Spill No: 0300149 Actual: Spill Date: 4/4/2003 87 ft. Spill Cause: Tank Overfill

> Spill Source: Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/4/2003 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 0301 Investigator: **JBVOUGHT** Referred To: Not reported Reported to Dept: 4/4/2003 CID: 17

Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/4/2003 Spill Record Last Update: 4/4/2003 S100167905

Direction Distance

Elevation Site Database(s) EPA ID Number

2269 HAMPDEN PLACE (Continued)

S105998602

EDR ID Number

Spiller Name: Not reported
Spiller Company: AMERADA HESS
Spiller Address: Not reported

Spiller City,St,Zip: NY Spiller County: 999

Spiller Contact: EMILIANA CABRERA
Spiller Phone: (212) 543-2515
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 199116

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"VOUGHT" DEC Sigona contacted Hess at 12:15 left message for Raymond Soja requesting call back at 718-482-4651. Contacted Ms. Cabrera who

said oil spilled into basement causing odors in the building. No response by oil company as of 12:15 PM. DEC Vought to perform field response. 4/4/2003-Vought-Site visit by Vought. Spill came out of vent pipe and also out of top of tank manway onto tank room floor. Spill is #4 fuel oil from 5000 gallon AST. Spill entered sump pit. Vought notified NYDEP (DEP#600189). Delivery company was T&S Trucking. Eastmond & Sons will be performing cleanup (powerwash sidewalk, basement, and sump pit). Tank room foor and walls sealed with epoxy with no pathways (cracks) to subsurface. Spill closed by

Vought.

Remarks: Caller states customer overordered - clean up company enroute at this

time - all materal spilled to ground - no sewers

Material:

Site ID: 242309 Operable Unit ID: 868462 Operable Unit: 01 Material ID: 508227 Material Code: 0002 Material Name: #4 Fuel Oil Not reported Case No.: Petroleum Material FA: Quantity: 25 Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Direction Distance

Distance EDR ID Number
Elevation Site EPA ID Number

AD159 GOOD SHEPARD SCHOOL LTANKS S102662625 NNW 608 ISHAM ST HIST LTANKS N/A

1/4-1/2 MANHATTAN, NY

0.381 mi.

2013 ft. Site 1 of 4 in cluster AD

Relative: LTANKS:

 Higher
 Site ID:
 214493

 Spill No:
 9515733

 Actual:
 Spill Date:
 3/7/1996

Actual: Spill Date: 3/7/1996 50 ft. Spill Cause: Tank Overfill

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/31/1997 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 **KSTANG** Investigator: Referred To: Not reported Reported to Dept: 3/7/1996 CID: 15

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/7/1996
Spill Record Last Update: 8/7/1997
Spiller Name: JIM CAREY

Spiller Company: CASTLE OIL CORPORATION
Spiller Address: 290 LOCUST AVENUE
Spiller City, St, Zip: BRONX, NY 10454-

Spiller County: 001
Spiller Contact: MANUEL
Spiller Phone: (212) 567-1300
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 177720

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TANG" AFTER CONSIDERING THE FACT THAT THE SPILL OCCURRED A LONG TIME AGO, AND THE REMARKS INDICATING NO LONG-TERM FOLLOW-UP AS BEING

AGO, AND THE REMARKS INDICATING NO LONG-TERM FOLLOW-UP AS BEIL

NEEDED; I HAVE DECIDED TO CLOSE THIS SPILL.

Remarks: driver error - driver cleaned it up

Material:

Site ID: 214493 Operable Unit ID: 1026775 Operable Unit: 01 Material ID: 355852 Material Code: 0001 Material Name: #2 Fuel Oil Not reported Case No.: Petroleum Material FA: Quantity: Units: Gallons

Recovered: 5

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

GOOD SHEPARD SCHOOL (Continued)

S102662625

Resource Affected: Not reported False Oxygenate:

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill:

Spill Number: 9515733 Spill Date: 03/07/1996 Spill Time: 16:00 Spill Cause: Tank Overfill Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/31/97 Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: **TANG** Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/07/96 Reported to Department Time: 17:02 SWIS: Spiller Contact: MANUEL

Spiller Phone: (212) 567-1300 Spiller Extention: Not reported Spiller Name: CASTLE OIL CORPORATION

Spiller Address: 290 LOCUST AVENUE Spiller City, St, Zip: BRONX, NY 10454-

Spiller Cleanup Date:

Facility Contact: JIM CAREY Facility Phone: (718) 579-3414 Facility Extention: Not reported Spill Notifier: Responsible Party PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

GOOD SHEPARD SCHOOL (Continued)

S102662625

Enforcement Date: Investigation Complete: / / UST Involvement: False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 03/07/96 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 08/07/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 5 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False #2 FUEL OIL Material: Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported 19941207 Last Date:

AFTER CONSIDERING THE FACT THAT THE SPILL OCCURRED A LONG TIME AGO, AND THE DEC Remarks:

REMARKS INDICATING NO LONG-TERM FOLLOW-UP AS BEING NEEDED; I HAVE DECIDED TO

CLOSE THIS SPILL.

Spill Cause: driver error - driver cleaned it up

608 ISHAM STREET LTANKS S105996570

NNW **608 ISHAM STREET** 1/4-1/2 MANHATTAN, NY

0.381 mi.

Actual:

50 ft.

AD160

2013 ft. Site 2 of 4 in cluster AD

LTANKS: Relative: Higher

Site ID: 268693 Spill No: 0205346 Spill Date: 8/21/2002 Spill Cause: Tank Test Failure

Spill Source: Commercial/Industrial

Known release that creates potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/9/2004 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101

Investigator: **CESAWYER** Referred To: Not reported Reported to Dept: 8/21/2002 CID: 15

N/A

Direction Distance

Elevation Site Database(s) EPA ID Number

608 ISHAM STREET (Continued)

S105996570

EDR ID Number

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/21/2002
Spill Record Last Update: 11/9/2004

Spiller Name: FATHER DESILVA
Spiller Company: 608 ISHAM STREET
Spiller Address: 608 ISHAM STREET
Spiller City,St,Zip: MANHATTEN, NY

Spiller County: 001

Spiller Contact: PHILLIP FAZIN
Spiller Phone: (516) 939-2959
Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 267535

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SAWYER" 1/6/04-Vought-Spill transferred from Vought to Austin. 1/27/04 - Sawyer - Spill transferred from Austin to Sawyer. 11/9/04 - Sawyer - Received information from PTC indicating that the 5000 gallon tank on this proprty was repaired and subsequently passed a tank test on 1/15/03. There were no releases encountered during the

repair. No further action required. Closed.

Remarks: CHURCH AT LOCATION

Material:

Site ID: 268693 Operable Unit ID: 858032 Operable Unit: 01 Material ID: 519544 Material Code: 0001 #2 Fuel Oil Material Name: Not reported Case No.: Petroleum Material FA: Quantity: Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

 Site ID:
 268693

 Spill Tank Test:
 1527393

Tank Number: 2
Tank Size: 5000
Test Method: 03
Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II

Direction Distance

Distance EDR ID Number
Elevation Site EDR ID Number

AD161 608 ISHAM STREET LTANKS \$105996573

NNW 608 ISHAM STREET N/A

1/4-1/2 MANHATTAN, NY

0.381 mi.

2013 ft. Site 3 of 4 in cluster AD

Relative: LTANKS:

Relative:

 Higher
 Site ID:
 268694

 Spill No:
 0205348

 Actual:
 Spill Date:
 8/21/2002

50 ft. Spill Cause: 8/21/2002

Spill Cause: Tank Test Failure

Spill Source: Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/22/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101

Investigator: CESAWYER
Referred To: Not reported
Reported to Dept: 8/21/2002
CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/21/2002
Spill Record Last Update: 12/22/2004
Spiller Name: FATHER DESILVA
Spiller Company: 608 ISHAM STREET
Spiller Address: 608 ISHAM STREET
Spiller City, St, Zip: MANHATTEN, NY

Spiller County: 001

Spiller Contact: PHILLIP FAZIN
Spiller Phone: (516) 939-2959
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 267535

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"VOUGHT" 8/21/2002-VOUGHT-Duplicate spill report. See spill #0205346. This spill closed by Vought. 11/9/04 - Sawyer - Reopened this TTF is for 3000 gallon tank 0205346 was for a 5000 that was repaired and

retested tight. The Department will try to get tank closure

information. 12/22/04 - Sawyer - Received information from Sharima Ryan of RND Sevices for abandonment and subsequent paperwork that was

sent to PBS department to update registration. No further action

required. Closed.

Remarks: CHURCH AT LOCATION

Material:

 Site ID:
 268694

 Operable Unit ID:
 858034

 Operable Unit:
 01

 Material ID:
 519546

 Material Code:
 0001

 Material Name:
 #2 Fuel Oil

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

608 ISHAM STREET (Continued)

S105996573

Case No.: Not reported Petroleum Material FA: Quantity: 0 Units: Gallons Recovered: No Not reported Resource Affected:

Tank Test:

Oxygenate:

Site ID: 268694 Spill Tank Test: 1527394 Tank Number: 3 3000 Tank Size: Test Method: 03 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II

False

AB162 4848 BROADWAY LTANKS U003385478 WNW **4848 BROADWAY AST** N/A NEW YORK, NY 10034 1/4-1/2 **HIST AST**

0.386 mi.

2038 ft. Site 4 of 6 in cluster AB

Relative: Higher

LTANKS: Site ID: 396990

Spill Closed Dt:

Actual: 29 ft.

0801120 Spill No: Spill Date: 4/28/2008 Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial

1/15/2009

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **JMKRIMGO** Referred To: Not reported Reported to Dept: 4/28/2008 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/28/2008 Spill Record Last Update: 1/15/2009

CARMEN SANTIAGO Spiller Name: Spiller Company: Not reported Spiller Address: 4848 BROADWAY

NEW YORK, NY

Spiller County: 001

Spiller City, St, Zip:

Direction Distance

Elevation Site Database(s) EPA ID Number

4848 BROADWAY (Continued)

U003385478

EDR ID Number

Spiller Contact: CARMEN SANTIAGO
Spiller Phone: (646) 673-6714
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 346447

DEC Memo: 5/2/08 Sent ttf letter to: Carmen Santiago The Dermot Company 1775

Broadway, Suite 510 New York, NY 10019 1/15/09. J.Krimgold reviewed the letter-report submitted by Approved Oil Company of Brooklyn and dated 12/13/08. According to this letter, the tank is aboveground and was tested to to satisfy private requirements. The cause of the failure was a suction line which was at some time back temporarily replaced by cooper tubing leaving a gap in the tank topping. After replacing cooper tubing with permanent pipe the tank system was

retested and passed. NFA. J.K.

Remarks: DRY LEAK

Material:

Site ID: 396990 Operable Unit ID: 1153954 Operable Unit: 01 Material ID: 2144735 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Gallons Units: Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

 Site ID:
 396990

 Spill Tank Test:
 2453608

 Tank Number:
 Not reported

 Tank Size:
 2500

 Test Method:
 00

 Leak Rate:
 0

Gross Fail: Not reported Modified By: Watchdog Last Modified: 4/28/2008 Test Method: Unknown

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-109525
Program Type: PBS

UTM X: 590704.10115 UTM Y: 4524520.2372599998

Expiration Date: 2012/04/24

Tank Number: 001 Tank Id: 7838

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4848 BROADWAY (Continued)

U003385478

Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/15/1985 Install Date: 3000 Capacity Gallons: Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **MSBAPTIS** Last Modified: 9/18/2008

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)

B00 - Tank External Protection - None H00 - Tank Leak Detection - None 104 - Overfill - Product Level Gauge (A/G) D01 - Pipe Type - Steel/Carbon Steel/Iron

C00 - Pipe Location - No Piping F00 - Pipe External Protection - None A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

105 - Overfill - Vent Whistle

Affiliation Records:

Site Id: 3301

Affiliation Type: On-Site Operator Company Name: 4848 BROADWAY Contact Type: Not reported Contact Name: HIPOLITO DURAN Address1: Not reported Address2: Not reported City: Not reported State: NN Not reported Zip Code:

Country Code: 001

Phone: (646) 852-3360 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 9/18/2008

Site Id: 3301

Affiliation Type: **Emergency Contact**

Company Name: 4848 BROADWAY INVESTOR, LLC

Contact Type: Not reported Contact Name: **DOMINIQUE** Not reported Address1: Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4848 BROADWAY (Continued)

U003385478

Country Code: 999

(646) 235-5655 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 9/18/2008

Site Id: 3301 Affiliation Type: Owner

4848 BROADWAY INVESTOR, LLC Company Name:

Contact Type: Not reported Contact Name: Not reported

Address1: 1775 BROADWAY, SUITE 510

Address2: Not reported **NEW YORK** City: State: NY Zip Code: 10019 Country Code: 001

(212) 488-1770 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **MSBAPTIS** Date Last Modified: 9/18/2008

Site Id: 3301 Affiliation Type: Mail Contact

C/O THE DERMOT REALTY MGT CO. INC. Company Name:

Contact Type: Not reported

Contact Name: 4848 BROADWAY INVESTOR, LLC Address1: 1775 BROADWAY, SUITE 510

Address2: Not reported City: **NEW YORK** State: $\mathsf{N}\mathsf{Y}$ 10019 Zip Code: Country Code: 001

(212) 488-1770 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **MSBAPTIS** Date Last Modified: 9/18/2008

HIST AST:

PBS Number: 2-109525 SWIS Code: 6201

HIPOLITO DURAN Operator: Facility Phone: (212) 304-2591 4848 BROADWAY Facility Addr2: Facility Type: APARTMENT BUILDING Emergency: VICTOR GORODISCHER

Emergency Tel: (212) 567-2841 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported Result of Inspection: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

4848 BROADWAY (Continued)

U003385478

EDR ID Number

Owner Name: ABIEL ASSOC

Owner Address: P O BOX 212 FORT GEORGE STATIO

Owner City,St,Zip: NEW YORK, NY 10040

Federal ID: Not reported

Owner Tel: (212) 567-2841

Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Contact: MR. VICTOR GORODISCHER

Mailing Name: ABIEL ASSOCIATES
Mailing Address: 4500 BROADWAY, APT. 3-C

Mailing Address 2: P.O. BOX 212 FORT GEORGE STATION

Mailing City, St, Zip: NEW YORK, NY 10040

Mailing Telephone: (212) 567-2841 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 09/30/1999
Expiration: 08/28/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE

Tank Status: In Service Install Date: Not reported Capacity (Gal): 3000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Steel/carbon steel Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported STEEL/IRON Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: Diking Leak Detection: 0 Overfill Protection: 46 Dispenser Method: Suction Date Tested: Not reported Not reported Next Test Date:

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False

Direction Distance

Elevation Site Database(s) EPA ID Number

4848 BROADWAY (Continued) U003385478

Updated: True

SPDES Number: Not reported Lat/Long: Not reported

AB163 RESIDENTIAL APT COMPLEX LTANKS \$102399243 WNW 4861 BROADWAY HIST LTANKS N/A

1/4-1/2 MANHATTAN, NY

0.387 mi.

2042 ft. Site 5 of 6 in cluster AB

Relative: LTANKS:

 Higher
 Site ID:
 220446

 Spill No:
 9607064

 Actual:
 Spill Date:
 9/1/1996

 29 ft.
 Spill Cause:
 Tank Failure

 Spill Source:
 Private Dwelling

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/26/2004 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 **SMSANGES** Investigator: Referred To: Not reported Reported to Dept: 9/4/1996 CID: 15

Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/4/1996
Spill Record Last Update: 4/26/2004

Spiller Name: JOHN AMINSAO

Spiller Company: RESIDENTIAL APT COMPLEX

Spiller Address: 4861 BROADWAY Spiller City,St,Zip: MANHATTAN, NY

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 182341

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND" 3/5/2004 Spill switched from Mulqueen to Sangesland Sangesland spoke to Mark at PTC about closing out the spill. The building now has a new owner and there are no records of the cleanup from 1996. At that time there was a 7,500 gal tank which leaked. This tank was removed and a new 9,000 gal AST tank was built in this room. To close out this spill number, PTC was directed to drill several

soil borings in the floor to look for contamination. If these borings are clean, then PTC will put together a report with results along with photos and a request for closure. 3/16/2004 Ray (PTC) asked if contamination was found in the borings would a new spill number be required? Sangesland said no just an update to this old spill number would be required. 4/26/2004 Sangesland reviewed a soil sampling

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

RESIDENTIAL APT COMPLEX (Continued)

S102399243

EDR ID Number

report submitted by Action Remediation (Kevin O'Connor) 516-781-3000. Report shows photos of the new tank, 8 soil boring locations around the tank and VOC/SVOC results from 2 soil samples. All results came

back below TAGM. Spill Closed

Remarks: tank had a leak in it over the weekend and spill went into the

basement of apartment complex

Material:

Site ID: 220446 Operable Unit ID: 1038214 Operable Unit: 01 Material ID: 346331 Material Code: 0003 Material Name: #6 Fuel Oil Not reported Case No.: Material FA: Petroleum Quantity: 50 Units: Gallons Recovered: 50

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2 Spill Number: 9607064 Spill Date: 09/01/1996 Spill Time: 12:00 Spill Cause: Tank Failure Resource Affectd: On Land Water Affected: Not reported Spill Source: Private Dwelling

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / / Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: **MULQUEEN** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

RESIDENTIAL APT COMPLEX (Continued)

S102399243

EDR ID Number

Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 09/04/96 Reported to Department Time: 11:22 SWIS: 62

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: RESIDENTIAL APT COMPLEX

Spiller Address: 4861 BROADWAY Spiller City,St,Zip: MANHATTAN, NY

Spiller Cleanup Date: / /

Facility Contact: JOHN AMINSAO
Facility Phone: (212) 265-2280
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported

Last Inspection: /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/04/96
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 09/23/96 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 50 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: 50 Unkonwn Quantity Recovered: False Material: #6 FUEL OIL #6 FUEL OIL Class Type: Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: tank had a leak in it over the weekend and spill went into the basement of

apartment complex

Direction Distance

Distance EDR ID Number Elevation Site EDR ID Number Database(s) EPA ID Number

AD164 620 ISHAM STREET LTANKS \$102671948
NNW 620 ISHAM STREET HIST LTANKS N/A

1/4-1/2 MANHATTAN, NY

0.390 mi.

2062 ft. Site 4 of 4 in cluster AD

Relative: LTANKS:

 Higher
 Site ID:
 125737

 Spill No:
 9207502

 Actual:
 Spill Date:
 9/29/1992

 54 ft.
 Spill Cause:
 Tank Overfill

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 9/29/1992 Facility Addr2: Not reported 9/29/1992 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 **KSTANG** Investigator: Referred To: Not reported Reported to Dept: 9/29/1992 CID: 15

Water Affected: Not reported Spill Notifier: Other

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/30/1992
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ

Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 108749

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TANG"

Remarks: TANK GAUGE FAULTY-OIL LEAKED FROM VENT TO CONCRETE SIDEWALK AND

DRIVEWAY-DRIVER CONTAINED W/SPEEDI-DRI AND SPILL ENROUTE TO COMPLETE

CLEANUPWILL P/U AND DISPOSE.

Material:

Site ID: 125737 Operable Unit ID: 971152 Operable Unit: 01 Material ID: 408137 Material Code: 0001 Material Name: #2 Fuel Oil Not reported Case No.: Material FA: Petroleum Quantity: 20 Units: Gallons Recovered: No

Direction Distance

Elevation Site Database(s) EPA ID Number

620 ISHAM STREET (Continued)

Resource Affected:

S102671948

EDR ID Number

Oxygenate: False

Not reported

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2

Spill Number: 9207502
Spill Date: 09/29/1992
Spill Time: 08:45
Spill Cause: Tank Overfill
Resource Affectd: On Land

Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 09/29/92 09/29/92 Cleanup Ceased: Cleanup Meets Standard: True Investigator: **TANG** Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 09/29/92 Reported to Department Time: 09:02 SWIS:

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City, St, Zip: Not reported

Spiller Cleanup Date: / /

Facility Contact:

Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Not reported

Not reported

Other

Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

620 ISHAM STREET (Continued)

S102671948

Enforcement Date: / / / / Investigation Complete: UST Involvement: False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 09/30/92 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 11 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 20 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: #2 FUEL OIL Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported Last Date: 19941207

DEC Remarks: Not reported

Spill Cause: TANK GAUGE FAULTY-OIL LEAKED FROM VENT TO CONCRETE SIDEWALK AND DRIVEWAY-DRIVER

CONTAINED W/SPEEDI-DRI AND SPILL ENROUTE TO COMPLETE CLEANUPWILL P/U AND

DISPOSE.

AE165 IN STREET **LTANKS** S102662833 **WSW HIST LTANKS 182 NAGLE AVE** N/A

1/4-1/2 MANHATTAN, NY

0.397 mi.

2095 ft. Site 1 of 2 in cluster AE

LTANKS: Relative:

Site ID: 302545 Lower Spill No: 9612843 Actual: Spill Date: 1/28/1997 17 ft.

Spill Cause: Tank Overfill Private Dwelling Spill Source:

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/29/1997 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **MCTIBBE** Referred To: Not reported Reported to Dept: 1/29/1997 CID: 15

Direction Distance

Elevation Site Database(s) EPA ID Number

IN STREET (Continued) S102662833

Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/29/1997
Spill Record Last Update: 4/29/1997
Spiller Name: TOMMY

Spiller Company: B AND T TRANSPORT

Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 244424

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" DEC INVESTIGATOR: CLEANED BY PETROLEUM TANK CLEANERS.

Remarks: OVERFILLED TANK, CLEANUP IN PROGRESS. THOUGHT SPILL WAS REPORTED

YESTERDAY. SPILL HOTLINE COMPUTER GLITCH THIS MORNING - TOLD TO CALL

BACK

Material:

Site ID: 302545 Operable Unit ID: 1044354 Operable Unit: 01 Material ID: 341491 0002 Material Code: Material Name: #4 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: 100 Units: Gallons Recovered: 75

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 9612843

 Spill Date:
 01/28/1997

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

IN STREET (Continued) S102662833

Spill Time: 16:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 01/29/97 Cleanup Ceased: // Cleanup Meets Standard: False **TIBBE** Investigator: Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 01/29/97 Reported to Department Time: 13:45 SWIS: 62 Spiller Contact: Not reported

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: B AND T TRANSPORT

Spiller Address: Not reported
Spiller City, St, Zip: Not reported

Spiller Cleanup Date: //
Facility Contact: TOMMY
Facility Phone: (718) 333-4154
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/29/97
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 04/29/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 100

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

IN STREET (Continued) S102662833

Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 75 Unkonwn Quantity Recovered: False Material: #4 FUEL OIL #4 FUEL OIL Class Type: Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: DEC INVESTIGATOR: CLEANED BY PETROLEUM TANK CLEANERS.

OVERFILLED TANK, CLEANUP IN PROGRESS. THOUGHT SPILL WAS REPORTED YESTERDAY. Spill Cause:

SPILL HOTLINE COMPUTER GLITCH THIS MORNING - TOLD TO CALL BACK

AB166 677 WEST 204 **LTANKS** S103517603 NW 677 WEST 204 **HIST LTANKS** N/A MANHATTAN, NY **AST**

1/4-1/2 0.399 mi.

Site 6 of 6 in cluster AB 2105 ft.

LTANKS: Relative:

Site ID: 141748 Higher

Spill No: 9711069 Actual: Spill Date: 1/2/1998 45 ft. Spill Cause: Tank Overfill Spill Source: Commercial Vehicle

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/2/1998 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **SMMARTIN** Referred To: Not reported Reported to Dept: 1/2/1998

CID: 15 Water Affected: Not reported Spill Notifier: Responsible Party Not reported Last Inspection:

Penalty Not Recommended Recommended Penalty:

UST Involvement: False Remediation Phase: Date Entered In Computer: 1/2/1998 Spill Record Last Update: 6/29/2006 Spiller Name: **CALLER**

Spiller Company: T & S TRUCKING Spiller Address: 53 2ND AVENUE Spiller City, St, Zip: BROOKLYN, NY

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region:

DER Facility ID: 121007

DEC Memo: Prior to Sept, 2004 data translation this spill Lead DEC Field was

"MARTINKAT"

DRIVER OVERFILLED TANK. Remarks:

HIST AST

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

677 WEST 204 (Continued)

S103517603

Material:

141748 Site ID: 1053944 Operable Unit ID: Operable Unit: 01 Material ID: 329333 Material Code: 0002 #4 Fuel Oil Material Name: Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons No Recovered: Not reported Resource Affected:

False

Tank Test:

Oxygenate:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Not reported Modified By: Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill:

Spill Number: 9711069 Spill Date: 01/02/1998 Spill Time: 14:20 Spill Cause: Tank Overfill Resource Affectd: On Land Not reported Water Affected: Spill Source: Commercial Vehicle

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 01/02/98 Cleanup Ceased: Cleanup Meets Standard: False Investigator: **MARTINKAT** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Not reported Caller Extension: Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 01/02/98 Reported to Department Time: 14:43 SWIS: 62

Spiller Contact: Not reported Spiller Phone: Not reported

Direction Distance Elevation

ation Site Database(s) EPA ID Number

677 WEST 204 (Continued)

S103517603

EDR ID Number

Spiller Extention:

Spiller Name:

Spiller Address:

Spiller City,St,Zip:

Not reported

T & S TRUCKING

Spiller Address:

53 2ND AVENUE

BROOKLYN, NY

Spiller Cleanup Date: / /
Facility Contact: CALLER
Facility Phone: (718) 499-2900
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 01/02/98
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 01/15/98 Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: #4 FUEL OIL #4 FUEL OIL Class Type: Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: Not reported

Spill Cause: DRIVER OVERFILLED TANK.

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-203793
Program Type: PBS

UTM X: 590760.29911000002 UTM Y: 4524624.8475400005

Expiration Date: 2012/08/24

Tank Number: 001 Tank Id: 18521

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

677 WEST 204 (Continued)

S103517603

Tank Location:

Steel/Carbon Steel/Iron Tank Type:

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 3/5/1915 Capacity Gallons: 5000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **KAKYER** Last Modified: 6/20/2007

Equipment Records:

104 - Overfill - Product Level Gauge (A/G)

B01 - Tank External Protection - Painted/Asphalt Coating

C01 - Pipe Location - Aboveground

F01 - Pipe External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None

L09 - Piping Leak Detection - Exempt Suction Piping

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron

G03 - Tank Secondary Containment - Vault (w/o access)

Affiliation Records:

7052 Site Id:

Affiliation Type: **Emergency Contact** Company Name: IADA REALTY CORP

Contact Type: Not reported

Contact Name: **DBL OPERATING CORP**

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 661-8570 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 7052

Affiliation Type: On-Site Operator 677 WEST 204TH ST Company Name: Contact Type: Not reported Contact Name: **BRIAN SALMON** Address1: Not reported Address2: Not reported

City: Not reported State: NN

Zip Code: Not reported

Country Code: 001

Direction Distance

Elevation Site Database(s) EPA ID Number

677 WEST 204 (Continued)

S103517603

EDR ID Number

Phone: (212) 569-3714
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 7052 Affiliation Type: Owner

Company Name: IADA REALTY CORP

Contact Type: REGISTERED MANAGING AGENT

Contact Name: EDMUND N. MILLER

Address1: C/O DBL-122 EAST 42ND STREET SUITE 1103

Address2: Not reported City: NEW YORK CITY

State: NY
Zip Code: 10168
Country Code: 001

Phone: (212) 661-8570
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 6/20/2007

Site Id: 7052 Affiliation Type: Mail Contact

Company Name: IADA REALTY CORP
Contact Type: Not reported
Contact Name: STEPHEN SDEO
Address1: % LEMLE & WOLFF INC.

Address2: 5925 BROADWAY

City: BRONX State: NY

Zip Code: 10463 Country Code: 001

Phone: (718) 884-7676
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-203793 SWIS Code: 6201

Operator: BRIAN SALMON
Facility Phone: (212) 569-3714
Facility Addr2: 677 WEST 204TH ST
Facility Type: APARTMENT BUILDING
Emergency: DBL OPERATING CORP

Emergency Tel: (212) 661-8570
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: IADA REALTY CORP

Direction Distance

Elevation Site Database(s) EPA ID Number

677 WEST 204 (Continued) \$103517603

Owner Address: C/O DBL-122 EAST 42ND STREET SUITE 1103

Owner City, St, Zip: NEW YORK CITY, NY 10168

Federal ID: Not reported
Owner Tel: (212) 661-8570
Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: Not reported

Mailing Name: IADA REALTY CORP

Mailing Address: C/O DBL OPERATING CORP.
Mailing Address 2: 122 EAST 42ND ST-(SUITE 1103)
Mailing City,St,Zip: NEW YORK CITY, NY 10168

Mailing Telephone: (212) 661-8570 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 08/19/1997
Expiration: 08/24/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000

Product Stored: NOS 5 OR 6 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 1

Pipe Location: Aboveground Pipe Type: STEEL/IRON Pipe Internal: None

Pipe External: Tank Containment: Diking Leak Detection: 0 Overfill Protection: 4 Suction Dispenser Method: Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported

Deleted: False Updated: True

EDR ID Number

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

677 WEST 204 (Continued) S103517603

SPDES Number: Not reported Not reported Lat/Long:

AF167 **BRONX WEST 08 DOS-DDC LTANKS** S106737815 NE **423 WEST 215TH STREET NY Spills** N/A

1/4-1/2 **BRONX, NY**

0.412 mi.

2176 ft. Site 1 of 4 in cluster AF

LTANKS: Relative: Site ID: Lower

0411096 Spill No: Actual: Spill Date: 1/12/2005 14 ft. Spill Cause:

UST Involvement:

Tank Test Failure Spill Source: Commercial/Industrial

336349

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/13/2009 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 0301 Investigator: **ADZHITOM** Referred To: NFA Reported to Dept: 1/12/2005 CID: 71

Water Affected: Not reported Spill Notifier: Affected Persons Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended True

Remediation Phase: Date Entered In Computer: 1/18/2005 Spill Record Last Update: 5/13/2009 Spiller Name: JAY SHAH

Spiller Company: NYC DEPT SANITATION

Spiller Address: 301 W 215 ST

Spiller City, St, Zip: NEW YORK, NY 10004

Spiller County: 001 Spiller Contact: JAY SHAH Spiller Phone: (718) 334-9138 Spiller Extention: Not reported

DEC Region: DER Facility ID: 230517

DEC Memo: 10/05/05 See spill # 0330039 Free phase. AZ 1/13/2005 Approved

proposed soil boring locations for the first round of soil sampling.

A new spill took place. (2 gasoline tanks failed the test).

Delineation is required for the new spill. AZ 1/20/2005 Requested information on the tank failure and its status from Steve Frank (LiRo). LiRo did not do any tightness testing. Gasoline tank and probably diesel tanks failed in 2005. LiRo will remove 2-2,000 gal diesel tanks soon. Samples will be taken. AZ 4/11/2006 Contacted Jane Staten and requested update on the spill. She will get back to me. AZ 5/8/2006 Received final report for the period February - March 2006 from LiRo dated April 28, 2006. LiRo is no longer responsible for this site. AZ 9/22/2006 Upon a request from Jane Staten sent a FOIL spill report to her. Called F&N and left a message requesting more info regarding the spill. PBS# 2-455822. AZ 1/23/2007 At the meeting

Map ID MAP FINDINGS
Direction

Distance Elevation

Site Database(s) EPA ID Number

BRONX WEST 08 DOS -DDC (Continued)

S106737815

EDR ID Number

with DDC/URS on January 10, 2007, the site was discussed. Jane Staten informed that URS can not locate this tank. One gasoline tank was closed 10 years ago mo investigation was performed. DOS sometimes is closing tanks without informing DEC/DDC/URS. URS will prepare a drawing that indicates all known tanks prior to a site visit with DEC/DDC/URS/DOS. Also, all borings/wells, investigated/remediated areas should be mapped. AZ 6/16/2008 An e-mail was sent to DDC/URS/V.Brevdo: "Previously DEC requested identification and delineation of this spill. The tanks should be identified, borings/wells advanced in the tank filed area and the results of the investigation submitted to DEC." AZ 1-7-2008 An e-mail was sent to DDC/URS/V.Brevdo: "In June 2008 DEC requested identification and delineation of this spill. However, no information was received. The tanks should be identified, borings/wells advanced in the tank field area and the results of the investigation submitted to DEC. The spill report indicated that two diesel tanks, 4,000 gallons each, failed the test. Also, one gasoline tank probably failed." AZ 1-8-2008 E-mail from J. Staten: "As we discussed, URS visited the site and talked to facility personnel but were unsuccessful in locating the tanks identified on the spill #0411096 report form. Obviously, we need to take a different tact, so I will contact Michael Murphy of DOS. He has been of great assistance on other DOS sites so I am hopeful that he will be able to provide us with site plans or the names of facility personnel that will help us identify the tanks in question." AZ 5-11-2009 Reviewed Request for closure by URS dated January 26-2009. The report states that the USTs identified in the spill report are two diesel USTs and one gasoline UST. Spill report #0411096 indicates that USTs failed a tightness test at Bronx West 8 facility located at 423 West 215th St. in Manhattan. However, the "Potential Spiller" listed on the form is Department of Sanitation facility located at 310 West 215th Street, which is Manhattan 12 facility located immediately east of the Bronx 7/8. Two of these tanks had reported storage capacity of 4,000 gallons. The Bronx 7/8 facility never had tanks that matched this description whereas Manhattan West 12 facility, situated across 9th Avenue, immediately east of the Bronx 7/8 facility, had tanks that exactly matched this description. URS concluded that spill #0411096 erroneously listed the Bronx 7/8 as the "Spill Name" but correctly identified the Manhattan West 12 facility as the "Potential Spiller". The two 4,000 diesel tanks and one 4,000 gallons tank formerly located at the Manhattan West 12 facility were removed in June 2005. On July 8, 2008, DEC approved closure of spill number 0504296 associated with two 4,000 gal diesel USTs and one 4,000 gal gasoline UST formerly located at the Manhattan West 12 facility. Based on this information, URS requested closure of spill #0411096. AZ 5-13-2009 Based on the above information submitted by URS this spill number is closed. An e-mail confirming closure is sent to NYCDDC/URS/V. Brevdo. AZ

Remarks: FIRST 2 TANKS - DIESEL TANK 3 IS GASOLINE NO CALL-BACK REQUIRED

Material:

 Site ID:
 336349

 Operable Unit ID:
 1098375

 Operable Unit:
 01

 Material ID:
 578544

 Material Code:
 0009

 Material Name:
 Gasoline

 Case No.:
 Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BRONX WEST 08 DOS -DDC (Continued)

S106737815

Material FA: Petroleum Not reported Quantity: Gallons Units: Recovered: No Not reported Resource Affected: Oxygenate: False

Tank Test:

Site ID: 336349 Spill Tank Test: 1548499 Tank Number: Tank Size: 4000 Test Method: 03 Leak Rate:

Gross Fail: Not reported Watchdog Modified By: Last Modified: 1/18/2005

Test Method: Horner EZ Check I or II

Site ID: 336349 1548500 Spill Tank Test: Tank Number: 2 4000 Tank Size: Test Method: 03 Leak Rate:

Gross Fail: Not reported Modified By: Watchdog Last Modified: 1/18/2005

Test Method: Horner EZ Check I or II

NY Spills:

Site ID: 284240 Facility Addr2: Not reported Facility ID: 0330039 Spill Number: 0330039 Facility Type: ER SWIS: 0301 **ADZHITOM** Investigator:

NEXT REPORT JUNE 2010 Referred To:

Spill Date: 10/27/2000 Reported to Dept: 9/18/2003 CID: Not reported Spill Cause: **Equipment Failure** Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: DEC Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase:

Date Entered In Computer: 9/18/2003

Map ID MAP FINDINGS Direction

Distance Elevation

EPA ID Number Site Database(s)

BRONX WEST 08 DOS -DDC (Continued)

Spill Record Last Update: 4/21/2010 Spiller Name: Not reported

Spiller Company: NYC DEPT OF SANITATION Spiller Address: 125 WORTH STREET Spiller City, St, Zip: NEW YORK, NY 10013-

Spiller Company:

Contact Name: **NEIL GALLAGHER** Contact Phone: (718) 334-9144

DEC Region: 2 DER Facility ID: 230517

DEC Memo: VOCPrior to Sept, 2004 data translation this spill Lead_DEC Field was

"KOLLEENY" LiRo installed and is currently operating an SVE system and a groundwater pump & treat system to address soil and groundwater contamination from gasoline, diesel and waste oil USTs. This spill transferred from Kolleeny to A. Zhitomirsky on 4/13/05. - JK

6/30/2005 Reviewed Quaterly Report received on 3/30/2005 from JK. The

SVE and pump and treat systems are effectively collecting and treating site contaminants. SVE-4 has to be checked. Skimmers at LMW-3,4, and 10 have to be checked. AZ 7/6/2005 Reviewed Quaterly Report received on 5/24/2005 and approved proposed soil boring locations for the first round of soil sampling. AZ 10/07/2005 The site has free product plume. AZ 2/8/2006 Reviewed Quarterly Report received in September 2005. Product is present in LMW-3. Latest results showed persisting higher level contamination at wells LMW-9 and LMW-11. The primary VOC at LMW-11 is MTBE. The pump and treat system and SVE system operated normally. AZ 5/8/2006 Received final monitoring report for the period February - March 2006 from LiRo dated April 28, 2006. LiRo is no longer responsible for this site. The system was down for 26 days due to fire in February 2006. The system is actively recovering VOCs. AZ 1/2/2007 Reviewed Quarterly Report received in September 2006. At the end of March 2006, the oversight of the site was transferred from LiRo to URS. No reports were submitted between April 2006 and September 2006. In October 2005. LiRo advanced four soil borings Each sample collected directly above the water table exceeded NYSDEC TAGM #4046. On June 20, 2006, URS collected groundwater samples. GW samples were not collected from monitoring wells LMW-05 through LMW-07 and LMW-12 through LMW-14 because contaminant concentrations have been below DEC GW Quality Criteria for twO consecutive sampling rounds. In addition, gw samples were not collected from LMW-02 and LMW-04 due to the presence of free product. LMW-17 was inaccessible. Total VOC concentrations ranged from 30 ppb to 422 ppb in LMW-09. The average vacuum measurements at monitoring and ventilation wells ranged from 0.02 to 2.73 inches of water column. Based on the latest analytical results, free product and dissolved phase groundwater contamination are still present. URS recommended continuation of the SVE and gw extraction systems operation. 1/5/2006 The report did not provide any monitoring information for pumping wells - pump and treat system. Groundwater pumping rates should be indicated in gpm for each well. Without individual pumping rates is difficult to judge the system performance. I called Jane Staten (URS) and requested changes in system monitoring and reporting. AZ 1/23/2007 At the meeting with DDC/URS on January 10, 2007, the site was discussed. The system is shut down since August 2006. Cost proposal is being prepared. URS did not provide any time frame for the system start up. Vac truck operations are performed monthly. DEC requested that URS revise the

system to enable collection of flow rates data for each well. URS

EDR ID Number

S106737815

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

BRONX WEST 08 DOS -DDC (Continued)

S106737815

will prepare a drawing that indicates all known tanks prior to a site visit with DEC. AZ 12/4/2007 An e-mail was sent to DDC/URS/V. Brevdo: "I have reviewed System Performance Monitoring Report and Confirmation Soil Sampling Plan for the above site received on October 25 and October 22, 2007. Below are my comments addressing these reports: 1. Submittal of the reports was significantly delayed. Previous report submittal for this site was dated September 5, 2006. 2. URS recommended suspension of the SVE system before new soil borings are advanced. This recommendation is rejected. Previous high VOC concentrations in soil justify continuos operation of the SVE system. 3. Groundwater monitoring well LMW-11 was not accessible in the latest round of sampling (September 2007), however it exhibited elevated VOC contaminant levels in the previous round of sampling (June 2007). In spite of the elevated levels, this well was not included in the latest groundwater plume boundaries. This well should have been included with an explanation that the latest sampling of the well was performed in June 2007. It should be noted that this well is a downgradient well and is located outside of the property boundary. 4. There is a potential of groundwater plume migration outside of the property boundaries at this site. Wells LMW-18, LMW-19, URSG and LMW-16 should be sampled during all monitoring events. 5. The site has free phase plume and a potential for groundwater plume migration. The GWET system was inactive since August 2006. URS stated that the effectiveness of the GWET system decreased during the months leading up to the shutdown. But DEC noticed deficiencies in the system performance and requested modification of the system on 1/5/2006, while the system was in operation. However, the system was not modified. The GWET system should be modified and restarted without delay. 6. URS proposed advancement of four soil borings. DEC requests advancing two additional borings which should be located near former borings LB-4 and LMW-4 utilities and structures permitting. 12-4-2007 DEC agreed that the boring near LB-4 is not needed. Instead, a boring near former LMW-9 should be advanced utilities and structures permitting. AZ 3-20-2008 An e-mail was sent to DDC/URS/V. Brevdo: "I have reviewed Monitoring Report for the above site dated January 21, 2008. URS recommended continuing monthly visits with the vacuum truck until free product no is longer detected. I concur with this proposal. Monitoring of additional groundwater wells should be performed as per previous DEC correspondence." AZ 6-18-2008 Reviewed Results of Confirmation Soil and Latest Groundwater Sampling dated April 18, 2008. Soil sampling showed that no VOCs or SVOCs exceeded TAGM #4046 in any of nine samples collected. The latest groundwater data suggest the persistence of minor dissolved phase contamination in wells LMW-02, LMW-08, LMW-09 and LMW-10, with aggregate total VOC concentrations over the past year ranging from 83 ppb to 369 ppb. There is also persistence of free product in well LMW-04. The product thickness in LMW-04 is about 0.04'. URS recommended termination and removal of the SVE system, removal of the GWET system, quarterly sampling of groundwater monitoring wells. DEC approved these recommendations in an e-mail. DEC previously approved monthly product recovery using the vacuum truck. AZ 10-8-2008 Reviewed Free product Recovery and Semi- Annual groundwater Monitoring Plan. Free product is limited to well LMW-04. Product thickness is about varies around 0.04'. On June 19, 2008 URS collected gw samples. Total VOC concentrations ranged from 13 ppb to 276 ppb in well LMW-10. URS stated that data suggest the persistence of minor dissolved phase

Map ID MAP FINDINGS
Direction

Distance Elevation

Site Database(s) EPA ID Number

BRONX WEST 08 DOS -DDC (Continued)

S106737815

EDR ID Number

contamination. URS will contnue quarterly gw sampling and monthly free product recovery using a vacuum truck until free product is no longer detected. AZ 1-7-2009 Reviewed Free product Recovery and groundwater monitoring data July through September 2008. Free product is limited to well LMW-04. Product thickness varies around 0.01'. About 0.75 gallons was recovered this monitoring period. A total of 7 gallons was recovered since the recovery effort began in 2007. On September 17, 2008, URS collected gw samples. Total VOC concentrations ranged from 2 ppb in LMW-16 to 657 ppb in well LMW-10, where concentrations increased from 276 ppb. URS stated that they will continue quarterly gw sampling and monthly free product recovery using a vacuum truck until free product is no longer detected. AZ 1-8-2009 An e-mail was sent to J. Staten/DDC/V Brevdo/URS:"...I suggest installing an oil skimmer pump in well LMW-4 as more economical and efficient remedial technique than a vacuum truck pumping. The pump for this site could be similar to the pump successfully used at Engine Company 58 (PetroXtractor)." AZ 4-21-2009 Reviewed free product recovery and groundwater monitoring data for the period October through December 2008. Since September 2008 dissolved phase groundwater contaminant concentrations have been relatively elevated in LMW-9 (539 ppb total VOCs). Minor amounts of free product were detected in wells LMW--02 and LMW-04. URS will continue to perform monthly free product recovery using a peristaltic pump. AZ 9-2-09 Reviewed free product recovery and groundwater monitoring data for the period January through March 2009. Minor amounts of free product was detected in well LMW-04. 203 ppb to 8 ppb. AZ 1-11-10 Reviewed free product recovery and groundwater monitoring data for the period April through June 2009. Minor amounts of free product was detected in well LMW-04 in April and May. To date URS recovered approximately 9 gallons of free product since 2007. VOCs were detected in wells LMW-09 and LMW-11 ranging from 1,530 ppb to 1.017 ppb respectively. AZ 2-18-2010 Reviewed free product recovery and groundwater monitoring data for the period July through September 2009. To date URS recovered approximately 9 gallons of free product since 2007. VOCs were detected ranging from 7 ppb to 971 ppb. Α7

Remarks:

DURING REMOVAL OF A 1,000-GALLON WASTE OIL TANK, VISIBLY PETROLEUM-STAINED BACKFILL WAS OBSERVED, ELEVATED PID READINGS WERE DETECTED. ANALYSIS OF GROUNDWATER SAMPLES FROM EXCAVATION FOUND VOCS INCLUDING MTBE. [SEE ALSO SPILL 9705745 FOR THIS SITE]

Material:

Site ID: 284240 Operable Unit ID: 880607 Operable Unit: 01 Material ID: 496538 Material Code: 0009 Material Name: Gasoline Not reported Case No.: Petroleum Material FA: Quantity: 0 Gallons Units:

Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 284240
Operable Unit ID: 880607
Operable Unit: 01

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BRONX WEST 08 DOS -DDC (Continued)

Material ID: 496539 Material Code: 0022

Material Name: Waste Oil/Used Oil Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

AC168 LTANKS S105994862 **GASETERIA** N/A

ESE 205 WEST FORDHAM ROAD

1/4-1/2 **BRONX, NY**

0.413 mi.

2180 ft. Site 2 of 2 in cluster AC

LTANKS: Relative:

Site ID: Higher

Spill No: 0230037 Actual: Spill Date: 1/7/2002 87 ft. Spill Cause: Tank Failure Spill Source: **Gasoline Station**

> Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

> > Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/8/2005 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 0301 Investigator: aaobliga Referred To: NFA Reported to Dept: 1/7/2002 CID: 17 Water Affected: Not reported

214115

Spill Notifier: Other Last Inspection: Not reported Penalty Not Recommended

Recommended Penalty: **UST Involvement:** True Remediation Phase: Date Entered In Computer: 9/27/2002 Spill Record Last Update: 12/8/2005 Spiller Name: **ROBERTO** Spiller Company: **GASETERIA** S106737815

Direction Distance

Elevation Site Database(s) EPA ID Number

GASETERIA (Continued) S105994862

Spiller Address: 364 MASPETH AVENUE

Spiller City, St, Zip: BROOKLYN, NY -

Spiller County: 001
Spiller Contact: ROBERTO
Spiller Phone: (718) 782-4200
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 177398

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"VOUGHT" SPILL TRANSFERRED FROM VOUGHT TO OBLIGADO 10/21/05 -

Obligado - Baseline Acquisition Assessment Report- (1/10/03), submitted by Delta. In 1/02, 5 soil borings advanced by Whitestone Associates to between 7 and 22 ft bgs. 5 soil samples collected. Only one exceedence for xylene at 1910 ppb. Soil results show total VOC from 30 ppb in SB5 (20-22') to 4194 ppb in SB3(5-7'). Total SVOCs 1991 ppb, no exceedences. No metals exceedences. Delta plans to collect ground water samples once surrounding fence has been demolished so there is acccess for drill rig. 10/21/05 - Obligado - Email correspondence to Brad Fisher asking if ground water samples ever collected. 10/26/05 - Obligado - Email from Brad Fisher. BP put development plans on hold. No plans in the near future to bring drill rig to site to collect ground water samples. 11/3/05 - Obligado - Send Email to Tomasello inquiring if ASR has done any work at the site. If USTs have been removed. 12/7/05 - Obligado - Meeting with

DEC, ASR, Gaseteria. Grant NFA, send letter 12/8/05.

Remarks: Contaminated soi found. Data reported to DEC despite knowledge by

Gaseteria since 8/5/2002.

Material:

214115 Site ID: Operable Unit ID: 866814 Operable Unit: 01 Material ID: 509678 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: 0 Gallons Units: Recovered: No Resource Affected: Not reported

False

Tank Test:

Oxygenate:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported **EDR ID Number**

Direction Distance

Elevation Site Database(s) **EPA ID Number**

169 33 VERMILYEA AVE/MANH **LTANKS** S102671662 West **33 VERMILYEA AVENUE HIST LTANKS** N/A

1/4-1/2 **NEW YORK CITY, NY** AST 0.413 mi. **HIST AST** 2182 ft.

Relative:

Actual:

18 ft.

LTANKS: Lower Site ID: 172515

Spill No: 9013235 Spill Date: 3/28/1991 Spill Cause: Tank Overfill

Spill Source: Commercial/Industrial

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/21/1995 Facility Addr2: Not reported 2/21/1995 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 3101 O'DOWD Investigator: Referred To: Not reported Reported to Dept: 3/28/1991 CID: 15

Water Affected: Not reported Spill Notifier: Citizen Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/4/1991 Spill Record Last Update: 2/21/1995 Spiller Name: Not reported Spiller Company: Not reported Spiller Address: Not reported Spiller City, St, Zip: ***Update***, ZZ

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 145193 DEC Memo: Not reported

SPILLAGE WAS WASHED TO STORM DRAIN, NYCDEP WAS NOTIFIED BY USEPA Remarks:

(212-669-8930).

Material:

Site ID: 172515 Operable Unit ID: 953168 Operable Unit: 01 Material ID: 426119 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: -1

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

EDR ID Number

Direction Distance Elevation

levation Site Database(s) EPA ID Number

33 VERMILYEA AVE/MANH (Continued)

S102671662

EDR ID Number

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

 Site ID:
 338073

 Spill No:
 0412559

 Spill Date:
 2/27/2005

 Spill Cause:
 Tank Overfill

 Spill Source:
 Tank Truck

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

3/1/2005 Spill Closed Dt: Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **JBVOUGHT** Not reported Referred To: Reported to Dept: 2/27/2005 CID: 15

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/28/2005
Spill Record Last Update: 3/1/2005
Spiller Name: Not reported

Spiller Company: FERRANTINO FUEL CORP

Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller County: 001

Spiller Contact: FERRANTINO FUEL CORP

Spiller Phone: (646) 235-9752 Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 273402

DEC Memo: 3/1/05-Vought-Spill response off hours duty-Vought called Farrantino

Oil and spoke with mark Loughlin (646-235-9752) and crew on way to

site. Spill result of tank overfill. Spil came out vent pipe onto sidewalk and out of fittings on AST in secondary containment room.

sidewalk and out of fittings on AST in secondary containment room. Vought called DEP Gilmore and spill call originated from NYC Hotline (no onwer information). Vouht performed site visit and Petroleum Tank Cleaners (PTC) onsite (Anthony Lara 718-624-4842) and cleaning up sidewalk. Vought instructed PTC to vacuum out drain on Corner of

Academy and Vermilyea. Drain was vacuumed and secondary containment room was inspected and speedy dry was put down (about 10-15 gallons

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

33 VERMILYEA AVE/MANH (Continued)

S102671662

spilled in secondary containment). No odors present in building or in basement. Spill on concrete and in drain (DEP notified) with no

pathways to subsurface> Spill closed by Vought

Tank overfill caused 100 gallons of home heating oil to spill Remarks:

outside. Sewer is affected. Cleanup has begun.

Material:

338073 Site ID: Operable Unit ID: 1100051 Operable Unit: 01 580324 Material ID: Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: 100 Gallons Units: Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 9013235 Spill Number: Spill Date: 03/28/1991 Spill Time: 11:30 Spill Cause: Tank Overfill Resource Affectd: In Sewer Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/21/95 Cleanup Ceased: 02/21/95 Cleanup Meets Standard: True O'DOWD Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

33 VERMILYEA AVE/MANH (Continued)

S102671662

EDR ID Number

Notifier Extension: Not reported Reported to Department Date: 03/28/91 Reported to Department Time: 11:51 SWIS: 62

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City, St, Zip: Not reported

Spiller Cleanup Date: / /

Facility Contact:

Facility Phone:

Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Not reported

Citizen

Not reported

Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Page Spill External to Computer Page Files (24/2)

Date Spill Entered In Computer Data File: 04/04/91
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 02/21/95 Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0

Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: Not reported

Spill Cause: SPILLAGE WAS WASHED TO STORM DRAIN, NYCDEP WAS NOTIFIED BY USEPA 212-669-8930).

AST:

 Region:
 STATE

 DEC Region:
 2

 Site Status:
 Active

 Facility Id:
 2-252611

 Program Type:
 PBS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

33 VERMILYEA AVE/MANH (Continued)

S102671662

UTM X: 590610.74074000004 UTM Y: 4524339.2301099999

Expiration Date: 2007/07/14

Tank Number: 001 Tank Id: 14156 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 3500 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True **TRANSLAT** Modified By: Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None F00 - Pipe External Protection - None

D00 - Pipe Type - No Piping

104 - Overfill - Product Level Gauge (A/G)

J02 - Dispenser - Suction

L09 - Piping Leak Detection - Exempt Suction Piping

A00 - Tank Internal Protection - None C01 - Pipe Location - Aboveground H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None

Affiliation Records:

10189 Site Id:

Affiliation Type: **Emergency Contact**

Company Name: 33 VERMILYEA LLC C/O GREEN & COHEN PC

Contact Type: Not reported Contact Name: JOSE ADAMES Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 567-2474 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 10189 Affiliation Type: Mail Contact

33 ERMILYEA LLC C/O GREEN & COHEN PC Company Name:

Contact Type: Not reported Contact Name: JASON M. GREEN

Direction Distance

Elevation Site Database(s) EPA ID Number

33 VERMILYEA AVE/MANH (Continued)

S102671662

EDR ID Number

Address1: 319 EAST 91ST STREET

Address2: Not reported

 City:
 NY

 State:
 NY

 Zip Code:
 10128

 Country Code:
 001

Phone: (212) 831-4400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10189 Affiliation Type: Owner

Company Name: 33 VERMILYEA LLC C/O GREEN & COHEN PC

Contact Type: Not reported
Contact Name: Not reported
Address1: 319 EAST 91ST ST
Address2: Not reported

 City:
 NY

 State:
 NY

 Zip Code:
 10128

 Country Code:
 001

Phone: (212) 831-4400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10189

Affiliation Type: On-Site Operator
Company Name: 33 VERMILYEA AVE

Contact Type: Not reported
Contact Name: JOSE ADAMES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 001

Phone: (212) 567-2474
Phone Ext: Not reported
Email: Not reported

Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-252611 SWIS Code: 6201

Operator: JOSE ADAMES
Facility Phone: (212) 567-2474
Facility Addr2: 33 VERMILYEA AVE
Facility Type: Not reported
Emergency: JOSE ADAMES

Direction Distance

Elevation Site Database(s) EPA ID Number

33 VERMILYEA AVE/MANH (Continued)

S102671662

EDR ID Number

Emergency Tel: (212) 567-2474
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported

Owner Name: VIRGINIA CARROLL & TAL C/O ST THOMAS MGMT CORP

Owner Address: 364 THIRD AVE
Owner City,St,Zip: NY, NY 10016
Federal ID: Not reported
Owner Tel: (212) 685-7720
Owner Type: Corporate/Commercial

Owner Subtype: Not reported Mailing Contact: Not reported

Mailing Name: VIRGINIA CARROLL & TAL C/O ST THOMAS MGMT CORP

Mailing Address: 364 THIRD AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NY, NY 10016
Mailing Telephone: (212) 685-7720
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 07/24/1997
Expiration: 07/14/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City Code: 01 Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported

Capacity (Gal): 3500

Date Tested:

NOS 5 OR 6 FUEL OIL Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Not reported Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Tank Containment: None Leak Detection: 0 Overfill Protection: 4 Suction Dispenser Method:

Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

33 VERMILYEA AVE/MANH (Continued)

S102671662

EDR ID Number

Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Not reported Date Closed: Test Method: Not reported Deleted: False Updated: False SPDES Number: Not reported Lat/Long: Not reported

 AF170
 DEPT OF SANITATION
 LTANKS
 \$102232700

 NE
 301 W 215H ST
 HIST LTANKS
 N/A

1/4-1/2 MANHATTAN, NY

0.416 mi.

2195 ft. Site 2 of 4 in cluster AF

Relative: LTANKS:

Lower Site ID: 262006

 Spill No:
 9604675

 Actual:
 Spill Date:
 7/9/1996

 6 ft.
 Spill Cause:
 Tank Tes

Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/6/2005 Facility Addr2: Not reported Not reported Cleanup Ceased: Cleanup Meets Standard: False SWIS: 3101 Investigator: **JAKOLLEE** Referred To: Not reported Reported to Dept: 7/9/1996 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/9/1996
Spill Record Last Update: 7/7/2005

Spiller Name: WILLIAM FENNELL
Spiller Company: DEPT OF SANITATION
Spiller Address: 301 WEST 215TH ST
Spiller City,St,Zip: NEW YORK, NY

Spiller County: 001

Spiller Contact: JERRY KASPAR
Spiller Phone: (800) 646-3161
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 184432

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"KOLLEENY" This spill is closed to consolidate; refer to open spill #9604262 for this site, which is being remediated by LiRo Engineering

under the NYCDDC Consent Order. -J. Kolleeny 1/6/05

Remarks: no product leakage - test is pass/fail - tanks are for diesel storage

Material:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DEPT OF SANITATION (Continued)

S102232700

Site ID: Not reported Operable Unit ID: Not reported Operable Unit: Not reported Material ID: Not reported Material Code: Not reported Not reported Material Name: Not reported Case No.: Material FA: Not reported Quantity: Not reported Units: Not reported Recovered: Not reported Resource Affected: Not reported Oxygenate: Not reported

Tank Test:

Site ID: 262006 Spill Tank Test: 1544629 Tank Number: Tank Size: 4000 Test Method: 20 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified:

USTest 2000/P/LL plus USTest 2000/U Test Method:

Site ID: 262006 Spill Tank Test: 1544630 Tank Number: 2 Tank Size: 4000 20 Test Method: Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified:

Test Method: USTest 2000/P/LL plus USTest 2000/U

HIST LTANKS:

Region of Spill: 2

Spill Number: 9604675 Spill Date: 07/09/1996 Spill Time: 19:00

Spill Cause: Tank Test Failure Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Known release that creates potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased:

// Cleanup Meets Standard: False **KOLLEENY** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S102232700

EDR ID Number

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/09/96
Reported to Department Time: 19:53
SWIS: 62

Spiller Contact: JERRY KASPAR
Spiller Phone: (800) 646-3161
Spiller Extention: Not reported

Spiller Name: DEPT OF SANITATION
Spiller Address: 301 WEST 215TH ST
Spiller City,St,Zip: NEW YORK, NY

Spiller Cleanup Date: //

Facility Contact: WILLIAM FENNELL
Facility Phone: (718) 937-3286
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 07/09/96
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 02/19/98 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: 1

Tank Size: 4000

Test Method: USTest 2000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
PBS Number: Not reported

Tank Number: 2
Tank Size: 4000
Test Method: USTest 2000
Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Material Class Type: Not reported Quantity Spilled: Not reported Unkonwn Quantity Spilled: Not reported Not reported Units: Quantity Recovered: Not reported Unkonwn Quantity Recovered: Not reported Material: Not reported Class Type: Not reported Times Material Entry In File: Not reported CAS Number: Not reported Last Date: Not reported

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

DEPT OF SANITATION (Continued) S102232700

DEC Remarks: Not reported

no product leakage - test is pass/fail - tanks are for diesel storage Spill Cause:

AF171 **DOS MANHATTAN W.12 GARAGE** S103478327 **LTANKS** NE 301 WEST 215TH ST. **HIST LTANKS** N/A

1/4-1/2 MANHATTAN, NY

0.416 mi.

2195 ft. Site 3 of 4 in cluster AF

LTANKS: Relative:

210474 Site ID: Lower 9807598 Spill No: Actual: Spill Date: 9/21/1998 6 ft. Spill Cause: Tank Test Failure

Spill Source:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Commercial/Industrial

Spill Closed Dt: 10/26/1998 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **JAKOLLEE** Referred To: Not reported Reported to Dept: 9/22/1998 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: Date Entered In Computer: 9/22/1998 Spill Record Last Update: 12/21/2004 Spiller Name: JAY SHAH

NY CITY DEPT SANITATION Spiller Company:

Spiller Address: Not reported Spiller City, St, Zip: ZZ Spiller County: 001

Spiller Contact: JAY SHAH Spiller Phone: (718) 334-9138 Spiller Extention: Not reported

DEC Region: DER Facility ID: 184432

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"KOLLEENY" GARAGE FOREMAN ASKED FOR TANK TEST BECAUSE OF INVENTORY RECONCILIATION DISCREPANCIES. TANK TESTED ON 9/21/98 BY PRO TEST ENTERPRISES USING HORNER EZY CHECK (UNDERFILL VACUUM TEST), AND FAILED. TANK RE-TESTED ON 10/13/98 BY CROMPCO CORP. USING UST 2000 TEST (UNDERFILL PRESSURE TEST) AND PASSED; TANK AND ALL PIPING APPEAR

TIGHT. BASED ON THIS, KOLLEENY GAVE DOS APPROVAL TO PUT TANK BACK IN SERVICE. WILL VISIT SITE TO CHECK INVENTORY RECONCILIATION IN 30 DAYS. Not reported

Not reported Remarks:

Material:

210474 Site ID:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DOS MANHATTAN W.12 GARAGE (Continued)

S103478327

1068660 Operable Unit ID: Operable Unit: 01 Material ID: 318680 Material Code: 8000 Material Name: Diesel Not reported Case No.: Petroleum Material FA: Quantity: Units: Gallons Recovered: No Resource Affected: Not reported

Tank Test:

Oxygenate:

Site ID: 210474 Spill Tank Test: 1546278 Tank Number: Tank Size: 4000 Test Method: 03 Leak Rate: 0 F Gross Fail: Modified By: Spills Last Modified: 10/1/2004

Horner EZ Check I or II Test Method:

False

HIST LTANKS:

Region of Spill: Spill Number: 9807598 Spill Date: 09/21/1998 Spill Time: 16:00

Spill Cause: Tank Test Failure Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/26/98 Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: **KOLLEENY** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 09/22/98 Reported to Department Time: 10:29 SWIS: Spiller Contact: JAY SHAH

Spiller Phone: (718) 334-9138 Spiller Extention: Not reported

Spiller Name: NY CITY DEPT SANITATION

Direction Distance

Elevation Site Database(s) EPA ID Number

DOS MANHATTAN W.12 GARAGE (Continued)

S103478327

EDR ID Number

Spiller Address: Not reported Spiller City,St,Zip: Not reported

Spiller Cleanup Date: / /

Facility Contact: JAY SHAH
Facility Phone: (212) 334-9138
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/22/98
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 10/26/98 Is Updated: False

Tank:

PBS Number: Not reported

Tank Number: 1 Tank Size: 4000

Test Method: Horner EZ Check

Leak Rate Failed Tank: 0.00

Gross Leak Rate: Talk Test Failures only pass or fail

Material:

Material Class Type: Petroleum Quantity Spilled: O Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: **DIESEL** DIESEL Class Type: Times Material Entry In File: 10625 CAS Number: Not reported Last Date: 19940728

DEC Remarks: GARAGE FOREMAN ASKED FOR TANK TEST BECAUSE OF INVENTORY RECONCILIATION

DISCREPANCIES. TANK TESTED ON 9/21/98 BY PRO TEST ENTERPRISES USING HORNER EZY

CHECK UNDERFILL VACUUM TEST), AND FAILED. TANK RE-TESTED ON 10/13/98 BY

CROMPCO CORP. USING UST2000 TEST UNDERFILL PRESSURE TEST) AND PASSED; TANK AND ALL PIPING APPEAR TIGHT. BASED ON THIS, KOLLEENY GAVE DOS APPROVAL TO PUT TANK BACK IN SERVICE. WILL VISIT SITE TO CHECK INVENTORY RECONCILIATION IN 30 DAYS.

Spill Cause: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

AF172 SANITATION GARGE LTANKS S109064392
NE 301 WEST 215TH STREET N/A

1/4-1/2 NEW YORK, NY

0.417 mi.

Actual:

9 ft.

2203 ft. Site 4 of 4 in cluster AF

Relative: LTANKS:

Lower Site ID: 398724

 Spill No:
 0802569

 Spill Date:
 6/6/2008

Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 8/21/2008 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: vszhune Referred To: Not reported Reported to Dept: 6/6/2008 CID: 15

Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/6/2008
Spill Record Last Update: 8/21/2008
Spiller Name: JAY SHAH

Spiller Company: SANITATION GARGE
Spiller Address: 301 WEST 215TH STREET

Spiller City, St, Zip: NEW YORK, NY

Spiller County: 001
Spiller Contact: JAY SHAH
Spiller Phone: (718) 334-9138
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 348068

DEC Memo: 7/15/2008 TTF sent to: NYC Dept of Sanitation Director of Equipment

125 Worth Street New York, NY 10013 see eDocs Spill Closed -

Duplicate spill case - Refer to spill #0802073 TANK WAS OK BUT SUNCTION LINE FAILED

Material:

Remarks:

 Site ID:
 398724

 Operable Unit ID:
 1155595

 Operable Unit:
 01

 Material ID:
 2146472

 Material Code:
 0022

Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No

Resource Affected: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SANITATION GARGE (Continued)

S109064392

Oxygenate:

Tank Test:

Site ID: 398724 Spill Tank Test: 2486229 Tank Number: Not reported Tank Size: 2000 Test Method: 03 Leak Rate: 0

Gross Fail: Not reported Modified By: Watchdog Last Modified: 6/6/2008

Test Method: Horner EZ Check I or II

False

173 **BRONX COMMUNITY COLLEGE** LTANKS \$109416321 SE **WEST 181ST / UNIVERSITY AVE** N/A

1/4-1/2 **BRONX, NY**

0.427 mi. 2253 ft.

LTANKS: Relative: 408967 Higher Site ID: Spill No: 0811391 Actual: Spill Date: 10/14/2008 173 ft. Spill Cause: Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Not reported Spill Closed Dt: 9/1/2009 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 0301 bkfalvey Investigator: Not reported Referred To: Reported to Dept: 1/15/2009 CID: Not reported Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: 0 Date Entered In Computer: 1/15/2009 Spill Record Last Update: 9/1/2009

Spiller Name: WAYNE MURPHY

Spiller Company: **BRONX COMMUNITY COLLEGE** Spiller Address: WEST 181ST & UNIVERSITY AVE

Spiller City, St, Zip: BRONX, NY Spiller County:

Spiller Contact: **BRIAN FALDEY** Spiller Phone: (718) 482-7129 Spiller Extention: Not reported

DEC Region: DER Facility ID:

DEC Memo: 1/15/09 Reviewed tank tightness test report dated 1014/08. Report

states that tank and line associated with tank 5 was inconclusive.

Direction Distance Elevation

evation Site Database(s) EPA ID Number

BRONX COMMUNITY COLLEGE (Continued)

S109416321

EDR ID Number

Found leak at ATG riser and leak at manway lines. Notified engineer on-site. Checked database and no spill could be found. Called Tanknology and they have no record of calling in spill. I was told their procedure is to call spill hotline when a tank fails. I called Wayne Murphy of Bronx Community College (718)289-5245 and left message regarding spill and to return me call. 1/16/09 Sent ttf letter to: Wayne Murphy, Chief Administrative Superintendent Bronx Community College West 181st Street/University Avenue Bronx, NY 10453 Received call from Michael Spath of CUNY. Told him about ttf letter. He will provide response after he receives letter. He told me the tank failed because of the manhole gasket and that it was repaired. bf 9/1/09 Received faxed letter from Michael Dillon, Senior stationary engineer at BCC. Tank failed because of a gauge line on

stationary engineer at BCC. Tank failed because of a gauge line on top of the tank. No release of fuel. Tank was retested on 1/9/09 and

passed. NFA. bf

Remarks: TANK TEST FAILURE ON A 25,000 GALLON UST. UNK IF ANY PRODUCT WAS

SPILLED.

Material:

408967 Site ID: Operable Unit ID: 1165472 Operable Unit: 01 Material ID: 2156883 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Gallons Recovered: Not reported Not reported Resource Affected: Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

AE174 189-02 HILLSIDE AV/EXXON LTANKS \$104275640
WSW 189-02 HILLSIDE AVENUE HIST LTANKS N/A

1/4-1/2 0.434 mi.

2290 ft. Site 2 of 2 in cluster AE

NEW YORK CITY, NY

Relative: LTANKS:

 Lower
 Site ID:
 71382

 Spill No:
 9011692

 Actual:
 Spill Date:
 2/7/1991

 18 ft.
 Spill Cause:
 Tank Test Failure

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

189-02 HILLSIDE AV/EXXON (Continued)

S104275640

Spill Source: Gasoline Station

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 8/11/1993 Facility Addr2: Not reported 8/11/1993 Cleanup Ceased: Cleanup Meets Standard: True SWIS: 4101 Investigator: **SULLIVAN** Referred To: Not reported Reported to Dept: 2/7/1991 CID: 15 Not reported

Water Affected: Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: Date Entered In Computer: 2/12/1991 Spill Record Last Update: 8/11/1993 Spiller Name: Not reported Spiller Company: EXXON Spiller Address: Not reported Spiller City, St, Zip: ΖZ Spiller County: 001 Spiller Contact:

Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: DER Facility ID: 67547 DEC Memo: Not reported

Remarks: DISCHARGE LINE TEST FOR 4K TANK.FAILED PETRO TITE WITH A LEAK RATE OF

.076GPH,TO REPLACE LINE & RETEST.

Material:

71382 Site ID: Operable Unit ID: 948701 Operable Unit: 01 Material ID: 428221 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity:

Units: Not reported

Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 71382 Spill Tank Test: 1538232 Tank Number: Not reported

Tank Size: Test Method: 00 Leak Rate: 0

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

189-02 HILLSIDE AV/EXXON (Continued)

S104275640

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004 Test Method: Unknown

HIST LTANKS:

Region of Spill: 2

Spill Number: 9011692 02/07/1991 Spill Date: Spill Time: 10:00

Spill Cause: Tank Test Failure Resource Affectd: Groundwater Water Affected: Not reported Spill Source: Gas Station

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 08/11/93 Cleanup Ceased: 08/11/93 Cleanup Meets Standard: True SULLIVAN Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 02/07/91 Reported to Department Time: 11:27 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported EXXON Spiller Name: Not reported Spiller Address: Spiller City, St, Zip: Not reported

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (516) 794-4662 Facility Extention: Not reported Spill Notifier: Tank Tester PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: // **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File:

02/12/91 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 08/11/93 Is Updated: False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

189-02 HILLSIDE AV/EXXON (Continued)

S104275640

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size:

Test Method: Not reported Leak Rate Failed Tank: 0.00 Not reported Gross Leak Rate:

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Not reported

Quantity Recovered: Unkonwn Quantity Recovered: False Material: **GASOLINE GASOLINE** Class Type: Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: 08/11/93: REPLACED DISCHARGE LINE RETESTED AND PASSED ON 2/13/91. Spill Cause: DISCHARGE LINE TEST FOR 4K TANK, FAILED PETRO TITE WITH A LEAK RATE OF

.076GPH,TO REPLACE LINE RETEST.

175 **FAILED VACUM TEST LTANKS** S102659627 NNE **4036 9TH AVE HIST LTANKS** N/A

1/4-1/2 **NEW YORK CITY, NY**

0.444 mi. 2346 ft.

LTANKS: Relative:

Site ID: 281007 Higher Spill No: 9705837 Actual: Spill Date: 8/14/1997 26 ft.

Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial

Known release that creates potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 Investigator: **ADZHITOM**

SOIL BORINGS TO ADVANCE Referred To:

Reported to Dept: 8/14/1997 CID: 15 Not reported Water Affected: Spill Notifier: Other Not reported Last Inspection:

Recommended Penalty: Penalty Not Recommended

False **UST Involvement:** Remediation Phase: Date Entered In Computer: 8/14/1997 Spill Record Last Update: 4/5/2010

Spiller Name: MR DI GERALAMO NY SANITATION DEPT Spiller Company:

Spiller Address: 4036 9TH AVE

Direction Distance Elevation

evation Site Database(s) EPA ID Number

FAILED VACUM TEST (Continued)

S102659627

EDR ID Number

Spiller City, St, Zip: NEW YORK CITY, ZZ

Spiller County: 001

Spiller Contact: MR DI GERALAMO
Spiller Phone: (718) 334-9138
Spiller Extention: Not reported

DEC Region: 2
DER Facility ID: 228191

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"KOLLEENY" 10/04/05: Spill case transferred from J. Kolleeny to A. Zhitomirsky, who is DEC project manager for this DDC site. - J. Kolleeny 10/07/2005 The site has free product plume. AZ 10/24/2005 Quaterly Report from 5/24/2005 from LiRo was reviewed in July 2005. Reviewed and approved proposed soil boring locations for the first round of soil sampling. AZ 1/24/07 At the meeting with DDC/URS on January 10, 2007, the site was discussed. URS will prepare a site map with existing borings/wells and tank locations. A site visit will be arranged. AZ 3-17-2009 An e-mail was sent to Jane Staten (URS): "What's the status of this spill? I do not have any updates since 2007." AZ 3-17-2008 J. Staten replied that she contacted Mike Murphy, DSNY, about this spill number. URS wantS to make sure which tank the spill report is referring to before they spend the money for an investigation. AZ Michael R. Murphy NYC Department of Sanitation Facilities & Equipment 125 Worth Street, Room 823B New York, N.Y. 10013 (T) 646-885-4876 (C) 646-235-3041 (E) mrmurphy@dsny.nyc.gov

9-2-09 URS in their report dated April 24-09 stated that they continue to research spill #9705837. AZ 1-11-10 Reviewed free product recovery and groundwater monitoring data for the period April through June 2009. VOCs were detected in wells LMW-09 and LMW-11 ranging from

1,530 ppb to 1,017 ppb respectively. Contaminant concentrations increased in a couple of wells this quarter. AZ 4-5-2010 Reviewed a URS's report dated February 1, 2010. No free product has been detected at the site in over six months. URS will reduce the frequency of the product recovery visits from monthly to quarterly.

VOC concentrations ranged from 6 ppb to 350 ppb. AZ

failed tank test info below

Material:

Remarks:

Site ID: 281007 1049117 Operable Unit ID: Operable Unit: 01 Material ID: 331454 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum

Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported

Oxygenate: False

Tank Test:

 Site ID:
 281007

 Spill Tank Test:
 1545274

 Tank Number:
 1

 Tank Size:
 5000

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FAILED VACUM TEST (Continued)

S102659627

Test Method: 03 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified:

Horner EZ Check I or II Test Method:

HIST LTANKS:

SWIS:

Region of Spill: Spill Number: 9705837 Spill Date: 08/14/1997 Spill Time: 10:30 Spill Cause: Tank Test Failure

Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **KOLLEENY** Not reported Caller Name: Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 08/14/97 Reported to Department Time: 10:31

Spiller Contact: MR DI GERALAMO Spiller Phone: (718) 334-9138 Not reported Spiller Extention:

Spiller Name: NY SANITATION DEPT 4036 9TH AVE Spiller Address: Spiller City, St, Zip: **NEW YORK CITY**

Spiller Cleanup Date:

Facility Contact: MR DI GERALAMO Facility Phone: (718) 334-9138 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Penalty Not Recommended Recommended Penalty:

Enforcement Date: Investigation Complete: // **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 08/14/97 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 01/06/98 Is Updated: False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FAILED VACUM TEST (Continued)

S102659627

Tank:

PBS Number: Not reported

Tank Number: Tank Size: 5000

Test Method: Horner EZ Check

Leak Rate Failed Tank: 0.00 Not reported Gross Leak Rate:

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Gallons Units: Quantity Recovered: Unkonwn Quantity Recovered: False Material: #2 FUEL OIL #2 FUEL OIL Class Type: Times Material Entry In File: 24464 CAS Number: Not reported 19941207 Last Date:

DEC Remarks: Not reported

Spill Cause: failed tank test info below

THE DERMOT COMPANY LTANKS \$109064289 N/A

NW **121 SEAMAN AVE** 1/4-1/2 **NEW YORK, NY**

0.450 mi. 2378 ft.

176

LTANKS: Relative:

Higher Site ID: 396843 Spill No: 0800992 Actual:

Spill Date: 4/24/2008 55 ft. Spill Cause: Tank Test Failure Spill Source: Commercial/Industrial

> Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported Facility Addr2: Not reported Not reported Cleanup Ceased: Cleanup Meets Standard: False SWIS: 3101 Investigator: bkfalvey Referred To: Not reported Reported to Dept: 4/24/2008 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/24/2008 Spill Record Last Update: 12/16/2008

Spiller Name: **CARMEN SANTIAGO**

Spiller Company: **APART**

Spiller Address: 121 SEEMAN AVE Spiller City,St,Zip: NEW YORK, NY

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

THE DERMOT COMPANY (Continued)

S109064289

Spiller County: 001

Spiller Contact: **CARMEN SANTIAGO** Spiller Phone: (646) 673-6714 Spiller Extention: Not reported

DEC Region: DER Facility ID: 346314

DEC Memo: 5/2/08 bf: This tank is not registered. I called Carmen Santiago, property manager, (646)673-6714 and she confirmed that the tank is

nort registered. I notified her that they are in violation for not registering the tank. I told her I will be sending a ttf letter today and include an application, but she should register the tank asap.

Sent ttf letter to; Carmen Santiago The Dermot Company 1775 Broadway,

Suite 510 New York, NY 10019

Remarks: **DRY LEAK**

Material:

396843 Site ID: Operable Unit ID: 1153812 Operable Unit: 01 Material ID: 2144584 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Gallons Units: Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: 396843 Spill Tank Test: 2453594 Not reported Tank Number: Tank Size: 5000 Test Method: 03 Leak Rate:

Gross Fail: Not reported Modified By: Watchdog Last Modified: 4/24/2008

Test Method: Horner EZ Check I or II

2445 SEDGWICK AVE **LTANKS** S100560360 2445 SEDGWICK AVE **HIST LTANKS** N/A

1/4-1/2 **BRONX, NY**

0.456 mi. 2407 ft.

177

East

LTANKS: Relative:

94162 Higher Site ID: Spill No: 9303142

Actual: Spill Date: 4/28/1993 123 ft. Spill Cause: Tank Failure

Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Direction Distance

Elevation Site Database(s) EPA ID Number

2445 SEDGWICK AVE (Continued)

S100560360

EDR ID Number

Spill Closed Dt: 2/27/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 0301
Investigator: TOMASELLO

Referred To: Not reported
Reported to Dept: 6/9/1993
CID: 17
Water Affected: Not reported
Spill Notifier: Other

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/11/1993
Spill Record Last Update: 2/27/2003
Spiller Name: Not reported

Spiller Company: J.R. TUSANEZA AGENT

Spiller Address: RIVERSDALE

Spiller City,St,Zip: ZZ Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 84328

DEC Memo: Not reported

Remarks: TANK TO BE ABANDONED AT SITE.

Material:

Site ID: 94162 Operable Unit ID: 981330 Operable Unit: 01 Material ID: 396736 Material Code: 0003 Material Name: #6 Fuel Oil Case No.: Not reported Material FA: Petroleum 2300 Quantity: Gallons Units: Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

2445 SEDGWICK AVE (Continued)

S100560360

HIST LTANKS:

Region of Spill:

Spill Number: 9303142 Spill Date: 04/28/1993 Spill Time: 06:45 Spill Cause: Tank Failure Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False

Investigator: **TOMASELLO** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 06/09/93 Reported to Department Time: 14:33 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

J.R. TUSANEZA AGENT Spiller Name:

Spiller Address: RIVERSDALE Spiller City, St, Zip: Not reported Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: (914) 969-0099 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 06/11/93 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 07/19/93 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

2445 SEDGWICK AVE (Continued)

S100560360

N/A

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 2300 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: n Unkonwn Quantity Recovered: False Material: #6 FUEL OIL Class Type: #6 FUEL OIL

Times Material Entry In File: 2190 Not reported CAS Number: 19940728 Last Date:

DEC Remarks: Not reported

TANK TO BE ABANDONED AT SITE. Spill Cause:

LTANKS S105994836 AG178 **65 PARK TERRACE WEST**

North **65-67 PARK TERRACE EAST** NEW YORK, NY 10034 1/4-1/2

0.462 mi.

2438 ft. Site 1 of 4 in cluster AG

LTANKS: Relative: Site ID: 158286 Higher Spill No: 0109660

Actual: Spill Date: 1/4/2002 87 ft. Spill Cause: Tank Test Failure

Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported

Facility Addr2: 65 PARK TERRACE EAST

Not reported Cleanup Ceased: Cleanup Meets Standard: False SWIS: 3101 Investigator: **BKFALVEY** Referred To: Not reported Reported to Dept: 1/4/2002 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 1/4/2002 Spill Record Last Update: 2/15/2008

Spiller Name: **BRAD HUNTINGTON**

Spiller Company: Not reported

Spiller Address: 65 PARK TERRACE WEST

Spiller City, St, Zip: RIVERDALE, NY

Spiller County: 001

Spiller Contact: **BRAD HUNTINGTON** Spiller Phone: (914) 962-3692 Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 924

Direction
Distance
Elevation

Site Database(s) EPA ID Number

65 PARK TERRACE WEST (Continued)

S105994836

EDR ID Number

DEC Memo: 12/19/05 - Sent letter dated 12/19/05 to Art Lim requesting further information on the status of the petroleum spill. 11/23/05 - Brad's office called back and told me that we could send a letter to the building owner: GDA Realty Corp., attn: Art Lim, PO Box 864,

Elmhurst, NY, 11373. He had no phone # for them. 11/21/05 - left message for John Leddy of Pro-test. Pro-test called me back and said they only tested the tank but they were a subcontractor to TriState Engineers (914-962-3692) and we must follow up with them for cleanup details. Called triState and Brad Huntington is to call me back. Brad called back and said TriState was not called back in to do cleanup. He will call me back with contact person name/# for building. Prior to Sept, 2004 data translation this spill Lead_DEC Field was "AUSTIN" ORIG. ASSIGNED TO ROSSAN 1/24/08 bf: Sent ttf letter to: Anne Gillette Compliance Department Douglas Elliman Property Management 675 Third Ave. New york, NY 10017 2/13/08 Received message yesterday from Cathy, managing agent for property (212)567-6376. Wants to discuss letter. Returned call and left message on machine for Cathy. bf 2/15/08 Cathy called and left message. Called her back. She could

bf 2/15/08 Cathy called and left message. Called her back. She council find any info. Gave her J. Leddy's contact info (Pro Test) and suggested to call there for any info. She will be out of office until 2/25/08. Extension agreed upon to call me on 2/25/08. bf

2/25/06. Extension agreed upon to call the on 2/25/06. I

Remarks: dry leak - ez locator plus

Material:

158286 Site ID: Operable Unit ID: 848013 Operable Unit: 01 Material ID: 527309 Material Code: 0001 #2 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons

Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: 158286 Spill Tank Test: 1526793 Tank Number: 5000 Tank Size: Test Method: 99 Leak Rate: 0 Gross Fail: Modified By: Spills Last Modified: 10/1/2004

Test Method: Alternate Test per 613.5a2v

Direction Distance

Elevation Site Database(s) EPA ID Number

AH179 X
North 45 PARK TERRACE WEST
LTANKS S105995732
N/A

1/4-1/2 NEW YORK, NY

0.465 mi.

2455 ft. Site 1 of 2 in cluster AH

Relative: LTANKS:

 Higher
 Site ID:
 183096

 Spill No:
 0201002

Actual: Spill Date: 4/26/2002
97 ft. Spill Cause: Tank Test Failure
Spill Source: Private Dwelling

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/29/2005 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: True SWIS: 3101 Investigator: rmpiper Referred To: Not reported Reported to Dept: 4/26/2002 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/26/2002
Spill Record Last Update: 2/16/2006
Spiller Name: JEFF FREDMAN
Spiller Company: Not reported

Spiller Address: 45 PARK TERRACE WEST Spiller City,St,Zip: NEW YORK, NY 10034-

Spiller County: 001

Spiller Contact: JEFF FREDMAN
Spiller Phone: (212) 268-9060
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 153389

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SAWYER" 1/5/04-Vought-Spill transferred from Vought to Austin. 01/27/04 - Sawyer - Spill transferred from Austin to Sawyer.

12/27/05- DEC Piper sent out ttf letter to owner. Aggressive Heating Inc. 12/29/05- DEC Piper spoke w/ PTC. Original test failed. Upon return, lines were isolated and tank passed. UPon inspection, an old gauge line was not capped. Upon small repair, tank system retested and passed. Dry Portion Leak. Piper received info to close case out.

e-docs

Remarks: petroluim will be coming in and test the lines on the tank

Material:

 Site ID:
 183096

 Operable Unit ID:
 852005

 Operable Unit:
 01

 Material ID:
 522429

 Material Code:
 0002

 Material Name:
 #4 Fuel Oil

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

X (Continued) S105995732

Case No.: Not reported Petroleum Material FA: Quantity: O Units: Gallons Recovered: No Not reported Resource Affected:

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

AH180 **NORTH EASTERN ACADEMY - TTF** LTANKS \$109583770 N/A

532 WEST 215TH ST North 1/4-1/2 MANHATTAN, NY

0.467 mi.

2466 ft. Site 2 of 2 in cluster AH

Relative:

LTANKS:

Site ID: 411985 Higher Spill No: 0900070 Actual: Spill Date: 4/2/2009

Spill Closed Dt:

101 ft. Spill Cause: Tank Test Failure

> Institutional, Educational, Gov., Other Spill Source:

> > 7/17/2009

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: True SWIS: 3101 Investigator: **JMKRIMGO** Referred To: Not reported Reported to Dept: 4/2/2009 CID: 15

Water Affected: Not reported Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 4/2/2009 Spill Record Last Update: 7/17/2009

Spiller Name: JAMES BENNETT

Spiller Company: NORTH EASTERN ACADEMY

Spiller Address: 532 WEST 215TH ST Spiller City, St, Zip: MANHATTAN, NY

Spiller County: 999

Direction Distance

Elevation Site Database(s) EPA ID Number

NORTH EASTERN ACADEMY - TTF (Continued)

S109583770

EDR ID Number

Spiller Contact: JERRY SIBBIO
Spiller Phone: (646) 533-0258
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 361182

DEC Memo: 4/24/2009 TTF letter sent to: Property Manager Northeastern Academy

532 West 215th Street New York, NY 10034 07/14/09. J.Krimgold reviewed the letter report submitted by Atec Environmental and dated May 21, 2009. Based on the report the tank failed the test either due to outdated vent cap or excessive corrosion of the manhole. Both components were repaired and a new manhole gasket was installed. The tank was retested and passed. Excavation of the tank top to perform

repair did not reveal soil contamination. NFA.

Remarks: TANK TEST FAILURE ON A 10,000 GALLON UST, DUE TO A ULLAGE LEAK. UNK

IF ANY PRODUCT WAS SPILLED.

Material:

Site ID: 411985 Operable Unit ID: 1168477 Operable Unit: 01 Material ID: 2160079 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Gallons Recovered: Not reported Resource Affected: Not reported False Oxygenate:

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

AI181 5080 BROADWAY OPERATING CORP

NNE 5080 BROADWAY 1/4-1/2 NEW YORK, NY 10034

0.467 mi.

2468 ft. Site 1 of 2 in cluster AI

Relative: LTANKS:

 Higher
 Site ID:
 87579

 Spill No:
 9208723

 Actual:
 Spill Date:
 10/28/1992

 36 ft.
 Spill Cause:
 Tank Overfill

Spill Source: Gasoline Station

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

U001329636

N/A

LTANKS

HIST UST

UST

HIST LTANKS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

5080 BROADWAY OPERATING CORP (Continued)

U001329636

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/12/2003 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 SULLIVAN Investigator: Referred To: Not reported Reported to Dept: 10/28/1992 CID: 15 Water Affected: Not reported Spill Notifier: Other

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: Date Entered In Computer: 10/29/1992

Spill Record Last Update: 2/12/2003 Spiller Name: Not reported Spiller Company: Not reported Spiller Address: Not reported ***Update***, ZZ Spiller City, St, Zip:

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: DER Facility ID: 80235 DEC Memo: Not reported

DISCOVERED DURING TANK PULL, GENE SULLIVAN WAS ON SITE. Remarks:

Material:

Site ID: 87579 Operable Unit ID: 975485 Operable Unit: 01 Material ID: 405805 Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: -1 Units: Pounds

Recovered: Resource Affected: Not reported

False Oxygenate:

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported

Direction
Distance
Elevation

on Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9208723
Spill Date: 10/28/1992
Spill Time: 13:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / / Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **SULLIVAN** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 10/28/92 Reported to Department Time: 15:42 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: Not reported Spiller Address: Not reported Spiller City,St,Zip: Not reported Spiller Cleanup Date: 11 **Facility Contact:** Not reported Facility Phone: Not reported Not reported Facility Extention: Spill Notifier: Other PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/29/92
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: //
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Not reported Quantity Recovered: 0 Unkonwn Quantity Recovered: False **GASOLINE** Material: GASOLINE Class Type: Times Material Entry In File: 21329 CAS Number: Not reported 19940929 Last Date:

DEC Remarks: 10/10/95: This is additional information about material spilled from the

translation of the old spill file: OLD GASOLINE.

Spill Cause: DISCOVERED DURING TANK PULL, GENE SULLIVAN WAS ON SITE.

UST:

 Facility Id:
 2-600906

 Region:
 STATE

 DEC Region:
 2

 Site Status:
 Active

 Program Type:
 PBS

 Expiration Date:
 2012/10/07

UTM X: 591508.28535999998 UTM Y: 4524996.80688

Site ID: 22877

 Tank Number:
 001

 Tank ID:
 44572

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

10/1/1992

550

NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None

F01 - Pipe External Protection - Painted/Asphalt Coating

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

5080 BROADWAY OPERATING CORP (Continued)

U001329636

100 - Overfill - None

Tank Number: 002 Tank ID: 44573

Closed - Removed Tank Status: Not reported Tank Model: Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Not reported Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True **TRANSLAT** Modified By: Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None

F01 - Pipe External Protection - Painted/Asphalt Coating

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None

B01 - Tank External Protection - Painted/Asphalt Coating

100 - Overfill - None

Tank Number: 003 Tank ID: 44574

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 550 Tightness Test Method: NN Next Test Date: Not reported

Date Tank Closed: Not reported

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None

F01 - Pipe External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron C02 - Pipe Location - Underground/On-ground

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

100 - Overfill - None

Tank Number: 004 Tank ID: 44575

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Not reported

NN

Next Test Date:

Not reported

Not reported

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

D01 - Pipe Type - Steel/Carbon Steel/Iron

100 - Overfill - None

H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

F01 - Pipe External Protection - Painted/Asphalt Coating

G00 - Tank Secondary Containment - None C02 - Pipe Location - Underground/On-ground

Tank Number: 005
Tank ID: 44576

Tank Status:
Closed - Removed
Tank Model:
Not reported
Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:
Not reported
Not reported
NN
Next Test Date:
Not reported

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D01 - Pipe Type - Steel/Carbon Steel/Iron

B01 - Tank External Protection - Painted/Asphalt Coating

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

F01 - Pipe External Protection - Painted/Asphalt Coating

C02 - Pipe Location - Underground/On-ground

Direction Distance Elevation

ance EDR ID Number ation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

100 - Overfill - None

Tank Number: 006 Tank ID: 44577

Tank Status:

Closed - Removed
Tank Model:

Not reported
Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:

Not reported
Not reported
NN
Next Test Date:

Not reported

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

C02 - Pipe Location - Underground/On-ground

H00 - Tank Leak Detection - None

100 - Overfill - NoneJ02 - Dispenser - Suction

F01 - Pipe External Protection - Painted/Asphalt Coating

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None

Tank Number: 007
Tank ID: 44578

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported
Install Date:

Capacity Gallons:

Tightness Test Method:
Not reported

Not reported

Not reported

NN

NN

Not reported

NN

Not reported

Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

F01 - Pipe External Protection - Painted/Asphalt Coating

J02 - Dispenser - Suction I00 - Overfill - None

A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating

D01 - Pipe Type - Steel/Carbon Steel/Iron

Direction Distance Elevation

Site Database(s) **EPA ID Number**

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

C02 - Pipe Location - Underground/On-ground

Tank Number: 800 Tank ID: 44579

Closed - Removed Tank Status: Not reported Tank Model: Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 550 Tightness Test Method: NN Not reported Next Test Date:

Date Tank Closed: Not reported

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True **TRANSLAT** Modified By: Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron G00 - Tank Secondary Containment - None

F01 - Pipe External Protection - Painted/Asphalt Coating B01 - Tank External Protection - Painted/Asphalt Coating

H00 - Tank Leak Detection - None

J02 - Dispenser - Suction

C02 - Pipe Location - Underground/On-ground

100 - Overfill - None

Tank Number: 009 Tank ID: 44580

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 550 Tightness Test Method: NN Next Test Date: Not reported

Not reported Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating

100 - Overfill - None

F01 - Pipe External Protection - Painted/Asphalt Coating

J02 - Dispenser - Suction

H00 - Tank Leak Detection - None

D01 - Pipe Type - Steel/Carbon Steel/Iron

A00 - Tank Internal Protection - None

G00 - Tank Secondary Containment - None

Direction Distance Elevation

ation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

C02 - Pipe Location - Underground/On-ground

Tank Number: 010 Tank ID: 44581 In Service Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 4000 Tightness Test Method: 20

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: 10/25/2001
Register: True
Modified By: msbaptis
Last Modified: 10/2/2007

Equipment Records:

J01 - Dispenser - Submersible

K01 - Spill Prevention - Catch Basin

F01 - Pipe External Protection - Painted/Asphalt Coating

E00 - Piping Secondary Containment - None D01 - Pipe Type - Steel/Carbon Steel/Iron A00 - Tank Internal Protection - None

B01 - Tank External Protection - Painted/Asphalt Coating B02 - Tank External Protection - Original Sacrificial Anode F02 - Pipe External Protection - Original Sacrificial Anode

C02 - Pipe Location - Underground/On-ground

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

102 - Overfill - High Level Alarm

L07 - Piping Leak Detection - Pressurized Piping Leak Detector G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 012 Tank ID: 44583 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 4000 Tightness Test Method: 20

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: 10/25/2001
Register: True
Modified By: msbaptis
Last Modified: 10/2/2007

Equipment Records:

J01 - Dispenser - Submersible K01 - Spill Prevention - Catch Basin A00 - Tank Internal Protection - None

Direction Distance Elevation

ion Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

D01 - Pipe Type - Steel/Carbon Steel/Iron

F01 - Pipe External Protection - Painted/Asphalt Coating

E00 - Piping Secondary Containment - None

B01 - Tank External Protection - Painted/Asphalt Coating B02 - Tank External Protection - Original Sacrificial Anode

102 - Overfill - High Level Alarm

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring F02 - Pipe External Protection - Original Sacrificial Anode

C02 - Pipe Location - Underground/On-ground

G04 - Tank Secondary Containment - Double-Walled (Underground)

L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number: 013 44584 Tank ID: Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 10/1/1992 4000 Capacity Gallons: Tightness Test Method: 20

Next Test Date: Not reported Date Tank Closed: Not reported Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: 10/25/2001
Register: True
Modified By: msbaptis
Last Modified: 10/2/2007

Equipment Records:

K01 - Spill Prevention - Catch Basin

F01 - Pipe External Protection - Painted/Asphalt Coating B01 - Tank External Protection - Painted/Asphalt Coating

E00 - Piping Secondary Containment - None

B02 - Tank External Protection - Original Sacrificial Anode

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

J01 - Dispenser - Submersible

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

102 - Overfill - High Level Alarm

C02 - Pipe Location - Underground/On-ground

F02 - Pipe External Protection - Original Sacrificial Anode L07 - Piping Leak Detection - Pressurized Piping Leak Detector

G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 014 Tank ID: 44585 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 10/1/1992 Capacity Gallons: 4000 Tightness Test Method: 20

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Tank Type: Steel/carbon steel
Date Test: 10/25/2001
Register: True
Modified By: msbaptis
Last Modified: 10/2/2007

Equipment Records:

A00 - Tank Internal Protection - None

E00 - Piping Secondary Containment - None

B01 - Tank External Protection - Painted/Asphalt Coating

K01 - Spill Prevention - Catch Basin D01 - Pipe Type - Steel/Carbon Steel/Iron

J01 - Dispenser - Submersible

F01 - Pipe External Protection - Painted/Asphalt Coating

102 - Overfill - High Level Alarm

F02 - Pipe External Protection - Original Sacrificial Anode H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

C02 - Pipe Location - Underground/On-ground

B02 - Tank External Protection - Original Sacrificial Anode L07 - Piping Leak Detection - Pressurized Piping Leak Detector G04 - Tank Secondary Containment - Double-Walled (Underground)

Affiliation Records:

Site Id: 22877 Affiliation Type: Owner

Company Name: 5080 OPERATING, INC.

Contact Type: MEMBER
Contact Name: LEONE BRUK

Address1: 3313 NORTHEAST 15TH COURT

Address2: Not reported

City: FORT LAUDERDALE

State: FL
Zip Code: 33304
Country Code: 001

Phone: (954) 566-2370
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/6/2008

Site Id: 22877

Affiliation Type: On-Site Operator

Company Name: 5080 BROADWAY OPERATING CORP

Contact Type: Not reported
Contact Name: LEON BRUK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY

Zip Code: Not reported

Country Code: 001

Phone: (212) 567-9504
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Date Last Modified: 2/29/2008

Site Id: 22877
Affiliation Type: Mail Contact

Company Name: 5080 BROADWAY OPERATING CORP.

Contact Type: Not reported Contact Name: LEON BRUK 5080 BROADWAY Address1: Address2: Not reported City: **NEW YORK** State: NY Zip Code: 10034 Country Code: 001

Phone: (212) 567-9504
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22877

Affiliation Type: Emergency Contact
Company Name: 5080 OPERATING CORP

Contact Type: Not reported
Contact Name: BORIS ROYZEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 999

Phone: (954) 566-2370
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/29/2008

HIST UST:

PBS Number: 2-600906
SPDES Number: Not reported
Emergency Contact: BORIS ROYZEN
Emergency Telephone: (954) 566-2370
Operator: LEON BRUK
Operator Telephone: (212) 567-9504

Owner Name: 5080 OPERATING CORP
Owner Address: 3313 NORTHEAST 15TH COURT
Owner City,St,Zip: FORT LAUDERDALE, FL 00000

Owner Telephone: (954) 566-2370 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: 5080 BROADWAY OPERATING CORP.

Mailing Address: 5080 BROADWAY
Mailing Address 2: Not reported

Mailing City, St, Zip: NEW YORK, NY 10034

Mailing Contact: LEON BRUK
Mailing Telephone: (212) 567-9504

Direction Distance Elevation

evation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 5080 BROADWAY

SWIS ID: 6201

Old PBS Number: Not reported

Facility Type: RETAIL GASOLINE SALES

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 09/15/1997 **Expiration Date:** 10/07/2002 Renew Flag: False Renewal Date: Not reported Total Capacity: 16000 FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 62 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19921001
Capacity (gals): 550
Product Stored: EMPTY

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Indexed In I

Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 002

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Install Date: 19921001 Capacity (gals): 550 Product Stored: EMPTY

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 003

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19921001
Capacity (gals): 550

Product Stored: EMPTY

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: STEEL/IRON

Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank ld: 004

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19921001

Direction Distance

Elevation Site Database(s) **EPA ID Number**

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Capacity (gals): 550 **EMPTY** Product Stored:

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Underground Pipe Location: STEEL/IRON Pipe Type: Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 005

UNDERGROUND Tank Location: Tank Status: Closed-Removed

Install Date: 19921001 Capacity (gals): 550 Product Stored: **EMPTY**

Tank Type: Steel/carbon steel

Tank Internal: None

Painted/Asphalt Coating Tank External:

Pipe Location: Underground STEEL/IRON Pipe Type: Pipe Internal: None

Painted/Asphalt Coating Pipe External: Second Containment: None

Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Not reported Date Closed: Not reported Test Method: False Deleted: Updated: True Lat/long: Not reported

Tank Id: 006

Tank Location: **UNDERGROUND** Closed-Removed Tank Status: Install Date: 19921001 Capacity (gals): 550 Product Stored: **EMPTY**

Tank Type: Steel/carbon steel

Direction
Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank ld: 007

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19921001

Capacity (gals): 550
Product Stored: EMPTY

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank ld: 008

Tank Location: UNDERGROUND Tank Status: Closed-Removed

Install Date: 19921001 Capacity (gals): 550 Product Stored: EMPTY

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Pipe Type: STEEL/IRON

Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Not reported Test Method: False Deleted: Updated: True Lat/long: Not reported

Tank ld: 009

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19921001
Conscitu (calc): 550

Capacity (gals): 550
Product Stored: EMPTY

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None

Pipe External: Painted/Asphalt Coating

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank ld: 010

Tank Location: UNDERGROUND Tank Status: In Service Install Date: 19921001

Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: 12

Pipe Location: Underground
Pipe Type: STEEL/IRON

Pipe Internal: None
Pipe External: 12

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

5080 BROADWAY OPERATING CORP (Continued)

U001329636

Second Containment: Vault (w/access) Leak Detection: Electronic

Overfill Prot: High Level Alarm, Catch Basin

Dispenser: Submersible Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Not reported Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 012

UNDERGROUND Tank Location: In Service Tank Status: Install Date: 19921001

Capacity (gals): 4000

UNLEADED GASOLINE Product Stored: Steel/carbon steel Tank Type:

Tank Internal: None Tank External: 12

Pipe Location: Underground STEEL/IRON Pipe Type: Pipe Internal: None Pipe External: 12

Second Containment: Vault (w/access) Leak Detection: Electronic

Overfill Prot: High Level Alarm, Catch Basin

Submersible Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 013

Tank Location: **UNDERGROUND** Tank Status: In Service 19921001 Install Date: Capacity (gals): 4000 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: 12 Underground Pipe Location:

Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: 12

Second Containment: Vault (w/access) Electronic Leak Detection:

Overfill Prot: High Level Alarm, Catch Basin

Direction Distance

Elevation Site Database(s) EPA ID Number

5080 BROADWAY OPERATING CORP (Continued)

U001329636

EDR ID Number

Dispenser: Submersible Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 014

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19921001
Capacity (gals): 4000
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: 12

Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None

Pipe External: 12 Second Containment: Vault (w/access)

Leak Detection: Electronic
Overfill Prot: High Level Alarm, Catch Basin

Dispenser:
Date Tested:
Not reported
Next Test Date:
Missing Data for Tank:
Date Closed:
Test Method:
Deleted:
Submersible
Not reported
Not reported
Not reported
False

Updated: True Lat/long: Not reported

AI182 KINGS BRIDGE BUS DEPO

NNE 4056 10TH AVE 1/4-1/2 MANHATTAN, NY

0.468 mi.

2472 ft. Site 2 of 2 in cluster Al

Relative: LTANKS:

 Higher
 Site ID:
 179648

 Spill No:
 9812375

Actual: Spill Date: 1/6/1999
34 ft. Spill Cause: Tank Failure

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 1/30/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported

LTANKS

NY Spills

HIST LTANKS

S103559068

N/A

Direction
Distance

Elevation Site Database(s) EPA ID Number

KINGS BRIDGE BUS DEPO (Continued)

S103559068

EDR ID Number

Reported to Dept: 1/6/1999 CID: 15

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1/6/1999
Spill Record Last Update: 1/30/2004
Spiller Name: CALLER

Spiller Company: KINGS BRIDGE BUS DEPO

Spiller Address: 4056 10TH AVE Spiller City,St,Zip: MANHATTAN, NY

Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2

DER Facility ID: 150765

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" refer to 9510775.

Remarks: CALLER CLOSED TANK AND FOUND CONTAMINATION IN SOIL.

Material:

Site ID: 179648 Operable Unit ID: 1069630 Operable Unit: 01 312650 Material ID: Material Code: 0009 Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Not reported Tank Size: Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 9812375

 Spill Date:
 01/06/1999

Direction Distance

Elevation Site Database(s) **EPA ID Number**

KINGS BRIDGE BUS DEPO (Continued)

S103559068

EDR ID Number

Spill Time: 14:00 Spill Cause: Tank Failure Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

SANGESLAND

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False

Investigator:

Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 01/06/99 Reported to Department Time: 14:23 SWIS: 62 Spiller Contact: **CALLER** Spiller Phone: () -

Spiller Extention: Not reported

KINGS BRIDGE BUS DEPO Spiller Name:

Spiller Address: 4056 10TH AVE Spiller City, St, Zip: MANHATTAN, NY

Spiller Cleanup Date: Facility Contact: **CALLER** Facility Phone: () -Facility Extention: Not reported Spill Notifier: Responsible Party PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: // **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 01/06/99 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 01/12/99 Is Updated: False

Tank:

PBS Number: Not reported Not reported Tank Number: Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled:

Direction Distance

Elevation Site Database(s) EPA ID Number

KINGS BRIDGE BUS DEPO (Continued)

S103559068

EDR ID Number

Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: **GASOLINE** GASOLINE Class Type: Times Material Entry In File: 21329 CAS Number: Not reported 19940929 Last Date:

DEC Remarks: Not reported

Spill Cause: CALLER CLOSED TANK AND FOUND CONTAMINATION IN SOIL.

NY Spills:

179647 Site ID: Facility Addr2: Not reported Facility ID: 0405540 Spill Number: 0405540 Facility Type: ER SWIS: 3101 **MCTIBBE** Investigator: Referred To: Not reported Spill Date: 8/19/2004 Reported to Dept: 8/20/2004 CID: 15

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False

Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 10/19/2004

Remediation Phase: 0

Date Entered In Computer: 8/20/2004 Spill Record Last Update: 5/10/2005

Spiller Name: ELSA CHESSENA

Spiller Company: KINGS BRIDGE BUS DEPOT

Spiller Address: 4056 10TH AVE Spiller City,St,Zip: MANHATTEN, NY

Spiller Company: 001

Contact Name: ELSA CHESSENA Contact Phone: (718) 243-4891

DEC Region: 2 DER Facility ID: 150765

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" Spill reported twice; see 04-05531. Cap was missing on transfer pipe for waste oil tank. Approximately 5 gallons was spilled to the depot floor. Contained and cleaned by NYCT. Cap was replaced

and tightened.

Remarks: PIPE LEAK: HAS BEEN CLEANED, NOTHING INTO SEWER:

Material:

Direction Distance Elevation

n Site Database(s) EPA ID Number

KINGS BRIDGE BUS DEPO (Continued)

 Site ID:
 179647

 Operable Unit ID:
 889094

 Operable Unit:
 01

 Material ID:
 489776

 Material Code:
 0022

Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0

Units: Not reported

Recovered: No

Resource Affected: Not reported
Oxygenate: False
Site ID: 179647
Operable Unit ID: 889094
Operable Unit: 01
Material ID: 489777
Material Code: 0022

Material Name: Waste Oil/Used Oil Not reported Case No.: Material FA: Petroleum Quantity: 0 Units: Pounds Recovered: No Resource Affected: Not reported Oxygenate: False Site ID: 179647 Operable Unit ID: 889094 Operable Unit: 01 Material ID: 489778 Material Code: 0043A Material Name: **ANTIFREEZE** Case No.: Not reported Material FA: Other

Units: Not reported

Recovered: No

Quantity:

Resource Affected: Not reported Oxygenate: False Site ID: 179647 889094 Operable Unit ID: Operable Unit: 01 Material ID: 489779 Material Code: 0043A **ANTIFREEZE** Material Name: Case No.: Not reported Material FA: Other

Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported

S103559068

Direction Distance

Elevation Site Database(s) EPA ID Number

KINGS BRIDGE BUS DEPO (Continued)

S103559068

EDR ID Number

Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 179646 Facility Addr2: Not reported 0400394 Facility ID: 0400394 Spill Number: Facility Type: ER SWIS: 3101 Investigator: **MCTIBBE** Referred To: Not reported Spill Date: 4/13/2004 Reported to Dept: 4/13/2004 CID: 15 Spill Cause: Unknown Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. No DEC

Response. No corrective action required.

Spill Closed Dt: 4/19/2004 Remediation Phase: 0 Date Entered In Computer: 4/13/2004

Spill Record Last Update: 5/10/2005

Spiller Name: CLARISSA BARROCALES
Spiller Company: KINGS BRIDGE BUS DEPOT

Spiller Address: 4056 10TH AVE Spiller City,St,Zip: NEW YORK, NY

Spiller Company: 001

Contact Name: CLARISSA BARROCALES

Contact Phone: (718) 927-7777

DEC Region: 2

DER Facility ID: 150765

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" 04/19/04: Overfill at fill port when driver released hose.

Contained and cleaned by NYCT.

Remarks: UNSURE WHAT HAPPENED AT THIS TIME;

Material:

Site ID: 179646 Operable Unit ID: 882557 Operable Unit: 01 491651 Material ID: Material Code: 8000 Material Name: Diesel Case No.: Not reported Material FA: Petroleum

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

KINGS BRIDGE BUS DEPO (Continued)

S103559068

Quantity: 3 Gallons Units: Recovered: No Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

> Click this hyperlink while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

S103037464 AG183 70 PARK TERR EAST **LTANKS** North **70 PARK TERR EAST HIST LTANKS** N/A

1/4-1/2 MANHATTAN, NY

0.490 mi.

2589 ft.

Site 2 of 4 in cluster AG LTANKS:

Relative:

Higher

Site ID: 236080 Spill No: 9714576 Spill Date: 3/30/1998

Actual: 81 ft. Spill Cause: Tank Test Failure Spill Source: Private Dwelling

Spill Class: Known release that creates potential for fire or hazard. (Highly

Improbable)

Spill Closed Dt: 2/4/2004 Not reported Facility Addr2: Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101

SMSANGES Investigator: Referred To: Not reported Reported to Dept: 3/31/1998 CID: 15

Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported

Penalty Not Recommended Recommended Penalty:

UST Involvement: False Remediation Phase: Date Entered In Computer: 3/31/1998 Spill Record Last Update: 2/4/2004

Spiller Name: TRI STATE ENGINEERING Spiller Company: 70 PARK TERR EAST Spiller Address: 70 PARK TERR EAST Spiller City, St, Zip: MANHATTAN, NY

Direction
Distance

Elevation Site Database(s) EPA ID Number

70 PARK TERR EAST (Continued)

S103037464

EDR ID Number

Spiller County: 001

Spiller Contact: TRI STATE ENGINEERING

Spiller Phone: (914) 962-3692 Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 194480

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND" 12/23/2003 Sangesland sent the management company a "Do

Work" letter for an old Tank Test Failure. Deadline Feb 25, 2004 2/4/2004 Prime Locations Inc. (914-963-2279) sent in a copy of a passing tank test performed on 4/10/98, about 2 weeks after the

initial tank test failure. Spill Closed.

Remarks: caller tested tank. tank failed test.

Material:

236080 Site ID: Operable Unit ID: 1060340 Operable Unit: 01 Material ID: 556217 Material Code: 0002 Material Name: #4 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered: Nο

Resource Affected: Not reported

Oxygenate: False

Tank Test:

 Site ID:
 236080

 Spill Tank Test:
 1545720

 Tank Number:
 1

 Tank Size:
 7500

 Test Method:
 03

 Leak Rate:
 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 9714576

 Spill Date:
 03/30/1998

 Spill Time:
 12:00

 Spill Cause:
 Tank Test Failure

Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling

Spill Class: Known release that creates potential for fire or hazard. (Highly

Improbable)

Spill Closed Dt: //
Cleanup Ceased: //
Cleanup Meets Standard: False

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

70 PARK TERR EAST (Continued)

SWIS:

S103037464

Investigator: SANGESLAND Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/31/98 Reported to Department Time: 14:35

TRI STATE ENGINEERING Spiller Contact:

Spiller Phone: (914) 962-3692 Spiller Extention: Not reported

70 PARK TERR EAST Spiller Name: Spiller Address: 70 PARK TERR EAST Spiller City, St, Zip: MANHATTAN, NY

Spiller Cleanup Date:

TRI STATE ENGINEERING Facility Contact:

Facility Phone: (914) 962-3692 Facility Extention: Not reported Spill Notifier: Responsible Party PBS Number: Not reported Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: 11 Investigation Complete: // **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 03/31/98 Time Spill Entered In Computer Data File: Not reported

10/16/00 Spill Record Last Update: Is Updated: False

Tank:

PBS Number: Not reported

Tank Number: Tank Size: 7500

Horner EZ Check Test Method:

Petroleum

Leak Rate Failed Tank: Gross Leak Rate: Not reported

Material: Material Class Type:

Last Date:

Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: O Unkonwn Quantity Recovered: False Material: #4 FUEL OIL #4 FUEL OIL Class Type: Times Material Entry In File: 1751 CAS Number: Not reported 19941205

DEC Remarks: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

70 PARK TERR EAST (Continued)

S103037464

Spill Cause: caller tested tank. tank failed test.

184 FORHDHAM HILL LTANKS S108639403
East 1 FORDHAM HILL OVAL N/A

1/4-1/2 BRONX, NY

0.493 mi. 2604 ft.

Relative: LTANKS: Higher Site ID:

 Spill No:
 0700673

 Actual:
 Spill Date:
 4/18/2007

 106 ft.
 Spill Cause:
 Tank Failure

Spill Source: Institutional, Educational, Gov., Other

380053

Spill Class: Not reported Spill Closed Dt: 5/18/2007 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 0301 Investigator: ibvought Referred To: Not reported Reported to Dept: 4/18/2007 CID:

Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/18/2007
Spill Record Last Update: 5/18/2007

Spiller Name: FIREFIGHTER MORRIS
Spiller Company: HOUSING COMPLEX

Spiller Address: FATHER ZERSI PL/WEBB AVE

Spiller City,St,Zip: BRONX, NY

Spiller County: 001

Spiller Contact: FIREFIGHTER MORRIS

Spiller Phone: (347) 203-6886 Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 329538

DEC Memo: 04/18/07-Vought-Off hours responder. Vought responded to site and

FDNY 19th Battalion (Captain Roach 718-430-0219) onsite. Spill occurred when #4 fuel oil was being transferred from one 25000-gallon #4 fuel oil UST to another. Spill was discovered at 5am. Spill inside building coming out of entry port of supply return lines into wall.

Concrete in good condition in boiler room however sump affected. DEC notified by FDNY and arriving on-site. No odor complaints received to date. Site maintenance director is Gildardo Arvelaez (718-365-9659) and owner of site is Fordham Hill (Everton Moore 718-365-9600). Oil came out of AST manway flowed down soil hill and impacted sewer. As per petrometer, 4300 gallons in North tank and 20000 gallons in South Tank. Unable to determine spill amount as petrometers may not be working correctly. Spill amount approximated at 300-gallons. Eastmond arrived onsite and began cleanup. Eastmond hired by Fordham Hill. DEC requires: 1)submission of Eastmond invoices 2)collection of endpoint

soil samples 3)petrometer repair replacement. Vought sent letter with

Direction Distance

Elevation Site Database(s) EPA ID Number

FORHDHAM HILL (Continued)

S108639403

EDR ID Number

above requirements and one month due date to owners as per PBS: Fordham Hill Owners 1 Fordham Hill Oval Bronx, NY 10468 Ph: 718-365-9600 Fax: 718-733-0472 05/18/07-Vought-Office visit by Gildardo Arvelaez who provided endpoint soil analyticals from

Eastmond (eight soil samples were collected and showed no TAGM 4046 Soil Cleanup Objective Exceedences and provided letter from Fordam Hill stating that two new petrometers were installed. Arvelaez also provided invoices from Eastmond that included pressure washing of basement and cleaning of three sump pits. Spill closed by Vought and

NFA provided to Arvelaez.

Remarks: IN BASEMENT AND SOME GOING INTO STORM DRAIN: FIRE DEPT ON WAY

Material:

Site ID: 380053 Operable Unit ID: 1137545 Operable Unit: 01 Material ID: 2127494 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Petroleum Material FA: Quantity: 25 Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

AG185 INSIGNEA LTANKS S105999203
North 75-77 PARK TERRACE EAST N/A

1/4-1/2 MANHATTAN, NY

0.494 mi.

2610 ft. Site 3 of 4 in cluster AG

Relative: LTANKS: Higher Site ID:

 Higher
 Site ID:
 154297

 Spill No:
 0302733

 Actual:
 Spill Date:
 6/13/2003

 80 ft.
 Spill Cause:
 Tank Overfill

Spill Source: Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/16/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

INSIGNEA (Continued) S105999203

Cleanup Meets Standard: False SWIS: 3101 Investigator: **JBVOUGHT** Referred To: Not reported Reported to Dept: 6/13/2003 CID: 15

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 6/13/2003 Spill Record Last Update: 6/16/2003 Spiller Name: **CALLER** Spiller Company: **INSIGNEA**

Spiller Address: 75-77 PARK TERRACE EAST

Spiller City,St,Zip: MANHATTAN, ZZ

Spiller County: 001 Spiller Contact: **CALLER** Spiller Phone: Not reported Spiller Extention: Not reported DEC Region:

DER Facility ID: 130852

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "VOUGHT" Vought spoke to Frank (Castle): No sewers affected Spill on

soil Castle oil excavated 2' x 5' x 18" area Wilson (Columbia Univ)

said no contamination left Spill Closed

TANK OVERFILL DUE TO DEFECTIVE METER. CLEAN UP CREW EN ROUTE Remarks:

Material:

Site ID: 154297 Operable Unit ID: 870480 Operable Unit: 01 Material ID: 507189 Material Code: 0002 Material Name: #4 Fuel Oil Case No.: Not reported Petroleum Material FA: Quantity: 25 Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AG186 LTANKS S104950574 **HIST LTANKS** N/A

North **75 PARK TERRACE EAST** 1/4-1/2 MANHATTAN, NY

0.494 mi.

Site 4 of 4 in cluster AG 2610 ft. LTANKS:

Relative:

245658 Higher Site ID: Spill No: 0011644

Actual: 80 ft.

Spill Date: 1/29/2001 Spill Cause: Tank Overfill Spill Source: Private Dwelling

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/27/2003 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101 **SMSANGES** Investigator:

Referred To: Not reported Reported to Dept: 1/29/2001 CID: 15

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Penalty Not Recommended Recommended Penalty:

UST Involvement: False Remediation Phase: Date Entered In Computer: 1/29/2001 Spill Record Last Update: 5/27/2003 Spiller Name: **FRANK**

Spiller Company: INSIGNA RESIDENTIAL Spiller Address: 75 PARK TERRACE EAST Spiller City, St, Zip: MANHATTAN, NY 10034-

Spiller County: 001 Spiller Contact: JIM CAREY Spiller Phone: (718) 579-3414 Spiller Extention: Not reported

DEC Region: DER Facility ID: 201750

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND" administrative closure no proof of cleanup submitted

tank over fill due to defective guage cleanup crew enroute Remarks:

Material:

Site ID: 245658 Operable Unit ID: 833073 Operable Unit: 01 541946 Material ID: Material Code: 0002 Material Name: #4 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: 50 Gallons Units: Recovered: No

Resource Affected: Not reported Oxygenate: False

Direction Distance

Elevation Site Database(s) EPA ID Number

(Continued) S104950574

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2

Spill Number: 0011644
Spill Date: 01/29/2001
Spill Time: 10:00
Spill Cause: Tank Overfill
Resource Affectd: In Sewer
Water Affected: Not reported
Spill Source: Private Dwelling

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: //
Cleanup Ceased: //
Cleanup Meets Standard: False

SANGESLAND Investigator: Caller Name: Not reported Not reported Caller Agency: Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 01/29/01 Reported to Department Time: 10:50 SWIS: 62

Spiller Contact: JIM CAREY
Spiller Phone: (718) 579-3414
Spiller Extention: Not reported

Spiller Name: INSIGNA RESIDENTIAL
Spiller Address: 75 PARK TERRACE EAST
Spiller City, St, Zip: MANHATTAN, NY 10034-

Spiller Cleanup Date: / /
Facility Contact: FRANK
Facility Phone: (212) 569-5461
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Direction Distance

Elevation Site Database(s) EPA ID Number

(Continued) S104950574

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Pate Spill External in Computer Pate Files (24/2)

Date Spill Entered In Computer Data File: 01/29/01
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 01/29/01 Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 50 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False #4 FUEL OIL Material: Class Type: #4 FUEL OIL Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: Not reported

Spill Cause: tank over fill due to defective guage cleanup crew enroute

 187
 ECR REALTY
 LTANKS
 \$103558627

 ESE
 2326 LORING PLACE
 HIST LTANKS
 N/A

1/4-1/2 BRONX, NY

0.497 mi. 2623 ft.

Relative: LTANKS:

 Higher
 Site ID:
 134870

 Spill No:
 9811009

 Actual:
 Spill Date:
 12/2/1998

 156 ft.
 Spill Cause:
 Tank Failure

Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/6/2005 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: True SWIS: 0301 Investigator: **SMSANGES** Referred To: Not reported 12/2/1998 Reported to Dept: CID: 16

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Direction Distance

Elevation Site Database(s) EPA ID Number

ECR REALTY (Continued) S103558627

Remediation Phase: 0

Date Entered In Computer: 12/2/1998
Spill Record Last Update: 7/5/2006
Spiller Name: MITCH
Spiller Company: ECR REALTY
Spiller Address: 2326 LORING PLACE

Spiller City,St,Zip: BRONX, ZZ
Spiller County: 001
Spiller Contact: MITCH
Spiller Phone: (212) 889-4406
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 115811

DEC Memo: 5/6/2005 Sangesland received a submittal from Frank Claro (Owner's

Rep) of Loring PL LLC (718-664-6600). Submittal shows that Abilene Heating Group removed the 4,000 gal tank in Nov 1999 and replaced it with a new 3,000 gal tank. This new tank has been pressure tested & passed. Photographs of the new tank and the basement area show the

site is clean and in proper working order. Spill Closed - 5/6/2005

Remarks: SPILL CREW DISPATCHED FOR CLEAN UP AND PUMPING OUT TANK-TEMPORARY

TANK TO BE INSTALLED.

Material:

134870 Site ID: Operable Unit ID: 1071885 Operable Unit: 01 Material ID: 314864 Material Code: 0002 Material Name: #4 Fuel Oil Not reported Case No.: Material FA: Petroleum Quantity: 0 Units: Gallons

Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 9811009

 Spill Date:
 12/02/1998

 Spill Time:
 13:00

 Spill Cause:
 Tank Failure

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ECR REALTY (Continued) S103558627

Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **SIGONA** Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 12/02/98 Reported to Department Time: 13:20 SWIS: Spiller Contact: MITCH Spiller Phone: (212) 889-4406

Spiller Extention: Not reported Spiller Name: **ECR REALTY** Spiller Address:

2326 LORING PLACE

Spiller City, St, Zip: **BRONX** Spiller Cleanup Date: 11 **Facility Contact: MITCH** Facility Phone: (212) 889-4406 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: 11 Investigation Complete: False **UST Involvement:**

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted:

12/02/98 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 07/15/99 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

ECR REALTY (Continued) S103558627

Quantity Recovered: 0 Unkonwn Quantity Recovered: True

#4 FUEL OIL Material: #4 FUEL OIL Class Type: Times Material Entry In File: 1751 CAS Number: Not reported Last Date: 19941205

DEC Remarks: DEC Sigona) responded on 12/2/98 arrived at 1500 hrs. Met with superintendent

> Daniel Fiallo 718)561-1591. The product came under AST in vault room. Coal debris on concrete around tank, saturated with 4 fuel oil. Petroleum Tank Cleaners on sitewill pump all fuel oil from tank. PTC will have to remove debris, place speedy dry steam clean floor. Their is no oil seeping. The sump is clean, no oil beyond containment. Left site at 15:30 hrs. Spill requires follow-up site inspection beforeclosure. The tank may require replacement depending on the inspection by PTC. DEC Sigona) conducted follow-up inspection on 7/14/1999 at 2PM. Met on-site with Danny, Superintendent. Building mgmt removed all of the oily contaminated debris from tank room and boiler room. Steam cleaned, concrete repaired and painted the floor of tank room. Replaced leaking tank with new 3,000 gallon AST with new aboveground piping system. The tank was installed in May 1999, and had plate with information in May 1999, and had plate with information on tank design. The tank was painted black, no sign of oil spills or contamination. Recommended that superintendent paint piping system and install additional ceiling pipe

supports. Also, recommended the installation of inulation on aboveground steam pipes over the tank and inside boiler room. Superintendent showed examples of repairs and reconditioning performed in hallways, entrance of building. New

tiles, paint and flower beds infront of thebuilding. Left site at 2:30 P.M.

Spill Cause: SPILL CREW DISPATCHED FOR CLEAN UP AND PUMPING OUT TANK-TEMPORARY TANK TO BE

INSTALLED.

153217

Private Dwelling

188 S104620462 **LTANKS** West 68-76 THAYER ST **HIST LTANKS** N/A

1/4-1/2 MANHATTAN, NY

0.498 mi. 2631 ft.

LTANKS: Relative: Site ID: Higher

Spill No: 9907072 Actual: 9/13/1999 Spill Date: 26 ft. Spill Cause: Tank Failure

Spill Source:

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/19/2002 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 3101

Investigator: **TOMASELLO** Referred To: Not reported 9/14/1999 Reported to Dept: CID: 15

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Direction Distance

Elevation Site Database(s) EPA ID Number

(Continued) S104620462

Remediation Phase: 0
Date Entered In Computer: 9/14/1999
Spill Record Last Update: 7/19/2002

Spiller Name: ARDEN MANAGEMENT

Spiller Company: Not reported
Spiller Address: 68-76 THAYER ST
Spiller City,St,Zip: MANHATTAN, NY

Spiller County: 001

Spiller Contact: ARDEN MANAGEMENT

Spiller Phone: (718) 375-3491 Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 130005

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TOMASELLO/VOUGHT" 7/18/2002-VOUGHT-Site visit on 7/17/2002 by Vought. No evidence of groundwater or soil impacts such as stained concrete or sheen in sump pump. No cracks or stains on concrete. Interview with superintendent (Juan 917-800-4705) stated that spill was cleaned up rapidly before infiltration could occur. Spill closed

by Vought.

Remarks: FOUND LEAKING TANK YESTERDAY - 5000GAL CAPACITY - CLEANED UP

Material:

153217 Site ID: Operable Unit ID: 1085504 Operable Unit: 01 Material ID: 299777 Material Code: 0003 Material Name: #6 Fuel Oil Not reported Case No.: Material FA: Petroleum Quantity: 50 Units: Gallons Recovered: 50 Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 9907072

 Spill Date:
 09/13/1999

 2
 14.00

Spill Time: 14:00 Spill Cause: Tank Failure

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

(Continued) S104620462

Resource Affectd: On Land Not reported Water Affected: Spill Source: Private Dwelling

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator:

TOMASELLO Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Not reported Notifier Extension: Reported to Department Date: 09/14/99 Reported to Department Time: 09:10 SWIS:

Spiller Contact: ARDEN MANAGEMENT

Spiller Phone: (718) 375-3491 Spiller Extention: Not reported Spiller Name: Not reported Spiller Address: 68-76 THAYER ST Spiller City, St, Zip: MANHATTAN, NY

Spiller Cleanup Date:

Facility Contact: ARDEN MANAGEMENT

Facility Phone: (718) 375-3491 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: **UST Involvement:** False

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: 09/14/99 Date Spill Entered In Computer Data File: Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 09/14/99 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 50 Unkonwn Quantity Spilled: False Units: Gallons

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

(Continued) S104620462

Quantity Recovered: 50 Unkonwn Quantity Recovered: False Material: #6 FUEL OIL Class Type: #6 FUEL OIL Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

DEC Remarks: Not reported

Spill Cause: FOUND LEAKING TANK YESTERDAY - 5000GAL CAPACITY - CLEANED UP

CON EDISON - BROADWAY/DYCKMAN ST STA. MGP 189

Manufactured Gas Plants 1008407978

N/A

West 12 DONGAN PLACE 1/2-1 NEW YORK, NY 10040

0.643 mi. 3393 ft.

Relative: Higher

Actual: 40 ft.

ORPHAN SUMMARY

| City | EDR ID | Site Name | Site Address | Zip | Database(s) |
|------------|------------|----------------------------------|--------------------------------|-------|-------------------------|
| BRONX | 1001224027 | NYCDOT | GRAND CONCOURSE YARD | 10468 | FINDS,MANIFEST,RCRA-NLR |
| BRONX | 1004760607 | NYCTA - JEROME BX | 204 JEROME AVE | | FINDS,RCRA-NLR,MANIFEST |
| NEW YORK | 1006810239 | NYC DOT | E 10 ST BRIDGE | 10006 | FINDS,RCRA-NLR,MANIFEST |
| NEW YORK | 1007206475 | CONSOLIDATED EDISON CO OF NY INC | MH 419 220TH ST / BROADWAY | | RCRA-NLR,MANIFEST |
| NEW YORK | 1007206900 | CONSOLIDATED EDISON | MH60578-W 201ST ST / 10TH AV | | RCRA-NLR,MANIFEST |
| NEW YORK | 1007207400 | CONSOLIDATED EDISON | MH56066-W 201ST ST / 9TH AVE | | RCRA-NLR,MANIFEST |
| QUEENS | 1007208591 | CONSOLIDATED EDISON | V0600-208TH ST / 30TH AVE | | RCRA-NLR,MANIFEST |
| BRONX | 1009231923 | GETTY PETROLEUM | 3337 BOSTON POST ROAD | 10471 | MANIFEST |
| NEW YORK | 1009235694 | NYCDEP | 10TH AVE BTW W29TH / W30TH S | | MANIFEST |
| NEW YORK | 1009237611 | CONSOLIDATED EDISON | MH36015-GREENWICH / W 10TH S | | MANIFEST |
| NEW YORK | 1009237656 | CONSOLIDATED EDISON | PALMER AVE / BOSTON POST RD | | MANIFEST |
| NEW YORK | 1009238082 | CONSOLIDATED EDISON | MH362-W 217TH ST / 10TH AVE | | MANIFEST |
| NEW YORK | 1009238428 | CONSOLIDATED EDISON | V1501-F/O 747 10TH AVE | | MANIFEST |
| NEW YORK | 1009238683 | CONSOLIDATED EDISON | V6310-71 E 9TH ST | | MANIFEST |
| BRONX | 1009238804 | CONSOLIDATED EDISON | MH32277-GOULDEN AVE / 205TH | | MANIFEST |
| NEW YORK | 1010566757 | NYSDOT BIN 107696A | RAMP FROM EDWARD L GRANT HWY | 10033 | RCRA-LQG |
| ALEXANDRIA | S103903741 | LUCETTE PICARD PROPERTY | 566 RTE 579 | | VCP |
| BRONX | S109785943 | FORT WASHINGTON AUTO BODY | 1308 EDWARD L GRANT HWY | 10452 | MANIFEST |
| NEW YORK | S109942993 | 59TH GENERATION STATION | 59TH ST OFF THE WEST SIDE HIGH | | SPILLS |
| NEW YORK | S110306129 | NYSDOT BIN 107696A | RAMP FROM EDWARD L GRANT HWY T | 10033 | MANIFEST |

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/31/2010 Source: EPA
Date Data Arrived at EDR: 04/02/2010 Telephone: N/A

Date Made Active in Reports: 04/12/2010 Last EDR Contact: 07/14/2010

Number of Days to Update: 10 Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/31/2010 Source: EPA
Date Data Arrived at EDR: 04/02/2010 Telephone: N/A

Date Made Active in Reports: 04/12/2010 Last EDR Contact: 07/14/2010

Number of Days to Update: 10 Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA Telephone: 202-564-4267 Last EDR Contact: 08/16/2010

Next Scheduled EDR Contact: 11/29/2010
Data Release Frequency: No Update Planned

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the

NPL where no further response is appropriate.

Date of Government Version: 03/31/2010 Date Data Arrived at EDR: 04/02/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 10

Source: EPA Telephone: N/A

Last EDR Contact: 07/14/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/29/2010 Date Data Arrived at EDR: 02/09/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 62

Source: EPA

Telephone: 703-412-9810 Last EDR Contact: 09/02/2010

Next Scheduled EDR Contact: 10/11/2010 Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realianment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPAa??'s Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/23/2009 Date Data Arrived at EDR: 01/15/2010 Date Made Active in Reports: 02/10/2010

Number of Days to Update: 26

Source: Environmental Protection Agency

Telephone: 703-603-8704 Last EDR Contact: 07/21/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009 Date Data Arrived at EDR: 09/02/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 19

Source: EPA

Telephone: 703-412-9810 Last EDR Contact: 09/02/2010

Next Scheduled EDR Contact: 12/13/2010 Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/25/2010 Date Data Arrived at EDR: 03/31/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 57

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 08/16/2010

Next Scheduled EDR Contact: 11/29/2010 Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 08/19/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010 Number of Days to Update: 87

Source: Environmental Protection Agency Telephone: (212) 637-3660 Last EDR Contact: 08/19/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 08/19/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 08/19/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/20/2009 Date Data Arrived at EDR: 01/20/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 09/13/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/20/2009 Date Data Arrived at EDR: 01/20/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 82

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 09/13/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 07/09/2010 Date Data Arrived at EDR: 07/09/2010 Date Made Active in Reports: 08/17/2010

Number of Days to Update: 39

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 07/09/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9622 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrustion Legacy Site List

"Vapor intrusion" refers to the process by which volatile chemicals move from a subsurface source into the indoor air of overlying or adjacent buildings. The subsurface source can either be contaminated groundwater or contaminated soil which releases vapors into the pore spaces in the soil.Improvements in analytical techniques and knowledge gained from site investigations in New York and other states has led to an increased awareness of soil vapor as a medium of concern and of the potential for exposures from the soil vapor intrusion pathway. Based on this additional information, New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 02/02/2010 Date Data Arrived at EDR: 02/24/2010 Date Made Active in Reports: 03/17/2010

Number of Days to Update: 21

Source: Department of Environmenal Conservation

Telephone: 518-402-9814 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites

Date of Government Version: 07/14/2010
Date Data Arrived at EDR: 07/16/2010
Date Made Active in Reports: 08/10/2010

Number of Days to Update: 25

Source: Department of Environmental Conservation

Telephone: 518-457-2051 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010

Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005

Number of Days to Update: 6

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/19/2010 Date Data Arrived at EDR: 05/21/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 80

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 05/27/2010 Date Data Arrived at EDR: 05/28/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 73

Source: Environmental Protection Agency Telephone: 415-972-3372

Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/04/2010 Date Data Arrived at EDR: 05/05/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 22

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/19/2009 Date Data Arrived at EDR: 02/19/2009 Date Made Active in Reports: 03/16/2009

Number of Days to Update: 25

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/03/2010 Date Data Arrived at EDR: 05/05/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 22

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/04/2009 Date Data Arrived at EDR: 05/04/2010 Date Made Active in Reports: 07/07/2010

Number of Days to Update: 64

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 08/11/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/27/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 74

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 06/17/2010 Date Data Arrived at EDR: 06/18/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 53

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 06/18/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 10/24/2005

Next Scheduled EDR Contact: 01/23/2006 Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005

Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 06/17/2010 Date Data Arrived at EDR: 06/18/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 53

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 06/18/2010

Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005

Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005

Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 06/17/2010 Date Data Arrived at EDR: 06/18/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 53

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 06/18/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 06/17/2010 Date Data Arrived at EDR: 06/18/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 53

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 06/18/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Quarterly

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/03/2010 Date Data Arrived at EDR: 05/05/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 22

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/11/2010 Date Data Arrived at EDR: 02/11/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 60

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/19/2010 Date Data Arrived at EDR: 05/21/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 80

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 05/27/2010 Date Data Arrived at EDR: 05/28/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 73

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/27/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 74

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2008 Date Data Arrived at EDR: 12/30/2008 Date Made Active in Reports: 03/16/2009

Number of Days to Update: 76

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 08/11/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/04/2010 Date Data Arrived at EDR: 05/05/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 22

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/19/2009 Date Data Arrived at EDR: 02/19/2009 Date Made Active in Reports: 03/16/2009

Number of Days to Update: 25

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010 Date Data Arrived at EDR: 02/16/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 55

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 07/19/2010

Next Scheduled EDR Contact: 11/01/2010 Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9553 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9553 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/31/1992 Date Data Arrived at EDR: 01/31/2007 Date Made Active in Reports: 04/19/2007

Number of Days to Update: 78

Source: NYC Department of City Planning

Telephone: 212-720-3401 Last EDR Contact: 06/25/2010

Next Scheduled EDR Contact: 10/11/2010 Data Release Frequency: No Update Planned

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9711 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 07/08/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 04/20/2009

Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies

State and tribal Brownfields sites

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9622 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Quarterly

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9764 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Semi-Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 06/24/2010 Date Data Arrived at EDR: 06/25/2010 Date Made Active in Reports: 08/17/2010

Number of Days to Update: 53

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 06/25/2010

Next Scheduled EDR Contact: 10/11/2010 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004 Number of Days to Update: 39 Source: Environmental Protection Agency Telephone: 800-424-9346

Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 07/28/2010

Next Scheduled EDR Contact: 09/20/2010 Data Release Frequency: Varies

SWTIRE: Registered Waste Tire Storage & Facility List
A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006 Date Data Arrived at EDR: 11/15/2006 Date Made Active in Reports: 11/30/2006

Number of Days to Update: 15

Source: Department of Environmental Conservation

Telephone: 518-402-8694 Last EDR Contact: 07/30/2010

Next Scheduled EDR Contact: 11/08/2010 Data Release Frequency: Annually

SWRCY: Registered Recycling Facility List A listing of recycling facilities.

Date of Government Version: 07/14/2010 Date Data Arrived at EDR: 07/16/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 25

Source: Department of Environmental Conservation

Telephone: 518-402-8705 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Semi-Annually

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 09/07/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/07/2010 Date Data Arrived at EDR: 06/18/2010 Date Made Active in Reports: 08/17/2010

Number of Days to Update: 60

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 09/17/2010

Next Scheduled EDR Contact: 12/20/2010 Data Release Frequency: Quarterly

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 03/26/2010 Date Data Arrived at EDR: 03/26/2010 Date Made Active in Reports: 04/28/2010

Number of Days to Update: 33

Source: Department of Environmental Conservation

Telephone: 518-402-9622 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007 Date Data Arrived at EDR: 11/19/2008 Date Made Active in Reports: 03/30/2009

Number of Days to Update: 131

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007

Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007 Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 05/06/2010 Date Data Arrived at EDR: 05/11/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 90

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005 Date Data Arrived at EDR: 12/11/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 31

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 09/08/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 04/06/2010 Date Data Arrived at EDR: 04/07/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 50

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 07/09/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 05/24/2010 Date Data Arrived at EDR: 05/26/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 26

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005

Number of Days to Update: 6

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 08/19/2010

Next Scheduled EDR Contact: 10/18/2010 Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/12/2010 Date Data Arrived at EDR: 02/09/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 62

Source: Department of Transporation, Office of Pipeline Safety

Telephone: 202-366-4595 Last EDR Contact: 08/11/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 62

Source: USGS

Telephone: 703-692-8801 Last EDR Contact: 07/22/2010

Next Scheduled EDR Contact: 11/01/2010 Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2008 Date Data Arrived at EDR: 09/30/2009 Date Made Active in Reports: 12/01/2009

Number of Days to Update: 62

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 09/14/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 04/11/2010 Date Data Arrived at EDR: 04/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 28

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 07/08/2010

Next Scheduled EDR Contact: 10/18/2010

Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 06/01/2010 Date Data Arrived at EDR: 06/16/2010 Date Made Active in Reports: 08/17/2010

Number of Days to Update: 62

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 09/15/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 01/05/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 05/08/2009

Number of Days to Update: 1

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 09/01/2010

Next Scheduled EDR Contact: 12/13/2010 Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/07/2010 Date Data Arrived at EDR: 06/09/2010 Date Made Active in Reports: 08/30/2010

Number of Days to Update: 82

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 09/09/2010

Next Scheduled EDR Contact: 12/20/2010 Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2008 Date Data Arrived at EDR: 01/13/2010 Date Made Active in Reports: 02/18/2010

Number of Days to Update: 36

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 09/01/2010

Next Scheduled EDR Contact: 12/13/2010 Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002 Date Data Arrived at EDR: 04/14/2006 Date Made Active in Reports: 05/30/2006

Number of Days to Update: 46

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 07/07/2010

Next Scheduled EDR Contact: 10/11/2010 Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 08/30/2010

Next Scheduled EDR Contact: 12/13/2010 Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 08/30/2010

Next Scheduled EDR Contact: 12/13/2010 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2008 Date Data Arrived at EDR: 01/06/2010 Date Made Active in Reports: 02/10/2010

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 08/16/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 04/24/2010 Date Data Arrived at EDR: 04/29/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 18

Source: Environmental Protection Agency

Telephone: 202-564-5088 Last EDR Contact: 06/25/2010

Next Scheduled EDR Contact: 10/11/2010 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 02/01/2010
Date Data Arrived at EDR: 04/22/2010
Date Made Active in Reports: 08/09/2010

Number of Days to Update: 109

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 07/30/2010

Next Scheduled EDR Contact: 11/01/2010 Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/18/2010 Date Data Arrived at EDR: 04/06/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 51

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 09/13/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/13/2010 Date Data Arrived at EDR: 07/14/2010 Date Made Active in Reports: 08/09/2010

Number of Days to Update: 26

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 07/14/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010 Date Data Arrived at EDR: 04/16/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 41

Source: EPA

Telephone: (212) 637-3000 Last EDR Contact: 09/15/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 02/25/2010 Date Made Active in Reports: 05/12/2010

Number of Days to Update: 76

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 08/24/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Biennially

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003 Date Data Arrived at EDR: 10/20/2006 Date Made Active in Reports: 11/30/2006

Number of Days to Update: 41

Source: Department of Environmental Conservation

Telephone: 518-402-9564 Last EDR Contact: 05/26/2009

Next Scheduled EDR Contact: 08/24/2009 Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 04/30/2010 Date Data Arrived at EDR: 05/13/2010 Date Made Active in Reports: 06/21/2010

Number of Days to Update: 39

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 08/11/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 03/23/2010 Date Data Arrived at EDR: 03/25/2010 Date Made Active in Reports: 05/06/2010

Number of Days to Update: 42

Source: Department of Environmental Conservation

Telephone: 518-402-8403 Last EDR Contact: 09/20/2010

Next Scheduled EDR Contact: 01/03/2011 Data Release Frequency: Varies

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 07/19/2010 Date Data Arrived at EDR: 07/19/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 22

Source: Department of Environmental Conservation

Telephone: 518-402-8233 Last EDR Contact: 07/19/2010

Next Scheduled EDR Contact: 11/01/2010

Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 09/05/2007 Date Made Active in Reports: 10/17/2007

Number of Days to Update: 42

Source: Department of Environmental Conservation

Telephone: 518-402-8452 Last EDR Contact: 08/02/2010

Next Scheduled EDR Contact: 11/15/2010 Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 05/25/2010 Date Data Arrived at EDR: 07/06/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 35

Source: New York City Department of City Planning

Telephone: 718-595-6658 Last EDR Contact: 06/24/2010

Next Scheduled EDR Contact: 10/11/2010 Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater

than 640 acres.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 12/08/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 34

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 07/22/2010

Next Scheduled EDR Contact: 11/01/2010 Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 05/12/2010 Date Data Arrived at EDR: 05/13/2010 Date Made Active in Reports: 08/17/2010

Number of Days to Update: 96

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 08/23/2010

Next Scheduled EDR Contact: 11/08/2010 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 11/09/2009 Date Data Arrived at EDR: 12/18/2009 Date Made Active in Reports: 02/10/2010

Number of Days to Update: 54

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 09/15/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 02/06/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 339

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 07/22/2010

Next Scheduled EDR Contact: 11/01/2010

Data Release Frequency: N/A

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 08/07/2009 Date Made Active in Reports: 10/22/2009

Number of Days to Update: 76

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 07/14/2010 Date Data Arrived at EDR: 07/16/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 25

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 07/21/2010

Next Scheduled EDR Contact: 11/01/2010 Data Release Frequency: Varies

Source: Department of Environmental Conservation

Telephone: 518-402-8660 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Varies

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008 Date Data Arrived at EDR: 11/25/2008 Date Made Active in Reports: 12/11/2008

Number of Days to Update: 16

Source: Department of Environmental Conservation

Telephone: 518-402-8712 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Varies

FINANCIAL ASSURANCE: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 07/13/2010 Date Data Arrived at EDR: 07/14/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 27

Source: Department of Environmental Conservation

Telephone: 518-402-8660 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008 Date Data Arrived at EDR: 02/18/2009 Date Made Active in Reports: 05/29/2009

Number of Days to Update: 100

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 08/10/2010

Next Scheduled EDR Contact: 11/15/2010

Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Source: EDR, Inc.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A

Telephone: N/A Last EDR Contact: N/A Next Scheduled EDR Contact: N/A

Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 04/22/2010 Date Data Arrived at EDR: 04/22/2010 Date Made Active in Reports: 05/10/2010

Number of Days to Update: 18

Source: Cortland County Health Department

Telephone: 607-753-5035 Last EDR Contact: 08/23/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 04/22/2010 Date Data Arrived at EDR: 04/22/2010 Date Made Active in Reports: 05/10/2010

Number of Days to Update: 18

Source: Cortland County Health Department

Telephone: 607-753-5035 Last EDR Contact: 08/23/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003 Date Data Arrived at EDR: 05/27/2003 Date Made Active in Reports: 06/09/2003

Number of Days to Update: 13

Source: Nassau County Health Department

Telephone: 516-571-3314 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 04/13/2010 Date Data Arrived at EDR: 06/23/2010 Date Made Active in Reports: 06/28/2010

Number of Days to Update: 5

Source: Nassau County Office of the Fire Marshal

Telephone: 516-572-1000 Last EDR Contact: 08/09/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003 Date Data Arrived at EDR: 05/27/2003 Date Made Active in Reports: 06/09/2003

Number of Days to Update: 13

Source: Nassau County Health Department

Telephone: 516-571-3314 Last EDR Contact: 07/12/2010

Next Scheduled EDR Contact: 10/25/2010 Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 04/13/2010 Date Data Arrived at EDR: 06/23/2010 Date Made Active in Reports: 06/28/2010

Number of Days to Update: 5

Source: Nassau County Office of the Fire Marshal

Telephone: 516-572-1000 Last EDR Contact: 08/09/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 06/25/2010 Date Data Arrived at EDR: 06/25/2010 Date Made Active in Reports: 08/10/2010

Number of Days to Update: 46

Source: Rockland County Health Department

Telephone: 914-364-2605 Last EDR Contact: 09/13/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 06/25/2010
Date Data Arrived at EDR: 06/25/2010
Date Made Active in Reports: 08/10/2010

Number of Days to Update: 46

Source: Rockland County Health Department

Telephone: 914-364-2605 Last EDR Contact: 09/13/2010

Next Scheduled EDR Contact: 12/27/2010 Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006 Date Data Arrived at EDR: 01/11/2007 Date Made Active in Reports: 02/07/2007

Number of Days to Update: 27

Source: Suffolk County Department of Health Services

Telephone: 631-854-2521 Last EDR Contact: 08/09/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Annually

TC02874993.2r Page GR-22

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006 Date Data Arrived at EDR: 01/11/2007 Date Made Active in Reports: 02/07/2007

Number of Days to Update: 27

Source: Suffolk County Department of Health Services

Telephone: 631-854-2521 Last EDR Contact: 08/09/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005 Date Data Arrived at EDR: 05/31/2005 Date Made Active in Reports: 06/30/2005

Number of Days to Update: 30

Source: Westchester County Department of Health

Telephone: 914-813-5161 Last EDR Contact: 08/11/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005 Date Data Arrived at EDR: 05/31/2005 Date Made Active in Reports: 06/30/2005

Number of Days to Update: 30

Source: Westchester County Department of Health

Telephone: 914-813-5161 Last EDR Contact: 08/11/2010

Next Scheduled EDR Contact: 11/22/2010 Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 08/26/2009 Date Made Active in Reports: 09/11/2009

Number of Days to Update: 16

Source: Department of Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 08/25/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 07/22/2010 Date Made Active in Reports: 08/26/2010

Number of Days to Update: 35

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 07/22/2010

Next Scheduled EDR Contact: 11/01/2010 Data Release Frequency: Annually

PA MANIFEST: Manifest Information Hazardous waste manifest information.

Date of Government Version: 12/31/2008 Date Data Arrived at EDR: 12/01/2009 Date Made Active in Reports: 12/14/2009

Number of Days to Update: 13

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 08/23/2010

Next Scheduled EDR Contact: 12/06/2010 Data Release Frequency: Annually

RI MANIFEST: Manifest information Hazardous waste manifest information

> Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 07/19/2010 Date Made Active in Reports: 08/26/2010

Number of Days to Update: 38

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 08/30/2010

Next Scheduled EDR Contact: 12/13/2010 Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data Hazardous waste manifest information.

Date of Government Version: 03/29/2010 Date Data Arrived at EDR: 05/14/2010 Date Made Active in Reports: 06/22/2010

Number of Days to Update: 39

Source: Department of Environmental Conservation

Telephone: 802-241-3443 Last EDR Contact: 07/26/2010

Next Scheduled EDR Contact: 11/08/2010 Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 07/06/2010 Date Made Active in Reports: 07/26/2010

Number of Days to Update: 20

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 09/20/2010

Next Scheduled EDR Contact: 01/03/2011 Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data Source: Rextag Strategies Corp. Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers Source: Department of Health Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK®-PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

PATHMARK SUPERMARKET 410 W 207TH ST NEW YORK, NY 10034

TARGET PROPERTY COORDINATES

Latitude (North): 40.86390 - 40° 51' 50.0" Longitude (West): 73.9175 - 73° 55' 3.0"

Universal Tranverse Mercator: Zone 18 UTM X (Meters): 591230.2 UTM Y (Meters): 4524001.0

Elevation: 19 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 40073-G8 CENTRAL PARK, NY

Most Recent Revision: 1995

North Map: 40073-H8 YONKERS, NJ

Most Recent Revision: 1998

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION


Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SE

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES





Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

FEMA Flood

Target Property County NEW YORK, NY Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property:

360497 - FEMA DFIRM Flood data

Additional Panels in search area:

Not Reported

NATIONAL WETLAND INVENTORY

NWI Electronic

NWI Quad at Target Property

Data Coverage

CENTRAL PARK

YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

 LOCATION
 GENERAL DIRECTION

 MAP ID
 FROM TP
 GROUNDWATER FLOW

 Not Reported
 The state of the

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION

Era: Paleozoic Category: Stratified Sequence

System: Ordovicias

Series: Lower Ordovician and Cambrian carbonate rocks Code: OC (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

| Soil Layer Information | | | | | | | | | | |
|------------------------|----------|----------|--------------------|--------------|--------------|------------------------------|------------------------|--|--|--|
| | Bou | ndary | | Classif | ication | | | | | |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | Permeability Rate (in/hr) | Soil Reaction (pH) | | | |
| 1 | 0 inches | 6 inches | variable | Not reported | Not reported | Max: 0.00 Min: 0.00 | Max: 0.00 Min: 0.00 | | | |

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam

loamy sand sandy loam fine sandy loam

Surficial Soil Types: silt loam

loamy sand sandy loam fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock

very gravelly - loamy sand

stratified sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 1.000

Federal FRDS PWS Nearest PWS within 1 mile

State Database 1.000

FEDERAL USGS WELL INFORMATION

LOCATION FROM TP

MAP ID WELL ID

FEDERAL USGS WELL INFORMATION

| MAP ID | WELL ID | LOCATION FROM TP |
|--------|-------------|---------------------|
| 1 | USGS2113571 | 0 - 1/8 Mile WNW |
| 2 | USGS2113598 | 1/4 - 1/2 Mile WNW |
| A3 | USGS2113464 | 1/2 - 1 Mile NNE |
| 4 | USGS2113827 | 1/2 - 1 Mile South |
| A5 | USGS2113479 | 1/2 - 1 Mile NNE |

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


| MAP ID | WELL ID | LOCATION FROM TP |
|---------------------|---------|---------------------|
| No PWS System Found | | - |

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

| MAP ID | WELL ID | LOCATION FROM TP |
|----------------|---------|---------------------|
| No Wells Found | | |

PHYSICAL SETTING SOURCE MAP - 02874993.2r



SITE NAME: Pathmark Supermarket 410 W 207th St New York NY 10034 ADDRESS:

LAT/LONG: 40.8639 / 73.9175 CLIENT: EnviroBusine CONTACT: Brian Perrott EnviroBusiness, Inc.

INQUIRY #: 02874993.2r

DATE: September 21, 2010 12:26 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance

Elevation Database EDR ID Number

EDR Site id:

USGS2113571

1 WNW FED USGS USGS2113571 0 - 1/8 Mile

Higher

Agency cd: USGS Site no: 405150073550601

Site name: NY 139 Latitude: 405150

Longitude: 0735506 Dec lat: 40.8639888 Dec Ion: -73.91791439 Coor meth: Μ Coor accr: R Latlong datum: NAD27 Dec latlong datum: NAD83 District: 36 061 36 County: State:

Country: US Land net: Not Reported Location map: CENTRAL PARK R-25-4 Map scale: Not Reported

Altitude: 15

Altitude method: Interpolated from topographic map

Altitude accuracy: 5

Altitude datum: National Geodetic Vertical Datum of 1929

Hydrologic: Not Reported Topographic: Not Reported

Site type: Ground-water other than Spring Date construction: Not Reported

Date inventoried: Not Reported Mean greenwich time offset: EST

Local standard time flag: N

Type of ground water site: Single well, other than collector or Ranney type

Aquifer Type: Not Reported Aquifer: Not Reported

Well depth: 310 Hole depth: Not Reported

Source of depth data: other reported Project number: Not Reported

Not Reported Daily flow data begin date: Not Reported Real time data flag: Daily flow data end date: Not Reported Daily flow data count: Not Reported Peak flow data begin date: Not Reported Peak flow data end date: Not Reported Peak flow data count: Not Reported Water quality data begin date: Not Reported Water quality data count: Water quality data end date:Not Reported Not Reported Ground water data begin date: Not Reported Ground water data end date: Not Reported

Ground water data count: Not Reported

Ground-water levels, Number of Measurements: 0

2 WNW FED USGS USGS2113598 1/4 - 1/2 Mile

EDR Site id:

Higher

Agency cd: USGS Site no: 405155073553601

Site name: NY 163 Latitude: 405155

Longitude: 0735536 Dec lat: 40.86537765 Dec Ion: -73.92624796 Coor meth: М NAD27 Coor accr: R Latlong datum: NAD83 Dec latlong datum: District: 36 State: 36 County: 061

Country: US Land net: Not Reported Location map: CENTRAL PARK R-25-4 Map scale: Not Reported

USGS2113598

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude: 20

Altitude method: Interpolated from topographic map

Altitude accuracy: 10

Altitude datum: National Geodetic Vertical Datum of 1929

Hydrologic: Not Reported Topographic: Not Reported

Site type: Ground-water other than Spring Date construction: Not Reported

Date inventoried: Not Reported Mean greenwich time offset: EST

Local standard time flag: N

Type of ground water site: Test hole, not completed as a well

Aquifer Type: Not Reported Aquifer: Not Reported

Well depth: 73 Hole depth: Not Reported

Source of depth data: driller

Project number: Not Reported

Real time data flag: Not Reported Daily flow data begin date: Not Reported Daily flow data end date: Not Reported Daily flow data count: Not Reported Peak flow data begin date: Not Reported Peak flow data end date: Not Reported Peak flow data count: Not Reported Water quality data begin date: Not Reported Water quality data end date: Not Reported Water quality data count: Not Reported Ground water data end date: Not Reported Ground water data begin date: Not Reported

Ground water data count: Not Reported

Ground-water levels, Number of Measurements: 0

A3
NNE
FED USGS USGS2113464
1/2 - 1 Mile

Higher

Agency cd: USGS Site no: 405219073544401

Site name: NY 94

EDR Site id: USGS2113464 Latitude: 405219 Longitude: 0735444 Dec lat: 40.87204423 Dec Ion: -73.91180308 Coor meth: Μ Coor accr: R Latlong datum: NAD27

Coor accr:RLatlong datum:NAD27Dec latlong datum:NAD83District:36State:36County:061

Country: US Land net: Not Reported Location map: CENTRAL PARK R-25-4 Map scale: Not Reported

Altitude: 20

Altitude method: Interpolated from topographic map

Altitude accuracy: 10

Altitude datum: National Geodetic Vertical Datum of 1929

Hydrologic: Not Reported Topographic: Not Reported

Site type: Ground-water other than Spring Date construction: Not Reported

Date inventoried: Not Reported Mean greenwich time offset: EST

Local standard time flag: N

Type of ground water site: Single well, other than collector or Ranney type

Aquifer Type: Not Reported

Aquifer: SAND

Well depth: 39 Hole depth: Not Reported

Source of depth data: other reported

Project number: Not Reported
Real time data flag: Not Reported
Daily flow data end date: Not Reported
Peak flow data begin date: Not Reported
Peak flow data begin date: Not Reported
Peak flow data begin date: Not Reported
Peak flow data end date: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported Water quality data begin date: Not Reported Water quality data end date:Not Reported Water quality data count: Not Reported Ground water data begin date: Not Reported Ground water data count: Not Reported Ground water data count: Not Reported

Ground-water levels, Number of Measurements: 0

4 South FED USGS USGS2113827 1/2 - 1 Mile

Higher

 Agency cd:
 USGS
 Site no:
 405116073545601

 Site name:
 B 41
 41

 Latitude:
 405116
 EDR Site id:
 USGS2113827

 Longitude:
 0735456
 Dec lat:
 40.85454452

 Dec Ion:
 -73.91513658
 Coor meth:
 M

 Coor accr:
 R
 Latlong datum:
 NAD27

 Dec Iatlong datum:
 NAD83
 District:
 36

 State:
 36
 County:
 005

Country: US Land net: Not Reported Location map: CENTRAL PARK R-25-4 Map scale: Not Reported

Altitude: 100

Altitude method: Interpolated from topographic map

Altitude accuracy: 10

Altitude datum: National Geodetic Vertical Datum of 1929

Hydrologic: Not Reported Topographic: Not Reported

Site type: Ground-water other than Spring Date construction: Not Reported

Date inventoried: Not Reported Mean greenwich time offset: EST

Local standard time flag: N

Type of ground water site: Single well, other than collector or Ranney type

Aquifer Type: Not Reported Aquifer: Not Reported

Well depth: 98 Hole depth: Not Reported

Source of depth data: Not Reported Project number: Not Reported

Real time data flag: 0 Daily flow data begin date: 0000-00-00

Daily flow data end date: 0000-00-00 Daily flow data count: 0
Peak flow data begin date: 0000-00-00 Peak flow data end date: 0000-00-00

Peak flow data count: 0 Water quality data begin date: 0000-00-00 Water quality data end date:0000-00-00 Water quality data count: 0

Ground water data begin date: 1953-00-00 Ground water data end date: 1953-00-00

Ground water data count:

Ground-water levels, Number of Measurements: 1

Feet below Feet to
Date Surface Sealevel

1953 20

Higher

A5
NNE
FED USGS USGS2113479
1/2 - 1 Mile

TC02874993.2r Page A-10

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd: USGS Site no: 405222073544301

Site name: NY 165

 Latitude:
 405222
 EDR Site id:
 USGS2113479

 Longitude:
 0735443
 Dec lat:
 40.87287755

 Dec Ion:
 -73.91152529
 Coor meth:
 M

 Coor accr:
 R
 Latlong datum:
 NAD27

 Dec Iatlong datum:
 NAD83
 District:
 36

 State:
 36
 County:
 061

Country: US Land net: Not Reported Location map: CENTRAL PARK R-25-4 Map scale: Not Reported

Altitude: 5

Altitude method: Interpolated from topographic map

Altitude accuracy: 2

Altitude datum: National Geodetic Vertical Datum of 1929

Hydrologic: Not Reported Topographic: Not Reported

Site type: Ground-water other than Spring Date construction: Not Reported

Date inventoried: Not Reported Mean greenwich time offset: EST

Local standard time flag: N

Type of ground water site: Test hole, not completed as a well

Aquifer Type: Not Reported

Aquifer: Not Reported

Well depth: 59 Hole depth: Not Reported

Source of depth data: driller

Project number: Not Reported

Real time data flag: Not Reported Daily flow data begin date: Not Reported Daily flow data end date: Not Reported Daily flow data count: Not Reported Peak flow data begin date: Not Reported Peak flow data end date: Not Reported Peak flow data count: Not Reported Water quality data begin date: Not Reported Water quality data end date:Not Reported Water quality data count: Not Reported Ground water data begin date: Not Reported Ground water data end date: Not Reported

Ground water data count: Not Reported

Ground-water levels, Number of Measurements: 0

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for NEW YORK County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8056

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon Source: Department of Health Telephone: 518-402-7556 Radon Test Results

Area Radon Information Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

This Report contains certain products owned by or licensed by Tele Atlas North America, Inc. ("TANA") and licensed to EDR pursuant to an agreement between EDR and TANA (the "TANA Agreement"). Such products include the Dynamap®/2000 (commencing with the most current version, nationwide coverage, ArcInfo™format, tiled by county, with semi–annual Updates) and are referred to in this Report as the "Licensed Products".

The use of the Licensed Products with a non-TANA map may result in increased variance between the location displayed on the map and ground truth location.

The recipient of the Report (hereinafter referred to as an "End User") shall use such Report solely for its internal purposes and not for resale.

U.S. GOVERNMENT RIGHTS. If End User is an agency, department, or other entity of the United States Government, or funded in whole or in part by the United States Government, then use, duplication, reproduction, release, modification, disclosure or transfer of this commercial product and accompanying documentation, is restricted in accordance with the LIMITED or RESTRICTED rights as described in DFARS 252.227−7014(a)(1) (JUN 1995) (DOD commercial computer software definition), DFARS 227.7202−1 (DOD policy on commercial computer software), FAR 52.227−19 (JUN 1987) (commercial computer software clause for civilian agencies), DFARS 252.227−7015 (NOV 1995) (DOD technical data − commercial items clause); FAR 52.227−14 Alternates I, II, and III (JUN 1987) (civilian agency technical data and noncommercial computer software clause); and/or FAR 12.211 and FAR 12.212 (commercial item acquisitions), as applicable. In case of conflict between any of the FAR and DFARS provisions listed herein, the construction that provides greater limitations on the Government's rights shall control. Contractor/manufacturer is Tele Atlas North America, Inc., 11 Lafayette Street, Lebanon, NH 03766−1445. Phone: 603.643. 0330. The Licensed Products are ⊚ 1984−2008 by Tele Atlas North America, Inc. ALL RIGHTS RESERVED. For purpose of any public disclosure provision under any federal, state or local law, it is agreed that the Licensed Products are a trade secret and a proprietary commercial product and not subject to disclosure.

If End User is an agency, department, or other entity of any State government, the United States Government or any other public entity or funded in whole or in part by the United States Government, such End User agrees to protect the Licensed Products from public disclosure and to consider the Licensed Products exempt from any statute, law, regulation, or code, including any Sunshine Act, Public Records Act, Freedom of Information Act, or equivalent, which permits public access and/or reproduction or use of the Licensed Products. In the event that such exemption is challenged under any such laws, any and all right to retain any copies or to use of the Licensed Products shall be terminated and considered immediately null and void. Any copies of the Licensed Products held by End User shall immediately be destroyed. If any court of competent jurisdiction considers this clause void and unenforceable, in whole or in part, for any reason, then all Licensed Products previously delivered to End User will be destroyed.


APPENDIX F HISTORICAL DOCUMENTATION













































Historic Fire Insurance Map











































Historic Fire Insurance Map








Historic Fire Insurance Map


















































Historic Fire Insurance Map



































Historic USGS Topographic Map








Historic USGS Topographic Map








Historic USGS Topographic Map








Historic USGS Topographic Map







Historic USGS Topographic Map





Pathmark Supermarket

410 W 207th St New York, NY 10034

Inquiry Number: 2874993.6

September 21, 2010

The EDR-City Directory Abstract



TABLE OF CONTENTS

SECTION

Executive Summary

Findings

Thank you for your business.Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

2009 Enhancements to EDR City Directory Abstract

New for 2009, the EDR City Directory Abstract has been enhanced with additional information and features. These enhancements will make your city directory research process more efficient, flexible, and insightful than ever before. The enhancements will improve the options for selecting adjoining properties, and will speed up your review of the report.

City Directory Report. Three important enhancements have been made to the EDR City Directory Abstract:

- 1. *Executive Summary*. The report begins with an Executive Summary that lists the sources consulted in the preparation of the report. Where available, a parcel map is also provided within the report, showing the locations of properties researched.
- 2. *Page Images.* Where available, the actual page source images will be included in the Appendix, so that you can review them for information that may provide additional insight. EDR has copyright permission to include these images.
- 3. Findings Listed by Location. Another useful enhancement is that findings are now grouped by address. This will significantly reduce the time you need to review your abstracts. Findings are provided under each property address, listed in reverse chronological order and referencing the source for each entry.

Options for Selecting Adjoining Properties. Ensuring that the right adjoining property addresses are searched is one of the biggest challenges that environmental professionals face when conducting city directory historical research. EDR's new enhancements make it easier for you to meet this challenge. Now, when you place an order for the EDR City Directory Abstract, you have the following choices for determining which addresses should be researched.

- 1. You Select Addresses and EDR Selects Addresses. Use the "Add Another Address" feature to specify the addresses you want researched. Your selections will be supplemented by addresses selected by EDR researchers using our established research methods. Where available, a digital map will be shown, indicating property lines overlaid on a color aerial photo and their corresponding addresses. Simply use the address list below the map to check off which properties shown on the map you want to include. You may also select other addresses using the "Add Another Address" feature at the bottom of the list.
- 2. *EDR Selects Addresses*. Choose this method if you want EDR's researchers to select the addresses to be researched for you, using our established research methods.
- 3. You Select Addresses. Use this method for research based solely on the addresses you select or enter into the system.
- 4. Hold City Directory Research Option. If you choose to select your own adjoining addresses, you may pause production of your EDR City Directory Abstract report until you have had a chance to look

at your other EDR reports and sources. Sources for property addresses include: your Certified Sanborn Map Report may show you the location of property addresses; the new EDR Property Tax Map Report may show the location of property addresses; and your field research can supplement these sources with additional address information. To use this capability, simply click "Hold City Directory research" box under "Other Options" at the bottom of the page. Once you have determined what addresses you want researched, go to your EDR Order Status page, select the EDR City Directory Abstract, and enter the addresses and submit for production.

Questions? Contact your EDR representative at 800-352-0050. For more information about all of EDR's 2009 report and service enhancements, visit www.edrnet.com/2009enhancements

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2006. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

| <u>Year</u> | Source | <u>TP</u> | <u>Adjoining</u> | Text Abstract | Source Image |
|-------------|--|-----------|------------------|---------------|--------------|
| 2006 | Hill-Donnelly Information Services | Χ | X | X | - |
| 2000 | Cole Information Services | Χ | X | X | - |
| 1998 | NYNEX Telephone | Χ | X | X | - |
| 1996 | NYNEX Telephone | - | - | - | - |
| 1993 | NYNEX Telephone | Χ | X | X | - |
| 1988 | NYNEX Telephone | Χ | X | Χ | - |
| 1983 | New York Telephone | Χ | X | X | - |
| 1978 | New York Telephone | Χ | X | X | - |
| 1973 | New York Telephone | Χ | X | X | - |
| 1968 | New York Telephone | - | X | Χ | - |
| 1963 | New York Telephone | Χ | X | X | - |
| 1958 | New York Telephone | - | X | X | - |
| 1956 | New York Telephone | - | X | Χ | - |
| 1950 | New York Telephone | - | X | X | - |
| 1947 | New York Telephone | - | X | Χ | - |
| 1942 | New York Telephone | - | X | Χ | - |
| 1938 | New York Telephone | - | X | X | - |
| 1934 | R. L. Polk & Co. | - | - | - | - |
| 1931 | Manhattan and Bronx Directory Publishing Company Residential Directory | - | - | - | - |
| 1927 | New York Telephone | - | Χ | X | - |
| 1923 | R. L. Polk & Co. | - | - | - | - |
| 1920 | R. L. Polk & Co. | - | - | - | - |
| | | | | | |

TARGET PROPERTY INFORMATION

ADDRESS

410 W 207th St New York, NY 10034

FINDINGS DETAIL

Target Property research detail.

| <u>Year</u> | <u>Uses</u> | Source |
|-------------|-----------------------|------------------------------------|
| 2006 | Pathmark | Hill-Donnelly Information Services |
| 2000 | PATHMARK OF INWOOD | Cole Information Services |
| 1998 | PATHMARK OF INWOOD | NYNEX Telephone |
| 1993 | PATHMARK INWOOD | NYNEX Telephone |
| | PATHMARK OF INWOOD | NYNEX Telephone |
| 1988 | PATHMARK INWOOD | NYNEX Telephone |
| | PATHMARK OF INWOOD | NYNEX Telephone |
| 1983 | PATHMARK OF INWOOD | New York Telephone |
| 1978 | PATHMARK OF INWOOD | New York Telephone |
| 1973 | PATHMARK OF INWOOD | New York Telephone |
| 1963 | MIRAMAR SWIMMING POOL | New York Telephone |

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

9TH AVE

3825 9TH AVE

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------|--------------------|
| 1947 | COLONIAL PLASTICS INC | New York Telephone |

3835 9TH AVE

| 0000 3111 | AVE | |
|-------------|--------------------------------------|------------------------------------|
| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
| 2006 | J JS Milk Stored Inc | Hill-Donnelly Information Services |
| | L & D Business Machines | Hill-Donnelly Information Services |
| | Lebron Electronic Wholesales | Hill-Donnelly Information Services |
| | Liberate Warehouse | Hill-Donnelly Information Services |
| | Quiqueya | Hill-Donnelly Information Services |
| 2000 | FAST TRUCKING LTD | Cole Information Services |
| | ALEX TRUCKING | Cole Information Services |
| | JOSE DELGADO | Cole Information Services |
| 1998 | ALEX TRUCKING | NYNEX Telephone |
| | FAST TRUCKING LTD | NYNEX Telephone |
| | FELIX JOSE MIGUEL | NYNEX Telephone |
| 1993 | VIRGINIA HOME FASHIONS INC | NYNEX Telephone |
| 1983 | DAV-L MOT0R CARS REPRS | New York Telephone |
| | DAV-EL REPR SHOP | New York Telephone |
| 1978 | A P C SPORTSWEAR INC | New York Telephone |
| | A P C SPORTSWEAR INC | New York Telephone |
| 1973 | GOLDFARB N0ELTY CO INC | New York Telephone |
| | NOVELTY IMPRT CO INC | New York Telephone |
| | SPECIALTY INDUSTRES DIV OF AMTEL INC | New York Telephone |
| 1968 | DURA LIGHT IMPORT CORN | New York Telephone |
| | GOLDFARB NOVELTY CO INC | New York Telephone |
| 1963 | DURA LIGHT IMPORT CORP | New York Telephone |
| | GOLDFARB NOVELTY CO INC | New York Telephone |
| | NOVELTY IMPORT CO LNC | New York Telephone |
| 1958 | DURA LIGHT IMPORT CORP | New York Telephone |
| | GOLDFARB NOVELTY CO | New York Telephone |
| | | |

2874993-6 Page 3

| <u>Year</u> | <u>Uses</u> | Source |
|-------------|---------------------------------|------------------------------------|
| 1958 | NOVELTY IMPORT CO INC | New York Telephone |
| 1956 | GOLDFARB NOVELTY CO | New York Telephone |
| | NOVELTY IMPORT CO INC | New York Telephone |
| 1950 | AMER AGENCY OF FRENCH VICHY INC | New York Telephone |
| | COURNAND E L & CO | New York Telephone |
| | COURNAND E L INC | New York Telephone |
| | COURNAND EDOUARD L B | New York Telephone |
| | PLASTICS MOULDING CORP | New York Telephone |
| | PLYWOOD AIRCRAFT CORP | New York Telephone |
| | VICHY CELESTINS | New York Telephone |
| | WINDOW CORP OF AMERICA | New York Telephone |
| 1947 | AMER AGENCY OF FRENCH VICHY INC | New York Telephone |
| | COURNAND E L & CO | New York Telephone |
| | COURNAND E L INC | New York Telephone |
| | COURNAND EDOUARD L B | New York Telephone |
| | PLASTICS MOULDING CORP | New York Telephone |
| | PLYWOOD AIRCRAFT CORP | New York Telephone |
| | VICHY CELESTINS | New York Telephone |
| | WINDOW CORP OF AMERICA | New York Telephone |
| 1942 | FAVORITE GARAGE CORP | New York Telephone |
| 1938 | LEIGHTON MOTOR SVCE | New York Telephone |
| | LEIGHTON MOTOR SVCE REPRS | New York Telephone |
| | PEAT GARAGE | New York Telephone |
| | STEDMAN C R MOTOR SALES CORP | New York Telephone |
| 3839 9TH | AVE | |
| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
| 1963 | CROMWELL MDSE CORP | New York Telephone |
| 3840 9TH | AVE | |
| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
| 2006 | No Current Listing | Hill-Donnelly Information Services |
| 2000 | RODRIGUEZ JOSE | Cole Information Services |
| 1998 | CLASSICA BRONX DISTRIBUTORS | NYNEX Telephone |
| 3842 9TH | AVE | |
| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
| 2006 | Contreras Isa | Hill-Donnelly Information Services |
| | Bobbys Fish & Seafood Rest | Hill-Donnelly Information Services |
| | • | · · |

2874993-6 Page 4

| <u>Year</u> | <u>Uses</u> | Source |
|-------------|-----------------------------|---------------------------|
| 2000 | WILLMAR AUTO PRTS | Cole Information Services |
| | BABBYS FISH & SEAFD | Cole Information Services |
| 1998 | CONTRERAS EDWARD | NYNEX Telephone |
| | WILLMAR AUTO PARTS INC | NYNEX Telephone |
| 1993 | AID AUTO STORE | NYNEX Telephone |
| | BISMARK EL CHE AUTO SHOP | NYNEX Telephone |
| 1988 | ACADEMY E 569-611 I | NYNEX Telephone |
| | L ECTRALINE MFG CORP | NYNEX Telephone |
| 1983 | ACADEMY ELECTRCL PRODS CORP | New York Telephone |
| 1978 | ACADEMY ELECTRCL PRODS CORP | New York Telephone |
| 1973 | ACADEMY ELECTRCL PRODS CORP | New York Telephone |
| 1968 | ACADEMY ELECTRCL PRODS CORP | New York Telephone |
| 1963 | ACADEMY ELECTICL PRODS CORP | New York Telephone |
| 1958 | ACADEMY ELECTRCL PRODS CORP | New York Telephone |
| 1956 | ACADEMY ELECTRCL PRODS CORP | New York Telephone |

<u>9TH ST</u>

3831 9TH ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---|-----------------|
| 1993 | NATIONAL RUBBER & BACKING CORP MANUFACTURERS RESIN LATEX SOLVENT ADHESIVE | NYNEX Telephone |

<u>W 207 ST</u>

400 W 207 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------|--------------------|
| 1947 | MIRAMAR SWIMMING POOL | New York Telephone |

401 W 207 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|---------------------|--------------------|
| 1998 | MERIT CARWASH | NYNEX Telephone |
| | MERRIT INWARD INC | NYNEX Telephone |
| 1993 | MERIT CARWASH | NYNEX Telephone |
| | MERRNT INWARD INC | NYNEX Telephone |
| 1988 | MERRIT INWARD INC | NYNEX Telephone |
| 1983 | INWOOD CAR WASH INC | New York Telephone |
| | MERRIT INWARD INC | New York Telephone |
| 1978 | INWOOD CAR WASH INC | New York Telephone |

2874993- 6 Page 5

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------|--------------------|
| 1973 | INWOOD CAR WASH INC | New York Telephone |
| 1968 | SAVEWAY TNWD INC | New York Telephone |
| 1963 | PACKES BROS | New York Telephone |
| | PACKES BROS GAS NSTA | New York Telephone |
| 1958 | PACKES BROS GAS STA | New York Telephone |
| 1956 | PACKES BROS GAS STA | New York Telephone |
| 1950 | PACKES BROS GAS STA | New York Telephone |
| 1947 | PACKES BROS GAS STA | New York Telephone |
| 1942 | MIRAMAR SVCE STA | New York Telephone |
| 1938 | MIRAMAR SVCE STA | New York Telephone |

408 W 207 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------------|--------------------|
| 1958 | MIRAMAR SWIMMING POOL | New York Telephone |
| 1956 | MIRAMAR SWIMMING POOL | New York Telephone |
| 1950 | MIRAMAR SWIMMING POOL | New York Telephone |
| 1942 | MIRAMAR SWIMMING POOL | New York Telephone |
| 1938 | MIRAMAR SWMMING POOL | New York Telephone |
| 1927 | MIRAMAR AMUSEMENT CO | New York Telephone |

416 W 207 ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|-----------------|--------------------|
| 1958 | ARLES ARTHONY E | New York Telephone |

W 207TH

408 W 207TH

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|----------------------|--------------------|
| 1927 | Miramar Amusement Co | New York Telephone |

W 207TH ST

401 W 207TH ST

| <u>Year</u> | <u>Uses</u> | <u>Source</u> |
|-------------|--------------------|------------------------------------|
| 2006 | Card Pro | Hill-Donnelly Information Services |
| | Merrit Inward Inc | Hill-Donnelly Information Services |
| 2000 | MERIT GAS STATIONS | Cole Information Services |
| | MERRIT INWARD INC | Cole Information Services |

2874993-6 Page 6

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched Address Not Identified in Research Source

410 W 207th St 1996, 1968, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

| Address Researched | Address Not Identified in Research Source |
|--------------------|--|
| 3825 9TH AVE | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 3831 9TH ST | 2006, 2000, 1998, 1996, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 3835 9TH AVE | 1996, 1988, 1934, 1931, 1927, 1923, 1920 |
| 3839 9TH AVE | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 3840 9TH AVE | 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 3842 9TH AVE | 1996, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 400 W 207 ST | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 401 W 207 ST | 2006, 2000, 1996, 1934, 1931, 1927, 1923, 1920 |
| 401 W 207TH ST | 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |
| 408 W 207 ST | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1947, 1934, 1931, 1923, 1920 |
| 408 W 207TH | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920 |
| 416 W 207 ST | 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920 |

APPENDIX G PORTIONS OF PREVIOUS REPORT





35 TECHNOLOGY DRIVE WARREN, NJ 07059 908.668.7777 FAX 908.754.5936 www.whitestoneassoc.com

PRIVILEGED AND CONFIDENTIAL

SUMMARY REPORT OF FINDINGS

PHASE I ENVIRONMENTAL SITE ASSESSMENT

EXISTING PATHMARK SUPERMARKET 410 WEST 207TH STREET NEW YORK, NEW YORK

Prepared for:

THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC. 2 Paragon Drive
Montvale, New Jersey 07645

Prepared by:

WHITESTONE ASSOCIATES, INC. 35 Technology Drive Warren, New Jersey 07059

Whitestone Project #WJ07-9915 October 4, 2007

Other Office Locations:



35 TECHNOLOGY DRIVE
WARREN, NJ 07059
908.668.7777
FAX 908.754.5936
www.whitestoneassoc.com

Privileged and Confidential

October 4, 2007

via email and Federal Express

THE GREAT ATLANTIC & PACIFIC TEA COMPANY, INC.

2 Paragon Drive Montvale, New Jersey 07645

Attention:

Mr. Timothy S. Huttleston

Senior Director of Real Estate

Regarding:

PHASE I ENVIRONMENTAL SITE ASSESSMENT

EXISTING PATHMARK SUPERMARKET

 $410~{
m WEST}~207^{
m TH}~{
m STREET}$ NEW YORK, NEW YORK

WHITESTONE PROJECT NO.: WJ07-9915

Dear Mr. Huttleston:

Whitestone Associates, Inc. (Whitestone) is pleased to submit for your review the attached Summary Report of Findings - Phase I Environmental Site Assessment for the above-referenced property. Additional pertinent information (if any) received from regulatory agencies pursuant to Freedom of Information Law (FOIL) requests will be provided in a supplement to this report.

Please contact us with any questions or comments regarding the enclosed report.

Sincerely,

WHITESTONE ASSOCIATES, INC.

Christopher Seib

Director, Environmental Division

Dustin A. Kapson

Environmental Specialist

CS/jlt L:\JobFolders\2007\079915\REPORTS\9915ESA-NewYork.wpd

Enclosures

Copy: Robert R. Volosin, A&P

Existing Pathmark Supermarket 410 West 207th Street New York, New York

TABLE OF CONTENTS

| 1.0 | SUMMARY OF FINDINGS | | | | |
|-----|---------------------|---|---|--|--|
| 2.0 | INTR | RODUCTION | 2 | | |
| | 2.1 | Purpose | 2 | | |
| | 2.2 | Detailed Scope of Services | 2 | | |
| | 2.3 | Significant Assumptions | 2 | | |
| | 2.4 | Limitations and Exceptions | 2 | | |
| | 2.5 | Special Terms and Conditions | 3 | | |
| | 2.6 | User Reliance | 3 | | |
| 3.0 | SITE | DESCRIPTION | 4 | | |
| | 3.I | Location and Legal Description | 4 | | |
| | 3.2 | Site Vicinity and General Characteristics | 4 | | |
| | 3.3 | Current and Past Uses of the Property | 4 | | |
| | 3.4 | Descriptions of Structures, Roads and Other Site Improvements | 4 | | |
| | | 3.4.1 Existing Structures/Improvements/Roads | 4 | | |
| | | 3.4.2 Utilities | 5 | | |
| | 3.5 | Current and Past Uses of Adjoining Properties | 5 | | |
| 4.0 | USEI | R PROVIDED INFORMATION | 6 | | |
| | 4.1 | Title Records | 6 | | |
| | 4.2 | Environmental Liens or Activity and Use Limitations | 6 | | |
| | 4.3 | Specialized Knowledge | 6 | | |
| | 4.4 | Commonly Known or Reasonably Ascertainable Information | 6 | | |
| | 4.5 | Valuation Reduction for Environmental Issues | 6 | | |
| | 4.6 | Owner, Property Manager and Occupant Information | 6 | | |
| | 4.7 | Reason for Performing Phase I ESA | 7 | | |
| | 4.8 | Other | 7 | | |

PHASE I ENVIRONMENTAL SITE ASSESSMENT Existing Pathmark Supermarket 410 West 207th Street New York, New York

TABLE OF CONTENTS

(Continued)

| 5.0 | RECO | ORDS REVIEW | 8 | | |
|-----|------|--|----------|--|--|
| | 5.1 | Standard Environmental Record Sources | 8 | | |
| | 5.2 | Additional Entitionmental record Sources | 15 | | |
| | 5.3 | I hysical betting sources | 16 | | |
| | 5.4 | mstorious ose information (suspect repetty) | 17 | | |
| | | 5. T. Trotter i noto graphi a resultanti i i i i i i i i i i i i i i i i i i | 17 | | |
| | | 5.4.2 I no institute was a | 17 | | |
| | | 5.4.5 1 topolty 12x 1 nos 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 19 | | |
| | | Still Recorded Emile XIIII | 19 | | |
| | | 5, 1.5 0000 ropograpmeaps | 19 | | |
| | | 3.1.0 Oily Directory Boardin 1.1.11111 | 19 | | |
| | | 5. 1, 1 Building & Parimeter and a | 20 | | |
| | | 5. 1.0 Zonnig Zund | 20 | | |
| | | 77117 I Kadiotolius 2200 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 20 20 | | |
| | 5.5 | Historical Use Information (Adjoining Properties) | | | |
| | 5.6 | Data Gaps/Data Failures | | | |
| | | | | | |
| 6.0 | SITE | RECONNAISSANCE | 22 | | |
| | 6.1 | Methodology and Limiting Conditions | 22 | | |
| | 6.2 | | 22 | | |
| | | | 22 | | |
| | | 6.2.2 Historic Uses of the Property | 22 | | |
| | | 6.2.3 Current Uses of Adjoining Properties and Surrounding Areas | 22 | | |
| | | 6.2.4 Past Uses of Adjoining Properties and Surrounding Areas | 23 | | |
| | | 6.2.5 Geologic, Hydrogeologic, Hydrologic and Topographic Characteristics | 23 | | |
| | | 6.2.5.1 Topography/Geology | 23 | | |
| | | 6.2.5.2 Surface Water/Wetlands | 23 | | |
| | | 6.2.5.3 Groundwater | 23 | | |
| | | 6.2.6 General Description of Structures | 24 | | |
| | | 6.2.7 Roads | 24 | | |
| | | 9.7.6 7 5 mars L. D | 24 | | |
| | | 6.2.9 Sewage Disposal System | 25 | | |
| | | | | | |

Existing Pathmark Supermarket 410 West 207th Street New York, New York

TABLE OF CONTENTS

(Continued)

6.0 SITE RECONNAISSANCE (continued)

| 6.3 | Exterio | or Observations | 25 | | | | |
|-----|-----------------------|---|----|--|--|--|--|
| | 6.3.1 | Hazardous Substances and Petroleum Products | 25 | | | | |
| | 6.3.2 | Storage Tanks | 25 | | | | |
| | | 6.3.2.1 Underground Storage Tanks (USTs) | 25 | | | | |
| | | 6.3.2.2 Aboveground Storage Tanks (ASTs) | 25 | | | | |
| | | 6.3.2.3 Pipelines and Other Storage Vessels | 25 | | | | |
| | 6.3.3 | Odors | 26 | | | | |
| | 6.3.4 | Pools of Liquid | 26 | | | | |
| | 6.3.5 | Drums | 26 | | | | |
| | 6.3.6 | Hazardous Substances and Petroleum Product Containers | 26 | | | | |
| | 6.3.7 | Unidentified Substance Containers | 26 | | | | |
| | 6.3.8 | Pits, Ponds and Lagoons | | | | | |
| | 6.3.9 | Stained Soil or Pavement | | | | | |
| | 6.3.10 | Stressed Vegetation | | | | | |
| | 6.3.11 | Solid Waste | 26 | | | | |
| | 6.3.12 | Wastewater | 27 | | | | |
| | 6.3.13 | Wells | 27 | | | | |
| | 6.3.14 | Septic Systems | 27 | | | | |
| | 6.3.15 | Current/Past Agricultural Activity | | | | | |
| | 6.3.16 | Potential Off-Site Impacts/Concerns | 27 | | | | |
| 6.4 | Interior Observations | | | | | | |
| | 6.4.1 | Heating/Cooling | 28 | | | | |
| | 6.4.2 | Stains or Corrosion | 28 | | | | |
| | 6.4.3 | Drains and Sumps | 28 | | | | |
| | 6.4.4 | Indications of Polychlorinated Biphenyls (PCBs) | 28 | | | | |
| | 6.4.5 | Asbestos Containing Materials (ACM) | 28 | | | | |
| | 6.4.6 | Lead Based Paints | 28 | | | | |
| | 6.4.7 | Mold/Microbial Growth | 29 | | | | |

Existing Pathmark Supermarket 410 West 207th Street New York, New York

TABLE OF CONTENTS (Continued)

| 7.0 | INTE | RVIEWS | 30 |
|------|------|--|----------|
| | 7.1 | Interviews with Site Owner | 30 |
| | 7.2 | Interviews with Site Manager | 30 |
| | 7.3 | Interviews with Occupants | 30 |
| | 7.4 | Interviews with Local Government Officials | 31 |
| | 7.5 | Interviews with Others | 31 |
| 8.0 | FIND | INGS, CONCLUSIONS AND RECOMMENDATIONS | 32 |
| | 8.1 | Findings and Opinion | 32 |
| | | 8.1.1 Summary of RECs | 32 |
| | | 8.1.2 Limited Evaluation of Business Environmental Risks | 32 |
| | 8.2 | Opinion | 33 |
| | 8.3 | Conclusions and Recommendations | 33 |
| | 8.4 | Deviations and Data Gaps/Failures | 33 |
| | 8.5 | References | 34 |
| 9.0 | ADDI | TIONAL SERVICES | 35 |
| 10.0 | ENVI | RONMENTAL PROFESSIONALS | 36 |
| | 10.1 | Signatures | 36 36 |

Existing Pathmark Supermarket 410 West 207th Street New York, New York

TABLE OF CONTENTS (Continued)

FIGURES

FIGURE 1 Site Location Maps (USGS Topographic Maps) FIGURE 2 Existing Conditions and REC Location Plan

APPENDICES

| APPENDIX 1 | Site Reconnaissance Photographs |
|------------|---|
| APPENDIX 2 | Environmental Regulatory Database Records Search |
| APPENDIX 3 | FOIL Requests, Responses & Records of Communication |
| APPENDIX 4 | Aerial Photographs |
| APPENDIX 5 | Fire Insurance Map Documentation |
| APPENDIX 6 | City Directory Search |
| APPENDIX 7 | Transaction Screen Process Questionnaire |
| APPENDIX 8 | Qualifications of Environmental Professionals |

SECTION 1.0 Summary of Findings

Whitestone Associates, Inc. (Whitestone) was retained by The Great Atlantic & Pacific Tea Company, Inc. (A&P) to perform a Phase I Environmental Site Assessment (ESA) of the existing Pathmark supermarket located at 410 West 207th Street, New York, New York (hereinafter referred to as the "site" or the "subject property"). Investigatory activities were completed by Whitestone between September 5, 2007 and October 4, 2007. The site reconnaissance was conducted on September 18, 2007.

This document serves as the Phase I ESA report for this property. Because of the required turn-around time for this project, comprehensive responses to all New York State Department of Environmental Conservation (NYSDEC) and local requests for information pursuant to the *Freedom of Information Law* (FOIL) could not be included in this summary report. Additional pertinent information (if any) received from regulatory agencies pursuant to FOIL requests will be provided upon receipt in a supplement to this report.

Whitestone performed the Phase IESA of the subject property in conformance with the scope and limitations of the American Society of Testing Materials (ASTM) Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process (E1527-05). Any exceptions to or deletions from this practice are described in Sections 2.4 and 8.4 of this report. This assessment has revealed evidence of the following recognized environmental conditions (RECs) in connection with the subject property:

- According to historical sources reviewed by Whitestone, a gasoline station operated in the northeastern portion of the site from 1947 until 1968. The operations of the former on-site gasoline station are suspected to have included the on-site storage and use of petroleum products, automotive fluids, battery acids, solvents, and/or other hazardous or potentially hazardous materials. Discharges of such materials/wastes may have resulted in adverse impacts to subsurface soil and/or groundwater conditions at the subject site. In addition, underground storage tanks (USTs) utilized by the gasoline station may remain abandoned on site.
- Two elevators are located within the site building. The elevators utilize belowground hydraulic cylinders. Potentially, releases of hydraulic fluid from these cylinders may have adversely impacted subsurface soil and/or groundwater conditions at the site.

These RECs are documented more completely in the pages that follow -- as are recommendations for further evaluation and/or remediation.

SECTION 2.0 Introduction

2.1 PURPOSE

The purpose of this ESA is to provide an appropriate inquiry to the previous and current ownership and uses of the property consistent with the American Society of Testing Materials (ASTM) *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* (£1527-05).

2.2 DETAILED SCOPE OF SERVICES

Whitestone's Scope of Services in connection with this ESA included the following components:

- A review of readily-available federal, state, and local records through electronic database searches and *Freedom of Information Law* (FOIL) document requests;
- Obtaining an environmental lien search/chain of title;
- A site reconnaissance;
- Sanborn Fire Insurance Map, aerial photograph, historical topographic map, and City Directory Search evaluation and interpretation;
- Interviews with knowledgeable representatives; and
- Summary report generation.

2.3 SIGNIFICANT ASSUMPTIONS

Whitestone assumes all information provided by the client, public officials, knowledgeable representatives, or others noted in this report to be factual unless otherwise contradicted or documented.

2.4 LIMITATIONS AND EXCEPTIONS

The goal of an ESA is to identify recognized environmental conditions at the subject site. With this in mind, Whitestone seeks to investigate the presence or likely presence of hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release to structures of the property or into the soils, groundwater, or surface water of the property. This assessment includes a discussion of hazardous substances and petroleum products that are present at the property and are in compliance with appropriate regulations governing their storage and use.

WHITESTONE ASSOCIATES, INC.

This Phase I ESA does not include an extensive evaluation of *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be subject to enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not RECs, however, certain *Business Environmental Risks* (including RECs for which a No Further Action determination has been issued) and *de minimis* conditions as well as recommendations for further action, if appropriate, are summarized in Section 8.1.2 of this Phase I ESA report.

The Phase I ESA is intended to permit the *user* to satisfy one of the requirements to qualify for the *innocent landowner*, *contiguous property owner*, or *bona fide prospective purchaser* limitations on CERCLA liability: that is, the practice that constitutes *all appropriate inquiry* into the previous ownership and uses of the property consistent with good commercial or customary practice" as defined at 42 U.S.C. 9601(35)(B) and as defined in ASTM Standard Practice E1527-05.

The Pathmark also utilizes basement space located beneath the adjoining apartment building to the west of the subject property. This area which is used for storage reportedly is leased and was not evaluated as part of the subject property.

To date, a title report has not been provided to Whitestone by the user for review.

2.5 SPECIAL TERMS AND CONDITIONS

This Phase I ESA has been conducted in accordance with ASTM E1527-05, and no special terms or conditions have been included in this Phase I ESA report.

2.6 USER RELIANCE

The Great Atlantic & Pacific Tea Company, Inc., its successors, representatives, and/or assigns may rely upon the findings and conclusions of this document. This document was prepared for the sole use of The Great Atlantic & Pacific Tea Company, Inc., its successors, representatives, and assigns, and should not be relied upon by any third party without Whitestone's written consent.

SECTION 3.0 Site Description

3.1 LOCATION AND LEGAL DESCRIPTION

The subject property is located at 410 West 207th Street, New York, New York, Latitude 40.8641 North, Longitude 73.9181 West. The property is identified further as Block 2203, Lots 9 and 21, and comprises 2.285 acres. The site location is shown in Figures 1 and 2 and illustrated in Appendix 1, Site Photographs.

3.2 SITE VICINITY AND GENERAL CHARACTERISTICS

The subject property currently consists of a Pathmark supermarket and associated parking areas. The site is bound by a Hess gasoline station beyond 207th Street to the north; Beer and Soda Wholesale beyond 9th Avenue to the east; an apartment building and Westside Auto Repair beyond 206th Street to the south; and apartment and retail buildings to the west.

3.3 CURRENT AND PAST USES OF THE PROPERTY

The subject property currently is occupied by a Pathmark supermarket located in the western portion of the property. The eastern portion of the property and the roof of the site building are utilized as parking areas.

According to historical sources reviewed by Whitestone, the site building was constructed in 1968 and has been utilized as a supermarket/grocery store since construction. Prior to the construction of the existing site building, the subject property was occupied by Miramar Baths (bath bouse) from 1926 until at least 1963. Miramar Baths consisted of a three-story structure located in the northern portion of the site containing a restaurant, locker rooms and dance hall, and a swimming pool located in the northwestern portion of the site. In addition, a gasoline station had been located in the northeastern portion of the site from 1947 until 1968 and an automobile garage and office had been located in the southeastern portion of the site from 1925 until 1968. Prior to 1926, the subject property was undeveloped.

3.4 DESCRIPTIONS OF STRUCTURES, ROADS, AND OTHER SITE IMPROVEMENTS

3.4.1 Existing Structures/Improvements/Roads

The subject property currently houses a one-story, approximately 31,881 square feet (footprint), Pathmark supermarket with basement located in the western portion of the property. The eastern portion of the property and the roof of the site building are utilized as parking areas. A ramp located along the western exterior of the site building provides access to the roof parking. The Pathmark consists of customer service

WHITESTONE ASSOCIATES, INC.

areas and offices in the eastern portion of the first floor, storage areas, utility rooms and a loading dock in the southwestern portion of the first floor and retail space in the remaining portions of the first floor. A passenger elevator is situated in the western portion of the structure and a freight elevator is situated in the eastern portion of the structure. The basement consists of storage areas, an employee break area, restrooms and utility and compressor areas. The Pathmark also utilizes basement space located beneath the adjoining apartment building to the west of the subject property. This area which is used for storage reportedly is leased and was not evaluated as part of the subject property.

3.4.2 Utilities

The site building currently is serviced by electricity, natural gas, public water and the municipal sanitary sewer system. Underground natural gas, sewer, electric and water lines enter the subject property from 206th Street to the south. A natural gas-fired backup electrical generator is located in the basement. Sanitary sewer lines also enter the northern portion of the site building from 207th Street. Grease traps associated with food preparation activities are situated in the basement of the site building. In addition, stormwater management inlets were observed throughout the eastern portion of the subject site.

3.5 CURRENT AND PAST USES OF ADJOINING PROPERTIES

The properties adjacent to the subject site include:

- ▶ a Hess service station beyond 207th Street to the north;
- ▶ Beer and Soda Wholesale beyond 9th Avenue to the east;
- an apartment building and Westside Auto Repair beyond 206th Street to the south; and
- apartment and retail buildings to the west.

The area surrounding the subject property historically has consisted of a mix of commercial and residential uses. The subject area has been heavily developed since the 1930's.

SECTION 4.0 User Provided Information

4.1 TITLE RECORDS

To date, a title report has not been provided to Whitestone by the user for review. Information obtained from the title report will be submitted under separate cover upon receipt.

4.2 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS

Based on information provided by Whitestone's client, collected during the site reconnaissance and a search of readily-available local, state, and federal records, no environmental liens or environmental regulatory enforcement actions appear to have been instituted at the property. A title report for the subject property has not been reviewed by Whitestone to date. The site is not listed as a Superfund lien site (see Appendix 2).

4.3 SPECIALIZED KNOWLEDGE

The Great Atlantic & Pacific Tea Company, Inc. has not made known to Whitestone specialized knowledge or experience concerning recognized environmental conditions at the subject property.

4.4 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION

No additional information regarding the subject property has been provided by Whitestone's client.

4.5 VALUATION REDUCTION FOR ENVIRONMENTAL ASSESSMENTS

No evidence has been made available to Whitestone that the purchase price of the subject property is significantly less than the purchase price of comparable properties.

4.6 OWNER, PROPERTY MANAGER AND OCCUPANT INFORMATION

Owner:

Pathmark Stores, Inc.

200 Milik Street

Carteret, New Jersey 07008

Property

Manager:

Pathmark Stores, Inc. Howard, Store Manager 410 West 207th Street New York, New York Occupant:

Pathmark Supermarket

4.7 REASON FOR PERFORMING PHASE I ESA

The purpose of this ESA is to provide an appropriate inquiry to the previous and current ownership and uses of the property consistent with ASTM E1527-05 with the understanding that the subject property is to be purchased by Whitestone's client.

4.8 OTHER

No additional information pertinent to environmental matters at the subject property has been provided by Whitestone's client.

SECTION 5.0 Records Review

In support of this Phase I ESA, Whitestone conducted a search of readily-available federal, state, and local public records to document, among other items, current and past site ownership and usage, and evidence (if any) of past or pending environmental corrective or enforcement actions at the property or nearby locations. To accomplish this, Whitestone received a chain of title report or title search, obtained a database records search, submitted *Freedom of Information Law* (FOIL) requests for pertinent data, and/or interviewed knowledgeable representatives.

5.1 STANDARD ENVIRONMENTAL RECORD SOURCES

Whitestone utilized the services of Environmental Data Resources, Inc. (EDR) to conduct an electronic search of the federal, state, local, and tribal databases listed below (see Appendix 2). This search revealed that the subject property was not identified on the following databases:

- 1. **Federal NPL Site List.** The National Priorities List (NPL), also known as the Superfund List, is USEPA's listing of uncontrolled or abandoned CERCLA hazardons waste sites. The database search and radius profile revealed no NPL sites located within one mile of the property.
- 2. **Proposed Federal NPL Site List.** Sites that are proposed to be listed on the NPL. The database search and radius profile revealed no proposed NPL sites located within one mile of the property.
- 3. **Delisted Federal NPL Site List.** NPL sites that have been or may be deleted from the NPL where no further response is appropriate. The database search and radius profile revealed no delisted NPL sites located within one mile of the property.
- 4. **The Federal Superfund Liens.** This list identifies properties that USEPA has the authority to file liens against in order to recover remedial action expenditures, or when the property owner receives notification of potential responsible party status. USEPA compiles a listing of filed notices of Superfund liens. The subject property is not listed as an NPL Liens site.
- 5. **Federal CERCLIS List.** The Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) list is a compilation of known or suspected uncontrolled or abandoned hazardons waste sites that USEPA has investigated or is investigating for the release or threatened release of hazardous substances pursuant to CERCLA. No CERCLIS sites are present within a 0.5 mile radius of the property.
- 6. **Federal CERCLIS NFRAP Site List.** CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL,

or the contamination was not serious enough to require Federal Superfund action or NPL consideration. The subject property is not a CERCLIS NFRAP site. No CERCLIS NFRAP sites are located within a 0.5 mile radius of the subject property.

- 7. **Federal RCRA CORRACTS Facility List.** The Corrective Action Report (CORRACTS) identifies hazardous waste handlers with Resource Conservation and Recovery Act (RCRA) corrective action activity. The database search identified no CORRACTS sites within a one mile radius of the property.
- 8. Federal RCRA Non-CORRACTS TSD Facilities List. The Resource Conservation and Recovery System (RCRIS) Treatment, Storage and Disposal (TSD) Facilities report contains information pertaining to permitted facilities which treat, store, or dispose of hazardous wastes. This report includes information traced by the RCRA Administrative Action Tracking System (RAATS). The radius revealed no RCRIS TSD sites or RAATS sites within a 0.5 mile radius of the property.
- 9. Federal RCRA Large Quantity Generator (LQG) List. The RCRIS LQG report contains information pertaining to facilities that generate more than 1,000 kg per month of RCRA hazardous waste or meet other applicable requirements of RCRA. The radius profile revealed three RCRIS LQG sites within a 0.25 mile radius of the property. The facility nearest the subject property is identified as New York City Transit Authority located at 3884 9th Avenue, New York, New York, approximately 0.05 mile east of the subject site. No RCRA spills or violations have been reported for this facility. However, impacts to the subject property from this site may be possible due to its close proximity to the property. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.
- 10. Federal RCRA Small Quantity Generators (SQG) List. The RCRIS SQG report contains information pertaining to facilities which either generate between 100 kg and 1,000 kg per month of RCRA hazardous waste or meet other applicable requirements of RCRA. The radius profile revealed 11 RCRIS SQG sites within a 0.25 mile radius of the property. The site nearest the subject property is identified as Post Cleaners located at 131 Post Avenue, New York, New York, approximately 0.1 mile northwest of the subject site. No RCRA spills or violations have been reported for this facility. However, impacts to the subject property from this site may be possible due to its close proximity to the property. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.
- 11. **Federal ERNS List.** The Emergency Response Notification System (ERNS) is a national computer database that stores information on the sudden and/or accidental release of hazardous substances, including petroleum, into the environment during the previous reporting year. No releases were reported by ERNS within a 0.05 mile radius of the property during this period.
- 12. **Hazardous Materials Information Reporting System.** HMIRS contains hazardous material spill incident information as reported to the Department of Transportation. The subject property is not listed as a HMIRS facility.

- 13. **Engineering Control Sites List.** Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health. The radius profile revealed no Engineering Control sites within a 0.5 mile radius of the property.
- 14. **Institutional Control Sites List.** Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post-remediation care requirements intended to prevent exposure to contaminants remaining on site. The radius profile revealed no Institutional Control sites within a 0.5 mile radius of the property.
- 15. **Department of Defense Sites.** Department of Defense (DOD) sites consist of federally-owned or administered lands in the United States, Puerto Rico, and the U.S. Virgin Islands that have any area equal to or greater than 640 acres. The radius profile revealed no DOD sites within a one mile radius of the property.
- 16. **Formerly Used Defense Sites.** This listing includes locations of FUDS properties where the U.S. Army Corps of Engineers is actively working or will take necessary cleanup actions. The radius profile revealed no FUDS sites within a one mile radius of the property.
- 17. **U.S. Brownfields.** Under the U.S. Brownfields program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. The radius profile revealed no U.S. Brownfields sites within a 0.5 mile radius of the property.
- 18. **Superfund (CERCLA) Consent Decrees.** Legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites are often memorialized in Consent Decrees. No Consent Decrees are reported for sites within a one mile radius of the property.
- 19. **Records of Decision.** ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup. No RODs are in effect for sites within a one mile radius of the property.
- 20. **Uranium Mill Tailings Sites (UMTRA)**. Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium had been extracted from the ore. Human exposures to radioactive materials from the piles are low, however, in some cases, tailings were used as construction materials before the potential health hazards of the tailings were recognized. The radius profile revealed no UMTRA sites within a 0.5 mile radius of the property.
- 21. **Open Dump Inventory Sites.** An "open dump" is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 RCRA Subtitle D Criteria. The radius profile revealed no ODI sites within a 0.5 mile radius of the property.
- Toxic Chemical Release Inventory System. TRIS identifies facilities that are permitted to release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313. The subject property is not listed as a TRIS facility.

- 23. Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory List, including data on the production volume of these substances by plant site. The subject property is not listed as a TSCA site.
- 24. **FIFRA/TSCA Tracking System.** FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA (Federal Insecticide, Fungicide & Rodenticide) and TSCA. The subject property is not listed as a FTTS site.
- 25. Section Seven Tracking System. Section 7 of FIFRA requires all registered pesticide-producing establishments to submit a report to the USEPA by March 1 of each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year. The subject property is not listed as a SSTS site.
- 26. **Integrated Compliance Information System.** The ICIS supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program. The subject property is not listed as a ICIS site.
- 27. **PCB Activity Database System.** PADS identifies generators, transporters, commercial storage facilities and/or brokers, and disposers of PCBs who are required to notify USEPA of such activities. The subject property is not listed as a PADS site.
- 28. **Material Licensing Tracking System.** MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. The MLTS list was last updated on April 5, 2007. The subject property is not listed as a MLTS site.
- 29. **MINES Master Index File.** This list contains all mine identification numbers and violations issued for mines active or opened since 1971. The subject property is not listed as a MINES site.
- 30. Facility Index System. FINDS contains both facility information and "pointers" to other sources that contain more detail. These include RCRIS; the permit compliance system (PCS); the Aerometric Information Retrieval System (AIRS); the FIFRA and TSCA Enforcement System (FATES); the FIFRA/TSCA Tracking System (FTTS); CERCLIS; DOCKET (enforcement docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); the Federal Underground Injection Control and Federal Reporting Data System; Surface Impoundments; TSCA Chemical and Commerce Information System; RCRA-J (Medical Waste Transporters/Disposers); TRIS, and TSCA. The subject property is not identified on the FINDS database.
- 31. State-Equivalent NPL and CERCLIS Sites. The State Hazardous Waste Site (SHWS) records are the State's equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties (PRPs). No SHWS sites are located within a one mile radius of the property.

- 32. **Delisted SHWS.** A database list of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites. The radius profile revealed no Delisted SHWS sites within a one mile radius of the property.
- 33. State Solid Waste Facilities/Landfill Sites. The SWF/LS List is a listing of all active and inactive permitted waste disposal sites and processing facilities located in New York. No SWF/LS sites are located within a 0.5 mile radius of the property.
- 34. **SWRCY Recycling Facilities.** A database of recycling facilities in the State of New York. The radius profile revealed no SWRCY sites within a 0.5 mile radius of the property.
- 35. **State Leaking Storage Tank List.** The LTANK list is a comprehensive listing of all *reported* leaking USTs and ASTs in the State of New York. A total of 57 LTANK sites have been reported within a 0.5 mile radius of the property. The LTANK sites nearest the subject property include:

| LTANK Site | Address | Release Date & Tank Description | Case Status |
|---------------------|-----------------------------------|------------------------------------|-------------------|
| Business | 513 West 207th Street | September 29, 2005 | Case Closed on |
| | New York, New York | Fuel Oil | March 15, 2006 |
| Commercial Building | 513 West 207 th Street | November 8, 2005 | Case Closed on |
| | New York, New York | Fuel Oil | August 16, 2006 |
| Ramiero | 3852-6 10 th Avenue | December 27, 1991 | Case Closed on |
| | New York, New York | Fuel Oil | December 31, 1991 |
| 101-109 Post Avenue | 101-109 Post Avenue | February 6, 1989 | Case Closed on |
| Site | New York, New York | Fuel Oil | February 23, 1989 |

Impacts to subsurface conditions at the subject property from these facilities are not anticipated due to their closed case statuses. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.

36. **New York Registered Storage Tank List.** The Registered Storage Tank list is a comprehensive listing of all *registered* USTs in the State of New York. A total of 14 registered underground storage tank sites are located within a 0.25 mile radius of the property. The UST sites nearest the subject property include:

| UST Facility | Address | Number of USTs | UST Capacity (gallons) | Product |
|------------------------|---|-------------------|------------------------------|----------|
| Audubon Partnership | 513 West 207th Street New York, New York | 1 | Closed-in-Place 1 x 2,000 | Fuel Oil |

| UST Facility | Address | Number of USTs | UST Capacity (gallons) | Product |
|---|---|-------------------|---|---|
| Manhattan Bible Church Incorporated | 401 West 205 th Street New York, New York | 1 | <u>Active</u> 1 x 3,000 | Fuel Oil |
| Triangle | 265 Nagle Avenue New York, New York | 3 | <u>Active</u> 3 x 4,000 | Gasoline/Ethanol |
| Merritt Oil Corp. | 401 West 207 th Street New York, New York | 50 | Active 4 x 4,000 1 x 4,000 1 x 550 Removed 4 x 4,000 2 x 2,000 2 x 2000 36 x 550 | Gasoline Diesel Fuel Not Reported Gasoline Fuel Oil Gasoline Gasoline |

Impacts to subsurface conditions at the subject property from these facilities are not anticipated due to their absence from the LTANK database and distances from the subject site. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.

37. **New York Registered Storage Tank List.** The Registered Storage Tank list is a comprehensive listing of all *registered* ASTs in the State of New York. A total of 81 registered aboveground storage tank sites are located within a 0.25 mile radius of the property. The AST sites nearest the subject property include:

| AST Facility | Address | Number of ASTs | AST Capacity (gallons) | Product |
|---|---|-------------------|----------------------------|----------|
| 420 West 206 th Street Owners Corp. | 420 West 206 th Street New York, New York | 1 | <u>Active</u> 1 x 5,000 | Fuel Oil |
| 3852-3856 10 th Avenue Site | 3856 10 th Avenue New York, New York | 1 | <u>Active</u> 1 x 5,000 | Fuel Oil |
| 207 Sherman Associate, LLC | 130 Post Avenue New York, New York | 1 | <u>Active</u> 1 x 5,000 | Fuel Oil |
| 425 West 205 th Street Corp. | 425 West 205 th Street New York, New York | 1 | <u>Active</u> 1 x 5,000 | Fuel Oil |

Impacts to subsurface conditions at the subject property from these facilities are not anticipated due to their absence from the LTANK database and the locations of the tanks. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.

- 38. **Manifest.** The manifest list identifies sites with hazardous waste manifest information or activity. The radius profile revealed 16 Manifest sites within a 0.25 mile radius of the property. The Manifest site nearest the subject property is identified as New York City Transit Authority located at 3884 9th Avenue, New York, New York, approximately 0.05 mile east of the subject site. No RCRA spills or violations have been reported for this facility. However, impacts to the subject property from this site may be possible due to its close proximity to the subject site. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.
- 39. **NY Spills**. The NY Spills Database is a listing of all spills reported to NYSDEC on or after April 1, 1986. The subject property is not identified on the NY Spills database.
- 40. **NY Engineering Controls.** Environmental remediation sites that have engineering controls in place. The radius profile revealed no NY Engineering Controls sites within a 0.5 mile radius of the property.
- 41. **NY Institutional Controls.** Environmental remediation sites that have institutional controls in place. The radius profile revealed no NY Institutional Controls sites within a 0.5 mile radius of the property.
- 42. Voluntary Cleanup Program Sites. New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The VCP was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures of greenfield sites. The radius profile revealed no VCP sites within a 0.5 mile radius of the property.
- 43. **Drycleaners.** This database is a listing of registered drycleaning facilities. The radius profile revealed two Drycleaner sites within a 0.25 mile radius of the property. The site nearest the subject property is identified as Descartes Dry Cleaners located at 3527 West 207th Street, New York, New York, approximately 0.1 mile north of the subject site. Impacts to the subject property from this facility may be possible due to its close proximity to the subject site. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.
- 44. **Brownfields.** A Brownfield is any real property where redevelopment or reuse may be complicated by the presence or potential presence of a bazardous waste, petroleum, pollutant or contaminant. The radius profile revealed no Brownfields sites within a 0.5 mile radius of the property.
- 45. **State Pollutant Discharge Elimination System (SPDES).** New York State has a state program that has been approved by the United States Environmental Protection Agency (USEPA) for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. The subject property is not listed on the SPDES database.
- 46. **Air Emissions Data (AIRS).** This is a database of air emissions data for sites in New York. The subject property is not listed on the AIRS database.

- 47. **Indian Reservations.** This list identifies Indian administered lands of the United States that have an area equal or greater than 640 acres. The radius profile revealed no Indian Reservation sites within a one mile radius of the property.
- 48. Indian Leaking Underground Storage Tank List. This list identifies leaking underground storage tank locations on Indian Land. The radius profile revealed no Indian LUST sites within a 0.5 mile radius of the property.
- 49. **Indian Underground Storage Tank List.** This list identifies underground storage tank locations on Indian Land. The radius profile revealed no Indian UST sites within a 0.25 mile radius of the property.
- 50. Former Manufactured Gas (Coal Gas Site). Historical coal gasification sites present a variety of potential environmental hazards. The subject property is not listed as a former coal gas site. Two former coal gas sites are located within a one mile radius of the subject site. The facility nearest the subject property is identified as Con Edison Kingsbridge Station located in Bronx, New York, approximately 0.4 mile east of the subject site. Impacts to the subject property from this facility are not anticipated due to its distance from the subject site. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.
- Federal Reporting Data System. FRDS provides information regarding public water supplies and their compliance with monitoring requirements, maximum contaminant levels, and other requirements of the Safe Drinking Water Act of 1986. No FRDS wells were reported within a one mile radius of the site (see Section 6.2.5.3).
- 52. Area Radon Information. A national database has been developed by USEPA that is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study includes data which have been supplemented by information collected at private sources such as universities and research institutions. Although no site-specific radon data is available for the subject property, the indoor average radon activity for New York County, New York is less than the USEPA's standard of 4.0 pCi/L.

Based on the database record search, a total of 281 listed sites have been identified in the vicinity of the property. The database search also identified 38 "orphan" sites that could not be located electronically due to insufficient records. Upon initial evaluation of these sites and available information gathered by Whitestone, impacts to the subject property by the off-site migration of contaminants from, or presence of hazardous substances at, nearby properties may be possible. Impacts from off-site locations (if any) would remain the responsibility of the owner/operator of the site from which the contamination is emanating.

5.2 ADDITIONAL ENVIRONMENTAL RECORD SOURCES

The following federal, state and local regulatory agencies were contacted with a request to access files regarding the property pursuant to FOIL (see Appendix 3):

1. United States Environmental Protection Agency

Region 2 290 Broadway, 26th Floor New York, New York 10007

2. New York State Department of Environmental Conservation

Freedom of Information Act Officer One Hunters Point Plaza 47-40 21st Street Long Island City, New York 11101

3. New York City Department of Environmental Protection

Marie A. Dooley, Assistant Counsel 59-17 Junction Boulevard Corona, New York 11368

4. New York City Department of Health

Renee Bryant, Records Access Officer 125 Worth Street Room 604, Box 31 New York, New York 10013

5. City of New York Fire Department

Bureau of Revenue Management 9 Metro Tech East Brooklyn, New York 112013857

To date, one written response has been received from NYSDEC. In a September 17, 2007 correspondence, NYSDEC indicated that they had received Whitestone's FOIL request and will determine if records exist for the site within 20 days. Pertinent information (if any) generated in response to these requests will be provided in a supplement to this report.

5.3 PHYSICAL SETTING SOURCES

The United States Geological Survey (USGS) 7.5 Minute Topographic Quadrangles -Central Park, New York dated 1966, 1976 and 1995 showing the area on which the subject property is located are provided as Figures 1A through 1C. Limited structural development is depicted on the USGS maps due to the urban setting of the subject site and buildings are not shown on the subject property. The USGS maps show the property to be situated at an approximate elevation of 20 feet above mean sea level (msl).

5.4 HISTORICAL USE INFORMATION (SUBJECT PROPERTY)

5.4.1 Aerial Photograph Evaluation

Aerial photographs were procured from EDR for the years 1954, 1966, 1974, 1984 and 1994 and reviewed by Whitestone for the subject property. A summary of the photos are outlined below. Copies of the aerial prints are included as Appendix 4.

1954:

In 1954, a structure suspected to be associated with a former on-site gasoline station was located in the northeastern portion of the subject property and a structure suspected to be associated with former site tenant Miramar Baths was located in the northern portion of the subject property. The site was bound by railroad tracks and commercial properties beyond 207th Street to the north; commercial properties beyond 9th Avenue to the east; an apartment building beyond 206th Street to the south; and commercial/residential properties to the west.

1966:

The conditions depicted in this aerial photograph appear generally similar to those identified on the 1954 aerial photograph.

1974:

By 1974, the existing site building had been constructed in the western portion of the subject property and the remaining portions of the subject site had been paved for use as parking areas. The conditions surrounding the subject property appear generally similar to those identified on the 1966 aerial photograph.

1984:

The conditions depicted in this aerial photograph appear generally similar to those identified on the 1974 aerial photograph.

1994:

The conditions depicted in this aerial photograph appeared generally similar to those identified on the 1974 aerial photograph.

5.4.2 Fire Iusurance Maps

Sanborn Fire Insurance Maps are available for this property for the years 1893, 1900, 1913, 1935, 1950, 1968, 1969, 1977, 1979, 1980, 1981, 1983, 1985, 1986, 1988, 1989, 1991, 1992, 1994, 1995 and 1996. A summary of the pertinent features highlighted by the Sanborn Maps is outlined below. Copies of the Sanborn Fire Insurance Maps are included as Appendix 5 to this report.

Sanborn Map 1: 1893 In 1893, the subject property and surrounding area were undeveloped.

Sanborn Map 2: 1900 In 1900, the subject property and surrounding area were undeveloped.

Sanborn Map 3: 1913 In 1913, the subject property was undeveloped. The site was bound by a bakery to the west; undeveloped land beyond 9th Avenue to the east; and

206th Street to the south. Properties located to the north of the subject site beyond 207th Street are not depicted on this Sanborn Map.

Sanborn Map 4: 1935

In 1935, the subject property was occupied by Miramar Baths which consisted of a three-story structure located in the northern portion of the site and an associated swimming pool situated in the northwestern portion of the site. The structure was identified as being constructed in 1926 and contained a restaurant, locker room and dance hall. The site was bound by a hotel to the west; a garage beyond 9th Avenue to the east; and undeveloped land beyond 206th Street to the south. Properties located to the north of the subject site beyond 207th Street are not depicted on this Sanborn Map. Although not depicted on this Sanborn Map, Certificates of Occupancy reviewed by Whitestone indicate that a gasoline station, automobile garage and office also had been located on the subject site at this time.

Sanborn Map 5: 1950

By 1950, a gasoline station was depicted in the northeastern portion of the subject property and an automobile garage and office were depicted in the southeastern portion of the subject property. In addition, the structure located beyond 9th Avenue to the east of the subject site was identified as Central Carpet Cleaning Company and an apartment building had been constructed to the south of the subject site beyond 206th Street. Otherwise, the conditions depicted in this Sanborn Map appear generally similar to those identified on the 1935 Sanborn Map.

Sanborn Map 6: 1968

By 1968, the existing site building had been constructed in the western portion of the subject property. The structure was identified as a store that had been constructed in 1966 with roof deck parking. In addition, the office formerly located in the southeastern portion of the site had been razed. Otherwise, the conditions depicted in this Sanborn Map appear generally similar to those identified on the 1950 Sanborn Map.

Sanborn Map 7: 1969

By 1969, the gasoline station formerly located in the northeastern portion of the site had been razed. Otherwise, the conditions depicted in this Sanborn Map appear generally similar to those identified on the 1968 Sanborn Map.

Sanborn Map 8: 1977

By 1977, the automobile garage formerly located in the southeastern portion of the site had been razed. Otherwise, the conditions depicted in this Sanborn Map appear generally similar to those identified on the 1969 Sanborn Map.

Sanborn Maps 9 through 18: 1980-1996 The conditions depicted in these Sanborn Maps appear generally similar to those identified on the 1977 Sanborn Map.

5.4.3 Property Tax Files

On-line information obtained from the New York City Department of Finance Automated City Register Information System (ACRIS) website indicates that the subject property currently is owned by Pathmark Stores, Inc. located at 200 Milik Street, Carteret, New Jersey 07008.

5.4.4 Recorded Land Title Records

A limited chain of title search was initiated in an attempt to determine past site usage and ownership, however, copies of the deeds were not readily-available at the Township's offices. A title report for the subject property has not been provided to Whitestone by the user for review to date.

5.4.5 USGS Topographic Maps

The United States Geological Survey (USGS) 7.5 Minute Topographic Quadrangles -Central Park, New York dated 1966, 1976 and 1995 showing the area on which the subject property is located are provided as Figures 1A through 1C. Limited structural development is depicted on the USGS maps due to the urban setting of the subject site and buildings are not shown on the subject property. The USGS maps show the property to be situated at an approximate elevation of 20 feet above mean sea level (msl).

5.4.6 City Directory Search

Whitestone utilized the services of EDR to conduct an electronic search of business directories at approximately five-year intervals for the years spanning 1975 through 2007 (see Appendix 6). This search revealed that the following businesses have occupied the subject site:

1927: Miramar Amusement Co. Inc.

1934: Miramar Amusement Co. Inc.

Miramar Pool Restaurant

Miramar Gas Station

1938: Miramar Service Station

Miramar Swimming Pool

1942: Miramar Service Station

Miramar Swimming Pool

1947: Packer Brothers Gas Station

1950: Packer Brothers Gas Station

1956: Packer Brothers Gas Station

1958: Packer Brothers Gas Station

1963: Miramar Swimming Pool

1973: Pathmark

1978: Pathmark

1983: Pathmark

1988: Pathmark

1993: Pathmark

1998: Pathmark

2001: Pathmark

5.4.7 Building Department Records

A search of the New York City Department of Buildings (DOB) website indicates that one active Environmental Control Board violation for conducting elevator work without a permit exists for the subject property. In addition, nine open DOB violations exist for the subject site. Specific information regarding these violations was not available from the DOB website. The DOB website also shows that Certificates of Occupancy were issued for the former automobile garage and office in 1925, Miramar Baths in 1926, the former gasoline station in 1947 and the existing site building in 1967.

5.4.8 Zoning/Land Use Records

The subject property is situated within an R7-2 Residential Zoning District.

5.4.9 Additional Historical Sources

In addition to the historical references listed above, Whitestone reviewed the following document pertinent to the subject property and the subject area:

December 1989 Preliminary Environmental Assessment prepared by BCM Engineers, Inc.

This report documents site history and site conditions to be consistent with those reported by Whitestone. No recognized environmental conditions were identified in connection with the subject property.

5.5 HISTORICAL USE INFORMATION (ADJOINING PROPERTIES)

The area surrounding the subject property historically has consisted of a mix of commercial and residential uses. The subject area has been heavily developed since the 1930's.

5.6 DATA GAPS/DATA FAILURES

No significant or pertinent data gaps or data failures regarding the subject property were identified during this Phase I ESA. To date, Whitestone has not reviewed a title report for the subject property.

SECTION 6.0 Site Reconnaissance

6.1 METHODOLOGY AND LIMITING CONDITIONS

Whitestone conducted a reconnaissance of accessible portions of the subject property on September 18, 2007. Existing site conditions and potential recognized environmental conditions (RECs) were photographed (see Appendix 1) and are documented below. Suggestions for the further investigation and/or remediation of the RECs identified in the following subsections are outlined in Section 8.0.

6.2 GENERAL SITE SETTING

The subject property currently consists of a Pathmark supermarket and associated parking areas. The subject property is located at 410 West 207 Street, New York, New York, Latitude 40.8641 North, Longitude 73.9181 West. The property is identified further as Section 57, Block 2203, Lot 9 and 21, and comprises 2.285 acres.

6.2.1 Current Uses of the Property

The subject property currently consists of a Pathmark supermarket and associated parking areas.

6.2.2 Historic Uses of the Property

According to historical sources reviewed by Whitestone, the site building was constructed in 1968 and has been utilized as a supermarket/grocery store since construction. Prior to the construction of the existing site building, the subject property was occupied by Miramar Baths (bath house) from 1926 until at least 1963. Miramar Baths consisted of a three-story structure located in the northern portion of the site containing a restaurant, locker rooms and dance hall, and a swimming pool located in the northwestern portion of the site. In addition, a gasoline station had been located in the northeastern portion of the site from 1947 until 1968 and an automobile garage and office had been located in the southeastern portion of the site from 1925 until 1968. Prior to 1926, the subject property was undeveloped.

6.2.3 Current Uses of Adjoining Properties and the Surrounding Area

The site is bound by a Hess gasoline station beyond 207th Street to the north; Beer and Soda Wholesale beyond 9th Avenue to the east; an apartment building and Westside Auto Repair beyond 206th Street to the south; and apartment and retail buildings to the west.

6.2.4 Historic Uses of Adjoining Properties and the Surrounding Area

The area surrounding the subject property historically has consisted of a mix of commercial and residential uses. The subject area has been heavily developed since the 1930's.

6.2.5 Geologic, Hydrogeologic, Hydrologic and Topographic Characteristics

6.2.5.1 Topography/Geology

Topography at the site is relatively flatlying and the property is situated at an approximate elevation of 20 feet above msl. The site is located within the Manhattan Prong of the New England Uplands Physiographic Province. The area is underlain by the Manhattan Schist formation which includes peltic schist and amphibolite members. The materials overlying the schist bedrock consist of partly weathered rock and residual soil formed by the in place weathering of the parent rock. In addition to the deeper bedrock formations, the site is overlain by sands, gravels, silts, and clays deposited by retreating or advancing glaciers.

Urban properties such as the subject site typically have been filled with material imported from off-site sources during initial site development or subsequent redevelopment to achieve final grade. Such fill material may exhibit concentrations of select contaminants exceeding applicable soil cleanup criteria, however, typically can remain in place subject to institutional and/or engineering controls.

6.2.5.2 Surface Water/Wetlands

The subject property is completely developed with impervious surfaces. No surface water or suspected wetlands areas were observed during Whitestone's site reconnaissance. The subject property is not described on the United States Fish and Wildlife Service *National Wetlands Inventory Interactive Mapper* as a mapped wetlands area. A wetlands survey/delineation was beyond the scope of this Phase I ESA investigation.

6.2.5.3 Groundwater

The nearest groundwater well for which public database information is available is located 0.01 mile from the site. The closest federal and/or state database wells north, south, east and west of the site are characterized as follows:

| Location | Distance to Site | Well Depth | Depth to Groundwater | Comments |
|----------------|---------------------|---------------|-------------------------|-------------------|
| North Quadrant | 0.65 Mile | 39 Feet | Not Reported | Federal USGS Well |
| South Quadrant | 0.70 Mile | 98 Feet | 20 Feet | Federal USGS Well |
| East Quadrant | 0.01 Mile | 310 Feet | Not Reported | Federal USGS Well |
| West Quadrant | 0.45 Mile | 75 Feet | Not Reported | Federal USGS Well |

The wells listed above are not noted as having environmental violations or concerns associated with their usage or construction.

6.2.6 General Description of Structures

The subject property currently houses a one-story, approximately 31,881 square feet (footprint), Pathmark supermarket with basement located in the western portion of the property. The eastern portion of the property and the roof of the site building are utilized as parking areas. A ramp located along the western exterior of the site building provides access to the roof parking. The Pathmark consists of customer service areas and offices in the eastern portion of the first floor, storage areas, utility rooms and a loading dock in the southwestern portion of the first floor and retail space in the remaining portions of the first floor. A passenger elevator is situated in the western portion of the structure and a freight elevator is situated in the eastern portion of the structure. The basement consists of storage areas, an employee break area, restrooms and utility and compressor areas. The Pathmark also utilizes basement space located beneath the adjoining apartment building to the west of the subject property. This area which is used for storage reportedly is leased and was not evaluated as part of the subject property.

6.2.7 Roads

The subject property is accessed via private driveways from 207th Street to the north and 206th Street to the south. Asphalt-paved parking areas are located in the eastern portion of the site and on the roof of the site building.

6.2.8 Potable Water Supply

The subject property and subject area are provided potable water by the New York City Water Supply System.

6.2.9 Sewage Disposal System

The subject property currently is serviced by the municipal sanitary sewer system.

6.3 EXTERIOR OBSERVATIONS

6.3.1 Hazardous Substances and Petroleum Products

As part of the site reconnaissance effort, Whitestone can vassed the exterior areas of the subject property and the boundary of immediately adjoining properties. No evidence of the past or present on-site use, generation, or disposal of potentially hazardous materials and/or wastes and/or petroleum products was observed during Whitestone's exterior reconnaissance.

6.3.2 Storage Tanks/Pipelines

6.3.2.1 Underground Storage Tanks (USTs)

As noted in Section 5.1, no underground storage tanks (USTs) are registered at the subject property, and no surficial evidence of on-site USTs was observed during Whitestone's reconnaissance effort. However, gasoline USTs are suspected to have been utilized by the former on-site gasoline station. To date, Whitestone has not reviewed information indicating these USTs have been removed from the site.

Available information could not confirm whether former site structures used an alternative heating fuel such as coal, heating oil, or electricity. Potentially, heating oil may have been stored in USTs or aboveground storage tanks (ASTs). The presence or absence of abandoned on-site USTs associated with former structures has not been documented or refuted, and prior USTs likely would have been removed during building demolition.

6.3.2.2 Aboveground Storage Tanks (ASTs)

No ASTs are registered at the subject property, and no indications of current or prior AST usage were observed during Whitestone's site reconnaissance.

6.3.2.3 Pipelines and Other Storage Vessels

Grease traps associated with food preparation activities are located aboveground in the basement of the site building. In addition, the on-site elevators utilize belowground hydraulic cylinders.

6.3.3 Odors

No unusual odors were noted during Whitestone's exterior site reconnaissance.

6.3.4 Pools of Liquid

No pools of liquid were observed during Whitestone's exterior site reconnaissance.

6.3.5 Drums

No drums were observed during Whitestone's exterior site reconnaissance. One 55-gallon drum containing hydraulic oil for the on-site elevators was observed in the basement of the site building.

6.3.6 Hazardous Substances and Petroleum Product Containers

No hazardous substances and petroleum product containers were observed during Whitestone's exterior site reconnaissance.

6.3.7 Unidentified Substance Containers

No containers of unidentified substances were observed during Whitestone's exterior site reconnaissance.

6.3.8 Pits, Ponds and Lagoons

No pits, ponds or lagoons were observed on the subject property.

6.3.9 Stained Soil or Pavement

No stained soil or pavement was observed during Whitestone's exterior site reconnaissance.

6.3.10 Stressed Vegetation

No stressed vegetation was observed during Whitestone's exterior site reconnaissance.

6.3.11 Solid Waste

Solid waste generated on site is stored temporarily in a 20 cubic yard trash compactor located in the southwestern portion of the site building (loading dock area) for eventual off-site disposal.

WHITESTONE ASSOCIATES, INC.

6.3.12 Wastewater

Sanitary wastewater generated at the subject property is discharged to the municipal sanitary sewer system.

6.3.13 Wells

The subject property currently is serviced by public water, and no evidence of former water wells was observed during Whitestone's site reconnaissance.

6.3.14 Septic Systems

The subject property currently is serviced by the municipal sanitary sewer system and no surficial evidence of abandoned septic systems or septic system components was observed during Whitestone's site reconnaissance.

6.3.15 Current/Past Agricultural Activity

No evidence of current or past agricultural activity was observed during Whitestone's site reconnaissance or documented in historical sources reviewed by Whitestone.

6.3.16 Potential Off-Site Impacts/Concerns

Several properties in close proximity to the subject site have been identified on various state and federal listings. Although an impact to on-site conditions from off-site sources has not been documented, environmental liability associated with migration of contaminants to the subject site would remain the responsibility of the owner/operator of the generating facility.

6.4 INTERIOR OBSERVATIONS

The subject property currently houses a Pathmark supermarket. The following hazardous materials were observed within the site building.

| Material | Quantity/ Container Size | Location | Condition | Evidence of Release (Yes/No) |
|---------------|-----------------------------|----------|-----------|---------------------------------|
| Hydraulic Oil | 1 x 55 Gallon Drum | Basement | Good | No |

In addition to the cleaners routinely used on site, various household chemicals and petroleum based products including (motor oil, anti-freeze, insecticides, etc.) were noted in the retail sales portion of the store. Storage practices appeared satisfactory and environmentally sound with no visible evidence of release or discharge.

6.4.1 Heating/Cooling

The site building currently is heated and cooled by natural gas-fired HVAC units located on the roof of the site building and the southern interior of the structure.

6.4.2 Stains or Corrosion

Petroleum staining was observed in the vicinity of refrigeration compressors located in the basement of the site building. The staining appeared to be contained to the underlying concrete floor slab.

6.4.3 Drains and Sumps

Floor drains were observed in the food preparation areas, restrooms, storage areas and compressor room of the site building and a trench drain was observed in the loading dock area. In addition, three sumps were observed within the basement of the site building. The drains and sumps discharge to the municipal sanitary sewer system. No hazardous materials or evidence of hazardous material releases were observed in the vicinity of the drains or sumps

6.4.4 Indications of Polychlorinated Biphenyls (PCBs)

Sites developed prior to 1980 may house oil-filled electrical, mechanical, hydraulic, or heat transfer equipment and/or flourescent light ballasts containing polychlorinated biphenyls (PCBs). Suspect PCB equipment observed on site included fluorescent light ballasts throughout the site building and hydraulic fluids associated with the on-site elevators.

6.4.5 Asbestos Containing Materials (ACM)

Structures pre-dating 1980 may have been built using asbestos containing construction or insulation materials. Based on the age of the site huilding (constructed in 1968), the presence of ACM is suspected.

6.4.6 Lead Based Paints

Structures pre-dating 1980 may be coated with lead based paints (LBP). Delaminating, peeling painted surfaces were observed on exterior portions of the site building, and based on the age of the site building (constructed in 1968), the presence of LBP is suspected.

WHITESTONE ASSOCIATES, INC.

6.4.7 Mold/Microbial Growth

No areas of mold/microbial growth were observed on interior or exterior portions of the site building during Whitestone's site reconnaissance.

SECTION 7.0 Interviews

Telephone and/or in-person interviews conducted with the following public officials and knowledgeable site representatives are summarized below.

7.1 Interviews with Site Owner

Name, Title: David Kelly, Senior Vice President of Store Engineering and Purchasing

Representing: Pathmark Stores, Inc. Date Contacted: October 3, 2007

Type of Interview: In-Person

Whitestone interviewed Mr. Kelly during a file review at Pathmark's offices on October 3, 2007. Mr. Kelly indicated that, to his knowledge, no environmental conditions are associated with the subject property, and no environmental records were provided by Pathmark for Whitestone's review.

7.2 Interviews with Site Manager

Name, Title: Howard, Store Manager

Representing: Pathmark

Date & Time Contacted: September 18, 2007

Type of Interview: In-Person

Whitestone interviewed Howard during the September 18, 2007 site reconnaissance. Whitestone was provided access to the site building and information regarding site utilities. Whitestone was informed that the site building currently is serviced by electricity, natural gas, public water and the municipal sanitary sewer system. Howard also indicated that the subject property historically was a pool facility and the basement below the adjacent buildings to the west is leased.

7.3 Interviews with Occupants

Whitestone interviewed the Pathmark's store manager, Howard, during the September 18, 2007 site reconnaissance. The interview is described in Section 7.2 above.

7.4 Interviews with Local Government Officials

Whitestone obtained information regarding the subject property from the New York City Department of Buildings' website, the New York City Tax Assessor's website, and the New York City Department of Finance ACRIS website. No interviews with government officials were conducted.

7.5 Interviews with Others

No additional interviews have been conducted regarding the subject property.

Copies of Records of Communication for each of the telephone and/or in-person interviews listed above are included in Appendix 3.

SECTION 8.0

Findings, Conclusions, and Recommendations

Whitestone Associates, Inc. has performed a Phase I Environmental Site Assessment in general accordance with the scope and limitations of ASTM Standard Practice E1527-05 and the conditions of Section 2.2 of this report of the existing Pathmark supermarket located at 410 West 207th Street, New York, New York. Phase I ESA activities identified recognized environmental conditions (RECs) that warrant further consideration. These RECs and suggestions for their further investigation or remediation are outlined below.

8.1 FINDINGS

8.1.1 Summary of RECs

This assessment has revealed evidence of the following *recognized environmental conditions* (RECs) in connection with the subject property:

- According to historical sources reviewed by Whitestone, a gasoline station operated in the northeastern portion of the site from 1947 until 1968. The operations of the former on-site gasoline station are suspected to have included the on-site storage and use of petroleum products, automotive fluids, battery acids, solvents, and/or other hazardous or potentially hazardous materials. Discharges of such materials/wastes may have resulted in adverse impacts to subsurface soil and/or groundwater conditions at the subject site. In addition, underground storage tanks (USTs) utilized by the gasoline station may remain abandoned on site.
- Two elevators are located within the site building. The elevators utilize belowground hydraulic cylinders. Potentially, releases of hydraulic fluid from these cylinders may have adversely impacted subsurface soil and/or groundwater conditions at the site.

8.1.2 Summary of Business Environmental Risks

Items that are not identified as RECs, however, may require limited investigation or corrective action as business environmental risks (BERs) include the following:

- Urban properties such as the subject site typically have been filled with material imported from offsite sources during initial site development or subsequent redevelopment to achieve final grade. Such fill material may exhibit concentrations of select contaminants exceeding applicable soil cleanup criteria, however, typically can remain in place subject to institutional and/or engineering controls.
- Available information could not confirm whether former site structures utilized USTs, septic systems and/or wells. In the unlikely event that heating oils USTs, septic system components and/or wells

are encountered during future site redevelopment, such appurtenances should be closed/removed/abandoned in accordance with State and local regulations.

- Asbestos containing materials (ACM) and lead based paint (LBP) should be suspected in buildings predating 1980. An ACM survey (and asbestos abatement) should be completed prior to future renovation activities. LBP should be suspected on site and confirmed prior to future building renovation. Although lead abatement may not be required, regulated management of demolition/renovation wastes may be warranted during future renovation activities.
- Hazardous materials not intended for on-site reuse should be segregated, containerized, and removed from the site, and disposed, recycled or reused off-site in accordance with federal and state waste management regulations.
- Fluorescent light ballasts and oil-filled electrical and hydraulic equipment in buildings constructed prior to 1980 should be suspected to contain PCBs. Suspect PCB equipment observed on site should be evaluated for PCB content and disposed accordingly if not scheduled for reuse.
- Grease traps located on site should continue to be operated in an environmentally sound fashion.
- Several properties in close proximity to the subject site have been identified on various state and federal listings. Although an impact to on-site conditions from off-site sources has not been documented, environmental liability associated with migration of contaminants to the subject site would remain the responsibility of the owner/operator of the generating facility.

8.2 OPINION

The RECs noted above may present a significant threat of future liability or potential premium cost or time delay to implement the proposed use and/or future redevelopment.

8.3 CONCLUSIONS AND RECOMMENDATIONS

The following activities are recommended to address the RECs listed in Section 8.1.

Whitestone recommends conducting a Phase II Site Investigation (SI) including a ground penetrating radar (GPR) survey and soil and groundwater sampling and analysis to determine if historic site operations (gasoline station), suspected USTs and elevators, hazardous materials discharges and/or fill material have adversely impacted subsurface soil and/or groundwater conditions at the site.

8.4 DEVIATIONS AND DATA GAPS/FAILURES

Whitestone has performed a Phase I Environmental Site Assessment of the subject property in conformance with the scope and limitations of ASTM Practice 1527-05.

No significant or pertinent data gaps or data failures regarding the subject property were identified during this Phase I ESA. To date, Whitestone has not reviewed a title report for the subject property.

8.5 REFERENCES

- 1. American Society of Testing Materials (ASTM) Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process (E1527-05).
- 2. Aerial photographs provided by EDR for the years 1954, 1966, 1974, 1984 and 1994.
- 3. Sanborn Fire Insurance Maps for the years 1893, 1900, 1913, 1935, 1950, 1968, 1969, 1977, 1979, 1980, 1981, 1983, 1985, 1986, 1988, 1989, 1991, 1992, 1994, 1995 and 1996.
- 4. United States Geological Service (USGS) 7.5 Minute Topographic Quadrangles Central Park, New York dated 1966, 1976 and 1995.
- 5. EDR Radius Map, Pathmark Supermarket, 410 West 207th Street, New York, New York prepared by EDR dated September 7, 2007.
- 6. EDR City Directory Abstract dated September 7, 2007.
- 7. United States Fish and Wildlife Service National Wetlands Inventory Interactive Mapper.
- 8. December 1989 Preliminary Environmental Assessment prepared by BCM Engineers, Inc.

SECTION 9.0 Additional Services

| No additional services have been cond- | ucted in association | with the Phase I ESA | of the subject property. |
|--|----------------------|----------------------|--------------------------|
|--|----------------------|----------------------|--------------------------|

SECTION 10.0 Environmental Professionals

10.1 SIGNATURES

The following Whitestone personnel were responsible for conducting the Phase I ESA of the subject site and preparing the information presented herein.

SITE INSPECTOR:

I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Dustin A. Kapson

Environmental Specialist Whitestone Associates, Inc.

10-4-07

Date

SITE INSPECTOR/PROJECT MANAGER/ENVIRONMENTAL PROFESSIONAL:

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in Section 312.10 of 40 CFR 312, and

I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Christopher Seib

Director, Environmental Division Whitestone Associates, Inc.

10-4-07

Date

10.2 QUALIFICATIONS

Resumes for the Whitestone environmental professional and supporting staff responsible for conducting this Phase I ESA are provided in Appendix 8 of this report.

WHITESTONE ASSOCIATES, INC.

APPENDIX H TERMINOLOGY



TERMINOLOGY

The following provides definitions and descriptions of certain terms that may be used in this report. Italics indicate terms that are defined by ASTM Standard Practice E 1527-05. The Standard Practice should be referenced for further detail related definitions or additional explanation regarding the meaning of terms.

Recognized environmental condition(s) (REC): The presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, ground water, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de minimis conditions.

De minimis conditions: Conditions that generally do not present threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not recognized environmental conditions.

Historical recognized environmental condition(s) (HREC): Environmental condition which in the past would have been considered a recognized environmental condition, but which may or may not be considered a recognized environmental condition currently. The final decision rests with the environmental professional and will be influenced by the current impact of the historical recognized environmental condition on the property. If a past release of any hazardous substances or petroleum products has occurred in connection with the property, with such remediation accepted by the responsible regulatory agency (for example, as evidenced by the issuance of a no further action letter or equivalent), this condition shall be considered a historical recognized environmental condition.

Material threat: A physically observable or obvious threat which is reasonably likely to lead to a release that, in the opinion of the environmental professional, is threatening and might result in impact to public health or the environment. An example might include an aboveground storage tank that contains a hazardous substance and which shows evidence of damage such that it may cause or contribute to tank integrity failure with a release of contents to the environment.

Material impact to public health or environment: A substantial risk of harm to public health or the environment resulting from the presence or likely presence of an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, ground water, or surface water of the property. An example might include a release of a hazardous substance in concentrations exceeding applicable governmental agency standards under conditions that could reasonably and foreseeably result in substantial exposure to humans or substantial damage to natural resources. The risk of that exposure or damage would represent a material impact to public health or environment.

General risk of enforcement action: The likelihood that an environmental condition would be subject to enforcement action if brought to the attention of appropriate governmental agencies. If the circumstances suggest an enforcement action would be more likely than not, then the condition is considered a general risk of enforcement action.

Data failure: A failure to achieve the historical research objectives, even after reviewing the standard historical sources that are reasonably ascertainable and likely to be useful. Data failure is one type of data gap.

Data gap: A lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information. Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to site reconnaissance (for example, an inability to conduct the site visit), and interviews (for example, an inability to interview the key site manager, regulatory officials, etc.).

