


APPENDIX F
CHAIN OF CUSTODY FORMS

This laboratory report is not valid without an authorized signature on the cover page.
 * Reportable Detection Limit BRL = Below Reporting Limit

CHAIN OF CUSTODY RECORD



ENVIRONMENTAL SCIENCES
INC.

Page 1 of 1

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed: 8/1/05
 All TATs subject to laboratory approval.
 Min. 24-hour notification needed for rushwork.
 Samples disposed of after 60 days unless otherwise instructed.

Project No.: 5555107
Site Name: ATLAS PARK **State:** NY
Location: CLONDALE
Sampler(s): JAMIE BARR

Invoice To: ATLAS PARK, LLC
2000 COOPER AVE, SUITE 101A
CLONDALE, NY 11385

Project Mgr.: JAMIE BARR
1-Na-S2O₃ 2-HCl 3-H₂SO₄ 4-HNO₃ 5-NaOH 6-Ascorbic Acid
7-CH₃OH 8-NaHSO₄ 9- 10-

Containers:
 of Plastic
 of Clear Glass
 of Amber Glass
 of VOA Vials

Report For: LANGAN ENGINEERING
360 W. 31ST ST, SUITE 800
NEW YORK, NY 10001

Preservative:
 Matrix
 Matrix


Lab Id:	Sample Id:	Date:	Time:	Containers				Preservative	Matrix	Type
				# of Plastic	# of Clear Glass	# of Amber Glass	# of VOA Vials			
31630-01	AST-CONCRETE-1 072805 (1)	07/28/05	10:50	1	1	1	1	1	G	
-02	AST-CONCRETE-2 072805 (2)	7/28/05	10:50	1	1	1	1	1	G	
-03	AST-CONCRETE-3 072805 (3)	7/28/05	10:50	1	1	1	1	1	G	
-04	AST-CONCRETE-4 072805 (4)	7/28/05	10:50	1	1	1	1	1	C	

OA Reporting Notes:
 (check if needed)
 State specific reporting standards if applicable, please list below.
 Provide M/P CMAI Report Where all field OK requirements met as per M220P CMAI Section 2.02.
 Yes No
 (If "Yes", provide a copy of the CMAI report.)

Received by:
Jamie Barr
Feed
7/28/05
7/29/05 9:07

Fax results when available to ()
 E-mail to J.BARR@LANGAN.COM
 EDD Format Leaf Ambient C
 Condition upon receipt 3

This laboratory report is not valid without an authorized signature on the cover page.
 * Reportable Detection Limit BRL = Below Reporting Limit



CHAIN OF CUSTODY RECORD

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed: 8/2/05
 - All TATs subject to laboratory approval.
 - Min. 24-hour notification needed for rushes.
 - Samples disposed of after 90 days unless otherwise instructed.

Project No.: 5555107
 Site Name: ATLAS PARK State: NY
 Location: GHENDALE, NY
 Sample(s): JAMIE BARR

Invoice To: ATLAS PARK, LLC
PO BOX COOPER AVE. BUILDING A
GHENDALE, NY 11885

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

Report To: LANGAN ENGINEERING
380 W. 31ST ST. SUITE 800
NEW YORK, NY 10001

Project Mgr: JAMIE BARR
 P.O. No.: RON

SARCO

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed:
 All TATs subject to laboratory approval.
 Min. 24-hour notification needed for rushes.
 Samples disposed of after 60 days unless otherwise instructed.

CHAIN OF CUSTODY RECORD

Page 1 of 1

Project No.: 5555113
 Site Name: ATLAS PARK State: NY
 Location: Grace Cooper Ave
 Sampler(s): Gandhya Pagilla

Invoice To: Same
 P.O. No.: RQN

Report To: LANNAN ENG'G
360 W 31st Street 8th floor
New York NY 10001

Project Mgr.: John Cavaliere
 I=Na₂SO₄ 2=HCl 3=H₂O 4=HNO₃ 5=NaOH 6=Ascorbic Acid
 7=CH₃OH 8=NaHSO₄ 9=NaOAc 10=
 DW=Drinking Water GW=Groundwater WW=Wastewater
 O=Oil SW=Surface Water SO=Soil SL=Sludge A=Air
 X1=X2=X3=
 G=Grab C=Composite

Containers:
 # of Amber Glass
 # of Clear Glass
 # of VOA Vials
 # of Clear Class
 # of Vials


Analyses:
 QA Reporting Notes:
 Provide MA DEP MFCAM Report
 Provide CT DEP RCP Report
 QA/QC Reporting Level
 Standard No QC
 Other
 State specific testing standards

Lab Id.	Sample Id.	Date	Time	Type	Matrix	Preservative	# of VOA Vials	# of Amber Glass	# of Clear Class	QA/QC
01	B28-SV1-102005	10/20/05	12:18	G	A	9				X
02	B28-SV4-102005	10/20/05	12:40	G	A	9				X
03	B28-SV7-102005	10/20/05	12:58	G	A	9				X
04	B28-SV5-102005	10/20/05	13:14	G	A	9				X
05	SVPER4-102005	10/20/05	13:47	G	A	9				X
06	SVPER2-102005	10/20/05	9:00	G	A	9				X
07	SVPER1-102005	10/20/05	9:48	G	A	9				X
08	SVPER2-102005	10/20/05	11:43	G	A	9				X
09	SVPER3-102005	10/20/05	12:00	G	A	9				X
10	TB-102005	10/20/05		G	A	9				X

Relinquished by: Gandhya Pagilla 10/20/05
 Received by: [Signature] 10/21/05 7:40
 EDD Form: Std Equ 2 POC
 Condition upon receipt: Iced Ambient °C 22

8A 35479 e

CHAIN OF CUSTODY RECORD



SPECTRA ANALYTICAL, INC.
 150 HULL STREET, SUITE 200
 BOSTON, MA 02110-5003

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed: _____
 * All TATs subject to laboratory approval.
 * Min. 24-hour notification needed for rushes.
 * Samples disposed of after 60 days unless otherwise instructed.

Project No.: 5555113
 Site Name: ATEAS PARL
 Location: 8000 Cooper Ave, Chendole State: NY
 Samplers: SANDHYA PAGILLA

Invoice To: General
 Project Mgr.: JOHN GRAYRAS
 RQN: _____

Project No.: _____
 P.O. No.: _____
 Invoice To: _____

Report To: Kengen Enag
21 Penn Plaza, 360 W 31st St, New York, NY 10001

Containers: # of Vials, # of Amber Glass, # of Clear Glass, # of Plastic

Analyses: _____

QA Remaining Notes: (check if needed)
 * Basis: Vials, reporting standards if applicable, please see below.
 Provide MCT/CAAM Report
 Were all field QC requirements met as per MADEP/CAAM Section 2.10?
 Yes No
 (Signature) Summa Conietary

Lab Id:	Sample Id:	Date:	Time:	Type	Preservative	# of Vials	# of Amber Glass	# of Clear Glass	# of Plastic	Analyses	QA Remaining Notes
35479-01	B28-SV2-100005	10/14/05	2:14 pm	A							
	B28-SV3-100005	10/14/05	1:35 pm	A							
	B28-SV6-100005	10/14/05	12:14 pm	A							
	B28-SV8-100005	10/14/05	2:40 pm	A							
	B28-SV9-100005	10/14/05	11:50 am	A							
	B28-SV1-100005	10/14/05	1:41 pm	A							
	B28-SV0-100005	10/14/05	2:57 pm	A							
				B							
				B							


Relinquished by: Sandhya / 10/14/05
 Received by: Greg Hester / 10/14/05 1:30
Greg Hester / 10/14/05 16:17

Max results when available to (2) (2) H2A - 5
 E-mail to John Gray / congen.com
 EDD Point Enagis & PDE Vermont
 Condition upon receipt: Cool Ambient °C 20

This laboratory report is not valid without an authorized signature on the cover page. * Reportable Detection Limit BRL = Below Reporting Limit

35-176

CHAIN OF CUSTODY RECORD



SPECTRAL ANALYTICAL INC.
FLEXIBLE SERVICES

Page 49 of 49

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed:
 All TATs subject to laboratory approval.
 Min. 24-hour notification needed for rushes.
 Samples disposed of after 60 days unless otherwise instructed.

Project No: 555 113
 Site Name: ATLAS PARK
 Location: 800 Condon Ave, Montebello, NY
 State: NY
 Sampler(s): SANDHYA PAGILLA

Invoice To: Borne
 P.O. No.: _____
 RQN: _____

Report To: Langan Engg.
21 Fern Plaza, 960 W 31st, 8th floor
New York, NY 10001

Project Mgr: JOHN GAVRILAS
 1-Na-S2O, 2-HCl, 3-H2SO, 4-HNO, 5-NaOH, 6=Ascorbic Acid, 10=
 7-CH2OH, 8-NaHSO, 9=
 DW=Drinking Water, GW=Groundwater, WW=Wastewater
 O=Oil, SW=Surface Water, SO=Soil, SL=Sludge, A=Air
 X1=
 X2=
 X3=
 G=Graph, C=Composite

Lab Id:	Sample Id:	Date:	Time:	Type:	Matrix:	Containers:			Analyses:	QA Reporting Notes: (check if needed)
						# of VOA Vials	# of Amber Glass	# of Clear Glass		
35177-08	B1-SV1-100505	10/05/05	1:03 pm	A	A					
	B1-SV2-100505	10/05/05	1:00 pm	A	A					
	B1-SV3-100505	10/05/05	2:26 pm	A	A					
	B1-SV4-100505	10/05/05	1:06 pm	A	A					
	B1-SV0-100505	10/05/05	1:50 pm	A	A					
	B1-SV5-100705	10/07/05	11:46 am	A	A					
	B1-SV6-100705	10/07/05	11:30 am	A	A					
	B1-SV4-100705	10/07/05	12:36 pm	A	A					
	B1-SV7-100705	10/07/05	10:55 am	A	A					
	B1-SV8-100705	10/07/05	11:12 am	A	A					

Relinquished by: Sandhya 10/11/05
 Received by: [Signature] 10/11/05 1300
 Date: 10/11/05
 Time: 1300

Fax results when available to (812) 479-5444
 E-mail to [Signature] Langan.com
 EDD Format: [Signature]
 Condition upon receipt: Leak Ambient 20

8A 39461e

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed: _____
 All TATs subject to laboratory approval.
 Min. 24-hour notification needed for rushes.
 Samples disposed of after 60 days unless otherwise instructed.

CHAIN OF CUSTODY RECORD

Page 1 of _____



SPECTRUM ANALYTICAL
 Precision
 ANALYTICAL TECHNOLOGIES

Report To: Jamie Baxx
360 W. 31st Street, 8th floor
New York, NY 10001

Project Mgr.: Jamie Baxx

Invoice To: Sare

Project No.: 5555113

Site Name: Attac Fawk

Location: Glendale, NY State: NY

Sampler(s): Brian / Landhya Pag, Ma

P.O. No.: _____

RQN: _____

1=Na2SO4 2=HCl 3=H2SO4 4=HNO3 5=NaOH 6=Ascorbic Acid
 7=CH3OH 8=NaHSO4 9= _____ 10= _____

DW Drinking Water GW Groundwater WW Wastewater
 O Oil SW Surface Water SO Soil SL Sludge A=Air
 X1= _____ X2= _____ X3= _____

Lab Id:	Sample Id:	Date:	Time:	Matrix	Type	Containers:				Analyses:	QA Reporting Notes: (check if needed)
						# of VOA Vials	# of Amber Glass	# of Clear Glass	# of Plastic		
39461-01	BS-017-0106	01/06	0950	GM	9	3	8	1	✓	FULL TRAM LIST	03 VOA vials
-02	BS-37-35-0106	01/06	1315	GM	9	2	2	✓	✓	FULL TRAM LIST	preserved with HCl.
-03	BS-37-9-0106	01/06	1400	GM	9	2	2	✓	✓	FULL TRAM LIST	① 1-Plastic bottle preserved with HNO3.


Relinquished by: Sandhya 01/11/06 Date: _____ Time: _____

Received by: Jack Date: 1/13/06 Time: 10:00

Signature: [Handwritten Signature]

ATTN: results when available to (212) 479-5444
 E-mail to Jbaxx@langan.com
 EDD Format Excel + PDF (NYS ASPB)
 Condition upon receipt: Ice Ambient °C 4°C

This laboratory report is not valid without an authorized signature on the cover page.
 * Reportable Detection Limit BRL = Below Reporting Limit



CHAIN OF CUSTODY RECORD

Special Handling:

- Standard TAT - 7 to 10 business days
- Rush TAT - Date Needed: 3 DAY TAT
- All TATs subject to laboratory approval.
- Min. 24-hour notification needed for rushes.
- Samples disposed of after 60 days unless otherwise instructed.

DA 39825

Report To: JAMIE BARR
30 W 31ST ST 8TH FL
NEW YORK NY 10001

Project Mgr.: JAMIE BARR

Invoice To: JAMIE

Project No.: 5533713

Site Name: ATLAS PARK

Location: GLENDALE, NY State: NY

Sampler(s): EALIE MULLEN

P.O. No.: _____

RQN: _____

Analyses: _____

Containers: _____

QA Reporting Notes: (check if needed)

Provide MA DEP MFC CAM Report

Provide CT DEP RCF Report

QA/QC Reporting Level

Standard No QC

Other _____

State specific testing standards: _____

Lab Id:	Sample Id:	Date:	Time:	Type	Matrix	Preservative				Date:	Time:	
						# of VOA Vials	# of Amber Class	# of Clear Class	# of Plastic			
39825-01	MW63-011006	01/12/06	1430	C	SW HCL 3							
02	MW63-011000	01/24/06	0950	C	GW HCL 3							
03	TB-012006	1/24/06	-	C	GW HCL 2							

Refiniquished by: Jeddy

Received by: JAMIE BARR

Date: 1/23/06

Time: 1040

Condition upon receipt: Cool Ambient °C

Fax results when available to (212) 479-5444

E-mail to JBARR@LARKAN.COM


EDD Format: EQUIS + PDF (NYS ASP 'B')

30 J... 1 Almgren Drive • Agawam, Massachusetts 01001 • 413-789-9018 • Fax 413-789-4076 • www.spectrum-analytical.com

This laboratory report is not valid without an authorized signature on the cover page.
 * Reportable Detection Limit BRL = Below Reporting Limit

52398800

CHAIN OF CUSTODY RECORD



Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed: 3/24/10
 All TATs subject to laboratory approval.
 Min. 24-hour notification needed for mishes.
 Samples disposed of after 60 days unless otherwise instructed.

Page 1 of 1

Report To: JAMIE BARR Invoice To: SAME Project No.: 55513
360 W 31ST ST 8TH FL Site Name: ATLAS PARK
NEW YORK, NY 10001 Location: GLENDALE State: NY
 Project Mgr.: JAMIE BARR Sampler(s): EPA MUELEA


P.O. No.: _____ RQN: _____
 Containers: _____
 1=Nitrite 2=HCl 3=H₂SO₄ 4=HNO₃ 5=NaOH 6=Ascorbic Acid
 7=CH₃OH 8=NaHSO₄ 9= _____ 10= _____

DW=Drinking Water GW=Groundwater WW=Wastewater
 O=Oil SW=Surface Water SO=Soil SL=Sludge A=Air
 X1= _____ X2= _____ X3= _____

Lab Id:	Sample Id:	Date:	Time:	Preservative				Matrix	Analyses:	QA Reporting Notes: (checkbox if needed)
				# of VOA Vials	# of Amber Glass	# of Clear Glass	# of Plastic			
52398800-1	MW6-012306	01/23/06	1300	6	6W	2	3	X	TLC VOC	<input type="checkbox"/> Provide MA DEP MCT/CAM Report <input type="checkbox"/> Provide CT DEP RCT Report QA/QC Reporting Level <input type="checkbox"/> Standard <input type="checkbox"/> No QC <input type="checkbox"/> Other _____ State specific reporting standards: _____
V-02	MW16-012306	01/23/06	1400	6	6W	2	3	X		
V-03	TB-012306	-	-	1				X		

Relinquished by: Wil. Mulla Received by: FedEx Date: _____ Time: _____
 Condition upon receipt: Cool Ambient °C

PLEASE RETURN COOLER TO ATLAS SA 4000060



CHAIN OF CUSTODY RECORD

Special Handling:
 Standard TAT - 7 to 10 business days
 Rush TAT - Date Needed: 3 MAY
 - All TATs subject to laboratory approval.
 - Min. 24-hour notification needed for rushes.
 - Samples disposed of after 60 days unless otherwise instructed.

Report To: LARGAN ENG.
360 W 51ST ST
NEW YORK NY 10001

Project Mgr.: JAMIE GARA

Invoice To: SAME

Project No.: 5555115

Site Name: ATLAS PARK

Location: GLENFIELD State: NY

Sampler(s): EDIE-MULLER

1-Na₂SO₄ 2-HCl 3-H₂SO₄ 4-HNO₃ 5-NaOH 6-Ascorbic Acid
 7-CH₃OH 8-NaHSO₃ 9- ID-
 DW=Drinking Water CW=CW=Groundwater WW=Wastewater
 O=Oil SW=Surface Water SO=Soil SL=Sludge A=Air
 X1= X2= X3=

Lab Id:	Sample Id:	Date:	Time:	Containers:			Analysis:	QA Reporting Notes: (check if needed)
				# of VOA Vials	# of Amber Glass	# of Clear Glass		
6080-01	MW63-012706	01/27/06	1250	6	2	3		<input type="checkbox"/> Provide MA DLP MCP CAM Report <input type="checkbox"/> Provide CT DPH RCP Report <input type="checkbox"/> QA/QC Reporting Level <input type="checkbox"/> Standard <input type="checkbox"/> No QC <input type="checkbox"/> Other State specific reporting standards
	V-CC TB-52206	01/27/06		2	1			

Relinquished by: U. Mill Date: 01/27/06 Time: 1530

Received by: Joe Kozich Date: 01/28/06 Time: 10:AM

Fax results when available to ()
 E-mail to JGARA@LARGAN.COM - LARGAN.COM
 EDD Format EQUS - RAF (NYS ASP '01) FedEx

Condition upon receipt: Sealed Ambient °C 3C