
		Daily Activity Report			
CAK RF		Former United Hospital			
	Port Chester, NY				
<u> </u>	BCP No. C360202				
Date:	Genera	al Site Information	Thursday August 25, 2022		
Weather:		Thursday, August 25, 2022 Clear, ~70-90°F			
Wind Direction/Speed:	Wind from the northwest @ ~5-10mph				
AKRF Personnel on Site:	Steve Schmid				
AKRF Equipment on Site:		Handheld PID, Dustrak, 2x CAMPS			
Visitors:			None		
	_	actor Information			
Contracting Company	Key Personi	nel	Equipr	nent	
Coastal Environmental Solutions Inc.	Brandon Sulli	van	Geoprob	e 6620	
	Description and Locat	ion of Work Activitie	es Performed		
Advanced 10 soil borings (RI-SB-05 through RI-SB-11, RI-SB-21, F bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method	advanced. Representative so Bs by EPA Method 8082, pes	il samples were collecticides/herbicides by	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I	anlysis; the soil samples will be analyze	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC	advanced. Representative so Bs by EPA Method 8082, pes 9010C/9012B, PFAS by EPA I	il samples were colled ticides/herbicides by Method 537.1, and 1,4	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270.	anlysis; the soil samples will be analyze	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC	advanced. Representative so Bs by EPA Method 8082, pes 9010C/9012B, PFAS by EPA I	il samples were collecticides/herbicides by Method 537.1, and 1,	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270.	anlysis; the soil samples will be analyze	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC	advanced. Representative so Bs by EPA Method 8082, pes 9010C/9012B, PFAS by EPA I	il samples were colled ticides/herbicides by Method 537.1, and 1,4	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270.	anlysis; the soil samples will be analyze	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo	il samples were collecticides/herbicides by Method 537.1, and 1,4 posal Tracking Informa	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270.	, anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY)	il samples were colleticides/herbicides by Method 537.1, and 1, open Tracking Informa Daily Approx. Cubic Yds. N/A 0	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY)	y anlysis; the soil samples will be analyzon Method 6000/7000 series, hexavalent Total Approximate Cubic Yards	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY)	il samples were colleticides/herbicides by Method 537.1, and 1, psal Tracking Informa Daily Approx. Cubic Yds. N/A 0 Ill Tracking Information	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY)	y anlysis; the soil samples will be analyz Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY)	il samples were colleticides/herbicides by Method 537.1, and 1, open Tracking Informa Daily Approx. Cubic Yds. N/A 0	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY)	y anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A)	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi	il samples were colleticides/herbicides by Method 537.1, and 1,4 posal Tracking Informa Daily Approx. Cubic Yds. N/A 0 Ill Tracking Informatic	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) on	y anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A 0	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A) Origin Facility Not Applicable (N/A)	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks	il samples were collecticides/herbicides by Wethod 537.1, and 1,400 psal Tracking Information of the collection of the c	etted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) on	y anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A) Origin Facility	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks N/A	il samples were collecticides/herbicides by Wethod 537.1, and 1,400 psal Tracking Information of the property	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) on Total Site Loads N/A	y anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A) Origin Facility Not Applicable (N/A)	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks N/A Daily Import (CY) Daily Import (CY)	il samples were collecticides/herbicides by Wethod 537.1, and 1,400 psal Tracking Information of the property	etted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA II 4-dioxane by EPA Method 8270. Ation Total Site Loads N/A Total Import (CY) On Total Site Loads N/A Total Import (CY)	y anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A 0 N/A 0	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A) Origin Facility Not Applicable (N/A) CAMP Information	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks N/A Daily Import (CY) Roving Equipn	il samples were collecticides/herbicides by Wethod 537.1, and 1,400 psal Tracking Information of the property	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) On Total Site Loads N/A Total Import (CY) Upwind	r anlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A 0 Downwind	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A) Origin Facility Not Applicable (N/A) CAMP Information Odors:	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks N/A Daily Import (CY) Roving Equipn None Observ	il samples were collecticides/herbicides by Wethod 537.1, and 1,400 psal Tracking Information of the property	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) On Total Site Loads N/A Total Import (CY) Upwind None Observed	vanlysis; the soil samples will be analyze Method 6000/7000 series, hexavalent Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A 0 Downwind None Observed	
bedrock was encountered in each of the soil borings that were for VOCs by EPA Method 8260, SVOCs by EPA Method 8270, PC chromium by EPA Method 7196A, total cyanide by EPA method Destination Facility Not Applicable (N/A) Origin Facility Not Applicable (N/A) CAMP Information Odors: VOC Action Level Exceedance(s) Above Background:	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks N/A Daily Import (CY) Roving Equipn No No	il samples were collecticides/herbicides by Wethod 537.1, and 1,400 psal Tracking Information of the property	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) on Total Site Loads N/A Total Import (CY) Upwind None Observed No	Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A N/A N/A N/A N/A N/A N/A N/	
Destination Facility Not Applicable (N/A) CAMP Information Odors: VOC Action Level Exceedance(s) Above Background: Planned Work Destination Facility Rot Applicable (N/A)	advanced. Representative so Bs by EPA Method 8082, pesi 9010C/9012B, PFAS by EPA I Site Soil Dispo Daily Trucks N/A Daily Import (CY) Imported Fi Daily Trucks N/A Daily Import (CY) Roving Equipn None Observ No Addit	il samples were colleticides/herbicides by Method 537.1, and 1, Method 5	cted from each soil boring for laboratory EPA Method 8081/8151, metals by EPA I 4-dioxane by EPA Method 8270. ation Total Site Loads N/A Total Import (CY) on Total Site Loads N/A Total Import (CY) Upwind None Observed No	Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A 0 Total Approximate Cubic Yards N/A 0 Downwind None Observed No	


The VOC and particulate data from the Downwind CAMP station did not properly upload to the web-based database; no VOC data was uploaded and only the particulate data between 07:27 and 10:12 was uploaded. However, no elevated PID readings were detected by nearby air monitoring equipment and no fugitive dust or odors were


observed. AKRF contacted the equipment vendor to assist with troubleshooting the issues ahead of the next work day, and will provide a replacement CAMP station if the

Comments:

issue persists.







Roving CAMP Log Air Monitoring Log AKRF, Inc. Client: Rose Date: 8/25/2022 Project: Former United Hospital Logged By: S.Schmid, AKRF Work Activity: Advancement of soil borings with Geoprobe. Job No: 200057 Wind Direction: Northwest Wind Speed: ~5-10 mph Weather: Clear, ~70-90 °F COMMENTS (activity; work zone, upwind or PID DUST LOCATION ODORS TIME downwind) (ppm) (mg/m³) Upwind (UW) 0.025 BACKGROUND 7:10 AM 0.0 None 7:40 AM Work Zone (WZ) 0.0 0.031 None Advancing soil borings with Geoprobe 8:12 AM Downwind (DW) 0.029 0.0 None Advancing soil borings with Geoprobe 8:42 AM UW 0.0 0.021 Advancing soil borings with Geoprobe 9:15 AM W7 0.044 Advancing soil borings with Geoprobe 0.0 None Advancing soil borings with Geoprobe 9:45 AM DW 0.0 0.026 None 0.017 10-18 AM UW 0.0 None Advancing soil borings with Geoprobe 10:49 AM None Advancing soil borings with Geoprobe 11:22 AM DW 0.0 0.021 None Advancing soil borings with Geoprobe 11:54 AM UW 0.0 0.015 Advancing soil borings with Geoprobe None 12:45 PM W7 0.0 0.019 None Advancing soil borings with Geoprobe 1:17 PM DW 0.0 0.019 None Advancing soil borings with Geoprobe 1:48 PM uw 0.0 0.016 Advancing soil borings with Geoprobe 2:30 PM Ground Intrusive Avtivities Complete - CAMP Monitoring Complete for 8/25/2022 Work Zone Action Levels Community (Perimeter) Action Levels PID DUST PID DUST >0.1 mg/m³ above background: dust suppression 5 ppm: Level D 5 ppm above background: vapor suppression $0.150 \text{ mg/m}^3 \text{ above}$ Between 5 ppm and background in breathing zone: •0.15 mg/m³ above background: STOP 50 ppm: level C >25 ppm above background: STOP >0.150 mg/m³ above >50 ppm: STOP

background in breathing zone: Dust suppression

_		_
2	OΙ	2