



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

DAILY STATUS REPORT #05

Prepared By: Marius Sidlauskas

WEATHER	Snow	Rain	Overcast	Partly Cloudy	Bright Sun	X
TEMP.	< 32	32-50	50-70	X	70-85	>85

IEC Project No:	15514	NYSDEC BCP Site No:	C360211	Date:	10/10/2022
Project:	60 McLean Avenue, Yonkers, NY				

Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG) Time On: 7:00 Time Out: 2:30	Personnel On Site: Environmental Supervisor – Marius Sidlauskas (IEEG) Foreman – Javier Velasquez (SNL Construction) Demo Contractor – Frank Mazzurco (D-Best Industries)
--	---

Scope of Work:

- Demolition of rear slab on second floor interior, air monitoring of dust and VOC's particles. Building walls will remain intact during rehabilitation work.
- Removal and offsite transport of slab rubble, to facilitate installation of new slab and bracing.

Site Activities:

- Slab rubble removed from grade and placed in steel container.
- One container of slab rubble and one container of cinderblocks & bricks were transported offsite by D-Best Industries to Loganah Recycling of Oceanside, New York

Community Air Monitoring Program (CAMP)

- IEEG implemented work zone air monitoring during ground intrusive activities. Work zone monitoring equipment consisted of two (2) stations equipped with a DustTrak and PID positioned upwind and downwind of the work area.
- No VOC or dust concentrations were detected in exceedance of the daily short-term exposure limit at the work zone air monitoring stations.
- 0.015 (upwind) 0.017 (downwind) mg/m³, PID: 0.0 (up/down) prestart conditions.
- Upwind Dust Data ranged from 0.002 mg/m³ to 0.134 mg/m³.
- Downwind Dust Data ranged from 0.012 mg/m³ to 0.109 mg/m³.
- Upwind and downwind PID data ranged from 0.0 ppm to 0.3 ppm.
- No visible dust was observed during activities.

Miscellaneous Items or Problem Encountered:

- None.

Planned Activities for the Next Day:


- Continuation of slab removal and offsite transport.



Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

Site Activity Map



- ★ CAMP Station
- Property Boundary
- ▨ Work Area / Slab Broken Up and removed
- PID Screening Point

Ramp door open

Slab rubble roll-off container

Wind Direction: E @ 9mph

McLean Avenue



Photo Log

Photo 1 – View of cinder and brick rubble container before loadout (1st floor)



Photo 2 – Pile of radiators (2nd floor)





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...

www.impactenvironmental.com

Photo 3 – General view of second floor, facing north east




Photo 4 – View of broken slab being loaded into a container on the ramp





Impact Environmental Engineering Geology, PLLC

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800 welcome to solid ground...
www.impactenvironmental.com

Photo 5 – View of upwind CAMP unit on western side of property




Photo 6 – View of downwind CAMP unit on southeastern side of property





Project: _____

Job No.: _____

Location: _____

Day & Date: _____

Time	Particulate levels:		ORGANIC VAPOR LEVELS (ppm)	NOTES
	UPWIND (mg/m ³)	DOWNWIND (mg/m ³)		
1215	0.015	0.028	0.0	
1230	0.017	0.027	0.0	
1245	0.017	0.029	0.0	
1300	0.016	0.030	0.0	
1315	0.015	0.031	0.0	
1330	0.014	0.025	0.0	
1345	0.016	0.023	0.0	
1400	0.014	0.020	0.0	
1415	0.014	0.017	0.0	
1430	0.014	0.017	0.0	
1445				Activity Ends
1500				
1515				
1530				
1545				
1600				
1615				
1630				
1645				
1700				

Dust Upwind

10-10-2022

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530124902
Firmware Version	3.1
Calibration Date	5/25/2022
Test Name	MANUAL_005
Test Start Time	7:33:23 AM
Test Start Date	10/10/2022
Test Length [D:H:M]	0:06:41
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.028
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	1.36
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	401

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.015		
120	0.013		
180	0.015		
240	0.016		
300	0.025		
360	0.021		
420	0.015		
480	0.014		
540	0.012		
600	0.013		
660	0.014		
720	0.015		
780	0.013		
840	0.014		
900	0.014		
960	0.015		
1020	0.015		
1080	0.014		
1140	0.015		
1200	0.014		
1260	0.017		
1320	0.023		
1380	0.032		
1440	0.134		
1500	0.039		
1560	0.015		
1620	0.016		

Dust Upwind
10-10-2022

1680	0.017
1740	0.016
1800	0.031
1860	0.03
1920	0.016
1980	0.04
2040	0.062
2100	0.057
2160	0.024
2220	0.018
2280	0.02
2340	0.033
2400	0.027
2460	0.019
2520	0.017
2580	0.017
2640	0.017
2700	0.052
2760	0.015
2820	0.017
2880	0.02
2940	0.015
3000	0.017
3060	0.023
3120	0.043
3180	0.03
3240	0.044
3300	0.026
3360	0.03
3420	0.02
3480	0.023
3540	0.029
3600	0.017
3660	0.026
3720	0.035
3780	0.031
3840	0.017
3900	0.023
3960	0.038
4020	0.051
4080	0.021
4140	0.016
4200	0.016
4260	0.016
4320	0.016
4380	0.017
4440	0.031

Dust Upwind
10-10-2022

4500	0.022
4560	0.016
4620	0.017
4680	0.015
4740	0.016
4800	0.018
4860	0.016
4920	0.015
4980	0.016
5040	0.032
5100	0.182
5160	0.068
5220	0.014
5280	0.015
5340	0.018
5400	0.021
5460	0.036
5520	0.125
5580	0.09
5640	0.076
5700	0.017
5760	0.048
5820	0.116
5880	0.017
5940	0.015
6000	0.015
6060	0.015
6120	0.02
6180	0.023
6240	0.016
6300	0.016
6360	0.062
6420	0.147
6480	0.144
6540	0.043
6600	0.108
6660	0.051
6720	0.024
6780	0.02
6840	0.015
6900	0.014
6960	0.015
7020	0.015
7080	0.035
7140	0.015
7200	0.015
7260	0.016

Dust Upwind
10-10-2022

7320	0.015
7380	0.015
7440	0.015
7500	0.014
7560	0.015
7620	0.014
7680	0.014
7740	0.028
7800	0.045
7860	0.026
7920	0.018
7980	0.016
8040	0.015
8100	0.014
8160	0.015
8220	0.015
8280	0.035
8340	0.033
8400	0.015
8460	0.015
8520	0.015
8580	0.016
8640	0.016
8700	0.016
8760	0.015
8820	0.016
8880	0.015
8940	0.015
9000	0.016
9060	0.016
9120	0.017
9180	0.018
9240	0.018
9300	0.017
9360	0.018
9420	0.018
9480	0.018
9540	0.017
9600	0.018
9660	0.018
9720	0.018
9780	0.018
9840	0.018
9900	0.019
9960	0.019
10020	0.019
10080	0.019

Dust Upwind
10-10-2022

10140	0.021
10200	0.037
10260	0.02
10320	0.02
10380	0.024
10440	0.025
10500	0.027
10560	0.023
10620	0.022
10680	0.021
10740	0.02
10800	0.021
10860	0.025
10920	0.024
10980	0.022
11040	0.02
11100	0.021
11160	0.022
11220	0.02
11280	0.02
11340	0.02
11400	0.02
11460	0.02
11520	0.02
11580	0.021
11640	0.02
11700	0.021
11760	0.02
11820	0.02
11880	0.021
11940	0.021
12000	0.02
12060	0.019
12120	0.02
12180	0.075
12240	0.031
12300	0.02
12360	0.02
12420	0.02
12480	0.02
12540	0.021
12600	0.023
12660	0.038
12720	0.033
12780	0.032
12840	0.031
12900	0.02

Dust Upwind
10-10-2022

12960	0.019
13020	0.02
13080	0.019
13140	0.02
13200	0.02
13260	0.019
13320	0.018
13380	0.02
13440	0.034
13500	0.053
13560	0.033
13620	0.019
13680	0.018
13740	0.018
13800	0.017
13860	0.018
13920	0.018
13980	0.018
14040	0.021
14100	0.018
14160	0.019
14220	0.021
14280	0.019
14340	0.019
14400	0.018
14460	0.018
14520	0.018
14580	0.021
14640	0.021
14700	0.019
14760	0.02
14820	0.03
14880	0.023
14940	0.019
15000	0.02
15060	0.021
15120	0.018
15180	0.019
15240	0.019
15300	0.017
15360	0.017
15420	0.017
15480	0.016
15540	0.017
15600	0.016
15660	0.016
15720	0.017

Dust Upwind
10-10-2022

15780	0.016
15840	0.016
15900	0.017
15960	0.017
16020	0.018
16080	0.017
16140	0.017
16200	0.017
16260	0.018
16320	0.018
16380	0.017
16440	0.017
16500	0.019
16560	0.018
16620	0.018
16680	0.018
16740	0.018
16800	0.019
16860	0.018
16920	0.018
16980	0.022
17040	0.023
17100	0.018
17160	0.018
17220	0.017
17280	0.017
17340	0.017
17400	0.019
17460	0.018
17520	0.018
17580	0.019
17640	0.02
17700	0.019
17760	0.056
17820	0.018
17880	0.025
17940	0.051
18000	0.017
18060	0.031
18120	0.064
18180	0.033
18240	1.36
18300	0.451
18360	0.048
18420	0.025
18480	0.018
18540	0.024

Dust Upwind
10-10-2022

18600	0.019
18660	0.017
18720	0.018
18780	0.025
18840	0.028
18900	0.021
18960	0.019
19020	0.04
19080	0.041
19140	0.018
19200	0.03
19260	0.02
19320	0.017
19380	0.017
19440	0.017
19500	0.017
19560	0.017
19620	0.017
19680	0.017
19740	0.02
19800	0.025
19860	0.019
19920	0.019
19980	0.017
20040	0.018
20100	0.079
20160	0.022
20220	0.018
20280	0.018
20340	0.017
20400	0.016
20460	0.015
20520	0.015
20580	0.016
20640	0.02
20700	0.017
20760	0.017
20820	0.036
20880	0.017
20940	0.017
21000	0.015
21060	0.015
21120	0.015
21180	0.064
21240	0.027
21300	0.015
21360	0.015

Dust Upwind
10-10-2022

21420	0.016
21480	0.015
21540	0.014
21600	0.014
21660	0.015
21720	0.014
21780	0.015
21840	0.014
21900	0.014
21960	0.102
22020	0.014
22080	0.017
22140	0.014
22200	0.015
22260	0.014
22320	0.014
22380	0.014
22440	0.014
22500	0.014
22560	0.014
22620	0.015
22680	0.014
22740	0.014
22800	0.014
22860	0.014
22920	0.015
22980	0.015
23040	0.015
23100	0.015
23160	0.014
23220	0.014
23280	0.014
23340	0.014
23400	0.014
23460	0.014
23520	0.014
23580	0.014
23640	0.014
23700	0.014
23760	0.023
23820	0.014
23880	0.016
23940	0.015
24000	0.016
24060	0.015

Dust Downwind

10-10-2022

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530162403
Firmware Version	3.1
Calibration Date	4/29/2022
Test Name	MANUAL_008
Test Start Time	7:54:32 AM
Test Start Date	10/10/2022
Test Length [D:H:M]	0:06:26
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.03
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	0.109
Mass TWA [mg/m3]	0.024
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	386

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.017		
120	0.015		
180	0.014		
240	0.016		
300	0.015		
360	0.013		
420	0.014		
480	0.013		
540	0.013		
600	0.013		
660	0.012		
720	0.012		
780	0.014		
840	0.021		
900	0.014		
960	0.017		
1020	0.023		
1080	0.029		
1140	0.025		
1200	0.028		
1260	0.025		
1320	0.034		
1380	0.027		
1440	0.028		
1500	0.031		
1560	0.033		
1620	0.028		

Dust Downwind
10-10-2022

1680	0.041
1740	0.039
1800	0.035
1860	0.035
1920	0.034
1980	0.029
2040	0.024
2100	0.031
2160	0.031
2220	0.027
2280	0.026
2340	0.029
2400	0.027
2460	0.026
2520	0.026
2580	0.03
2640	0.026
2700	0.025
2760	0.027
2820	0.03
2880	0.032
2940	0.031
3000	0.029
3060	0.028
3120	0.028
3180	0.027
3240	0.028
3300	0.026
3360	0.025
3420	0.023
3480	0.023
3540	0.024
3600	0.023
3660	0.024
3720	0.024
3780	0.026
3840	0.026
3900	0.026
3960	0.028
4020	0.029
4080	0.029
4140	0.028
4200	0.029
4260	0.027
4320	0.029
4380	0.04
4440	0.043

Dust Downwind
10-10-2022

4500	0.044
4560	0.043
4620	0.046
4680	0.043
4740	0.044
4800	0.041
4860	0.04
4920	0.038
4980	0.041
5040	0.041
5100	0.041
5160	0.041
5220	0.041
5280	0.04
5340	0.04
5400	0.041
5460	0.041
5520	0.039
5580	0.037
5640	0.037
5700	0.038
5760	0.038
5820	0.037
5880	0.035
5940	0.034
6000	0.034
6060	0.033
6120	0.031
6180	0.031
6240	0.031
6300	0.029
6360	0.028
6420	0.027
6480	0.026
6540	0.026
6600	0.028
6660	0.03
6720	0.026
6780	0.025
6840	0.025
6900	0.025
6960	0.027
7020	0.027
7080	0.029
7140	0.027
7200	0.026
7260	0.024

Dust Downwind
10-10-2022

7320	0.026
7380	0.027
7440	0.027
7500	0.025
7560	0.024
7620	0.024
7680	0.024
7740	0.024
7800	0.023
7860	0.023
7920	0.023
7980	0.022
8040	0.023
8100	0.022
8160	0.023
8220	0.022
8280	0.022
8340	0.022
8400	0.022
8460	0.022
8520	0.022
8580	0.022
8640	0.023
8700	0.023
8760	0.022
8820	0.022
8880	0.021
8940	0.023
9000	0.021
9060	0.022
9120	0.023
9180	0.022
9240	0.022
9300	0.023
9360	0.022
9420	0.022
9480	0.022
9540	0.022
9600	0.022
9660	0.022
9720	0.022
9780	0.022
9840	0.022
9900	0.022
9960	0.022
10020	0.022
10080	0.022

Dust Downwind
10-10-2022

10140	0.022
10200	0.022
10260	0.022
10320	0.022
10380	0.022
10440	0.022
10500	0.022
10560	0.022
10620	0.022
10680	0.023
10740	0.024
10800	0.024
10860	0.026
10920	0.026
10980	0.026
11040	0.026
11100	0.025
11160	0.025
11220	0.025
11280	0.026
11340	0.024
11400	0.025
11460	0.025
11520	0.025
11580	0.025
11640	0.025
11700	0.025
11760	0.024
11820	0.024
11880	0.025
11940	0.025
12000	0.025
12060	0.024
12120	0.023
12180	0.025
12240	0.025
12300	0.025
12360	0.025
12420	0.024
12480	0.023
12540	0.023
12600	0.024
12660	0.023
12720	0.023
12780	0.024
12840	0.024
12900	0.023

Dust Downwind
10-10-2022

12960	0.023
13020	0.023
13080	0.023
13140	0.023
13200	0.024
13260	0.024
13320	0.024
13380	0.024
13440	0.024
13500	0.024
13560	0.025
13620	0.028
13680	0.027
13740	0.032
13800	0.028
13860	0.028
13920	0.026
13980	0.028
14040	0.03
14100	0.029
14160	0.028
14220	0.028
14280	0.027
14340	0.027
14400	0.027
14460	0.027
14520	0.027
14580	0.024
14640	0.026
14700	0.026
14760	0.026
14820	0.025
14880	0.025
14940	0.024
15000	0.023
15060	0.022
15120	0.023
15180	0.022
15240	0.022
15300	0.022
15360	0.023
15420	0.023
15480	0.022
15540	0.02
15600	0.019
15660	0.021
15720	0.022

Dust Downwind
10-10-2022

15780	0.022
15840	0.023
15900	0.023
15960	0.022
16020	0.024
16080	0.023
16140	0.021
16200	0.022
16260	0.021
16320	0.021
16380	0.022
16440	0.022
16500	0.022
16560	0.023
16620	0.022
16680	0.023
16740	0.022
16800	0.023
16860	0.021
16920	0.021
16980	0.021
17040	0.02
17100	0.021
17160	0.021
17220	0.021
17280	0.021
17340	0.022
17400	0.023
17460	0.023
17520	0.022
17580	0.022
17640	0.029
17700	0.035
17760	0.04
17820	0.044
17880	0.045
17940	0.05
18000	0.046
18060	0.053
18120	0.048
18180	0.044
18240	0.04
18300	0.037
18360	0.034
18420	0.041
18480	0.053
18540	0.051

Dust Downwind
10-10-2022

18600	0.046
18660	0.04
18720	0.04
18780	0.042
18840	0.041
18900	0.047
18960	0.071
19020	0.054
19080	0.064
19140	0.063
19200	0.061
19260	0.053
19320	0.048
19380	0.041
19440	0.044
19500	0.054
19560	0.058
19620	0.056
19680	0.046
19740	0.042
19800	0.059
19860	0.07
19920	0.05
19980	0.046
20040	0.045
20100	0.058
20160	0.062
20220	0.051
20280	0.043
20340	0.039
20400	0.035
20460	0.036
20520	0.035
20580	0.035
20640	0.036
20700	0.04
20760	0.054
20820	0.101
20880	0.094
20940	0.109
21000	0.084
21060	0.071
21120	0.061
21180	0.055
21240	0.056
21300	0.047
21360	0.047

Dust Downwind

10-10-2022

21420	0.044
21480	0.042
21540	0.04
21600	0.041
21660	0.04
21720	0.037
21780	0.036
21840	0.034
21900	0.033
21960	0.031
22020	0.031
22080	0.027
22140	0.026
22200	0.028
22260	0.027
22320	0.026
22380	0.025
22440	0.025
22500	0.024
22560	0.023
22620	0.02
22680	0.019
22740	0.02
22800	0.02
22860	0.02
22920	0.018
22980	0.018
23040	0.018
23100	0.018
23160	0.024

PID Upwind
10-10-2022

Device	Seri	Log Time	Log Type	Log Interval	Sensor 1 Ty	Sensor 1 Di	Sensor 1 Se	Sensor 1 St	Sensor 1 Gi	Sensor 1 A	Sensor 1 M	Sensor 1 M	Sensor 1 ST	Sensor 1 T	Sensor 1 La	Sensor 1 Sç	Sensor 1 Sç	Sensor 1 Hi	Sensor 1 Lc	Sensor 1 ST	Sensor 1 T		
592-91915	10/10/2022	14:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	13:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	13:44	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	13:29	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	13:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	12:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	12:44	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	12:29	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	12:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	11:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	11:44	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	11:29	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	11:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	10:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	10:44	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	10:29	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	10:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	9:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	9:44	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	9:29	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	9:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	8:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	8:44	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	8:29	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	8:14	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	7:59	Readings	PID	SC2303002	Normal	0	0	0	0	0	0	0	0									
592-91915	10/10/2022	7:44	CONFIG	900 PID	ppm	SC23030028U4									#####	100	1000	100	50	25	10		

PID Upwind
10-10-2022

Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Sto Firmware Version

15000 Isobutylene 1 Hygiene M Manual Normal Mc Stop by User NORTH000 RAE00001 26 ##### ##### V2.22A

PID Downwind

10-10-2022

Device	Seri	Log Time	Log Type	Log Interval	Sensor 1 Ty	Sensor 1 Di	Sensor 1 Se	Sensor 1 St	Sensor 1 Gi	Sensor 1 A	Sensor 1 M	Sensor 1 M	Sensor 1 ST	Sensor 1 T	Sensor 1 La	Sensor 1 Sç	Sensor 1 Sç	Sensor 1 Hi	Sensor 1 Lc	Sensor 1 ST	Sensor 1 T	
592-92719		10/10/2022 14:21	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 14:06	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 13:51	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 13:36	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 13:21	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 13:06	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 12:51	Readings		PID	SC2303027	Normal	0	0	0.1	0	0	0	0								
592-92719		10/10/2022 12:36	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 12:21	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 12:06	Readings		PID	SC2303027	Normal	0	0	0.1	0	0	0	0								
592-92719		10/10/2022 11:51	Readings		PID	SC2303027	Normal	0	0	0.1	0	0	0	0								
592-92719		10/10/2022 11:36	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 11:21	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 11:06	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 10:51	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 10:36	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 10:21	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 10:06	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 9:51	Readings		PID	SC2303027	Normal	0	0	0.2	0	0	0	0								
592-92719		10/10/2022 9:36	Readings		PID	SC2303027	Normal	0	0	0.1	0	0	0	0								
592-92719		10/10/2022 9:21	Readings		PID	SC2303027	Normal	0	0	0.3	0	0	0	0								
592-92719		10/10/2022 9:06	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 8:51	Readings		PID	SC2303027	Normal	0	0	0.3	0	0	0	0								
592-92719		10/10/2022 8:36	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 8:21	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 8:06	Readings		PID	SC2303027	Normal	0	0	0	0	0	0	0								
592-92719		10/10/2022 7:51	CONFIG	900	PID	ppm	SC23030277W3								#####	100	1000	100	50	100	50	

PID Downwind
10-10-2022

Sensor 1 O Sensor 1 M Sensor 1 C Unit Status Running M Log Start T Diagnostic Stop Reaso User Id Site Id Record Nur Session Sta Session Sto Firmware Version

15000 Isobutylene 1 Hygiene M Auto Normal Mc Power Dow USER0000 SITE0000 26 ##### ##### V2.22