

NOTE:
 1. SITE BENCHMARK: TOP OF RAILROAD SPIKE IN POLE NM 27 ON THE NORTHEASTERLY SIDE OF EXCHANGE STREET. ELEVATION IS 214.4.

NOTES:
 1) BASE MAP DEVELOPED FROM DIGITIZED PLAN PROVIDED BY ALTMAN, KRITZER AND LEVICK ENTITLED "SITE PLAN-FIRST PRIZE CENTER PHASE I ENVIRONMENTAL SITE ASSESSMENT UPDATE", PREPARED BY C.T. MALE ASSOCIATES, DATED JULY 1990, DRAWING No.90-393, FILE NO. 90-3039.
 2) THE LOCATION OF SITE FEATURES WERE APPROXIMATELY DETERMINED BY LINE OF SIGHT AND PACING FROM EXISTING SITE FEATURES. THESE DATA SHOULD BE CONSIDERED ACCURATE ONLY TO THE DEGREE IMPLIED BY THE METHOD USED.

- LEGEND**
- ◆ FORMER GROUNDWATER MONITORING WELL INSTALLED BY OTHERS
 - ⊕ ~~FORMER~~ GZA BORING WITH MONITORING WELL
 - ◆ GEOTECHNICAL BORING
 - ⊕ ~~FORMER~~ SHALLOW SOIL BORING
 - ⊕ GEOTECHNICAL TEST PIT
 - TP ~~FORMER~~ TEST PIT
 - GR. GROUND ELEVATION
 - T.O.W. ELEV. TOP OF PVC WELL CASING
 - ELEVATOR
 - - - - - SITE BOUNDARY
 - - - - - MISCELLANEOUS PROPERTY BOUNDARY
 - . - . - TOWN BOUNDARY

REV. NO.	DESCRIPTION	BY	DATE

27 NAEK ROAD
 CROTONA, NY 10516
 P:860 875-7665 F:860 872-2416

GA
 GeoEnvironmental, Inc.

1" = 100'
 50' 100' 200'

PROJ MGR: JTH
 DESIGNED BY: JTH
 REVIEWED BY: GJC
 DRAWN BY: MJS
 DATE: 11/29/00

FIRST PRIZE CENTER PROPERTY
 76 EXCHANGE STREET
 ALBANY, NY

PROPOSED EXPLORATION
 LOCATION PLAN

JOB NO.
16552

FIGURE NO.
2

GZA GeoEnvironmental, Inc.
 106 South Street
 Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
 27 Naek Road
 Vernon, CT 06066

J.Hutton

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Date Received: 3/12/01
 Date Reported: 3/16/01
 Work Order No.: 0103-00049

Sample ID: SB-B6
 Sample Date: 3/08/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		81.3	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/12/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/12/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/12/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/12/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-B6
 Sample Date: 3/08/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Phenanthrene	EPA 8270	500	ug/kg	MQS	3/12/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/12/01
Fluoranthene	EPA 8270	470	ug/kg	MQS	3/12/01
Pyrene	EPA 8270	430	ug/kg	MQS	3/12/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/12/01
Chrysene	EPA 8270	450	ug/kg	MQS	3/12/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	63.6	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	77.1	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	78.0	% R	MQS	3/12/01
Extraction		2.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.365	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.835	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	24.5	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.104	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	8.96	mg/Kg	BJP	3/14/01
Copper	EPA 6010	51.7	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.271	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	7.83	mg/Kg	BJP	3/14/01
Lead	EPA 6010	90.1	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.627	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	8.43	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-B6
Sample Date: 3/08/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
Thallium	EPA 6010	< 3.24	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	23.5	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-B7
 Sample Date: 3/08/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		86.4	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/12/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/12/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/12/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/12/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/12/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-B7
 Sample Date: 3/08/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/12/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	56.7	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	63.6	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	64.3	% R	MQS	3/12/01
Extraction		1.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.472	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.857	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	11.9	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.107	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	10.6	mg/Kg	BJP	3/14/01
Copper	EPA 6010	34.5	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0436	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	7.95	mg/Kg	BJP	3/14/01
Lead	EPA 6010	63.3	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.643	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	3.57	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	4.09	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	29.1	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-C7
 Sample Date: 3/08/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		88.4	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/12/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/12/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/12/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/12/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/12/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-C7
 Sample Date: 3/08/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/12/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	70.7	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	84.0	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	87.9	% R	MQS	3/12/01
Extraction		4.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	< 0.155	mg/Kg	BJP	3/14/01
Silver	EPA 6010	< 0.621	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	2.34	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	< 0.0776	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	23.6	mg/Kg	BJP	3/14/01
Copper	EPA 6010	16.5	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0532	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	10.5	mg/Kg	BJP	3/14/01
Lead	EPA 6010	125	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	< 0.466	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	< 2.33	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	< 2.41	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	195	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-C10
 Sample Date: 3/09/2001

Sample No.: 004

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		84.7	%	TAJ	3/13/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/13/01
Aroclor 1262	EPA 8082	< 50	ug/kg	RJD	3/13/01
Aroclor 1260	EPA 8082	< 50	ug/kg	RJD	3/13/01
Aroclor 1254	EPA 8082	< 50	ug/kg	RJD	3/13/01
Aroclor 1248	EPA 8082	< 50	ug/kg	RJD	3/13/01
Aroclor 1242/1016	EPA 8082	< 50	ug/kg	RJD	3/13/01
Aroclor 1232	EPA 8082	< 100	ug/kg	RJD	3/13/01
Aroclor 1221	EPA 8082	< 50	ug/kg	RJD	3/13/01
alpha-BHC	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
gamma-BHC (Lindane)	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
beta-BHC	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
Heptachlor	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
delta-BHC	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
Aldrin	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
Hepatchlor Epoxide	EPA 8081	< 2.5	ug/kg	RJD	3/13/01
Endosulfan I	EPA 8081	< 2.5	ug/kg	RJD	3/13/01
4,4'-DDE	EPA 8081	13	ug/kg	RJD	3/13/01
Dieldrin	EPA 8081	< 2.5	ug/kg	RJD	3/13/01
Endrin	EPA 8081	< 2.5	ug/kg	RJD	3/13/01
4,4'-DDD	EPA 8081	15	ug/kg	RJD	3/13/01
Endosulfan II	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
4,4'-DDT	EPA 8081	27	ug/kg	RJD	3/13/01
Endrin Aldehyde	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
Endosulfan Sulfate	EPA 8081	< 2.5	ug/kg	RJD	3/13/01
Methoxychlor	EPA 8081	< 2.5	ug/kg	RJD	3/13/01
Endrin Ketone	EPA 8081	< 2.0	ug/kg	RJD	3/13/01
Toxaphene	EPA 8081	< 25	ug/kg	RJD	3/13/01
gamma-Chlordane	EPA 8081	12	ug/kg	RJD	3/13/01
alpha-Chlordane	EPA 8081	8.9	ug/kg	RJD	3/13/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	106	% R	RJD	3/13/01
***Decachlorobiphenyl	EPA 8081/8082	186	* % R	RJD	3/13/01
Extraction		1.0	DF	TLD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-C8
 Sample Date: 3/09/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		85.1	%	TAJ	3/13/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/13/01
Aroclor 1262	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1260	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1254	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1248	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1242/1016	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1232	EPA 8082	<50	ug/kg	RJD	3/13/01
Aroclor 1221	EPA 8082	<25	ug/kg	RJD	3/13/01
alpha-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
gamma-BHC (Lindane)	EPA 8081	<2.0	ug/kg	RJD	3/13/01
beta-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Heptachlor	EPA 8081	<2.0	ug/kg	RJD	3/13/01
delta-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Aldrin	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Hepatchlor Epoxide	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endosulfan I	EPA 8081	<2.5	ug/kg	RJD	3/13/01
4,4'-DDE	EPA 8081	<3.5	ug/kg	RJD	3/13/01
Dieldrin	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endrin	EPA 8081	<2.5	ug/kg	RJD	3/13/01
4,4'-DDD	EPA 8081	<3.5	ug/kg	RJD	3/13/01
Endosulfan II	EPA 8081	<2.0	ug/kg	RJD	3/13/01
4,4'-DDT	EPA 8081	3.0	ug/kg	RJD	3/13/01
Endrin Aldehyde	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Endosulfan Sulfate	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Methoxychlor	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endrin Ketone	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Toxaphene	EPA 8081	<25	ug/kg	RJD	3/13/01
gamma-Chlordane	EPA 8081	<3.0	ug/kg	RJD	3/13/01
alpha-Chlordane	EPA 8081	<3.0	ug/kg	RJD	3/13/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	114	% R	RJD	3/13/01
***Decachlorobiphenyl	EPA 8081/8082	130	% R	RJD	3/13/01
Extraction		1.0	DF	TLD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: SB-C12
 Sample Date: 3/09/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		92.6	%	TAJ	3/13/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/13/01
Aroclor 1262	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1260	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1254	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1248	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1242/1016	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1232	EPA 8082	<50	ug/kg	RJD	3/13/01
Aroclor 1221	EPA 8082	<25	ug/kg	RJD	3/13/01
alpha-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
gamma-BHC (Lindane)	EPA 8081	<2.0	ug/kg	RJD	3/13/01
beta-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Heptachlor	EPA 8081	<2.0	ug/kg	RJD	3/13/01
delta-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Aldrin	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Hepatchlor Epoxide	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endosulfan I	EPA 8081	<2.5	ug/kg	RJD	3/13/01
4,4'-DDE	EPA 8081	<3.5	ug/kg	RJD	3/13/01
Dieldrin	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endrin	EPA 8081	<2.5	ug/kg	RJD	3/13/01
4,4'-DDD	EPA 8081	<3.5	ug/kg	RJD	3/13/01
Endosulfan II	EPA 8081	<2.0	ug/kg	RJD	3/13/01
4,4'-DDT	EPA 8081	<3.0	ug/kg	RJD	3/13/01
Endrin Aldehyde	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Endosulfan Sulfate	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Methoxychlor	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endrin Ketone	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Toxaphene	EPA 8081	<25	ug/kg	RJD	3/13/01
gamma-Chlordane	EPA 8081	<3.0	ug/kg	RJD	3/13/01
alpha-Chlordane	EPA 8081	<3.0	ug/kg	RJD	3/13/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	103	% R	RJD	3/13/01
***Decachlorobiphenyl	EPA 8081/8082	114	% R	RJD	3/13/01
Extraction		1.0	DF	TLD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-C4
 Sample Date: 3/08/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		85.8	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/12/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/12/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/12/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Naphthalene	EPA 8270	410	ug/kg	MQS	3/12/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Methylnaphthalene	EPA 8270	600	ug/kg	MQS	3/12/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/12/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Phenanthrene	EPA 8270	630	ug/kg	MQS	3/12/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/12/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-C4
 Sample Date: 3/08/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/12/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	81.3	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	65.7	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	102	% R	MQS	3/12/01
Extraction		2.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS					
Beryllium	EPA 6010	0.518	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.881	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	7.71	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.110	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	10.5	mg/Kg	BJP	3/14/01
Copper	EPA 6010	37.5	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.129	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	11.8	mg/Kg	BJP	3/14/01
Lead	EPA 6010	69.6	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.661	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	6.95	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.41	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	143	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-A15
 Sample Date: 3/08/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		81.7	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/13/01
n-Nitrosodimethylamine	EPA 8270	< 660	ug/kg	MQS	3/13/01
bis(2-Chloroethyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/13/01
1,3-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/13/01
1,4-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/13/01
Benzyl Alcohol	EPA 8270	< 1300	ug/kg	MQS	3/13/01
1,2-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/13/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/13/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 660	ug/kg	MQS	3/13/01
Hexachloroethane	EPA 8270	< 660	ug/kg	MQS	3/13/01
Nitrobenzene	EPA 8270	< 660	ug/kg	MQS	3/13/01
Isophorone	EPA 8270	< 660	ug/kg	MQS	3/13/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 660	ug/kg	MQS	3/13/01
1,2,4-Trichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/13/01
Naphthalene	EPA 8270	49000	ug/kg	MQS	3/13/01
4-Chloroaniline	EPA 8270	< 1300	ug/kg	MQS	3/13/01
Hexachlorobutadiene	EPA 8270	< 660	ug/kg	MQS	3/13/01
2-Methylnaphthalene	EPA 8270	19000	ug/kg	MQS	3/13/01
Hexachlorocyclopentadiene	EPA 8270	< 3300	ug/kg	MQS	3/13/01
2-Chloronaphthalene	EPA 8270	< 660	ug/kg	MQS	3/13/01
2-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/13/01
Dimethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/13/01
Acenaphthylene	EPA 8270	8500	ug/kg	MQS	3/13/01
2,6-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/13/01
3-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/13/01
Acenaphthene	EPA 8270	13000	ug/kg	MQS	3/13/01
Dibenzofuran	EPA 8270	17000	ug/kg	MQS	3/13/01
2,4-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/13/01
Diethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/13/01
Fluorene	EPA 8270	< 660	ug/kg	MQS	3/13/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/13/01
4-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/13/01
n-Nitrosodiphenylamine	EPA 8270	< 660	ug/kg	MQS	3/13/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/13/01
Hexachlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/13/01
Phenanthrene	EPA 8270	98000	ug/kg	MQS	3/13/01
Anthracene	EPA 8270	26000	ug/kg	MQS	3/13/01
Carbazole	EPA 8270	24000	ug/kg	MQS	3/13/01
di-n-Butylphthalate	EPA 8270	< 1000	ug/kg	MQS	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-A15
 Sample Date: 3/08/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	62000	ug/kg	MQS	3/13/01
Pyrene	EPA 8270	49000	ug/kg	MQS	3/13/01
Butylbenzylphthalate	EPA 8270	< 660	ug/kg	MQS	3/13/01
Benzo [a] Anthracene	EPA 8270	24000	ug/kg	MQS	3/13/01
3,3'-Dichlorobenzidine	EPA 8270	< 1300	ug/kg	MQS	3/13/01
Chrysene	EPA 8270	16000	ug/kg	MQS	3/13/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 660	ug/kg	MQS	3/13/01
di-n-Octylphthalate	EPA 8270	< 660	ug/kg	MQS	3/13/01
Benzo [b] Fluoranthene	EPA 8270	19000	ug/kg	MQS	3/13/01
Benzo [k] Fluoranthene	EPA 8270	21000	ug/kg	MQS	3/13/01
Benzo [a] Pyrene	EPA 8270	18000	ug/kg	MQS	3/13/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	9600	ug/kg	MQS	3/13/01
Dibenzo [a,h] Anthracene	EPA 8270	4000	ug/kg	MQS	3/13/01
Benzo [g,h,i] Perylene	EPA 8270	10000	ug/kg	MQS	3/13/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	60.0	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	86.8	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	92.8	% R	MQS	3/12/01
Extraction		2.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS					
Beryllium	EPA 6010	0.409	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.884	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	4.65	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.111	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	14.4	mg/Kg	BJP	3/14/01
Copper	EPA 6010	18.1	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0156	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	16.2	mg/Kg	BJP	3/14/01
Lead	EPA 6010	8.86	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.663	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.32	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.43	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	45.4	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-A5
 Sample Date: 3/08/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		90.1	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/12/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/12/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/12/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/12/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Phenanthrene	EPA 8270	360	ug/kg	MQS	3/12/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/12/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-A5
 Sample Date: 3/08/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	330	ug/kg	MQS	3/12/01
Pyrene	EPA 8270	380	ug/kg	MQS	3/12/01
Butylbenzylphthalate	EPA 8270	<330	ug/kg	MQS	3/12/01
Benzo [a] Anthracene	EPA 8270	330	ug/kg	MQS	3/12/01
3,3'-Dichlorobenzidine	EPA 8270	<660	ug/kg	MQS	3/12/01
Chrysene	EPA 8270	<330	ug/kg	MQS	3/12/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	<330	ug/kg	MQS	3/12/01
di-n-Octylphthalate	EPA 8270	<330	ug/kg	MQS	3/12/01
Benzo [b] Fluoranthene	EPA 8270	<330	ug/kg	MQS	3/12/01
Benzo [k] Fluoranthene	EPA 8270	<330	ug/kg	MQS	3/12/01
Benzo [a] Pyrene	EPA 8270	<330	ug/kg	MQS	3/12/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	<330	ug/kg	MQS	3/12/01
Dibenzo [a,h] Anthracene	EPA 8270	<330	ug/kg	MQS	3/12/01
Benzo [g,h,i] Perylene	EPA 8270	<330	ug/kg	MQS	3/12/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	81.5	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	57.4	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	75.6	% R	MQS	3/12/01
Extraction		4.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS					
Beryllium	EPA 6010	0.335	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.765	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	4.88	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	0.115	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	21.9	mg/Kg	BJP	3/14/01
Copper	EPA 6010	29.1	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0175	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	23.9	mg/Kg	BJP	3/14/01
Lead	EPA 6010	44.3	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.574	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<2.87	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<2.97	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	140	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-D3
 Sample Date: 3/08/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		80.5	%	TAJ	3/13/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/12/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/12/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/12/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/12/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/12/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/12/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/12/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/12/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/12/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/12/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00049

Sample ID: GZ-D3
 Sample Date: 3/08/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/12/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/12/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/12/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	60.9	% R	MQS	3/12/01
***2-Fluorobiphenyl	EPA 8270	59.4	% R	MQS	3/12/01
***p-Terphenyl-D14	EPA 8270	88.0	% R	MQS	3/12/01
Extraction		1.0	DF	TLD	3/12/01
METALS					
PRIORITY POLLUTANT METALS					
Beryllium	EPA 6010	0.384	mg/Kg	BJP	3/14/01
Silver	EPA 6010	< 0.640	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	6.22	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	< 0.0800	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	12.7	mg/Kg	BJP	3/14/01
Copper	EPA 6010	17.2	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0156	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	14.0	mg/Kg	BJP	3/14/01
Lead	EPA 6010	12.7	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	< 0.480	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	< 2.40	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	< 2.48	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	51.0	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00049

PROJECT NARRATIVE:

1. Sample Receipt

The samples were received on 03/12/01 via x GZA courier, EC, FEDEX, or hand delivered.

The temperature of the X temperature blank, cooler air was 5.1 degrees C. The samples were received intact for all requested analyses.

The samples were appropriately preserved in accordance with the method they reference, including methanol preservation of soil samples for volatile analyses (preparation method 5035).

2. EPA Method 8081/8082

EPA Method 8082 allows one surrogate recovery to be outside the acceptance limits.

The increased reporting limits are a function of the compounds detected.

Attach QC 8081/8082 03/13/01 - Solid

3. EPA Method 8270

Attach QC 8270 03/12/01 - Solid

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00049

Data Authorized By: *[Signature]*

% R = % Recovery
DF = Dilution Factor
DO = Diluted Out

Soil data is reported on a dry weight basis unless otherwise specified.

Method 8260: The current version of the method is 8260B.
Method 8021: The current version of the method is 8021B.
Method 8270: The current version of the method is 8270C.

Laboratory Identification Numbers:

MA: MA092 NH: 2028
CT: PH0579
NY: 11063 RI: A46

Please note that the laboratory signed copy of the chain of custody record is an integral part of the data report

The laboratory report shall not be reproduced except in full without the written consent of the laboratory.

GZA GEOENVIRONMENTAL, INC.
 ENVIRONMENTAL CHEMISTRY LABORATORY
 106 SOUTH STREET, HOPKINTON, MA 01748
 MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8082 ANALYSIS
 QUALITY CONTROL SOLID

METHOD BLANK

DATE EXTRACTED: 03/13/01

DATE ANALYZED: 03/13/01

8082 COMPOUNDS POLYCHLORINATED BIPHENYLS	CONC. ug/L-PPB	QUANT. LIMIT ug/L-PPB
AROCLOR 1262	ND	5.0
AROCLOR 1260	ND	5.0
AROCLOR 1254	ND	5.0
AROCLOR 1248	ND	5.0
AROCLOR 1242/1016	ND	5.0
AROCLOR 1232	ND	10
AROCLOR 1221	ND	5.0

8082 SURROGATES	% RECOVERY	RECOV. LIMITS
TETRACHLORO-M-XYLENE	105	45-147
DECACHLOROBIPHENYL	125	27-138

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
Aroclor 1242	124	40-140	14.9	50

GZA GEOENVIRONMENTAL, INC.
ENVIRONMENTAL CHEMISTRY LABORATORY
320 NEEDHAM STREET, NEWTON UPPER FALLS, MA 02164
MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8270 ANALYSIS

QUALITY CONTROL (p.1) INGRID

METHOD BLANK SOLID

DATE EXTRACTED: 3/12/01
DATE TESTED: 3/12/01
LABORATORY NO.: J9089

TOTAL COMPOUNDS DETECTED	ND
--------------------------	----

ACID EXTRACTABLE SURROGATES	RECOVERY (%)	ACCEPTANCE LIMITS (%)
2-FLUOROPHENOL	72.4	0-100
PHENOL-D6	75.4	24-133
2,4,6-TRIBROMOPHENOL	85.0	6-119

BASE NEUTRAL EXTRACTABLE SURROGATES	RECOVERY (%)	ACCEPTANCE LIMITS (%)
2-FLUOROBIPHENYL	68.9	18-122
NITROBENZENE-D5	73.8	18-115
P-TERPHENYL-D14	94.5	32-119

GZA GEOENVIRONMENTAL, INC.
 ENVIRONMENTAL CHEMISTRY LABORATORY
 320 NEEDHAM STREET, NEWTON UPPER FALLS, MA 02464
 MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8270 ANALYSIS

QUALITY CONTROL (p.2) AUDREY

DATE EXTRACTED: 3/12/01

DATE ANALYZED: 3/12/01

AQUEOUS

ACID EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
PHENOL	-	12-110	-	42
2-CHLOROPHENOL	-	27-123	-	40
4-CHLORO-3-METHYLPHENOL	-	23-97	-	42
PENTACHLOROPHENOL	-	9-103	-	50

BASE NEUTRAL EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
1,4-DICHLOROBENZENE	-	36-97	-	28
N-NITROSODI-N-PROPYLAMINE	-	41-116	-	38
1,2,4-TRICHLOROBENZENE	-	39-98	-	28
ACENAPHTHENE	-	46-118	-	31
2,4-DINITROTOLUENE	-	24-96	-	38
PYRENE	-	26-127	-	31

SOLID

ACID EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
PHENOL	76.3	26-90	5.30	35
2-CHLOROPHENOL	47.7	25-102	19.3	50
4-CHLORO-3-METHYLPHENOL	68.1	26-103	5.29	33
PENTACHLOROPHENOL	14.6	17-109	18.3	47

BASE NEUTRAL EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
1,4-DICHLOROBENZENE	66.4	28-104	0.70	27
N-NITROSODI-N-PROPYLAMINE	63.7	41-126	0.48	38
1,2,4-TRICHLOROBENZENE	69.7	38-107	1.90	23
ACENAPHTHENE	84.1	31-137	2.39	19
2,4-DINITROTOLUENE	86.3	28-89	2.17	47
PYRENE	119	35-142	5.78	36

GZA GeoEnvironmental, Inc.
 106 South Street
 Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
 27 Naek Road
 Vernon, CT 06066

J.Hutton

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Date Received: 3/13/01
 Date Reported: 3/20/01
 Work Order No.: 0103-00052

Sample ID: GZ-SB-C13-S1
 Sample Date: 3/12/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		86.2	%	TAJ	3/14/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/13/01
Aroclor 1262	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1260	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1254	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1248	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1242/1016	EPA 8082	<25	ug/kg	RJD	3/13/01
Aroclor 1232	EPA 8082	<50	ug/kg	RJD	3/13/01
Aroclor 1221	EPA 8082	<25	ug/kg	RJD	3/13/01
alpha-BHC	EPA 8081	<6.0	ug/kg	RJD	3/13/01
gamma-BHC (Lindane)	EPA 8081	<2.0	ug/kg	RJD	3/13/01
beta-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Heptachlor	EPA 8081	<2.0	ug/kg	RJD	3/13/01
delta-BHC	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Aldrin	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Hepatchlor Epoxide	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endosulfan I	EPA 8081	<2.5	ug/kg	RJD	3/13/01
4,4'-DDE	EPA 8081	<3.5	ug/kg	RJD	3/13/01
Dieldrin	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endrin	EPA 8081	<2.5	ug/kg	RJD	3/13/01
4,4'-DDD	EPA 8081	<3.5	ug/kg	RJD	3/13/01
Endosulfan II	EPA 8081	<2.0	ug/kg	RJD	3/13/01
4,4'-DDT	EPA 8081	<3.0	ug/kg	RJD	3/13/01
Endrin Aldehyde	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Endosulfan Sulfate	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Methoxychlor	EPA 8081	<2.5	ug/kg	RJD	3/13/01
Endrin Ketone	EPA 8081	<2.0	ug/kg	RJD	3/13/01
Toxaphene	EPA 8081	<25	ug/kg	RJD	3/13/01
gamma-Chlordane	EPA 8081	<3.0	ug/kg	RJD	3/13/01
alpha-Chlordane	EPA 8081	<3.0	ug/kg	RJD	3/13/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	117	% R	RJD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C13-S1					Sample No.: 001
Sample Date: 3/12/2001					
Test Performed	Method	Results	Units	Tech	Analysis Date
***Decachlorobiphenyl Extraction	EPA 8081/8082	120 1.0	% R DF	RJD TLD	3/13/01 3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C4-S1
 Sample Date: 3/12/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		84.1	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 1300	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 660	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	24000	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 660	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	20000	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 3300	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 660	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	11000	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	6600	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	10000	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	16000	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	69000	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	15000	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	10000	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 1000	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C4-S1
 Sample Date: 3/12/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	57000	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	54000	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzo [a] Anthracene	EPA 8270	24000	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Chrysene	EPA 8270	16000	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
di-n-Octylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	17000	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	22000	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	19000	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	11000	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	4400	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	12000	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	36.1	% R	MQS	3/14/01
***2-Fluorobiphenyl	EPA 8270	69.6	% R	MQS	3/14/01
***p-Terphenyl-D14	EPA 8270	83.4	% R	MQS	3/14/01
Extraction		2.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.519	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.883	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	6.48	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.110	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	9.71	mg/Kg	BJP	3/14/01
Copper	EPA 6010	24.3	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0661	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	10.5	mg/Kg	BJP	3/14/01
Lead	EPA 6010	43.8	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.662	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	3.32	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.42	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	120	mg/Kg	BJP	3/14/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/13/01
Aroclor 1262	EPA 8082	< 100	ug/kg	RJD	3/13/01
Aroclor 1260	EPA 8082	< 100	ug/kg	RJD	3/13/01
Aroclor 1254	EPA 8082	< 100	ug/kg	RJD	3/13/01
Aroclor 1248	EPA 8082	< 100	ug/kg	RJD	3/13/01
Aroclor 1242/I016	EPA 8082	< 100	ug/kg	RJD	3/13/01
Aroclor 1232	EPA 8082	< 200	ug/kg	RJD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C4-S1
 Sample Date: 3/12/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
Aroclor 1221	EPA 8082	< 100	ug/kg	RJD	3/13/01
alpha-BHC	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
gamma-BHC (Lindane)	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
beta-BHC	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
Heptachlor	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
delta-BHC	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
Aldrin	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
Hepatchlor Epoxide	EPA 8081	< 10	ug/kg	RJD	3/13/01
Endosulfan I	EPA 8081	< 10	ug/kg	RJD	3/13/01
4,4'-DDE	EPA 8081	91	ug/kg	RJD	3/13/01
Dieldrin	EPA 8081	< 10	ug/kg	RJD	3/13/01
Endrin	EPA 8081	< 50	ug/kg	RJD	3/13/01
4,4'-DDD	EPA 8081	73	ug/kg	RJD	3/13/01
Endosulfan II	EPA 8081	< 10	ug/kg	RJD	3/13/01
4,4'-DDT	EPA 8081	100	ug/kg	RJD	3/13/01
Endrin Aldehyde	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
Endosulfan Sulfate	EPA 8081	< 10	ug/kg	RJD	3/13/01
Methoxychlor	EPA 8081	< 10	ug/kg	RJD	3/13/01
Endrin Ketone	EPA 8081	< 8.0	ug/kg	RJD	3/13/01
Toxaphene	EPA 8081	< 100	ug/kg	RJD	3/13/01
gamma-Chlordane	EPA 8081	42	ug/kg	RJD	3/13/01
alpha-Chlordane	EPA 8081	21	ug/kg	RJD	3/13/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	122	% R	RJD	3/13/01
***Decachlorobiphenyl	EPA 8081/8082	129	% R	RJD	3/13/01
Extraction		8.0	DF	TLD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-B4-S2
 Sample Date: 3/12/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		78.9	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 1300	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 660	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	7000	ug/kg	MQS	3/14/01
4-Chloroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 660	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	830	ug/kg	MQS	3/14/01
Hexachlorocyclopentadiene	EPA 8270	< 3300	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 660	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	3500	ug/kg	MQS	3/14/01
2,6-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	2000	ug/kg	MQS	3/14/01
Dibenzofuran	EPA 8270	2000	ug/kg	MQS	3/14/01
2,4-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	2800	ug/kg	MQS	3/14/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	17000	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	6900	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	3900	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 1000	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-B4-S2
 Sample Date: 3/12/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	21000	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Butylbenzylphthalate	EPA 8270	19000	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 660	ug/kg	MQS	3/14/01
3,3'-Dichlorobenzidine	EPA 8270	5900	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	19000	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	10000	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	15000	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	11000	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	5500	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	2500	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	5400	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	63.7	% R	MQS	3/14/01
***2-Fluorobiphenyl	EPA 8270	65.5	% R	MQS	3/14/01
***p-Terphenyl-D14	EPA 8270	28.3	% R	MQS	3/14/01
Extraction		2.0	DF	TLD	3/14/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/13/01
Aroclor 1262	EPA 8082	< 500	ug/kg	RJD	3/13/01
Aroclor 1260	EPA 8082	< 500	ug/kg	RJD	3/13/01
Aroclor 1254	EPA 8082	< 500	ug/kg	RJD	3/13/01
Aroclor 1248	EPA 8082	< 500	ug/kg	RJD	3/13/01
Aroclor 1242/1016	EPA 8082	< 500	ug/kg	RJD	3/13/01
Aroclor 1232	EPA 8082	< 1000	ug/kg	RJD	3/13/01
Aroclor 1221	EPA 8082	< 500	ug/kg	RJD	3/13/01
alpha-BHC	EPA 8081	< 20	ug/kg	RJD	3/13/01
gamma-BHC (Lindane)	EPA 8081	< 20	ug/kg	RJD	3/13/01
beta-BHC	EPA 8081	< 20	ug/kg	RJD	3/13/01
Heptachlor	EPA 8081	< 20	ug/kg	RJD	3/13/01
delta-BHC	EPA 8081	< 20	ug/kg	RJD	3/13/01
Aldrin	EPA 8081	< 20	ug/kg	RJD	3/13/01
Hepatchlor Epoxide	EPA 8081	< 25	ug/kg	RJD	3/13/01
Endosulfan I	EPA 8081	< 25	ug/kg	RJD	3/13/01
4,4'-DDE	EPA 8081	< 35	ug/kg	RJD	3/13/01
Dieldrin	EPA 8081	< 25	ug/kg	RJD	3/13/01
Endrin	EPA 8081	< 25	ug/kg	RJD	3/13/01
4,4'-DDD	EPA 8081	< 35	ug/kg	RJD	3/13/01
Endosulfan II	EPA 8081	< 20	ug/kg	RJD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-B4-S2
 Sample Date: 3/12/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
4,4'-DDT	EPA 8081	< 30	ug/kg	RJD	3/13/01
Endrin Aldehyde	EPA 8081	< 20	ug/kg	RJD	3/13/01
Endosulfan Sulfate	EPA 8081	< 25	ug/kg	RJD	3/13/01
Methoxychlor	EPA 8081	< 25	ug/kg	RJD	3/13/01
Endrin Ketone	EPA 8081	< 20	ug/kg	RJD	3/13/01
Toxaphene	EPA 8081	< 250	ug/kg	RJD	3/13/01
gamma-Chlordane	EPA 8081	54	ug/kg	RJD	3/13/01
alpha-Chlordane	EPA 8081	330	ug/kg	RJD	3/13/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	123	% R	RJD	3/13/01
***Decachlorobiphenyl	EPA 8081/8082	DO	* % R	RJD	3/13/01
Extraction		40	DF	TLD	3/13/01
PRIORITY POLLUTANT METALS					
Beryllium	EPA 6010	0.451	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.880	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	35.7	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.110	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	10.9	mg/Kg	BJP	3/14/01
Copper	EPA 6010	71.3	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.126	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	11.4	mg/Kg	BJP	3/14/01
Lead	EPA 6010	75.8	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.660	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	7.35	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.41	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	66.0	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-E4A-S1
 Sample Date: 3/12/2001

Sample No.: 004

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		86.2	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-E4A-S1
 Sample Date: 3/12/2001

Sample No.: 004

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	59.6	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	64.6	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	75.2	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	<0.215	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.859	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	2.50	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.107	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	6.23	mg/Kg	BJP	3/14/01
Copper	EPA 6010	7.61	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.120	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	5.41	mg/Kg	BJP	3/14/01
Lead	EPA 6010	5.70	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.645	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.22	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.33	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	19.1	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-A2-S2
 Sample Date: 3/12/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		86.0	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/14/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-A2-S2
 Sample Date: 3/12/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/14/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	63.4	% R	MQS	3/14/01
***2-Fluorobiphenyl	EPA 8270	60.5	% R	MQS	3/14/01
***p-Terphenyl-D14	EPA 8270	46.3	% R	MQS	3/14/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.378	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.841	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	5.35	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.105	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	9.81	mg/Kg	BJP	3/14/01
Copper	EPA 6010	18.2	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0942	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	8.81	mg/Kg	BJP	3/14/01
Lead	EPA 6010	33.2	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.631	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	5.48	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.26	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	69.2	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-A1-S2
 Sample Date: 3/12/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		89.0	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	900	ug/kg	MQS	3/14/01
Anthracene	EPA 8270	480	ug/kg	MQS	3/14/01
Carbazole	EPA 8270	330	ug/kg	MQS	3/14/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-A1-S2
 Sample Date: 3/12/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/14/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	64.1	% R	MQS	3/14/01
***2-Fluorobiphenyl	EPA 8270	59.3	% R	MQS	3/14/01
***p-Terphenyl-D14	EPA 8270	74.2	% R	MQS	3/14/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.275	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.845	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	2.57	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.106	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	7.22	mg/Kg	BJP	3/14/01
Copper	EPA 6010	12.3	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0246	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	8.41	mg/Kg	BJP	3/14/01
Lead	EPA 6010	13.4	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.634	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	4.38	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.27	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	29.8	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-E4C-S2
 Sample Date: 3/12/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		83.4	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-E4C-S2
 Sample Date: 3/12/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Burylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	45.3	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	50.0	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	63.0	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	<0.213	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.852	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	0.916	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.106	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	4.90	mg/Kg	BJP	3/14/01
Copper	EPA 6010	4.97	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	<0.0124	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	4.05	mg/Kg	BJP	3/14/01
Lead	EPA 6010	1.69	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.639	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.19	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.30	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	13.8	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D4-S2
 Sample Date: 3/12/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		83.2	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	860	ug/kg	MQS	3/14/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	1900	ug/kg	MQS	3/14/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/14/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D4-S2
 Sample Date: 3/12/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/14/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	102	% R	MQS	3/14/01
***2-Fluorobiphenyl	EPA 8270	71.3	% R	MQS	3/14/01
***p-Terphenyl-D14	EPA 8270	116	% R	MQS	3/14/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.285	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.911	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	1.35	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.114	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	7.28	mg/Kg	BJP	3/14/01
Copper	EPA 6010	6.24	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0228	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	5.05	mg/Kg	BJP	3/14/01
Lead	EPA 6010	11.8	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.683	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.41	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.53	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	21.4	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-A3-S2
 Sample Date: 3/12/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		89.8	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/14/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	3700	ug/kg	MQS	3/14/01
Anthracene	EPA 8270	1000	ug/kg	MQS	3/14/01
Carbazole	EPA 8270	470	ug/kg	MQS	3/14/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-A3-S2
 Sample Date: 3/12/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	3800	ug/kg	MQS	3/14/01
Pyrene	EPA 8270	3000	ug/kg	MQS	3/14/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [a] Anthracene	EPA 8270	1500	ug/kg	MQS	3/14/01
3,3'-Dichlorobenzidine	EPA 8270	< 330	ug/kg	MQS	3/14/01
Chrysene	EPA 8270	1900	ug/kg	MQS	3/14/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	740	ug/kg	MQS	3/14/01
Benzo [k] Fluoranthene	EPA 8270	1200	ug/kg	MQS	3/14/01
Benzo [a] Pyrene	EPA 8270	830	ug/kg	MQS	3/14/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/14/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	96.7	% R	MQS	3/14/01
***2-Fluorobiphenyl	EPA 8270	67.7	% R	MQS	3/14/01
***p-Terphenyl-D14	EPA 8270	61.2	% R	MQS	3/14/01
Extraction		2.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.397	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.836	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	4.46	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.104	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	9.47	mg/Kg	BJP	3/14/01
Copper	EPA 6010	27.1	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0556	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	12.2	mg/Kg	BJP	3/14/01
Lead	EPA 6010	36.8	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.627	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	4.94	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.24	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	57.4	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-B1-S2
 Sample Date: 3/12/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		81.9	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-B1-S2
 Sample Date: 3/12/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	<330	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	<330	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	<330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	<330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	<660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	<330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	<330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	<330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	<330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	<330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	<330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	<330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	<330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	<330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	56.5	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	63.8	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	85.8	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	<0.209	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.835	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	4.12	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.104	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	5.63	mg/Kg	BJP	3/14/01
Copper	EPA 6010	5.66	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	<0.0139	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	5.74	mg/Kg	BJP	3/14/01
Lead	EPA 6010	1.74	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.626	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.13	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.24	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	16.4	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C5-S1
 Sample Date: 3/12/2001

Sample No.: 011

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		72.8	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/14/01
n-Nitrosodimethylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroethyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,3-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,4-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzyl Alcohol	EPA 8270	< 1300	ug/kg	MQS	3/14/01
1,2-Dichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachloroethane	EPA 8270	< 660	ug/kg	MQS	3/14/01
Nitrobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Isophorone	EPA 8270	< 660	ug/kg	MQS	3/14/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 660	ug/kg	MQS	3/14/01
1,2,4-Trichlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Naphthalene	EPA 8270	620000	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Hexachlorobutadiene	EPA 8270	< 660	ug/kg	MQS	3/14/01
2-Methylnaphthalene	EPA 8270	170000	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 3300	ug/kg	MQS	3/14/01
2-Chloronaphthalene	EPA 8270	< 660	ug/kg	MQS	3/14/01
2-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Dimethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Acenaphthylene	EPA 8270	34000	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/14/01
3-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Acenaphthene	EPA 8270	170000	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	140000	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Diethylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Fluorene	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Nitroaniline	EPA 8270	< 1300	ug/kg	MQS	3/14/01
n-Nitrosodiphenylamine	EPA 8270	< 660	ug/kg	MQS	3/14/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 660	ug/kg	MQS	3/14/01
Hexachlorobenzene	EPA 8270	< 660	ug/kg	MQS	3/14/01
Phenanthrene	EPA 8270	950000	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	180000	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	120000	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 1000	ug/kg	MQS	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C5-S1
 Sample Date: 3/12/2001

Sample No.: 011

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	290000	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	200000	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzo [a] Anthracene	EPA 8270	32000	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 1300	ug/kg	MQS	3/14/01
Chrysene	EPA 8270	76000	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
di-n-Octylphthalate	EPA 8270	< 660	ug/kg	MQS	3/14/01
Benzo [b] Fluoranthene	EPA 8270	27000	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	39000	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	33000	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	17000	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	7800	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	20000	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	59.0	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	57.6	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	33.0	% R	MQS	3/15/01
Extraction		2.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.825	mg/Kg	BJP	3/14/01
Silver	EPA 6010	< 1.02	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	8.54	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	< 0.127	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	12.3	mg/Kg	BJP	3/14/01
Copper	EPA 6010	22.5	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.127	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	8.24	mg/Kg	BJP	3/14/01
Lead	EPA 6010	47.2	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	< 0.762	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	5.05	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	< 3.93	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	37.4	mg/Kg	BJP	3/14/01
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/14/01
Aroclor 1262	EPA 8082	< 500	ug/kg	RJD	3/14/01
Aroclor 1260	EPA 8082	< 500	ug/kg	RJD	3/14/01
Aroclor 1254	EPA 8082	< 500	ug/kg	RJD	3/14/01
Aroclor 1248	EPA 8082	< 500	ug/kg	RJD	3/14/01
Aroclor 1242/1016	EPA 8082	< 500	ug/kg	RJD	3/14/01
Aroclor 1232	EPA 8082	< 1000	ug/kg	RJD	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-C5-S1
 Sample Date: 3/12/2001

Sample No.: 011

Test Performed	Method	Results	Units	Tech	Analysis Date
Aroclor 1221	EPA 8082	< 500	ug/kg	RJD	3/14/01
alpha-BHC	EPA 8081	< 12	ug/kg	RJD	3/14/01
gamma-BHC (Lindane)	EPA 8081	< 12	ug/kg	RJD	3/14/01
beta-BHC	EPA 8081	< 12	ug/kg	RJD	3/14/01
Heptachlor	EPA 8081	< 12	ug/kg	RJD	3/14/01
delta-BHC	EPA 8081	< 12	ug/kg	RJD	3/14/01
Aldrin	EPA 8081	< 12	ug/kg	RJD	3/14/01
Hepatchlor Epoxide	EPA 8081	< 15	ug/kg	RJD	3/14/01
Endosulfan I	EPA 8081	< 15	ug/kg	RJD	3/14/01
4,4'-DDE	EPA 8081	310	ug/kg	RJD	3/14/01
Dieldrin	EPA 8081	< 15	ug/kg	RJD	3/14/01
Endrin	EPA 8081	< 15	ug/kg	RJD	3/14/01
4,4'-DDD	EPA 8081	670	ug/kg	RJD	3/14/01
Endosulfan II	EPA 8081	< 12	ug/kg	RJD	3/14/01
4,4'-DDT	EPA 8081	1200	ug/kg	RJD	3/14/01
Endrin Aldehyde	EPA 8081	< 12	ug/kg	RJD	3/14/01
Endosulfan Sulfate	EPA 8081	< 15	ug/kg	RJD	3/14/01
Methoxychlor	EPA 8081	< 15	ug/kg	RJD	3/14/01
Endrin Ketone	EPA 8081	< 12	ug/kg	RJD	3/14/01
Toxaphene	EPA 8081	< 150	ug/kg	RJD	3/14/01
gamma-Chlordane	EPA 8081	420	ug/kg	RJD	3/14/01
alpha-Chlordane	EPA 8081	210	ug/kg	RJD	3/14/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	68.8	% R	RJD	3/14/01
***Decachlorobiphenyl	EPA 8081/8082	86.3	% R	RJD	3/14/01
Extraction		30	DF	TLD	3/13/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D6-S1
 Sample Date: 3/12/2001

Sample No.: 012

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		74.6	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Test Performed	Method	Results	Units	Tech	Analysis Date
Sample ID: GZ-SB-D6-S1					Sample No.: 012
Sample Date: 3/12/2001					
Fluoranthene	EPA 8270	350	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	50.8	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	58.8	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	70.4	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.419	mg/Kg	BJP	3/14/01
Silver	EPA 6010	< 1.02	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	4.39	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	< 0.127	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	10.7	mg/Kg	BJP	3/14/01
Copper	EPA 6010	11.7	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0369	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	9.98	mg/Kg	BJP	3/14/01
Lead	EPA 6010	9.38	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	< 0.762	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	6.40	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	< 3.94	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	30.1	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D2-S1
 Sample Date: 3/12/2001

Sample No.: 013

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		86.1	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D2-S1
 Sample Date: 3/12/2001

Sample No.: 013

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	57.3	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	63.4	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	70.6	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.331	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.884	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	13.1	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.110	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	7.28	mg/Kg	BJP	3/14/01
Copper	EPA 6010	18.2	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0220	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	10.2	mg/Kg	BJP	3/14/01
Lead	EPA 6010	10.5	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.663	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.31	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.42	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	26.5	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D3-S2
 Sample Date: 3/12/2001

Sample No.: 014

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		81.9	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	1900	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	360	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D3-S2
 Sample Date: 3/12/2001

Sample No.: 014

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	2100	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	1500	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	630	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	670	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	470	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	490	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	540	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	51.6	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	62.9	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	75.8	% R	MQS	3/15/01
Extraction		2.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	<0.234	mg/Kg	BJP	3/14/01
Silver	EPA 6010	<0.936	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	4.82	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	<0.117	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	7.61	mg/Kg	BJP	3/14/01
Copper	EPA 6010	40.8	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0469	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	7.35	mg/Kg	BJP	3/14/01
Lead	EPA 6010	16.3	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	<0.702	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	<3.51	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	<3.63	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	23.0	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-E8-S1
 Sample Date: 3/12/2001

Sample No.: 015

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		79.6	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-E8-S1
 Sample Date: 3/12/2001

Sample No.: 015

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	63.8	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	69.2	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	78.6	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.302	mg/Kg	BJP	3/14/01
Silver	EPA 6010	< 0.965	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	5.55	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	< 0.121	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	18.0	mg/Kg	BJP	3/14/01
Copper	EPA 6010	24.6	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0187	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	19.6	mg/Kg	BJP	3/14/01
Lead	EPA 6010	8.71	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	< 0.724	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	< 3.62	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	< 3.74	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	53.7	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D8-S2
 Sample Date: 3/12/2001

Sample No.: 016

Test Performed	Method	Results	Units	Tech	Analysis Date
PERCENT SOLID		62.7	%	TAJ	3/14/01
BASE-NEUTRAL ORGANIC COMPOUNDS	EPA 8270			MQS	3/15/01
n-Nitrosodimethylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,3-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,4-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzyl Alcohol	EPA 8270	< 660	ug/kg	MQS	3/15/01
1,2-Dichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroisopropyl)Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
n-Nitrosodi-n-Propylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachloroethane	EPA 8270	< 330	ug/kg	MQS	3/15/01
Nitrobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Isophorone	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Chloroethoxy)Methane	EPA 8270	< 330	ug/kg	MQS	3/15/01
1,2,4-Trichlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Naphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chloroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Hexachlorobutadiene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Methylnaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorocyclopentadiene	EPA 8270	< 1700	ug/kg	MQS	3/15/01
2-Chloronaphthalene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Dimethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Acenaphthylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,6-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
Acenaphthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzofuran	EPA 8270	< 330	ug/kg	MQS	3/15/01
2,4-Dinitrotoluene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Diethylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Fluorene	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Chlorophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Nitroaniline	EPA 8270	< 660	ug/kg	MQS	3/15/01
n-Nitrosodiphenylamine	EPA 8270	< 330	ug/kg	MQS	3/15/01
4-Bromophenyl Phenyl Ether	EPA 8270	< 330	ug/kg	MQS	3/15/01
Hexachlorobenzene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Phenanthrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Carbazole	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Butylphthalate	EPA 8270	< 500	ug/kg	MQS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00052

Sample ID: GZ-SB-D8-S2
 Sample Date: 3/12/2001

Sample No.: 016

Test Performed	Method	Results	Units	Tech	Analysis Date
Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Butylbenzylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
3,3'-Dichlorobenzidine	EPA 8270	< 660	ug/kg	MQS	3/15/01
Chrysene	EPA 8270	< 330	ug/kg	MQS	3/15/01
bis(2-Ethylhexyl)Phthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
di-n-Octylphthalate	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [b] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [k] Fluoranthene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [a] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Indeno [1,2,3-cd] Pyrene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Dibenzo [a,h] Anthracene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Benzo [g,h,i] Perylene	EPA 8270	< 330	ug/kg	MQS	3/15/01
Surrogates:	EPA 8270				
***Nitrobenzene-D5	EPA 8270	52.4	% R	MQS	3/15/01
***2-Fluorobiphenyl	EPA 8270	59.3	% R	MQS	3/15/01
***p-Terphenyl-D14	EPA 8270	65.2	% R	MQS	3/15/01
Extraction		1.0	DF	TLD	3/14/01
PRIORITY POLLUTANT METALS				BJP	3/14/01
Beryllium	EPA 6010	0.676	mg/Kg	BJP	3/14/01
Silver	EPA 6010	< 1.26	mg/Kg	BJP	3/14/01
Arsenic	EPA 6010	3.71	mg/Kg	BJP	3/14/01
Cadmium	EPA 6010	< 0.157	mg/Kg	BJP	3/14/01
Chromium	EPA 6010	18.1	mg/Kg	BJP	3/14/01
Copper	EPA 6010	11.8	mg/Kg	BJP	3/14/01
Mercury	EPA 7471A	0.0871	mg/Kg	AJY	3/14/01
Nickel	EPA 6010	13.0	mg/Kg	BJP	3/14/01
Lead	EPA 6010	4.43	mg/Kg	BJP	3/14/01
Antimony	EPA 6010	< 0.944	mg/Kg	BJP	3/14/01
Selenium	EPA 6010	< 4.72	mg/Kg	BJP	3/14/01
Thallium	EPA 6010	< 4.87	mg/Kg	BJP	3/14/01
Zinc	EPA 6010	68.3	mg/Kg	BJP	3/14/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00052

PROJECT NARRATIVE:

1. Sample Receipt

The samples were received on 03/13/01 via x GZA courier, EC, FEDEX, or hand delivered.

The temperature of the temperature blank, x cooler air was 2.2 degrees C. The samples were received intact for all requested analyses.

The samples were appropriately preserved in accordance with the method they reference, including methanol preservation of soil samples for volatile analyses (preparation method 5035).

2. EPA Method 8081/8082

The increased reporting limits are a function of the compounds detected.

Attach QC 8081/8082 03/13/01 - Solid

3. Metals Data

The low matrix spike recoveries for Antimony and Zinc for sample GZ-SB-D8-S2 may be attributed to a matrix interference.

The duplicate results of sample GZ-SB-D8-S2 for Zinc exceed 20% (relative percent difference). This is an indication of a non-homogenous sample.

4. EPA Method 8270

Attach QC 8270 03/14/01 - Solid

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00052

Data Authorized By: *H. W. Lane*

% R = % Recovery
DF = Dilution Factor
DO = Diluted Out

Soil data is reported on a dry weight basis unless otherwise specified.

Method 8260: The current version of the method is 8260B.
Method 8021: The current version of the method is 8021B.
Method 8270: The current version of the method is 8270C.

Laboratory Identification Numbers:

MA: MA092 NH: 2028
CT: PH0579
NY: 11063 RI: A46

Please note that the laboratory signed copy of the chain of custody record is an integral part of the data report.

The laboratory report shall not be reproduced except in full without the written consent of the laboratory.

GZA GEOENVIRONMENTAL, INC.
 ENVIRONMENTAL CHEMISTRY LABORATORY
 106 SOUTH STREET, HOPKINTON, MA 01748
 MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8082 ANALYSIS
 QUALITY CONTROL SOLID

METHOD BLANK

DATE EXTRACTED: 03/13/01

DATE ANALYZED: 03/13/01

8082 COMPOUNDS POLYCHLORINATED BIPHENYLS	CONC. ug/L-PPB	QUANT. LIMIT ug/L-PPB
AROCLOR 1262	ND	5.0
AROCLOR 1260	ND	5.0
AROCLOR 1254	ND	5.0
AROCLOR 1248	ND	5.0
AROCLOR 1242/1016	ND	5.0
AROCLOR 1232	ND	10
AROCLOR 1221	ND	5.0

8082 SURROGATES	% RECOVERY	RECOV. LIMITS
TETRACHLORO-M-XYLENE	105	45-147
DECACHLOROBIPHENYL	125	27-138

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
Aroclor 1242	124	40-140	14.9	50

GZA GEOENVIRONMENTAL, INC.
 ENVIRONMENTAL CHEMISTRY LABORATORY
 106 SOUTH STREET, HOPKINTON, MA 01748
 MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8081 ANALYSIS
 QUALITY CONTROL SOLID

METHOD BLANK

DATE EXTRACTED: 03/13/2001
 DATE ANALYZED: 03/13/2001

8081 COMPOUNDS CHLORINATED PESTICIDES	CONC. ug/L-PPB	QUANT. LIMIT ug/L-PPB
ALPHA-BHC	ND	2.0
GAMMA-BHC	ND	2.0
BETA-BHC	ND	2.0
HEPTACHLOR	ND	2.0
DELTA-BHC	ND	2.0
ALDRIN	ND	2.0
HEPTACHLOR EPOXIDE	ND	2.5
ENDOSULFAN I	ND	2.5
4,4-DDE	ND	3.5
DIELDRIN	ND	2.5
ENDRIN	ND	2.5
4,4-DDD	ND	3.5
ENDOSULFAN II	ND	2.0
4,4-DDT	ND	3.0
ENDRIN ALDEHYDE	ND	2.0
ENDOSULFAN SULFATE	ND	2.5
METHOXYCHLOR	ND	2.5
ENDRIN KETONE	ND	2.0
TOXAPHENE	ND	25
CHLORDANE	ND	2.0

8081 SURROGATES	% RECOVERY	RECOV. LIMITS
TETRACHLORO-M-XYLENE	105	45-147
DECACHLOROBIPHENYL	125	27-138

MATRIX SPIKE / MATRIX SPIKE DUPLICATE

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
gamma-BHC	84.5	40-140	26.2	50
ALDRIN	59.7	40-140	15.3	50
ENDOSULFAN I	41.8	40-140	22.3	50
4,4-DDE	60.2	40-140	19.4	50
4,4-DDD	98.3	40-140	35.0	50
4,4-DDT	53.6	40-140	44.5	50

GZA GEOENVIRONMENTAL, INC.
ENVIRONMENTAL CHEMISTRY LABORATORY
320 NEEDHAM STREET, NEWTON UPPER FALLS, MA 02164
MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8270 ANALYSIS

QUALITY CONTROL (p.1) INGRID

METHOD BLANK SOLID

DATE EXTRACTED: 3/14/01
DATE TESTED: 3/14/01
LABORATORY NO.: J9099

TOTAL COMPOUNDS DETECTED	ND
--------------------------	----

ACID EXTRACTABLE SURROGATES	RECOVERY (%)	ACCEPTANCE LIMITS (%)
2-FLUOROPHENOL	-	0-100
PHENOL-D6	-	24-133
2,4,6-TRIBROMOPHENOL	-	6-119

BASE NEUTRAL EXTRACTABLE SURROGATES	RECOVERY (%)	ACCEPTANCE LIMITS (%)
2-FLUOROBIPHENYL	63.5	18-122
NITROBENZENE-D5	59.2	18-115
P-TERPHENYL-D14	77.4	32-111

w/3-52

GZA GEOENVIRONMENTAL, INC.
 ENVIRONMENTAL CHEMISTRY LABORATORY
 320 NEEDHAM STREET, NEWTON UPPER FALLS, MA 02464
 MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8270 ANALYSIS

QUALITY CONTROL (p.2) AUDREY

DATE EXTRACTED: 3/14/01

DATE ANALYZED: 3/14/01

AQUEOUS

ACID EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
PHENOL	-	12-110	-	42
2-CHLOROPHENOL	-	27-123	-	40
4-CHLORO-3-METHYLPHENOL	-	23-97	-	42
PENTACHLOROPHENOL	-	9-103	-	50

BASE NEUTRAL EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
1,4-DICHLOROBENZENE	-	36-97	-	28
N-NITROSODI-N-PROPYLAMINE	-	41-116	-	38
1,2,4-TRICHLOROBENZENE	-	39-98	-	28
ACENAPHTHENE	-	46-118	-	31
2,4-DINITROTOLUENE	-	24-96	-	38
PYRENE	-	26-127	-	31

SOLID

ACID EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
PHENOL	75.9	26-90	8.86	35
2-CHLOROPHENOL	81.2	25-102	10.8	50
4-CHLORO-3-METHYLPHENOL	75.6	26-103	6.08	33
PENTACHLOROPHENOL	70.3	17-109	3.16	47

BASE NEUTRAL EXTRACTABLES

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
1,4-DICHLOROBENZENE	78.4	28-104	9.29	27
N-NITROSODI-N-PROPYLAMINE	72.5	41-126	10.1	38
1,2,4-TRICHLOROBENZENE	79.8	38-107	6.82	23
ACENAPHTHENE	83.6	31-137	5.75	19
2,4-DINITROTOLUENE	92.3	28-89	8.15	47
PYRENE	86.2	35-142	7.28	36

W.O. # 0103-00052
(for lab use only)

CHAIN-OF-CUSTODY RECORD

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A-Air S-Soil GW-Ground W. SW-Surface W. WW-Waste W. DW-Drinking W. Other (specify)	WW ONLY											ANALYSIS REQUIRED							Total # of Cont.	Note #
			624	6601 D602	625	6254 Z D502 1	6260	6360 - 6340 LVI	6021	6021 - 9010 LVI	8021 - 8020 LVI	8073 C949: DA-gdn	8082 PCBs Only	8081 - Pest Only	TPH-GC (Max 8102)	ETPH (CT)	Metals (Pb, Ni, Cr, Cu, Hg, Mn)	Metals (As, Cd, Cr, Ni, Pb, Zn)				
625B-C1351	03.12.01	S																		1		
625B-C4-S1	03.12.01	S																		1		
625B-B4-S2	03.12.01	S																		1		
625B-E4A-S1	03.12.01	S																		1		
625B-A2-S2	03.12.01	S																		1		
625B-A1-S2	03.12.01	S																		1		
625B-E4C-S2	03.12.01	S																		1		
625B-04-S2	03.12.01	S																		1		
625B-A3-S2	03.12.01	S																		1		
625B-B4-S2	03.12.01	S																		1		
625B-C4-S2	03.12.01	S																		1		
625B-C5-S2	03.12.01	S																		1		
625B-C6-S2	03.12.01	S																		1		
625B-C7-S2	03.12.01	S																		1		
625B-C8-S2	03.12.01	S																		1		
625B-C9-S2	03.12.01	S																		1		
625B-C10-S2	03.12.01	S																		1		
625B-C11-S2	03.12.01	S																		1		
625B-C12-S2	03.12.01	S																		1		

PRESERVATIVE (Cl - HCl, N - HNO3, S - H2SO4, Na - NaOH, O - Other)*

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, T-Teflon, O-Other)*

RELINQUISHED BY: DKB	DATE/TIME 03.12.01	RECEIVED BY: J Waldron
RELINQUISHED BY: J. Waldron	DATE/TIME 3	RECEIVED BY: George Gilbert
RELINQUISHED BY: George Gilbert	DATE/TIME 3-13-01 10:15	RECEIVED BY:

NOTES: Preservatives, special reporting limits, known contamination, etc.

LAB USE
TURNAROUND TIME: Standard Rush Days, Approved by: _____ TEMP. OF COOLER 2.2 °C

PROJECT MANAGER: Jim Hutton EXT: 3404

**GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS**

27 Naek Road
VERNON, CT 06066
(860) 875-7655
FAX (860) 872-2416

GZA FILE NO: 42550 P.O. NO. _____

PROJECT First Prize Center

LOCATION Albany N.Y.

COLLECTOR(S) DKB JMS SHEET 1 OF 2

W.O. # 0103-00052
(for lab use only)

CHAIN-OF-CUSTODY RECORD

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A=Air S=Soil GW=Ground W. SW=Surface W. WW=Waste W. DW=Drinking W. Other (specify)	WW ONLY										ANALYSIS REQUIRED										Total # of Cont.	Note #		
			624	D601 D602	625	D524 2 D592 1	8250	8260 - 8267 Lvl	8271	8021 - 8012 Lvl	8021 - 8027 Lvl	8270 CPAN DA DBN	8082-PCBs Only	8081 - Pest Only	TPH-GC (Met 8100)	ETPH (CT)	Metals CPAN-13 D B-R	Metals (List Below)								
6-2572-S1	03-12-01	S																						1		
6-2583-S2	03-12-01	S																							1	
6-2585-S2	03-12-01	S																								
6-2592-S1	03-12-01	S																							1	
6-2602-S2	03-12-01	S																							1	

PRESERVATIVE (Cl - HCl, N - HNO3, S - H2SO4, Na - NaOH, O - Other)*
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, T-Teflon, O-Other)*

RELINQUISHED BY: D.K. Bernow DATE/TIME: 03-12-01 RECEIVED BY: J. Walden

RELINQUISHED BY: J. Walden DATE/TIME: 0 RECEIVED BY: George Gilbert

RELINQUISHED BY: George Gilbert DATE/TIME: 3-13-01 RECEIVED BY: [Signature] 10:15

PROJECT MANAGER: Jim Hutton EXT: 3401

NOTES: Preservatives, special reporting limits, known contamination, etc.
(1) Corrected per J. Hutton 3:00pm 3/13 y

TURNAROUND TIME: Standard (Rush) Days, Approved by: _____ LAB USE TEMP. OF COOLER 22 °C

GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS
27 Naek Road
VERNON, CT 06066
(860) 875-7655
FAX (860) 872-2416

GZA FILE NO: 425 59 P.O. NO. _____
PROJECT First ~~Alt~~ Prize Center
LOCATION Albany NY.
COLLECTOR(S) DKB Jms SHEET 2 OF 2

GZA GeoEnvironmental, Inc.
106 South Street
Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
27 Naek Road
Vernon, CT 06066

J.Hutton

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Date Received: 3/14/01
Date Reported: 3/22/01
Work Order No.: 0103-00064

Sample ID: GZ-TP-A3-S3
Sample Date: 3/13/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 200	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 100	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	< 10	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 10	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 14	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 10	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 10	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	< 14	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	< 12	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 10	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 10	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 8.0	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 100	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 12	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 12	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	57.9	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	53.9	% R	RJD	3/15/01
Extraction		20	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-A5-S1
 Sample Date: 3/13/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 50	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 50	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	115	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	124	% R	RJD	3/15/01
Extraction		4.0	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-A15-S1
 Sample Date: 3/13/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	<50	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	<50	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	<50	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	<50	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	<50	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	<100	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	<50	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	<4.0	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	<4.0	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	<4.0	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	<4.0	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	<4.0	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	<4.0	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	<5.0	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	<5.0	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	<7.0	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	<5.0	ug/kg	RJD	3/15/01
Endrin	EPA 8081	<5.0	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	<7.0	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	<4.0	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	<6.0	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	<4.0	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	<5.0	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	<5.0	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	<4.0	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	<50	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	<6.0	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	<6.0	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	.117	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	121	% R	RJD	3/15/01
Extraction		4.0	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-C16-S2
 Sample Date: 3/13/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 50	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Heptachlor Epoxide	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 50	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	65.7	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	53.4	% R	RJD	3/15/01
Extraction		10	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-C18-S1
 Sample Date: 3/13/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 50	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 50	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	115	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	115	% R	RJD	3/15/01
Extraction		5.0	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-C19-S1
 Sample Date: 3/13/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 250	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 250	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 250	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 250	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 250	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 500	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 250	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 20	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 20	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 20	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 20	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 20	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 20	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	< 25	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 25	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 35	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 25	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 25	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	< 35	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 20	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	< 30	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 20	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 25	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 25	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 20	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 250	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 30	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 30	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	107	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	132	% R	RJD	3/15/01
Extraction		10	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-C20-S1
 Sample Date: 3/13/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 50	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 100	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 50	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	< 7.0	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 5.0	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 4.0	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 50	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 6.0	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	115	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	122	% R	RJD	3/15/01
Extraction		2.5	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00064

Sample ID: GZ-TP-BC7-S1
 Sample Date: 3/13/2001

Sample No.: 012

Test Performed	Method	Results	Units	Tech	Analysis Date
PESTICIDES AND PCBs	EPA 8081/8082			RJD	3/15/01
Aroclor 1262	EPA 8082	< 75	ug/kg	RJD	3/15/01
Aroclor 1260	EPA 8082	< 75	ug/kg	RJD	3/15/01
Aroclor 1254	EPA 8082	< 75	ug/kg	RJD	3/15/01
Aroclor 1248	EPA 8082	< 75	ug/kg	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 75	ug/kg	RJD	3/15/01
Aroclor 1232	EPA 8082	< 150	ug/kg	RJD	3/15/01
Aroclor 1221	EPA 8082	< 75	ug/kg	RJD	3/15/01
alpha-BHC	EPA 8081	< 10	ug/kg	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	< 10	ug/kg	RJD	3/15/01
beta-BHC	EPA 8081	< 10	ug/kg	RJD	3/15/01
Heptachlor	EPA 8081	< 10	ug/kg	RJD	3/15/01
delta-BHC	EPA 8081	< 10	ug/kg	RJD	3/15/01
Aldrin	EPA 8081	< 10	ug/kg	RJD	3/15/01
Hepatchlor Epoxide	EPA 8081	< 13	ug/kg	RJD	3/15/01
Endosulfan I	EPA 8081	< 13	ug/kg	RJD	3/15/01
4,4'-DDE	EPA 8081	< 18	ug/kg	RJD	3/15/01
Dieldrin	EPA 8081	< 13	ug/kg	RJD	3/15/01
Endrin	EPA 8081	< 13	ug/kg	RJD	3/15/01
4,4'-DDD	EPA 8081	20	ug/kg	RJD	3/15/01
Endosulfan II	EPA 8081	< 10	ug/kg	RJD	3/15/01
4,4'-DDT	EPA 8081	31	ug/kg	RJD	3/15/01
Endrin Aldehyde	EPA 8081	< 10	ug/kg	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	< 13	ug/kg	RJD	3/15/01
Methoxychlor	EPA 8081	< 13	ug/kg	RJD	3/15/01
Endrin Ketone	EPA 8081	< 10	ug/kg	RJD	3/15/01
Toxaphene	EPA 8081	< 130	ug/kg	RJD	3/15/01
gamma-Chlordane	EPA 8081	< 15	ug/kg	RJD	3/15/01
alpha-Chlordane	EPA 8081	< 15	ug/kg	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	117	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	110	% R	RJD	3/15/01
Extraction		5.0	DF	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00064

PROJECT NARRATIVE:

1. Sample Receipt

The samples were received on 03/15/01 via GZA courier, EC, FEDEX, or hand delivered.

The temperature of the temperature blank, cooler air was 4.1 degrees C. The samples were received intact for all requested analyses.

GZ-TP-A15-S1: small break in transit-transferred to new container (by Ben L.)

The samples were appropriately preserved in accordance with the method they reference, including methanol preservation of soil samples for volatile analyses (preparation method 5035).

2. EPA Method 8081/8082

Attach QC 8081/8082 03/15/01 - Solid

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00064

Data Authorized By: 

% R = % Recovery
DF = Dilution Factor
DO = Diluted Out

Soil data is reported on a dry weight basis unless otherwise specified.

Method 8260: The current version of the method is 8260B.
Method 8021: The current version of the method is 8021B.
Method 8270: The current version of the method is 8270C.

Laboratory Identification Numbers:

MA: MA092 NH: 2028
CT: PH0579
NY: 11063 RI: A46

Please note that the laboratory signed copy of the chain of custody record is an integral part of the data report.

The laboratory report shall not be reproduced except in full without the written consent of the laboratory.

W.O. # 0103-00664
(for lab use only)

CHAIN-OF-CUSTODY RECORD

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A=Air S=Soil GW=Ground W SW=Surface W WW=Waste W DW=Drinking W Other (specify)	WW ONLY												ANALYSIS REQUIRED			Total # of Cont.	Note #		
			GC	CM01 CM02	825	CM24 2 CM50 1	8280	8280 - 8240 L04	8221	8021 - 80107 L01	8021 - 80207 - 04	8270 EPA/CA XIN	8082-PCBs Only	8081 - Peps Only	TPH-GC (Mod 8103)	ETPH (CT)	Metals (List Below)			Metals (List Below)	
GZTPA3 -S3	3/13/01	S																	1		
GZTPA5 -S1	↓	↓																	1		
GZTPD3 -S1																			1		
GZTPD3 -S2																				2	
GZTPA15 -S1																				1	
GZTPC16 -S2																				1	
GZTPC18 -S1																				1	
GZTPC19 -S1																				1	
GZTPC20 -S1																				1	
GZTPE15 -S1																				1	
GZTPC1 -S1																				1	
GZSBBC7 -S1	3/14/01	↓																1			

PRESERVATIVE (Cl - HCl, N - HNO3, S - H2SO4, Na - NaOH, O - Other)*

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, T-Teflon, O-Other)*

RELINQUISHED BY: <i>[Signature]</i>	DATE/TIME: 3/14/01 17:50	RECEIVED BY: <i>[Signature]</i>
RELINQUISHED BY: <i>[Signature]</i>	DATE/TIME: 3-14-01	RECEIVED BY: <i>[Signature]</i> 6:45
RELINQUISHED BY:	DATE/TIME:	RECEIVED BY:

NOTES: Preservatives, special reporting limits, known contamination, etc.

PROJECT MANAGER: Jim Hutton EXT: 3404

GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS

27 Naek Road
VERNON, CT 06066
(860) 875-7655
FAX (860) 872-2416

TURNAROUND TIME: Standard Rush 4.1 Days, Approved by: _____
LAB USE TEMP. OF COOLER 4.1 °C

GZA FILE NO: 42558 P.O. NO. _____

PROJECT FIRST PRICE CENTER

LOCATION Albany NY

COLLECTOR(S) JWS SHEET 1 OF 1

GZA GeoEnvironmental, Inc.
 106 South Street
 Hopkinton, MA 01748

ANALYTICAL REPORT

GZA GeoEnvironmental, Inc.
 27 Naek Road
 Vernon, CT 06066

J. Hutton

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Date Received: 3/14/01
 Date Reported: 3/22/01
 Work Order No.: 0103-00063

Sample ID: GZ-A1
 Sample Date: 3/13/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A1
 Sample Date: 3/13/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	98.4	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	94.3	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	95.5	% R	NCS	3/15/01
Preparation		1.0	DF	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A1
 Sample Date: 3/13/2001

Sample No.: 001

Test Performed	Method	Results	Units	Tech	Analysis Date
PRIORITY POLLUTANT METALS					
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.00690	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	0.00240	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0513	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0758	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	0.0203	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B1
 Sample Date: 3/14/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<50	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	2.9	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Test Performed	Method	Results	Units	Tech	Analysis Date
Sample ID: GZ-B1					Sample No.: 002
Sample Date: 3/14/2001					
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	1.2	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	5.8	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	2.1	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	2.7	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	1.5	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	93.4	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.7	9	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	98.1	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS					
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	<0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0126	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B1
Sample Date: 3/14/2001

Sample No.: 002

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0503	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	0.0202	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E1
 Sample Date: 3/14/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E1
 Sample Date: 3/14/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	95.7	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.6	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	98.1	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS					
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	<0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0151	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E1
 Sample Date: 3/14/2001

Sample No.: 003

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	0.0164	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0519	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	0.146	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A3
 Sample Date: 3/13/2001

Sample No.: 004

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	< 4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	< 4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	< 50	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	4.2	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	< 25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	< 10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	< 2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	< 2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A3
 Sample Date: 3/13/2001

Sample No.: 004

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	1.9	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	3.8	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	1.2	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	1.7	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	97.0	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	94.6	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	97.0	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PESTICIDES AND PCBs	EPA 8082/8081A			RJD	3/15/01
Aroclor 1262	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1260	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1254	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1248	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1232	EPA 8082	<0.40	ug/L	RJD	3/15/01
Aroclor 1221	EPA 8082	<0.20	ug/L	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A3
 Sample Date: 3/13/2001

Sample No.: 004

Test Performed	Method	Results	Units	Tech	Analysis Date
alpha-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	<0.040	ug/L	RJD	3/15/01
beta-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor	EPA 8081	<0.090	ug/L	RJD	3/15/01
delta-BHC	EPA 8081	<0.060	ug/L	RJD	3/15/01
Aldrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor Epoxide	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan I	EPA 8081	<0.030	ug/L	RJD	3/15/01
4,4'-DDE	EPA 8081	<0.070	ug/L	RJD	3/15/01
Dieldrin	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
4,4'-DDD	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan II	EPA 8081	<0.050	ug/L	RJD	3/15/01
4,4'-DDT	EPA 8081	<0.040	ug/L	RJD	3/15/01
Endrin Aldehyde	EPA 8081	<0.090	ug/L	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	<0.060	ug/L	RJD	3/15/01
Methoxychlor	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin Ketone	EPA 8081	<0.090	ug/L	RJD	3/15/01
Toxaphene	EPA 8081	<2.0	ug/L	RJD	3/15/01
gamma-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
alpha-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	57.9	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	68.8	% R	RJD	3/15/01
Extraction		1.0	DF	RJD	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.218	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	0.0890	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0317	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	0.0257	mg/L	BJP	3/22/01
Antimony	EPA 6010	0.138	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.121	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-D3
 Sample Date: 3/14/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	< 10	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	< 10	ug/L	NCS	3/15/01
Diethylether	EPA 8260	< 13	ug/L	NCS	3/15/01
Acetone	EPA 8260	< 63	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	< 5.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	< 63	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Chloroform	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	< 25	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	< 2.5	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	6.5	ug/L	NCS	3/15/01
Benzene	EPA 8260	240	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	< 5.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Toluene	EPA 8260	21	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	< 5.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	< 2.5	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	< 2.5	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	< 2.5	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-D3
 Sample Date: 3/14/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
I,1,1,2-Tetrachloroethane	EPA 8260	<2.5	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	290	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	150	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	11	ug/L	NCS	3/15/01
Styrene	EPA 8260	<2.5	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<5.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	52	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<2.5	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<2.5	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	130	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<2.5	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	4.7	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<2.5	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	6.4	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	2.7	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<13	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<2.5	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	190	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<2.5	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	69.9	* % R	NCS	3/15/01
***Toluene-D8	EPA 8260	74.0	* % R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	99.7	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS					
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.0129	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0156	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-D3
Sample Date: 3/14/2001

Sample No.: 005

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0317	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-C4
 Sample Date: 3/13/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	< 4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	< 4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	< 5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	< 25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	< 2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	< 25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	< 10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	< 2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	< 2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-C4
 Sample Date: 3/13/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	3.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	1.1	ug/L	NCS	3/15/01
Styrene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	1.4	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	1.4	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	99.1	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.6	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	97.1	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	< 0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.00490	mg/L	BJP	3/22/01
Beryllium	EPA 6010	< 0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	0.00270	mg/L	BJP	3/22/01
Chromium	EPA 6010	< 0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0263	mg/L	BJP	3/22/01
Mercury	EPA 7470A	< 0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-C4
Sample Date: 3/13/2001

Sample No.: 006

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	0.0120	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0442	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	0.0747	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A5
 Sample Date: 3/13/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<50	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A5
 Sample Date: 3/13/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	4.4	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	1.8	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	1.6	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	92.9	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	94.0	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	97.3	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PESTICIDES AND PCBs	EPA 8082/8081A			RJD	3/15/01
Aroclor 1262	EPA 8082	< 0.20	ug/L	RJD	3/15/01
Aroclor 1260	EPA 8082	< 0.20	ug/L	RJD	3/15/01
Aroclor 1254	EPA 8082	< 0.20	ug/L	RJD	3/15/01
Aroclor 1248	EPA 8082	< 0.20	ug/L	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	< 0.20	ug/L	RJD	3/15/01
Aroclor 1232	EPA 8082	< 0.40	ug/L	RJD	3/15/01
Aroclor 1221	EPA 8082	< 0.20	ug/L	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A5
 Sample Date: 3/13/2001

Sample No.: 007

Test Performed	Method	Results	Units	Tech	Analysis Date
alpha-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	<0.040	ug/L	RJD	3/15/01
beta-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor	EPA 8081	<0.090	ug/L	RJD	3/15/01
delta-BHC	EPA 8081	<0.060	ug/L	RJD	3/15/01
Aldrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor Epoxide	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan I	EPA 8081	<0.030	ug/L	RJD	3/15/01
4,4'-DDE	EPA 8081	<0.070	ug/L	RJD	3/15/01
Dieldrin	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
4,4'-DDD	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan II	EPA 8081	<0.050	ug/L	RJD	3/15/01
4,4'-DDT	EPA 8081	<0.040	ug/L	RJD	3/15/01
Endrin Aldehyde	EPA 8081	<0.090	ug/L	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	<0.060	ug/L	RJD	3/15/01
Methoxychlor	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin Ketone	EPA 8081	<0.090	ug/L	RJD	3/15/01
Toxaphene	EPA 8081	<2.0	ug/L	RJD	3/15/01
gamma-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
alpha-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	57.3	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	58.8	% R	RJD	3/15/01
Extraction		1.0	DF	RJD	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.00500	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	0.00530	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0195	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0480	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-D5
 Sample Date: 3/14/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<50	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	3.1	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-D5
 Sample Date: 3/14/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	14	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	98.1	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.0	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	94.9	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	<0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0291	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-D5
Sample Date: 3/14/2001

Sample No.: 008

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0479	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	0.0262	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B6
 Sample Date: 3/13/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B6
 Sample Date: 3/13/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	92.8	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	94.5	9	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	96.2	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.0102	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0155	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B6
Sample Date: 3/13/2001

Sample No.: 009

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0264	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-C9
 Sample Date: 3/13/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	6.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-C9
 Sample Date: 3/13/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	94.5	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.8	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	97.0	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	< 0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	< 0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	< 0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	< 0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	< 0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0168	mg/L	BJP	3/22/01
Mercury	EPA 7470A	< 0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-C9
Sample Date: 3/13/2001

Sample No.: 010

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0683	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A15
 Sample Date: 3/14/2001

Sample No.: 011

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A15
 Sample Date: 3/14/2001

Sample No.: 011

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	2.5	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	1.3	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	1.1	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	2.8	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	92	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	98.4	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.6	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	97.4	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PESTICIDES AND PCBs	EPA 8082/8081A			RJD	3/15/01
Aroclor 1262	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1260	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1254	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1248	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1232	EPA 8082	<0.40	ug/L	RJD	3/15/01
Aroclor 1221	EPA 8082	<0.20	ug/L	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-A15
 Sample Date: 3/14/2001

Sample No.: 011

Test Performed	Method	Results	Units	Tech	Analysis Date
alpha-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	<0.040	ug/L	RJD	3/15/01
beta-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor	EPA 8081	<0.090	ug/L	RJD	3/15/01
delta-BHC	EPA 8081	<0.060	ug/L	RJD	3/15/01
Aldrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor Epoxide	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan I	EPA 8081	<0.030	ug/L	RJD	3/15/01
4,4'-DDE	EPA 8081	<0.070	ug/L	RJD	3/15/01
Dieldrin	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
4,4'-DDD	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan II	EPA 8081	<0.050	ug/L	RJD	3/15/01
4,4'-DDT	EPA 8081	<0.040	ug/L	RJD	3/15/01
Endrin Aldehyde	EPA 8081	<0.090	ug/L	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	<0.060	ug/L	RJD	3/15/01
Methoxychlor	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin Ketone	EPA 8081	<0.090	ug/L	RJD	3/15/01
Toxaphene	EPA 8081	<2.0	ug/L	RJD	3/15/01
gamma-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
alpha-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	56.8	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	71.8	% R	RJD	3/15/01
Extraction		1.0	DF	RJD	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0154	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0429	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B15
 Sample Date: 3/14/2001

Sample No.: 012

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B15
 Sample Date: 3/14/2001

Sample No.: 012

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	8.1	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	98.3	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	92.4	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	99.3	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PESTICIDES AND PCBs	EPA 8082/8081A			RJD	3/15/01
Aroclor 1262	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1260	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1254	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1248	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1242/1016	EPA 8082	<0.20	ug/L	RJD	3/15/01
Aroclor 1232	EPA 8082	<0.40	ug/L	RJD	3/15/01
Aroclor 1221	EPA 8082	<0.20	ug/L	RJD	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B15
 Sample Date: 3/14/2001

Sample No.: 012

Test Performed	Method	Results	Units	Tech	Analysis Date
alpha-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
gamma-BHC (Lindane)	EPA 8081	<0.040	ug/L	RJD	3/15/01
beta-BHC	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor	EPA 8081	<0.090	ug/L	RJD	3/15/01
delta-BHC	EPA 8081	<0.060	ug/L	RJD	3/15/01
Aldrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
Heptachlor Epoxide	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan I	EPA 8081	<0.030	ug/L	RJD	3/15/01
4,4'-DDE	EPA 8081	<0.070	ug/L	RJD	3/15/01
Dieldrin	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin	EPA 8081	<0.040	ug/L	RJD	3/15/01
4,4'-DDD	EPA 8081	<0.030	ug/L	RJD	3/15/01
Endosulfan II	EPA 8081	<0.050	ug/L	RJD	3/15/01
4,4'-DDT	EPA 8081	<0.040	ug/L	RJD	3/15/01
Endrin Aldehyde	EPA 8081	<0.090	ug/L	RJD	3/15/01
Endosulfan Sulfate	EPA 8081	<0.060	ug/L	RJD	3/15/01
Methoxychlor	EPA 8081	<0.060	ug/L	RJD	3/15/01
Endrin Ketone	EPA 8081	<0.090	ug/L	RJD	3/15/01
Toxaphene	EPA 8081	<2.0	ug/L	RJD	3/15/01
gamma-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
alpha-Chlordane	EPA 8081	<0.040	ug/L	RJD	3/15/01
Surrogates:					
***Tetrachloro-m-xylene	EPA 8081/8082	56.9	% R	RJD	3/15/01
***Decachlorobiphenyl	EPA 8081/8082	51.4	% R	RJD	3/15/01
Extraction		1.0	DF	RJD	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	<0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	0.00210	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0130	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0675	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B18
 Sample Date: 3/14/2001

Sample No.: 013

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS					
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<50	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B18
 Sample Date: 3/14/2001

Sample No.: 013

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	4.2	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	1.8	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	1.7	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	97.5	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	94.5	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	98.3	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS					
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	<0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Chromium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0115	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-B18
 Sample Date: 3/14/2001

Sample No.: 013

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0610	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E19
 Sample Date: 3/14/2001

Sample No.: 014

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<25	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	<2.0	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E19
 Sample Date: 3/14/2001

Sample No.: 014

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	1.8	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Styrene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	< 2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	1.3	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	< 5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	< 1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	94.8	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	93.8	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	99.4	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	< 0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	0.00570	mg/L	BJP	3/22/01
Beryllium	EPA 6010	< 0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	0.00290	mg/L	BJP	3/22/01
Chromium	EPA 6010	0.0120	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0162	mg/L	BJP	3/22/01
Mercury	EPA 7470A	< 0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E19
Sample Date: 3/14/2001

Sample No.: 014

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	<0.00500	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0650	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	<0.0200	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E14
 Sample Date: 3/14/2001

Sample No.: 015

Test Performed	Method	Results	Units	Tech	Analysis Date
VOLATILE ORGANICS	EPA 8260			NCS	3/15/01
Dichlorodifluoromethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Vinyl Chloride	EPA 8260	<2.0	ug/L	NCS	3/15/01
Bromomethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chloroethane	EPA 8260	<2.0	ug/L	NCS	3/15/01
Trichlorofluoromethane	EPA 8260	<4.0	ug/L	NCS	3/15/01
Diethylether	EPA 8260	<5.0	ug/L	NCS	3/15/01
Acetone	EPA 8260	<50	ug/L	NCS	3/15/01
1,1-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Methyl-Tert-Butyl-Ether	EPA 8260	2.9	ug/L	NCS	3/15/01
trans-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Butanone	EPA 8260	<25	ug/L	NCS	3/15/01
2,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
cis-1,2-Dichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Chloroform	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrahydrofuran	EPA 8260	<10	ug/L	NCS	3/15/01
1,1,1-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Carbon Tetrachloride	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Benzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Trichloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromodichloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromomethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Methyl-2-Pentanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
cis-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Toluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
trans-1,3-Dichloropropene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2-Trichloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Hexanone	EPA 8260	<2.0	ug/L	NCS	3/15/01
1,3-Dichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Tetrachloroethene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Dibromochloromethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromoethane (EDB)	EPA 8260	<2.0	ug/L	NCS	3/15/01
Chlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
 Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E14
 Sample Date: 3/14/2001

Sample No.: 015

Test Performed	Method	Results	Units	Tech	Analysis Date
1,1,1,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Ethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
m&p-Xylene	EPA 8260	2.6	ug/L	NCS	3/15/01
o-Xylene	EPA 8260	1.3	ug/L	NCS	3/15/01
Styrene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromoform	EPA 8260	<2.0	ug/L	NCS	3/15/01
Isopropylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,1,2,2-Tetrachloroethane	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichloropropane	EPA 8260	<1.0	ug/L	NCS	3/15/01
Bromobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
N-Propylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
2-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3,5-Trimethylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
4-Chlorotoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
tert-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,4-Trimethylbenzene	EPA 8260	1.1	ug/L	NCS	3/15/01
sec-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
p-Isopropyltoluene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,3-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,4-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
n-Butylbenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2-Dibromo-3-Chloropropane	EPA 8260	<5.0	ug/L	NCS	3/15/01
1,2,4-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Hexachlorobutadiene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Naphthalene	EPA 8260	<1.0	ug/L	NCS	3/15/01
1,2,3-Trichlorobenzene	EPA 8260	<1.0	ug/L	NCS	3/15/01
Surrogates:	EPA 8260				
***1,2-Dichloroethane-D4	EPA 8260	96.9	% R	NCS	3/15/01
***Toluene-D8	EPA 8260	94.2	% R	NCS	3/15/01
***4-Bromofluorobenzene	EPA 8260	98.4	% R	NCS	3/15/01
Preparation		2.5	DF	NCS	3/15/01
PRIORITY POLLUTANT METALS				BJP	3/22/01
Silver	EPA 6010	<0.0130	mg/L	BJP	3/22/01
Arsenic	EPA 6010	<0.00400	mg/L	BJP	3/22/01
Beryllium	EPA 6010	<0.00200	mg/L	BJP	3/22/01
Cadmium	EPA 6010	0.00540	mg/L	BJP	3/22/01
Chromium	EPA 6010	0.00470	mg/L	BJP	3/22/01
Copper	EPA 6010	0.0283	mg/L	BJP	3/22/01
Mercury	EPA 7470A	<0.00020	mg/L	AJY	3/16/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Sample ID: GZ-E14
Sample Date: 3/14/2001

Sample No.: 015

Test Performed	Method	Results	Units	Tech	Analysis Date
Nickel	EPA 6010	<0.0100	mg/L	BJP	3/22/01
Lead	EPA 6010	0.00540	mg/L	BJP	3/22/01
Antimony	EPA 6010	<0.0140	mg/L	BJP	3/22/01
Selenium	EPA 6010	0.0644	mg/L	BJP	3/22/01
Thallium	EPA 6010	<0.0330	mg/L	BJP	3/22/01
Zinc	EPA 6010	0.0229	mg/L	BJP	3/22/01

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

PROJECT NARRATIVE:

1. Sample Receipt

The samples were received on 03/14/01 via GZA courier, EC, FEDEX, or hand delivered.

The temperature of the temperature blank, cooler air was 3.1 degrees C. The samples were received intact for all requested analyses.

The samples were appropriately preserved in accordance with the method they reference, including methanol preservation of soil samples for volatile analyses (preparation method 5035).

2. EPA Method 8081/8082

Attach QC 8081/8082 03/15/01 - Aqueous

3. EPA Method 8260


Attach QC 8260 03/15/01 - S

GZA GeoEnvironmental, Inc.

ANALYTICAL REPORT

Project Name: Home Depot, Albany, NY
Project No.: 42558.00

Work Order No.: 0103-00063

Data Authorized By: 

% R = % Recovery
DF = Dilution Factor
DO = Diluted Out

Soil data is reported on a dry weight basis unless otherwise specified.

Method 8260: The current version of the method is 8260B.
Method 8021: The current version of the method is 8021B.
Method 8270: The current version of the method is 8270C.

Laboratory Identification Numbers:

MA: MA092 NH: 2028
CT: PH0579
NY: 11063 RI: A46

Please note that the laboratory signed copy of the chain of custody record is an integral part of the data report.

The laboratory report shall not be reproduced except in full without the written consent of the laboratory.

GZA GEOENVIRONMENTAL, INC.
 ENVIRONMENTAL CHEMISTRY LABORATORY
 320 NEEDHAM STREET, NEWTON UPPER FALLS, MA 02464
 MASSACHUSETTS LABORATORY I.D. NO. MA092

EPA METHOD 8260 ANALYSIS
 PURGEABLES IN AQUEOUS AND/OR SOLID MATRIX

QUALITY CONTROL

DATE: 3/15/01 S

AQUEOUS

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
1,1-Dichloroethene	106	65-127	2.45	20
Trichloroethene	100	87-105	1.79	20
Toluene	99.5	86-105	1.15	20

SOLID

COMPOUND	MATRIX SPIKE RECOVERY (%)	ACCEPTANCE LIMITS (%)	DUPLICATE SPIKE DIFFERENCE (%)	ACCEPTANCE LIMITS (%)
1,1-Dichloroethene		70-130		35
Trichloroethene		70-130		35
Toluene		70-130		35

METHOD BLANK

TOTAL COMPOUNDS DETECTED	ND
--------------------------	----

SURROGATES	RECOVERY (%)	Aqueous LIMITS (%)	RECOVERY (%)	Solid LIMITS (%)
1,2-Dichloroethane-D4	95.2	80-114		80-120
Toluene-D8	94.5	88-110		81-117
4-Bromofluorobenzene	96.0	86-115		80-120

CHAIN-OF-CUSTODY RECORD

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A=Air S=Soil GW=Ground W. SW=Surface W. WW=Waste W. DW=Drinking W. Other (specify)	WW ONLY		ANALYSIS REQUIRED												Total # of Cont.	Note #																				
			624	625	626	627	628	629	630	631	632	633	634	635	636	637			638	639																		
GZ-171	03-13-01	GW																																				
GZ-181	03-14-01	GW																																				
GZ-181	03-14-01	GW																																				
GZ-183	03-13-01	GW																																				
GZ-183	03-14-01	GW																																				
GZ-184	03-13-01	GW																																				
GZ-185	03-13-01	GW																																				
GZ-185	03-14-01	GW																																				
GZ-185	03-14-01	GW																																				

PRESERVATIVE (Cl - HCl, N - HNO3, S - H2SO4, Na - NaOH, O - Other)
CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, T-Teflon, O-Other)
RELINQUISHED BY: *[Signature]* DATE/TIME: 3/14/01 17:30 RECEIVED BY: George Albert
RELINQUISHED BY: George Albert DATE/TIME: 3-14-01 RECEIVED BY: *[Signature]*
RELINQUISHED BY: _____ DATE/TIME: _____ RECEIVED BY: _____

NOTES: Preservatives, special reporting limits, known contamination, etc.
TURNAROUND TIME: Standard Rush Days. Approved by: _____
LAB USE TEMP. OF COOLER 3.1 °C
GZA FILE NO: 425583 P.O. NO. _____
PROJECT: First Prize Center
LOCATION: Albany N.Y.
COLLECTOR(S): DJB JMS SHEET 1 OF 2

**GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS**

27 Naek Road
VERNON, CT 06066
(860) 875-7655
FAX (860) 872-2416

W.O. # 0103 00063
(for lab use only)

CHAIN-OF-CUSTODY RECORD

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A=Air S=Soil GW=Ground W. SW=Surface W WW=Waste W. DW=Drinking W. Other (specify)	ANALYSIS REQUIRED													Total # of Cont.	Note #						
			WW ONLY	ANALYSIS REQUIRED																			
62-B18	03-14-01	SW	624	DS1 DS2	DS2 2 DS2 1	DS6	DS8 - DS9 Lvl	DS1	DS2 - DS1 Lvl	DS3 - DS4 Lvl	DS5 PCBs Only	DS6 - Pnd City	DS7 GC (MS B100)	DS8 (CT)	DS9 (MS B100)	DS10 (MS B100)	DS11 (MS B100)	DS12 (MS B100)	DS13 (MS B100)	DS14 (MS B100)	DS15 (MS B100)	5	
62-E14	03-14-01	SW																				5	
62-E14	03-14-01	SW																				5	

PRESERVATIVE (Cl - HCl, N - HNO3, S - H2SO4, Na - NaOH, O - Other)*
 CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, T-Teflon, O-Other)*
 RELINQUISHED BY: *[Signature]* DATE/TIME: 3/14/01 17:30 RECEIVED BY: *George Hubert*
 RELINQUISHED BY: *George Hubert* DATE/TIME: 3-14-01 RECEIVED BY: *[Signature]*
 RELINQUISHED BY: _____ DATE/TIME: _____ RECEIVED BY: _____

NOTES: Preservatives, special reporting limits, known contamination, etc.

PROJECT MANAGER: Jim Hutton EXT: 3704

TURNAROUND TIME: Standard Rush Days, Approved by: _____ LAB USE TEMP. OF COOLER 3.1 °C

GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS

27 Naek Road
VERNON, CT 06066
(860) 875-7655
FAX (860) 872-2416

GZA FILE NO: 42558 P.O. NO. _____
 PROJECT: First Prize Center
 LOCATION: Albany N.Y.
 COLLECTOR(S): DGS Jms SHEET 2 OF 2



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

LABORATORY REPORT

for

GZA Environmental, Inc.
27 Naek Road
Vernon, CT 06066

Attention: Donald Schultz

GZA File NO:42558
PJ:First Prize Cnt

Report date: 03/20/01
Number of samples analyzed: 15
AES Project ID: 010312AI
Invoice #: 225317

ELAP ID#: 10709

AIHA ID#: 100307
Page 1

Albany, NY



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-C4-S1

AES sample #: 010312AI01

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-C4-S1

AES sample #: 010312AI01

Samples taken by: DKB

MATRIX: Soil


Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	24	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-A3-S2

AES sample #: 010312AI02

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-A3-S2

AES sample #: 010312AI02

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-A2-S2

AES sample #: 010312AI03

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTE/BOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-A2-S2

AES sample #: 010312AI03

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-A1-S2

AES sample #: 010312AI04

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-A1-S2

AES sample #: 010312AI04

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-B1-S2

AES sample #: 010312AI05

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-B1-S2

AES sample #: 010312AI05

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-E4C-S2

AES sample #: 010312AI06

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-E4C-S2

AES sample #: 010312AI06

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-EX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-EX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-EX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-EX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D4-S2

AES sample #: 010312AI07

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Bromomethane	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Vinyl Chloride	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Chloroethane	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Methylene Chloride	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Acetone	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Carbon Disulfide	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Chloroform	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
2-Butanone	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Vinyl Acetate	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Bromodichloromethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Trichloroethene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D4-S2

AES sample #: 010312AI07

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Benzene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Bromoform	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
2-Hexanone	EPA-8260	<1000	ug/kg	JF-BX-20	03/15/01
Tetrachloroethene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Toluene	EPA-8260	530	ug/kg	JF-BX-20	03/15/01
Chlorobenzene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Ethylbenzene	EPA-8260	5800	ug/kg	JF-BX-20	03/15/01
Styrene	EPA-8260	<500	ug/kg	JF-BX-20	03/15/01
Xylenes, Total	EPA-8260	23,000	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-B4-S2

AES sample #: 010312AI08

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Vinyl Chloride	EPA-8250	<10	ug/kg	JF-BX-20	03/15/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-B4-S2

AES sample #: 010312AI08

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Benzene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Toluene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-C5-S1

AES sample #: 010312AI09

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTE/BOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Bromomethane	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Vinyl Chloride	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Chloroethane	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Methylene Chloride	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Acetone	EPA-8260	1800	ug/kg	JF-BX-20	03/16/01
Carbon Disulfide	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,1-Dichloroethene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,1-Dichloroethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,2-Dichloroethene Total	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Chloroform	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,2 Dichloroethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
2-Butanone	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
1,1,1-Trichloroethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Carbon Tetrachloride	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Vinyl Acetate	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Bromodichloromethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,2-Dichloropropane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
trans-1,3-Dichloropropene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Trichloroethene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

Date Sampled: 03/12/01

CLIENT'S SAMPLE ID: GZSB-C5-S1

Date sample received: 03/12/01

AES sample #: 010312AI09

Samples taken by: DKB

Location: First Prize Cnt
grab

MATRIX: Soil

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,1,2-Trichloroethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Benzene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
cis-1,3-Dichloropropene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
2-Chloroethylvinylether	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Bromoform	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
4-Methyl-2-pentanone	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
2-Hexanone	EPA-8260	<500	ug/kg	JF-BX-20	03/16/01
Tetrachloroethene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
1,1,2,2-Tetrachloroethane	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Toluene	EPA-8260	420	ug/kg	JF-BX-20	03/16/01
Chlorobenzene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Ethylbenzene	EPA-8260	300	ug/kg	JF-BX-20	03/16/01
Styrene	EPA-8260	<250	ug/kg	JF-BX-20	03/16/01
Xylenes, Total	EPA-8260	1800	ug/kg	JF-BX-20	03/16/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-E4A-S1

AES sample #: 010312AI10

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTE/BK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromomethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Chloroethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Acetone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Butanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-E4A-S1

AES sample #: 010312AI10

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Toluene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-E8-S1

AES sample #: 010312AI11

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-E8-S1

AES sample #: 010312AI11

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D8-S1

AES sample #: 010312AI12

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTE/BK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/16/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/16/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D8-S1

AES sample #: 010312AI12

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
Benzene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-EX-20	03/16/01
Bromoform	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-EX-20	03/16/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-EX-20	03/16/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
Toluene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
Styrene	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-EX-20	03/16/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D6-S1

AES sample #: 010312AI13

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Bromomethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Chloroethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Acetone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Chloroform	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
2-Butanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D6-S1

AES sample #: 010312AI13

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Benzene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Bromoform	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Toluene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Styrene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D3-S2

AES sample #: 010312AI14

Samples taken by: DKE

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromomethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Chloroethane	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Acetone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
2-Butanone	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-EX-20	03/15/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSE-D3-S2

AES sample #: 010312AI14

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D2-S1

AES sample #: 010312AI15

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZSB-D2-S1

AES sample #: 010312AI15

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/12/01

Date sample received: 03/12/01

Location: First Prize Cnt grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/15/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/15/01

APPROVED BY: *Christina*

Report date: 03/20/01

CHAIN-OF-CUSTODY RECORD

W.O. # _____
(for lab use only)

20/2

Sample I.D.	Date/Time Sampled (Very Important)	Matrix A=Air S=Soil GW=Ground W. SW=Surface W. WW=Waste W. DW=Drinking W. Other (specify)	ANALYSIS REQUIRED														Total # of Cont.	Note #					
			WW ONLY			820	820 - 8240' Lat	8021	8021 - 8010' Lat	8021 - 8020' Lat	8270 EPAH CA CBH	8082 PCBs Only	8081 - Pest Only	TPH-GC (Mod 8100)	ETPH (CT)	Metals (PPM) 13 □ P&B			Metals (µg/L Below)				
GZSB D6 - S1	3/12/01	S				✓														D10312	AI13	1	
GZSB D3 - S2	3/12/01	S				✓															AI14	1	
GZSB D2 - S1	3/12/01	S				✓															AI15	1	

PRESERVATIVE (Cl - HCl, N - HNO3, S - H2SO4, Na - NaOH, O - Other)*

CONTAINER TYPE (P-Plastic, G-Glass, V-Vial, T-Teflon, O-Other)*

RELINQUISHED BY: DB Crow DATE/TIME: 03-12-01 RECEIVED BY: [Signature]

RELINQUISHED BY: _____ DATE/TIME: _____ RECEIVED BY: _____

RELINQUISHED BY: M. L. P. DATE/TIME: 3/12/01 RECEIVED BY: YSY

PROJECT MANAGER: Jim Hutton EXT: 3404

GZA GEOENVIRONMENTAL, INC.
ENGINEERS AND SCIENTISTS

27 Naek Road
VERNON, CT 06066
(860) 875-7655
FAX (860) 872-2416

NOTES: Preservatives, special reporting limits, known contamination, etc.

TURNAROUND TIME: Standard Rush Days, Approved by: _____ LAB USE TEMP. OF COOLER _____ °C

GZA FILE NO: 42558 P.O. NO. _____

PROJECT FIRST PRIZE CENTER

LOCATION Albany NY

COLLECTOR(S) DBB JMS SHEET 2 OF 2



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

LABORATORY REPORT

for

GZA Environmental, Inc.
27 Naek Road
Vernon, CT 06066

Attention: Donald Schulze

GZA File# 42558

Report date: 03/20/01
Number of samples analyzed: 7
AES Project ID: 010309AF
Invoice #: 225238

ELAP ID#: 10709

AIHA ID#: 100307
Page

1

Albany, NY



Experience is the solution


314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: GZ-A5
AES sample #: 010309AF01

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: GZ-A5
AES sample #: 010309AF01

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTE/EX REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: GZ-A15
AES sample #: 010309AF02

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZ-A15

AES sample #: 010309AF02

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/08/01

Date sample received: 03/09/01

Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	8.0	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: GZ-C4

AES sample #: 010309AF03

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01

Date sample received: 03/09/01

Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: GZ-C4
AES sample #: 010309AF03

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/12/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/12/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: GZ-D3
AES sample #: 010309AF04

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromomethane	EPA-8260	<10	ug/kg	JF-EX-20	03/13/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Chloroethane	EPA-8260	<10	ug/kg	JF-EX-20	03/13/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-EX-20	03/13/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-EX-20	03/13/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/13/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-EX-20	03/13/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-EX-20	03/13/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-EX-20	03/13/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-EX-20	03/13/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: GZ-D3
AES sample #: 010309AF04

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBOOK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: SB-B6
AES sample #: 010309AF05

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.

CLIENT'S SAMPLE ID: SB-B6

AES sample #: 010309AF05

Samples taken by: DKB

MATRIX: Soil

Date Sampled: 03/08/01

Date sample received: 03/09/01

Location: First Prize Cnt

grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: SB-C7
AES sample #: 010309AF06

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/28/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTE/BOOK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromomethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Vinyl Chloride	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Chloroethane	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Methylene Chloride	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Acetone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Carbon Disulfide	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1-Dichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1-Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2-Dichloroethene Total	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Chloroform	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2 Dichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
2-Butanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
1,1,1-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Carbon Tetrachloride	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Vinyl Acetate	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromodichloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,2-Dichloropropane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
trans-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Trichloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: SB-C7
AES sample #: 010309AF06

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1,2-Trichloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Benzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
cis-1,3-Dichloropropene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
2-Chloroethylvinylether	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Bromoform	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
4-Methyl-2-pentanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
2-Hexanone	EPA-8260	<10	ug/kg	JF-BX-20	03/13/01
Tetrachloroethene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
1,1,2,2-Tetrachloroethane	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Toluene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Chlorobenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Ethylbenzene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Styrene	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01
Xylenes, Total	EPA-8260	<5	ug/kg	JF-BX-20	03/13/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: SB-B7
AES sample #: 010309AF07

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Chloromethane	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Bromomethane	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Vinyl Chloride	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Chloroethane	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Methylene Chloride	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Acetone	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Carbon Disulfide	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,1-Dichloroethene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,1-Dichloroethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,2-Dichloroethene Total	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Chloroform	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,2 Dichloroethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
2-Butanone	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
1,1,1-Trichloroethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Carbon Tetrachloride	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Vinyl Acetate	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Bromodichloromethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,2-Dichloropropane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
trans-1,3-Dichloropropene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Trichloroethene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • 800-848-4983 • (518) 434-4546 • Fax (518) 434-0891

CLIENT: GZA Environmental, Inc.
CLIENT'S SAMPLE ID: SB-B7
AES sample #: 010309AF07

Samples taken by: DKB
MATRIX: Soil

Date Sampled: 03/08/01
Date sample received: 03/09/01
Location: First Prize Cnt
grab

continued:

<u>PARAMETER PERFORMED</u>	<u>METHOD</u>	<u>RESULT</u>	<u>UNITS</u>	<u>NOTEBK REF</u>	<u>TEST DATE</u>
Dibromochloromethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,1,2-Trichloroethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Benzene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
cis-1,3-Dichloropropene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
2-Chloroethylvinylether	EPA-8260	<100	ug/kg	JF-EX-20	03/14/01
Bromoform	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
4-Methyl-2-pentanone	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
2-Hexanone	EPA-8260	<100	ug/kg	JF-BX-20	03/14/01
Tetrachloroethene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
1,1,2,2-Tetrachloroethane	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Toluene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Chlorobenzene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Ethylbenzene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Styrene	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01
Xylenes, Total	EPA-8260	<50	ug/kg	JF-BX-20	03/14/01

APPROVED BY: *Christopher Khan*
Report date: 03/20/01

DRAFT



GZA
GeoEnvironmental, Inc.
Engineers and Scientists

FIRST PRIZE CENTER

Albany, New York

Boring No.: GZSB-A6

Page: 1 of 1

File No.: 42558

Check: _____

Contractor: GZA GeoEnvironmental
Foreman: Al Augustine
Representative: _____
Date Start/Finish: 1-3-01 / 1-3-01
Boring Location: See Plan
GS Elev.: _____ Datum: _____

Auger/Casing: HSA Sampler: S.S.
Type: HSA S.S.: S.S.
O.D. / I.D.: 4-1/4" 2" O.D.: 2" O.D.
Hammer Wt.: 140 LB.
Hammer Fall: 30"
Other: _____

GROUNDWATER READINGS				
Date	Time	Depth	Casing	Stab
01/03/2001	1325	5.7	Auger	10 min.
01/04/2001	0800	No recovery	PVC	1 day

Depth	Sample Information					Sample Description & Classification	Stratum Desc.	Remarks	Equipment Installed	
	No.	Pen./ Rec. (in.)	Depth (Ft.)	Blows (/6")	Field Test Data					
1	S-1	24/12	0-2	27-20 19-5	1.1 ppm	S-1: Dense Coal, Ash, some fine Sand, trace asphalt/silt	FILL MATERIAL ASPHALT	1	PROTECTIVE CASING	Natural Backfill Bentonite Seal 2" PVC Riser
2							2' SILT			
3										
4										
5	S-2	24/20	5-7	1-2 1-1	ND	S-2: Very loose brown SILT, some Fill Material, little Sand, trace fine Gravel		2		
6										
7										
8							8' SILT AND CLAY			Clean Filter Sand 2" PVC Screen
9										
10	S-3	24/24	10-12	0-1 1-2	ND	S-3: Soft, mottled SILT and CLAY, trace Sand		3		
11										
12							12' END OF EXPLORATION			
13										

- REMARKS**
- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM). OVM values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. "ND" stands for None Detected above background.
 - Samples saturated below 5.7 feet below grade.
 - 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set a approximately 4 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PV riser. Filter sand placed in annulus around PVC from 12 to 1 feet below grade. Bentonite seal installed from 1 to 0.5 fee below grade. Remaining annulus filled with auger spoils from 0.5 to 0 feet below grade. Well protected with locked steel standpipe.

WELL BOR NEW LOGS.GPJ GZA CORP.GDT 5/10/01

Stratification lines represent approximate boundary between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZSB-A6

DRAFT



GZA
GeoEnvironmental, Inc.
Engineers and Scientists

FIRST PRIZE CENTER

Albany, New York

Boring No.: GZSB-B6

Page: 1 of 1

File No.: 42558

Check: _____

Contractor: GZA GeoEnvironmental
Foreman: Al Augustine
Representative: _____
Date Start/Finish: 1-3-01 / 1-3-01
Boring Location: See Plan
GS Elev.: _____ Datum: _____

	Auger/ Casing	Sampler
Type:	HSA	S.S.
O.D. / I.D.:	4-1/4"	2: O.D.
Hammer Wt.:		140 LB.
Hammer Fall:		30"
Other:		

GROUNDWATER READINGS					
Date	Time	Depth	Casing	Stab	
01/03/2001	1105	5.5	Auger	10 min.	
01/04/2001	0815	5	PVC	1 day	

Depth	Sample Information					Sample Description & Classification	Stratum Desc.	Remarks	Equipment Installed	
	No.	Pen./ Rec. (in.)	Depth (Ft.)	Blows (/6")	Field Test Data				PROTECTIVE CASING	
1	S-1	24/14	0.5-2.5	5-24 12-8	ND	S-1: Dense Coal, Ash, some fin Sand, trace asphalt/silt	ASPHALT FILL MATERIAL	1		
2							2' SAND	2		
3										
4										
5	S-2	24/20	5-7	6-4 8-9	2 ppm	S-2: Medium dense brown, fine SAND, trace Silt, trace fine Gravel, little 1/4" clay lenses		2		
6										
7										
8										
9							9' SILT	3		
10	S-3	24/20	10-12	2-1 1-2	ND	S-3: Very loose, dark grey, SILT and Organic Matter, wood fragments, H2S odor, some Sand				
11										
12							12' END OF EXPLORATION			
13										

1. Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM). OVM values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. "ND" stands for None Detected above background.
2. Samples saturated below 5 feet below grade.
3. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set a approximately 2 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PV riser. Filter sand placed in annulus around PVC from 1 to 1 feet below grade. Bentonite seal installed from 1 to 0.5 feet below grade. Remaining annulus filled with auger spoils from 0.5 to 0 feet below grade. Well protected with locking end cap and curb box

REMARKS

WELL BOR NEW LOGS GPJ GZA CORP GDT 5/10/01

Stratification lines represent approximate boundary between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZSB-B6

DRAFT



GZA
GeoEnvironmental, Inc.
Engineers and Scientists

FIRST PRIZE CENTER

Albany, New York

Boring No.: GZSB-C9

Page: 1 of 2

File No.: 42558

Check: _____

Contractor: GZA GeoEnvironmental

Foreman: Al Augustine

Representative: _____

Date Start/Finish: 1-3-01 / 1-3-01

Boring Location: See Plan

GS Elev.: _____ Datum: _____

	Auger/ Casing	Sampler
Type:	HSA	S.S.
O.D. / I.D.:	4-1/4"	2" O.D.
Hammer Wt.:		140 LB.
Hammer Fall:		30"
Other:		

GROUNDWATER READINGS				
Date	Time	Depth	Casing	Stab
01/03/2001	1505	6.8	Auger	10 min
01/04/2001	0820	6.5	PVC	1 day

Depth	Sample Information					Sample Description & Classification	Stratum Desc.	Remarks	Equipment Installed	
	No.	Pen./ Rec. (in.)	Depth (Ft.)	Blows (/6")	Field Test Data				PROTECTIVE CASING	
1	S-1	24/20	0.5-2.5	54-70 60-26	ND	S-1: Very Dense, Coal, Ash, Cinder, some fine Sand, trace Asphalt/Silt	FILL MATERIAL 1' SAND	1	Natural Backfill	Bentonite Seal 2" PVC Riser
2										
3										
4										
5	S-2	24/24	5-7	4-4 3-4	ND	S-2: Loose, Brown, Fine SAND, Trace Silt, Trace medium to coarse Sand.		2		
6										
7										
8							8' SILT AND CLAY		Clean Filter Sand	2" PVC Screen
9										
10	S-3	24/20	10-12	1-2 3-2	ND	S-3: Mdium Grey SILT and CLAY, little fine Sand		3		
11										
12										
13										

- REMARKS**
- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM). OVM values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. "ND" stands for None Detected above background.
 - Samples saturated below 6.5 feet below grade.
 - 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set a approximately 4 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PV riser. Filter sand placed in annulus around PVC from 14 to 2 feet below grade. Bentonite seal installed from 2 to 1 fee below grade. Remaining annulus filled with auger spoils from 1 to 0 feet below grade. Well protected with locking end cap and curb box.

WELL BOR. NEW LOGS.GPJ GZA CORP.GDT 5/10/01

Stratification lines represent approximate boundary between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZSB-C9

DRAFT



GZA
GeoEnvironmental, Inc.
Engineers and Scientists

FIRST PRIZE CENTER

Albany, New York

Boring No.: GZSB-C9

Page: 2 of 2

File No.: 42558

Check: _____

Depth	Sample Information					Sample Description & Classification	Stratum Desc.	Remarks	Equipment Installed
	No.	Pen./ Rec. (in.)	Depth (Ft.)	Blows (/6")	Field Test Data				
15	S-4	24/20	14-16	4-3 4-3	ND	S-4: Medium Grey SILT and CLAY, little fine Sand	SILT AND CLAY		
16							16' END OF EXPLORATION		
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									

REMARKS

Stratification lines represent approximate boundary between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZSB-C9

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZ-A1
 Foreman A. Argentine
 GZA
 GeoEnvironmental
 Rep. SOS
 Date Start 03-01-01 End 03-09-01
 Location Albany N.Y.
 GS. Elev. _____ Datum _____

Casing Type HSA Sampler S.S.
 I.D. / O.D. 4-1/4" / 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other _____

Date	Time	Depth	Casing	Stab. Time

DPTH	CB SL	Sample Information				Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed	
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"				Field Test Data	
5	S1	/	0-2	2-4	NO	0.5' Bed. SILT, some organic matter, <u>light</u> Brown, fine SAND, little SILT.	SAND	1.		
				5-5						
5	S2	/	5-7	2-4	NO	Grey FINE SAND, some SILT.	SAND	14		
				5-5						
10										
15										
20										
25										

R
E
M
A
R
K
S

- Soil samples field screened with a 106 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 4 feet below grade.
- 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 14 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 14 to 2 feet below grade. Bentonite seal installed from 2 to 1 feet below grade. Remaining annulus filled with auger spoils or _____ from 1 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: _____

DRAFT

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

First Drive Center
 Albany N.Y.

Boring No. GZ-A3
 Page 1 of 1
 File No. 42558
 Chkd. By: _____

Boring No. GZ-A3
 Foreman A. Augustine
 GZA GeoEnvironmental
 Rep. OKO
 Date Start 03-09-01 End 03-09-01
 Location Albany N.Y.
 GS. Elev. _____ Datum _____

Casing Type HSA
 I.D. / O.D. 4-1/4"
 Hammer Wt. _____
 Hammer Fall _____
 Other _____

Sampler Type S.S.
 2" O.D. _____
 140 L.B. _____
 30" _____

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time
		<u>4.1</u>		

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		<u>S1</u>	<u>24/6</u>	<u>0-2</u>	<u>2-5</u>	<u>NO</u>	<u>Asphalt Filler/Gravel</u>	<u>Asphalt/Gravel 0-3'</u>	Protective Casing Bentonite Seal 2" PVC (1-2) Riser 0-2 Filter Sand 1-12' 2" PVC Screen 2-12'	
					<u>8-3</u>					
<u>5</u>		<u>S2</u>	<u>24/16</u>	<u>5-7</u>	<u>2-8</u>	<u>NO</u>	<u>Gray fine SAND, little silt</u>	<u>SAND</u>		
					<u>14-21</u>					
<u>10</u>		<u>S-3</u>	<u>24/10</u>	<u>10-12</u>	<u>2-3</u>	<u>NO</u>	<u>Gray SILT+CLAY, trace fine Sand</u>	<u>10'</u> <u>SILT+CLAY</u>		
					<u>16-5</u>			<u>EOE</u>		
<u>15</u>										
<u>20</u>										
<u>25</u>										

1. Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below 3 feet below grade.

2. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 12 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 12 to 1 feet below grade. Bentonite seal installed from 1 to 0 feet below grade. Remaining annulus filled with auger spoils or _____ from 1 to _____ feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: GZ-A3

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

First Prize Center
 Albany N.Y.

Boring No. GZ-AS
 Page 1 of
 File No. 42558
 Chkd. By:

Boring No. 42558
 Foreman J. White
 GZA GeoEnvironmental
 Rep. DKB
 Date Start 03-09-01 End 03-29-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing	Sampler
Type <u>HSA</u>	<u>S.S.</u>
I.D. / O.D. <u>4-1/4"</u>	<u>2" O.D.</u>
Hammer Wt. <u> </u>	<u>140 LB.</u>
Hammer Fall <u> </u>	<u>30"</u>
Other <u> </u>	<u> </u>

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information				Field Test Data
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	
		S1	24/10	0-2	31-50	20 *
					50-4	
5		S2	4/6	5-7	4-4	ND
					2-100	
10		S3	24/16	10-12	13-8	ND
					13-16	
15						
20						
25						

Sample Description & Classification

F.11 Material, Gravelly Asphalt, Concrete, Silt, Sand.


F.11

14
EOE

Stratum Description

F.11

14
EOE



1. Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below 5 feet below grade.

3. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 4 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 14 to 2 feet below grade. Bentonite seal installed from 2 to 1 feet below grade. Remaining annulus filled with auger spoils or from 1 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZ-AS

Boring No. GZ-B1
 Foreman J. White
 GZA GeoEnvironmental
 Rep. DOB
 Date Start 03-09-01 End 03-09-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	<u>24</u> / <u>12</u>	0-2	12-24 14-5	ND				
5		S2	<u>24</u> / <u>20</u>	5-7	2-2 3-3	ND	Loose, Gray fine SAND, some silt.	SAND		
10		S3	<u>24</u> / <u>20</u>	10-12	3-3 6-6	ND				
								12'	EOE	
15										
20										
25										

1. Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts-per-million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below 3 feet below grade.

2. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 12 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 12 to 1 feet below grade. Bentonite seal installed from 1 to 0 feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: GZ-B1

DRAFT

GZA GeoEnvironmental, Inc.
Consulting Engineers / Geologists / Environmental Scientists

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

First Prize Center
Albany N.Y.

Boring No. GZ-C4
Page 1 of
File No. 42578
Chkd. By:

Boring No. GZ-C4
Foreman J. White
GZA
GeoEnvironmental
Rep. DKG
Date Start 03-08-01 End 03-08-01
Location Albany N.Y.
GS. Elev. Datum

	Casing	Sampler
Type	HSA	S.S.
I.D. / O.D.	4-1/4"	2" O.D.
Hammer Wt.		140 LB.
Hammer Fall		30"
Other		

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24 12	0-2	6 12-8	1.3*	0-5 Asphalt Medium Dense, Ash, Asphalt, concrete, Fill material	0-5 Asphalt 2 Fill material	1. Protective casing Bentonite Seal 2" 0-1 PVC Riser 0-3'	
5		S2	24 20	5-7	3-3 4-7	ND	Loose, Brown, fine SAND, little silt.	SAND	2" PVC Screen 3-13'	
10		S3	24 20	10-12	2-3 5-4	ND	medium, grey, SILT + CLAY, trace sand	10 SILT + CLAY	Filter Sand 1-13	
15								13 eof		
20										
25										

1. Soil samples field screened with a 0.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below 3 feet below grade.

2. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 13 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 13 to 1 feet below grade. Bentonite seal installed from 1 to 0 feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: GZ-C4

DRAFT

GZA GeoEnvironmental, Inc.
Consulting Engineers / Geologists / Environmental Scientists

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

*First Free Center
Albany N.Y.*

Boring No. 62-D3
Page 1 of
File No. 42558
Chkd. By:

Boring No. 62-D3
Foreman J. White
GZA GeoEnvironmental Rep. DGB
Date Start 03-08-01 End 03-08-01
Location Albany N.Y.
GS. Elev. Datum

Casing HSA Sampler S.S.
Type HSA S.S.
I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

DPTH	C B S L N W G S	Sample Information				Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"				
5		S-1	27 2	0-2	31-38	ND	0-1 Asphalt <i>Dense</i> 1-2 Ash, Asphalt, Concrete mix Fill material.	Fill material	Protective casing Nitro fill 0-1' Bentonite seal 0.5-2' 2" PVC Riser 0-4' Filter sand 2'-14' 2" PVC Screen 4-14'
					12-3				
		S-2	24 8	5-7	3-3	13.4	Loose, Fill Material, Asphalt, concrete ash mix, petroleum ash fine SAND bottom 3"	SAND	
10		S-3	25 24	10-12	2-4	13 *	Medu, Gray, SILT+CLAY, trace Sand.	SILT+CLAY	
15					3-3			EOE	
20									
25									

REMARKS

- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 4 feet below grade.
- 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 14 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 14 to 2 feet below grade. Bentonite seal installed from 2 to 0.5 feet below grade. Remaining annulus filled with auger spoils or from 0.5 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: 62-D3

DRAFT

GZA GeoEnvironmental, Inc.
Consulting Engineers / Geologists / Environmental Scientists

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

First Prize Center
Albany N.Y.

Boring No. GZ-05
Page 1 of
File No. 42558
Chkd. By:

Boring No. GZ-05
Foreman J. White
GZA
GeoEnvironmental
Rcp. DEB
Date Start 03-08-01 End 03-08-01
Location Albany N.Y.

Casing HSA Sampler S.S.
Type HSA S.S.
I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

GS. Elev. Datum

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed	
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data					
		S1	24 / 10	0-2	24-9 10-9	ND	0-5' Asphalt medium dense, Brown, Fine SAND Some silt.	0.5' Asphalt	1.	Protective casing Natural Backfill Bentonite seal 1-2'	
5		S2	24 / 10	5-7	9-9 7-4	ND		SAND			
10		S3	24 / 10	10-12	5-7 6-7	ND	11-12 Medium, Grey, SILT and CLAY, True Sand.	"	"	2" PVC Screen 4-14' Filter Sand	
15		S4	24 / 10	15-17	4-2 6-6	ND		EOE	14		
20											
25											

REMARKS

- Soil samples field screened with a 0.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 5 feet below grade.
- 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 14 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 14 to 2 feet below grade. Bentonite seal installed from 2 to 1 feet below grade. Remaining annulus filled with luger spoils or from 1 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZ-05

DRAFT

GZA GeoEnvironmental, Inc.
Consulting Engineers / Geologists / Environmental Scientists

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

First Phase later
Albany NY

Boring No. GZE1
Page 1 of
File No. 4558
Chkd. By:

Boring No. GZE1
Forceman J. White
GZA GeoEnvironmental Rcp. DICB
Date Start 03-08-01 End
Location Albany NY
GS. Elev. Datum

Casing Type HSA Sampler S.S.
I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S-1	24 16	0-2	4-4 2-3	ND	0.5' Asphalt Loose Brown, fine SAND, ^{Some} little silt	Asphalt	1.	Protected casing Inverted Buckfill Bentonite seal (1-3') 2" PVC Riser 0-5' Filter sand 3-15' 2" PVC Screen 5-15'
5		S-2	24 20	5-7	6-8 9-10	ND	medium dense, Brown, fine SAND, little silt	SAND		
10		S-3	24 24	10-12	4-3 5-7	ND	1.5' Medium ^{gray} SILT and CLAY, ^{trace} sand.	SILT + CLAY	11	
15								EOE	15	
20										
25										

R
E
M
A
R
K
S

- Soil samples field screened with a Q6 e V ThermoEnvironmental Instruments Model 580B organic vapor meter (OVIM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 5 feet below grade.
- 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 5 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 1.5 to 3 feet below grade. Bentonite seal installed from 3 to 1 feet below grade. Remaining annulus filled with alger spoils or from 1 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types. transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZE1

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZ-E14
 Foreman A. Augustine
 GZA GeoEnvironmental Rep. DKD
 Date Start 02-09-01 End 03-09-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing Type HSA
 I.D. / O.D. 4-1/4"
 Hammer Wt.
 Hammer Fall
 Other

Sampler S.S.
 2" O.D.
 140 LB.
 30"

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time
		4.8		

D P T H	C S L N W G S	Sample Information				
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data
		<u>4/12</u>		<u>0-2</u>	<u>17</u>	<u>ND</u>
					<u>6-7</u>	
<u>5</u>		<u>24/6</u>		<u>5-7</u>	<u>5-8</u>	<u>ND</u>
					<u>10-7</u>	
<u>10</u>						
<u>15</u>						
<u>20</u>						
<u>25</u>						

Sample Description & Classification

0-1.5 Dark Silt, Organic matter
Brown, fine SAND, little silt.


1.5-5 gray fine SAND, some silt.

Stratum Description

0-1.5 Organic silt

1.5-12 SAND

12 FOE



1. Soil samples field screened with a 46 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below 4 feet below grade.

3. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 12 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 12 to 1 feet below grade. Bentonite seal installed from 1 to 0 feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.:

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

Boring No. 625B-A1

Foreman A. Augustine

GZA
GeoEnvironmental
Rep. DIO

Date Start 03-12-01 End 03-12-01

Location Albany NY

GS. Elev. Datum

Casing HSA Sampler S.S.
Type
I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24 12	0-2	9-6 7-7	1.3	0-1.5 Asphalt Medium Dense, Fill material, Sand Silt, Gravel, Concrete, Asphalt.	0-1.5 Asphalt	1.	No Equipment Installed
5		S2	24 10	3-7	6-11 7-10	9.7*	Medium Dense, fine gray SAND with clay Some SILT, Petroleum Odor	SAND 7 EOE		
10										
15										
20										
25										

- R
E
M
A
R
K
S
- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
 - Samples saturated below feet below grade.
 - feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: 625B-A1

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. 625B-A2

Foreman A. Augustine

GZA GeoEnvironmental
 Rep. DRB

Date Start 03-12-01 End

Location Albany N.Y

GS. Elev. Datum

	Casing	Sampler
Type	HSA	S.S.
I.D. / O.D.	4-1/4"	2" O.D.
Hammer Wt.		140 LB.
Hammer Fall		30"
Other		

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information				Field Test Data	Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"					
		5-1	24 16	0-2	5-18	1.3	0-5' Asphalt Fill material, concrete Asphalt, silt, gravel	0-1' Asphalt 2' Fill material	1.	No Equipment Installed
5		5-2	24 16	5-7	12-7 5-4	2.1*	Medium Dense Brown, SILT, 2" lense of Red shale	SILT 2		
10										
15										
20										
25										

R
E
M
A
R
K
S

- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- ~~Samples saturated below feet below grade.~~
- ~~feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.~~

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: 625B-A2

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. G2SB-A3
 Foreman A. Augustine
 GZA GeoEnvironmental Rcp. JKB
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA S.S.
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S-1	24 / 20	0-2	11-20 25-18	4 *	0-5 Asphalt Dense, Fill material.	0-5 Asphalt	1.	No Equipment Installed
5		S-2	24 / 6	5-7	18-16 refusal	1	Brown, fine SAND, little silt.	SAND 7 EJE		
10										
15										
20										
25										

R
E
M
A
R
K
S

- Soil samples field screened with a 0.6 eV (ThermoEnvironmental Instruments Model 580B organic vapor meter) (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below feet below grade.
- feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: G2SB-A3

DRAFT

First Prize Center
Albany N.Y.

Boring No. G2SB-B1

Page 1 of

File No. 42978

Chkd. By:

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

Boring No. G2SB-B1

Foreman A. Augustine

GZA GeoEnvironmental
Rep. DKB

Date Start 03-12-01 End 03-12-01

Location Albany N.Y.

GS. Elev. Datum

Casing HSA Sampler S.S.

Type HSA

I.D. / O.D. 4-1/4" 2" O.D.

Hammer Wt. 140 LB.

Hammer Fall 30"

Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
5		S-1	24 16	0-2	9-8 10-8	ND	0-5 Asphalt medium dense, Brown, fine SAND, little silt	ASPHLT	1.	No Equipment Installed
5		S-2	24 16	5-7	8-10 15-10	.9*		SAND		
10								7'		
15								EOE		
20										
25										

- R
E
M
A
R
K
S
- Soil samples field screened with a 0.6 eV (ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
 - ~~Samples saturated below feet below grade.~~
 - ~~feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.~~

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. G2SB-B1

GZA GeoEnvironmental, Inc.
 Consulting Engineers / Geologists / Environmental Scientists
 27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

DRAFT

First Prize Club
 Albany N.Y.

Boring No. GRSB-02
 Page 1 of
 File No. 12558
 Chkd. By:

Boring No. GRSB-02
 Foreman A. Augustine
 GZA
 GeoEnvironmental
 Rep. DAB
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		51	24	0±	10-7 6-6	ND	0.5 Asphalt medu base, Brown to Red fine SAND, little silt	0.5 Asphalt	1.	No Equipment Installed
5		52	24	9-7	3-2 2-3	ND	Loose, Brown, fine SAND, trace silt.	SAND		
								7 EOE		
10										
15										
20										
25										

- R
E
M
A
R
K
S
- Soil samples field screened with a Bev ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
 - ~~Samples saturated below _____ feet below grade.~~
 - ~~_____ feet of _____ inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately _____ feet below grade. Well completed to surface with a _____ inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from _____ to _____ feet below grade. Bentonite seal installed from _____ to _____ feet below grade. Remaining annulus filled with auger spoils or _____ from _____ to _____ feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.~~

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: GRSB-02

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

Boring No. G25B-04

Foreman A. Augustine

GZA GeoEnvironmental
Rep. DUB

Date Start 03-12-01 End 03-22-01

Location Albany N.Y.

GS. Elev. _____ Datum _____

Casing	<u>HSA</u>	Sampler	<u>S.S.</u>
Type	<u>HSA</u>		
I.D. / O.D.	<u>4-1/4"</u>		<u>2" O.D.</u>
Hammer Wt.			<u>140 LB.</u>
Hammer Fall			<u>30"</u>
Other			

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information				Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"				
		S1	<u>4</u> <u>27</u>	<u>0-2</u>	<u>30-33</u> <u>14.9</u>	<u>ND</u>	<u>Dense, Brown SILT, little Gravel.</u>	<u>2 SILT</u>	No Equipment Installed
5		S2	<u>5</u> <u>20</u>	<u>5-7</u>	<u>69-7</u> <u>4-14</u>	<u>1.3*</u>	<u>Loosey Fill Material, Gravel, concrete, Asphalt</u>	<u>Fill material</u> <u>7</u> <u>ESE</u>	
10									
15									
20									
25									

R
E
M
A
R
K
S

- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below _____ feet below grade.
_____ feet of _____ inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately _____ feet below grade. Well completed to surface with a _____ inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from _____ to _____ feet below grade. Bentonite seal installed from _____ to _____ feet below grade. Remaining annulus filled with auger spoils or _____ from _____ to _____ feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: G25B-04

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

Boring No. 6-258-B6
Foreman A. Augustine
GZA
GeoEnvironmental
Rep. DIB
Date Start 03-12-01 End 03-12-01
Location Albany, N.Y.
GS. Elev. Datum

Casing HSA Sampler S.S.
Type HSA
I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		<u>S1</u>	<u>24</u>	<u>0.2</u>	<u>10-13</u>	<u>ND</u>	<u>0-0.5 Black Sand blast Grit and Asphalt.</u> <u>medium Dense, Brown, fine SAND</u> <u>little silt.</u>	<u>SAND</u>	<u>No Equipment Installed</u>	
					<u>10-10</u>			<u>EUE</u>		

1. Soil samples field screened with a 10keV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "-" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below feet below grade.

2. feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundanes between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: 6-258-B6

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZSB-B7
 Forcman A. Augustine
 GZA
 GeoEnvironmental
 Rep. DIOS
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA S.S.
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		51	24/12	0-2	11-12	ND	0-0.5 Black sand, black grit and asphalt	 		
					9-10		medium dense, brown, fine SAND, little S.H.	SAND EJE	No Equipment Installed	
5										
10										
15										
20										
25										

**R
E
M
A
R
K
S**

- Soil samples field screened with a 10 beV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below feet below grade.
- feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking encap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: GZSB-B7

GZA GeoEnvironmental, Inc.
 Consulting Engineers / Geologists / Environmental Scientists
 27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

DRAFT

First Prize Center
 Albany N.Y.

Boring No. 625B-C7
 Page 1 of
 File No. 42558
 Chkd. By:

Boring No. 625B-C7
 Foreman A. Augustine
 GZA GeoEnvironmental Rep. DUB
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	RMRSST	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24	0-2	15-10	ND	0.5' Black Sand Blast Grnt and Asphalt Grnt and Asphalt			
					10-9		Medium Dense, Brown, fine SAND little silt.	SAND	No Equipment Installed	
5										
10										
15										
20										
25										

REMARKS

- Soil samples field screened with a 10.0eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- ~~Samples saturated below feet below grade.~~
- ~~feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel sandpipe.~~

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. 625B-C7

GZA GeoEnvironmental, Inc.
Consulting Engineers / Geologists / Environmental Scientists

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

DRAFT

First Prize Center
Albany N.Y.

Boring No. G25B-C13

Page 1 of

File No. 42558

Chkd. By:

Boring No. G25B-C13

Foreman J. White

GZA
GeoEnvironmental
Rep. DKB

Date Start 03-12-01 End 03-12-01

Location Albany N.Y.

GS. Elev. Datum

	Casing	Sampler
Type	HSA	S.S.
I.D. / O.D.	4-1/4"	2" O.D.
Hammer Wt.		140 LB.
Hammer Fall		30"
Other		

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

DPTH	CBNL SLS NWGS	Sample Information					Sample Description & Classification	Stratum Description	RM RKS	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24 12	0-2	11-21	NO	0.5 Asphalt Dense, Brown, fine SAND, little silt.	0.5 Asphalt SAND EOE	1.	No Equipment Installed
5										
10										
15										
20										
25										

- R
E
M
A
R
K
S
1. Soil samples field screened with a eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- 2. ~~Samples saturated below feet below grade.~~
- 2. feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. G25B-C13

DRAFT

First Prize Center
 Albany N.Y.

Boring No. GZSB-D5
 Page 1 of
 File No. 42558
 Chkd. By:

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZSB-D5
 Foreman A. Augustine
 GZA GeoEnvironmental Rep. DCB
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24 12	0-2	5-12 10-10	ND	0.5 Asphalt	Asphalt	1.	No Equipment Installed
		S2	24 20	2-4	11-5 6-6	ND	Medium Dense, Brown, fine SAND little silt.	SAND		
5										
10										
15										
20										
25										

REMARKS

- Soil samples field screened with a 10.5 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- ~~Samples saturated below feet below grade.~~
- ~~feet of inch diameter, Schedule 40 threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.~~

DRAFT

First Phase Center
 Albany N.Y.

Boring No. GZSB-04
 Page 1 of
 File No. 12558
 Chkd. By:

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZSB04
 Foreman A. Augustine
 GZA GeoEnvironmental
 Rep. DCS
 Date Start 03-12-01 End 03-02-01
 Location Albany NY
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

DPTH	CBL	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
5	S1	24	0-2	13-14	1,3	0.5 Asphalt. Fill material, Gravel Asphalt, concrete	0.5 Asphalt Fill material	1.	No Equipment Installed	
				9-8			4			
5	S2	24	5-7	3-5	1490*	Medium Dense, Gray, fine SAND, little silt, Petroleum odor.	SAND EJE	7		
				7-6						
10										
15										
20										
25										

1. Soil samples field screened with a Qib AV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. ~~Samples saturated below feet below grade.~~

2. ~~feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.~~

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZSB-04

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

Boring No. CSB-E3
Foreman A. Augustine
GZA GeoEnvironmental
Rcp. DCD
Date Start 03-12-01 End 03-12-01
Location Albany N.Y.
GS. Elcv. Datum

Casing HSA Sampler S.S.
Type HSA I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24	0-2	3-0 11-9	ND	0.5 Asphalt medium Dense, Brown, Fine SAND, little silt	Asphalt SAND EoE	1.	No Equipment Installed
5		S2	24	2-4	6-8 8-9	ND				
10										
15										
20										
25										

- R
E
M
A
K
S
- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
 - ~~1. Samples saturated below feet below grade.~~
~~2. feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.~~

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. CSB-E3

DRAFT

First Prize Center
 Albany N.Y.

Boring No. G25B-E4A

Page 1 of

File No. 42558

Chkd. By:

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. G25B-E4A

Foreman A. Augustine

GZA
 GeoEnvironmental
 Rep. DGB

Date Start 03-12-01 End 03-12-01

Location Albany N.Y.

GS. Elev. Datum

Casing	Sampler
HSA	S.S.
I.D. / O.D. 4-1/4"	2" O.D.
Hammer Wt. <u> </u>	140 LB.
Hammer Fall <u> </u>	30"
Other <u> </u>	

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S-1	24	1-3	7-6	1 *	0-1 Asphalt/Concrete Slab	Asphalt/Concrete	1.	No Equipment Installed
					4-11		Medium Dense, Fine SAND, little Silt.			
5		S-2	24 16	6-8	51-14	ND	1" Concrete at 6'	SAND		
					11-10		Medium Dense Brown, Fine SAND little Silt.			
10										
15										
20										
25										

R
E
M
A
R
K
S

- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below feet below grade.
- feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus fitted with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No. G25B-E4A

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. 6258-E4B
 Foreman A. Augustine
 GZA GeoEnvironmental
 Rep. 5103
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing Type HSA Sampler S.S.
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	12	1-3	11-5 5-5	ND	0-1 Asphalt/Concrete Slab medium Dense, Brown, fine SAND, little silt.	Asphalt/Concrete SAND	1.	No Equipment Installed
5		S-2	12	6-8	6-5 5-6	ND				
10								B EOL		
15										
20										
25										

1. Soil samples field screened with a 300 ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below feet below grade.

2. feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

DRAFT

First Pizza Center
 Albany N.Y.

Boring No. G25B-E4c
 Page 1 of
 File No. 42556
 Chkd. By:

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. G25B-E4c
 Foreman A. Augustine
 GZA GeoEnvironmental
 Rep. DOB
 Date Start 03-12-01 End 03-02-01
 Location Albany N.Y.

Casing HSA Sampler S.S.
 Type HSA I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

GS. Elev. Datum

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24 12	1-3	15-12	ND	0-1' Asphalt/Concrete Slab.	Asphalt/Concrete	1.	No Equipment Installed
					7-6		Medium Dense, Brown, fine SAND little Silt			
5		S2	24	6-8	14-8	13.4*	Medium Dense, Gray, fine SAND little Silt, Petroleum Odor.	SAND		
					8-6					
10										
15										
20										
25										

- R
E
M
A
R
K
S
- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
 - Samples saturated below feet below grad.
 - feet of inch diameter, Schedule 40, threaded, flush joint, 10 slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. G25B-E4c

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. 6250-E6
 Foreman A. Augustine
 GZA GeoEnvironmental
 Rep. BUS
 Date Start 03-12-01 End 03-12-01
 Location Albany N.Y.
 GS. Elev. Datum

Casing HSA Sampler S.S.
 Type HSA I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24 12	0-2	6-5 7-8	ND	0.5 Asphalt	Asphalt	1.	No Equipment Installed
		S2	24 20	2-4	10-8 5-4	ND	Medium Dense, Brown, fine SAND, little silt.	SAND		
							EOE			
5										
10										
15										
20										
25										

1. Soil samples field screened with a 10.0 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below feet below grade.

3. feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

GZA GeoEnvironmental, Inc.
 Consulting Engineers / Geologists / Environmental Scientists
 27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

DRAFT

First Prize Center
 Albany NY

Boring No. 62D6
 Page 1 of 1
 File No. 42558
 Chkd. By: _____

Boring No. 62D6
 Foreman _____
 GZA
 GeoEnvironmental
 Rep. J. Simmons
 Date Start 3/12/01 End 3/12/01
 Location _____

Type _____
 I.D. / O.D. 4 1/4" / 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall _____
 Other _____

H.A.
 Sampler

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

GS. Elev. _____ Datum _____

D P T H	C S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
5										
10										
15										
20										
25										

3' concrete
 Blue upper 1' coal slag
 lower 1' Blochish Gray
 organic Silt, trace
 wood, F Silt
 wet at 3'

- Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 3 feet below grade.
- 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus filled with auger spoils or from to feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. 62SD6

Boring No. 62DB
 Foreman _____
 Date Start 3/12/01 End 3/12/01
 Location See Plan
 S.Elev. _____ Datum _____

Casing Type HSA
 I.D. / O.D. 4-1/4"
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other _____

H.A. Sampler

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time

D P T H	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
	CB SL NW GS	No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"				
						8" concrete			
		S1		1-3	ND	Black Coal sbg + silt			
		S2		3-4	ND	s2 wet Blackish Gray @ silt tree roots organics			

REMARKS
 1. Soil samples field screened with a 10.6 eV Thermo Environmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
 2. Samples saturated below 3 feet below grade.
 3. 7 feet of 1 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately _____ feet below grade. Well completed to surface with a _____ inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from _____ to _____ feet below grade. Bentonite seal installed from _____ to _____ feet below grade. Remaining annulus filled with sugar spoils or _____ from _____ to _____ feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.
 Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: 62SDB

Boring No. GZB2
 Forceman _____
 GZA GeoEnvironmental Rep. Simmons
 Date Start 3/12/01 End 3/13/01
 Location See Plan
 GS. Elev. _____ Datum _____

Casing HSA Type HSA
 Sampler H.A. S.S.
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 L.B.
 Hammer Fall 30
 Other _____

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1		1-3	2.7	SI Black Coal Slog		1.		
		S2		3-5	ND	S2 ^{with} orange Brown to Gray Upper 1' F SAND Lower 1' Gray Silt, Sand				
5										
10										
15										
20										
25										

REMARKS

- Soil samples field screened with a 10.4eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 4 feet below grade.
- 4 feet of inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately feet below grade. Well completed to surface with a inch diameter, Schedule 40, threaded, flush joint PVC riser. Filter sand placed in annulus around PVC from to feet below grade. Bentonite seal installed from to feet below grade. Remaining annulus fitted with auger spoils or from to feet below grade. Well protected with locking cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No.: GZB2

DRAFT

First Prize Center
 Albany NY

Boring No. GZES
 Page 1 of 1
 File No. 42553
 Chkd. By: _____

27 Naak Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZES
 Foreman _____
 GZA GeoEnvironmental
 Recp. Simmons
 Date Start 3/12/01 End 3/12/01
 Location See Plan
 GS. Elev. _____ Datum _____

Casing Type HSA Sampler S.S.
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. _____ 140 LB.
 Hammer Fall _____ 30"
 Other _____

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1		1-3		ND	6" concrete S1 Block Coal slag & [SAND]			
		S2		3-5		ND	S2 wet A Gray organic silt			
5										
10										
15										
20										
25										

REMARKS

- Soil samples field screened with a 10.6eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 3 feet below grade. Well completed 3 feet or _____ inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately _____ feet below grade. Well completed to surface with a _____ inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from _____ to _____ feet below grade. Bentonite seal installed from _____ to _____ feet below grade. Remaining annulus filled with auger spoils or _____ from _____ to _____ feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZSBES

Boring No. GZC16
Foreman Al Augustine

Type HSA
I.D. / O.D. 4-1/4" / 2" O.D.
Hammer Wt. 140 LB.
Hammer Fall 30"
Other _____

GZA GeoEnvironmental Rep. Jeff Simmons
Date Start 3/8/01 End 3/9/01
Location _____

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time
<u>3/8/01</u>	<u>11:50</u>	<u>8'</u>	<u>10" dia</u>	<u>10 min</u>

GS. Elev. _____ Datum _____

DPTH	CBL	Sample Information					Sample Description & Classification	Stratum Description	RMRKS	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
5	S1	<u>24/19</u>	<u>5-2</u>	<u>2-2</u> <u>4-6</u>	<u>ND</u>	<u>S1 loose Brown SILT + F SAND, trace organics</u>	<u>F.SILT</u> <u>2-5</u>	<u>3</u>		
5	S2	<u>24/20</u>	<u>5-7</u>	<u>3-6</u> <u>6-7</u>	<u>ND</u>	<u>S2 med dense Orange Brown F SAND, trace silt</u>	<u>F SAND</u>	<u>4</u>		
10	S3	<u>24/21</u>	<u>10-12</u>	<u>2-3</u> <u>2-2</u>	<u>ND</u>	<u>S3 WET loose Brown F SAND, trace silt</u>				
15	S4	<u>24/22</u>	<u>15-17</u>	<u>2-2</u> <u>3-4</u>	<u>ND</u>	<u>S4 wet Gray SILT, little F SAND, trace clay lens</u> <u>END Boring 17'</u>	<u>15.5'</u> <u>SILT</u>			

REMARKS

- Soil samples field screened with a 10.6V Thermo Environmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 3' feet below grade.
- 2 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 5 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 15 to 13 feet below grade. Bentonite seal installed from 13 to 12 feet below grade. Remaining annulus filled with auger spoils or _____ from 2 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

DRAFT

First Prize Center
Albany NY

Boring No. 62 B 13

Page 1 of 1

File No. 42553

Chkd. By: _____

27 Naek Road
Vernon, Connecticut 06066-3965
(860) 875-7655

Boring No. 62
Foreman Al Augustine
GZA GeoEnvironmental Rep. Jeff Simmons
Date Start 3/8/01 End 2/8/01
Location See Plan
GS. Elev. _____ Datum _____

Casing HSA Sampler S.S.
Type _____
I.D. / O.D. 4-1/4" 2" O.D.
Hammer Wt. _____ 140 LB.
Hammer Fall _____ 30"
Other _____

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time
3/8/01	10:00	18"	out	15 mg

D P T H	C B S L N W G S	Sample Information					Sample Description & Classification	Stratum Description	R M K S	Equipment Installed
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	Field Test Data				
		S1	24/2	0-2	5-5 5-7	ND	S1 wet Block and log Block w/ coal slag, ash tree wood, silt, roots	6" riser FILL		
5		S2	24/3	5-7	4-6 7-12	ND	S2 wet fine dense Brown to gray f SAND, trace silt	F SAND		
10		S3	24/6	10-12	3-12 7-5	ND	S3 wet same Bottom 4" Gray clayey S< END Boring 12'	11.7' Clayey S<		
15		S4	24/1	15-17		S4				
20										
25										

1. Soil samples field screened with a 10.6 eV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
2. Samples saturated below 1.5 feet below grade.
3. 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 1 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 13 to 0 feet below grade. Bentonite seal installed from _____ to _____ feet below grade. Remaining annulus filled with auger spoils or _____ from _____ to _____ feet below grade. Well protected with locking endcap and curb box or locked steel standpipe.
- Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made. Boring No. 62 B 13

DRAFT

First Price Center
 Albany NY

Boring No. GZA15
 Page 1 of 1
 File No. 42558
 Chkd. By: _____

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655

Boring No. GZA15
 Foreman Al Augustine
 GZA
 GeoEnvironmental
 Rep. J Simmons
 Date Start 3/8/01 End 3/8/01
 Location See Plan
 GS. Elev. _____ Datum _____

Casing HSA Sampler S.S.
 Type _____
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. 140 LB.
 Hammer Fall 30"
 Other _____

Groundwater Readings				
Date	Time	Depth	Casing	Stab. Time
<u>3/8/01</u>	<u>19:00</u>	<u>8.0</u>	<u>6' 2"</u>	<u>10 min</u>

D P T H	C S L N W G S	Sample Information				Field Test Data
		No.	Pen./ Rec.	Depth (Ft.)	Blows/ 6"	
		<u>S1</u>	<u>24/4</u>	<u>0-2</u>	<u>5-6</u> <u>4-5</u>	<u>UD</u>
5		<u>S2</u>	<u>24/16</u>	<u>5-7</u>	<u>6-3</u> <u>4-12</u>	<u>7.1</u>
10		<u>S3</u>	<u>24/16</u>	<u>10-12</u>	<u>6-7</u> <u>7-10</u>	<u>4.9</u>
15		<u>S4</u>	<u>24/20</u>	<u>15-17</u>	<u>7-3</u> <u>5-5</u>	<u>3.8</u>
20						
25						

Sample Description & Classification

S1 Frozen upper 1' Brownish Gray
 F SAND & SILT, trace
 Clay, roots

S2 Gray Clayey SILT
 trace f Sand, wood

S3 ~~stone~~ wet Gray Clayey SILT
 trace Clay lens.


S4 SAND
 EXO Moring 17'

Stratum Description

Fill

8' Block clay

CLAY SILT



REMARKS

1. Soil samples field screened with a 10.1 EV ThermoEnvironmental Instruments Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.

2. Samples saturated below 3.0 feet below grade.

3. 10 feet of 2 inch diameter. Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 5 feet below grade. Well completed to surface with a 2 inch diameter. Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 15 to 3 feet below grade. Bentonite seal installed from 3 to 2 feet below grade. Remaining annulus filled with auger spoils or _____ from 2 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring No.: GZA15

DRAFT

First Prize Center
 Albany, NY

Boring No. GZE19
 Page 1 of 1
 File No. 42558
 Chkd. By: _____

27 Naek Road
 Vernon, Connecticut 06066-3965
 (860) 875-7655


Boring No. GZE19
 Foreman Al Augustine
 GZA GeoEnvironmental Rep. Jeff Simmons
 Date Start 3/8/01 End _____
 Location See Plan
 GS. Elev. _____ Datum _____

Casing HSA Sampler S.S.
 Type _____
 I.D. / O.D. 4-1/4" 2" O.D.
 Hammer Wt. _____ 140 LB.
 Hammer Fall _____ 30"
 Other _____

Groundwater Readings

Date	Time	Depth	Casing	Stab. Time
3/8/01	9:10	9.2	10' in	10 min

D P T H	C B S L N W G S	Sample Information				Field Test Data	Sample Description & Classification	Stratum Description	R M R K S	Equipment Installed
		No.	Pen/ Rec.	Depth (Ft.)	Blows/ 6"					
5		S1	24/13	3-2	10-9 6-5	ND	S1 med Dense Grayish Brown f SAND, little silt, trace f gravel 0-2"	ORGANIC SAND + SILT		
		S2	24/16	5-7	2-2 3-4	ND	S2 loose Grayish Brown f SAND, AND silt, trace organics (roots)			
10		S3	24/20	10-12	3-6 4-6	ND	S3 wet med Dense Gray f SAND little silt	f SAND		
15		S4	24/20	15-17	2-2 4-5	ND	S4 wet medium clayey SILT trace sand lens. clay lens	Clayey SILT		
20							END Boring 17'			
25										




- Soil samples field screened with a 10. eV ThermoEnvironmental Instrument Model 580B organic vapor meter (OVM) or HNu Model PI-101 photoionization detector (PID). OVM or PID values represent meter response in parts per million (ppm) relative to a benzene in air and above background readings. A "*" indicates a sample sent to a laboratory for additional analyses or screening. "ND" stands for None Detected above background.
- Samples saturated below 9.2 feet below grade.
- 10 feet of 2 inch diameter, Schedule 40, threaded, flush joint, 10-slot PVC well screen set at approximately 5 feet below grade. Well completed to surface with a 2 inch diameter, Schedule 40, threaded, flush joint, PVC riser. Filter sand placed in annulus around PVC from 15 to 3 feet below grade. Bentonite seal installed from 3 to 2 feet below grade. Remaining annulus filled with auger spoils or _____ from 2 to 0 feet below grade. Well protected with locking end cap and curb box or locked steel standpipe.

Stratification lines represent approximate boundaries between soil types, transitions may be gradual. Water level readings have been made at times and under conditions stated. Fluctuations of groundwater may occur due to other factors than those present at the time measurements were made.

Boring Elev.

B1	221.78
TP2	221.52
TP3	219.36
TP4	217.83
TP5	218.90
TP6	217.88
TP7	217.50
TP8	216.38
TP9	215.19
TP10	213.12
B10	210.50
B11	215.0
B12	216.8
B13	217.8
TP14	219.85
B15	220.44
TP16	221.31
TP17	220.53
TP18	220.80
B19	220.07
B20	222.80
B21	222.07
B22	220.79
B23	217.7
B24	216.8
B25	214.9
B26	210.88
B27	211.03
B28	214.7
B29	217.0
B30	217.8
B31	221.21
B32	221.25
B33	219.88
B34	220.62
B35	220.35
B36	219.09
B37	219.10
B38	218.55
TP39	217.87
TP40	217.22
TP41	214.81
TP42	211.28
TP43	212.78
B43A	212.8
TP44	214.18
TP45	213.68
TP46	216.38
B48A	216.4
B47	218.88
B48	218.82
B49	218.71
B50	219.58
B51	218.18
B52	216.18
B53	218.08
TP54	208.84
B54A	218.20
TP55	207.71
TP56	208.25
TP57	212.45
TP58	211.20
B58	207.61



BH59 is located 1230' East of TP9, at proposed sign pylon, 10' South and 15' West of Chainlink fences.



Prepared By:

Prepared For:

GIFFORD ENGINEERING
 Geotechnical and Geoenvironmental Services
 875 Pearce Road
 Schenectady, NY 12309-2909
 (518) 382-2545

BORE HOLE AND TEST PIT LOCATIONS
HOME DEPOT SITE
EXCHANGE STREET, ALBANY, NY
 TOWN OF COLONIE AND CITY OF ALBANY, NEW YORK
 FILE NO. 0082
 Drawn by: JJW Date: 1/25/01

NOTE:
 BASE MAPPING AND ELEVATION
 DATUM PROVIDED BY CLIENT.

Unauthorized alterations or additions to this survey map is a violation of Section 7209 of the New York State Education Law. Copies of this survey map not bearing the land surveyors embossed seal shall not be considered valid copies. This Survey was prepared for the parties and purposes indicated hereon. Any extension of the use beyond the purpose exceeds the scope of the engagement.


JAMES J. WHITE, L.S. No. 50,026

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Center</u> Location <u>Manhasset NY</u>	Test Pit No. <u>62TPA3</u> File No. <u>42558</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simmons</u> Weather <u>35° Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Industrial Maintenance</u> Operator <u>WARREN Rifeborough</u> Make <u>DeWalt</u> Model <u>130 2C-V</u> Capacity <u>1/4</u> cu.yd. Reach <u>13</u> ft.	Ground Elevation <u>N/A</u> Time Started <u>8:00 am</u> Time Completed <u>9:15 am</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	5-2 GRY F SAND + SILT SILT, little F Gravel, trace asphalt, concrete	ND	D	—	1.
2'	2-3				
3'	GR F SAND, some F Gravel, little Asphalt Rebar, Concrete, Silt, road reflectors	4.5	D	—	
4'	3-5				
5'	G to BN F SAND, some Gravel/Concrete trace asphalt, Rebar, metal, wood 2 SLAB (concrete) Silt	9.2	D	—	
6'	5' slab of Concrete former Pavement.		D		
7'	END AT 5' (Refusal)				
8'					
9'					
10'					
11'					
12'					
13'					
14'					

REMARKS:
 1. Picture 1 & 2
 2.

TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT <table style="width: 100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table style="width: 100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">ABBREVIATIONS</th> </tr> <tr> <td>F - Fine</td> <td>M - Medium</td> </tr> <tr> <td>C - Coarse</td> <td>F/M - Fine to Medium</td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td>V - Very</td> </tr> <tr> <td>GR - Gray</td> <td>BN - Brown</td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table>	ABBREVIATIONS		F - Fine	M - Medium	C - Coarse	F/M - Fine to Medium	F/C - Fine to Coarse	V - Very	GR - Gray	BN - Brown	YEL - Yellow		EXCAVATION EFFORT <table style="width: 100%; border-collapse: collapse;"> <tr> <td>E - Easy</td> <td>M - Moderate</td> <td>D - Difficult</td> </tr> </table>	E - Easy	M - Moderate	D - Difficult
Size Range	Letter Designation																																		
6" - 18"	A																																		
13" - 36"	B																																		
36" and Larger	C																																		
TRACE (TR)	0-10%																																		
LITTLE (LI)	10-20%																																		
SOME (SO)	20-35%																																		
AND	35-50%																																		
ABBREVIATIONS																																			
F - Fine	M - Medium																																		
C - Coarse	F/M - Fine to Medium																																		
F/C - Fine to Coarse	V - Very																																		
GR - Gray	BN - Brown																																		
YEL - Yellow																																			
E - Easy	M - Moderate	D - Difficult																																	
GROUNDWATER Elapsed Time to Reading (hours) 2 G.W.L.																																			



TEST PIT FIELD LOG

DRAFT

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Center</u> Location <u>Hempstead NY</u>	Test Pit No. <u>627PA5</u> File No. <u>41553</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simmons</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Maintenance Industrial</u> Operator <u>See Page 1</u> Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation <u>NA</u> Time Started <u>9:50</u> Time Completed <u>10:15</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
0.0 - 0.5	Asphalt				
0.5 - 1.5	Block Coal Slog some fine sand, silt	ND*	M	✓	①
1.5 - 3.0	Block F SAND & SILT				
3 - 4.5	orange F SAND & SILT	ND	E	✓	
4.5 - 8.5	mottled Gray and Brown SILT, trace SAND, CLAY	ND	E	✓	②
END TEST PIT 8.5' 8.5'					
1'					
2'					
3'					
4'					
5'					
6'					
7'					
8'					
9'					
10'					
11'					
12'					
13'					
14'					

REMARKS:
 ① photos #3
 ② Perch water table 3.-4'

TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT Size Range Classification Letter Designation 6" - 18" A 13" - 36" B 36" and Larger C	PROPORTIONS USED TRACE (TR) 0-10% LITTLE (LI) 10-20% SOME (SO) 20-35% AND 35-50%	LEGEND ABBREVIATIONS F - Fine M - Medium C - Coarse F/M - Fine to Medium F/C - Fine to Coarse V - Very GR - Gray BN - Brown YEL - Yellow	EXCAVATION EFFORT E - Easy M - Moderate D - Difficult GROUNDWATER Elapsed Time to Reading (hours)  G.W.L.
--	---	---	---	---

TEST PIT FIELD LOG DRAFT


GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site: <u>First Prize Center</u> Location: <u>Albany NY</u>	Test Pit No. <u>6ZTPC1</u> File No. <u>42553</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simmas</u> Weather <u>Barney</u>	EXCAVATION EQUIPMENT Contractor: <u>Precision Industrial Maintenance</u> Operator: _____ Make: _____ Model: _____ Capacity: _____ cu.yd. Reach: _____ ft.	Ground Elevation <u>NA</u> Time Started <u>10:30</u> Time Completed <u>10:50</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	0-1 top soil	ND	E	—	1
2'	1-3 Black Coal Slog fill				
3'					
4'	3-7.5 ORANGE F SAND, some silt	ND	E	—	2
5'					
6'					
7'					
8'	END TEST PIT 7.5'				
9'					
10'					
11'					
12'					
13'					
14'					

REMARKS:

① original testpit location concrete slab at 2' below Grade move NORTH 6'

② photo # 6





TEST PIT PLAN  <p>Volume = _____ cy.yd.</p>	BOULDER COUNT <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Classification</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> <td></td> </tr> <tr> <td>13" - 36"</td> <td>B</td> <td></td> </tr> <tr> <td>36" and Larger</td> <td>C</td> <td></td> </tr> </table>	Size Range	Letter Classification	Letter Designation	6" - 18"	A		13" - 36"	B		36" and Larger	C		PROPORTIONS USED TRACE (TR) 0-10% LITTLE (LI) 10-20% SOME (SO) 20-35% AND 35-50%	ABBREVIATIONS F - Fine M - Medium C - Coarse F/M - Fine to Medium F/C - Fine to Coarse V - Very GR - Gray BN - Brown YEL - Yellow	EXCAVATION EFFORT E - Easy M - Moderate D - Difficult GROUNDWATER Elapsed Time to Reading (hours) 2 G.W.L.
Size Range	Letter Classification	Letter Designation														
6" - 18"	A															
13" - 36"	B															
36" and Larger	C															

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>Wardville Price</u> Location _____	Test Pit No. <u>62TPA8</u> File No. <u>4253</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simas</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Industrial Machine</u> Operator <u>See Page 1</u> Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation <u>See Plan</u> Time Started <u>11:05</u> Time Completed <u>11:15</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	0-6" Brick & Concrete 6"-2.5 Black organic silt trace	ND	E	—	ⓓ
2'	Coal slag				
3'	2.5-3.5 orange silt some F SAND	ND	E	—	
4'	3.5-5.5 GRAY mottled silt				
5'	trace roots	ND	E	—	
6'	END TEST PIT 5.5' 5.5'				
7'					
8'					
9'					
10'					
11'					
12'					
13'					
14'					

REMARKS:
 ① P: chisel # 7 φ # 8

TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td>V - Very</td> <td></td> </tr> <tr> <td>GR - Gray</td> <td></td> </tr> <tr> <td>BN - Brown</td> <td></td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">GROUNDWATER</th> </tr> <tr> <td>Elapsed Time to Reading (hours)</td> <td style="text-align: center;">  </td> </tr> <tr> <td></td> <td style="text-align: right;">G.W.L.</td> </tr> </table>	ABBREVIATIONS	EXCAVATION EFFORT	F - Fine	E - Easy	M - Medium	M - Moderate	C - Coarse	D - Difficult	F/M - Fine to Medium		F/C - Fine to Coarse		V - Very		GR - Gray		BN - Brown		YEL - Yellow		GROUNDWATER		Elapsed Time to Reading (hours)			G.W.L.
Size Range	Letter Designation																																												
6" - 18"	A																																												
13" - 36"	B																																												
36" and Larger	C																																												
TRACE (TR)	0-10%																																												
LITTLE (LI)	10-20%																																												
SOME (SO)	20-35%																																												
AND	35-50%																																												
ABBREVIATIONS	EXCAVATION EFFORT																																												
F - Fine	E - Easy																																												
M - Medium	M - Moderate																																												
C - Coarse	D - Difficult																																												
F/M - Fine to Medium																																													
F/C - Fine to Coarse																																													
V - Very																																													
GR - Gray																																													
BN - Brown																																													
YEL - Yellow																																													
GROUNDWATER																																													
Elapsed Time to Reading (hours)																																													
	G.W.L.																																												

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Price Center</u> Location <u>Albany NY</u>	Test Pit No. <u>62 TP B10</u> File No. <u>4.2558</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simmons</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Industrial Maintenance</u> Operator <u>See Page 1</u> Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>11:20</u> Time Completed <u>12:00</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1' ---	0-3' Brown Reworked SILT + F SAND	ND	E	—	D
2' ---					
3' ---	3-5 Black Coal Slag & Coal	ND	E	—	
4' ---					
5' ---	5-6' orange F SAND & SILT				(2)
6' ---					
7' ---	6-9.5 Gray mottled SILT				
8' ---	Trace roots, clay, sand	ND	E	—	
9' ---					
10' ---	END TEST PIT at 9.5'				
11' ---					
12' ---					
13' ---					
14' ---					

REMARKS:

D Picheve
 (2) water lubrication at the 5' mark (perched)

<p>TEST PIT PLAN</p> <p>Volume = _____ cy.yd.</p>	<p style="text-align: center;">LEGEND</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:25%;">BOULDER COUNT</th> <th style="width:25%;">PROPORTIONS USED</th> <th style="width:25%;">ABBREVIATIONS</th> <th style="width:25%;">EXCAVATION EFFORT</th> </tr> <tr> <td> Size Range Classification Letter Designation </td> <td> TRACE (TR) 0-10% LITTLE (LI) 10-20% SOME (SO) 20-35% AND 35-50% </td> <td> F - Fine M - Medium C - Coarse F/M - Fine to Medium F/C - Fine to Coarse V - Very GR - Gray BN - Brown YEL - Yellow </td> <td> E - Easy M - Moderate D - Difficult </td> </tr> </table> <p style="text-align: center;">GROUNDWATER</p> <p>Elapsed Time to Reading (hours) G.W.L.</p> <div style="text-align: center;"> </div>	BOULDER COUNT	PROPORTIONS USED	ABBREVIATIONS	EXCAVATION EFFORT	Size Range Classification Letter Designation	TRACE (TR) 0-10% LITTLE (LI) 10-20% SOME (SO) 20-35% AND 35-50%	F - Fine M - Medium C - Coarse F/M - Fine to Medium F/C - Fine to Coarse V - Very GR - Gray BN - Brown YEL - Yellow	E - Easy M - Moderate D - Difficult
BOULDER COUNT	PROPORTIONS USED	ABBREVIATIONS	EXCAVATION EFFORT						
Size Range Classification Letter Designation	TRACE (TR) 0-10% LITTLE (LI) 10-20% SOME (SO) 20-35% AND 35-50%	F - Fine M - Medium C - Coarse F/M - Fine to Medium F/C - Fine to Coarse V - Very GR - Gray BN - Brown YEL - Yellow	E - Easy M - Moderate D - Difficult						





TEST PIT FIELD LOG

DRAWN
DRAWN

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Center</u> Location <u>Albany NY</u>	Test Pit No. <u>BZTPA15</u> File No. <u>41558</u> Date <u>3/13/01</u>
GZA Engineer <u>Simmons</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT	
	Contractor <u>Precision Industrial Maintenance</u>	Ground Elevation <u>N/A</u>
	Operator <u>See Page 1</u>	Time Started <u>12:00</u>
	Make _____ Model _____	Time Completed <u>12:3</u>
Capacity _____ cu.yd. Reach _____ ft.		

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
--- 1' ---	0-3 Brown reworked silt + F SAND, little concrete		D		(1)
--- 2' ---	wood timbers, trace rebar				
--- 3' ---	metal 3-4 concrete more to feet south	2.7	D		
--- 4' ---					
--- 5' ---	4-7 Black Coal Slag, some concrete		M		
--- 6' ---		NP			(2)
--- 7' ---					(3)
--- 8' ---	7-9 Brown + Black silt trace clay		E		
--- 9' ---	END TEST PIT 9'				
--- 10' ---					
--- 11' ---					
--- 12' ---					
--- 13' ---					
--- 14' ---					

REMARKS:
 (1) Pictures to E 11
 (2) water infiltrates at 8'
 (3) ~~at~~ slight shear on water


TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td>V - Very</td> <td></td> </tr> <tr> <td>GR - Gray</td> <td></td> </tr> <tr> <td>BN - Brown</td> <td></td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">GROUNDWATER</th> </tr> <tr> <td style="text-align: center;">Elapsed Time to Reading (hours)</td> <td style="text-align: center;">  G.W.L. </td> </tr> </table>	ABBREVIATIONS	EXCAVATION EFFORT	F - Fine	E - Easy	M - Medium	M - Moderate	C - Coarse	D - Difficult	F/M - Fine to Medium		F/C - Fine to Coarse		V - Very		GR - Gray		BN - Brown		YEL - Yellow		GROUNDWATER		Elapsed Time to Reading (hours)	 G.W.L.
Size Range	Letter Designation																																										
6" - 18"	A																																										
13" - 36"	B																																										
36" and Larger	C																																										
TRACE (TR)	0-10%																																										
LITTLE (LI)	10-20%																																										
SOME (SO)	20-35%																																										
AND	35-50%																																										
ABBREVIATIONS	EXCAVATION EFFORT																																										
F - Fine	E - Easy																																										
M - Medium	M - Moderate																																										
C - Coarse	D - Difficult																																										
F/M - Fine to Medium																																											
F/C - Fine to Coarse																																											
V - Very																																											
GR - Gray																																											
BN - Brown																																											
YEL - Yellow																																											
GROUNDWATER																																											
Elapsed Time to Reading (hours)	 G.W.L.																																										

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Center</u> Location <u>Albany, NY</u>	Test Pit No. <u>GZTPC16</u> File No. <u>44558</u> Date <u>3/13/01</u>
GZA Engineer <u>Simmons</u> Weather <u>Partly</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Industrial Maintenance</u> Operator <u>See Page 1</u> Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>1:08</u> Time Completed <u>1:50</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.	
--- 1' ---	0-7' Brown & Gray silt, fine fine sand, some concrete, little asphalt, ribbon, wood, timber, plastic	ND	D	—	D	
--- 2' ---						
--- 3' ---						
--- 4' ---						
--- 5' ---						
--- 6' ---						
--- 7' ---	7-8.5 Black organic silt trace roots	ND	M	—		
--- 8' ---						
--- 9' ---	8.5-10 orange & SAND little silt TEST PIT END Reading 10'				(D)	
--- 10' ---		ND	E	—		
--- 11' ---						
--- 12' ---						
--- 13' ---						
--- 14' ---						

REMARKS:
 (D) Pictures
 (D) water infiltrate at 8.5

TEST PIT PLAN  <p>Volume = _____ cy.yd.</p>	BOULDER COUNT <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td>V - Very</td> <td></td> </tr> <tr> <td>GR - Gray</td> <td></td> </tr> <tr> <td>BN - Brown</td> <td></td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table>	ABBREVIATIONS	EXCAVATION EFFORT	F - Fine	E - Easy	M - Medium	M - Moderate	C - Coarse	D - Difficult	F/M - Fine to Medium		F/C - Fine to Coarse		V - Very		GR - Gray		BN - Brown		YEL - Yellow		GROUNDWATER Elapsed Time to Reading (hours) 2 G.W.L.
Size Range	Letter Designation																																							
6" - 18"	A																																							
13" - 36"	B																																							
36" and Larger	C																																							
TRACE (TR)	0-10%																																							
LITTLE (LI)	10-20%																																							
SOME (SO)	20-35%																																							
AND	35-50%																																							
ABBREVIATIONS	EXCAVATION EFFORT																																							
F - Fine	E - Easy																																							
M - Medium	M - Moderate																																							
C - Coarse	D - Difficult																																							
F/M - Fine to Medium																																								
F/C - Fine to Coarse																																								
V - Very																																								
GR - Gray																																								
BN - Brown																																								
YEL - Yellow																																								





NO. 17

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Center</u> Location <u>Albany, NY</u>	Test Pit No. <u>GZTPC17</u> File No. <u>4558</u> Date <u>3/13/09</u>
GZA Engineer <u>Simmons</u> Weather <u>Rain</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Industrial Maintenance</u> Operator <u>See Page 1</u> Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>1:50</u> Time Completed <u>2:00</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
--- 1' ---	0-2' Coal Slog clinders Block	ND	E	---	
--- 2' ---	2-2.5				
--- 3' ---	END TEST PIT 2.5'				D
--- 4' ---					
--- 5' ---					
--- 6' ---					
--- 7' ---					
--- 8' ---					
--- 9' ---					
--- 10' ---					
--- 11' ---					
--- 12' ---					
--- 13' ---					
--- 14' ---					

REMARKS:
 ① water at 2'
 ② GZTP C13, C19, C20 SAME AS C17

TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT <table style="width:100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table style="width:100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table style="width:100%; border-collapse: collapse;"> <tr> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td>V - Very</td> <td></td> </tr> <tr> <td>GR - Gray</td> <td></td> </tr> <tr> <td>BN - Brown</td> <td></td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table> <table style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align:center">GROUNDWATER</th> </tr> <tr> <td style="width:50%;"> Elapsed Time to Reading (hours) </td> <td style="width:50%; text-align:center;">  G.W.L. </td> </tr> </table>	ABBREVIATIONS	EXCAVATION EFFORT	F - Fine	E - Easy	M - Medium	M - Moderate	C - Coarse	D - Difficult	F/M - Fine to Medium		F/C - Fine to Coarse		V - Very		GR - Gray		BN - Brown		YEL - Yellow		GROUNDWATER		Elapsed Time to Reading (hours)	 G.W.L.
Size Range	Letter																																										
6" - 18"	A																																										
13" - 36"	B																																										
36" and Larger	C																																										
TRACE (TR)	0-10%																																										
LITTLE (LI)	10-20%																																										
SOME (SO)	20-35%																																										
AND	35-50%																																										
ABBREVIATIONS	EXCAVATION EFFORT																																										
F - Fine	E - Easy																																										
M - Medium	M - Moderate																																										
C - Coarse	D - Difficult																																										
F/M - Fine to Medium																																											
F/C - Fine to Coarse																																											
V - Very																																											
GR - Gray																																											
BN - Brown																																											
YEL - Yellow																																											
GROUNDWATER																																											
Elapsed Time to Reading (hours)	 G.W.L.																																										


DRAFT

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Center</u> Location <u>Albany NY</u>	Test Pit No. <u>GZTP 20</u> File No. <u>4258</u> Date <u>3/13/01</u>
GZA Engineer <u>Simmons</u> Weather <u>Reiny</u>	EXCAVATION EQUIPMENT Contractor <u>Precision Industrial Maintenance</u> Operator <u>See Page 1</u> Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>2:41</u> Time Completed <u>2:52</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
--- 1' ---	0-8' orange Brown SAND & SILT trace roots At upper 2' END TEST PIT <u>away 8'</u>	ND	E	—	
--- 2' ---					
--- 3' ---					
--- 4' ---					
--- 5' ---					
--- 6' ---					
--- 7' ---					
--- 8' ---					
--- 9' ---					
--- 10' ---					
--- 11' ---					
--- 12' ---					
--- 13' ---					
--- 14' ---					

REMARKS:

TEST PIT PLAN  <p>Volume = <u>3</u> cy.yd.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">BOULDER COUNT</th> <th colspan="2">PROPORTIONS USED</th> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>Size Range</td> <td>Letter</td> <td></td> <td></td> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>Classification</td> <td>Designation</td> <td>TRACE (TR)</td> <td>0-10%</td> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>6" - 18"</td> <td>A</td> <td>LITTLE (LI)</td> <td>10-20%</td> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> <td>SOME (SO)</td> <td>20-35%</td> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>36" and Larger</td> <td>C</td> <td>AND</td> <td>35-50%</td> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>V - Very</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>GR - Gray</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>BN - Brown</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>YEL - Yellow</td> <td></td> </tr> </table>	BOULDER COUNT		PROPORTIONS USED		ABBREVIATIONS	EXCAVATION EFFORT	Size Range	Letter			F - Fine	E - Easy	Classification	Designation	TRACE (TR)	0-10%	M - Medium	M - Moderate	6" - 18"	A	LITTLE (LI)	10-20%	C - Coarse	D - Difficult	13" - 36"	B	SOME (SO)	20-35%	F/M - Fine to Medium		36" and Larger	C	AND	35-50%	F/C - Fine to Coarse						V - Very						GR - Gray						BN - Brown						YEL - Yellow	
BOULDER COUNT		PROPORTIONS USED		ABBREVIATIONS	EXCAVATION EFFORT																																																								
Size Range	Letter			F - Fine	E - Easy																																																								
Classification	Designation	TRACE (TR)	0-10%	M - Medium	M - Moderate																																																								
6" - 18"	A	LITTLE (LI)	10-20%	C - Coarse	D - Difficult																																																								
13" - 36"	B	SOME (SO)	20-35%	F/M - Fine to Medium																																																									
36" and Larger	C	AND	35-50%	F/C - Fine to Coarse																																																									
				V - Very																																																									
				GR - Gray																																																									
				BN - Brown																																																									
				YEL - Yellow																																																									

GROUNDWATER
 Elapsed Time to Reading (hours) 2 G.W.L.


DRAFT
DRAFT

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Cakes</u> Location <u>Albany NY</u>	Test Pit No. <u>GZTPE15</u> File No. <u>48538</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simmons</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>See Page 1</u> Operator _____ Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>3:00</u> Time Completed <u>3:30</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	^{0-1'} Top Soil 1-3 Coal Ash & SLAC, trace Coal Concrete Concrete, Brick	ND	M		
2'					
3'	3-7 Brown PSAND & SILT				
4'		ND	E	-	
5'					
6'					
7'	7-8' orange Brown PSAND				
8'	trace silt Test pit END BORING ③	ND	E	-	②
9'					
10'					
11'					
12'					
13'					
14'					

REMARKS:
 ② ~~water~~ water table at 8'





TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT <table style="width:100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter</th> </tr> <tr> <td>Classification</td> <td>Designation</td> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter	Classification	Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table style="width:100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table style="width:100%; border-collapse: collapse;"> <tr> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td>V - Very</td> <td></td> </tr> <tr> <td>GR - Gray</td> <td></td> </tr> <tr> <td>BN - Brown</td> <td></td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table>	ABBREVIATIONS	EXCAVATION EFFORT	F - Fine	E - Easy	M - Medium	M - Moderate	C - Coarse	D - Difficult	F/M - Fine to Medium		F/C - Fine to Coarse		V - Very		GR - Gray		BN - Brown		YEL - Yellow	
Size Range	Letter																																								
Classification	Designation																																								
6" - 18"	A																																								
13" - 36"	B																																								
36" and Larger	C																																								
TRACE (TR)	0-10%																																								
LITTLE (LI)	10-20%																																								
SOME (SO)	20-35%																																								
AND	35-50%																																								
ABBREVIATIONS	EXCAVATION EFFORT																																								
F - Fine	E - Easy																																								
M - Medium	M - Moderate																																								
C - Coarse	D - Difficult																																								
F/M - Fine to Medium																																									
F/C - Fine to Coarse																																									
V - Very																																									
GR - Gray																																									
BN - Brown																																									
YEL - Yellow																																									
		GROUNDWATER Elapsed Time to Reading (hours) 2 G.W.L.																																							

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <u>First Prize Cule</u> Location <u>Albany NY</u>	Test Pit No. <u>GZTPF15</u> File No. <u>42559</u> Date <u>3/13/01</u>
GZA Engineer <u>V. Simon</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>Geo Page 1</u> Operator _____ Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>3:30</u> Time Completed <u>3:45</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	0-0.5 Top Soil	ND	M	-	D
2'	0.5-1.5 ASH Black Soil Slag Ash				
3'	1.5-4.0 Gray Silt & PSANDS				
4'	4-7.5 orange f. SANDS li. H	ND		-	
5'	Silt				
6'					
7'					
8'	END BORING 7.5'				
9'					
10'					
11'					
12'					
13'					
14'					

REMARKS:
 ① Frozen upper 1'
 ② water infiltrat at bottom of excavation

TEST PIT PLAN  Volume = _____ cy.yd.	BOULDER COUNT <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>ABBREVIATIONS</th> <th>EXCAVATION EFFORT</th> </tr> <tr> <td>F - Fine</td> <td>E - Easy</td> </tr> <tr> <td>M - Medium</td> <td>M - Moderate</td> </tr> <tr> <td>C - Coarse</td> <td>D - Difficult</td> </tr> <tr> <td>F/M - Fine to Medium</td> <td></td> </tr> <tr> <td>F/C - Fine to Coarse</td> <td></td> </tr> <tr> <td>V - Very</td> <td></td> </tr> <tr> <td>GR - Gray</td> <td></td> </tr> <tr> <td>BN - Brown</td> <td></td> </tr> <tr> <td>YEL - Yellow</td> <td></td> </tr> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="2">GROUNDWATER</th> </tr> <tr> <td>Elapsed Time to Reading (hours)</td> <td style="text-align: center;">  </td> </tr> <tr> <td></td> <td style="text-align: right;">G.W.L.</td> </tr> </table>	ABBREVIATIONS	EXCAVATION EFFORT	F - Fine	E - Easy	M - Medium	M - Moderate	C - Coarse	D - Difficult	F/M - Fine to Medium		F/C - Fine to Coarse		V - Very		GR - Gray		BN - Brown		YEL - Yellow		GROUNDWATER		Elapsed Time to Reading (hours)			G.W.L.
Size Range	Letter Designation																																												
6" - 18"	A																																												
13" - 36"	B																																												
36" and Larger	C																																												
TRACE (TR)	0-10%																																												
LITTLE (LI)	10-20%																																												
SOME (SO)	20-35%																																												
AND	35-50%																																												
ABBREVIATIONS	EXCAVATION EFFORT																																												
F - Fine	E - Easy																																												
M - Medium	M - Moderate																																												
C - Coarse	D - Difficult																																												
F/M - Fine to Medium																																													
F/C - Fine to Coarse																																													
V - Very																																													
GR - Gray																																													
BN - Brown																																													
YEL - Yellow																																													
GROUNDWATER																																													
Elapsed Time to Reading (hours)																																													
	G.W.L.																																												


TEST PIT FIELD LOG

DRAFT

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site <i>First Prize Cater</i> Location <i>Albany NY</i>	Test Pit No. <i>6ZTP-16</i> File No. <i>42553</i> Date <i>3/13/01</i>
GZA Engineer <i>J. Simmons</i> Weather <i>Rainy</i>	EXCAVATION EQUIPMENT Contractor <i>See Page 1</i> Operator _____ Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <i>2:50</i> Time Completed <i>4:10</i>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	<i>0-0.5</i> <i>0.5-2.0</i> Black Coal Slog, ash	ND	E	—	
2'	<i>2-4.0</i> Gray Silt & f SAND				
3'					
4'	<i>4-7.0</i> orange P SAND little silt	ND	E	✓	
5'					
6'					
7'	TEST PIT END <i>Bottom 7.0'</i>				
8'					
9'					
10'					
11'					
12'					
13'					
14'					


REMARKS:
 ② water infiltration at 7.0'

TEST PIT PLAN  <p>Volume = _____ cy.yd.</p>	BOULDER COUNT <table style="width: 100%; border-collapse: collapse;"> <tr> <th>Size Range</th> <th>Letter Designation</th> </tr> <tr> <td>6" - 18"</td> <td>A</td> </tr> <tr> <td>13" - 36"</td> <td>B</td> </tr> <tr> <td>36" and Larger</td> <td>C</td> </tr> </table>	Size Range	Letter Designation	6" - 18"	A	13" - 36"	B	36" and Larger	C	PROPORTIONS USED <table style="width: 100%; border-collapse: collapse;"> <tr> <td>TRACE (TR)</td> <td>0-10%</td> </tr> <tr> <td>LITTLE (LI)</td> <td>10-20%</td> </tr> <tr> <td>SOME (SO)</td> <td>20-35%</td> </tr> <tr> <td>AND</td> <td>35-50%</td> </tr> </table>	TRACE (TR)	0-10%	LITTLE (LI)	10-20%	SOME (SO)	20-35%	AND	35-50%	LEGEND <table style="width: 100%; border-collapse: collapse;"> <tr> <td>F - Fine</td> </tr> <tr> <td>M - Medium</td> </tr> <tr> <td>C - Coarse</td> </tr> <tr> <td>F/M - Fine to Medium</td> </tr> <tr> <td>F/C - Fine to Coarse</td> </tr> <tr> <td>V - Very</td> </tr> <tr> <td>GR - Gray</td> </tr> <tr> <td>BN - Brown</td> </tr> <tr> <td>YEL - Yellow</td> </tr> </table>	F - Fine	M - Medium	C - Coarse	F/M - Fine to Medium	F/C - Fine to Coarse	V - Very	GR - Gray	BN - Brown	YEL - Yellow	EXCAVATION EFFORT <table style="width: 100%; border-collapse: collapse;"> <tr> <td>E - Easy</td> </tr> <tr> <td>M - Moderate</td> </tr> <tr> <td>D - Difficult</td> </tr> </table> GROUNDWATER Elapsed Time to Reading (hours) 2 G.W.L.	E - Easy	M - Moderate	D - Difficult
Size Range	Letter Designation																															
6" - 18"	A																															
13" - 36"	B																															
36" and Larger	C																															
TRACE (TR)	0-10%																															
LITTLE (LI)	10-20%																															
SOME (SO)	20-35%																															
AND	35-50%																															
F - Fine																																
M - Medium																																
C - Coarse																																
F/M - Fine to Medium																																
F/C - Fine to Coarse																																
V - Very																																
GR - Gray																																
BN - Brown																																
YEL - Yellow																																
E - Easy																																
M - Moderate																																
D - Difficult																																

TEST PIT FIELD LOG

GZA GeoEnvironmental, Inc. Engineers and Scientists	PROJECT Site First Prize Center Location Albany ny	Test Pit No. <u>GZTPD3</u> File No. <u>42553</u> Date <u>3/13/01</u>
GZA Engineer <u>J. Simms</u> Weather <u>Rainy</u>	EXCAVATION EQUIPMENT Contractor <u>See Page 1</u> Operator _____ Make _____ Model _____ Capacity _____ cu.yd. Reach _____ ft.	Ground Elevation _____ Time Started <u>4:20</u> Time Completed <u>5:10</u>

Depth	SOIL DESCRIPTION	Field Testing	Excav. Effort	Boulder Count Qty. Class.	Remark No.
1'	3" Asphalt				
2'	Brown f SAND & SILT 1:1H Brick, concrete, roofs		HM		1/2B
3'	1-3 Brown + Black oil stained silt & f SAND				
4'	3-5 Black oil stained f SAND Some silt, metal pipe	1530	M		
5'	END Boring 5'				
6'					
7'					
8'					
9'					
10'					
11'					
12'					
13'					
14'					



REMARKS:

- ① Strong Petro color from 3-5' stopped at depth due to Contamination. (Rain)
- ② locate look at NORTH EAST END of Test pit 2 1/2' Below grade
- ③ piping located associated with TRUNK system

TEST PIT PLAN 	BOULDER COUNT Size Range Letter Classification Designation 6" - 18" A 13" - 36" B 36" and Larger C	PROPORTIONS USED TRACE (TR) 0-10% LITTLE (LI) 10-20% SOME (SO) 20-35% AND 35-50%	LEGEND ABBREVIATIONS F - Fine M - Medium C - Coarse F/M - Fine to Medium F/C - Fine to Coarse V - Very GR - Gray BN - Brown YEL - Yellow	EXCAVATION EFFORT E - Easy M - Moderate D - Difficult GROUNDWATER Elapsed Time to Reading (hours) 2 G.W.L.
Volume = _____ cy.yd.				

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-1				CASING		SAMPLER CORE BARREL	
CLIENT: HOME DEPOT ALBANY				TYPE: HSA		SS	
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	1	2			1.2	0.6'	Topsoil	
					3	3			Brown, moist, loose, Sand, trace Silt, SM-SP. Similar, wet @ 3'.	
	S-2	2.0 - 4.0'	3	5			1.0			
					7	7			Similar, change to grey.	
	S-3	4.0 - 6.0'	3	7			1.3			
10					6	6				
	S-4	6.0 - 8.0'	5	6			1.5		Similar.	
					8	8				
	S-5	8.0 - 10.0'	8	8			1.7		Similar.	
					12	10		10'		
15									End of Boring @ 10.0'	
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 3' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 2-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-10	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT ALBANY	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		25			1.1	3.5'	0.2' Asphalt with subbase.	
	S-2	2.0 - 4.0'	11	13			1.8		Brown, moist, medium dense, Sand trace Silt, SM-SP, frozen.	
	S-3	4.0 - 6.0'	10	7			1.7		Similar.	
	S-4	6.0 - 8.0'	6	5			1.4	Grey, wet, medium dense, Sand trace to some Silt, SM.		
	S-5	8.0 - 10.0'	5	6			1.3	Similar, except loose.		
10								10	Similar except medium dense, change to Silty Sand with Silty Clay SM & CL varves @ 9.7'.	
									End of Boring @ 10.0'	
15										
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
WATER LEVEL: Water @ 3.5' based on sample moisture.		
DRILLER: S J B Services - TF	DATE: 5-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-11		CASING		SAMPLER		CORE BARREL	
CLIENT: HOME DEPOT ALBANY		TYPE: HSA		SS			
SITE LOCATION: Exchange St, Albany, NY		SIZE I.D.: 4.25"		1.375"			
BORING LOCATION: See Location Diagram		HAMMER WT: 140#					
SURFACE ELEVATION: See Location Diagram		HAMMER FALL: 30"					

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	11	14			1.9	3.5'	Black, moist, medium dense, Sand and Gravel, trace Silt, SP, fill with cinders, brick & organics. Similar except loose.	
					8	8				
	S-2	2.0 - 4.0'	4	4			1.4			
					3	2				
	S-3	4.0 - 6.0'	4	5			1.7	10	Brown, moist, medium dense, Sand trace Silt, SM-SP. Similar except wet and loose. Similar.	
				5	5					
S-4	6.0 - 8.0'	3	4			1.7				
				3	4					
S-5	8.0 - 10.0'	5	4			1.6				
10				6	7			End of Boring @ 10.0'		
15										
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 6' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 2-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82			
BORING NO.: B-12			CASING SAMPLER CORE BARREL							
CLIENT: HOME DEPOT ALBANY			TYPE: HSA		SS					
SITE LOCATION: Exchange St, Albany, NY			SIZE I.D.: 4.25"		1.375"					
BORING LOCATION: See Location Diagram			HAMMER WT: 140#							
SURFACE ELEVATION: See Location Diagram			HAMMER FALL: 30"							
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	6	5			1.5	6'	Brown/black, moist, medium dense, Sand trace Silt, SM-SP, fill. Similar except loose. Concrete piece, fill.	
					6	5				
	S-2	2.0 - 4.0'	10	4			0.4			
					2	2				
	S-3	4.0 - 6.0'	40	18			0.5			
10					6	6		10'	Brown, wet, medium dense, Sand trace to some Silt, SM. Similar except loose.	
	S-4	6.0 - 8.0'	6	5			1.6			
					5	4				
	S-5	8.0 - 10.0'	5	4			1.4			
					4	5				
15								End of Boring @ 10.0'		
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' based on sample moisture.

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

DRILLER: S J B Services - TF

DATE: 2-Feb-01

APPROVED BY: GPG

DATE: 8-Feb-01

PROJECT NAME: HOME DEPOT ALBANY						FILE NO.: 00-82					
BORING NO.: B-13			CASING SAMPLER CORE BARREL								
CLIENT: HOME DEPOT			TYPE: HSA SS								
SITE LOCATION: Exchange St, Albany, NY			SIZE I.D.: 4.25" 1.375"								
BORING LOCATION: See Location Diagram			HAMMER WT: 140#								
SURFACE ELEVATION: See Location Diagram			HAMMER FALL: 30"								
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS		
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.	
		0-6	6-12	12-18	18-24						
5	S-1	0.0 - 2.0'	6	6	5	7	1.8	0.6'	Topsoil.		
	S-2	2.0 - 4.0'	5	4	4	4	1.2	3.5'	Brown/black, moist, medium dense, Sand, trace Silt, SM-SP, fill.		
									Similar except loose.		
	S-3	4.0 - 6.0'	3	3			1.5	10	Brown, moist, loose, Sand trace Silt, SM-SP.		
	S-4	6.0 - 8.0'	5	5			1.6		Similar except wet.		
S-5	8.0 - 10.0'	3	2	3	2	1.3	Similar.				
10									End of Boring @ 10.0'		
15											
20											
25											
30											
35											

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' based on sample moisture.	GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545	
DRILLER: S J B Services - TF		DATE: 2-Feb-01
APPROVED BY: GPG		DATE: 8-Feb-01

PROJECT NAME: HOME DEPOT ALBANY										FILE NO.: 00-82			
BORING NO.: B-15					CASING SAMPLER CORE BARREL								
CLIENT: HOME DEPOT					TYPE: HSA SS								
SITE LOCATION: Exchange St, Albany, NY					SIZE I.D.: 4.25" 1.375"								
BORING LOCATION: See Location Diagram					HAMMER WT: 140#								
SURFACE ELEVATION: See Location Diagram					HAMMER FALL: 30"								
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS				
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.			
			0-6	6-12	12-18	18-24							
5	S-1	0.0 - 2.0'	22	18			1.2	4.5'	Brown, moist, medium dense, Sand, trace Silt and Gravel, SP, fill with bricks, topsoil. Driller notes fill to 4.5' wet @ 5.5'.				
					14	13							
10	S-2	4.0 - 6.0'	9	4			1.5	22'	Brown, moist to wet, loose, Sand trace Silt, SM-SP. Similar except wet. Driller notes running Sand.				
					5	3							
15	S-3	9.0 - 11.0'	7	3			1.3	25'	Similar except medium dense. Similar.				
					4	5							
20	S-4	14.0-16.0'	7	8			1.1	25'	Grey, wet, medium dense, Silty Sand with Silty Clay, SM & CL, varves. End of Boring @ 25.0'.				
					7	7							
25	S-5	19.0-21.0'	6	7			1.7						
					7	10							
30	S-6	23.0-25.0'	8	7			1.7						
					3	3							
35													

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 5.5' based on sample moisture.

DRILLER: S J B Services - RB

DATE: 26-Jan-01

APPROVED BY: GPG

DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-19				CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT ALBANY				TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	3	11			1.2	2'	0.1' Asphalt over Black, moist, medium dense, Sand, trace to some Silt, SM, fill.	
					4	5				
	S-2	2.0 - 4.0'	7	7			1.5	8'	Brown, moist to wet, medium dense, Sand, trace Silt, SM-SP. Similar except wet.	
					11	15				
S-3	4.0 - 6.0'	4	6			1.5				
				6	6					
	S-4	6.0 - 8.0'	3	5			1.7		Similar, color change to grey @ 7.5'.	
					10	10				
10									Grey, wet, medium dense, Silty Sand, SM.	
	S-5	10.0-12.0'	6	6			1.7			
					6	6			Similar except loose.	
15										
	S-6	14.0-16.0'	2	4			1.7			
					5	7				
								18'	Grey, wet, loose, Silty Sand with Silty Clay, SM&CL. varves.	
20	S-7	19.0-21.0'	2	3			1.8			
					3	5			Similar.	
	S-8	23.0-25.0'	3	4			1.2	25'	End of Boring @ 25.0'.	
25					5	9				
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.			
WATER LEVEL: Water @ 4' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2345	
DRILLER: S J B Services - RB	DATE: 1-Feb-01		
APPROVED BY: GPG	DATE: 8-Feb-01		

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-20				CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT ALBANY				TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		6			0.5	5'	Grey, moist, dense, Sand, some Gravel, trace Silt, SP, fill. Similar except medium dense. Similar with black topsoil layer @ 5', original grade.	
					20	15				
	S-2	2.0 - 4.0'	11	12			1.0			
10	S-3	4.0 - 6.0'	4	4			1.0	13'	Brown, moist, medium dense, Sand, trace Silt, SM-SP. Similar except wet and grey.	
					13	13				
	S-4	6.0 - 8.0'	3	7			1.3			
15					9	11		25'	Grey, wet, loose, Silty Sand with Silty Clay, SM & CL, varves. Similar. Similar.	
	S-5	10.0-12.0'	4	3			1.5			
20					3	3		25'	End of Boring @ 25.0'.	
	S-6	14.0-16.0'	3	2			1.7			
25					3	3		25'	End of Boring @ 25.0'.	
	S-7	19.0-21.0'	6	4			1.8			
30					3	3		25'	End of Boring @ 25.0'.	
	S-8	23.0-25.0'	3	4			1.7			
35					5	5		25'	End of Boring @ 25.0'.	

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 29-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-21				CASING		SAMPLER CORE BARREL	
CLIENT: HOME DEPOT ALBANY				TYPE: HSA		SS	
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		10			1.0	??	0.5 feet crushed stone over brown, moist, medium dense, Sand, trace Silt, SM-SP, fill. Brown, moist, loose, Sand and Gravel, trace Silt, SP, layered with above fill. Similar, fill. No recovery, brick stuck in tip, fill	
					12	10				
	S-2	2.0 - 4.0'	9	4			1.2			
					3	4				
	S-3	4.0 - 6.0'	3	3			1.3			
10					4	4			Brown, wet, medium dense, Sand, trace Silt, SM-SP.	
	S-4	6.0 - 8.0'	5	4			0			
					5	6				
	S-5	10.0-12.0'	6	6			1.6			
15					4	4			Similar.	
	S-6	14.0-16.0'	9	9			1.2			
					9	9				
20	S-7	19.0-21.0'	8	7			1.9	22'	Similar, change to grey.	
					10	10				
25	S-8	23.0-25.0'	7	7			1.7	25'	Grey, wet, Silty Sand with Silty Clay, SM & CL, varves.	
					5	5				
30									End of Boring @ 25.0'.	
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2345
DRILLER: S J B Services - RB	DATE: 26-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82				
BORING NO.:		B-22 moved 10 feet west.					CASING		SAMPLER	CORE	BARREL
CLIENT:		HOME DEPOT ALBANY					TYPE:		HSA	SS	
SITE LOCATION:		Exchange St, Albany, NY					SIZE I.D.:		4.25"	1.375"	
BORING LOCATION:		See Location Diagram					HAMMER WT:		140#		
SURFACE ELEVATION:		See Location Diagram					HAMMER FALL:		30"		
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS		
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER								
			0-6	6-12	12-18	18-24					
5	S-1	0.5 - 2.0'		2			1.3			0.5' crushed stone	
	S-2	2.0 - 4.0'	10	12	3	12	1.0			Brown, moist, loose, Sand, trace Silt, with topsoil, SM-SP, fill.	
	S-3	4.0 - 6.0'	22	16	15	16	0	??		Similar.	
					12	9				No recovery.	
10	S-4	6.0 - 8.0'	8	10			0			No recovery.	
					12	12					
	S-5	10.0-12.0'	6	8			1.7			Brown, wet, medium dense. Sand trace Silt, SM-SP.	
					11	8					
15	S-6	14.0-16.0'	7	6			1.2			Similar, change to brown/grey.	
					7	7		17'			
	S-7	19.0-21.0'	4	5			1.9			Grey, wet, medium dense, Silty Sand with Silty Clay SM & CL, varves.	
					6	9					
25	S-8	23.0-25.0'	3	4			1.7			Similar except loose.	
					4	4		25'			
										End of Boring @ 25.0'.	
30											
35											

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 10' after augers pulled.

DRILLER: S J B Services - RB

DATE: 29-Jan-01

APPROVED BY: GPG

DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82						
BORING NO.: B-23				CASING				SAMPLER		CORE		BARREL	
CLIENT: HOME DEPOT				TYPE: HSA		SS							
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"							
BORING LOCATION: See Location Diagram				HAMMER WT: 140#									
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"									
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS				
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER										REC.
			0-6	6-12	12-18	18-24							
5	S-1	0.0 - 2.0'	18	8			1.4	4'	Brown, moist, medium dense, Sand trace to some Silt, SM, fill. Similar, native noted in shoe by driller.				
	S-2	2.0 - 4.0'	8	7			1.0						
	S-3	4.0 - 6.0'	5	4			0	10'	no recovery. Brown, wet, loose, Sand, trace Silt, SM. Similar.				
	S-4	6.0 - 8.0'	3	4			1.5						
	S-5	8.0 - 10.0'	5	4			1.7						
10					3	5			End of Boring @ 10.0'				
15													
20													
25													
30													
35													

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 3.5' based on sample moisture.

DRILLER: S J B Services - TF
APPROVED BY: GPG

DATE: 5-Feb-01
DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-24		CASING		SAMPLER		CORE BARREL	
CLIENT: HOME DEPOT		TYPE: HSA		SS			
SITE LOCATION: Exchange St, Albany, NY		SIZE I.D.: 4.25"		1.375"			
BORING LOCATION: See Location Diagram		HAMMER WT: 140#					
SURFACE ELEVATION: See Location Diagram		HAMMER FALL: 30"					

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	9	9			1.7	0.5'	Topsoil.	
					9	8		1.8'	Black, moist, medium dense, Sand trace Silt, SM-SP, fill.	
	S-2	2.0 - 4.0'	6	7			0.6		Brown, moist, medium dense. Sand, trace Silt, SM-SP.	
	S-3	4.0 - 6.0'	5	4			1.5		Similar except loose.	
	S-4	6.0 - 8.0'	5	4			1.7		Similar except moist to wet.	
10	S-5	8.0 - 10.0'	3	4			1.8		Similar except wet.	
					3	4		10		
									End of Boring @ 10.0'	
15										
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 2-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82		
BORING NO.: B-25				CASING SAMPLER CORE BARREL					
CLIENT: HOME DEPOT				TYPE: HSA		SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#					
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"					
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE						
		0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	39	21			1.8	3'	Black, moist, medium dense, Sand and Gravel, trace Silt, with brick and organics, SP, fill. Similar.
	S-2	2.0 - 4.0'	7	5			1.2		
					11	8			
	S-3	4.0 - 6.0'	4	5			1.5	10	Brown/orange, moist to wet @ 5.5', loose, Sand trace to some Silt, SM. Similar color change to brown only. Similar.
	S-4	6.0 - 8.0'	3	4			1.0		
S-5	8.0 - 10.0'	2	3			1.1			
10				3	4			10	Similar.
15									End of Boring @ 10.0'
20									
25									
30									
35									

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 6' based on sample moisture.

DRILLER: S J B Services - TF

DATE: 2-Feb-01

APPROVED BY: GPG

DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82				
BORING NO.: B-26			CASING SAMPLER CORE BARREL								
CLIENT: HOME DEPOT			TYPE: HSA SS								
SITE LOCATION: Exchange St, Albany, NY			SIZE I.D.: 4.25" 1.375"								
BORING LOCATION: See Location Diagram			HAMMER WT: 140#								
SURFACE ELEVATION: See Location Diagram			HAMMER FALL: 30"								
DEPTH	SAMPLE							COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER				REC.				
			0-6	6-12	12-18	18-24					
5	S-1	0.0 - 2.0'	5	11			0.3		2'	0.1' Asphalt over brown, moist, medium dense, Sand and Gravel, trace Silt, SP, fill, poor recovery	
					7	7					
	S-2	2.0 - 4.0'	7	8			1.7		10	Grey, moist to wet, medium dense, Sand, trace to some Silt, SM. Similar except wet and loose. Similar. Similar.	
					10	10					
	S-3	4.0 - 6.0'	7	4			1.6				
					4	4					
S-4	6.0 - 8.0'	3	4			1.9					
				4	5						
10	S-5	8.0 - 10.0'	6	7			1.9				
					5	9					
15										End of Boring @ 10.0'	
20											
25											
30											
35											

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 4' after pulling augers.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 2-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-27				CASING		SAMPLER CORE BARREL	
CLIENT: HOME DEPOT				TYPE: HSA		SS	
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'		6			1.4	0.5'	Asphalt and subbase.	
					6	4			Brown, moist, medium dense, Sand, trace to some Silt, SM. Similar except wet. Similar except loose.	
	S-2	2.0 - 4.0'	5	9			2.0			
					9	8				
	S-3	4.0 - 6.0'	2	3			1.6			
				3	4					
10	S-4	6.0 - 8.0'	3	4			1.4	7.5'	Similar.	
					5	5			Grey, wet, loose, Silty Sand with Silty Clay SM & CL, varves.	
	S-5	8.0 - 10.0'	4	4			1.8			
					4	6				
								10		
15									End of Boring @ 10.0'	

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 3.5' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 2-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-28				CASING		SAMPLER CORE BARREL	
CLIENT: HOME DEPOT				TYPE: HSA		SS	
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	24	15			1.8	0.5'	Crushed stone	
					12	12		2'	Brown, moist, medium dense, Sand trace Silt SM-SP.	
	S-2	2.0 - 4.0'	7	7			1.0		Brown, moist, medium dense, Sand, trace organics, SM.	
	S-3	4.0 - 6.0'	8	7			1.6		Similar without organics.	
	S-4	6.0 - 8.0'	5	6			1.7		Similar except wet.	
10	S-5	8.0 - 10.0'	5	4			0.4	10	Similar except loose.	
					5	6			End of Boring @ 10.0'	
15										
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.			
WATER LEVEL: Water @ 7' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545	
DRILLER: S J B Services - TF	DATE: 2-Feb-01		
APPROVED BY: GPG	DATE: 8-Feb-01		

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-29	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	29	8			1.9	0.4'	Topsoil	
					7	7			Brown, moist, medium dense, Sand trace to some Silt, SM. Similar. Similar. Similar. Similar except wet.	
	S-2	2.0 - 4.0'	7	7			1.0			
					7	7				
	S-3	4.0 - 6.0'	7	9			1.6			
				8	7					
10	S-4	6.0 - 8.0'	9	9			1.4	10		
					8	8			End of Boring @ 10.0'	
	S-5	8.0 - 10.0'	7	6			1.5			
					6	5				
15										
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 2-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY			FILE NO.: 00-82		
BORING NO.: B-30		CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT		TYPE: HSA		SS	
SITE LOCATION: Exchange St, Albany, NY		SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram		HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram		HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	15	17			1.7	10	0.2' Topsoil over brown, moist, dense, Sand trace Silt, SM-SP. Similar except medium dense. Similar except loose. Similar except medium dense. Similar, becomes wet @ 9.5'.	
					20	17				
	S-2	2.0 - 4.0'	11	13			1.5			
					12	9				
	S-3	4.0 - 6.0'	3	4			1.7			
10					5	5				
	S-4	6.0 - 8.0'	3	5			1.7			
					5	6				
	S-5	8.0 - 10.0'	7	6			1.7			
					6	9				
15								End of Boring @ 10.0'		
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 9.5' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 5-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-31 moved 8 feet west		CASING		SAMPLER		CORE BARREL	
CLIENT: HOME DEPOT ALBANY		TYPE: HSA		SS			
SITE LOCATION: Exchange St, Albany, NY		SIZE I.D.: 4.25"		1.375"			
BORING LOCATION: See Location Diagram		HAMMER WT: 140#					
SURFACE ELEVATION: See Location Diagram		HAMMER FALL: 30"					

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		2			1.2	0.6'	Crushed stone.	
					12	17				
	S-2	2.0 - 4.0'	14	18			0	4'	Brown, moist, medium dense, Sand, trace Silt, with layers of dark brown organic topsoil, SM-SP, fill. No recovery, driller notes fill to 4 feet.	
					18	15				
10	S-3	4.0 - 6.0'	4	5			1.0		Brown, moist, medium dense, Sand trace Silt, SM-SP.	
					5	6				
	S-4	6.0 - 8.0'	5	1			1.7		Similar except loose.	
					6	5				
15										
	S-5	10.0-12.0'	5	8			1.7		Similar except wet and medium dense.	
					8	8				
20	S-6	14.0-16.0'	1	2			0.9		Similar except loose.	
					1	4				
	S-7	19.0-21.0'	8	8			1.7		Similar except medium dense, change to grey.	
25					11	16		22'		
	S-8	23.0-25.0'	3	5			1.7	25'	Grey, wet, medium dense, Silty Sand with Silty Clay, SM & CL, varves.	
					11	16				
30									End of Boring @ 25.0'.	
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' after boring.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 30-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-32				CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT ALBANY				TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		12			1.5	4'	0.4' Crushed stone over brown, moist, medium dense, Sand, trace to some Gravel, trace Silt & Organics, SP, fill. Similar.	
					6	6				
	S-2	2.0 - 4.0'	4	5			0.8			
					5	6				
10	S-3	4.0 - 6.0'	3	4			1.0	13'	Brown, moist to wet, loose, Sand, trace Silt, SM-SP. Similar.	
					3	3				
	S-4	6.0 - 8.0'	1	2			1.7			
					5	6				
15	S-5	10.0-12.0'	3	4			1.7	25'	Grey, wet, loose, Silty Sand, SM. Similar.	
					5	1				
	S-6	14.0-16.0'	1	3			1.7			
					3	3				
20	S-7	19.0-21.0'	2	2			1.7	25'	End of Boring @ 25.0'.	
					3	2				
	S-8	23.0-25.0'	5	4			1.8			
					3	7				
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 10' based on sample moisture and driller note.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 30-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-33	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT ALBANY	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		6			0.7	2'	0.4' Crushed stone over brown/grey, moist, medium dense, Sand, trace to some Gravel & Silt, SM, fill.	
					7	11				
	S-2	2.0 - 4.0'	6	7			1.7	13'	Brown, moist, medium dense, Sand, trace to some Silt, SM, probable native soil. Similar except wet and loose.	
	S-3	4.0 - 6.0'	5	4			1.5			
					5	6				
S-4	6.0 - 8.0'	6	7			1.7				
				7	8					
10	S-5	10.0-12.0'	3	2			1.7	13'	Similar change to grey.	
					3	3				
15	S-6	14.0-16.0'	5	4			1.5	25'	Grey, wet, loose, Silty Sand, SM.	
					5	5				
20	S-7	19.0-21.0'	6	5			1.7	25'	Similar except medium dense.	
					5	6				
25	S-8	23.0-25.0'	9	7			1.5	25'	Similar.	
					9	11				
30								End of Boring @ 25.0'.		
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water not noted on driller's log, wet @ 5'.	
DRILLER: S J B Services - RB	DATE: 30-Jan-01
APPROVED BY: GPG	DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82			
BORING NO.: B-34							CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT ALBANY							TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY							SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram							HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram							HAMMER FALL: 30"			
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		17			1.2	5.5'	0.4' topsoil over brown, moist, medium dense, Sand, trace Silt, SM-SP, fill with brick & Organics. Similar except loose and no Organics. Driller notes change @ 5.5'.	
					10	7				
	S-2	2.0 - 4.0'	6	4			1.3			
					5	6				
10	S-3	4.0 - 6.0'	3	3			1.7	9'	Brown, moist, loose, Sand, trace Silt, SM-SP.	
					4	4				
	S-4	6.0 - 8.0'	3	4			1.7			
					6	4				
15	S-5	10.0-12.0'	2	2			1.5	25'	Grey, wet, loose, Silty Sand, SM. Similar. Similar except medium dense. Similar except loose.	
					1	2				
	S-6	14.0-16.0'	2	2			1.5			
					3	4				
20	S-7	19.0-21.0'	4	5			0	25'	End of Boring @ 25.0'.	
					5	5				
	S-8	23.0-25.0'	2	2			1.8			
					5	5				
25								25'	End of Boring @ 25.0'.	
30								25'	End of Boring @ 25.0'.	
35								25'	End of Boring @ 25.0'.	

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' based on sample moisture.

DRILLER: S J B Services - RB

DATE: 1-Feb-01

APPROVED BY: GPG

DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-7909
 Phone: (518) 382-6545

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82							
BORING NO.:		B-35					CASING		SAMPLER		CORE		BARREL	
CLIENT:		HOME DEPOT ALBANY					TYPE:		HSA		SS			
SITE LOCATION:		Exchange St, Albany, NY					SIZE I.D.:		4.25"		1.375"			
BORING LOCATION:		See Location Diagram					HAMMER WT:		140#					
SURFACE ELEVATION:		See Location Diagram					HAMMER FALL:		30"					
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS					
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER										REC.	
			0-6	6-12	12-18	18-24								
5	S-1	0.5 - 2.0'		14			1	1.5'	0.3' topsoil over brown/black, moist, medium dense Sand and Gravel, trace Silt, SP, fill with cinders.					
					6	6			Brown, moist medium dense, Sand, trace Silt, SM-SP.					
	S-2	2.0 - 4.0'	3	5			1.3	Similar except loose, black staining @ 5.5'.						
	S-3	4.0 - 6.0'	4	4			1.6	Similar except medium dense and wet.						
10	S-4	6.0 - 8.0'	1	5			1.7	11'						
					9	7			Similar.					
	S-5	10.0-12.0'	4	2			1.5	Grey, wet, loose, Silty Sand, SM.						
					3	5		Similar.						
15	S-6	14.0-16.0'	2	2			1.7	25'	Similar.					
					4	4			Similar.					
	S-7	19.0-21.0'	1	2			1.7	Similar.						
					3	6		Similar.						
20	S-8	23.0-25.0'	3	4			1.6	25'	End of Boring @ 25.0'.					
					5	7								
25														
30														
35														

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 6' based on sample moisture.

DRILLER: S J B Services - RB

DATE: 1-Feb-01

APPROVED BY: GPG

DATE: 8-Feb-01

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-36	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		2			0.7	??	0.4' crushed stone over Brown, moist, medium dense, Sand trace Silt & Organic topsoil, SM-SP, fill. Similar with layers of topsoil.	
	S-2	2.0 - 4.0'	3	5			0.7			
	S-3	4.0 - 6.0'	3	3			0			
	S-4	6.0 - 8.0'	8	8			0			
10					9	8		13'	No. recovery, add water to augers.	
	S-5	10.0-12.0'	6	3			1.5			
					3	6				
15	S-6	14.0-16.0'	5	2			1.7	25'	Grey, wet, loose, Silty Sand, with Silty Clay SM & CL, varves.	
					3	3				
20	S-7	19.0-21.0'	4	5			1.7	25'	Similar except medium dense.	
					7	7				
25	S-8	23.0-25.0'	9	9			1.0	25'	Similar.	
					7	9				
30								End of Boring @ 25.0'.		
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' after pulling augers.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 30-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY						FILE NO.: 00-82				
BORING NO.: B-37			CASING SAMPLER CORE BARREL							
CLIENT: HOME DEPOT			TYPE: HSA SS							
SITE LOCATION: Exchange St, Albany, NY			SIZE I.D.: 4.25" 1.375"							
BORING LOCATION: See Location Diagram			HAMMER WT: 140#							
SURFACE ELEVATION: See Location Diagram			HAMMER FALL: 30"							
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		5			1.0	8'	0.4' crushed stone over brown, moist, medium dense, Sand, trace Silt & Gravel, SM-SP, fill with topsoil and roots. Similar color change to grey. Similar except loose with black Organics.	
	S-2	2.0 - 4.0'	9	10			1.5			
	S-3	4.0 - 6.0'	4	4			1.5			
					3	2				
10	S-4	6.0 - 8.0'	6	6			1.7		25'	Brown, moist, medium dense, Sand, trace Silt & Organics, SM-SP, probable native grade, fill. Grey, wet, loose, Sand trace Silt, SM-SP, started adding water to augers. Similar.
					7	8				
	S-5	10.0-12.0'	5	4			1.2			
					3	3				
15	S-6	14.0-16.0'	3	3			1.7	25'		Similar except medium dense. Similar with Silty Clay varves.
					3	3				
	S-7	19.0-21.0'	4	4			1.7			
					8	8				
20	S-8	23.0-25.0'	9	7			1.8		End of Boring @ 25.0'.	
					9	7				
25								End of Boring @ 25.0'.		
30									End of Boring @ 25.0'.	
35								End of Boring @ 25.0'.		

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 10' based on sample moisture.

DRILLER: S J B Services - RB

DATE: 31-Jan-01

APPROVED BY: GPG

DATE: 8-Feb-01

GIFFORD ENGINEERING

GEOTECHNICAL & GEOENVIRONMENTAL SERVICES

875 Pearse Road

Niskayuna, NY 12309-2909

Phone: (518) 382-2545

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-38				CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT				TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	2	5			0.8	6'	0.3' crushed stone over brown, moist, medium dense, Sand trace Silt, SM-SP, fill with conc. piece. Similar with trace Organics. Poor recovery, concrete piece in shoe.	
					10	10				
	S-2	2.0 - 4.0'	11	8			2.0			
					8	11				
10	S-3	4.0 - 6.0'	5	8			0.2	13'	Brown, moist, medium dense, Sand trace Silt, SM-SP. Similar except wet.	
					8	8				
	S-4	6.0 - 8.0'	5	6			1.7			
					7	8				
15	S-5	10.0-12.0'	6	2			1.7	25'	Grey, wet, medium dense, Silty Sand, SM. Similar except loose. Similar except medium dense.	
					2	2				
	S-6	14.0-16.0'	7	5			1.2			
					6	6				
20	S-7	19.0-21.0'	2	2			1.5	End of Boring @ 25.0'.		
					4	8				
	S-8	23.0-25.0'	4	5			1.5			
					7	7				
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Driller notes wet @ 8'.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY			FILE NO.: 00-82		
BORING NO.: B-43A		CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT		TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY		SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram		HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram		HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	14	8			1.9	0.6'	Frozen topsoil.	
					7	7			Brown/grey, moist, medium dense, Sand, trace to some Silt, SM, fill. Similar except dense, with asphalt. Similar except medium dense. Similar except wet.	
	S-2	2.0 - 4.0'	7	21			1.4			
					11	8				
	S-3	4.0 - 6.0'	11	13			1.6			
				12	8					
10	S-4	6.0 - 8.0'	6	6			0.9	7.5'	Similar except wet.	
					7	7			Brown, wet, medium dense, Sand trace to some Silt, SM.	
	S-5	8.0 - 10.0'	7	8			1.6			
				7	7		10			
15									End of Boring @ 10.0'	
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 123 09-2909 Phone: (518) 882-2545
DRILLER: S J B Services - TP	DATE: 5-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY FILE NO.: 00-82

BORING NO.: B-46A	CASING SAMPLER CORE BARREL
CLIENT: HOME DEPOT	TYPE: HSA SS
SITE LOCATION: Exchange St, Albany, NY	SIZE I.D.: 4.25" 1.375"
BORING LOCATION: See Location Diagram	HAMMER WT: 140#
SURFACE ELEVATION: See Location Diagram	HAMMER FALL: 30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	8	4			1.2	4'	Brown/grey, moist, loose, Sand, trace to some Silt, SM, fill. Similar.	
	S-2	2.0 - 4.0'	5	4			1.3			
					4	5				
	S-3	4.0 - 6.0'	4	4			1.7			
	10					3	3		10	Brown, moist to wet, loose, Sand, trace to some Silt, SM. Similar except medium dense. Similar except wet and loose.
S-4		6.0 - 8.0'	6	6			1.6			
					5	5				
S-5		8.0 - 10.0'	5	4			1.7			
					5	5				
15								End of Boring @ 10.0'		
20										
25										
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' based on sample moisture.	GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545	
DRILLER: S J B Services - TF		DATE: 2-Feb-01
APPROVED BY: GPG		DATE: 8-Feb-01

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-47 moved 8 feet north	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	2	1			1.2	6'	0.3' topsoil over Brown, moist, loose, Sand, trace Silt, SM-SP, fill Similar with black Sand with Organics layer @ 3', except dense. Similar except with wood and loose.	
	S-2	2.0 - 4.0'	10	12			1.7			
	S-3	4.0 - 6.0'	3	4			0.4			
					3	3				
10	S-4	6.0 - 8.0'	5	2			1.5	13'	Brown, moist, loose, Sand trace Silt, SM-SP. Similar except wet.	
					5	6				
	S-5	10.0-12.0'	4	3			1.3			
					2	3				
15	S-6	14.0-16.0'	4	4			1.5	25'	Driller started adding water to augers. Grey, wet, loose, Silty Sand, SM. Similar. Similar except medium dense.	
					5	6				
	S-7	19.0-21.0'	4	2			1.5			
					5	6				
25	S-8	23.0-25.0'	6	7			1.7	End of Boring @ 25.0'.		
					5	5				
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 10.3' next morning		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-48		CLIENT: HOME DEPOT		CASING SAMPLER CORE BARREL		TYPE: HSA SS	
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		2			1.0		0.4' topsoil over brown, moist, medium dense, Sand trace to some Silt, SM, fill. Similar color change to brown/black with trace Organics. Similar with wood and Organics.	
					9	10				
	S-2	2.0 - 4.0'	10	13			1.2			
					13	15				
10	S-3	4.0 - 6.0'	11	10			0.7	No recovery.		
					8	7				
	S-4	6.0 - 8.0'	8	6			0			
					8	11				
15	S-5	10.0-12.0'	31	16			0.2	??	Poor recovery, wood piece in shoe, similar fill.	
					22	10				
	S-6	14.0-16.0'	12	2			0			
					2	2				
20	S-7	19.0-21.0'	11	14			0.3	25'	Grey, wet, medium dense, Silty Sand with Silty Clay SM & CL, varves, native soil.	
					14	12				
	S-8	23.0-25.0'	10	11			0			
					11	8				
25								End of Boring @ 25.0'.		
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water not noted on driller's log.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-49				CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT				TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		3			1.0	0.6'	Topsoil	
					4	4			Brown, moist, loose, Sand, trace Silt, SM-SP. Similar except medium dense. Similar except loose with trace Organics. Similar except wet.	
	S-2	2.0 - 4.0'	6	5			1.7			
					5	4				
S-3	4.0 - 6.0'	4	4			1.3				
10					4	4			Similar except grey and wet.	
	S-4	6.0 - 8.0'	2	4			1.7			
					4	5				
15	S-5	10.0-12.0'	4	2			1.7	13'	Grey, wet, loose, Silty Sand, SM.	
					1	1				
	S-6	14.0-16.0'	3	2			1.7			
20					2	2			Similar.	
	S-7	19.0-21.0'	5	5			1.5			
					5	5				
25									Similar.	
	S-8	23.0-25.0'	6	6			1.7	25'		
					5	7				
30									End of Boring @ 25.0'.	
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7.5' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12307-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-50 moved 7 feet west.	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLE							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		20			1.0	13'	0.5' topsoil over brown, moist, medium dense, Sand, trace to some Silt, SM-SP, fill. Similar with trace topsoil.	
					11	16				
	S-2	2.0 - 4.0'	10	5			1.5			
					5	4				
10	S-3	4.0 - 6.0'	3	4			1.7		Similar except loose, without topsoil.	
					2	2				
	S-4	6.0 - 8.0'	3	3			1.7			
					4	3				
15	S-5	10.0-12.0'	2	2			1.0		Similar.	
					1	2				
	S-6	14.0-16.0'	2	3			1.5			
					3	3				
20	S-7	19.0-21.0'	2	3			1.7		Similar.	
					3	4				
	S-8	23.0-25.0'	2	3			1.7			
					3	4				
25								25'	Similar with trace Clay.	
30								End of Boring @ 25.0'.		
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' based on sample moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 123 09-2909 Phone: (518) 382-2545
DRILLER: S J B Services - RB	DATE: 1-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY							FILE NO.: 00-82			
BORING NO.: B-51, debris in area.			CASING				SAMPLER	CORE	BARREL	
CLIENT: HOME DEPOT			TYPE: HSA		SS					
SITE LOCATION: Exchange St, Albany, NY			SIZE I.D.: 4.25"		1.375"					
BORING LOCATION: See Location Diagram			HAMMER WT: 140#							
SURFACE ELEVATION: See Location Diagram			HAMMER FALL: 30"							
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	8	5			0.4	3.9'	0.2' Asphalt over Black. moist, loose, Sand and Gravel, trace Silt, SP, fill.	
					3	3			Similar, change in shoe.	
	S-2	2.0 - 4.0'	4	5			0.3			
					4	4				
	S-3	4.0 - 6.0'	7	6			1.5		Brown, moist, medium dense, Sand, trace Silt. SM-SP.	
10	S-4	6.0 - 8.0'	6	5			1.6	20.5'	Similar except wet @ shoe	
					6	5				
					6	5				
	S-5	10.0-12.0'	3	2			1.7		Similar except loose.	
15					3	3				
	S-6	15.0-17.0'	3	4			0.2		Similar, running Sand, poor recovery.	
					3	2				
20										
	S-7	20.0-22.0'	4	6			1.5		Grey, wet, medium dense, Silty Sand, with Silty Clay, SM & CL, varves.	
					5	5				
25										
	S-8	25.0-27.0'	4	4			1.0		Similar except loose.	
					5	5				
30										
									End of Boring @ 27'.	
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 8' after boring.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82			
BORING NO.: B-52, debris in area.		CASING	SAMPLER	CORE	BARREL
CLIENT: HOME DEPOT		TYPE: HSA		SS	
SITE LOCATION: Exchange St, Albany, NY		SIZE I.D.: 4.25"		1.375"	
BORING LOCATION: See Location Diagram		HAMMER WT:		140#	
SURFACE ELEVATION: See Location Diagram		HAMMER FALL:		30"	

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	8	6			1.5	1'	Asphalt and subbase Sand and Gravel, fill.	
					6	6			Brown, moist, medium dense, Sand, trace Silt, SM-SP. Similar. Similar except loose and moist to wet. Similar except wet. Similar.	
	S-2	2.0 - 4.0'	5	6			1.7			
					5	6				
	S-3	4.0 - 6.0'	4	4			1.1			
				3	4					
10	S-4	6.0 - 8.0'	4	4			1.4			
					5	4				
	S-5	10.0-12.0'	3	4			1.4			
					3	3				
15	S-6	15.0-17.0'	4	2			1.7	15.8'		
					3	2			Grey, wet, loose, Silty Sand, with Silty Clay, SM & CL, varves. Similar except medium dense. Similar except loose.	
	S-7	20.0-22.0'	7	5			1.4			
					5	4				
25	S-8	25.0-27.0'	5	4			1.7	27'		
					3	3				
30									End of Boring @ 27'.	
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 7' after boring.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY				FILE NO.: 00-82			
BORING NO.: B-53				CASING SAMPLER CORE BARREL			
CLIENT: HOME DEPOT				TYPE: HSA SS			
SITE LOCATION: Exchange St, Albany, NY				SIZE I.D.: 4.25" 1.375"			
BORING LOCATION: See Location Diagram				HAMMER WT: 140#			
SURFACE ELEVATION: See Location Diagram				HAMMER FALL: 30"			

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.0 - 2.0'	3	3			1.6	0.5'	Topsoil.	
					3	3			Brown, moist, loose, Sand, trace Silt, SM-SP. Similar.	
	S-2	2.0 - 4.0'	4	5			1.5			
					4	4			Similar.	
10	S-3	4.0 - 6.0'	4	5			1.7		No recovery.	
					4	4				
	S-4	6.0 - 8.0'	6	3			0			
					5	4				
15								13'	Similar except wet.	
	S-5	10.0-12.0'	4	3			1.4			
					2	3				
20	S-6	15.0-17.0'	3	2			1.8		Grey, wet, loose, Silty Sand with Silty Clay, SM & CL, varves.	
					2	2				
									Similar.	
	S-7	20.0-22.0'	4	3			1.8			
				2	3					
25								27'	Similar.	
	S-8	25.0-27.0'	4	3			1.9			
					3	3				
30									End of Boring @ 27'.	
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 18' after boring and 12' after auger pulled.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TP	DATE: 31-Jan-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

PROJECT NAME: HOME DEPOT ALBANY										FILE NO.: 00-82	
BORING NO.: B-54A					CASING SAMPLER CORE BARREL						
CLIENT: HOME DEPOT					TYPE: HSA SS						
SITE LOCATION: Exchange St, Albany, NY					SIZE I.D.: 4.25" 1.375"						
BORING LOCATION: See Location Diagram					HAMMER WT: 140#						
SURFACE ELEVATION: See Location Diagram					HAMMER FALL: 30"						
DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS		
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.	
		0-6	6-12	12-18	18-24						
5	S-1	0.0 - 2.0'	5	5			1.8	3.4'	Brown, moist, medium dense, Silty Sand, SM, fill with asphalt, wood, and Cobbles. Similar except loose.		
					5	3					
	S-2	2.0 - 4.0'	4	3			1.7				
					3	2					
10	S-3	4.0 - 6.0'	4	3			1.6	13'	Brown, moist, loose, Sand, trace to some Silt, SM. Similar.		
					3	2					
	S-4	6.0 - 8.0'	3	2			1.3				
					2	1					
15	S-5	10.0-12.0'	4	3			0.6	13'	Similar except wet, running Sand.		
					2	1					
	S-6	15.0-17.0'	2	3			1.9				
					2	2					
20	S-7	20.0-22.0'	2	3			1.7	27'	Grey, wet, loose, Silty Sand with Silty Clay, SM & CL, varves. Similar.		
					2	2					
	S-8	25.0-27.0'	3	4			2.0				
					4	6					
25								27'	Similar.		
30								27'	End of Boring @ 27'.		
35								27'	End of Boring @ 27'.		

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 11' based on sample moisture.

GIFFORD ENGINEERING
 GEOTECHNICAL & GEOENVIRONMENTAL SERVICES
 875 Pearse Road
 Niskayuna, NY 12309-2909
 Phone: (518) 382-2545

DRILLER: S J B Services - TF

DATE: 31-Jan-01

APPROVED BY: GPG

DATE: 8-Feb-01

PROJECT NAME: HOME DEPOT ALBANY		FILE NO.: 00-82	
BORING NO.:	B-59 @ Sign Pylon	CASING	SAMPLER CORE BARREL
CLIENT:	HOME DEPOT	TYPE:	HSA SS
SITE LOCATION:	Exchange St, Albany, NY	SIZE I.D.:	4.25" 1.375"
BORING LOCATION:	See Location Diagram	HAMMER WT:	140#
SURFACE ELEVATION:	See Location Diagram	HAMMER FALL:	30"

DEPTH	SAMPLE						COL. A	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS	
	NO.	DEPTH RANGE	BLOWS PER 6" ON SAMPLER							REC.
			0-6	6-12	12-18	18-24				
5	S-1	0.5 - 2.0'		15			1.5	0.6'	Asphalt and subbase.	
					10	8			Brown, moist, medium dense, Sand trace Silt, SM-SP. Similar. Similar except loose. Similar. Driller notes becomes wet 8 to 10 feet.	
	S-2	2.0 - 4.0'	6	5			1.7			
					6	6				
	S-3	4.0 - 6.0'	4	5			1.6			
				4	5					
10	S-4	6.0 - 8.0'	4	4			1.7			
					5	4				
								9'		
	S-5	10.0-12.0'	5	4			2.0		Grey, wet, loose, Silty Sand, with Silty Clay, SM & CL, varves. Similar. Similar.	
					3	4				
S-6	15.0-17.0'	4	5			1.7				
				3	3					
20										
	S-7	20.0-22.0'	3	3			2.0		Similar. Similar.	
					3	2				
25	S-8	25.0-27.0'	3	2			2.0		Similar. 27' End of Boring @ 27'.	
					2	2				
30										
35										

STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDRIES BETWEEN SOIL TYPES. IN-SITU TRANSITION MAY BE GRADUAL.

WATER LEVEL: Water @ 9' based on soil moisture.		GIFFORD ENGINEERING GEOTECHNICAL & GEOENVIRONMENTAL SERVICES 875 Pearse Road Niskayuna, NY 12309-2909 Phone: (518) 382-2545
DRILLER: S J B Services - TF	DATE: 5-Feb-01	
APPROVED BY: GPG	DATE: 8-Feb-01	

GIFFORD ENGINEERING
Geotechnical & Geoenvironmental Services

February 10, 2001

TEST PIT LOGS
HOME DEPOT
Exchange St, Albany, NY
File No. 0082

Test Pits were logged by G P Gifford, PhD PE, on February 1, 2001
Excavation by CAT E70B Trackhoe of Galusha & Sons
Some snow cover except where plowed.

TP-2

0 - 1.7' Dark brown, moist loamy topsoil.
1.7 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP, deep roots to 3', grey & wet
 below 5'. Pit collapsing.
 End of Test Pit @ 10'. Water trickling into pit.

TP-3

0 - 0.8' Dark brown, moist, loamy topsoil.
0.8 - 9' Light brown, moist, Sand, trace Silt, SM-SP, grey & wet below 5'. Pit collapsing.
 End of Test Pit @ 9'. Water trickling into pit.

TP-4 30 feet west @ edge of entrance.

0 - 0.5' Grey crushed stone.
0.5 - 1.5 Dark brown, moist frozen loamy topsoil.
1.5 - 2.5' Brown/grey, moist Sand, trace to some Silt, SM, fill.
2.5 - 9' Light brown, moist to wet, Sand, trace Silt, SM-SP, grey & wet below 6.5'. Pit
 collapsing below 6'.
 End of Test Pit @ 9'. Water trickling into pit.

TP-5 8 feet west outside fence.

0 - 0.7' Brown, moist, loamy topsoil.
0.7 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP, grey & wet below 7'.
 End of Test Pit @ 10'. No Water.

TP-6

0 - 0.5' Grey crushed stone.
0.5 - 10' Light brown, moist, Sand, trace Silt, SM-SP.
 End of Test Pit @ 10'. No water.

TP-7

0 - 0.5' Grey crushed stone.
0.5 - 4.0' Brown, moist, Sandy topsoil with sand layers & roots, fill.
4.0 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP, grey & wet below 8'.
 End of Test Pit @ 10'. Water trickling into bottom.

TP-8

0 - 0.8' Grey crushed stone.
0.8 - 3.0' Brown, moist, Sandy topsoil with roots, fill.
3.0 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP, grey & wet below 8'.
 End of Test Pit @ 10'. Water trickling into bottom.

TP-9

0 - 0.9' 2" asphalt over grey/brown moist Sand and Gravel subbase.
0.9 - 10' Light brown, moist to wet, Sand, trace Silt, SP, wet below 8'. Pit collapsing.
 End of Test Pit @ 10'. Water trickling into bottom.

TP-14

0 - 3.5' Brown, moist, Sandy topsoil with light brown Sand layers, fill.
3.5 - 10' Light brown, moist to wet, Sand trace Silt, SM-SP.
End of Test Pit @ 10'. No water.

TP-16

0 - 0.5' Grey crushed stone.
0.5 - 1.5' Light brown, moist, Sand, trace Silt, SM-SP, fill
1.5 - 2.5' Dark brown, moist, topsoil, trace roots.
2.5 - 10' Light brown, moist, to wet, Sand, trace Silt, SM-SP, grey & wet below 7'. Pit collapsing.
End of Test Pit @ 10'. Water flowing into bottom.

TP-17

0 - 2.0' Dark brown, moist, loamy topsoil with ash, fill.
2.0 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP, with occasional deep roots, grey & wet below 7.5'. Pit collapsing.
End of Test Pit @ 10'. Water trickling into bottom.

TP-18

0 - 1.0' Dark brown, moist loamy topsoil.
1.0 - 7' Light brown, moist to wet, Sand, trace Silt, SM-SP. Pit collapsing abandon pit.
End of Test Pit @ 7'. Water flowing into bottom.

TP-39

0 - 0.8' Brown, moist, frozen, loamy topsoil.
0.8 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP.
End of Test Pit @ 10'. No water.

TP-40

0 - 0.5' Brown, moist, Sand and Gravel, SP, fill.
0.5 - 2.0' Light brown, moist, Sand, trace Silt, SM-SP, fill.
2.0 - 2.5' Brown, moist, Sandy topsoil.
2.5 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP.
End of Test Pit @ 10'. No water.

TP-41

0 - 0.5' Brown, moist, Sand & Gravel, SP, fill.
0.5 - 10' Light brown, moist to wet, Sand, trace Silt, SM-SP. Pit Collapsing below 6.5'.
End of Test Pit @ 10'. No water.

TP-42

0 - 1.0' Brown, moist, Sand and Gravel, SP, fill.
1.0 - 7.0' Light brown, moist to wet, Sand, trace Silt, SM-SP, with some staining. Pit collapsing 3 to 7'.
7.0 - 10.0' Grey, wet, Silty Clay varved with Silty Sand, CL & SM.
End of Test Pit @ 10'. No Water.

TP-43

0 - 10' Brown, moist to wet, Silty Sand, trace Gravel and Clay, SM, with Concrete, bricks, blocks, Cobbles, Boulders, asphalt, rebar, occasional roots, ash and cinders, fill.
End of Test Pit @ 10'. Water trickling in @ 9'.

TP-44

- 0 - 4.0' Brown, moist, Silty Sand, SM, with concrete, and Cobbles, fill.
- 4.0 - 7.0' Layer of dark brown, moist loamy topsoil with roots, fill.
- 7.0 - 8.5' Brown, wet, Silty Sand, SM, possible native.
- 8.5 - 10' Grey, wet, Silty Clay varved with Silty Sand CL & SM.

End of Test Pit @ 10'. No water initially, @ 8' after 1 hour.

TP-45 Debris scattered in area.

- 0 - 0.7' Dark brown/black, moist, loamy topsoil with roots.
- 0.7 - 10' Light brown, moist to wet, Sand, trace to some Silt, SM, with roots to 4'. Change to grey and wet @ 9'. Pit collapsing below 2'.

End of Test Pit @ 10'. No water.

TP-46

- 0 - 4.0' Dark brown, moist, loamy topsoil with roots, and Sand layers, fill.
- 4.0 - 11.0' Light brown, moist to wet, Sand, trace Silt, SM-SP.

End of Test Pit @ 11'. No water.

TP-54 moved 10' southeast.

- 0 - 2.0' Black, wet, cinders with root matter, fill, possible former rail bed.
- 2.0 - 2.5' Light brown, wet, Sand, trace to some Silt, SM.
- 2.5 - 5.0' Grey, wet, Silty Clay, varved with trace fine Silty Sand, CL & SM.

End of Test Pit @ 5'. Water filling pit from cinders, abandon pit.

TP-55

- 0 - 2.0' Black, wet, cinders with root matter, fill, possible former rail bed.
- 2.0 - 8.0' Light brown, wet, Sand, trace Silt, SM-SP. Pit collapsing.

End of Test Pit @ 8'. Water filling pit from cinders, abandon pit.

TP-56

- 0 - 2.0' Black, Sandy topsoil with Organics and roots.
- 2.0 - 2.5' Light brown, wet, Sand, trace to some Silt, SM-SP.
- 2.5 - 8.0' Grey, wet, Silty Clay varved with Silty Sand, CL & SM.

End of Test Pit @ 8'. Water seeping into pit from sand.

TP-57

- 0 - 6.0' Brown, moist Silty Sand, SM, mixed with building debris, brick block concrete, fill.
- 6.0 - 7.5' Black cinders with root mat, possible former rail bed, fill.
- 7.5 - 10.0' Grey, wet, Silty Clay varved with Silty Sand, CL & SM.

End of Test Pit @ 10'. No water.

TP-58

- 0 - 1.0' Grey, moist, Silty Clay, CL, fill with root matter.
- 1.0 - 3.0' Brown, moist, Sand, trace to some Silt, SM, with varied debris.
- 3.0 - 10' Grey, moist, Sand with variable Silt, Gravel, & Clay, SM, fill with concrete, wood, plastic, roots, tree stump, and root mat @ 9 to 10', possible native grade.
- 1.0 - 10.5' Grey, wet, Silty Clay, trace fine Sand, CL, probable native soil.

End of Test Pit @ 10.5'. Water filling bottom to 9'.