

## Brownfield Cleanup Project Monthly Progress Report

BCP Site #C420029  
Northeast Treaters of New York, LLC  
Athens, New York

Reporting Period September 1, 2015 through September 30, 2015

### **Actions taken relative to the project during the reporting period:**

- New York State Department of Environmental Conservation (NYSDEC) issued comments on the Remedial Work Plan on 9/3/2015;
- Soil stockpile sample collected by MC Environmental Services, Inc. on 9/4/2015 to characterize soil for contained-in determination/disposal purposes;
- Stormwater Basin Sampling Results Letter submitted to NYSDEC on 9/4/2015;
- Analytical laboratory report concerning waste characterization sample issued by Phoenix Environmental Laboratories, Inc. on 9/16/2015;
- Revised Excavation Work Plan with Stockpile Location figure submitted to NYSDEC on 9/17/2015;
- Environmental Assessment Form submitted to the Town of Athens on 9/21/2015 in support of petition to rezone the undeveloped portion of the Brownfield Cleanup Program (BCP) Site from residential to light industrial use; and
- Community Air Monitoring performed at BCP Site during soil disturbance activities.

### **Anticipated activities for next reporting period:**

- Submit Revised Remedial Work Plan addressing 9/3/2015 NYSDEC comment letter;
- Submit Remedial Work Plan Addendum addressing expansion of Site covered by BCA and management of stormwater basin and drainage swale;
- Submit complete petition to the Town of Athens to rezone the undeveloped portion of the BCP Site for light industrial use;
- Obtain NYSDEC Decision Document;
- Continue remedial activities at the Northeast Treaters BCP Site; and
- Obtain Contained-In Determination for Site soil.

### **Approved activity modifications (changes of work scope and/or schedule)**

- No activity modifications were requested during this reporting period.

### **Results of sampling and tests and all other data received or generated by or on behalf of Participant in connection with this Site, whether under this Agreement or otherwise, obtained in the previous reporting period (including quality assurance/quality control information):**

- Analytical laboratory report dated 9/16/15 for the waste characterization sample collected on 9/4/2015 is provided as Attachment 1.

### **Type and quantity of any waste removed from Site. Attach copy of manifest(s).**

- No waste was removed from the Site during this reporting period.

**Estimated percentage of project completion:**

- ~54%

**Unresolved delays encountered or anticipated that may affect the approved schedule:**

- No unresolved delays were encountered during this reporting period.

**If applicable, efforts made to mitigate such delays:**

- Not applicable.

**Activities undertaken in support of the Citizen Participation Plan during the reporting period:**

- No activities required or taken.

**Anticipated activities undertaken in support of the Citizen Participation Plan for the next reporting period:**

- Issue Notice and Fact Sheet to Site Contact List before protective cover is installed at the BCP Site.

**ATTACHMENT 1**

**LABORATORY ANALYTICAL REPORT  
Waste Characterization Sample – September 16, 2015**



Wednesday, September 16, 2015

Attn: Mr. Mike Craft  
MC Environmental Services  
526 Queensbury Avenue  
Queensbury, NY 12804

Project ID: NORTHEAST TREATERS  
Sample ID#s: BJ91022

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller  
Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #MA-CT-007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
VT Lab Registration #VT11301



**Environmental Laboratories, Inc.**  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823

**Analysis Report**  
 September 16, 2015

FOR: Attn: Mr. Mike Craft  
 MC Environmental Services  
 526 Queensbury Avenue  
 Queensbury, NY 12804

Sample Information

Matrix: SOIL  
 Location Code: MCES  
 Rush Request: 48 Hour  
 P.O.#:

Custody Information

Collected by:  
 Received by: LB  
 Analyzed by: see "By" below

Date            Time  
 09/04/15        15:25  
 09/11/15        16:42

Laboratory Data

SDG ID: GBJ91022  
 Phoenix ID: BJ91022

Project ID: NORTHEAST TREATERS  
 Client ID: STOCKPILE

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
TCLP Silver	< 0.10	0.10	mg/L	1	09/15/15	LK	SW6010C
TCLP Arsenic	< 0.10	0.10	mg/L	1	09/15/15	LK	SW6010C
TCLP Barium	1.03	0.10	mg/L	1	09/15/15	LK	SW6010C
TCLP Cadmium	< 0.050	0.050	mg/L	1	09/15/15	LK	SW6010C
TCLP Chromium	< 0.10	0.10	mg/L	1	09/15/15	LK	SW6010C
TCLP Mercury	< 0.0002	0.0002	mg/L	1	09/14/15	MA	SW7470A
TCLP Lead	< 0.10	0.10	mg/L	1	09/15/15	LK	SW6010C
TCLP Selenium	< 0.10	0.10	mg/L	1	09/15/15	LK	SW6010C
TCLP Metals Digestion	Completed				09/14/15	I/I	SW3005A
Percent Solid	98		%		09/11/15	I	SW846-%Solid
Soil Extraction for PCB	Completed				09/11/15	JC/H	SW3545A
TCLP Digestion Mercury	Completed				09/14/15	I/I	SW7470A
TCLP Herbicides Extraction	Completed				09/14/15	I/D	SW8150 MOD
TCLP Extraction for Metals	Completed				09/11/15	I	SW1311
TCLP Extraction for Organics	Completed				09/11/15	I	SW1311
TCLP Pesticides Extraction	Completed				09/14/15	L	SW3510C
TCLP Semi-Volatile Extraction	Completed				09/14/15	L/T	SW3510C
TCLP Extraction Volatiles	Completed				09/11/15	Y	SW1311

Polychlorinated Biphenyls

PCB-1016	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1221	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1232	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1242	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1248	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1254	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1260	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
PCB-1262	ND	340	ug/Kg	10	09/12/15	AW	SW8082A

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
PCB-1268	ND	340	ug/Kg	10	09/12/15	AW	SW8082A
<b><u>QA/QC Surrogates</u></b>							
% DCBP	125		%	10	09/12/15	AW	30 - 150 %
% TCMX	107		%	10	09/12/15	AW	30 - 150 %
<b><u>TCLP Herbicides</u></b>							
2,4,5-TP (Silvex)	ND	4.2	ug/L	10	09/15/15	BB	SW8151A
2,4-D	ND	4.2	ug/L	10	09/15/15	BB	SW8151A
<b><u>QA/QC Surrogates</u></b>							
% DCAA	38		%	10	09/15/15	BB	30 - 150 %
<b><u>TCLP Pesticides</u></b>							
4,4' -DDD	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
4,4' -DDE	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
4,4' -DDT	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
a-BHC	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Alachlor	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Aldrin	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
b-BHC	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Chlordane	ND	5.0	ug/L	10	09/15/15	CE	SW8081B
d-BHC	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Dieldrin	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
Endosulfan I	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Endosulfan II	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
Endosulfan Sulfate	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
Endrin	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
Endrin Aldehyde	ND	1.0	ug/L	10	09/15/15	CE	SW8081B
g-BHC (Lindane)	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Heptachlor	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Heptachlor epoxide	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Methoxychlor	ND	0.50	ug/L	10	09/15/15	CE	SW8081B
Toxaphene	ND	20	ug/L	10	09/15/15	CE	SW8081B
<b><u>QA/QC Surrogates</u></b>							
%DCBP (Surrogate Rec)	90		%	10	09/15/15	CE	30 - 150 %
%TCMX (Surrogate Rec)	90		%	10	09/15/15	CE	30 - 150 %
<b><u>TCLP Volatiles</u></b>							
1,1-Dichloroethene	ND	25	ug/L	5	09/14/15	MH	SW8260C
1,2-Dichloroethane	ND	25	ug/L	5	09/14/15	MH	SW8260C
Benzene	ND	25	ug/L	5	09/14/15	MH	SW8260C
Carbon tetrachloride	ND	25	ug/L	5	09/14/15	MH	SW8260C
Chlorobenzene	ND	25	ug/L	5	09/14/15	MH	SW8260C
Chloroform	ND	25	ug/L	5	09/14/15	MH	SW8260C
Methyl ethyl ketone	ND	25	ug/L	5	09/14/15	MH	SW8260C
Tetrachloroethene	ND	25	ug/L	5	09/14/15	MH	SW8260C
Trichloroethene	ND	25	ug/L	5	09/14/15	MH	SW8260C
Vinyl chloride	ND	25	ug/L	5	09/14/15	MH	SW8260C
<b><u>QA/QC Surrogates</u></b>							
% 1,2-dichlorobenzene-d4	101		%	5	09/14/15	MH	70 - 130 %
% Bromofluorobenzene	95		%	5	09/14/15	MH	70 - 130 %

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
% Dibromofluoromethane	99		%	5	09/14/15	MH	70 - 130 %
% Toluene-d8	98		%	5	09/14/15	MH	70 - 130 %
<b><u>TCLP Acid/Base-Neutral</u></b>							
1,4-Dichlorobenzene	ND	83	ug/L	1	09/15/15	DD	SW8270D
2,4,5-Trichlorophenol	ND	83	ug/L	1	09/15/15	DD	SW8270D
2,4,6-Trichlorophenol	ND	83	ug/L	1	09/15/15	DD	SW8270D
2,4-Dinitrotoluene	ND	83	ug/L	1	09/15/15	DD	SW8270D
2-Methylphenol (o-cresol)	ND	83	ug/L	1	09/15/15	DD	SW8270D
3&4-Methylphenol (m&p-Cresol)	ND	83	ug/L	1	09/15/15	DD	SW8270D
Hexachlorobenzene	ND	83	ug/L	1	09/15/15	DD	SW8270D
Hexachlorobutadiene	ND	83	ug/L	1	09/15/15	DD	SW8270D
Hexachloroethane	ND	83	ug/L	1	09/15/15	DD	SW8270D
Nitrobenzene	ND	83	ug/L	1	09/15/15	DD	SW8270D
Pentachlorophenol	ND	83	ug/L	1	09/15/15	DD	SW8270D
Pyridine	ND	83	ug/L	1	09/15/15	DD	SW8270D
<b><u>QA/QC Surrogates</u></b>							
% 2,4,6-Tribromophenol	90		%	1	09/15/15	DD	15 - 110 %
% 2-Fluorobiphenyl	90		%	1	09/15/15	DD	30 - 130 %
% 2-Fluorophenol	56		%	1	09/15/15	DD	15 - 110 %
% Nitrobenzene-d5	90		%	1	09/15/15	DD	30 - 130 %
% Phenol-d5	48		%	1	09/15/15	DD	15 - 110 %
% Terphenyl-d14	92		%	1	09/15/15	DD	30 - 130 %

1 = This parameter is not certified by NY NELAC for this matrix. NY NELAC does not offer certification for all parameters at this time.


RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected  
 BRL=Below Reporting Level

**Comments:**

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

This report must not be reproduced except in full as defined by the attached chain of custody.



**Phyllis Shiller, Laboratory Director**

**September 16, 2015**

**Reviewed and Released by: Bobbi Aloisa, Vice President**



Environmental Laboratories, Inc.  
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
 Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

September 16, 2015

## QA/QC Data

SDG I.D.: GBJ91022

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 320155 (mg/L), QC Sample No: BJ90811 (BJ91022)													
<u>ICP Metals - TCLP Extraction</u>													
Arsenic	BRL	0.01	<0.01	<0.01	NC	105	108	2.8	110	104	5.6	75 - 125	20
Barium	BRL	0.01	0.61	0.63	3.20	98.7	100	1.3	110	95.4	14.2	75 - 125	20
Cadmium	BRL	0.005	0.180	0.184	2.20	99.9	102	2.1	106	98.1	7.7	75 - 125	20
Chromium	BRL	0.010	0.015	0.015	NC	103	106	2.9	107	101	5.8	75 - 125	20
Lead	BRL	0.010	0.396	0.403	1.80	103	106	2.9	108	101	6.7	75 - 125	20
Selenium	BRL	0.01	<0.01	<0.01	NC	108	112	3.6	113	107	5.5	75 - 125	20
Silver	BRL	0.010	<0.010	<0.010	NC	112	115	2.6	118	111	6.1	75 - 125	20

QA/QC Batch 320154 (mg/L), QC Sample No: BJ90814 (BJ91022)

Mercury - Water	BRL	0.0002	<0.0002	<0.0002	NC	104	108	3.8				70 - 130	20
-----------------	-----	--------	---------	---------	----	-----	-----	-----	--	--	--	----------	----

Comment:

Additional Mercury criteria: LCS acceptance range for waters is 80-120% and for soils is 70-130%.





Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



# QA/QC Report

September 16, 2015

## QA/QC Data

SDG I.D.: GBJ91022

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
-----------	-------	-----------	----------	-----------	------------	---------	----------	-----------	--------------------	--------------------

QA/QC Batch 320087 (ug/L), QC Sample No: BJ90156 (BJ91022)

### Pesticides

4,4' -DDD	ND	0.005	110	118	7.0				40 - 140	20
4,4' -DDE	ND	0.003	90	92	2.2				40 - 140	20
4,4' -DDT	ND	0.003	101	103	2.0				40 - 140	20
a-BHC	ND	0.005	111	109	1.8				40 - 140	20
a-Chlordane	ND	0.005	98	101	3.0				40 - 140	20
Alachlor	ND	0.005	NA	NA	NC				40 - 140	20
Aldrin	ND	0.002	98	98	0.0				40 - 140	20
b-BHC	ND	0.005	114	114	0.0				40 - 140	20
Chlordane	ND	0.050	97	104	7.0				40 - 140	20
d-BHC	ND	0.005	79	83	4.9				40 - 140	20
Dieldrin	ND	0.002	107	111	3.7				40 - 140	20
Endosulfan I	ND	0.005	95	96	1.0				40 - 140	20
Endosulfan II	ND	0.005	103	105	1.9				40 - 140	20
Endosulfan sulfate	ND	0.005	86	91	5.6				40 - 140	20
Endrin	ND	0.005	98	105	6.9				40 - 140	20
Endrin aldehyde	ND	0.005	101	101	0.0				40 - 140	20
g-BHC	ND	0.002	113	114	0.9				40 - 140	20
g-Chlordane	ND	0.005	97	104	7.0				40 - 140	20
Heptachlor	ND	0.005	98	99	1.0				40 - 140	20
Heptachlor epoxide	ND	0.005	109	110	0.9				40 - 140	20
Methoxychlor	ND	0.005	100	95	5.1				40 - 140	20
Toxaphene	ND	0.20	NA	NA	NC				40 - 140	20
% DCBP	68	%	37	52	33.7				30 - 150	20
% TCMX	54	%	107	99	7.8				30 - 150	20

Comment:

A LCS and LCS duplicate were performed instead of a MS and MSD. Alpha and gamma chlordane were spiked and analyzed instead of technical chlordane. Gamma chlordane recovery is reported as chlordane in the LCS and LCSD

QA/QC Batch 320171 (ug/L), QC Sample No: BJ90979 10X (BJ91022)

### Chlorinated Herbicides

2,4,5-TP (Silvex)	ND	4.2	46	53	14.1				40 - 140	20
2,4-D	ND	4.2	60	69	14.0				40 - 140	20
% DCAA (Surrogate Rec)	38	%	37	39	5.3				30 - 150	20

QA/QC Batch 320254 (ug/L), QC Sample No: BJ90979 (BJ91022)

### Semivolatiles

1,4-Dichlorobenzene	ND	17	84	74	12.7				30 - 130	20
2,4,5-Trichlorophenol	ND	17	103	98	5.0				30 - 130	20
2,4,6-Trichlorophenol	ND	17	101	96	5.1				30 - 130	20
2,4-Dinitrotoluene	ND	58	114	103	10.1				30 - 130	20
2-Methylphenol (o-cresol)	ND	17	88	85	3.5				30 - 130	20
3&4-Methylphenol (m&p-cresol)	ND	17	93	92	1.1				30 - 130	20

QA/QC Data

SDG I.D.: GBJ91022

Parameter	Blk		LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
	Blank	RL								
Hexachlorobenzene	ND	58	101	100	1.0				30 - 130	20
Hexachlorobutadiene	ND	58	96	83	14.5				30 - 130	20
Hexachloroethane	ND	58	80	68	16.2				30 - 130	20
Nitrobenzene	ND	58	104	97	7.0				30 - 130	20
Pentachlorophenol	ND	58	81	82	1.2				30 - 130	20
Pyridine	ND	83	55	42	26.8				30 - 130	20
% 2,4,6-Tribromophenol	107	%	115	114	0.9				15 - 110	20
% 2-Fluorobiphenyl	98	%	96	92	4.3				30 - 130	20
% 2-Fluorophenol	83	%	77	69	11.0				15 - 110	20
% Nitrobenzene-d5	99	%	99	92	7.3				30 - 130	20
% Phenol-d5	62	%	62	58	6.7				15 - 110	20
% Terphenyl-d14	123	%	112	108	3.6				30 - 130	20

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

Additional 8270 criteria: 20% of compounds can be outside of acceptance criteria as long as recovery is at least 10%. (Acid surrogates acceptance range for aqueous samples: 15-110%, for soils 30-130%)

QA/QC Batch 320068 (ug/Kg), QC Sample No: BJ90981 2X (BJ91022)

Polychlorinated Biphenyls - Soil

PCB-1016	ND	33	88	88	0.0	88	83	5.8	40 - 140	30
PCB-1221	ND	33							40 - 140	30
PCB-1232	ND	33							40 - 140	30
PCB-1242	ND	33							40 - 140	30
PCB-1248	ND	33							40 - 140	30
PCB-1254	ND	33							40 - 140	30
PCB-1260	ND	33	93	93	0.0	94	89	5.5	40 - 140	30
PCB-1262	ND	33							40 - 140	30
PCB-1268	ND	33							40 - 140	30
% DCBP (Surrogate Rec)	93	%	116	111	4.4	114	109	4.5	30 - 150	30
% TCMX (Surrogate Rec)	88	%	104	106	1.9	103	99	4.0	30 - 150	30

QA/QC Batch 320325 (ug/L), QC Sample No: BJ91022 (BJ91022 (5X) )

Volatiles - TCLP

1,1-Dichloroethene	ND	5.0	91	89	2.2	101	99	2.0	70 - 130	30
1,2-Dichloroethane	ND	0.60	99	97	2.0	100	99	1.0	70 - 130	30
Benzene	ND	0.70	92	88	4.4	93	91	2.2	70 - 130	30
Carbon tetrachloride	ND	5.0	93	89	4.4	101	98	3.0	70 - 130	30
Chlorobenzene	ND	1.0	99	95	4.1	99	97	2.0	70 - 130	30
Chloroform	ND	5.0	96	84	13.3	88	87	1.1	70 - 130	30
Methyl ethyl ketone	ND	5.0	96	96	0.0	98	92	6.3	70 - 130	30
Tetrachloroethene	ND	1.0	99	94	5.2	102	98	4.0	70 - 130	30
Trichloroethene	ND	5.0	100	97	3.0	105	102	2.9	70 - 130	30
Vinyl chloride	ND	5.0	90	87	3.4	99	95	4.1	70 - 130	30
% 1,2-dichlorobenzene-d4	101	%	102	101	1.0	101	101	0.0	70 - 130	30
% Bromofluorobenzene	95	%	101	99	2.0	98	99	1.0	70 - 130	30
% Dibromofluoromethane	99	%	100	99	1.0	100	101	1.0	70 - 130	30
% Toluene-d8	97	%	98	99	1.0	99	99	0.0	70 - 130	30

Comment:

A blank MS/MSD was analyzed with this batch.

Additional 8260 criteria: 10% of LCS/LCSD compounds can be outside of acceptance criteria as long as recovery is 40-160%.

l = This parameter is outside laboratory lcs/lcsd specified recovery limits.

r = This parameter is outside laboratory rpd specified recovery limits.

## QA/QC Data

SDG I.D.: GBJ91022

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
-----------	-------	-----------	----------	-----------	------------	---------	----------	-----------	--------------------	--------------------

---

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference  
LCS - Laboratory Control Sample  
LCSD - Laboratory Control Sample Duplicate  
MS - Matrix Spike  
MS Dup - Matrix Spike Duplicate  
NC - No Criteria  
Intf - Interference



Phyllis Shiller, Laboratory Director  
September 16, 2015

# Sample Criteria Exceedences Report

Criteria: None

**GBJ91022 - MCES**

State: NY

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

---

\*\*\* No Data to Display \*\*\*

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.





**Environmental Laboratories, Inc.**  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



# NY Temperature Narration

September 16, 2015

SDG I.D.: GBJ91022

---

The samples in this delivery group were received at 5°C.  
(Note acceptance criteria is above freezing up to 6°C)





567 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040  
 Email: info@phoenixlabs.com Fax (860) 645-0823  
 Client Services (860) 645-8726

**NY/NJ CHAIN OF CUSTODY RECORD**

Customer: Mc Environmental Services  
 Address: 525 Queensbury Ave  
Queensbury, NY 12804

Project: North East Tractor  
 Report to: \_\_\_\_\_  
 Invoice to: \_\_\_\_\_

Project P.O.: \_\_\_\_\_  
 Fax: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Email: deedee@jesuits.com

Temp 5 ° C Pg 1 of 1  
 Contact Options: \_\_\_\_\_

Sampler's Signature: [Signature] Date: 9/14/15  
 Client Sample - Information - Identification

Matrix Code: \_\_\_\_\_  
 DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water  
 RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe  
 OIL-Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE # 91022 Customer Sample Identification Stockpile Sample Matrix S:1 Date Sampled 9/14/15 Time Sampled 3:25P

Analysis Request

Full PCB's

Relinquished By:	Accepted By:	Date:	Time:	Turnaround:	NY	Data Format:
<u>[Signature]</u>	<u>[Signature]</u>	<u>9/11/15</u>	<u>1230</u>	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Days* <input type="checkbox"/> 3 Days* <input checked="" type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days Other _____	<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil <input type="checkbox"/> Cleanup Criteria <input type="checkbox"/> GW Criteria	<input type="checkbox"/> TAGM 4046 GW <input type="checkbox"/> TAGM 4046 SOIL <input type="checkbox"/> NY375 Unrestricted Use Soil <input type="checkbox"/> NY375 Residential Soil <input type="checkbox"/> Restricted/Residential Commercial <input type="checkbox"/> Industrial
<u>[Signature]</u>	<u>[Signature]</u>	<u>9/11-15</u>	<u>14:20</u>	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Days* <input type="checkbox"/> 3 Days* <input checked="" type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days Other _____	<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil <input type="checkbox"/> Cleanup Criteria <input type="checkbox"/> GW Criteria	<input type="checkbox"/> TAGM 4046 GW <input type="checkbox"/> TAGM 4046 SOIL <input type="checkbox"/> NY375 Unrestricted Use Soil <input type="checkbox"/> NY375 Residential Soil <input type="checkbox"/> Restricted/Residential Commercial <input type="checkbox"/> Industrial
<u>[Signature]</u>	<u>[Signature]</u>	<u>9/11/15</u>	<u>16:02</u>	<input type="checkbox"/> 1 Day* <input type="checkbox"/> 2 Days* <input type="checkbox"/> 3 Days* <input checked="" type="checkbox"/> 5 Days <input type="checkbox"/> 10 Days Other _____	<input type="checkbox"/> Res. Criteria <input type="checkbox"/> Non-Res. Criteria <input type="checkbox"/> Impact to GW Soil <input type="checkbox"/> Cleanup Criteria <input type="checkbox"/> GW Criteria	<input type="checkbox"/> TAGM 4046 GW <input type="checkbox"/> TAGM 4046 SOIL <input type="checkbox"/> NY375 Unrestricted Use Soil <input type="checkbox"/> NY375 Residential Soil <input type="checkbox"/> Restricted/Residential Commercial <input type="checkbox"/> Industrial

Comments, Special Requirements or Regulations:

(Push up the pen Jason Bly 9-14-15 npe)

State where samples were collected: NY

This section MUST be completed with Bottle Quantities.

- Soil VOA Vials [ ] methanol [ ] H<sub>2</sub>O
- GL Soil container ( ) oz
- 40 ml VOA Vial [ ] HCl
- GL Amber 1000ml [ ] As is [ ] H<sub>2</sub>SO<sub>4</sub>
- PL As is [ ] 1250ml [ ] 500ml [ ] 1000ml
- PL H<sub>2</sub>SO<sub>4</sub> [ ] 1250ml [ ] 500ml [ ] 1000ml
- PL HNO<sub>3</sub> 250ml
- PL NaOH 250ml
- Bacteria Bottle

Cooler: Yes  No   
 IPK  ICE  No

Data Package  
 NJ Reduced Deliv. \*  
 NY Enhanced (ASP B) \*  
 Other \_\_\_\_\_