

# Waste Information Profile Form



ENPRO Services of Maine, Inc.  
 106 Main Street  
 S. Portland, ME 04106  
 Phone: 207.799.0850 Fax: 207-799-5565  
 MED019051069

ENPRO Services of Vermont, Inc  
 54 Avenue D  
 Williston, VT 05495  
 Phone: 802.860.1200 Fax: 802.860.7202  
 VTR000517052

Profile #: \_\_\_\_\_ Process Code: \_\_\_\_\_ Approval Code: \_\_\_\_\_

Facility Use

**1. Generator Information:**

Generator Name: BURLINGAME FAMILY PARTNERSHIP  
 Mailing Address: 117 HIGH BRIDGE  
 City: FAYETTEVILLE State: NY Zip: 13066 Phone: 315-420-1056  
 Site Address: 129 GENESEE STREET  
 City: FAYETTEVILLE State: NY Zip: 13066  
 Technical Contact: \_\_\_\_\_ Phone: 315-420-1056  
 Site EPA ID: NYD981081367 NAICS Code: \_\_\_\_\_

**2. Billing Information:**

Customer Name: EPS OF VERMONT Address: 532 STATE FAIR BLVD  
 City: SYRACUSE State: NY Zip: 13204  
 Billing Contact: RON FASSET Email: RFASSET@EPSOFVERMONT.COM  
 Phone: 315-451-6666 Fax: \_\_\_\_\_

**3. Waste Description:**

Common Name of Waste: HAZARDOUS WASTE SOLIDS  
 Process Generating Waste SEEPED INTO DRAINS AND LEFT OVER FROM DRY CLEANERS-HISTORIC RELEASE

**4. Physical & Chemical Properties**

Color: \_\_\_\_\_ Odor  None  Mild  Strong Describe: \_\_\_\_\_

Flash <input type="checkbox"/> <100	BTU/lb	<input checked="" type="checkbox"/> Solid	Free Liquids? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Point (F°) <input type="checkbox"/> >100-140	<input type="checkbox"/> <2000	<input type="checkbox"/> Liquid	100% Solids _____% Liquids
<input checked="" type="checkbox"/> >140-200	<input type="checkbox"/> 2,000-6,000	<input type="checkbox"/> Sludge	Will waste dump out of drums? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> >200	<input type="checkbox"/> >6,000-10,000	<input type="checkbox"/> Semi-solid	Is the waste pumpable? <input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> N/A	<input type="checkbox"/> >10000	<input type="checkbox"/> Powder	Debris?(List type in Section 7) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/> Gas	Is the waste dusty? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

<b>Specific Gravity</b>	<b>Viscosity</b>	<b>pH</b>	<b>Other Components</b>
<input type="checkbox"/> < 0.8 (Light oil)	<input type="checkbox"/> Low (Water)	<input type="checkbox"/> ≤ 2.0	Total cyanides (ppm) <u>0</u>
<input type="checkbox"/> 0.8-1.0 (Water based)	<input type="checkbox"/> Med (Pump on)	<input type="checkbox"/> >2.0-5	Total sulfides (ppm) <u>0</u>
<input type="checkbox"/> > 1.0 (Chlorinated Solvents)	<input type="checkbox"/> High (Molasses)	<input checked="" type="checkbox"/> >5-9	PCBs (ppm) <u>0</u>
<input checked="" type="checkbox"/> N/A	<input checked="" type="checkbox"/> N/A	<input type="checkbox"/> >9-12.49	Total Halogens /HOC (%) <u>0</u>
		<input type="checkbox"/> ≥ 12.5	Total VOC (ppm) <u>160</u>

**5. Hazardous Properties: (Check all that apply)**

- |  |  |  |  |
|--|--|--|--|
| <input checked="" type="checkbox"/> None | <input type="checkbox"/> Radioactive   | <input type="checkbox"/> Pyrophoric          | <input type="checkbox"/> Oxidizer                  |
| <input type="checkbox"/> Water Reactive  | <input type="checkbox"/> Dioxins       | <input type="checkbox"/> Explosive           | <input type="checkbox"/> Medical Waste/Infectious  |
| <input type="checkbox"/> Shock Sensitive | <input type="checkbox"/> Air Reactive  | <input type="checkbox"/> Reactive Cyanide    | <input type="checkbox"/> Reactive Sulfide          |
| <input type="checkbox"/> Asbestos        | <input type="checkbox"/> Benzene NESHP | <input type="checkbox"/> Pesticide/Herbicide | <input type="checkbox"/> Peroxide Forming Compound |

**6. Regulatory Status (Check all that apply)**

- Y  N
- USEPA Hazardous Waste per 40 CFR 261 (If yes list codes) D040,F002,D039
- Do any state waste codes apply? (If yes list codes) \_\_\_\_\_
- Is this waste subject to land ban restrictions?
- Is this a  wastewater  non wastewater
- If DOO1-D043, are any underlying hazardous constituents (UHC) present
- Does this waste contain VOC's ≥ 500 ppm (subpart CC)
- Form Code \_\_\_\_\_ Source Code \_\_\_\_\_



Profile #:

**7. Composition of Waste:** (List all haz. And non-haz. Constituents)

SOIL W/	- 99%
TETRACHLOROETHYLENE	- 0%
TRICHLOROETHYLENE	- 0%
1,2-DICHLOROETHENE	- 0%
CHLOROBENZENE	- 0%
_____	- %
_____	- %
_____	- %
_____	- %
_____	- %

**8. DOT Shipping Information:** (include PG, UN/NA, and Haz. Class)

NA3077, HAZARDOUS WASTE SOLIDS, N.O.S (TETRACHLOROETHYLENE, TRICHLOROETHYLENE)

Poison Inhalation Hazard:  YES  NO Zone: \_\_\_\_\_  
 Method of Shipment:  Bulk Liquid  Bulk Solid  Drums  Other Container type size: 55GAL  
 Volume per shipment: \_\_\_\_\_  Gallons  Tons  Drums  Other \_\_\_\_\_  
 Frequency:  One Time  Weekly  Monthly  Quarterly  Yearly  Other \_\_\_\_\_  
 Does this material require any special handling?  Yes  No If yes, explain: \_\_\_\_\_

**9. Inorganic Metals:**  None  TCLP  Totals  Generator Knowledge in mg/l

D004 Arsenic (5mg/l)	_____	D011 Silver (5mg/l)	_____	Manganese	_____
D005 Barium (100mg/l)	_____	Aluminum	_____	Molybdenum	_____
D006 Cadmium (1mg/l)	_____	Antimony	_____	Nickle	_____
D007 Chromium (5mg/l)	_____	Beryllium	_____	Thallium	_____
D007 Chromium-Hex	_____	Cobalt	_____	Tin	_____
D008 Lead (5mg/l)	_____	Copper	_____	Zinc	_____
D009 Mercury (0.2mg/l)	_____				
D010 Selenium (1mg/l)	_____				

**10. Organic Compounds**  None  TCLP  Totals  Generator Knowledge in mg/l

D012 Endrin (0.02)	_____	D023 o-Cresol (200)	_____	D034 Hexachloroethane (3.0)	_____
D013 Lindane (0.4)	_____	D024 m-Cresol (200)	_____	D035 Methyl ethyl ketone (200)	_____
D014 Methoxychlor (10)	_____	D025 p-Cresol (200)	_____	D036 Nitrobenzene (2)	_____
D015 Toxaphene (0.5)	_____	D026 Cresol (200)	_____	D037 Pentachlorophenol (100)	_____
D016 2,4-D (10)	_____	D027 1,4-Dichlorobenzene (7.5)	_____	D038 Pyridine (5)	_____
D017 2,4,5 TP Silvex (1)	_____	D028 1,2- Dichloroethane (0.5)	_____	D039 Tetrachloroethylene (0.7)	3
D018 Benzene (0.5)	_____	D029 1,1-Dichloroethylene (0.7)	_____	D040 Trichloroethylene	1
D019 Carbon Tetrachloride (0.5)	_____	D030 2,4 Dinitrotoluene (0.3)	_____	D041 2,4,5-Trichlorophenol	_____
D020 Chlordane (0.03)	_____	D031 Heptachlor (& epoxide) (0.008)	_____	D042 2,4,6-Trichlorophenol	_____
D021 Chlorobenzene (100)	_____	D032 Hexachlorobenzene (0.13)	_____	D043 Vinyl Chloride	_____
D022 Chloroform (6.0)	_____	D033 Hexachlorobutadiene (0.5)	_____		

**11. Attached Documents:**  Lab Data  MSDS  Packing List  Other \_\_\_\_\_

**12. Generator Certification:** I hereby certify that I am the agent of the generator, and warrant on behalf of the generator, that all information submitted herein and attached documentation contains true, accurate and complete description of this material. Any sample submitted for analysis is representative of the material being offered for approval. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I will notify ENPRO of any changes in generator status, any information on this form, or any information on attachments. This certification and signature apply to this form, to all attachments checked in Section 11, and to the land disposal restriction notification (LDR) generated from this information.

Signature \_\_\_\_\_

Printed Name \_\_\_\_\_

Title \_\_\_\_\_

Date \_\_\_\_\_