

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Parking Lot																			
									B101MW				B102MW															
Units	TOGS	21-May-13 LI-B101MW-GW1 STANTEC CCGE E2314 E2314-01	21-May-13 LI-B101MW-GW1DUP STANTEC CCGE E2314 E2314-02 Field Duplicate	22-May-13 LI-B102MW-GW1 STANTEC CCGE E2342 E2342-04	27-Mar-14 LI-B102-MW STANTEC PARAROCH 141138 141138-11	27-Mar-14 LI-DUP-MW STANTEC PARAROCH 141138 141138-14 Field Duplicate	28-May-14 LI-B102-MW-P11 STANTEC PARAROCH 142196 142196-07	2-Jul-14 LI-B102-MW-P12 STANTEC PARAROCH 142794 142794-09	6-Aug-14 LI-B102-MW-P13 STANTEC PARAROCH 143439 143439-10	28-Oct-14 LI-B102-MW-P16 STANTEC PARAROCH 144730 144730-10	3-Feb-15 LI-B102-MW-P19 STANTEC PARAROCH 150382 150382-05	3-Feb-15 LI-DUP-P19 STANTEC PARAROCH 150382 150382-13 Field Duplicate	4-May-15 LI-B102-MW-P12 STANTEC PARAROCH 151696 151696-11	4-May-15 LI-DUP-P12 STANTEC PARAROCH 151696 151696-10 Field Duplicate	12-Aug-15 LI-B102-MW-P15 STANTEC PARAROCH 153411 153411-06	12-Aug-15 LI-DUP-P15 STANTEC PARAROCH 153411 153411-07 Field Duplicate	1-Feb-16 LI-B102-MW-PS3 STANTEC PARAROCH 160464 160464-06	3-May-16 LI-B102-MW-PS6 STANTEC PARAROCH 161713 161713-10	9-Aug-16 LI-B102-MW-PS9 STANTEC PARAROCH 163436 163436-10	14-Feb-17 LI-B102-MW-PS15 STANTEC PARAROCH 170564 170564-10								
<b>General Chemistry</b>																												
Total Organic Carbon	µg/L	n/v	-	-	-	6,000	4,600	15,200	146,000	24,600	7,300	6,500	6,000	5,400	5,300	7,500 J-	7,400 J-	39,400	5,220	2,620	1,780							
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
<b>Metals</b>																												
Aluminum	µg/L	n/v	36.9	32.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Antimony	µg/L	3 <sup>A</sup>	12.5 U	12.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Arsenic	µg/L	25 <sup>A</sup>	5,000 U	5,000 U	-	10 U	10 U	10 U	10 U	10 UJ	10 U	5.98 J	6.89 J	7.92 J	10.4	19.5 J-	23.5 J-	-	-	-	-							
Barium	µg/L	1,000 <sup>A</sup>	62	69.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Beryllium	µg/L	3 <sup>B</sup>	1,500 U	1,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Cadmium	µg/L	5 <sup>A</sup>	1,500 U	1,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Calcium	µg/L	n/v	121,000	132,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Chromium	µg/L	50 <sup>A</sup>	2,500 U	2,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Cobalt	µg/L	n/v	7,500 U	7,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Copper	µg/L	200 <sup>A</sup>	5,000 U	5,000 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Iron	µg/L	300 <sup>A</sup>	25.0 U	25.0 U	-	100 U	100 U	4,330 <sup>A</sup>	9,940 <sup>A</sup>	6,480 <sup>A</sup>	10,700 <sup>A</sup>	13,900 <sup>A</sup>	13,600 <sup>A</sup>	10,000 <sup>A</sup>	10,100 <sup>A</sup>	17,000 J- <sup>A</sup>	18,400 J- <sup>A</sup>	-	-	-	-							
Lead	µg/L	25 <sup>A</sup>	12.6	12.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Magnesium	µg/L	35,000 <sup>B</sup>	30,600	33,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Manganese	µg/L	300 <sup>A</sup>	5.42 J	5.53 J	-	694 <sup>A</sup>	675 <sup>A</sup>	1,070 <sup>A</sup>	2,280 <sup>A</sup>	1,200 <sup>A</sup>	1,060 <sup>A</sup>	844 <sup>A</sup>	838 <sup>A</sup>	945 <sup>A</sup>	949 <sup>A</sup>	1,980 J- <sup>A</sup>	2,010 J- <sup>A</sup>	-	-	-	-							
Mercury	µg/L	0.7 <sup>A</sup>	0.200 U	0.200 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Nickel	µg/L	100 <sup>A</sup>	2.52 J	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Potassium	µg/L	n/v	9,810	11,100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Selenium	µg/L	10 <sup>A</sup>	5.92	4.23 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Silver	µg/L	50 <sup>A</sup>	2,500 U	2,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Sodium	µg/L	20,000 <sup>A</sup>	24,700 <sup>A</sup>	27,600 <sup>A</sup>	-	18,500	18,100	41,100 <sup>A</sup>	169,000 <sup>A</sup>	83,100 M <sup>A</sup>	63,800 <sup>A</sup>	58,000 <sup>A</sup>	58,900 <sup>A</sup>	49,800 <sup>A</sup>	50,300 <sup>A</sup>	450,000 J- <sup>A</sup>	455,000 J- <sup>A</sup>	-	-	-	-							
Thallium	µg/L	0.5 <sup>B</sup>	10.0 U	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Vanadium	µg/L	n/v	10.0 U	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Zinc	µg/L	2,000 <sup>B</sup>	12.4	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
<b>Volatile Organic Compounds</b>																												
Acetone	µg/L	50 <sup>B</sup>	25 U	25 U	25 U	10.0 U	10.0 U	10.0 U	6.54 J	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ							
Benzene	µg/L	1 <sup>A</sup>	5 U	5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.00 UJ	1.00 UJ	1.00 U	1.00 U	1.00 U	1.00 U							
Bromodichloromethane	µg/L	50 <sup>B</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U							
Bromofom (Tribromomethane)	µg/L	50 <sup>B</sup>	5 U	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U							
Bromomethane (Methyl bromide)	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 UJ	2.00 U	2.00 U							
Butylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Butylbenzene, sec- (2-Phenylbutane)	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Butylbenzene, tert-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Carbon Disulfide	µg/L	60 <sup>B</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U							
Carbon Tetrachloride (Tetrachloromethane)	µg/L	5 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U							
Chlorobenzene (Monochlorobenzene)	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U							
Chlorobromomethane	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Chloroethane (Ethyl Chloride)	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Chloroethyl Vinyl Ether, 2-	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Chloroform (Trichloromethane)	µg/L	7 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Chloromethane	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Cyclohexane	µg/L	n/v	5 U	5 U	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U							
Dibromo-3-Chloropropane, 1,2- (DBCP)	µg/L	0.04 <sup>A</sup>	5 U	5 U	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U							
Dibromochloromethane	µg/L	50 <sup>B</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichlorobenzene, 1,2-	µg/L	3 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichlorobenzene, 1,3-	µg/L	3 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichlorobenzene, 1,4-	µg/L	3 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichlorodifluoromethane (Freon 12)	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichloroethane, 1,1-	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichloroethane, 1,2-	µg/L	0.6 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichloroethane, 1,1-	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Dichloroethane, cis-1,2-	µg/L	5- <sup>A</sup>	5 U	5 U	7.5 <sup>A</sup>	4.45	4.44	4.61	7.04 <sup>A</sup>	68.7 <sup>A</sup>	7.01 <sup>A</sup>	2.00 U	2.00 U	4.10	4.11	2.75 J-	2.74 J-	2.00 U	2.00 U	2.00 U	2.00 U							
Dichloroethane, trans-1,2-	µg/L	5- <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U								

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Parking Lot																			
									B101MW					B102MW														
Units	TOGS	21-May-13 LI-B101MW-GW1 STANTEC CCGE E2314 E2314-01	21-May-13 LI-B101MW-GW1DUP STANTEC CCGE E2314 E2314-02 Field Duplicate	22-May-13 LI-B102MW-GW1 STANTEC CCGE E2342 E2342-04	27-Mar-14 LI-B102-MW STANTEC PARAROCH 141138 141138-11	27-Mar-14 LI-DUP-MW STANTEC PARAROCH 141138 141138-14 Field Duplicate	28-May-14 LI-B102-MW-PH1 STANTEC PARAROCH 142196 142196-07	2-Jul-14 LI-B102-MW-PH2 STANTEC PARAROCH 142794 142794-09	6-Aug-14 LI-B102-MW-PH3 STANTEC PARAROCH 143439 143439-10	28-Oct-14 LI-B102-MW-PH6 STANTEC PARAROCH 144730 144730-10	3-Feb-15 LI-B102-MW-PH9 STANTEC PARAROCH 150382 150382-05	3-Feb-15 LI-DUP-PH9 STANTEC PARAROCH 150382 150382-13 Field Duplicate	4-May-15 LI-B102-MW-PH12 STANTEC PARAROCH 151696 151696-11	4-May-15 LI-DUP-PH12 STANTEC PARAROCH 151696 151696-10 Field Duplicate	12-Aug-15 LI-B102-MW-PH15 STANTEC PARAROCH 153411 153411-06	12-Aug-15 LI-DUP-PH15 STANTEC PARAROCH 153411 153411-07 Field Duplicate	1-Feb-16 LI-B102-MW-PS3 STANTEC PARAROCH 160464 160464-06	3-May-16 LI-B102-MW-PS6 STANTEC PARAROCH 161713 161713-10	9-Aug-16 LI-B102-MW-PS9 STANTEC PARAROCH 163436 163436-10	14-Feb-17 LI-B102-MW-PS15 STANTEC PARAROCH 170564 170564-10								
<b>Volatile Organic Compounds (con'td)</b>																												
Propylbenzene, n-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Styrene	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Tetrachloroethane, 1,1,2,2-	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Tetrachloroethene (PCE)	µg/L	5 <sup>-A</sup>	1.6 J	1.2 J	20.9 <sup>A</sup>	24.4 <sup>A</sup>	25.4 <sup>A</sup>	20.6 <sup>A</sup>	26.4 <sup>A</sup>	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Toluene	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichlorobenzene, 1,2,3-	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Trichlorobenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Trichloroethane, 1,1,1-	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichloroethene (TCE)	µg/L	5 <sup>-A</sup>	0.51 J	5 U	14.9 <sup>A</sup>	9.78 <sup>A</sup>	10.2 <sup>A</sup>	7.72 <sup>A</sup>	15.3 <sup>A</sup>	2.09	2.00 U	2.00 U	2.00 U	2.00 U	2.38	2.42	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichlorofluoromethane (Freon 11)	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichlorotrifluoroethane (Freon 113)	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trimethylbenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Trimethylbenzene, 1,3,5-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Vinyl Acetate	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Vinyl Chloride	µg/L	2 <sup>A</sup>	5 U	5 U	0.53 J	2.00 U	2.00 U	2.00 U	2.00 U	1.45 J	4.49 <sup>A</sup>	20.8 <sup>A</sup>	11.7 NJ <sup>A</sup>	11.9 <sup>A</sup>	11.0 <sup>A</sup>	11.3 <sup>A</sup>	8.78 J <sup>-A</sup>	8.78 J <sup>-A</sup>	2.00 U	2.00 U	1.94 J							
Xylene, m & p-	µg/L	5 <sup>-A</sup>	10 U	10 U	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Xylene, o-	µg/L	5 <sup>-A</sup>	5 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Total VOC	µg/L	n/v	2.11	1.2	43.83	38.63	40.04	32.93	84.53	75.28	27.81	11.7	11.9	17.48	17.83	11.53 J-	11.52 J-	9.98	ND	2.95	1.12							
<b>Volatile Organic Tentatively Identified Compounds</b>																												
Total VOC TICs	µg/L	n/v	2.5 U	2.5 U	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							

See notes on last page.

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Parking Lot																						
									B102MW				RW-4										RW-4								
									14-Aug-17	1-Feb-18	9-Aug-18	9-Aug-18	25-Apr-12	22-May-13	26-Mar-14	29-May-14	2-Jul-14	6-Aug-14	29-Oct-14	4-Feb-15	4-May-15	13-Aug-15	1-Feb-16	3-May-16	9-Aug-16	13-Feb-17	14-Aug-17	1-Feb-18	9-Aug-18		
									LI-B102-MW-PS21	LI-B102-MW-PS22	LI-B102-MW-PS23	LI-FD-PS23	RW-4 DECI	LI-RW-4-GW1	LI-RW-4	LI-RW-4-PI1	LI-RW-4-PI2	LI-RW-4-PI3	LI-RW-4-PI6	LI-RW-4-PI9	LI-RW-4-PI12	LI-RW-4-PI15	LI-RW-4-PS3	LI-RW-4-PS6	LI-RW-4-PS9	LI-RW-4-PS15	LI-RW-4-PS21	LI-RW-4-PS22	LI-RW-4-PS23		
									PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	CCGE	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH		
									173804	180400	183674	183674	12:1770	E2342	141138	142196	142794	143439	144730	150382	151696	153411	160464	161713	163436	170564	173804	180400	183674		
									173804-10	180400-10	183674-05	183674-06	12:1770-01	E2342-03	141138-04	142196-13	142794-10	143439-04	144730-04	150382-11	151696-04	153411-13	160464-07	161713-04	163436-04	170564-04	173804-04	180400-04	183674-04		
		Units	TOGS																												
<b>General Chemistry</b>																															
Total Organic Carbon		µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	8,200	339,000	63,000	6,900	5,900	5,400	15,000 J-	234,000	141,000	13,400	10,700	-	-	-		
Total Organic Carbon		mg/L	n/v	8.14	2.50	1.12	1.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.0	7.08	7.09		
<b>Metals</b>																															
Aluminum		µg/L	n/v	-	-	-	-	-	-	-	-	-	-	43.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Antimony		µg/L	3 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	12.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arsenic		µg/L	25 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	5,000 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Barium		µg/L	1,000 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beryllium		µg/L	3 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	1,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cadmium		µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	1,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Calcium		µg/L	n/v	-	-	-	-	-	-	-	-	-	-	141,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chromium		µg/L	50 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	2,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cobalt		µg/L	n/v	-	-	-	-	-	-	-	-	-	-	7,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Copper		µg/L	200 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	5,000 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Iron		µg/L	300 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	11.7 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lead		µg/L	25 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Magnesium		µg/L	35,000 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	29,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manganese		µg/L	300 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	667 J <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mercury		µg/L	0.7 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	0.200 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nickel		µg/L	100 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	6.32 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Potassium		µg/L	n/v	-	-	-	-	-	-	-	-	-	-	17,800	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Selenium		µg/L	10 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	5.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Silver		µg/L	50 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	2,500 U N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sodium		µg/L	20,000 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	8,750	-	22,300 <sup>A</sup>	298,000 <sup>A</sup>	222,000 <sup>A</sup>	43,500 <sup>A</sup>	110,000 <sup>A</sup>	86,900 <sup>A</sup>	395,000 J <sup>A</sup>	-	-	-	-	-	-	-	-	
Thallium		µg/L	0.5 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vanadium		µg/L	n/v	-	-	-	-	-	-	-	-	-	-	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zinc		µg/L	2,000 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	18.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Volatile Organic Compounds</b>																															
Acetone		µg/L	50 <sup>B</sup>	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	25 U	10.0 U	6.72 J	10.0 U	12.7 J	10.0 U	10.0 UJ	10.0 U	10.0 UJ	10.0 U	10.0 UJ	10.0 U	10.0 UJ	9.92 J+	9.13 J	7.45 J	10.0 UJ	10.0 UJ	10.0 U	10.0 U	10.0 U		
Benzene		µg/L	1 <sup>A</sup>	1.00 UJ	1.00 U	1.00 U	1.00 U	0.700 UJ	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.00 UJ	1.00 U	1.00 U	1.00 U	1.00 UJ	1.00 UJ	1.00 U	1.00 U	1.00 U	
Bromodichloromethane		µg/L	50 <sup>B</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Bromofom (Tribromomethane)		µg/L	50 <sup>B</sup>	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 U	5.00 U	5.00 U	
Bromomethane (Methyl bromide)		µg/L	5 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 UJ	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Butylbenzene, n-		µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Butylbenzene, sec- (2-Phenylbutane)		µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Butylbenzene, tert-		µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Carbon Disulfide		µg/L	60 <sup>B</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	3.04	3.64	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	1.26 J	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Carbon Tetrachloride (Tetrachloromethane)		µg/L	5 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Chlorobenzene (Monochlorobenzene)		µg/L	5 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Chlorobromomethane		µg/L	5 <sup>A</sup>	5.00 UJ	5.00 U	5.00 U	5.00 U	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 U	5.00 U	5.00 U	
Chloroethane (Ethyl Chloride)		µg/L	5 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Chloroethyl Vinyl Ether, 2-		µg/L	n/v	-	-	-	-	10.0 U R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chloroform (Trichloromethane)		µg/L	7 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	1.91 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	
Chloromethane		µg/L	5 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U			

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Parking Lot																			
									B102MW				RW-4															
Units	TOGS	14-Aug-17	1-Feb-18	9-Aug-18	9-Aug-18	25-Apr-12	22-May-13	26-Mar-14	29-May-14	2-Jul-14	6-Aug-14	29-Oct-14	4-Feb-15	4-May-15	13-Aug-15	1-Feb-16	3-May-16	9-Aug-16	13-Feb-17	14-Aug-17	1-Feb-18	9-Aug-18						
		LI-B102-MW-PS21	LI-B102-MW-PS22	LI-B102-MW-PS23	LI-FD-PS23	RW-4 DECI	LI-RW-4-GW1	LI-RW-4	LI-RW-4-PI1	LI-RW-4-PI2	LI-RW-4-PI3	LI-RW-4-PI6	LI-RW-4-PI9	LI-RW-4-PI12	LI-RW-4-PI15	LI-RW-4-PS3	LI-RW-4-PS6	LI-RW-4-PS9	LI-RW-4-PS15	LI-RW-4-PS21	LI-RW-4-PS22	LI-RW-4-PS23						
		PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	CCGE	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH						
		173804	180400	183674	183674	12:1770	E2342	141138	142196	142794	143439	144730	150382	151696	153411	160464	161713	163436	170564	173804	180400	183674						
		173804-10	180400-10	183674-05	183674-06	12:1770-01	E2342-03	141138-04	142196-13	142794-10	143439-04	144730-04	150382-11	151696-04	153411-13	160464-07	161713-04	163436-04	170564-04	173804-04	180400-04	183674-04						
<b>Volatile Organic Compounds (con'td)</b>																												
Propylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Styrene	µg/L	5- <sup>A</sup>	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U						
Tetrachloroethane, 1,1,2,2-	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Tetrachloroethene (PCE)	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	62.6 J <sup>A</sup>	55.8 <sup>A</sup>	62.7 <sup>A</sup>	76.0 <sup>A</sup>	73.0 <sup>A</sup>	54.5 <sup>A</sup>	10.3 <sup>A</sup>	9.17 <sup>A</sup>	18.7 <sup>A</sup>	9.40 J- <sup>A</sup>	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U						
Toluene	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Trichlorobenzene, 1,2,3-	µg/L	5- <sup>A</sup>	5.00 UJ	5.00 U	5.00 U	5.00 U	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U						
Trichlorobenzene, 1,2,4-	µg/L	5- <sup>A</sup>	5.00 UJ	5.00 U	5.00 U	5.00 U	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U						
Trichloroethane, 1,1,1-	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Trichloroethene (TCE)	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	21.4 J <sup>A</sup>	19.8 <sup>A</sup>	10.3 <sup>A</sup>	18.0 <sup>A</sup>	20.4 <sup>A</sup>	34.3 <sup>A</sup>	13.7 <sup>A</sup>	5.85 <sup>A</sup>	8.94 <sup>A</sup>	6.51 J- <sup>A</sup>	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Trichlorofluoromethane (Freon 11)	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Trichlorotrifluoroethane (Freon 113)	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Trimethylbenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Trimethylbenzene, 1,3,5-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Vinyl Acetate	µg/L	n/v	-	-	-	-	5.00 UJ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.44 J- <sup>A</sup>	2.00 U	2.25 <sup>A</sup>	2.23 <sup>A</sup>	3.86 J <sup>A</sup>	1.8 J	1.72 J	2.00 U	3.07 <sup>A</sup>	2.00 U	28.4 <sup>A</sup>	4.58 NJ <sup>A</sup>	2.00 U	1.42 J-	7.98 <sup>A</sup>	2.00 U	5.78 NJ <sup>A</sup>	1.39 NJ	2.00 UJ	2.40 <sup>A</sup>						
Xylene, m & p-	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Xylene, o-	µg/L	5- <sup>A</sup>	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U						
Total VOC	µg/L	n/v	2.44 J-	ND	3.73	3.69	110.96	92.3	85.48	110.28	135.62	209.95	105.63	43.3	47.59	39.13 J-	91.26	25.23	16.65	6.32	2.06 J-	7.06						
<b>Volatile Organic Tentatively Identified Compounds</b>																												
Total VOC TICs	µg/L	n/v	-	-	-	-	-	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

See notes on last page.

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Parking Lot										On-Site Building B106MW									
									14-Jun-12	22-May-13	27-Mar-14	23-May-13	26-Mar-14	28-May-14	2-Jul-14	7-Aug-14	28-Oct-14	3-Feb-15	5-May-15	12-Aug-15	2-Feb-16	2-May-16	10-Aug-16	13-Feb-17	15-Aug-17	2-Feb-18	10-Aug-18	
									RW-11	LI-RW-11-GW1	LI-RW-11	LI-B106MW-GW1	LI-B106-MW	LI-B106-MW-P11	LI-B106-MW-P12	LI-B106-MW-P13	LI-B106-MW-P16	LI-B106-MW-P19	LI-B106-MW-P12	LI-B106-MW-P15	LI-B106-MW-PS3	LI-B106-MW-PS6	LI-B106-MW-PS9	LI-B106-MW-PS15	LI-B106-MW-PS21	LI-B106-MW-PS22	LI-B106-MW-PS23	
									DECI	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	STANTEC	
									PARAROCH	CCGE	PARAROCH	CCGE	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	PARAROCH	
									12:2523-03	E2342-02	141138-09	E2363-03	141138-12	142196-06	142794-11	143439-11	144730-11	150382-06	151696-12	153411-05	160464-12	161713-11	163436-11	170564-11	173804-11	180400-11	183674-11	
									Units	TOGS																		
<b>General Chemistry</b>																												
Total Organic Carbon	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	188,000	514,000	77,600	4,000 J-	3,100 J+	1,500	3,200 J-	18,900	2,630	7,380	1,720	-	-	-	-
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.62	1.69	2.61	-
<b>Metals</b>																												
Aluminum	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Antimony	µg/L	3 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic	µg/L	25 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barium	µg/L	1,000 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beryllium	µg/L	3 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cadmium	µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calcium	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chromium	µg/L	50 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cobalt	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Copper	µg/L	200 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Iron	µg/L	300 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lead	µg/L	25 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Magnesium	µg/L	35,000 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manganese	µg/L	300 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mercury	µg/L	0.7 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nickel	µg/L	100 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potassium	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Selenium	µg/L	10 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Silver	µg/L	50 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sodium	µg/L	20,000 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	162,000 <sup>A</sup>	375,000 <sup>A</sup>	185,000 <sup>A</sup>	59,200 <sup>A</sup>	50,200 <sup>A</sup>	40,100 <sup>A</sup>	42,100 J <sup>A</sup>	-	-	-	-	-	-	-	-
Thallium	µg/L	0.5 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vanadium	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Zinc	µg/L	2,000 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Volatile Organic Compounds</b>																												
Acetone	µg/L	50 <sup>B</sup>	-	25 U	10.0 U	25 U	10.0 U	10.0 U	12.9	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 UJ	10.0 U	10.0 U
Benzene	µg/L	1 <sup>A</sup>	-	5 U	1 U	5 U	1 U	1 U	0.842 J	0.391 J	1 U	1 U	1 U	1 U	1.00 UJ	1.00 U	1.00 U	1.00 U	1.00 UJ	1.00 U	1.00 U	1.00 U	1.00 U	1.00 UJ	1.00 UJ	1.00 UJ	1.00 U	1.00 U
Bromodichloromethane	µg/L	50 <sup>B</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Bromofluoromethane (Bromochloromethane)	µg/L	50 <sup>B</sup>	5.00 U	5 U	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 UJ	5.00 U	5.00 U
Bromomethane (Methyl bromide)	µg/L	5 <sup>A</sup>	2.00 UJ	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Butylbenzene, n-	µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene, sec- (2-Phenylbutane)	µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Butylbenzene, tert-	µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbon Disulfide	µg/L	60 <sup>B</sup>	-	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Carbon Tetrachloride (Tetrachloromethane)	µg/L	5 <sup>A</sup>	2.00 UJ	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Chlorobenzene (Monochlorobenzene)	µg/L	5 <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Chlorobromomethane	µg/L	5 <sup>A</sup>	-	5 U Q	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 UJ	5.00 U	5.00 U
Chloroethane (Ethyl Chloride)	µg/L	5 <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Chloroethyl Vinyl Ether, 2-	µg/L	n/v	10.0 U R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform (Trichloromethane)	µg/L	7 <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Chloromethane	µg/L	5 <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U
Cyclohexane	µg/L	n/v	-	5 U	10.0 U	0.69 J	10.0 U	10.0 U	15.8	7.47 J	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 UJ	10.0 U	10.0 U
Dibromo-3-Chloropropane, 1,2- (DBCP)	µg/L	0.04 <sup>A</sup>	-	5 U	10.0 U	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 UJ	10.0 U	10.0 U
Dibromochloromethane	µg/L	50 <sup>B</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U										

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area Sample Location Sample Date Sample ID Sampling Company Laboratory Laboratory Work Order Laboratory Sample ID Sample Type	Units	TOGS	On-Site Parking Lot										On-Site Building																																								
			RW-11			LI-B106MW-GW1			LI-B106-MW			LI-B106-MW-PI1			LI-B106-MW-PI2			LI-B106-MW-PI3			LI-B106-MW-PI6			LI-B106-MW-PI9			LI-B106-MW-PI12			LI-B106-MW-PI15			LI-B106-MW-PS3			LI-B106-MW-PS6			LI-B106-MW-PS9			LI-B106-MW-PS15			LI-B106-MW-PS21			LI-B106-MW-PS22			LI-B106-MW-PS23		
			14-Jun-12 RW-11 DECI PARAROCH 12:2523 12:2523-03	22-May-13 LI-RW-11-GW1 STANTEC CCGE E2342 E2342-02	27-Mar-14 LI-RW-11 STANTEC PARAROCH 141138 141138-09	23-May-13 LI-B106MW-GW1 STANTEC CCGE E2363 E2363-03	26-Mar-14 LI-B106-MW STANTEC PARAROCH 141138 141138-12	28-May-14 LI-B106-MW-PI1 STANTEC PARAROCH 142196 142196-06	2-Jul-14 LI-B106-MW-PI2 STANTEC PARAROCH 142794 142794-11	7-Aug-14 LI-B106-MW-PI3 STANTEC PARAROCH 143439 143439-11	28-Oct-14 LI-B106-MW-PI6 STANTEC PARAROCH 144730 144730-11	3-Feb-15 LI-B106-MW-PI9 STANTEC PARAROCH 150382 150382-06	5-May-15 LI-B106-MW-PI12 STANTEC PARAROCH 151696 151696-12	12-Aug-15 LI-B106-MW-PI15 STANTEC PARAROCH 153411 153411-05	2-Feb-16 LI-B106-MW-PS3 STANTEC PARAROCH 160464 160464-12	2-May-16 LI-B106-MW-PS6 STANTEC PARAROCH 161713 161713-11	10-Aug-16 LI-B106-MW-PS9 STANTEC PARAROCH 163436 163436-11	13-Feb-17 LI-B106-MW-PS15 STANTEC PARAROCH 170564 170564-11	15-Aug-17 LI-B106-MW-PS21 STANTEC PARAROCH 173804 173804-11	2-Feb-18 LI-B106-MW-PS22 STANTEC PARAROCH 180400 180400-11	10-Aug-18 LI-B106-MW-PS23 STANTEC PARAROCH 183674 183674-11																																
<b>Volatile Organic Compounds (con'td)</b>																																																					
Propylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																															
Styrene	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U																															
Tetrachloroethane, 1,1,2,2-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Tetrachloroethene (PCE)	µg/L	5- <sup>A</sup>	2.00 U	1.3 J	1.11 J	14.8 <sup>A</sup>	21.7 <sup>A</sup>	9.51 <sup>A</sup>	11.7 <sup>A</sup>	7.73 <sup>A</sup>	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Toluene	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Trichlorobenzene, 1,2,3-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U																															
Trichlorobenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U																															
Trichloroethane, 1,1,1-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Trichloroethene (TCE)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	12 <sup>A</sup>	8.27 <sup>A</sup>	5.11 <sup>A</sup>	9.44 <sup>A</sup>	16.6 <sup>A</sup>	2.23	2.00 U	2.12	1.62 J-	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Trichlorofluoromethane (Freon 11)	µg/L	5- <sup>A</sup>	2.00 UJ	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Trichlorotrifluoroethane (Freon 113)	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Trimethylbenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																															
Trimethylbenzene, 1,3,5-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																															
Vinyl Acetate	n/v	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																															
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.00 U	5 U	2.00 U	2.1 J <sup>A</sup>	2.00 U	2.84 <sup>A</sup>	15.2 <sup>A</sup>	7.60 <sup>A</sup>	15.2 <sup>A</sup>	12.8 <sup>A</sup>	4.89 NJ <sup>A</sup>	5.37 J <sup>A</sup>	1.32 J	2.00 U	6.11 NJ <sup>A</sup>	2.00 U	2.14 J <sup>A</sup>	2.00 U	3.30 <sup>A</sup>	2.00 U																															
Xylene, m & p-	µg/L	5- <sup>A</sup>	-	10 U	2.00 U	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Xylene, o-	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U																															
Total VOC	µg/L	n/v	ND	1.3	1.11	48.66	36.86	38.86	262.612	96.801	59.04	38.8	17.21	15.51 J-	37.92	ND	23	ND	7.75 J-	ND	13.54	2.00 U																															
<b>Volatile Organic Tentatively Identified Compounds</b>																																																					
Total VOC TICs	µg/L	n/v	-	2.5 U	-	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																															

See notes on last page.

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Building B108MW																		
									23-May-13 LI-B108MW-GW1	26-Mar-14 LI-B108-MW	28-May-14 LI-B108-MW-P11	28-May-14 LI-MW-DUP-P11	2-Jul-14 LI-B108-MW-PI2	8-Aug-14 LI-B108-MW-PI3	29-Oct-14 LI-B108-MW-PI6	3-Feb-15 LI-B108-MW-PI9	5-May-15 LI-B108-MW-PI12	12-Aug-15 LI-B108-MW-PI15	2-Feb-16 LI-B108-MW-PS3	2-May-16 LI-B108-MW-PS6	10-Aug-16 LI-B108-MW-PS9	13-Feb-17 LI-B108-MW-PS15	15-Aug-17 LI-B108-MW-PS21	2-Feb-18 LI-B108-MW-PS22	10-Aug-18 LI-B108-MW-PS23		
Units	TOGS																										
<b>General Chemistry</b>																											
Total Organic Carbon	µg/L	n/v	-	3,300	60,300	60,200	86,100	72,200	45,000	18,100 J	1,700	3,400 J-	101,000	68,300	27,600	1,970	-	-	-	-							
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.96	1.62	1.94	-							
<b>Metals</b>																											
Aluminum	µg/L	n/v	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Antimony	µg/L	3 <sup>A</sup>	12.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Arsenic	µg/L	25 <sup>A</sup>	6.2	10 U	10 U	10 U	10 U	10 U	10 U	5.92 J	10.0 U	9.02 J-	-	-	-	-	-	-	-	-							
Barium	µg/L	1,000 <sup>A</sup>	54.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Beryllium	µg/L	3 <sup>B</sup>	1,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Cadmium	µg/L	5 <sup>A</sup>	0.7 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Calcium	µg/L	n/v	97,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Chromium	µg/L	50 <sup>A</sup>	2,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Cobalt	µg/L	n/v	7,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Copper	µg/L	200 <sup>A</sup>	4.16 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Iron	µg/L	300 <sup>A</sup>	45.3	100 U	1,400 <sup>A</sup>	978 <sup>A</sup>	3,520 <sup>A</sup>	2,480 <sup>A</sup>	2,350 <sup>A</sup>	2,660 <sup>A</sup>	999 <sup>A</sup>	3,540 J- <sup>A</sup>	-	-	-	-	-	-	-	-							
Lead	µg/L	25 <sup>A</sup>	4.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Magnesium	µg/L	35,000 <sup>B</sup>	23,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Manganese	µg/L	300 <sup>A</sup>	46.4 J	187	184	179	217	158	106	87.6	81.8	131 J-	-	-	-	-	-	-	-	-							
Mercury	µg/L	0.7 <sup>A</sup>	0.200 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Nickel	µg/L	100 <sup>A</sup>	2.1 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Potassium	µg/L	n/v	10,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Selenium	µg/L	10 <sup>A</sup>	5.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Silver	µg/L	50 <sup>A</sup>	2,500 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Sodium	µg/L	20,000 <sup>A</sup>	26,300 <sup>A</sup>	33,000 <sup>A</sup>	103,000 <sup>A</sup>	101,000 <sup>A</sup>	100,000 M <sup>A</sup>	115,000 <sup>A</sup>	82,900 <sup>A</sup>	130,000 <sup>A</sup>	42,400 <sup>A</sup>	72,000 J- <sup>A</sup>	-	-	-	-	-	-	-	-							
Thallium	µg/L	0.5 <sup>B</sup>	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Vanadium	µg/L	n/v	10.0 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Zinc	µg/L	2,000 <sup>B</sup>	8.94 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
<b>Volatile Organic Compounds</b>																											
Acetone	µg/L	50 <sup>B</sup>	25 U	10.0 U	10.0 U	10.0 U	6.04 J	8.49 J	10.0 U	6.51 J	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 UJ	10.0 U	10.0 U							
Benzene	µg/L	1 <sup>A</sup>	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.00 UJ	1.00 U	1.00 U	1.00 U	1.00 UJ	1.00 UJ	1.00 UJ	1.00 U	1.00 U							
Bromodichloromethane	µg/L	50 <sup>B</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U MC	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Bromofom (Tribromomethane)	µg/L	50 <sup>B</sup>	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 UJ	5.00 U	5.00 U							
Bromomethane (Methyl bromide)	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U MC	2.00 UJ	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Butylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Butylbenzene, sec- (2-Phenylbutane)	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Butylbenzene, tert-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Carbon Disulfide	µg/L	60 <sup>B</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Carbon Tetrachloride (Tetrachloromethane)	µg/L	5 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Chlorobenzene (Monochlorobenzene)	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Chlorobromomethane	µg/L	5- <sup>A</sup>	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 UJ	5.00 U	5.00 U							
Chloroethane (Ethyl Chloride)	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Chloroethyl Vinyl Ether, 2-	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Chloroform (Trichloromethane)	µg/L	7 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Chloromethane	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Cyclohexane	µg/L	n/v	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 UJ	10.0 U	10.0 U							
Dibromo-3-Chloropropane, 1,2- (DBCP)	µg/L	0.04 <sup>A</sup>	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 UJ	10.0 U	10.0 U							
Dibromochloromethane	µg/L	50 <sup>B</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichlorobenzene, 1,2-	µg/L	3 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichlorobenzene, 1,3-	µg/L	3 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichlorobenzene, 1,4-	µg/L	3 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichlorodifluoromethane (Freon 12)	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloroethane, 1,1-	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloroethane, 1,2-	µg/L	0.6 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloroethane, 1,1-	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloroethene, cis-1,2-	µg/L	5- <sup>A</sup>	5.7 <sup>A</sup>	2.00 U	11.0 <sup>A</sup>	10.9 <sup>A</sup>	23.2 <sup>A</sup>	4.99	1.96 J	1.87 J	1.49 J	2.10 J-	11.8 <sup>A</sup>	9.96 <sup>A</sup>	6.08 <sup>A</sup>	7.20 <sup>A</sup>	5.90 J- <sup>A</sup>	2.37	5.98 <sup>A</sup>	2.00 U							
Dichloroethene, trans-1,2-	µg/L	5- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.04	1.37 J	2.00 U	1.42 J	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloropropane, 1,2-	µg/L	1 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloropropene, cis-1,3-	µg/L	0.4- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U MC	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dichloropropene, trans-1,3-	µg/L	0.4- <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 UJ	2.00 U	2.00 U							
Dioxane, 1,4-	µg/L	n/v	100 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 UJ	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R	20.0 U R							
Ethylbenzene	µg/L	5-																									

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Units	TOGS	On-Site Building B108MW																	
			23-May-13 LI-B108MW-GW1 STANTEC CCGEC E2363 E2363-02	26-Mar-14 LI-B108-MW STANTEC PARAROCH 141138 141138-13	28-May-14 LI-B108-MW-PI1 STANTEC PARAROCH 142196 142196-04	28-May-14 LI-MW-DUP-PI1 STANTEC PARAROCH 142196 142196-05 Field Duplicate	2-Jul-14 LI-B108-MW-PI2 STANTEC PARAROCH 142794 142794-12	8-Aug-14 LI-B108-MW-PI3 STANTEC PARAROCH 143439 143439-12	29-Oct-14 LI-B108-MW-PI6 STANTEC PARAROCH 144730 144730-12	3-Feb-15 LI-B108-MW-PI9 STANTEC PARAROCH 150382 150382-07	5-May-15 LI-B108-MW-PI12 STANTEC PARAROCH 151696 151696-13	12-Aug-15 LI-B108-MW-PI15 STANTEC PARAROCH 153411 153411-04	2-Feb-16 LI-B108-MW-PS3 STANTEC PARAROCH 160464 160464-08	2-May-16 LI-B108-MW-PS6 STANTEC PARAROCH 161713 161713-12	10-Aug-16 LI-B108-MW-PS9 STANTEC PARAROCH 163436 163436-12	13-Feb-17 LI-B108-MW-PS15 STANTEC PARAROCH 170564 170564-12	15-Aug-17 LI-B108-MW-PS21 STANTEC PARAROCH 173804 173804-12	2-Feb-18 LI-B108-MW-PS22 STANTEC PARAROCH 180400 180400-12	10-Aug-18 LI-B108-MW-PS23 STANTEC PARAROCH 183674 183674-10	
<b>Volatile Organic Compounds (con'td)</b>																				
Propylbenzene, n-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Styrene	µg/L	5 <sup>-A</sup>	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Tetrachloroethane, 1,1,2,2-	µg/L	5 <sup>-A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Tetrachloroethene (PCE)	µg/L	5 <sup>-A</sup>	15.9 <sup>A</sup>	6.45 <sup>A</sup>	10.1 <sup>A</sup>	9.75 <sup>A</sup>	10.7 <sup>A</sup>	9.63 <sup>A</sup>	10.4 <sup>A</sup>	6.73 <sup>A</sup>	14.4 <sup>A</sup>	9.41 J <sup>-A</sup>	5.17 <sup>A</sup>	4.45	2.00 U	1.54 J	2.00 UJ	8.76 <sup>A</sup>	5.66 <sup>A</sup>	
Toluene	µg/L	5 <sup>-A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorobenzene, 1,2,3-	µg/L	5 <sup>-A</sup>	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trichlorobenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trichloroethane, 1,1,1-	µg/L	5 <sup>-A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethene (TCE)	µg/L	5 <sup>-A</sup>	8.5 <sup>A</sup>	1.05 J	4.17	4.15	4.21	1.65 J	4.04	2.93	2.72	2.12 J	6.57 <sup>A</sup>	4.95	2.00 U	3.26	2.23 J	3.42	2.57	
Trichlorofluoromethane (Freon 11)	µg/L	5 <sup>-A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorotrifluoroethane (Freon 113)	µg/L	5 <sup>-A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	µg/L	2 <sup>A</sup>	5 U	2.00 U	2.75 <sup>A</sup>	2.61 <sup>A</sup>	10.2 <sup>A</sup>	14.6 <sup>A</sup>	4.23 <sup>A</sup>	2.00 U	2.00 U	2.37 J <sup>-A</sup>	9.05 <sup>A</sup>	3.71 NJ <sup>A</sup>	11.1 NJ <sup>A</sup>	3.51 <sup>A</sup>	5.36 J <sup>-A</sup>	2.00 U	2.36 <sup>A</sup>	
Xylene, m & p-	µg/L	5 <sup>-A</sup>	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5 <sup>-A</sup>	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Total VOC	µg/L	n/v	30.1	12.43	41.92	40.21	97.89	104.53	53.93	42.46	18.61	16 J	48.89	32.09	18.28	15.51	14.52 J	14.55	16.57	
<b>Volatile Organic Tentatively Identified Compounds</b>																				
Total VOC TICs	µg/L	n/v	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See notes on last page.





**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Units	TOGS	On-Site Building																
			23-Mar-12 RW-1 DECI PARAROCH 12:1239 12:1239-01	23-May-13 LI-RW-1-GW1 STANTEC CCGE E2363 E2363-01	26-Mar-14 LI-RW-1 STANTEC PARAROCH 141138 141138-01	29-May-14 LI-RW-1-PI1 STANTEC PARAROCH 142196 142196-09	1-Jul-14 LI-RW-1-PI2 STANTEC PARAROCH 142794 142794-08	8-Aug-14 LI-RW-1-PI3 STANTEC PARAROCH 143439 143439-01	29-Oct-14 LI-RW1-PI6 STANTEC PARAROCH 144730 144730-01	3-Feb-15 LI-RW-1-PI9 STANTEC PARAROCH 150382 150382-01	5-May-15 LI-RW-1-PI12 STANTEC PARAROCH 151696 151696-01	12-Aug-15 LI-RW-1-PI15 STANTEC PARAROCH 153411 153411-01	2-Feb-16 LI-RW-1-PS3 STANTEC PARAROCH 160464 160464-11	2-May-16 LI-RW-1-PS6 STANTEC PARAROCH 161713 161713-01	10-Aug-16 LI-RW-1-PS9 STANTEC PARAROCH 163436 163436-01	13-Feb-17 LI-RW-1-PS15 STANTEC PARAROCH 170564 170564-01	15-Aug-17 LI-RW-1-PS21 STANTEC PARAROCH 173804 173804-01	2-Feb-18 LI-RW-1-PS22 STANTEC PARAROCH 180400 180400-01	9-Aug-18 LI-RW1-PS23 STANTEC PARAROCH 183674 183674-07
<b>Volatile Organic Compounds (con'td)</b>																			
Propylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Styrene	µg/L	5- <sup>A</sup>	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Tetrachloroethane, 1,1,2,2-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Tetrachloroethene (PCE)	µg/L	5- <sup>A</sup>	6.72 <sup>A</sup>	3.6 J	5.35 <sup>A</sup>	10.1 <sup>A</sup>	6.14 <sup>A</sup>	2.65	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Toluene	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorobenzene, 1,2,3-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trichlorobenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trichloroethane, 1,1,1-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethene (TCE)	µg/L	5- <sup>A</sup>	7.15 <sup>A</sup>	8.1 <sup>A</sup>	4.02	6.09 <sup>A</sup>	4.52	5.49 <sup>A</sup>	2.00 U	2.00 U	1.36 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorofluoromethane (Freon 11)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorotrifluoroethane (Freon 113)	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Acetate	µg/L	n/v	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	µg/L	2 <sup>A</sup>	3.99 <sup>A</sup>	7.7 <sup>A</sup>	2.00 U	1.45 NJ	4.61 NJ <sup>A</sup>	5.29 NJ <sup>A</sup>	2.00 U	2.00 U	2.98 NJ <sup>A</sup>	2.00 U	2.84 <sup>A</sup>	2.75 NJ <sup>A</sup>	3.56 NJ <sup>A</sup>	2.00 U	6.31 J <sup>A</sup>	2.00 U	3.97 <sup>A</sup>
Xylene, m & p-	µg/L	5- <sup>A</sup>	2.00 U	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Total VOC	µg/L	n/v	24.74	46.19	17.78	28.59	108.31	30.97	74.40	1.43	2.98	3.67	2.84	2.75	7.33	ND	13.29 J-	ND	7.93
<b>Volatile Organic Tentatively Identified Compounds</b>																			
Total VOC TICs	µg/L	n/v	-	4.900 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See notes on last page.



**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Units	TOGS	On-Site Building																
			23-Mar-12 RW-2 DECI PARAROCH 12:1239 12:1239-02	21-May-13 LI-RW-2-GW1 STANTEC CCGE E2314 E2314-03	26-Mar-14 LI-RW-2 STANTEC PARAROCH 141138 141138-02	29-May-14 LI-RW-2-PI1 STANTEC PARAROCH 142196 142196-10	1-Jul-14 LI-RW-2-PI2 STANTEC PARAROCH 142794 142794-07	8-Aug-14 LI-RW-2-PI3 STANTEC PARAROCH 143439 143439-02	29-Oct-14 LI-RW2-PI6 STANTEC PARAROCH 144730 144730-02	3-Feb-15 LI-RW-2-PI9 STANTEC PARAROCH 150382 150382-02	5-May-15 LI-RW-2-PI12 STANTEC PARAROCH 151696 151696-02	12-Aug-15 LI-RW-2-PI15 STANTEC PARAROCH 153411 153411-02	2-Feb-16 LI-RW-2-PS3 STANTEC PARAROCH 160464 160464-10	2-May-16 LI-RW-2-PS6 STANTEC PARAROCH 161713 161713-02	10-Aug-16 LI-RW-2-PS9 STANTEC PARAROCH 163436 163436-02	13-Feb-17 LI-RW-2-PS15 STANTEC PARAROCH 170564 170564-02	15-Aug-17 LI-RW-2-PS21 STANTEC PARAROCH 173804 173804-02	2-Feb-18 LI-RW-2-PS22 STANTEC PARAROCH 180400 180400-02	10-Aug-18 LI-RW2-PS23 STANTEC PARAROCH 183674 183674-08
<b>Volatile Organic Compounds (con'td)</b>																			
Propylbenzene, n-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Styrene	µg/L	5 <sup>-A</sup>	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Tetrachloroethane, 1,1,2,2-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Tetrachloroethene (PCE)	µg/L	5 <sup>-A</sup>	2.00 U	110 <sup>A</sup>	4.44	3.08	1.42 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Toluene	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorobenzene, 1,2,3-	µg/L	5 <sup>-A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trichlorobenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U
Trichloroethane, 1,1,1-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethene (TCE)	µg/L	5 <sup>-A</sup>	9.19 <sup>A</sup>	76.4 <sup>A</sup>	27.6 <sup>A</sup>	21.5 <sup>A</sup>	6.31 <sup>A</sup>	2.39	1.05 J	2.00 U	2.00 U	3.85	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorofluoromethane (Freon 11)	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichlorotrifluoroethane (Freon 113)	µg/L	5 <sup>-A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Acetate	µg/L	n/v	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.00 U	5.9 <sup>A</sup>	1.24 J	1.64 NJ	7.48 <sup>A</sup>	56.4 <sup>A</sup>	23.9 NJ <sup>A</sup>	1.17 NJ	2.00 U	1.33 J	2.00 U	2.00 U	5.15 NJ <sup>A</sup>	2.00 U	2.45 J <sup>A</sup>	2.00 U	2.22 <sup>A</sup>
Xylene, m & p-	µg/L	5 <sup>-A</sup>	2.00 U	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Xylene, o-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Total VOC	µg/L	n/v	38.22	837.77	79.31	293.99	117.71	135.45	146.23	5.54	2.43	14.11	34.44	ND	15.01	ND	8.34 J-	ND	23.37
<b>Volatile Organic Tentatively Identified Compounds</b>																			
Total VOC TICs	µg/L	n/v	-	770.000 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See notes on last page.



**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	On-Site Building																				
									23-Mar-12 RW-3 DECI PARAROCH 12:1239-03	22-May-13 LI-RW-3-GW1 STANTEC CCGE E2342-01	26-Mar-14 LI-RW-3 STANTEC PARAROCH 141138-03	29-May-14 LI-RW-3-PI1 STANTEC PARAROCH 142196-11	1-Jul-14 LI-RW-3-PI2 STANTEC PARAROCH 142794-06	7-Aug-14 LI-RW-3-PI3 STANTEC PARAROCH 143439-03	29-Oct-14 LI-RW3-PI6 STANTEC PARAROCH 144730-03	3-Feb-15 LI-RW-3-PI9 STANTEC PARAROCH 150382-03	5-May-15 LI-RW-3-PI12 STANTEC PARAROCH 151696-03	12-Aug-15 LI-RW-3-PI15 STANTEC PARAROCH 153411-03	2-Feb-16 LI-RW-3-PS3 STANTEC PARAROCH 160464-09	2-May-16 LI-RW-3-PS6 STANTEC PARAROCH 161713-03	2-May-16 LI-DUP-PS6 STANTEC PARAROCH 161713	10-Aug-16 LI-RW-3-PS9 STANTEC PARAROCH 163436-03	13-Feb-17 LI-RW-3-PS15 STANTEC PARAROCH 170564-03	13-Feb-17 LI-FD-PS15 STANTEC PARAROCH 170564-13	15-Aug-17 LI-RW-3-PS21 STANTEC PARAROCH 173804-03	2-Feb-18 LI-RW-3-PS22 STANTEC PARAROCH 180400-03	2-Feb-18 LI-FD-PS22 STANTEC PARAROCH 180400-13	10-Aug-18 LI-RW3-PS23 STANTEC PARAROCH 183674-09	
<b>Volatile Organic Compounds (con'td)</b>																													
Propylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Styrene	µg/L	5- <sup>A</sup>	5.00 U	5 U	5.00 U	25.0 U	25.0 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Tetrachloroethane, 1,1,2,2-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Tetrachloroethene (PCE)	µg/L	5- <sup>A</sup>	2.81	7.8 <sup>A</sup>	2.36	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Toluene	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichlorobenzene, 1,2,3-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	25.0 U	25.0 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Trichlorobenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	25.0 U	25.0 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U							
Trichloroethane, 1,1,1-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichloroethene (TCE)	µg/L	5- <sup>A</sup>	125 <sup>A</sup>	320 D <sup>A</sup>	10.5 <sup>A</sup>	83.9 <sup>A</sup>	36.6 <sup>A</sup>	2.00 U	2.00 U	2.00 U	2.00 U	1.04 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	1.86 J-	2.00 U							
Trichlorofluoromethane (Freon 11)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trichlorotrifluoroethane (Freon 113)	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Trimethylbenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Trimethylbenzene, 1,3,5-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Vinyl Acetate	n/v	n/v	5.00 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.00 U	3 J <sup>A</sup>	2.00 U	10.0 U	18.1 <sup>A</sup>	10.1 NJ <sup>A</sup>	22.5 <sup>A</sup>	4.14 NJ <sup>A</sup>	2.00 U	1.65 J-	2.00 U	2.00 U	2.00 U	5.39 NJ <sup>A</sup>	2.00 U	2.00 U	5.80 J <sup>A</sup>	2.00 U	2.00 U	8.33 <sup>A</sup>							
Xylene, m & p-	µg/L	5- <sup>A</sup>	2.00 U	10 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Xylene, o-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	10.0 U	10.0 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U							
Total VOC	µg/L	n/v	223.59	490.6	20.67	650	334.52	263.86	39.31	14.99	12.43	7.98 J-	52.93	3.10	2.45	19.74	1.35	1.23	20.56 J-	ND	1.13	17.68							
<b>Volatile Organic Tentatively Identified Compounds</b>																													
Total VOC TICs	µg/L	n/v	-	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							

See notes on last page.



**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Units	TOGS	Off-Site Locations																
			25-Apr-12 RW-5 DECI PARAROCH 12:1770 12:1770-02	21-May-13 LI-RW-5-GW1 STANTEC CCGE E2314 E2314-06	27-Mar-14 LI-RW-5 STANTEC PARAROCH 141138 141138-05	29-May-14 LI-RW-5-PI1 STANTEC PARAROCH 142196 142196-14	2-Jul-14 LI-RW-5-PI2 STANTEC PARAROCH 142794 142794-13	7-Aug-14 LI-RW-5-PI3 STANTEC PARAROCH 143439 143439-05	28-Oct-14 LI-RW5-PI6 STANTEC PARAROCH 144730 144730-05	3-Feb-15 LI-RW-5-PI9 STANTEC PARAROCH 150382 150382-04	4-May-15 LI-RW-5-PI12 STANTEC PARAROCH 151696 151696-05	13-Aug-15 LI-RW-5-PI15 STANTEC PARAROCH 153411 153411-09	1-Feb-16 LI-RW-5-PS3 STANTEC PARAROCH 160464 160464-05	3-May-16 LI-RW-5-PS6 STANTEC PARAROCH 161713 161713-05	10-Aug-16 LI-RW-5-PS9 STANTEC PARAROCH 163436 163436-05	14-Feb-17 LI-RW-5-PS15 STANTEC PARAROCH 170564 170564-05	14-Aug-17 LI-RW-5-PS21 STANTEC PARAROCH 173804 173804-05	1-Feb-18 LI-RW-5-PS22 STANTEC PARAROCH 180400 180400-05	9-Aug-18 LI-RW5-PS23 STANTEC PARAROCH 183674 183674-02
<b>Volatile Organic Compounds (con'td)</b>																			
Propylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Styrene	µg/L	5- <sup>A</sup>	5.00 UJ	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U
Tetrachloroethane, 1,1,2,2-	µg/L	5- <sup>A</sup>	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Tetrachloroethene (PCE)	µg/L	5- <sup>A</sup>	12.2 J <sup>A</sup>	5.6 <sup>A</sup>	2.75	11.2 <sup>A</sup>	2.44	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	3.42
Toluene	µg/L	5- <sup>A</sup>	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Trichlorobenzene, 1,2,3-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U
Trichlorobenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U
Trichloroethane, 1,1,1-	µg/L	5- <sup>A</sup>	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Trichloroethene (TCE)	µg/L	5- <sup>A</sup>	48.5 J <sup>A</sup>	25.2 <sup>A</sup>	6.65 <sup>A</sup>	40.0 <sup>A</sup>	14.2 <sup>A</sup>	1.10 J	2.76	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	1.05 J-	2.00 U	10.9 D <sup>A</sup>
Trichlorofluoromethane (Freon 11)	µg/L	5- <sup>A</sup>	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Trichlorotrifluoroethane (Freon 113)	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Trimethylbenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Acetate	µg/L	n/v	5.00 UJ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.93 J <sup>A</sup>	0.6 J	2.00 U	2.00 U	1.28 NJ	3.76 <sup>A</sup>	12.8 <sup>A</sup>	2.30 NJ <sup>A</sup>	2.00 U	16.0 J- <sup>A</sup>	1.52 J	2.00 U	53.4 <sup>A</sup>	2.00 U	14.0 J- <sup>A</sup>	3.39 <sup>A</sup>	32.2 D <sup>A</sup>
Xylene, m & p-	µg/L	5- <sup>A</sup>	2.00 UJ	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Xylene, o-	µg/L	5- <sup>A</sup>	2.00 UJ	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U
Total VOC	µg/L	n/v	119.89	55.7	22.67	87.557	116.408	62.98	151.85	11.11	6.13	75.299 J-	27.62	ND	107.461	ND	48.906 J-	9.68	229.96
<b>Volatile Organic Tentatively Identified Compounds</b>																			
Total VOC TICs	µg/L	n/v	-	5.500 J	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See notes on last page.









**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Units	TOGS	Off-Site Locations																
			12-Jun-12 RW-7 DECI PARAROCH 12:2486-02	20-May-13 LI-RW-7-GW1 STANTEC CCGE E2301-02	27-Mar-14 LI-RW-7 STANTEC PARAROCH 141138-07	28-May-14 LI-RW-7-P11 STANTEC PARAROCH 142196-01	1-Jul-14 LI-RW-7-P12 STANTEC PARAROCH 142794-02	7-Aug-14 LI-RW-7-P13 STANTEC PARAROCH 143439-07	28-Oct-14 LI-RW7-P16 STANTEC PARAROCH 144730-07	4-Feb-15 LI-RW-7-P19 STANTEC PARAROCH 150382-10	4-May-15 LI-RW-7-P12 STANTEC PARAROCH 151696-07	13-Aug-15 LI-RW-7-P15 STANTEC PARAROCH 153411-11	1-Feb-16 LI-RW-7-PS3 STANTEC PARAROCH 160464-03	3-May-16 LI-RW-7-PS6 STANTEC PARAROCH 161713-07	9-Aug-16 LI-RW-7-PS9 STANTEC PARAROCH 163436-07	14-Feb-17 LI-RW-7-PS15 STANTEC PARAROCH 170564-07	14-Aug-17 LI-RW-7-PS21 STANTEC PARAROCH 173804-07	1-Feb-18 LI-RW-7-PS22 STANTEC PARAROCH 180400-07	14-Jun-12 RW-8 DECI PARAROCH 12:2523-01
<b>Volatile Organic Compounds (con'td)</b>																			
Propylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Styrene	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5 U
Tetrachloroethane, 1,1,2,2-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Tetrachloroethene (PCE)	µg/L	5- <sup>A</sup>	2.00 U	0.76 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	4.3 J
Toluene	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	5 U
Trichlorobenzene, 1,2,3-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5 U
Trichlorobenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5 U
Trichloroethane, 1,1,1-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U
Trichloroethene (TCE)	µg/L	5- <sup>A</sup>	2.00 U	5.8 <sup>A</sup>	2.85	2.99	3.05	3.12	2.00 U	1.29 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	7.59 <sup>A</sup>
Trichlorofluoromethane (Freon 11)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	5 U
Trichlorotrifluoroethane (Freon 113)	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	5 U
Trimethylbenzene, 1,2,4-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trimethylbenzene, 1,3,5-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	4.58 NJ <sup>A</sup>	5.43 <sup>A</sup>	2.87 <sup>A</sup>	2.84 J- <sup>A</sup>	2.27 <sup>A</sup>	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	0.63 NJ
Xylene, m & p-	µg/L	5- <sup>A</sup>	-	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	10 U
Xylene, o-	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	5 U
Total VOC	µg/L	n/v	4.28	17.48	5.2	5.64	5.48	6.08	9.02	6.76	4.16	4. J-	28.9	1.41	2.38	1.12	J-ND	ND	14.09
<b>Volatile Organic Tentatively Identified Compounds</b>																			
Total VOC TICs	µg/L	n/v	-	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5 U

See notes on last page.

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	Off-Site Locations																			
									8-Jun-12 RW-9 DECI PARAROCH 12:2431-01	21-May-13 LI-RW-9-GW1 STANTEC CCGE E2314-07	27-Mar-14 LI-RW-9 STANTEC PARAROCH 141138-08	29-May-14 LI-RW-9-P11 STANTEC PARAROCH 142196-12	1-Jul-14 LI-RW-9-P12 STANTEC PARAROCH 142794-04	1-Jul-14 LI-RW-DUP-P12 STANTEC PARAROCH 142794-05 Field Duplicate	7-Aug-14 LI-RW-9-P13 STANTEC PARAROCH 143439-08	28-Oct-14 LI-RW9-P16 STANTEC PARAROCH 144730-08	28-Oct-14 LI-DUP-P16 STANTEC PARAROCH 144730-13 Field Duplicate	4-Feb-15 LI-RW-9-P19 STANTEC PARAROCH 150382-12	4-May-15 LI-RW-9-P112 STANTEC PARAROCH 151696-08	13-Aug-15 LI-RW-9-P115 STANTEC PARAROCH 153411-12	1-Feb-16 LI-RW-9-PS3 STANTEC PARAROCH 160464-04	2-May-16 LI-RW-9-PS6 STANTEC PARAROCH 161713-08	9-Aug-16 LI-RW-9-PS9 STANTEC PARAROCH 163436-08	9-Aug-16 LI-DUP-PS9 STANTEC PARAROCH 163436-13 Field Duplicate	14-Feb-17 LI-RW-9-PS15 STANTEC PARAROCH 170564-08	14-Aug-17 LI-RW-9-PS21 STANTEC PARAROCH 173804-08	1-Feb-18 LI-RW-9-PS22 STANTEC PARAROCH 180400-08	9-Aug-18 LI-RW9-PS23 STANTEC PARAROCH 183674-03
<b>General Chemistry</b>																												
Total Organic Carbon	µg/L	n/v	-	-	2,000	2,000	2,500	2,100	2,100	2,000 J-	2,000 J-	2,400 J+	1,700	2,200 J-	1,910	2,340	2,640	2,650	1,980	-	-	-						
Total Organic Carbon	mg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.11	1.69	1.77						
<b>Metals</b>																												
Aluminum	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Antimony	µg/L	3 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Arsenic	µg/L	25 <sup>A</sup>	-	-	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10.0 U	10.0 UJ	-	-	-	-	-	-	-	-						
Barium	µg/L	1,000 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Beryllium	µg/L	3 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Cadmium	µg/L	5 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Calcium	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Chromium	µg/L	50 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Cobalt	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Copper	µg/L	200 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Iron	µg/L	300 <sup>A</sup>	-	-	100 U	91.9 J	129	91.0 J	86.4 J	100 U	100 U	68.3 J	76.5 J	118 J-	-	-	-	-	-	-	-	-						
Lead	µg/L	25 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Magnesium	µg/L	35,000 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Manganese	µg/L	300 <sup>A</sup>	-	-	15 U	19.8	98.1	94.4	220	153	161	284	214	691 J- <sup>A</sup>	-	-	-	-	-	-	-	-						
Mercury	µg/L	0.7 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Nickel	µg/L	100 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Potassium	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Selenium	µg/L	10 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Silver	µg/L	50 <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Sodium	µg/L	20,000 <sup>A</sup>	-	-	38,100 <sup>A</sup>	25,200 <sup>A</sup>	29,000 <sup>A</sup>	28,800 <sup>A</sup>	27,700 <sup>A</sup>	39,100 <sup>A</sup>	38,600 <sup>A</sup>	41,600 <sup>A</sup>	32,000 <sup>A</sup>	49,000 J- <sup>A</sup>	-	-	-	-	-	-	-	-						
Thallium	µg/L	0.5 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Vanadium	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Zinc	µg/L	2,000 <sup>B</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
<b>Volatile Organic Compounds</b>																												
Acetone	µg/L	50 <sup>B</sup>	-	25 U	10.0 U	6.70 J	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U						
Benzene	µg/L	1 <sup>A</sup>	-	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.00 UJ	1.00 U	1.00 U	1.00 U	1.00 U	1.00 UJ	1.00 UJ	1.00 U	1.00 U						
Bromodichloromethane	µg/L	50 <sup>B</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Bromofluoromethane (Tribromomethane)	µg/L	50 <sup>B</sup>	5.00 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 U	5.00 U						
Bromomethane (Methyl bromide)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Butylbenzene, n-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Butylbenzene, sec- (2-Phenylbutane)	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Butylbenzene, tert-	µg/L	5- <sup>A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Carbon Disulfide	µg/L	60 <sup>B</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Carbon Tetrachloride (Tetrachloromethane)	µg/L	5 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Chlorobenzene (Monochlorobenzene)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Chlorobromomethane	µg/L	5- <sup>A</sup>	-	-	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 U	5.00 U	5.00 U	5.00 U	5.00 UJ	5.00 UJ	5.00 U	5.00 U						
Chloroethane (Ethyl Chloride)	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Chloroethyl Vinyl Ether, 2-	µg/L	n/v	10.0 U R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Chloroform (Trichloromethane)	µg/L	7 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Chloromethane	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Cyclohexane	µg/L	n/v	-	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U						
Dibromo-3-Chloropropane, 1,2- (DBCP)	µg/L	0.04 <sup>A</sup>	-	5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 U	10.0 U	10.0 U	10.0 U	10.0 UJ	10.0 UJ	10.0 U	10.0 U						
Dibromochloromethane	µg/L	50 <sup>B</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichlorobenzene, 1,2-	µg/L	3 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichlorobenzene, 1,3-	µg/L	3 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichlorobenzene, 1,4-	µg/L	3 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichlorodifluoromethane (Freon 12)	µg/L	5- <sup>A</sup>	-	5 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichloroethane, 1,1-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichloroethane, 1,2-	µg/L	0.6 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichloroethane, 1,1-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichloroethane, cis-1,2-	µg/L	5- <sup>A</sup>	2.00 U	1.2 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	1.35 J	1.37 J	1.66 J	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichloroethane, trans-1,2-	µg/L	5- <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 U	2.00 U	2.00 U	2.00 U	2.00 UJ	2.00 UJ	2.00 U	2.00 U						
Dichloropropane, 1,2-																												

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Sample Location	Sample Date	Sample ID	Sampling Company	Laboratory	Laboratory Work Order	Laboratory Sample ID	Sample Type	Off-Site Locations																			
									8-Jun-12 RW-9 DECI PARAROCH 12:2431-01	21-May-13 LI-RW-9-GW1 STANTEC CCGE E2314 E2314-07	27-Mar-14 LI-RW-9 STANTEC PARAROCH 141138 141138-08	29-May-14 LI-RW-9-PI1 STANTEC PARAROCH 142196 142196-12	1-Jul-14 LI-RW-9-PI2 STANTEC PARAROCH 142794 142794-04	1-Jul-14 LI-RW-DUP-PI2 STANTEC PARAROCH 142794 Field Duplicate	7-Aug-14 LI-RW-9-PI3 STANTEC PARAROCH 143439 143439-08	28-Oct-14 LI-RW9-PI6 STANTEC PARAROCH 144730 144730-08	28-Oct-14 LI-DUP-PI6 STANTEC PARAROCH 144730 Field Duplicate	4-Feb-15 LI-RW-9-PI9 STANTEC PARAROCH 150382 150382-12	4-May-15 LI-RW-9-PI12 STANTEC PARAROCH 151696 151696-08	13-Aug-15 LI-RW-9-PI15 STANTEC PARAROCH 153411 153411-12	1-Feb-16 LI-RW-9-PS3 STANTEC PARAROCH 160464 160464-04	2-May-16 LI-RW-9-PS6 STANTEC PARAROCH 161713 161713-08	9-Aug-16 LI-RW-9-PS9 STANTEC PARAROCH 163436 163436-08	9-Aug-16 LI-DUP-PS9 STANTEC PARAROCH 163436 Field Duplicate	14-Feb-17 LI-RW-9-PS15 STANTEC PARAROCH 170564 170564-08	14-Aug-17 LI-RW-9-PS21 STANTEC PARAROCH 173804 173804-08	1-Feb-18 LI-RW-9-PS22 STANTEC PARAROCH 180400 180400-08	9-Aug-18 LI-RW9-PS23 STANTEC PARAROCH 183674 183674-03
<b>Volatile Organic Compounds (con'td)</b>																												
Propylbenzene, n-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Styrene	µg/L	5 <sup>-A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U					
Tetrachloroethane, 1,1,2,2-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Tetrachloroethene (PCE)	µg/L	5 <sup>-A</sup>	11.3 <sup>A</sup>	8.5 <sup>A</sup>	3.04	3.58	4.10	4.11	3.20	3.28	3.40	2.67	2.13	4.48 J-	3.62	6.51 <sup>A</sup>	5.52 <sup>A</sup>	5.28 <sup>A</sup>	5.06 <sup>A</sup>	4.27 J-	2.69	6.41 <sup>A</sup>						
Toluene	µg/L	5 <sup>-A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Trichlorobenzene, 1,2,3-	µg/L	5 <sup>-A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U					
Trichlorobenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U					
Trichloroethane, 1,1,1-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Trichloroethene (TCE)	µg/L	5 <sup>-A</sup>	2.00 U	1.5 J	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.45	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Trichlorofluoromethane (Freon 11)	µg/L	5 <sup>-A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Trichlorotrifluoroethane (Freon 113)	µg/L	5 <sup>-A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Trimethylbenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Trimethylbenzene, 1,3,5-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.00 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Xylene, m & p-	µg/L	5 <sup>-A</sup>	-	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Xylene, o-	µg/L	5 <sup>-A</sup>	-	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U					
Total VOC	µg/L	n/v	11.3	11.2	3.04	10.28	4.1	4.11	3.2	4.63	4.77	6.78	2.13	4.48 J-	3.62	6.51	5.52	5.28	5.06	4.27 J-	2.69	6.41						
<b>Volatile Organic Tentatively Identified Compounds</b>																												
Total VOC TICs	µg/L	n/v	-	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					

See notes on last page.









**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

Area	Units	TOGS	QA/QC																		
			Trip Blank																		
Sample Location	Sample Date	Sample ID	12-Jun-12	20-May-13	21-May-13	27-Mar-14	29-May-14	1-Jul-14	8-Aug-14	28-Oct-14	3-Feb-15	4-May-15	12-Aug-15	1-Feb-16	2-May-16	9-Aug-16	13-Feb-17	14-Aug-17	2-Feb-18	9-Aug-18	
Sampling Company	Laboratory	Laboratory Work Order	12:2486	E2301	E2314	141138	142196	142794	143439	144730	150382	151696	153411	160464	161713	163436	170564	173804	180400	183674	
Laboratory Sample ID	Laboratory	Laboratory Work Order	12:2486-03	E2301-07	E2314-08	141138-15	142196-08	142794-01	143439-14	144730-14	150382-14	151696-14	153411-14	160464-14	161713-14	163436-14	170564-14	173804-14	180400-14	183674-12	
Sample Type	Units	TOGS	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	Trip Blank	
<b>Volatile Organic Compounds (con'td)</b>																					
Propylbenzene, n-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Styrene	µg/L	5 <sup>-A</sup>	-	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	
Tetrachloroethane, 1,1,2,2-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Tetrachloroethene (PCE)	µg/L	5 <sup>-A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Toluene	µg/L	5 <sup>-A</sup>	-	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trichlorobenzene, 1,2,3-	µg/L	5 <sup>-A</sup>	-	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	
Trichlorobenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	5 U	5 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	5.00 U	
Trichloroethane, 1,1,1-	µg/L	5 <sup>-A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trichloroethane, 1,1,2-	µg/L	1 <sup>A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trichloroethene (TCE)	µg/L	5 <sup>-A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trichlorofluoromethane (Freon 11)	µg/L	5 <sup>-A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trichlorotrifluoroethane (Freon 113)	µg/L	5 <sup>-A</sup>	-	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Trimethylbenzene, 1,2,4-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Trimethylbenzene, 1,3,5-	µg/L	5 <sup>-A</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vinyl Acetate	µg/L	n/v	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vinyl Chloride	µg/L	2 <sup>A</sup>	2.00 U	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Xylene, m & p-	µg/L	5 <sup>-A</sup>	-	10 U	10 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Xylene, o-	µg/L	5 <sup>-A</sup>	-	5 U	5 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	2.00 U	
Total VOC	µg/L	n/v	ND	ND	3.4	ND	ND	ND	ND	ND	ND	ND	UJ-ND	UJND	ND	ND	ND	ND	ND	ND	
<b>Volatile Organic Tentatively Identified Compounds</b>																					
Total VOC TICs	µg/L	n/v	-	2.5 U	2.5 U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

See notes on last page.

**Table 2**  
**Summary of Analytical Results in Groundwater**  
**Remedial Investigation**  
**Former Carriage Factory**  
**33 Litchfield Street, Rochester, New York**

**Notes:**

TOGS	NYSDEC TOGS 1.1.1 (Reissued June 1998 with errata in January 1999 and addenda in April 2000 and June 2004)
A	TOGS 1.1.1 - Table 1 - Ambient Water Quality Standards and Guidance Values, Division of Water, Technical and Operational Guidance Series (TOGS 1.1.1); Standards
B	TOGS 1.1.1 - Table 1 - Ambient Water Quality Standards and Guidance Values, Division of Water, Technical and Operational Guidance Series (TOGS 1.1.1); Guidance
6.5 <sup>A</sup>	Concentration exceeds the indicated standard.
15.2	Measured concentration did not exceed the indicated standard.
0.50 U	Laboratory reporting limit was greater than the applicable standard.
0.03 U	Analyte was not detected at a concentration greater than the laboratory reporting limit.
n/v	No standard/guideline value.
-	Parameter not analyzed / not available.
-	The standard for Iron and Manganese is 500 ug/L, which applies to the sum of these substances. As individual standards, the standard is 300 ug/L.
--	The principal organic contaminant standard for groundwater of 5 ug/L (described elsewhere in the TOGS table) applies to this substance.
p	Applies to the sum of cis- and trans-1,3-dichloropropene.
B	Indicates analyte was found in associated blank, as well as in the sample.
D	Result was obtained from the analysis of a dilution
J	The reported result is an estimated value.
J-	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased low.
J+	The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased high.
M	Denotes matrix spike recoveries outside QC limits. Matrix bias indicated.
MC	Matrix Spike Recovery Outside Control Limits Due To Sample Matrix Interference, Biased High.
MD	Denotes matrix spike recoveries outside QC limits. Matrix bias indicated./Sample, Laboratory Control Sample, or Matrix Spike Duplicate results above Relative Percent Difference limit.
N	Indicates presumptive evidence of a compound. Identification of tentatively identified compound is based on a mass spectral library search.
ND	Not detected.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
Q	Indicates LCS control criteria did not meet requirements
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
U	Indicates that the analyte was analyzed but not detected.
UJ	Indicates estimated non-detect.