

Privileged and Confidential

**REPORT ON
ASTM PHASE I ENVIRONMENTAL SITE ASSESSMENT
CORNING INCORPORATED - STEUBEN FACTORY
ONE STEUBEN WAY
CORNING, NEW YORK**

by

**Haley & Aldrich of New York
Rochester, New York**

for

**Corning Incorporated
Corning, New York**

**File No. 35548-000
July 2008**

**HALEY &
ALDRICH**

Haley & Aldrich of New York
200 Town Centre Dr.
Suite 2
Rochester, NY 14623-4264
Tel: 585.359.9000
Fax: 585.359.4650
HaleyAldrich.com



15 July 2008
File No. 35548-000

Privileged and Confidential

Corning Incorporated
HP-ME-03-79
Corning, New York 14831

Attention: Mr. Douglas A. Wolf

Subject: ASTM Phase I Environmental Site Assessment
Corning Incorporated – Steuben Factory
One Steuben Way
Corning, New York

Dear Mr. Wolf:

This report presents the results of a Phase I Environmental Site Assessment (Phase I) conducted at the above referenced property. This work was performed by Haley & Aldrich of New York (Haley & Aldrich) in accordance with our proposal to Corning Incorporated dated 28 May 2008 ("Agreement"). As indicated in our proposal, this Phase I ESA was performed based on client/project specific objectives which are that the required Phase I scope is generally consistent with the ASTM-E1527-00 Phase I Environmental Site Assessment Standard and not the ASTM E1527-05 Standard. Therefore additional inquiry and user provided information specified by the ASTM E 1527-05 was not performed as part of this ESA, and the report will not satisfy the Landowner Liability Protections under CERCLA.


The goal of this Phase I assessment was to evaluate site history, existing observable conditions, current site use, and current and former uses of surrounding properties to identify the potential presence of "Recognized Environmental Conditions (RECs)" at the site, as defined in the ASTM E 1527-00 Standard. Our conclusions regarding the potential impact of RECs on the subject site are intended to help the user evaluate the "business environmental risk" associated with the site, as defined in the ASTM E 1527-00 Standard and discussed in the Introduction section of this report.


Corning Incorporated
15 July 2008
Page 2

Privileged & Confidential

Thank you for the opportunity to perform these services for you. Please do not hesitate to contact us if you have any questions or comments.

Sincerely yours,
HALEY & ALDRICH OF NEW YORK


Claire L. DeBergalis
Staff Environmental Scientist


Edward L. Hynes
Vice President

HALEY &
ALDRICH

EXECUTIVE SUMMARY

Haley & Aldrich of New York (Haley & Aldrich) has performed a Phase I environmental site assessment (Phase I) of the Corning Incorporated – Steuben Factory located at One Steuben Way, (herein referred to as the “subject site”) in Corning, New York. The scope of work is described and conditioned by our proposal dated 28 May 2008. As indicated in our proposal, this Phase I ESA was performed based on client/project specific objectives which are that the required Phase I scope is generally consistent with the ASTM-E1527-00 Phase I Environmental Site Assessment Standard and not the ASTM E1527-05 Standard. Therefore additional inquiry and user provided information specified by the ASTM E 1527-05 will not be performed as part of this ESA, and the report will not satisfy the Landowner Liability Protections under CERCLA. Any exceptions to, or deletions from, this practice are described in Section I of this report. Our conclusions regarding the potential impact of RECs on the subject site are intended to help the user evaluate the “business environmental risk” associated with the site, as defined in the ASTM E 1527-00 Standard and discussed in the Introduction section of this report.

The subject site consists of the approximate 50,000 square foot Steuben Glass Factory that is owned and operated by Corning Incorporated (Corning) for manufacturing of glass and leaded crystal products and referred to herein as the subject site. The subject site building contains office space, design space, and glass crystal manufacturing operations. The subject site includes the factory building, a small employee parking lot and outdoor courtyard area located to the northwest of the building, all of which is encompassed within the Corning manufacturing complex know as Houghton Park. The Steuben Factory building was originally constructed in 1951 and expanded and remodeled in 1996/1997. Prior to 1951, the subject site property appears to have been used mainly for residential purposes or was undeveloped. The Steuben Factory also maintains offsite lease space (from Corning) in a portion of a newly constructed warehouse facility located a short distance from the Steuben Factory and referred to as the Fulton Street Warehouse. This lease space has been used by the Steuben Factory since 2007 for storage of products including as a 90-day hazardous waste storage facility mainly for lead-containing materials generated from glass making operations.

RECOGNIZED ENVIRONMENTAL CONDITIONS

The goal of the ASTM E 1527-00 Standard practice is to identify Recognized Environmental Conditions (RECs), defined in the Standard as “the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on a property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not recognized environmental conditions.”

This assessment has revealed no evidence of recognized environmental conditions currently in connection with the property, with the exception of one REC described below.

REC #1: RCRA Corrective Actions

Potential Impact: Low

Description: The Corning Steuben Factory is listed under CORRACTS in the database report obtained for this Phase I and assigned with a "low RCRA corrective action priority" as of 1994. This listing is related to the prior status of the Steuben Factory as an Interim Status hazardous waste storage facility. Records provided by Corning indicate that the regulated storage facility was properly closed as accepted by the New York State Department of Environmental Conservation (NYSDEC) by letter to Corning dated October 1992. However, the NYSDEC letter that approved closure also indicated that requirements for corrective action under HSWA Section 30008 (h) had not been fulfilled as of the date of the NYSDEC approval letter (October 1992) and that follow up would be necessary to demonstrate that the corrective action requirements have been met. There were no additional records available during this Phase I related to the RCRA corrective action process for the facility or any other information on actions taken in response to the October 1992 letter.

Haley & Aldrich has submitted a Freedom of Information Act (FOIA) request to the NYSDEC as part of this Phase I, requesting additional regulatory information for the subject site including any historical records that may be related to the RCRA corrective action process for this site. As of the date of this report the response to the FOIA request has not been processed or responded to by the NYSDEC so no additional information is available at this time. Nevertheless, it is our opinion, based on nature of operations as documented in this report that lack of information on the site corrective action process represents a relatively low environmental business risk. We render this opinion based on lack of evidence that hazardous or solid waste substances have been released to the environment.

HISTORICAL RECs AND KNOWN OR SUSPECT ENVIRONMENTAL CONDITIONS

The ASTM E 1527-00 Standard also requires that historical RECs (HRECs) and other known or suspect environmental conditions, as defined in the Standard and in Section I of this report, are identified in the Phase I.

The standard defines historical RECs as environmental conditions "which in the past would have been considered a recognized environmental condition, but which may or may not be considered a recognized environmental condition currently." The term "known or suspect environmental condition (KEC and SEC)" is not specifically defined in the standard, but is used by Haley & Aldrich to highlight environmentally-related information that is not anticipated to adversely affect the subject site and/or does not rise to the level of an REC. This assessment has revealed no evidence of HRECS or KECs; however one SEC was identified and is described below:

SEC #1: Historical Filling Stations and Petroleum Storage in the Subject Site Area.

According to the subject site history information (Sanborn Fire Insurance Maps and City Directories), potential underground petroleum storage occurred historically in the immediate vicinity of the subject site both from a former oil storage company and from historical filling stations. The Merchants Oil Company was present to the west of the subject site from at least 1913 to at least the 1940s. During that time there were as many as five storage tanks containing oil or gasoline. It was not clear from the Sanborn Maps whether or not those tanks were underground or aboveground.

In addition, according to Sanborn Maps, there was an additional filling station to the west of the subject site in the 1930s and 1940s, and a filling station immediately to the south of the subject site in the 1960s. According to City Directories, both a filling station and a service station were present in the vicinity of the subject site along what is now Centerway in the 1930s and 1940s.

One leaking tank release was reported in the database report for a location in the immediate vicinity of the subject site. This release occurred in 1999 during the excavation of an area to the northeast of the subject site for parking lot space. Reportedly a 2,000 gallon gasoline tank was encountered. It is unclear as to what the former tank was originally associated with, however the release was closed in 2000.

It is our opinion that the reported presence of petroleum bulk storage activities on and near the subject site represents a suspect condition of low environmental business risk. We base this opinion on the apparent age of the historical filling stations and petroleum storage, and the considerable amount of development that has occurred in the area since their decommissioning which indicate low likelihood of a current material impact to the subject site.

NON-ASTM SCOPE CONSIDERATIONS

The ASTM E 1527-00 Standard includes the following list of "additional issues" that are non-scope considerations outside the scope of the ASTM Phase I practice: Asbestos-Containing Materials, Radon, Lead-Based Paint, Lead in Drinking Water, Wetlands, Regulatory Compliance, Cultural and Historical Risks, Industrial Hygiene, Health and Safety, Ecological Resources, Endangered Species, Indoor Air Quality, Mold and High Voltage Power Lines. The following non-scope items were included as part of this assessment: a cursory asbestos assessment and a cursory evaluation of the status of certain regulatory compliance matters at the subject site. Our assessment of these additional items is as follows:

1. Asbestos Containing Building Materials (ACBM) – According to site personnel, ACBMs are present within the subject site building in the form of tile mastic, roofing materials, tar sealer and duct insulation, siding, flashing material, piping insulation, and wiring insulation. The materials are reported to be in good conditions and are maintained, labeled and regularly inspected by the facilities personnel. The most recent inspection occurred on 23 January 2008.

Facility personnel indicate that ACBM abatement activities have occurred in the past at the facility in response to building maintenance and other activities and have generally involved small projects. The most recent ACBM abatement occurred in February and March of 2008 as documented in a report by the Colden Corporation.

Based on visual inspection of the facility during the site visit, damaged and/or friable asbestos-containing materials were not observed.

2. Hazardous Waste – The subject site is identified as a Large Quantity Generator (LQG) of hazardous waste (primarily lead-containing) associated with site operations. Hazardous waste stored in containers in satellite accumulation areas on the subject site, and when full, moved to the less than 90-day hazardous waste storage facility maintained at the Fulton Street warehouse. The subject site's EPA Hazardous Waste ID# is NYD000824359.

3. Wastewater – The subject site discharges treated wastewater to the City of Corning publicly owned treatment works (POTW) under an Industrial Sewer Use Permit and the applicable Industrial Pretreatment Requirements for the Glass Manufacturing Point Source Category under EPA Regulations 40 CFR Part 426. The permit has an effective date of 7 February 2007 and expires on 6 February 2012. The permit number is SIU-05.
4. Air Emissions – The subject site maintains an Air Facility Registration Certificate for emissions under NYSDEC 6 NYCRR Part 201-4. The registration has an effective date of 5 February 1999 and an ID number of 8-4603-00012/0200.
5. Storm Water – The subject site maintains a “certification of non-exposure” for storm water associated with industrial activities. The certification is dated 11 March 2008, and was acknowledged via letter from NYSDEC dated 18 March 2008 (ID#: HP-ST-01).

SUMMARY

In summary, based on the results of this assessment, we have identified one REC and one SEC associated with the subject site. It is our opinion, based on currently available information, that the neither of these matters appear to represent significant environmental business risk. We have requested additional information under FOIA to further evaluate if RCRA corrective actions may have any residual applicability to the site and will provide this information to Corning on receipt along with notification to the extent this information changes the opinions of significance as stated in this report.

The remainder of this report contains the detailed information regarding the Phase I work performed, the resulting findings summarized above, and any limitations affecting this report.

TABLE OF CONTENTS

| | Page |
|--|--|
| EXECUTIVE SUMMARY | i |
| LIST OF FIGURES | vi |
| 1. INTRODUCTION | 1 |
| 1.1 Purpose | 1 |
| 1.2 Site Identification | 1 |
| 1.3 Detailed Scope of Services | 2 |
| 1.4 Non-Scope Considerations | 2 |
| 1.5 Exceptions and Deviations | 3 |
| 1.6 Limitations | 3 |
| 2. SITE DESCRIPTION | 5 |
| 2.1 Site Ownership and Location | 5 |
| 2.2 Site and Vicinity Description | 5 |
| 2.3 Physical Setting | 6 |
| 3. PREVIOUS REPORTS | 8 |
| 4. SITE HISTORY | 9 |
| 4.1 Past Usage of the Site | 9 |
| 4.2 Past Usage of Adjoining Properties | 10 |
| 5. ENVIRONMENTAL RECORDS REVIEW | 12 |
| 5.1 Standard Environmental Records Review | 12 |
| 5.2 Additional Environmental Records Review | 16 |
| 6. SITE RECONNAISSANCE AND KEY PERSONNEL INTERVIEW(S) | 18 |
| 6.1 Subject Site Observations | 18 |
| 6.2 Adjoining Property Observations | 23 |
| 7. FINDINGS AND CONCLUSIONS | 24 |
| 8. CREDENTIALS | 28 |
| REFERENCES | 29 |
| FIGURES | |
| APPENDIX A - | Haley & Aldrich of New York Proposal dated 28 May 2008 |
| APPENDIX B - | Historical Research Documentation |
| APPENDIX C - | Regulatory Records Information |
| APPENDIX D - | Site Photographs |
| APPENDIX E - | Interview Documentation |

LIST OF FIGURES

| Figure No. | Title |
|-------------------|---------------|
| 1 | Project Locus |
| 2 | Site Plan |

1. INTRODUCTION

1.1 Purpose

The purpose of this assessment was to evaluate site history, existing observable conditions, current site use, and current and historic uses of surrounding properties to identify the potential presence of Recognized Environmental Conditions (RECs) in connection with the subject site. RECs are defined by ASTM as "the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on a property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not recognized environmental conditions."

In addition, the Standard requires that historical RECs (HRECs) and known or suspect environmental conditions are identified in the Phase I report. The standard defines historical RECs as environmental conditions "which in the past would have been considered a recognized environmental condition, but which may or may not be considered a recognized environmental condition currently." The term "known or suspect environmental condition" is not specifically defined in the standard, but is used by Haley & Aldrich to highlight environmentally-related information that is not anticipated to adversely affect the subject site and/or does not rise to the level of an REC.

This Phase I was performed based on client/project specific objectives which are that the required Phase I scope is generally consistent with the ASTM-E1527-00 Phase I Environmental Site Assessment Standard and not the ASTM E1527-05 Standard. Therefore additional inquiry and user provided information specified by the ASTM E 1527-05 was not performed as part of this ESA, and the report does not satisfy the Landowner Liability Protections under CERCLA.

Our conclusions are intended to help the user evaluate the "business environmental risk" associated with the site, defined by ASTM as "a risk which can have a material environmental or environmentally-driven financial impact on the business associated with the current or planned use of a parcel of commercial real estate. Consideration of business environmental risk issues may involve addressing one or more non-scope considerations."

1.2 Site Identification

The subject site is comprised of the approximate 50,000 square foot Steuben Glass Factory owned and operated by Corning, and located at One Steuben Way (formerly 151-171 Centerway), as shown on the Project Locus, Figure 1. Also included as part of the subject site is a leased space used for 90-day hazardous material storage located along Fulton Street.

1.3 Detailed Scope of Services

Haley & Aldrich performed the following detailed scope of services to complete our Phase I assessment:

1. Conducted visual observations of site conditions, and of abutting property use, to evaluate the nature and type of activities that have been or are being conducted at and adjoining to the subject site, in terms of the potential for release or threat of release of hazardous substances or petroleum products.
2. Reviewed federal, state, tribal, and local environmental database information within the ASTM-specified distance from the subject site using a database service to access records. Used 7.5-minute topographic maps to evaluate the subject site's physical setting.
3. Reviewed federal and state environmental files pertaining to the subject site and nearby sites with the potential to impact the subject site.
4. Reviewed the following sources of historical use information: Sanborn Fire Insurance Maps, City Directories, Aerial Photographs, Topographic Maps, and Interviews.
5. Contacted state and local municipal agencies regarding the subject site and surrounding properties and structures.
6. Interviewed the key site manager. Tenant representative interviews were not required as the subject site is operated by the owner.
7. Interpretation of information and data assembled as a result of the above work tasks, and formulation of conclusions regarding the potential presence and impact of Recognized Environmental Conditions (RECs) as defined by the ASTM E 1527-00 Standard.

1.4 Non-Scope Considerations

The ASTM E 1527-00 Standard includes the following list of "additional issues" that are non-scope considerations outside of the scope of the ASTM Phase I practice: Radon, Lead-Based Paint, Lead in Drinking Water, Mold, Wetlands, Regulatory Compliance, Cultural and Historic Risks, Industrial Hygiene, Health and Safety, Ecological Resources, Endangered Species, Indoor Air Quality, and High Voltage Powerlines. These items were not included in our assessment of the property except that limited assessments of currently applicable environmental permits and asbestos containing materials at the site were performed.

A limited assessment of the presence of PCBs is included in the ASTM work scope. Accordingly, our assessment of the presence of PCBs is limited to those potential sources specified in the ASTM Standard as "electrical or hydraulic equipment known or likely to contain PCBs...to the extent visually and or physically observed or identified from the interview or records review."

1.5 Exceptions and Deviations

1.5.1 Exceptions

Haley & Aldrich has completed this assessment in substantial conformance with ASTM E 1527-00, with the exception of access limitations to the batch area of the main factory building. There is specific health & safety clearance and requirements needed to enter that portion of the building due to the use of lead in that area. The key site manager provided a description of what was contained in that area and how hazardous materials were used, and therefore we do not anticipate that this access limitation qualifies our conclusions regarding RECs at the subject site.

1.5.2 Deviations

Haley & Aldrich completed this assessment in substantial conformance with the ASTM E 1527-00 Standard. In our opinion there were no additions made to or deletions made from the ASTM work scope in completing this Phase I.

1.6 Limitations

Our work for this project was performed generally consistent with the ASTM E 1527-00 Standard for Phase I Environmental Site Assessments. Several organizations other than ASTM, such as professional associations (e.g. ASFE and AGWSE) have also developed "guidelines" or "standards" for environmental site assessments. The Phase I presented herein is consistent with the ASTM E 1527-00 Standard, which may vary from the specific "guidelines" or "standards" required by other organizations.

This Report was prepared pursuant to an Agreement dated 28 May 2008 between Corning Incorporated and Haley & Aldrich, which Agreement is attached hereto in Appendix A and is made a part of this Report. All uses of this Report are subject to, and deemed acceptance of, the conditions and restrictions contained in the Agreement. The observations and conclusions described in this Report are based solely on the Scope of Services provided pursuant to the Agreement. Haley & Aldrich has not performed any additional observations, investigations, studies or other testing not specified in the Agreement. Haley & Aldrich shall not be liable for the existence of any condition the discovery of which would have required the performance of services not authorized under the Agreement.

This Report is prepared for the exclusive use of Corning Incorporated in connection with prospective sale of the subject site business assets. There are no intended beneficiaries other than Corning Incorporated. Haley & Aldrich shall owe no duty whatsoever to any other person or entity on account of the Agreement or the Report. Use of this Report by any person or entity other than Corning Incorporated for any purpose whatsoever is expressly forbidden unless such other person or entity obtains written authorization from Corning Incorporated and from Haley & Aldrich. Use of this Report by such other person or entity without the written authorization of Corning Incorporated and Haley & Aldrich shall be at such other person's or entity's sole risk, and shall be without legal exposure or liability to Haley & Aldrich.

Use of this Report by any person or entity, including by Corning Incorporated, for a purpose other than for prospective sale of the subject site business assets is expressly prohibited unless such person or entity obtains written authorization from Haley & Aldrich indicating that the Report is adequate for such other use. Use of this Report by any person or entity for such other purpose without written authorization by Haley & Aldrich shall be at such person's or entity's sole risk and shall be without legal exposure or liability to Haley & Aldrich.

This report reflects site conditions observed and described by records available to Haley & Aldrich as of the date of report preparation. The passage of time may result in significant changes in site conditions, technology, or economic conditions, which could alter the findings and/or recommendations of the report. Accordingly, Corning Incorporated, and any other party to whom the report is provided recognize and agree that Haley & Aldrich shall bear no liability for deviations from observed conditions or available records after the time of report preparation.

Use of this Report by any person or entity in violation of the restrictions expressed in this Report shall be deemed and accepted by the user as conclusive evidence that such use and the reliance placed on this Report, or any portions thereof, is unreasonable, and that the user accepts full and exclusive responsibility and liability for any losses, damages or other liability which may result.

2. SITE DESCRIPTION

2.1 Site Ownership and Location

2.1.1 Name of Site Owner

Corning Property Management Corporation
1 Riverfront Plaza
Corning, New York 14831

2.1.2 Name of Site Operator

Steuben Glass
One Steuben Way
Corning, New York 14831

2.1.3 Project Locus Map

The United States Geologic Survey (USGS) topographic map for the subject site is the Corning, New York Quadrangle, dated 1976 (see Figure 1). The USGS topographic map was used as the source for subject site setting information. The subject site is located in Steuben County.

2.2 Site and Vicinity Description

Figure 2 is a Site Plan of the subject site and shows relevant features of the subject site and immediately adjoining properties, as described below.

- The subject site consists of an approximate 50,000 square foot factory building/office (Steuben Factory), a small strip of parking, and a small courtyard area. Also part of the subject site is a leased warehouse space that is approximately 13,000 square feet, and located at 14 Museum Way (a.k.a. Fulton Street) to the southwest of the main subject site property (Fulton Street Warehouse).
- Four air handling units and two roof-top units provided heat to the main Steuben Factory building. The roof units are powered with natural gas. The air handling units provide heat using steam generated from adjoining museum property. Air conditioning is powered by electricity. The Fulton Street warehouse is heated with natural gas and cooled via electricity.
- The subject site is zoned Business District (BD).
- The remainder of the subject site is sidewalk, parking lot, and a small courtyard area.
- The area in the vicinity of the subject site is generally characterized as a mix of urban commercial and residential.

- The subject site is situated with the Corning Incorporated Houghton Park Industrial Complex and is immediately bordered by the following facilities:

North: A bus and RV parking lot used by the Corning Museum of Glass beyond which is the Corning C-Building, which is used for offices.

South: The Corning Museum of Glass (adjacent) beyond which is lawn space, Fulton Street/Museum Way and the Corning Family YMCA.

East: Centerway, beyond which are residential properties.

West: A parking lot beyond which are Corning Incorporated buildings A and B, which are used for offices, storage, and as design studio for the Corning Museum of Glass.

2.3 Physical Setting

Subsurface explorations were not performed for this Phase I assessment; therefore, subject site geology and hydrology were evaluated on the basis of readily available public information or references, and/or based upon our experience and understanding of subsurface conditions in the subject site area.

2.3.1 Topography

Topographically, the subject site is flat and at an elevation of approximately 934 ft. above sea level (USGS 7.5' Digital Elevation Model).

2.3.2 Geology

A review of the EDR report and Soil Map for the area indicated that the subject site vicinity is underlain by Tioga Silt loam soils. Tioga silt loams are well drained soils that are generally free of stone fragments within the top 4 feet. During normal times, the depth to groundwater is within 10 feet of the surface. Geologic information indicates that rocks in the area are from the Paleozoic era, the Devonian system, and the Upper Devonian series. The rock is described as a stratified sequence.

2.3.3 Hydrology

Based on surface topography and site observations, surface water at the subject site appears to flow to catch basins in the surrounding parking lots. Also based on topography, regional groundwater flow is anticipated to be to the south, generally toward the Chemung River, located approximately 1/4 mile from the subject site. Hydrogeologic investigations were not performed on the subject site during this Phase I assessment; therefore, it is unknown to what extent localized variations in groundwater depth and flow occur on the subject site.

According to the Environmental Data Resources (EDR) report for the subject site, the subject site is not located within a floodplain. The subject site is serviced by public water provided by the City of Corning. Sewerage is also provided by the City of

Corning. There were no monitoring or pumping wells observed or reported to be present on the subject site. A water supply well does provide chilled water for the air conditioning system. Reportedly the supply well is located on the Houghton Industrial Complex and is not present on the subject site.

3. PREVIOUS REPORTS

Prior to and during the site visit, Haley & Aldrich inquired about the possible availability of any previously prepared reports for the subject site, and we were informed that no prior reports existed for the subject site. Two letters were provided related to asbestos abatement and the subject site's RCRA status and are summarized below.

- **Letter regarding "Asbestos Abatement Project Monitoring, Steuben Glass - February 25-March 7, 2008, WIP Room-Duct Removal, Colden Project No. 08195," dated 3 April 2008 from Colden Corporation Occupational Health, Safety & Environmental Consultants.**

This letter summarized an asbestos abatement that occurred in the Steuben Glass Work In Progress (WIP) room that was overseen by Colden Corporation. The abatement involved the removal of duct work with asbestos-containing tape and occurred between 25 February 2008 and 7 March 2008. The work was conducted by LVI of Rochester in accordance with ICR56. Clearance sampling was conducted on 7 March 2008 in accordance with ICR56 by Colden. The asbestos waste was disposed of by Corning Incorporated at a licensed sanitary landfill.

- **Letter regarding "Closure of Corning Incorporated, Steuben Facility EPA Identification Number: NYD000824359." Dated 20 October 1992 from the New York State Department of Environmental Conservation.**

This letter was written regarding the Steuben Factory's listing as a RCRA Corrective Action site. The letter indicated that the regulated storage facility was properly closed as accepted by the New York State Department of Environmental Conservation (NYSDEC) by letter to Corning dated October 1992. However, the NYSDEC letter that approved closure also indicated that requirements for corrective action under HSWA Section 30008 (h) had not been fulfilled as of the date of the NYSDEC approval letter (October 1992) and that follow up would be necessary to demonstrate that the corrective action requirements have been met.

The letter also indicated that PCBs were present in soil near a storage pad based on closure sampling performed that were suspected to be linked to nearby transformers. The letter indicated that the soil "will be remediated under the Department's Remediation Program." There were no additional records or information available during the Phase I related to this matter or specifically confirming if the PCB soil was remediated.

According subject site personnel, the PCBs were associated with the NYSEG owned and operated substation located to the immediate west of the Fulton Street Warehouse, and to the southwest of the Steuben Factory Building.

4. SITE HISTORY

4.1 Past Usage of the Site

Haley & Aldrich assessed past usage of the subject site through a review of Sanborn Fire Insurance Maps dated 1893, 1898, 1903, 1908, 1913, 1921, 1930, 1948, and 1968; Topographic Maps dated 1914, 1953, and 1969, Aerial Photographs dated 1960, 1973, 1982, 1986, 1999, and 2006; City Directories dated 1903 – 2006, and tax records. Copies of historical references reviewed are included in Appendix B.

According to the tax records and interviews with the key site personnel for the subject site, the main Steuben Factory building was initially constructed in 1951, and the Fulton Street Warehouse was constructed in 2007, replacing an older warehouse building dating to the 1950s. Refer to the table below for a more detailed history of the subject site.

| Years | Site Description | Source |
|----------------|--|--|
| 1893 – 1925 | During this period the City Directories, and Sanborn maps did not cover the subject site specifically, and only provided information about surrounding properties. Given this, it is unlikely that the subject site was heavily developed. A topographic map from 1914 showed some development to the north of the Chemung River in the subject site area, likely residential. There was some development to the south of East Pulteney Road which consisted of residential dwellings. | Sanborn Fire Insurance Maps; City Directories; Topographic Maps. |
| 1925 – 1950 | The subject site remained likely developed to some extent with residences during this time; however there may have been additional development in the immediate vicinity at this time as noted in the City Directories. By 1941 a property known as the Corning Bowling Center was present at 32-34 Pine street (later Centerway), and by 1944, that property became the Corning Glassworks Storage. It is unclear whether or not that property was later to become the subject site. | Sanborn Fire Insurance Maps; City Directories |
| 1950 – Present | The subject site was developed in 1951 as part of the Corning Glass Works/Center (at 151-171 Centerway). The Corning Museum of Glass, the adjacent building to the south appears to have been developed post 1960. The subject site appeared generally unchanged since that time. | Sanborn Fire Insurance Maps; City Directories; Tax Records; Interviews; Topographic Maps |

4.2 Past Usage of Adjoining Properties

Haley & Aldrich assessed past usage of the adjoining properties through a review of Sanborn Fire Insurance Maps dated 1893, 1898, 1903, 1908, 1913, 1921, 1930, 1948, and 1968; Topographic Maps dated 1914, 1953, and 1969, and 1990; Aerial Photographs dated 1960, 1973, 1982, 1986, 1999, and 2006; and City Directories dated 1903 – 2006. Copies of historical references reviewed are included in Appendix B.

| Years | Site Description | Source |
|-------------|---|--|
| 1893 – 1925 | During this period there were no listings in the City Directories for the immediate area. According to the Sanborn Maps, the Corning Brick and Terra Cotta Supply Company was present to the southwest of the subject site prior to 1893. The remaining portions of the surrounding properties appeared to generally be residential in nature. In the early 1910s, the Merchants Oil Company became present along E. Pulteney Street and to the west of the subject site. By 1921, there were at least two oil tanks on the Merchants property. | Sanborn Fire Insurance Maps; City Directories; Topographic Maps. |
| 1925 – 1950 | By 1930, the Merchants Oil Company had at least five oil tanks on the property. Prior to 1948 the former Brick and Terra Cotta Supply Company became Duke, Van Dusen & Duke, Inc., a lumber and building supply company. Also by 1948, the Merchants oil property became a H.E. Herritt Whole & Retail Filling Station, and just to the north of that was an additional filling station (was formerly a dwelling). Both filling stations were west of the subject site and along E. Pulteney Street. According to City Directories the following properties were present along Centerway (referred to as Pine Street during this time) north of the Chemung River for some period of time during this timeframe: Miller's Service Station, Crystal Miniature Golf, the State Armory, Corning Bowling Center, Lewis V. Tubbs Gasoline, Luckner's Service Station, Corning Glass Works storage, residences/apartments, Jones Motor Company, Carrol Bros Motors, and/or a skating rink. | Sanborn Fire Insurance Maps; City Directories |
| 1950 – 1975 | By 1968, the immediately surrounding properties, with the exception of the Corning Glass Museum (which was added onto in the 1980s) was developed as it is today. Also in 1968, a filling station was present at the corner | Sanborn Fire Insurance Maps; City Directories; Aerial Photographs; Topographic Maps. |

| | | |
|----------------|---|---|
| | <p>of Fulton Street and Centerway, just south of the Corning Glass Works property.</p> <p>According to City Directories, the following properties were present along Centerway, north of the Chemung River for some period of time during this timeframe: parking lots, Rohde's Rotary Station, Corning Museum of Glass, various car dealerships, Hertz, Jack's Esso Services, Finger Lakes Auto Club, AAA, and/or the NY National Guard Armory.</p> | |
| 1975 - Present | <p>With the exception of developments to the Corning Museum of Glass, the construction of the surrounding properties remained fairly unchanged during this time period.</p> <p>According to City Directories, the following properties were present along Centerway, north of the Chemung River for some period of time during this timeframe: Corning Museum of Glass, YMCA, Christian Association, Steuben Glass Shop, Hertz, Exxon, and/or parking lots.</p> | City Directories, Aerial Photographs |

5. ENVIRONMENTAL RECORDS REVIEW

5.1 Standard Environmental Records Review

Haley & Aldrich used the electronic database service Environmental Data Resources (EDR) to complete the environmental records review. The database search was used to identify properties that may be listed in the referenced agency records, located within the ASTM-specified approximate minimum search distances as shown in the table below. Section 5.1.1 presents a description of each database searched.

| Database Searched | Approximate Minimum Search Distance | Subject Site Listed? | Number of Sites within Search Distance |
|--|-------------------------------------|----------------------|--|
| NPL Sites | 1 mile | No | 0 |
| Delisted NPL Sites | 0.5 mile | No | 0 |
| CERCLIS Sites | 0.5 mile | No | 0 |
| CERCLIS-NFRAP Sites | 0.5 mile | No | 0 |
| Federal ERNS | Site only | No | n/a |
| RCRA non-CORRACTS TSD Facilities | 0.5 mile | No | 0 |
| RCRA CORRACTS TSD Facilities | 1 mile | Yes | 2 |
| RCRA Generators | Site & Adjoining | Yes | 1 |
| Federal Institutional Controls/Engineering Controls | Site Only | No | n/a |
| State and Tribal Equivalent NPL/CERCLIS Sites | 1 mile | No | 1 |
| State and Tribal Registered Storage Tanks | Site & Adjoining | No | 0 |
| State and Tribal Landfills and Solid Waste Disposal Sites | 0.5 mile | No | 0 |
| State and Tribal Leaking Storage Tanks | 0.5 mile | No | 3 |
| State and Tribal Institutional Controls/Engineering Controls | Site Only | No | 0 |
| State and Tribal Voluntary Cleanup Sites | 0.5 mile | No | 1 |
| State and Tribal Brownfield Sites | 0.5 mile | No | 0 |
| NY Spills | 0.5 mile | No | 23 |

The Environmental Data Resources (EDR) report also contains search results of other State environmental databases that are relevant to the subject site.

Haley & Aldrich also searched the Orphan Site List provided in the EDR report for the subject site and sites adjoining the subject site. Orphan sites are those that, due to incorrect or

incomplete addresses, could not be mapped. Neither the subject site nor adjoining properties were identified on the Orphan Site List. The complete environmental database report is provided in Appendix C.

5.1.1 Descriptions of Databases Searched

Numerous regulatory databases were searched during this Phase I assessment. Each database reviewed is described in the EDR report presented in Appendix C. Those databases required by the ASTM E 1527-05 Standard are identified below.

1. **NPL Sites:** The National Priorities List (NPL) is a list of contaminated sites that are considered the highest priority for cleanup by the U.S. Environmental Protection Agency (USEPA).
2. **Delisted NPL Sites:** The Delisted National Priorities List (NPL) is a list of formal NPL sites formerly considered the highest priority for cleanup by the USEPA that met the criteria of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP) for deletion from the NPL because a no further response was appropriate.
3. **CERCLIS Sites:** The Comprehensive Environmental Response, Compensation, and Liability Act Information System (CERCLIS) list identifies sites which are suspected to have contamination and require additional investigation to assess whether they should be considered for inclusion on the NPL.
4. **CERCLIS-NFRAP Sites:** CERCLIS-NFRAP status indicates that a site was once on the CERCLIS List but has No Further Response Actions Planned (NFRAP). Sites on the CERCLIS-NFRAP List were removed from the CERCLIS List in February 1995 because, after an initial investigation was performed, no contamination was found, contamination was removed quickly, or the contamination was not significant enough to warrant NPL status.
5. **Federal ERNS:** The Federal Emergency Response Notification System (ERNS) list tracks information on reported releases of oil and hazardous materials.
6. **RCRA non-CORRACTS TSD facilities:** The Resource Conservation and Recovery Act (RCRA) non-CORRACTS TSD Facilities List tracks facilities which treat, store, or dispose of hazardous waste and are not associated with corrective action activity.
7. **RCRA CORRACTS TSD facilities:** The RCRA CORRACTS TSD Facilities list catalogues facilities that treat, store, or dispose of hazardous waste and have been associated with corrective action activity.
8. **RCRA Generators:** The RCRA Generator list is maintained by the USEPA to track facilities that generate hazardous waste.

9. **Federal Institutional Controls/Engineering Controls:** The Federal Institutional Control list and Engineering Control list are maintained by the USEPA. Some Institutional Control and Engineering Control information may not be made publicly available and therefore will not be included on this registry.
10. **State and Tribal Equivalent NPL Sites:** The (ASTM E 1527-05 Standard) requires searching "State and Tribal Equivalent NPL Sites." In New York, the equivalent to the Federal NPL list is the State Hazardous Waste Site list, which is maintained by the New York State Department of Environmental Conservation. The subject site is not within tribal jurisdiction.
11. **State and Tribal Equivalent CERCLIS Sites:** The (ASTM E 1527-05 Standard) requires searching "State and Tribal Equivalent CERCLIS Sites." In New York, the State Hazardous Waste Site list is also the equivalent to the Federal CERCLIS list. Additionally, all releases of petroleum and hazardous materials to the environment are recorded on the New York Spills list. Both lists are maintained by the New York State Department of Environmental Conservation. The subject site is not within tribal jurisdiction.
12. **State and Tribal Registered Storage Tanks:** The New York State Department of Environmental Conservation maintains a list of registered aboveground and underground storage tanks. The subject site is not within tribal jurisdiction.
13. **State and Tribal Landfills and Solid Waste Disposal Sites:** New York State Department of Environmental Conservation maintains a list of regulated waste disposal sites. The subject site is not within tribal jurisdiction.
14. **State and Tribal Leaking Storage Tanks:** The New York State Department of Environmental Conservation maintains a list of Leaking Storage Tanks (LUST/LAST). The LUST/LAST lists are a listing of release sites that have an Underground or Aboveground Storage Tank listed as the source. In New York, all releases of petroleum and hazardous materials to the environment are listed on the New York Spills list. Some releases, where a storage tank was named as a source, are also listed on the LTANKS list. The subject site is not within tribal jurisdiction.
15. **State and Tribal Institutional Controls/Engineering Controls:** The New York State Department of Environmental Conservation maintains an online database that includes a listing of sites with Institutional/Engineering Controls. The subject site is not within tribal jurisdiction.
16. **State and Tribal Voluntary Cleanup Sites:** The New York State Department of Environmental Conservation maintains a list of Voluntary Cleanup sites. The subject site is not within tribal jurisdiction.

17. **State and Tribal Brownfield Sites:** The New York State Department of Environmental Conservation maintains a list of Brownfield sites which includes any property where a redevelopment or re-use may be compromised by the presence or presumed presence of hazardous materials or petroleum. The subject site is not within tribal jurisdiction.
18. **Other Site-Specific Databases Searched (New York Spills):** In New York, all releases of petroleum and hazardous materials to the environment are listed on the New York Spills list. The New York State Department of Environmental Conservation maintains this list.

5.1.2 Detailed Description of Relevant Subject Site Listings

The subject site is listed as a RCRA Large Quantity Generator (LQG) and as a RCRA CORRACTS site. With regard to the subject site's generator status, the subject site uses, stores, and disposes of lead as part of their crystal manufacturing. The subject site has received 4 compliance and/or record review violations between 1990 and 2000. According to the database report, all of the violations achieved compliance (consistent with information obtained at the site during this Phase I).

With regard to the CORRACTS listing, the subject site is listed under CORRACTS in the database report assigned with a "low RCRA corrective action priority" as of 1994. As summarized in Section 3 above, this listing is related to the prior status of the Steuben Factory as an Interim Status hazardous waste storage facility. Records provided by Corning indicate that the regulated storage facility was properly closed as accepted by the NYSDEC in October 1992. The NYSDEC letter that approved closure indicated that requirements for corrective action under HSWA Section 3008 (h) had not been fulfilled as of the date of the NYSDEC approval letter (October 1992). A copy of this letter is provided in Appendix C. There were no additional records or information available during the Phase I related to the RCRA correction action process for this facility.

As noted in Section 5.2 below, Haley & Aldrich has submitted a Freedom of Information Act (FOIA) request to the NYSDEC as part of this Phase I, requesting additional regulatory information for the subject site including any historical records that may be related to the RCRA corrective action process for this site. As of the date of this report the response to the FOIA request has not been processed or responded to by the NYSDEC so no additional information is available at this time.

5.1.3 Detailed Descriptions of Relevant Nearby Site Listings

The database search identified multiple additional sites within the prescribed search radii. Based on the proximity of the site to the Chemung River, which creates a hydrologic divide between properties on the opposite (south) side of the river with respect to the subject site, some of the sites do not appear to have the potential to adversely affect the subject site. In addition, sites not directly upgradient with respect to inferred groundwater flow (to the south) or in the immediate vicinity of the subject site are not likely to adversely affect the subject site. Only those sites that are

associated with an open release or regulatory action in the immediate vicinity and/or adjacent to the subject site are described below. Refer to the database report in Appendix C, for a full listing of identified sites.

Corning Inc. Parking Lot, Pulteney Street/Center, Corning, NY (Map ID: 5): A leaking storage tank (LTANK) was encountered in the parking lot at Pulteney Street and Centerway, located approximately 1/16 of a mile to the northeast of the subject site in September 1999 during grading activities. A 2,000 gallon gasoline underground storage tank was removed from that location. According to the comments in the EDR Report, the tank was found to be in good condition; however there was an apparent release from the tank's piping. Approximately 250 tons of soil was excavated and disposed of at Steuben County Landfill. The results of confirmation sampling indicated that residual impacts were "well within STARS criteria." The spill file was closed 20 September 2000. Given the status of this release, it's not anticipated that the former storage tank has adversely impacted the subject site.

Loohns Corning, 37 East Pulteney Street, Corning, NY (Map ID: G18): The Loohns facility located approximately 1/8 mile to the west of the subject site is a former dry cleaning facility listed as a state hazardous waste site (SHWS) and classified as having "significant threat to the public health or environment - action required." Reportedly tetrachloroethene (PCE) was detected in groundwater above NYSDEC standards and PCE and 1,1,1-trichloroethane were encountered in soil vapor. PCE was also detected in sub slab vapor samples. Given that the distance from the subject site and considering that the Loohns property is likely crossgradient with respect to the subject site, it is not anticipated that the releases at the Loohns property have materially impacted the subject site.

5.2 Additional Environmental Records Review

To supplement the (ASTM E 1527-05 Standard) environmental record sources, we contacted the following state and local government agencies, and/or reviewed the following additional sources:

5.2.1 New York State Department of Environmental Conservation

To date, no responses have been received from the FOIA requests to the New York State Department of Environmental Conservation that was sent on 25 June 2008. Based on the information obtained through our interviews with key site personnel, and our review of other records, it does not appear that responses to the FOIA requests should affect our conclusions regarding RECs on the site. However, when a response is received, and if it affects our conclusions regarding the site, Corning Incorporated will be informed.

5.2.2 New York State Department of Health

To date, no responses have been received from the FOIA requests to the New York State Department of Health that was sent on 25 June 2008. Based on the information obtained through our interviews with key site personnel, and our review of other records, it does not appear that responses to the FOIA requests should affect our

conclusions regarding RECs on the site. However, when a response is received, and if it affects our conclusions regarding the site, Corning Incorporated will be informed.

5.2.3 City of Corning Tax Assessor

Copies of the subject site tax records were obtained from an online City of Corning tax records database that was accessed on 23 June 2008. A copy of the tax record for the property is included in Appendix B. Relevant information from those records is summarized in Sections 2 and 4 of this report.

5.2.4 City of Corning City Hall

The City of Corning City Offices including the Planning Department, Public Works Department, and Fire Marshall were visited on 26 June 2008. City personnel were interviewed. No records pertaining to the use or storage of petroleum products or hazardous materials were reported.

5.2.5 City of Corning Public Library

The City of Corning Public Library was visited on 26 June 2008, and City Directories dated 1903 through 2006 were reviewed with respect to the subject site and surrounding properties. The information obtained from the City Directories is included in Section 4 above.

5.2.6 Steuben County Soil Water Conservation District

The Steuben County Soil Water Conservation District was visited on 26 June 2008. Copies of historical aerial photographs were obtained. The aerials are used in Section 4 above and included in Appendix B.

5.2.7 User-Provided Information

The ASTM Standard requires disclosure in the Phase I report whether the user of the report has specialized knowledge about previous ownership or uses of the property that may be material to identifying RECs, or whether the user has determined that the property's Title contains environmental liens or other information related to environmental condition of the property, including engineering and institutional controls and Activity and Use Limitations, as defined by ASTM. In addition, we are required by the ASTM Standard to inquire whether the user of the report has prior knowledge that the price of the property has been reduced for environmentally-related reasons. As of this report preparation, Haley & Aldrich has not been informed by the user that there are liens or other information about the environmental condition of the property in the Title. In addition, the user has not indicated specialized knowledge about previous ownership or uses of the property that may be material to identifying RECs, and has not indicated that the price of the property has been reduced for environmentally-related reasons.

6. SITE RECONNAISSANCE AND KEY PERSONNEL INTERVIEW(S)

A site visit to observe property conditions was conducted by Claire L. DeBergalis of Haley & Aldrich of New York on 26 June 2008. Access to the subject site was provided by Ms. Carol Ann Carlson of Steuben Glass. Haley & Aldrich personnel observed accessible interior areas of the subject site building(s), including common areas, basement areas, and mechanical spaces. Haley & Aldrich also observed the exterior portions of the subject site, including the property boundaries, and observed adjoining property conditions from the subject site boundaries and/or public thoroughfares. No weather-related conditions or other conditions that would limit our ability to observe the subject site or adjoining properties occurred during our site visit, with the exception of access limitations to the batching area due to health & safety restrictions. Based on information provided by the Key Site Manager (as summarized below), it is not anticipated that this lack of access has materially impacted our conclusions regarding RECs at the subject site.

An interview with Ms. Carol Ann Carlson, the Environmental Health and Safety Coordinator for Steuben Glass, and Mr. Jesse Kendall, the Facilities Manager as the key site managers, was conducted on 26 June 2008. The findings of the site visit and interviews are discussed below. Site photographs are included in Appendix D and interview documentation is included in Appendix E.

ASTM Section 9.8 requires that, prior to the site visit, the current site owner or Key Site Manager and user, if different from the current owner or Key Site Manager, be asked if there are any helpful documents that can be made available for review. These consist of environmental site assessment reports, audits, permits, tank registrations, Material Safety Data Sheets, Community Right-to-Know plans, safety plans, hydrogeologic or geotechnical reports, or hazardous waste generator reports. We made such a request, and were provided with copies of environmental permit records, asbestos reports and RCRA Corrective Action correspondence, all of which are summarized in preceding sections of this report.

6.1 Subject Site Observations

6.1.1 Current Use of the Property

The subject site is currently used for the design and manufacturing of glass and leaded crystal products and for offices. The subject site also includes leased warehouse space in a separate building that is used as a storage facility including as a 90-day hazardous materials storage facility.

6.1.2 General Description of Structures

The subject site is comprised of two main properties – the Steuben Factory building, which is owned and operated by Corning/Steuben Glass, and the Fulton Street Warehouse, which is owned by Corning Incorporated and leased and operated by Steuben Glass.

The Steuben Factory building is approximately 50,000 square feet, is two stories, and includes a basement level. The Steuben Factory building is used for the design and manufacturing of glass and leaded crystal items and for offices.

The Fulton Street Warehouse is part of an approximately 13,000 square foot, one story building. It is used exclusively for warehouse and storage, including as a 90-day hazardous materials storage facility.

6.1.3 Potable Water Supply and Sewage Disposal System or Septic Systems

The subject site is serviced by the City of Corning, which provides both public water and a sewerage connection. A water supply well does supply chilled water for the air conditioning system. The water supply well is reportedly located on the Houghton Industrial Complex and not on the subject site.

6.1.4 Use, storage, and disposal of Petroleum Products and Hazardous Materials

The following hazardous materials are stored onsite:

- Lead – The facility utilizes solid lead material in glass manufacturing, which creates lead-containing solid and liquid waste streams. The lead material is stored in 55 gallon drums staged on wooden pallets. Lead that is awaiting future use is kept in the Fulton Street Warehouse. Lead that is awaiting immediate use in the facility is stored within the hazardous materials storage area within the Steuben Factory. When it is ready for use, it is transported via elevator to the second floor batch area where it is mixed with other raw materials used in the glass making process and then this batch is introduced into the molten glass in the glass tank. Waste lead-containing materials, such as filter cake from the wastewater treatment system, dust from the bag house, lead impacted waste glass materials (cullet), etc. are stored temporarily in the fenced-in, covered area in the courtyard of the Steuben Factory, and then transported to the fenced-in area within the Fulton Street Warehouse. From the Warehouse, the lead-containing waste is disposed at a permitted treatment, storage and disposal facility (TSDF). All waste shipments are documented via hazardous waste manifest.

The following materials are classified as non-hazardous and are stored/used onsite:

- Glass Manufacturing Materials – Antimony, potassium carbonate, potassium nitrate, sodium carbonate, lithium carbonate, and sand are used as part of the glass manufacturing process and stored in bags both in the Steuben Factory hazardous materials storage area within the building (when needed for immediate use), and in the Fulton Street Warehouse (when needed for future use).
- Lube Oil/Waste Oil – Small amounts of lube oil are used to maintain the manufacturing equipment. Waste oil is collected in drums located within the fenced-in temporary storage area in the Steuben Factory courtyard before it is removed via contractor.
- Mineral Oil – Mineral oil is used to power the small lift that transports the reusable stream cullet from the basement to the upper manufacturing floors in the Steuben Factory.
- Wastewater Treatment Chemicals – These consist mainly of lime used to neutralize the pH of the wastewater as well as polymer and flocculent for solids removal. This is stored near the wastewater treatment machinery in the Steuben Factory building.

- Cleaning Products – Household-sized containers of cleaning products are stored in the janitorial spaces in the Steuben Factory building.
- Polishing Chemicals – Polishing chemicals include pumice and aluminum oxide, which are used for finishing the glass pieces. These items are stored in drums in the finishing area of the Steuben Factory building.
- Paints & Glues – Small household-sized containers of paints, primers, and glues are stored in the Monair Room and Gold Room (finishing rooms) in the Steuben Factory building. These items are used for decorating and finishing the crystal pieces.
- Miscellaneous – The following were encountered in small household-sized amounts in either the maintenance area, storage room, or in metal fire-retardant cabinets within the Steuben Factory Building: PVC glue, pipe putty, lime, alcohol, Factra oil, cutrisol, kerosene, and sandable primer.

The above listed materials appeared to be stored properly and in good condition. Leaks or spills of these materials were not evident or reported during the site visit.

6.1.5 Storage Tanks

Petroleum or chemical bulk storage tanks were not observed or reported at the subject site. The subject site is serviced by hot steam provided by the adjacent museum, electricity, and natural gas. According to Ms. Carlson and Mr. Kendall, petroleum or chemical bulk storage tanks are not present at the subject site, and there is no record of historical tanks being present or removed from the subject site.

6.1.6 Odors

Unusual odors were not detected during the site visit.

6.1.7 PCBs Associated with Electrical or Hydraulic Equipment

PCB use onsite was not reported or observed during the site visit. All transformers are reportedly dry-type.

6.1.8 Unidentified Substance Containers

Unidentified substance containers were not observed during the site visit.

6.1.9 Heating and Cooling System

Four air handling units and two roof-top units provided heat to the main Steuben Factory building. The roof units are powered with natural gas. The air handling units provide heat using steam generated from adjoining museum property. Chilled water powers the air conditioning system. The water is provided from a supply well that is reportedly located on the Houghton Industrial Complex and not on the subject site. The Fulton Street warehouse is

heated with natural gas and cooled via electricity. Natural Gas and Electricity are provided by New York State Electric and Gas (NYSEG).

6.1.10 Stains or Corrosion on Floors, Walls, or Ceilings

Other than minor water spills noted in the Steuben Factory building and some water spills noted in the basement, staining on the floors, walls, and/or ceilings were not observed.

6.1.11 Floor Drains and Sumps

There is a sump in the basement. Water from floor and trench drains in the basement discharge to the sump and then goes to the city sewer system. Several other floor drains are located throughout the Steuben Factory building. The floor drains on the factory floor and in the finishing area discharge to the wastewater treatment area, and following treatment, the water is discharged to the city sewer. Other drains, such as sanitary drains discharge directly to the sanitary sewer.

A floor drain was observed in the Fulton Street Warehouse. According to Ms. Carlson, floor drains in the Fulton Street Warehouse discharge directly to the city sewer system.

6.1.12 Hydraulic Elevators

There is one electric freight elevator in the Steuben Factory building, and two electric dumbwaiters.

6.1.13 Vehicle Maintenance Lifts

There are no vehicle maintenance lifts in the buildings; however there is a small lift that utilizes mineral oil. The lift is used to transport stream cullet from the basement to the factory floor.

6.1.14 Emergency Generators and Sprinkler System Pumps

The subject site has two emergency generators both powered by natural gas. There is one sprinkler system, which is powered by city water pressure.

6.1.15 Catch Basins

Catch basins were observed in the parking lot and courtyard. Evidence of oil or hazardous materials within the catch basins was not observed during the site visit. The catch basins as well as other storm water reportedly discharges to the river.

6.1.16 Dry Wells

Dry wells were not observed or reported to be present at the subject site.

6.1.17 Pits, Ponds, Lagoons, and Pools of Liquid

Pits, ponds, lagoons, or pools of liquid were not observed during the site visit.

6.1.18 Stained Soil or Pavement

Stained soil or pavement was not observed during the site visit.

6.1.19 Stressed Vegetation

Stressed vegetation was not observed in the vicinity of the subject site.

6.1.20 Solid Waste and Evidence of Waste Filling

The following solid waste is generated at the facility and managed as described below:

- Cullet – Cullet consists of pieces of glass. There are two types of cullet – Regular and Stream. Regular cullet is waste glass that has been touched by machinery and therefore impacted and not suitable for reuse. This cullet is collected onsite and sent out for recycling. Stream cullet is glass that is untouched and therefore suitable for reuse. It is collected and recycled onsite.
- Hazardous Waste – Hazardous wastes consists of materials impacted by lead. Hazardous waste is stored for 90-days either in the covered temporary storage area in the courtyard of the Steuben Factory in the Fulton Street Warehouse. The wastes are disposed of offsite under hazardous waste manifests to commercial hazardous waste disposal facilities. These wastes are generally described as follows:
 - Filter Cake – Filter cake is generated from the wastewater treatment process.
 - Waste Glass – This includes cullet and other waste glass impacted by lead.
 - Bag house dust – This is dust collected from the air pollution abatement system (baghouse).
 - Other lead impacted dusts and materials – Other materials accumulated from the manufacturing process impacted by lead, including scrap pieces and glass fines.
- Universal Waste – Universal wastes, such as fluorescent light bulbs are periodically generated as part of normal building maintenance and disposed of at a licensed facility.
- Municipal Trash – General trash is collected in dumpsters and transported regularly to the Steuben County Landfill.

Corning Incorporated audits and maintains agreements with various companies for transportation and disposal of waste materials generated at the site.

6.1.21 Wastewater and Storm Water Discharge

Wastewater from the basement discharges to floor drains and trench drains and then to the sump, which discharges to the sanitary sewer. Process water is collected in drains in the finishing and manufacturing areas, which then discharges to the wastewater treatment system. The treated water is then discharged to the sanitary sewer under an Industrial Sewer Use

Permit and the applicable Industrial Pretreatment Requirements for the Glass Manufacturing Point Source Category under EPA Regulations 40 CFR Part 426.

Non-contact water used for cooling stream cullet is discharged directly to the sanitary sewer. Water used for cooling other cullet is intercepted by the wastewater treatment system prior to discharge to the sanitary sewer.

Sanitary wastewater discharges directly to the sanitary sewer.

Storm water discharges to catch basins in the parking lot and to the streets, and then ultimately to the Chemung River.

6.1.22 Monitoring, Water Supply, or Irrigation Wells

Monitoring, water supply, or irrigation wells were not observed or reported at the subject site.

6.1.23 Sanitary Sewer and Septic Systems

The subject site is serviced by the City of Corning, which provides both public water and sewerage. Septic systems were not observed or reported to be currently or formerly present on the subject site.

6.1.24 Asbestos

According to site personnel, asbestos-containing building materials (ACBMs) are present within the subject site building in the form of tile mastic, roofing materials, tar sealer and duct insulation, siding, flashing material, piping insulation, and wiring insulation. The materials are reported to be in good conditions and are maintained, labeled and regularly inspected by the facilities personnel. The most recent inspection occurred on 23 January 2008.

Facility personnel indicated that ACBM abatement activities have occurred in the past at the facility in response to building maintenance and other activities and have generally involved small projects. The most recent ACBM abatement occurred in February and March of 2008 as documented in a report by the Colden Corporation.

Based on visual inspection of the facility during the site visit, damaged and/or friable asbestos-containing materials were not observed.

6.2 Adjoining Property Observations

The subject site is generally surrounded by Corning offices and studios, and the Corning Museum of Glass. Evidence of potential environmental impacts from these properties as visually observed from the subject site was not noted during the site visit.

7. FINDINGS AND CONCLUSIONS

Haley & Aldrich of New York (Haley & Aldrich) has performed a Phase I environmental site assessment (Phase I) of the Corning Incorporated – Steuben Factory located at One Steuben Way, (herein referred to as the “subject site”) in Corning, New York. The scope of work is described and conditioned by our proposal dated 28 May 2008. As indicated in our proposal, this Phase I ESA was performed based on client/project specific objectives which are that the required Phase I scope is generally consistent with the ASTM-E1527-00 Phase I Environmental Site Assessment Standard and not the ASTM E1527-05 Standard. Therefore additional inquiry and user provided information specified by the ASTM E 1527-05 will not be performed as part of this ESA, and the report will not satisfy the Landowner Liability Protections under CERCLA. Any exceptions to, or deletions from, this practice are described in Section I of this report. Our conclusions regarding the potential impact of RECs on the subject site are intended to help the user evaluate the “business environmental risk” associated with the site, as defined in the ASTM E 1527-00 Standard and discussed in the Introduction section of this report.

The subject site consists of the approximate 50,000 square foot Steuben Glass Factory that is owned and operated by Corning Incorporated (Corning) for manufacturing of glass and leaded crystal products and referred to herein as the subject site. The subject site building contains office space, design space, and glass crystal manufacturing operations. The subject site includes the factory building, a small employee parking lot and outdoor courtyard area located to the northwest of the building, all of which is encompassed within the Corning manufacturing complex know as Houghton Park. The Steuben Factory building was originally constructed in 1951 and expanded and remodeled in 1996/1997. Prior to 1951, the subject site property appears to have been used mainly for residential purposes or was undeveloped. The Steuben Factory also maintains offsite lease space (from Corning) in a portion of a newly constructed warehouse facility located a short distance from the Steuben Factory and referred to as the Fulton Street Warehouse. This lease space has been used by the Steuben Factory since 2007 for storage of products including as a 90-day hazardous waste storage facility mainly for lead-containing materials generated from glass making operations.

RECOGNIZED ENVIRONMENTAL CONDITIONS

The goal of the ASTM E 1527-00 Standard practice is to identify Recognized Environmental Conditions (RECs), defined in the Standard as “the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on a property or into the ground, groundwater, or surface water of the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not recognized environmental conditions.”

This assessment has revealed no evidence of recognized environmental conditions currently in connection with the property, with the exception of one REC described below.

REC #1: RCRA Corrective Actions
Potential Impact: Low

Description: The Corning Steuben Factory is listed under CORRACTS in the database report obtained for this Phase I and assigned with a "low RCRA corrective action priority" as of 1994. This listing is related to the prior status of the Steuben Factory as an Interim Status hazardous waste storage facility. Records provided by Corning indicate that the regulated storage facility was properly closed as accepted by the New York State Department of Environmental Conservation (NYSDEC) by letter to Corning dated October 1992. However, the NYSDEC letter that approved closure also indicated that requirements for corrective action under HSWA Section 30008 (h) had not been fulfilled as of the date of the NYSDEC approval letter (October 1992) and that follow up would be necessary to demonstrate that the corrective action requirements have been met. There were no additional records available during this Phase I related to the RCRA corrective action process for the facility or any other information on actions taken in response to the October 1992 letter.

Haley & Aldrich has submitted a Freedom of Information Act (FOIA) request to the NYSDEC as part of this Phase I, requesting additional regulatory information for the subject site including any historical records that may be related to the RCRA corrective action process for this site. As of the date of this report the response to the FOIA request has not been processed or responded to by the NYSDEC so no additional information is available at this time. Nevertheless, it is our opinion, based on nature of operations as documented in this report that lack of information on the site corrective action process represents a relatively low environmental business risk. We render this opinion based on lack of evidence that hazardous or solid waste substances have been released to the environment.

HISTORICAL RECs AND KNOWN OR SUSPECT ENVIRONMENTAL CONDITIONS

The ASTM E 1527-00 Standard also requires that historical RECs (HRECs) and other known or suspect environmental conditions, as defined in the Standard and in Section I of this report, are identified in the Phase I.

The standard defines historical RECs as environmental conditions "which in the past would have been considered a recognized environmental condition, but which may or may not be considered a recognized environmental condition currently," The term "known or suspect environmental condition (KEC and SEC)" is not specifically defined in the standard, but is used by Haley & Aldrich to highlight environmentally-related information that is not anticipated to adversely affect the subject site and/or does not rise to the level of an REC. This assessment has revealed no evidence of HRECS or KECs; however one SEC was identified and is described below:

SEC #1: Historical Filling Stations and Petroleum Storage in the Subject Site Area.

According to the subject site history information (Sanborn Fire Insurance Maps and City Directories), potential underground petroleum storage occurred historically in the immediate vicinity of the subject site both from a former oil storage company and from historical filling stations. The Merchants Oil Company was present to the west of the subject site from at least

1913 to at least the 1940s. During that time there were as many as five storage tanks containing oil or gasoline. It was not clear from the Sanborn Maps whether or not those tanks were underground or aboveground.

In addition, according to Sanborn Maps, there was an additional filling station to the west of the subject site in the 1930s and 1940s, and a filling station immediately to the south of the subject site in the 1960s. According to City Directories, both a filling station and a service station were present in the vicinity of the subject site along what is now Centerway in the 1930s and 1940s.

One leaking tank release was reported in the database report for a location in the immediate vicinity of the subject site. This release occurred in 1999 during the excavation of an area to the northeast of the subject site for parking lot space. Reportedly a 2,000 gallon gasoline tank was encountered. It is unclear as to what the former tank was originally associated with, however the release was closed in 2000.

It is our opinion that the reported presence of petroleum bulk storage activities on and near the subject site represents a suspect condition of low environmental business risk. We base this opinion on the apparent age of the historical filling stations and petroleum storage, and the considerable amount of development that has occurred in the area since their decommissioning which indicate low likelihood of a current material impact to the subject site.

NON-ASTM SCOPE CONSIDERATIONS

The ASTM E 1527-00 Standard includes the following list of "additional issues" that are non-scope considerations outside the scope of the ASTM Phase I practice: Asbestos-Containing Materials, Radon, Lead-Based Paint, Lead in Drinking Water, Wetlands, Regulatory Compliance, Cultural and Historical Risks, Industrial Hygiene, Health and Safety, Ecological Resources, Endangered Species, Indoor Air Quality, Mold and High Voltage Power Lines. The following non-scope items were included as part of this assessment: a cursory asbestos assessment and a cursory evaluation of the status of certain regulatory compliance matters at the subject site. Our assessment of these additional items is as follows:

1. Asbestos Containing Building Materials (ACBM) – According to site personnel, ACBMs are present within the subject site building in the form of tile mastic, roofing materials, tar sealer and duct insulation, siding, flashing material, piping insulation, and wiring insulation. The materials are reported to be in good conditions and are maintained, labeled and regularly inspected by the facilities personnel. The most recent inspection occurred on 23 January 2008.

Facility personnel indicate that ACBM abatement activities have occurred in the past at the facility in response to building maintenance and other activities and have generally involved small projects. The most recent ACBM abatement occurred in February and March of 2008 as documented in a report by the Colden Corporation.

Based on visual inspection of the facility during the site visit, damaged and/or friable asbestos-containing materials were not observed.

2. Hazardous Waste – The subject site is identified as a Large Quantity Generator (LQG) of hazardous waste (primarily lead-containing) associated with site operations. Hazardous waste stored in containers in satellite accumulation areas on the subject site, and when full, moved to the less than 90-day hazardous waste storage facility maintained at the Fulton Street warehouse. The subject site's EPA Hazardous Waste ID# is NYD000824359.
3. Wastewater – The subject site discharges treated wastewater to the City of Corning publicly owned treatment works (POTW) under an Industrial Sewer Use Permit and the applicable Industrial Pretreatment Requirements for the Glass Manufacturing Point Source Category under EPA Regulations 40 CFR Part 426. The permit has an effective date of 7 February 2007 and expires on 6 February 2012. The permit number is SIU-05.
4. Air Emissions – The subject site maintains an Air Facility Registration Certificate for emissions under NYSDEC 6 NYCRR Part 201-4. The registration has an effective date of 5 February 1999 and an ID number of 8-4603-00012/0200.
5. Storm Water – The subject site maintains a “certification of non-exposure” for storm water associated with industrial activities. The certification is dated 11 March 2008, and was acknowledged via letter from NYSDEC dated 18 March 2008 (ID#: HP-ST-01).

SUMMARY

In summary, based on the results of this assessment, we have identified one REC and one SEC associated with the subject site. It is our opinion, based on currently available information, that the neither of these matters appear to represent significant environmental business risk. We have requested additional information under FOIA to further evaluate if RCRA corrective actions may have any residual applicability to the site and will provide this information to Corning on receipt along with notification to the extent this information changes the opinions of significance as stated in this report.

8. CREDENTIALS

This report was prepared by Claire L. DeBergalis under the direct supervision of Edward L. Hynes, who served as the Project Manager and Officer-in-Charge of this project, respectively. Qualification information for the project personnel is provided below.

CLAIRE L. DEBERGALIS
STAFF ENVIRONMENTAL SCIENTIST


Ms. DeBergalis received a Bachelor of Sciences degree in Natural Resources from Cornell University in 2005. As an Environmental Scientist in the Real Estate Group, Ms. DeBergalis is involved in a variety of projects including environmental due diligence assessments; property redevelopment consulting; regulatory compliance activities; and site remediation. Her responsibilities include conducting Phase I Environmental Site Assessments; subsurface investigation, monitoring site remediation systems; reviewing site history information; coordinating with state regulatory agencies; and collecting and evaluating environmental data.

EDWARD L. HYNES
VICE PRESIDENT

As a Vice President, Mr. Hynes is responsible for development and implementation of environmental programs associated with contaminated site investigation and remediation, environmental assessment services associated with real estate transactions and property development, and regulatory compliance. His professional experience includes more than 20 years of service in environmental consulting with Haley & Aldrich and previously as an environmental compliance specialist in the mining and commercial hazardous waste industries. Mr. Hynes has served as project manager and officer-in-charge on several hundred Phase I and Phase II Environmental Site Assessment Projects including many multiple site projects. Mr. Hynes is a Registered Environmental Assessor (REA #1-01009) in the State of California.

REFERENCES

1. Topographic Map, Corning, New York, United States Geological Survey 7.5 minute series, 1976.
2. Haley & Aldrich of New York, site visit conducted by Claire L. DeBergalis on 26 June 2008.
3. Ms. Carol Ann Carlson, Environmental, Health & Safety Coordinator of Steuben Glass, interview with Haley & Aldrich of New York, 26 June 2008.
4. Mr. Jesse Kendall, Facilities Personnel of Steuben Glass, interview with Haley & Aldrich of New York, 26 February 2008.
5. Environmental Data Resources, Database Report, dated 24 June 2008.
6. Environmental Data Resources, Sanborn Fire Insurance Map report, dated 24 June 2008.
7. Topographic Maps dated 1914, 1953, and 1969 obtained in 2006 from Environmental Data Resources (for past report).
8. City of Corning Municipal Offices, visit by Haley & Aldrich of New York, 26 June 2008.
9. City of Corning Public Library, review of City Directories, visit by Haley & Aldrich of New York, 26 June 2008.
10. Freedom of Information Request to the New York State Department of Health on 25 June 2008.
11. Freedom of Information Request to the New York State Department of Environmental Conservation Region 8 Office on 25 June 2008.
12. City of Corning tax assessor website, <http://cityofcorning.sdnys.com>, Visited 23 June 2008.
13. Letter regarding "Asbestos Abatement Project Monitoring, Steuben Glass – February 25-March 7, 2008, WIP Room-Duct Removal, Colden Project No. 08195," dated 3 April 2008 from Colden Corporation Occupational Health, Safety & Environmental Consultants.
14. Letter regarding "Closure of Corning Incorporated, Steuben Facility EPA Identification Number: NYD000824359." Dated 20 October 1992 from the New York State Department of Environmental Conservation.



G:\PROJECTS\35548\000\CAD\2008 0716_HAN_Y_35548 SITE PLAN.DWG



APPENDIX A

Haley & Aldrich of New York proposal dated 28 May 2008

Haley & Aldrich of New York
200 Town Centre Drive
Suite 2
Rochester, NY 14623-4264

Tel: 585.359.9000
Fax: 585.359.4650
HaleyAldrich.com



28 May 2008
File No. 35548-970

Corning Incorporated
HP-ME-03-79
Corning, New York 14831

Attention: Douglas A. Wolf

Subject: Proposal for Phase I Environmental Site Assessment Services
Steuben Glass
One Steuben Way
Corning, New York

Dear Mr. Wolf:

Haley & Aldrich of New York (Haley & Aldrich) is pleased to submit this proposal for consulting services in connection with the subject site. This proposal presents our scope of work to perform a Phase I Environmental Site Assessment (Phase I ESA) at the subject property.

Corning Incorporated (Corning) has announced plans for the sale of the Steuben Glass business and operations located at One Steuben Way in the City of Corning, New York. As part of the planning process, we understand that Corning desires a Phase I Environmental Site Assessment (Phase I) of the property to assess whether environmental liabilities are present to facilitate negotiations with perspective purchasers. We further understand that the Phase I need not conform to the standards for All Appropriate Inquiry under the Federal 40 CFR Part 312 Regulations or the current American Society of Testing and Materials (ASTM) E 1527-05 Standard for Phase I Environmental Site Assessments.

Accordingly, for purposes of this project, we propose to conduct the Phase I ESA at the subject site based on client/project specific objectives which are that the required Phase I scope is generally consistent with the ASTM-E1527-00 Phase I Environmental Site Assessment Standard focusing on assessment of environmental business risk. Consistent with that standard, we will consider environmental business risk to be "a risk which can have a material environmental or environmentally-driven financial impact on the business associated with the current or planned use of the real estate". Therefore additional inquiry and user provided information specified by the ASTM E 1527-05 will not be performed as part of this Phase I project, and the report will not satisfy any of the Landowner Liability Protections under CERCLA.

PROJECT OBJECTIVES

The goal of an ASTM Phase I Environmental Site Assessment is to evaluate site history, existing observable conditions, current site use, and current and former uses of surrounding property to identify the potential presence of "Recognized Environmental Conditions (RECs)" associated with the site that may represent environmental business risk. Recognized Environmental Conditions are defined in ASTM E 1527-00 as "the presence or likely presence of any hazardous substances or petroleum products on a property under conditions that indicate an existing release, a past release, or a material threat of a release of any hazardous substances or petroleum products into structures on the property or into the ground, groundwater, or surface water at the property. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies."

The Phase I work scope described below has been developed to be generally consistent with the ASTM Standard, based on our current understanding of the site. The Phase I consists of four components: Records Review; Site Reconnaissance; Interviews; and Report Preparation. The segments include both ASTM-required and discretionary activities. The scope of work specific to this project is described in detail below.

Unless specifically noted below in italics, "non-scope considerations" have not been included in the scope of services.

DETAILED SCOPE OF SERVICES

1. Records Review - Haley & Aldrich will assemble and review readily available information on site history and usage as it relates to the presence of hazardous substances and petroleum products that would constitute Recognized Environmental Conditions on the site.

We will review information from the mandatory databases within the ASTM-specified search radii. The mandatory databases include: NPL; CERCLIS; CERCLIS NFRAP; ERNS; RCRA non-CORRACTS TSD; RCRA CORRACTS TSD; RCRA Generators; State Hazardous Waste Sites; State Landfills and Solid Waste Disposal Sites; Registered USTs; and Leaking USTs. In addition to the historical information we maintain in our files for the City of Corning and general site vicinity, we also intend to use an electronic database service to provide a report summarizing information from the required records, and will rely on the database service to conform to ASTM requirements for currency of the information. Should the

database search report identify listed sites with the potential to impact the subject site, Haley & Aldrich may review the federal or state files pertaining to the listed sites, as reasonably ascertainable and practically reviewable. The budget presented below does not include costs for review of files at more than one agency's office.

A 7.5-minute USGS topographic map will be used to evaluate the physical setting in the site area, and will be supplemented by discretionary review of readily available information concerning surface topography, surface water, soil, bedrock, and groundwater conditions on and in the vicinity of the project site.

To complete the ASTM discretionary records review, Haley & Aldrich may contact one or more of the following agencies concerning the site: Health Department, local Fire Department, and State Environmental Departments. Haley & Aldrich will contact the agencies through Freedom of Information Act (FOIA) requests or by phone for information concerning records related to storage, use, or release of hazardous substances or petroleum products that may constitute RECs on the property. Such contacts will be documented in writing (letter or phone contact sheets). *Please note that FOIA or other requested information may not be available within the anticipated project schedule. Therefore, reports submission (discussed below) may be qualified to the extent information is not obtained within the required project completion timeframe.*

Haley & Aldrich may also review information on property history from other discretionary sources, such as local street directories and aerial photographs, as available. All records identified as "discretionary" under the ASTM standard will be selected and reviewed as available and deemed necessary to meet the project objective. This selection and review will be based on Haley & Aldrich's sole judgment.

2. Site Reconnaissance - Haley & Aldrich will conduct a single one-day visit to the site to assess the nature and type of activities that have been conducted at the site with respect to the potential for Recognized Environmental Conditions to be present. Haley & Aldrich will observe and document visible evidence of current and past usage of the property, particularly related to potential filling, previous structures, sewage disposal systems, hazardous substances, petroleum products, storage tanks, and evidence of spills or releases of hazardous substances or petroleum products. We understand that you will make all areas of the site accessible to our representative for the site visit. For budgeting purposes, we have assumed that all areas of the site will be made accessible and will be seen in one site visit.

Such conditions that may limit the results of our investigation will be noted in our report.

Our site reconnaissance will include observations and inquiry (no confirmatory sampling) of potential asbestos containing material to exist within the facility as well as inquiry on environmental permits and approvals that are currently pertinent to facility operations. Our report will summarize this information that will include a tabulation of the permits and approvals.

3. Interviews with Owners and Occupants - The ASTM Standard requires that an interview be performed with a "Key Site Manager." We request that facility personnel who are knowledgeable of current and past site operations be notified of our visit and be asked to participate in an interview regarding site usage and history. Further, as required by the ASTM standard, we ask that the current owners and operators assemble and make available to Haley & Aldrich any information related to previous environmental investigations and audits of the property, environmental permits, registrations for tanks, material safety data sheets, waste disposal records, or other information related to storage, use, or release of hazardous substances or petroleum products at the site.

After the conclusion of the site walkovers and at the client request, Haley & Aldrich personnel will be available to discuss our initial conclusions from the records and site history reviews, site walkover observations, and initial conclusions regarding potential RECs that may be present on the property.

4. Evaluation and Report - Haley & Aldrich will interpret the information and data assembled from work scope items No. 1 through No. 3, above, and will formulate conclusions regarding evidence of Recognized Environmental Conditions at the site. We will prepare two copies of a single report for all of the site property summarizing the results of the records review, site reconnaissance, interviews, and our conclusions regarding the evidence of Recognized Environmental Conditions in connection the site, based on the work scope described above. The report will be prepared in a draft form for review and comment by Corning Incorporated and issued in a final form reflecting any revisions based on the draft review.

The report will be prepared generally consistent with the recommended ASTM (E 1527-00) Phase I report contents *including the additional scope items for asbestos and environmental permits as described in Task 2 above*. Documentation supporting the conclusions presented will be appended to the report.

As required by ASTM (E 1527-00), our final report will include a statement indicating that the work was conducted generally consistent with the scope and limitations of the ASTM Standard (E 1527-00), and discussing whether RECs were or were not identified in connection with the property.

USER-PROVIDED INFORMATION

The ASTM Standard requires disclosure in the Phase I report whether the user of the report has specialized knowledge about previous ownership or uses of the property that may be material to identifying RECs, or whether the user has determined that the property's Title contains environmental liens or other information related to environmental condition of the property, including engineering and institutional controls and Activity and Use Limitations, as defined by ASTM. In addition, we are required by the ASTM Standard to inquire whether the user of the report has prior knowledge that the price of the property has been reduced for environmentally related reasons. If available, we request that you provide this information to us for inclusion in our reports.

COSTS

Our services to complete the Phase I ESA as described in work tasks 1 through 4 above will be provided for a lump sum of \$

The majority of information from the Phase I investigations should be available within the timeframes specified above. Please note, however, that response to FOIA requests may require several weeks to be received from state or local agencies. At your discretion, we can either wait for the response to the FOIA request, or prepare the reports upon assembly of all remaining material and supplement the reports, if necessary, with the response of the FOIA request once it is received.

AUTHORIZATION

Our report will be prepared for your exclusive use, solely for the purposes stated in this proposal. The report may not be circulated, or conveyed, in whole or in part, to any other party, nor used by any other party, without the prior written permission of Haley & Aldrich. We agree, however, that the report may be conveyed to other parties associated with the proximate transfer of the property, subject to their acceptance of the terms of this proposal and our "Standard Terms and Conditions" attached. Such other parties must agree that they will not rely on the information provided in the report, recognizing the work was not performed for them, nor was it done with their specific needs, interests, risk tolerance, or expectations in mind.

No subsurface explorations or chemical testing of soils or groundwater will be performed during this assessment. Therefore, our conclusions regarding the evidence of Recognized Environmental Conditions will be based on observations of existing visible conditions, and on our interpretation of site history and site usage information. Further, our conclusions regarding the presence of hazardous substances and petroleum products may not be applicable


to areas beneath existing structures, unless specific subsurface exploration, sampling, and/or testing information is available and reviewed by us for such areas.

The ASTM E 1527-00 Standard includes the following list of "additional issues" that are non-scope considerations outside of the scope of the ASTM Phase I practice: Asbestos-Containing Materials (ACM), Radon, Lead-Based Paint, Lead in Drinking Water, Mold, Wetlands, Regulatory Compliance, Cultural and Historic Risks, Industrial Hygiene, Health and Safety, Ecological Resources, Endangered Species, Indoor Air Quality, and High Voltage Powerlines. *Assessment of these items is not included in our proposed work scope except for: 1) making qualitative observations of ACM in the facility; 2) identification of environmental permits and approvals related to current facility operations; and 3) making a limited assessment of the presence of PCBs limited to those potential sources specified in the ASTM Standard as "electrical or hydraulic equipment known or likely to contain PCBs...to the extent visually and or physically observed or identified from the interview or records review."*

Our services on this project will be provided in accordance with the Master Agreement for Environmental Services ("Master Agreement"), Corning Contract ID: CMS-007-08002 dated 14 March 2008, which is an integral part of this proposal. If these arrangements are acceptable to Corning Incorporated, please issue us a purchase order referencing this proposal and the Master Agreement.

We appreciate the opportunity to submit this proposal and look forward to our association with you on this project. Please contact the undersigned if you wish to discuss this proposal or any aspect of the project.

Sincerely yours,
HALEY & ALDRICH OF NEW YORK



Edward L. Hynes
Vice President

APPENDIX B
Historical Research Documentation

Corning Inc. - Steuben Factory

One Steuben Way

Corning, NY 14830

Inquiry Number: 2252499.3S

June 24, 2008

Certified Sanborn® Map Report



440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

6/24/08

Site Name:

Corning Inc. - Steuben Factory
One Steuben Way
Corning, NY 14830

Client Name:

Haley & Aldrich of New York
200 Town Centre Drive
Rochester, NY 14623



EDR® Environmental Data Resources Inc


EDR Inquiry # 2252499.3S

Contact: Claire DeBergalis

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Haley & Aldrich of New York were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: Corning Inc. - Steuben Factory
Address: One Steuben Way
City, State, Zip: Corning, NY 14830
Cross Street:
P.O. # 35548-000
Project: Phase I ESA
Certification # 091B-4D5D-B5EF



Sanborn® Library search results
Certification # 091B-4D5D-B5EF

Maps Identified - Number of maps indicated within "()"

1968 (2) 1903 (1)
1948 (2) 1898 (1)
1930 (2) 1893 (1)
1921 (2)
1913 (1)
1908 (1)

Total Maps: 13

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☒ Library of Congress
- ☒ University Publications of America
- ☒ EDR Private Collection

Limited Permission To Make Copies


Haley & Aldrich of New York (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Site Name: Corning Inc. - Struben Factory
 Address: One Struben Way
 City, ST, ZIP: Corning NY 14830
 Client: Halley & Aldrich of New York
 EIRK Inquiry: 2252499.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4DSD-85EF
 Copyright: 1998



The certified Sanborn Library search results in this report can be authenticated by visiting www.edin.com and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 091B-4DSD-85EF


29

28

Site Name: Corning Inc. - Steuben Factory
 Address: One Steuben Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDR Inquiry: 2255409.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-B5EF
 Copyright: 1998



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



091B-4D5D-B5EF

Certification #

Site Name: Corning Inc. - Steuben Factory
 Address: One Steuben Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDR Inquiry: 2250489.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-B5EF

Copyright: 1948



31

30


31

The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

34

E. PULTENEY
 091B-4D5D-B5EF

Certification #



29

Site Name: Corning Inc. - Strahlen Factory
 Address: One Stedden Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDR Inquiry: 22/2489.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-B5EF
 Copyright: 1948



CORNING
N.Y.

The certified Sanborn Library search results in this report can be authenticated by visiting
 www.sanborn.com and entering the certification number. Only Environmental
 Data Resources Inc. (EDRI) is authorized to grant rights for commercial reproduction of
 maps by The Sanborn Library LLC, the copyright holder for the collection.



HIGH
 091B-4D5D-B5EF
 Certification #

29


28

Site Name: Corning Inc. - Stouben Factory
 Address: One Stouben Way
 City, ST, ZIP: Corning NY 14830
 Client: Halsey & Aldrich of New York
 EDR Inquiry: 2252499.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-BSEF


Copyright 1990



Chemung River



The certified Sanborn Library search results in this report can be authenticated by visiting www.sanborn.com and entering the certification number. Only Environmental Data Resources Inc. (EDRI) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection.



30

34


253

254

HIGH

091B-4D5D-BSEF

Certification #



E. PULTENEY


PINE

256

259

Site Name: Corning Inc. - Steuben Factory
 Address: One Steuben Way
 City, ST, ZIP: Corning NY 14830
 Client: Henry & Alonch of New York
 EDR Inquiry: 22524299.SS
 Order Date: 6/24/2008 10:55:07 AM
 Certification: 091B-4D5D-85EF

Copyright: 1930



The certified Sanborn Library search results in this report can be authenticated by visiting www.sanborn.com and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to create or reproduce maps or maps by The Sanborn Library LLC, the copyright holder for the collection.

34

E. PULTENEY

091B-4D5D-85EF

Certification #

29


Site Name: Cuning Inc. - Steuben Factory
 Address: One Steuben Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDR Industry: 2252480 SS
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-B5EF

Copyright: 1921




AUG. 1921
 CORNING
 N.Y.

The certified Sanborn Library search results in this report can be authenticated by visiting www.sanborn.com and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



CERTIFICATION #
 HIGH
 091B-4D5D-B5EF

Site Name: Corning Inc. - Sturges Factory
 Address: One Sturges Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDA Inquiry: 2262488.55
 Order Date: 8/24/2008 10:55:07 AM
 Certification #: 091B-4DSD-B5EF
 Copyright: 1921



The certified Sanborn Library search results in this report can be authenticated by visiting www.edm.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

091B-4DSD-B5EF


Certification #

Site Name: Corning Inc. - Stouffer Factory
 Address: One Stouffer Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDR Inquiry: 2252499.33
 Order Date: 6/24/2006 10:55:07 AM
 Certification # 091B-4D5D-B5EF
 Copyright: 1913



Dec. 1913
 CORNING
 N.Y.


The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Site Name: Corning Inc. - Steuben Factory
 Address: One Steuben Way
 City, ST, ZIP: Corning NY 14830
 Client: Halley & Aldrich of New York
 EDR Inquiry: 222499.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-BSEF
 Copyright: 1998



CORNING
N.Y.



The certified Sanborn Library search results in this report can be authorized by visiting
 www.edr.com/sanborn and entering the certification number. Only Environmental
 Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of
 maps by The Sanborn Library LLC, the copyright holder for the collection.


091B-4D5D-BSEF
 Certification #

Site Name: Corning Inc. - Stoughton Facility
 Address: One Stoughton Way
 City, ST, ZIP: Corning NY 14830
 Client: Haley & Aldrich of New York
 EDR Inquiry: 2252489.35
 Order Date: 6/24/2008 10:55:07 AM
 Certification #: 091B-4D5D-85EF
 Copyright: 1993



18

Nov. 1993
 CORNING
 N.Y.



The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

21

091B-4D5D-85EF
 Certification #

Certification # 0918-4D5D-B5EF



Copyright: 1898

The certified Dartcom Library search results in this report can be authorized by visiting www.edr.com and entering the certification number. Only Environmental Data Resources Inc. (EDRI) is authorized to grant rights for commercial reproduction of maps by The Dartcom Library LLC, the copyright holder for the collection.

HAMILTON

JULY 1893
CORNING
N.Y.

CORNING BRICK WORKS.

NO AIRS. ONLY WATER. NO CURE.
LIGHT. POWER & WATER.
HOT. CURE. DRY. PHOS.
LIGHT. AIR. CURE.
NO. OF PHOS.

NO EXPOSURES.

WASHINGTON

STATE

Scale of Feet.



Site Name: Corning Inc. - Steuben Factory
Address: One Steuben Way
City, ST, ZIP: Corning NY 14830
Client: Haley & Aldrich of New York
EDR Inquiry: 2252499.35
Order Date: 6/24/2008 10:55:07 AM
Certification #: 091B-4D5D-B5EF


Copyright: 1893

Certification # 091B-4D5D-B5EF

1st W.

1st W.

W. ERIE



| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|





Corning Inc. - Steuben Factory

One Steuben Way

Corning, NY 14830

Inquiry Number: 2252499.4

June 24, 2008

The EDR Aerial Photo Library Project



440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography June 24, 2008

Target Property:

One Steuben Way

Corning, NY 14830

| <u>Year</u> | <u>Scale</u> | <u>Details</u> | <u>Source</u> |
|-------------|------------------------------------|---|---------------|
| 1960 | Aerial Photograph. Scale: 1"=1000' | Panel #: 2442077-B1/Flight Date: May 04, 1960 | EDR |
| 1986 | Aerial Photograph. Scale: 1"=1000' | Panel #: 2442077-B1/Flight Date: April 14, 1986 | EDR |
| 1999 | Aerial Photograph. Scale: 1"=750' | Panel #: 2442077-B1/Flight Date: April 14, 1999 | EDR |
| 2006 | Aerial Photograph. Scale: 1"=499' | Flight Year: 2006 | EDR |




INQUIRY #: 2252400.4

YEAR: 1950

1" = 1000'





INQUIRY #: 2252410.4

YEAR: 1986

1 = 100'





INQUIRY #: 2252403.4
YEAR: 1999
1 = 750'





INQUIRY #: 2352455.4

YEAR: 2005

1" = 400'



Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Part B Recv Date: 860307
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: OHD045243706
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3594767
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 860508
Trans1 Recv Date: 860508
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860508
Part A Recv Date: 860514
Part B Recv Date: 860515
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Quantity: 20280
Units: P - Pounds
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3389916
Manifest Status: Completed copy
Trans1 State ID: U50975
Trans2 State ID: Not reported
Generator Ship Date: 860508
Trans1 Recv Date: 860508
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860508
Part A Recv Date: 860514
Part B Recv Date: 860515
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 22040
Units: P - Pounds
Number of Containers: 014
Container Type: BA - Burlap, plastic, paper bags
Handling Method: L Landfill.
Specific Gravity: 170

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3594576
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 860417
Trans1 Recv Date: 860417
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860418
Part A Recv Date: 860425
Part B Recv Date: 860502
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: OHD045243706
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 03230
Units: P - Pounds
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3552491
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 860502
Trans1 Recv Date: 860502
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860502
Part A Recv Date: 860508
Part B Recv Date: 860509
Generator EPA ID: NYD000824425
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00090
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

[Click this hyperlink](#) while viewing on your computer to access
2086 additional NY_MANIFEST: record(s) in the EDR Site Report.

I33
South
1/4-1/2
0.483 mi.
2549 ft.

**CORNING INC CLUB HOUSE
PINE STREET / MARKET ST
CORNING, NY**

NY Spills S103568364
NY Hist Spills N/A

Site 2 of 2 in cluster I

Relative:
Lower

Actual:
929 ft.

NY Spills:
Site ID: 280759
Facility Addr2: Not reported
Facility ID: 9406411
Spill Number: 9406411
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Spill Date: 08/10/94
Reported to Dept: 08/11/94
CID: Not reported
Spill Cause: Other
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: 09/14/94
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/14/94
Remediation Phase: 0
Date Entered In Computer: 08/12/94
Spill Record Last Update: 09/19/94
Spiller Name: Not reported
Spiller Company: CORNING INC
Spiller Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING INC CLUB HOUSE (Continued)

S103568364

Spiller City,St,Zip: CORNING, NY 14831
Spiller Company: 001
Spiller Phone: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 9406411
DER Facility ID: 227981
Site ID: 280759
Operable Unit ID: 1000706
Operable Unit: 01
Material ID: 561512
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 9406411 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "SR" 08/11/94: TANK HAS UNKNOWN PRODUCT & OF UNKNOWN SIZE.
CORNING INC IS EXCAVATING ALONG SIDES OF TANK & WILL PUMP OUT PRODUCT. MAY
ABANDON IN PLACE DUE TO TANK POSSIBLY EXTENDING UNDER AIR CONDITIONING UNITS.
08/11/94: WILL SAMPLE AT BOTTOM OF TANK FOR STARS CRITERIA. 08/16/94: TANK
LIQUID IS CLEAR, ODORLESS-APPEARS TO BE WATER. 8021 ANALYSIS N.D. FOR ALL.
EXCAVATION ALONG TANK SAMPLED AT BOTTOMFOR 8021 & 8270 BNA'S. TANK TO BE
ABANDONED IN PLACE, CORNING INC TO 08/16/94: ...CONTACT AVON PBS FOR
CLOSURE REQUIREMENTS. CONTACT: TRACY ANDERSON SWIN 607-974-6923. 09/14/94:
SAMPLE RESULTS INDICATE NO CONTAMINATION PRESENT IN AND AROUNDTANK. TANK TO BE
CLOSED IN PLACE. NO FURTHER ACTION NEEDED. 09/28/95: This is additional
information about material spilled from the translation of the old spill file:
SUSPECT FUEL OIL. END DECRemark - 9406411
Remarks: Start CallerRemark - 9406411 UNDERGROUND STORAGE TANK DISCOVERED WHILE AUGERING
FOR INSTALLATION OF FENCE POSTS. AUGERS HIT FILL PIPE. LIQUID IS VISIBLE
THROUGH FILLPIPE. DEPTH FROM GROUND SURFACE TO BOTTOM OF TANK IS 10 FEET. END
CallerRemark - 9406411

NY Hist Spills:

Region of Spill: 8
Spill Number: 9406411
Investigator: SR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 08/10/1994 12:00
Reported to Dept Date/Time: 08/11/94 10:05
SWIS: 46
Spiller Name: CORNING INC
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Address: Not reported
Spiller City,St,Zip: CORNING, NY 14831

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING INC CLUB HOUSE (Continued)

S103568364

Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 09/14/94
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/14/94
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/12/94
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/19/94
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 08/11/94: TANK HAS UNKNOWN PRODUCT OF UNKNOWN SIZE. CORNING INC IS EXCAVATING
ALONG SIDES OF TANK WILL PUMP OUT PRODUCT. MAY ABANDON IN PLACE DUE TO TANK
POSSIBLY EXTENDING UNDER AIR CONDITIONING UNITS. 08/11/94: WILL SAMPLE AT
BOTTOM OF TANK FOR STARS CRITERIA. 08/16/94: TANK LIQUID IS CLEAR,
ODORLESS-APPEARS TO BE WATER. 8021 ANALYSIS N.D. FOR ALL. EXCAVATION ALONG TANK
SAMPLED AT BOTTOM FOR 8021 8270 BNA S. TANK TO BE ABANDONED IN PLACE, CORNING
INC TO 08/16/94: ...CONTACT AVON PBS FOR CLOSURE REQUIREMENTS. CONTACT:
TRACY ANDERSON SWIN 607-974-6923. 09/14/94: SAMPLE RESULTS INDICATE NO
CONTAMINATION PRESENT IN AND AROUND TANK. TANK TO BE CLOSED IN PLACE. NO
FURTHER ACTION NEEDED. 09/28/95: This is additional information about
material spilled from the translation of the old spill file: SUSPECT FUEL OIL.
Remark: UNDERGROUND STORAGE TANK DISCOVERED WHILE AUGERING FOR INSTALLATION OF FENCE
POSTS. AUGERS HIT FILL PIPE. LIQUID IS VISIBLE THROUGH FILLPIPE. DEPTH FROM
GROUND SURFACE TO BOTTOM OF TANK IS 10 FEET.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

| Site | Database(s) | EDR ID Number EPA ID Number |
|------|-------------|--------------------------------|
|------|-------------|--------------------------------|

34 DAVIS & SLY STREET
WNW DAVIS / SLY STREET
1/4-1/2 CORNING, NY
0.484 mi.
2557 ft.

NY Spills S102170670
NY Hist Spills N/A

Relative:
Higher

Actual:
935 ft.

NY Spills:
Site ID: 149724
Facility Addr2: Not reported
Facility ID: 9001176
Spill Number: 9001176
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: BWFINSTE
Referred To: Not reported
Spill Date: 04/29/90
Reported to Dept: 04/30/90
CID: Not reported
Spill Cause: Deliberate
Water Affected: Not reported
Spill Source: Passenger Vehicle
Spill Notifier: Citizen
Cleanup Ceased: 05/01/90
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 05/01/90
Remediation Phase: 0
Date Entered In Computer: 05/02/90
Spill Record Last Update: 09/30/04
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 999
Spiller Phone: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 9001176
DER Facility ID: 127335
Site ID: 149724
Operable Unit ID: 939546
Operable Unit: 01
Material ID: 439536
Material Code: 0022
Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: Gallons
Recovered: 0.00
Resource Affected: Sewer
Oxygenate: False
DEC Memo: Start DECRemark - 9001176 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "TS" 05/01/90: ON 05-01-90 JIM CARPENTER CALLS TO SAY HE WAS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAVIS & SLY STREET (Continued)

S102170670

Remarks: NOTIFIED BY CORNING FIRE CONTROL ABOUT OIL AT THIS LOCATION. TOM SMITH RESPONDS
& SAYS EVERYTHING HAS BEEN CLEANED UP. END DECRemark - 9001176
Start CallerRemark - 9001176 SOMEONE DUMPED OIL INTO SEWER ON SUNDAY. NOTIFIER
HAS CALLED TWICE BOUT PERSON DUMPING OIL. SUPPOSEDLY DPW CHECKED OUT & SAID
THERE WAS NO SIGN OF OIL. END CallerRemark - 9001176

NY Hist Spills:

Region of Spill: 8
Spill Number: 9001176
Investigator: TS
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/29/1990 12:00
Reported to Dept Date/Time: 04/30/90 21:30
SWIS: 46
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Deliberate
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 06
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 05/01/90
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 05/01/90
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/02/90
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAVIS & SLY STREET (Continued)

S102170670

Unkonwn Quantity Recovered: False

Material: WASTE OIL

Class Type: WASTE OIL

Times Material Entry In File: 9509

CAS Number: Not reported

Last Date: 19940927

DEC Remarks: 05/01/90: ON 05-01-90 JIM CARPENTER CALLS TO SAY HE WAS NOTIFIED BY CORNING
FIRE CONTROL ABOUT OIL AT THIS LOCATION. TOM SMITH RESPONDS SAYS EVERYTHING
HAS BEEN CLEANED UP.

Remark: SOMEONE DUMPED OIL INTO SEWER ON SUNDAY. NOTIFIER HAS CALLED TWICE BOUT PERSON
DUMPING OIL. SUPPOSEDLY DPW CHECKED OUT SAID THERE WAS NO SIGN OF OIL.

J35 STANDARD DRY CLEANERS
SSW 119 WEST MARKET STREET
1/4-1/2 CORNING, NY
0.485 mi.
2563 ft. Site 1 of 2 in cluster J

NY Spills S102168821
NY Hist Spills N/A

Relative:
Higher

NY Spills:

Site ID: 195998

Facility Addr2: Not reported

Actual:
935 ft.

Facility ID: 9201350

Spill Number: 9201350

Facility Type: ER

SWIS: 5138

Region of Spill: 8

Investigator: FOTI

Referred To: Not reported

Spill Date: 05/03/92

Reported to Dept: 05/03/92

CID: 31

Spill Cause: Unknown

Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Responsible Party

Cleanup Ceased: 05/12/92

Cleanup Meets Std: True

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 05/12/92

Remediation Phase: 0

Date Entered In Computer: 05/05/92

Spill Record Last Update: 05/22/92

Spiller Name: Not reported

Spiller Company: STANDARD DRY CLEANERS

Spiller Address: SAME

Spiller City,St,Zip: ZZ

Spiller Company: 001

Spiller Phone: Not reported

Contact Name: Not reported

Contact Phone: Not reported

DEC Region: 8

Program Number: 9201350

DER Facility ID: 163290

Site ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

STANDARD DRY CLEANERS (Continued)

S102168821

Operable Unit ID: Not reported
Operable Unit: Not reported
Material ID: Not reported
Material Code: Not reported
Material Name: Not reported
Case No.: Not reported
Material FA: Not reported
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: Not reported

DEC Memo: Start DECRemark - 9201350 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "SF" 05/03/92: P MILLER TELCON W/CHIEF FLOOR; MOST OF PRODUCT
EVAPORATING. ABSORBENT ALSO PLACED ON SOME POOLED LIQUID. 05/04/92: SCOTT
FOTI CHECKED INTERIOR OF ESTABLISHMENT; DETECTED 5 PPM IN AMBIENT AIR. 30 PPM
JUST ABOVE FLOOR. FOTI WILL RE-INSPECT. 05/12/92: FOTI USED AN HNU TO CHECK
FOR PERC VAPORS THROUGHOUT THE BLDG. THESE VAPORS HAVE DISIPATED DUE TO
BUILDING VENTILATION TO A DEGREE THAT NOW DAY TO DAY OPERATION OF THE EQUIPMENT
CAUSES MORE ODQRS.... 05/12/92: ...THAN ANY SPILL RESIDUE. VENTILATION WILL
CONTINUE ANYWAY. THIS SPILL IS CLOSED. 09/28/95: This is additional
information about material spilled from the translation of the old spill file:
UN-1897 SEE REMARKS. END DECRemark - 9201350
Remarks: Start CallerRemark - 9201350 PERCHLOROETHYLENE (TETRACHLOROETHYLENE) SPILLED
INSIDE STRUCTURE. CITIZEN SHUT OFF WATER TO BUILDING & TANK BOILED OVER.
SPILLED TO WOOD FLOOR AS DISTILLER OVERHEATED. CONTACT: SCOTT PITCHER OWNER END
CallerRemark - 9201350

NY Hist Spills:

Region of Spill: 8
Spill Number: 9201350
Investigator: SF
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/03/1992 16:00
Reported to Dept Date/Time: 05/03/92 17:50
SWIS: 46
Spiller Name: STANDARD DRY CLEANERS
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Address: SAME
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 05/12/92
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STANDARD DRY CLEANERS (Continued)

S102168821

Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/12/92
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/05/92
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/22/92
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Not reported
Quantity Spilled: Not reported
Unkonwn Quantity Spilled: Not reported
Units: Not reported
Quantity Recovered: Not reported
Unkonwn Quantity Recovered: Not reported
Material: Not reported
Class Type: Not reported
Times Material Entry In File: Not reported
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: 05/03/92: P MILLER TELCON W/CHIEF FLOOR; MOST OF PRODUCT EVAPORATING. ABSORBENT
ALSO PLACED ON SOME POOLED LIQUID. 05/04/92: SCOTT FOTI CHECKED INTERIOR OF
ESTABLISHMENT; DETECTED 5 PPM IN AMBIENT AIR. 30 PPM JUST ABOVE FLOOR. FOTI
WILL RE-INSPECT. 05/12/92: FOTI USED AN HNU TO CHECK FOR PERC VAPORS
THROUGHOUT THE BLDG. THESE VAPORS HAVE DISIPATED DUE TO BUILDING VENTILATION TO
A DEGREE THAT NOW DAY TO DAY OPERATION OF THE EQUIPMENT CAUSES MORE ODORS....
05/12/92: ...THAN ANY SPILL RESIDUE. VENTIALATION WILL CONTINUE ANYWAY. THIS
SPILL IS CLOSED. 09/28/95: This is additional information about material
spilled from the translation of the old spill file: UN-1897 SEE REMARKS.
Remark: PERCHLOROTHYLENE TETRACHLOROETHYLENE) SPILLED INSIDE STRUCTURE. CITIZEN SHUT
OFF WATER TO BUILDING TANK BOILED OVER. SPILLED TO WOOD FLOOR AS DISTILLER
OVERHEATED. CONTACT: SCOTT PITCHER OWNER

J36 131 WEST MARKET STREET
SSW 131 WEST MARKET STREET
1/4-1/2 CORNING, NY
0.489 mi.
2583 ft. Site 2 of 2 in cluster J

NY Spills S108957532
N/A

Relative: NY Spills:
Higher Site ID: 389800
Facility Addr2: Not reported
Actual: Facility ID: 0751103
936 ft. Spill Number: 0751103
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: cmkehoe
Referred To: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

131 WEST MARKET STREET (Continued)

S108957532

Spill Date: 11/12/07
Reported to Dept: 11/13/07
CID: 31
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/13/07
Remediation Phase: 0
Date Entered In Computer: 11/13/07
Spill Record Last Update: 11/15/07
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City, St, Zip: Not reported
Spiller Company: Not reported
Spiller Phone: Not reported
Contact Name: JIM MILLER
Contact Phone: (607) 936-4391
DEC Region: 8
Program Number: 0751103
DER Facility ID: 339386
Site ID: 389800
Operable Unit ID: 1146927
Operable Unit: 01
Material ID: 2137318
Material Code: 2633A
Material Name: TRICHLOROETHENE (TCE)
Case No.: 00079016
Material FA: Hazardous Material
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Groundwater
Oxygenate: False
DEC Memo: Not reported
Remarks: Start CallerRemark - 0751103 CALLER STATES THAT PHASE 2 ANALYTICAL RESULTS SHOW 5.3 - 11 PPB OF TCE. FORWARDED TO BART PUTZIG AND SCOTT FOTI FOR FOLLOW UP. NO FURTHER ACTION IS NEEDED BY SPILLS. END CallerRemark - 0751103

K37 150 WEST MARKET ST. (COMMUNITY BANK)
SSW 150 WEST MARKET ST.
1/4-1/2 CORNING, NY 14830
0.497 mi.
2622 ft. Site 1 of 2 in cluster K

VCP S104324008
N/A

Relative:
Higher

VCP:

Program Type: VCP
Site Code: 56777

Actual:
938 ft.

Assessment: Municipal water serves the area so exposures via drinking water are not expected. Exposures are not expected because the site has been remediated.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 WEST MARKET ST. (COMMUNITY BANK) (Continued)

S104324008

Env Problems: The site has been remediated.
Site Desc: This property was used as a gas station for approximately 17 years. A 1994 environmental assessment revealed petroleum contamination in soil and groundwater. The remedial program included vapor extraction and Oxygen releasing compounds (ORC) to clean up this site. The site was closed 5/18/1998.

K38 COLUMBIA BANKING SITE
SSW 150 WEST MARKET STREET
1/4-1/2 CORNING, NY
0.497 mi.
2622 ft. Site 2 of 2 in cluster K

NY Spills S102171528
NY Hist Spills N/A

Relative:
Higher

Actual:
938 ft.

NY Spills:
Site ID: 73503
Facility Addr2: Not reported
Facility ID: 9312497
Spill Number: 9312497
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Spill Date: 01/07/94
Reported to Dept: 01/24/94
CID: 31
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Gasoline Station
Spill Notifier: Responsible Party
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: 01/09/96
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/18/98
Remediation Phase: 0
Date Entered in Computer: 01/25/94
Spill Record Last Update: 05/18/98
Spiller Name: Not reported
Spiller Company: COLUMBIA BANKING
Spiller Address: SAME
Spiller City,St,Zip: ZZ
Spiller Company: 001
Spiller Phone: (716) 454-6780
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 9312497
DER Facility ID: 69180
Site ID: 73503
Operable Unit ID: 994493
Operable Unit: 01
Material ID: 387927
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number
Database(s)

COLUMBIA BANKING SITE (Continued)

S102171528

Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Groundwater
Oxygenate: False
DEC Memo:

Start DECRemark - 9312497 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "SR" 01/24/94: SPILL SHEET FAXED TO RODABAUGH W/PHONE
CONVERSATION TO CONFIRM. 08/29/94: GEOPROBE DRIVEN TO 25 FT, HIT AREA OF
PRESSURIZED GASOLINE VAPORS, 100 EXPLOSIVE LIMIT. FIRE DEPT SEALED OFF AREA,
WORRIED ABOUT EXPLOSIVE CONDITIONS. NO EXPLOSIVE CONDITIONS IN NEARBY BANK...
08/29/94: ...BASEMENT OR STORM SEWER. NYSDEC OR BANK TO HIRE CONTRACTOR TO
INSTALL 4" V.E.S. PIPE AND EXPLOSION PROOF FAN. 08/30/94: V.E.S. SYSTEM
BEING INSTALLED BY MARCOR, MALCOLM PIRNIE PROVIDING OVERSIGHT. HNU READINGS
FROM SOIL GENERALLY IN 150-350 PPM RANGE FROM 13 FT TO 23 FT. 09/02/94:
SPILL #9407237 HAS BEEN CLOSED AND ALL UPDATES WILL BE UNDERSpill #9312497.
09/12/94: V.E.S. OPERATING: HNU READINGS PRIOR TO CARBON 375-385 PPM; AFTER
CARBON 400 PPM. 10/25/94: HNU READING ON V.E.S. IS 380 PPM. HNU READING ON
HEADSPACE WATER SAMPLE FROM V.E.S. MW IS APPROX 400 PPM. 12/12/94: V.E.S.
OPERATIONAL; HNU READING = 350 PPM. 01/10/95: V.E.S. OPERATIONAL; HNU
READING = 240 PPM. 01/19/95: V.E.S. OPERATIONAL; HNU READING = 170 PPM.
04/06/95: V.E.S. OPERATIONAL; HNU READING = 118 PPM; DRAGER TUBE = <100 PPM.
06/12/95: SR MET EP&S AT SITE; WORK PLANNED FOR THIS WEEK INCLUDES:
INSTALLATION OF 3 MW'S, 1 SPARGE POINT, 2 EXTRACTION POINTS, & 8 IEZOMETERS.
EP&S TO PERFORM 1 WEEKS V.E.S./SPARGE PILOT TEST... 06/12/95: ...AND 2-4
WEEK BIOREMEDIATION PILOT TEST. V.E.S. OPERATION, HNU READING = 80 PPM.
06/16/95: EP&S COOMPLETED WELL INSTALLATIONS, SPARGE/EXTRACTION POINTS,
PIEZOMETERS ON 06-15; ARE FINISHING UP CURB BOX INSTALLATIONS & THEN DEMOBIN.
DRILLER'S OBSERVATIONS: CONTAMINATION ENCOUNTERED ... 06/16/95: ...15-17
FT, NEAR GROUNDWATER, AND CLAY AT APPROX 30 FT. SPLIT SPOONS INTO CLY SHOWED NO
IDICATION OF CONTAMIINATION. MONITORING WELLS ON PERIMETER OF PROPERTY APPEARED
CLEAN. 11/27/95 SR ON SITE; EP&S ON SITE COMPLETING ELECTRICAL HOOKUP,
STARTED UP SYSTEM TO ENSURE OPERATING & THEN SHUT OFF. SYSTEM START-UP WITH
MONITORING SCHEDULED TOMORROW (11-28). 11/29/95 SR ON SITE; AIR
SPARGE/VAPOR EXTRACTION SYSTEM OPERATIONAL AT TOTAL VACUUM = 95 INCHES W.C.,
HNU READING = 90 PPM. 12/12/95 V.E.S./SPARGE OPERATIONAL AT VACUUM = 52
INCHES W.C.; HNU READING = 65 PPM, DRAGER TUBE = 100 PPM. 01/09/96 SR ON
SITE; MET WITH EP&S AND COMMUNITY BANK REPRESENTATIVE. VES OPERATIONAL AT VAC.
= 50-55 INCHES W.C.; HNU READING = 45 PPM. 06/11/96 APRIL 96 QUARTERLY REPORT
RECEIVED; V.E.S./SPARGE SYSTEM OPERTAION THROUGHOUT PERIOD. APPROXIMATELY 307
LBS WEATHERED GASOLINE REMOVED SINCE START UP IN NOB 28, 1995. ANALYTICAL
RESULTS FOR GROUNDWATER SHOW MARKED DECREASE IN BTEX CONCENTRATIONS. 04-25-96
SAMPLE RESULTS AS FOLLOWS FOR TOTAL BTEX (EPA 602+MTBE): MW-1 = 804.7 PPB; MW-4
= NONDETECT; MW-5 = NONDETECT. 08/28/96 JULY 96 QUARTERLY REPORT RECEIVED;
APPROXIMATELY 45 LBS GASOLINE RECOVERED DURING LAST QUARTER; TOTAL RECOVERED =
351 LBS. JUNE 1996 MW RESULTS INDICATE NON-DETECT FOR MW-3,4,5 AND EPS-1;
TOTAL BTEX = 108 PPB FOR MW-1, 246 PPB FOR EPS-2. 12/05/96 OCT 1996
QUARTERLY REPORT RECEIVED: 123 LBS GASOLINE RECOVERED FOR PERIOD 08/96 - 10/96,
BRINGING TOTAL TO 474 LBS SINCE AIR SPARGE/VAPOR EXTRACTION SYSTEM STARTUP ON
11/28/95. HIGHEST BTEX GROUNDWATER CONCENTRATION (09/96 SAMPLING EVENT) IN
MW-1 AT 443.4 PPB. 02/97 JAN. 97 REPORT RECEIVED, 58 POUNDS GASOLINE
RECOVERED THIS QUARTER, TOTAL 536 POUNDS SINCE START-UP. SAMPLE RESULTS FROM
12/06/96 SHOW NON-DETECT FOR ALL WELLS EXCEPT AS-1 (55.6 PPB TOTAL). 06/97
APRIL 97 REPORT RECEIVED, 115 LBS. GASOLINE REMOVED VIA EXTRACTION FOR THIS
QUARTER, TOTAL SINCE START-UP = 653 LBS. SAMPLE RESULTS FOR 03/13/97 SHOW
NON-DETECT FOR ALL WELLS EXCEPT AS-1 (125.3 PPB TOTAL). 07/97 MAY/JUNE 97
REPORT RECEIVED, 2 LBS REMOVED VIA EXTRACTION, TOTAL = 655 LBS. JUNE SAMPLE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLUMBIA BANKING SITE (Continued)

S102171528

RESULTS FOR WELLS SHOW NON-DETECT FOR ALL EXCEPT AS-1 (17.5 PPB) ANDAS-2 (2.5 PPB). 07/17/97 REMEDIAL SYSTEMS SHUT-DOWN. AS-1, MW-4, AND MW-5 TO BE SAMPLED FOR NEXT 2 QUARTERS. 10/97 SAMPLE RESULTS FOR 09/16/97 SHOW N.D. FOR MW-3 AND MW-5, AS-1 SHOWS 207.5 PPB TOTAL. 01/98 DECEMBER REPORT RECEIVED, DURING 09 AND 12/97 SITE VISITS, REMEDIAL SYSTEMS STARTED UP FOR 15 MINUTES, NO DETECTABLE CONCENTRATIONS MEASURED. SAMPLE RESULTS SHOW N.D. FOR MW-3 AND MW-5, AS-1 AT 632.2 PPB ON 12/15/97. 04/98 MARCH 98 REPORT RECEIVED, SAMPLE RESULTS FOR 03/12/98 SHOW N.D. FOR MW-5, 4.2 PPB FOR MW-4, AND 446.8 PPB FOR AS-1. SITE CLOSURE REQUESTED. 05/11/98 EP&S ADDED 7 LBS ORC TO AS-1 TO STIMULATE BIODEGRADATION AT THIS AREA. NO FURTHER ACTIONS TO BE REQUESTED AND CLOSURE LETTER TO BE SENT BY REG.ATTORNEY TO COMMUNITY BANK. END DECRemark - 9312497

Remarks: Start CallerRemark - 9312497 THREE OF FOUR SITE WELLS SHOWED PRODUCT IN PHASE II SAMPLING. CONTACT: CALLER EXTENSION #338. END CallerRemark - 9312497

NY Hist Spills:

Region of Spill: 8
Spill Number: 9312497
Investigator: SR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 01/07/1994 10:00
Reported to Dept Date/Time: 01/24/94 14:39
SWIS: 46
Spiller Name: COLUMBIA BANKING
Spiller Contact: Not reported
Spiller Phone: (716) 454-6780
Spiller Address: SAME
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: Groundwater
Water Affected: Not reported
Spill Source: 05
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: 01/09/96
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/18/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 01/25/94
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/18/98
Is Updated: False
PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLUMBIA BANKING SITE (Continued)

S102171528

Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: 01/24/94: SPILL SHEET FAXED TO RODABAUGH W/PHONE CONVERSATION TO CONFIRM.
08/29/94: GEOPROBE DRIVEN TO 25 FT, HIT AREA OF PRESSURIZED GASOLINE VAPORS,
100 EXPLOSIVE LIMIT. FIRE DEPT SEALED OFF AREA, WORRIED ABOUT EXPLOSIVE
CONDITIONS. NO EXPLOSIVE CONDITIONS IN NEARBY BANK... 08/29/94: ...BASEMENT
OR STORM SEWER. NYSDEC OR BANK TO HIRE CONTRACTOR TO INSTALL 4 V.E.S. PIPE AND
EXPLOSION PROOF FAN. 08/30/94: V.E.S. SYSTEM BEING INSTALLED BY MARCOR,
MALCOLM PIRNIE PROVIDING OVERSIGHT. HNU READINGS FROM SOIL GENERALLY IN 150-350
PPM RANGE FROM 13 FT TO 23 FT. 09/02/94: SPILL 9407237 HAS BEEN CLOSED AND
ALL UPDATES WILL BE UNDER SPILL 9312497. 09/12/94: V.E.S. OPERATING: HNU
READINGS PRIOR TO CARBON 375-385 PPM; AFTER CARBON 400 PPM. 10/25/94: HNU
READING ON V.E.S. IS 380 PPM. HNU READING ON HEADSPACE WATER SAMPLE FROM V.E.S.
MW IS APPROX 400 PPM. 12/12/94: V.E.S. OPERATIONAL; HNU READING = 350 PPM.
01/10/95: V.E.S. OPERATIONAL; HNU READING = 240 PPM. 01/19/95: V.E.S.
OPERATIONAL; HNU READING = 170 PPM. 04/06/95: V.E.S. OPERATIONAL; HNU
READING = 118 PPM; DRAGER TUBE = <100 PPM. 06/12/95: SR MET EP S AT SITE;
WORK PLANNED FOR THIS WEEK INCLUDES: INSTALLATION OF 3 MW S, 1 SPARGE POINT, 2
EXTRACTION POINTS, 8 IEZOMETERS. EP S TO PERFORM 1 WEEKS V.E.S./SPARGE PILOT
TEST... 06/12/95: ...AND 2-4 WEEK BIOREMEDIATION PILOT TEST. V.E.S.
OPERATION, HNU READING = 80 PPM. 06/16/95: EP S COOMPLETED WELL
INSTALLATIONS, SPARGE/EXTRACTIONPOINTS, PIEZOMETERS ON 06-15; ARE FINISHING UP
CURB BOX INSTALLATIONS THEN DEMOBIN. DRILLER S OBSERVATIONS: CONTAMINATION
ENCOUNTERED ... 06/16/95: ...15-17 FT, NEAR GROUNDWATER, AND CLAY AT APPROX
30 FT. SPLIT SPOONS INTO CLY SHOWED NO IDICATION OF CONTAMINATION. MONITORING
WELLS ON PERIMETER OF PROPERTY APPEARED CLEAN. 11/27/95 SR ON SITE; EP S
ON SITE COMPLETING ELECTRICAL HOOKUP, STARTED UP SYSTEM TO ENSURE OPERATING
THEN SHUT OFF. SYSTEM START-UP WITH MONITORING SCHEDULED TOMORROW 11-28).
11/29/95 SR ON SITE; AIR SPARGE/VAPOR EXTRACTION SYSTEM OPERATIONAL AT TOTAL
VACUUM = 95 INCHES W.C., HNU READING = 90 PPM. 12/12/95 V.E.S./SPARGE
OPERATIONAL AT VACUUM = 52 INCHES W.C.; HNU READING = 65 PPM, DRAGER TUBE =
100PPM. 01/09/96 SR ON SITE; MET WITH EP S AND COMMUNITY BANK
REPRESENTATIVE. VES OPERATIONAL AT VAC. = 50-55 INCHES W.C.; HNU READING = 45
PPM. 06/11/96 APRIL 96 QUARTERLY REPORT RECEIVED; V.E.S./SPARGE SYSTEM
OPERTAION THROUGHOUT PERIOD. APPROXIMATELY 307 LBS WEATHERED GASOLINE REMOVED
SINCE START UP IN NOB 28, 1995. ANALYTICAL RESULTS FOR GROUNDWATER SHOW MARKED
DECREASE IN BTEX CONCENTRATIONS. 04-25-96 SAMPLE RESULTS AS FOLLOWS FOR TOTAL
BTEX EPA 602+MTBE): MW-1 = 804.7 PPB; MW-4 = NONDETECT; MW-5 = NONDETECT.
08/28/96 JULY 96 QUARTERLY REPORT RECEIVED; APPROXIMATELY 45 LBS GASOLINE
RECOVERED DURING LAST QUARTER; TOTAL RECOVERED = 351 LBS. JUNE 1996 MW RESULTS
INDICATE NON-DETECT FOR MW-3,4,5 AND EPS-1; TOTAL BTEX = 108 PPB FOR MW-1,
246 PPB FOR EPS-2. 12/05/96 OCT 1996 QUARTERLY REPORT RECEIVED: 123 LBS
GASOLINE RECOVERED FOR PERIOD 08/96 - 10/96, BRINGING TOTAL TO 474 LBS SINCE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COLUMBIA BANKING SITE (Continued)

S102171528

AIR SPARGE/VAPOR EXTRACTION SYSTEM STARTUP ON 11/28/95. HIGHEST BTEX GROUNDWATER CONCENTRATION (09/96 SAMPLING EVENT) IN MW-1 AT 443.4 PPB. 02/97 JAN. 97 REPORT RECEIVED, 58 POUNDS GASOLINE RECOVERED THIS QUARTER, TOTAL 536 POUNDS SINCE START-UP. SAMPLE RESULTS FROM 12/06/96 SHOW NON-DETECT FOR ALL WELLS EXCEPT AS-1 55.6 PPB TOTAL). 06/97 APRIL 97 REPORT RECEIVED, 115 LBS. GASOLINE REMOVED VIA EXTRACTION FOR THIS QUARTER, TOTAL SINCE START-UP = 653 LBS. SAMPLE RESULTS FOR 03/13/97 SHOW NON-DETECT FOR ALL WELLS EXCEPT AS-1 125.3 PPB TOTAL). 07/97 MAY/JUNE 97 REPORT RECEIVED, 2 LBS REMOVED VIA EXTRACTION, TOTAL = 655 LBS. JUNE SAMPLE RESULTS FOR WELLS SHOW NON-DETECT FOR ALL EXCEPT AS-1 17.5 PPB) AND AS-2 2.5 PPB). 07/17/97 REMEDIAL SYSTEMS SHUT-DOWN. AS-1, MW-4, AND MW-5 TO BE SAMPLED FOR NEXT 2 QUARTERS. 10/97 SAMPLE RESULTS FOR 09/16/97 SHOW N.D. FOR MW-3 AND MW-5, AS-1 SHOWS 207.5 PPB TOTAL. 01/98 DECEMBER REPORT RECEIVED, DURING 09 AND 12/97 SITE VISITS, REMEDIAL SYSTEMS STARTED UP FOR 15 MINUTES, NO DETECTABLE CONCENTRATIONS MEASURED. SAMPLE RESULTS SHOW N.D. FOR MW-3 AND MW-5, AS-1 AT 632.2 PPB ON 12/15/97. 04/98 MARCH 98 REPORT RECEIVED, SAMPLE RESULTS FOR 03/12/98 SHOW N.D. FOR MW-5, 4.2 PPB FOR MW-4, AND 446.8 PPB FOR AS-1. SITE CLOSURE REQUESTED. 05/11/98 EP S ADDED 7 LBS ORC TO AS-1 TO STIMULATE BIODEGRADATION AT THIS AREA. NO FURTHER ACTIONS TO BE REQUESTED AND CLOSURE LETTER TO BE SENT BY REG. ATTORNEY TO COMMUNITY BANK.

Remark: THREE OF FOUR SITE WELLS SHOWED PRODUCT IN PHASE II SAMPLING. CONTACT: CALLER EXTENSION 338.

39
South
1/4-1/2
0.497 mi.
2626 ft.

HERRINGCREEK GIFT CARDS
26 EAST MARKET STREET
CORNING, NY 14830

NY Spills S108762730
N/A

Relative:
Lower

Actual:
927 ft.

NY Spills:
Site ID: 384445
Facility Addr2: Not reported
Facility ID: 0704319
Spill Number: 0704319
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: cmkehoe
Referred To: Not reported
Spill Date: 07/17/07
Reported to Dept: 07/17/07
CID: 31
Spill Cause: Other
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: / /
Cleanup Meets Std: True
Last Inspection: 07/17/07
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/08/07
Remediation Phase: 0
Date Entered in Computer: 07/17/07
Spill Record Last Update: 08/08/07
Spiller Name: DANIELLE WORDEN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HERRINGCREEK GIFT CARDS (Continued)

S108762730

Spiller Company: HERRINGCREEK GIFT CARDS
Spiller Address: 26 EAST MARKET STREET
Spiller City,St,Zip: CORNING, NY 14830
Spiller Company: 999
Spiller Phone: (607) 739-7236
Contact Name: DANIELLE WORDEN
Contact Phone: (607) 739-7236
DEC Region: 8
Program Number: 0704319
DER Facility ID: 333853
Site ID: 384445
Operable Unit ID: 1141749
Operable Unit: 01
Material ID: 2131958
Material Code: 0063A
Material Name: UNKNOWN HAZARDOUS MATERIAL
Case No.: Not reported
Material FA: Hazardous Material
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False

DEC Memo: Start DECRemark - 0704319 07/17/2007 1600 KEHOE ON SITE WITH ECO AND OP-TECH, OP-TECH TESTED AND FOUND TO BE ACETIC ACID. MINOR AMOUNT MADE IT INTO DRAIN. OP-TECH CONTAINED CONTAINER AND WILL DISPOSE, FIRE DEPARTMENT FLUSHED PARKING AREA AND STORMDRAIN. NFA - CLOSED END DECRemark - 0704319
Remarks: Start CallerRemark - 0704319 AT ABOVE ADDRESS, CALLERS GROUP WAS CLEANING OUT THE BASEMENT AND THEY GOT TO A 5 GALLON CLEAR CONTAINER AND STARTED TO DUMP AND IT SPLASHED BACK ON WORKER , BURNING SKIN AND SENDING HIM TO HOSPITAL: THEY STOPPED DUMPINGCONTAINER AND IT HAS BEEN SAVED OUTSIDE AND PLACED ORANGE CONES AROUND TO NOT TOUCH: THEY WOULD LIKE DEC TO CHECK OUT AND CALL TO SEE HOW TO PROCEED. CK TO FOLLOW UP. ECO HULLETT TO RESPOND. END CallerRemark - 0704319

40
SE
1/2-1
0.714 mi.
3771 ft.

CORNING VITRO CORP
STEUBEN ST
CORNING, NY 14830

Relative:
Lower

Actual:
926 ft.

FINDS:
Other Pertinent Environmental Activity Identified at Site

Not reported

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FINDS 1000315935
RCRA-LQG 14831CRNNGST
TRIS
RCRA-TSDF
CORRACTS
MANIFEST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

PCS (Permit Compliance System) is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

RCRA-LQG:

Date form received by agency: 02/17/2006

Facility name: WORLD KITCHEN, LLC
Facility address: ONE STEUBEN STREET
CORNING, NY 14830

EPA ID: NYD000824409
Contact: GREGORY E GREEN
Contact address: Not reported

Not reported
Contact country: Not reported
Contact telephone: (607) 377-3496
Contact email: GREENGE@WORLDKITCHEN.COM
EPA Region: 02

Land type: Private
Classification: TSDF

Description: Handler is engaged in the treatment, storage or disposal of hazardous waste

TSD commencement date: Not reported

Classification: Large Quantity Generator

Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Owner/Operator Summary:

Owner/operator name: WORLD KITCHEN, LLC
Owner/operator address: 11911 FREEDOM DRIVE, SUITE 600
RESTON, VA 20190
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/01/1998
Owner/Op end date: Not reported

Owner/operator name: JANELLE METEER
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 08/04/2003
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Historical Generators:

Date form received by agency: 02/16/2006

Facility name: WORLD KITCHEN, LLC

Classification: Large Quantity Generator

Date form received by agency: 02/06/2004

Facility name: WORLD KITCHEN, LLC

Site name: WORLD KITCHEN INC PRESSWARE PLANT

Classification: Large Quantity Generator

Date form received by agency: 02/12/2002

Facility name: WORLD KITCHEN, LLC

Site name: WORLD KITCHEN INC-PRESSWARE PLANT

Classification: Large Quantity Generator

Date form received by agency: 01/01/2001

Facility name: WORLD KITCHEN, LLC

Site name: PRESSWARE PLANT/CORNING CONSUMER

Classification: Large Quantity Generator

Date form received by agency: 02/25/1998

Facility name: WORLD KITCHEN, LLC

Site name: PRESSWARE PLANT, CORNING CONSUMER

Classification: Large Quantity Generator

Date form received by agency: 03/26/1996

Facility name: WORLD KITCHEN, LLC

Site name: PRESSWARE PLANT CORNING CONSMR PROD CO

Classification: Large Quantity Generator

Date form received by agency: 03/28/1994

Facility name: WORLD KITCHEN, LLC

Site name: CORNING CONSUMER/PRESSWARE PLANT

Classification: Large Quantity Generator

Date form received by agency: 09/17/1992

Facility name: WORLD KITCHEN, LLC

Site name: CORNING VITRO CORP

Classification: Large Quantity Generator

Date form received by agency: 04/23/1992

Facility name: WORLD KITCHEN, LLC

Site name: CORNING VITRO CORP

Classification: Large Quantity Generator

Date form received by agency: 02/27/1992

Facility name: WORLD KITCHEN, LLC

Site name: PRESSWARE PLANT CORNING INC

Classification: Large Quantity Generator

Date form received by agency: 09/23/1991

Facility name: WORLD KITCHEN, LLC

Site name: CORNING VITRO CORP

Classification: Large Quantity Generator

Date form received by agency: 11/19/1980

Facility name: WORLD KITCHEN, LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Site name: CORNING VITRO CORP
Classification: Not a generator, verified

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: D004
Waste name: ARSENIC

Waste code: D005
Waste name: BARIUM

Waste code: D006
Waste name: CADMIUM

Waste code: D007
Waste name: CHROMIUM

Waste code: D008
Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2005

Annual Waste Handled:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Amount (Lbs): 996.5

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Amount (Lbs): 3240

Waste code: D005
Waste name: BARIUM
Amount (Lbs): 14545

Waste code: D006
Waste name: CADMIUM
Amount (Lbs): 14545

Waste code: D007
Waste name: CHROMIUM
Amount (Lbs): 22725

Waste code: D008
Waste name: LEAD
Amount (Lbs): 5885

Corrective Action Summary:

Event date: 11/30/1993
Event: RFA Initiation

Event date: 11/17/1994
Event: RFA Completed

Event date: 02/09/1995
Event: CA Prioritization, Facility or area was assigned a low corrective action priority.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 02/22/2001
Date achieved compliance: 05/02/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/17/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 06/18/1990
Date achieved compliance: 08/02/1990
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/06/1990
Enf. disposition status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

EDR ID Number
Database(s) EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 08/15/1986
Date achieved compliance: 08/02/1990
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 07/30/2007
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/30/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/22/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 05/02/2001
Evaluation lead agency: State

Evaluation date: 06/18/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 08/02/1990
Evaluation lead agency: State

Evaluation date: 04/07/1987
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/15/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 08/02/1990
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Evaluation date: 08/14/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

CORRACTS:

EPA ID: NYD000824409
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 02/09/1995
Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective action priority
NAICS Code(s): 327212
Other Pressed and Blown Glass and Glassware Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD000824409
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 11/17/1994
Action: CA050 - RFA Completed
NAICS Code(s): 327212
Other Pressed and Blown Glass and Glassware Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

NY MANIFEST:

Document ID: NYA3990418
Manifest Status: Completed copy
Trans1 State ID: U-55689(N)
Trans2 State ID: Not reported
Generator Ship Date: 860911
Trans1 Recv Date: 860911
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860912
Part A Recv Date: 860915
Part B Recv Date: 860923
Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD080336241
Trans2 EPA ID: Not reported
TSD ID: NYD080336241
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP
Quantity: 07125
Units: P - Pounds
Number of Containers: 015
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 01000
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYA3986831
Manifest Status: Completed copy
Trans1 State ID: 87961-GH(
Trans2 State ID: Not reported
Generator Ship Date: 860402
Trans1 Recv Date: 860402
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860402
Part A Recv Date: 860408
Part B Recv Date: 860407
Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD080336241
Trans2 EPA ID: Not reported
TSDF ID: NYD080336241
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP
Quantity: 01900
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 120
Waste Code: Not reported
Quantity: 00750
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 110
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYA3990374
Manifest Status: Completed copy
Trans1 State ID: 37444GP
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Generator Ship Date: 861010
Trans1 Recv Date: 861010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861010
Part A Recv Date: 861016
Part B Recv Date: 861021
Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD013277454
Trans2 EPA ID: Not reported
TSD ID: NYD013277454
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 080
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYA6078384
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: AM8365
Trans2 State ID: Not reported
Generator Ship Date: 881213
Trans1 Recv Date: 881213
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881213
Part A Recv Date: 881219
Part B Recv Date: 890109

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD013277454
Trans2 EPA ID: Not reported
TSD ID: NYD013277454
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 080
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 133
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYA6078402
Manifest Status: Completed copy
Trans1 State ID: ND4984
Trans2 State ID: Not reported
Generator Ship Date: 881101
Trans1 Recv Date: 881101
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881101
Part A Recv Date: 881109

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Part B Recv Date: 881104
Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD980769947
Trans2 EPA ID: Not reported
TSDF ID: NYD043815703
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 120
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYB2853387
Manifest Status: Completed copy
Trans1 State ID: LZ8441
Trans2 State ID: Not reported
Generator Ship Date: 920512
Trans1 Recv Date: 920512
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920512
Part A Recv Date: Not reported
Part B Recv Date: 920526
Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD013277454
Trans2 EPA ID: Not reported
TSDF ID: NYD013277454
Waste Code: F003 - UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 080
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 130
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: MIA8252948
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 01/18/2001
Trans1 Recv Date: 01/18/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/19/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824409
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0440473ME

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00450
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP
Quantity: 03220
Units: P - Pounds
Number of Containers: 007
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D005 - BARIUM 100.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Trans2 EPA ID: Not reported
TSD ID: 040525ME
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D005 - BARIUM 100.0 MG/L TCLP
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: MIA8124282
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Generator Ship Date: 08/11/2001
Trans1 Recv Date: 08/11/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/22/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824409
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0522428
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D005 - BARIUM 100.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00010
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: MIA8124284
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 08/21/2001
Trans1 Recv Date: 08/21/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/22/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824409
Trans1 EPA ID: MID060975844
Trans2 EPA ID: Not reported
TSD ID: NY113
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: MIA8170524
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 11/27/2001
Trans1 Recv Date: 11/27/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/29/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824409
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0428046ME
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D005 - BARIUM 100.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: MIA8170526
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 11/27/2001
Trans1 Recv Date: 11/27/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/29/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824409
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0428046ME
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP
Quantity: 00600
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Document ID: NYA3418132
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 860204
Trans1 Recv Date: 860204
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860204
Part A Recv Date: 860219
Part B Recv Date: 860211
Generator EPA ID: NYD000824409
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYA3162723
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 860724
Trans1 Recv Date: 860724

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Trans2 Recv Date: Not reported
TSD Site Recv Date: 860724
Part A Recv Date: 860730
Part B Recv Date: 860730
Generator EPA ID: NYD000824409
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: NYA3576947
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 860319
Trans1 Recv Date: 860319
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860319
Part A Recv Date: 860325
Part B Recv Date: 860324
Generator EPA ID: NYD000824409
Trans1 EPA ID: ILD000805911

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING VITRO CORP (Continued)

1000315935

Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824409
Facility Name: CORNING INC PRESSWARE PLANT
Facility Address: 1 STEUBEN ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC PRESSWARE PLANT
Mailing Contact: MCLAREN GEORGE S ENV CONT
Mailing Address: 1 STEUBEN ST
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-7846

Document ID: ARA2780730
Manifest Status: Completed copy
Trans1 State ID: NY86547Z
Trans2 State ID: Not reported
Generator Ship Date: 880728
Trans1 Recv Date: 880728
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880802
Part A Recv Date: 880803
Part B Recv Date: 880809
Generator EPA ID: NYD000824409
Trans1 EPA ID: NYD980769947
Trans2 EPA ID: Not reported
TSDF ID: ARP000404000
Waste Code: B005 - PCB ARTICLES WITH 500 PPM OR > PCB
Quantity: 01661
Units: P - Pounds
Number of Containers: 005

EDR ZIP Code Scan Report

| ZIP | EDR-ID | Facility ID | Name | Address | Map/Dir/Dist | City | State | Databases |
|-------|------------|--------------|-----------------------------------|-----------------------------------|--------------|--------------|-------|--|
| 14830 | S107768902 | 0650123 | THOMAS (WILLIAM) PROPERTY | 128-130 DENISON PARKWAY | ** | CORNING | NY | SPILLS |
| 14830 | 1000315947 | 110004379814 | CORNING HOSPITAL | 176 DENISON PARKWAY EAST | | CORNING | NY | HIST UST, AST, NY MANIFEST, HIST AST, SPDES, RCRAinfo-SQG, FINDS |
| 14830 | U004062405 | 8-117854 | CORNING HOSPITAL | 176 DENISON PKWY EAST | ** | CORNING | NY | SPILLS |
| 14830 | S107523005 | 0551483 | SUNOCO | 48 DENISON PARKWAY | | CORNING | NY | SPILLS |
| 14830 | U001324225 | 8-097217 | SUNOCO #0364-0141 | 48 DENISON PARKWAY | | CORNING | NY | HIST UST, NCFM UST |
| 14830 | S102244213 | 9510258 | SUNOCO STATION | 48 DENISON PARKWAY WEST | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1004757470 | 110006046293 | ATLANTIC SERVICE STATION | DENISON PKWY & WALNUT ST | | CORNING | NY | NY MANIFEST, RCRA-NonGen, FINDS |
| 14830 | 1010614604 | | CORNING CITY OF | DENISON PKWY CITY HALL | ** | CORNING | NY | ICIS |
| 14830 | 1001946271 | 9705200 | CORNING HOSPITAL | 176 DENISON PKWY EAST | | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | 1000194044 | 110004384041 | GOODYEAR 0438 | 20-24 DENISON PARKWAY | | CORNING | NY | NY MANIFEST, RCRA-CESQG, FINDS |
| 14830 | U003314743 | 8-390321 | WILSON FARMS #939 | 40 DENISON PARKWAY | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | S108299043 | 0610152 | SUGAR CREEK STORE # 139 | 40 DENISON PARKWAY | ** | CORNING | NY | LTANKS |
| 14830 | U003339458 | 8-434523 | TOWN OF CORNING | HIGHWAY DEPARTMENT | ** | CORNING | NY | AST, HIST AST |
| 14830 | U004091422 | 8-097632 | TOWN OF CATON | HIGHWAY DEPARTMENT | ** | CORNING | NY | NCFM UST |
| 14830 | U003178840 | 8-097632 | TOWN OF CATON | HIGHWAY DEPARTMENT | | CORNING | NY | HIST UST, AST, HIST |
| 14830 | S103484070 | 9870119 | 195 DODGE AVENUE | 195 DODGE AVENUE | | CORNING | NY | AST |
| 14830 | 1006319716 | 110012589378 | SOUTHERN TIER FINISHING INC | 274 DODGE AVE | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1009233652 | | NYSDEC | DODGE ST | ** | CORNING | NY | FINDS |
| 14830 | 1008177783 | | COLUMBIA GAS TRANSMISSION CO | DUNDEE COMP STATION, RD3 BOX 142A | ** | CORNING | NY | NY MANIFEST |
| 14830 | 1010002648 | | COLUMBIA GAS TRANSMISSION CO | DUNDEE COMP STATION, RD3 BOX 142A | ** | CORNING | NY | HIST FITS |
| 14830 | S102170863 | 9006925 | GENE JEROLD | 130 DWIGHT AVENUE | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1007800482 | 110019630023 | PRYSLOPSKI PROPERTY | 4310 DYKE RD | ** | CORNING | NY | FINDS |
| 14830 | 1007788681 | 110019511679 | BIXBY PROPERTY | 489 DYKE RD, CO RTE 42 | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S102169033 | 9206620 | POST CREEK SPILL | 346 1/2 EAST BAKER STREET | ** | CORNING | NY | SPILLS |
| 14830 | S108638571 | 0703674 | 186 WESTBOUND | EXIT 46 RAMP | ** | CORNING | NY | SPILLS |
| 14830 | S106970149 | 0850726 | CALVIN SMITH SCHOOL | FENDERSON STREET | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | U001325900 | 8-434442 | CORNING NEWCHANNELS | 50 FERRIS STREET | | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | S104514603 | 9708122 | RESIDENCE | 148 EAST FIFTH STREET | ** | CORNING | NY | FITS, HIST FITS |
| 14830 | 1009892591 | | SIGNATURE PROPERTIES | 105 E FIRST ST | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S102171105 | 9301073 | BRIZZEE (MICHAEL) HOME | 247 WEST FIRST STREET | | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | 1000432547 | 110007984135 | SERVICE STATION | FIVE BRIDGE ST | ** | CORNING | NY | NY MANIFEST |
| 14830 | 1009232105 | | CORNING PAINTED POST SCHOOL DIST | 79 FLINT AVENUE | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | U001324528 | 8-131415 | HUGH GREGG | FLINT AVENUE | ** | CORNING | NY | FINDS |
| 14830 | 1009331988 | 110024538703 | SIGNATURE PROPERTIES | 105 E FRONT STREET | ** | CORNING | NY | FINDS |
| 14830 | 1007764884 | 110019271072 | CORNING GLASS REFRACTORIES | FRONT ST | ** | CORNING | NY | FINDS |
| 14830 | 1007764515 | 110019269369 | CORNING INC | FRONT ST | ** | CORNING | NY | FINDS |
| 14830 | S102667478 | 9708248 | STORM SEWER DRAIN | 216 FULLER AVE | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | U004091427 | 8-419397 | CONSOLIDATED RAIL CORPORATION | GANG MILLS YARD-CONRAIL | ** | CORNING | NY | NCFM UST |
| 14830 | U003314689 | | CONSOLIDATED RAIL CORPORATION | GANG MILLS YARD-CONRAIL | | CORNING | NY | HIST UST, AST, HIST |
| 14830 | S108411146 | 8-000401 | HARNDON | GINNAN RD. | ** | CORNING | NY | AST |
| 14830 | 1004756776 | 110004412993 | CORNING COMMUNITY COLLEGE | 2848 GOFF RD | | CORNING | NY | CBS |
| 14830 | 1010601076 | | CORNING COMMUNITY COLLEGE | 2848 GOFF RD | | CORNING | NY | NY MANIFEST, RCRA-CESQG, FINDS |
| 14830 | S107522304 | 0512273 | WHITAKER RESIDENCE/NY/SE&G | 2848 GOFF RD | | CORNING | NY | ICIS |
| 14830 | S103571748 | 9870341 | SCHOOL BUS GARAGE | 2950 GOFF ROAD | | CORNING | NY | SPILLS |
| 14830 | S102172101 | 9413604 | CORNING PAINTED POST CSD | 74 GOFF ROAD | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1000344448 | 110008039568 | C-PPI BUS GARAGE | 74 GOFF ROAD | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S102168813 | 9201119 | STRATTON (ED) RESIDENCE | GOFF RD | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | 1007764496 | 110019269227 | CORNING ICF HOSTEL #1327 | 2976 GORDON ROAD | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1010080937 | | CORNING NATURAL GAS CORPORATION | 3 GORDON RD | ** | CORNING | NY | FINDS |
| 14830 | 1000447252 | 110008041500 | SUN PIPELINE | 2757 GORTON ROAD | ** | CORNING | NY | DOT OPS |
| 14830 | 1007821419 | 110019839790 | THRESHER SEPTIC SERVICE SEPTAGE S | GORTON RD | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, FINDS |
| 14830 | 1007768996 | 110019313330 | COLD SPRING PIT/ROGER STEELE | GDRTON RD | ** | CORNING | NY | FINDS |
| 14830 | S102169436 | 8605911 | PIERSON RESIDENCE | 11 GRANNIN DRIVE | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S108640075 | 8-000437 | B.J. HARTMAN | 11948 HENDY HOLLOW RD. | | CATON | NY | CBS |
| 14830 | S102244364 | 9513483 | NY'S ELECTRIC & GAS | 11884 HICKLING RD | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S103039073 | 8502077 | NY/SE&G HICKLING STATION | 11884 HICKLING RD | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S106441119 | 8-000212 | AES HICKLING, LLC | 11884 HICKLING ROAD | | CORNING | NY | SPDES |
| 14830 | S103942166 | 8-143995 | AES HICKLING, INC. | 11884 HICKLING ROAD | | CORNING | NY | CBS |
| 14830 | U003153345 | | AES HICKLING | 11884 HICKLING ROAD | | CORNING | NY | HIST UST, SPILLS, HIST |
| 14830 | 1000271372 | 110000489443 | NYSEG | HICKLING GENERATING STATION | | EAST CORNING | NY | AST, HIST SPILLS |
| 14830 | 1007742827 | 110019051988 | WINFIELD CREEK | HICKORY LANE TO FEEDER CANAL | ** | CORNING | NY | NY MANIFEST, FINDS, RCRAinfo-LQG |

EDR ZIP Code Scan Report

| ZIP | EDR-ID | Facility ID | Name | Address | Map/Dir/Dist | City | State | Databases |
|-------|------------|--------------|------------------------------------|------------------------------------|---------------------|------------|-------|---|
| 14830 | S108411152 | 8-000407 | MOSS | 3296 HIGH ST. | ** | CORNING | NY | CBS |
| 14830 | 1007768723 | 110019311555 | MOSS BORROW PIT | HIGH ST | ** | CORNING | NY | FINDS |
| 14830 | S108639073 | 0750249 | NYSDC MVA HIGH STREET BRIDGE | HIGH STREET BRIDGE OVER POST CREE | ** | CORNING | NY | SPILLS |
| 14830 | S102168843 | 9201730 | BROWN'S | 3437 HORNBY ROAD | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S108295060 | 0608100 | TAYLOR (KELLY) RESIDENCE | 4232 HORNBY ROAD | ** | CORNING | NY | SPILLS |
| 14830 | 1007803437 | 110019659644 | COUPE PROPERTY | HORNBY RD | ** | CORNING | NY | FINDS |
| 14830 | 1007764517 | 110013289405 | CORNING INC- W C DECKER BLDG | HOUGHTON PARK | ** | CORNING | NY | FINDS |
| 14830 | S102173519 | 9503885 | CAFFOS CAR | 6 JACKSON CIRCLE | 28, East, 1/4 - 1/2 | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S102171801 | 9405022 | ELDRIDGE CAR GAS TANK | 114 JENNINGS STREET | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | U001849639 | 8-010537 | PARK AVENUE SUNOCO | JOHN EBERENZ INC | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | 1004762491 | 110007905632 | STEUBEN COUNTY DPW | KAPRAL PROPERTY FLINT | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | 1007792709 | 110019552107 | RENSIMER PROPERTY | 1256 EAST LAKE ROAD | ** | CORNING | NY | FINDS |
| 14830 | S108411122 | 8-000365 | CORNING GAME CLUB | LEE RD. | ** | CORNING | NY | FINDS |
| 14830 | S108411156 | 8-000411 | PACE | 10248 LOWER PACE | ** | CORNING | NY | CBS |
| 14830 | S107788990 | 0850234 | DANDY MINI MART (FORMER BROWNIES) | LPGA ROAD / GOFF ROAD | ** | CORNING | NY | SPILLS |
| 14830 | S103593074 | 110007999265 | ERWIN T.S. | LUMBER STREET | ** | GANG MILLS | NY | SWALE |
| 14830 | 1000315925 | | CORNING GLASS WORKS | MAIN PLANT | ** | CORNING | NY | CORRECTS, SPILLS, NY MANIFEST, HIST SPILLS, RCRA-NonGen, FINDS, |
| 14830 | 1000315949 | 110008012177 | CORNING MATERIALS INC | MAIN ST GIBSON | ** | CORNING | NY | RAATS |
| 14830 | S102168821 | 9201350 | STANDARD DRY CLEANERS | 119 WEST MARKET STREET | J, SW, 1/2 - 1 | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | 1000310318 | 110004348858 | STANDARD DRY CLEANERS | 119 WEST MARKET STREET | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S108957532 | 07511103 | 131 WEST MARKET STREET | 131 WEST MARKET STREET | J SW, 1/2 - 1 | CORNING | NY | FINDS |
| 14830 | S104324008 | 9312497 | 150 WEST MARKET ST. (COMMUNITY BAN | 150 WEST MARKET ST. | K, SW, 1/2 - 1 | CORNING | NY | VCP |
| 14830 | S102171528 | 0704319 | COLUMBIA BANKING SITE | 150 WEST MARKET STREET | K, SW, 1/2 - 1 | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | U003315102 | 8-382820 | HERRINGOREEK GIFT CARDS | 28 EAST MARKET STREET | 39, South, 1/2 - 1 | CORNING | NY | SPILLS |
| 14830 | S108437457 | 8-4603-00046 | SAM'S SERVICE | 301 E MARKET ST. EXT. | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | 1000382750 | 110004365623 | THE LAUNDRY | 301 E MARKET ST. | ** | CORNING | NY | DRYCLEANERS |
| 14830 | 1000382752 | NYD155832769 | PENSKE LEASING INC | 363 E MARKET ST | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | 1000382752 | NYD155832769 | PENSKE TRUCK LEASING CO LP | 363 E MARKET ST | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen |
| 14830 | S102234039 | 9514258 | CORNING INC FORMER PENSKE | 363 EAST MARKET STREET | ** | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | 1001119555 | 110004527833 | FLEET BANK | 5 E MARKET ST | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | 1007753971 | 110019163705 | GRIFFIN BUILDING | 76-82 EAST MARKET ST | ** | CORNING | NY | FINDS |
| 14830 | 1000872647 | 110004507436 | MINUTEMAN PRESS OF CORNING | 85 E MARKET ST | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | 1007764653 | 110019270876 | CORNING - C WWTP | E MARKET ST IN DENISON PARK | ** | CORNING | NY | FINDS |
| 14830 | S107768818 | 0850026 | LONDON UNDERGROUND/3 BIRDS REST. | MARKET STREET ALLEY (NORTH) | ** | CORNING | NY | SPILLS |
| 14830 | S108411118 | 8-000361 | HENKEL | MARKLE HOLLOW RD. | ** | CORNING | NY | CBS |
| 14830 | U00746752 | 110019091338 | T & T BUS COMPANY INC | 1096 MARSH ROAD | ** | CORNING | NY | FINDS |
| 14830 | U003314598 | 8-419095 | BIRNIE TRANSPORTATION SERVICES INC | 1096 MARSH ROAD | ** | CORNING | NY | HIST UST, HIST AST |
| 14830 | U004067700 | 8-419095 | WILLIAM E. SEVERN ES | 1116 MARSH ROAD | ** | CORNING | NY | AST, NCFM UST |
| 14830 | 1008326718 | 110022202481 | CORNING INCORPORATED | 36 MCMAHON AVE | ** | CORNING | NY | FINDS |
| 14830 | U003314679 | 8-382175 | CORNING INCORPORATED | MOTOR TRANSPORT | ** | CORNING | NY | HIST UST, AST, HIST |
| 14830 | 1010691612 | 110033201176 | CORNING INC REFRATORIES PLANT | MP-RP-01 FRONT ST | ** | CORNING | NY | AST, NCFM UST |
| 14830 | S106470484 | 0403357 | COACH USA | 1 MUSEUM WAY | D, SSE, 1/8 - 1/4 | CORNING | NY | FINDS |
| 14830 | 1004761963 | 110004566112 | CORNING INC - MUSEUM OF GLASS | 1 MUSEUM WAY | D, SSE, 1/8 - 1/4 | CORNING | NY | SPILLS |
| 14830 | A100319002 | 110019617752 | CORNING INCORPORATED CHP PLANT | 8 MUSEUM WAY | C, South, 1/8 - 1/4 | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | 1007799262 | 110019617752 | CHEMUNG RIVER DAM FEASIBILITY STUC | N/A | ** | CORNING | NY | AST |
| 14830 | 1000425760 | 110001603916 | COLUMBIA GAS TRANS - CORNING COMP | 3911 NARROWS CREEK ROAD | ** | CORNING | NY | FINDS |
| 14830 | S107418115 | 0508517 | NY'S ELECTRIC & GAS | NEAR 1390 ROUTE 414 | 24, NNW, 1/4 - 1/2 | CORNING | NY | NY MANIFEST, RCRA/Hfc-SQG, |
| 14830 | U003153326 | 8-037990 | CORNING SERVICE CENTER | NEW YORK STATE ELECTRIC / GAS COR | ** | CORNING | NY | SPILLS |
| 14830 | S102561341 | 9701046 | PRIVATE RESIDENCE | 80 NORMAN STREET | ** | CORNING | NY | HIST UST |
| 14830 | 1000410106 | 110008039443 | CORNING PAINTED POST SCHOOL DISTR | NORTHSHIDE BLODGETT MIDDLE SCH | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1007764530 | 110019269539 | CORNING INC-STEUBEN PLANT | NORTHSHIDE COMPLEX | ** | CORNING | NY | FINDS |
| 14830 | 1008763702 | 0705546 | 186 EASTBOUND | EAST OF EXIT 47 | ** | CORNING | NY | SPILLS |
| 14830 | 1007748207 | 110019085871 | WHISKEY CREEK LPG PIPELINE | NORTH OF FRENCHS MILL SSE OF WCOBA | ** | CORNING | NY | FINDS |
| 14830 | 1008969812 | 0550671 | BROWNIES MINI MART | OLD ROUTE 17 | ** | CORNING | NY | SPILLS |
| 14830 | S106442650 | 8006000 | WORLD KITCHEN - PRESSWARE PLT | ONE STEUBEN STREET | A, West, 0 - 1/8 | CORNING | NY | SPDES |
| 14830 | S102169434 | 8-4638-00038 | WILSON (PAUL) RESIDENCE | 206 ONEIDA PLACE | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S106437456 | 0770384 | CRYSTAL/ONE HI TECH CLEANERS | 343 W. PALTENEY ST. | ** | CORNING | NY | DRYCLEANERS |
| 14830 | S106007742 | 0270384 | STEVE REYNOLDS RESIDENCE | 156 PARK AVENUE | ** | CORNING | NY | SPILLS |
| 14830 | 1000871452 | 110004309169 | JOHN EBERENZ INC | 314 PARK AVE | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | 1004756308 | 110004352628 | AUTO SERVICE CENTER | 316 PARK AVE | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | U003399649 | 8-600326 | AUTO SERVICE CENTER | 316 PARK AVENUE | ** | CORNING | NY | AST, HIST AST |

EDR ZIP Code Scan Report

| ZIP | EDR-ID | Facility ID | Name | Address | Map/Dir/Dist | City | State | Databases |
|-------|-------------|--------------|----------------------------------|--------------------------------|--------------------|---------|-------|----------------------------|
| 14830 | S102679335 | 9410660 | SUGAR CREEK STORE | 328 PARK AVENUE | | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | U003399698 | 8-600426 | CORNING EASY LUBE | 344 PARK AVENUE | | CORNING | NY | AST, HIST, AST |
| 14830 | U003315000 | 0070442 | SUGAR CREEK #175 | 351 PARK AVENUE | ** | CORNING | NY | HIST, UST, SPILLS, HIST |
| 14830 | S108297863 | 0651239 | SUGAR CREEK #175 | 352 PARK AVENUE | | CORNING | NY | LTANKS, NCFM UST, LTANKS |
| 14830 | S105057845 | 0102363 | SUN COMPANY | 352 PARK AVENUE | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1010161708 | 110030456690 | SUNCO LTD. | 352 PARK AVENUE | | CORNING | NY | FINDS |
| 14830 | U003078350 | 8-018228 | SUNCO LTD. | 354 PARK AVENUE | | CORNING | NY | HIST UST, AST, HIST |
| 14830 | S102717059 | 9408792 | SUNCO ENTERPRISES | 404 PARK AVENUE | | CORNING | NY | AST, NCFM UST |
| 14830 | U001850280 | 8-232173 | GLENS SERVICE | 417 PARK AVENUE | | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | U004107635 | 8-601274 | BYRNE DAIRY SOUTH CORNING | PARK AVE PARK PLAZA | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | U003078349 | 8-015199 | CORNING BUILDING CO INC | PARK AVENUE | ** | CORNING | NY | NCFM UST |
| 14830 | S108957473 | 0751040 | SUGAR CREEK | PHYSICAL PLANT/SPENCER HILL RD | ** | CORNING | NY | AST, NCFM UST |
| 14830 | 1007764668 | 110019270895 | CORNING COMMUNITY COLLEGE STIP | PINE STREET | ** | CORNING | NY | SPILLS |
| 14830 | U007735806 | 0409679 | NYS GAS & ELECTRIC | PINE STREET | ** | CORNING | NY | SPILLS |
| 14830 | S106735779 | 0485349 | NYS ELECTRIC & GAS | 4540 PINEHILL ROAD | ** | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | S104516386 | 9912251 | LIMBER (ROBERT) RESIDENCE | POST CREEK | ** | CORNING | NY | FINDS |
| 14830 | 1007757027 | 110019194352 | HIGH ST BRIDGE OVER POST CR | 37 EAST POULTNEY STREET | G, WNW, 1/4 - 1/2 | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | 1000242905 | 110004391266 | LOOHNS CLEANERS AND LAUNDERERS I | POWERHOUSE FACILITY | ** | CORNING | NY | FINDS |
| 14830 | 1000315934 | 110007996259 | CORNING GLASS WORKS | 133 W PULTENEY ST | | CORNING | NY | NY MANIFEST, RCRA-CESQG, |
| 14830 | 1004761903 | 110004565765 | QUAIL BAY APARTMENTS | 137 E PULTENEY ST | | CORNING | NY | FINDS |
| 14830 | U004062048 | 8-126330 | BLACK'S AUTO SERVICE CENTER | 137 E PULTENEY ST | B, North, 0 - 1/8 | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | U003314347 | 8-126330 | BLACK'S AUTO SERVICE CENTER | 29 W PULTENEY ST | B, North, 0 - 1/8 | CORNING | NY | NCFM UST |
| 14830 | 1000396736 | 110004358908 | WHITCOMB FORD INC | 33 WEST PULTENEY STREET | 27, WNW, 1/4 - 1/2 | CORNING | NY | HIST UST, AST, HIST |
| 14830 | S102186633 | 9109019 | GIGANAK (JOHN) RESIDENCE | 343 WEST PULTENEY STREET | | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | U003314738 | 8-390267 | WILSON FARMS #932 | 343 WEST PULTENEY STREET | | CORNING | NY | FINDS |
| 14830 | S100250788 | 9111709 | SUGAR CREEK STORE #32 | 355 W PULTENEY ST | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1000229190 | 110004361379 | REDFIELD MOTOR COMPANY | 367 W PULTENEY ST | | CORNING | NY | HIST UST, NCFM UST |
| 14830 | 1010614599 | 110010762497 | PUTNAM AUTO SALES | 368 WEST PULTENEY STREET | | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | U004572343 | 8-600400 | MONRO MUFFLER/BRAKE #22 | 382 PULTENEY STREET | | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | S1003399684 | 9213911 | HESS STATION #32462 | 392 WEST PULTENEY STREET | ** | CORNING | NY | FINDS |
| 14830 | S104074814 | 11001595676 | STORFLEX FIXTURES CORP | 392 WEST PULTENEY STREET | | CORNING | NY | AST |
| 14830 | 1004759780 | 8-131636 | STORFLEX FIXTURES CORP | 601 EAST PULTENEY STREET | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | U003399322 | 8-131636 | STORFLEX FIXTURES CORP | PULTENEY PLZ | ** | CORNING | NY | FINDS |
| 14830 | U004048402 | 8-600757 | ECKERD DRUGSTORE | W PULTENEY ST | ** | CORNING | NY | FINDS |
| 14830 | U003749791 | 110008099939 | MONRO MUFFLER BRAKE 22 | 37 EAST PULTENEY STREET | G, WNW, 1/4 - 1/2 | CORNING | NY | SPILLS |
| 14830 | 1000366043 | 110019262536 | SHULTZ INDUSTRIES INC | 104 WEST PULTENEY STREET | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, |
| 14830 | 1007763831 | 110019381747 | WEYERHAEUSER CO | 343 WEST PULTENEY | ** | CORNING | NY | SPILLS |
| 14830 | 1007775722 | 0708369 | LOOHNS CORNING | 343 WEST PULTENEY | ** | CORNING | NY | FINDS |
| 14830 | S108925309 | 110014489713 | BONADY APTS | 343 WEST PULTENEY | ** | CORNING | NY | NY MANIFEST, RCRAInfo-SQG, |
| 14830 | S108956288 | 11000693955 | SUGAR CREEK STORES | 343 WEST PULTENEY | ** | CORNING | NY | FINDS |
| 14830 | U000693955 | 110004489713 | SUGAR CREEK STORES | 343 WEST PULTENEY | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S106720414 | 0409046 | TOPS MARKET | 343 WEST PULTENEY | ** | CORNING | NY | LTANKS |
| 14830 | 1000117369 | 110012643201 | ONE HOUR TECHI | 343 WEST PULTENEY | ** | CORNING | NY | NCFM UST |
| 14830 | S104952388 | 0070578 | FORMER SUGAR CREEK #32 | 361 WEST PULTENEY STREET | ** | CORNING | NY | SPILLS |
| 14830 | U00686836 | 0412812 | RIVERSIDE FAST TRAC STORE | 361 WEST PULTENEY STREET | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | U004046719 | 8-601005 | FAST TRAC MARKET #289 | 384 WEST PULTENEY STREET | G, WNW, 1/4 - 1/2 | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | S107488277 | 0509552 | FAST TRAC MARKET | 47 EAST PULTENEY PLT | ** | CORNING | NY | FINDS |
| 14830 | U001324924 | 8-302236 | HESS STATION #32462 | C R 41 | ** | CORNING | NY | SPILLS |
| 14830 | U001324924 | 8-126659 | NORTHSHIDE TEXACO | 3450 WEST RD. | ** | CORNING | NY | CB |
| 14830 | U003127364 | 110007991085 | WEYERHAEUSER PAPER CO | 11022 RIVER ROAD | ** | CORNING | NY | SPILLS |
| 14830 | 1000315816 | 110019498140 | BEDELL PROPERTY | 11384 RIVER RD. | ** | CORNING | NY | FINDS |
| 14830 | 1007787333 | 8-000410 | REED | 13 RIVER RD | ** | CORNING | NY | FINDS |
| 14830 | S108294398 | 0607234 | STUART WELL | RIVER RD (CO RTE 44) | ** | CORNING | NY | FINDS |
| 14830 | U009640077 | 8-000439 | CRYSTAL VALLEY FARM GRAVEL PIT | RIVER ROAD @ WHISKY CK | ** | CORNING | NY | FINDS |
| 14830 | 1007800011 | 110019625306 | BR DEWITT PLANT P-4 | 25 RIVERSIDE DRIVE | ** | CORNING | NY | FINDS |
| 14830 | 1007795761 | 110013582691 | SWARTZ MINE | | ** | CORNING | NY | FINDS |
| 14830 | 1009605904 | 11002322559 | ALLEN PROPERTY | | ** | CORNING | NY | FINDS |
| 14830 | 1007762586 | 110019450510 | CRYSTAL CITY BAKERS | | ** | CORNING | NY | FINDS |
| 14830 | 1007719834 | 110019823921 | | | ** | CORNING | NY | FINDS |

EDR ZIP Code Scan Report

| ZIP | EDR-ID | Facility ID | Name | Address | Map/Dir/Dist | City | State | Databases |
|-------|-------------|--------------|-----------------------------------|---------------------------------------|-----------------|---------------|-------|--|
| 14830 | 1000214922 | 110028013390 | WEYERHAEUSER COMPANY | RIVERSIDE PLANT | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, FINDS |
| 14830 | S108298228 | 0651845 | REED (GARY) RESIDENCE | 3515 WEST ROAD | ** | CORNING | NY | SPILLS |
| 14830 | S108411154 | 8-000409 | HAKES | 3859 ROSE RD. | ** | CORNING | NY | CBS |
| 14830 | 1007795328 | 110019578367 | BULLSEYE DRIVING RANGE | 4330 ST RTE 414 | ** | CORNING | NY | FINDS |
| 14830 | 1007769049 | 110019314838 | MORRISON TURKEY FARM PIT | CO RTE 44 (RIVER RD) - NORTH OF GILLE | ** | CORNING | NY | FINDS |
| 14830 | S105957718 | 0209746 | HEFFNER (FRANCIS) RESIDENCE | 10157 RYERS CREEK ROAD | ** | CORNING | NY | LTANKS |
| 14830 | S103572498 | 8280453 | KOLCZNSKI RESIDENCE | 80 EAST SECOND STREET | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | U004080794 | 8-439169 | KEUKA CONSTRUCTION CORP | 196 WEST SIXTH STREET | ** | CORNING | NY | NCFM UST |
| 14830 | U003315425 | 8-439169 | KEUKA CONSTRUCTION CORP | 196 WEST SIXTH STREET | ** | CORNING | NY | HIST UST, AST, HIST |
| 14830 | S106016056 | 0370222 | WARDEN STREET/SLY STREET | 303 SLY STREET | ** | CORNING | NY | SPILLS |
| 14830 | 1000315945 | NYD073682791 | CORNING COMMUNITY COLLEGE | SPENCER HILL | ** | CORNING | NY | HIST UST, NY MANIFEST, HIST AST, HIST LTANKS, RCRA-CESQG, LTANKS |
| 14830 | S108411147 | 8-000402 | EOLIN #1 | STAE RTE 225 | ** | CORNING | NY | CBS |
| 14830 | S104619592 | 9804182 | CENTRE CONCRETE COMPANY | 11979 STATE ROUTE 352 | ** | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | A100295573 | 8-601081 | BIRNIE TRANSPORTATION SERVICES | 3308 STATE ROUTE 352 | ** | CORNING | NY | AST, HIST AST |
| 14830 | U003399553 | 8-000337 | EOLIN | 3905 STATE ROUTE 414 | ** | CORNING | NY | CBS |
| 14830 | S108411167 | 8-000422 | CORNING GLASS WORKS PARKWAY FAC | STATE HIGHWAY 225 | ** | SOUTH CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | U000315932 | 110007995535 | CORNING CONSUMER PRODUCTS CO-PR | STATE ST OFF DENISON PKWY | ** | CORNING | NY | CBS AST, CBS |
| 14830 | S103942138 | 8-000192 | WORLD KITCHEN PRESSWARE PLANT | 1 STEUBEN ST. | ** | CORNING | NY | SPILLS |
| 14830 | S108466103 | 0612366 | WORLD KITCHEN | 1 STEUBEN STREET | ** | CORNING | NY | SPILLS |
| 14830 | S108298023 | 0651418 | CORNING VITRO CORP | STEUBEN ST | ** | CORNING | NY | CORRACTS, NY MANIFEST, FINDS, RCRAInfo-LOG, TRIS, RCRAInfo-TSDF, AST, SPILLS |
| 14830 | 1000315935 | 110000582931 | CORNING GLASS | STEUBEN ST | 40, SE, 1/2 - 1 | CORNING | NY | RCRAInfo-LOG, TRIS, RCRAInfo-TSDF, AST, SPILLS |
| 14830 | A100295785 | 8-601031 | RICE'S AUTO SERVICE | 47 STIMSON STREET | ** | CORNING | NY | SPILLS |
| 14830 | S106721252 | 0485028 | CORNING R&D | SULLIVAN PARK | ** | CORNING | NY | CERCLIS-NFRAP |
| 14830 | U003963611 | NYD047290198 | THRESHER SEPTIC SERVICE STORAGE F | SULLIVAN PARK | ** | CORNING | NY | SWFLF |
| 14830 | S106123064 | 0510967 | DIVEN (RON) RESIDENCE | 201 SWAMP SCHOOL RD. | ** | CORNING | NY | LTANKS |
| 14830 | S107523195 | 0510967 | BELL'S FARM & HOME CENTER | 11512 TAST ROAD | ** | CORNING | NY | SHWS |
| 14830 | S106905181 | 110004447000 | CORNING FREE ACADEMY | AT THE CORNER OF FLOWER AND GARD | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | U000315953 | 110004447000 | CORNING FREE ACADEMY | 11 W THIRD ST | ** | CORNING | NY | VCP |
| 14830 | S108925389 | 11000315937 | CORNING GLASS | EAST TIOGA AVENUE | ** | CORNING | NY | CORRACTS, NY MANIFEST, RCRAInfo-SQG, FINDS |
| 14830 | U003315317 | 8-426482 | CORNING NATURAL GAS CORP | TIOGA AVE | 1, SSW, 1/2 - 1 | CORNING | NY | RCRAInfo-SQG, FINDS |
| 14830 | S108411153 | 8-000408 | ANDREWS | TOWNLEY AVENUE SERVICE CENTER | ** | CORNING | NY | CBS |
| 14830 | S106738406 | 0485370 | WALL STREET/EAST 2ND STREET MVA | 3248 VAN ETTEN RD. | ** | CORNING | NY | HIST UST, NCFM UST |
| 14830 | U000736969 | 110004391649 | NYNEX | WALL STREET/EAST 2ND STREET | ** | CORNING | NY | SPILLS |
| 14830 | U003314881 | 8-407852 | BELL ATLANTIC | 136 WALNUT ST | ** | CORNING | NY | NY MANIFEST, RCRA-CESQG, FINDS |
| 14830 | S108764308 | 0706333 | CORNING INC CORPORATE HEADQUARTI | 2ND / WALNUT STREET | ** | CORNING | NY | HIST UST, HIST AST |
| 14830 | 1007764704 | 110019271287 | CORNING DATA PROCESS | WALNUT ST | ** | CORNING | NY | FINDS |
| 14830 | S107408650 | 0550915 | CORNING LINE DEPARTMENT | 139 WARDELL STREET | ** | CORNING | NY | SPILLS |
| 14830 | S102171572 | 9314060 | NYSEG MAINTENANCE GARAGE | 152 WARDELL STREET | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | S108298390 | 0651839 | NY'S ELECTRIC & GAS | 154 WARDELL STREET | ** | CORNING | NY | SPILLS, HIST SPILLS, HIST LTANKS, LTANKS |
| 14830 | S103568160 | 9303077 | NYSEG CORNING SERVICE CENTER | 154 WARDELL STREET | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | U003315941 | 110008000778 | CITY OF CORNING | WARDELL ST | ** | CORNING | NY | HIST AST |
| 14830 | U003399413 | 8-136328 | PIPELINE STABILIZATION PROJECT | WATER DEPARTMENT WELL #8A | ** | CORNING | NY | FINDS |
| 14830 | 10075035623 | 110019683555 | HELWIGS DRY CLEANERS | WHISKY CREEK | ** | CORNING | NY | NY MANIFEST, RCRAInfo-SQG, FINDS |
| 14830 | 1004760385 | 110004489394 | MARK COLORS STUDIO INCORPORATED | 265 W WILLIAM ST | ** | CORNING | NY | SPILLS |
| 14830 | S106970797 | 0550733 | SCHALLER (RAY) PROPERTY | 265 WEST WILLIAM STREET | ** | CORNING | NY | HIST UST |
| 14830 | U003315625 | 8-463925 | CORNING NATURAL GAS CORPORATION | 330 WEST WILLIAM STREET | ** | CORNING | NY | SPILLS |
| 14830 | S108638900 | 0750037 | CORNING NATURAL GAS | 330 WEST WILLIAM STREET | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, FINDS |
| 14830 | 10006943912 | 110004489394 | MARK COLORS STUDIO INCORPORATED | 35 WILLIAMS STREET | ** | CORNING | NY | FINDS |
| 14830 | S102667044 | 9613670 | FINLEY (THOMAS) RESIDENCE | 41110 WILSON HOLLOW ROAD | ** | CORNING | NY | HIST LTANKS, LTANKS |
| 14830 | U003399413 | 8-136328 | PIPELINE STABILIZATION PROJECT | 10545 WINFIELD STREET | ** | CORNING | NY | SPILLS |
| 14830 | 1007765567 | 110027033216 | WINFIELD STREET SCHOOL | 194 WINFIELD ST | ** | CORNING | NY | FINDS |
| 14830 | U00558194 | 110008070824 | NYSDOT - SCHUTT JUNKYARD | WINFIELD ST | ** | CORNING | NY | RCRA-NonGen, FINDS |
| 14830 | S102963566 | 9708609 | AEBERSOLD RESIDENCE | 1962 WISKEY CREEK | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | 1004756050 | 110004323483 | ORLANDOS AUTO BODY | 304 WOODVIEW AVE | ** | CORNING | NY | NY MANIFEST, RCRA-NonGen, FINDS |
| 14830 | S102561322 | 9700451 | LISI LANES | 375 WOODVIEW AVENUE | ** | CORNING | NY | SPILLS, HIST SPILLS |
| 14830 | U003078625 | 8-136301 | CITY OF CORNING DPW GARAGE | WOODVIEW / CANISTEO ST | ** | CORNING | NY | HIST UST, AST, HIST |
| 14830 | U004082252 | 8-136301 | CITY OF CORNING DPW GARAGE | WOODVIEW & CANISTEO ST | ** | CORNING | NY | NCFM UST |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

| | |
|---|--|
| Date of Government Version: 04/30/2008 | Source: EPA |
| Date Data Arrived at EDR: 05/06/2008 | Telephone: N/A |
| Date Made Active in Reports: 06/09/2008 | Last EDR Contact: 04/28/2008 |
| Number of Days to Update: 34 | Next Scheduled EDR Contact: 07/28/2008 |
| | Data Release Frequency: Quarterly |

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

| | |
|---|--|
| Date of Government Version: 04/30/2008 | Source: EPA |
| Date Data Arrived at EDR: 05/06/2008 | Telephone: N/A |
| Date Made Active in Reports: 06/09/2008 | Last EDR Contact: 04/28/2008 |
| Number of Days to Update: 34 | Next Scheduled EDR Contact: 07/28/2008 |
| | Data Release Frequency: Quarterly |

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

| | |
|---|--|
| Date of Government Version: 04/30/2008 | Source: EPA |
| Date Data Arrived at EDR: 05/06/2008 | Telephone: N/A |
| Date Made Active in Reports: 06/09/2008 | Last EDR Contact: 04/28/2008 |
| Number of Days to Update: 34 | Next Scheduled EDR Contact: 07/28/2008 |
| | Data Release Frequency: Quarterly |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

| | |
|---|---|
| Date of Government Version: 10/15/1991 | Source: EPA |
| Date Data Arrived at EDR: 02/02/1994 | Telephone: 202-564-4267 |
| Date Made Active in Reports: 03/30/1994 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 56 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: No Update Planned |

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

| | |
|---|--|
| Date of Government Version: 04/08/2008 | Source: EPA |
| Date Data Arrived at EDR: 04/25/2008 | Telephone: 703-412-9810 |
| Date Made Active in Reports: 05/21/2008 | Last EDR Contact: 06/17/2008 |
| Number of Days to Update: 26 | Next Scheduled EDR Contact: 09/15/2008 |
| | Data Release Frequency: Quarterly |

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

| | |
|---|--|
| Date of Government Version: 12/03/2007 | Source: EPA |
| Date Data Arrived at EDR: 12/06/2007 | Telephone: 703-412-9810 |
| Date Made Active in Reports: 02/20/2008 | Last EDR Contact: 06/17/2008 |
| Number of Days to Update: 76 | Next Scheduled EDR Contact: 09/15/2008 |
| | Data Release Frequency: Quarterly |

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

| | |
|---|---|
| Date of Government Version: 02/08/2008 | Source: Environmental Protection Agency |
| Date Data Arrived at EDR: 03/07/2008 | Telephone: 202-564-6023 |
| Date Made Active in Reports: 03/20/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 13 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Varies |

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

| | |
|---|--|
| Date of Government Version: 03/26/2008 | Source: EPA |
| Date Data Arrived at EDR: 04/02/2008 | Telephone: 800-424-9346 |
| Date Made Active in Reports: 05/06/2008 | Last EDR Contact: 06/02/2008 |
| Number of Days to Update: 34 | Next Scheduled EDR Contact: 09/01/2008 |
| | Data Release Frequency: Quarterly |

RCRA-TSDF: RCRA - Transporters, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/06/2008
Date Data Arrived at EDR: 03/06/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 43

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 05/21/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Quarterly

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2008
Date Data Arrived at EDR: 03/06/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 43

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 05/21/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/06/2008
Date Data Arrived at EDR: 03/06/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 43

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 05/21/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/06/2008
Date Data Arrived at EDR: 03/06/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 43

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 05/21/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Varies

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 03/06/2008
Date Data Arrived at EDR: 03/06/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 43

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 05/21/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 04/04/2008
Date Data Arrived at EDR: 04/17/2008
Date Made Active in Reports: 05/15/2008
Number of Days to Update: 28

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 03/31/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 04/04/2008
Date Data Arrived at EDR: 04/17/2008
Date Made Active in Reports: 05/15/2008
Number of Days to Update: 28

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 03/31/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Varies

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 01/23/2008
Date Made Active in Reports: 03/17/2008
Number of Days to Update: 54

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 04/22/2008
Next Scheduled EDR Contact: 07/21/2008
Data Release Frequency: Annually

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 04/16/2008
Date Made Active in Reports: 05/15/2008
Number of Days to Update: 29

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 04/16/2008
Next Scheduled EDR Contact: 07/14/2008
Data Release Frequency: Annually

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 02/14/2008
Date Data Arrived at EDR: 02/27/2008
Date Made Active in Reports: 03/20/2008
Number of Days to Update: 22

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 05/28/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Varies

CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/01/2007
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 12/28/2007
Number of Days to Update: 25

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/28/2008
Next Scheduled EDR Contact: 06/23/2008
Data Release Frequency: Quarterly

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 04/01/2008
Date Data Arrived at EDR: 04/30/2008
Date Made Active in Reports: 05/30/2008
Number of Days to Update: 30

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 04/30/2008
Next Scheduled EDR Contact: 07/14/2008
Data Release Frequency: Semi-Annually

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 703-692-8801
Last EDR Contact: 05/09/2008
Next Scheduled EDR Contact: 08/04/2008
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 08/31/2007
Date Made Active in Reports: 10/11/2007
Number of Days to Update: 41

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 04/03/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Date Data Arrived at EDR: 12/11/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 31

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 06/09/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/08/2008
Date Data Arrived at EDR: 04/25/2008
Date Made Active in Reports: 05/30/2008
Number of Days to Update: 35

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 04/22/2008
Next Scheduled EDR Contact: 07/21/2008
Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/14/2008
Date Data Arrived at EDR: 01/22/2008
Date Made Active in Reports: 01/30/2008
Number of Days to Update: 8

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 03/31/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 07/13/2007
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 06/16/2008
Next Scheduled EDR Contact: 09/15/2008
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 06/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 03/25/2008
Date Data Arrived at EDR: 04/17/2008
Date Made Active in Reports: 05/15/2008
Number of Days to Update: 28

Source: EPA, Region 9
Telephone: 415-972-3336
Last EDR Contact: 06/23/2008
Next Scheduled EDR Contact: 09/22/2008
Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/07/2008
Date Data Arrived at EDR: 03/26/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 23

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 03/26/2008
Next Scheduled EDR Contact: 06/23/2008
Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 06/16/2008
Next Scheduled EDR Contact: 09/15/2008
Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002
Date Data Arrived at EDR: 04/14/2006
Date Made Active in Reports: 05/30/2006
Number of Days to Update: 46

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 04/28/2008
Next Scheduled EDR Contact: 07/14/2008
Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/11/2008
Date Data Arrived at EDR: 04/24/2008
Date Made Active in Reports: 05/21/2008
Number of Days to Update: 27

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 06/16/2008
Next Scheduled EDR Contact: 09/15/2008
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/11/2008
Date Data Arrived at EDR: 04/24/2008
Date Made Active in Reports: 05/21/2008
Number of Days to Update: 27

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 06/16/2008
Next Scheduled EDR Contact: 09/15/2008
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 03/14/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/14/2008
Next Scheduled EDR Contact: 07/14/2008
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 02/28/2008
Date Data Arrived at EDR: 03/18/2008
Date Made Active in Reports: 05/06/2008
Number of Days to Update: 49

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 04/14/2008
Next Scheduled EDR Contact: 07/14/2008
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/04/2007
Date Data Arrived at EDR: 02/07/2008
Date Made Active in Reports: 03/17/2008
Number of Days to Update: 39

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 06/20/2008
Next Scheduled EDR Contact: 08/04/2008
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/22/2008
Date Data Arrived at EDR: 05/06/2008
Date Made Active in Reports: 06/09/2008
Number of Days to Update: 34

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 03/31/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/29/2008
Date Data Arrived at EDR: 05/01/2008
Date Made Active in Reports: 05/21/2008
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 05/01/2008
Next Scheduled EDR Contact: 07/28/2008
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

| | |
|---|--|
| Date of Government Version: 04/03/2008 | Source: EPA |
| Date Data Arrived at EDR: 04/08/2008 | Telephone: (212) 637-3000 |
| Date Made Active in Reports: 05/06/2008 | Last EDR Contact: 03/31/2008 |
| Number of Days to Update: 28 | Next Scheduled EDR Contact: 06/30/2008 |
| | Data Release Frequency: Quarterly |

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

| | |
|---|---|
| Date of Government Version: 04/17/1995 | Source: EPA |
| Date Data Arrived at EDR: 07/03/1995 | Telephone: 202-564-4104 |
| Date Made Active in Reports: 08/07/1995 | Last EDR Contact: 06/02/2008 |
| Number of Days to Update: 35 | Next Scheduled EDR Contact: 09/01/2008 |
| | Data Release Frequency: No Update Planned |

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

| | |
|---|--|
| Date of Government Version: 12/31/2005 | Source: EPA/NTIS |
| Date Data Arrived at EDR: 03/06/2007 | Telephone: 800-424-9346 |
| Date Made Active in Reports: 04/13/2007 | Last EDR Contact: 06/11/2008 |
| Number of Days to Update: 38 | Next Scheduled EDR Contact: 09/08/2008 |
| | Data Release Frequency: Biennially |

STATE AND LOCAL RECORDS

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

| | |
|---|--|
| Date of Government Version: 01/01/2003 | Source: Department of Environmental Conservation |
| Date Data Arrived at EDR: 10/20/2006 | Telephone: 518-402-9564 |
| Date Made Active in Reports: 11/30/2006 | Last EDR Contact: 05/27/2008 |
| Number of Days to Update: 41 | Next Scheduled EDR Contact: 08/25/2008 |
| | Data Release Frequency: No Update Planned |

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/05/2008
Date Data Arrived at EDR: 03/13/2008
Date Made Active in Reports: 04/09/2008
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 06/11/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Annually

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 02/05/2008
Date Data Arrived at EDR: 03/13/2008
Date Made Active in Reports: 04/09/2008
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 06/11/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Annually

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 05/02/2008
Date Data Arrived at EDR: 05/05/2008
Date Made Active in Reports: 05/29/2008
Number of Days to Update: 24

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 04/28/2008
Next Scheduled EDR Contact: 07/28/2008
Data Release Frequency: Semi-Annually

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006
Date Data Arrived at EDR: 11/15/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 05/16/2008
Next Scheduled EDR Contact: 08/11/2008
Data Release Frequency: Annually

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 05/02/2008
Date Data Arrived at EDR: 05/05/2008
Date Made Active in Reports: 05/29/2008
Number of Days to Update: 24

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 04/28/2008
Next Scheduled EDR Contact: 07/28/2008
Data Release Frequency: Semi-Annually

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 02/05/2008
Date Data Arrived at EDR: 03/13/2008
Date Made Active in Reports: 04/09/2008
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/11/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 03/28/2008
Date Data Arrived at EDR: 04/23/2008
Date Made Active in Reports: 05/23/2008
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/23/2008
Next Scheduled EDR Contact: 07/21/2008
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 03/28/2008
Date Data Arrived at EDR: 04/23/2008
Date Made Active in Reports: 05/23/2008
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/23/2008
Next Scheduled EDR Contact: 07/21/2008
Data Release Frequency: No Update Planned

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 02/15/2008
Date Data Arrived at EDR: 02/28/2008
Date Made Active in Reports: 04/09/2008
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/29/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 02/05/2008
Date Data Arrived at EDR: 03/13/2008
Date Made Active in Reports: 04/09/2008
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/11/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 02/05/2008

Date Data Arrived at EDR: 03/13/2008

Date Made Active in Reports: 04/09/2008

Number of Days to Update: 27

Source: Department of Environmental Conservation

Telephone: 518-402-9553

Last EDR Contact: 06/11/2008

Next Scheduled EDR Contact: 09/08/2008

Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 02/05/2008

Date Data Arrived at EDR: 03/13/2008

Date Made Active in Reports: 04/09/2008

Number of Days to Update: 27

Source: Department of Environmental Conservation

Telephone: 518-402-9553

Last EDR Contact: 06/11/2008

Next Scheduled EDR Contact: 09/08/2008

Data Release Frequency: Quarterly

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 02/05/2008

Date Data Arrived at EDR: 03/13/2008

Date Made Active in Reports: 04/09/2008

Number of Days to Update: 27

Source: Department of Environmental Conservation

Telephone: 518-402-9711

Last EDR Contact: 06/11/2008

Next Scheduled EDR Contact: 09/08/2008

Data Release Frequency: Semi-Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 06/15/2004

Date Data Arrived at EDR: 06/15/2004

Date Made Active in Reports: 07/29/2004

Number of Days to Update: 44

Source: Department of Environmental Conservation

Telephone: 518-402-8403

Last EDR Contact: 05/21/2004

Next Scheduled EDR Contact: N/A

Data Release Frequency: Varies

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 02/05/2008

Date Data Arrived at EDR: 03/13/2008

Date Made Active in Reports: 04/09/2008

Number of Days to Update: 27

Source: Department of Environmental Conservation

Telephone: 518-402-9764

Last EDR Contact: 06/11/2008

Next Scheduled EDR Contact: 09/08/2008

Data Release Frequency: Semi-Annually

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 05/06/2008

Date Data Arrived at EDR: 05/08/2008

Date Made Active in Reports: 05/29/2008

Number of Days to Update: 21

Source: Department of Environmental Conservation

Telephone: 518-402-8233

Last EDR Contact: 05/05/2008

Next Scheduled EDR Contact: 08/04/2008

Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 09/05/2007
Date Made Active in Reports: 10/17/2007
Number of Days to Update: 42

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 03/26/2008
Date Data Arrived at EDR: 04/29/2008
Date Made Active in Reports: 05/29/2008
Number of Days to Update: 30

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 04/16/2008
Next Scheduled EDR Contact: 07/14/2008
Data Release Frequency: Varies

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 03/28/2008
Date Data Arrived at EDR: 04/23/2008
Date Made Active in Reports: 05/29/2008
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/23/2008
Next Scheduled EDR Contact: 07/21/2008
Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/31/1992
Date Data Arrived at EDR: 01/31/2007
Date Made Active in Reports: 04/19/2007
Number of Days to Update: 78

Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 04/15/2008
Next Scheduled EDR Contact: 07/16/2007
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 03/28/2008
Date Data Arrived at EDR: 04/23/2008
Date Made Active in Reports: 05/29/2008
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/23/2008
Next Scheduled EDR Contact: 07/21/2008
Data Release Frequency: Quarterly

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 05/09/2008
Next Scheduled EDR Contact: 08/04/2008
Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 03/12/2008
Date Data Arrived at EDR: 03/14/2008
Date Made Active in Reports: 03/20/2008
Number of Days to Update: 6

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 02/20/2008
Date Data Arrived at EDR: 03/04/2008
Date Made Active in Reports: 03/17/2008
Number of Days to Update: 13

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Quarterly

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 03/17/2008
Date Data Arrived at EDR: 03/27/2008
Date Made Active in Reports: 05/06/2008
Number of Days to Update: 40

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 02/25/2008
Date Data Arrived at EDR: 02/26/2008
Date Made Active in Reports: 03/17/2008
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 02/21/2008
Date Data Arrived at EDR: 02/26/2008
Date Made Active in Reports: 03/20/2008
Number of Days to Update: 23

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/17/2008
Date Data Arrived at EDR: 03/27/2008
Date Made Active in Reports: 05/06/2008
Number of Days to Update: 40

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 05/19/2008
Next Scheduled EDR Contact: 08/18/2008
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

| | |
|---|--|
| Date of Government Version: 02/28/2008 | Source: EPA Region 6 |
| Date Data Arrived at EDR: 02/29/2008 | Telephone: 214-665-6597 |
| Date Made Active in Reports: 03/17/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 17 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Varies |

INDIAN UST R4: Underground Storage Tanks on Indian Land No description is available for this data

| | |
|---|--|
| Date of Government Version: 03/17/2008 | Source: EPA Region 4 |
| Date Data Arrived at EDR: 03/27/2008 | Telephone: 404-562-9424 |
| Date Made Active in Reports: 05/06/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 40 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Semi-Annually |

INDIAN UST R5: Underground Storage Tanks on Indian Land No description is available for this data

| | |
|---|--|
| Date of Government Version: 12/21/2007 | Source: EPA Region 5 |
| Date Data Arrived at EDR: 12/21/2007 | Telephone: 312-886-6136 |
| Date Made Active in Reports: 01/24/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 34 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Varies |

INDIAN UST R10: Underground Storage Tanks on Indian Land No description is available for this data

| | |
|---|--|
| Date of Government Version: 02/21/2008 | Source: EPA Region 10 |
| Date Data Arrived at EDR: 02/26/2008 | Telephone: 206-553-2857 |
| Date Made Active in Reports: 03/20/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 23 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Quarterly |

INDIAN UST R8: Underground Storage Tanks on Indian Land No description is available for this data

| | |
|---|--|
| Date of Government Version: 02/20/2008 | Source: EPA Region 8 |
| Date Data Arrived at EDR: 03/04/2008 | Telephone: 303-312-6137 |
| Date Made Active in Reports: 03/17/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 13 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Quarterly |

INDIAN UST R1: Underground Storage Tanks on Indian Land A listing of underground storage tank locations on Indian Land.

| | |
|---|--|
| Date of Government Version: 03/12/2008 | Source: EPA, Region 1 |
| Date Data Arrived at EDR: 03/14/2008 | Telephone: 617-918-1313 |
| Date Made Active in Reports: 03/20/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 6 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Varies |

INDIAN UST R6: Underground Storage Tanks on Indian Land No description is available for this data

| | |
|---|--|
| Date of Government Version: 02/28/2008 | Source: EPA Region 6 |
| Date Data Arrived at EDR: 02/29/2008 | Telephone: 214-665-7591 |
| Date Made Active in Reports: 03/17/2008 | Last EDR Contact: 05/19/2008 |
| Number of Days to Update: 17 | Next Scheduled EDR Contact: 08/18/2008 |
| | Data Release Frequency: Semi-Annually |

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R7: Underground Storage Tanks on Indian Land

No description is available for this data

Date of Government Version: 06/01/2007

Date Data Arrived at EDR: 06/14/2007

Date Made Active in Reports: 07/05/2007

Number of Days to Update: 21

Source: EPA Region 7

Telephone: 913-551-7003

Last EDR Contact: 05/19/2008

Next Scheduled EDR Contact: 08/18/2008

Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

No description is available for this data

Date of Government Version: 02/25/2008

Date Data Arrived at EDR: 02/26/2008

Date Made Active in Reports: 03/20/2008

Number of Days to Update: 23

Source: EPA Region 9

Telephone: 415-972-3368

Last EDR Contact: 05/19/2008

Next Scheduled EDR Contact: 08/18/2008

Data Release Frequency: Quarterly

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008

Date Data Arrived at EDR: 04/22/2008

Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7

Telephone: 913-551-7365

Last EDR Contact: 03/07/2008

Next Scheduled EDR Contact: 07/21/2008

Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008

Date Data Arrived at EDR: 04/22/2008

Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 1

Telephone: 617-918-1102

Last EDR Contact: 03/07/2008

Next Scheduled EDR Contact: 07/21/2008

Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A

Date Data Arrived at EDR: N/A

Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc.

Telephone: N/A

Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/25/2007
Date Data Arrived at EDR: 01/08/2008
Date Made Active in Reports: 02/14/2008
Number of Days to Update: 37

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 05/28/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 10/25/2007
Date Data Arrived at EDR: 01/08/2008
Date Made Active in Reports: 02/14/2008
Number of Days to Update: 37

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 05/28/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003
Date Data Arrived at EDR: 05/27/2003
Date Made Active in Reports: 06/09/2003
Number of Days to Update: 13

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 04/30/2008
Next Scheduled EDR Contact: 07/28/2008
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 08/20/2007
Date Data Arrived at EDR: 10/10/2007
Date Made Active in Reports: 11/19/2007
Number of Days to Update: 40

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 05/05/2008
Next Scheduled EDR Contact: 08/04/2008
Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003
Date Data Arrived at EDR: 05/27/2003
Date Made Active in Reports: 06/09/2003
Number of Days to Update: 13

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 04/30/2008
Next Scheduled EDR Contact: 07/28/2008
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 08/20/2007
Date Data Arrived at EDR: 10/10/2007
Date Made Active in Reports: 11/19/2007
Number of Days to Update: 40

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 05/05/2008
Next Scheduled EDR Contact: 08/04/2008
Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/17/2008
Date Made Active in Reports: 05/23/2008
Number of Days to Update: 36

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 03/31/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/17/2008
Date Made Active in Reports: 05/23/2008
Number of Days to Update: 36

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 03/31/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 05/27/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Annually

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 05/27/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 06/09/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 06/09/2008
Next Scheduled EDR Contact: 08/25/2008
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 06/15/2007
Date Made Active in Reports: 08/20/2007
Number of Days to Update: 66

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 06/13/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 09/30/2007
Date Data Arrived at EDR: 12/04/2007
Date Made Active in Reports: 12/31/2007
Number of Days to Update: 27

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/03/2008
Next Scheduled EDR Contact: 06/30/2008
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 12/21/2007
Date Made Active in Reports: 01/10/2008
Number of Days to Update: 20

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 06/09/2008
Next Scheduled EDR Contact: 09/08/2008
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 10/01/2007
Date Data Arrived at EDR: 11/09/2007
Date Made Active in Reports: 01/15/2008
Number of Days to Update: 67

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 06/16/2008
Next Scheduled EDR Contact: 09/15/2008
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 03/17/2008
Date Data Arrived at EDR: 03/26/2008
Date Made Active in Reports: 04/09/2008
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 05/12/2008
Next Scheduled EDR Contact: 08/11/2008
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 04/27/2007
Date Made Active in Reports: 06/08/2007
Number of Days to Update: 42

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 04/07/2008
Next Scheduled EDR Contact: 07/07/2008
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation

Telephone: (800) 623-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2008 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK® - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

CORNING INC. - STEUBEN FACTORY
ONE STEUBEN WAY
CORNING, NY 14830

TARGET PROPERTY COORDINATES

| | |
|--------------------------------|-------------------------|
| Latitude (North): | 42.15039 - 42° 9' 1.4" |
| Longitude (West): | 77.05441 - 77° 3' 15.9" |
| Universal Transverse Mercator: | Zone 18 |
| UTM X (Meters): | 330251.5 |
| UTM Y (Meters): | 4668303.0 |
| Elevation: | 934 ft. above sea level |

USGS TOPOGRAPHIC MAP

| | |
|-----------------------|----------------------|
| Target Property Map: | 42077-B1 CORNING, NY |
| Most Recent Revision: | 1976 |

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General South

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County
STEUBEN, NY

FEMA Flood
Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 3607720001D

Additional Panels in search area: 3607730015C
3607730010C

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property
CORNING

NWI Electronic
Data Coverage
YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data:*

Search Radius: 1.25 miles
Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

| <u>MAP ID</u> | <u>LOCATION</u> <u>FROM TP</u> | <u>GENERAL DIRECTION</u> <u>GROUNDWATER FLOW</u> |
|---------------|-----------------------------------|---|
| Not Reported | | |

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION

| | | | |
|---------|----------------|-----------|---|
| Era: | Paleozoic | Category: | Stratified Sequence |
| System: | Devonian | | |
| Series: | Upper Devonian | | |
| Code: | D3 | | (decoded above as Era, System & Series) |

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

| Soil Layer Information | | | | | | | |
|------------------------|----------|----------|--------------------|----------------|--------------|---------------------------|------------------------|
| | Boundary | | | Classification | | | |
| Layer | Upper | Lower | Soil Texture Class | AASHTO Group | Unified Soil | Permeability Rate (in/hr) | Soil Reaction (pH) |
| 1 | 0 inches | 6 inches | variable | Not reported | Not reported | Max: 0.00 Min: 0.00 | Max: 0.00 Min: 0.00 |

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy fine sand
channery - silt loam

Surficial Soil Types: silt loam
loamy fine sand
channery - silt loam

Shallow Soil Types: loam
silt loam
channery - silt loam

Deeper Soil Types: silt loam
fine sand
unweathered bedrock
silty clay
gravelly - loam
very channery - loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

| <u>DATABASE</u> | <u>SEARCH DISTANCE (miles)</u> |
|------------------|--------------------------------|
| Federal USGS | 0.000 |
| Federal FRDS PWS | Nearest PWS within 1 mile |
| State Database | 1.000 |

FEDERAL USGS WELL INFORMATION

| <u>MAP ID</u> | <u>WELL ID</u> | <u>LOCATION FROM TP</u> |
|---------------|----------------|-------------------------|
| | | |

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

| MAP ID | WELL ID | LOCATION FROM TP |
|----------------|---------|---------------------|
| No Wells Found | | |

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


| MAP ID | WELL ID | LOCATION FROM TP |
|--------|-----------|---------------------|
| 1 | NY0001209 | 1/4 - 1/2 Mile SSE |

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

| MAP ID | WELL ID | LOCATION FROM TP |
|----------------|---------|---------------------|
| No Wells Found | | |

PHYSICAL SETTING SOURCE MAP - 2252499.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: Corning Inc. - Steuben Factory
 ADDRESS: One Steuben Way
 Corning NY 14830
 LAT/LONG: 42.1504 / 77.0544

CLIENT: Haley & Aldrich of New York
 CONTACT: Claire DeBergalis
 INQUIRY #: 2252499.2s
 DATE: June 24, 2008 8:37 am

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1

SSE
1/4 - 1/2 Mile
Lower

FRDS PWS NY0001209

PWS ID: NY0001209 PWS Status: Active
Date Initiated: Not Reported Date Deactivated: Not Reported
PWS Name: CORNING CITY
1 NASSER CIVIC CENTER
CORNING, NY 14830

Addressee / Facility: System Owner/Responsible Party
BACALLES JAMES G
CITY HALL
1 NASSER CIVIC CENTER
CORNING, NY 14830

| | | | |
|--------------------|--------------|---------------------|--------------|
| Facility Latitude: | 42 09 01 | Facility Longitude: | 077 04 26 |
| Facility Latitude: | 42 08 46 | Facility Longitude: | 077 03 06 |
| Facility Latitude: | 42 08 26 | Facility Longitude: | 077 02 16 |
| Facility Latitude: | 42 08 48 | Facility Longitude: | 077 03 07 |
| Facility Latitude: | 42 08 16 | Facility Longitude: | 077 02 21 |
| Facility Latitude: | 42 08 47 | Facility Longitude: | 077 03 48 |
| Facility Latitude: | 42 08 23 | Facility Longitude: | 077 02 21 |
| Facility Latitude: | 42 08 55 | Facility Longitude: | 077 03 39 |
| City Served: | CORNING | | |
| Treatment Class | Not Reported | Population: | Not Reported |

Violations information not reported.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

| Zip | Num Sites | < 4 Pci/L | >= 4 Pci/L | >= 20 Pci/L | Avg > 4 Pci/L | Max Pci/L |
|-------|-----------|-------------|-------------|-------------|---------------|-----------|
| 14830 | 309 | 145 (46.9%) | 127 (41.1%) | 37 (12%) | 9.39 | 131.2 |
| 14830 | 1 | 0 (0%) | 1 (100%) | 0 (0%) | 4.10 | 4.1 |
| 14830 | 3 | 1 (33.3%) | 2 (66.7%) | 0 (0%) | 7.17 | 11.3 |
| 14830 | 1 | 0 (0%) | 1 (100%) | 0 (0%) | 8.70 | 8.7 |
| 14830 | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 3.20 | 3.2 |
| 14830 | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 3.00 | 3.0 |
| 14830 | 1 | 1 (100%) | 0 (0%) | 0 (0%) | 2.90 | 2.9 |
| 14830 | 1 | 0 (0%) | 1 (100%) | 0 (0%) | 6.60 | 6.6 |

Federal EPA Radon Zone for STEUBEN County: 1

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for STEUBEN COUNTY, NY

Number of sites tested: 89

| Area | Average Activity | % <4 pCi/L | % 4-20 pCi/L | % >20 pCi/L |
|-------------|------------------|------------|--------------|-------------|
| Living Area | 1.540 pCi/L | 69% | 29% | 1% |
| Basement | 4.960 pCi/L | 49% | 40% | 10% |

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8056

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epcenters: World earthquake epicenters, Richter 5 or greater


Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED


STREET AND ADDRESS INFORMATION

© 2008 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|



New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233



Thomas C. Jorling
Commissioner

October 20, 1992

RECEIVED

OCT 26 1992

ENERGY & ENVIRONMENTAL
CONTROL

Ms. Karen S. Gross
Sr. Environmental Control Engineer
Corning Incorporated
HPME01025AIO
Corning, NY 14831

Dear Ms. Gross:

RE: Closure of Corning Incorporated, Steuben Facility
EPA Identification Number: NYD000824359

This letter is to confirm the receipt of owner/operator and independent professional engineer's certification dated June, 1991, of RCRA closure for this facility. We now consider this facility officially closed. Your authority to operate as a Treatment, Storage, and Disposal Facility (TSDF) is terminated and you are released from the financial security requirements of Sections 373-2.8 and 373-3.8.

The professional engineer's certification indicated that there were PCB's in the soils near the storage pad. Since PCB's were never stored on the pad and there are a number of transformers near the storage pad that are the probable source of the PCB's, this soil will be remediated under the Department's Remediation Program.


Please be advised that the United States Environmental Protection Agency has determined that the corrective action provisions of the Hazardous and Solid Waste Amendments (HSWA), Section 3008(h), apply to all TSDF's which have acquired interim status.

The New York State Department of Environmental Conservation has established a program to evaluate the corrective action measures necessary at closed and closing facilities within the State. Once the corrective action provisions of HSWA have been met by the facility or determined not to be necessary at the facility, the facility can have their interim status terminated.

Ms. Karen S. Gross
October 20, 1992
Page 2

If you have any questions regarding your closure or regulatory status, please contact Stephen Malsan at (518) 457-9361.


Sincerely,




Salvatore J. Carlomagno, P.E.
Chief, Waste Reduction & Program
Support Section
Bur. of Western Haz. Waste Programs
Division of Haz. Substances Regulation

cc: J. Gorman
J. Desai
M. O'Neil
D. Rollins - Region 8
S. Malsan
G. Belcher

SJC:scy





Property Description Report For: 15 Museum Way, Municipality of City of Corning

| | | | |
|---------------------|---------------------|----------------------|---------------------|
| No Photo Available | Status: | Active | |
| | Roll Section: | Wholly Exem | |
| | Swis: | 460300 | |
| | Tax Map ID# / SBL: | 317.08-01-041.120 | |
| | Site: | COM 1 | |
| | Property Class: | 681 - Culture bldg | |
| | Zoning Code: | BD | |
| | Neighborhood Code: | 03202 - Prime Comm | |
| Land Assessment: | 2008 - \$1,910,900 | Total Assessment: | 2008 - \$10,518,800 |
| Total Acreage/Size: | 12.11 | School District: | Corning |
| Full Market Value: | 2008 - \$10,518,800 | Legal Property Desc: | |
| Deed Book: | 1750 | Deed Page: | 319 |
| Grid East: | 692403 | Grid North: | 783617 |

Owners

| Name | Address |
|--------------------------------|---------------------------------------|
| Corning Property Management Co | 1 Riverfront Plz Corning NY, 14831 |

Sales

| Date | Price | Prop. Class | Valid | Arms Length | Deed Book | Deed Page | Prior Owner |
|--|-------|---------------|-------|-------------|-----------|-----------|--------------------|
| 12/21/2001 | \$0 | 681 - Unknown | 0 | N | 1750 | 319 | Corning Inc |
| Additional parcels involved in above sale: | | | | | | | |
| 460300 - 300.17-01-004.000 | | | | | | | |
| 12/20/2001 | \$0 | 681 - Unknown | 0 | N | 1750 | 314 | Steuben County Ida |
| Additional parcels involved in above sale: | | | | | | | |
| 460300 - 300.17-01-004.000 | | | | | | | |

Utilities

Sewer Type: Comm/public Water Supply: Comm/public
 Utilities: Gas & elec

Inventory

Overall Eff Year Built: 0 Overall Condition: Good
 Overall Grade: Average Overall Desirability:

Buildings

| AC% | Sprinkler% | Alarm% | Elevators | Basement Type | Year Built | Condition | Quality | Gross Floor Area (sqft) | Stories |
|-----|------------|--------|-----------|---------------|------------|-----------|---------|-------------------------|---------|
| 100 | 100 | 100 | 0 | N/A | 1999 | Normal | Average | 51921 | 2.00 |
| 100 | 100 | 100 | 1 | N/A | 1998 | Normal | Average | 65114 | 2.00 |

Site Uses

| Use | Rentable Area (sqft) | Total Units |
|--------------|----------------------|-------------|
| Cultural fac | 84,097 | 0 |
| Light mfg | 32,938 | 0 |

Improvements

| Structure | Size | Grade | Condition | Year |
|-----------|------|-------|-----------|------|
|-----------|------|-------|-----------|------|

Land Types

| Type | Size |
|---------|-------------|
| Primary | 12.11 acres |

Special Districts for 2008


| Description | Units | Percent | Type | Value |
|------------------|-------|---------|------|-------|
| Improvement dist | 0 | 0 | | 0 |

Exemptions

| Year | Code Description | Amount | Exempt% | Start Year | End Year | Vflag | Hcode | Own% |
|------|------------------|--------------|---------|------------|----------|-------|-------|------|
| 2008 | IDA PILOTS | \$10,518,800 | 0 | 2003 | | | | 0 |



Property Description Report For: 14 Museum Way, Municipality of City of Corning

| | | | |
|---|--------------------|----------------------|------------------|
|  | Status: | Active | |
| | Roll Section: | Taxable | |
| | Swis: | 460300 | |
| | Tax Map ID# / SBL: | 317.08-01-068.000 | |
| | Site: | COM 1 | |
| | Property Class: | 449 - Warehouse | |
| | Zoning Code: | BD | |
| | Neighborhood Code: | 03101 - Nside Comm 1 | |
| Land Assessment: | 2008 - \$211,000 | Total Assessment: | 2008 - \$610,000 |
| Total Acreage/Size: | 2.70 | School District: | Corning |
| Full Market Value: | 2008 - \$610,000 | Legal Property Desc: | |
| Deed Book: | | Deed Page: | |
| Grid East: | 692016 | Grid North: | 783169 |

Owners

| Name | Address |
|-------------|---------------------------------------|
| Corning Inc | 1 Riverfront Plz Corning NY, 14831 |

Sales

| Date | Price | Prop. Class | Valid Arms Length | Deed Book | Deed Page | Prior Owner |
|------|-------|-------------|-------------------|-----------|-----------|-------------|
|------|-------|-------------|-------------------|-----------|-----------|-------------|

Utilities

| | | | |
|-------------|-------------|---------------|-------------|
| Sewer Type: | Comm/public | Water Supply: | Comm/public |
| Utilities: | Gas & elec | | |

Inventory

Overall Eff Year Built: 0 Overall Condition: Good
 Overall Grade: Average Overall Desirability:

Buildings

| AC% | Sprinkler% | Alarm% | Elevators | Basement Type | Year Built | Condition | Quality | Gross Floor Area (sqft) | Stories |
|-----|------------|--------|-----------|---------------|------------|-----------|---------|-------------------------|---------|
| 0 | 0 | 0 | 0 | N/A | 2007 | Fair | Average | 13178 | 1.00 |

Site Uses

| Use | Rentable Area (sqft) | Total Units |
|--------------|----------------------|-------------|
| Dstr wrhouse | 13,178 | 0 |

Improvements

| Structure | Size | Grade | Condition | Year |
|--------------|-------------|---------|-----------|------|
| Ld dock-wood | 1,250 sq ft | Average | Normal | 1950 |
| Pavng-asphlt | 49100 x 4 | Average | Normal | 1991 |
| Ovrhdoor-res | 96 sq ft | Average | Normal | 1950 |

Land Types

| Type | Size |
|---------|------------|
| Primary | 2.70 acres |

Special Districts for 2008

| Description | Units | Percent | Type | Value |
|------------------|-------|---------|------|-------|
| Improvement dist | 0 | 0 | | 0 |

Exemptions

| Year | Code Description | Amount | Exempt% | Start Year | End Year | Vflag | Hcode | Own% |
|------|------------------|--------|---------|------------|----------|-------|-------|------|
|------|------------------|--------|---------|------------|----------|-------|-------|------|

1200 6155 owner Steven Rattery

1200 6155 owner Steven Rattery

| | | | | | |
|---|--|--|--|--|--|
| NEW YORK STATE OFFICE OF REAL PROPERTY SERVICES COMMERCIAL PROPERTY RECORD CARD | | SWIS/SBL/CD 460300 317.08-01-041.280 | | 120 1 OF 2 | |
| CITY-CORNING CITY TAX MAP NUMBER 120 317.08-01-041.280 OWNER CORNING Property Management LOCATION CENTERWAY SALE PRICE \$1 04196 TAX 12.11 | | AUDIT CONTROL CODES ACTIVITY N = NONE M = MEASURED ONLY L = LISTED ENTRY 1 = INTERIOR INSPECTION 2 = INTERIOR REFUSAL 3 = TOTAL REFUSAL 4 = ESTIMATE 5 = NO ENTRY SOURCE 1 = OWNER 2 = RELATIVE 3 = TENANT 4 = OTHER 5 = NOAA 6 = ASSESSOR DATA SALES INFORMATION CODES SALE TYPE 1 = LAND ONLY 2 = BLDG ONLY 3 = LAND & BLDG VALID 0 = INVALID SALE 1 = VALID SALE | | SITE INFORMATION SECTION SITE NO. 1 PROP CLASS 1 SEWER 1 NONE 2 PRIVATE 3 COMM/PUBLIC WATER 1 NONE 2 PRIVATE 3 COMM/PUBLIC UTILITIES 1 NONE 2 GAS 3 ELECTRIC 4 GAS & ELECTRIC OVERALL DESIRABILITY 1 POOR 2 FAIR 3 NORMAL 4 GOOD 5 EXCEL OVERALL CONDITION 1 POOR 2 FAIR 3 NORMAL 4 GOOD 5 EXCEL OVERALL EFFECTIVE YEAR BUILT OVERALL GRADE A EXCEL B GOOD C AVERAGE D ECONOMY E MINIMUM | |
| QUALITY CONTROL REVIEWER REJECT CODE SIGNATURE COLLECTOR DATE (MM/DD/YY) TIME ACTIVITY ENTRY SOURCE | | DATE ASSISTANCE CODE SIGNATURE BELOW DOES NOT MEAN CONTENTS VERIFIED. ONLY THAT DATA WAS COLLECTED IN YOUR PRESENCE. DATE SALES INFORMATION SECTION DATE (MM/DD/YY) SALE PRICE TYPE VALID ALTERNATE NAME | | I&E SENT 1 1 I&E RECEIVED 1 1 | |
| LAND BREAKDOWN SECTION LAND TYPE D1 FRONT FEET DEPTH ACRES 12.11 | | SQUARE FEET WTR TYP INF CODE | | INFLUENCE CODE HY ID USE 7 OTHER 5 OCEAN 6 BAY | |

NOTES:
8/99
1950 "Glass Center" is core of Existing Structure - Totally Remodeled & Added on to since 1996 Every thing is A-Grade As for Materials & Finish. Increase of Expensed project from Original of 30,178.

parking lot behind center added? (next review)

[illegible]

APPENDIX C

Regulatory Records Information

Corning Inc. - Steuben Factory

One Steuben Way

Corning, NY 14830

Inquiry Number: 2252499.2s

June 24, 2008

The EDR Radius Map™ Report with GeoCheck®



EDR®

Environmental Data Resources Inc

440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrmet.com

TABLE OF CONTENTS

| <u>SECTION</u> | <u>PAGE</u> |
|--|-------------|
| Executive Summary | ES1 |
| Overview Map | 2 |
| Detail Map | 3 |
| Map Findings Summary | 4 |
| Map Findings | 6 |
| Orphan Summary | 203 |
| Zip Scan Report | ZIP-1 |
| Government Records Searched/Data Currency Tracking | GR-1 |
| <u>GEOCHECK ADDENDUM</u> | |
| Physical Setting Source Addendum | A-1 |
| Physical Setting Source Summary | A-2 |
| Physical Setting Source Map | A-7 |
| Physical Setting Source Map Findings | A-8 |
| Physical Setting Source Records Searched | A-10 |

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2008 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

ONE STEUBEN WAY
CORNING, NY 14830

COORDINATES

Latitude (North): 42.150390 - 42° 9' 1.4"
Longitude (West): 77.054410 - 77° 3' 15.9"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 330251.5
UTM Y (Meters): 4668303.0
Elevation: 934 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 42077-B1 CORNING, NY
Most Recent Revision: 1976

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 6 of the attached EDR Radius Map report:

| Site | Database(s) | EPA ID |
|--|---|--------------|
| CORNING, INC. - STEUBEN PLANT ONE STEUBEN WAY CORNING, NY 14831 | FINDS RCRA-LQG TRIS CORRACTS MANIFEST | 14831CRNNGFU |
| WORLD KITCHEN - PRESSWARE PLT ONE STEUBEN STREET CORNING, NY 14830 | NPDES | N/A |

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL..... National Priority List

EXECUTIVE SUMMARY

| | |
|-----------------|---|
| Proposed NPL | Proposed National Priority List Sites |
| Delisted NPL | National Priority List Deletions |
| NPL LIENS | Federal Superfund Liens |
| CERCLIS | Comprehensive Environmental Response, Compensation, and Liability Information System |
| CERC-NFRAP | CERCLIS No Further Remedial Action Planned |
| LIENS 2 | CERCLA Lien Information |
| RCRA-TSDF | RCRA - Transporters, Storage and Disposal |
| RCRA-SQG | RCRA - Small Quantity Generators |
| RCRA-CESQG | RCRA - Conditionally Exempt Small Quantity Generator |
| US ENG CONTROLS | Engineering Controls Sites List |
| US INST CONTROL | Sites with Institutional Controls |
| ERNS | Emergency Response Notification System |
| HMIRS | Hazardous Materials Information Reporting System |
| DOT OPS | Incident and Accident Data |
| US CDL | Clandestine Drug Labs |
| US BROWNFIELDS | A Listing of Brownfields Sites |
| DOD | Department of Defense Sites |
| FUDS | Formerly Used Defense Sites |
| LUCIS | Land Use Control Information System |
| CONSENT | Superfund (CERCLA) Consent Decrees |
| ROD | Records Of Decision |
| UMTRA | Uranium Mill Tailings Sites |
| ODI | Open Dump Inventory |
| DEBRIS REGION 9 | Torres Martinez Reservation Illegal Dump Site Locations |
| MINES | Mines Master Index File |
| TSCA | Toxic Substances Control Act |
| FTTS | FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) |
| HIST FTTS | FIFRA/TSCA Tracking System Administrative Case Listing |
| SSTS | Section 7 Tracking Systems |
| ICIS | Integrated Compliance Information System |
| PADS | PCB Activity Database System |
| MLTS | Material Licensing Tracking System |
| RAINFO | Radiation Information Database |
| RAATS | RCRA Administrative Action Tracking System |

STATE AND LOCAL RECORDS

| | |
|---------------|---|
| HSWDS | Hazardous Substance Waste Disposal Site Inventory |
| DEL SHWS | Delisted Registry Sites |
| SWF/LF | Facility Register |
| SWTIRE | Registered Waste Tire Storage & Facility List |
| SWRCY | Registered Recycling Facility List |
| CBS UST | Chemical Bulk Storage Database |
| MOSF UST | Major Oil Storage Facilities Database |
| HIST AST | Historical Petroleum Bulk Storage Database |
| CBS AST | Chemical Bulk Storage Database |
| MOSF AST | Major Oil Storage Facilities Database |
| ENG CONTROLS | Registry of Engineering Controls |
| INST CONTROL | Registry of Institutional Controls |
| DRYCLEANERS | Registered Drycleaners |
| BROWNFIELDS | Brownfields Site List |
| AIRS | Air Emissions Data |
| E DESIGNATION | E DESIGNATION SITE LISTING |
| MOSF | Major Oil Storage Facility Site Listing |

EXECUTIVE SUMMARY

RES DECL..... Restrictive Declarations Listing
 CBS..... Chemical Bulk Storage Site Listing

TRIBAL RECORDS

INDIAN RESERV..... Indian Reservations
 INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land
 INDIAN UST..... Underground Storage Tanks on Indian Land
 INDIAN VCP..... Voluntary Cleanup Priority Listing

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL RECORDS

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/26/2008 has revealed that there are 2 CORRACTS sites within approximately 1 mile of the target property.

| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|----------------------------------|--------------------------|---------------------------|-------------------|-------------------|
| <i>CORNING GLASS</i> | <i>TIOGA AVE</i> | <i>1/4 - 1/2 S</i> | <i>I32</i> | <i>138</i> |
| <i>CORNING VITRO CORP</i> | <i>STEUBEN ST</i> | <i>1/2 - 1 SE</i> | <i>40</i> | <i>175</i> |

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 03/06/2008 has revealed that there are 2 RCRA-NonGen sites within approximately 0.25 miles of the target property.

| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|--|--------------------------------|-----------------------------|-------------------|------------------|
| <i>CORNING INC - MUSEUM OF GLASS</i> | <i>1 MUSEUM WAY</i> | <i>1/8 - 1/4 SSE</i> | <i>D8</i> | <i>55</i> |
| <i>LOOHNS CLEANERS & LAUNDERERS I</i> | <i>37 E POULTNEY ST</i> | <i>1/8 - 1/4 WNW</i> | <i>G17</i> | <i>84</i> |

EXECUTIVE SUMMARY

STATE AND LOCAL RECORDS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, and dated 02/05/2008 has revealed that there is 1 SHWS site within approximately 1 mile of the target property.

| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|---|------------------------|-------------------|---------------|-------------|
| LOOHNS CORNING Class Code: Significant threat to the public health or environment - action required. | 37 EAST PULTENY STREET | 1/8 - 1/4WNW | G18 | 103 |

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 02/05/2008 has revealed that there are 3 LTANKS sites within approximately 0.5 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|---|------------------------------|---------------------|---------------|-------------|
| CORNING INC PARKING LOT Date Closed: 09/20/00 | PULTENEY STREET / CEN | 0 - 1/8 NNE | 5 | 49 |
| TANANA GAS STATION Date Closed: 11/12/91 | BAKER STREET | 1/8 - 1/4NW | F15 | 78 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
| CORNING INC - HQ BLD Date Closed: 12/02/97 | WALNUT ST | 1/4 - 1/2SSW | 30 | 134 |

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 3 HIST LTANKS sites within approximately 0.5 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|--------------------------------|------------------------------|---------------------|---------------|-------------|
| CORNING INC PARKING LOT | PULTENEY STREET / CEN | 0 - 1/8 NNE | 5 | 49 |
| TANANA GAS STATION | BAKER STREET | 1/8 - 1/4NW | F15 | 78 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
| CORNING INC - HQ BLD | WALNUT ST | 1/4 - 1/2SSW | 30 | 134 |

EXECUTIVE SUMMARY

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 03/28/2008 has revealed that there are 4 UST sites within approximately 0.25 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|-------------------------------|------------------------|-------------------|---------------|-------------|
| BLACK'S AUTO SERVICE CENTER | 137 E PULTENEY ST | 0 - 1/8 NNW | B3 | 33 |
| TANANA OIL #415 | 123 BAKER STREET | 1/8 - 1/4 NW | E13 | 66 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
| CITY OF CORNING | 1 CORNING BOULEVARD | 1/8 - 1/4 SSE | 10 | 58 |
| NORTHSIDE TEXACO | 47 EAST PULTNEY STREET | 1/8 - 1/4 WNW | G19 | 105 |

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 4 HIST UST sites within approximately 0.25 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|-------------------------------|------------------------|-------------------|---------------|-------------|
| BLACK'S AUTO SERVICE CENTER | 137 E PULTENEY ST | 0 - 1/8 NNW | B4 | 38 |
| TANANA OIL #415 | 123 BAKER STREET | 1/8 - 1/4 NW | E13 | 66 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
| CITY OF CORNING | 1 CORNING BOULEVARD | 1/8 - 1/4 SSE | 10 | 58 |
| NORTHSIDE TEXACO | 47 EAST PULTNEY STREET | 1/8 - 1/4 WNW | G19 | 105 |

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 03/28/2008 has revealed that there are 2 AST sites within approximately 0.25 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|--------------------------------|-------------------|-------------------|---------------|-------------|
| BLACK'S AUTO SERVICE CENTER | 137 E PULTENEY ST | 0 - 1/8 NNW | B4 | 38 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
| CORNING INCORPORATED CHP PLANT | 8 MUSEUM WAY | 0 - 1/8 S | C7 | 54 |

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 02/15/2008 has revealed that there is 1 MANIFEST site within approximately 0.25 miles of the target property.

| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|--------------------------------|------------------|-------------------|---------------|-------------|
| LOOHNS CLEANERS & LAUNDERERS I | 37 E POULTNEY ST | 1/8 - 1/4 WNW | G17 | 84 |

EXECUTIVE SUMMARY

NY Spills: Data collected on spills reported to NYSDEC, is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 02/05/2008 has revealed that there are 23 NY Spills sites within approximately 0.5 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|--|--------------------------------|----------------------|---------------|-------------|
| CORNING CHILDRENS CENTER Date Closed: 12/12/95 | 107 ARTHUR STREET | 1/8 - 1/4 NNW | E11 | 62 |
| FORMER GAS STATION Date Closed: 06/29/00 | 123 BAKER STREET | 1/8 - 1/4 NW | E12 | 64 |
| TANANA OIL GAS STATION Date Closed: 04/07/05 | 123 BARKER STREET | 1/8 - 1/4 NW | F14 | 73 |
| TANANA GAS STATION Date Closed: 04/04/02 | BAKER STREET | 1/8 - 1/4 NW | F15 | 78 |
| 173 DECATUR STREET Date Closed: 10/22/03 | 173 DECATUR STREET | 1/4 - 1/2 NW | 23 | 121 |
| PRIVATE RESIDENCE Date Closed: 06/01/97 | 80 NORMAN STREET | 1/4 - 1/2 NNW | 24 | 122 |
| CAFFOS CAR Date Closed: 06/25/95 | 6 JACKSON CIRCLE | 1/4 - 1/2 E | 28 | 129 |
| WEGMANS Date Closed: 07/23/04 | 1 BRIDGE STREET | 1/4 - 1/2 SW | 31 | 137 |
| DAVIS & SLY STREET Date Closed: 05/01/90 | DAVIS / SLY STREET | 1/4 - 1/2 WNW | 34 | 164 |
| STANDARD DRY CLEANERS Date Closed: 05/12/92 | 119 WEST MARKET STREET | 1/4 - 1/2 SSW | J35 | 166 |
| 131 WEST MARKET STREET Date Closed: 11/13/07 | 131 WEST MARKET STREET | 1/4 - 1/2 SSW | J36 | 168 |
| COLUMBIA BANKING SITE Date Closed: 05/18/98 | 150 WEST MARKET STREET | 1/4 - 1/2 SSW | K38 | 170 |
| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
| OUTFALL NEAR YMCA Date Closed: 01/28/98 | MUSEUM WAY | 0 - 1/8 S | C6 | 51 |
| COACH USA Date Closed: 08/22/05 | 1 MUSEUM WAY | 1/8 - 1/4 SSE | D9 | 57 |
| UNCAPHER RESIDENCE Date Closed: 07/07/95 | 10 CORNING BLVD | 1/8 - 1/4 SE | 16 | 81 |
| CULLIGAN SOFTWATER Date Closed: 01/24/97 | 28 BRIDGE STREET | 1/4 - 1/2 WSW | 20 | 114 |
| POST CREEK FLOODGATE #60 Date Closed: 03/21/91 | ROUTE 17 EXIT ROUTE 414 | 1/4 - 1/2 NNE | 21 | 116 |
| HARDING MOTORS Date Closed: 05/20/88 | 5 BRIDGE STREET | 1/4 - 1/2 WSW | 22 | 119 |
| CORNING GLASS Date Closed: 05/07/87 | DENISON PARKWAY | 1/4 - 1/2 SSW | H25 | 124 |
| GIGANAK (JOHN) RESIDENCE Date Closed: 11/24/91 | 33 WEST PULTENEY STREET | 1/4 - 1/2 W | 27 | 127 |

EXECUTIVE SUMMARY

| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|---|------------------------------|----------------------|---------------|-------------|
| CORNING BLVD. (#102) Date Closed: 08/02/88 | 102 CORNING BOULEVARD | 1/4 - 1/2 ESE | 29 | 131 |
| CORNING INC CLUB HOUSE Date Closed: 09/14/94 | PINE STREET / MARKET | 1/4 - 1/2 S | I33 | 161 |
| HERRINGCREEK GIFT CARDS Date Closed: 08/08/07 | 26 EAST MARKET STREET | 1/4 - 1/2 S | 39 | 174 |

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 17 NY Hist Spills sites within approximately 0.5 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|---------------------------------|-------------------------------|----------------------|---------------|-------------|
| CORNING CHILDRENS CENTER | 107 ARTHUR STREET | 1/8 - 1/4 NNW | E11 | 62 |
| FORMER GAS STATION | 123 BAKER STREET | 1/8 - 1/4 NW | E12 | 64 |
| TANANA OIL GAS STATION | 123 BARKER STREET | 1/8 - 1/4 NW | F14 | 73 |
| PRIVATE RESIDENCE | 80 NORMAN STREET | 1/4 - 1/2 NNW | 24 | 122 |
| CAFFOS CAR | 6 JACKSON CIRCLE | 1/4 - 1/2 E | 28 | 129 |
| DAVIS & SLY STREET | DAVIS / SLY STREET | 1/4 - 1/2 WNW | 34 | 164 |
| STANDARD DRY CLEANERS | 119 WEST MARKET STREET | 1/4 - 1/2 SSW | J35 | 166 |
| COLUMBIA BANKING SITE | 150 WEST MARKET STREET | 1/4 - 1/2 SSW | K38 | 170 |

| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|---------------------------------|--------------------------------|----------------------|---------------|-------------|
| OUTFALL NEAR YMCA | MUSEUM WAY | 0 - 1/8 S | C6 | 51 |
| UNCAPHER RESIDENCE | 10 CORNING BLVD | 1/8 - 1/4 SE | 16 | 81 |
| CULLIGAN SOFTWATER | 28 BRIDGE STREET | 1/4 - 1/2 WSW | 20 | 114 |
| POST CREEK FLOODGATE #60 | ROUTE 17 EXIT ROUTE 414 | 1/4 - 1/2 NNE | 21 | 116 |
| HARDING MOTORS | 5 BRIDGE STREET | 1/4 - 1/2 WSW | 22 | 119 |
| CORNING GLASS | DENISON PARKWAY | 1/4 - 1/2 SSW | H25 | 124 |
| GIGANAK (JOHN) RESIDENCE | 33 WEST PULTENEY STREET | 1/4 - 1/2 W | 27 | 127 |
| CORNING BLVD. (#102) | 102 CORNING BOULEVARD | 1/4 - 1/2 ESE | 29 | 131 |
| CORNING INC CLUB HOUSE | PINE STREET / MARKET | 1/4 - 1/2 S | I33 | 161 |

VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the VCP list, as provided by EDR, and dated 02/05/2008 has revealed that there is 1 VCP site within approximately 0.5 miles of the target property.

| <u>Equal/Higher Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|---------------------------------------|----------------------------|----------------------|---------------|-------------|
| 150 WEST MARKET ST. (COMMUNITY | 150 WEST MARKET ST. | 1/4 - 1/2 SSW | K37 | 169 |

EXECUTIVE SUMMARY

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there is 1 Manufactured Gas Plants site within approximately 1 mile of the target property.


| <u>Lower Elevation</u> | <u>Address</u> | <u>Dist / Dir</u> | <u>Map ID</u> | <u>Page</u> |
|-----------------------------|-------------------------|-------------------|---------------|-------------|
| NYSEG CORNING OLD GAS WORKS | CORNER OF WATER AND CHE | 1/4 - 1/2 SW | H26 | 127 |

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

| Site Name | Database(s) |
|------------------------------------|------------------------------|
| EOLIN #1 | CBS |
| EOLIN | CBS |
| CONRAIL CORNING LOCOMOTIVE | FINDS, MANIFEST, RCRA-NonGen |
| CORNING PAINTED POST SCHOOL DISTRI | MANIFEST |
| DOWNTOWN DIESEL SPILL | LTANKS, NY Spills, NY Hist |
| | Spills, HIST LTANKS |
| BROWNIES MINI MART INC | UST, LTANKS, HIST UST, HIST |
| | LTANKS |
| TOWN OF CATON | UST |
| CORNING BUILDING CO INC | UST, AST, HIST UST, HIST AST |
| TOWN OF CORNING | AST, HIST AST |
| CENTRE CONCRETE COMPANY | AST |
| NYSEG CORNING SERVICE CENTER | FINDS, RCRA-NonGen |
| NYSDOT - SCHUTT JUNKYARD | FINDS, RCRA-NonGen |
| TEPPCO - GILBERTSVILLE TERMINAL | FINDS, RCRA-NonGen |
| MATLACK | NY Spills, NY Hist Spills |
| ROUTE 352 VEHICLE FIRE | NY Spills |
| PETER HODGE TRANSPORT | NY Spills, NY Hist Spills |
| CORNING MINI STORAGE | NY Spills, NY Hist Spills |
| D & A WELDING | NY Spills, NY Hist Spills |
| SKYLINER BUS COMPANY | NY Spills, NY Hist Spills |
| EDMISTER (FRED) PROPERTY | NY Spills |
| ROUTE 414 | NY Spills, NY Hist Spills |
| 1 MILE FROM CITY LIMITS | NY Spills, NY Hist Spills |
| SCOUTEN PROPERTY | NY Spills, NY Hist Spills |
| ROUTE 86 WESTBOUND MVA | NY Spills |
| CONRAIL YARD | NY Spills, NY Hist Spills |
| CORNING GLASS | NY Spills, NY Hist Spills |
| CHEMUNG RIVER - BRIDGE ST | NY Spills, NY Hist Spills |
| CORNING INC IN CITY SEWER | NY Spills, NY Hist Spills |
| ROUTE 86 MVA | NY Spills |
| DZYBON WELL | NY Spills |
| NYS ELECTRIC & GAS | NY Spills, NY Hist Spills |
| CORNING GLASSWORKS BLDG | NY Spills, NY Hist Spills |
| LONDON UNDERGROUND/3 BIRDS REST. | NY Spills |
| CHEMUNG RIVER @GIBSON BR | NY Spills, NY Hist Spills |
| POST CREEK | NY Spills, NY Hist Spills |
| BROWNIES MINI MART | NY Spills |
| CORNING GLASS-HOUGHTON P | NY Spills, NY Hist Spills |
| CITY OF CORNING | NY Spills, NY Hist Spills |
| CORNING GLASS | NY Spills, NY Hist Spills |
| CORNING PRESSWARE PLANT | NY Spills, NY Hist Spills |

OVERVIEW MAP - 2252499.2s



★ Target Property

▲ Sites at elevations higher than or equal to the target property

◆ Sites at elevations lower than the target property

▲ Manufactured Gas Plants

■ National Priority List Sites

■ Dept. Defense Sites

■ Indian Reservations BIA

■ Oil & Gas pipelines

■ 100-year flood zone

■ 500-year flood zone

■ National Wetland Inventory


■ State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Corning Inc. - Steuben Factory
ADDRESS: One Steuben Way
Corning NY 14830
LAT/LONG: 42.1504 / 77.0544

CLIENT: Haley & Aldrich of New York
CONTACT: Claire DeBergalis
INQUIRY #: 2252499.2s
DATE: June 24, 2008 8:37 am

DETAIL MAP - 2252499.2s



- ☆ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ▲ Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Corning Inc. - Steuben Factory
 ADDRESS: One Steuben Way
 Corning NY 14830
 LAT/LONG: 42.1504 / 77.0544

CLIENT: Haley & Aldrich of New York
 CONTACT: Claire DeBergalis
 INQUIRY #: 2252499.2s
 DATE: June 24, 2008 8:37 am

MAP FINDINGS SUMMARY

| Database | Target Property | Search Distance (Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---------------------------------------|--------------------|-------------------------------|-------|-----------|-----------|---------|-----|------------------|
| <u>FEDERAL RECORDS</u> | | | | | | | | |
| NPL | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| Proposed NPL | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| Delisted NPL | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| NPL LIENS | | TP | NR | NR | NR | NR | NR | 0 |
| CERCLIS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| CERC-NFRAP | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| LIENS 2 | | TP | NR | NR | NR | NR | NR | 0 |
| CORRACTS | X | 1.000 | 0 | 0 | 1 | 1 | NR | 2 |
| RCRA-TSDF | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| RCRA-LQG | X | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| RCRA-SQG | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| RCRA-CESQG | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| RCRA-NonGen | | 0.250 | 0 | 2 | NR | NR | NR | 2 |
| US ENG CONTROLS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| US INST CONTROL | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| ERNS | | TP | NR | NR | NR | NR | NR | 0 |
| HMIRS | | TP | NR | NR | NR | NR | NR | 0 |
| DOT OPS | | TP | NR | NR | NR | NR | NR | 0 |
| US CDL | | TP | NR | NR | NR | NR | NR | 0 |
| US BROWNFIELDS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| DOD | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| FUDS | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| LUCIS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| CONSENT | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| ROD | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| UMTRA | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| ODI | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| DEBRIS REGION 9 | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| MINES | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| TRIS | X | TP | NR | NR | NR | NR | NR | 0 |
| TSCA | | TP | NR | NR | NR | NR | NR | 0 |
| FTTS | | TP | NR | NR | NR | NR | NR | 0 |
| HIST FTTS | | TP | NR | NR | NR | NR | NR | 0 |
| SSTS | | TP | NR | NR | NR | NR | NR | 0 |
| ICIS | | TP | NR | NR | NR | NR | NR | 0 |
| PADS | | TP | NR | NR | NR | NR | NR | 0 |
| MLTS | | TP | NR | NR | NR | NR | NR | 0 |
| RADINFO | | TP | NR | NR | NR | NR | NR | 0 |
| FINDS | X | TP | NR | NR | NR | NR | NR | 0 |
| RAATS | | TP | NR | NR | NR | NR | NR | 0 |
| <u>STATE AND LOCAL RECORDS</u> | | | | | | | | |
| HSWDS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| SHWS | | 1.000 | 0 | 1 | 0 | 0 | NR | 1 |
| DEL SHWS | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| SWF/LF | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| SWTIRE | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |

MAP FINDINGS SUMMARY

| Database | Target Property | Search Distance (Miles) | < 1/8 | 1/8 - 1/4 | 1/4 - 1/2 | 1/2 - 1 | > 1 | Total Plotted |
|---------------------------------------|--------------------|-------------------------------|-------|-----------|-----------|---------|-----|------------------|
| SWRCY | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| LTANKS | | 0.500 | 1 | 1 | 1 | NR | NR | 3 |
| HIST LTANKS | | 0.500 | 1 | 1 | 1 | NR | NR | 3 |
| UST | | 0.250 | 1 | 3 | NR | NR | NR | 4 |
| CBS UST | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| MOSF UST | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| HIST UST | | 0.250 | 1 | 3 | NR | NR | NR | 4 |
| AST | | 0.250 | 2 | 0 | NR | NR | NR | 2 |
| HIST AST | | TP | NR | NR | NR | NR | NR | 0 |
| CBS AST | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| MOSF AST | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| MANIFEST | X | 0.250 | 0 | 1 | NR | NR | NR | 1 |
| NY Spills | | 0.500 | 1 | 6 | 16 | NR | NR | 23 |
| NY Hist Spills | | 0.500 | 1 | 4 | 12 | NR | NR | 17 |
| ENG CONTROLS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| INST CONTROL | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| VCP | | 0.500 | 0 | 0 | 1 | NR | NR | 1 |
| DRYCLEANERS | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| BROWNFIELDS | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| NPDES | X | TP | NR | NR | NR | NR | NR | 0 |
| AIRS | | TP | NR | NR | NR | NR | NR | 0 |
| E DESIGNATION | | 0.125 | 0 | NR | NR | NR | NR | 0 |
| MOSF | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| RES DECL | | 0.180 | 0 | 0 | NR | NR | NR | 0 |
| CBS | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| <u>TRIBAL RECORDS</u> | | | | | | | | |
| INDIAN RESERV | | 1.000 | 0 | 0 | 0 | 0 | NR | 0 |
| INDIAN LUST | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| INDIAN UST | | 0.250 | 0 | 0 | NR | NR | NR | 0 |
| INDIAN VCP | | 0.500 | 0 | 0 | 0 | NR | NR | 0 |
| <u>EDR PROPRIETARY RECORDS</u> | | | | | | | | |
| Manufactured Gas Plants | | 1.000 | 0 | 0 | 1 | 0 | NR | 1 |

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

A1 CORNING, INC. - STEUBEN PLANT
Target ONE STEUBEN WAY
Property CORNING, NY 14831

Site 1 of 2 in cluster A

Actual:
934 ft.

FINDS:
Other Pertinent Environmental Activity Identified at Site

Database(s)

EDR ID Number
EPA ID Number

FINDS 1000315923
RCRA-LQG 14831CRNNGFU
TRIS
CORRACTS
MANIFEST

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AFS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRA-LQG:

Date form received by agency: 02/17/2006
Facility name: CORNING, INC. - STEUBEN PLANT
Facility address: ONE STEUBEN WAY
CORNING, NY 14831
EPA ID: NYD000824359
Mailing address: HP-ST-01
CORNING, NY 14831
Contact: CAROL ANN CARLSON
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (607) 974-1030
Contact email: CARLSONCA@CORNING.COM
EPA Region: 02
Land type: Private
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CORNING, INC.
Owner/operator address: Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1959
Owner/Op end date: Not reported

Owner/operator name: CORNING, INC.
Owner/operator address: ONE RIVERFRONT PLAZA
CORNING, NY 14831
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1959
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: No

Historical Generators:

Date form received by agency: 02/16/2006

Facility name: CORNING, INC. - STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 02/27/2004

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INC-STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 07/18/2002

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INC-STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 01/01/2001

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INC. - STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 02/27/1998

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INC-STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 03/12/1996

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INCORPORATED-STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 03/17/1994

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INCORPORATED - STEUBEN PLANT
Classification: Large Quantity Generator

Date form received by agency: 05/14/1993

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING GLASS WORKS
Classification: Large Quantity Generator

Date form received by agency: 10/08/1992

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING GLASS WORKS
Classification: Large Quantity Generator

Date form received by agency: 02/27/1992

Facility name: CORNING, INC. - STEUBEN PLANT
Site name: CORNING INCORPORATED
Classification: Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Date form received by agency: 03/01/1990

Facility name: CORNING, INC. - STEUBEN PLANT

Site name: CORNING INCORPORATED

Classification: Large Quantity Generator

Date form received by agency: 11/19/1980

Facility name: CORNING, INC. - STEUBEN PLANT

Site name: CORNING GLASS WORKS

Classification: Not a generator, verified

Date form received by agency: 08/18/1980

Facility name: CORNING, INC. - STEUBEN PLANT

Site name: CORNING GLASS WORKS

Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008

Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2005

Annual Waste Handled:

Waste code: D008

Waste name: LEAD

Amount (Lbs): 3156351.6

Corrective Action Summary:

Event date: 11/19/1993

Event: RFA Completed

Event date: 11/22/1993

Event: RFA Initiation

Event date: 05/26/1994

Event: CA Prioritization, Facility or area was assigned a low corrective action priority.

Facility Has Received Notices of Violations:

Regulation violated: SR - 374-3.2(e)(1) & 3.2(f)(3)

Area of violation: Generators - General

Date violation determined: 08/25/2004

Date achieved compliance: 11/03/2004

Violation lead agency: State

Enforcement action: WRITTEN INFORMAL

Enforcement action date: 08/25/2004

Enf. disposition status: Not reported

Enf. disp. status date: Not reported

Enforcement lead agency: State

Proposed penalty amount: Not reported

Final penalty amount: Not reported

Paid penalty amount: Not reported

Regulation violated: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Area of violation: Generators - General
Date violation determined: 06/13/2000
Date achieved compliance: 07/25/2000
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/28/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 06/25/1997
Date achieved compliance: 12/15/1997
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/25/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 08/26/1993
Date achieved compliance: 10/05/1993
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/26/1993
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 09/28/1990
Date achieved compliance: 01/17/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/26/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 07/30/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/12/2006
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 08/25/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 11/03/2004
Evaluation lead agency: State

Evaluation date: 06/13/2000
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 07/25/2000
Evaluation lead agency: State

Evaluation date: 06/10/1997
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/15/1997
Evaluation lead agency: State

Evaluation date: 08/12/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 10/05/1993
Evaluation lead agency: State

Evaluation date: 09/28/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 01/17/1991
Evaluation lead agency: State

Evaluation date: 04/07/1987
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/20/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 12/31/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Evaluation lead agency: State
Evaluation date: 03/07/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

CORRACTS:

EPA ID: NYD000824359
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 05/26/1994
Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective action priority
NAICS Code(s): 327212
Other Pressed and Blown Glass and Glassware Manufacturing
Original schedule date: 07/01/1994
Schedule end date: Not reported
EPA ID: NYD000824359
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 11/19/1993
Action: CA050 - RFA Completed
NAICS Code(s): 327212
Other Pressed and Blown Glass and Glassware Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

NY MANIFEST:

Document ID: NYO1841841
Manifest Status: Completed copy
Trans1 State ID: 8A-006
Trans2 State ID: Not reported
Generator Ship Date: 830602
Trans1 Recv Date: 830602
Trans2 Recv Date: Not reported
TSD Site Recv Date: 830602
Part A Recv Date: 030607
Part B Recv Date: 030607
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD080336241
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 32000
Units: P - Pounds
Number of Containers: 032
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 83
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: NYO1841823
Manifest Status: Completed copy
Trans1 State ID: 8A-006
Trans2 State ID: Not reported
Generator Ship Date: 830602
Trans1 Recv Date: 830602
Trans2 Recv Date: Not reported
TSD Site Recv Date: 830602
Part A Recv Date: 030607
Part B Recv Date: 030607
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSD ID: NYD080336241
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 28000
Units: P - Pounds
Number of Containers: 028
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill
Specific Gravity: 100
Year: 83
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: NYO2571417
Manifest Status: Completed copy
Trans1 State ID: 8A-006
Trans2 State ID: Not reported
Generator Ship Date: 840912
Trans1 Recv Date: 840912
Trans2 Recv Date: Not reported
TSD Site Recv Date: 840912
Part A Recv Date: 840919
Part B Recv Date: 840918
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 41000
Units: P - Pounds
Number of Containers: 041
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 84
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: NYA3741974
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S53467
Trans2 State ID: NYS79416
Generator Ship Date: 861110
Trans1 Recv Date: 861110
Trans2 Recv Date: 861111
TSD Site Recv Date: 861111
Part A Recv Date: 861114
Part B Recv Date: 861208
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: NYD080336241
TSDF ID: NYD080336241
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00004
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 013
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00004
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 002
Container Type: CW - Wooden boxes
Handling Method: L Landfill.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: NYA8050131
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 890517
Trans1 Recv Date: 890517
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890518
Part A Recv Date: 890525
Part B Recv Date: 890522
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD982273518
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 36000
Units: P - Pounds
Number of Containers: 036
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 000
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA2579494
Manifest Status: Completed copy
Trans1 State ID: PB9830
Trans2 State ID: Not reported
Generator Ship Date: 920304
Trans1 Recv Date: 920304
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920306
Part A Recv Date: Not reported
Part B Recv Date: 920317
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD980769947
Trans2 EPA ID: Not reported
TSDF ID: MID000724831
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 21000
Units: P - Pounds
Number of Containers: 021
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: PAC5019696
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: PAAH0315
Trans2 State ID: Not reported
Generator Ship Date: 920204
Trans1 Recv Date: 920204
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920207
Part A Recv Date: 920212
Part B Recv Date: 920303
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD980769947
Trans2 EPA ID: Not reported
TSDF ID: PAD067098822
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: PAC5019486
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: PAAH0331

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Trans2 State ID: Not reported
Generator Ship Date: 920311
Trans1 Recv Date: 920311
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920313
Part A Recv Date: 920323
Part B Recv Date: 920407
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD982792814
Trans2 EPA ID: Not reported
TSDF ID: PAD067098822
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00275
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA2540571
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 80346VNY
Trans2 State ID: Not reported
Generator Ship Date: 920429
Trans1 Recv Date: 920429
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920504
Part A Recv Date: 920529

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Part B Recv Date: 920611
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD982792814
Trans2 EPA ID: Not reported
TSDF ID: MID000724831
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 14000
Units: P - Pounds
Number of Containers: 014
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: ARA5188350
Manifest Status: Completed copy
Trans1 State ID: PC936H245
Trans2 State ID: Not reported
Generator Ship Date: 920318
Trans1 Recv Date: 920318
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920323
Part A Recv Date: Not reported
Part B Recv Date: 920408
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD980769947
Trans2 EPA ID: Not reported
TSDF ID: ARD069748192
Waste Code: U226 - 1,1,1-TRICHLOROETHANE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Quantity: 00436
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA2732599
Manifest Status: Completed copy
Trans1 State ID: 60914SNY
Trans2 State ID: Not reported
Generator Ship Date: 950505
Trans1 Recv Date: 950505
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950508
Part A Recv Date: Not reported
Part B Recv Date: 950526
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD051809952
Trans2 EPA ID: Not reported
TSD ID: MID000724831
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00017
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA4218375
Manifest Status: Completed copy
Trans1 State ID: 39413BNY
Trans2 State ID: Not reported
Generator Ship Date: 950504
Trans1 Recv Date: 950504
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950510
Part A Recv Date: Not reported
Part B Recv Date: 950526
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD051809952
Trans2 EPA ID: Not reported
TSDF ID: MID000724831
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 21000
Units: P - Pounds
Number of Containers: 030
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00025
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA4218379
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 39413BNY
Trans2 State ID: Not reported
Generator Ship Date: 950504
Trans1 Recv Date: 950504
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950510
Part A Recv Date: Not reported
Part B Recv Date: 950601
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD051809952
Trans2 EPA ID: Not reported
TSDF ID: MID060975844
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA8170926
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 06/20/2001
Trans1 Recv Date: 06/20/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/20/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824359
Trans1 EPA ID: MID060975844
Trans2 EPA ID: Not reported
TSD ID: 0440549
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00500
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA8170927
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 06/20/2001
Trans1 Recv Date: 06/20/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/21/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824359
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0440349MA
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01800
Units: P - Pounds
Number of Containers: 003
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 02100
Units: P - Pounds
Number of Containers: 007
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA8124294
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 08/30/2001
Trans1 Recv Date: 08/30/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/31/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824359
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSD ID: D440463ME
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 07000
Units: P - Pounds
Number of Containers: 014
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01200
Units: P - Pounds
Number of Containers: 003
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA8252682
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 02/21/2001
Trans1 Recv Date: 02/21/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/22/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824359
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0463665ME
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01200
Units: P - Pounds
Number of Containers: 003
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: MIA8170552
Manifest Status: Not reported
Trans1 State ID: NJD054126164
Trans2 State ID: Not reported
Generator Ship Date: 12/06/2001
Trans1 Recv Date: 12/06/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/07/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824359
Trans1 EPA ID: MID000724831
Trans2 EPA ID: Not reported
TSDF ID: 0459848ME
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 03500
Units: P - Pounds
Number of Containers: 011
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: NYA8045055
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 890220
Trans1 Recv Date: 890220
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890220
Part A Recv Date: 890224
Part B Recv Date: 890227
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD982273518
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 32000
Units: P - Pounds
Number of Containers: 032
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

Document ID: NYA8044929
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 890220
Trans1 Recv Date: 890220
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890220
Part A Recv Date: 890224
Part B Recv Date: 890227
Generator EPA ID: NYD000824359
Trans1 EPA ID: NYD982273518
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 32000
Units: P - Pounds
Number of Containers: 032
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824359
Facility Name: CORNING INC
Facility Address: STEUBEN GLASS-FULTON ST
Facility City: CORNING
Facility Address 2: Not reported
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING, INC. - STEUBEN PLANT (Continued)

1000315923

Mailing Name: CORNING INC
Mailing Contact: BETH KEUL
Mailing Address: 1 STEUBEN WAY
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-1030

[Click this hyperlink](#) while viewing on your computer to access
322 additional NY_MANIFEST: record(s) in the EDR Site Report.

A2 WORLD KITCHEN - PRESSWARE PLT
Target ONE STEUBEN STREET
Property CORNING, NY 14830

NPDES S106442650
N/A

Site 2 of 2 in cluster A

Actual:
934 ft.

SPDES:

Permit Number: NY0246506
State-Region: 08
Expiration Date: 4/30/2010
Current Major Minor Status: Minor
Primary Facility SIC Code: 3229
State Water Body Name: CHEMUNG R
Limit Set Status Flag: A
Total Actual Average Flow(MGD): Not reported
Total App Design Flow(MGD): Not reported
UDF1: DMR
Lat/Long: 42.1425 / -77.041667
DMR Cognizant Official: JANELLE METEER, PLT MGR
UDF2: 000501
UDF3: C
Facility UDF5: 01
FIPS County Code: NY101
Supplemental Address: Not reported

Non-Gov Permit Affiliation Type Desc: Permittee
Non-Gov Permit Org Formal Name: WORLD KITCHEN INC
Non-Gov Permit Street Address: ONE STEUBEN STREET
Non-Gov Permit Supplemental Location: Not reported
Non-Gov Permit City: CORNING
Non-Gov Permit State Code: NY
Non-Gov Permit Zip Code: 14830
Non-Gov Facility Affiliation Type Desc: Mailing Address
Non-Gov Facility Org Formal Name: WORLD KITCHEN, INC
Non-Gov Facility Street Address: WORLD KITCHEN - PRESSWARE PLT
Non-Gov Facility Supplemental Location: ONE STEUBEN STREET
Non-Gov Facility City: CORNING
Non-Gov Facility State Code: NY
Non-Gov Facility Zip Code: 14830
State Water Body: 02050105150

UDF2: 000501
UDF3: C

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WORLD KITCHEN - PRESSWARE PLT (Continued)

S106442650

Facility UDF5: 01
FIPS County Code: NY101
Supplemental Address: Not reported

Non-Gov Permit Affiliation Type Desc: DMR Mailing Address
Non-Gov Permit Org Formal Name: WORLD KITCHEN, INC
Non-Gov Permit Street Address: WORLD KITCHEN - PRESSWARE PLT
Non-Gov Permit Supplemental Location: ONE STEUBEN STREET
Non-Gov Permit City: CORNING
Non-Gov Permit State Code: NY
Non-Gov Permit Zip Code: 14830
Non-Gov Facility Affiliation Type Desc: Owner
Non-Gov Facility Org Formal Name: WORLD KITCHEN, INC
Non-Gov Facility Street Address: WORLD KITCHEN - PRESSWARE PLT
Non-Gov Facility Supplemental Location: ONE STEUBEN STREET
Non-Gov Facility City: CORNING
Non-Gov Facility State Code: NY
Non-Gov Facility Zip Code: 14830
State Water Body: 02050105150

UDF2: 000501
UDF3: C
Facility UDF5: 01
FIPS County Code: NY101
Supplemental Address: Not reported

Non-Gov Permit Affiliation Type Desc: DMR Mailing Address
Non-Gov Permit Org Formal Name: WORLD KITCHEN, INC
Non-Gov Permit Street Address: WORLD KITCHEN - PRESSWARE PLT
Non-Gov Permit Supplemental Location: ONE STEUBEN STREET
Non-Gov Permit City: CORNING
Non-Gov Permit State Code: NY
Non-Gov Permit Zip Code: 14830
Non-Gov Facility Affiliation Type Desc: Mailing Address
Non-Gov Facility Org Formal Name: WORLD KITCHEN, INC
Non-Gov Facility Street Address: WORLD KITCHEN - PRESSWARE PLT
Non-Gov Facility Supplemental Location: ONE STEUBEN STREET
Non-Gov Facility City: CORNING
Non-Gov Facility State Code: NY
Non-Gov Facility Zip Code: 14830
State Water Body: 02050105150

UDF2: 000501
UDF3: C
Facility UDF5: 01
FIPS County Code: NY101
Supplemental Address: Not reported

Non-Gov Permit Affiliation Type Desc: Permittee
Non-Gov Permit Org Formal Name: WORLD KITCHEN INC
Non-Gov Permit Street Address: ONE STEUBEN STREET
Non-Gov Permit Supplemental Location: Not reported
Non-Gov Permit City: CORNING
Non-Gov Permit State Code: NY
Non-Gov Permit Zip Code: 14830
Non-Gov Facility Affiliation Type Desc: Owner
Non-Gov Facility Org Formal Name: WORLD KITCHEN, INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

WORLD KITCHEN - PRESSWARE PLT (Continued)

S106442650

Non-Gov Facility Street Address: WORLD KITCHEN - PRESSWARE PLT
Non-Gov Facility Supplemental Location: ONE STEUBEN STREET
Non-Gov Facility City: CORNING
Non-Gov Facility State Code: NY
Non-Gov Facility Zip Code: 14830
State Water Body: 02050105150

B3 BLACK'S AUTO SERVICE CENTER
NNW 137 E PULTENEY ST
< 1/8 CORNING, NY 14830
0.074 mi.
389 ft. Site 1 of 2 in cluster B

UST U004062048
N/A

Relative: UST:
Higher UST:

Actual: 935 ft.
Facility Id: 8-126330
Facility Type: Not reported
Region: STATE
Expiration Date: 03/24/12
Renewal Date: 11/13/01
Total Capacity: 26750
Mailing Company: CORNING INC
Mailing Title: Not reported
Mailing Contact: W ROBERT OHL
Mailing Address: 1 RIVER FRONT PLAZA MP-BH-04
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip Code: 14831
Mailing Phone No: (607) 974-8818
Mailing Email: Not reported
Owner Title: PROPERTY MANAGER - CORNING INC
Owner Name: W ROBERT OHL
Owner Address: 1 RIVER FRONT PLAZA, MP-BH-04
Owner Address 2: Not reported
Owner State: NY
Owner Zip Code: 14831
Owner Phone: (607) 974-7386
Owner Company: CORNING INC
Emergency Contact: MARTIN P BLACK
Emergency Phone: (607) 962-6150
Operator: MARTIN P BLACK
Operator Phone: (607) 962-6150
Owner City: CORNING
Owner Sub Type: Corporate or Commercial
UTM X: 330197.96470
UTM Y: 4668649.01388
Site Type Name: Retail Gasoline Sales
Site Type Status: Active
Accuracy: Not reported
Accuracy Method: Not reported
Comments: Not reported

Program Type: PBS

Tank Number: 001
Tank Location Name: Underground
Tank Status: Closed - Removed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U004062048

Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 01/01/66
Capacity Gallons: 4000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Groundwater Well
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Homer EZ Check I or II
Date Tested: 11/01/87
Next Test Date: / /
Date Tank Closed: 06/01/89

Tank Number: 002
Tank Location Name: Underground
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 01/01/66
Capacity Gallons: 4000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Groundwater Well
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U004062048

Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Horner EZ Check I or II
Date Tested: 11/01/87
Next Test Date: / /
Date Tank Closed: 06/01/89

Tank Number: 003
Tank Location Name: Underground
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 01/01/66
Capacity Gallons: 4000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Groundwater Well
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Horner EZ Check I or II
Date Tested: 11/01/87
Next Test Date: / /
Date Tank Closed: 06/01/89

Tank Number: 004
Tank Location Name: Underground
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 01/01/66
Capacity Gallons: 6000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U004062048

Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Groundwater Well
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Petro-Tite/Petro Comp
Date Tested: 11/01/87
Next Test Date: / /
Date Tank Closed: 06/01/89

Tank Number: 005
Tank Location Name: Underground
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 06/01/89
Capacity Gallons: 6000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Fiberglass Reinforced Plastic (FRP)
Tank Internal Protection: None
Tank Internal Protection 1: Fiberglass
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
Pipe External Protection 1: Fiberglass
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Double-Walled (Underground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Double-Walled (Underground)
Tank Leak Detection 1: Interstitial - Electronic Monitoring
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Pressurized Piping Leak Detector
Pipe Leak Detection 2: Tank Top Sump
Type Of Overfill Prevention 1: Float Vent Valve
Type Of Overfill Prevention 2: High Level Alarm
Dispenser Method: Submersible
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U004062048

Tank Number: 006
Tank Location Name: Underground
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 06/01/89
Capacity Gallons: 6000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Fiberglass Reinforced Plastic (FRP)
Tank Internal Protection: Fiberglass Liner (FRP)
Tank Internal Protection 1: Fiberglass
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
Pipe External Protection 1: Fiberglass
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Double-Walled (Underground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Double-Walled (Underground)
Tank Leak Detection 1: Interstitial - Electronic Monitoring
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Pressurized Piping Leak Detector
Pipe Leak Detection 2: Tank Top Sump
Type Of Overfill Prevention 1: Float Vent Valve
Type Of Overfill Prevention 2: High Level Alarm
Dispenser Method: Submersible
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 007
Tank Location Name: Underground
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 06/01/89
Capacity Gallons: 8000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Fiberglass Reinforced Plastic (FRP)
Tank Internal Protection: Fiberglass Liner (FRP)
Tank Internal Protection 1: Fiberglass
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
Pipe External Protection 1: Fiberglass
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Double-Walled (Underground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Double-Walled (Underground)
Tank Leak Detection 1: Interstitial - Electronic Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U004062048

Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Pressurized Piping Leak Detector
Pipe Leak Detection 2: Tank Top Sump
Type Of Overfill Prevention 1: Float Vent Valve
Type Of Overfill Prevention 2: High Level Alarm
Dispenser Method: Submersible
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 008
Tank Location Name: Underground
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 11/01/98
Capacity Gallons: 5000
Material Name: Diesel
Percentage: 100.00
Tank Type Name: Fiberglass Reinforced Plastic (FRP)
Tank Internal Protection: Fiberglass Liner (FRP)
Tank Internal Protection 1: Fiberglass
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
Pipe External Protection 1: Fiberglass
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Double-Walled (Underground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Double-Walled (Underground)
Tank Leak Detection 1: Interstitial - Electronic Monitoring
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Pressurized Piping Leak Detector
Pipe Leak Detection 2: Tank Top Sump
Type Of Overfill Prevention 1: Float Vent Valve
Type Of Overfill Prevention 2: High Level Alarm
Dispenser Method: Submersible
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

B4
NNW
< 1/8
0.074 mi.
389 ft.
Site 2 of 2 in cluster B

Relative:
Higher

Actual:
935 ft.

AST U003314347
HIST UST N/A
HIST AST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Facility Type: Not reported
UTM X: 330197.96470
UTM Y: 4668649.01388
Expiration Date: 03/24/12
Renewal Date: 11/13/01
Total Capacity: 26750
Accuracy: Not reported
Accuracy Method: Not reported
Site Type Name: Retail Gasoline Sales
Site Type Status: Active
Mailing Company: CORNING INC
Mailing Title: Not reported
Mailing Contact: W ROBERT OHL
Mailing Address: 1 RIVER FRONT PLAZA MP-BH-04
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip Code: 14831
Mailing Phone No: (607) 974-8818
Mailing Email: Not reported
Owner Title: PROPERTY MANAGER - CORNING INC
Owner Name: W ROBERT OHL
Owner Address: 1 RIVER FRONT PLAZA, MP-BH-04
Owner Address 2: Not reported
Owner State: NY
Owner Zip Code: 14831
Owner Phone: (607) 974-7386
Owner Company: CORNING INC
Emergency Contact: MARTIN P BLACK
Emergency Phone: (607) 962-6150
Operator: MARTIN P BLACK
Operator Phone: (607) 962-6150
Owner City: CORNING
Owner Sub Type: Corporate or Commercial
Program Type: PBS

Tank Number: M02
Tank Location Name: Aboveground on crib, rack, or cradle
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 11/01/98
Capacity Gallons: 500
Material Name: Lube Oil
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: Painted/Asphalt Coating
Tank Internal Protection 2: Not reported
Pipe Location Name: Aboveground
Pipe Type Name: Steel/Carbon Steel/Iron
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Diking (Aboveground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: Product Level Gauge (A/G)
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: M03
Tank Location Name: Aboveground on crib, rack, or cradle
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 11/01/98
Capacity Gallons: 250
Material Name: Lube Oil
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: Painted/Asphalt Coating
Tank Internal Protection 2: Not reported
Pipe Location Name: Aboveground
Pipe Type Name: Steel/Carbon Steel/Iron
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Diking (Aboveground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: Product Level Gauge (A/G)
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: MO1
Tank Location Name: Aboveground on crib, rack, or cradle
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 11/01/98
Capacity Gallons: 500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Material Name: Lube Oil
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: Painted/Asphalt Coating
Tank Internal Protection 2: Not reported
Pipe Location Name: Aboveground
Pipe Type Name: Steel/Carbon Steel/Iron
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Diking (Aboveground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: Product Level Gauge (A/G)
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: WO1
Tank Location Name: Aboveground on crib, rack, or cradle
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Active
Install Date: 11/01/98
Capacity Gallons: 500
Material Name: Waste Oil/Used Oil
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: Painted/Asphalt Coating
Tank Internal Protection 2: Not reported
Pipe Location Name: Aboveground
Pipe Type Name: Steel/Carbon Steel/Iron
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Diking (Aboveground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: Product Level Gauge (A/G)
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

HIST UST:

PBS Number: 8-126330
SPDES Number: Not reported
Emergency Contact: MARTIN P BLACK
Emergency Telephone: (607) 962-6150
Operator: MARTIN P BLACK
Operator Telephone: (607) 962-6150
Owner Name: CORNING ENTERPRISES, CORNING INC
Owner Address: 114 PINE STREET
Owner City, St, Zip: CORNING, NY 14831
Owner Telephone: (607) 974-7386
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CORNING ENTERPRISES, CORNING INC
Mailing Address: 114 PINE STREET
Mailing Address 2: Not reported
Mailing City, St, Zip: CORNING, NY 14831
Mailing Contact: MICHAEL GABRIELLI
Mailing Telephone: (607) 974-7386
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is
 greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist
 or not at the facility.
Facility Addr2: Not reported
SWIS ID: 4603
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: 19990804
Inspector: WLS
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 12/28/2001
Expiration Date: 03/24/2007
Renew Flag: False
Renewal Date: 20011113
Total Capacity: 26500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: CORNING (C)
County Code: 46
Town or City: 03
Region: 8

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19660101
Capacity (gals): 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Groundwater Well
Overfill Prot: None
Dispenser: Suction
Date Tested: 11/01/1987
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 06/01/1989
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19660101
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Groundwater Well
Overfill Prot: None
Dispenser: Suction
Date Tested: 11/01/1987
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 06/01/1989
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19660101
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Groundwater Well
Overfill Prot: None
Dispenser: Suction
Date Tested: 11/01/1987
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 06/01/1989
Test Method: Homer EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19660101
Capacity (gals): 6000
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: Groundwater Well
Overfill Prot: None
Dispenser: Suction
Date Tested: 11/01/1987
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 06/01/1989
Test Method: Petro-Tite
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 005
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19890601
Capacity (gals): 6000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: High Level Alarm, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 006
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19890601
Capacity (gals): 6000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: Fiberglass Liner (FRP)
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: High Level Alarm, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 007
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19890601
Capacity (gals): 8000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: Fiberglass Liner (FRP)
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Leak Detection: Electronic
Overfill Prot: High Level Alarm, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 008
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19981101
Capacity (gals): 5000
Product Stored: DIESEL
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: Fiberglass Liner (FRP)
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: High Level Alarm, Catch Basin
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

HIST AST:

PBS Number: 8-126330
SWIS Code: 4603
Operator: MARTIN P BLACK
Facility Phone: (607) 962-6150
Facility Addr2: Not reported
Facility Type: RETAIL GASOLINE SALES
Emergency: MARTIN P BLACK
Emergency Tel: (607) 962-6150
Old PBSNO: Not reported
Date Inspected: 19990804
Inspector: WLS
Result of Inspection: Not reported
Owner Name: CORNING ENTERPRISES,CORNING INC
Owner Address: 114 PINE STREET
Owner City,St,Zip: CORNING, NY 14831
Federal ID: Not reported
Owner Tel: (607) 974-7386

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MICHAEL GABRIELLI
Mailing Name: CORNING ENTERPRISES, CORNING INC
Mailing Address: 114 PINE STREET
Mailing Address 2: Not reported
Mailing City, St, Zip: CORNING, NY 14831
Mailing Telephone: (607) 974-7386
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/28/2001
Expiration: 03/24/2007
Renew Flag: False
Renew Date: 20011113
Total Capacity: 26500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: CORNING (C)
County Code: 46
Town or City Code: 03
Region: 8

Tank ID: M02
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19981101
Capacity (Gal): 500
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 0
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Epoxy Liner
Pipe External: 0
Tank Containment: 8
Leak Detection: 5
Overfill Protection: 5
Dispenser Method: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number

EPA ID Number

BLACK'S AUTO SERVICE CENTER (Continued)

U003314347

Tank ID: MO1
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19981101
Capacity (Gal): 500
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 0
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Epoxy Liner
Pipe External: 0
Tank Containment: 8
Leak Detection: 5
Overfill Protection: 5
Dispenser Method: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: WO1
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19981101
Capacity (Gal): 500
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 0
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Epoxy Liner
Pipe External: 0
Tank Containment: 8
Leak Detection: 5
Overfill Protection: 5
Dispenser Method: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

5
NNE
< 1/8
0.093 mi.
492 ft.

CORNING INC PARKING LOT
PULTENEY STREET / CENTER
CORNING, NY

LTANKS S104192168
HIST LTANKS N/A

Relative:
Higher

Actual:
935 ft.

LTANKS:

Site ID: 116884
Spill Date: 09/29/99
Facility Addr2: Not reported
Facility ID: 9970405
Program Number: 9970405
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Reported to Dept: 09/29/99
CID: Not reported
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: / /
Cleanup Meets Standard: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/20/00
Remediation Phase: 0
Date Entered in Computer: 09/30/99
Spill Record Last Update: 09/22/00
Spille Name: M SAVINO
Spiller Company: CORNING INC
Spiller Phone: (607) 974-6204
Spiller Extention: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: CORNING, NY 14831-
Spiller County: 001
Spiller Contact: ANGELA BEAVERS
Spiller Phone: (607) 739-1790
Spiller Extention: Not reported
DEC Region: 8
Program Number: 9970405
DER Facility ID: 101687
Site ID: 116884
Operable Unit ID: 1090856
Operable Unit: 01
Material ID: 291175
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING INC - MUSEUM OF GLASS (Continued)

1004761963

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CORNING INC
Owner/operator address: MP-HQ-E1-E8A
CORNING, NY 14831
Owner/operator country: Not reported
Owner/operator telephone: (607) 974-5074
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/0001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 12/12/2000
Facility name: CORNING INC - MUSEUM OF GLASS
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D000
Waste name: Not Defined

Waste code: D004
Waste name: ARSENIC

Waste code: D008
Waste name: LEAD

Violation Status: No violations found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

D9
SSE
1/8-1/4
0.136 mi.
718 ft.
COACH USA
1 MUSEUM WAY
CORNING, NY 14830
Site 2 of 2 in cluster D

Database(s)
EDR ID Number
EPA ID Number

NY Spills
S106470484
N/A

Relative:
Lower

Actual:
932 ft.

NY Spills:
Site ID: 315849
Facility Addr2: Not reported
Facility ID: 0403357
Spill Number: 0403357
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: CMKEHOE
Referred To: Not reported
Spill Date: 06/28/04
Reported to Dept: 06/28/04
CID: 31
Spill Cause: Other
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Other
Cleanup Ceased: 08/22/05
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/22/05
Remediation Phase: 0
Date Entered In Computer: 06/28/04
Spill Record Last Update: 08/31/05
Spiller Name: KEN KRUSZKA
Spiller Company: COACH USA
Spiller Address: 1415 BLUEBIRD DRIVE
Spiller City, St, Zip: NORTH TONAWANDA, NY 14120-
Spiller Company: 001
Spiller Phone: (716) 609-1104
Contact Name: DAVID
Contact Phone: (607) 725-1695
DEC Region: 8
Program Number: 0403357
DER Facility ID: 254626
Site ID: 315849
Operable Unit ID: 886774
Operable Unit: 01
Material ID: 490941
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Pounds
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 0403357 Prior to Sept, 2004 data translation this spill Lead

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COACH USA (Continued)

S106470484

DEC Field was "PL" 08/22/05 1316 KEHOE TELECON WITH DAVID KENZ OF CORNING INC., DAVID REPORTED THAT A COACH USA BUS HAD A FUEL LINE LEAK THAT RAN FROM THE BACK OF THEBUS TO A DRYWELL ABOUT 15 FEET AWAY. THE DRYWELL WAS CONNECTED TO ANOTHER WELL, BOTH OF THE DRYWELLS HAD WATER IN THEM AT THE TIME OF THE SPILL, CORNING CALLED OPTECH TO RESPOND AND DO A CLEANUP. IN THE MEAN TIME IT RAINED. OPTECH RESPONDED AND INSTALLED BOOM AND PADS IN THE CATCH BASINS TO ABSORB DIESEL. THE BOOM WAS LEFT IN THE DRYWELLS FOR ABOUT FOUR DAYS. CORNING REMOVED THE BOOM AND HAD WTS DISPOSE OF THE MATERIAL. COACH USA REPORTED ABOUT ONE QUART OF DIESEL SPILLED, CORNING BELIEVES AROUND FIVE GALLONS OR MORE WAS SPILLED. CLEANUP WAS PERFORMED AND CATCH BASINS WERE FULL OF WATER AT START AND HAD NO OUTLETS. NFA - CLOSED END DECRemark - 0403357

Remarks: Start CallerRemark - 0403357 A LEAK IN THE FUEL LINE OF A COACH USA BUS CAUSED A SPILL OF DIESEL TO A STORAGE DRAIN. SPILL IS BEING CLEANED UP. OPTECH TO PUMP OUT THE STORAGE DRAIN. END CallerRemark - 0403357

10
SSE
1/8-1/4
0.182 mi.
963 ft.

CITY OF CORNING
1 CORNING BOULEVARD
CORNING, NY 14830

UST U001850178
HIST UST N/A

Relative:
Lower

UST:
UST:

Actual:
932 ft.

Facility Id: 8-136344
Facility Type: Not reported
Region: STATE
Expiration Date: 03/24/92
Renewal Date: / /
Total Capacity: 0
Mailing Company: CITY OF CORNING
Mailing Title: Not reported
Mailing Contact: Not reported
Mailing Address: CITY HALL
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip Code: 14830
Mailing Phone No: (607) 936-9332
Mailing Email: Not reported
Owner Title: Not reported
Owner Name: Not reported
Owner Address: CITY HALL
Owner Address 2: Not reported
Owner State: NY
Owner Zip Code: 14830
Owner Phone: (607) 936-9332
Owner Company: CITY OF CORNING
Emergency Contact: WILLIAM FLOHR
Emergency Phone: (607) 962-3151
Operator: WILLIAM FLOHR
Operator Phone: (607) 962-3151
Owner City: CORNING
Owner Sub Type: Not reported
UTM X: 330342.83188
UTM Y: 4668255.24262
Site Type Name: Unknown
Site Type Status: Unregulated

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CORNING (Continued)

U001850178

Accuracy: Not reported
Accuracy Method: Not reported
Comments: 02/07/08: PAPER FILE REMOVED PER FILE RETENTION POLICY.

Program Type: PBS

Tank Number: 001
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 07/01/74
Capacity Gallons: 860
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Fiberglass Reinforced Plastic (FRP)
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 002
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 07/01/74
Capacity Gallons: 860
Material Name: Diesel
Percentage: 100.00
Tank Type Name: Fiberglass Reinforced Plastic (FRP)
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CORNING (Continued)

U001850178

Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

HIST UST:

PBS Number: 8-136344
SPDES Number: Not reported
Emergency Contact: WILLIAM FLOHR
Emergency Telephone: (607) 962-3151
Operator: WILLIAM FLOHR
Operator Telephone: (607) 962-3151
Owner Name: CITY OF CORNING
Owner Address: CITY HALL
Owner City,St,Zip: CORNING, NY 14830
Owner Telephone: (607) 936-9332
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: CITY OF CORNING
Mailing Address: CITY HALL
Mailing Address 2: Not reported
Mailing City,St,Zip: CORNING, NY 14830
Mailing Contact: Not reported
Mailing Telephone: (607) 936-9332
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
and Subpart 360-14.
Facility Addr2: Not reported
SWIS ID: 4638
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 03/24/1987
Expiration Date: 03/24/1992
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CORNING (Continued)

U001850178

Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: CORNING
County Code: 46
Town or City: 38
Region: 8

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19740701
Capacity (gals): 860
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19740701
Capacity (gals): 860
Product Stored: DIESEL
Tank Type: Fiberglass reinforced plastic [FRP]
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANANA OIL GAS STATION (Continued)

S104074784

Spill Notifier: Other
Cleanup Ceased: 04/07/05
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/07/05
Remediation Phase: 0
Date Entered In Computer: 09/16/98
Spill Record Last Update: 04/07/05
Spiller Name: DALE MILLER
Spiller Company: TANANA OIL CORPORATION
Spiller Address: 3211 CLINTON PARKWAY
Spiller City,St,Zip: LAWRENCE, KS 66047-
Spiller Company: 001
Spiller Phone: (785) 749-5741
Contact Name: BOB DAVIS
Contact Phone: (785) 843-2077
DEC Region: 8
Program Number: 9870179
DER Facility ID: 120585
Site ID: 141202
Operable Unit ID: 1074325
Operable Unit: 01
Material ID: 553182
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
Site ID: 141202
Operable Unit ID: 1074325
Operable Unit: 01
Material ID: 553181
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 9870179 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "SR" 05/18/00 - MONROE MECHANICAL ON SITE REMOVING TANKS, GZA
(PATRICK MULCAHY) OVERSEEING: 12000 GAL. GASOLINE UST REMOVED FROM SOUTH SIDE
OF BUILDING - TANK IN GOOD SHAPE, NO HOLES, NO VISUAL CONTAMINATION, HNU ON
SOIL 2-3 FEET BELOW BASE (15 FT) SHOWS 1-2 PPM. A 12000 GALLON GASOLINE TANK
ALSO PULLED FROM N. TANK GRAVE, WHICH HOUSES 3 OTHER TANKS. TANK ON S. END OF
TANK GRAVE, ALSO APPEARS GOODSHAPE. CONTAMINATION FOUND AROUND FILL AND ALSO
AT DEPTH (BELOW TANK), HNU READINGS ABOUT 12 PPM. ALL TANKS HAVE BEEN RE-LINED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

TANANA OIL GAS STATION (Continued)

S104074784

AT UNKNOWN TIME, AND HAVE BEEN "PATCHED" ON TOP. 05/19/2000 LINDENFELSER MET WITH GZA AND OBSERVED CLEAN TEST PITS IN NE AND SW CORNERS OF FORMER NORTHERN TANK PIT. HIGH CONTAMINATION EXISTS IN SW AND EAST CENTRAL AREA CONTINUING EAST AND SOUTH ABOUT 250 YARDS STOCKPILED ABOVE GROUND. 06/13/00 - SR ON SITE, MET DOUG STAMP AND LAURA, FROM MARCOR, MARCORTO SURVEY IN 5 OFF SITE WELLS AND SAMPLE FOR 8021+MTBE 01/16/01 - SR ON SITE, NATURE'S WAY INSTALLING WELLS ON CORNING INC. PROPERTY TO FINISH DELINEATION OF GROUNDWATER PLUME. NO CONTAMINATION ENCOUNTERED DOWN TO 20 FEET BGS. GW EXPECTED AT APPROX. 22 FEET BGS. 01/17/01 - SR ON SITE, NATURE'S WAY ON TANANA OIL PROPERTY, FINISHING COMPLETION OF WELL ON S. END OF PROPERTY. SOIL CLEAN TO GW, WHERE HEAVY CONTAMINATION NOTED (PID READINGS >500 PPM). UPGRADIENT WELL, TO NW OF TANKPIT, WAS COMPLETED YESTERDAY, NO APPARENT CONTAMINATION NOTED. FIELD WORK FOR PLUME DELINEATION SHOULD BE COMPLETED TOMORROW. 01/18/01 - SR ON SITE, NATURE'S WAY COMPLETING LAST WELL INSTALLATION, ON CORNING INC. PROPERTY. WELL LOCATED JUSTE. OF PLANNED PARKING GARAGE, APPEARS TO BE CLEAN. DEVELOPMENT AND SAMPLING OF ALL WELLS TO BE COMPLETED NEXT WEEK. 02/26/01 - SITE INVESTIGATION REPORT RECEIVED FROM NATURE'S WAY (NYSDEC CONTRACTOR), CONTAMINATION ON-SITE RANGES FROM 1880 TO 26363 PPB. OFF-SITE CONTAMINATION RANGES FROM 0 TO 3622 PPB. PLUME HAS BEEN DELINEATED. COPY OF REPORT SENT TO TANANA OIL. NATURE'S WAY TO PERFORM AIR SPARE/VAPOR EXTRACTION PILOT TEST. 03/08/01 - SR ON SITE, TOM DICAPRIO OF NATURE'S WAY SETTING UP FOR PILOT TEST. VES STARTED AT APPROX. 10:00 HRS, PID READINGS OF 1000+ PPM. 04/09/01 - PILOT TEST REPORT RECEIVED, VES/AS TEST YIELDED GOOD RESULTS WITH PID READINGS > 10000 PPM WHEN BOTH SYSTEMS OPERATED. REPORT SENT TO TANANA OIL. STIPULATION AGREEMENT SENT (3RD TIME) AGAIN, SIGNATURE AND REMEDIAL PLAN REQUESTED BY 05/14/01, ELSE NATURE'S WAY TO BE TASKED WITH INSTALLATION OF FULL SCALE AS/VES. 01/07/02 TANANA OIL SIGNED STIPULATION AGREEMENT IN SEPTEMBER 01, AGREED TO TAKE OVER CLEANUP AND HAS HIRED NATURE'S WAY TO COMPLETE INSTALLATION OF A VES AND AIR SPARGE SYSTEM. ALL PIPING WORK WAS COMPLETED BY NOVEMBER, NATURE'S WAY IS WAITING FOR DELIVERY OF EQUIPMENT TO COMPLETE INSTALLATION WORK. 02/02 -QUARTERLY REPORT (DEC. 01 THRU FEB. 02) RECEIVED, VES/AS REMEDIAL SYSTEM PUT IN OPERATION ON JANUARY 17, 2002. AIR SPARGE TURNED OFF DUE TO ELEVATED (ABOVE AIR GUIDELINES) DISCHARGE CONCENTRATIONS GROUNDWATER SAMPLED IN DECEMBER, CONCENTRATIONS BETWEEN 305 PPB AND 26,319 PPB. 04/05/02 - RECEIVED CALL FROM NATURE'S WAY, VAPOR PHASE CARBON TO BE ADDED TO SYSTEM, AND AIR SPARGE SYSTEM ACTIVATED. 06/11/02 - QUARTERLY REPORT RECEIVED FOR 03-05/02. 3/22/02 RESULTS FOR GROUNDWATER ASFOLLOWS: MW-1, 9648 PPB TOTAL VOC'S, INCLUDING 38 PPB BENZENE; MW-3, 7118.9 PPB TOTAL, INCLUDING 94 PPB BENZENE; MW-4, 7295.6 PPB TOTAL, 18 PPB BENZENE; MW-7, N.D.; MW-9, 21136 PPB TOTAL, INCLUDING 300 PPB BENZENE; SVE-8, 48745 PPB TOTAL, INCLUDING 3300 PPB BENZENE; AS-3, 720 PPB TOTAL, N.D. FOR BENZENE. 09/17/02 - QUARTERLY REPORT RECEIVED FOR 06-08/02. 6/28/02 RESULTS FOR GROUNDWATER AS FOLLOWS: MW-1, 6175 PPB TOTAL, INCLUDING 16 PPB BENZENE; MW-3, 7856 PPB TOTAL, INCLUDING 101 PPB BENZENE; MW-4, 11600 PPB TOTAL, N.D. FOR BENZENE; MW-9, 8324 PPB TOTAL, INCLUDING 194 PPB BENZENE; SVE-8, 18866 PPB TOTAL, INCLUDING 960 PPB BENZENE; AS-1 IS N.D., AS-3, 66 PPB TOTAL, N.D. FOR BENZENE. 4/7/05: BASED ON REVIEW OF LAST NATURE'S WAYQUARTERLY GROUNDWATER MONITORING REPORT, NO FURTHER ACTIONS REQUIRED BY SPILLS UNIT AT THIS TIME. GROUNDWATER VOC LEVELS ARE VERY LOW AND PID READINGS FROM SVE SYSTEM WHEN EQUIPMENT WAS LAST OPERATIONAL WERE ALL LESS THAN 10 PPM. SPILL FILE CLOSED. NO FURTHER ACTION LETTER SENT TO NATURE'S WAY. END DECRemark - 9870179

Remarks:

Start CallerRemark - 9870179 SITE ASSESSMENT REVEALED PETROLEUM CONTAMINATION IN 3 OUT OF 9 SOIL BORINGS. CONTAMINATION WAS FOUND AT A DEPTH OF ABOUT 20 TO 25 FEET. THE HIGHEST CONCENTRATION WAS FOUND UPGRADIENT OF THE EXISTING TANKS. A REPORT IS TO BE FORWARDED TO THE DEPARTMENT. GROUNDWATER WAS NOT ENCOUNTERED IN THE BORINGS. END CallerRemark - 9870179

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANANA OIL GAS STATION (Continued)

S104074784

NY Hist Spills:

Region of Spill: 8
Spill Number: 9870179
Investigator: SR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 09/16/1998 12:00
Reported to Dept Date/Time: 09/16/98 02:52
SWIS: 46
Spiller Name: TANANA OIL CORPORATION
Spiller Contact: DALE MILLER
Spiller Phone: (785) 749-5741
Spiller Contact: BOB DAVIS
Spiller Phone: (785) 843-2077
Spiller Address: 3211 CLINTON PARKWAY
Spiller City,St,Zip: LAWRENCE, KS 66047-
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 05
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 09/16/98
Date Spill Entered In Computer Data File: 15:35
Update Date: 09/19/01
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

TANANA OIL GAS STATION (Continued)

S104074784

Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: 05/18/00 - MONROE MECHANICAL ON SITE REMOVING TANKS, GZA PATRICK MULCAHY OVERSEEING: 12000 GAL. GASOLINE UST REMOVED FROM SOUTH SIDE OF BUILDING - TANK IN GOOD SHAPE, NO HOLES, NO VISUAL CONTAMINATION, HNU ON SOIL 2-3 FEET BELOW BASE 15 FT) SHOWS 1-2 PPM. A 12000 GALLON GASOLINE TANK ALSO PULLED FROM N. TANK GRAVE, WHICH HOUSES 3 OTHER TANKS. TANK ON S. END OF TANK GRAVE, ALSO APPEARS GOOD SHAPE. CONTAMINATION FOUND AROUND FILL AND ALSO AT DEPTH BELOW TANK), HNU READINGS ABOUT 12 PPM. ALL TANKS HAVE BEEN RE-LINED AT UNKNOWN TIME, AND HAVE BEEN PATCHED ON TOP. 05/19/2000 LINDENFELSER MET WITH GZA AND OBSERVED CLEAN TEST PITS IN NE AND SW CORNERS OF FORMER NORTHERN TANK PIT. HIGH CONTAMINATION EXISTS IN SW AND EAST CENTRAL AREA CONTINUING EAST AND SOUTH ABOUT 250 YARDS STOCKPILED ABOVE GROUND. 06/13/00 - SR ON SITE, MET DOUG STAMP AND LAURA, FROM MARCOR, MARCOR TO SURVEY IN 5 OFF SITE WELLS AND SAMPLE FOR 8021+MTBE 01/16/01 - SR ON SITE, NATURE S WAY INSTALLING WELLS ON CORNING INC. PROPERTY TO FINISH DELINEATION OF GROUNDWATER PLUME. NO CONTAMINATION ENCOUNTERED DOWN TO 20 FEET BGS. GW EXPECTED AT APPROX. 22 FEET BGS. 01/17/01 - SR ON SITE, NATURE S WAY ON TANANA OIL PROPERTY, FINISHING COMPLETION OF WELL ON S. END OF PROPERTY. SOIL CLEAN TO GW, WHERE HEAVY CONTAMINATION NOTED PID READINGS >500 PPM). UPGRADIENT WELL, TO NW OF TANK PIT, WAS COMPLETED YESTERDAY, NO APPARENT CONTAMINATION NOTED. FIELD WORK FOR PLUME DELINEATION SHOULD BE COMPLETED TOMORROW. 01/18/01 - SR ON SITE, NATURE S WAY COMPLETING LAST WELL INSTALLATION, ON CORNING INC. PROPERTY. WELL LOCATED JUST E. OF PLANNED PARKING GARAGE, APPEARS TO BE CLEAN. DEVELOPMENT AND SAMPLING OF ALL WELLS TO BE COMPLETED NEXT WEEK. 02/26/01 - SITE INVESTIGATION REPORT RECEIVED FROM NATURE S WAY (NYSDEC CONTRACTOR), CONTAMINATION ON-SITE RANGES FROM 1880 TO 26363 PPB. OFF-SITE CONTAMINATION RANGES FROM 0 TO 3622 PPB. PLUME HAS BEEN DELINEATED. COPY OF REPORT SENT TO TANANA OIL. NATURE S WAY TO PERFORM AIR SPARE/VAPOR EXTRACTION PILOT TEST. 03/08/01 - SR ON SITE, TOM DICAPRIO OF NATURE S WAY SETTING UP FOR PILOT TEST. VES STARTED AT APPROX. 10:00 HRS, PID READINGS OF 1000+ PPM. 04/09/01 - PILOT TEST REPORT RECEIVED, VES/AS TEST YIELDED GOOD RESULTS WITH PID READINGS > 10000 PPM WHEN BOTH SYSTEMS OPERATED. REPORT SENT TO TANANA OIL. STIPULATION AGREEMENT SENT 3RD TIME) AGAIN, SIGNATURE AND REMEDIAL PLAN REQUESTED BY 05/14/01, ELSE NATURE S WAY TO BE TASKED WITH INSTALLATION OF FULL SCALE AS/VES.

Remark: SITE ASSESSMENT REVEALED PETROLEUM CONTAMINATION IN 3 OUT OF 9 SOIL BORINGS. CONTAMINATION WAS FOUND AT A DEPTH OF ABOUT 20 TO 25 FEET. THE HIGHEST CONCENTRATION WAS FOUND UPGRADIENT OF THE EXISTING TANKS. A REPORT IS TO BE FORWARDED TO THE DEPARTMENT. GROUNDWATER WAS NOT ENCOUNTERED IN THE BORINGS.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

F15 TANANA GAS STATION
NW BAKER STREET
1/8-1/4 CORNING, NY
0.232 mi.
1223 ft. Site 2 of 2 in cluster F

LTANKS S100153203
NY Spills N/A
HIST LTANKS

Relative:
Higher

LTANKS:

Actual:
936 ft.

Site ID: 288259
Spill Date: 08/27/91
Facility Addr2: Not reported
Facility ID: 9105948
Program Number: 9105948
SWIS: 5138
Region of Spill: 8
Investigator: PCLINDEN
Referred To: Not reported
Reported to Dept: 08/27/91
CID: Not reported
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Source: Gasoline Station
Spill Notifier: Tank Tester
Cleanup Ceased: 11/12/91
Cleanup Meets Standard: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/12/91
Remediation Phase: 0
Date Entered In Computer: 09/04/91
Spill Record Last Update: 06/08/92
Spillie Namer: Not reported
Spiller Company: TANANA OIL CORP
Spiller Phone: (800) 467-2740
Spiller Extention: Not reported
Spiller Address: PO BOX 3947
Spiller City,St,Zip: LAWRENCE, KS 66046
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 8
Program Number: 9105948
DER Facility ID: 233498
Site ID: 288259
Operable Unit ID: 960278
Operable Unit: 01
Material ID: 421708
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Groundwater
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANANA GAS STATION (Continued)

S100153203

Site ID: 288259
Spill Tank Test: 1538993
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0.00
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/01/04
Test Method: Unknown
DEC Memo: Not reported
Remarks: Not reported

NY Spills:

Site ID: 288258
Facility Addr2: Not reported
Facility ID: 0200056
Spill Number: 0200056
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Spill Date: 03/29/02
Reported to Dept: 04/02/02
CID: 211
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Source: Railroad Car
Spill Notifier: Responsible Party
Cleanup Ceased: 04/04/02
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.
Spill Closed Dt: 04/04/02
Remediation Phase: 0
Date Entered In Computer: 04/02/02
Spill Record Last Update: 04/05/02
Spiller Name: Not reported
Spiller Company: NORFOLK SOUTHERN RAILROAD
Spiller Address: Not reported
Spiller City, St, Zip: ZZ
Spiller Company: 001
Spiller Phone: Not reported
Contact Name: JOE BOLICK
Contact Phone: (717) 541-2140
DEC Region: 8
Program Number: 0200056
DER Facility ID: 233498
Site ID: 288258
Operable Unit ID: 853484
Operable Unit: 01
Material ID: 525050

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANANA GAS STATION (Continued)

S100153203

Material Code: 0496A
Material Name: COAL
Case No.: Not reported
Material FA: Other
Quantity: 40000.00
Units: Pounds
Recovered: 40000.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 0200056 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "SR" END DECRemark - 0200056
Remarks: Start CallerRemark - 0200056 A train derailment caused a spill of approximately
40,000 pounds of coal tot he ground. Cleanup is complete. END CallerRemark -
0200056

HIST LTANKS:

Region of Spill: 8
Spill Number: 9105948
Investigator: PL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Spill Date: 08/27/1991
Spill Time: 14:45
Reported to Department Date: 08/27/91
Reported to Department Time: 16:00
SWIS: 46
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: TANANA OIL CORP
Spiller Address: PO BOX 3947
Spiller City,St,Zip: LAWRENCE, KS 66046
Facility Contact: Not reported
Facility Phone: (800) 467-2740
Facility Extention: Not reported
Spill Cause: Tank Test Failure
Resource Affected: Groundwater
Water Affected: Not reported
Spill Source: Gas Station
Spill Notifier: Tank Tester
PBS Number: Not reported
Cleanup Ceased: 11/12/91
Cleanup Meets Standard: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: / /
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANANA GAS STATION (Continued)

S100153203

Spill Closed Dt: 11/12/91
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered in Computer Data File: 09/04/91
Time Spill Entered in Computer Data File: Not reported
Spill Record Last Update: 06/08/92
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry in File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 08/27/91: CERTIFIED RETESTED UNCOVERED TANK WITH EXPOSED PIPING ON 08-24-91
FOUND THE SAME LOSS. TANK WILL BE EMPTIED ON 09-03 FOR ENTRY INSPECTION OF
FIBERGLASS LINING BY ARMORSHIELD INC. 08/27/91: CONTACT FOR ARMOR SHIELD
SCOTT SHARP 800-543-1838, CHUCK DUNCAN 513-732-1790). TANANA SAYS INVENTORY
STICK READINGS SHOW LITTLE OR NO FLUCTUATION AFTER FIRST FAILURE. 11/12/91:
RECEIPT OF TEST RESULTS FROM WCC TANK TECHNOLOGY INDICATES ALL TANKS PASSED
RETEST. NO FURTHER ACTION NEEDED AT THIS TIME.
Spill Cause: A 12,000 GAL TANK FAILED TIGHTNESS TESTING AT -.3508 GAL/HR FOR THE ENTIRE
SYSTEM. CONTACT PERSON: DALE MILLER 913-242-8180 OR 913-242-8180.

16
SE
1/8-1/4
0.236 mi.
1245 ft.

UNCAPHER RESIDENCE
10 CORNING BLVD
CORNING, NY

NY Spills S102173520
NY Hist Spills N/A

Relative:
Lower

Actual:
932 ft.

NY Spills:
Site ID: 261290
Facility Addr2: Not reported
Facility ID: 9503886
Spill Number: 9503886
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: PCLINDEN
Referred To: Not reported
Spill Date: 06/24/95
Reported to Dept: 06/26/95
CID: 31
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: 06/27/95

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNCAPHER RESIDENCE (Continued)

S102173520

Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. (Highly Improbable)
Spill Closed Dt: 07/07/95
Remediation Phase: 0
Date Entered In Computer: 07/05/95
Spill Record Last Update: 07/11/95
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 999
Spiller Phone: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 9503886
DER Facility ID: 213390
Site ID: 261290
Operable Unit ID: 1018333
Operable Unit: 01
Material ID: 365393
Material Code: 0064A
Material Name: UNKNOWN MATERIAL
Case No.: Not reported
Material FA: Other
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 9503886 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "PL" 06/26/95: NO GRASS HAS GROWN THERE SINCE. LINDENFELSER TO
FOLLOW-UP. 06/27/95: LINDENFELSER FROUND THAT TWO SMALL PATCHES OF DEAD GRASS
WERE UNDERLAIN BY A FOUL SMELLING SOIL MOLD. NO FURTHER ACTION REQUIRED. END
DECRemark - 9503886
Remarks: Start CallerRemark - 9503886 CALLER SAYS HE FOUND CHEMICALLY ODOROUS FILL UNDER
THE LAWN WHICH THE CITY HAD BACKFILLED WITH WHEN THEY REPLACED CURBS DURING
SEWER INSTALLATION SEVERAL YEARS AGO. END CallerRemark - 9503886

NY Hist Spills:

Region of Spill: 8
Spill Number: 9503886
Investigator: PL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/24/1995 12:00
Reported to Dept Date/Time: 06/26/95 11:10
SWIS: 46
Spiller Name: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

UNCAPHER RESIDENCE (Continued)

S102173520

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: 06/27/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. (Highly improbable)
Spill Closed Dt: 07/07/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/05/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/11/95
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Raw Sewage
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN MATERIAL
Class Type: UNKNOWN MATERIAL
Times Material Entry in File: 9140
CAS Number: Not reported
Last Date: 19941109
DEC Remarks: 06/26/95: NO GRASS HAS GROWN THERE SINCE. LINDENFELSER TO FOLLOW-UP.
06/27/95: LINDENFELSER FROUND THAT TWO SMALL PATCHES OF DEAD GRASS WERE
UNDERLAIN BY A FOUL SMELLING SOIL MOLD. NO FURTHER ACTION REQUIRED.
Remark: CALLER SAYS HE FOUND CHEMICALLY ODOROUS FILL UNDER THE LAWN WHICH THE CITY HAD
BACKFILLED WITH WHEN THEY REPLACED CURBS DURING SEWER INSTALLATION SEVERAL
YEARS AGO.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

G17 LOOHNS CLEANERS & LAUNDERERS INC
WNW 37 E POULTNEY ST
1/8-1/4 CORNING, NY 14830
0.237 mi.
1253 ft. Site 1 of 3 in cluster G

FINDS 1000242905
MANIFEST NYD980773816
RCRA-NonGen

Relative: FINDS:
Lower Other Pertinent Environmental Activity Identified at Site

Actual: 933 ft. RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NYA9100091
Manifest Status: Completed copy
Trans1 State ID: LW2658
Trans2 State ID: Not reported
Generator Ship Date: 881110
Trans1 Recv Date: 881110
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881110
Part A Recv Date: 881117
Part B Recv Date: 881116
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA8989975
Manifest Status: Completed copy
Trans1 State ID: MN3511
Trans2 State ID: Not reported
Generator Ship Date: 880812
Trans1 Recv Date: 880812
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880812
Part A Recv Date: 880819
Part B Recv Date: 880818
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA9206526
Manifest Status: Completed copy
Trans1 State ID: MN3510
Trans2 State ID: Not reported
Generator Ship Date: 881229
Trans1 Recv Date: 881229
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881229
Part A Recv Date: 890105
Part B Recv Date: 890103
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA9021284
Manifest Status: Completed copy
Trans1 State ID: MN3511
Trans2 State ID: Not reported
Generator Ship Date: 881003
Trans1 Recv Date: 881003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881003
Part A Recv Date: 881006
Part B Recv Date: 881006
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA9362755

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Manifest Status: Completed copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 890407
Trans1 Recv Date: 890407
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890407
Part A Recv Date: 890414
Part B Recv Date: 890417
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Document ID: NYA9453486
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 890512
Trans1 Recv Date: 890512
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890512
Part A Recv Date: 890518
Part B Recv Date: 890518
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00090
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA9132052
Manifest Status: Completed copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 890116
Trans1 Recv Date: 890116

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Trans2 Recv Date: Not reported
TSD Site Recv Date: 890116
Part A Recv Date: 890123
Part B Recv Date: 890124
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA9301105
Manifest Status: Completed copy
Trans1 State ID: LS7745
Trans2 State ID: Not reported
Generator Ship Date: 890221

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Trans1 Recv Date: 890221
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890221
Part A Recv Date: 890228
Part B Recv Date: 890301
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA6603614
Manifest Status: Completed copy
Trans1 State ID: 47657-GT
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Generator Ship Date: 870310
Trans1 Recv Date: 870310
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870310
Part A Recv Date: 870317
Part B Recv Date: 870318
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00200
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOQHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOQHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA2647359
Manifest Status: Completed copy
Trans1 State ID: IL009GT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Trans2 State ID: Not reported
Generator Ship Date: 870119
Trans1 Recv Date: 870119
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870119
Part A Recv Date: 870123
Part B Recv Date: 870130
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA3283896
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 861007
Trans1 Recv Date: 861007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861007
Part A Recv Date: 861009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Part B Recv Date: 861015
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00450
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOQHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA3852000
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 861211
Trans1 Recv Date: 861211
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861211
Part A Recv Date: 861216
Part B Recv Date: 861216
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Quantity: 00600
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA3116812
Manifest Status: Completed copy
Trans1 State ID: IL009
Trans2 State ID: Not reported
Generator Ship Date: 861030
Trans1 Recv Date: 861030
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861030
Part A Recv Date: 861103
Part B Recv Date: 861106
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00600
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA5506362
Manifest Status: Completed copy
Trans1 State ID: NY#72167-
Trans2 State ID: Not reported
Generator Ship Date: 870612
Trans1 Recv Date: 870612
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870612
Part A Recv Date: 870618
Part B Recv Date: 870618
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00400
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA6713098
Manifest Status: Completed copy
Trans1 State ID: NY-72167G
Trans2 State ID: Not reported
Generator Ship Date: 870709
Trans1 Recv Date: 870709
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870709
Part A Recv Date: 870717
Part B Recv Date: 870716
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00300
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00190
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA6938616
Manifest Status: Completed copy
Trans1 State ID: NY#72167-
Trans2 State ID: Not reported
Generator Ship Date: 871124
Trans1 Recv Date: 871124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871124
Part A Recv Date: 871127
Part B Recv Date: 871203
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00200
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA6781691
Manifest Status: Completed copy
Trans1 State ID: 72167-GV
Trans2 State ID: Not reported
Generator Ship Date: 870909
Trans1 Recv Date: 870909
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870909
Part A Recv Date: 870911
Part B Recv Date: 870914
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA6633821
Manifest Status: Completed copy
Trans1 State ID: 72167-GV
Trans2 State ID: Not reported
Generator Ship Date: 870413
Trans1 Recv Date: 870413
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870413
Part A Recv Date: 870422
Part B Recv Date: 870421
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00500
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Document ID: NYA6748031
Manifest Status: Completed copy
Trans1 State ID: NY72167-G
Trans2 State ID: Not reported
Generator Ship Date: 870810
Trans1 Recv Date: 870810
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870810
Part A Recv Date: 870813
Part B Recv Date: 870817
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00190
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Document ID: NYA5624829
Manifest Status: Completed copy
Trans1 State ID: 47657-GT
Trans2 State ID: Not reported
Generator Ship Date: 870213
Trans1 Recv Date: 870213
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870213
Part A Recv Date: 870219
Part B Recv Date: 870223
Generator EPA ID: NYD980773816
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NYD000708156
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00400
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD980773816
Facility Name: LOOHNS CLEANERS AND LAUNDERERS INC
Facility Address: 37 EAST POULTNEY STREET
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: LOOHNS CLEANERS AND LAUNDERERS INC
Mailing Contact: EARL COLEMAN
Mailing Address: 37 EAST POULTNEY STREET
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14830
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-324-1360

[Click this hyperlink](#) while viewing on your computer to access
11 additional NY_MANIFEST: record(s) in the EDR Site Report.

RCRA-NonGen:

Date form received by agency: 01/01/2006

Facility name: LOOHNS CLEANERS & LAUNDERERS INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CLEANERS & LAUNDERERS INC (Continued)

1000242905

Facility address: 37 E POULTNEY ST
CORNING, NY 14830
EPA ID: NYD980773816
Mailing address: E POULTNEY ST
CORNING, NY 14830
Contact: -
Contact address: E POULTNEY ST
CORNING, NY 14830
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/08/1999
Facility name: LOOHNS CLEANERS & LAUNDERERS INC
Classification: Not a generator, verified

Date form received by agency: 06/26/1984
Facility name: LOOHNS CLEANERS & LAUNDERERS INC
Classification: Large Quantity Generator

Violation Status: No violations found

G18 LOOHNS CORNING
WNW 37 EAST PULTENY STREET
1/8-1/4 CORNING, NY 14830
0.240 mi.
1268 ft. Site 2 of 3 in cluster G

SHWS S108925309
N/A

Relative:
Lower

SHWS:

Program: HW
Site Code: 357055

Actual:
933 ft.

Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION
REQUIRED.

Region: 8
Acres: .500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CORNING (Continued)

S108925309

HW Code: 851028

Record Add: 12/20/2005 10:26:00 AM

Record Upd: 12/4/2007 6:45:00 PM

Updated By: wrbayer

Site Description:

Loohns Corning is located at 37 East Pulteney Street in a mixed residential/commercial neighborhood, in the City of Corning, Steuben County. The Site property consists of 0.5 acres including a retail building and a large parking lot. The current building includes a convenient store on the west side, one vacant space, a tattoo parlor in the center and a financial services office on the east side. The former dry cleaner occupied the current vacant retail space. Residential property is located north of the site, a Restaurant is located east of the Site, and commercial property is located west of the site. Additional commercial property is located south of the Site across Pulteney Street. The City of Corning public water supply well number 3 is located approximately 1000 feet south of the Site, at the intersection of Riverside and Ferris Streets.

Environmental Problems: PCE was detected in soil in the vicinity of the rear door of the former dry cleaners at a concentration of 7,300 ug/Kg, compared to a Soil Cleanup Objective of 1,300 ug/Kg. PCE was detected at two on-site locations at concentrations above the NYS standard for PCE of 5 ug/L. Trace concentrations of PCE, TCE, and 1,1,1-TCA were detected in soil vapor samples collected from Geoprobe borings around the Site property less than 80 ug/m³. PCE was also detected in a sub-slab vapor sample, in the former dry cleaner, at a concentration of 32,842 ug/m³.

Health Problems Assessment: Public water supply wells are located downgradient, about a quarter-mile away from the site. Exposure to contaminated water is not expected as water distributed to the public is tested regularly to ensure that it meets New York State drinking water standards. NYSDOH and NYSDEC will evaluate the need for additional investigations to determine the potential for soil vapor intrusion into structures on or near the site.

Dump: FALSE

Structure: TRUE

Lagoon: FALSE

Landfill: FALSE

Pond: FALSE

Disp Start: Not reported

Disp Term: Not reported

Lat/Long: Not reported

Dell: FALSE

Record Add: 6/25/2007

Record Upd: 6/25/2007

Updated By: MDDUNHAM

Own Op: Not reported

Sub Type: Not reported

Owner Name: Not reported

Owner Company: Not reported

Owner Address: Not reported

Owner Addr2: Not reported

Owner City,St,Zip: Not reported

Owner Country: Not reported

HW Code: 851028

Waste Type: TETRACHLOROETHYLENE (PCE)

Waste Quantity: UNKNOWN

Waste Code: Not reported

Crossref ID: Not reported

Cross Ref Type Code: Not reported

Cross Ref Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOOHNS CORNING (Continued)

S108925309

Record Added Date: Not reported
Record Updated: Not reported
Updated By: Not reported

G19
WNW
1/8-1/4
0.242 mi.
1276 ft.

NORTHSIDE TEXACO
47 EAST PULTNEY STREET
CORNING, NY 14831

UST U003127364
HIST UST N/A

Site 3 of 3 in cluster G

Relative:
Lower

UST:

UST:

Actual:
933 ft.

Facility Id: 8-126659
Facility Type: Not reported
Region: STATE
Expiration Date: 03/24/07
Renewal Date: 11/13/01
Total Capacity: 0
Mailing Company: CONWELL OIL CORP
Mailing Title: Not reported
Mailing Contact: MARTIN J CONWELL
Mailing Address: PO BOX 2155
Mailing Address 2: Not reported
Mailing City: ELMIRA HEIGHTS
Mailing State: NY
Mailing Zip Code: 14903
Mailing Phone No: (607) 734-9400
Mailing Email: Not reported
Owner Title: VP
Owner Name: MARTIN J CONWELL
Owner Address: 394 E 14TH STREET
Owner Address 2: Not reported
Owner State: NY
Owner Zip Code: 14903
Owner Phone: (607) 733-0040
Owner Company: CONWELL CORP
Emergency Contact: MARTIN CONWELL
Emergency Phone: (607) 733-7325
Operator: CONWELL CORP
Operator Phone: (607) 937-5590
Owner City: ELMIRA HEIGHTS
Owner Sub Type: Corporate or Commercial
UTM X: 329864.49957
UTM Y: 4668620.56051
Site Type Name: Retail Gasoline Sales
Site Type Status: Unregulated
Accuracy: Not reported
Accuracy Method: Not reported
Comments: Not reported

Program Type: PBS

Tank Number: 0F3
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE TEXACO (Continued)

U003127364

Active Status: Inactive
Install Date: 08/01/74
Capacity Gallons: 2000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 0K5
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 08/01/66
Capacity Gallons: 2000
Material Name: Kerosene
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE TEXACO (Continued)

U003127364

Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 0L1
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 08/01/66
Capacity Gallons: 4000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 0L2
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 08/01/66
Capacity Gallons: 4000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE TEXACO (Continued)

U003127364

Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 0S4
Tank Location Name: Underground
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 08/01/66
Capacity Gallons: 4000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: None
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: None
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: None
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Suction
Spill Prevention: Not reported
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: / /

Tank Number: 1L1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE TEXACO (Continued)

U003127364

Tank Location Name: Underground
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 05/01/90
Capacity Gallons: 10000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: Original Sacrificial Anode
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
Pipe External Protection 1: Jacketed
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Double-Walled (Underground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Interstitial - Electronic Monitoring
Tank Leak Detection 2: Not reported
Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: Automatic Shut-Off
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Submersible
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: 01/10/07

Tank Number: 1L2
Tank Location Name: Underground
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Active Status: Inactive
Install Date: 05/01/90
Capacity Gallons: 12000
Material Name: Gasoline
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: Original Sacrificial Anode
Tank Internal Protection 2: Not reported
Pipe Location Name: Underground/On-ground
Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
Pipe External Protection 1: Jacketed
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Double-Walled (Underground)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Interstitial - Electronic Monitoring
Tank Leak Detection 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE TEXACO (Continued)

U003127364

Pipe Leak Detection 1: Not reported
Pipe Leak Detection 2: Not reported
Type Of Overfill Prevention 1: Automatic Shut-Off
Type Of Overfill Prevention 2: Not reported
Dispenser Method: Submersible
Spill Prevention: Catch Basin
Tightness Test Method: Testing Not Required
Date Tested: / /
Next Test Date: / /
Date Tank Closed: 01/10/07

HIST UST:

PBS Number: 8-126659
SPDES Number: Not reported
Emergency Contact: MARTIN CONWELL
Emergency Telephone: (607) 733-7325
Operator: CONWELL OIL CORP
Operator Telephone: (607) 937-5590
Owner Name: CONWELL OIL CORP
Owner Address: 394 E 14TH ST P O BOX 2155
Owner City,St,Zip: ELMIRA HEIGHTS, NY 14903
Owner Telephone: (607) 733-0040
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CONWELL OIL CORP
Mailing Address: 394 E 14TH ST P O BOX 2155
Mailing Address 2: Not reported
Mailing City,St,Zip: ELMIRA HEIGHTS, NY 14903
Mailing Contact: MARTIN J CONWELL
Mailing Telephone: (607) 733-0040
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
SWIS ID: 4603
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: 19900502
Inspector: TS
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 03/28/1997
Expiration Date: 03/24/2002
Renew Flag: False
Renewal Date: 20011113
Total Capacity: 22000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: CORNING (C)
County Code: 46
Town or City: 03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE TEXACO (Continued)

U003127364

Region: 8

Tank Id: 0F3
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19740801
Capacity (gals): 2000
Product Stored: LEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 0K5
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19660801
Capacity (gals): 2000
Product Stored: KEROSENE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 0L1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARDING MOTORS (Continued)

S102169936

BEHIND USED CAR DEALERSHIP AND NO SIGNS OF ANY SPILLAGE NOTICED. NO CLEANUP
NECESSARY. END DECRemark - 8801412
Remarks: Start CallerRemark - 8801412 55 GALLON DRUM OUT BEHIND USED CAR BUILDING WHICH
MAY HAVE LEAKED ONTO GROUND. END CallerRemark - 8801412

NY Hist Spills:

Region of Spill: 8
Spill Number: 8801412
Investigator: JM
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/09/1988 12:00
Reported to Dept Date/Time: 05/13/88 12:00
SWIS: 46
Spiller Name: HARDING MOTORS
Spiller Contact: Not reported
Spiller Phone: (607) 936-3778
Spiller Address: BRIDGE STREET
Spiller City,St,Zip: CORNING, NY 14830
Spill Cause: Housekeeping
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 05/20/88
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 05/20/88
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/16/88
Date Spill Entered In Computer Data File: Not reported
Update Date: 06/06/88
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARDING MOTORS (Continued)

S102169936

Material: WASTE OIL
Class Type: WASTE OIL
Times Material Entry In File: 9509
CAS Number: Not reported
Last Date: 19940927
DEC Remarks: 05/13/88: MARCHITELL TO INSPECT. 05/20/88: AREA CHECKED BEHIND USED CAR DEALERSHIP AND NO SIGNS OF ANY SPILLAGE NOTICED. NO CLEANUP NECESSARY.
Remark: 55 GALLON DRUM OUT BEHIND USED CAR BUILDING WHICH MAY HAVE LEAKED ONTO GROUND.

23
NW
1/4-1/2
0.347 mi.
1833 ft.

173 DECATUR STREET
173 DECATUR STREET
CORNING, NY

NY Spills S106016863
N/A

Relative:
Higher

Actual:
936 ft.

NY Spills:
Site ID: 280499
Facility Addr2: Not reported
Facility ID: 0370274
Spill Number: 0370274
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Spill Date: 08/07/03
Reported to Dept: 08/07/03
CID: 31
Spill Cause: Deliberate
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Local Agency
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 10/22/03
Remediation Phase: 0
Date Entered In Computer: 08/07/03
Spill Record Last Update: 10/22/03
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 999
Spiller Phone: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 0370274
DER Facility ID: 227754
Site ID: 280499
Operable Unit ID: 881802
Operable Unit: 01
Material ID: 493770

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

173 DECATUR STREET (Continued)

S106016863

Material Code: 0064A
Material Name: UNKNOWN MATERIAL
Case No.: Not reported
Material FA: Other
Quantity: 50.00
Units: Pounds
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 0370274 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SR" 08/07/03 - SR responded to location, met Rich Biggio and Steve Panton, City of Corning Public Works. White material determined to be salt from water softener "change-out", easily traced to residence at 173 Decatur Street (salt trail led to back porch). ECO Hulet contacted at City's request, ticket issued, responsible party performed cleanup. No further action needed. Close. END DECRemark -0370274
Remarks: Start CallerRemark - 0370274 CALLER STATES THAT 50 POUNDS OF UNKNOWN MATERIAL WAS DUMPED IN A STORM DRAIN. SR ON SCENE AND ECO HULLET RESPONDING. FAXED TO SR AND COPY TO LAW ENFORCEMENT ON 08/07/2003 AT 1053 HRS. END CallerRemark - 0370274

24
NNW
1/4-1/2
0.351 mi.
1855 ft.

PRIVATE RESIDENCE
80 NORMAN STREET
CORNING, NY

NY Spills S102561341
NY Hist Spills N/A

Relative:
Higher

Actual:
937 ft.

NY Spills:
Site ID: 315065
Facility Addr2: Not reported
Facility ID: 9701046
Spill Number: 9701046
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Spill Date: 04/18/97
Reported to Dept: 04/23/97
CID: 31
Spill Cause: Deliberate
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Local Agency
Cleanup Ceased: 05/05/97
Cleanup Meets Std: True
Last Inspection: 05/05/97
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/01/97
Remediation Phase: 0
Date Entered In Computer: 04/23/97
Spill Record Last Update: 06/19/97
Spiller Name: UNK
Spiller Company: UNKNOWN
Spiller Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S102561341

Spiller City,St,Zip: ZZ
Spiller Company: 001
Spiller Phone: (000) 000-0000
Contact Name: TAPPER RESIDENCE
Contact Phone: Not reported
DEC Region: 8
Program Number: 9701046
DER Facility ID: 254009
Site ID: 315065
Operable Unit ID: 1043686
Operable Unit: 01
Material ID: 337611
Material Code: 0022
Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 9701046 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "SR" 04/23/97 SR TIRED TO INSPECT; NOT ALLOWED SITE ACCESS AS
OWNER NOT HOME; LEFT BUSINESS CARD FOR OWNER TO CALL. STEVE MCDANIEL, CORNING
(C) CODE ENFORCEMENT WILL GET SEARCH WARRANT IF NECESSARY TO INSPECT REPORTED
SPILL AREA. 05/05/97 SR MET (C) CORNING CODE ENFORCEMENT, STEVE MCDANIEL,
AT TAPPER HOME. MR TAPPER ALLOWED US TO INSPECT PROPERTY. NO INDICATION OF
SPILLAGE/DUMPING FOUND. NO SPILLTHEREFORE CLOSE FILE. END DECRemark - 9701046
Remarks: Start CallerRemark - 9701046 CALLER REPORTS NEIGHBORS HAVE COMPLAINED ABOUT
TAPPER RES DUMPING OIL ETC BEHIND GARAGE-DEC INSPECTION REQUESTED-S.R. TO
FOLLOW UP THIS INFO PER FAX REG8 END CallerRemark - 9701046

NY Hist Spills:

Region of Spill: 8
Spill Number: 9701046
Investigator: SR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/18/1997 16:27
Reported to Dept Date/Time: 04/23/97 16:27
SWIS: 46
Spiller Name: UNKNOWN
Spiller Contact: UNK
Spiller Phone: (000) 000-0000
Spiller Contact: TAPPER RESIDENCE
Spiller Phone: (000) 000-0000
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Deliberate
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Local Agency

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S102561341

PBS Number: Not reported
Cleanup Ceased: 05/05/97
Cleanup Meets Std: True
Last Inspection: 05/05/97
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/01/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/23/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 06/19/97
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: WASTE OIL
Class Type: WASTE OIL
Times Material Entry In File: 9509
CAS Number: Not reported
Last Date: 19940927
DEC Remarks: 04/23/97 SR TIRED TO INSPECT; NOT ALLOWED SITE ACCESS AS OWNER NOT HOME; LEFT BUSINESS CARD FOR OWNER TO CALL. STEVE MCDANIEL, CORNING C) CODE ENFORCEMENT WILL GET SEARCH WARRANT IF NECESSARY TO INSPECT REPORTED SPILL AREA.
05/05/97 SR MET C) CORNING CODE ENFORCEMENT, STEVE MCDANIEL, AT TAPPER HOME. MR TAPPER ALLOWED US TO INSPECT PROPERTY. NO INDICATION OF SPILLAGE/DUMPING FOUND. NO SPILL THEREFORE CLOSE FILE.
Remark: CALLER REPORTS NEIGHBORS HAVE COMPLAINED ABOUT TAPPER RES DUMPING OIL ETC BEHIND GARAGE-DEC INSPECTION REQUESTED-S.R. TO FOLLOW UP THIS INFO PER FAX REG8

H25 CORNING GLASS
SSW DENISON PARKWAY
1/4-1/2 CORNING, NY
0.389 mi.
2056 ft. Site 1 of 2 in cluster H

NY Spills S102169651
NY Hist Spills N/A

Relative: NY Spills:
Lower Site ID: 291592
Facility Addr2: Not reported
Actual: Facility ID: 8700829
930 ft. Spill Number: 8700829
Facility Type: ER
SWIS: 5138
Region of Spill: 8

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

S102169651

Investigator: MCCONNELL
Referred To: Not reported
Spill Date: 04/29/87
Reported to Dept: 04/29/87
CID: Not reported
Spill Cause: Human Error
Water Affected: CHEMUNG RIVER
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: 05/07/87
Cleanup Meets Std: True
Last Inspection: 05/07/87
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 05/07/87
Remediation Phase: 0
Date Entered In Computer: 04/29/87
Spill Record Last Update: 05/07/87
Spiller Name: Not reported
Spiller Company: CORNING GLASS
Spiller Address: DENISON PARKWAY
Spiller City,St,Zip: CORNING, NY
Spiller Company: 001
Spiller Phone: (607) 974-6568
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 8700829
DER Facility ID: 236112
Site ID: Not reported
Operable Unit ID: Not reported
Operable Unit: Not reported
Material ID: Not reported
Material Code: Not reported
Material Name: Not reported
Case No.: Not reported
Material FA: Not reported
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: Not reported
DEC Memo: Start DECRemark - 8700829 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "GM" // : CORNING PERSONNEL UPRIGHTED DRUM AND NOTIFIED
PROPERTY AUTHORITIES, INCLUDING SUPT OF PW AND HORNELL DISTRICT HEALTH DEPT.
// : DEC INDUSTRIAL DISCHARGE SECTION IS ADVISED OF INCIDENT FOR FURTHER
CONSIDERATION; NO FURTHER INVOLVEMENT FROM SPILL SECTION NECESSARY. 09/28/95:
This is additional information about material spilled from the translation of
the old spill file: TRICHLOROETHANE. END DECRemark - 8700829
Remarks: Start CallerRemark - 8700829 DRUM TIPPED OVER. 18 GALLONS SLOWLY LEAKED FROM
LOOSE BUND. DISCHARGE TO SEWER. JOE KANE, CONTACT PERSON FOR CORNING GLASS.
END CallerRemark - 8700829

NY Hist Spills:

Region of Spill: 8
Spill Number: 8700829

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

S102169651

Investigator: GM
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/29/1987 10:45
Reported to Dept Date/Time: 04/29/87 12:15
SWIS: 46
Spiller Name: CORNING GLASS
Spiller Contact: Not reported
Spiller Phone: (607) 974-6568
Spiller Address: DENISON PARKWAY
Spiller City,St,Zip: CORNING, NY
Spill Cause: Human Error
Reported to Dept: Surface Water
Water Affected: CHEMUNG RIVER
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 05/07/87
Cleanup Meets Std: True
Last Inspection: 05/07/87
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 05/07/87
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/29/87
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/07/87
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Not reported
Quantity Spilled: Not reported
Unkonwn Quantity Spilled: Not reported
Units: Not reported
Quantity Recovered: Not reported
Unkonwn Quantity Recovered: Not reported
Material: Not reported
Class Type: Not reported
Times Material Entry In File: Not reported
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: / / : CORNING PERSONNEL UPRIGHTED DRUM AND NOTIFIED PROPERTY AUTHORITIES,
INCLUDING SUPT OF PW AND HORNEILL DISTRICT HEALTH DEPT. / / : DEC
INDUSTRIAL DISCHARGE SECTION IS ADVISED OF INCIDENT FOR FURTHER CONSIDERATION;

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

S102169651

Remark: NO FURTHER INVOLVEMENT FROM SPILL SECTION NECESSARY. 09/28/95: This is additional information about material spilled from the translation of the old spill file: TRICHLOROETHANE.
DRUM TIPPED OVER. 18 GALLONS SLOWLY LEAKED FROM LOOSE BUND. DISCHARGE TO SEWER. JOE KANE, CONTACT PERSON FOR CORNING GLASS.

H26
SW
1/4-1/2
0.401 mi.
2116 ft.

**NYSEG CORNING OLD GAS WORKS
CORNER OF WATER AND CHESTNUT
CORNING, NY 14830**

Site 2 of 2 in cluster H

**Manufactured Gas Plants 1008407917
N/A**

Relative:
Lower

Actual:
931 ft.
27
West
1/4-1/2
0.404 mi.
2134 ft.

**GIGANAK (JOHN) RESIDENCE
33 WEST PULTENEY STREET
CORNING, NY**

**NY Spills S102168633
NY Hist Spills N/A**

Relative:
Lower

Actual:
932 ft.

NY Spills:
Site ID: 163608
Facility Addr2: Not reported
Facility ID: 9109019
Spill Number: 9109019
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: PCLINDEN
Referred To: Not reported
Spill Date: 11/17/91
Reported to Dept: 11/23/91
CID: 31
Spill Cause: Deliberate
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Citizen
Cleanup Ceased: 11/24/91
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 11/24/91
Remediation Phase: 0
Date Entered in Computer: 11/25/91
Spill Record Last Update: 03/15/96
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 999
Spiller Phone: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIGANAK (JOHN) RESIDENCE (Continued)

S102168633

Program Number: 9109019
DER Facility ID: 137992
Site ID: 163608
Operable Unit ID: 959191
Operable Unit: 01
Material ID: 417681
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Air
Oxygenate: False
DEC Memo: Start DECRemark - 9109019 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "PL" 11/23/91: P MILLER TELCON W/MR GIGANAK; CALLER CLAIMS
CHEMICAL ODOR COULD BE SMELLED FROM PULTNEY ST ALL THE WAY TO PAINTED POST.
CALLER BELIEVES ODORMAY HAVE COME FROM EITHER RR YARDS, TRACTOR TRAILER...
11/23/91: ...DRESSER RAND, OR ANY OTHER CHEMICAL CO. FORWARDED TO AIR FOR
FOLLOW-UP. 09/28/95: This is additional information about material spilled
from the translation of the old spill file: CHEMICAL SMELL. END DECRemark -
9109019
Remarks: Start CallerRemark - 9109019 CALLER BELIEVES PRACTICAL JOKE BY CHEMICAL CO
CAUSING CHEMICAL ODOR. END CallerRemark - 9109019

NY Hist Spills:

Region of Spill: 8
Spill Number: 9109019
Investigator: PL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/17/1991 12:00
Reported to Dept Date/Time: 11/23/91 08:37
SWIS: 46
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Deliberate
Reported to Dept: Air
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 11/24/91
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GIGANAK (JOHN) RESIDENCE (Continued)

S102168633

UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 11/24/91
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/25/91
Date Spill Entered In Computer Data File: Not reported
Update Date: 03/15/96
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 11/23/91: P MILLER TELCON W/MR GIGANAK; CALLER CLAIMS CHEMICAL ODOR COULD BE SMELLED FROM PULTNEY ST ALL THE WAY TO PAINTED POST. CALLER BELEIVES ODOR MAY HAVE COME FROM EITHER RR YARDS, TRACTOR TRAILER... 11/23/91: ...DRESSER RAND, OR ANY OTHER CHEMICAL CO. FORWARDED TO AIR FOR FOLLOW-UP. 09/28/95: This is additional information about material spilled from the translation of the old spill file: CHEMICAL SMELL.
Remark: CALLER BELIEVES PRACTICAL JOKE BY CHEMICAL CO CAUSING CHEMICAL ODOR.

28
East
1/4-1/2
0.422 mi.
2227 ft.

CAFFOS CAR
6 JACKSON CIRCLE
CORNING, NY

NY Spills S102173519
NY Hist Spills N/A

Relative:
Equal

Actual:
934 ft.

NY Spills:
Site ID: 236386
Facility Addr2: Not reported
Facility ID: 9503885
Spill Number: 9503885
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: PCLINDEN
Referred To: Not reported
Spill Date: 06/25/95
Reported to Dept: 06/25/95
CID: 31
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Passenger Vehicle
Spill Notifier: Fire Department
Cleanup Ceased: 06/25/95

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAFFOS CAR (Continued)

S102173519

Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/25/95
Remediation Phase: 0
Date Entered In Computer: 07/05/95
Spill Record Last Update: 09/30/04
Spiller Name: Not reported
Spiller Company: SANDRA CAFFO
Spiller Address: ELKLAND, PA
Spiller City,St,Zip: ZZ
Spiller Company: 001
Spiller Phone: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 9503885
DER Facility ID: 194738
Site ID: 236386
Operable Unit ID: 1018331
Operable Unit: 01
Material ID: 365392
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 2.00
Units: Gallons
Recovered: 0.00
Resource Affected: Sewer
Oxygenate: False
DEC Memo: Start DECRemark - 9503885 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "PL" 06/25/95: THE FIRE DEPT AGREED TO ABSORB GAS FROM CATCH
BASIN AND THEN FLUSH RESIDUE FROM CONFINED SPACE. NO FURTHER ACTION REQUIRED.
END DECRemark- 9503885
Remarks: Start CallerRemark - 9503885 AN AUTOMOBILE TANK LEAKED; A RESIDENT FLUSHED GAS
TO STORM SEWER. END CallerRemark - 9503885

NY Hist Spills:

Region of Spill: 8
Spill Number: 9503885
Investigator: PL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/25/1995 12:10
Reported to Dept Date/Time: 06/25/95 12:28
SWIS: 46
Spiller Name: SANDRA CAFFO
Spiller Contact: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAFFOS CAR (Continued)

S102173519

Spiller Address: ELKLAND, PA
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 06
Spill Notifier: Fire Department
PBS Number: Not reported
Cleanup Ceased: 06/25/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/25/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/05/95
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 2
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 06/25/95: THE FIRE DEPT AGREED TO ABSORB GAS FROM CATCH BASIN AND THEN FLUSH
RESIDUE FROM CONFINED SPACE. NO FURTHER ACTION REQUIRED.
Remark: AN AUTOMOBILE TANK LEAKED; A RESIDENT FLUSHED GAS TO STORM SEWER.

29
ESE
1/4-1/2
0.440 mi.
2324 ft.

CORNING BLVD. (#102)
102 CORNING BOULEVARD
CORNING, NY

NY Spills S103567857
NY Hist Spills N/A

Relative:
Lower

NY Spills:
Site ID: 290917
Facility Addr2: Not reported
Facility ID: 8803771
Spill Number: 8803771
Facility Type: ER

Actual:
929 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING BLVD. (#102) (Continued)

S103567857

SWIS: 5138
Region of Spill: 8
Investigator: JRMARCHI
Referred To: Not reported
Spill Date: 07/30/88
Reported to Dept: 07/30/88
CID: 31
Spill Cause: Other
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Fire Department
Cleanup Ceased: 08/02/88
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 08/02/88
Remediation Phase: 0
Date Entered In Computer: 08/08/88
Spill Record Last Update: 11/28/88
Spiller Name: Not reported
Spiller Company: NYSE&G, JOE SIMONE
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Spiller Phone: (607) 729-2551
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 8803771
DER Facility ID: 235567
Site ID: 290917
Operable Unit ID: 920947
Operable Unit: 01
Material ID: 459304
Material Code: 0017A
Material Name: PCB OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Soil
Oxygenate: False
DEC Memo: Start DECRemark - 8803771 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "JM" 07/30/88: CORNING FIRE DEPARTMENT PUT OUT FIRE WITH FOAM; IT
IS NOT KNOWN WHETHER OIL IS PCB OR NOT. FOUR FIREMEN MAY HAVE BEEN EXPOSED;
DAVE NAPIER,NYSDOH, NOTIFIED. ANALYSIS BEING DONE BY NYSEG ON OIL TO.
08/02/88: 08/02/88 AREA CHECKED. NYSE&G HAD REMOVED SOIL AFFECTED BY OIL.
REPORTS AN ANALYSIS FROM NYSE&G LESS THAN HAZARDOUS RANGE. 08/03/88:
DETERMINE IF IT IS PCB CONTAMINATED OR NOT. NYSEG REMOVED CONTAMINATED SOIL ON
8-1-88. 8-2-88 JOE MARCHITELL INSPECTED SITE AND FOUND EXTENT OF SOIL REMOVAL
SATISFACTORY. 8-3-88 ANALYSIS SHOWED OIL. 08/03/88: HAS 7.5 PPM PCB,
THEREFORE, NON-HAZARDOUS. 09/28/95: This is additional information about
material spilled from the translation of the old spill file: POSSIBLE PCB OIL.
END DECRemark - 8803771

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING BLVD. (#102) (Continued)

S103567857

Remarks: Start CallerRemark - 8803771 TRANSFORMER FIRE OCCURRED IN BACKYARD OF PRIVATE RESIDENCE. NYSEG TRANSFORMER WAS ON POLE AND MAY HAVE BEEN STRUCK BY LIGHTNING OR HIT BY FALLING TREE DURING STORM. END CallerRemark - 8803771

NY Hist Spills:

Region of Spill: 8
Spill Number: 8803771
Investigator: JM
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/30/1988 23:30
Reported to Dept Date/Time: 07/30/88 24:00
SWIS: 46
Spiller Name: NYSEG, JOE SIMONE
Spiller Contact: Not reported
Spiller Phone: (607) 729-2551
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Fire Department
PBS Number: Not reported
Cleanup Ceased: 08/02/88
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 08/02/88
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/08/88
Date Spill Entered In Computer Data File: Not reported
Update Date: 11/28/88
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: PCB OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING BLVD. (#102) (Continued)

S103567857

Class Type: PCB OIL
Times Material Entry In File: 1229
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 07/30/88: CORNING FIRE DEPARTMENT PUT OUT FIRE WITH FOAM; IT IS NOT KNOWN WHETHER OIL IS PCB OR NOT. FOUR FIREMEN MAY HAVE BEEN EXPOSED; DAVE NAPIER, NYSDOH, NOTIFIED. ANALYSIS BEING DONE BY NYSEG ON OIL TO. 08/02/88: 08/02/88 AREA CHECKED. NYSEG HAD REMOVED SOIL AFFECTED BY OIL. REPORTS AN ANALYSIS FROM NYSEG LESS THAN HAZARDOUS RANGE. 08/03/88: DETERMINE IF IT IS PCB CONTAMINATED OR NOT. NYSEG REMOVED CONTAMINATED SOIL ON 8-1-88. 8-2-88 JOE MARCHITELL INSPECTED SITE AND FOUND EXTENT OF SOIL REMOVAL SATISFACTORY. 8-3-88 ANALYSIS SHOWED OIL. 08/03/88: HAS 7.5 PPM PCB, THEREFORE, NON-HAZARDOUS. 09/28/95: This is additional information about material spilled from the translation of the old spill file: POSSIBLE PCB OIL.
Remark: TRANSFORMER FIRE OCCURRED IN BACKYARD OF PRIVATE RESIDENCE. NYSEG TRANSFORMER WAS ON POLE AND MAY HAVE BEEN STRUCK BY LIGHTNING OR HIT BY FALLING TREE DURING STORM.

30
SSW
1/4-1/2
0.445 mi.
2350 ft.

CORNING INC - HQ BLD
WALNUT ST
CORNING, NY

LTANKS S102660386
HIST LTANKS N/A

Relative:
Lower

Actual:
930 ft.

LTANKS:
Site ID: 146326
Spill Date: 10/09/97
Facility Addr2: Not reported
Facility ID: 9708139
Program Number: 9708139
SWIS: 5138
Region of Spill: 8
Investigator: SARODABA
Referred To: Not reported
Reported to Dept: 10/10/97
CID: 999
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: / /
Cleanup Meets Standard: False
Last Inspection: 10/31/97
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/02/97
Remediation Phase: 0
Date Entered In Computer: 10/10/97
Spill Record Last Update: 12/02/97
Spille Namer: Not reported
Spiller Company: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Address: Not reported
Spiller City, St, Zip: ***Update***, ZZ
Spiller County: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING INC - HQ BLD (Continued)

S102660386

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 8
Program Number: 9708139
DER Facility ID: 124610
Site ID: 146326
Operable Unit ID: 1054803
Operable Unit: 01
Material ID: 330126
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0.00
Units: Gallons
Recovered: 0.00
Resource Affected: Groundwater
Oxygenate: False
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported
DEC Memo: Not reported
Remarks: Not reported

HIST LTANKS:

Region of Spill: 8
Spill Number: 9708139
Investigator: SR
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Spill Date: 10/09/1997
Spill Time: 09:30
Reported to Department Date: 10/10/97
Reported to Department Time: 09:35
SWIS: 46
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Extension: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Facility Contact: Not reported
Facility Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING INC - HQ BLD (Continued)

S102660386

Facility Extention: Not reported
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Standard: False
Last Inspection: 10/31/97
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: 10/09/97
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/02/97
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/10/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/02/97
Is Updated: False
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 10/09/97 SR INSPECTED; 3 UST S ECOUNTERED DURING WORK FOR CORNING HQ EXPANSION, 2- 12000, 1- 15000 GAL. FUEL OIL/DIESEL; HEAVY CONTAMINATION EXTENDING INTO GW. TANKS NOT REGISTERED, INFO. TO BE SUBMITTED TO AVON PBS. 2 TPW S TO BE INSTALLED E. AND W. SIDES EXCAVATION. 10/10/97 SR INSPECTED; 15000 GAL. UST HAS BEEN REMOVED; HEAVY PETRO. CONTAM. INTO GW, CONTRACTOR TO CONTINUE EXCAVATING TO EXTENT PRACTICABLE AND THEN INSTALL 2 WELLS. 10/31/97 SR ON SITE; GRIFFEN IND. REMOVING 4 MORE UST S FOR CORNING INC., INC. 2- 15000 GAL. DIESEL, 1- 10000 GAL AND 1- 1000 GAL. KERO. UST S. THE 10000 AND 1000 GAL. TANKS WERE REMOVED YESTERDAY, BOTH 15000 S TODAY. HEAVY SOIL CONTAM. ENCOUNTERED, BEING TRUCKED TO STEUBEN CO. LANDFILL, AT PRESENT APPROX.175 TONS HAS BEEN REMOVED AND TRANSPORTED, MORE TO GO. TANK PIT WELL TO BE INSTALLED IN CENTER OF EXCAVATION. THIS TANK FIELD IS SAME LOCATION AS TANKS PULLED 3 WEEKS AGO THEREFORE UNDER SAME SPILL) AND FOR TANKS PULLED FROM SPILL 9302523. SPILLS TO BE COMBINED UNDER SPILL 9302523. PLEASE REFER TO SPILL 9302523. WHILE GRIFFIN INDUSTRIALS WAS REMOVING 3 USTS FOR CORNING INC., HEAVY FUEL OIL CONTAMINATION WAS ENCOUNTERD NEAR THE BASE OF THE TANKS. SR RESPONDING. FAXED

Spill Cause:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING INC - HQ BLD (Continued)

S102660386

TO SR ON 10/14/97 AT 1130 HRS.

31
SW
1/4-1/2
0.453 mi.
2392 ft.

WEGMANS
1 BRIDGE STREET
CORNING, NY

NY Spills S106697661
N/A

Relative:
Higher

Actual:
939 ft.

NY Spills:

Site ID: 74903
Facility Addr2: Not reported
Facility ID: 0470185
Spill Number: 0470185
Facility Type: ER
SWIS: 5138
Region of Spill: 8
Investigator: CAHETTEN
Referred To: Not reported
Spill Date: 07/21/04
Reported to Dept: 07/23/04
CID: 31
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: 07/23/04
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.
Spill Closed Dt: 07/23/04
Remediation Phase: 0
Date Entered In Computer: 07/23/04
Spill Record Last Update: 07/30/04
Spiller Name: TODD MARINO
Spiller Company: WEGMANS
Spiller Address: 1 BRIDGE STREET
Spiller City, St, Zip: CORNING, NY
Spiller Company: 001
Spiller Phone: (607) 937-8346
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 8
Program Number: 0470185
DER Facility ID: 70198
Site ID: 74903
Operable Unit ID: 891101
Operable Unit: 01
Material ID: 571181
Material Code: 0046A
Material Name: COOKING GREASE
Case No.: Not reported
Material FA: Other
Quantity: 0.00
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

WEGMANS (Continued)

S106697661

Recovered: 0.00
Resource Affected: Soil
Oxygenate: False

DEC Memo: Start DECRemark - 0470185 Prior to Sept, 2004 data translation this spill Lead
DEC Field was "CH" 07/23/04: CH TELECON WITH CODE ENFORCEMENT MCDANIEL AND
WASTE WATER TREATMENT PLANT OPERATOR ALAN BONTORNO. EVIDENTLY THE GREASE FROM
WEGMAN'S SEWER WAS SO HEAVY THAT THE HIGH LEVEL FLOAT ON THEIR LIFT STATION DID
NOT WORK, CAUSING EXCESSIVE FLOW OF GREASE INTO THE SANITARY LINE BETWEEN THE
LIFT STATION AND THE CITY SEWER LINE. THIS RESULTED IN AN OVERFLOW AT A MANHOLE
LOCATED ON STEUBEN ECONOMIC DEVELOPMENT PROPERTY. THERE IS AN AREA APPROXIMATELY
20 FT IN DIAMETER THAT HAS BEEN IMPACTED. WEGMANS IS IN VIOLATION FOR THE SEWER
USAGE BECAUSE OF THE AMOUNT OF GREASE. THE CITY ISSUED NOV AND STATES THAT
WEGMANS IS REFUSING TO CLEAN UP THE IMPACTED AREA BECAUSE IT IS NOT ON THEIR
PROPERTY. CH CONTACTS TODD MARINO OF WEGMANS WHO STATES THEY WILL CLEAN UP THE
AREA. MARINO TO CONTACT BONTORNO AND WORK OUT THE DETAILS AND NOTIFY THE DEPT
AS TO THE COURSE OF ACTION. 07/23/04: MARINO CONTACTS THE DEPARTMENT AND SAYS
WEGMANS WILL PERFORM THE CLEANUP. THE CONTRACTOR THAT THEY HAVE HIRED WILL
PERFORM THE WORK ON 07/26/04. NO FURTHER ACTION NEEDED BY SPILLS. END DECRemark
- 0470185

Remarks: Start CallerRemark - 0470185 THE CITY OF CORNING CALLS TO SAY THAT WEGMAN'S
SANITARY LIFT STATION HAD A FAILURE, WHICH CAUSED COOKING GREASE TO OVERFLOW A
MANHOLE AND IMPACT A 20 FT DIAMETER AREA AROUND THE MANHOLE. END CallerRemark -
0470185

132
South
1/4-1/2
0.474 mi.
2503 ft.

CORNING GLASS
TIOGA AVE
CORNING, NY 14830

Site 1 of 2 in cluster I

RCRA-SQG 1000315937
FINDS NYD000824425
CORRACTS
MANIFEST

Relative:
Lower

RCRA-SQG:

Date form received by agency: 01/01/2006

Facility name: CORNING INCORPORATED FALLBROOK

Facility address: TY FB 01 TIOGA AVE
CORNING, NY 14831

EPA ID: NYD000824425

Contact: WILLIAM D BURDICK

Contact address: TY FB 01 TIOGA AVE
CORNING, NY 14831

Contact country: US

Contact telephone: (607) 974-3184

Contact email: BURDICKWD@CORNING.COM

EPA Region: 02

Land type: Private

Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous
waste during any calendar month and accumulates less than 6000 kg of
hazardous waste at any time; or generates 100 kg or less of hazardous
waste during any calendar month, and accumulates more than 1000 kg of
hazardous waste at any time

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/19/2004
Facility name: CORNING INCORPORATED FALLBROOK
Classification: Small Quantity Generator

Date form received by agency: 02/27/2002
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INCORPORATED - FALL BROOK PLANT
Classification: Large Quantity Generator

Date form received by agency: 01/01/2001
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INC FALL BROOK PLANT
Classification: Large Quantity Generator

Date form received by agency: 02/23/1998
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INC-FALL BROOK PLANT
Classification: Large Quantity Generator

Date form received by agency: 03/26/1996
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INCORPORATED FALL BROOK PLANT
Classification: Large Quantity Generator

Date form received by agency: 03/29/1994
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INCORPORATED FAUBROOK PLANT
Classification: Large Quantity Generator

Date form received by agency: 05/14/1993
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING GLASS
Classification: Large Quantity Generator

Date form received by agency: 10/08/1992
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING GLASS
Classification: Large Quantity Generator

Date form received by agency: 02/10/1992
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INCORPORATED
Classification: Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Date form received by agency: 03/01/1990
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING INCORPORATED
Classification: Large Quantity Generator

Date form received by agency: 11/19/1980
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING GLASS
Classification: Not a generator, verified

Date form received by agency: 08/18/1980
Facility name: CORNING INCORPORATED FALLBROOK
Site name: CORNING GLASS
Classification: Large Quantity Generator

Corrective Action Summary:

Event date: 11/30/1993
Event: RFA Initiation

Event date: 11/17/1994
Event: RFA Completed

Event date: 01/19/1995
Event: CA Prioritization, Facility or area was assigned a medium corrective action priority.

Event date: 11/16/2006
Event: CA605

Event date: 12/05/2006
Event: CA615

Event date: 12/05/2006
Event: CA633

Event date: 03/17/2007
Event: CA610

Event date: 10/01/2007
Event: CA677

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 02/01/2000
Date achieved compliance: 05/30/2000
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 04/24/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 08/15/1986
Date achieved compliance: 07/02/1988
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 02/19/1985
Date achieved compliance: 09/03/1985
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/05/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 05/03/1984
Date achieved compliance: 12/31/1984
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/31/1984
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 08/25/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/01/2000
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 05/30/2000
Evaluation lead agency: State

Evaluation date: 06/18/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/15/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 07/02/1988
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 02/19/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 09/03/1985
Evaluation lead agency: State

Evaluation date: 09/28/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/03/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 12/31/1984
Evaluation lead agency: State

FINDS:

Other Pertinent Environmental Activity Identified at Site

Not reported

TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

The NEI (National Emissions Inventory) database contains information on stationary and mobile sources that emit criteria air pollutants and their precursors, as well as hazardous air pollutants (HAPs).

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

PCS (Permit Compliance System) is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

CORRACTS:

EPA ID: NYD000824425
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 01/19/1995
Action: CA075ME - CA Prioritization, Facility or area was assigned a medium
corrective action priority
NAICS Code(s): 327212
Other Pressed and Blown Glass and Glassware Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD000824425
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 11/17/1994
Action: CA050 - RFA Completed
NAICS Code(s): 327212
Other Pressed and Blown Glass and Glassware Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

NY MANIFEST:

Document ID: NYO2876211
Manifest Status: Completed copy
Trans1 State ID: 8A006
Trans2 State ID: Not reported
Generator Ship Date: 840917
Trans1 Recv Date: 840917
Trans2 Recv Date: Not reported
TSD Site Recv Date: 840917
Part A Recv Date: 840920
Part B Recv Date: 840929
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 100
Year: 84
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA1654065
Manifest Status: Completed copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 841008
Trans1 Recv Date: 841008
Trans2 Recv Date: Not reported
TSD Site Recv Date: 841009
Part A Recv Date: 841011
Part B Recv Date: 841204
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: OHD045243706
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 170
Year: 84
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA1654164
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 841203
Trans1 Recv Date: 841203
Trans2 Recv Date: Not reported
TSD Site Recv Date: 841203
Part A Recv Date: 841207
Part B Recv Date: 841207
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 84
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Trans2 Recv Date: Not reported
TSD Site Recv Date: 850401
Part A Recv Date: 850430
Part B Recv Date: 850415
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 85
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA2344815
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 850416
Trans1 Recv Date: 850416
Trans2 Recv Date: Not reported
TSD Site Recv Date: 850417
Part A Recv Date: 850419
Part B Recv Date: 850423
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Trans2 EPA ID: Not reported
TSDF ID: OHD045243706
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 85
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA2344914
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: N18760
Trans2 State ID: Not reported
Generator Ship Date: 850429
Trans1 Recv Date: 850429
Trans2 Recv Date: Not reported
TSD Site Recv Date: 850430
Part A Recv Date: 850522
Part B Recv Date: 850619
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD049253719
Trans2 EPA ID: Not reported
TSDF ID: NYD049253719
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 170
Year: 85
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA2344617
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 850604
Trans1 Recv Date: 850604
Trans2 Recv Date: Not reported
TSD Site Recv Date: 850604
Part A Recv Date: 850620
Part B Recv Date: 850619
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSD ID: OHD045243706
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 85
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA2344824
Manifest Status: Completed copy
Trans1 State ID: T40122
Trans2 State ID: Not reported
Generator Ship Date: 850415
Trans1 Recv Date: 850415
Trans2 Recv Date: Not reported
TSD Site Recv Date: 850416
Part A Recv Date: 850419
Part B Recv Date: 850423
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: OHD045243706
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 00020
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 85
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3630892
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 860925
Trans1 Recv Date: 860925
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860925
Part A Recv Date: 861002
Part B Recv Date: 860929
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSD ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 24480
Units: P - Pounds
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 150
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3630947
Manifest Status: Completed copy
Trans1 State ID: X16361
Trans2 State ID: Not reported
Generator Ship Date: 861010
Trans1 Recv Date: 861010
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861010
Part A Recv Date: 861016
Part B Recv Date: 861017
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 23420
Units: P - Pounds
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3594633
Manifest Status: Completed copy
Trans1 State ID: T40122
Trans2 State ID: Not reported
Generator Ship Date: 860416
Trans1 Recv Date: 860416
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860416
Part A Recv Date: 860425
Part B Recv Date: 860423
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSD ID: NYD049836679
Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
Quantity: 23300
Units: P - Pounds
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3630936
Manifest Status: Completed copy
Trans1 State ID: N60614
Trans2 State ID: Not reported
Generator Ship Date: 860912
Trans1 Recv Date: 860912
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860912
Part A Recv Date: 860918
Part B Recv Date: 860918
Generator EPA ID: NYD000824425
Trans1 EPA ID: NYD013545694
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00017
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 170
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA4154141
Manifest Status: Completed copy
Trans1 State ID: IL009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CORNING GLASS (Continued)

1000315937

Trans2 State ID: Not reported
Generator Ship Date: 860530
Trans1 Recv Date: 860530
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860530
Part A Recv Date: 860606
Part B Recv Date: 860605
Generator EPA ID: NYD000824425
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NYD000708156
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00045
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported
EPA ID: NYD000824425
Facility Name: CORNING INCORPORATED
Facility Address: TIOGA AVENUE-FALL BROOK PLANT
Facility City: CORNING
Facility Address 2: Not reported
Country: USA
Mailing Name: CORNING INCORPORATED
Mailing Contact: BILL BURDICK
Mailing Address: 1 RIVERFRONT PLAZA
Mailing Address 2: Not reported
Mailing City: CORNING
Mailing State: NY
Mailing Zip: 14831
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 607-974-4279

Document ID: NYA3594508
Manifest Status: Completed copy
Trans1 State ID: T40122
Trans2 State ID: Not reported
Generator Ship Date: 860227
Trans1 Recv Date: 860227
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860228
Part A Recv Date: 860306

APPENDIX D
Site Photographs



Photograph 1: Exterior portion of the factory (north side).



Photograph 2: Exterior portion of the factory (northwest corner).



Photograph 3: 90-day hazardous waste storage in the Steuben Factory courtyard.



Photograph 4: Waste oil and fluorescent bulb storage in the courtyard 90-day hazardous waste storage area.



Photograph 5: Bag house.



Photograph 6: Municipal trash, and cullet recycling. The blue canister is the central vacuum.



Photograph 7: Interior 1st floor office space.



Photograph 8: Hazardous material storage in the factory building. These materials are awaiting use.




Photograph 9: Sump pumps in the basement of the factory.




Photograph 10: Steam cullet discharging into a cooling bin in the basement of the factory.



Photograph 11: Lift that transports stream cullet from the basement to the main floor.



Photograph 12: Glass tank.




Photograph 13: Water treatment chemicals.



Photograph 14: Water treatment tanks.



Photograph 15: Sludge press.



Photograph 16: Paint booth for spray painting.



Photograph 17: Glue storage in the maintenance area.



Photograph 18: General storage.



Photograph 19: Finishing area in the factory.



Photograph 20: Materials used for finishing (i.e. – aluminum oxide, pumice, etc.).




Photograph 21: Flammable material storage in a flame-retardant cabinet.



Photograph 22: De-icing mechanism for the parking lot located in the factory loading dock.



Photograph 23: 90-day hazardous waste storage area in the Fulton Street Warehouse.



Photograph 24: Other hazardous material storage in the Fulton Street Warehouse (not waste.).



Photograph 25: Exterior of the Fulton Street Warehouse.

APPENDIX E
Interview Documentation

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant
One Steuben Way (151 Centerway), Corning, NY

H&A Representative: Claire L. DeBergalis

Key Site Manager: Carol Ann Carlson – EHS Coordinator; Jesse Kendall - Facilities

Tenant Interviews: N/A

Note: Pages 15 and 16 of the ASTM E1527-00 Standard include a detailed description of what should be observed during a site visit, and of what each bulleted item is intended to address.

1. General Site Setting

(Describe the topography, surface water, geologic features (e.g. bedrock outcrops), landscaping, roads, structures, areas not developed with roads or structures, and property boundaries)

- Part of the Houghton Industrial Park.
- Surrounding by Corning Museum of Glass buildings
- Built in the 1950s.

2. Current Site Uses and Tenants:

(Do they use or store OHM? Doctor or dentist offices? Printers? Labs? Photo developers? Dry cleaners? Manufacturing or light industrial spaces?)

- Used for the production of Steuben Crystal.
- Offices
- Fulton Street Warehouse is used for storage of hazardous materials

3. Previous Site Uses and Tenants:

(Collect same information as for current site uses and tenants)

- Was historically used for crystal manufacturing. Did not have previous tenants.

4. Description of Adjoining Properties:

North: RV and Bus parking; Corning buildings A and C; beyond which is Pulteney Street

South: Corning Museum of Glass; beyond which is Fulton Street/Museum Way

East: Centerway; beyond which are residences.

West: Parking lot, beyond which is Corning building B.

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant

One Steuben Way (151 Centerway), Corning, NY

5. Current or Past Uses of Adjoining properties and the surrounding area

- Historically, the surrounding area has been Corning properties.
- First developed use, was likely residential.

6. Suppliers of the following services:

Potable Water: City of Corning. Some well water is used for the A/C system. The well is not on the Steuben Factory property.

Sewerage: City of Corning. No Septic.

Waste Disposal (trash, OHM waste, biohazard waste): Hazardous waste – private contractors;
Universal Waste – Bethlehem Apparatus; Municipal Waste – Steuben County
Landfill

Utilities (electric, gas): NYSEG

7. Heating and cooling system:

(Fuel oil? Steam? What is the source?)

- Air conditioning is electric. Cooling water from well located on Houghton complex. Not on the subject site.
- Heat for main factory is from steam that comes from the museum. Powers the air handling units.
- There are heat pumps throughout the office spaces – natural gas.
- Two roof-top heating/cooling units that utilize natural gas and electricity.

8. Use and Storage of Hazardous Substances and Petroleum Products (Interior and Exterior):

(Describe types, quantities, locations, storage types (drums or buckets?), and secondary containment. Are there nearby floor drains? Are the storage containers properly labeled? Is there evidence of a release? How are the materials brought in, stored, used, and disposed? Describe drums and storage tanks, both aboveground and underground. For tanks, describe their construction, capacity, contents, fill and vent locations, permits, age, leak detection or spill prevention. Did you observe evidence or does the site manager have knowledge of a release?)

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant

One Steuben Way (151 Centerway), Corning, NY

- Materials onsite include: solid lead, antimony, potassium carbonate, potassium nitrate, lithium, waste oil, and small amounts of cleaning chemicals, glues, paints, and kerosene. Refer to the report for a full inventory.
- Steuben also disposes of lead impacted dusts, glass, and sludges.
- Steuben is a Large Quantity Generator

9. Other Drums or Containers

(Including unidentified containers or drums or containers with unidentified uses, regardless of whether or not they are leaking, unless it is known that their contents are not hazardous materials or petroleum products.)

- Kerosene is used for engraving
- Cleaning chemicals –small amounts
- Small amounts of oil for lubricants

10. PCBs:

(commonly found in electric or hydraulic equipment, e.g., transformers, capacitors, hydraulic lifts, hydraulic elevators, - age?, evidence or knowledge of a release?, pad or pole-mounted?, owner?)

- Not reported by site personnel.

11. Hydraulic Lifts and Elevators:

(Observe the reservoirs and elevator pits – usually must be arranged in advance. Is there evidence of a release from the reservoir or piston? Does the site contact have knowledge of a release?)

- One electric freight elevator
- Two dumbwaiters
- One lift that takes stream cullet from basement to the first floor (uses mineral oil).

12. Vehicle Maintenance Lifts:

- None observed or reported.

13. Emergency Generators and Sprinkler System Pumps:

(How fueled? What use? Evidence or knowledge of a release?)

- Two natural gas emergency generators
- One sprinkler system. Not fueled.

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant

One Steuben Way (151 Centerway), Corning, NY

14. Transformers, Circuit Breakers and Capacitors:

(How fueled? What use? Evidence or knowledge of a release?)

- Transformers reportedly dry-type.
- No dielectric fluid reported onsite.

15. Floor Drains and Sumps:

(Discharge location?, sump permits?, evidence of a release?, storage of OHM nearby?)

- Sump pump system in the basement. Water from basement discharges to the sump and then to the city sewer.
- Floor drains throughout facility. Floor drains in basement discharge to sump. Floor drains on main floor discharge to the wastewater treatment and then to the sewer.
- Floor drains in the bathroom discharge to the sewer.
- Floor drains in the Fulton Street Warehouse discharge to the sewer.

16. Catch basins and Oil/Water Separators:

- Catch basins in the parking lot and courtyard area. Discharge to the storm sewer and then to the Chemung River.

17. Dry wells:

(Where do they lead? Was anything disposed in the dry wells? Are they concrete lined or do they lead directly into the ground?)

- None observed or reported.

18. Stains or Corrosion on Floors, Walls, or Ceilings:

(What is the probable cause? Are the stains indicative of a release? Are they near drains or other conduits to the subsurface?)

- Water staining in the basement and in the finishing area.

19. Odors:

- No unusual odors detected.

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant

One Steuben Way (151 Centerway), Corning, NY

20. Pits, Ponds, Lagoons, and Pools of Liquid:
(Standing surface water? Sump pits?)

- No pits, ponds, lagoons or pools of liquid observed or reported.

21. Stained Soil or Pavement and Stressed Vegetation:

- None observed or reported.

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant

One Steuben Way (151 Centerway), Corning, NY

22. Solid Waste:

(Describe areas that look like they could have been filled with trash or other solid waste.)

- Solid waste filling not observed or reported.

23. Wastewater and Stormwater Discharge:

(Describe the system. Ask about permits – Are they required? Are they in place?)

- Wastewater from the basement, and other water that is not lead impacted discharges to the city sewer
- Wastewater from the main floor (water that touches lead) discharges to the wastewater treatment and then to the sewer.
- Sanitary wastewater discharges to the city sewer
- Stormwater discharges to catch basins and ultimately to the Chemung River.

24. Monitoring, Water Supply, and Irrigation Wells:

- None observed or reported.
- A supply well is on the Houghton Industrial Complex that is used to provide water for the A/C system. Not located on the subject site.

25. Sanitary Sewer and Septic Systems:

- The subject site is connected to the City Sewer. No septic systems observed or reported.

26. Manhole covers:

(Where do they lead? Are they identified?)

- Manholes reportedly lead to utilities.

27. Known or Suspected Releases:

(Ask about the location, type, response, and status of each, if any)

- None reported.

H&A File No.: 35548-000 Date of Visit & Interview: 6/26/08

Site Name and Address: Corning Inc. – Steuben Plant

One Steuben Way (151 Centerway), Corning, NY

28. Previous Environmental Assessments:

(Ask to obtain copies of previous environmental reports. If recommendations were made in the previous reports, ask about the status of the responses, if any.)

- Asbestos abatement completed.

29. Property Environmental Records:

(Ask to review and obtain copies of manifests, tank registrations, discharge permits, and other environmentally-related documentation.)


- Permits observed – Wastewater discharge, Air registration
- Formerly had a stormwater permit. No longer required.

30. Review of Building Plans:

(Ask to review old plans of the property—look for tanks, septic systems, or other old features or previous uses related to oil and hazardous materials.)

- Floor plan provided.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100



Haley & Aldrich of New York
200 Town Centre Dr.
Suite 2
Rochester, NY 14623-4264
Tel: 585.359.9000
Fax: 585.359.4650
HaleyAldrich.com

25 June 2008
File No. 35548-000

Jill Andolina
NYSDEC Region 8
6274 E. Avon-Lima Rd.
Avon, NY 14414

Subject: Freedom of Information Act Request for Review of DEC Files
Corning Inc. – Steuben Plant
Corning, New York 14830

Dear Ms. Andolina:

On behalf of our client, I am writing pursuant to the Freedom of Information Law (N.Y. Publ. Off. L. Section 84 et seq.) and the Public Access to Records of the Department of Environmental Conservation Regulations (6 NYCRR Pat 616), to request access to the records listed below in connection with the property

- ☐ Corning Inc. – Steuben Plant, One Steuben Way (151 Centerway), Corning, New York 14830

Please provide Haley & Aldrich of New York with access to the following records:

1. All records of any investigation, study or analysis of any substance, material or waste defined or designated as hazardous or toxic (collectively, "Hazardous Substances") by any applicable federal, state or local environmental law, ordinance, rule or regulation (collectively, "Environmental Laws") stored, treated, generated, transported, refined, handled, produced and/or disposed on the Properties.
2. All records of (a) the presence on, in, at or adjacent to the Properties of any Hazardous Substances, (b) any spills, releases, discharges or disposal of Hazardous Substances that have occurred or are presently occurring on or onto the Properties, (c) any spills or disposal of Hazardous Substances that have occurred or are occurring off the Properties as a result of any use or operation of the Properties, and (d) any failure by the Borrower to comply with any Environmental Law or any administrative or judicial order relating to the use, storage, treatment, transportation, manufacture, refinement, handling, production or disposal of any Hazardous Substances in connection with any construction on or any use or operation of the Properties.


NYSDEC
25 June 2008
Page 2

3. All records of any complaint, claim, request for investigation or inquiry about any aspect of the Properties.

It is my understanding that DEC records are available for review at your offices in Avon. Please contact me at your earliest convenience to schedule a file review appointment.

If you have any questions about this request, please call me at (585) 321-4219.

Sincerely yours,
HALEY & ALDRICH of NEW YORK



Claire L. DeBergalis
Staff Environmental Scientist

G:\Projects\35548\000\FOIA\FOIA_DEC.doc



Haley & Aldrich of New York
200 Town Centre Dr.
Suite 2
Rochester, NY 14623-4264
Tel: 585.359.9000
Fax: 585.359.4650
HaleyAldrich.com

25 June 2008
File No. 35548-000

Records Access Office
New York State Department of Health
Environmental Health
Corning Tower Room 2348
Albany, New York 12237-0044

Subject: Freedom of Information Act Request for Review of DOH Files
Corning Inc. – Steuben Plant
Corning, New York 14830

Dear Sir/Madam:

On behalf of our client, I am writing pursuant to the Freedom of Information Law (N.Y. Publ. Off. L. Section 84 et seq.) to request access to the records listed below in connection with the property

- ☐ Corning Inc. – Steuben Plant, One Steuben Way (151 Centerway), Corning, New York 14830

Please provide Haley & Aldrich of New York with access to the following records:


1. All records of any investigation, study or analysis of any substance, material or waste defined or designated as hazardous or toxic (collectively, "Hazardous Substances") by any applicable federal, state or local environmental law, ordinance, rule or regulation (collectively, "Environmental Laws") stored, treated, generated, transported, refined, handled, produced and/or disposed on the Properties.
2. All records of (a) the presence on, in, at or adjacent to the Properties of any Hazardous Substances, (b) any spills, releases, discharges or disposal of Hazardous Substances that have occurred or are presently occurring on or onto the Properties, (c) any spills or disposal of Hazardous Substances that have occurred or are occurring off the Properties as a result of any use or operation of the Properties, and (d) any failure by the Borrower to comply with any Environmental Law or any administrative or judicial order relating to the use, storage, treatment, transportation, manufacture, refinement, handling, production or disposal of any Hazardous Substances in connection with any construction on or any use or operation of the Properties.

NYSDOH
25 June 2008
Page 2

3. All records of any complaint, claim, request for investigation or inquiry about any aspect of the Properties.

If you have any questions about this request, please call me at (585) 321-4219.

Sincerely yours,
HALEY & ALDRICH of NEW YORK


Claire L. DeBergalis
Staff Environmental Scientist

G:\Projects\35548\000\FOIA\NYSDOH\FOIA.doc

**HALEY &
ALDRICH**

*NYS Department of Environmental Conservation
Region 8 Freedom of Information Law
6274 East Avon-Lima Road
Avon, New York 14414-9519
Website: www.dec.state.ny.gov*



*Alexander B. Grannis
Commissioner*

June 26, 2008

Ms. Claire Debergalis
200 Town Centre Drive
Suite 2
Rochester, NY 146234264

FOIL Request Number 08-0693

Dear Ms. Debergalis:

This is to acknowledge receipt of your Freedom of Information Law (FOIL) request and to advise you we are conducting a file search for the following parcel(s) of real property:

One Steuben Way (151 Centerway, Corning, NY 14830

Please note, we do not search for spill files without a spill number. If you are interested in spill information and have not already provided us with a spill number, we refer you to the NYSDEC spill website: <http://www.dec.ny.gov/cfmx/extapps/derfoil/index.cfm>.

If you locate a spill number from the database you may contact me for a copy of the spill fact sheet or other information that is included in the file. If you do not have access to a computer, please call me at (585) 226-5363.

Also, be advised if you are asking us to check for properties in the surrounding area, we are unable to do a search by radius. We need names and addresses for each property. Due to the large volume of requests we receive, you may expect a reply in about four weeks.

If you call or write, refer to Request Number 08-0693.

Sincerely,

Jill Bishop

Jill Bishop
Region 8 FOIL Coordinator



STATE OF NEW YORK DEPARTMENT OF HEALTH

Corning Tower The Governor Nelson A. Rockefeller Empire State Plaza Albany, New York 12237

Richard F. Daines, M.D.
Commissioner

Wendy E. Saunders
Chief of Staff

June 26, 2008

Claire DeBergalis
Haley & Aldrich of New York
100 Town Center Drive, Suite 2
Rochester, NY 14623

Re: FOIL Request #08-06-286
File # 35548-000

Dear Ms. DeBergalis:

This will acknowledge receipt of your June 25, 2008 request for copies of documents under the Freedom of Information Law.


We have forwarded your request to appropriate Department program units to identify documents that are responsive to your request and which may be made available under provisions of the Freedom of Information Law.

We estimate that within 20 business days we will complete your request or determine the availability of documents responsive to your request or we will notify you in writing if the responsible program areas should require additional time to locate, assemble and review responsive documents.

Please be aware that under the rules and regulations of the New York State Department of Health for implementation of the Freedom of Information Law, there is a fee of \$0.25 per page for providing paper copies of documents and/or computer printouts, (IF AVAILABLE) and \$60.00 for files on CD (IF AVAILABLE).

When the information or documents have been identified, you will be advised of the cost and how payment should be made.

Sincerely,



Robert "Jake" LoCicero, Esq.
Records Access Office



STATE OF NEW YORK
DEPARTMENT OF HEALTH

Corning Tower The Governor Nelson A. Rockefeller Empire State Plaza Albany, New York 12237

Richard F. Daines, M.D.
Commissioner

Wendy E. Saunders
Chief of Staff

July 9 2008

Claire L DeBergalis
Haley & Aldrich of New York
200 Town Centre Drive, Suite 2
Rochester, NY 14623-4264

FOIL # 08-06-232
254, 268, 274, 280 Denison Parkway East
Corning, New York 14830


Dear Ms. DeBergalis:

Your request, under provisions of the Freedom of Information Law (FOIL), for records, as detailed in your inquiry dated June 20, 2008, pertaining to the above-referenced sites, has been reviewed by the Department's Records Access Office.

The responsible program area within the New York State Department of Health, the Center for Environmental Health's Bureau of Environmental Exposure Investigation, has advised the Records Access Office that, after conducting a diligent search, no records were located as responsive to your request.

If you should require further assistance, please feel free to contact me at (518) 474-8734.

Very truly yours,



Robert "Jake" LoCicero
Records Access Office

