



August 5, 2010

Mr. William Murray
NY State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
270 Michigan Ave.
Buffalo, New York 14203

Re: Semi-annual Groundwater Monitoring Event
BCP Site No. C915223
1093 Group, LLC
Buffalo, New York

Dear Mr. Murray:

On behalf of our client, 1093 Group, LLC, TurnKey Environmental Restoration, LLC (TurnKey) is herein transmitting the results from the initial semi-annual ground water monitoring event performed for the Niagara Street and Pennsylvania Avenue Site, located at 517 Niagara Street, Buffalo, New York (see Figure 1).

This groundwater monitoring event was performed on May 25th, 2010 and included sampling and analysis of MW-1, MW-2, MW-5, and MW-6. Groundwater samples from each of the sampled wells were analyzed for STARS list volatile organic compounds (VOCs). Field parameters including pH, oxidation-reduction potential (ORP), dissolved oxygen (DO), temperature, turbidity, and specific conductance were also measured in each of the sampled monitoring wells. Table 1 summarizes the analytical results from the May 2010 groundwater monitoring event with comparison to NYSDEC Class GA groundwater quality standards (GWQS) as listed in NYSDEC Division of Water Technical and Operational Guidance Series (TOGS) (1.1.1). Field data sheets are presented in Attachment 1. The laboratory analytical package is included in Attachment 2.

As shown on Table 1, no VOCs were detected above the laboratory reporting limits, and were reported as non-detect (ND) for MW-5 and MW-6. It is noteworthy that benzene concentrations have decreased to non-detectable levels from concentrations formerly exceeding GWQS identified during the Remedial Investigation (RI) in MW-5 and MW-6. No VOCs were detected above GWQS in MW-2 with the minor exception of slightly elevated benzene (1.1 ug/L vs. 1.0 ug/L GWQS, respectively). Elevated petroleum-related

VOCs exceeding GWQS were detected in MW-1. MW-1 is located in the western portion of the site, adjacent to the corner of Niagara Street and Pennsylvania Avenue.

TurnKey recommends continued monitoring in accordance with the approved Site Management Plan. The second semi-annual sampling event is tentatively scheduled to be completed in September/October 2010.

Please contact us with any questions or comments.

Sincerely,
TurnKey Environmental Restoration, LLC



Michael Lesakowski
Project Manager

Att.

c: C. Stewart (1093 Group, LLC)

file: 0136-002-600

TABLES



TABLE 1
GROUNDWATER ANALYTICAL DATA SUMMARY
May 25, 2010

1093 GROUP, LLC
NIAGARA STREET AND PENNSYLVANIA AVENUE SITE
BUFFALO, NEW YORK

Parameter ¹	Class GA GWQS ²	Sample Locations			
		MW-1	MW-2	MW-5	MW-6
<i>Volatile Organic Compounds (VOCs) - ug/L</i>					
Benzene	1	560 D	1.1	ND	ND
Ethylbenzene	5	1700 D	1.1	ND	ND
Isopropylbenzene (Cumene)	5	95	ND	ND	ND
Methyl tert butyl ether (MTBE)	10	ND	5.1	ND	ND
Toluene	5	29	ND	ND	ND
Total Xylene	5	1233 D	ND	ND	ND
n-Butylbenzene	5	12	ND	ND	ND
n-Propylbenzene	5	290 D	ND	ND	ND
p-Cymene (p-isopropyltoluene)	5	9.8	ND	ND	ND
1,2,4-Trimethylbenzene	5	780 D	ND	ND	ND
1,3,5-Trimethylbenzene	5	83	ND	ND	ND
sec-Butylbenzene	5	12	ND	ND	ND
tert-Butylbenzene	5	0.96 J	ND	ND	ND

Notes:



1. Only those parameters detected at a minimum of one sample location are presented in table; all other compounds reported as non-detect.
2. Regulatory limits are NYSDEC Class "GA" Groundwater Quality Standards (GWQS) as published in NYSDEC Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations (June 1998).

Definitions:

- ND = Parameter not detected above laboratory detection limit.
- "--" = No guidance value available.
- J = Estimated value; result is less than the sample quantitation limit but greater than zero.
- D = All compounds were identified in an analysis at the secondary dilution factor.

BOLD	Exceedes NYSDEC Class "GA" Groundwater Quality Standards
-------------	--

FIGURES

2558 HAMBURG TURNPIKE
SUITE 300
BUFFALO, NY 14218
(716) 858-0635

PROJECT NO.: 0136-002-600

DATE: MAY 2010

DRAFTED BY: NTM

SAMPLE LOCATIONS

SEMI-ANNUAL GROUNDWATER MONITORING
NIAGARA STREET AND PENNSYLVANIA AVENUE SITE
BCP SITE No. C915223
BUFFALO, NEW YORK
PREPARED FOR
1093 GROUP, LLC

FIGURE 1

ATTACHMENT 1

FIELD DATA SHEETS

PROJECT INFORMATION:

Project Name: 517 Niagara St.
 Project No.: 7136-002-600
 Client: Ellieott Development

Date: 5/25/14
 Instrument Source: BM Rental

METER TYPE	UNITS	TIME	MAKE/MODEL	SERIAL NUMBER	CAL. BY	STANDARD	POST CAL. READING	SETTINGS
<input checked="" type="checkbox"/> pH meter	units	0.1 ⁰⁰	Myron L Company Ultra Meter 6P	606987 <input type="checkbox"/> 6212375 <input checked="" type="checkbox"/>	TAB	4.00 7.00 10.01	3.98 6.58 10.03	4.0 2.0 10.0
<input checked="" type="checkbox"/> Turbidity meter	NTU	0.1 ⁰⁰	Hach 2100P Turbidimeter	06120C020523 <input type="checkbox"/> 07110C026405 <input checked="" type="checkbox"/>	TAB	< 0.4 20 100 800	23.5 100 761	
<input checked="" type="checkbox"/> Sp. Cond. meter	uS mS	25 ⁰⁰	Myron L Company Ultra Meter 6P	606987 <input type="checkbox"/> 6212375 <input checked="" type="checkbox"/>	TAB	1413 mS @ 25 °C	1413	1413
<input type="checkbox"/> PID	ppm		MinRAE 2000			open air zero ____ ppm Iso. Gas		MIBK response factor = 1.0
<input checked="" type="checkbox"/> Dissolved Oxygen	ppm	0.6 ⁰⁰	HACH Model HQ30d			100% Satuartion		
<input type="checkbox"/> Particulate meter	mg/m ³					zero air		
<input type="checkbox"/> Oxygen	%					open air		
<input type="checkbox"/> Hydrogen sulfide	ppm					open air		
<input type="checkbox"/> Carbon monoxide	ppm					open air		
<input type="checkbox"/> LEL	%					open air		
<input type="checkbox"/> Radiation Meter	uR/H					background area		
<input type="checkbox"/>								

ADDITIONAL REMARKS:

PREPARED BY: TAB

DATE: 5/25/14



GROUNDWATER FIELD FORM

Project Name: Elliott Development
 Location: 517 Minger St

Date: 5/25/10
 Field Team: SAB

Project No.:

Well No. <u>MW-5</u>		Diameter (inches): <u>2"</u>		Sample Date / Time: <u>5/25/10</u>					
Product Depth (fbTOR): <u>-</u>		Water Column (ft): <u>12.0</u>		DTW when sampled:					
DTW (static) (fbTOR): <u>4.63</u>		One Well Volume (gal): <u>1.95</u>		Purpose: <input type="checkbox"/> Development <input type="checkbox"/> Sample <input checked="" type="checkbox"/> Purge & Sample					
Total Depth (fbTOR): <u>16.63</u>		Total Volume Purged (gal):		Purge Method: <u>3cuberside pump</u>					
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
927	0 Initial	7.25	6.80	15.1	2927	69.2	2.56	-29	2 Turbid
129	1 4.89	.25	7.04	16.6	2407	90.7	2.09	-68	"
	2 5.04	7.5	7.17	16.7	2788	63.1	2.79	-85	"
937	3 5.21	.5	7.17	16.4	2960	46.1	2.55	-84	"
946	4 5.31	7.75	7.21	17.0	2912	70.8	2.89	-80	"
	5		7.21						
	6								
	7								
	8								
	9								
	10								
Sample Information:									
946	S1 5.39	.75	7.21	17.0	2875	23.6	2.96	-71	"
956	S2 5.89	1.25	7.17	17.2	2662	14.7	2.87	-60	"

Well No. <u>MW-6</u>		Diameter (inches): <u>2"</u>		Sample Date / Time:					
Product Depth (fbTOR):		Water Column (ft): <u>10.04</u>		DTW when sampled:					
DTW (static) (fbTOR): <u>7.03</u>		One Well Volume (gal): <u>1.63</u>		Purpose: <input type="checkbox"/> Development <input type="checkbox"/> Sample <input type="checkbox"/> Purge & Sample					
Total Depth (fbTOR): <u>17.07</u>		Total Volume Purged (gal):		Purge Method:					
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
1020	0 Initial	7.25	7.22	15.4	1397	>1000	1.86	-57	Turbid
1022	1 7.41	.25	7.23	16.6	1363	>1000	2.07	-40	"
1025	2 7.59	2.50	7.28	16.9	6581	>1000	2.45	-30	"
1028	3 7.79	2.50	7.17	16.3	1548	>1000	2.15	-3	"
1031	4 8.06	4.0	7.22	15.9	1475	262	2.37	29	"
	5								
	6								
	7								
	8								
	9								
	10								
Sample Information:									
1034	S1 8.32	6.25	7.23	16.2	1453	124	2.55	43	"
1042	S2 8.51	6.50	7.23	17.5	1453	72.6	2.84	32	"

REMARKS: MW-5 MS/MSD TAKEN
MW-6 BO TAKEN

Volume Calculation		Stabilization Criteria	
Diam.	Vol. (g/ft)	Parameter	Criteria
1"	0.041	pH	± 0.1 unit
2"	0.163	SC	± 3%
4"	0.653	Turbidity	± 10%
6"	1.469	DO	± 0.3 mg/L
		ORP	± 10 mV

Note: All measurements are in feet, distance from top of riser.

PREPARED BY: TATB



GROUNDWATER FIELD FORM

Project Name: 517 Niagara St
 Location: 517 Niagara St

Date: 5/25/10
 Field Team: TAB

Well No. <u>MW-1</u>			Diameter (inches): <u>2"</u>			Sample Date / Time: <u>5/25/10 1115</u>			
Product Depth (fbTOR):			Water Column (ft): <u>10.34</u>			DTW when sampled:			
DTW (static) (fbTOR): <u>2.65</u>			One Well Volume (gal): <u>1.68</u>			Purpose: <input type="checkbox"/> Development <input type="checkbox"/> Sample <input checked="" type="checkbox"/> Purge & Sample			
Total Depth (fbTOR): <u>17.99</u>			Total Volume Purged (gal):			Purge Method: <u>Submersible pump</u>			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
1105	0 Initial	2.25	7.73	19.8	1524	266	3.0	-93	Reddish brown
1108	1 8.41	.25	7.50	17.6	1616	442	2.74	-103	"
1111	2 8.39	.5	7.47	16.2	1621	67.0	2.33	-109	sl turb
1114	3 8.34	.75	7.47	15.8	1621	73.2	2.38	-110	"
4									
5									
6									
7									
8									
9									
10									
Sample Information:									
1115	S1 8.46	1.0	7.46	15.6	1619	21.9	2.18	-112	"
	S2								

Well No. <u>MW-2</u>			Diameter (inches): <u>2"</u>			Sample Date / Time: <u>5/25/10</u>			
Product Depth (fbTOR): <u>-</u>			Water Column (ft): <u>3.22</u>			DTW when sampled:			
DTW (static) (fbTOR): <u>15.50</u>			One Well Volume (gal): <u>0.52</u>			Purpose: <input type="checkbox"/> Development <input type="checkbox"/> Sample <input checked="" type="checkbox"/> Purge & Sample			
Total Depth (fbTOR): <u>18.72</u>			Total Volume Purged (gal):			Purge Method:			
Time	Water Level (fbTOR)	Acc. Volume (gallons)	pH (units)	Temp. (deg. C)	SC (uS)	Turbidity (NTU)	DO (mg/L)	ORP (mV)	Appearance & Odor
1138	0 Initial	2.25	7.71	20.4	15.1	7100	2.49	-2	Brown and red
1141	1 65.89	.25	7.59	17.6	15.3	7100	2.81	14	"
1144	2 16.03	.50	7.60	19.2	1570	282	2.97	15	"
1148	3 16.21	.50	7.44	17.6	1628	96.0	3.05	19	"
1150	4 16.31	.75	7.42	17.0	1662	51.2	3.17	22	"
1153	5 16.66	.75	7.44	16.9	1677	30.2	3.11	25	"
6									
7									
8									
9									
10									
Sample Information:									
1155	S1 16.85	>1.0	7.51	16.6	1663	10.5	2.87	27	"
	S2								

REMARKS:

Volume Calculation

Diam.	Vol. (g/ft)
1"	0.041
2"	0.163
4"	0.653
6"	1.469

Stabilization Criteria

Parameter	Criteria
pH	± 0.1 unit
SC	± 3%
Turbidity	± 10%
DO	± 0.3 mg/L
ORP	± 10 mV

Note: All measurements are in feet, distance from top of riser.

PREPARED BY: TAB

ATTACHMENT 2

LABORATORY ANALYTICAL DATA
MAY 2010 SAMPLING EVENT

Analytical Report

Work Order: RTE1305

Project Description

Benchmark - Niagara St. site

For:

Mike Lesakowski

Benchmark Environmental & Engineering Science

2558 Hamburg Turnpike, Suite 300

Lackawanna, NY 14218



Brian Fischer

Project Manager

Brian.Fischer@testamericainc.com

Friday, June 4, 2010

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exception to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project manager who has signed this report.

TestAmerica Buffalo Current Certifications

As of 04/16/2010

STATE	Program	Cert # / Lab ID
Arkansas	CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA, NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP, SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
North Dakota	CWA, RCRA	R-176
Oklahoma	CWA, RCRA	9421
Pennsylvania*	NELAP CWA, RCRA	68-00281
Tennessee	SDWA	02970
Texas*	NELAP CWA, RCRA	T104704412-08-TX
USDA	FOREIGN SOIL PERMIT	S-41579
Virginia	SDWA	278
Washington*	NELAP CWA, RCRA	C1677
Wisconsin	CWA, RCRA	998310390
West Virginia	CWA, RCRA	252

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305

Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

CASE NARRATIVE

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. field-pH), they were not analyzed immediately, but as soon as possible after laboratory receipt.

A pertinent document is appended to this report, 1 page, is included and is an integral part of this report.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our Laboratory.

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305

Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

DATA QUALIFIERS AND DEFINITIONS

- D08** Dilution required due to high concentration of target analyte(s)
- J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- NR** Any inclusion of NR indicates that the project specific requirements do not require reporting estimated values below the laboratory reporting limit.

Benchmark Environmental & Engineering Science
 2558 Hamburg Turnpike, Suite 300
 Lackawanna, NY 14218

Work Order: RTE1305
 Project: Benchmark - Niagara St. site
 Project Number: TURN

Received: 05/26/10
 Reported: 06/04/10 10:39

Executive Summary - Detections

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-01 (MW-1 - Water)					Sampled: 05/25/10 11:15			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,3,5-Trimethylbenzene	83		1.0	0.77	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
p-Cymene	9.8		1.0	0.31	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
Isopropylbenzene	95		1.0	0.79	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
n-Butylbenzene	12		1.0	0.64	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
o-Xylene	33		1.0	0.76	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
sec-Butylbenzene	12		1.0	0.75	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
tert-Butylbenzene	0.96	J	1.0	0.81	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
Toluene	29		1.0	0.51	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
Sample ID: RTE1305-01RE1 (MW-1 - Water)					Sampled: 05/25/10 11:15			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,2,4-Trimethylbenzene	780	D08	20	15	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Benzene	560	D08	20	8.2	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Ethylbenzene	1700	D08	20	15	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
m-Xylene & p-Xylene	1200	D08	40	13	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
n-Propylbenzene	290	D08	20	14	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Xylenes, total	1200	D08	40	13	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Sample ID: RTE1305-02 (MW-2 - Water)					Sampled: 05/25/10 11:55			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
Benzene	1.1		1.0	0.41	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Ethylbenzene	1.1		1.0	0.74	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Methyl-t-Butyl Ether (MTBE)	5.1		1.0	0.16	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

Sample Summary

Sample Identification	Lab Number	Client Matrix	Date/Time Sampled	Date/Time Received	Sample Qualifiers
MW-1	RTE1305-01	Water	05/25/10 11:15	05/26/10 13:00	
MW-2	RTE1305-02	Water	05/25/10 11:55	05/26/10 13:00	
MW-5	RTE1305-03	Water	05/25/10 09:46	05/26/10 13:00	
MW-6	RTE1305-06	Water	05/25/10 10:34	05/26/10 13:00	
BLIND DUP	RTE1305-07	Water	05/25/10 12:00	05/26/10 13:00	
EQUIPMENT BLANK	RTE1305-08	Water	05/25/10 08:00	05/26/10 13:00	
TRIP BLANK	RTE1305-09	Water	05/25/10	05/26/10 13:00	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-01 (MW-1 - Water)					Sampled: 05/25/10 11:15			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,3,5-Trimethylbenzene	83		1.0	0.77	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
p-Cymene	9.8		1.0	0.31	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
Isopropylbenzene	95		1.0	0.79	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
n-Butylbenzene	12		1.0	0.64	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
o-Xylene	33		1.0	0.76	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
sec-Butylbenzene	12		1.0	0.75	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
tert-Butylbenzene	0.96	J	1.0	0.81	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
Toluene	29		1.0	0.51	ug/L	1.00	06/02/10 15:37	LH	10F0122	8260B
1,2-Dichloroethane-d4	102 %		<i>Surr Limits: (66-137%)</i>				06/02/10 15:37	LH	10F0122	8260B
4-Bromofluorobenzene	94 %		<i>Surr Limits: (73-120%)</i>				06/02/10 15:37	LH	10F0122	8260B
Toluene-d8	96 %		<i>Surr Limits: (71-126%)</i>				06/02/10 15:37	LH	10F0122	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-01RE1 (MW-1 - Water)					Sampled: 05/25/10 11:15			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,2,4-Trimethylbenzene	780	D08	20	15	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Benzene	560	D08	20	8.2	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Ethylbenzene	1700	D08	20	15	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
m-Xylene & p-Xylene	1200	D08	40	13	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
n-Propylbenzene	290	D08	20	14	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
Xylenes, total	1200	D08	40	13	ug/L	20.0	06/03/10 12:34	LH	10F0230	8260B
1,2-Dichloroethane-d4	90 %	D08	Surr Limits: (66-137%)				06/03/10 12:34	LH	10F0230	8260B
4-Bromofluorobenzene	95 %	D08	Surr Limits: (73-120%)				06/03/10 12:34	LH	10F0230	8260B
Toluene-d8	96 %	D08	Surr Limits: (71-126%)				06/03/10 12:34	LH	10F0230	8260B

Benchmark Environmental & Engineering Science
 2558 Hamburg Turnpike, Suite 300
 Lackawanna, NY 14218

Work Order: RTE1305
 Project: Benchmark - Niagara St. site
 Project Number: TURN

Received: 05/26/10
 Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-02 (MW-2 - Water)						Sampled: 05/25/10 11:55		Recvd: 05/26/10 13:00		
Volatile Organic Compounds by EPA 8260B										
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Benzene	1.1		1.0	0.41	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Ethylbenzene	1.1		1.0	0.74	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Methyl-t-Butyl Ether (MTBE)	5.1		1.0	0.16	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/03/10 13:00	LH	10F0230	8260B
1,2-Dichloroethane-d4	90 %		Surr Limits: (66-137%)				06/03/10 13:00	LH	10F0230	8260B
4-Bromofluorobenzene	93 %		Surr Limits: (73-120%)				06/03/10 13:00	LH	10F0230	8260B
Toluene-d8	97 %		Surr Limits: (71-126%)				06/03/10 13:00	LH	10F0230	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-03 (MW-5 - Water)						Sampled: 05/25/10 09:46		Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/02/10 16:28	LH	10F0122	8260B
1,2-Dichloroethane-d4	91 %		<i>Surr Limits: (66-137%)</i>				06/02/10 16:28	LH	10F0122	8260B
4-Bromofluorobenzene	93 %		<i>Surr Limits: (73-120%)</i>				06/02/10 16:28	LH	10F0122	8260B
Toluene-d8	96 %		<i>Surr Limits: (71-126%)</i>				06/02/10 16:28	LH	10F0122	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-06 (MW-6 - Water)					Sampled: 05/25/10 10:34			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/02/10 17:45	LH	10F0122	8260B
1,2-Dichloroethane-d4	94 %		<i>Surr Limits: (66-137%)</i>				06/02/10 17:45	LH	10F0122	8260B
4-Bromofluorobenzene	95 %		<i>Surr Limits: (73-120%)</i>				06/02/10 17:45	LH	10F0122	8260B
Toluene-d8	99 %		<i>Surr Limits: (71-126%)</i>				06/02/10 17:45	LH	10F0122	8260B

Benchmark Environmental & Engineering Science
 2558 Hamburg Turnpike, Suite 300
 Lackawanna, NY 14218

Work Order: RTE1305
 Project: Benchmark - Niagara St. site
 Project Number: TURN

Received: 05/26/10
 Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-07 (BLIND DUP - Water)						Sampled: 05/25/10 12:00		Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/02/10 18:11	LH	10F0122	8260B
1,2-Dichloroethane-d4	87 %		<i>Surr Limits: (66-137%)</i>				06/02/10 18:11	LH	10F0122	8260B
4-Bromofluorobenzene	92 %		<i>Surr Limits: (73-120%)</i>				06/02/10 18:11	LH	10F0122	8260B
Toluene-d8	95 %		<i>Surr Limits: (71-126%)</i>				06/02/10 18:11	LH	10F0122	8260B

Benchmark Environmental & Engineering Science
 2558 Hamburg Turnpike, Suite 300
 Lackawanna, NY 14218

Work Order: RTE1305
 Project: Benchmark - Niagara St. site
 Project Number: TURN

Received: 05/26/10
 Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-08 (EQUIPMENT BLANK - Water)					Sampled: 05/25/10 08:00			Recvd: 05/26/10 13:00		

Volatile Organic Compounds by EPA 8260B

1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/02/10 18:36	LH	10F0122	8260B
1,2-Dichloroethane-d4	89 %		Surr Limits: (66-137%)				06/02/10 18:36	LH	10F0122	8260B
4-Bromofluorobenzene	94 %		Surr Limits: (73-120%)				06/02/10 18:36	LH	10F0122	8260B
Toluene-d8	96 %		Surr Limits: (71-126%)				06/02/10 18:36	LH	10F0122	8260B

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

Analytical Report

Analyte	Sample Result	Data Qualifiers	RL	MDL	Units	Dil Fac	Date Analyzed	Lab Tech	Batch	Method
Sample ID: RTE1305-09 (TRIP BLANK - Water)					Sampled: 05/25/10			Recvd: 05/26/10 13:00		
<u>Volatile Organic Compounds by EPA 8260B</u>										
1,2,4-Trimethylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
1,3,5-Trimethylbenzene	ND		1.0	0.77	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
p-Cymene	ND		1.0	0.31	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
Benzene	ND		1.0	0.41	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
Ethylbenzene	ND		1.0	0.74	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
Isopropylbenzene	ND		1.0	0.79	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
Methyl-t-Butyl Ether (MTBE)	ND		1.0	0.16	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
m-Xylene & p-Xylene	ND		2.0	0.66	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
n-Butylbenzene	ND		1.0	0.64	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
n-Propylbenzene	ND		1.0	0.69	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
o-Xylene	ND		1.0	0.76	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
sec-Butylbenzene	ND		1.0	0.75	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
tert-Butylbenzene	ND		1.0	0.81	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
Toluene	ND		1.0	0.51	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
Xylenes, total	ND		2.0	0.66	ug/L	1.00	06/02/10 19:02	LH	10F0122	8260B
1,2-Dichloroethane-d4	90 %		Surr Limits: (66-137%)				06/02/10 19:02	LH	10F0122	8260B
4-Bromofluorobenzene	93 %		Surr Limits: (73-120%)				06/02/10 19:02	LH	10F0122	8260B
Toluene-d8	97 %		Surr Limits: (71-126%)				06/02/10 19:02	LH	10F0122	8260B

Benchmark Environmental & Engineering Science
 2558 Hamburg Turnpike, Suite 300
 Lackawanna, NY 14218

Work Order: RTE1305

Project: Benchmark - Niagara St. site
 Project Number: TURN

Received: 05/26/10

Reported: 06/04/10 10:39

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracte	Units	Extract Volume	Units	Date Prepared	Lab Tech	Extraction Method
Volatile Organic Compounds by EPA 8260B									
8260B	10F0230	RTE1305-01RE'	5.00	mL	5.00	mL	06/03/10 10:59	LCH	5030B MS
8260B	10F0230	RTE1305-02	5.00	mL	5.00	mL	06/03/10 10:59	LCH	5030B MS
8260B	10F0122	RTE1305-01	5.00	mL	5.00	mL	06/02/10 10:19	TRB	5030B MS
8260B	10F0122	RTE1305-03	5.00	mL	5.00	mL	06/02/10 10:19	TRB	5030B MS
8260B	10F0122	RTE1305-06	5.00	mL	5.00	mL	06/02/10 10:19	TRB	5030B MS
8260B	10F0122	RTE1305-07	5.00	mL	5.00	mL	06/02/10 10:19	TRB	5030B MS
8260B	10F0122	RTE1305-08	5.00	mL	5.00	mL	06/02/10 10:19	TRB	5030B MS
8260B	10F0122	RTE1305-09	5.00	mL	5.00	mL	06/02/10 10:19	TRB	5030B MS

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 06/02/10 (Lab Number:10F0122-BLK1, Batch: 10F0122)											
1,2,4-Trimethylbenzene			1.0	0.75	ug/L	ND					
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND					
p-Cymene			1.0	0.31	ug/L	ND					
Benzene			1.0	0.41	ug/L	ND					
Ethylbenzene			1.0	0.74	ug/L	ND					
Isopropylbenzene			1.0	0.79	ug/L	ND					
Methyl-t-Butyl Ether (MTBE)			1.0	0.16	ug/L	ND					
m-Xylene & p-Xylene			2.0	0.66	ug/L	ND					
n-Butylbenzene			1.0	0.64	ug/L	ND					
n-Propylbenzene			1.0	0.69	ug/L	ND					
o-Xylene			1.0	0.76	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND					
tert-Butylbenzene			1.0	0.81	ug/L	ND					
Toluene			1.0	0.51	ug/L	ND					
Xylenes, total			2.0	0.66	ug/L	ND					

<i>Surrogate:</i>					ug/L		88	66-137			
<i>1,2-Dichloroethane-d4</i>											
<i>Surrogate:</i>					ug/L		91	73-120			
<i>4-Bromofluorobenzene</i>											
<i>Surrogate: Toluene-d8</i>					ug/L		95	71-126			

LCS Analyzed: 06/02/10 (Lab Number:10F0122-BS1, Batch: 10F0122)

1,1,1,2-Tetrachloroethane			5.0	0.35	ug/L	ND		76-122			
1,1,1-Trichloroethane			5.0	0.82	ug/L	ND		73-126			
1,1,2,2-Tetrachloroethane			5.0	0.21	ug/L	ND		70-126			
1,1,2-Trichloroethane			5.0	0.23	ug/L	ND		76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane			5.0	0.31	ug/L	ND		60-140			
1,1-Dichloroethane		25.0	5.0	0.38	ug/L	24.0	96	71-129			
1,1-Dichloroethene		25.0	5.0	0.29	ug/L	24.8	99	65-138			
1,1-Dichloropropene			5.0	0.72	ug/L	ND		72-122			
1,1-Dimethoxyethane			5.0	1.6	ug/L	ND					
1,2,3-Trichlorobenzene			5.0	0.41	ug/L	ND		64-121			
1,2,3-Trichloropropane			5.0	0.89	ug/L	ND		68-131			
1,2,3-Trimethylbenzene			5.0	0.26	ug/L	ND					
1,2,4-Trichlorobenzene			5.0	0.41	ug/L	ND		70-122			
1,2,4-Trimethylbenzene		25.0	5.0	0.75	ug/L	23.6	95	76-121			
1,2-Dibromo-3-chloropropane			5.0	0.39	ug/L	ND		56-134			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
LCS Analyzed: 06/02/10 (Lab Number:10F0122-BS1, Batch: 10F0122)											
1,2-Dibromoethane			1.0	0.73	ug/L	ND		77-120			
1,2-Dichlorobenzene		25.0	5.0	0.79	ug/L	24.4	98	77-120			
1,2-Dichloroethane		25.0	5.0	0.21	ug/L	25.2	101	75-127			
1,2-Dichloroethene, Total			5.0	0.70	ug/L	47.8		72-124			
1,2-Dichloropropane			5.0	0.72	ug/L	ND		76-120			
1,3,5-Trichlorobenzene			5.0	0.23	ug/L	ND					
1,3,5-Trimethylbenzene			5.0	0.77	ug/L	ND		77-121			
1,3-Dichlorobenzene			5.0	0.78	ug/L	ND		77-120			
1,3-Dichloropropane			5.0	0.75	ug/L	ND		75-120			
1,3-Dichloropropene, Total			5.0	0.72	ug/L	ND		72-124			
1,4-Dichlorobenzene			1.0	0.84	ug/L	ND		75-120			
1,4-Dioxane			40	9.3	ug/L	ND					
2,2-Dichloropropane			5.0	0.40	ug/L	ND		63-136			
2-Butanone			10	1.3	ug/L	ND		57-140			
2-Chloroethyl vinyl ether			10	0.96	ug/L	ND		60-140			
2-Chlorotoluene			5.0	0.86	ug/L	ND		76-121			
2-Hexanone			10	1.2	ug/L	ND		65-127			
2-Methylthiophene			5.0	0.44	ug/L	ND					
3-Chlorotoluene			5.0	0.45	ug/L	ND					
3-Methylthiophene			5.0	0.53	ug/L	ND					
4-Chlorotoluene			5.0	0.84	ug/L	ND		77-121			
p-Cymene			1.0	0.31	ug/L	ND		73-120			
4-Methyl-2-pentanone			10	2.1	ug/L	ND		71-125			
Acetone			34	3.0	ug/L	ND		56-142			
Acetonitrile			40	26	ug/L	ND		60-140			
Acrolein			20	18	ug/L	ND		60-140			
Acrylonitrile			5.0	0.83	ug/L	ND		63-138			
Allyl chloride			5.0	0.44	ug/L	ND		60-140			
Benzene		25.0	5.0	0.41	ug/L	24.3	97	71-124			
Bromobenzene			5.0	0.80	ug/L	ND		78-120			
Bromochloromethane			5.0	0.87	ug/L	ND		72-130			
Bromodichloromethane			5.0	0.39	ug/L	ND		80-122			
Bromoform			5.0	0.26	ug/L	ND		66-128			
Bromomethane			5.0	0.69	ug/L	ND		36-150			
Carbon disulfide			5.0	0.19	ug/L	ND		59-134			
Carbon Tetrachloride			5.0	0.27	ug/L	ND		72-134			
Chlorobenzene		25.0	5.0	0.75	ug/L	24.7	99	72-120			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
LCS Analyzed: 06/02/10 (Lab Number:10F0122-BS1, Batch: 10F0122)											
Dibromochloromethane			5.0	0.32	ug/L	ND		75-125			
Chlorodifluoromethane			5.0	0.26	ug/L	ND					
Chloroethane			5.0	0.32	ug/L	ND		69-136			
Chloroform			5.0	0.34	ug/L	ND		73-127			
Chloromethane			5.0	0.35	ug/L	ND		49-142			
Chloroprene			5.0	0.49	ug/L	ND		60-140			
cis-1,2-Dichloroethene		25.0	5.0	0.81	ug/L	24.0	96	74-124			
cis-1,3-Dichloropropene			5.0	0.36	ug/L	ND		74-124			
Cyclohexane			5.0	0.18	ug/L	ND		70-130			
Cyclohexanone			10	5.2	ug/L	ND					
Dibromomethane			5.0	0.41	ug/L	ND		76-127			
Dichlorodifluoromethane			5.0	0.68	ug/L	ND		33-157			
Dichlorofluoromethane			5.0	0.34	ug/L	ND					
Dicyclopentadiene			5.0	0.22	ug/L	ND					
Diethyl ether			5.0	0.72	ug/L	ND					
Epichlorohydrin			20	8.4	ug/L	ND					
Ethyl Acetate			10	0.66	ug/L	ND					
Ethyl Methacrylate			5.0	0.59	ug/L	ND		60-140			
Ethyl tert-Butyl Ether			5.0	0.29	ug/L	ND		75-125			
Ethylbenzene		25.0	5.0	0.74	ug/L	24.7	99	77-123			
Heptane			20	0.42	ug/L	ND					
Hexachlorobutadiene			5.0	0.28	ug/L	ND		62-124			
Hexane			10	0.40	ug/L	ND					
Iodomethane			10	0.30	ug/L	ND		52-151			
Isobutanol			40	20	ug/L	ND		60-140			
Isopropyl alcohol			20	18	ug/L	ND					
Isopropyl ether			5.0	0.59	ug/L	ND		75-125			
Isopropylbenzene			5.0	0.79	ug/L	ND		77-122			
Methacrylonitrile			5.0	0.69	ug/L	ND		60-140			
Methyl Acetate			5.0	0.50	ug/L	ND		60-140			
Methyl Methacrylate			5.0	0.61	ug/L	ND		60-140			
Methyl-t-Butyl Ether (MTBE)		25.0	5.0	0.16	ug/L	26.3	105	64-127			
Methylcyclohexane			5.0	0.16	ug/L	ND		60-140			
Methylene Chloride			5.0	0.44	ug/L	1.61		57-132			J
m-Monochlorobenzotrifluoride			5.0	0.49	ug/L	ND					
m-Xylene & p-Xylene		50.0	5.0	0.66	ug/L	49.4	99	76-122			
n-Butanol			40	8.8	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
LCS Analyzed: 06/02/10 (Lab Number:10F0122-BS1, Batch: 10F0122)											
n-Butylbenzene			5.0	0.64	ug/L	ND		71-128			
n-Propylbenzene			5.0	0.69	ug/L	ND		77-120			
o-Monochlorobenzotrifluoride			5.0	0.50	ug/L	ND					
o-Xylene		25.0	5.0	0.76	ug/L	24.1	96	76-122			
Pentachloroethane			5.0	0.34	ug/L	ND					
p-Monochlorobenzotrifluoride			5.0	0.21	ug/L	ND					
Propionitrile			10	5.8	ug/L	ND		60-140			
Propylene Oxide			5.0	2.5	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND		74-127			
Styrene			5.0	0.73	ug/L	ND		70-130			
t-Amyl alcohol			5.0	1.0	ug/L	ND		75-125			
t-Butanol			20	14	ug/L	ND		75-125			
Tert-Amyl Methyl Ether			5.0	0.27	ug/L	ND		75-125			
tert-Butylbenzene			5.0	0.81	ug/L	ND		75-123			
Tetrachloroethene		25.0	5.0	0.36	ug/L	23.3	93	74-122			
Tetrahydrofuran			10	1.3	ug/L	ND		59.4-127			
Toluene		25.0	5.0	0.51	ug/L	24.2	97	70-122			
trans-1,2-Dichloroethene		25.0	5.0	0.90	ug/L	23.8	95	73-127			
trans-1,3-Dichloropropene			5.0	0.37	ug/L	ND		72-123			
trans-1,4-Dichloro-2-butene			5.0	2.1	ug/L	ND		38-155			
Trichloroethene		25.0	5.0	0.46	ug/L	24.8	99	74-123			
Trichlorofluoromethane			5.0	0.88	ug/L	ND		62-152			
Vinyl acetate			10	0.85	ug/L	ND		50-144			
Vinyl chloride			2.0	0.90	ug/L	ND		65-133			
Xylenes, total		75.0	5.0	0.66	ug/L	73.4	98	76-122			
2-Nitropropane			5.0	2.2	ug/L	ND					

<i>Surrogate:</i>					ug/L		92	66-137			
<i>1,2-Dichloroethane-d4</i>											
<i>Surrogate:</i>					ug/L		94	73-120			
<i>4-Bromofluorobenzene</i>											
<i>Surrogate: Toluene-d8</i>					ug/L		95	71-126			

Matrix Spike Analyzed: 06/02/10 (Lab Number:10F0122-MS1, Batch: 10F0122)

QC Source Sample: RTE1305-03

1,1,1,2-Tetrachloroethane	ND		5.0	0.35	ug/L	ND		76-122			
1,1,1-Trichloroethane	ND		5.0	0.82	ug/L	ND		73-126			
1,1,2,2-Tetrachloroethane	ND		5.0	0.21	ug/L	ND		70-126			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
Matrix Spike Analyzed: 06/02/10 (Lab Number:10F0122-MS1, Batch: 10F0122)											
QC Source Sample: RTE1305-03											
1,1,2-Trichloroethane	ND		5.0	0.23	ug/L	ND		76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	0.31	ug/L	ND		60-140			
1,1-Dichloroethane	ND	25.0	5.0	0.38	ug/L	26.4	106	71-129			
1,1-Dichloroethene	ND	25.0	5.0	0.29	ug/L	28.2	113	65-138			
1,1-Dichloropropene	ND		5.0	0.72	ug/L	ND		72-122			
1,1-Dimethoxyethane	ND		5.0	1.6	ug/L	ND					
1,2,3-Trichlorobenzene	ND		5.0	0.41	ug/L	ND		64-121			
1,2,3-Trichloropropane	ND		5.0	0.89	ug/L	ND		68-131			
1,2,3-Trimethylbenzene	ND		5.0	0.26	ug/L	ND					
1,2,4-Trichlorobenzene	ND		5.0	0.41	ug/L	ND		70-122			
1,2,4-Trimethylbenzene	ND	25.0	5.0	0.75	ug/L	26.1	104	76-121			
1,2-Dibromo-3-chloropropane	ND		5.0	0.39	ug/L	ND		56-134			
1,2-Dibromoethane	ND		1.0	0.73	ug/L	ND		77-120			
1,2-Dichlorobenzene	ND	25.0	5.0	0.79	ug/L	26.6	106	77-120			
1,2-Dichloroethane	ND	25.0	5.0	0.21	ug/L	26.3	105	75-127			
1,2-Dichloroethene, Total	ND		5.0	0.70	ug/L	52.6		72-124			
1,2-Dichloropropane	ND		5.0	0.72	ug/L	ND		76-120			
1,3,5-Trichlorobenzene	ND		5.0	0.23	ug/L	ND					
1,3,5-Trimethylbenzene	ND		5.0	0.77	ug/L	ND		77-121			
1,3-Dichlorobenzene	ND		5.0	0.78	ug/L	ND		77-120			
1,3-Dichloropropane	ND		5.0	0.75	ug/L	ND		75-120			
1,3-Dichloropropene, Total	ND		5.0	0.72	ug/L	ND		72-124			
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	ND		75-120			
1,4-Dioxane	ND		40	9.3	ug/L	ND					
2,2-Dichloropropane	ND		5.0	0.40	ug/L	ND		63-136			
2-Butanone	ND		10	1.3	ug/L	ND		57-140			
2-Chloroethyl vinyl ether	ND		10	0.96	ug/L	ND		60-140			
2-Chlorotoluene	ND		5.0	0.86	ug/L	ND		76-121			
2-Hexanone	ND		10	1.2	ug/L	ND		65-127			
2-Methylthiophene	ND		5.0	0.44	ug/L	ND					
3-Chlorotoluene	ND		5.0	0.45	ug/L	ND					
3-Methylthiophene	ND		5.0	0.53	ug/L	ND					
4-Chlorotoluene	ND		5.0	0.84	ug/L	ND		77-121			
p-Cymene	ND		1.0	0.31	ug/L	ND		73-120			
4-Methyl-2-pentanone	ND		10	2.1	ug/L	ND		71-125			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
Matrix Spike Analyzed: 06/02/10 (Lab Number:10F0122-MS1, Batch: 10F0122)											
QC Source Sample: RTE1305-03											
Acetone	ND		34	3.0	ug/L	ND		56-142			
Acetonitrile	ND		40	26	ug/L	ND		60-140			
Acrolein	ND		20	18	ug/L	ND		60-140			
Acrylonitrile	ND		5.0	0.83	ug/L	ND		63-138			
Allyl chloride	ND		5.0	0.44	ug/L	ND		60-140			
Benzene	ND	25.0	5.0	0.41	ug/L	27.2	109	71-124			
Bromobenzene	ND		5.0	0.80	ug/L	ND		78-120			
Bromochloromethane	ND		5.0	0.87	ug/L	ND		72-130			
Bromodichloromethane	ND		5.0	0.39	ug/L	ND		80-122			
Bromoform	ND		5.0	0.26	ug/L	ND		66-128			
Bromomethane	ND		5.0	0.69	ug/L	ND		36-150			
Carbon disulfide	ND		5.0	0.19	ug/L	ND		59-134			
Carbon Tetrachloride	ND		5.0	0.27	ug/L	ND		72-134			
Chlorobenzene	ND	25.0	5.0	0.75	ug/L	27.0	108	72-120			
Dibromochloromethane	ND		5.0	0.32	ug/L	ND		75-125			
Chlorodifluoromethane	ND		5.0	0.26	ug/L	ND					
Chloroethane	ND		5.0	0.32	ug/L	ND		69-136			
Chloroform	ND		5.0	0.34	ug/L	ND		73-127			
Chloromethane	ND		5.0	0.35	ug/L	ND		49-142			
Chloroprene	ND		5.0	0.49	ug/L	ND		60-140			
cis-1,2-Dichloroethene	ND	25.0	5.0	0.81	ug/L	26.7	107	74-124			
cis-1,3-Dichloropropene	ND		5.0	0.36	ug/L	ND		74-124			
Cyclohexane	ND		5.0	0.18	ug/L	ND		70-130			
Cyclohexanone	ND		10	5.2	ug/L	ND					
Dibromomethane	ND		5.0	0.41	ug/L	ND		76-127			
Dichlorodifluoromethane	ND		5.0	0.68	ug/L	ND		33-157			
Dichlorofluoromethane	ND		5.0	0.34	ug/L	ND					
Dicyclopentadiene	ND		5.0	0.22	ug/L	ND					
Diethyl ether	ND		5.0	0.72	ug/L	ND					
Epichlorohydrin	ND		20	8.4	ug/L	ND					
Ethyl Acetate	ND		10	0.66	ug/L	ND					
Ethyl Methacrylate	ND		5.0	0.59	ug/L	ND		60-140			
Ethyl tert-Butyl Ether	ND		5.0	0.29	ug/L	ND		75-125			
Ethylbenzene	ND	25.0	5.0	0.74	ug/L	27.6	110	77-123			
Heptane	ND		20	0.42	ug/L	ND					
Hexachlorobutadiene	ND		5.0	0.28	ug/L	ND		62-124			
Hexane	ND		10	0.40	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
Matrix Spike Analyzed: 06/02/10 (Lab Number:10F0122-MS1, Batch: 10F0122)											
QC Source Sample: RTE1305-03											
Iodomethane	ND		10	0.30	ug/L	ND		52-151			
Isobutanol	ND		40	20	ug/L	ND		60-140			
Isopropyl alcohol	ND		20	18	ug/L	ND					
Isopropyl ether	ND		5.0	0.59	ug/L	ND		75-125			
Isopropylbenzene	ND		5.0	0.79	ug/L	ND		77-122			
Methacrylonitrile	ND		5.0	0.69	ug/L	ND		60-140			
Methyl Acetate	ND		5.0	0.50	ug/L	ND		60-140			
Methyl Methacrylate	ND		5.0	0.61	ug/L	ND		60-140			
Methyl-t-Butyl Ether (MTBE)	ND	25.0	5.0	0.16	ug/L	26.9	108	64-127			
Methylcyclohexane	ND		5.0	0.16	ug/L	ND		60-140			
Methylene Chloride	ND		5.0	0.44	ug/L	ND		57-132			
m-Monochlorobenzotrifluoride	ND		5.0	0.49	ug/L	ND					
m-Xylene & p-Xylene	ND	50.0	5.0	0.66	ug/L	54.9	110	76-122			
n-Butanol	ND		40	8.8	ug/L	ND					
n-Butylbenzene	ND		5.0	0.64	ug/L	ND		71-128			
n-Propylbenzene	ND		5.0	0.69	ug/L	ND		77-120			
o-Monochlorobenzotrifluoride	ND		5.0	0.50	ug/L	ND					
o-Xylene	ND	25.0	5.0	0.76	ug/L	26.3	105	76-122			
Pentachloroethane	ND		5.0	0.34	ug/L	ND					
p-Monochlorobenzotrifluoride	ND		5.0	0.21	ug/L	ND					
Propionitrile	ND		10	5.8	ug/L	ND		60-140			
Propylene Oxide	ND		5.0	2.5	ug/L	ND					
sec-Butylbenzene	ND		1.0	0.75	ug/L	ND		74-127			
Styrene	ND		5.0	0.73	ug/L	ND		70-130			
t-Amyl alcohol	ND		5.0	1.0	ug/L	ND		75-125			
t-Butanol	ND		20	14	ug/L	ND		75-125			
Tert-Amyl Methyl Ether	ND		5.0	0.27	ug/L	ND		75-125			
tert-Butylbenzene	ND		5.0	0.81	ug/L	ND		75-123			
Tetrachloroethene	ND	25.0	5.0	0.36	ug/L	26.0	104	74-122			
Tetrahydrofuran	ND		10	1.3	ug/L	ND		44.9-144			
Toluene	ND	25.0	5.0	0.51	ug/L	26.7	107	70-122			
trans-1,2-Dichloroethene	ND	25.0	5.0	0.90	ug/L	25.9	103	73-127			
trans-1,3-Dichloropropene	ND		5.0	0.37	ug/L	ND		72-123			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
---------	---------------	-------------	----	-----	-------	--------	-------	--------------	-------	-----------	-----------------

Volatile Organic Compounds by EPA 8260B

Matrix Spike Analyzed: 06/02/10 (Lab Number:10F0122-MS1, Batch: 10F0122)

QC Source Sample: RTE1305-03

trans-1,4-Dichloro-2-butene	ND		5.0	2.1	ug/L	ND		38-155			
Trichloroethene	ND	25.0	5.0	0.46	ug/L	27.4	109	74-123			
Trichlorofluoromethane	ND		5.0	0.88	ug/L	ND		62-152			
Vinyl acetate	ND		10	0.85	ug/L	ND		50-144			
Vinyl chloride	ND		2.0	0.90	ug/L	ND		65-133			
Xylenes, total	ND	75.0	5.0	0.66	ug/L	81.2	108	76-122			
2-Nitropropane	ND		5.0	2.2	ug/L	ND					

Surrogate:					ug/L		92	66-137			
1,2-Dichloroethane-d4					ug/L		96	73-120			
Surrogate:					ug/L		98	71-126			
4-Bromofluorobenzene					ug/L						
Surrogate: Toluene-d8					ug/L						

Matrix Spike Dup Analyzed: 06/02/10 (Lab Number:10F0122-MSD1, Batch: 10F0122)

QC Source Sample: RTE1305-03

1,1,1,2-Tetrachloroethane	ND		5.0	0.35	ug/L	ND		76-122		20	
1,1,1-Trichloroethane	ND		5.0	0.82	ug/L	ND		73-126		15	
1,1,2,2-Tetrachloroethane	ND		5.0	0.21	ug/L	ND		70-126		15	
1,1,2-Trichloroethane	ND		5.0	0.23	ug/L	ND		76-122		15	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	0.31	ug/L	ND		60-140		20	
1,1-Dichloroethane	ND	25.0	5.0	0.38	ug/L	26.8	107	71-129	1	20	
1,1-Dichloroethene	ND	25.0	5.0	0.29	ug/L	28.1	112	65-138	0.4	16	
1,1-Dichloropropene	ND		5.0	0.72	ug/L	ND		72-122		20	
1,1-Dimethoxyethane	ND		5.0	1.6	ug/L	ND					
1,2,3-Trichlorobenzene	ND		5.0	0.41	ug/L	ND		64-121		20	
1,2,3-Trichloropropane	ND		5.0	0.89	ug/L	ND		68-131		14	
1,2,3-Trimethylbenzene	ND		5.0	0.26	ug/L	ND					
1,2,4-Trichlorobenzene	ND		5.0	0.41	ug/L	ND		70-122		20	
1,2,4-Trimethylbenzene	ND	25.0	5.0	0.75	ug/L	26.2	105	76-121	0.6	20	
1,2-Dibromo-3-chloropropane	ND		5.0	0.39	ug/L	ND		56-134		15	
1,2-Dibromoethane	ND		1.0	0.73	ug/L	ND		77-120		15	
1,2-Dichlorobenzene	ND	25.0	5.0	0.79	ug/L	26.6	106	77-120	0.1	20	
1,2-Dichloroethane	ND	25.0	5.0	0.21	ug/L	26.7	107	75-127	2	20	
1,2-Dichloroethene, Total	ND		5.0	0.70	ug/L	53.5		72-124	2	20	
1,2-Dichloropropane	ND		5.0	0.72	ug/L	ND		76-120		20	
1,3,5-Trichlorobenzene	ND		5.0	0.23	ug/L	ND					
1,3,5-Trimethylbenzene	ND		5.0	0.77	ug/L	ND		77-121		20	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305

Project: Benchmark - Niagara St. site

Project Number: TURN

Received: 05/26/10

Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
Matrix Spike Dup Analyzed: 06/02/10 (Lab Number:10F0122-MSD1, Batch: 10F0122)											
QC Source Sample: RTE1305-03											
1,3-Dichlorobenzene	ND		5.0	0.78	ug/L	ND		77-120		20	
1,3-Dichloropropane	ND		5.0	0.75	ug/L	ND		75-120		20	
1,3-Dichloropropene, Total	ND		5.0	0.72	ug/L	ND		72-124		15	
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L	ND		75-120		20	
1,4-Dioxane	ND		40	9.3	ug/L	ND					
2,2-Dichloropropane	ND		5.0	0.40	ug/L	ND		63-136		20	
2-Butanone	ND		10	1.3	ug/L	ND		57-140		20	
2-Chloroethyl vinyl ether	ND		10	0.96	ug/L	ND		60-140		20	
2-Chlorotoluene	ND		5.0	0.86	ug/L	ND		76-121		20	
2-Hexanone	ND		10	1.2	ug/L	ND		65-127		15	
2-Methylthiophene	ND		5.0	0.44	ug/L	ND					
3-Chlorotoluene	ND		5.0	0.45	ug/L	ND					
3-Methylthiophene	ND		5.0	0.53	ug/L	ND					
4-Chlorotoluene	ND		5.0	0.84	ug/L	ND		77-121		15	
p-Cymene	ND		1.0	0.31	ug/L	ND		73-120		20	
4-Methyl-2-pentanone	ND		10	2.1	ug/L	ND		71-125		35	
Acetone	ND		34	3.0	ug/L	ND		56-142		15	
Acetonitrile	ND		40	26	ug/L	ND		60-140		20	
Acrolein	ND		20	18	ug/L	ND		60-140		20	
Acrylonitrile	ND		5.0	0.83	ug/L	ND		63-138		20	
Allyl chloride	ND		5.0	0.44	ug/L	ND		60-140		20	
Benzene	ND	25.0	5.0	0.41	ug/L	27.2	109	71-124	0.04	13	
Bromobenzene	ND		5.0	0.80	ug/L	ND		78-120		15	
Bromochloromethane	ND		5.0	0.87	ug/L	ND		72-130		15	
Bromodichloromethane	ND		5.0	0.39	ug/L	ND		80-122		15	
Bromoform	ND		5.0	0.26	ug/L	ND		66-128		15	
Bromomethane	ND		5.0	0.69	ug/L	ND		36-150		15	
Carbon disulfide	ND		5.0	0.19	ug/L	ND		59-134		15	
Carbon Tetrachloride	ND		5.0	0.27	ug/L	ND		72-134		15	
Chlorobenzene	ND	25.0	5.0	0.75	ug/L	27.1	108	72-120	0.4	25	
Dibromochloromethane	ND		5.0	0.32	ug/L	ND		75-125		15	
Chlorodifluoromethane	ND		5.0	0.26	ug/L	ND					
Chloroethane	ND		5.0	0.32	ug/L	ND		69-136		15	
Chloroform	ND		5.0	0.34	ug/L	ND		73-127		20	
Chloromethane	ND		5.0	0.35	ug/L	ND		49-142		15	
Chloroprene	ND		5.0	0.49	ug/L	ND		60-140		20	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
Matrix Spike Dup Analyzed: 06/02/10 (Lab Number:10F0122-MSD1, Batch: 10F0122)											
QC Source Sample: RTE1305-03											
cis-1,2-Dichloroethene	ND	25.0	5.0	0.81	ug/L	26.6	107	74-124	0.3	15	
cis-1,3-Dichloropropene	ND		5.0	0.36	ug/L	ND		74-124		15	
Cyclohexane	ND		5.0	0.18	ug/L	ND		70-130		20	
Cyclohexanone	ND		10	5.2	ug/L	ND					
Dibromomethane	ND		5.0	0.41	ug/L	ND		76-127		15	
Dichlorodifluoromethane	ND		5.0	0.68	ug/L	ND		33-157		20	
Dichlorofluoromethane	ND		5.0	0.34	ug/L	ND					
Dicyclopentadiene	ND		5.0	0.22	ug/L	ND					
Diethyl ether	ND		5.0	0.72	ug/L	ND					
Epichlorohydrin	ND		20	8.4	ug/L	ND					
Ethyl Acetate	ND		10	0.66	ug/L	ND					
Ethyl Methacrylate	ND		5.0	0.59	ug/L	ND		60-140		20	
Ethyl tert-Butyl Ether	ND		5.0	0.29	ug/L	ND		75-125		15	
Ethylbenzene	ND	25.0	5.0	0.74	ug/L	27.5	110	77-123	0.4	15	
Heptane	ND		20	0.42	ug/L	ND					
Hexachlorobutadiene	ND		5.0	0.28	ug/L	ND		62-124		20	
Hexane	ND		10	0.40	ug/L	ND					
Iodomethane	ND		10	0.30	ug/L	ND		52-151		20	
Isobutanol	ND		40	20	ug/L	ND		60-140		20	
Isopropyl alcohol	ND		20	18	ug/L	ND					
Isopropyl ether	ND		5.0	0.59	ug/L	ND		75-125		15	
Isopropylbenzene	ND		5.0	0.79	ug/L	ND		77-122		20	
Methacrylonitrile	ND		5.0	0.69	ug/L	ND		60-140		20	
Methyl Acetate	ND		5.0	0.50	ug/L	ND		60-140		20	
Methyl Methacrylate	ND		5.0	0.61	ug/L	ND		60-140		20	
Methyl-t-Butyl Ether (MTBE)	ND	25.0	5.0	0.16	ug/L	26.8	107	64-127	0.3	37	
Methylcyclohexane	ND		5.0	0.16	ug/L	ND		60-140		20	
Methylene Chloride	ND		5.0	0.44	ug/L	ND		57-132		15	
m-Monochlorobenzotrifluoride	ND		5.0	0.49	ug/L	ND					
m-Xylene & p-Xylene	ND	50.0	5.0	0.66	ug/L	54.6	109	76-122	0.7	16	
n-Butanol	ND		40	8.8	ug/L	ND					
n-Butylbenzene	ND		5.0	0.64	ug/L	ND		71-128		15	
n-Propylbenzene	ND		5.0	0.69	ug/L	ND		77-120		15	
o-Monochlorobenzotrifluoride	ND		5.0	0.50	ug/L	ND					
o-Xylene	ND	25.0	5.0	0.76	ug/L	26.4	106	76-122	0.5	16	

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
---------	---------------	-------------	----	-----	-------	--------	-------	--------------	-------	-----------	-----------------

Volatile Organic Compounds by EPA 8260B

Matrix Spike Dup Analyzed: 06/02/10 (Lab Number:10F0122-MSD1, Batch: 10F0122)

QC Source Sample: RTE1305-03

Pentachloroethane	ND		5.0	0.34	ug/L	ND					
p-Monochlorobenzotrifluoride	ND		5.0	0.21	ug/L	ND					
Propionitrile	ND		10	5.8	ug/L	ND		60-140		20	
Propylene Oxide	ND		5.0	2.5	ug/L	ND					
sec-Butylbenzene	ND		1.0	0.75	ug/L	ND		74-127		15	
Styrene	ND		5.0	0.73	ug/L	ND		70-130		20	
t-Amyl alcohol	ND		5.0	1.0	ug/L	ND		75-125		15	
t-Butanol	ND		20	14	ug/L	ND		75-125		15	
Tert-Amyl Methyl Ether	ND		5.0	0.27	ug/L	ND		75-125		15	
tert-Butylbenzene	ND		5.0	0.81	ug/L	ND		75-123		15	
Tetrachloroethene	ND	25.0	5.0	0.36	ug/L	26.0	104	74-122	0.2	20	
Tetrahydrofuran	ND		10	1.3	ug/L	ND		44.9-144		25	
Toluene	ND	25.0	5.0	0.51	ug/L	26.8	107	70-122	0.6	15	
trans-1,2-Dichloroethene	ND	25.0	5.0	0.90	ug/L	26.8	107	73-127	4	20	
trans-1,3-Dichloropropene	ND		5.0	0.37	ug/L	ND		72-123		15	
trans-1,4-Dichloro-2-butene	ND		5.0	2.1	ug/L	ND		38-155		20	
Trichloroethene	ND	25.0	5.0	0.46	ug/L	27.6	110	74-123	0.7	16	
Trichlorofluoromethane	ND		5.0	0.88	ug/L	ND		62-152		20	
Vinyl acetate	ND		10	0.85	ug/L	ND		50-144		23	
Vinyl chloride	ND		2.0	0.90	ug/L	ND		65-133		15	
Xylenes, total	ND	75.0	5.0	0.66	ug/L	81.0	108	76-122	0.3	16	
2-Nitropropane	ND		5.0	2.2	ug/L	ND					

Surrogate: 1,2-Dichloroethane-d4					ug/L		93	66-137			
Surrogate: 4-Bromofluorobenzene					ug/L		95	73-120			
Surrogate: Toluene-d8					ug/L		98	71-126			

Volatile Organic Compounds by EPA 8260B

Blank Analyzed: 06/03/10 (Lab Number:10F0230-BLK1, Batch: 10F0230)

1,2,4-Trimethylbenzene			1.0	0.75	ug/L	ND					
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND					
p-Cymene			1.0	0.31	ug/L	ND					
Benzene			1.0	0.41	ug/L	ND					
Ethylbenzene			1.0	0.74	ug/L	ND					
Isopropylbenzene			1.0	0.79	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
Volatile Organic Compounds by EPA 8260B											
Blank Analyzed: 06/03/10 (Lab Number:10F0230-BLK1, Batch: 10F0230)											
Methyl-t-Butyl Ether (MTBE)			1.0	0.16	ug/L	ND					
m-Xylene & p-Xylene			2.0	0.66	ug/L	ND					
n-Butylbenzene			1.0	0.64	ug/L	ND					
n-Propylbenzene			1.0	0.69	ug/L	ND					
o-Xylene			1.0	0.76	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND					
tert-Butylbenzene			1.0	0.81	ug/L	ND					
Toluene			1.0	0.51	ug/L	ND					
Xylenes, total			2.0	0.66	ug/L	ND					
<i>Surrogate:</i>					<i>ug/L</i>		92	66-137			
<i>1,2-Dichloroethane-d4</i>											
<i>Surrogate:</i>					<i>ug/L</i>		92	73-120			
<i>4-Bromofluorobenzene</i>											
<i>Surrogate: Toluene-d8</i>					<i>ug/L</i>		95	71-126			
LCS Analyzed: 06/03/10 (Lab Number:10F0230-BS1, Batch: 10F0230)											
1,1,1,2-Tetrachloroethane			5.0	0.35	ug/L	ND		76-122			
1,1,1-Trichloroethane			5.0	0.82	ug/L	ND		73-126			
1,1,2,2-Tetrachloroethane			5.0	0.21	ug/L	ND		70-126			
1,1,2-Trichloroethane			5.0	0.23	ug/L	ND		76-122			
1,1,2-Trichloro-1,2,2-trifluoroethane			1.0	0.31	ug/L	ND		60-140			
1,1-Dichloroethane		25.0	5.0	0.38	ug/L	24.7	99	71-129			
1,1-Dichloroethene		25.0	5.0	0.29	ug/L	25.5	102	65-138			
1,1-Dichloropropene			1.0	0.72	ug/L	ND		72-122			
1,1-Dimethoxyethane			5.0	1.6	ug/L	ND					
1,2,3-Trichlorobenzene			1.0	0.41	ug/L	ND		64-121			
1,2,3-Trichloropropane			5.0	0.89	ug/L	ND		68-131			
1,2,3-Trimethylbenzene			1.0	0.26	ug/L	ND					
1,2,4-Trichlorobenzene			1.0	0.41	ug/L	ND		70-122			
1,2,4-Trimethylbenzene		25.0	1.0	0.75	ug/L	24.3	97	76-121			
1,2-Dibromo-3-chloropropane			5.0	0.39	ug/L	ND		56-134			
1,2-Dibromoethane			5.0	0.73	ug/L	ND		77-120			
1,2-Dichlorobenzene		25.0	5.0	0.79	ug/L	25.2	101	77-120			
1,2-Dichloroethane		25.0	5.0	0.21	ug/L	25.5	102	75-127			
1,2-Dichloroethene, Total			2.0	0.70	ug/L	49.4		72-124			
1,2-Dichloropropane			5.0	0.72	ug/L	ND		76-120			
1,3,5-Trichlorobenzene			1.0	0.23	ug/L	ND					

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
LCS Analyzed: 06/03/10 (Lab Number:10F0230-BS1, Batch: 10F0230)											
1,3,5-Trimethylbenzene			1.0	0.77	ug/L	ND		77-121			
1,3-Dichlorobenzene			1.0	0.78	ug/L	ND		77-120			
1,3-Dichloropropane			1.0	0.75	ug/L	ND		75-120			
1,3-Dichloropropene, Total			2.0	0.72	ug/L	ND		72-124			
1,4-Dichlorobenzene			5.0	0.84	ug/L	ND		75-120			
1,4-Dioxane			40	9.3	ug/L	ND					
2,2-Dichloropropane			1.0	0.40	ug/L	ND		63-136			
2-Butanone			10	1.3	ug/L	ND		57-140			
2-Chloroethyl vinyl ether			5.0	0.96	ug/L	ND		60-140			
2-Chlorotoluene			1.0	0.86	ug/L	ND		76-121			
2-Hexanone			10	1.2	ug/L	ND		65-127			
2-Methylthiophene			1.0	0.44	ug/L	ND					
3-Chlorotoluene			1.0	0.45	ug/L	ND					
3-Methylthiophene			1.0	0.53	ug/L	ND					
4-Chlorotoluene			1.0	0.84	ug/L	ND		77-121			
p-Cymene			1.0	0.31	ug/L	ND		73-120			
4-Methyl-2-pentanone			10	2.1	ug/L	ND		71-125			
Acetone			25	3.0	ug/L	ND		56-142			
Acetonitrile			100	26	ug/L	ND		60-140			
Acrolein			20	18	ug/L	ND		60-140			
Acrylonitrile			5.0	0.83	ug/L	ND		63-138			
Allyl chloride			1.0	0.44	ug/L	ND		60-140			
Benzene		25.0	5.0	0.41	ug/L	25.1	100	71-124			
Bromobenzene			1.0	0.80	ug/L	ND		78-120			
Bromochloromethane			5.0	0.87	ug/L	ND		72-130			
Bromodichloromethane			5.0	0.39	ug/L	ND		80-122			
Bromoform			5.0	0.26	ug/L	ND		66-128			
Bromomethane			5.0	0.69	ug/L	ND		36-150			
Carbon disulfide			5.0	0.19	ug/L	ND		59-134			
Carbon Tetrachloride			5.0	0.27	ug/L	ND		72-134			
Chlorobenzene		25.0	5.0	0.75	ug/L	25.2	101	72-120			
Dibromochloromethane			5.0	0.32	ug/L	ND		75-125			
Chlorodifluoromethane			1.0	0.26	ug/L	ND					
Chloroethane			5.0	0.32	ug/L	ND		69-136			
Chloroform			5.0	0.34	ug/L	ND		73-127			
Chloromethane			5.0	0.35	ug/L	ND		49-142			
Chloroprene			1.0	0.49	ug/L	ND		60-140			

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>										
LCS Analyzed: 06/03/10 (Lab Number:10F0230-BS1, Batch: 10F0230)										
cis-1,2-Dichloroethene		25.0	5.0	0.81	ug/L	24.8	99	74-124		
cis-1,3-Dichloropropene			5.0	0.36	ug/L	ND		74-124		
Cyclohexane			1.0	0.18	ug/L	ND		70-130		
Cyclohexanone			10	5.2	ug/L	ND				
Dibromomethane			5.0	0.41	ug/L	ND		76-127		
Dichlorodifluoromethane			1.0	0.68	ug/L	ND		33-157		
Dichlorofluoromethane			1.0	0.34	ug/L	ND				
Dicyclopentadiene			1.0	0.22	ug/L	ND				
Diethyl ether			5.0	0.72	ug/L	ND				
Epichlorohydrin			20	8.4	ug/L	ND				
Ethyl Acetate			1.0	0.66	ug/L	ND				
Ethyl Methacrylate			1.0	0.59	ug/L	ND		60-140		
Ethyl tert-Butyl Ether			1.0	0.29	ug/L	ND		75-125		
Ethylbenzene		25.0	5.0	0.74	ug/L	25.4	102	77-123		
Heptane			20	0.42	ug/L	ND				
Hexachlorobutadiene			1.0	0.28	ug/L	ND		62-124		
Hexane			10	0.40	ug/L	ND				
Iodomethane			5.0	0.30	ug/L	ND		52-151		
Isobutanol			40	20	ug/L	ND		60-140		
Isopropyl alcohol			20	18	ug/L	ND				
Isopropyl ether			1.0	0.59	ug/L	ND		75-125		
Isopropylbenzene			1.0	0.79	ug/L	ND		77-122		
Methacrylonitrile			5.0	0.69	ug/L	ND		60-140		
Methyl Acetate			1.0	0.50	ug/L	ND		60-140		
Methyl Methacrylate			1.0	0.61	ug/L	ND		60-140		
Methyl-t-Butyl Ether (MTBE)		25.0	1.0	0.16	ug/L	24.2	97	64-127		
Methylcyclohexane			1.0	0.16	ug/L	ND		60-140		
Methylene Chloride			5.0	0.44	ug/L	1.71		57-132		J
m-Monochlorobenzotrifluoride			1.0	0.49	ug/L	ND				
m-Xylene & p-Xylene		50.0	5.0	0.66	ug/L	50.4	101	76-122		
n-Butanol			40	8.8	ug/L	ND				
n-Butylbenzene			1.0	0.64	ug/L	ND		71-128		
n-Propylbenzene			1.0	0.69	ug/L	ND		77-120		
o-Monochlorobenzotrifluoride			1.0	0.50	ug/L	ND				
o-Xylene		25.0	5.0	0.76	ug/L	24.8	99	76-122		
Pentachloroethane			1.0	0.34	ug/L	ND				

Benchmark Environmental & Engineering Science
2558 Hamburg Turnpike, Suite 300
Lackawanna, NY 14218

Work Order: RTE1305
Project: Benchmark - Niagara St. site
Project Number: TURN

Received: 05/26/10
Reported: 06/04/10 10:39

LABORATORY QC DATA

Analyte	Source Result	Spike Level	RL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Data Qualifiers
<u>Volatile Organic Compounds by EPA 8260B</u>											
LCS Analyzed: 06/03/10 (Lab Number:10F0230-BS1, Batch: 10F0230)											
p-Monochlorobenzotrifluoride			1.0	0.21	ug/L	ND					
Propionitrile			10	5.8	ug/L	ND		60-140			
Propylene Oxide			5.0	2.5	ug/L	ND					
sec-Butylbenzene			1.0	0.75	ug/L	ND		74-127			
Styrene			5.0	0.73	ug/L	ND		70-130			
t-Amyl alcohol			1.0	1.0	ug/L	ND		75-125			
t-Butanol			20	14	ug/L	ND		75-125			
Tert-Amyl Methyl Ether			1.0	0.27	ug/L	ND		75-125			
tert-Butylbenzene			1.0	0.81	ug/L	ND		75-123			
Tetrachloroethene		25.0	5.0	0.36	ug/L	24.1	97	74-122			
Tetrahydrofuran			5.0	1.3	ug/L	ND		59.4-127			
Toluene		25.0	5.0	0.51	ug/L	24.6	98	70-122			
trans-1,2-Dichloroethene		25.0	5.0	0.90	ug/L	24.6	98	73-127			
trans-1,3-Dichloropropene			5.0	0.37	ug/L	ND		72-123			
trans-1,4-Dichloro-2-butene			10	2.1	ug/L	ND		38-155			
Trichloroethene		25.0	5.0	0.46	ug/L	25.0	100	74-123			
Trichlorofluoromethane			5.0	0.88	ug/L	ND		62-152			
Vinyl acetate			50	0.85	ug/L	ND		50-144			
Vinyl chloride			5.0	0.90	ug/L	ND		65-133			
Xylenes, total		75.0	2.0	0.66	ug/L	75.2	100	76-122			
2-Nitropropane			5.0	2.2	ug/L	ND					
<i>Surrogate:</i>					<i>ug/L</i>		<i>94</i>	<i>66-137</i>			
<i>1,2-Dichloroethane-d4</i>											
<i>Surrogate:</i>					<i>ug/L</i>		<i>97</i>	<i>73-120</i>			
<i>4-Bromofluorobenzene</i>											
<i>Surrogate: Toluene-d8</i>					<i>ug/L</i>		<i>99</i>	<i>71-126</i>			

Chain of Custody Record

Temperature on Receipt

Drinking Water? Yes No

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1/07)

Client: Franklin Environmental Restoration Project Manager: Nike Lesakowski Date: 5/25/10 Chain of Custody Number: 148950
 Address: 255r Hamburg Turnpike Telephone Number (Area Code)/Fax Number: (716) 856-0635 Lab Number: _____
 City: Lackawanna State: NY Zip Code: 14218 Site Contact: T. Reynolds Lab Contact: R. Fischer Page 1 of 1
 Project Name and Location (State): Ellicott Development (572 Niagara St) Carrier/Trailer Number: _____
 Contact/Purchase Order/Quote No: _____

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix			Containers & Preservatives					Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt	
			W	S	S	Upret	HOCl	HON	HON	HON			
MW-1	5/25/10	1155	X			X							
MW-2		1155	X			X							
MW-5 (MS/MSD)		946	X			X							
MW-6		1034	X			X							
Blind Dup		1200	X			X							
Equipment Blank		0800	X			X							
Tip Blank			X			X							

For each hazard identification: Non-Hazard Flammable Skin Irritant Poison B Unknown Return To Client Dispose by Lab Archive For _____ Months _____
 Turn Around Time Required: 24 Hours 48 Hours 7 Days 14 Days 21 Days Other: STD
 1. Requisitioned By: [Signature] Date: 5/25/10 Time: 1700 1. Received By: [Signature] Date: 5/26/10 Time: 1300
 2. Requisitioned By: _____ Date: _____ Time: _____ 2. Received By: _____ Date: _____ Time: _____
 3. Requisitioned By: _____ Date: _____ Time: _____ 3. Received By: _____ Date: _____ Time: _____

Comments: _____
 DISTRIBUTION: WHITE - Returned to Client with Report CANADIAN - Stays with the Sample PINK - Field Copy
200