

October 16, 2023

Megan Kuczka, DER Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
700 Delaware Avenue
Buffalo, New York 14209

Re: **Monitoring and Sampling Summary (2nd Quarter 2023)**
Site Management Plan, Post Installation Monitoring & Inspection
MOD-PAC CORP. Site, 1801 Elmwood Avenue, Buffalo, New York

Dear Ms. Kuczka:

In accordance with the Site Management Plan (SMP)¹ for NYSDEC Site #C915314, Environmental Advantage, Inc. (EA), has prepared this summary letter report which provides the results of the inspection, monitoring and maintenance of the Sub-Slab Depressurization (SSD) systems completed from April 1, 2023 through June 30, 2023. The attachments to this letter report include figures (Attachment A), summary tables (Attachment B), well data sheets (Attachment C), and analytical laboratory reports (Attachment D).

After discussions with the New York State Department of Environmental Conservation (NYSDEC or Department), New York State Department of Health (NYSDOH) representatives, and Matrix Environmental Technologies, Inc. (METI), the engineering firm responsible for the design and annual inspection and certification of the SSD systems, it was determined that monthly gauging and quarterly groundwater sampling of the Site's four groundwater monitoring wells subject to the remedial program was warranted to investigate the potential seasonal correlation to maintaining a negative pressure of at least 0.002 inches water column (WC) in the sub-slab as the SSD Systems were designed. The monthly collection of vacuum readings for any vapor monitoring point (VMP) that fails to achieve the minimum negative pressure of at least 0.002 inches WC during quarterly SSD inspections was also initiated, until the affected VMP('s) meet the minimum negative pressure as designed (with the exception of VMP-6A² which is considered inactive). The locations of the groundwater monitoring wells, and SSD systems are shown on Figure 1.

¹ "Site Management Plan for MOD-PAC Site, 1801 Elmwood Avenue, City of Buffalo, Erie County, New York, Site No. C915314" prepared by C&S Engineers, Inc., December 2019, revised March 2022 by Environmental Advantage, Inc.

² VMP-6A has been verified as a dead point, as described in Section 5.1 – 'Area A Testing' of METI's "System Start-up Report and Operation and Maintenance Plan"² as provided within Appendix H – Operation and Maintenance Manual of the SMP. VMP-6A always exhibits positive pressure readings.



Post-Installation SSD Maintenance and Monitoring

System checks are completed on a quarterly basis, at a minimum. Routine monitoring includes the identification and repair of any leaks, operational status checks of blowers and fans, documentation of manifold settings and vacuum point at each vapor extraction point, and documentation of vacuum at each monitoring point. During the quarterly system checks, pre- and post-carbon air samples are collected from Area A. Samples are submitted for laboratory analysis of volatile organic compounds (VOCs) via Environmental Protection Agency (EPA) Method TO-15. In addition, pre- and post-carbon photoionization detector (PID) readings are collected from Area A, as well as from Areas B and C effluent, on a monthly basis. Non-routine maintenance, including carbon change outs, is completed as necessary based on analytical data of pre- and post-carbon samples.

Area-specific findings during Q2 2023 monitoring event are summarized in Table 1 with historical data presented in Table 2A for Area A, Table 2B for Area B, and Table 2C for Area C, all of which are provided in Attachment B. Air sample results for the current monitoring period are summarized in Table 3.

SSD Area A – Finished Product Storage Area

During Q2 2023, manometer readings for all active VMPs in Area A achieved the minimum negative pressure of at least 0.002 inches WC in the sub-slab with the exception of VMP-8A in April and May, and VMP-6A (dead point) in June.

Post-carbon analytical data exhibited lower concentrations of all target chlorinated compounds when compared to pre-carbon concentrations, with an overall target chlorinated VOC (cVOC)³ reduction of 94.1 percent. Air sample results for Q2 2023 are summarized in Table 3, with historical air sample results summarized in Table 4. The complete analytical laboratory report is provided in Attachment C.

SSD Area B – Roll Storage Area (Formerly Cold Storage Area)

During Q2 2023, manometer readings for all active VMPs achieved the minimum 0.002 inches WC in the sub-slab with the exception of VMP-5B in April, May, and June.

SSD Area C – Maintenance Area

The EW-1C and EW-2C fans were found non-functional on January 10, 2023 after the December 2022 blizzard. Different options for Area C have been evaluated due to repeated fan malfunction and were presented in the 2023 Periodic Review Report (PRR). During Q2 2023, manometer readings were not collected in April or May due to the EW-1C and EW-2C fans being down. During the quarterly sampling event in June, all active VMPs influenced by the EW-3C fan met the minimum 0.002 inches WC in the sub-slab.

³ NYSDOH Target cVOCs are included in this calculation, specifically those listed in the NYSDOH “Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York”, May 2017 Update. Specifically: 1,1,1-Trichloroethane, 1,1-Dichloroethene, Carbon tetrachloride, cis-1,2-Dichloroethene, Methylene chloride, Tetrachloroethene, Trichloroethene, and Vinyl chloride

Groundwater Monitoring

During the current monitoring period, water table measurements were collected in April, May, and June for the six wells in the vicinity of SSDS Area A, Area B, and Area C (MW-3, MW-11, MW-12, MW-13, MW-14, and MW-15). Groundwater samples were collected on April 6, 2023 from the four monitoring wells included in the remedial program: MW-3, MW-11, MW-12, and MW-13. All samples were submitted for laboratory analysis of Target Compound List (TCL) VOCs via EPA Method 8260. Historical water table measurements for the six wells in the vicinity of SSDS Area A, Area B, and Area C are summarized in Table 5. Historical groundwater elevation monitoring and sampling data results of four monitoring wells included in the remedial program are summarized in Table 6. The complete analytical laboratory report is provided in Attachment D. **Please Note:** Groundwater elevation data are available for the four monitoring wells included in the remedial program only, the well details on MW-14 and MW-15 are not included in the Site's remedial documents.

Corrective Measures

The EW-1C and EW-2C fans were found to be non-functional on January 10, 2023 and were removed; alternate options for Area C are described in the April 2022-2023 annual Periodic Review Report Section 4.1.

During the Q2 June 2023 monitoring, EA noted that the trench for EW-5B in Area B was cracked and hissing. EA recommends re-epoxying the cracks in the trench and has forwarded this recommendation to the Site owner.

Conclusions and Scheduling

During the Q2 2023 monitoring period, all active manometers met the minimum 0.002 inches WC in the sub-slab with the exception of VMP-8A and VMP-5B in April and May, VMP-6A (dead point), and VMP-5B in June. VMP-1C, VMP-2C, and VMP-4C, also failed to meet the 0.002 inches WC in June due to the EW-1C and EW-2C fans being down for repair. The SSD systems in Area A, Area C, and EW-3C, appeared to be functioning properly.

Post-carbon analytical data collected during Q2 2023 exhibited lower concentrations of all target chlorinated compounds and most non-chlorinated compounds with an overall target chlorinated VOC (cVOC) reduction of 94.1 percent. These air analytical results indicate the carbon is adequately removing the bulk of the VOCs detected, and carbon replacement is not warranted at this time. Continued system inspections, monitoring, and sampling will be completed for the third quarter of 2023.

If you have any questions regarding the information presented above, please contact me directly for further information.

Very truly yours,
ENVIRONMENTAL ADVANTAGE, INC.

A handwritten signature in blue ink, appearing to read "C. Mark Hanna".

C. Mark Hanna, CHMM
President

ATTACHMENT A


Figures



- Key**
- = Soil boring location
 - = Test pit location
 - ⊗ = Monitoring well
 - = Surface soil sample
 - ▼ = Vapor intrusion sample
 - = Soil sample location
 - = SSD Systems
 - = Previous Soil Sample /Monitoring Well

F:\Project\583 • MOD-PAC\583001\04 • MOD-PAC Brownfield Assistance\Design\CADD\Model Files\RI LOCATIONS.dwg

CONRAIL (FORMERLY NEW YORK CENTRAL RAILROAD)




ENVIRONMENTAL ADVANTAGE, INC.
Regulatory Compliance – Site Investigations – Facility Inspections

BCP SITE PLAN
MOD-PAC, CORP.
 1801 ELMWOOD AVENUE
 BUFFALO, NEW YORK

DRAWN BY: MB	SCALE: NOT TO SCALE	PROJECT: 01304
CHECKED BY: CMH	DATE: 06/2023	FIGURE NO: 1

Figure adapted from Figure 3 within the Site Management Plan for MOD-PAC BCP Site No. C915314

THIS FIGURE WAS ADAPTED FROM SITE MANAGEMENT PLAN PREPARED FOR MOD-PAC CORPORATION (DECEMBER 2019)



VMP-7A Vacuum Readings (in WC):

09/26/2019:	-0.025
10/03/2019:	-0.019
10/09/2019:	-0.020
11/15/2019:	-0.013
12/03/2019:	-0.010
02/11/2020:	+0.000
03/27/2020:	+0.000
06/29/2020:	-0.010
09/15/2020:	-0.017
12/08/2020:	+0.000
03/30/2021:	-0.020
06/11/2021:	-0.026
09/08/2021:	-0.028
12/10/2021:	-0.017
03/10/2022:	-0.010
06/06/2022:	-0.027
09/22/2022:	-0.032
10/07/2022:	-0.025
11/07/2022:	-0.021
12/09/2022:	-0.022
01/31/2023:	-0.014
02/21/2023:	-0.019
03/10/2023:	+0.000
06/20/2023:	-0.024

VMP-8A Vacuum Readings (in WC):


09/26/2019:	-0.021
10/03/2019:	-0.017
10/09/2019:	-0.015
11/15/2019:	+0.000
12/03/2019:	+0.000
02/11/2020:	+0.000
03/27/2020:	+0.000
06/29/2020:	-0.017
09/15/2020:	-0.014
12/08/2020:	+0.000
03/30/2021:	-0.014
06/11/2021:	-0.022
09/08/2021:	-0.190
12/10/2021:	-0.005
03/10/2022:	+0.000
*03/31/2022:	+0.000
*04/21/2022:	+0.000
*05/16/2022:	+0.000
06/06/2022:	+0.000
*07/06/2022:	-0.018
09/22/2022:	-0.016
10/07/2022:	-0.018
11/07/2022:	+0.000
12/09/2022:	+0.000
01/31/2023:	+0.000
02/21/2023:	-0.007
03/10/2023:	+0.000
04/12/2023:	+0.000
05/17/2023:	+0.000
06/20/2023:	-0.013

VMP-8A Vacuum Readings (in WC):

+#.### = NON-COMPLIANT VACUUM READING

ENVIRONMENTAL ADVANTAGE, INC.
 Regulatory Compliance – Site Investigations – Facility Inspections
SSDS AREA A NON-COMPLIANT MANOMETER READINGS
 1801 ELMWOOD AVENUE
 BUFFALO, NEW YORK

DRAWN BY: MS	SCALE: NOT TO SCALE	PROJECT: 01304
CHECKED BY: CMH	DATE: 06/2023	FIGURE NO: 2A



VMP-1B Vacuum Readings (in WC):

09/26/2019:	N/A
10/03/2019:	-0.023
10/09/2019:	-0.018
11/05/2019:	-0.016
12/03/2019:	-0.014
02/11/2020:	+0.000
03/27/2020:	+0.000
06/29/2020:	-0.018
09/15/2020:	-0.017
12/08/2020:	+0.000
03/30/2021:	-0.010
06/11/2021:	-0.045
09/08/2021:	-0.045
12/10/2021:	-0.010
03/10/2022:	-0.012
06/06/2022:	-0.014
09/22/2022:	-0.019
10/07/2022:	-0.045
11/07/2022:	-0.014
12/08/2022:	-0.017
01/31/2023:	-0.009
02/21/2023:	-0.100
03/10/2023:	-0.0115
06/20/2023:	-0.012

VMP-5B Vacuum Readings (in WC):

09/26/2019:	-0.044
10/03/2019:	-0.037
10/09/2019:	-0.030
11/05/2019:	-0.014
12/03/2019:	+0.000
02/11/2020:	N/A
03/27/2020:	+0.000
06/29/2020:	-0.026
09/15/2020:	-0.045
12/08/2020:	+0.000
03/30/2021:	+0.000
*04/14/2021:	+0.000
*05/20/2021:	-0.014
06/11/2021:	-0.039
09/08/2021:	-0.034
12/10/2021:	-0.004
03/10/2022:	+0.000
*03/31/2022:	-0.167
06/06/2022:	+0.000
*07/06/2022:	-0.010
09/22/2022:	-0.017
10/07/2022:	-0.035
11/07/2022:	+0.000
12/08/2022:	+0.000
01/31/2023:	+0.000
02/21/2023:	+0.000
03/10/2023:	+0.000
04/12/2023:	+0.000
05/17/2023:	+0.000
06/20/2023:	+0.000

+#.### = NON-COMPLIANT VACUUM READING

- Vapor Monitoring Point (permanent)
- Vapor Monitoring Point (temporary/decommissioned)
- Extraction Well
- Piping below grade
- Piping above grade

VMP-6B Vacuum Readings (in WC):

09/26/2019:	-0.016
10/03/2019:	-0.018
10/09/2019:	-0.010
11/05/2019:	+0.000
12/03/2019:	+0.000
02/11/2020:	+0.000
03/27/2020:	-0.010
06/29/2020:	-0.022
09/15/2020:	-0.005
12/08/2020:	+0.000
03/30/2021:	-0.010
06/11/2021:	-0.016
09/08/2021:	-0.041
12/10/2021:	+0.000
*01/11/2022:	-0.012
03/10/2022:	+0.000
*03/31/2022:	-0.014
06/06/2022:	-0.016
09/22/2022:	-0.020
10/07/2022:	-0.018
11/07/2022:	-0.016
12/08/2022:	-0.015
01/31/2023:	-0.012
02/21/2023:	-0.014
03/10/2023:	-0.015
06/20/2023:	-0.017

ENVIRONMENTAL ADVANTAGE, INC.
 Phase I/II Audits – Site Investigations – Facility Inspections
SSDS AREA B NON-COMPLIANT MANOMETER READINGS
 1801 ELMWOOD AVENUE
 BUFFALO, NEW YORK

DRAWN BY: MS	SCALE: NOT TO SCALE	PROJECT: 01304
CHECKED BY: CMH	DATE: 06/2023	FIGURE NO: 2B

ATTACHMENT B

Tables

Table 1
 MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY
 SSSD Post Installation Monitoring Results
 June Q2 2023 Summary

Area A - Finished Product Storage Area

Date	Extraction Wells (in WC)										Blower (in WC)	Pre-carbon PID Reading (ppm)	Post-carbon PID Reading (ppm)
	EW-1A	EW-2A	EW-3A	EW-4A	EW-5A	EW-6A	EW-7A	EW-8A	EW-9A	EW-10A			
6/20/2023	17.0	18.0	19.0	18.0	18.0	0.0	18.0	19.0	18.0	19.0	20	0.3	0.1

Date	Vapor Monitoring Points (in WC)								
	VMP-1A	VMP-2A	VMP-3A	VMP-4A	VMP-5A	VMP-6A	VMP-7A	VMP-8A	VMP-9A
6/20/2023	-0.083	-0.066	-0.085	-0.118	-0.066	0.000	-0.024	-0.013	-0.133

Area B - Cold Storage Garage

Date	Extraction Wells (in WC)								Blower (in WC)	System Effluent PID Reading (ppm)
	EW-1B	EW-2B	EW-3B	EW-4B	EW-5B	EW-6B	EW-7B	EW-8B		
6/20/2023	31	32	32	33	32	33	32	32	30.0	0.0

Date	Vapor Monitoring Points (in WC)						
	VMP-1B	VMP-2B	VMP-3B	VMP-4B	VMP-5B	VMP-6B	VMP-7B
6/20/2023	-0.012	-0.045	-0.237	-0.350	+ 0.000	-0.017	-0.207

Area C - Maintenance Area

Date	Extraction Wells (in WC)			System Effluent PID Reading (ppm)		
	EW-1C	EW-2C	EW-3C	EW-1C	EW-2C	EW-3C
6/20/2023	N/A	N/A	29.0	N/A	N/A	0.0

Date	Vapor Monitoring Points (in WC)					
	VMP-1C	VMP-2C	VMP-3C	VMP-4C	VMP-10C	VMP-11C
6/20/2023	+ 0.000	+ 0.000	-0.029	+ 0.000	-0.024	-0.040

Note:

1. in WC = inches water column; ppm = parts per million;

Table 2A
MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY
SSDS Post Installation Monitoring Results
Area A - Finished Product Storage Area

Date	Extraction Wells (in WC)										Blower (in WC)	Pre-carbon PID Reading (ppm)	Post-carbon PID Reading (ppm)
	EW-1A	EW-2A	EW-3A	EW-4A	EW-5A	EW-6A	EW-7A	EW-8A	EW-9A	EW-10A			
9/26/2019	14.5	14.5	15.5	14.5	15	1	14.5	15	14.5	15.5	12	3.3	1.5
10/3/2019	14	14	15	14	14	1	14	15	14	15	12	52.6	12.7
10/9/2019	13	13.5	14	13.5	13.5	1	13.5	14	13.5	14.5	13	0.0	0.0
11/5/2019	11.5	12	12.5	11.5	12	1	12	12	11.5	12.5	10	4.7	0.5
12/3/2019	11	11.5	12	11	11.5	1	11.5	11.5	11.5	12	10	1.0	0.1
1/22/2020												0.2	0.0
2/11/2020	10	10.5	11	10.5	11	1	11	11	10.5	11.5	9	0.5	0.0
3/27/2020	10	10	11	10.5	11	1	10.5	10.5	10	11	8	47.8	27.1
6/29/2020	13	13	13.5	13	13	1	13	13	13	13.5	14	0.4	0.4
7/31/2020												0.0	0.0
8/28/2020												0.0	0.0
9/15/2020	13.5	14	14.5	14	14	1	14	14.5	14.5	15	14	2.7	1.1
10/15/2020												7.8	4.6
11/4/2020												0.0	0.0
12/8/2020	12.5	13	13.5	13	13	1	13	14	13	14	12	0.6	0.0
1/4/2021												0.4	0.0
2/18/2021												1.0	0.0
3/30/2021	13	14	14	14	14	0	14	14	14	15	12	0.0	0.0
4/14/2021												0.4	0.0
5/20/2021												0.4	0.0
6/11/2021	16	16	16	16	16	0	16	17	17	17	15	0.1	0.0
7/1/2021												16	0.0
8/23/2021												18	0.0
9/8/2021	17	17	18	18	17	0	18	18	18	18	16	0.3	0.0
10/20/2021												0.0	0.0
11/19/2021												0.0	0.0
12/10/2021	16	16	17	16	17	0	17	17	17	17	15	7.6	0.0
1/11/2022												19	0.0
2/2/2022												0.08	0.0
3/10/2022	15.5	16.5	17	16.5	16.5	1	16.5	17	17	17	12	0.0	0.0
4/21/2022												19	0.0
5/16/2022												18	0.0
6/6/2022	16	17	17	16	17	0	17	17	17	17	19	0.0	0.0
7/28/2022												19	1.4
8/26/2022												19	0.5
9/22/2022	18	18	19	18	18	0	18	19	19	19	18	1.2	0.1
10/13/2022	18	18	18	18	18	0	18	18	18	19	19	0.2	0.0
11/7/2022	18	18	18	18	18	0	18	18	18	18	19	0.0	0.0
12/9/2022	18	18	18	18	18	0	18	18	18	18	19	0.0	0.0
1/31/2023	16	17	18	17	17	0	17	18	17	18	18	0.0	0.0
2/21/2023	16	17	18	17	17	0	17	18	17	18	18	0.0	0.0
3/10/2023	18	18	18	18	18	0	18	18	18	18	19	0.0	0.0
4/6/2023												20	0.0
5/17/2023												20	0.0
6/20/2023	17	18	19	18	18	0	18	19	18	19	20	0.3	0.1

Date	Vapor Monitoring Points (in WC)								
	VMP-1A	VMP-2A	VMP-3A	VMP-4A	VMP-5A	VMP-6A	VMP-7A	VMP-8A	VMP-9A
9/26/2019	-0.066	-0.044	-0.075	-0.161	-0.128	+0.000	-0.025	-0.021	-0.173
10/3/2019	-0.065	-0.037	-0.053	-0.139	-0.116	+0.000	-0.019	-0.017	-0.105
10/9/2019	-0.061	-0.034	-0.045	-0.110	-0.103	+0.000	-0.020	-0.015	-0.100
11/5/2019	-0.041	-0.029	-0.023	-0.067	-0.062	+0.010	-0.013	+0.000	-0.067
12/3/2019	-0.045	-0.025	-0.031	-0.066	-0.056	+0.020	-0.010	+0.000	-0.054
2/11/2020	-0.037	-0.020	-0.015	-0.045	-0.036	+0.015	+0.000	+0.000	-0.037
3/27/2020	-0.025	-0.023	-0.016	-0.032	-0.032	+0.010	+0.000	+0.000	-0.022
6/29/2020	-0.053	-0.064	-0.063	-0.124	-0.080	NG	-0.010	-0.017	-0.094
9/15/2020	-0.053	-0.052	-0.043	-0.093	-0.033	NG	-0.017	-0.014	-0.058
12/8/2020	-0.048	-0.033	-0.026	-0.152	-0.05	NG	+0.000	+0.000	-0.065
3/30/2021	-0.038	-0.052	-0.032	-0.063	-0.022	NG	-0.020	-0.014	-0.047
6/11/2021	-0.073	-0.065	-0.055	-0.105	-0.074	NG	-0.026	-0.022	-0.074
9/8/2021	-0.091	-0.088	-0.075	-0.140	-0.086	NG	-0.028	-0.190	-0.149
12/10/2021	-0.065	-0.056	-0.043	-0.068	-0.052	NG	-0.017	-0.005	-0.088
3/10/2022	-0.045	-0.04	-0.045	-0.080	-0.04	+0.013	-0.010	+0.000	-0.097
3/31/2022	NG	NG	NG	NG	NG	NG	NG	+0.000	NG
4/21/2022	NG	NG	NG	NG	NG	NG	NG	+0.000	NG
5/16/2022	NG	NG	NG	NG	NG	NG	NG	+0.000	NG
6/6/2022	-0.068	-0.060	-0.068	-0.097	-0.056	+0.000	-0.027	+0.000	-0.110
7/28/2022	NG	NG	NG	NG	NG	NG	NG	-0.018	NG
9/22/2022	-0.100	-0.098	-0.105	-0.157	-0.082	+0.000	-0.032	-0.016	-0.149
10/13/2022	-0.069	-0.063	-0.071	-0.126	-0.071	+0.000	-0.025	-0.018	-0.122
11/7/2022	-0.077	-0.063	-0.084	-0.122	-0.059	+0.000	-0.021	+0.000	-0.115
12/9/2022	-0.074	-0.043	-0.046	-0.089	-0.048	+0.000	-0.022	+0.000	-0.110
1/31/2023	-0.059	-0.040	-0.042	-0.067	-0.039	+0.000	-0.014	+0.000	-0.078
2/21/2023	-0.059	-0.048	-0.061	-0.083	-0.040	+0.000	-0.019	-0.007	-0.100
3/10/2023	-0.052	-0.032	-0.054	-0.067	-0.032	+0.000	+0.000	+0.000	-0.039
4/12/2023	NG	NG	NG	NG	NG	NG	-0.025	0.000	NG
5/17/2023	NG	NG	NG	NG	NG	NG	-0.032	0.000	NG
6/20/2023	-0.083	-0.066	-0.085	-0.118	-0.066	0.000	-0.024	-0.013	-0.133

- Note:**
1. Yellow shading indicates that samples did not meet the minimum 0.002 inches WC
 2. Blank space indicates that data was not collected
 3. in WC = inches water column; ppm = parts per million;
 4. N/A = Not Accessible; NG = Not Gauged

Table 2B
MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY
SSDS Post Installation Monitoring Results
Area B - Cold Storage Garage

Date	Extraction Wells (in WC)								Blower (in WC)	System Effluent PID Reading (ppm)
	EW-1B	EW-2B	EW-3B	EW-4B	EW-5B	EW-6B	EW-7B	EW-8B		
9/26/2019	13	13.5	13.5	14.5	13.5	14	13	12	10.5	1.3
10/3/2019	13	13.5	13.5	14	13.5	14	13	12	10	1.4
10/9/2019	12.5	13	13	13.5	13	13.5	12	12	10	0.0
11/5/2019	12	13	12.5	13	12.5	13	11.5	11	9	0.5
12/3/2019	11	11	11	11.5	11	11.5	10.5	10	8	0.1
1/22/2020										0.0
2/11/2020	12.5	13	13	13.5	13	13.5	12	11.5	9	0.0
3/27/2020	14	15	14	15	15	15	14	13.5	10	0.0
6/29/2020	16	12	17	12.5	17	17	16	15.5	16	0.0
7/31/2020										0.0
8/28/2020										0.0
9/15/2020	17	18	17	18	18	18	17	16.5	16	2.7
10/15/2020										0.3
11/4/2020										0.0
12/8/2020	16.5	17	17	17	17	17	16.5	16	13	0.4
1/4/2021										0.0
2/18/2021										0.0
3/30/2021	16	17	17	17	17	17	16	16	12	0.0
4/14/2021										0.0
5/20/2021										0.1
6/11/2021	18	18	19	20	19	19	18	18	18	0.0
7/1/2021									18	0.0
8/25/2021									20	0.0
9/8/2021	20	21	22	23	22	22	21	21	19	0.0
10/20/2021										0.0
11/19/2021										0.0
12/10/2021	20	20	21	21	21	21	20	20	16	0.0
1/11/2022									19	0.0
2/2/2022										0.0
3/10/2022	22	23	23	23.5	22.5	23	22.5	22	20	0.0
4/21/2022									19	0.0
5/16/2022									19	0.0
6/6/2022	26	27	27	28	27	27	27	26	19	0.0
7/28/2022									25	0.5
8/26/2022									23	0.0
9/22/2022	28	29	30	30	29	30	29	28	26	2.6
10/13/2022	31	32	33	33	32	34	32	32	20	0.8
11/7/2022	31	32	33	33	33	34	32	32	18	0.0
12/8/2022	32	33	34	34	33	34	33	32	19	0.0
1/31/2023	31	32	33	33	32	33	32	32	19	0.0
2/21/2023	30	31	32	32	31	32	31	30	26	0.0
3/10/2023	32	32	32	32	32	32	32	32	19	0.0
4/6/2023									24	0.0
5/17/2023									29	0.0
6/20/2023	31	32	32	33	32	33	32	32	30	0.0

Date	Vapor Monitoring Points (in WC)						
	VMP-1B	VMP-2B	VMP-3B	VMP-4B	VMP-5B	VMP-6B	VMP-7B
9/26/2019	N/A	-0.065	-0.419	N/A	-0.044	-0.016	-0.200
10/3/2019	-0.023	-0.062	-0.303	-0.383	-0.037	-0.018	-0.196
10/9/2019	-0.018	-0.055	-0.258	-0.329	-0.030	-0.010	-0.178
11/5/2019	-0.016	-0.018	-0.217	-0.271	-0.014	+0.000	-0.171
12/3/2019	-0.014	-0.032	-0.114	-0.156	+0.000	+0.000	-0.136
2/11/2020	+0.000	-0.040	N/A	-0.161	N/A	+0.000	-0.072
3/27/2020	+0.000	-0.040	-0.163	-0.171	+0.000	-0.010	-0.152
6/29/2020	-0.018	-0.064	-0.354	-0.343	-0.026	-0.022	-0.0198
9/15/2020	-0.017	-0.041	-0.118	-0.361	-0.045	-0.005	-0.160
12/8/2020	+0.000	-0.02	-0.137	-0.208	+0.000	+0.000	-0.203
3/30/2021	-0.010	-0.045	-0.162	-0.219	+0.000	-0.010	-0.197
4/14/2021	NG	NG	NG	NG	+0.000	NG	NG
5/20/2021	NG	NG	NG	NG	-0.014	NG	NG
6/11/2021	-0.045	-0.051	-0.262	-0.903	-0.039	-0.016	-0.201
9/8/2021	-0.045	-0.058	-0.285	-1.020	-0.034	-0.041	-0.060
12/10/2021	-0.010	-0.40	-0.189	-0.177	-0.004	+0.000	-0.190
1/11/2022	NG	NG	NG	NG	NG	-0.012	NG
3/10/2022	-0.012	-0.032	-0.141	-0.262	+0.000	+0.000	-0.133
3/31/2021	NG	NG	NG	NG	-0.167	-0.014	NG
6/6/2022	-0.014	-0.050	-0.211	-0.299	+0.000	-0.016	-0.026
7/28/2022	NG	NG	NG	NG	-0.010	NG	NG
9/22/2022	-0.019	-0.057	-0.238	-0.328	-0.017	-0.020	-0.263
10/13/2022	-0.045	-0.063	-0.123	-0.215	-0.035	-0.018	-0.131
11/7/2022	-0.014	-0.057	-0.218	-0.312	+0.000	-0.016	-0.232
12/8/2022	-0.017	-0.043	-0.153	-0.298	+0.000	-0.015	-0.156
1/31/2023	-0.009	-0.044	-0.187	-0.279	+0.000	-0.012	-0.158
2/21/2023	-0.10	-0.045	N/A	-0.299	+0.000	-0.014	-0.165
3/10/2023	-0.015	-0.030	-0.046	-0.266	+0.000	-0.015	-0.035
4/12/2023	NG	NG	NG	NG	+0.000	NG	NG
5/17/2023	NG	NG	NG	NG	+0.000	NG	NG
6/20/2023	-0.012	-0.045	-0.237	-0.350	+0.000	-0.017	-0.207

- Note:**
1. Yellow shading indicates that samples did not meet the minimum 0.002 inches WC
 2. N/A indicates the VMP was not accessible during the time of the system check
 3. Blank space indicates that data was not collected
 4. in WC = inches water column; ppm = parts per million;
 5. NG = Not Gauged

Table 2C
MOD-PAC CORP., 1801 Elmwood Ave, Buffalo, NY
SSDS Post Installation Monitoring Results
Area C - Maintenance Area

Date	Extraction Wells (in WC)			Fan System Effluent PID Reading (ppm)		
	EW-1C	EW-2C	EW-3C	EW-1C	EW-2C	EW-3C
9/26/2019	43	40		1.4	0.7	
10/3/2019	44	45		1.0	4.5	
10/9/2019	44.5	45.5		0.0	0.0	
11/5/2019	44	46		0.0	0.4	
12/3/2019		39	28		1.2	0.4
1/22/2020					0.4	0.0
2/11/2020	31	30	27.5	0.2	0.0	0.0
3/27/2020	29	32	28	0.0	0.0	0.0
6/29/2020	27	31	29	0.0	0.0	0.0
7/31/2020				0.0	0.0	0.0
8/28/2020				0.0	0.0	0.0
9/15/2020	28.5	31	29	0.0	0.0	0.0
10/15/2020				0.0	0.0	0.0
11/4/2020				0.0	0.0	0.0
12/8/2020	31	31	29	0.0	0.0	0.0
1/4/2021				0.0	0.0	0.0
2/18/2021						0.0
3/30/2021		32	30		0.0	0.0
4/14/2021					0.1	0.0
5/20/2021				0.0	0.0	0.0
6/11/2021	23	31	30	0.0	0.0	0.0
7/1/2021				0.0	0.0	0.0
8/25/2021				0.0	0.0	0.0
9/8/2021	29	31	30	0.0	0.0	0.0
10/20/2021				0.0	0.0	0.0
11/19/2021				0.0	0.0	0.0
12/10/2021	30	32	30	4.7	0.0	0.0
1/11/2022				0.0	0.0	0.0
2/2/2022				0.0	0.0	0.0
3/10/2022	11	32	31	0.0	0.0	0.0
4/21/2022				0.0	0.0	0.0
5/16/2022				0.0	0.0	0.0
6/6/2022	28	31	32	0.0	0.0	0.0
7/28/2022				1.5	0.7	0.1
8/26/2022				0.1	0.0	0.0
9/22/2022	29	31	32	0.0	0.0	0.0
10/13/2022	29	31	0	0.0	0.0	NG
11/7/2022	29	31	0	0.0	0.0	NG
12/9/2022	30	30	30	0.0	0.0	0.0
1/31/2023	0	0	30	NG	NG	0.0
2/21/2023	NG	NG	NG	NG	NG	NG
3/10/2023	N/A	N/A	30	N/A	N/A	ND
4/6/2023	N/A	N/A	28	N/A	N/A	0.0
5/17/2023	N/A	N/A	27	N/A	N/A	0.0
6/20/2023	N/A	N/A	29	N/A	N/A	0.0

Date	Vapor Monitoring Points (in WC)					
	VMP-1C	VMP-2C	VMP-3C	VMP-4C	VMP-10C	VMP-11C
9/26/2019	- 0.046	- 0.085	+ 0.000	- 0.061		
10/3/2019	- 0.055	- 0.092	+ 0.000	- 0.081		
10/9/2019	- 0.037	- 0.075	+ 0.000	- 0.060		
11/5/2019	- 0.042	- 0.067	+ 0.000	- 0.067		
12/3/2019	+ 0.000	- 0.027	- 0.026	+ 0.004	- 0.045	- 0.018
2/11/2020	- 0.019	- 0.026	- 0.032	- 0.038	- 0.045	- 0.020
3/27/2020	- 0.019	- 0.033	- 0.038	- 0.029	- 0.060	- 0.021
6/29/2020	- 0.019	- 0.050	- 0.040	- 0.018	- 0.061	- 0.044
9/15/2020	- 0.012	- 0.040	- 0.038	- 0.024	- 0.039	- 0.017
12/8/2020	- 0.012	- 0.038	- 0.026	- 0.021	- 0.038	- 0.016
3/30/2021	+ 0.000	- 0.022	- 0.037	+ 0.000	- 0.025	- 0.020
6/11/2021	- 0.020	- 0.054	- 0.039	- 0.024	- 0.058	- 0.097
9/8/2021	- 0.049	- 0.042	- 0.040	- 0.075	- 0.066	- 0.022
12/10/2021	- 0.026	- 0.040	- 0.038	- 0.021	- 0.059	- 0.025
2/2/2022	+ 0.000	- 0.028	- 0.038	- 0.012	- 0.034	- 0.019
3/10/2022	+ 0.000	- 0.031	- 0.038	+ 0.000	- 0.042	- 0.022
3/31/2022	- 0.021	NG	NG	- 0.030	NG	NG
6/6/2022	- 0.019	- 0.058	- 0.037	- 0.024	- 0.076	- 0.039
9/22/2022	- 0.021	- 0.059	- 0.041	- 0.018	- 0.086	- 0.046
10/13/2022	- 0.033	- 0.042	+ 0.000	- 0.044	- 0.044	+ 0.000
11/7/2022	- 0.016	- 0.048	+ 0.000	- 0.023	- 0.055	+ 0.000
12/9/2022	- 0.041	- 0.030	- 0.039	- 0.045	- 0.056	- 0.022
1/31/2023	NG	NG	NG	NG	NG	NG
2/21/2023	NG	NG	NG	NG	NG	NG
3/10/2023	+ 0.000	+ 0.000	- 0.031	+ 0.000	- 0.045	- 0.019
4/6/2023	NG	NG	NG	NG	NG	NG
5/17/2023	NG	NG	NG	NG	NG	NG
6/20/2023	+ 0.000	+ 0.000	- 0.029	+ 0.000	- 0.024	- 0.040

Note:

1. Yellow shading indicates that samples did not meet the minimum 0.002 inches WC
2. Blank space indicates that data was not collected
3. in WC = inches water column; ppm = parts per million;
4. N/A = Not Accessible; NG = Not Gauged
5. Please note that a blower is not included within the extraction system of Area C and that the extraction system is operated by fans.

Table 3
MOD-PAC, Corp. 1801 Elmwood Avenue, Buffalo, NY
Summary of Air Analytical Testing Results

Parameter	June 2023 - L2335506	
	AREA A-PRE (062023)	AREA A-POST (062023)
Volatile Organic Compounds (ug/m³)		
1,1,1-Trichloroethane	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND
1,1,2-Trichloroethane	ND	ND
1,1-Dichloroethane	ND	ND
1,1-Dichloroethene	ND	ND
1,2,4-Trichlorobenzene	ND	ND
1,2,4-Trimethylbenzene	5.8	4.78
1,2-Dibromoethane	ND	ND
1,2-Dichlorobenzene	ND	ND
1,2-Dichloroethane	ND	ND
1,2-Dichloropropane	ND	ND
1,3,5-Trimethylbenzene	1.7	1.24
1,3-Butadiene	ND	ND
1,3-Dichlorobenzene	ND	ND
1,4-Dichlorobenzene	ND	ND
1,4-Dioxane	ND	ND
2,2,4-Trimethylpentane	ND	ND
2-Butanone	4.98	1.79
2-Hexanone	ND	ND
3-Chloropropene	ND	ND
4-Ethyltoluene	1.23	ND
4-Methyl-2-pentanone	2.42	ND
Acetone	112	19.1
Benzene	1.8	1.04
Benzyl chloride	ND	ND
Bromodichloromethane	ND	ND
Bromoform	ND	ND
Bromomethane	ND	ND
Carbon disulfide	7.29	2.3
Carbon tetrachloride	ND	ND
Chlorobenzene	ND	ND
Chloroethane	ND	ND
Chloroform	15.1	ND
Chloromethane	0.772	0.776
cis-1,2-Dichloroethene	5.15	1.34
cis-1,3-Dichloropropene	ND	ND
Cyclohexane	ND	ND
Dibromochloromethane	ND	ND
Dichlorodifluoromethane	3.19	2.91
Ethyl Alcohol	61	57.8
Ethyl Acetate	178	176
Ethylbenzene	4.08	2.24
Freon-113	ND	ND
Freon-114	ND	ND
Heptane	1.36	ND
Hexachlorobutadiene	ND	ND
iso-Propyl Alcohol	213	551
Methyl tert butyl ether	ND	ND
Methylene chloride	ND	ND
n-Hexane	9.8	7.08
o-Xylene	5.73	4.05
p/m-Xylene	18.2	11.60
Styrene	1.91	0.975
tert-Butyl Alcohol	4.18	ND
Tetrachloroethene	2.27	ND
Tetrahydrofuran	2.14	ND
Toluene	15.2	8.89
trans-1,2-Dichloroethene	ND	ND
trans-1,3-Dichloropropene	ND	ND
Trichloroethene	327	18.3
Trichlorofluoromethane	4.81	7.31
Vinyl bromide	ND	ND
Vinyl chloride	ND	ND

Notes:

1. Compounds detected in one or more samples included in this table. For a list of all compounds, refer to analytical report in the Appendix.
2. Analytical testing for VOCs via TO-15 completed by Alpha Analytical.
3. Results present in ug/m³ or microgram per cubic meter.
4. Parameters shaded in red indicate analytes of concern (Target cVOCs)
5. Results in red indicate higher post-carbon readings over pre-carbon readings
6. Blank results = No Value Above Detection Limit

Table 5
Historical Groundwater Monitoring Data Summary
MOD-PAC CORP.

Monitoring Well	Date	Top of Casing (ft)	Depth to Water (ft)	GW Elevation (ft)	Trichloroethene (µg/L) NY-TOGS-GA (µg/L)	% Increase/ Decrease TCE
MW - 3	2/5/18	600.71	5.05	595.66	250	Baseline
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019					
	7/16/19	600.71	NG	NG	ND	-100.00
	Potassium Permanganate Injections October 1, 2019 - October 10, 2019					
	10/24/19	600.71	NG	NG	220	-21.43
	4/15/20	600.71	5.54	595.17	370 JH	32.14
	3/10/21	600.71	6.10	594.61	NT	N/A
	3/30/21	600.71	5.95	594.76	NT	N/A
	4/14/21	600.71	5.98	594.73	340	21.43
	5/20/21	600.71	6.10	594.61	NT	N/A
	6/11/21	600.71	6.12	594.59	NT	N/A
	7/1/21	600.71	6.30	594.41	400	42.86
	8/25/21	600.71	5.80	594.91	NT	N/A
	9/22/21	600.71	5.45	595.26	NT	N/A
	11/19/21	600.71	5.30	595.41	340	21.43
	12/10/21	600.71	5.55	595.16	NT	N/A
	1/12/22	600.71	5.70	595.01	190	-32.14
	2/2/22	600.71	6.09	594.62	NT	N/A
	3/10/22	600.71	6.44	594.27	NT	N/A
	4/5/22	600.71	5.65	595.06	280	0.00
	5/16/22	600.71	5.81	594.90	NT	N/A
	6/6/22	600.71	5.70	595.01	NT	N/A
	7/6/22	600.71	5.91	594.80	240	-14.29
	8/9/22	600.71	5.85	594.86	NT	N/A
	9/22/22	600.71	6.18	594.53	NT	N/A
	10/17/22	600.71	6.03	594.68	350	25.00
	11/17/22	600.71	5.71	595.00	NT	N/A
12/8/22	600.71	5.55	595.18	NT	N/A	
1/5/23	600.71	4.70	596.01	170	-39.29	
2/21/23	600.71	5.70	595.01	NT	N/A	
3/24/23	600.71	5.41	595.30	NT	N/A	
4/6/23	600.71	5.35	595.36	120 J	-57.14	
5/17/23	600.71	5.80	594.81	NT	N/A	
6/20/23	600.71	7.18	593.53	NT	N/A	
2/5/18	600.41	4.66	595.75	40	Baseline	
MW - 11	7/16/19	600.41	NG	NG	ND	-50.00
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019					
	10/24/19	600.41	NG	NG	16	-60.00
	4/15/20	600.41	5.27	595.14	45 JH	12.50
	3/10/21	600.41	5.82	594.59	NT	N/A
	3/30/21	600.41	5.74	594.67	NT	N/A
	4/14/21	600.41	5.74	594.67	16	-60.00
	5/20/21	600.41	5.84	594.57	NT	N/A
	6/11/21	600.41	5.85	594.56	NT	N/A
	7/1/21	600.41	6.00	594.41	47	17.50
	8/25/21	600.41	5.58	594.83	NT	N/A
	9/22/21	600.41	5.52	595.08	NT	N/A
	11/19/21	600.41	5.15	595.26	32	-20.00
	12/10/21	600.41	5.35	595.06	NT	N/A
	1/12/22	600.41	5.45	594.96	22	-45.00
	2/2/22	600.41	5.80	594.61	NT	N/A
	3/10/22	600.41	5.21	595.20	NT	N/A
	4/5/22	600.41	5.45	594.96	24	-40.00
	5/16/22	600.41	5.49	594.92	NT	N/A
	6/6/22	600.41	5.46	594.95	NT	N/A
	7/6/22	600.41	5.43	594.78	27	-32.50
	8/9/22	600.41	5.71	594.70	NT	N/A
	9/22/22	600.41	5.90	594.51	NT	N/A
	10/17/22	600.41	5.80	594.61	34	-15.00
	11/17/22	600.41	5.61	594.80	NT	N/A
	12/8/22	600.41	5.38	595.03	NT	N/A
	1/5/23	600.41	4.73	595.88	31	-22.50
2/21/23	600.41	5.50	594.91	NT	N/A	
3/24/23	600.41	5.39	595.02	NT	N/A	
4/6/23	600.41	4.60	595.81	19 J	-52.50	
5/17/23	600.41	5.60	594.81	NT	N/A	
6/20/23	600.41	5.94	594.47	NT	N/A	
2/5/18	600.50	4.52	595.98	0.44 J	Baseline	
MW - 12	7/16/19	600.50	NG	NG	ND	-100.00
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019					
	10/24/19	600.50	NG	NG	ND	-100.00
	4/15/20	600.50	4.41	596.09	ND	-100.00
	3/10/21	600.50	5.03	595.47	NT	N/A
	3/30/21	600.50	4.86	595.64	NT	N/A
	4/14/21	600.50	4.86	595.64	ND	-100.00
	5/20/21	600.50	5.05	595.45	NT	N/A
	6/11/21	600.50	5.10	595.40	NT	N/A
	7/1/21	600.50	5.35	595.15	ND	-100.00
	8/25/21	600.50	4.80	595.70	NT	N/A
	9/22/21	600.50	4.40	596.10	NT	N/A
	11/19/21	600.50	4.10	596.40	ND	-100.00
	12/10/21	600.50	4.35	596.15	NT	N/A
	1/12/22	600.50	4.58	595.92	ND	-100.00
	2/2/22	600.50	5.20	595.30	NT	N/A
	3/10/22	600.50	4.30	596.20	NT	N/A
	4/5/22	600.50	4.41	596.09	ND	-100.00
	5/16/22	600.50	5.30	595.20	NT	N/A
	6/6/22	600.50	4.73	595.77	NT	N/A
	7/6/22	600.50	4.10	596.40	ND	-100.00
	8/9/22	600.50	4.89	595.61	NT	N/A
	9/22/22	600.50	5.15	595.25	NT	N/A
	10/17/22	600.50	5.04	595.46	ND	-100.00
	11/17/22	600.50	4.62	595.88	NT	N/A
	12/8/22	600.50	4.42	596.08	NT	N/A
	1/5/23	600.50	3.54	596.96	ND	-100.00
2/21/23	600.50	4.55	595.85	NT	N/A	
3/24/23	600.50	4.39	596.11	NT	N/A	
4/6/23	600.50	3.76	596.74	ND	-100.00	
5/17/23	600.50	4.69	595.81	NT	N/A	
6/20/23	600.50	5.20	595.30	NT	N/A	
2/5/18	600.31	4.44	595.87	160	Baseline	
MW - 13	7/16/19	600.31	NG	NG	78	-51.25
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019					
	10/24/19	600.31	NG	NG	240	50.00
	4/15/20	600.31	3.70	596.81	140 JH	12.50
	3/10/21	600.31	4.25	596.06	NT	N/A
	3/30/21	600.31	4.10	596.21	NT	N/A
	4/14/21	600.31	4.13	596.18	95	-40.63
	5/20/21	600.31	4.32	595.99	NT	N/A
	6/11/21	600.31	4.40	595.81	NT	N/A
	7/1/21	600.31	4.60	595.71	150	-6.25
	8/25/21	600.31	4.10	596.21	NT	N/A
	9/22/21	600.31	3.35	596.96	NT	N/A
	11/19/21	600.31	3.30	597.01	73	-54.38
	12/10/21	600.31	3.50	596.81	NT	N/A
	1/12/22	600.31	3.85	596.46	74	-53.75
	2/2/22	600.31	4.30	596.01	NT	N/A
	3/10/22	600.31	4.46	595.85	NT	N/A
	4/5/22	600.31	3.80	596.51	59	-63.13
	5/16/22	600.31	4.10	596.21	NT	N/A
	6/6/22	600.31	4.23	596.08	NT	N/A
	7/6/22	600.31	4.11	596.20	89	-44.38
	8/9/22	600.31	3.90	596.41	NT	N/A
	9/22/22	600.31	4.45	595.86	NT	N/A
	10/17/22	600.31	5.68	594.65	72	-55.00
	11/17/22	600.31	3.78	596.53	NT	N/A
	12/8/22	600.31	3.45	596.86	NT	N/A
	1/5/23	600.31	2.62	597.69	35	-78.13
2/21/23	600.31	3.61	596.50	NT	N/A	
3/24/23	600.31	3.46	596.85	NT	N/A	
4/6/23	600.31	3.10	597.21	32 J	-80.00	
5/17/23	600.31	4.01	596.30	NT	N/A	
6/20/23	600.31	5.50	594.81	NT	N/A	
MW - 14	3/10/21	600.31	6.76	-6.76	NT	N/A
	3/30/21	600.31	6.72	-6.72	NT	N/A
	4/14/21	600.31	6.73	-6.73	NT	N/A
	5/20/21	600.31	6.75	-6.75	NT	N/A
	6/11/21	600.31	6.80	-6.80	NT	N/A
	7/1/21	600.31	6.95	-6.95	NT	N/A
	8/25/21	600.31	6.50	-6.50	NT	N/A
	9/22/21	600.31	6.15	-6.15	NT	N/A
	11/19/21	600.31	6.10	-6.10	NT	N/A
	12/10/21	600.31	6.30	-6.30	NT	N/A
	1/12/22	600.31	6.40	-6.40	NT	N/A
	2/2/22	600.31	6.74	-6.74	NT	N/A
	3/10/22	600.31	7.36	-7.36	NT	N/A
	4/5/22	600.31	6.40	-6.40	NT	N/A
	5/16/22	600.31	6.54	-6.54	NT	N/A
	6/6/22	600.31	6.31	-6.31	NT	N/A
	7/6/22	600.31	6.57	-6.57	NT	N/A
	8/9/22	600.31	6.61	-6.61	NT	N/A
	9/22/22	600.31	6.82	-6.82	NT	N/A
	10/17/22	600.31	7.56	-7.56	NT	N/A
	11/17/22	600.31	6.52	-6.52	NT	N/A
	12/8/22	600.31	6.34	-6.34	NT	N/A
	1/5/23	600.31	5.69	-5.69	NT	N/A
	2/21/23	600.31	6.46	-6.46	NT	N/A
	3/24/23	600.31	6.27	-6.27	NT	N/A
	4/6/23	600.31	6.22	-6.22	NT	N/A
	5/17/23	600.31	5.53	-5.53	NT	N/A
6/20/23	600.31	6.87	-6.87	NT	N/A	
MW - 15	3/10/21	600.31	5.42	-5.42	NT	N/A
	3/30/21	600.31	5.32	-5.32	NT	N/A
	4/14/21	600.31	5.34	-5.34	NT	N/A
	5/20/21	600.31	5.40	-5.40	NT	N/A
	6/11/21	600.31	5.60	-5.60	NT	N/A
	7/1/21	600.31	5.60	-5.60	NT	N/A
	8/25/21	600.31	5.18	-5.18	NT	N/A
	9/22/21	600.31	3.85	-3.85	NT	N/A
	11/19/21	600.31	4.80	-4.80	NT	N/A
	12/10/21	600.31	4.90	-4.90	NT	N/A
	1/12/22	600.31	5.05	-5.05	NT	N/A
	2/2/22	600.31	6.02	-6.02	NT	N/A
	3/10/22	600.31	4.90	-4.90	NT	N/A
	4/5/22	600.31	5.08	-5.08	NT	N/A
	5/16/22	600.31	6.04	-6.04	NT	N/A
	6/6/22	600.31	5.12	-5.12	NT	N/A
	7/6/22	600.31	5.27	-5.27	NT	N/A
	8/9/22	600.31</				

Table 6
Historical Groundwater Monitoring and Sampling Data Summary
MOD-PAC CORP.


Monitoring Well	Date	Top of Casing (ft)	Depth to Water (ft)	GW Elevation (ft)	1,1-Dichloroethene (µg/L)	2-Butanone (µg/L)	Acetone (µg/L)	Benzene (µg/L)	cis-1,2-Dichloroethene (µg/L)	trans-1,2-Dichloroethene (µg/L)	Trichloroethene (µg/L)	Vinyl chloride (µg/L)	Total VOCs (µg/L)	% Increase/Decrease TCE	
MW - 3	NY-TOGS-GA (µg/L)				5	50	50	1	5	5	5	2			
	2/5/18	600.71	5.05	595.66	ND	ND	ND	ND	80	14	280	13	387.0	Baseline	
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019														
	7/16/19	600.71	NG	NG	ND	3.10 J	38	ND	ND	ND	ND	ND	ND	43.4	-100.00
	Potassium Permanganate Injections October 1, 2019 - October 10, 2019														
	10/24/2019*	600.71	NG	NG	ND	ND	<20	<1	30	3	220	<1	253.0	-21.43	
	4/15/20	600.71	5.54	595.17	ND	ND	6.40 J	ND	57	7.3	370 JH	3.7	444.4	32.14	
	4/14/21	600.71	5.98	594.73	0.88 J	ND	ND	ND	82	8.8	340	5.6	440.5	21.43	
	7/1/21	600.71	6.30	594.41	2.0	ND	ND	0.41 J	140	16	400	8.1	566.5	42.86	
	11/19/21	600.71	5.30	595.41	0.77 J	ND	ND	ND	43	4 J	340	2.9	390.7	21.43	
	1/12/22	600.71	5.70	595.01	0.86	ND	ND	0.16 J	57	3.3	190	3.5	254.8	-32.14	
	4/5/22	600.71	5.65	595.06	0.44 J	ND	ND	ND	46	5.1 J	280	2.3 J	333.8	0.00	
	7/6/22	600.71	5.91	594.80	0.48 J	ND	ND	ND	74	6.2	240	3.7	324.4	-14.29	
	10/7/22	600.71	6.03	594.68	0.76 J	6.50 J	7.60 J	0.34 J	92	6.5	350	7.2	470.9	25.00	
	1/5/23	600.71	4.70	596.01	0.24 J	ND	ND	ND	29	1.5 J	170 R1	0.55 J	201.3	-39.29	
4/6/23	600.71	5.35	595.36	ND	ND	ND	ND	17 J	0.92 J	120 J	0.41 J	138.3	-57.14		
MW - 11	2/5/18	600.41	4.66	595.75	ND	2.3 J	9.4	0.16 J	3.1	2.9	40	5.6	64.56	Baseline	
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019														
	7/16/19	600.41	NG	NG	0.35 J	ND	4.5 J	ND	14	25	20	9.8	73.65	-50.00	
	Potassium Permanganate Injections October 1, 2019 - October 10, 2019														
	10/24/2019*	600.41	NG	NG	ND	150 J	920	ND	<10	<10	16	ND	1086.0	-60.00	
	4/15/20	600.41	5.27	595.14	ND	2.2 J	11	0.21 J	7	10	45 JH	9	84.4	12.50	
	4/14/21	600.41	5.74	594.67	ND	ND	ND	ND	8	9.4	16	5.7	39.1	-60.00	
	7/1/21	600.41	6.00	594.41	0.35 J	ND	ND	0.25 J	13	17	47	10	87.6	17.50	
	11/19/21	600.41	5.15	595.26	0.27 J	ND	ND	0.25 J	17	30	32	7.8	87.3	-20.00	
	1/12/22	600.41	5.45	594.96	0.31 J	ND	ND	0.20 J	11	19	22	6.2	58.7	-45.00	
	4/5/22	600.41	5.45	594.96	0.27 J	ND	ND	0.17 J	9.8	15	24	9.7	58.9	-40.00	
	7/6/22	600.41	5.63	594.78	0.36 J	ND	3.6 J	0.22 J	15	20	27	10	76.2	-32.50	
	10/7/22	600.41	5.80	594.61	ND	ND	ND	0.22 J	13	15	34	7.2	69.4	-15.00	
	1/5/23	600.41	4.73	595.68	0.25 J	ND	ND	0.16 J	11	16	31	9.4	67.8	-22.50	
	4/6/23	600.41	4.60	595.81	0.39 J	ND	ND	ND	10 J	16	19 J	10	55.4	-52.50	
MW - 12	2/5/18	600.50	4.52	595.98	ND	ND	2.2 J	ND	ND	ND	0.44 J	ND	2.64	Baseline	
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019														
	7/16/19	600.50	NG	NG	ND	ND	3 J	ND	ND	ND	ND	ND	3.0	-100.00	
	Potassium Permanganate Injections October 1, 2019 - October 10, 2019														
	10/24/2019*	600.50	NG	NG	ND	ND	<200	ND	ND	ND	ND	ND	ND	ND	-100.00
	4/15/20	600.50	4.41	596.09	ND	ND	11	ND	ND	ND	ND	ND	11.0	-100.00	
	4/14/21	600.50	4.86	595.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	7/1/21	600.50	5.35	595.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	11/19/21	600.50	4.10	596.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	1/12/22	600.50	4.58	595.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	4/5/22	600.50	4.41	596.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	7/6/22	600.50	4.10	596.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	10/7/22	600.50	5.04	595.46	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	1/5/23	600.50	3.54	596.96	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
	4/6/23	600.50	3.76	596.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	-100.00	
MW - 13	2/5/18	600.31	4.44	595.87	1	ND	ND	ND	180	4.1	160	25	371.3	Baseline	
	Potassium Permanganate Pilot Study June 27, 2019 - June 28, 2019														
	7/16/19	600.31	NG	NG	1.20 J	ND	ND	ND	400	3.9 J	78	56	539.1	-51.25	
	Potassium Permanganate Injections October 1, 2019 - October 10, 2019														
	10/24/2019*	600.31	NG	NG	<1	ND	28	ND	97	2	240	2	369.0	50.00	
	4/15/20	600.31	3.70	596.61	0.73	ND	3.2 J	ND	200	4.4	140 JH	55	403.3	-12.50	
	4/14/21	600.31	4.13	596.18	0.69	ND	ND	ND	150	1.7 J	95	70	317.4	-40.63	
	7/1/21	600.31	4.60	595.71	1.5	ND	ND	0.18 J	210	3.9	150	88	453.6	-6.25	
	11/19/21	600.31	3.30	597.01	0.45 J	ND	ND	ND	50	ND	73	20	143.5	-54.38	
	1/12/22	600.31	3.85	596.46	1.1	ND	ND	ND	140	1.8 J	74	54	270.9	-53.75	
	4/5/22	600.31	3.80	596.51	0.9	ND	ND	ND	130	1.8 J	59	75	266.7	-63.13	
	7/6/22	600.31	4.11	596.20	0.73	ND	ND	ND	110	1.7 J	89	51	252.4	-44.38	
	10/7/22	600.31	5.66	594.65	0.53	1.9 J	ND	ND	85	1.2 J	72	39	199.6	-55.00	
	1/5/23	600.31	2.62	597.69	0.19 J	ND	ND	ND	40	ND	35	6	81.2	-78.13	
	4/6/23	600.31	3.10	597.21	0.22 J	ND	ND	ND	42 J	ND	32 J	15	89.2	-80.00	

Notes:

1. NG = Not Gauged; ND = Non-Detect; J = Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs). ; H = The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection;
2. Water Levels measured from top of riser
3. Blue Shading = Result exceeds NY-TOGS-GA for TCE
4. RED BOLDED = Percent increase of TCE from Baseline
5. BLUE BOLDED = Result changed as a result of data validation.
6. Data Validation was not performed on the following sample dates: 7/16/19 (sampled by others), 10/24/19 (sampled by others), 7/1/21, 11/19/21, 1/12/22.
7. 10/24/2019 data analyzed by eurofins Lancaster Laboratories Environmental, all other data analyzed by Alpha Analytical

ATTACHMENT C

Well Data Sheets



Well Data Sheet

Date: 04/06/2023
 Well ID: SBI16 / MW3
 Crew: SK
 Well Depth (TOR): 15.0
 Well Depth (GS): 15.6
 Initial Water Level (TOR): 5.35
 Initial Water Level (GS): 5.95

Job #: 01304

Volume Calculation: $(15.0 - 5.35) \times (0.163) = 1.57 \text{ gal}$
 DTB-DTW * 0.163 = 1-well vol

Time	Volume ^{gal}	pH	Cond. ^{ns/cm}	Temp. ^{°C}	Turbidity ^{NTU}
08:54	0.8	7.31	2.96	14.56	39.2
09:00	1.2	7.27	2.00	13.12	7.5
09:06	1.6	7.22	1.83	12.95	0.2

Purge Method: Bailer/Submersible Pump
 Initial Water Quality: POOR
 Final Water Quality: GOOD

SAMPLE RECORD

Date: 04/06/2023
 Time: 0906
 Crew: SK
 Method: LOW FLOW
 Sample ID: MW-3(040623)
 Water Quality: GOOD
 pH: 7.22
 Conductivity: 1.83
 Temperature: 12.95
 Turbidity: 0.2


Volume: SEE CHAIN
 Analysis: "
 Chain of Custody #: -
 Sample Type: GRAB

Diameter	Multiply by
1"	0.041
<u>2"</u>	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: HEADSPACE: 2.0 ppm

TOR= Top of Riser
 GS= Ground Surface

Signature: [Handwritten Signature]



Well Data Sheet

Date: 04/06/2023
 Well ID: MW-11
 Crew: JK
 Well Depth (TOR): 15.05
 Well Depth (GS): 15.88
 Initial Water Level (TOR): 4.6
 Initial Water Level (GS): 5.43

Job #: 01304

Volume Calculation: $(15.05 - 4.6) (0.041) = 0.43 \text{ gal}$
 DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
0939	0.25	7.11	2.59	13.11	5.9
0943	0.40	7.30	1.87	12.39	15.4
0945	0.55	7.33	1.78	12.30	5.9

Purge Method: Bailer/Submersible Pump
 Initial Water Quality: FAIR
 Final Water Quality: GOOD

SAMPLE RECORD

Date: 04/06/2023
 Time: 0945
 Crew: JK
 Method: LOW FLOW
 Sample ID: MW-11 (040623) - DUP
 Water Quality: GOOD
 pH: 7.33
 Conductivity: 1.78
 Temperature: 12.30
 Turbidity: 5.9


Volume: SEE CHAIN
 Analysis: "
 Chain of Custody #: -
 Sample Type: GRAB

Diameter	Multiply by
<u>1"</u>	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: HEADSPACE: 0.0
DUPLICATE SAMPLE COLLECTED

TOR= Top of Riser
 GS= Ground Surface

Signature: [Handwritten Signature]



Well Data Sheet

Date: 04/06/2023 Job #: 01304
 Well ID: MW-12
 Crew: JK
 Well Depth (TOR): 14.7
 Well Depth (GS): 15.2
 Initial Water Level (TOR): 3.76
 Initial Water Level (GS): 4.26

Volume Calculation: $(14.7 - 3.76)(0.041) = 0.45 \text{ gal}$
 DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
1050	0.2	7.10	1.44	13.04	29.1
1055	0.4	7.33	1.49	12.13	9.2
1057	0.5	7.40	1.54	11.99	1.8

Purge Method: Bailer/Submersible Pump
 Initial Water Quality: FAIR
 Final Water Quality: GOOD

SAMPLE RECORD


Date: 04/06/2023 Volume: SEE CHART
 Time: 1057 Analysis: "
 Crew: JK Chain of Custody #: -
 Method: LOW FLOW Sample Type: GRAB
 Sample ID: MW-12(040623) + MS + MSD
 Water Quality: GOOD
 pH: 7.40
 Conductivity: 1.54
 Temperature: 11.99
 Turbidity: 1.8

Diameter	Multiply by
<u>1"</u>	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: HEADSPACE: 0.0
MS + MSD ALSO COLLECTED

TOR= Top of Riser
 GS= Ground Surface

Signature: [Handwritten Signature]



Well Data Sheet

Date: 04/06/2023
Well ID: MW-13
Crew: SK
Well Depth (TOR): 14.23
Well Depth (GS): 14.93
Initial Water Level (TOR): 3.10
Initial Water Level (GS): 3.80

Job #: 01304

Volume Calculation: $(14.23 - 3.10)(0.041) = 0.46 \text{ gal}$
DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity
1124	0.2	7.31	1.71	12.66	56.1
1131	0.4	7.57	1.27	11.39	11.0
1135	0.5	7.61	1.32	11.35	0.0

Purge Method: Bailer/Submersible Pump
Initial Water Quality: FAIR
Final Water Quality: GOOD

SAMPLE RECORD

Date: 04/06/2023
Time: 1135
Crew: SK
Method: LOW FLOW
Sample ID: MW-13(040623)
Water Quality: GOOD
pH: 7.61
Conductivity: 1.32
Temperature: 11.35
Turbidity: 0.0


Volume: SEE CHAIN
Analysis: "
Chain of Custody #: -
Sample Type: ~~NO~~ GRAB

Diameter	Multiply by
<u>1"</u>	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: HEADSPACE: 0.0

TOR= Top of Riser
GS= Ground Surface

Signature: [Signature]



Well Data Sheet

Date: 04/06/2023
 Well ID: MU-14
 Crew: SK
 Well Depth (TOR): 9.7
 Well Depth (GS): 10.16
 Initial Water Level (TOR): 6.22
 Initial Water Level (GS): 6.68

Job #: 01304

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD


Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____


Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: HEADSPACE: 0.0
NO SAMPLE

TOR= Top of Riser
 GS= Ground Surface

Signature: 



Well Data Sheet

Date: 04/06/2023

Job #: 01304

Well ID: MW-15

Crew: JK

Well Depth (TOR): 10.42

Well Depth (GS): 10.72

Initial Water Level (TOR): 4.95

Initial Water Level (GS): 5.25

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump

Initial Water Quality

Final Water Quality

SAMPLE RECORD

Date: _____

Time: _____

Crew: _____

Method: _____

Sample ID: _____

Water Quality: _____

pH: _____

Conductivity: _____

Temperature: _____

Turbidity: _____

Volume: _____

Analysis: _____

Chain of Custody #: _____


Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: HEADSPACE 0.0 ppm

TOR= Top of Riser
GS= Ground Surface

Signature: _____



Well Data Sheet

Date: 5/17/23
 Well ID: MW-15
 Crew: CS+SM
 Well Depth (TOR): 10.42
 Well Depth (GS): 10.72
 Initial Water Level (TOR): 5.20
 Initial Water Level (GS): 5.50

Job #: 01304

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____


Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 0.0 PPM
No Sampling - Monthly MW gauging.

TOR= Top of Riser
 GS= Ground Surface

Signature: Collin Meyer



Well Data Sheet

Date: 5/17/23
 Well ID: MW-12
 Crew: CSJM
 Well Depth (TOR): 14.7
 Well Depth (GS): 15.2
 Initial Water Level (TOR): 4.69
 Initial Water Level (GS): 5.19

Job #: 01304

Volume Calculation:

$DTB-DTW \times 0.163 = 1\text{-well vol}$

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____

Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.387
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space: 0.0 ppm
No Sampling Monthly MW gauging.

TOR= Top of Riser
 GS= Ground Surface

Signature: Colli Smyke



Well Data Sheet

Date: 5/17/23

Job #: 01304

Well ID: # 50173/mu-13

Crew: CS+SM

Well Depth (TOR): 14.23

Well Depth (GS): 14.93

Initial Water Level (TOR): 4.01

Initial Water Level (GS): 4.71

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump

Initial Water Quality

Final Water Quality

SAMPLE RECORD

Date: _____

Volume: _____

Time: _____

Analysis: _____

Crew: _____

Chain of Custody #: _____

Method: _____

Sample Type: _____

Sample ID: _____

Water Quality: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

pH: _____

Conductivity: _____

Temperature: _____


Turbidity: _____

Comments: PID Head Space : 0.0ppm

No Sampling - Monthly mw gauging

TOR= Top of Riser
GS= Ground Surface

Signature: Collin Snyder



Well Data Sheet

Date: 5/17/23
 Well ID: # SB116/MW3
 Crew: CSTSM
 Well Depth (TOR): 15.0
 Well Depth (GS): 15.6
 Initial Water Level (TOR): 5.80
 Initial Water Level (GS): 5.40

Job #: 01304

Volume Calculation:
 $DTB-DTW * 0.163 = 1\text{-well vol}$

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____


Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Headspace 0.6
No Sampling - Monthly MW gauging

TOR= Top of Riser
 GS= Ground Surface

Signature: Colli Smyke



Well Data Sheet

Date: 5/17/23
 Well ID: MW-14
 Crew: CSJM
 Well Depth (TOR): 9.7
 Well Depth (GS): 10.6
 Initial Water Level (TOR): 5.53
 Initial Water Level (GS): 5.99

Job #: 01304

Volume Calculation:
 DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____

Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 0.0ppm
No Sampling - monthly MW gaging

TOR= Top of Riser
 GS= Ground Surface

Signature: Colli Smejda



Well Data Sheet

Date: 5/17/23
 Well ID: #SB 172-MW-11
 Crew: CSJM
 Well Depth (TOR): 15.05
 Well Depth (GS): 15.88
 Initial Water Level (TOR): 5.60
 Initial Water Level (GS): 6.43

Job #: 01309

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____


Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 0.0ppm
NO Sampling Monthly MW gaug'ng.

TOR= Top of Riser
 GS= Ground Surface

Signature: Collin Dreyer



Well Data Sheet

Date: 6/20/23
Well ID: MW-15
Crew: CS
Well Depth (TOR): 10.92
Well Depth (GS): 10.72
Initial Water Level (TOR): 5.52
Initial Water Level (GS): _____

Job #: 01304

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump

Initial Water Quality _____

Final Water Quality _____

SAMPLE RECORD

Date: _____
Time: _____
Crew: _____
Method: _____
Sample ID: _____
Water Quality: _____
pH: _____
Conductivity: _____
Temperature: _____
Turbidity: _____


Volume: _____
Analysis: _____
Chain of Custody #: _____
Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 00
NO Sampling Monthly MW Gauging

TOR= Top of Riser
GS= Ground Surface

Signature: Collin Smyler



Well Data Sheet

Date: 6/20/23
Well ID: MW-11
Crew: CS
Well Depth (TOR): 5.99
Well Depth (GS): _____
Initial Water Level (TOR): _____
Initial Water Level (GS): _____

Job #: 01304

Volume Calculation:

$DTB-DTW * 0.163 = 1\text{-well vol}$

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
Initial Water Quality _____
Final Water Quality _____

SAMPLE RECORD

Date: _____
Time: _____
Crew: _____
Method: _____
Sample ID: _____
Water Quality: _____
pH: _____
Conductivity: _____
Temperature: _____
Turbidity: _____

Volume: _____
Analysis: _____
Chain of Custody #: _____
Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 0.5
NO Sampling Monthly MW Gauging

TOR= Top of Riser
GS= Ground Surface

Signature: Collin Smyke



Well Data Sheet

Date: 6/20/23
Well ID: MW-12
Crew: CS
Well Depth (TOR): 14.7
Well Depth (GS): 15.2
Initial Water Level (TOR): 5.20
Initial Water Level (GS): _____

Job #: 01304

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
Initial Water Quality _____
Final Water Quality _____

SAMPLE RECORD

Date: _____
Time: _____
Crew: _____
Method: _____
Sample ID: _____
Water Quality: _____
pH: _____
Conductivity: _____
Temperature: _____
Turbidity: _____


Volume: _____
Analysis: _____
Chain of Custody #: _____
Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 0.0
NO Sampling Monthly MW Gauging

TOR= Top of Riser
GS= Ground Surface

Signature: Collin Smythe



Well Data Sheet

Date: 6/20/23
 Well ID: MW-13
 Crew: CS
 Well Depth (TOR): 14.23
 Well Depth (GS): 14.93
 Initial Water Level (TOR): 5.50
 Initial Water Level (GS): _____

Job #: 01304

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____


Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space
NO Sampling Monthly MW Gauging

TOR= Top of Riser
 GS= Ground Surface

Signature: Collin Smyler



Well Data Sheet

Date: 6/20/23
Well ID: MW-3
Crew: CS
Well Depth (TOR): 15.0
Well Depth (GS): 13.6
Initial Water Level (TOR): 7.18
Initial Water Level (GS): _____

Job #: 01304

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
Initial Water Quality _____
Final Water Quality _____

SAMPLE RECORD

Date: _____
Time: _____
Crew: _____
Method: _____
Sample ID: _____
Water Quality: _____
pH: _____
Conductivity: _____
Temperature: _____
Turbidity: _____

Volume: _____
Analysis: _____
Chain of Custody #: _____
Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 0.9
NO Sampling Monthly MW Gauging

TOR= Top of Riser
GS= Ground Surface

Signature: Collin Smythe



Well Data Sheet

Date: 6/20/23 Job #: 01304
 Well ID: MW-19
 Crew: CS
 Well Depth (TOR): 9.7
 Well Depth (GS): 10.16
 Initial Water Level (TOR): 6.87
 Initial Water Level (GS): _____

Volume Calculation:

DTB-DTW*0.163=1-well vol

Purge Record

Time	Volume	pH	Cond.	Temp.	Turbidity

Purge Method: Bailer/Submersible Pump
 Initial Water Quality _____
 Final Water Quality _____

SAMPLE RECORD

Date: _____
 Time: _____
 Crew: _____
 Method: _____
 Sample ID: _____
 Water Quality: _____
 pH: _____
 Conductivity: _____
 Temperature: _____
 Turbidity: _____

Volume: _____
 Analysis: _____
 Chain of Custody #: _____
 Sample Type: _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Comments: PID Head Space 1.0
No Sampling Monthly MW Gauging

TOR= Top of Riser
 GS= Ground Surface

Signature: Collin Smyke

ATTACHMENT D

Analytical Laboratory Reports



ANALYTICAL REPORT

Lab Number:	L2335506
Client:	Environmental Advantage, Inc. 3636 North Buffalo Road Orchard Park, NY 14127
ATTN:	Mark Hanna
Phone:	(716) 667-3130
Project Name:	Q2 2023 SSDS MONITORING
Project Number:	01304
Report Date:	07/05/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA030), NH NELAP (2062), CT (PH-0825), DoD (L2474), FL (E87814), IL (200081), IN (C-MA-04), KY (KY98046), LA (85084), ME (MA00030), MD (350), MI (99110), NJ (MA015), NY (11627), NC (685), OH (CL106), OR (MA-0262), PA (68-02089), RI (LAO00299), TX (T104704419), VT (VT-0015), VA (460194), WA (C954), US Army Corps of Engineers, USDA (Permit #525-23-107-88708), USFWS (Permit #206964).

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: Q2 2023 SSDS MONITORING**Project Number:** 01304**Lab Number:** L2335506**Report Date:** 07/05/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2335506-01	AREA A-PRE(062023)	SOIL_VAPOR	MPC BUFFALO NY	06/20/23 14:15	06/21/23
L2335506-02	AREA B-POST(062023)	SOIL_VAPOR	MPC BUFFALO NY	06/20/23 14:30	06/21/23

Project Name: Q2 2023 SSDS MONITORING
Project Number: 01304

Lab Number: L2335506
Report Date: 07/05/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: Q2 2023 SSDS MONITORING**Lab Number:** L2335506**Project Number:** 01304**Report Date:** 07/05/23**Case Narrative (continued)**

Volatile Organics in Air

L2335506-01 and -02: Samples were transferred from a Tedlar bag into a fused silica lined canister upon receipt in order to extend the holding time for analysis.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 07/05/23

AIR

Project Name: Q2 2023 SSDS MONITORING**Lab Number:** L2335506**Project Number:** 01304**Report Date:** 07/05/23**SAMPLE RESULTS**

Lab ID: L2335506-01
 Client ID: AREA A-PRE(062023)
 Sample Location: MPC BUFFALO NY

Date Collected: 06/20/23 14:15
 Date Received: 06/21/23
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 07/02/23 03:46
 Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.646	0.200	--	3.19	0.989	--		1
Chloromethane	0.374	0.200	--	0.772	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	32.4	5.00	--	61.0	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	47.2	1.00	--	112	2.38	--		1
Trichlorofluoromethane	0.856	0.200	--	4.81	1.12	--		1
Isopropanol	86.6	0.500	--	213	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	1.38	0.500	--	4.18	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	2.34	0.200	--	7.29	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	1.69	0.500	--	4.98	1.47	--		1
cis-1,2-Dichloroethene	1.30	0.200	--	5.15	0.793	--		1



Project Name: Q2 2023 SSDS MONITORING**Lab Number:** L2335506**Project Number:** 01304**Report Date:** 07/05/23**SAMPLE RESULTS**

Lab ID: L2335506-01
 Client ID: AREA A-PRE(062023)
 Sample Location: MPC BUFFALO NY

Date Collected: 06/20/23 14:15
 Date Received: 06/21/23
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	49.5	0.500	--	178	1.80	--		1
Chloroform	3.10	0.200	--	15.1	0.977	--		1
Tetrahydrofuran	0.727	0.500	--	2.14	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	2.78	0.200	--	9.80	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.562	0.200	--	1.80	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	60.9	0.200	--	327	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	0.331	0.200	--	1.36	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	0.590	0.500	--	2.42	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	4.03	0.200	--	15.2	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	0.335	0.200	--	2.27	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	0.940	0.200	--	4.08	0.869	--		1



Project Name: Q2 2023 SSDS MONITORING**Lab Number:** L2335506**Project Number:** 01304**Report Date:** 07/05/23**SAMPLE RESULTS**

Lab ID: L2335506-01
 Client ID: AREA A-PRE(062023)
 Sample Location: MPC BUFFALO NY

Date Collected: 06/20/23 14:15
 Date Received: 06/21/23
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	4.20	0.400	--	18.2	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	0.449	0.200	--	1.91	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	1.32	0.200	--	5.73	0.869	--		1
4-Ethyltoluene	0.250	0.200	--	1.23	0.983	--		1
1,3,5-Trimethylbenzene	0.346	0.200	--	1.70	0.983	--		1
1,2,4-Trimethylbenzene	1.18	0.200	--	5.80	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	94		60-140
Bromochloromethane	94		60-140
chlorobenzene-d5	98		60-140



Project Name: Q2 2023 SSDS MONITORING**Lab Number:** L2335506**Project Number:** 01304**Report Date:** 07/05/23**SAMPLE RESULTS**

Lab ID: L2335506-02
 Client ID: AREA B-POST(062023)
 Sample Location: MPC BUFFALO NY

Date Collected: 06/20/23 14:30
 Date Received: 06/21/23
 Field Prep: Not Specified

Sample Depth:
 Matrix: Soil_Vapor
 Analytical Method: 48,TO-15
 Analytical Date: 07/02/23 01:14
 Analyst: RAY

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.589	0.200	--	2.91	0.989	--		1
Chloromethane	0.376	0.200	--	0.776	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	30.7	5.00	--	57.8	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	8.05	1.00	--	19.1	2.38	--		1
Trichlorofluoromethane	1.30	0.200	--	7.31	1.12	--		1
Isopropanol	224	0.500	--	551	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	0.740	0.200	--	2.30	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	0.608	0.500	--	1.79	1.47	--		1
cis-1,2-Dichloroethene	0.339	0.200	--	1.34	0.793	--		1



Project Name: Q2 2023 SSDS MONITORING**Lab Number:** L2335506**Project Number:** 01304**Report Date:** 07/05/23**SAMPLE RESULTS**

Lab ID: L2335506-02
 Client ID: AREA B-POST(062023)
 Sample Location: MPC BUFFALO NY

Date Collected: 06/20/23 14:30
 Date Received: 06/21/23
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Ethyl Acetate	48.8	0.500	--	176	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	2.01	0.200	--	7.08	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	0.327	0.200	--	1.04	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	3.40	0.200	--	18.3	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	2.36	0.200	--	8.89	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	0.515	0.200	--	2.24	0.869	--		1



Project Name: Q2 2023 SSDS MONITORING
Project Number: 01304

Lab Number: L2335506
Report Date: 07/05/23

SAMPLE RESULTS

Lab ID: L2335506-02
 Client ID: AREA B-POST(062023)
 Sample Location: MPC BUFFALO NY

Date Collected: 06/20/23 14:30
 Date Received: 06/21/23
 Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
p/m-Xylene	2.66	0.400	--	11.6	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	0.229	0.200	--	0.975	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	0.932	0.200	--	4.05	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	0.253	0.200	--	1.24	0.983	--		1
1,2,4-Trimethylbenzene	0.973	0.200	--	4.78	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	92		60-140
Bromochloromethane	93		60-140
chlorobenzene-d5	94		60-140



Project Name: Q2 2023 SSDS MONITORING

Lab Number: L2335506

Project Number: 01304

Report Date: 07/05/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 07/01/23 17:04

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1798720-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1



Project Name: Q2 2023 SSDS MONITORING

Lab Number: L2335506

Project Number: 01304

Report Date: 07/05/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 07/01/23 17:04

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1798720-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: Q2 2023 SSDS MONITORING

Lab Number: L2335506

Project Number: 01304

Report Date: 07/05/23

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 07/01/23 17:04

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-02 Batch: WG1798720-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 2023 SSDS MONITORING

Project Number: 01304

Lab Number: L2335506

Report Date: 07/05/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1798720-3								
Dichlorodifluoromethane	98		-		70-130	-		
Chloromethane	91		-		70-130	-		
Freon-114	98		-		70-130	-		
Vinyl chloride	94		-		70-130	-		
1,3-Butadiene	94		-		70-130	-		
Bromomethane	98		-		70-130	-		
Chloroethane	91		-		70-130	-		
Ethanol	73		-		40-160	-		
Vinyl bromide	93		-		70-130	-		
Acetone	85		-		40-160	-		
Trichlorofluoromethane	99		-		70-130	-		
Isopropanol	88		-		40-160	-		
1,1-Dichloroethene	94		-		70-130	-		
Tertiary butyl Alcohol	87		-		70-130	-		
Methylene chloride	97		-		70-130	-		
3-Chloropropene	89		-		70-130	-		
Carbon disulfide	92		-		70-130	-		
Freon-113	100		-		70-130	-		
trans-1,2-Dichloroethene	90		-		70-130	-		
1,1-Dichloroethane	92		-		70-130	-		
Methyl tert butyl ether	94		-		70-130	-		
2-Butanone	95		-		70-130	-		
cis-1,2-Dichloroethene	94		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 2023 SSDS MONITORING

Lab Number: L2335506

Project Number: 01304

Report Date: 07/05/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1798720-3								
Ethyl Acetate	95		-		70-130	-		
Chloroform	99		-		70-130	-		
Tetrahydrofuran	91		-		70-130	-		
1,2-Dichloroethane	91		-		70-130	-		
n-Hexane	86		-		70-130	-		
1,1,1-Trichloroethane	93		-		70-130	-		
Benzene	89		-		70-130	-		
Carbon tetrachloride	101		-		70-130	-		
Cyclohexane	86		-		70-130	-		
1,2-Dichloropropane	89		-		70-130	-		
Bromodichloromethane	96		-		70-130	-		
1,4-Dioxane	92		-		70-130	-		
Trichloroethene	99		-		70-130	-		
2,2,4-Trimethylpentane	87		-		70-130	-		
Heptane	90		-		70-130	-		
cis-1,3-Dichloropropene	100		-		70-130	-		
4-Methyl-2-pentanone	104		-		70-130	-		
trans-1,3-Dichloropropene	89		-		70-130	-		
1,1,2-Trichloroethane	98		-		70-130	-		
Toluene	91		-		70-130	-		
2-Hexanone	91		-		70-130	-		
Dibromochloromethane	107		-		70-130	-		
1,2-Dibromoethane	101		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 2023 SSDS MONITORING

Project Number: 01304

Lab Number: L2335506

Report Date: 07/05/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 Batch: WG1798720-3								
Tetrachloroethene	100		-		70-130	-		
Chlorobenzene	99		-		70-130	-		
Ethylbenzene	96		-		70-130	-		
p/m-Xylene	97		-		70-130	-		
Bromoform	106		-		70-130	-		
Styrene	99		-		70-130	-		
1,1,2,2-Tetrachloroethane	98		-		70-130	-		
o-Xylene	96		-		70-130	-		
4-Ethyltoluene	95		-		70-130	-		
1,3,5-Trimethylbenzene	96		-		70-130	-		
1,2,4-Trimethylbenzene	101		-		70-130	-		
Benzyl chloride	94		-		70-130	-		
1,3-Dichlorobenzene	102		-		70-130	-		
1,4-Dichlorobenzene	101		-		70-130	-		
1,2-Dichlorobenzene	105		-		70-130	-		
1,2,4-Trichlorobenzene	114		-		70-130	-		
Hexachlorobutadiene	107		-		70-130	-		

Lab Duplicate Analysis

Batch Quality Control

Project Name: Q2 2023 SSDS MONITORING

Project Number: 01304

Lab Number: L2335506

Report Date: 07/05/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1798720-5 QC Sample: L2335506-02 Client ID: AREA B-POST(062023)						
Dichlorodifluoromethane	0.589	0.575	ppbV	2		25
Chloromethane	0.376	0.355	ppbV	6		25
Freon-114	ND	ND	ppbV	NC		25
Vinyl chloride	ND	ND	ppbV	NC		25
1,3-Butadiene	ND	ND	ppbV	NC		25
Bromomethane	ND	ND	ppbV	NC		25
Chloroethane	ND	ND	ppbV	NC		25
Ethanol	30.7	31.1	ppbV	1		25
Vinyl bromide	ND	ND	ppbV	NC		25
Acetone	8.05	8.24	ppbV	2		25
Trichlorofluoromethane	1.30	1.30	ppbV	0		25
Isopropanol	224	222	ppbV	1		25
1,1-Dichloroethene	ND	ND	ppbV	NC		25
Tertiary butyl Alcohol	ND	ND	ppbV	NC		25
Methylene chloride	ND	ND	ppbV	NC		25
3-Chloropropene	ND	ND	ppbV	NC		25
Carbon disulfide	0.740	0.740	ppbV	0		25
Freon-113	ND	ND	ppbV	NC		25
trans-1,2-Dichloroethene	ND	ND	ppbV	NC		25
1,1-Dichloroethane	ND	ND	ppbV	NC		25
Methyl tert butyl ether	ND	ND	ppbV	NC		25

Lab Duplicate Analysis

Batch Quality Control

Project Name: Q2 2023 SSDS MONITORING

Project Number: 01304

Lab Number: L2335506

Report Date: 07/05/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1798720-5 QC Sample: L2335506-02 Client ID: AREA B-POST(062023)						
2-Butanone	0.608	0.616	ppbV	1		25
cis-1,2-Dichloroethene	0.339	0.337	ppbV	1		25
Ethyl Acetate	48.8	49.4	ppbV	1		25
Chloroform	ND	ND	ppbV	NC		25
Tetrahydrofuran	ND	ND	ppbV	NC		25
1,2-Dichloroethane	ND	ND	ppbV	NC		25
n-Hexane	2.01	1.97	ppbV	2		25
1,1,1-Trichloroethane	ND	ND	ppbV	NC		25
Benzene	0.327	0.320	ppbV	2		25
Carbon tetrachloride	ND	ND	ppbV	NC		25
Cyclohexane	ND	ND	ppbV	NC		25
1,2-Dichloropropane	ND	ND	ppbV	NC		25
Bromodichloromethane	ND	ND	ppbV	NC		25
1,4-Dioxane	ND	ND	ppbV	NC		25
Trichloroethene	3.40	3.40	ppbV	0		25
2,2,4-Trimethylpentane	ND	ND	ppbV	NC		25
Heptane	ND	ND	ppbV	NC		25
cis-1,3-Dichloropropene	ND	ND	ppbV	NC		25
4-Methyl-2-pentanone	ND	ND	ppbV	NC		25
trans-1,3-Dichloropropene	ND	ND	ppbV	NC		25
1,1,2-Trichloroethane	ND	ND	ppbV	NC		25

Lab Duplicate Analysis

Batch Quality Control

Project Name: Q2 2023 SSDS MONITORING

Project Number: 01304

Lab Number: L2335506

Report Date: 07/05/23

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG1798720-5 QC Sample: L2335506-02 Client ID: AREA B-POST(062023)						
Toluene	2.36	2.43	ppbV	3		25
2-Hexanone	ND	ND	ppbV	NC		25
Dibromochloromethane	ND	ND	ppbV	NC		25
1,2-Dibromoethane	ND	ND	ppbV	NC		25
Tetrachloroethene	ND	ND	ppbV	NC		25
Chlorobenzene	ND	ND	ppbV	NC		25
Ethylbenzene	0.515	0.508	ppbV	1		25
p/m-Xylene	2.66	2.66	ppbV	0		25
Bromoform	ND	ND	ppbV	NC		25
Styrene	0.229	0.226	ppbV	1		25
1,1,2,2-Tetrachloroethane	ND	ND	ppbV	NC		25
o-Xylene	0.932	0.945	ppbV	1		25
4-Ethyltoluene	ND	ND	ppbV	NC		25
1,3,5-Trimethylbenzene	0.253	0.258	ppbV	2		25
1,2,4-Trimethylbenzene	0.973	0.964	ppbV	1		25
Benzyl chloride	ND	ND	ppbV	NC		25
1,3-Dichlorobenzene	ND	ND	ppbV	NC		25
1,4-Dichlorobenzene	ND	ND	ppbV	NC		25
1,2-Dichlorobenzene	ND	ND	ppbV	NC		25
1,2,4-Trichlorobenzene	ND	ND	ppbV	NC		25
Hexachlorobutadiene	ND	ND	ppbV	NC		25

Project Name: Q2 2023 SSDS MONITORING

Project Number: 01304

Serial_No:07052315:12

Lab Number: L2335506

Report Date: 07/05/23

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler **Custody Seal**

NA Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2335506-01A	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)
L2335506-01X	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)
L2335506-02A	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)
L2335506-02X	Tedlar Bag 5 liter-Polypropylene Fitting	NA	NA			Y	Absent		TO15-LL(30)

Project Name: Q2 2023 SSDS MONITORING
Project Number: 01304

Lab Number: L2335506
Report Date: 07/05/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report



Project Name: Q2 2023 SSDS MONITORING
Project Number: 01304

Lab Number: L2335506
Report Date: 07/05/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: Q2 2023 SSDS MONITORING
Project Number: 01304

Lab Number: L2335506
Report Date: 07/05/23

Data Qualifiers

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: Q2 2023 SSDS MONITORING
Project Number: 01304

Lab Number: L2335506
Report Date: 07/05/23

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625.1: alpha-Terpineol

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables).

Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



CHAIN OF CUSTODY

AIR ANALYSIS

PAGE 1 OF 1

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Project Information

Project Name: Q2 2023 SPS Monitoring
Project Location: MPC Buffalo NY
Project #: 01304
Project Manager: Mark Hanna + Mary Szostak
ALPHA Quote #:

Date Rec'd in Lab: 6/22/23

Report Information - Data Deliverables

FAX
 ADEx
Criteria Checker: _____
(Default based on Regulatory Criteria Indicated)
Other Formats: _____
 EMAIL (standard pdf report)
 Additional Deliverables: _____
Report to: (if different than Project Manager)

ALPHA Job #: L2335506

Billing Information

Same as Client info PO #01304

Client Information

Client: ENV ADVANTAGE INC
Address: 3636 N. Buffalo Rd
Orchard Park NY 14127
Phone: 716 667 3130
Fax: 716 667 3156
Email: mhanna@envadvantage.com

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List:

Turn-Around Time

Standard RUSH (only confirmed if pre-approved)

Date Due: _____ Time: _____

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm

ANALYSIS

TO-15
TO-15 SIM
APH
Fixed Gases
Sulfides & Mercaptans by TO-15

All Columns Below Must Be Filled Out

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION					Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH	Fixed Gases	Sulfides & Mercaptans by TO-15	Sample Comments (i.e. PID)
		End Date	Start Time	End Time	Initial Vacuum	Final Vacuum											
35506-01	Area A - Pre (6/20/23)	6/20/23	14:15	14:15	-	-	SV	CS	5L	-	-	X					
	02 Area B - Post (6/20/23)	6/20/23	14:30	14:30	-	-	SV	CS	5L	-	-	X					

*SAMPLE MATRIX CODES

AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type: 5L Tedlar

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By: Coll. S. [Signature] Jim Al. AAC 6/22/23 500 F. Mendonza AAC	Date/Time: 6/21/23 14:55	Received By: Jim Al. AAC F. Mendonza AAC	Date/Time: 6/21/23 13:15 6/22/23 01:15 6/22/23 06:25
---	-----------------------------	--	---



ANALYTICAL REPORT

Lab Number:	L2318220
Client:	Environmental Advantage, Inc. 3636 North Buffalo Road Orchard Park, NY 14127
ATTN:	Mark Hanna
Phone:	(716) 667-3130
Project Name:	CY2023 APRIL GW SAMPLING
Project Number:	01304
Report Date:	04/12/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: CY2023 APRIL GW SAMPLING**Project Number:** 01304**Lab Number:** L2318220**Report Date:** 04/12/23

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2318220-01	MW-3 (040623)	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 09:06	04/06/23
L2318220-02	MW-11 (040623)	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 09:45	04/06/23
L2318220-03	MW-11 (040623) DUPLICATE	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 09:45	04/06/23
L2318220-04	MW-12 (040623)	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 10:57	04/06/23
L2318220-05	MW-13 (040623)	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 11:35	04/06/23
L2318220-06	RINSATE BLANK (040623)	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 13:00	04/06/23
L2318220-07	TRIP BLANK (040623)	WATER	MOD-PAC CORP, BUFFALO NY	04/06/23 13:00	04/06/23

Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Ashaley Moynihan

Title: Technical Director/Representative

Date: 04/12/23

ORGANICS

VOLATILES

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-01
 Client ID: MW-3 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 09:06
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 03:14
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.41	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	0.92	J	ug/l	2.5	0.70	1
Trichloroethene	120		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-01
 Client ID: MW-3 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 09:06
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	17		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	113		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-02
 Client ID: MW-11 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 09:45
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 02:49
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	10		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.39	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	16		ug/l	2.5	0.70	1
Trichloroethene	19		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

SAMPLE RESULTS

Lab ID: L2318220-02
 Client ID: MW-11 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 09:45
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	10		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	117		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-03
 Client ID: MW-11 (040623) DUPLICATE
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 09:45
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 02:24
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	11		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.40	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	17		ug/l	2.5	0.70	1
Trichloroethene	18		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

SAMPLE RESULTS

Lab ID: L2318220-03
 Client ID: MW-11 (040623) DUPLICATE
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 09:45
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	10		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	117		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-04
 Client ID: MW-12 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 10:57
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 01:58
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-04
 Client ID: MW-12 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 10:57
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	113		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	118		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-05
 Client ID: MW-13 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 11:35
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 01:33
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	15		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.22	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	32		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

SAMPLE RESULTS

Lab ID: L2318220-05
 Client ID: MW-13 (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 11:35
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	42		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	114		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	113		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-06
 Client ID: RINSATE BLANK (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 13:00
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 01:08
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-06
 Client ID: RINSATE BLANK (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 13:00
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	114		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	116		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-07
 Client ID: TRIP BLANK (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 13:00
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 04/12/23 00:43
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**SAMPLE RESULTS**

Lab ID: L2318220-07
 Client ID: TRIP BLANK (040623)
 Sample Location: MOD-PAC CORP, BUFFALO NY

Date Collected: 04/06/23 13:00
 Date Received: 04/06/23
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	116		70-130

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 04/11/23 21:20
 Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-07 Batch: WG1765623-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/11/23 21:20
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-07 Batch: WG1765623-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
1,4-Dioxane	ND		ug/l	250	61.
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260D
Analytical Date: 04/11/23 21:20
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-07 Batch: WG1765623-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	114		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 Batch: WG1765623-3 WG1765623-4								
Methylene chloride	98		100		70-130	2		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	95		99		70-130	4		20
Carbon tetrachloride	110		110		63-132	0		20
1,2-Dichloropropane	100		110		70-130	10		20
Dibromochloromethane	92		93		63-130	1		20
1,1,2-Trichloroethane	85		86		70-130	1		20
Tetrachloroethene	99		96		70-130	3		20
Chlorobenzene	93		93		75-130	0		20
Trichlorofluoromethane	99		100		62-150	1		20
1,2-Dichloroethane	100		110		70-130	10		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	95		99		67-130	4		20
trans-1,3-Dichloropropene	83		83		70-130	0		20
cis-1,3-Dichloropropene	95		97		70-130	2		20
Bromoform	78		78		54-136	0		20
1,1,2,2-Tetrachloroethane	80		82		67-130	2		20
Benzene	100		100		70-130	0		20
Toluene	89		87		70-130	2		20
Ethylbenzene	88		88		70-130	0		20
Chloromethane	110		110		64-130	0		20
Bromomethane	84		89		39-139	6		20
Vinyl chloride	88		91		55-140	3		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: CY2023 APRIL GW SAMPLING

Project Number: 01304

Lab Number: L2318220

Report Date: 04/12/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 Batch: WG1765623-3 WG1765623-4								
Chloroethane	84		88		55-138	5		20
1,1-Dichloroethene	100		100		61-145	0		20
trans-1,2-Dichloroethene	98		100		70-130	2		20
Trichloroethene	95		94		70-130	1		20
1,2-Dichlorobenzene	90		91		70-130	1		20
1,3-Dichlorobenzene	92		92		70-130	0		20
1,4-Dichlorobenzene	92		91		70-130	1		20
Methyl tert butyl ether	95		100		63-130	5		20
p/m-Xylene	90		90		70-130	0		20
o-Xylene	90		90		70-130	0		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Styrene	85		85		70-130	0		20
Dichlorodifluoromethane	84		86		36-147	2		20
Acetone	120		130		58-148	8		20
Carbon disulfide	97		99		51-130	2		20
2-Butanone	110		120		63-138	9		20
4-Methyl-2-pentanone	87		96		59-130	10		20
2-Hexanone	87		94		57-130	8		20
Bromochloromethane	110		110		70-130	0		20
1,2-Dibromoethane	90		92		70-130	2		20
1,2-Dibromo-3-chloropropane	80		88		41-144	10		20
Isopropylbenzene	89		88		70-130	1		20
1,2,3-Trichlorobenzene	96		100		70-130	4		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: CY2023 APRIL GW SAMPLING

Project Number: 01304

Lab Number: L2318220

Report Date: 04/12/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 Batch: WG1765623-3 WG1765623-4								
1,2,4-Trichlorobenzene	99		98		70-130	1		20
Methyl Acetate	110		120		70-130	9		20
Cyclohexane	110		120		70-130	9		20
1,4-Dioxane	78		84		56-162	7		20
Freon-113	110		110		70-130	0		20
Methyl cyclohexane	98		98		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	98		102		70-130
Toluene-d8	94		93		70-130
4-Bromofluorobenzene	95		93		70-130
Dibromofluoromethane	105		109		70-130

Matrix Spike Analysis

Batch Quality Control

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG1765623-6 WG1765623-7 QC Sample: L2318220-04 Client ID: MW-12 (040623)												
Methylene chloride	ND	10	12	120		11	110		70-130	9		20
1,1-Dichloroethane	ND	10	12	120		12	120		70-130	0		20
Chloroform	ND	10	11	110		11	110		70-130	0		20
Carbon tetrachloride	ND	10	14	140	Q	14	140	Q	63-132	0		20
1,2-Dichloropropane	ND	10	12	120		12	120		70-130	0		20
Dibromochloromethane	ND	10	10	100		10	100		63-130	0		20
1,1,2-Trichloroethane	ND	10	9.6	96		9.6	96		70-130	0		20
Tetrachloroethene	ND	10	12	120		12	120		70-130	0		20
Chlorobenzene	ND	10	10	100		10	100		75-130	0		20
Trichlorofluoromethane	ND	10	12	120		12	120		62-150	0		20
1,2-Dichloroethane	ND	10	12	120		12	120		70-130	0		20
1,1,1-Trichloroethane	ND	10	13	130		12	120		67-130	8		20
Bromodichloromethane	ND	10	11	110		11	110		67-130	0		20
trans-1,3-Dichloropropene	ND	10	8.8	88		8.8	88		70-130	0		20
cis-1,3-Dichloropropene	ND	10	10	100		10	100		70-130	0		20
Bromoform	ND	10	8.5	85		8.7	87		54-136	2		20
1,1,2,2-Tetrachloroethane	ND	10	9.1	91		9.0	90		67-130	1		20
Benzene	ND	10	12	120		12	120		70-130	0		20
Toluene	ND	10	10	100		10	100		70-130	0		20
Ethylbenzene	ND	10	10	100		10	100		70-130	0		20
Chloromethane	ND	10	13	130		13	130		64-130	0		20
Bromomethane	ND	10	9.4	94		10	100		39-139	6		20
Vinyl chloride	ND	10	11	110		11	110		55-140	0		20

Matrix Spike Analysis

Batch Quality Control

Project Name: CY2023 APRIL GW SAMPLING

Lab Number: L2318220

Project Number: 01304

Report Date: 04/12/23

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG1765623-6 WG1765623-7 QC Sample: L2318220-04 Client ID: MW-12 (040623)												
Chloroethane	ND	10	10	100		10	100		55-138	0		20
1,1-Dichloroethene	ND	10	13	130		13	130		61-145	0		20
trans-1,2-Dichloroethene	ND	10	12	120		12	120		70-130	0		20
Trichloroethene	ND	10	11	110		11	110		70-130	0		20
1,2-Dichlorobenzene	ND	10	10	100		10	100		70-130	0		20
1,3-Dichlorobenzene	ND	10	10	100		11	110		70-130	10		20
1,4-Dichlorobenzene	ND	10	10	100		10	100		70-130	0		20
Methyl tert butyl ether	ND	10	11	110		12	120		63-130	9		20
p/m-Xylene	ND	20	21	105		22	110		70-130	5		20
o-Xylene	ND	20	21	105		21	105		70-130	0		20
cis-1,2-Dichloroethene	ND	10	12	120		12	120		70-130	0		20
Styrene	ND	20	20	100		20	100		70-130	0		20
Dichlorodifluoromethane	ND	10	10	100		10	100		36-147	0		20
Acetone	ND	10	13	130		14	140		58-148	7		20
Carbon disulfide	ND	10	12	120		12	120		51-130	0		20
2-Butanone	ND	10	11	110		12	120		63-138	9		20
4-Methyl-2-pentanone	ND	10	10	100		10	100		59-130	0		20
2-Hexanone	ND	10	9.6	96		9.4	94		57-130	2		20
Bromochloromethane	ND	10	13	130		13	130		70-130	0		20
1,2-Dibromoethane	ND	10	10	100		10	100		70-130	0		20
1,2-Dibromo-3-chloropropane	ND	10	9.6	96		9.9	99		41-144	3		20
Isopropylbenzene	ND	10	10	100		10	100		70-130	0		20
1,2,3-Trichlorobenzene	ND	10	11	110		11	110		70-130	0		20

Matrix Spike Analysis Batch Quality Control

Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG1765623-6 WG1765623-7 QC Sample: L2318220-04 Client ID: MW-12 (040623)												
1,2,4-Trichlorobenzene	ND	10	11	110		11	110		70-130	0		20
Methyl Acetate	ND	10	12	120		12	120		70-130	0		20
Cyclohexane	ND	10	14	140	Q	14	140	Q	70-130	0		20
1,4-Dioxane	ND	500	570	114		600	120		56-162	5		20
Freon-113	ND	10	13	130		13	130		70-130	0		20
Methyl cyclohexane	ND	10	12	120		11	110		70-130	9		20

Surrogate	MS		MSD		Acceptance Criteria
	% Recovery	Qualifier	% Recovery	Qualifier	
1,2-Dichloroethane-d4	103		104		70-130
4-Bromofluorobenzene	94		96		70-130
Dibromofluoromethane	110		109		70-130
Toluene-d8	93		92		70-130

Project Name: CY2023 APRIL GW SAMPLING**Lab Number:** L2318220**Project Number:** 01304**Report Date:** 04/12/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2318220-01A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-01B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-01C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-02A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-02B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-02C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-03A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-03B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-03C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04A1	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04A2	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04B1	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04B2	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04C1	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-04C2	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-05A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-05B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-05C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-06A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-06B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)

Project Name: CY2023 APRIL GW SAMPLING

Project Number: 01304

Serial_No:04122315:32

Lab Number: L2318220

Report Date: 04/12/23

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2318220-06C	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-07A	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)
L2318220-07B	Vial HCl preserved	A	NA		3.3	Y	Absent		NYTCL-8260-R2(14)

Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: CY2023 APRIL GW SAMPLING
Project Number: 01304

Lab Number: L2318220
Report Date: 04/12/23

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B

EPA 332: Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LCHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.**

EPA 522, EPA 537.1.

Non-Potable Water


EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 NEW YORK CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105	Page		Date Rec'd in Lab	4/7/23	ALPHA Job #	L2318220
		1 of 1					
Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288	Project Information		Deliverables		Billing Information	
		Project Name: CY2023 APRIL GROUNDWATER SAMPLING		<input type="checkbox"/> ASP-A	<input checked="" type="checkbox"/> ASP-B	<input checked="" type="checkbox"/> Same as Client Info	
		Project Location: MOD-PAC CORP, BUFFALO NY		<input type="checkbox"/> EQulS (1 File)	<input checked="" type="checkbox"/> EQulS (4 File)	PO # 01304	
		Project # 01304		<input type="checkbox"/> Other			
Client Information		(Use Project name as Project #) <input type="checkbox"/>		Regulatory Requirement		Disposal Site Information	
Client: ENV ADVANTAGE INC		Project Manager: MARK MANNA + MARRY SZUSTAK		<input type="checkbox"/> NY TOGS	<input type="checkbox"/> NY Part 375	Please identify below location of applicable disposal facilities.	
Address: 3636 N: BUFFALO		ALPHAQuote #:		<input type="checkbox"/> AWQ Standards	<input type="checkbox"/> NY CP-51	Disposal Facility:	
ORCHARD PARK NY 14127		Turn-Around Time		<input type="checkbox"/> NY Restricted Use	<input type="checkbox"/> Other	<input type="checkbox"/> NJ <input type="checkbox"/> NY	
Phone: (716) 667-3130		Standard <input checked="" type="checkbox"/>		<input type="checkbox"/> NY Unrestricted Use		<input type="checkbox"/> Other:	
Fax: -		Rush (only if pre approved) <input type="checkbox"/>		<input type="checkbox"/> NYC Sewer Discharge			
Email: manna@envadvantage.com		Due Date:					
		# of Days:					
These samples have been previously analyzed by Alpha <input type="checkbox"/>				ANALYSIS		Sample Filtration	
Other project specific requirements/comments:				16cs 8260 TEL		<input type="checkbox"/> Done	
PLEASE ALSO EMAIL RESULTS TO MSZUSTAK@ENVADVANTAGE.COM						<input type="checkbox"/> Lab to do	
Please specify Metals or TAL.						Preservation	
						<input type="checkbox"/> Lab to do	
						(Please Specify below)	
						Sample Specific Comments	
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials		
		Date	Time				
18220-01	MW-3 (040623)	04/06/2023	0906	GW	JK	X	3
-02	MW-11 (040623)		0945	GW	JK	X	3
-03	MW-11 (040623) DUPLICATE		0945	GW	JK	X	3
-04	MW-12 (040623)		1057	GW	JK	X	3
-04	MW-12 (040623) MS		1057	GW	JK	X	3
-04	MW-12 (040623) MSD		1057	GW	JK	X	3
-05	MW-13 (040623) MS		1135	GW	JK	X	3
-06	RINSATE BLANK (040623)		1300	WA	JK	X	3
-07	TRIP BLANK (040623)		1300	WA	JK	X	2
Preservative Code:		Container Code		Westboro: Certification No: MA935		Container Type	
A = None		P = Plastic		Mansfield: Certification No: MA015		A	
B = HCl		A = Amber Glass				Preservative	
C = HNO ₃		V = Vial				B	
D = H ₂ SO ₄		G = Glass				Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)	
E = NaOH		B = Bacteria Cup					
F = MeOH		C = Cube					
G = NaHSO ₄		O = Other					
H = Na ₂ S ₂ O ₃		E = Encore					
K/E = Zn Ac/NaOH		D = BOD Bottle					
O = Other							
Form No: 01-25 HC (rev. 30-Sept-2013)		Relinquished By:		Date/Time	Received By:	Date/Time	
		<i>[Signature]</i>		04/06/2023 1317	<i>[Signature]</i>	4/6/23 1217	
		<i>[Signature]</i>		4/6/23 1317	<i>[Signature]</i>	4/7/23 0050	