



**Attachment F**  
**RESRAD Dose Assessment**  
**Reports**


### DOSE: All Nuclides Summed, All Pathways Summed




### DOSE: All Nuclides Summed, All Pathways Summed




### DOSE: All Nuclides Summed, All Pathways Summed



### DOSE: All Nuclides Summed, All Pathways Summed



### DOSE: All Nuclides Summed, All Pathways Summed



Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	5
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	12
Time = 1.000E+00 .....	13
Time = 3.000E+00 .....	14
Time = 1.000E+01 .....	15
Time = 3.000E+01 .....	16
Time = 1.000E+02 .....	17
Time = 3.000E+02 .....	18
Time = 1.000E+03 .....	19
Dose/Source Ratios Summed Over All Pathways .....	20
Single Radionuclide Soil Guidelines .....	21
Dose Per Nuclide Summed Over All Pathways .....	22
Soil Concentration Per Nuclide .....	23

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1( 1)
A-1	At-218 (Source: FGR 12)	5.847E-03	5.847E-03	DCF1( 2)
A-1	Bi-210 (Source: FGR 12)	3.606E-03	3.606E-03	DCF1( 3)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1( 4)
A-1	Bi-214 (Source: FGR 12)	9.808E+00	9.808E+00	DCF1( 5)
A-1	Pa-234 (Source: FGR 12)	1.155E+01	1.155E+01	DCF1( 6)
A-1	Pa-234m (Source: FGR 12)	8.967E-02	8.967E-02	DCF1( 7)
A-1	Pb-210 (Source: FGR 12)	2.447E-03	2.447E-03	DCF1( 8)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1( 9)
A-1	Pb-214 (Source: FGR 12)	1.341E+00	1.341E+00	DCF1( 10)
A-1	Po-210 (Source: FGR 12)	5.231E-05	5.231E-05	DCF1( 11)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 12)
A-1	Po-214 (Source: FGR 12)	5.138E-04	5.138E-04	DCF1( 13)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1( 14)
A-1	Po-218 (Source: FGR 12)	5.642E-05	5.642E-05	DCF1( 15)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1( 16)
A-1	Ra-226 (Source: FGR 12)	3.176E-02	3.176E-02	DCF1( 17)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 18)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1( 19)
A-1	Rn-222 (Source: FGR 12)	2.354E-03	2.354E-03	DCF1( 20)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1( 21)
A-1	Th-230 (Source: FGR 12)	1.209E-03	1.209E-03	DCF1( 22)
A-1	Th-234 (Source: FGR 12)	2.410E-02	2.410E-02	DCF1( 23)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1( 24)
A-1	Tl-210 (Source: no data)	0.000E+00	-2.000E+00	DCF1( 25)
A-1	U-234 (Source: FGR 12)	4.017E-04	4.017E-04	DCF1( 26)
A-1	U-238 (Source: FGR 12)	1.031E-04	1.031E-04	DCF1( 27)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	1.360E-02	DCF2( 1)
B-1	Ra-226+D	8.594E-03	8.580E-03	DCF2( 2)
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2( 3)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2( 4)
B-1	Th-230	3.260E-01	3.260E-01	DCF2( 5)
B-1	U-234	1.320E-01	1.320E-01	DCF2( 6)
B-1	U-238	1.180E-01	1.180E-01	DCF2( 7)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2( 8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.276E-03	5.370E-03	DCF3( 1)
D-1	Ra-226+D	1.321E-03	1.320E-03	DCF3( 2)
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3( 3)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3( 4)
D-1	Th-230	5.480E-04	5.480E-04	DCF3( 5)
D-1	U-234	2.830E-04	2.830E-04	DCF3( 6)
D-1	U-238	2.550E-04	2.550E-04	DCF3( 7)
D-1	U-238+D	2.687E-04	2.550E-04	DCF3( 8)



Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 1,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,3)
D-34				
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 3,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,3)
D-34				
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 4,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 4,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34				
D-34	U-238 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 1,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 2,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC( 3,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 3,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)
D-5				

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5				
D-5	U-238 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-238 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL\_STRUCTURE\_FUTURE\_USE\_R1.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	5.000E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.300E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T ( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T ( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T ( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T ( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T ( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T ( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T ( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T ( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	5.870E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	6.740E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	9.000E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	7.100E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Th-230	5.870E+00	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): U-234	6.740E+00	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): U-238	5.870E+00	0.000E+00	---	S1(7)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1( 5)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1( 6)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 7)
R013	Cover depth (m)	3.048E-01	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	2.400E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.200E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL\_STRUCTURE\_FUTURE\_USE\_R1.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.487E-03	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 2)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 3)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 4)
R016	Unsat. zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC ( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU ( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS ( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH ( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 5)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 6)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 7)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	1.000E+00	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	1.140E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	1.140E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LW15
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LW16
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSNS
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSNS
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	1.500E-01	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	2.400E+00	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	4.000E-01	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	1.000E-01	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	5.000E-02	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	3.000E-02	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	2.000E-06	2.000E-06	---	DIFCV
R021	in foundation material	3.000E-08	3.000E-07	---	DIFFL
R021	in contaminated zone soil	3.000E-07	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	5.000E-01	5.000E-01	---	REXG
R021	Height of the building (room) (m)	2.500E+00	2.500E+00	---	HRM
R021	Building interior area factor	0.000E+00	0.000E+00	code computed (time dependent)	FAI
R021	Building depth below ground surface (m)	-5.000E-01	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	active
9 -- radon	active
Find peak pathway doses	active



Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area:	500.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.30 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.157E+01	1.152E+01	1.144E+01	1.116E+01	1.041E+01	8.303E+00	8.839E+00	1.468E+00
M(t):	4.626E-01	4.610E-01	4.577E-01	4.465E-01	4.164E-01	3.321E-01	3.536E-01	5.870E-02

Maximum TDOSE(t): 1.157E+01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.876E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.929E-02	0.0043	0.000E+00	0.0000	1.150E+01	0.9944	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	4.160E-03	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	8.888E-03	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.334E-06	0.0000	0.000E+00	0.0000	2.171E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.981E-10	0.0000	0.000E+00	0.0000	7.473E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.848E-04	0.0000	0.000E+00	0.0000	4.610E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>6.253E-02</b>	<b>0.0054</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.150E+01</b>	<b>0.9946</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.876E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.155E+01	0.9987
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.160E-03	0.0004
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.888E-03	0.0008
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.180E-03	0.0002
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.771E-09	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.848E-04	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.157E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL\_STRUCTURE\_FUTURE\_USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.863E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.999E-02	0.0043	0.000E+00	0.0000	1.145E+01	0.9939	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	6.997E-03	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	6.282E-03	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.840E-05	0.0000	0.000E+00	0.0000	6.501E-03	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	5.054E-10	0.0000	0.000E+00	0.0000	5.218E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.879E-04	0.0000	0.000E+00	0.0000	6.895E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>6.348E-02</b>	<b>0.0055</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.146E+01</b>	<b>0.9945</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.863E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.150E+01	0.9983
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.997E-03	0.0006
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.282E-03	0.0005
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.530E-03	0.0006
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.268E-08	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.879E-04	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.152E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.839E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.142E-02	0.0045	0.000E+00	0.0000	1.136E+01	0.9931	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.335E-03	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	3.138E-03	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	6.840E-05	0.0000	0.000E+00	0.0000	1.511E-02	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.543E-09	0.0000	0.000E+00	0.0000	2.742E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.943E-04	0.0000	0.000E+00	0.0000	7.990E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>6.415E-02</b>	<b>0.0056</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.138E+01</b>	<b>0.9944</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.839E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.142E+01	0.9976
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.335E-03	0.0008
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.138E-03	0.0003
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.518E-02	0.0013
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.758E-07	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.943E-04	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.144E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.756E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.675E-02	0.0051	0.000E+00	0.0000	1.105E+01	0.9902	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	6.673E-03	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	2.764E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.296E-04	0.0000	0.000E+00	0.0000	4.471E-02	0.0040	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.275E-08	0.0000	0.000E+00	0.0000	2.403E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.183E-04	0.0000	0.000E+00	0.0000	2.069E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>6.415E-02</b>	<b>0.0057</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.110E+01</b>	<b>0.9943</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.756E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.111E+01	0.9953
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.673E-03	0.0006
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.764E-04	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.494E-02	0.0040
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.416E-06	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.183E-04	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.116E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.545E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.527E-02	0.0072	0.000E+00	0.0000	1.021E+01	0.9806	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	8.254E-04	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	2.676E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.209E-04	0.0001	0.000E+00	0.0000	1.249E-01	0.0120	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.418E-07	0.0000	0.000E+00	0.0000	1.910E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.044E-04	0.0000	0.000E+00	0.0000	4.722E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>7.732E-02</b>	<b>0.0074</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.033E+01</b>	<b>0.9926</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.545E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.028E+01	0.9878
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.254E-04	0.0001
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.676E-07	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.258E-01	0.0121
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.924E-05	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.044E-04	0.0000
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.041E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.025E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.029E-01	0.0244	0.000E+00	0.0000	7.729E+00	0.9309	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	4.255E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	7.578E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.457E-03	0.0011	0.000E+00	0.0000	3.602E-01	0.0434	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	4.460E-06	0.0000	0.000E+00	0.0000	1.692E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	9.755E-04	0.0001	0.000E+00	0.0000	1.330E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>2.134E-01</b>	<b>0.0257</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.090E+00</b>	<b>0.9743</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.025E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.932E+00	0.9553
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.255E-07	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.578E-18	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.696E-01	0.0445
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.737E-04	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.755E-04	0.0001
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.303E+00</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.846E-07	0.0000	9.141E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.179E-06	0.0000
Ra-226	3.621E+00	0.4096	1.083E-03	0.0001	3.491E+00	0.3949	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.376E-02	0.0083
Ra-228	1.971E-16	0.0000	4.915E-19	0.0000	6.307E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.200E-19	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	7.914E-01	0.0895	3.098E-02	0.0035	7.621E-01	0.0862	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.672E-02	0.0030
U-234	9.769E-04	0.0001	3.275E-03	0.0004	8.749E-04	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.767E-03	0.0002
U-238	3.084E-02	0.0035	2.517E-03	0.0003	1.839E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.434E-03	0.0002
<b>Total</b>	<b>4.444E+00</b>	<b>0.5028</b>	<b>3.785E-02</b>	<b>0.0043</b>	<b>4.253E+00</b>	<b>0.4812</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.037E-01</b>	<b>0.0117</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.455E-06	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.186E+00	0.8130
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.989E-16	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.611E+00	0.1823
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.895E-03	0.0008
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.479E-02	0.0039
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.839E+00</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.266E-17	0.0000	1.341E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.053E-16	0.0000
Ra-226	1.082E-01	0.0737	1.568E-05	0.0000	1.143E-01	0.0779	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.068E-03	0.0007
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	5.369E-01	0.3659	7.248E-03	0.0049	5.662E-01	0.3858	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.767E-03	0.0053
U-234	1.068E-03	0.0007	3.842E-05	0.0000	1.124E-03	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.820E-05	0.0000
U-238	5.759E-04	0.0004	1.836E-05	0.0000	5.006E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.046E-05	0.0000
<b>Total</b>	<b>6.468E-01</b>	<b>0.4407</b>	<b>7.320E-03</b>	<b>0.0050</b>	<b>6.816E-01</b>	<b>0.4645</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.873E-03</b>	<b>0.0060</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.193E-16	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	1.136E-01	0.0774	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.372E-01	0.2297
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	9.246E-03	0.0063	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.127E+00	0.7682
U-234	0.000E+00	0.0000	0.000E+00	0.0000	1.698E-04	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.428E-03	0.0017
U-238	0.000E+00	0.0000	0.000E+00	0.0000	2.054E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.054E-04	0.0004
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.230E-01</b>	<b>0.0838</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.468E+00</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Dose/Source Ratios Summed Over All Pathways  
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)							
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210+D	Pb-210+D	1.000E+00	4.899E-08	4.878E-08	4.836E-08	4.694E-08	4.335E-08	3.449E-08	1.270E-06	2.033E-17
Ra-226+D	Ra-226+D	1.000E+00	1.714E+00	1.707E+00	1.694E+00	1.648E+00	1.526E+00	1.177E+00	1.056E+00	4.987E-02
Ra-226+D	Pb-210+D	1.000E+00	7.684E-10	2.327E-09	5.544E-09	1.797E-08	6.675E-08	6.725E-07	9.690E-03	1.531E-04
Ra-226+D	∑DSR(j)		1.714E+00	1.707E+00	1.694E+00	1.648E+00	1.526E+00	1.177E+00	1.066E+00	5.003E-02
Ra-228+D	Ra-228+D	1.000E+00	2.310E-03	2.082E-03	1.690E-03	8.151E-04	1.015E-04	6.906E-08	6.064E-17	0.000E+00
Ra-228+D	Th-228+D	1.000E+00	2.312E-03	5.693E-03	8.682E-03	6.599E-03	8.156E-04	4.037E-07	1.603E-16	0.000E+00
Ra-228+D	∑DSR(j)		4.622E-03	7.774E-03	1.037E-02	7.414E-03	9.171E-04	4.728E-07	2.209E-16	0.000E+00
Th-228+D	Th-228+D	1.000E+00	1.252E-02	8.847E-03	4.420E-03	3.894E-04	3.768E-07	1.067E-17	0.000E+00	0.000E+00
Th-230	Th-230	1.000E+00	2.370E-10	2.478E-10	2.711E-10	3.711E-10	9.104E-10	2.105E-08	7.610E-03	1.898E-03
Th-230	Ra-226+D	1.000E+00	3.714E-04	1.112E-03	2.586E-03	7.656E-03	2.143E-02	6.297E-02	2.648E-01	1.894E-01
Th-230	Pb-210+D	1.000E+00	1.116E-13	7.924E-13	4.327E-12	4.364E-11	5.291E-10	2.475E-08	2.017E-03	7.656E-04
Th-230	∑DSR(j)		3.714E-04	1.112E-03	2.586E-03	7.656E-03	2.143E-02	6.297E-02	2.745E-01	1.921E-01
U-234	U-234	1.000E+00	3.946E-11	4.114E-11	4.471E-11	5.981E-11	1.374E-10	2.526E-09	7.455E-04	5.740E-06
U-234	Th-230	1.000E+00	1.073E-15	3.342E-15	8.476E-15	3.419E-14	2.320E-13	1.500E-11	1.070E-05	3.422E-06
U-234	Ra-226+D	1.000E+00	1.114E-09	7.775E-09	4.087E-08	3.583E-07	2.855E-06	2.577E-05	2.648E-04	3.498E-04
U-234	Pb-210+D	1.000E+00	2.517E-19	3.836E-18	4.639E-17	1.403E-15	5.084E-14	8.261E-12	1.878E-06	1.315E-06
U-234	∑DSR(j)		1.153E-09	7.817E-09	4.091E-08	3.584E-07	2.855E-06	2.577E-05	1.023E-03	3.603E-04
U-238	U-238	5.400E-05	9.827E-24	1.084E-23	1.319E-23	2.624E-23	1.872E-22	1.814E-19	3.569E-08	2.663E-10
U-238+D	U-238+D	9.999E-01	3.149E-05	3.202E-05	3.310E-05	3.718E-05	5.185E-05	1.662E-04	5.926E-03	1.029E-04
U-238+D	U-234	9.999E-01	5.632E-17	1.753E-16	4.440E-16	1.781E-15	1.188E-14	7.197E-13	6.354E-07	1.630E-08
U-238+D	Th-230	9.999E-01	1.017E-21	7.375E-21	4.225E-20	5.050E-19	9.779E-18	1.960E-15	3.468E-09	1.890E-09
U-238+D	Ra-226+D	9.999E-01	7.887E-16	1.180E-14	1.367E-13	3.542E-12	8.104E-11	2.325E-09	6.392E-08	2.011E-07
U-238+D	Pb-210+D	9.999E-01	1.429E-25	4.507E-24	1.179E-22	1.059E-20	1.132E-18	6.294E-16	4.204E-10	6.658E-10
U-238+D	∑DSR(j)		3.149E-05	3.202E-05	3.310E-05	3.718E-05	5.185E-05	1.662E-04	5.927E-03	1.031E-04

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Single Radionuclide Soil Guidelines G(i,t) in pCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	5.103E+08	5.125E+08	5.170E+08	5.326E+08	5.767E+08	7.249E+08	1.968E+07	*7.634E+13
Ra-226	1.459E+01	1.465E+01	1.476E+01	1.517E+01	1.639E+01	2.124E+01	2.345E+01	4.997E+02
Ra-228	5.409E+03	3.216E+03	2.410E+03	3.372E+03	2.726E+04	5.288E+07	*2.726E+14	*2.726E+14
Th-228	1.997E+03	2.826E+03	5.657E+03	6.421E+04	6.634E+07	*8.195E+14	*8.195E+14	*8.195E+14
Th-230	6.731E+04	2.247E+04	9.668E+03	3.265E+03	1.167E+03	3.970E+02	9.108E+01	1.302E+02
U-234	*6.247E+09	3.198E+09	6.111E+08	6.976E+07	8.758E+06	9.701E+05	2.444E+04	6.940E+04
U-238	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	1.504E+05	4.218E+03	2.424E+05

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)

and Single Radionuclide Soil Guidelines G(i,t) in pCi/g

at tmin = time of minimum single radionuclide soil guideline

and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i, tmin)	G(i, tmin) (pCi/g)	DSR(i, tmax)	G(i, tmax) (pCi/g)
Pb-210	5.870E+00	184.0 ± 0.4	1.243E-05	2.012E+06	4.899E-08	5.103E+08
Ra-226	6.740E+00	0.000E+00	1.714E+00	1.459E+01	1.714E+00	1.459E+01
Ra-228	9.000E-01	3.967 ± 0.008	1.059E-02	2.361E+03	4.622E-03	5.409E+03
Th-228	7.100E-01	0.000E+00	1.252E-02	1.997E+03	1.252E-02	1.997E+03
Th-230	5.870E+00	760 ± 2	3.772E-01	6.627E+01	3.714E-04	6.731E+04
U-234	6.740E+00	304.7 ± 0.6	1.048E-03	2.385E+04	1.153E-09	*6.247E+09
U-238	5.870E+00	304.7 ± 0.6	6.369E-03	3.925E+03	3.149E-05	*3.361E+05

\*At specific activity limit

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	2.876E-07	2.863E-07	2.839E-07	2.756E-07	2.545E-07	2.025E-07	7.455E-06	1.193E-16
Pb-210	Ra-226	1.000E+00	5.179E-09	1.568E-08	3.737E-08	1.211E-07	4.499E-07	4.532E-06	6.531E-02	1.032E-03
Pb-210	Th-230	1.000E+00	6.550E-13	4.651E-12	2.540E-11	2.562E-10	3.106E-09	1.453E-07	1.184E-02	4.494E-03
Pb-210	U-234	1.000E+00	1.696E-18	2.585E-17	3.126E-16	9.459E-15	3.427E-13	5.568E-11	1.266E-05	8.865E-06
Pb-210	U-238	9.999E-01	8.391E-25	2.646E-23	6.920E-22	6.215E-20	6.647E-18	3.694E-15	2.468E-09	3.908E-09
Pb-210	ΣDOSE(j)		2.928E-07	3.020E-07	3.213E-07	3.969E-07	7.075E-07	4.880E-06	7.717E-02	5.534E-03
Ra-226	Ra-226	1.000E+00	1.155E+01	1.150E+01	1.142E+01	1.111E+01	1.028E+01	7.932E+00	7.121E+00	3.361E-01
Ra-226	Th-230	1.000E+00	2.180E-03	6.530E-03	1.518E-02	4.494E-02	1.258E-01	3.696E-01	1.555E+00	1.112E+00
Ra-226	U-234	1.000E+00	7.505E-09	5.241E-08	2.755E-07	2.415E-06	1.924E-05	1.737E-04	1.785E-03	2.357E-03
Ra-226	U-238	9.999E-01	4.630E-15	6.925E-14	8.027E-13	2.079E-11	4.757E-10	1.365E-08	3.752E-07	1.180E-06
Ra-226	ΣDOSE(j)		1.155E+01	1.151E+01	1.143E+01	1.115E+01	1.041E+01	8.302E+00	8.677E+00	1.450E+00
Ra-228	Ra-228	1.000E+00	2.079E-03	1.874E-03	1.521E-03	7.336E-04	9.132E-05	6.216E-08	5.458E-17	0.000E+00
Th-228	Ra-228	1.000E+00	2.080E-03	5.123E-03	7.814E-03	5.939E-03	7.340E-04	3.633E-07	1.443E-16	0.000E+00
Th-228	Th-228	1.000E+00	8.888E-03	6.282E-03	3.138E-03	2.764E-04	2.676E-07	7.578E-18	0.000E+00	0.000E+00
Th-228	ΣDOSE(j)		1.097E-02	1.141E-02	1.095E-02	6.216E-03	7.343E-04	3.633E-07	1.443E-16	0.000E+00
Th-230	Th-230	1.000E+00	1.391E-09	1.455E-09	1.591E-09	2.179E-09	5.344E-09	1.236E-07	4.467E-02	1.114E-02
Th-230	U-234	1.000E+00	7.230E-15	2.252E-14	5.713E-14	2.305E-13	1.564E-12	1.011E-10	7.214E-05	2.306E-05
Th-230	U-238	9.999E-01	5.967E-21	4.329E-20	2.480E-19	2.964E-18	5.741E-17	1.151E-14	2.036E-08	1.109E-08
Th-230	ΣDOSE(j)		1.391E-09	1.455E-09	1.591E-09	2.179E-09	5.346E-09	1.237E-07	4.474E-02	1.116E-02
U-234	U-234	1.000E+00	2.660E-10	2.773E-10	3.013E-10	4.031E-10	9.262E-10	1.702E-08	5.025E-03	3.869E-05
U-234	U-238	9.999E-01	3.306E-16	1.029E-15	2.606E-15	1.045E-14	6.975E-14	4.225E-12	3.730E-06	9.570E-08
U-234	ΣDOSE(j)		2.660E-10	2.773E-10	3.013E-10	4.031E-10	9.263E-10	1.703E-08	5.029E-03	3.878E-05
U-238	U-238	5.400E-05	5.768E-23	6.364E-23	7.745E-23	1.541E-22	1.099E-21	1.065E-18	2.095E-07	1.563E-09
U-238	U-238	9.999E-01	1.848E-04	1.879E-04	1.943E-04	2.183E-04	3.044E-04	9.755E-04	3.479E-02	6.041E-04
U-238	ΣDOSE(j)		1.848E-04	1.879E-04	1.943E-04	2.183E-04	3.044E-04	9.755E-04	3.479E-02	6.041E-04

THF(i) is the thread fraction of the parent nuclide.

Summary : RESRAD Run for 310 Site Commercial Structure\_Future Use, Radon Defaults

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_COMMERCIAL STRUCTURE\_FUTURE USE\_R1.RAD


Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	5.870E+00	5.676E+00	5.308E+00	4.196E+00	2.144E+00	2.045E-01	2.482E-04	1.547E-14
Pb-210	Ra-226	1.000E+00	0.000E+00	2.056E-01	5.943E-01	1.743E+00	3.697E+00	4.507E+00	2.143E+00	1.318E-01
Pb-210	Th-230	1.000E+00	0.000E+00	3.903E-05	3.427E-04	3.497E-03	2.503E-02	1.435E-01	3.872E-01	5.729E-01
Pb-210	U-234	1.000E+00	0.000E+00	1.347E-10	3.562E-09	1.226E-07	2.714E-06	5.470E-05	4.135E-04	1.130E-03
Pb-210	U-238	9.999E-01	0.000E+00	8.325E-17	6.617E-15	7.652E-13	5.174E-11	3.610E-09	8.049E-08	4.981E-07
Pb-210	ΣS(j):		5.870E+00	5.882E+00	5.902E+00	5.942E+00	5.866E+00	4.855E+00	2.531E+00	7.058E-01
Ra-226	Ra-226	1.000E+00	6.740E+00	6.713E+00	6.660E+00	6.477E+00	5.981E+00	4.525E+00	2.040E+00	1.254E-01
Ra-226	Th-230	1.000E+00	0.000E+00	2.538E-03	7.583E-03	2.493E-02	7.189E-02	2.096E-01	4.441E-01	6.201E-01
Ra-226	U-234	1.000E+00	0.000E+00	1.310E-08	1.172E-07	1.276E-06	1.082E-05	9.804E-05	5.092E-04	1.230E-03
Ra-226	U-238	9.999E-01	0.000E+00	1.078E-14	2.890E-13	1.045E-11	2.631E-10	7.667E-09	1.069E-07	5.481E-07
Ra-226	ΣS(j):		6.740E+00	6.716E+00	6.668E+00	6.502E+00	6.053E+00	4.735E+00	2.484E+00	7.468E-01
Ra-228	Ra-228	1.000E+00	9.000E-01	7.950E-01	6.202E-01	2.602E-01	2.175E-02	3.671E-06	6.105E-17	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	2.563E-01	4.817E-01	3.592E-01	3.305E-02	5.583E-06	9.286E-17	0.000E+00
Th-228	Th-228	1.000E+00	7.100E-01	4.942E-01	2.394E-01	1.895E-02	1.351E-05	1.306E-16	0.000E+00	0.000E+00
Th-228	ΣS(j):		7.100E-01	7.505E-01	7.211E-01	3.781E-01	3.306E-02	5.583E-06	9.286E-17	0.000E+00
Th-230	Th-230	1.000E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.868E+00	5.862E+00	5.847E+00	5.793E+00
Th-230	U-234	1.000E+00	0.000E+00	6.052E-05	1.807E-04	5.919E-04	1.691E-03	4.778E-03	9.436E-03	1.200E-02
Th-230	U-238	9.999E-01	0.000E+00	7.465E-11	6.674E-10	7.246E-09	6.106E-08	5.413E-07	2.659E-06	5.768E-06
Th-230	ΣS(j):		5.870E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.867E+00	5.856E+00	5.805E+00
U-234	U-234	1.000E+00	6.740E+00	6.707E+00	6.640E+00	6.413E+00	5.806E+00	4.100E+00	1.518E+00	4.680E-02
U-234	U-238	9.999E-01	0.000E+00	1.656E-05	4.918E-05	1.583E-04	4.301E-04	1.012E-03	1.124E-03	1.157E-04
U-234	ΣS(j):		6.740E+00	6.707E+00	6.640E+00	6.413E+00	5.807E+00	4.101E+00	1.519E+00	4.692E-02
U-238	U-238	5.400E-05	3.170E-04	3.154E-04	3.123E-04	3.016E-04	2.731E-04	1.929E-04	7.143E-05	2.207E-06
U-238	U-238	9.999E-01	5.870E+00	5.841E+00	5.783E+00	5.585E+00	5.057E+00	3.572E+00	1.323E+00	4.087E-02
U-238	ΣS(j):		5.870E+00	5.841E+00	5.783E+00	5.586E+00	5.057E+00	3.572E+00	1.323E+00	4.088E-02

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 1.39 seconds

### DOSE: All Nuclides Summed, All Pathways Summed



Summary : RESRAD Run for 310 Site Construction Worker\_Intruder\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_FUTURE CONSTRUCTION WORKER\_INTRUDER\_FUTURE USE DEFAULT RN COEF.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm <sup>3</sup> )	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	1.500E-01	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm <sup>3</sup> )	2.400E+00	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	1.000E-01	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	3.000E-02	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	3.000E-07	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	4.000E+00	5.000E-01	---	REXG
R021	Height of the building (room) (m)	2.500E+00	2.500E+00	---	HRM
R021	Building interior area factor	0.000E+00	0.000E+00	code computed (time dependent)	FAI
R021	Building depth below ground surface (m)	-5.000E-01	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS

Summary : RESRAD Run for 310 Site Construction Worker\_Intruder\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_FUTURE CONSTRUCTION WORKER\_INTRUDER\_FUTURE USE DEFAULT RN COEF.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area:	500.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.00 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.546E+01	1.536E+01	1.508E+01	1.405E+01	1.253E+01	9.689E+00	4.933E+00	3.120E-02
M(t):	6.185E-01	6.145E-01	6.031E-01	5.621E-01	5.014E-01	3.876E-01	1.973E-01	1.248E-03

Maximum TDOSE(t): 1.546E+01 mrem/yr at t = 0.000E+00 years



Summary : RESRAD Run for 310 Site Construction Worker\_Intruder\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_FUTURE CONSTRUCTION WORKER\_INTRUDER\_FUTURE USE DEFAULT RN COEF.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.579E-03	0.0001	5.225E-04	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.788E-02	0.0038
Ra-226	8.036E+00	0.6411	1.472E-03	0.0001	3.988E+00	0.3182	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.092E-01	0.0087
Ra-228	5.289E-02	0.0042	1.158E-04	0.0000	6.660E-04	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.705E-04	0.0000
Th-228	1.393E-05	0.0000	4.181E-08	0.0000	2.428E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.860E-08	0.0000
Th-230	9.917E-02	0.0079	2.045E-02	0.0016	4.879E-02	0.0039	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.092E-02	0.0009
U-234	3.076E-04	0.0000	8.174E-03	0.0007	7.462E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.118E-03	0.0004
U-238	9.233E-02	0.0074	6.362E-03	0.0005	1.845E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.231E-03	0.0003
<b>Total</b>	<b>8.282E+00</b>	<b>0.6607</b>	<b>3.710E-02</b>	<b>0.0030</b>	<b>4.038E+00</b>	<b>0.3221</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.776E-01</b>	<b>0.0142</b>

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.998E-02	0.0040
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.213E+01	0.9681
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.385E-02	0.0043
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.425E-05	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.793E-01	0.0143
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.361E-02	0.0011
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.029E-01	0.0082
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.253E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Table of ContentsPart I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	5
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	13
Time = 1.000E+00 .....	14
Time = 3.000E+00 .....	15
Time = 1.000E+01 .....	16
Time = 3.000E+01 .....	17
Time = 1.000E+02 .....	18
Time = 3.000E+02 .....	19
Time = 1.000E+03 .....	20
Dose/Source Ratios Summed Over All Pathways .....	21
Single Radionuclide Soil Guidelines .....	22
Dose Per Nuclide Summed Over All Pathways .....	23
Soil Concentration Per Nuclide .....	24

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Dose Conversion Factor (and Related) Parameter Summary  
Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1( 1)
A-1	At-218 (Source: FGR 12)	5.847E-03	5.847E-03	DCF1( 2)
A-1	Bi-210 (Source: FGR 12)	3.606E-03	3.606E-03	DCF1( 3)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1( 4)
A-1	Bi-214 (Source: FGR 12)	9.808E+00	9.808E+00	DCF1( 5)
A-1	Pa-234 (Source: FGR 12)	1.155E+01	1.155E+01	DCF1( 6)
A-1	Pa-234m (Source: FGR 12)	8.967E-02	8.967E-02	DCF1( 7)
A-1	Pb-210 (Source: FGR 12)	2.447E-03	2.447E-03	DCF1( 8)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1( 9)
A-1	Pb-214 (Source: FGR 12)	1.341E+00	1.341E+00	DCF1( 10)
A-1	Po-210 (Source: FGR 12)	5.231E-05	5.231E-05	DCF1( 11)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 12)
A-1	Po-214 (Source: FGR 12)	5.138E-04	5.138E-04	DCF1( 13)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1( 14)
A-1	Po-218 (Source: FGR 12)	5.642E-05	5.642E-05	DCF1( 15)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1( 16)
A-1	Ra-226 (Source: FGR 12)	3.176E-02	3.176E-02	DCF1( 17)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 18)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1( 19)
A-1	Rn-222 (Source: FGR 12)	2.354E-03	2.354E-03	DCF1( 20)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1( 21)
A-1	Th-230 (Source: FGR 12)	1.209E-03	1.209E-03	DCF1( 22)
A-1	Th-234 (Source: FGR 12)	2.410E-02	2.410E-02	DCF1( 23)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1( 24)
A-1	Tl-210 (Source: no data)	0.000E+00	-2.000E+00	DCF1( 25)
A-1	U-234 (Source: FGR 12)	4.017E-04	4.017E-04	DCF1( 26)
A-1	U-238 (Source: FGR 12)	1.031E-04	1.031E-04	DCF1( 27)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	1.360E-02	DCF2( 1)
B-1	Ra-226+D	8.594E-03	8.580E-03	DCF2( 2)
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2( 3)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2( 4)
B-1	Th-230	3.260E-01	3.260E-01	DCF2( 5)
B-1	U-234	1.320E-01	1.320E-01	DCF2( 6)
B-1	U-238	1.180E-01	1.180E-01	DCF2( 7)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2( 8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.276E-03	5.370E-03	DCF3( 1)
D-1	Ra-226+D	1.321E-03	1.320E-03	DCF3( 2)
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3( 3)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3( 4)
D-1	Th-230	5.480E-04	5.480E-04	DCF3( 5)
D-1	U-234	2.830E-04	2.830E-04	DCF3( 6)
D-1	U-238	2.550E-04	2.550E-04	DCF3( 7)
D-1	U-238+D	2.687E-04	2.550E-04	DCF3( 8)

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)  
Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Food transfer factors:			
D-34	Pb-210D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 1,1)
D-34	Pb-210D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 1,2)
D-34	Pb-210D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 1,3)
D-34				
D-34	Ra-226D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 2,1)
D-34	Ra-226D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,2)
D-34	Ra-226D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,3)
D-34				
D-34	Ra-228D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 3,1)
D-34	Ra-228D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,2)
D-34	Ra-228D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,3)
D-34				
D-34	Th-228D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Th-228D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 4,2)
D-34	Th-228D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 4,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34				
D-34	U-238 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210D , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Pb-210D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 1,2)
D-5				
D-5	Ra-226D , fish	5.000E+01	5.000E+01	BIOFAC( 2,1)
D-5	Ra-226D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 2,2)
D-5				
D-5	Ra-228D , fish	5.000E+01	5.000E+01	BIOFAC( 3,1)
D-5	Ra-228D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 3,2)
D-5				
D-5	Th-228D , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Th-228D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)
D-5				

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5				
D-5	U-238 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-238 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.626E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.300E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LC2PAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	5.870E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	6.740E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	9.000E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	7.100E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Th-230	5.870E+00	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): U-234	6.470E+00	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): U-238	5.870E+00	0.000E+00	---	S1(7)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1( 5)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1( 6)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 7)
R013	Cover depth (m)	3.048E-01	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	2.200E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.200E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-05	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.487E-03	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 2)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 3)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 4)
R016	Unsat. zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC ( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU ( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS ( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH ( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 5)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 6)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 7)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	3.420E-02	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)



Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET (1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET (2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET (3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET (4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET (5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET (6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV (1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV (2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV (3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE (1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE (2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE (3)

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	4.000E-01	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	5.000E-02	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	2.000E-06	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	code computed (time dependent)	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	suppressed
9 -- radon	active
Find peak pathway doses	active

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1626.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.30 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.470E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.766E-02	1.789E-02	1.802E-02	1.791E-02	2.099E-02	5.165E-02	8.198E-01	2.663E-01
M(t):	7.063E-04	7.154E-04	7.210E-04	7.166E-04	8.396E-04	2.066E-03	3.279E-02	1.065E-02

Maximum TDOSE(t): 8.626E-01 mrem/yr at t = 303.9 ± 0.6 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.954E-08	0.0000	1.998E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	6.921E-01	0.8024	2.655E-04	0.0003	1.397E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.356E-17	0.0000	7.557E-20	0.0000	6.670E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.547E-01	0.1793	7.712E-03	0.0089	3.118E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.881E-04	0.0002	7.682E-04	0.0009	3.468E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.045E-03	0.0070	6.146E-04	0.0007	7.675E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>8.530E-01</b>	<b>0.9889</b>	<b>9.361E-03</b>	<b>0.0109</b>	<b>1.709E-04</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Dependent Pathways

Radio- Nuclide Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.952E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.925E-01	0.8029
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.371E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.624E-01	0.1883
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.563E-04	0.0011
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.660E-03	0.0077
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.626E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.071E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.376E-02	0.7794	0.000E+00	0.0000	3.753E-04	0.0213	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.149E-03	0.0651	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	2.311E-03	0.1309	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.606E-06	0.0001	0.000E+00	0.0000	7.085E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.554E-10	0.0000	0.000E+00	0.0000	2.341E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.640E-05	0.0032	0.000E+00	0.0000	1.505E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.728E-02</b>	<b>0.9787</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.753E-04</b>	<b>0.0213</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.071E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.414E-02	0.8007
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.149E-03	0.0651
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.311E-03	0.1309
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.677E-06	0.0002
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.556E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.640E-05	0.0032
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.766E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.064E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.394E-02	0.7792	0.000E+00	0.0000	3.741E-04	0.0209	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.878E-03	0.1050	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.632E-03	0.0912	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	7.919E-06	0.0004	0.000E+00	0.0000	2.123E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.134E-10	0.0000	0.000E+00	0.0000	1.636E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.724E-05	0.0032	0.000E+00	0.0000	2.252E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.751E-02</b>	<b>0.9791</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.743E-04</b>	<b>0.0209</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.064E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.431E-02	0.8001
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.878E-03	0.1050
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.632E-03	0.0912
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.131E-06	0.0005
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.151E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.724E-05	0.0032
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.789E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.051E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.429E-02	0.7930	0.000E+00	0.0000	3.717E-04	0.0206	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.467E-03	0.1369	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	8.130E-04	0.0451	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.901E-05	0.0011	0.000E+00	0.0000	4.943E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	4.957E-10	0.0000	0.000E+00	0.0000	8.610E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.896E-05	0.0033	0.000E+00	0.0000	2.614E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.765E-02</b>	<b>0.9793</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.722E-04</b>	<b>0.0207</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.051E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.467E-02	0.8137
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.467E-03	0.1369
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.130E-04	0.0451
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.951E-05	0.0011
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.043E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.896E-05	0.0033
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.802E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.006E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.561E-02	0.8716	0.000E+00	0.0000	3.635E-04	0.0203	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.736E-03	0.0969	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	7.100E-05	0.0040	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	6.317E-05	0.0035	0.000E+00	0.0000	1.471E-06	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	3.473E-09	0.0000	0.000E+00	0.0000	7.586E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.541E-05	0.0037	0.000E+00	0.0000	6.804E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.755E-02</b>	<b>0.9796</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.650E-04</b>	<b>0.0204</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.006E-07	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.598E-02	0.8918
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.736E-03	0.0969
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.100E-05	0.0040
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.464E-05	0.0036
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.549E-09	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.541E-05	0.0037
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.791E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	8.908E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.010E-02	0.9577	0.000E+00	0.0000	3.411E-04	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.093E-04	0.0100	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	6.702E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.459E-04	0.0117	0.000E+00	0.0000	4.172E-06	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	3.656E-08	0.0000	0.000E+00	0.0000	6.126E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	8.800E-05	0.0042	0.000E+00	0.0000	1.578E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>2.064E-02</b>	<b>0.9836</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.452E-04</b>	<b>0.0164</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.908E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.044E-02	0.9739
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.093E-04	0.0100
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.702E-08	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.501E-04	0.0119
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.717E-08	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.800E-05	0.0042
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.099E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	6.040E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.884E-02	0.9456	0.000E+00	0.0000	2.725E-04	0.0053	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.879E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.739E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.276E-03	0.0441	0.000E+00	0.0000	1.270E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.033E-06	0.0000	0.000E+00	0.0000	5.727E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.487E-04	0.0048	0.000E+00	0.0000	4.688E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>5.136E-02</b>	<b>0.9945</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.852E-04</b>	<b>0.0055</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.040E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.911E-02	0.9508
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.879E-08	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.739E-18	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.288E-03	0.0443
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.039E-06	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.487E-04	0.0048
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>5.165E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.389E-08	0.0000	2.217E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	6.603E-01	0.8055	2.627E-04	0.0003	1.415E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	3.594E-17	0.0000	1.192E-19	0.0000	7.955E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.443E-01	0.1761	7.512E-03	0.0092	3.090E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.710E-04	0.0002	7.626E-04	0.0009	3.406E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.622E-03	0.0069	6.103E-04	0.0007	7.458E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>8.104E-01</b>	<b>0.9886</b>	<b>9.148E-03</b>	<b>0.0112</b>	<b>1.725E-04</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.606E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.607E-01	0.8060
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.614E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.519E-01	0.1853
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.336E-04	0.0011
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.233E-03	0.0076
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.198E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.918E-18	0.0000	1.422E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.328E-02	0.1625	1.663E-05	0.0001	8.669E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.146E-01	0.8059	7.687E-03	0.0289	4.295E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	4.094E-04	0.0015	3.912E-05	0.0001	8.180E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.917E-04	0.0007	1.947E-05	0.0001	3.797E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>2.585E-01</b>	<b>0.9707</b>	<b>7.762E-03</b>	<b>0.0291</b>	<b>5.170E-05</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.340E-18	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.331E-02	0.1626
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.223E-01	0.8349
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.486E-04	0.0017
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.112E-04	0.0008
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.663E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Dose/Source Ratios Summed Over All Pathways  
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Pb-210+D	Pb-210+D	1.000E+00	1.824E-08	1.813E-08	1.790E-08	1.713E-08	1.518E-08	1.029E-08	9.549E-09	7.394E-19	
Ra-226+D	Ra-226+D	1.000E+00	2.098E-03	2.123E-03	2.176E-03	2.370E-03	3.033E-03	7.286E-03	9.796E-02	6.420E-03	
Ra-226+D	Pb-210+D	1.000E+00	2.861E-10	8.647E-10	2.052E-09	6.558E-09	2.336E-08	2.006E-07	7.286E-05	5.568E-06	
Ra-226+D	ΣDSR(j)		2.098E-03	2.123E-03	2.176E-03	2.371E-03	3.033E-03	7.286E-03	9.803E-02	6.425E-03	
Ra-228+D	Ra-228+D	1.000E+00	6.756E-04	6.078E-04	4.918E-04	2.345E-04	2.823E-05	1.711E-08	1.099E-17	0.000E+00	
Ra-228+D	Th-228+D	1.000E+00	6.010E-04	1.478E-03	2.249E-03	1.695E-03	2.043E-04	9.266E-08	2.916E-17	0.000E+00	
Ra-228+D	ΣDSR(j)		1.277E-03	2.086E-03	2.741E-03	1.929E-03	2.325E-04	1.098E-07	4.015E-17	0.000E+00	
Th-228+D	Th-228+D	1.000E+00	3.255E-03	2.298E-03	1.145E-03	1.000E-04	9.440E-08	2.450E-18	0.000E+00	0.000E+00	
Th-230	Th-230	1.000E+00	1.305E-10	1.360E-10	1.476E-10	1.969E-10	4.482E-10	7.975E-09	1.301E-03	1.334E-03	
Th-230	Ra-226+D	1.000E+00	4.559E-07	1.385E-06	3.323E-06	1.101E-05	4.260E-05	3.898E-04	2.456E-02	3.652E-02	
Th-230	Pb-210+D	1.000E+00	4.153E-14	2.944E-13	1.602E-12	1.593E-11	1.852E-10	7.384E-09	1.517E-05	2.785E-05	
Th-230	ΣDSR(j)		4.560E-07	1.385E-06	3.323E-06	1.101E-05	4.260E-05	3.899E-04	2.587E-02	3.788E-02	
U-234	U-234	1.000E+00	2.268E-11	2.355E-11	2.539E-11	3.307E-11	7.029E-11	9.848E-10	1.179E-04	3.774E-06	
U-234	Th-230	1.000E+00	5.904E-16	1.833E-15	4.616E-15	1.814E-14	1.142E-13	5.682E-12	1.830E-06	2.406E-06	
U-234	Ra-226+D	1.000E+00	1.369E-12	9.689E-12	5.254E-11	5.155E-10	5.675E-09	1.595E-07	2.455E-05	6.310E-05	
U-234	Pb-210+D	1.000E+00	9.367E-20	1.425E-18	1.717E-17	5.122E-16	1.780E-14	2.465E-12	1.412E-08	4.785E-08	
U-234	ΣDSR(j)		2.405E-11	3.324E-11	7.794E-11	5.486E-10	5.745E-09	1.605E-07	1.443E-04	6.933E-05	
U-238	U-238	5.400E-05	2.375E-23	2.597E-23	3.107E-23	5.819E-23	3.495E-22	1.855E-19	5.619E-09	1.797E-10	
U-238+D	U-238+D	9.999E-01	9.608E-06	9.751E-06	1.004E-05	1.114E-05	1.499E-05	4.238E-05	1.062E-03	3.594E-05	
U-238+D	U-234	9.999E-01	3.235E-17	1.003E-16	2.522E-16	9.845E-16	6.079E-15	2.806E-13	1.005E-07	1.072E-08	
U-238+D	Th-230	9.999E-01	5.593E-22	4.045E-21	2.301E-20	2.679E-19	4.814E-18	7.426E-16	5.927E-10	1.329E-09	
U-238+D	Ra-226+D	9.999E-01	9.702E-19	1.471E-17	1.759E-16	5.096E-15	1.611E-13	1.439E-11	5.927E-09	3.229E-08	
U-238+D	Pb-210+D	9.999E-01	5.320E-26	1.674E-24	4.363E-23	3.864E-21	3.964E-19	1.878E-16	3.161E-12	2.422E-11	
U-238+D	ΣDSR(j)		9.608E-06	9.751E-06	1.004E-05	1.114E-05	1.499E-05	4.238E-05	1.062E-03	3.598E-05	

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Single Radionuclide Soil Guidelines G(i,t) in pCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide	(i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210		1.370E+09	1.379E+09	1.397E+09	1.459E+09	1.647E+09	2.430E+09	2.618E+09	*7.634E+13
Ra-226		1.192E+04	1.177E+04	1.149E+04	1.055E+04	8.243E+03	3.431E+03	2.550E+02	3.891E+03
Ra-228		1.958E+04	1.198E+04	9.121E+03	1.296E+04	1.075E+05	2.278E+08	*2.726E+14	*2.726E+14
Th-228		7.680E+03	1.088E+04	2.183E+04	2.500E+05	2.648E+08	*8.195E+14	*8.195E+14	*8.195E+14
Th-230		5.482E+07	1.805E+07	7.522E+06	2.270E+06	5.868E+05	6.413E+04	9.663E+02	6.600E+02
U-234		*6.247E+09	*6.247E+09	*6.247E+09	*6.247E+09	4.351E+09	1.557E+08	1.733E+05	3.606E+05
U-238		*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	2.354E+04	*3.361E+05

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)

and Single Radionuclide Soil Guidelines G(i,t) in pCi/g

at tmin = time of minimum single radionuclide soil guideline

and at tmax = time of maximum total dose = 303.9 ± 0.6 years

Nuclide	Initial	tmin	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
(i)	(pCi/g)	(years)		(pCi/g)		(pCi/g)
Pb-210	5.870E+00	183.4 ± 0.4	4.460E-08	5.606E+08	1.014E-08	2.466E+09
Ra-226	6.740E+00	303.7 ± 0.6	1.028E-01	2.433E+02	1.027E-01	2.433E+02
Ra-228	9.000E-01	3.885 ± 0.008	2.789E-03	8.965E+03	2.634E-17	*2.726E+14
Th-228	7.100E-01	0.000E+00	3.255E-03	7.680E+03	0.000E+00	*8.195E+14
Th-230	5.870E+00	1.000E+03	3.788E-02	6.600E+02	2.767E-02	9.035E+02
U-234	6.470E+00	304.5 ± 0.6	1.482E-04	1.687E+05	1.478E-04	1.691E+05
U-238	5.870E+00	304.6 ± 0.6	1.136E-03	2.200E+04	1.135E-03	2.204E+04

\*At specific activity limit

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

## Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.071E-07	1.064E-07	1.051E-07	1.006E-07	8.908E-08	6.040E-08	5.606E-08	4.340E-18	
Pb-210	Ra-226	1.000E+00	1.928E-09	5.828E-09	1.383E-08	4.420E-08	1.575E-07	1.352E-06	4.911E-04	3.753E-05	
Pb-210	Th-230	1.000E+00	2.438E-13	1.728E-12	9.403E-12	9.350E-11	1.087E-09	4.335E-08	8.902E-05	1.635E-04	
Pb-210	U-234	1.000E+00	6.061E-19	9.221E-18	1.111E-16	3.314E-15	1.151E-13	1.595E-11	9.137E-08	3.096E-07	
Pb-210	U-238	9.999E-01	3.123E-25	9.829E-24	2.561E-22	2.268E-20	2.327E-18	1.102E-15	1.856E-11	1.422E-10	
Pb-210	ΣDOSE(j)		1.090E-07	1.122E-07	1.189E-07	1.449E-07	2.476E-07	1.456E-06	5.803E-04	2.013E-04	
Ra-226	Ra-226	1.000E+00	1.414E-02	1.431E-02	1.467E-02	1.598E-02	2.044E-02	4.911E-02	6.602E-01	4.327E-02	
Ra-226	Th-230	1.000E+00	2.676E-06	8.130E-06	1.951E-05	6.464E-05	2.501E-04	2.288E-03	1.441E-01	2.143E-01	
Ra-226	U-234	1.000E+00	8.855E-12	6.269E-11	3.399E-10	3.335E-09	3.672E-08	1.032E-06	1.589E-04	4.083E-04	
Ra-226	U-238	9.999E-01	5.695E-18	8.635E-17	1.032E-15	2.991E-14	9.457E-13	8.448E-11	3.479E-08	1.895E-07	
Ra-226	ΣDOSE(j)		1.414E-02	1.432E-02	1.468E-02	1.604E-02	2.069E-02	5.140E-02	8.045E-01	2.580E-01	
Ra-228	Ra-228	1.000E+00	6.081E-04	5.470E-04	4.427E-04	2.110E-04	2.541E-05	1.540E-08	9.892E-18	0.000E+00	
Th-228	Ra-228	1.000E+00	5.409E-04	1.331E-03	2.024E-03	1.525E-03	1.839E-04	8.339E-08	2.624E-17	0.000E+00	
Th-228	Th-228	1.000E+00	2.311E-03	1.632E-03	8.130E-04	7.100E-05	6.702E-08	1.739E-18	0.000E+00	0.000E+00	
Th-228	ΣDOSE(j)		2.852E-03	2.962E-03	2.837E-03	1.596E-03	1.839E-04	8.339E-08	2.624E-17	0.000E+00	
Th-230	Th-230	1.000E+00	7.660E-10	7.982E-10	8.666E-10	1.156E-09	2.631E-09	4.681E-08	7.635E-03	7.833E-03	
Th-230	U-234	1.000E+00	3.820E-15	1.186E-14	2.986E-14	1.174E-13	7.389E-13	3.677E-11	1.184E-05	1.557E-05	
Th-230	U-238	9.999E-01	3.283E-21	2.374E-20	1.350E-19	1.573E-18	2.826E-17	4.359E-15	3.479E-09	7.800E-09	
Th-230	ΣDOSE(j)		7.660E-10	7.982E-10	8.666E-10	1.156E-09	2.631E-09	4.685E-08	7.647E-03	7.849E-03	
U-234	U-234	1.000E+00	1.467E-10	1.524E-10	1.643E-10	2.139E-10	4.548E-10	6.371E-09	7.628E-04	2.442E-05	
U-234	U-238	9.999E-01	1.899E-16	5.890E-16	1.480E-15	5.779E-15	3.568E-14	1.647E-12	5.898E-07	6.292E-08	
U-234	ΣDOSE(j)		1.467E-10	1.524E-10	1.643E-10	2.139E-10	4.548E-10	6.373E-09	7.634E-04	2.448E-05	
U-238	U-238	5.400E-05	1.394E-22	1.525E-22	1.824E-22	3.416E-22	2.051E-21	1.089E-18	3.298E-08	1.055E-09	
U-238	U-238	9.999E-01	5.640E-05	5.724E-05	5.896E-05	6.541E-05	8.800E-05	2.487E-04	6.232E-03	2.109E-04	
U-238	ΣDOSE(j)		5.640E-05	5.724E-05	5.896E-05	6.541E-05	8.800E-05	2.487E-04	6.232E-03	2.109E-04	

THF(i) is the thread fraction of the parent nuclide.



Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	5.870E+00	5.676E+00	5.308E+00	4.196E+00	2.144E+00	2.045E-01	2.482E-04	1.547E-14
Pb-210	Ra-226	1.000E+00	0.000E+00	2.056E-01	5.943E-01	1.743E+00	3.697E+00	4.507E+00	2.143E+00	1.318E-01
Pb-210	Th-230	1.000E+00	0.000E+00	3.903E-05	3.427E-04	3.497E-03	2.503E-02	1.435E-01	3.872E-01	5.729E-01
Pb-210	U-234	1.000E+00	0.000E+00	1.293E-10	3.419E-09	1.177E-07	2.605E-06	5.251E-05	3.969E-04	1.085E-03
Pb-210	U-238	9.999E-01	0.000E+00	8.325E-17	6.617E-15	7.652E-13	5.174E-11	3.610E-09	8.049E-08	4.981E-07
Pb-210	ΣS(j):		5.870E+00	5.882E+00	5.902E+00	5.942E+00	5.866E+00	4.855E+00	2.531E+00	7.058E-01
Ra-226	Ra-226	1.000E+00	6.740E+00	6.713E+00	6.660E+00	6.477E+00	5.981E+00	4.525E+00	2.040E+00	1.254E-01
Ra-226	Th-230	1.000E+00	0.000E+00	2.538E-03	7.583E-03	2.493E-02	7.189E-02	2.096E-01	4.441E-01	6.201E-01
Ra-226	U-234	1.000E+00	0.000E+00	1.258E-08	1.125E-07	1.224E-06	1.039E-05	9.411E-05	4.888E-04	1.181E-03
Ra-226	U-238	9.999E-01	0.000E+00	1.078E-14	2.890E-13	1.045E-11	2.631E-10	7.667E-09	1.069E-07	5.481E-07
Ra-226	ΣS(j):		6.740E+00	6.716E+00	6.668E+00	6.502E+00	6.053E+00	4.735E+00	2.484E+00	7.467E-01
Ra-228	Ra-228	1.000E+00	9.000E-01	7.950E-01	6.202E-01	2.602E-01	2.175E-02	3.671E-06	6.105E-17	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	2.563E-01	4.817E-01	3.592E-01	3.305E-02	5.583E-06	9.286E-17	0.000E+00
Th-228	Th-228	1.000E+00	7.100E-01	4.942E-01	2.394E-01	1.895E-02	1.351E-05	1.306E-16	0.000E+00	0.000E+00
Th-228	ΣS(j):		7.100E-01	7.505E-01	7.211E-01	3.781E-01	3.306E-02	5.583E-06	9.286E-17	0.000E+00
Th-230	Th-230	1.000E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.868E+00	5.862E+00	5.847E+00	5.793E+00
Th-230	U-234	1.000E+00	0.000E+00	5.810E-05	1.734E-04	5.681E-04	1.623E-03	4.586E-03	9.058E-03	1.151E-02
Th-230	U-238	9.999E-01	0.000E+00	7.465E-11	6.674E-10	7.246E-09	6.106E-08	5.413E-07	2.659E-06	5.768E-06
Th-230	ΣS(j):		5.870E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.867E+00	5.856E+00	5.805E+00
U-234	U-234	1.000E+00	6.470E+00	6.438E+00	6.374E+00	6.156E+00	5.574E+00	3.936E+00	1.457E+00	4.493E-02
U-234	U-238	9.999E-01	0.000E+00	1.656E-05	4.918E-05	1.583E-04	4.301E-04	1.012E-03	1.124E-03	1.157E-04
U-234	ΣS(j):		6.470E+00	6.438E+00	6.374E+00	6.156E+00	5.574E+00	3.937E+00	1.458E+00	4.504E-02
U-238	U-238	5.400E-05	3.170E-04	3.154E-04	3.123E-04	3.016E-04	2.731E-04	1.929E-04	7.143E-05	2.207E-06
U-238	U-238	9.999E-01	5.870E+00	5.841E+00	5.783E+00	5.585E+00	5.057E+00	3.572E+00	1.323E+00	4.087E-02
U-238	ΣS(j):		5.870E+00	5.841E+00	5.783E+00	5.586E+00	5.057E+00	3.572E+00	1.323E+00	4.088E-02

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 0.75 seconds

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT USE.RAD

Table of Contents

---

Part I: Mixture Sums and Single Radionuclide Guidelines

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	5
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	13
Time = 1.000E+00 .....	14
Time = 3.000E+00 .....	15
Time = 1.000E+01 .....	16
Time = 3.000E+01 .....	17
Time = 1.000E+02 .....	18
Time = 3.000E+02 .....	19
Time = 1.000E+03 .....	20
Dose/Source Ratios Summed Over All Pathways .....	21
Single Radionuclide Soil Guidelines .....	22
Dose Per Nuclide Summed Over All Pathways .....	23
Soil Concentration Per Nuclide .....	24

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1( 1)
A-1	At-218 (Source: FGR 12)	5.847E-03	5.847E-03	DCF1( 2)
A-1	Bi-210 (Source: FGR 12)	3.606E-03	3.606E-03	DCF1( 3)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1( 4)
A-1	Bi-214 (Source: FGR 12)	9.808E+00	9.808E+00	DCF1( 5)
A-1	Pa-234 (Source: FGR 12)	1.155E+01	1.155E+01	DCF1( 6)
A-1	Pa-234m (Source: FGR 12)	8.967E-02	8.967E-02	DCF1( 7)
A-1	Pb-210 (Source: FGR 12)	2.447E-03	2.447E-03	DCF1( 8)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1( 9)
A-1	Pb-214 (Source: FGR 12)	1.341E+00	1.341E+00	DCF1( 10)
A-1	Po-210 (Source: FGR 12)	5.231E-05	5.231E-05	DCF1( 11)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 12)
A-1	Po-214 (Source: FGR 12)	5.138E-04	5.138E-04	DCF1( 13)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1( 14)
A-1	Po-218 (Source: FGR 12)	5.642E-05	5.642E-05	DCF1( 15)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1( 16)
A-1	Ra-226 (Source: FGR 12)	3.176E-02	3.176E-02	DCF1( 17)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 18)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1( 19)
A-1	Rn-222 (Source: FGR 12)	2.354E-03	2.354E-03	DCF1( 20)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1( 21)
A-1	Th-230 (Source: FGR 12)	1.209E-03	1.209E-03	DCF1( 22)
A-1	Th-234 (Source: FGR 12)	2.410E-02	2.410E-02	DCF1( 23)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1( 24)
A-1	Tl-210 (Source: no data)	0.000E+00	-2.000E+00	DCF1( 25)
A-1	U-234 (Source: FGR 12)	4.017E-04	4.017E-04	DCF1( 26)
A-1	U-238 (Source: FGR 12)	1.031E-04	1.031E-04	DCF1( 27)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	1.360E-02	DCF2( 1)
B-1	Ra-226+D	8.594E-03	8.580E-03	DCF2( 2)
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2( 3)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2( 4)
B-1	Th-230	3.260E-01	3.260E-01	DCF2( 5)
B-1	U-234	1.320E-01	1.320E-01	DCF2( 6)
B-1	U-238	1.180E-01	1.180E-01	DCF2( 7)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2( 8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.276E-03	5.370E-03	DCF3( 1)
D-1	Ra-226+D	1.321E-03	1.320E-03	DCF3( 2)
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3( 3)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3( 4)
D-1	Th-230	5.480E-04	5.480E-04	DCF3( 5)
D-1	U-234	2.830E-04	2.830E-04	DCF3( 6)
D-1	U-238	2.550E-04	2.550E-04	DCF3( 7)
D-1	U-238+D	2.687E-04	2.550E-04	DCF3( 8)

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 1,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,3)
D-34				
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 3,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,3)
D-34				
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 4,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 4,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34				
D-34	U-238 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 1,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 2,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC( 3,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 3,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)
D-5				

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT USE.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5				
D-5	U-238 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-238 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

#For DCF1(xxx) only, factors are for infinite depth & area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.626E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.300E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T ( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T ( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T ( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T ( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T ( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T ( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T ( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T ( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	5.870E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	6.740E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	9.000E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	7.100E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Th-230	5.870E+00	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): U-234	6.740E+00	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): U-238	5.870E+00	0.000E+00	---	S1(7)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1( 5)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1( 6)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 7)
R013	Cover depth (m)	3.048E-01	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	2.200E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.200E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-05	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.487E-03	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 2)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 3)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 4)
R016	Unsat. zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC ( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUC ( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS ( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH ( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 5)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUC ( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 6)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUC ( 7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 7)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	----	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	----	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	----	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	----	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	----	SHF1
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	----	FIND
R017	Fraction of time spent outdoors (on site)	1.780E-02	2.500E-01	----	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	----	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	----	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	----	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	----	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	----	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	----	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	----	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	----	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	----	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	----	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	----	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	----	RAD_SHAPE (12)



Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	4.000E-01	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	5.000E-02	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	2.000E-06	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	code computed (time dependent)	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	suppressed
9 -- radon	active
Find peak pathway doses	active

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area:	1626.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.30 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	9.190E-03	9.309E-03	9.381E-03	9.324E-03	1.092E-02	2.688E-02	4.267E-01	1.386E-01
M(t):	3.676E-04	3.724E-04	3.752E-04	3.730E-04	4.370E-04	1.075E-03	1.707E-02	5.545E-03

Maximum TDOSE(t): 4.490E-01 mrem/yr at t = 303.9 ± 0.6 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.058E-08	0.0000	1.040E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.602E-01	0.8024	1.382E-04	0.0003	7.272E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.226E-17	0.0000	3.933E-20	0.0000	3.471E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	8.050E-02	0.1793	4.014E-03	0.0089	1.623E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.020E-04	0.0002	4.165E-04	0.0009	1.880E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.146E-03	0.0070	3.199E-04	0.0007	3.994E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>4.440E-01</b>	<b>0.9889</b>	<b>4.889E-03</b>	<b>0.0109</b>	<b>8.897E-05</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Dependent Pathways

Radio- Nuclide Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.098E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.604E-01	0.8028
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.234E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.454E-02	0.1883
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.185E-04	0.0012
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.466E-03	0.0077
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.490E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	5.574E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.163E-03	0.7794	0.000E+00	0.0000	1.953E-04	0.0213	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	5.980E-04	0.0651	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.203E-03	0.1309	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.356E-06	0.0001	0.000E+00	0.0000	3.688E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	8.423E-11	0.0000	0.000E+00	0.0000	1.269E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.935E-05	0.0032	0.000E+00	0.0000	7.831E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>8.995E-03</b>	<b>0.9787</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.954E-04</b>	<b>0.0213</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.574E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.358E-03	0.8007
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.980E-04	0.0651
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.203E-03	0.1309
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.393E-06	0.0002
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.436E-11	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.935E-05	0.0032
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>9.190E-03</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	5.539E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.254E-03	0.7792	0.000E+00	0.0000	1.947E-04	0.0209	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.772E-04	0.1050	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	8.492E-04	0.0912	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	4.121E-06	0.0004	0.000E+00	0.0000	1.105E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.157E-10	0.0000	0.000E+00	0.0000	8.869E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.979E-05	0.0032	0.000E+00	0.0000	1.172E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>9.114E-03</b>	<b>0.9791</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.948E-04</b>	<b>0.0209</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.539E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.449E-03	0.8001
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.772E-04	0.1050
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.492E-04	0.0912
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.232E-06	0.0005
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.166E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.979E-05	0.0032
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>9.309E-03</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	5.469E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.439E-03	0.7930	0.000E+00	0.0000	1.935E-04	0.0206	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.284E-03	0.1369	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	4.231E-04	0.0451	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	9.896E-06	0.0011	0.000E+00	0.0000	2.573E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.687E-10	0.0000	0.000E+00	0.0000	4.668E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.069E-05	0.0033	0.000E+00	0.0000	1.360E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>9.187E-03</b>	<b>0.9793</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.937E-04</b>	<b>0.0207</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.469E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.633E-03	0.8137
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.284E-03	0.1369
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.231E-04	0.0451
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.015E-05	0.0011
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.734E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.069E-05	0.0033
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>9.381E-03</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	5.235E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	8.126E-03	0.8716	0.000E+00	0.0000	1.892E-04	0.0203	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.037E-04	0.0969	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	3.695E-05	0.0040	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	3.288E-05	0.0035	0.000E+00	0.0000	7.654E-07	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.883E-09	0.0000	0.000E+00	0.0000	4.113E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.405E-05	0.0037	0.000E+00	0.0000	3.541E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>9.134E-03</b>	<b>0.9796</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.900E-04</b>	<b>0.0204</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.235E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.316E-03	0.8918
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.037E-04	0.0969
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.695E-05	0.0040
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.364E-05	0.0036
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.924E-09	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.405E-05	0.0037
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>9.324E-03</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	4.636E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.046E-02	0.9577	0.000E+00	0.0000	1.775E-04	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.089E-04	0.0100	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	3.488E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.280E-04	0.0117	0.000E+00	0.0000	2.172E-06	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.982E-08	0.0000	0.000E+00	0.0000	3.321E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.580E-05	0.0042	0.000E+00	0.0000	8.212E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.074E-02</b>	<b>0.9836</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.797E-04</b>	<b>0.0164</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.636E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.064E-02	0.9739
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.089E-04	0.0100
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.488E-08	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.302E-04	0.0119
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.015E-08	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.580E-05	0.0042
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.092E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.144E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.542E-02	0.9456	0.000E+00	0.0000	1.418E-04	0.0053	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	5.142E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	9.053E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.184E-03	0.0441	0.000E+00	0.0000	6.609E-06	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	5.600E-07	0.0000	0.000E+00	0.0000	3.105E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.295E-04	0.0048	0.000E+00	0.0000	2.440E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>2.673E-02</b>	<b>0.9945</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.484E-04</b>	<b>0.0055</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.144E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.556E-02	0.9508
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.142E-08	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.053E-19	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.191E-03	0.0443
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.631E-07	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.295E-04	0.0048
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.688E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.764E-08	0.0000	1.154E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.437E-01	0.8055	1.367E-04	0.0003	7.367E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.870E-17	0.0000	6.204E-20	0.0000	4.141E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	7.512E-02	0.1761	3.910E-03	0.0092	1.608E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	9.271E-05	0.0002	4.134E-04	0.0010	1.846E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.926E-03	0.0069	3.177E-04	0.0007	3.882E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>4.218E-01</b>	<b>0.9886</b>	<b>4.778E-03</b>	<b>0.0112</b>	<b>8.977E-05</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.917E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.439E-01	0.8060
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.881E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.904E-02	0.1853
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.062E-04	0.0012
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.244E-03	0.0076
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.267E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.519E-18	0.0000	7.401E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	2.253E-02	0.1625	8.657E-06	0.0001	4.512E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.117E-01	0.8058	4.001E-03	0.0289	2.235E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.220E-04	0.0016	2.121E-05	0.0002	4.435E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	9.980E-05	0.0007	1.013E-05	0.0001	1.976E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.345E-01</b>	<b>0.9707</b>	<b>4.041E-03</b>	<b>0.0292</b>	<b>2.691E-05</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.259E-18	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.254E-02	0.1626
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.157E-01	0.8348
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.432E-04	0.0018
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.099E-04	0.0008
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.386E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL USER\_TRESPASSER\_CURRENT USE.RAD

Dose/Source Ratios Summed Over All Pathways  
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Pb-210+D	Pb-210+D	1.000E+00	9.496E-09	9.435E-09	9.317E-09	8.918E-09	7.898E-09	5.355E-09	4.970E-09	3.848E-19	
Ra-226+D	Ra-226+D	1.000E+00	1.092E-03	1.105E-03	1.132E-03	1.234E-03	1.579E-03	3.792E-03	5.098E-02	3.341E-03	
Ra-226+D	Pb-210+D	1.000E+00	1.489E-10	4.500E-10	1.068E-09	3.413E-09	1.216E-08	1.044E-07	3.792E-05	2.898E-06	
Ra-226+D	ΣDSR(j)		1.092E-03	1.105E-03	1.132E-03	1.234E-03	1.579E-03	3.792E-03	5.102E-02	3.344E-03	
Ra-228+D	Ra-228+D	1.000E+00	3.516E-04	3.163E-04	2.560E-04	1.220E-04	1.469E-05	8.905E-09	5.720E-18	0.000E+00	
Ra-228+D	Th-228+D	1.000E+00	3.128E-04	7.695E-04	1.171E-03	8.821E-04	1.063E-04	4.823E-08	1.518E-17	0.000E+00	
Ra-228+D	ΣDSR(j)		6.644E-04	1.086E-03	1.427E-03	1.004E-03	1.210E-04	5.713E-08	2.090E-17	0.000E+00	
Th-228+D	Th-228+D	1.000E+00	1.694E-03	1.196E-03	5.959E-04	5.205E-05	4.913E-08	1.275E-18	0.000E+00	0.000E+00	
Th-230	Th-230	1.000E+00	6.792E-11	7.077E-11	7.684E-11	1.025E-10	2.333E-10	4.151E-09	6.770E-04	6.945E-04	
Th-230	Ra-226+D	1.000E+00	2.373E-07	7.209E-07	1.730E-06	5.731E-06	2.217E-05	2.029E-04	1.278E-02	1.901E-02	
Th-230	Pb-210+D	1.000E+00	2.162E-14	1.532E-13	8.337E-13	8.290E-12	9.639E-11	3.843E-09	7.893E-06	1.450E-05	
Th-230	ΣDSR(j)		2.373E-07	7.209E-07	1.730E-06	5.732E-06	2.217E-05	2.029E-04	1.347E-02	1.971E-02	
U-234	U-234	1.000E+00	1.180E-11	1.226E-11	1.322E-11	1.721E-11	3.659E-11	5.125E-10	6.136E-05	1.964E-06	
U-234	Th-230	1.000E+00	3.073E-16	9.541E-16	2.402E-15	9.441E-15	5.944E-14	2.958E-12	9.522E-07	1.253E-06	
U-234	Ra-226+D	1.000E+00	7.123E-13	5.043E-12	2.735E-11	2.683E-10	2.954E-09	8.303E-08	1.278E-05	3.284E-05	
U-234	Pb-210+D	1.000E+00	4.875E-20	7.418E-19	8.936E-18	2.666E-16	9.262E-15	1.283E-12	7.350E-09	2.490E-08	
U-234	ΣDSR(j)		1.252E-11	1.730E-11	4.057E-11	2.855E-10	2.990E-09	8.354E-08	7.510E-05	3.608E-05	
U-238	U-238	5.400E-05	1.236E-23	1.352E-23	1.617E-23	3.029E-23	1.819E-22	9.654E-20	2.924E-09	9.352E-11	
U-238+D	U-238+D	9.999E-01	5.000E-06	5.075E-06	5.228E-06	5.800E-06	7.803E-06	2.206E-05	5.526E-04	1.870E-05	
U-238+D	U-234	9.999E-01	1.683E-17	5.223E-17	1.313E-16	5.124E-16	3.164E-15	1.460E-13	5.229E-08	5.579E-09	
U-238+D	Th-230	9.999E-01	2.911E-22	2.105E-21	1.197E-20	1.394E-19	2.506E-18	3.865E-16	3.085E-10	6.916E-10	
U-238+D	Ra-226+D	9.999E-01	5.049E-19	7.657E-18	9.153E-17	2.652E-15	8.385E-14	7.491E-12	3.085E-09	1.680E-08	
U-238+D	Pb-210+D	9.999E-01	2.769E-26	8.715E-25	2.271E-23	2.011E-21	2.063E-19	9.772E-17	1.645E-12	1.261E-11	
U-238+D	ΣDSR(j)		5.000E-06	5.075E-06	5.228E-06	5.800E-06	7.803E-06	2.206E-05	5.526E-04	1.873E-05	

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT USE.RAD

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	2.633E+09	2.650E+09	2.683E+09	2.803E+09	3.165E+09	4.668E+09	5.030E+09	*7.634E+13
Ra-226	2.290E+04	2.262E+04	2.208E+04	2.026E+04	1.584E+04	6.593E+03	4.900E+02	7.476E+03
Ra-228	3.763E+04	2.302E+04	1.752E+04	2.490E+04	2.066E+05	4.376E+08	*2.726E+14	*2.726E+14
Th-228	1.476E+04	2.090E+04	4.195E+04	4.803E+05	5.089E+08	*8.195E+14	*8.195E+14	*8.195E+14
Th-230	1.053E+08	3.468E+07	1.445E+07	4.362E+06	1.127E+06	1.232E+05	1.857E+03	1.268E+03
U-234	*6.247E+09	*6.247E+09	*6.247E+09	*6.247E+09	*6.247E+09	2.992E+08	3.329E+05	6.928E+05
U-238	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	4.524E+04	*3.361E+05

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 303.9 ± 0.6 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Pb-210	5.870E+00	183.4 ± 0.4	2.321E-08	1.077E+09	5.277E-09	4.737E+09
Ra-226	6.740E+00	303.7 ± 0.6	5.348E-02	4.674E+02	5.348E-02	4.675E+02
Ra-228	9.000E-01	3.885 ± 0.008	1.451E-03	1.722E+04	1.371E-17	*2.726E+14
Th-228	7.100E-01	0.000E+00	1.694E-03	1.476E+04	0.000E+00	*8.195E+14
Th-230	5.870E+00	1.000E+03	1.971E-02	1.268E+03	1.440E-02	1.736E+03
U-234	6.740E+00	304.5 ± 0.6	7.711E-05	3.242E+05	7.693E-05	3.250E+05
U-238	5.870E+00	304.6 ± 0.6	5.915E-04	4.226E+04	5.905E-04	4.234E+04

\*At specific activity limit

Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	5.574E-08	5.539E-08	5.469E-08	5.235E-08	4.636E-08	3.144E-08	2.917E-08	2.259E-18
Pb-210	Ra-226	1.000E+00	1.003E-09	3.033E-09	7.199E-09	2.301E-08	8.196E-08	7.037E-07	2.556E-04	1.953E-05
Pb-210	Th-230	1.000E+00	1.269E-13	8.995E-13	4.894E-12	4.866E-11	5.658E-10	2.256E-08	4.633E-05	8.509E-05
Pb-210	U-234	1.000E+00	3.286E-19	5.000E-18	6.023E-17	1.797E-15	6.243E-14	8.646E-12	4.954E-08	1.679E-07
Pb-210	U-238	9.999E-01	1.625E-25	5.116E-24	1.333E-22	1.181E-20	1.211E-18	5.736E-16	9.657E-12	7.400E-11
Pb-210	ΣDOSE(j)		5.674E-08	5.842E-08	6.189E-08	7.540E-08	1.289E-07	7.577E-07	3.020E-04	1.048E-04
Ra-226	Ra-226	1.000E+00	7.358E-03	7.449E-03	7.633E-03	8.316E-03	1.064E-02	2.556E-02	3.436E-01	2.252E-02
Ra-226	Th-230	1.000E+00	1.393E-06	4.231E-06	1.015E-05	3.364E-05	1.302E-04	1.191E-03	7.502E-02	1.116E-01
Ra-226	U-234	1.000E+00	4.801E-12	3.399E-11	1.843E-10	1.808E-09	1.991E-08	5.596E-07	8.613E-05	2.214E-04
Ra-226	U-238	9.999E-01	2.964E-18	4.494E-17	5.373E-16	1.557E-14	4.922E-13	4.397E-11	1.811E-08	9.864E-08
Ra-226	ΣDOSE(j)		7.360E-03	7.453E-03	7.643E-03	8.349E-03	1.077E-02	2.675E-02	4.187E-01	1.343E-01
Ra-228	Ra-228	1.000E+00	3.165E-04	2.847E-04	2.304E-04	1.098E-04	1.323E-05	8.014E-09	5.148E-18	0.000E+00
Th-228	Ra-228	1.000E+00	2.815E-04	6.925E-04	1.054E-03	7.939E-04	9.570E-05	4.340E-08	1.366E-17	0.000E+00
Th-228	Th-228	1.000E+00	1.203E-03	8.492E-04	4.231E-04	3.695E-05	3.488E-08	9.053E-19	0.000E+00	0.000E+00
Th-228	ΣDOSE(j)		1.484E-03	1.542E-03	1.477E-03	8.309E-04	9.573E-05	4.340E-08	1.366E-17	0.000E+00
Th-230	Th-230	1.000E+00	3.987E-10	4.154E-10	4.510E-10	6.015E-10	1.369E-09	2.436E-08	3.974E-03	4.077E-03
Th-230	U-234	1.000E+00	2.071E-15	6.431E-15	1.619E-14	6.363E-14	4.006E-13	1.993E-11	6.418E-06	8.442E-06
Th-230	U-238	9.999E-01	1.709E-21	1.236E-20	7.029E-20	8.185E-19	1.471E-17	2.269E-15	1.811E-09	4.060E-09
Th-230	ΣDOSE(j)		3.987E-10	4.154E-10	4.511E-10	6.016E-10	1.370E-09	2.438E-08	3.980E-03	4.085E-03
U-234	U-234	1.000E+00	7.955E-11	8.261E-11	8.908E-11	1.160E-10	2.466E-10	3.455E-09	4.136E-04	1.324E-05
U-234	U-238	9.999E-01	9.882E-17	3.066E-16	7.705E-16	3.008E-15	1.857E-14	8.573E-13	3.070E-07	3.275E-08
U-234	ΣDOSE(j)		7.955E-11	8.261E-11	8.908E-11	1.160E-10	2.466E-10	3.455E-09	4.139E-04	1.327E-05
U-238	U-238	5.400E-05	7.255E-23	7.935E-23	9.493E-23	1.778E-22	1.068E-21	5.667E-19	1.717E-08	5.489E-10
U-238	U-238	9.999E-01	2.935E-05	2.979E-05	3.069E-05	3.405E-05	4.580E-05	1.295E-04	3.244E-03	1.098E-04
U-238	ΣDOSE(j)		2.935E-05	2.979E-05	3.069E-05	3.405E-05	4.580E-05	1.295E-04	3.244E-03	1.098E-04

THF(i) is the thread fraction of the parent nuclide.



Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	5.870E+00	5.676E+00	5.308E+00	4.196E+00	2.144E+00	2.045E-01	2.482E-04	1.547E-14
Pb-210	Ra-226	1.000E+00	0.000E+00	2.056E-01	5.943E-01	1.743E+00	3.697E+00	4.507E+00	2.143E+00	1.318E-01
Pb-210	Th-230	1.000E+00	0.000E+00	3.903E-05	3.427E-04	3.497E-03	2.503E-02	1.435E-01	3.872E-01	5.729E-01
Pb-210	U-234	1.000E+00	0.000E+00	1.347E-10	3.562E-09	1.226E-07	2.714E-06	5.470E-05	4.135E-04	1.130E-03
Pb-210	U-238	9.999E-01	0.000E+00	8.325E-17	6.617E-15	7.652E-13	5.174E-11	3.610E-09	8.049E-08	4.981E-07
Pb-210	ΣS(j):		5.870E+00	5.882E+00	5.902E+00	5.942E+00	5.866E+00	4.855E+00	2.531E+00	7.058E-01
Ra-226	Ra-226	1.000E+00	6.740E+00	6.713E+00	6.660E+00	6.477E+00	5.981E+00	4.525E+00	2.040E+00	1.254E-01
Ra-226	Th-230	1.000E+00	0.000E+00	2.538E-03	7.583E-03	2.493E-02	7.189E-02	2.096E-01	4.441E-01	6.201E-01
Ra-226	U-234	1.000E+00	0.000E+00	1.310E-08	1.172E-07	1.276E-06	1.082E-05	9.804E-05	5.092E-04	1.230E-03
Ra-226	U-238	9.999E-01	0.000E+00	1.078E-14	2.890E-13	1.045E-11	2.631E-10	7.667E-09	1.069E-07	5.481E-07
Ra-226	ΣS(j):		6.740E+00	6.716E+00	6.668E+00	6.502E+00	6.053E+00	4.735E+00	2.484E+00	7.468E-01
Ra-228	Ra-228	1.000E+00	9.000E-01	7.950E-01	6.202E-01	2.602E-01	2.175E-02	3.671E-06	6.105E-17	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	2.563E-01	4.817E-01	3.592E-01	3.305E-02	5.583E-06	9.286E-17	0.000E+00
Th-228	Th-228	1.000E+00	7.100E-01	4.942E-01	2.394E-01	1.895E-02	1.351E-05	1.306E-16	0.000E+00	0.000E+00
Th-228	ΣS(j):		7.100E-01	7.505E-01	7.211E-01	3.781E-01	3.306E-02	5.583E-06	9.286E-17	0.000E+00
Th-230	Th-230	1.000E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.868E+00	5.862E+00	5.847E+00	5.793E+00
Th-230	U-234	1.000E+00	0.000E+00	6.052E-05	1.807E-04	5.919E-04	1.691E-03	4.778E-03	9.436E-03	1.200E-02
Th-230	U-238	9.999E-01	0.000E+00	7.465E-11	6.674E-10	7.246E-09	6.106E-08	5.413E-07	2.659E-06	5.768E-06
Th-230	ΣS(j):		5.870E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.867E+00	5.856E+00	5.805E+00
U-234	U-234	1.000E+00	6.740E+00	6.707E+00	6.640E+00	6.413E+00	5.806E+00	4.100E+00	1.518E+00	4.680E-02
U-234	U-238	9.999E-01	0.000E+00	1.656E-05	4.918E-05	1.583E-04	4.301E-04	1.012E-03	1.124E-03	1.157E-04
U-234	ΣS(j):		6.740E+00	6.707E+00	6.640E+00	6.413E+00	5.807E+00	4.101E+00	1.519E+00	4.692E-02
U-238	U-238	5.400E-05	3.170E-04	3.154E-04	3.123E-04	3.016E-04	2.731E-04	1.929E-04	7.143E-05	2.207E-06
U-238	U-238	9.999E-01	5.870E+00	5.841E+00	5.783E+00	5.585E+00	5.057E+00	3.572E+00	1.323E+00	4.087E-02
U-238	ΣS(j):		5.870E+00	5.841E+00	5.783E+00	5.586E+00	5.057E+00	3.572E+00	1.323E+00	4.088E-02

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 0.75 seconds

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

---

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	5
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	12
Time = 3.000E+01 .....	13
Time = 1.000E+02 .....	14
Time = 3.000E+02 .....	15
Time = 1.000E+03 .....	16
Dose/Source Ratios Summed Over All Pathways .....	17
Single Radionuclide Soil Guidelines .....	17
Dose Per Nuclide Summed Over All Pathways .....	18
Soil Concentration Per Nuclide .....	19

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Dose Conversion Factor (and Related) Parameter Summary

Dose Library: DOE STD-1196-2011 (Reference Person)

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: DCFPAK3.02)	5.044E+00	5.044E+00	DCF1 ( 1)
A-1	At-218 (Source: DCFPAK3.02)	5.567E-05	5.567E-05	DCF1 ( 2)
A-1	Bi-210 (Source: DCFPAK3.02)	5.473E-03	5.473E-03	DCF1 ( 3)
A-1	Bi-212 (Source: DCFPAK3.02)	6.258E-01	6.258E-01	DCF1 ( 4)
A-1	Bi-214 (Source: DCFPAK3.02)	9.135E+00	9.135E+00	DCF1 ( 5)
A-1	Hg-206 (Source: DCFPAK3.02)	6.127E-01	6.127E-01	DCF1 ( 6)
A-1	Pa-234 (Source: DCFPAK3.02)	8.275E+00	8.275E+00	DCF1 ( 7)
A-1	Pa-234m (Source: DCFPAK3.02)	1.257E-01	1.257E-01	DCF1 ( 8)
A-1	Pb-210 (Source: DCFPAK3.02)	2.092E-03	2.092E-03	DCF1 ( 9)
A-1	Pb-212 (Source: DCFPAK3.02)	6.314E-01	6.314E-01	DCF1 ( 10)
A-1	Pb-214 (Source: DCFPAK3.02)	1.257E+00	1.257E+00	DCF1 ( 11)
A-1	Po-210 (Source: DCFPAK3.02)	5.641E-05	5.641E-05	DCF1 ( 12)
A-1	Po-212 (Source: DCFPAK3.02)	0.000E+00	0.000E+00	DCF1 ( 13)
A-1	Po-214 (Source: DCFPAK3.02)	4.801E-04	4.801E-04	DCF1 ( 14)
A-1	Po-216 (Source: DCFPAK3.02)	8.873E-05	8.873E-05	DCF1 ( 15)
A-1	Po-218 (Source: DCFPAK3.02)	9.228E-09	9.228E-09	DCF1 ( 16)
A-1	Ra-224 (Source: DCFPAK3.02)	4.950E-02	4.950E-02	DCF1 ( 17)
A-1	Ra-226 (Source: DCFPAK3.02)	3.176E-02	3.176E-02	DCF1 ( 18)
A-1	Ra-228 (Source: DCFPAK3.02)	6.575E-05	6.575E-05	DCF1 ( 19)
A-1	Rn-218 (Source: DCFPAK3.02)	4.259E-03	4.259E-03	DCF1 ( 20)
A-1	Rn-220 (Source: DCFPAK3.02)	3.474E-03	3.474E-03	DCF1 ( 21)
A-1	Rn-222 (Source: DCFPAK3.02)	2.130E-03	2.130E-03	DCF1 ( 22)
A-1	Th-228 (Source: DCFPAK3.02)	7.248E-03	7.248E-03	DCF1 ( 23)
A-1	Th-230 (Source: DCFPAK3.02)	1.106E-03	1.106E-03	DCF1 ( 24)
A-1	Th-234 (Source: DCFPAK3.02)	2.316E-02	2.316E-02	DCF1 ( 25)
A-1	Tl-206 (Source: DCFPAK3.02)	1.278E-02	1.278E-02	DCF1 ( 26)
A-1	Tl-208 (Source: DCFPAK3.02)	2.167E+01	2.167E+01	DCF1 ( 27)
A-1	Tl-210 (Source: DCFPAK3.02)	1.677E+01	1.677E+01	DCF1 ( 28)
A-1	U-234 (Source: DCFPAK3.02)	3.456E-04	3.456E-04	DCF1 ( 29)
A-1	U-238 (Source: DCFPAK3.02)	1.713E-04	1.713E-04	DCF1 ( 30)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	4.017E-02	2.231E-02	DCF2 ( 1)
B-1	Ra-226+D	3.823E-02	3.811E-02	DCF2 ( 2)
B-1	Ra-228+D	6.333E-02	6.327E-02	DCF2 ( 3)
B-1	Th-228+D	1.753E-01	1.610E-01	DCF2 ( 4)
B-1	Th-230	3.848E-01	3.848E-01	DCF2 ( 5)
B-1	U-234	3.737E-02	3.737E-02	DCF2 ( 6)
B-1	U-238	3.212E-02	3.212E-02	DCF2 ( 7)
B-1	U-238+D	3.215E-02	3.212E-02	DCF2 ( 8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	1.026E-02	3.774E-03	DCF3 ( 1)
D-1	Ra-226+D	1.677E-03	1.676E-03	DCF3 ( 2)
D-1	Ra-228+D	5.922E-03	5.920E-03	DCF3 ( 3)
D-1	Th-228+D	9.348E-04	4.292E-04	DCF3 ( 4)
D-1	Th-230	9.361E-04	9.361E-04	DCF3 ( 5)
D-1	U-234	2.150E-04	2.150E-04	DCF3 ( 6)
D-1	U-238	1.939E-04	1.939E-04	DCF3 ( 7)

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)  
 Dose Library: DOE STD-1196-2011 (Reference Person)

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-1	U-238+D	2.112E-04	1.939E-04	DCF3( 8)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 1,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,3)
D-34				
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 3,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,3)
D-34				
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 4,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 4,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34				
D-34	U-238 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 1,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 2,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC( 3,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 3,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: DOE STD-1196-2011 (Reference Person)

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5				
D-5	U-238 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-238 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

#For DCF1(xxx) only, factors are for infinite depth &amp; area. See ETFG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.626E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.620E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	3.000E+01	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	1.000E+02	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	3.000E+02	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	1.000E+03	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Ra-226	6.740E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	9.000E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	7.100E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): U-238	5.870E+00	0.000E+00	---	S1(7)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 7)
R013	Cover depth (m)	3.100E-01	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	2.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.745E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.745E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.374E-06	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(7)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.241E-03	ALEACH(7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(7)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.623E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC ( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU ( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS ( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.374E-06	ALEACH ( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 5)
R016	Distribution coefficients for daughter U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.241E-03	ALEACH ( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 6)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE (10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE (11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE (12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA ( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA ( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA ( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA ( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA ( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA ( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA ( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA ( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA ( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA (10)
R017	Ring 11	not used	0.000E+00	---	FRACA (11)
R017	Ring 12	not used	0.000E+00	---	FRACA (12)



Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	9.200E+01	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	5.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.813E-01	FMEAT
R018	Contamination fraction of milk	-1	-1	0.813E-01	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	active

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1626.00 square meters	Ra-226	6.740E+00
Thickness:	0.76 meters	Ra-228	9.000E-01
Cover Depth:	0.31 meters	Th-228	7.100E-01
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	3.994E+01	4.914E+01	5.304E+01	3.551E+01	6.733E+01
M(t):	1.598E+00	1.966E+00	2.121E+00	1.421E+00	2.693E+00

Maximum TDOSE(t): 6.733E+01 mrem/yr at t = 1.000E+03 years

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	1.206E+00	0.0302	0.000E+00	0.0000	0.000E+00	0.0000	2.648E+01	0.6630	1.071E-01	0.0027	1.233E-01	0.0031	0.000E+00	0.0000
Ra-228	8.842E-02	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	1.147E+01	0.2872	4.597E-02	0.0012	5.413E-02	0.0014	0.000E+00	0.0000
Th-228	1.484E-01	0.0037	0.000E+00	0.0000	0.000E+00	0.0000	3.177E-02	0.0008	1.272E-05	0.0000	7.511E-07	0.0000	0.000E+00	0.0000
U-238	6.996E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	1.765E-01	0.0044	2.403E-04	0.0000	5.008E-04	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.450E+00</b>	<b>0.0363</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.816E+01</b>	<b>0.9554</b>	<b>1.533E-01</b>	<b>0.0038</b>	<b>1.779E-01</b>	<b>0.0045</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.792E+01	0.6990
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.166E+01	0.2919
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.802E-01	0.0045
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.842E-01	0.0046
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.994E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	1.473E+00	0.0300	0.000E+00	0.0000	0.000E+00	0.0000	4.687E+01	0.9539	1.710E-01	0.0035	1.460E-01	0.0030	0.000E+00	0.0000
Ra-228	1.201E-02	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	2.912E-01	0.0059	1.162E-03	0.0000	1.367E-03	0.0000	0.000E+00	0.0000
Th-228	3.692E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.299E-07	0.0000	2.521E-10	0.0000	1.489E-11	0.0000	0.000E+00	0.0000
U-238	8.854E-03	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	1.585E-01	0.0032	2.158E-04	0.0000	4.498E-04	0.0000	0.000E+00	0.0000
Total	1.493E+00	0.0304	0.000E+00	0.0000	0.000E+00	0.0000	4.732E+01	0.9631	1.724E-01	0.0035	1.479E-01	0.0030	0.000E+00	0.0000

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.866E+01	0.9904
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.057E-01	0.0062
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.322E-06	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.680E-01	0.0034
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.914E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	2.355E+00	0.0444	0.000E+00	0.0000	0.000E+00	0.0000	5.023E+01	0.9470	1.782E-01	0.0034	1.373E-01	0.0026	0.000E+00	0.0000
Ra-228	3.958E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.395E-05	0.0000	2.153E-07	0.0000	2.532E-07	0.0000	0.000E+00	0.0000
Th-228	6.694E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.642E-18	0.0000	2.658E-21	0.0000	1.570E-22	0.0000	0.000E+00	0.0000
U-238	1.537E-02	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	1.222E-01	0.0023	1.664E-04	0.0000	3.469E-04	0.0000	0.000E+00	0.0000
Total	2.370E+00	0.0447	0.000E+00	0.0000	0.000E+00	0.0000	5.035E+01	0.9494	1.784E-01	0.0034	1.377E-01	0.0026	0.000E+00	0.0000

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.290E+01	0.9974
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.838E-05	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.359E-17	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.381E-01	0.0026
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.304E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	9.710E+00	0.2734	7.678E-03	0.0002	0.000E+00	0.0000	2.481E+01	0.6985	1.353E-01	0.0038	9.989E-02	0.0028	6.139E-01	0.0173
Ra-228	4.995E-16	0.0000	8.879E-19	0.0000	0.000E+00	0.0000	9.526E-16	0.0000	4.592E-18	0.0000	5.597E-18	0.0000	1.020E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	8.374E-02	0.0024	1.943E-03	0.0001	0.000E+00	0.0000	4.734E-02	0.0013	2.741E-04	0.0000	6.744E-04	0.0000	6.587E-03	0.0002
<b>Total</b>	<b>9.794E+00</b>	<b>0.2758</b>	<b>9.621E-03</b>	<b>0.0003</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.485E+01</b>	<b>0.6998</b>	<b>1.356E-01</b>	<b>0.0038</b>	<b>1.006E-01</b>	<b>0.0028</b>	<b>6.205E-01</b>	<b>0.0175</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.537E+01	0.9960
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.473E-15	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.406E-01	0.0040
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.551E+01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.



Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	4.615E-01	0.0069	2.097E-04	0.0000	0.000E+00	0.0000	1.250E-01	0.0019	1.743E-03	0.0000	1.241E-03	0.0000	1.677E-02	0.0002
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.395E-03	0.0000	2.533E-05	0.0000	0.000E+00	0.0000	1.144E-04	0.0000	2.893E-06	0.0000	7.355E-06	0.0000	8.582E-05	0.0000
Total	4.639E-01	0.0069	2.351E-04	0.0000	0.000E+00	0.0000	1.252E-01	0.0019	1.746E-03	0.0000	1.248E-03	0.0000	1.686E-02	0.0003

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Ra-226	5.863E+01	0.8708	1.384E-01	0.0021	0.000E+00	0.0000	4.527E+00	0.0672	8.569E-02	0.0013	9.650E-02	0.0014	6.408E+01	0.9518
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.005E+00	0.0446	5.176E-04	0.0000	0.000E+00	0.0000	2.312E-01	0.0034	1.779E-03	0.0000	6.869E-03	0.0001	3.248E+00	0.0482
Total	6.164E+01	0.9154	1.389E-01	0.0021	0.000E+00	0.0000	4.758E+00	0.0707	8.746E-02	0.0013	1.034E-01	0.0015	6.733E+01	1.0000

\*Sum of all water independent and dependent pathways.

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)				
			0.000E+00	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226+D	Ra-226+D	1.000E+00	4.035E+00	3.793E+00	3.318E+00	2.876E+00	1.850E+00
Ra-226+D	Pb-210+D	1.000E+00	1.076E-01	3.428E+00	4.530E+00	2.372E+00	7.658E+00
Ra-226+D	ΣDSR(j)		4.142E+00	7.220E+00	7.848E+00	5.248E+00	9.508E+00
Ra-228+D	Ra-228+D	1.000E+00	1.289E+01	3.258E-01	6.079E-05	1.217E-15	0.000E+00
Ra-228+D	Th-228+D	1.000E+00	6.821E-02	1.385E-02	4.075E-06	4.205E-16	0.000E+00
Ra-228+D	ΣDSR(j)		1.295E+01	3.397E-01	6.487E-05	1.637E-15	0.000E+00
Th-228+D	Th-228+D	1.000E+00	2.538E-01	6.087E-06	1.036E-16	0.000E+00	0.000E+00
U-238	U-238	5.450E-07	1.510E-08	1.356E-08	1.046E-08	4.859E-09	2.758E-07
U-238+D	U-238+D	1.000E+00	3.138E-02	2.862E-02	2.352E-02	2.394E-02	5.517E-01
U-238+D	U-234	1.000E+00	4.335E-08	2.376E-06	6.036E-06	8.408E-06	1.583E-03
U-238+D	Th-230	1.000E+00	2.659E-13	6.121E-10	5.816E-09	4.971E-08	4.520E-08
U-238+D	Ra-226+D	1.000E+00	1.653E-15	2.043E-10	6.671E-09	1.783E-07	4.375E-06
U-238+D	Pb-210+D	1.000E+00	2.482E-17	5.987E-11	4.339E-09	1.056E-07	1.547E-05
U-238+D	ΣDSR(j)		3.138E-02	2.862E-02	2.353E-02	2.394E-02	5.533E-01

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t=				
	0.000E+00	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	6.036E+00	3.463E+00	3.185E+00	4.763E+00	2.629E+00
Ra-228	1.930E+00	7.360E+01	3.854E+05	*2.726E+14	*2.726E+14
Th-228	9.852E+01	4.107E+06	*8.201E+14	*8.201E+14	*8.201E+14
U-238	7.966E+02	8.735E+02	1.063E+03	1.044E+03	4.518E+01

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)

and Single Radionuclide Soil Guidelines G(i,t) in pCi/g

at tmin = time of minimum single radionuclide soil guideline

and at tmax = time of maximum total dose = 1.000E+03 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Ra-226	6.740E+00	1.000E+03	9.508E+00	2.629E+00	9.508E+00	2.629E+00
Ra-228	9.000E-01	0.000E+00	1.295E+01	1.930E+00	0.000E+00	*2.726E+14
Th-228	7.100E-01	0.000E+00	2.538E-01	9.852E+01	0.000E+00	*8.201E+14
U-238	5.870E+00	1.000E+03	5.533E-01	4.518E+01	5.533E-01	4.518E+01

\*At specific activity limit

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD

Individual Nuclide Dose Summed Over All Pathways  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr				
			t= 0.000E+00	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	Ra-226	1.000E+00	2.719E+01	2.556E+01	2.236E+01	1.939E+01	1.247E+01
Ra-226	U-238	1.000E+00	9.701E-15	1.199E-09	3.916E-08	1.047E-06	2.568E-05
Ra-226	ΣDOSE(j)		2.719E+01	2.556E+01	2.236E+01	1.939E+01	1.247E+01
Pb-210	Ra-226	1.000E+00	7.255E-01	2.310E+01	3.053E+01	1.599E+01	5.161E+01
Pb-210	U-238	1.000E+00	1.457E-16	3.514E-10	2.547E-08	6.198E-07	9.081E-05
Pb-210	ΣDOSE(j)		7.255E-01	2.310E+01	3.053E+01	1.599E+01	5.161E+01
Ra-228	Ra-228	1.000E+00	1.160E+01	2.933E-01	5.471E-05	1.095E-15	0.000E+00
Th-228	Ra-228	1.000E+00	6.139E-02	1.247E-02	3.667E-06	3.784E-16	0.000E+00
Th-228	Th-228	1.000E+00	1.802E-01	4.322E-06	7.359E-17	0.000E+00	0.000E+00
Th-228	ΣDOSE(j)		2.416E-01	1.247E-02	3.667E-06	3.784E-16	0.000E+00
U-238	U-238	5.450E-07	8.866E-08	7.961E-08	6.139E-08	2.852E-08	1.619E-06
U-238	U-238	1.000E+00	1.842E-01	1.680E-01	1.381E-01	1.405E-01	3.238E+00
U-238	ΣDOSE(j)		1.842E-01	1.680E-01	1.381E-01	1.405E-01	3.238E+00
U-234	U-238	1.000E+00	2.545E-07	1.395E-05	3.543E-05	4.936E-05	9.291E-03
Th-230	U-238	1.000E+00	1.561E-12	3.593E-09	3.414E-08	2.918E-07	2.653E-07

THF(i) is the thread fraction of the parent nuclide.

Summary : Resident Farmer 310 Ship Canal all pathways w/o radon

File : C:\RESRAD\_FAMILY\ONSITE\7.2\USERFILES\SITE2.RAD


Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g				
			t= 0.000E+00	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Ra-226	Ra-226	1.000E+00	6.740E+00	5.946E+00	4.438E+00	1.924E+00	1.033E-01
Ra-226	U-238	1.000E+00	0.000E+00	2.662E-10	7.660E-09	1.034E-07	4.911E-07
Ra-226	∑S(j):		6.740E+00	5.946E+00	4.438E+00	1.924E+00	1.033E-01
Pb-210	Ra-226	1.000E+00	0.000E+00	3.688E+00	4.430E+00	2.025E+00	1.087E-01
Pb-210	U-238	1.000E+00	0.000E+00	5.256E-11	3.619E-09	7.794E-08	4.456E-07
Pb-210	∑S(j):		0.000E+00	3.688E+00	4.430E+00	2.025E+00	1.087E-01
Ra-228	Ra-228	1.000E+00	9.000E-01	2.162E-02	3.600E-06	5.759E-17	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	3.287E-02	5.477E-06	8.763E-17	0.000E+00
Th-228	Th-228	1.000E+00	7.100E-01	1.339E-05	1.269E-16	0.000E+00	0.000E+00
Th-228	∑S(j):		7.100E-01	3.288E-02	5.477E-06	8.763E-17	0.000E+00
U-238	U-238	5.450E-07	3.199E-06	2.734E-06	1.894E-06	6.640E-07	1.694E-08
U-238	U-238	1.000E+00	5.870E+00	5.016E+00	3.476E+00	1.218E+00	3.108E-02
U-238	∑S(j):		5.870E+00	5.016E+00	3.476E+00	1.218E+00	3.108E-02
U-234	U-238	1.000E+00	0.000E+00	4.248E-04	9.812E-04	1.032E-03	8.764E-05
Th-230	U-238	1.000E+00	0.000E+00	6.179E-08	5.412E-07	2.581E-06	5.315E-06

THF(i) is the thread fraction of the parent nuclide.

RESCALC.EXE execution time = 2.59 seconds

### DOSE: All Nuclides Summed, All Pathways Summed



Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area:	1626.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.30 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.472E-02	1.492E-02	1.503E-02	1.494E-02	1.750E-02	4.307E-02	6.836E-01	2.221E-01
M(t):	5.890E-04	5.966E-04	6.012E-04	5.976E-04	7.001E-04	1.723E-03	2.735E-02	8.884E-03


Maximum TDOSE(t): 7.193E-01 mrem/yr at t = 303.9 ± 0.6 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.297E-08	0.0000	1.666E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.772E-01	0.8024	2.214E-04	0.0003	1.165E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.965E-17	0.0000	6.302E-20	0.0000	5.562E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.290E-01	0.1793	6.431E-03	0.0089	2.601E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.634E-04	0.0002	6.673E-04	0.0009	3.012E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.041E-03	0.0070	5.125E-04	0.0007	6.400E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>7.114E-01</b>	<b>0.9889</b>	<b>7.833E-03</b>	<b>0.0109</b>	<b>1.426E-04</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

### DOSE: All Nuclides Summed, All Pathways Summed



Pb-210 Ra-226 Ra-228 Th-228 Th-230 U-234 U-238 Total

Summary : RESRAD Run for 310 Groundskeeper\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_GROUNDSKEEPER\_CURRENT USE.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1626.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.30 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.470E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.766E-02	1.789E-02	1.802E-02	1.791E-02	2.099E-02	5.165E-02	8.198E-01	2.663E-01
M(t):	7.063E-04	7.154E-04	7.210E-04	7.166E-04	8.396E-04	2.066E-03	3.279E-02	1.065E-02

Maximum TDOSE(t): 8.626E-01 mrem/yr at t = 303.9 ± 0.6 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)


As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.954E-08	0.0000	1.998E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	6.921E-01	0.8024	2.655E-04	0.0003	1.397E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.356E-17	0.0000	7.557E-20	0.0000	6.670E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.547E-01	0.1793	7.712E-03	0.0089	3.118E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.881E-04	0.0002	7.682E-04	0.0009	3.468E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.045E-03	0.0070	6.146E-04	0.0007	7.675E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>8.530E-01</b>	<b>0.9889</b>	<b>9.361E-03</b>	<b>0.0109</b>	<b>1.709E-04</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>



### DOSE: All Nuclides Summed, All Pathways Summed



Summary : RESRAD Run for 310 Site Recreational User (Trespasser)\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_RECREATIONAL\_USER\_TRESPASSER\_CURRENT\_USE.RAD

Contaminated Zone Dimensions

Area: 1626.00 square meters  
 Thickness: 0.73 meters  
 Cover Depth: 0.30 meters

Initial Soil Concentrations, pCi/g

Pb-210 5.870E+00  
 Ra-226 6.740E+00  
 Ra-228 9.000E-01  
 Th-228 7.100E-01  
 Th-230 5.870E+00  
 U-234 6.740E+00  
 U-238 5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	9.190E-03	9.309E-03	9.381E-03	9.324E-03	1.092E-02	2.688E-02	4.267E-01	1.386E-01
M(t):	3.676E-04	3.724E-04	3.752E-04	3.730E-04	4.370E-04	1.075E-03	1.707E-02	5.545E-03

Maximum TDOSE(t): 4.490E-01 mrem/yr at t = 303.9 ± 0.6 years


Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years


Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.058E-08	0.0000	1.040E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.602E-01	0.8024	1.382E-04	0.0003	7.272E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.226E-17	0.0000	3.933E-20	0.0000	3.471E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	8.050E-02	0.1793	4.014E-03	0.0089	1.623E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.020E-04	0.0002	4.165E-04	0.0009	1.880E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.146E-03	0.0070	3.199E-04	0.0007	3.994E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>4.440E-01</b>	<b>0.9889</b>	<b>4.889E-03</b>	<b>0.0109</b>	<b>8.897E-05</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

### DOSE: All Nuclides Summed, All Pathways Summed



### DOSE: All Nuclides Summed, All Pathways Summed



Pb-210 Ra-226 Ra-228 Th-228 Th-230 U-234 U-238 Total

Summary : RESRAD Run for 310 Site Industrial User\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL USER\_FUTURE USE.RAD

Contaminated Zone Dimensions

Initial Soil Concentrations, pCi/g

Area:	500.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.00 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.338E+01	1.328E+01	1.297E+01	1.187E+01	1.040E+01	8.078E+00	4.256E+00	5.473E-02
M(t):	5.352E-01	5.311E-01	5.189E-01	4.746E-01	4.160E-01	3.231E-01	1.702E-01	2.189E-03

Maximum TDOSE(t): 1.338E+01 mrem/yr at t = 0.000E+00 years

Summary : RESRAD Run for 310 Site Industrial User\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL USER\_FUTURE USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	1.850E-04	0.0000	5.246E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	7.468E+00	0.9245	1.611E-03	0.0002	1.398E-01	0.0173	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.097E-05	0.0000	2.059E-08	0.0000	7.467E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.654E-16	0.0000	4.254E-19	0.0000	1.558E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	3.490E-01	0.0432	2.155E-02	0.0027	6.514E-03	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	4.179E-04	0.0001	6.089E-03	0.0008	3.061E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	8.008E-02	0.0099	4.731E-03	0.0006	2.405E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>7.898E+00</b>	<b>0.9777</b>	<b>3.403E-02</b>	<b>0.0042</b>	<b>1.463E-01</b>	<b>0.0181</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>


Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.374E-04	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.610E+00	0.9420
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.106E-05	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.673E-16	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.771E-01	0.0467
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.510E-03	0.0008
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.482E-02	0.0105
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>8.078E+00</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

### DOSE: All Nuclides Summed, All Pathways Summed



Summary : RESRAD Run for 310 Site Construction Worker\_Intruder\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_FUTURE CONSTRUCTION WORKER\_INTRUDER\_FUTURE USE.RAD

Contaminated Zone DimensionsInitial Soil Concentrations, pCi/g

Area:	500.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.00 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	4.536E+00	4.501E+00	4.398E+00	4.024E+00	3.531E+00	2.746E+00	1.452E+00	0.000E+00
M(t):	1.814E-01	1.800E-01	1.759E-01	1.610E-01	1.412E-01	1.099E-01	5.807E-02	0.000E+00

Maximum TDOSE(t): 4.536E+00 mrem/yr at t = 0.000E+00 years



Summary : RESRAD Run for 310 Site Construction Worker\_Intruder\_Future Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_FUTURE CONSTRUCTION WORKER\_INTRUDER\_FUTURE USE.RAD

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	6.276E-05	0.0000	2.769E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.522E-03	0.0006
Ra-226	2.534E+00	0.9226	8.502E-04	0.0003	9.175E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.028E-02	0.0147
Ra-228	3.722E-06	0.0000	1.087E-08	0.0000	1.399E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.594E-09	0.0000
Th-228	5.610E-17	0.0000	2.245E-19	0.0000	2.919E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.214E-20	0.0000
Th-230	1.184E-01	0.0431	1.137E-02	0.0041	4.276E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.723E-03	0.0017
U-234	1.418E-04	0.0001	3.214E-03	0.0012	2.009E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.207E-03	0.0004
U-238	2.717E-02	0.0099	2.497E-03	0.0009	1.578E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.963E-04	0.0004
<b>Total</b>	<b>2.680E+00</b>	<b>0.9757</b>	<b>1.796E-02</b>	<b>0.0065</b>	<b>9.603E-05</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.873E-02</b>	<b>0.0177</b>

## Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

## Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.613E-03	0.0006
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.575E+00	0.9376
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.743E-06	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.645E-17	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.345E-01	0.0490
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.563E-03	0.0017
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.067E-02	0.0112
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.746E+00</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Table of Contents

---

Part I: Mixture Sums and Single Radionuclide Guidelines

---

---

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	5
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	13
Time = 1.000E+00 .....	14
Time = 3.000E+00 .....	15
Time = 1.000E+01 .....	16
Time = 3.000E+01 .....	17
Time = 1.000E+02 .....	18
Time = 3.000E+02 .....	19
Time = 1.000E+03 .....	20
Dose/Source Ratios Summed Over All Pathways .....	21
Single Radionuclide Soil Guidelines .....	22
Dose Per Nuclide Summed Over All Pathways .....	23
Soil Concentration Per Nuclide .....	24

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Dose Conversion Factor (and Related) Parameter Summary

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
A-1	DCF's for external ground radiation, (mrem/yr)/(pCi/g)			
A-1	Ac-228 (Source: FGR 12)	5.978E+00	5.978E+00	DCF1( 1)
A-1	At-218 (Source: FGR 12)	5.847E-03	5.847E-03	DCF1( 2)
A-1	Bi-210 (Source: FGR 12)	3.606E-03	3.606E-03	DCF1( 3)
A-1	Bi-212 (Source: FGR 12)	1.171E+00	1.171E+00	DCF1( 4)
A-1	Bi-214 (Source: FGR 12)	9.808E+00	9.808E+00	DCF1( 5)
A-1	Pa-234 (Source: FGR 12)	1.155E+01	1.155E+01	DCF1( 6)
A-1	Pa-234m (Source: FGR 12)	8.967E-02	8.967E-02	DCF1( 7)
A-1	Pb-210 (Source: FGR 12)	2.447E-03	2.447E-03	DCF1( 8)
A-1	Pb-212 (Source: FGR 12)	7.043E-01	7.043E-01	DCF1( 9)
A-1	Pb-214 (Source: FGR 12)	1.341E+00	1.341E+00	DCF1( 10)
A-1	Po-210 (Source: FGR 12)	5.231E-05	5.231E-05	DCF1( 11)
A-1	Po-212 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 12)
A-1	Po-214 (Source: FGR 12)	5.138E-04	5.138E-04	DCF1( 13)
A-1	Po-216 (Source: FGR 12)	1.042E-04	1.042E-04	DCF1( 14)
A-1	Po-218 (Source: FGR 12)	5.642E-05	5.642E-05	DCF1( 15)
A-1	Ra-224 (Source: FGR 12)	5.119E-02	5.119E-02	DCF1( 16)
A-1	Ra-226 (Source: FGR 12)	3.176E-02	3.176E-02	DCF1( 17)
A-1	Ra-228 (Source: FGR 12)	0.000E+00	0.000E+00	DCF1( 18)
A-1	Rn-220 (Source: FGR 12)	2.298E-03	2.298E-03	DCF1( 19)
A-1	Rn-222 (Source: FGR 12)	2.354E-03	2.354E-03	DCF1( 20)
A-1	Th-228 (Source: FGR 12)	7.940E-03	7.940E-03	DCF1( 21)
A-1	Th-230 (Source: FGR 12)	1.209E-03	1.209E-03	DCF1( 22)
A-1	Th-234 (Source: FGR 12)	2.410E-02	2.410E-02	DCF1( 23)
A-1	Tl-208 (Source: FGR 12)	2.298E+01	2.298E+01	DCF1( 24)
A-1	Tl-210 (Source: no data)	0.000E+00	-2.000E+00	DCF1( 25)
A-1	U-234 (Source: FGR 12)	4.017E-04	4.017E-04	DCF1( 26)
A-1	U-238 (Source: FGR 12)	1.031E-04	1.031E-04	DCF1( 27)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	1.360E-02	DCF2( 1)
B-1	Ra-226+D	8.594E-03	8.580E-03	DCF2( 2)
B-1	Ra-228+D	5.078E-03	4.770E-03	DCF2( 3)
B-1	Th-228+D	3.454E-01	3.420E-01	DCF2( 4)
B-1	Th-230	3.260E-01	3.260E-01	DCF2( 5)
B-1	U-234	1.320E-01	1.320E-01	DCF2( 6)
B-1	U-238	1.180E-01	1.180E-01	DCF2( 7)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2( 8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.276E-03	5.370E-03	DCF3( 1)
D-1	Ra-226+D	1.321E-03	1.320E-03	DCF3( 2)
D-1	Ra-228+D	1.442E-03	1.440E-03	DCF3( 3)
D-1	Th-228+D	8.086E-04	3.960E-04	DCF3( 4)
D-1	Th-230	5.480E-04	5.480E-04	DCF3( 5)
D-1	U-234	2.830E-04	2.830E-04	DCF3( 6)
D-1	U-238	2.550E-04	2.550E-04	DCF3( 7)
D-1	U-238+D	2.687E-04	2.550E-04	DCF3( 8)

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 1,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 2,3)
D-34				
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 3,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 3,3)
D-34				
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 4,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 4,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34				
D-34	U-238 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 1,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 2,2)
D-5				
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC( 3,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 3,2)
D-5				
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 4,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)
D-5				

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Library: FGR 11

Menu	Parameter	Current Value#	Base Case*	Parameter Name
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5				
D-5	U-238 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-238 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

#For DCF1(\*\*\*), factors are for infinite depth & area. See ETRG table in Ground Pathway of Detailed Report.

\*Base Case means Default.Lib w/o Associate Nuclide contributions.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.626E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	7.300E-01	2.000E+00	---	THICK0
R011	Fraction of contamination that is submerged	0.000E+00	0.000E+00	---	SUBMFRACT
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	5.870E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	6.740E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	9.000E-01	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	7.100E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): Th-230	5.870E+00	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): U-234	6.740E+00	0.000E+00	---	S1(6)
R012	Initial principal radionuclide (pCi/g): U-238	5.870E+00	0.000E+00	---	S1(7)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1( 1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1( 2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1( 3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1( 4)
R012	Concentration in groundwater (pCi/L): Th-230	not used	0.000E+00	---	W1( 5)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1( 6)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 7)
R013	Cover depth (m)	3.048E-01	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	2.200E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.200E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-05	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone field capacity	2.000E-01	2.000E-01	---	FCCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone field capacity	2.000E-01	2.000E-01	---	FCSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	1.000E-03	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, field capacity	2.000E-01	2.000E-01	---	FCUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.487E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.551E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC ( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU ( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS ( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.151E-06	ALEACH ( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 5)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 6)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC ( 7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU ( 7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS ( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.967E-03	ALEACH ( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK ( 7)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	0.000E+00	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.852E-02	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE ( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE ( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE ( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE ( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE ( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE ( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE ( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE ( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE ( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)



Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	not used	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	not used	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	not used	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	not used	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	not used	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	not used	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	not used	8.000E-02	---	TE(3)

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R19B	Translocation Factor for Non-Leafy	not used	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	not used	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	not used	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	not used	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	not used	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	not used	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	not used	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	CL2WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	CL2CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR1
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	4.000E-01	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	5.000E-02	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	2.000E-06	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	code computed (time dependent)	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)
TITL	Number of graphical time points	32	---	---	NPTS

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
TITL	Maximum number of integration points for dose	17	---	---	LYMAX
TITL	Maximum number of integration points for risk	257	---	---	KYMAX

## Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	suppressed
9 -- radon	active
Find peak pathway doses	active

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE\_INDUSTRIAL WORKER\_CURRENT USE.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	1626.00 square meters	Pb-210	5.870E+00
Thickness:	0.73 meters	Ra-226	6.740E+00
Cover Depth:	0.30 meters	Ra-228	9.000E-01
		Th-228	7.100E-01
		Th-230	5.870E+00
		U-234	6.740E+00
		U-238	5.870E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	1.472E-02	1.492E-02	1.503E-02	1.494E-02	1.750E-02	4.307E-02	6.836E-01	2.221E-01
M(t):	5.890E-04	5.966E-04	6.012E-04	5.976E-04	7.001E-04	1.723E-03	2.735E-02	8.884E-03

Maximum TDOSE(t): 7.193E-01 mrem/yr at t = 303.9 ± 0.6 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	3.297E-08	0.0000	1.666E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.772E-01	0.8024	2.214E-04	0.0003	1.165E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.965E-17	0.0000	6.302E-20	0.0000	5.562E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.290E-01	0.1793	6.431E-03	0.0089	2.601E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.634E-04	0.0002	6.673E-04	0.0009	3.012E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.041E-03	0.0070	5.125E-04	0.0007	6.400E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>7.114E-01</b>	<b>0.9889</b>	<b>7.833E-03</b>	<b>0.0109</b>	<b>1.426E-04</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.039E+02 years

Water Dependent Pathways

Radio- Nuclide Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.963E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.775E-01	0.8028
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.977E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.354E-01	0.1883
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.308E-04	0.0012
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.554E-03	0.0077
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.193E-01	1.0000

\*Sum of all water independent and dependent pathways.

Summary ; RESRAD Run for 310 Site Industrial Worker\_Current Use

File ; C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	8.931E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.148E-02	0.7794	0.000E+00	0.0000	3.129E-04	0.0213	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	9.582E-04	0.0651	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.927E-03	0.1309	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.173E-06	0.0001	0.000E+00	0.0000	5.908E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.350E-10	0.0000	0.000E+00	0.0000	2.034E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.703E-05	0.0032	0.000E+00	0.0000	1.255E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.441E-02</b>	<b>0.9787</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.130E-04</b>	<b>0.0213</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.931E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.179E-02	0.8007
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.582E-04	0.0651
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.927E-03	0.1309
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.232E-06	0.0002
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.352E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.703E-05	0.0032
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.472E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	8.874E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.162E-02	0.7792	0.000E+00	0.0000	3.120E-04	0.0209	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.566E-03	0.1050	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.361E-03	0.0912	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	6.603E-06	0.0004	0.000E+00	0.0000	1.771E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.854E-10	0.0000	0.000E+00	0.0000	1.421E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.773E-05	0.0032	0.000E+00	0.0000	1.878E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.460E-02</b>	<b>0.9791</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.121E-04</b>	<b>0.0209</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.874E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.193E-02	0.8001
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.566E-03	0.1050
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.361E-03	0.0912
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.781E-06	0.0005
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.868E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.773E-05	0.0032
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.492E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	8.763E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.192E-02	0.7930	0.000E+00	0.0000	3.100E-04	0.0206	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.057E-03	0.1369	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	6.779E-04	0.0451	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.586E-05	0.0011	0.000E+00	0.0000	4.122E-07	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	4.306E-10	0.0000	0.000E+00	0.0000	7.480E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.917E-05	0.0033	0.000E+00	0.0000	2.180E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.472E-02</b>	<b>0.9793</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.104E-04</b>	<b>0.0207</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.763E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.223E-02	0.8137
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.057E-03	0.1369
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.779E-04	0.0451
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.627E-05	0.0011
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.381E-10	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.917E-05	0.0033
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.503E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.



Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	8.387E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.302E-02	0.8716	0.000E+00	0.0000	3.031E-04	0.0203	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.448E-03	0.0969	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	5.921E-05	0.0040	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	5.268E-05	0.0035	0.000E+00	0.0000	1.226E-06	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	3.017E-09	0.0000	0.000E+00	0.0000	6.591E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.455E-05	0.0037	0.000E+00	0.0000	5.674E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.464E-02</b>	<b>0.9796</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>3.044E-04</b>	<b>0.0204</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.387E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.332E-02	0.8918
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.448E-03	0.0969
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.921E-05	0.0040
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.391E-05	0.0036
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.083E-09	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.455E-05	0.0037
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.494E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	7.429E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	1.676E-02	0.9577	0.000E+00	0.0000	2.844E-04	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	1.745E-04	0.0100	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	5.589E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	2.051E-04	0.0117	0.000E+00	0.0000	3.479E-06	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	3.176E-08	0.0000	0.000E+00	0.0000	5.321E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	7.339E-05	0.0042	0.000E+00	0.0000	1.316E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>1.722E-02</b>	<b>0.9836</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.879E-04</b>	<b>0.0164</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.429E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.705E-02	0.9739
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.745E-04	0.0100
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.589E-08	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.086E-04	0.0119
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.229E-08	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.339E-05	0.0042
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>1.750E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	5.037E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	4.072E-02	0.9456	0.000E+00	0.0000	2.272E-04	0.0053	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	8.238E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	1.451E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.898E-03	0.0441	0.000E+00	0.0000	1.059E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	8.972E-07	0.0000	0.000E+00	0.0000	4.975E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.074E-04	0.0048	0.000E+00	0.0000	3.909E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>4.283E-02</b>	<b>0.9945</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.378E-04</b>	<b>0.0055</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.037E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.095E-02	0.9508
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.238E-08	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.451E-18	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.908E-03	0.0443
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.022E-07	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.074E-04	0.0048
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>4.307E-02</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.826E-08	0.0000	1.849E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	5.507E-01	0.8055	2.191E-04	0.0003	1.180E-04	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	2.997E-17	0.0000	9.940E-20	0.0000	6.634E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.204E-01	0.1761	6.265E-03	0.0092	2.577E-05	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.485E-04	0.0002	6.624E-04	0.0010	2.958E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.689E-03	0.0069	5.090E-04	0.0007	6.220E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>6.758E-01</b>	<b>0.9886</b>	<b>7.655E-03</b>	<b>0.0112</b>	<b>1.438E-04</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.675E-08	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.510E-01	0.8060
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.013E-17	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.266E-01	0.1853
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.110E-04	0.0012
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.198E-03	0.0076
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>6.836E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	2.433E-18	0.0000	1.186E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-226	3.609E-02	0.1625	1.387E-05	0.0001	7.230E-06	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	1.790E-01	0.8058	6.410E-03	0.0289	3.581E-05	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	3.556E-04	0.0016	3.398E-05	0.0002	7.106E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.599E-04	0.0007	1.623E-05	0.0001	3.167E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
<b>Total</b>	<b>2.156E-01</b>	<b>0.9707</b>	<b>6.474E-03</b>	<b>0.0292</b>	<b>4.311E-05</b>	<b>0.0002</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Pb-210	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.619E-18	0.0000
Ra-226	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.611E-02	0.1626
Ra-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-228	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Th-230	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.854E-01	0.8348
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.897E-04	0.0018
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.761E-04	0.0008
<b>Total</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>0.000E+00</b>	<b>0.0000</b>	<b>2.221E-01</b>	<b>1.0000</b>

\*Sum of all water independent and dependent pathways.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Dose/Source Ratios Summed Over All Pathways  
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Thread Fraction	DSR(j,t) At Time in Years (mrem/yr)/(pCi/g)								
			0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	
Pb-210+D	Pb-210+D	1.000E+00	1.521E-08	1.512E-08	1.493E-08	1.429E-08	1.266E-08	8.580E-09	7.963E-09	6.166E-19	
Ra-226+D	Ra-226+D	1.000E+00	1.749E-03	1.771E-03	1.814E-03	1.977E-03	2.529E-03	6.076E-03	8.169E-02	5.354E-03	
Ra-226+D	Pb-210+D	1.000E+00	2.385E-10	7.211E-10	1.711E-09	5.469E-09	1.948E-08	1.673E-07	6.076E-05	4.643E-06	
Ra-226+D	ΣDSR(j)		1.749E-03	1.771E-03	1.814E-03	1.977E-03	2.529E-03	6.076E-03	8.175E-02	5.358E-03	
Ra-228+D	Ra-228+D	1.000E+00	5.634E-04	5.068E-04	4.101E-04	1.955E-04	2.354E-05	1.427E-08	9.165E-18	0.000E+00	
Ra-228+D	Th-228+D	1.000E+00	5.012E-04	1.233E-03	1.876E-03	1.413E-03	1.704E-04	7.727E-08	2.432E-17	0.000E+00	
Ra-228+D	ΣDSR(j)		1.065E-03	1.740E-03	2.286E-03	1.609E-03	1.939E-04	9.154E-08	3.348E-17	0.000E+00	
Th-228+D	Th-228+D	1.000E+00	2.715E-03	1.916E-03	9.549E-04	8.339E-05	7.872E-08	2.043E-18	0.000E+00	0.000E+00	
Th-230	Th-230	1.000E+00	1.088E-10	1.134E-10	1.231E-10	1.642E-10	3.737E-10	6.650E-09	1.085E-03	1.113E-03	
Th-230	Ra-226+D	1.000E+00	3.802E-07	1.155E-06	2.771E-06	9.183E-06	3.553E-05	3.251E-04	2.048E-02	3.045E-02	
Th-230	Pb-210+D	1.000E+00	3.463E-14	2.455E-13	1.336E-12	1.328E-11	1.544E-10	6.158E-09	1.265E-05	2.323E-05	
Th-230	ΣDSR(j)		3.803E-07	1.155E-06	2.772E-06	9.183E-06	3.553E-05	3.251E-04	2.158E-02	3.159E-02	
U-234	U-234	1.000E+00	1.891E-11	1.964E-11	2.118E-11	2.757E-11	5.862E-11	8.212E-10	9.832E-05	3.147E-06	
U-234	Th-230	1.000E+00	4.924E-16	1.529E-15	3.849E-15	1.513E-14	9.524E-14	4.739E-12	1.526E-06	2.007E-06	
U-234	Ra-226+D	1.000E+00	1.141E-12	8.080E-12	4.382E-11	4.299E-10	4.732E-09	1.330E-07	2.048E-05	5.262E-05	
U-234	Pb-210+D	1.000E+00	7.812E-20	1.189E-18	1.432E-17	4.271E-16	1.484E-14	2.055E-12	1.178E-08	3.990E-08	
U-234	ΣDSR(j)		2.005E-11	2.772E-11	6.500E-11	4.575E-10	4.791E-09	1.339E-07	1.203E-04	5.782E-05	
U-238	U-238	5.400E-05	1.980E-23	2.166E-23	2.591E-23	4.853E-23	2.914E-22	1.547E-19	4.686E-09	1.498E-10	
U-238+D	U-238+D	9.999E-01	8.012E-06	8.132E-06	8.376E-06	9.293E-06	1.250E-05	3.534E-05	8.854E-04	2.997E-05	
U-238+D	U-234	9.999E-01	2.697E-17	8.368E-17	2.103E-16	8.210E-16	5.069E-15	2.340E-13	8.379E-08	8.939E-09	
U-238+D	Th-230	9.999E-01	4.664E-22	3.373E-21	1.919E-20	2.234E-19	4.014E-18	6.193E-16	4.943E-10	1.108E-09	
U-238+D	Ra-226+D	9.999E-01	8.090E-19	1.227E-17	1.467E-16	4.250E-15	1.344E-13	1.200E-11	4.942E-09	2.692E-08	
U-238+D	Pb-210+D	9.999E-01	4.436E-26	1.396E-24	3.639E-23	3.222E-21	3.305E-19	1.566E-16	2.636E-12	2.020E-11	
U-238+D	ΣDSR(j)		8.012E-06	8.132E-06	8.376E-06	9.293E-06	1.250E-05	3.534E-05	8.855E-04	3.001E-05	

The DSR includes contributions from associated (half-life ≤ 180 days) daughters.

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Single Radionuclide Soil Guidelines G(i,t) in pCi/g

Basic Radiation Dose Limit = 2.500E+01 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	1.643E+09	1.654E+09	1.675E+09	1.750E+09	1.975E+09	2.914E+09	3.139E+09	*7.634E+13
Ra-226	1.429E+04	1.412E+04	1.378E+04	1.265E+04	9.884E+03	4.115E+03	3.058E+02	4.666E+03
Ra-228	2.348E+04	1.437E+04	1.094E+04	1.554E+04	1.289E+05	2.731E+08	*2.726E+14	*2.726E+14
Th-228	9.209E+03	1.305E+04	2.618E+04	2.998E+05	3.176E+08	*8.195E+14	*8.195E+14	*8.195E+14
Th-230	6.574E+07	2.164E+07	9.020E+06	2.722E+06	7.037E+05	7.690E+04	1.159E+03	7.915E+02
U-234	*6.247E+09	*6.247E+09	*6.247E+09	*6.247E+09	5.218E+09	1.868E+08	2.078E+05	4.324E+05
U-238	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	*3.361E+05	2.823E+04	*3.361E+05

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)

and Single Radionuclide Soil Guidelines G(i,t) in pCi/g

at tmin = time of minimum single radionuclide soil guideline

and at tmax = time of maximum total dose = 303.9 ± 0.6 years

Nuclide (i)	Initial (pCi/g)	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Pb-210	5.870E+00	183.4 ± 0.4	3.719E-08	6.722E+08	8.455E-09	2.957E+09
Ra-226	6.740E+00	303.7 ± 0.6	8.569E-02	2.917E+02	8.568E-02	2.918E+02
Ra-228	9.000E-01	3.885 ± 0.008	2.325E-03	1.075E+04	2.197E-17	*2.726E+14
Th-228	7.100E-01	0.000E+00	2.715E-03	9.209E+03	0.000E+00	*8.195E+14
Th-230	5.870E+00	1.000E+03	3.159E-02	7.915E+02	2.307E-02	1.083E+03
U-234	6.740E+00	304.5 ± 0.6	1.235E-04	2.023E+05	1.233E-04	2.028E+05
U-238	5.870E+00	304.6 ± 0.6	9.477E-04	2.638E+04	9.461E-04	2.642E+04

\*At specific activity limit

Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

## Individual Nuclide Dose Summed Over All Pathways

Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	8.931E-08	8.874E-08	8.763E-08	8.387E-08	7.429E-08	5.037E-08	4.675E-08	3.619E-18
Pb-210	Ra-226	1.000E+00	1.608E-09	4.860E-09	1.154E-08	3.686E-08	1.313E-07	1.128E-06	4.095E-04	3.130E-05
Pb-210	Th-230	1.000E+00	2.033E-13	1.441E-12	7.841E-12	7.797E-11	9.066E-10	3.615E-08	7.424E-05	1.363E-04
Pb-210	U-234	1.000E+00	5.265E-19	8.011E-18	9.650E-17	2.879E-15	1.000E-13	1.385E-11	7.937E-08	2.689E-07
Pb-210	U-238	9.999E-01	2.604E-25	8.196E-24	2.136E-22	1.891E-20	1.940E-18	9.191E-16	1.547E-11	1.186E-10
Pb-210	ΣDOSE(j)		9.092E-08	9.360E-08	9.917E-08	1.208E-07	2.065E-07	1.214E-06	4.839E-04	1.679E-04
Ra-226	Ra-226	1.000E+00	1.179E-02	1.193E-02	1.223E-02	1.332E-02	1.705E-02	4.095E-02	5.506E-01	3.608E-02
Ra-226	Th-230	1.000E+00	2.232E-06	6.780E-06	1.627E-05	5.391E-05	2.085E-04	1.908E-03	1.202E-01	1.787E-01
Ra-226	U-234	1.000E+00	7.692E-12	5.446E-11	2.953E-10	2.897E-09	3.190E-08	8.966E-07	1.380E-04	3.547E-04
Ra-226	U-238	9.999E-01	4.749E-18	7.201E-17	8.609E-16	2.495E-14	7.887E-13	7.045E-11	2.901E-08	1.580E-07
Ra-226	ΣDOSE(j)		1.179E-02	1.194E-02	1.225E-02	1.338E-02	1.726E-02	4.286E-02	6.709E-01	2.152E-01
Ra-228	Ra-228	1.000E+00	5.071E-04	4.562E-04	3.691E-04	1.760E-04	2.119E-05	1.284E-08	8.249E-18	0.000E+00
Th-228	Ra-228	1.000E+00	4.511E-04	1.110E-03	1.688E-03	1.272E-03	1.533E-04	6.954E-08	2.189E-17	0.000E+00
Th-228	Th-228	1.000E+00	1.927E-03	1.361E-03	6.779E-04	5.921E-05	5.589E-08	1.451E-18	0.000E+00	0.000E+00
Th-228	ΣDOSE(j)		2.379E-03	2.470E-03	2.366E-03	1.331E-03	1.534E-04	6.954E-08	2.189E-17	0.000E+00
Th-230	Th-230	1.000E+00	6.388E-10	6.656E-10	7.227E-10	9.638E-10	2.194E-09	3.904E-08	6.367E-03	6.532E-03
Th-230	U-234	1.000E+00	3.318E-15	1.030E-14	2.594E-14	1.020E-13	6.419E-13	3.194E-11	1.028E-05	1.353E-05
Th-230	U-238	9.999E-01	2.738E-21	1.980E-20	1.126E-19	1.311E-18	2.356E-17	3.635E-15	2.901E-09	6.504E-09
Th-230	ΣDOSE(j)		6.388E-10	6.656E-10	7.227E-10	9.639E-10	2.194E-09	3.907E-08	6.377E-03	6.546E-03
U-234	U-234	1.000E+00	1.275E-10	1.324E-10	1.427E-10	1.858E-10	3.951E-10	5.535E-09	6.627E-04	2.121E-05
U-234	U-238	9.999E-01	1.583E-16	4.912E-16	1.234E-15	4.819E-15	2.976E-14	1.374E-12	4.918E-07	5.247E-08
U-234	ΣDOSE(j)		1.275E-10	1.324E-10	1.427E-10	1.859E-10	3.951E-10	5.536E-09	6.631E-04	2.126E-05
U-238	U-238	5.400E-05	1.162E-22	1.271E-22	1.521E-22	2.849E-22	1.711E-21	9.080E-19	2.750E-08	8.795E-10
U-238	U-238	9.999E-01	4.703E-05	4.773E-05	4.917E-05	5.455E-05	7.339E-05	2.074E-04	5.197E-03	1.759E-04
U-238	ΣDOSE(j)		4.703E-05	4.773E-05	4.917E-05	5.455E-05	7.339E-05	2.074E-04	5.197E-03	1.759E-04

THF(i) is the thread fraction of the parent nuclide.



Summary : RESRAD Run for 310 Site Industrial Worker\_Current Use

File : C:\RESRAD\_FAMILY\RESRAD\6.5\USERFILES\310 SITE INDUSTRIAL WORKER\_CURRENT USE.RAD

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	THF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	5.870E+00	5.676E+00	5.308E+00	4.196E+00	2.144E+00	2.045E-01	2.482E-04	1.547E-14
Pb-210	Ra-226	1.000E+00	0.000E+00	2.056E-01	5.943E-01	1.743E+00	3.697E+00	4.507E+00	2.143E+00	1.318E-01
Pb-210	Th-230	1.000E+00	0.000E+00	3.903E-05	3.427E-04	3.497E-03	2.503E-02	1.435E-01	3.872E-01	5.729E-01
Pb-210	U-234	1.000E+00	0.000E+00	1.347E-10	3.562E-09	1.226E-07	2.714E-06	5.470E-05	4.135E-04	1.130E-03
Pb-210	U-238	9.999E-01	0.000E+00	8.325E-17	6.617E-15	7.652E-13	5.174E-11	3.610E-09	8.049E-08	4.981E-07
Pb-210	ΣS(j):		5.870E+00	5.882E+00	5.902E+00	5.942E+00	5.866E+00	4.855E+00	2.531E+00	7.058E-01
Ra-226	Ra-226	1.000E+00	6.740E+00	6.713E+00	6.660E+00	6.477E+00	5.981E+00	4.525E+00	2.040E+00	1.254E-01
Ra-226	Th-230	1.000E+00	0.000E+00	2.538E-03	7.583E-03	2.493E-02	7.189E-02	2.096E-01	4.441E-01	6.201E-01
Ra-226	U-234	1.000E+00	0.000E+00	1.310E-08	1.172E-07	1.276E-06	1.082E-05	9.804E-05	5.092E-04	1.230E-03
Ra-226	U-238	9.999E-01	0.000E+00	1.078E-14	2.890E-13	1.045E-11	2.631E-10	7.667E-09	1.069E-07	5.481E-07
Ra-226	ΣS(j):		6.740E+00	6.716E+00	6.668E+00	6.502E+00	6.053E+00	4.735E+00	2.484E+00	7.468E-01
Ra-228	Ra-228	1.000E+00	9.000E-01	7.950E-01	6.202E-01	2.602E-01	2.175E-02	3.671E-06	6.105E-17	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	2.563E-01	4.817E-01	3.592E-01	3.305E-02	5.583E-06	9.286E-17	0.000E+00
Th-228	Th-228	1.000E+00	7.100E-01	4.942E-01	2.394E-01	1.895E-02	1.351E-05	1.306E-16	0.000E+00	0.000E+00
Th-228	ΣS(j):		7.100E-01	7.505E-01	7.211E-01	3.781E-01	3.306E-02	5.583E-06	9.286E-17	0.000E+00
Th-230	Th-230	1.000E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.868E+00	5.862E+00	5.847E+00	5.793E+00
Th-230	U-234	1.000E+00	0.000E+00	6.052E-05	1.807E-04	5.919E-04	1.691E-03	4.778E-03	9.436E-03	1.200E-02
Th-230	U-238	9.999E-01	0.000E+00	7.465E-11	6.674E-10	7.246E-09	6.106E-08	5.413E-07	2.659E-06	5.768E-06
Th-230	ΣS(j):		5.870E+00	5.870E+00	5.870E+00	5.870E+00	5.869E+00	5.867E+00	5.856E+00	5.805E+00
U-234	U-234	1.000E+00	6.740E+00	6.707E+00	6.640E+00	6.413E+00	5.806E+00	4.100E+00	1.518E+00	4.680E-02
U-234	U-238	9.999E-01	0.000E+00	1.656E-05	4.918E-05	1.583E-04	4.301E-04	1.012E-03	1.124E-03	1.157E-04
U-234	ΣS(j):		6.740E+00	6.707E+00	6.640E+00	6.413E+00	5.807E+00	4.101E+00	1.519E+00	4.692E-02
U-238	U-238	5.400E-05	3.170E-04	3.154E-04	3.123E-04	3.016E-04	2.731E-04	1.929E-04	7.143E-05	2.207E-06
U-238	U-238	9.999E-01	5.870E+00	5.841E+00	5.783E+00	5.585E+00	5.057E+00	3.572E+00	1.323E+00	4.087E-02
U-238	ΣS(j):		5.870E+00	5.841E+00	5.783E+00	5.586E+00	5.057E+00	3.572E+00	1.323E+00	4.088E-02

THF(i) is the thread fraction of the parent nuclide.

RESRAD.EXE execution time = 0.76 seconds