

August 22, 2012
File No. 21.0056546.00

Mr. Glenn May
NYSDEC Region 9
Division of Environmental Remediation
270 Michigan Avenue
Buffalo, New York 14203



Re: Results of April 2012 Groundwater Sampling
BCP Sites # C932138, C932139, C932140
GM Components Holdings
200 Upper Mountain Road
Lockport, NY 14094

535 Washington Street
11th Floor
Buffalo, New York
14203
716-685-2300
FAX 716-685-3629
www.gza.com

Dear Glenn:

On behalf of GM Components Holdings LLC (GMCH), GZA GeoEnvironmental of New York (GZA) has prepared this letter report to summarize the results of the April 2012 groundwater sampling event conducted at Brownfield Cleanup Program (BCP) Sites Building 7 (C932138), Building 8 (C932139) and Building 10 (C932140) at the GMCH facility located at 200 Upper Mountain Road in Lockport, New York. The groundwater sampling event was conducted from April 25th through May 3rd, 2012 and included a total of 23 monitoring wells (see Figure 1). Eleven (11) of the 23 wells are associated with the Building 7 BCP Site (MW-7-1, 7-2, &-3, 7-4, 7-5, 7-6, 7-7, 7-8, 7-A-6, 7-C-2, and 7-P-1). Eight (8) of the 23 wells are associated with the Building 8 BCP Site (MW-6-1, 6-2, 6-F-8, 8-1, 8-1, 8-3, 8-4, and 8-003-B) and four (4) are associated with the Building 10 BCP Site (MW-10-1, 10-2, 10-3, and 9-101-A).

BACKGROUND

GMCH entered into a Brownfield Cleanup Agreement (BCA) with the New York State Department of Environmental Conservation (NYSDEC), which was executed in May 2010. A BCP Remedial Investigation (RI) was conducted at Buildings 7, 8 and 10 BCP Sites from December 2010 through Spring 2011, in accordance with the NYSDEC approved RI Work Plan. The BCP Remedial Investigation Reports (RIRs; Haley & Aldrich/GZA, November 2011) for Buildings 7, 8 and 10 were approved by NYSDEC in letters dated November 29, 2011.

DRAFT Remedial Work Plans (RWPs; H&A/GZA, December 2011) were submitted to NYSDEC for BCP Sites Building 7, 8 and 10 in January 2012 and recommend monitored natural attenuation (MNA) as the remedial alternative for the groundwater at the three (3) Sites. GMCH is awaiting the NYSDEC comment and a proposed decision document based on the recommendations provided in the RWPs.



The groundwater samples from the three (3) BCP Sites were collected and analyzed for compounds of concern (COCs)¹ and monitored natural attenuation (MNA) parameters identified in the Delphi Harrison Thermal System Site (Delphi Site #932113), Site Management Plan² (SMP). This SMP was developed to conduct annual sampling and reporting requirements for the Delphi Site located in the eastern portion of the GMCH facility and downgradient of the Building 7, 8 and 10 BCP Sites. This SMP was approved by NYSDEC in a letter dated October 13, 2011 and will be used as the basis for developing the groundwater portion of the SMP for the three BCP Sites. In addition to the MNA parameters identified in the SMP, carbon dioxide, volatile fatty acids (VFAs), ethane and ethene were included in the sampling parameter list for this sampling event. These parameters were added to assist with evaluation of total organic carbon within the formation.

APRIL/MAY 2012 GROUNDWATER MONITORING & SAMPLING

The April/May 2012 groundwater monitoring and sampling event was conducted in accordance with the Delphi Site SMP and included a total of 23 monitoring wells from April 25th through May 3rd, 2012.

METHODOLOGY

The groundwater monitoring and sampling was performed using low flow sampling techniques with a peristaltic pump, disposable polyethylene tubing and a water quality meter with a flow-through cell to collect water quality field parameters. The sampling technique and analytical parameters were consistent with the Delphi Site SMP.

The following is the list of the analytical parameters for this sampling event:

Field Measured Parameters: temperature, specific conductance, pH, turbidity, dissolved oxygen (DO) and oxidation reduction potential (ORP).

Compounds of Concerns: tetrachloroethylene (PCE), trichloroethylene (TCE), *cis*-1,2-dichloroethylene (*cis*-DCE), *trans*-1,2-dichloroethylene (*trans*-DCE) and vinyl chloride (VC).

Natural Attenuation Parameters: methane, iron, magnesium, manganese, potassium, sodium, ammonia, alkalinity, total organic carbon, chloride, nitrate, nitrite, sulfate, sulfide, carbon dioxide, VFAs, ethane, and ethene.

Groundwater pumping rates used during monitoring/sampling varied at the monitoring

¹ These five COCs are trichloroethylene, tetrachloroethylene, *cis*-1,2-dichloroethene, *trans*-1,2-dichloroethylene, and vinyl chloride.

² "Delphi Harrison Thermal Systems Site, Niagara County, New York, Site Management Plan, NYSDEC Site Number 9-32-113" dated October, 2011. Prepared for the GM Components Holdings, LLC by GZA.

locations in order to establish a relatively stable water level. Once a stable water level was established within the monitoring well, flow rates were maintained during the monitoring/sampling period. Samples were collected for analysis after field-measured parameters stabilized, and a minimum of one (1) well volume was purged.

It should be noted that a stable water level could not be established at four monitoring well locations (MW-7-4, 7-8, 8-3 and 8-4). These locations were purged to dry-like conditions and allowed to recharge until the water level recovered to at least 85% of the initial water level prior to collecting the samples.

Table 1 is a summary of the analytical sample results. The Monitoring Well Observations & Groundwater Sampling Logs are included in Appendix A. Summary tables from previous sampling events are included in Appendix B and the TestAmerica Laboratories, Inc. laboratory report is provided in Appendix C. The Data Quality Assessment and Verification report is included in Appendix D.

ANALYTICAL RESULTS & DISCUSSION

Building 7

Eleven (11) monitoring wells were sampled in association with the Building 7 BCP Site (MW-7-1, -7-2, -7-3, -7-4, -7-5, -7-6, -7-7, -7-8, -7-A-6, -7-C-2, and -7-P-1; see Figure 1). The groundwater monitoring wells MW-7-2 and -7-3 were installed in 2007 and have been sampled at least twice during previous sampling events for COCs. Monitoring wells MW-7-4 was installed in 2008 and MW-7-1³, MW-7-5 through MW-7-8 were installed in 2010 as part of the BCP RI. Monitoring wells, MW-7-A-6 and MW-7-P-1, were installed in 2006 and sampled as part of previous investigations⁴ conducted by others. MW-7-C-2 was also installed in 2006 as part of the previous investigations but was not sampled for volatile organic compounds (VOCs) at that time.

The MNA parameters at these eleven (11) wells were collected for the first time during this April 2012 sampling event. The analytical results for the Building 7 BCP Site monitoring wells are summarized in Table 1. The COC concentrations for seven (7) of the eleven (11) wells are consistent with the April 2011 sampling conducted as part of the BCP RI as discussed below in order from upgradient (west of Building 7) to downgradient locations (east of Building 7).

The total COC concentrations detected at monitoring wells MW-7-8 and MW-7-A-6 located west of Building 7 are generally consistent with the 2011 BCP RI sampling and the analytical results from MW-7-A-6 are also generally consistent with the 2006 sampling conducted by others.

³ Monitoring well, MW-7-1, was initially installed in 2007. Due to a low hydraulic conductivity the well location was abandoned and replaced with another well, also designated MW-7-1, to the southeast as part of the BCP RI in 2010. The well sampled as part of the BCP groundwater sampling event was the MW-7-1 well location installed in 2010.

⁴ "Field Investigation Report, West Lockport Complex, Lockport, NY" dated January 17, 2007. Prepared for Delphi Corporation by Environmental Resource Management.





The 2012 results for MW-7-7 indicated that PCE was detected at a concentration an order of magnitude higher compared to the 2011 sample results, but is the same order of magnitude as the PCE concentrations detected at MW-10-1 located approximately 250 feet to the west and upgradient from MW-7-7. MW-10-1 is believed to be in the vicinity of a PCE source area associated with upgradient Building 10. However, the 2012 results indicated the presence of daughter compounds, *cis*-DCE and VC, which were not detected above method detection limits in the 2011 sampling event.

Results from MW-7-P-1 indicated the presence of VC only, at concentration similar to the 2011 and 2006 sampling events (see Appendix B). However, the 2011 and 2006 sampling events also had detections of other COCs which were not detected in 2012.

The 2012 results from monitoring wells MW-7-5, MW-7-6 and MW-7-C-2 are consistent with the 2011 BCP RI sampling. The COC concentrations detected are two (2) to three (3) orders of magnitude lower than COC concentrations believed to be in the vicinity of upgradient source areas near MW-7-A-6 and upgradient of MW-7-7.

The 2012 results from downgradient monitoring wells MW-7-1 and MW-7-3 are consistent with the 2011 BCP RI sampling and indicate a continued decrease in the COC concentrations in the downgradient direction. Sample results for MW-7-3 from previous sampling events in 2007 and 2008 were below method detection limits (see Appendix B).

TCE was detected at 4 parts per billion (ppb) at MW-7-2, which is below its NYSDEC Class GA criteria⁵ of 5 ppb. Sample results for this location from previous sampling events in 2008 and 2011 were below method detection limits (see Appendix B).

TCE was detected at 3.6 ppb at MW-7-4, which is below its NYSDEC Class GA a criteria of 5 ppb. Sample results for this location from previous sampling events in 2007, 2008 and 2011 were below method detection limits (see Appendix B).

The significant decrease in COC concentrations (5 to 6 order of magnitude) and the presence of daughter compounds (*cis*-DCE and VC in the mid-point and downgradient portions of the plume, indicate that natural attenuation is occurring across the Building 7 BCP Site. Concentrations of COCs at the eastern downgradient property line are below the NYSDEC Class GA criteria. Natural attenuation parameters also indicate that there is adequate evidence of reductive dechlorination occurring at the Building 7 BCP Site based on the anaerobic biodegradation screening tables completed from EPA Document EPA/600/R-98/128, Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water, 1998 (see tables in Appendix E).

⁵ NYSDEC Class GA Groundwater criteria presented in the Division of Water Technical and Operational Guidance Series (TOGS 1.1.), dated October 1993, revised June 1998, errata January 1999 and amended April 2000 (Class GA).

Building 8

Eight (8) monitoring wells were sampled in association with the Building 8 BCP Site (MW-6-1, -6-2, -6-F-8, -8-1, -8-2, -8-3, -8-4, and -8-003-B; see Figure 1). Groundwater monitoring wells MW-8-1 through MW-8-4 were installed as part of the BCP RI investigation December 2010 and sampled for the first time April 2011. Monitoring wells MW-6-1 (2008), 6-2 (2008), 6-F-8 (2008), and 8-003-B (2006) were previously installed, as noted, and have been sampled at least twice during previous sampling events. The MNA parameters at these eight (8) wells were collected for the first time during this April 2012 sampling event. The analytical results for the Building 8 BCP Site monitoring wells are summarized in Table 1. The COC concentrations for seven (7) of the eight (8) wells are consistent with the April 2011 sampling conducted as part of the BCP RI.

The trichloroethene (TCE) concentrations detected at MW-8-003-B increased one order of magnitude from the previous sample round conducted in April 2011 but consistent with the results of the 2006 sampling event conducted as part of a prior site investigation conducted by others.

Cis-1,2-DCE was the compound detected at the highest concentration in the groundwater sample, indicating reductive dechlorination of the parent compounds (PCE and TCE) is occurring at the Building 8 BCP Site. The COC concentrations and parent and daughter compound ratios at MW-8-1, 8-2, 8-3 and 8-4 are consistent with the 2011 results (see Appendix A). The total COCs concentrations detected ranged from 0.85 ppb (MW-8-1, located in the northwestern corner of Building 8) to 10,604 ppb (MW-8-2, located on the southwest side of Building 8).

Groundwater present within the Building 8 BCP Site is migrating in an easterly direction towards the Delphi Site, which is downgradient (east) of Building 8 (see Figure 1). Natural attenuation processes are reducing the COC contamination at the Delphi Site to non-detectable levels or below the NYSDEC Class GA criteria at the GMCH facility downgradient property line. Natural attenuation parameters also indicate that there is limited evidence of reductive dechlorination occurring at the Building 8 BCP Site (see Appendix E).

No VOCs were detected above method detection limits at monitoring wells MW-6-1, MW-6-2 and MW-6-F-8. These results are consistent with previous sampling events (see Appendix A) conducted at these wells. Monitoring wells MW-6-1 and MW-6-2 are located east of the Building 8 BCP Site at the eastern downgradient property boundary. Therefore, off-site groundwater contamination does not appear to be a concern.

Building 10

Four (4) monitoring wells were sampled in association with the Building 10 BCP Site (MW-10-1, 10-2, 10-3, and -9-101-A; see Figure 1). Groundwater monitoring wells MW-10-2 and MW-10-3 were installed as part of the BCP RI investigation in December 2010 and sampled for the first time April 2011. Monitoring well MW-10-1 (2007) and





MW-9-101-A (2006) were previously installed as noted and have been sampled at least twice during previous sampling events. The MNA parameters at these four (4) wells were collected for the first time during this April 2012 sampling event. The analytical results for the Building 10 BCP Site monitoring wells are summarized in Table 1. The COC concentrations of the four (4) wells are generally consistent with the April 2011 sampling conducted as part of the BCP RI.

The total COC concentrations detected at MW-10-1, MW-10-2 and MW-10-3 during the 2012 sampling are consistent with prior sampling results (see Appendix A). Cis-1,2-DCE was the compound detected at the highest concentration in MW-10-2 and MW-10-3 indicating intrinsic reductive dechlorination of the parent compounds (PCE) is occurring.

The COCs concentrations at MW-9-101-A are non-detect, consistent with the 2011 sampling results. Analytical results from samples collected from this location as part of previous investigations in 2006 (see Appendix A) indicated concentrations of COCs below their respective NYSDEC Class GA criteria.

Groundwater at the Building 10 BCP Site appears to be migrating in an easterly direction towards Building 7. Another source of COCs is present in the groundwater down gradient (east) of Building 10 associated with the Building 7 BCP Site. However, natural attenuation appears to be occurring and reducing the COC contamination to non-detectable levels at the GMCH Facility down gradient property line. Natural attenuation parameters also indicate that there is limited evidence of reductive dechlorination occurring at the Building 10 BCP Site (see Appendix E).

CONCLUSIONS

Groundwater contamination is present within the spatial limits and downgradient of the three BCP Sites. Groundwater contamination from Building 8 BCP Site is migrating east towards the adjacent Delphi Site. However, contaminated groundwater does not appear to be migrating from the GMCH facility as the four (4) monitoring wells along the down-gradient eastern property line for the GMCH facility do not show concentrations of COCs above the laboratory detection limits or applicable NYSDEC comparison criteria. These four (4)(from north to south) include: MW-6-2, MW-6-1, MW-7-2 and MW-7-4. Therefore, it does not appear that contaminated groundwater is migrating beyond the GMCH facility property boundary in association with the three (3) BCP Sites.

RECOMMENDATIONS

GZA recommends continuing the annual groundwater sampling event utilizing 23 monitoring wells using the methodologies outlined in the Delphi Site SMP, in the Spring of 2013.


Please do not hesitate to contact the undersigned if you have any questions or require any additional information.

Sincerely,

GZA GEOENVIRONMENTAL OF NEW YORK




Christopher Boron
Senior Project Manager


Bart A. Klettke, P.E.
Associate Principal

 for
I. Richard Schaffner, Jr., C.G.W.P.
Consultant Reviewer

Table 1 – Summary of Groundwater Sample Analytical Results

Figure 1 – Site Plan

Appendix A: Monitoring Well Observations & Groundwater Sampling Logs

Appendix B: Previous Sampling Event Analytical Results

Appendix C: Test America Analytical Laboratory Report

Appendix D: Data Quality Assessment and Verification Report

Appendix E: Anaerobic Biodegradation Screening Tables

TABLE

Table 1
Summary of Groundwater Sample Analytical Results
GMCH Lockport Site
Buildings 7, 8 10
Site No. C932138, C932139 C932140

Sample Location Sample Date	Class GA Criteria	BUILDING 7 BCP SITE WELLS											
		MW-7-1 4/27/2012	MW-7-2 4/26/2012	MW-7-3 4/27/2012	MW-7-4 4/27/2012	MW-7-5 4/30/2012	MW-7-6 4/30/2012	MW-7-7 5/1/2012	MW-7-8 5/2/2012	MW-7-A-6 5/1/2012	MW-7-C-2 5/3/2012	MW-7-P-1 5/3/2012	
		Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
VOC Compounds of Concern (ug/L)													
cis-1,2-Dichloroethene	5	<1.0	<1.0	8.6	<1.0	640	480	6,000	67	22,000	370	<4.0	
Tetrachloroethene	5	<1.0	<1.0	<1.0	<1.0	8,700	710	120,000	220	140,000	<1.0	<4.0	
trans-1,2-dichloroethene	5	<1.0	<1.0	<1.0	<1.0	<200	<10	<400	<4.0	<2,000	1.2	<4.0	
Trichloroethene	5	<1.0	4	<1.0	3.6	760	290	2,600	130	26,000	<1.0	<4.0	
Vinyl Chloride	2	<1.0	<1.0	43	<1.0	<200	55	960	<4.0	1,800 J	21	19	
Total VOCs	2	0	4	51.6	3.6	10,100	1,535	129,560	417	189,800	392.2	19	
Field Parameters													
Temperature (Deg. C)	NV	10.64	10.56	11.95	9.65	12.06	10.35	10.51	11.00	12.23	14.18	20.65	
Specific Conductance (mS/cm)	NV	4.842	1.168	24.7	1.782	13.62	13.39	7.372	6.51	2.483	1.797	17.15	
Dissolved Oxygen (mg/L)	NV	0.83	3.86	0.4	1.42	0.89	0.68	1.47	0.96	0.69	2.6	4.16	
Oxygen Reduction Potential (mv)	NV	58.7	220.4	-68	241.3	135.6	67.8	-189	-130.8	29.5	-62.5	-43.6	
pH (std. units)	NV	6.75	6.97	6.56	7.05	6.55	6.74	9.46	7.18	6.7	6.64	6.03	
Turbidity (NTUs)	NV	2	35	2	9	0	0	2	>100	2	0	0	
Inorganics (mg/L)													
Iron	0.3	0.28	0.076	2.5	0.27	0.12	0.16	0.080	4.0	0.49	0.93	61.2	
Magnesium	35 ^{Note 4}	111	40.0	248	34.3	124	106	151	170	95.4	83.8	388	
Manganese	NV	0.42	0.041	0.35	0.017	1.1	0.18	0.0089	0.15	0.92	0.084	10.1	
Potassium	NV	4.3	1.6	50.2	2.1	8.0	10.9	40.5	38.2	2.7	7.5	31.4	
Sodium	20	563	109	4,340	226	2,530	2,450	1,030	896	226	126	358	
Miscellaneous Water Quality Parameters													
Methane (ug/L)	NV	9.4	<1.0	220	<1.0	25	420	530	67	1,100	82	2,800	
Ethane (ug/L)	NV	<1.5	<1.5	6.0	<1.5	1.0 J	6.3	68 J	21	14	9.6 J	52	
Ethene (ug/L)	NV	<1.5	<1.5	10	<1.5	1.3 J	1.7	130	7.8 J	160	8.0 J	14 J	
Carbon Dioxide (ug/L)	NV	6800	3,700	9,100	3,900	11,000	8,200	<1,000	<1,000	19,000	4,800	25,000	
Total Organic Carbon (mg/L)	NV	0.97 J	1.6	1.3	0.68 J	1.8	1.3	14.1	0.73 J	10.5	0.67 J	2.3	
Alkalinity (mg/L)	NV	288	324	280	320	320	288	42.0	60.0	472	260	244	
Ammonia (mg/L)	NV	0.0092 J	<0.020	2.6	<0.020	0.043	0.051	1.8	0.25	0.022	0.39	170	
Chloride (mg/L)	NV	1,450	212	6,890	351	4,600	4,230	687	2,330	695	181	5,890	
Nitrate (mg/L)	NV	<0.050	0.059	0.38	0.11	0.89	0.057	0.088	<0.050	<0.050	<0.050	<0.011	
Nitrite (mg/L)	NV	<0.050	<0.050	<0.050	<0.050	0.039 J	<0.050	0.022 J	<0.050	<0.050	<0.050	<0.020	
Sulfate (mg/L)	NV	131	66.6	727	72.2	218	264	451	145	111	525	71.0	
Sulfide (mg/L)	NV	<0.10	<0.10	0.055 J	<0.10	<0.10	<0.10	1.7	<0.10	<0.10	<0.10	<0.10	
Volatile Fatty Acids (mg/L)													
Acetic acid (mg/L)	NV	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.1	<1.0	<1.0	<1.0	<1.0	
Formic acid (mg/L)	NV	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Lactic acid (mg/L)	NV	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
n-Butyric acid (mg/L)	NV	<0.16	<0.16	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Propionic acid (mg/L)	NV	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.5	<1.0	<1.0	<1.0	<1.0	
Pyruvic acid (mg/L)	NV	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

1. Only compounds detected in one or more of the groundwater samples are presented in this table.
2. "<" indicates compound was not detected above the reporting limit.
3. Analytical testing completed by TestAmerica.
4. Criteria is a guidance value.
5. Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; * - LCS or LCSD exceeds the control limits.
6. mg/L = parts per million; ug/L = parts per billion
7. NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
8. NV = no value
9. Shaded concentrations exceed Class GA criteria.
10. Results presented for MW-6-2 are the higher of this sample and its respective duplicate.


Table 1
Summary of Groundwater Sample Analytical Results
GMCH Lockport Site
Buildings 7, 8 10
Site No. C932138, C932139 C932140

Sample Location Sample Date	Class GA Criteria	BUILDING 8 BCP SITE WELLS									BUILDING 10 BCP SITE WELLS			
		MW-6-1 4/25/2012	MW-6-2 4/25/2012	MW-6-F-8 4/25/2012	MW-8-1 4/30/2012	MW-8-2 5/3/2012	MW-8-3 5/1/2012	MW-8-4 5/1/2012	MW-8-003-B 4/30/2012	MW-9-101A 5/3/2012	BLDG-10-MW-1 5/2/2012	MW-10-2 5/2/2012	MW-10-3 5/2/2012	
		Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	
VOC Compounds of Concern (ug/L)														
cis-1,2-Dichloroethene	5	<1.0	<1.0	<1.0	0.85 J	10,000	5.3	55	830	<4.0	<2,000	2,100	14	
Tetrachloroethene	5	<1.0	<1.0	<1.0	<1.0	<1.0	0.84 J	<1.0	1,600	<4.0	150,000	330	14	
trans-1,2-dichloroethene	5	<1.0	<1.0	<1.0	<1.0	34	<1.0	<1.0	<5.0	<4.0	<2,000	26	<1.0	
Trichloroethene	5	<1.0	<1.0	<1.0	<1.0	190	5.9	15	440	<4.0	2,500	810	7	
Vinyl Chloride	2	<1.0	<1.0	<1.0	<1.0	380	<1.0	18	73	<4.0	<2,000	60	<1.0	
Total VOCs	2	0	0	0	0.85	10,604	12.04	88	2,943	0	152,500	3,326	35	
Field Parameters														
Temperature (Deg. C)	NV	10.23	12.12	12.57	13.5	20.38	20.59	13.81	11.88	14.1	19.73	13.05	11.09	
Specific Conductance (mS/cm)	NV	3.97	10.7	13	6.616	1.992	5.912	12.2	13.62	6.243	1.953	9.288	0.729	
Dissolved Oxygen (mg/L)	NV	0	0	0	0.49	3.47	2.81	0	0.74	6.9	3.16	2.13	7.67	
Oxygen Reduction Potential (mv)	NV	-94	42	84	-132.4	-98.5	46.8	-53	150.1	351.5	-21.7	221.4	340.4	
pH (std. units)	NV	6.97	6.94	6.96	6.73	6.78	6.59	7.02	7.27	5.82	6.55	6.41	6.81	
Turbidity (NTUs)	NV	46	0	2	10	1	19	18	2	0	1	3	2	
Inorganics (mg/L)														
Iron	0.3	16.5	0.15	0.11	0.19	0.20	0.11	1.0	0.14	<0.050	1.2	0.15	0.075	
Magnesium	35 ^{Note 4}	67.7	89.0	175	122	47.3	42.6	272	41.2	137	80.8	92.7	17.5	
Manganese	NV	2.6	0.79	1.2	0.16	0.021	4.1	1.9	0.38	0.0023 J	0.32	0.27	0.00094 J	
Potassium	NV	2.4	4.0	5	19.4	17.1	519	8.5	9.8	21.5	4.7	10.8	2.4	
Sodium	20	459	1,700	2,160	838	286	386	1,760	3,060	748	76.8	1,610	44.7	
Miscellaneous Water Quality Parameters														
Methane (ug/L)	NV	17	0.46 J B	32	86	260	1.6	75	46	<1.0	12	130	<1.0	
Ethane (ug/L)	NV	<1.5	<1.5	<1.5	9.2	11 J	1.4 J	<1.5	1.3 J	<1.5	2.6	10 J	<1.5	
Ethene (ug/L)	NV	<1.5	<1.5	<1.5	3.5	9.7 J	2.4	<1.5	6.4	<1.5	7.7	8.4 J	<1.5	
Carbon Dioxide (ug/L)	NV	13,000	8,700	9,000	8,000	6,800	6,300	5,700	<1,000	4,200	7,900	4,100	<1,000	
Total Organic Carbon (mg/L)	NV	3.8	2.3	1.9	0.60 J	1.5	6.4	1.6	1.3	3	4.4	1.2	0.52 J	
Alkalinity (mg/L)	NV	392	388	368	304	372	360	300	372	200	320	240	128	
Ammonia (mg/L)	NV	0.45	<0.020	<0.020	1.2	1.2	1.5	0.12	0.16	<0.020	0.18	0.52	<0.020	
Chloride (mg/L)	NV	1,130	3,800	3,730	475	338	1,580	3,820	4,640	1,440	115	1,110	91	
Nitrate (mg/L)	NV	<0.050	0.13	<0.050	<0.050	<0.050	<0.050	<0.050	0.50	<0.050	<0.050	<0.050	1.5	
Nitrite (mg/L)	NV	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	6.3	<0.050	<0.050	<0.050	
Sulfate (mg/L)	NV	104	185	208	613	243	105	259	154	1,170	195	147	74	
Sulfide (mg/L)	NV	<0.10 J	<0.10 J	<0.10 J	2.1	0.6	<0.10	<0.10 J	<0.10	<0.052	<0.10	<0.052	<0.052	
Volatile Fatty Acids (mg/L)														
Acetic acid (mg/L)	NV	<1.0	<0.15	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	0.67 J	<1.0	<1.0	
Formic acid (mg/L)	NV	<1.0	<0.11	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Lactic acid (mg/L)	NV	<1.0	<0.14	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
n-Butyric acid (mg/L)	NV	<1.0	<0.16	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Propionic acid (mg/L)	NV	<1.0	<0.17	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	
Pyruvic acid (mg/L)	NV	<1.0	<0.080	<1.0 J	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	

Notes:

1. Only compounds detected in one or more of the groundwater samples are presented in this table.
3. NT indicates compound was not tested.
4. Analytical testing completed by TestAmerica.
5. Criteria is a guidance value.
6. Laboratory qualifiers: B = compound was found in the blank and sample; J = result is less than the RL but greater than or equal to the MDL and the concentration is an approximation; * - LCS or LCSD exceeds the control limits.
7. mg/L = parts per million; ug/L = parts per billion
8. NYSDEC Class GA Groundwater Criteria as promulgated in 6 NYCRR 703; Table 1 in Technical and Operational Guidance Series (1.1.1): Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations, dated October 1993; revised June 1998; errata dated January 1999; addendum dated April 2000.
9. NV = no value
10. Shaded concentrations exceed Class GA criteria.
11. Results presented for MW-6-2 are the higher of this sample and its respective duplicate.

FIGURE



LEGEND:

- MW-11 APPROXIMATE LOCATION AND DESIGNATION OF MONITORING WELLS WITHIN THE DELPHI HARRISON THERMAL SYSTEMS SITE
- MW-7-1 APPROXIMATE LOCATION AND DESIGNATION OF MONITORING WELLS ASSOCIATED WITH THE BUILDING 7 BCP SITE AREA
- MW-6-1 APPROXIMATE LOCATION AND DESIGNATION OF MONITORING WELLS ASSOCIATED WITH THE BUILDING 8 BCP SITE AREA
- MW-10-2 APPROXIMATE LOCATION AND DESIGNATION OF MONITORING WELLS ASSOCIATED WITH THE BUILDING 10 BCP SITE AREA

NOTES:

1. BASE MAP ADAPTED FROM A DRAWING PROVIDED BY DELPHI THERMAL AND INTERIOR SYSTEMS SEPT. 2007.
2. THE SIZE AND LOCATION OF EXISTING SITE FEATURES SHOULD BE CONSIDERED APPROXIMATE.

DRAWN BY: DEW

DATE: JULY 2012



GM COMPONENTS HOLDINGS, LLC

LOCKPORT FACILITY
200 UPPER MOUNTAIN ROAD
LOCKPORT, NEW YORK

BCP SITE GROUNDWATER MONITORING
SITE AND GROUNDWATER
MONITORING WELL LOCATION PLAN

PROJECT No.
21.0056546.00

FIGURE No.
1

APPENDIX A

**MONITORING WELL OBSERVATION &
GROUNDWATER SAMPLING LOGS**

SAMPLE COLLECTION DATA SHEET - GROUNDWATER SAMPLING PROGRAM

PROJECT NAME Bldg 7 BCP Site 9-32-138

PROJECT NO. 56546.24

SAMPLING CREW MEMBERS T. Bohlen

SUPERVISOR C. Boron

DATE OF SAMPLE COLLECTION 4/26/12 - 5/13/12

[Note: For 2' dia. well, 1 ft. = 0.14 gal (imp) or 0.16 gal (us)]

Sample I.D. Number	Well No.	Measuring Point Elev. (ft. AMSL)	Bottom Depth (ft. btoc)	Water Depth (ft. btoc)	Water Elevation (ft. AMSL)	Well Volume (gallons)	Bailer Volume No. Bails	Volume Purged (gallons)	Field pH	Field Temp.	Field Cond.	Time	Sample Description & Analysis
MW-7-2-042612-1415	MW-7-2	592.57	21.66	4.29	588.28	17.37' 2.8	/	7.0	6.97	10.56	1.168	1243	MW-7-2 GW
MW-7-4-042712-1415	MW-7-4	593.53	21.45	11.56	581.97	9.89' 1.6	/	2.0	7.05	9.65	1.782	1541	MW-7-4 GW
MW-7-1-042712-1000	MW-7-1	597.67	22.49	3.74	593.93	18.75' 3.1	/	4.0	6.75	10.64	4.842	1000	MW-7-1 GW
MW-7-3-042712-1330	MW-7-3	594.04	25.09	3.40	590.64	21.69' 3.5	/	5.5	6.56	11.95	24.70	1325	MW-7-3 GW
MW-7-6-043012-900 MS/MSD	MW-7-6	606.30	16.51	3.70	602.60	12.81' 2.1	/	3.8	6.74	10.35	13.39	903	MW-7-6 GW
MW-7-5-043012-1130	MW-7-5	610.96	21.92	8.75	602.21	13.17' 2.1	/	3.5	6.55	12.06	13.62	1122	MW-7-5 GW
MW-7-A-6-050112-0900	MW-7-A-6	612.13	14.31	2.28	609.85	12.03' 2.0	/	4.0	6.70	12.23	2.483	902	MW-7-A-6 GW
MW-7-7-050112-1330	MW-7-7	610.24	17.80	1.76	608.48	16.04' 2.6	/	9.0	9.46	10.51	7.372	1315	MW-7-7 GW

Additional Comments: _____

Copies to: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

SAMPLE COLLECTION DATA SHEET - GROUNDWATER SAMPLING PROGRAM

PROJECT NAME Bldg 7 BCP Site 9-32-138

PROJECT NO. 56546.24

SAMPLING CREW MEMBERS T. Bohlen

SUPERVISOR C. Boron

DATE OF SAMPLE COLLECTION 4/26/12 - 5/13/12

[Note: For 2' dia. well, 1 ft. = 0.14 gal (imp) or 0.16 gal (us)]

Sample I.D. Number	Well No.	Measuring Point Elev. (ft. AMSL)	Bottom Depth (ft. btoc)	Water Depth (ft. btoc)	Water Elevation (ft. AMSL)	Well Volume (gallons)	Bailer Volume No. Bails	Volume Purged (gallons)	Field pH	Field Temp.	Field Cond.	Time	Sample Description & Analysis
MW-7-8- 050212-0730	MW-7-8	610.92	19.42	0.95	609.97	18.48' 3.0	/	2.3	7.18	11.00	6.510	5/11/12 1450	MW-7-8 GW
MW-7-C-2 05036-1015	MW-7-C-2	609.42	24.60	5.51	603.91	19.09' 3.1	/	4.2	6.64	14.18	1.777	1003	MW-7-C-2 GW
MW-7-P-1 050312-1530	MW-7-P-1	615.09	19.89	9.55	605.54	10.34' 1.7	/	4.0	6.03	20.65	17.15	1507	MW-7-P-1 GW
							/						
							/						
							/						
							/						
							/						

Additional Comments: _____

Copies to: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-32-138
 Ref. No.: 56546.24

Date: 4/27/12
 Personnel: T. Ehlert

Monitoring Well Data:

Well No.: MW-7-1 1 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 23.7
 Measured Well Depth (ft): 22.49
 Depth of Sediment (ft): 1.2

Screen Length (ft): 10'
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (mL)⁽²⁾: 3.1991
 Initial Depth to Water (ft): 3.74

Time	Pumping Rate (mL/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
810	151	4.36	0.62	6.67	10.23	4.457	246.2	2.19	32.2	0	
815		4.58	0.84	6.76	10.67	4.666	131.3	1.23	27.1	0.2	
820		4.61	0.87	6.76	10.66	4.720	89.3	1.33	12.1	0.3	
825		4.61		6.77	10.55	4.725	74.0	1.34	13.0	0.5	
830		4.61		6.75	10.69	4.738	68.8	1.29	15.8	0.7	
835		4.61		6.75	10.52	4.772	65.6	1.20	10.9	0.9	
840		4.61		6.77	10.47	4.770	63.6	1.14	13.8	1.0	
845		4.61		6.75	10.50	4.765	62.0	1.12	11.4	1.1	
850		4.61		6.76	10.49	4.770	61.0	1.10	10.0	1.3	
900		4.61		6.76	10.59	4.784	60.7	1.00	9.1	1.6	
910		4.61		6.77	11.28	4.789	59.3	0.96	8.9	1.9	
920		4.61		6.75	11.06	4.831	58.8	0.89	8.2	2.2	
930		4.61		6.76	11.78	4.813	57.7	0.92	8.5	2.4	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi (D/2)^2 (5 \times 12) (2.54)^3$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p / V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP site 9-32-138
 Rel. No.: 576546.24

Date: 4/27/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-1 2 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 23.7
 Measured Well Depth (ft): 22.49
 Depth of Sediment (ft): 1.2

Screen Length (ft): 10'
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (m³)⁽²⁾: 3.1 gal
 Initial Depth to Water (ft): 3.79

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (nS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
940	151	4.61	0.87	6.76	10.92	4.842	57.6	0.88	3.7	2.7	
950		4.61		6.75	10.94	4.845	58.1	0.83	2.6	3.0	
1000	↓	4.61	↓	6.75	10.64	4.842	58.7	0.83	2.1	3.3	1

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5 \cdot 12) \cdot (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

WELL PURGING FIELD INFORMATION FORM

JOB# 50546-24

SITE/PROJECT NAME: Bldg 7 BLP Site 9-30-13P

WELL# MW-7-1

WELL PURGING INFORMATION

042710

PURGE DATE (MM/DD/YY)

042710

SAMPLE DATE (MM/DD/YY)

31

WATER VOL. IN CASING (LITRES/GALLONS)

40

ACTUAL VOLUME PURGED (LITRES/GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y (CIRCLE ONE)

SAMPLING EQUIPMENT DEDICATED Y (CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP C - BAILEY X- _____
 B PERISTALTIC PUMP F - FLUID PUMP H - WATERBATH _____
 SAMPLING DEVICE B C - BLADDER PUMP F - DUPER BOTTLE X- _____
 _____ SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON I - PVC X- _____
 B STAINLESS STEEL E - POLYETHYLENE _____
 SAMPLING DEVICE E C - POLYPROPYLENE X- _____
 _____ SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE E - SILICONE X- _____
 B TYGON E - POLYETHYLENE C - COMBINATION _____
 SAMPLING DEVICE E C - ROPE X- _____
 _____ SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PDS/ROX C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 597.98 (m/ft) GROUNDWATER ELEVATION 594.24 (m/ft)
 DEPTH TO WATER 3.74 (m/ft) WELL DEPTH 22.49 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<u>7.2</u> (mV)	<u>0.1</u> (ntu)	<u>150</u> (µmhos/cm) AT 25°C	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>15.0</u> (°C)
<u>7.2</u> (mV)	<u>0.1</u> (ntu)	<u>150</u> (µmhos/cm) AT 25°C	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>15.0</u> (°C)
<u>7.2</u> (mV)	<u>0.1</u> (ntu)	<u>150</u> (µmhos/cm) AT 25°C	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>15.0</u> (°C)
<u>7.2</u> (mV)	<u>0.1</u> (ntu)	<u>150</u> (µmhos/cm) AT 25°C	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>15.0</u> (°C)
<u>7.2</u> (mV)	<u>0.1</u> (ntu)	<u>150</u> (µmhos/cm) AT 25°C	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>15.0</u> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good TDS none COLOR Clear TURBIDITY Clear
 WEATHER CONDITIONS WIND SPEED 10-15 DIRECTION NW PRECIPITATION Y/N Overcast
 SPECIFIC COMMENTS _____

FOR EVERY PURGE THAT SAMPLING TAKES PLACE, WELL IS TO BE PURGED WITH APPROX. 50% OF PRODUCTION

DATE 4/27/10 NAME Thomas Bohlen SIGNATURE Thomas Bohlen

ANY MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-32-138
 Ref. No.: 56546.24

Date: 4/26/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-d 1 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 20'
 Measured Well Depth (ft): 21.66'
 Depth of Sediment (ft): NA

Screen Length (ft): 10'-20' = 10'
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (gal)⁽²⁾: 2.8 gal
 Initial Depth to Water (ft): 4.29

Time	Pumping Rate (gal/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
853	0	5.28	0.99	7.56	9.75	0.860	80	0.75	2.5	0	
858	76	6.53	2.24	7.46	10.11	0.828	88	0.00	1.1	0.1	
903		7.03	2.74	7.45	10.35	0.831	89	0.00	1.9	0.2	
908	↓	7.53	3.24	7.44	10.40	0.833	90	0.00	2.8	0.3	
913	22.7	8.18	3.89	7.44	10.43	0.829	91	0.00	4.0	0.5	
918	↑	8.63	4.34	7.44	10.41	0.827	90	0.00	0.0	0.8	
923		9.11	4.82	7.44	10.44	0.825	90	0.00	0.0	1.0	
928		9.48	5.19	7.44	10.39	0.824	91	0.00	0.0	1.1	
935		10.09	5.80	7.44	10.36	0.825	91	0.00	0.0	1.3	
945		10.82	6.53	7.43	10.37	0.830	90	0.00	0.0	1.8	
956		11.60	7.31	7.43	10.39	0.832	83	0.00	0.0	2.1	
1005		12.09	7.80	7.43	10.51	0.837	74	0.00	0.0	2.3	
1015	↓	12.23		7.42	10.72	0.837	64	0.00	0.0	2.7	

Notes:

PID = 0.0 ppm

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi (D/2)^2 (5 \times 12) (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-30-138
 Ref. No.: 56346.24

Date: 4/26/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-2 2 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 20'
 Measured Well Depth (ft): 21.60'
 Depth of Sediment (ft): NA

Screen Length (ft): 10'-20' = 10'
 Depth to Pump Intake (ft)⁽¹⁾: 12'/17'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 2.8gal
 Initial Depth to Water (ft): 4.29

* setup YSI & Horiba in Series
 * want dry, inc. depth

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml/gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
1025	227	12.64	8.35	7.41	10.85	0.853	48	0.00	0.0	3.1	1
1036		13.13	8.84	7.39	11.00	0.863	29	0.00	0.0	3.4	
1045		13.48	9.19	7.39	10.90	0.875	24	0.00	0.0	3.8	
1055		13.86		7.38	11.20	0.935	36	0.00	11.4	4.2	
1117		13.16		7.46	12.03	1.07	68	5.34	2.9	4.6	
1123		13.44		7.37	11.64	1.16	60	2.42	4.1	4.8	
1128		13.72		7.36	11.47	1.17	54	0.36	4.7	5.0	
1212		15.53		7.43/6.71	10.99/11.00	1.00/1.165	73/251.4	0.1/3.36	19.3/3.9	6.2	2
1218		15.66		7.40/6.84	10.99/10.72	1.02/1.183	67/243.3	0.0/2.81	38.7/8.0	6.3	
1223		15.77		7.43/6.87	11.01/10.68	1.03/1.201	63/234.1	0.0/2.73	61.8/14.3	6.5	
1228		15.87		7.43/6.91	11.04/10.74	1.03/1.201	62/232.0	0.0/2.83	46.9/15.2	6.8	
1233		15.97		7.43/6.94	11.10/10.81	1.03/1.191	60/227.9	0.0/2.95	31.7/26.8	7.0	
* 1243		16.46		7.43/6.97	10.85/10.56	1.00/1.168	62/220.4	0.0/3.86	35.9/35.1	7.4	

Notes: * - pump off
 (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
 (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5' \cdot 12) \cdot (2.54)^3$
 (3) The drawdown from the initial water level should not exceed 0.3 ft.
 (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

1410 7.92'

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bdg. 7BCP Site 9-30-138 WELL# MW-7-2

WELL PURGING INFORMATION

042610
PURGE DATE
(MM/DD/YY)

042610
SAMPLE DATE
(MM/DD/YY)

218
WATER VOL IN CASING
(LITRES/GALLONS)

170
ACTUAL VOLUME PURGED
(LITRES/GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y N (CIRCLE ONE) SAMPLING EQUIPMENT DEDICATED Y N (CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP C - BAILEY X- _____
B - PERISTALTIC PUMP F - FLUDGE PUMP H - WATERBIVE PURGING OTHER (SPECIFY)

SAMPLING DEVICE B C - BLADDER PUMP F - DIPPER BOTTLE X- _____
SAMPLING OTHER (SPECIFY)

PURGING DEVICE E A - TEFLON D - PVC X- _____
B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY)

SAMPLING DEVICE E C - POLYPROPYLENE X- _____
SAMPLING OTHER (SPECIFY)

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE F - SILICONE X- _____
B - TYGON E - POLYETHYLENE G - COMBINATION PURGING OTHER (SPECIFY)

SAMPLING DEVICE E C - ROPE X- _____ TEFLON/POLYPROPYLENE X- _____
(SPECIFY) SAMPLING OTHER (SPECIFY)

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 592.97 (m/ft) GROUNDWATER ELEVATION _____ (m/ft)
DEPTH TO WATER 429 (m/ft) WELL DEPTH 2000 (m/ft)

pH _____ (mV) TURBIDITY _____ (ntu) CONDUCTIVITY _____ (µmhos/cm) ORP _____ (mV) DO _____ (mg/L) SAMPLE TEMPERATURE _____ (°C)
_____ (mV) _____ (ntu) _____ (µmhos/cm) _____ (mV) _____ (mg/L) _____ (°C)
_____ (mV) _____ (ntu) _____ (µmhos/cm) _____ (mV) _____ (mg/L) _____ (°C)
_____ (mV) _____ (ntu) _____ (µmhos/cm) _____ (mV) _____ (mg/L) _____ (°C)
_____ (mV) _____ (ntu) _____ (µmhos/cm) _____ (mV) _____ (mg/L) _____ (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good COLOR none TASTE Clear TURBIDITY Clear
WEATHER CONDITIONS WIND SPEED 05 DIRECTION SW PRECIPITATION (mm/inches) pm rain forecasted
SPECIFIC COMMENTS _____

I CERTIFY THAT SAMPLING TO BE RETURNED TO THE WELL DONE WITH ACCURATE AND PROPER USE
4/26/10 Thomas Bohler Thomas Bohler
DATE PRINT SIGNATURE

AMENDMENTS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-22-138
 Rel. No.: 56546.24

Date: 4/27/12
 Personnel: T Bohlen

Monitoring Well Data:

Well No.: MW-7-3 lofd
 Measurement Point: TDR
 Constructed Well Depth (ft): 25'
 Measured Well Depth (ft): 25.09
 Depth of Sediment (ft): -

Screen Length (ft): 15' - 25' = 10'
 Depth to Pump Intake (ft)⁽¹⁾: 20'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (mL)⁽²⁾: 3.5 gal
 Initial Depth to Water (ft): 3.40

Time	Pumping Rate (mL/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
11:00	151	4.48	1.08	6.59	11.55	18.32	153.4	2.98	27.9	0	
11:05	↓	5.96	2.56	6.49	11.60	18.47	147.4	0.76	23.0	0.2	
11:10	530	7.63	4.23	6.47	11.63	18.42	139.6	0.57	29.7	0.3	
11:15	↓	9.43	6.03	6.48	11.73	18.35	116.3	0.48	17.7	1	
11:20	227	11.05	7.65	6.48	11.83	18.22	79.9	0.44	12.5	1.3	
11:25	↓	11.36	7.96	6.46	11.59	18.27	51.0	0.45	13.7	1.6	
11:30	76	11.36	↓	6.52	11.43	18.41	28.0	0.44	7.7	1.7	
11:35	227	11.36	↓	6.54	11.18	19.59	-11.9	0.43	1.0	1.9	
11:50	↓	11.36	↓	6.55	10.99	22.06	-49.7	0.42	1.0	2.2	
12:00	↓	11.36	↓	6.53	11.26	23.02	-56.3	0.40	-1.4	2.5	
12:10	↓	11.36	↓	6.55	11.27	23.17	-58.5	0.42	-1.0	2.8	
12:20	↓	11.36	↓	6.55	11.43	23.90	-62.2	0.41	-3.0	3.1	
12:34	↓	11.36	↓	6.55	11.69	23.92	-64.4	0.40	-1.3	3.6	1

Notes:

PID = 0.0ppm Road Box lid needs repair (broken bolt)

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-22-138
 Ref. No.: 56-546 24

Date: 4/27/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-3 20fd
 Measurement Point: TOR
 Constructed Well Depth (ft): 25'
 Measured Well Depth (ft): 25.09
 Depth of Sediment (ft): -

Screen Length (ft): 15'-25' = 10'
 Depth to Pump Intake (ft)⁽¹⁾: 20'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (gal)⁽²⁾: 3.5 gal
 Initial Depth to Water (ft): 3.40

Time	Pumping Rate (gal/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
1240	227	11.36	7.96	6.54	11.58	23.94	-66.1	0.40	-3.1	3.8	
1250		11.36	7.96	6.54	11.83	24.39	-68.5	0.40	-3.3	4.1	
1300		11.36	7.96	6.54	11.82	24.34	-68.2	0.40	-3.9	4.3	
1310		11.36	7.96	6.54	11.95	24.76	-68.8	0.40	-2.5	4.7	
1320		11.36	7.96	6.54	11.93	24.66	-68.3	0.39	-2.2	5.0	
1325		11.36	7.96	6.56	11.95	24.70	-68.0	0.40	-2.3	5.2	

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length, $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-32-138
 Ref. No.: 55546.24

Date: 4/26/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-4
 Measurement Point: TOR
 Constructed Well Depth (ft): 19'
 Measured Well Depth (ft): 21.45
 Depth of Sediment (ft): NA

Screen Length (ft): 9'-19' = 10'
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 1.6 gal
 Initial Depth to Water (ft): 11.56

Time	Pumping Rate (mL/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
1511	75	12.81	0.54	7.53/7.07	10.47/9.97	1.71/1.767	124/240.8	0.53/3.44	6.3/0	0	
1516		13.24	1.68	7.51/7.12	10.98/10.01	1.71/1.779	123/240.5	0/2.34	7.6/0	0.1	
1521		13.65	2.09	7.52/7.07	10.46/9.99	1.72/1.785	121/239.2	0/2.39	18.4/2.7	0.2	
1526	277	14.55	2.99	7.51/7.12	10.40/9.75	1.73/1.781	120/239.4	0/2.75	16.7/4.9	0.3	
1531		15.78	4.22	7.51/7.12	10.38/9.63	1.72/1.781	119/240.4	0/2.79	9.5/3.8	0.6	
1536		17.05	5.49	7.49/7.07	10.37/9.65	1.71/1.786	120/241.3	0/1.90	7.1/1.9	1	
1541		18.15	6.59	7.48/7.05	10.43/9.65	1.71/1.782	118/246.3	0/1.42	8.5/1.9	1.4	
4/27/12 * 1405		12.84	0.57								

Notes:

Horiba / YSI

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5 \cdot 12) \cdot (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

* well went dry on 4/26/12 ; sampled 4/27/12

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 7 BCP Site 9-30-138

WELL# MW-7-4

WELL PURGING INFORMATION

PURGE DATE (MM/DD/YY) 04/26/12 SAMPLE DATE (MM/DD/YY) 04/27/12 WATER VOL IN CASING (LITERS/GALLONS) 116 ACTUAL VOLUME PURGED (LITERS/GALLONS) 20

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y N (CIRCLE ONE) SAMPLING EQUIPMENT DEDICATED Y N (CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - RAILB X- _____
 B - PERISTALTIC PUMP F - PULGE PUMP H - WATERWAVE PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE B C - BLADDER PUMP E - DUPER BOTTLE X- _____
 SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - 1/2" X- _____
 B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - POLYPROPYLENE X- _____
 SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE F - SILICONE X- _____
 B - TITAN E - POLYETHYLENE G - COMBINATION PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - ROPE X- _____ TEFLON/POLYPROPYLENE X- _____
 (SPECIFY) _____ SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 593.53 (m/ft) GROUNDWATER ELEVATION 581.97 (m/ft)

DEPTH TO WATER 11.56 (m/ft) WELL DEPTH 19.00 (m/ft)

pH (mV) TURBIDITY (ntu) CONDUCTIVITY (µmhos/cm AT 25°C) ORP (mV) DO (mg/L) SAMPLE TEMPERATURE (°C)

(mV) (ntu) (µmhos/cm AT 25°C) (mV) (mg/L) (°C)

(mV) (ntu) (µmhos/cm AT 25°C) (mV) (mg/L) (°C)

(mV) (ntu) (µmhos/cm AT 25°C) (mV) (mg/L) (°C)

(mV) (ntu) (µmhos/cm AT 25°C) (mV) (mg/L) (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good TASTE None COLOR clear TURBIDITY clear

WEATHER CONDITIONS (WIND SPEED) 0-5 DIRECTION SW PRECIPITATION / N OTHER light rain

SPECIFIC COMMENTS _____

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS

4/26/12 Thomas Bohlen Thomas Bohlen

DATE PRINT SIGNATURE

ALL MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 7 RCP Site 9-32-138

WELL# NW-7-5

WELL PURGING INFORMATION

04/30/12

PURGE DATE
(MM/DD/YY)

04/30/12

SAMPLE DATE
(MM/DD/YY)

211

WATER VOL IN CASING
(LITRES)

35

ACTUAL VOLUME PURGED
(LITRES)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y
(CIRCLE ONE)

SAMPLING EQUIPMENT DEDICATED N
(CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - RAISER X- _____
B - PERISTALTIC PUMP F - FUDGE PUMP H - WATERBAY PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE B C - BLADDER PUMP E - DIPPER BOTTLE X- _____
SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - PVC X- _____
B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - POLYPROPYLENE X- _____
SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE F - SILICONE X- _____
B - TIGON E - POLYETHYLENE G - COMBINATIONS PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - ROPE X- _____
(SPECIFY) _____ SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.5 A - IN-LINE CONDENSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 611.24 (m/ft)

GROUNDWATER ELEVATION 602.49 (m/ft)

DEPTH TO WATER 8.75 (m/ft)

WELL DEPTH 21.92 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
(mV)	(ntu)	(µmhos/cm AT 25 C)	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm AT 25 C)	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm AT 25 C)	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm AT 25 C)	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm AT 25 C)	(mV)	(mg/L)	(°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good TDSR None COLOR Clear TURBIDITY Cloudy -> Clear
 WEATHER CONDITIONS WIND SPEED 0-5 DIRECTION NW PRECIPITATION 24 HOURS Rain pm fore-casted
 SPECIFIC COMMENTS _____

IF CERTAIN THAT SAMPLING DEVICES WERE IN WELL CONDITIONS WITH ADEQUATE SAMPLER CAPS
 DATE 4/30/12 NAME Thomas Bohlen SIGNATURE Thomas Bohlen

FORM MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-32-138
 Ref. No.: 58546.04

Date: 4/30/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-6 MS/MSD
 Measurement Point: JOR
 Constructed Well Depth (ft): 16.9'
 Measured Well Depth (ft): 16.51'
 Depth of Sediment (ft): 0.39'

Screen Length (ft): 9.9-16.9' = 7'
 Depth to Pump Intake (ft)⁽¹⁾: 13'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (ml)⁽²⁾: 2.1 gal
 Initial Depth to Water (ft): 3.70

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
803	151	4.60	0.9	6.99	10.25	12.76	121.4	4.80	0.0	0	
808		4.85	1.15	6.76	10.47	13.18	94.0	1.30	0.0	0.2	
813		4.89	1.19	6.75	10.46	13.09	78.7	1.20	0.0	0.4	
818		4.89	1.19	6.75	10.36	13.18	74.4	1.08	0.0	0.6	
823		4.89	1.19	6.74	10.32	13.24	73.2	1.00	0.0	0.8	
828		4.89	1.19	6.74	10.31	13.32	71.7	0.86	0.0	1.1	
833		4.89	1.19	6.74	10.31	13.35	70.3	0.77	0.0	1.3	
838		4.89	1.19	6.74	10.40	13.37	68.5	0.77	0.0	1.4	
843		4.89	1.19	6.74	10.34	13.37	67.2	0.70	0.0	1.6	
848		4.89	1.19	6.74	10.32	13.34	67.1	0.75	0.0	1.9	
853		4.89	1.19	6.74	10.34	13.40	67.4	0.71	0.0	2.1	1
858		4.89	1.19	6.74	10.36	13.40	67.9	0.69	0.0	2.3	
903	↓	4.89	1.19	6.74	10.35	13.39	67.8	0.68	0.0	2.5	

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length, $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing), No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-30-138
 Ref No: 56546.24

Date: 5/11/12
 Personnel: T. Bahlen

Monitoring Well Data:

Well No.: MW-7-7 10fd
 Measurement Point: TOR
 Constructed Well Depth (ft): 22.7'
 Measured Well Depth (ft): 17.80
 Depth of Sediment (ft): 4.9

Screen Length (ft): 12.7' - 22.7' = 10'
 Depth to Pump Intake (ft)⁽¹⁾: 15'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (in³): 2.6 gal
 Initial Depth to Water (ft): 1.76'

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽²⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
1043	151	2.58	0.82	11.65	10.91	2.575	88.8	11.47	73.9	0	
1048	76	2.91	1.15	11.55	10.86	2.661	82.6	10.92	81.7	0.2	
1053	151	2.98	1.22	11.45	10.81	2.818	64.0	9.60	112.3	0.3	
1058	↓	3.17	1.41	11.15	10.72	3.277	24.3	7.39	94.1	0.5	
1103	227	3.27	1.51	10.96	10.70	3.688	2.4	6.39	183.1	0.8	
1108	151	3.37	1.61	10.82	10.76	4.096	-18.1	5.72	84.9	1.0	
1113	↓	3.51	1.75	10.69	10.76	4.639	-43.0	4.94	119.0	1.2	
1118	↓	3.64	1.88	10.64	10.68	4.965	-56.6	4.50	120.6	1.3	
1123	76	3.77	1.17	10.60	10.67	5.244	-69.8	4.08	145.8	1.4	
1128	↓	3.89	2.13	10.56	10.59	5.515	-83.6	3.66	147.0	1.6	
1133	151	3.97	2.21	10.52	10.61	5.723	-93.4	3.34	127.2	1.8	
1143	↓	4.18	2.42	10.42	10.77	6.152	-110.0	2.75	86.2	2.2	
1153	76	4.33	2.57	10.35	10.70	6.499	-123.6	2.30	46.4	2.4	

Notes:

PID = 0.2 ppm

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi (D/2)^2 (5 \cdot 12) (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

Sand in flow through cell; keep pump running

2012/1/12

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg. 7 BCP Site 9-32-138
 Rel No: 56546.24

Date: 5/1/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-7 2 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 22.7'
 Measured Well Depth (ft): 17.8'
 Depth of Sediment (ft): 4.9'

Screen Length (ft): 10'
 Depth to Pump Intake (ft)⁽¹⁾: 15'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 2.6 gal
 Initial Depth to Water (ft): 1.76'

inc. pump rate. Cleaned & emptied flow through cell; keep pump running

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
1203	114	4.53	2.77	10.27	10.79	6.747	-134.7	2.02	27.0	2.7	1
1220	↓	4.82	3.06	10.03	10.81	7.131	-123.8	3.16	19.1	3.6*	
1225	227	5.37	3.61	9.97	10.42	7.188	-153.4	2.07	19.7	3.9	
1230	↓	5.81	4.05	10.16	10.37	6.829	-165.8	2.39	32.7	4.2	
1235	↓	6.22	4.46	10.31	10.42	6.701	-163.8	2.87	26.3	4.7	
1240	↓	6.62	4.86	10.16	10.15	6.946	-168.2	2.48	15.9	5.0	
1245	↓	6.80	5.04	10.07	10.48	7.028	-171.7	2.31	9.4	5.3	2
1255	↓	7.23	5.47	9.82	10.49	7.192	-179.9	1.91	6.8	6.2	
1305	↓	7.62	5.86	9.59	10.53	7.330	-185.9	1.63	3.8	7.1	
1310	↓	7.74		9.49	10.52	7.368	-188.1	1.53	1.9	7.6	
1315	↓	7.89		9.46	10.51	7.372	-189.0	1.47	1.5	8.0	3

Notes:

* inc. volume from flow through cell contents

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi (D/2)^2 (5 \times 12) (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-30-138
 Ref No: 56-346.24

Date: 5/11/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-8
 Measurement Point: TOR
 Constructed Well Depth (ft): 19.7
 Measured Well Depth (ft): 19.42
 Depth of Sediment (ft): 0.28

Screen Length (ft): 12.7' - 19.7'
 Depth to Pump Intake (ft)⁽¹⁾: 15'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (mL)⁽²⁾: 3.0 gal
 Initial Depth to Water (ft): 0.95

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
5/11/12 1430		1.91		7.78	11.35	6.516	-161.8	5.17	25.7	0	
1435		3.50		7.38	11.14	6.545	-151.5	1.47	43.1	0.2	
1440		6.75		7.28	11.01	6.513	-127.9	1.03	86.7	0.8	
1445		10.40		7.15	11.09	6.497	-126.7	0.99	97.0	1.5	
1450		11.39		7.18	11.00	6.510	-130.8	0.96	487.0	2.0	
DRY @ 1454											
5/13/12 728		1.92									

Notes:

PID = 4.0 ppm

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5 \cdot 12) \cdot (2.54)^3$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s.

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 7 RCP Site 9-22-13 WELL# MW-7-8

WELL PURGING INFORMATION

<u>050112</u> <small>PURGE DATE (MM DD YY)</small>	<u>050212</u> <small>SAMPLE DATE (MM DD YY)</small>	<u>30</u> <small>WATER VOL. IN CASING (LITRES/GALLONS)</small>	<u>23</u> <small>ACTUAL VOLUME PURGED (LITRES/GALLONS)</small>
---	--	---	---

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y N (CIRCLE ONE)
 SAMPLING EQUIPMENT DEDICATED Y N (CIRCLE ONE)

PURGING DEVICE	<input checked="" type="checkbox"/> B	A - SUBMERSIBLE PUMP	<input type="checkbox"/> D	GAS LIFT PUMP	<input type="checkbox"/> G	BAILEY	<input checked="" type="checkbox"/> X	
		B - PERISTALTIC PUMP	<input type="checkbox"/> E	PURGE PUMP	<input type="checkbox"/> H	WATERBAY		PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> B	C - BLADDER PUMP	<input type="checkbox"/> F	DIPPER BOTTLE	<input checked="" type="checkbox"/> X			
		SAMPLING OTHER (SPECIFY)						
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	<input type="checkbox"/> D	PEW	<input checked="" type="checkbox"/> X			
		B - STAINLESS STEEL	<input type="checkbox"/> E	POLYETHYLENE	<input checked="" type="checkbox"/> X			
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - POLYPROPYLENE	<input checked="" type="checkbox"/> X					
		SAMPLING OTHER (SPECIFY)						
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	<input type="checkbox"/> D	POLYPROPYLENE	<input type="checkbox"/> F	SILICONE	<input checked="" type="checkbox"/> X	
		B - TYGON	<input type="checkbox"/> E	POLYETHYLENE	<input type="checkbox"/> G	COMBINATION	<input checked="" type="checkbox"/> X	
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - ROPE	<input checked="" type="checkbox"/> X			TEFLON/POLYPROPYLENE	<input checked="" type="checkbox"/> X	
		(SPECIFY)						
		SAMPLING OTHER (SPECIFY)						
FILTERING DEVICES 0.15	<input type="checkbox"/>	A - IN-LINE DISPOSABLE	<input type="checkbox"/>	B - PRESSURE	<input type="checkbox"/>	C - VACUUM		

FIELD MEASUREMENTS

WELL ELEVATION <u>611135</u> (m/ft)	GROUNDWATER ELEVATION <u>60997</u> (m/ft)
DEPTH TO WATER <u>1095</u> (m/ft)	WELL DEPTH <u>11942</u> (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<input type="checkbox"/> (std)	<input type="checkbox"/> (ntu)	<input type="checkbox"/> (µm/cm AT 25°C)	<input type="checkbox"/> (mV)	<input type="checkbox"/> (mg/L)	<input type="checkbox"/> (°C)
<input type="checkbox"/> (std)	<input type="checkbox"/> (ntu)	<input type="checkbox"/> (µm/cm AT 25°C)	<input type="checkbox"/> (mV)	<input type="checkbox"/> (mg/L)	<input type="checkbox"/> (°C)
<input type="checkbox"/> (std)	<input type="checkbox"/> (ntu)	<input type="checkbox"/> (µm/cm AT 25°C)	<input type="checkbox"/> (mV)	<input type="checkbox"/> (mg/L)	<input type="checkbox"/> (°C)
<input type="checkbox"/> (std)	<input type="checkbox"/> (ntu)	<input type="checkbox"/> (µm/cm AT 25°C)	<input type="checkbox"/> (mV)	<input type="checkbox"/> (mg/L)	<input type="checkbox"/> (°C)
<input type="checkbox"/> (std)	<input type="checkbox"/> (ntu)	<input type="checkbox"/> (µm/cm AT 25°C)	<input type="checkbox"/> (mV)	<input type="checkbox"/> (mg/L)	<input type="checkbox"/> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE: Good COLOR: none COLOR: Yellow TURBIDITY: Clear

WEATHER CONDITIONS: WIND SPEED: 0-5 DIRECTION: W PRECIPITATION Y/N OUTLOOK: overcast

SPECIFIC COMMENTS: Purged dry 5/1/12 - purge H2O brown, very cloudy / turbid.

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE EPA PROTOCOLS

5/1/12 Thomas Bohlen Thomas Bohlen
DATE PRINT SIGNATURE

EMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 7 BCP Site 9-32-138
 Rel. No.: 56546.24

Date: 5/3/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-C-2
 Measurement Point: TDR
 Constructed Well Depth (ft): 24'
 Measured Well Depth (ft): 24.60
 Depth of Sediment (ft): -

Screen Length (ft): _____
 Depth to Pump Intake (ft)⁽¹⁾: 21'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (gal)⁽²⁾: 3.1
 Initial Depth to Water (ft): 5.51

Time	Pumping Rate (gal/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
828	151	5.84	0.33	7.11	13.69	1.986	-78.4	6.62	11.1	0	
843	76	6.40	0.89	6.79	13.64	1.940	-86.3	2.92	3.7	0.2	
848	↓	6.40		6.77	13.87	1.856	-82.7	2.65	0.0	0.3	
853	151	6.40		6.76	13.89	1.820	-80.7	2.54	0.0	0.5	
858		6.40		6.73	13.81	1.798	-77.9	2.57	0.0	0.8	
903		6.40		6.72	13.77	1.804	-78.0	2.52	0.0	1.0	
908		6.40		6.72	13.86	1.800	-76.6	2.52	0.0	1.2	
913		6.40		6.72	14.08	1.788	-73.7	2.53	0.0	1.3	
923		6.40		6.70	14.17	1.795	-69.3	2.53	0.0	1.7	
933		6.40		6.65	14.10	1.800	-65.0	2.55	0.0	2.1	
943		6.40		6.64	13.97	1.800	-61.7	2.51	0.0	2.4	
953		6.40		6.64	14.07	1.799	-62.2	2.63	0.0	2.9	
958	↓	6.40	↓	6.64	14.20	1.791	-62.1	2.61	0.0	3.1	1
1003		6.40	↓	6.64	14.18	1.797	-62.5	2.60	0.0	3.3	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 3-foot screen length. $V_s = \pi (D/2)^2 (5 \times 12) (2.54)$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s.

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bida 7 BCP Site 9-30-138
 Ref. No.: 56546.24

Date: 5/3/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-P-1 2 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 20'
 Measured Well Depth (ft): 19.89'
 Depth of Sediment (ft):

Screen Length (ft):
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (ft³)⁽²⁾: 1.7
 Initial Depth to Water (ft): 9.55

Time	Pumping Rate (gal/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
1457	114	12.09	2.54	6.02	20.62	17.49	-42.4	4.26	0.0	2.9	
1507	↓	12.09	↓	6.03	20.68	17.13	-43.0	4.20	0.0	3.1	
1512	↓	12.09	↓	6.03	20.67	17.14	-43.0	4.18	0.0	3.3	
1517	↓	12.09	↓	6.03	20.67	17.15	-43.5	4.18	0.0	3.4	
1522	↓	12.09	↓	6.03	20.65	17.14	-43.5	4.17	0.0	3.6	
1527	↓	12.09	↓	6.03	20.65	17.15	-43.6	4.16	0.0	3.8	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5)(2.54)$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20x well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bida 7BCA Site 9-30-138
 Ref. No.: 56546.24

Date: 5/3/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-P-1 1 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 20'
 Measured Well Depth (ft): 19.89'
 Depth of Sediment (ft): -

Screen Length (ft): _____
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (ft³)⁽²⁾: 1.7
 Initial Depth to Water (ft): 9.55

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml.)	No. of Well Screen Volumes Purged ⁽⁴⁾
13:32	76	10.19	0.64	5.91	21.24	24.82	-70.0	5.93	1.2	0	
13:37	↓	10.62	1.07	5.88	20.95	24.78	-67.9	5.02	0.0	0.1	
13:42	227	11.08	1.53	5.91	20.73	24.69	-70.6	4.91	1.0	0.2	
13:47	↓	11.45	1.90	5.94	20.63	24.20	-68.3	4.79	0.9	0.5	
13:52	151	11.51	1.96	5.95	20.72	23.67	-64.7	4.79	0.2	0.7	
13:57	302	12.09	2.54	5.95	20.56	21.13	-44.9	4.92	0.0	1.1	
14:02	76	12.09		5.97	20.67	20.96	-44.4	4.90	0.0	1.2	
14:07	↓	12.09		5.98	20.67	20.68	-44.8	4.86	0.0	1.3	
14:12	227	12.09		6.00	20.67	20.67	-45.3	4.78	0.0	1.4	
14:17	↓	12.09		6.01	20.67	20.53	-45.0	4.68	0.0	1.7	1
14:27	114	12.09		6.01	20.66	19.75	-45.0	4.59	0.0	2.0	
14:37	↓	12.09		6.02	20.64	18.59	-43.4	4.48	0.0	2.2	
14:47	↓	12.09		6.02	20.67	18.05	-41.7	4.37	0.0	2.5	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg. 7 BCP Site 9-30-138
 Ref. No.: 56546.24

Date: 5/11/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-7-A-6
 Measurement Point: TOR
 Constructed Well Depth (ft): 14.25
 Measured Well Depth (ft): 14.31
 Depth of Sediment (ft): NA

Screen Length (ft): _____
 Depth to Pump Intake (ft)⁽¹⁾: 12'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (ft³)⁽²⁾: 2.0 gal
 Initial Depth to Water (ft): 2.28

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml/gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
812		2.61	0.33	6.77	11.95	2.944	93.0	4.74	24.2	0	
817		2.70	0.42	6.69	11.96	2.511	64.1	1.19	13.2	0.2	
822		2.70		6.70	11.94	2.190	59.2	1.10	17.3	0.5	
827		2.70		6.70	11.97	2.168	51.8	0.94	8.1	0.9	
832		2.70		6.70	12.03	2.262	43.5	0.85	6.3	1.2	
837		2.70		6.70	12.05	2.311	39.0	0.81	5.0	1.4	
842		2.70		6.70	12.07	2.358	35.2	0.78	4.8	1.7	
847		2.70		6.70	12.15	2.428	31.4	0.72	2.5	2.0	1
852		2.70		6.70	12.19	2.470	29.7	0.71	2.1	2.2	
857		2.70		6.70	12.21	2.481	29.2	0.70	1.9	2.4	
902		2.70		6.70	12.23	2.483	29.5	0.69	1.8	2.7	

Notes:

PID = 100 (ppm)

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5 \cdot 12) \cdot (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg. 7 BCP Site 9-30-138 WELL# MW-7-A6

WELL PURGING INFORMATION
 PURGE DATE (MM/DD/YY) 01/5/12 SAMPLE DATE (MM/DD/YY) 01/5/12 WATER VOL. IN CASING (LITRES/GALLONS) 120 ACTUAL VOLUME PURGED (LITRES/GALLONS) 40

PURGING AND SAMPLING EQUIPMENT
 PURGING EQUIPMENT: DEDICATED Y (CIRCLE ONE)
 SAMPLING EQUIPMENT: DEDICATED Y (CIRCLE ONE)

PURGING DEVICE: B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - BAILEY X-
 B B - PERISTALTIC PUMP E - PURGE PUMP H - WATERBAG PURGING OTHER (SPECIFY)
 SAMPLING DEVICE: B C - BLADDER PUMP F - DIPPER BOTTLE X-
 B SAMPLING OTHER (SPECIFY)
 PURGING DEVICE: E A - TEFLON D - PVC X-
 E B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY)
 SAMPLING DEVICE: E C - POLYPROPYLENE X-
 E SAMPLING OTHER (SPECIFY)
 PURGING DEVICE: E A - TEFLON D - POLYPROPYLENE F - SILICONE X-
 E B - TYGON E - POLYETHYLENE G - COMBINATION PURGING OTHER (SPECIFY)
 SAMPLING DEVICE: E C - ROPE X- TEFLON/POLYPROPYLENE X-
 E SAMPLING OTHER (SPECIFY)
 FILTERING DEVICES 0-15: A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS
 WELL ELEVATION (m/ft) _____ GROUNDWATER ELEVATION (m/ft) _____
 DEPTH TO WATER (m/ft) 228 WELL DEPTH (m/ft) 1431
 pH (mV) _____ TURBIDITY (ntu) _____ CONDUCTIVITY (µmhos/cm) _____ ORP (mV) _____ DO (mg/L) _____ SAMPLE TEMPERATURE (°C) _____
 (mV) _____ (ntu) _____ (µmhos/cm) AT 25°C _____ (mV) _____ (mg/L) _____ (°C) _____
 (mV) _____ (ntu) _____ (µmhos/cm) AT 25°C _____ (mV) _____ (mg/L) _____ (°C) _____
 (mV) _____ (ntu) _____ (µmhos/cm) AT 25°C _____ (mV) _____ (mg/L) _____ (°C) _____
 (mV) _____ (ntu) _____ (µmhos/cm) AT 25°C _____ (mV) _____ (mg/L) _____ (°C) _____

FIELD COMMENTS
 SAMPLE APPEARANCE: Good ODOUR: none COLOR: Clear TURBIDITY: Clear
 WEATHER CONDITIONS: WIND SPEED: 0-5 DIRECTION: SW PRECIPITATION Y/N OUTLOOK: an rain
 SPECIFIC COMMENTS: slight sheen in purge water

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE REGULATIONS
 DATE: 5/1/12 PRINT: Thomas Bohlen SIGNATURE: Thomas Bohlen

EMC MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

esiAmerica Buffalo

1 Hazelwood Drive
 Tonawanda, NY 14228-2298
 Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

Client Information	Sampler: <u>T. Bohlen</u>	Lab PM: <u>Deyo, Melissa L</u>	Carrier Tracking No(s):	COC No: <u>480-23685-5992.3</u>
Client Contact: <u>Mr. Christopher Boron</u>	Phone: <u>716 655-2300</u>	E-Mail: <u>melissa.deyo@testamericainc.com</u>		Page: <u>Page 3 of 4</u>

Company: <u>ZA GeoEnvironmental, Inc.</u>	Analysis Requested			Job #:	
Address: <u>35 Washington Street 11th Floor</u>	Due Date Requested:	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) RSK_175_CO2 - Carbon dioxide VFA_IC - Standard VFA Compounds 350.1 - Ammonia 6010B - (MOD) TAL Metals ICP 8250B - (MOD) TCL list OLM04.2 9080 - Total Organic Carbon RSK_175 - (MOD) Local Method SM4500_S2_D - Sulfide 353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E 2320B - Total Alkalinity	Total Number of containers	Preservation Codes:	
City: <u>Buffalo</u>	TAT Requested (days):			A - HCL	M - Hexane
State, Zip: <u>NY, 14203</u>	PO #: <u>4047065</u>			B - NaOH	N - None
Phone: <u>716 655-2300</u>	WO #: <u>58507</u>			C - Zn Acetate	O - AsNaO2
Email: <u>christopher.boron@gza.com</u>	Project #: <u>48004014</u>	D - Nitric Acid	P - Na2O4S	E - NaHSO4	Q - Na2SO3
Project Name: <u>58507, GM-Lockport Groundwater Sampling</u>	SSOW#:	F - MeOH	R - Na2S2SO3	G - Amchlor	S - H2SO4
IR: <u>Bldey 7 BCP Site 9-30-13.8</u>		H - Ascorbic Acid	T - TSP Dodecahydrate	I - Ice	U - Acetone
		J - DI Water	V - MCAA	K - EDTA	W - ph 4-5
		L - EDA	Z - other (specify)	Other:	

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oli, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8250B - (MOD) TCL list OLM04.2	9080 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Total Number of containers	Special Instructions/Note:
				Preservation Code:	X	X	N	N	S	D	A	A	A	CB	N	N		
MW-7-1-042712-1000	4/27/12	1000	G	Water			X	X	X	X	X	X	X	X	X	X		
MW-7-3-042712-1330	↓	1330	↓	Water			↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
MW-7-4-042712-1415	↓	1415	↓	Water			↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
Trip Blank				Water														

Possible Hazard Identification: Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month): Return To Client Disposal By Lab Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <u>Thomas Bohlen</u>	Date/Time: <u>4/27/12 / 1720</u>	Company: <u>GZA</u>	Received by: <u>Thomas Bohlen</u>
Relinquished by:	Date/Time:	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by:

Custody Seals Intact: Yes No

Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks:

10 Hazelwood Drive
 Amherst, NY 14228-2298
 Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



Client Information		Sampler: <u>T. Bohlen</u>		Lab PM: Deyo, Melissa L		Carrier Tracking No(s):		COC No: 480-23685-5992.4															
Client Contact: Mr. Christopher Boron		Phone: <u>716 685-2300</u>		E-Mail: melissa.deyo@testamericainc.com				Page: Page 4 of 4															
Company: GZA GeoEnvironmental, Inc.				Analysis Requested				Job #:															
Address: 535 Washington Street 11th Floor		Due Date Requested:		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Total Number of containers															
City: Buffalo		TAT Requested (days):																					
State, Zip: NY, 14203																							
Phone:		PO #: 4047065																					
Email: christopher.boron@gza.com		WO #: 58507																					
Project Name: 058507, GM-Lockport Groundwater Sampling		Project #: 48004014																					
Site: <u>Bldg 7 BCP Site 9-32-138</u>		SSOW#:		RSK_175 - Carbon dioxide		VFA_IC - Standard VFA Compounds		350.1 - Ammonia		6010B - (MOD) TAL Metals ICP		8260B - (MOD) TCL list OLM04.2		9060 - Total Organic Carbon		RSK_175 - (MOD) Local Method		SM4500_S2_D - Sulfide		353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E		2320B - Total Alkalinity	
Preservation Codes:																							
A - HCL		M - Hexane																					
B - NaOH		N - None																					
C - Zn Acetate		O - AsNaO2																					
D - Nitric Acid		P - Na2O4S																					
E - NaHSO4		Q - Na2SO3																					
F - MeOH		R - Na2S2SO3																					
G - Amchlor		S - H2SO4																					
H - Ascorbic Acid		T - TSP Dodecahydrat																					
I - Ice		U - Acetone																					
J - DI Water		V - MCAA																					
K - EDTA		W - ph 4-5																					
L - EDA		Z - other (specify)																					
Other:																							
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)		Preservation Code:		Special Instructions/Note:											
<u>MW-7-8-050212-0730</u>		<u>5/2/12</u>		<u>7:30</u>		<u>G</u>		<u>Water</u>		<u>N N S D A A A CB N N</u>		<u>20</u>											
<u>Trip Blank</u>																							
Possible Hazard Identification		<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																	
Deliverable Requested: I, II, III, IV, Other (specify)				Special Instructions/QC Requirements:																			
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:																	
Relinquished by: <u>Thomas Bohlen</u>		Date/Time: <u>5/2/12 / 1800</u>		Company: <u>GZA</u>		Received by: <u>Zachary J. DeLeon</u>		Date/Time: <u>5/2/12 1800</u>		Company: <u>BUF</u>													
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:													
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:													
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:				Cooler Temperature(s) °C and Other Remarks:																	

TestAmerica Buffalo

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

Client Information	Sampler: <i>T. Bohlen</i>	Lab PM: Deyo, Melissa L	Carrier Tracking No(s):	COC No: 480-23685-5992.4
Client Contact: Mr. Christopher Boron	Phone: <i>716-685-2300</i>	E-Mail: melissa.deyo@testamericainc.com		Page: Page 4 of 4

Company: GZA GeoEnvironmental, Inc.	Due Date Requested:	Analysis Requested		Job #:
--	---------------------	---------------------------	--	--------

Address: 535 Washington Street 11th Floor	TAT Requested (days):	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) RSK_175_CO2 - Carbon dioxide VFA_IC - Standard VFA Compounds 350.1 - Ammonia 6010B - (MOD) TAL Metals ICP 8250B - (MOD) TCL list OLM04.2 9060 - Total Organic Carbon RSK_175 - (MOD) Local Method SM4500_S2_D - Sulfide 353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E 2320B - Total Alkalinity	Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - ph 4-5 Z - other (specify)
City: Buffalo	PO #: 4047065		
State, Zip: NY, 14203	WO #: 58507		
Phone:	Project #: 48004014		
Email: christopher.boron@gza.com	SSOW#:		

Project Name: 058507, GM-Lockport Groundwater Sampling	Site: <i>Bldg 7 BCP Site 9-32-138</i>	Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8250B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Total Number of containers	Special Instructions/Note:
---	--	-----------------------	-------------	-------------	---------------------------------	--	-----------------------------------	----------------------------	------------------------------	---------------------------------	-----------------	------------------------------	--------------------------------	-----------------------------	------------------------------	-----------------------	---	--------------------------	----------------------------	----------------------------

Sample Identification	Sample Date	Sample Time	Sample Type	Matrix	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8250B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Total Number of containers	Special Instructions/Note:
							N	N	S	D	A	A	A	CB	N	N		
<i>MW-7-C-2-050312-1015</i>	<i>5/3/12</i>	<i>1015</i>	<i>G</i>	<i>Water</i>			<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>30</i>	
<i>MW-7-P-1-050312-1530</i>	<i>↓</i>	<i>1530</i>	<i>↓</i>				<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>↓</i>	
<i>Trip Blank</i>																		

Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>Thomas Bohlen</i>	Date/Time: <i>5/3/12 /</i>	Company:	Received by:
Relinquished by: <i>Jawn Miller</i>	Date/Time: <i>5/3/12 19:40</i>	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by:

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:
---	-------------------	---

INSTRUMENT CALIBRATION RECORD

PROJECT	Bldg 7 BCP Site 9-32-138	PROJECT MANAGER	C. Baron
LOCATION	Lockport, NY	FIELD REP.	T. Bohlen
CLIENT		DATE	

Instrument	Date Calibrated	By	Standard Used	Decontamination, Maintenance, or Repair Performed	Remarks
Horiba ^{u-} 52	4/26/12	VB	Cal. Sol.	Cleaning & Cal.	OK
Mini Rae 3000 PID	"	"	Cal Gas	Cal.	OK
YSI	"	"	Cal. Solutions	Cal.	OK
Mini Rae 3000 PID	4/27/12	VB	Cal. Gas	Cal.	OK
YSI	"	"	Cal. Solutions	Cleaning & Cal.	OK
Mini Rae 3000 PID	4/30/12	"	Cal. Gas	Cal	OK
YSI	"	"	Cal. Solutions	Cleaning & Cal.	OK
Mini Rae 3000 PID	5/1/12	VB	Cal Gas.	Cal.	OK
YSI	"	"	Cal. Solutions	Cleaning & Cal	OK
Mini Rae 3000 PID	5/2/12	VB	Cal Gas	Cal	OK
YSI	"	"	Cal. Solutions	Cleaning & Cal	OK

Other Remarks:

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

INSTRUMENT CALIBRATION RECORD

PROJECT <u>Bldg 7 BCP Site 9-30-138</u>	PROJECT MANAGER <u>C. Boron</u>
LOCATION <u>Lockport, NY</u>	FIELD REP. <u>T. Bohlen</u>
CLIENT _____	DATE _____

Instrument	Date Calibrated	By	Standard Used	Decontamination, Maintenance, or Repair Performed	Remarks
Mini Rae 3000 PID	5/3/12	YB	Cal Gas	Cal.	OK
YSI	"	"	Cal Sol.	Cleaning & Cal.	OK

Other Remarks: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

1900 Brewerton Road
Mattydale, NY 13211
Toll-free: (877) 903-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 5781
Description YSI 6920
Calibrated 4/25/2012

Manufacturer YSI
Model Number 6920
Serial Number/ Lot Number 04E8620AA
Location New York
Department

State Certified
Status Pass
Temp °C 19.3
Humidity % 41

Calibration Specifications

				Range Acc %			
				Reading Acc %			
				Plus/Minus			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
Group # 1				0.0000			
Group Name PH				3.0000			
Stated Accy Pct of Reading				0.00			
7.00 / 7.00	PH	7.00	PH	7.00	7.00	0.00%	Pass
4.00 / 4.00	PH	4.00	PH	4.00	4.00	0.00%	Pass
10.00 / 10.00	PH	10.00	PH	9.94	9.98	-0.20%	Pass
Group # 2				0.0000			
Group Name Turbidity				3.0000			
Stated Accy Pct of Reading				0.00			
0.00 / 0.00	NTU	0.00	NTU	0.00	0.00	0.00%	Pass
126.00 / 126.00	NTU	126.00	NTU	126.00	126.00	0.00%	Pass
Group # 3				0.0000			
Group Name Conductivity				3.0000			
Stated Accy Pct of Reading				0.000			
1.413 / 1.413	ms/cm	1.413	ms/cm	1.413	1.413	0.00%	Pass
Group # 4				0.0000			
Group Name Redox (ORP)				3.0000			
Stated Accy Pct of Reading				0.00			
240.00 / 240.00	mv	240.00	mv	240.00	240.00	0.00%	Pass
Group # 5				0.0000			
Group Name Dissolved Oxygen Span				3.0000			
Stated Accy Pct of Reading				0.00			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

1900 Brewerton Road
Mattydale, NY 13211
Toll-free: (877) 903-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 5781
Description YSI 6920
Calibrated 4/25/2012

Group # 5				Range Acc % 0.0000			
Group Name Dissolved Oxygen Span				Reading Acc % 3.0000			
Stated Accy Pct of Reading				Plus/Minus 0.00			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>Fnd As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
100.00 / 100.00	%	100.00	%	100.00	100.00	0.00%	Pass
Group # 6							
Group Name Dissolved Oxygen Zero							
Test Performed: No		As Found Result: Not Entered		As Left Result: Not Entered			

<u>Test Instruments Used During the Calibration</u>					<u>(As Of Cal Entry Date)</u>	
<u>Test Standard ID</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Model Number</u>	<u>Serial Number / Lot Number</u>	<u>Last Cal Date / Opened Date</u>	<u>Next Cal Date / Expiration Date</u>
NY COND 1.413 9084	NY COND 1.413	Aurical	SL20014-5G	9084		7/12/2012
NY ORP 240 MV 2981	NY ORP 240 mV	Hanna	SL50005-500	2981		1/31/2016
NY PH 10 2101326	NY PH 10	VWR	SL10010-5G	2101326		7/31/2012
NY PH 4	NY PH 4	VWR	SL10004-5G	2010169		9/30/2012
NY PH 7	NY PH 7	VWR	SL1007-5G	2011038		10/31/2012

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Joe Filippi

All instruments are calibrated by Pine Environmental Services, Inc. according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

**Notify Pine Environmental Services, Inc. of any defect within 24 hours of receipt of equipment
Please call 866-960-7463 for Technical Assistance**



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

2225 Tomlynn Street
Richmond, Va. 23230
Toll-free: (866) 801-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 15020
Description MiniRae 3000
Calibrated 4/23/2012

Manufacturer Rae Systems	State Certified
Model Number PGM-7320	Status Pass
Serial Number/ Lot Number 592-902204	Temp °C 18
Location Virginia	Humidity % 34
Department	

Calibration Specifications

Group # 1	Range Acc % 0.0000
Group Name Isobutylene	Reading Acc % 3.0000
Stated Accy Pct of Reading	Plus/Minus 0.00

<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>Fnd As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
100.00 / 100.00	PPM	100.00	PPM	100.00	100.00	0.00%	Pass

Test Instruments Used During the Calibration

(As Of Cal Entry Date)

<u>Test Standard ID</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Model Number</u>	<u>Serial Number / Lot Number</u>	<u>Last Cal Date / Expiration Date / Opened Date</u>
NY ISO 100 LOT# 0319FD12	NY ISO 100	American Gas Group	GP11015	0319FD12	4/30/2016

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Timothy Walsh

All instruments are calibrated by Pine Environmental Services, Inc. according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

**Notify Pine Environmental Services, Inc. of any defect within 24 hours of receipt of equipment
Please call 866-960-7463 for Technical Assistance**

SAMPLE COLLECTION DATA SHEET - GROUNDWATER SAMPLING PROGRAM

PROJECT NAME Bldg 8 BCP Site 9-32-139 PROJECT NO. 56546
 SAMPLING CREW MEMBERS T. Bohlen SUPERVISOR C. Boron
 DATE OF SAMPLE COLLECTION 4/25/12 - 5/3/12

[Note: For 2" dia. well, 1 ft. = 0.14 gal (imp) or 0.16 gal (us)]

Sample I.D. Number	Well No.	Measuring Point Elev. (ft. AMSL)	Bottom Depth (ft. btoc)	Water Depth (ft. btoc)	Water Elevation (ft. AMSL)	Well Volume (gallons)	Bailer Volume No. Bails	Volume Purged (gallons)	Field pH	Field Temp.	Field Cond.	Time	Sample Description & Analysis
MW-6-1-04356-0915	MW-6-1	598.23	18.82	2.23	596.00	16.59' 2.7	/	3.6	6.97	10.23	3.97	915	MW-6-1 GW
MW-6-2-04056-1130	MW-6-2	609.33	26.12	3.52	605.81	22.6' 3.7	/	6.0	6.94	12.12	10.7	1130	MW-6-1 GW
MW-8-4-042512-1800	MW-8-4	613.42	21.39	6.67	606.75	14.72' 2.4	/	6.0	7.02	13.81	12.2	1511	MW-8-4 GW
MW-6-F-8-042512-1730	MW-6-F-8	613.22	14.32	2.46	610.76	11.86' 1.9	/	3.0	6.96	10.57	13.0	1730	MW-6-F-8 GW
DUP	MW-6-2						/						
MW-8-3-050112-1540	MW-8-3	615.06	22.02	8.76	606.30	13.26' 2.2	/	3.7	6.59	20.59	5.912	1758	MW-8-3 GW
MW-8-003-B-043012-1400	MW-8-003-B	610.94	14.36	4.85	606.09	9.51' 1.6	/	3.8	7.27	11.88	13.62	1355	MW-8-003-B GW
MW-8-1-043012-1700	MW-8-1	615.11	20.26	5.42	609.69	14.84' 2.4	/	4.0	6.73	13.50	6.616	1657	MW-8-1 GW

Additional Comments _____

Copies to: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

SAMPLE COLLECTION DATA SHEET - GROUNDWATER SAMPLING PROGRAM

PROJECT NAME Bldg 8 BCP Site 9-32-139

PROJECT NO. 56546.24

SAMPLING CREW MEMBERS T. Bohlen

SUPERVISOR C. Boron

DATE OF SAMPLE COLLECTION 4/25/12 - 5/13/12

[Note: For 2" dia. well, 1 ft. = 0.14 gal (imp) or 0.16 gal (us)]

Sample I.D. Number	Well No.	Measuring Point Elev. (ft. AMSL)	Bottom Depth (ft. btoc)	Water Depth (ft. btoc)	Water Elevation (ft. AMSL)	Well Volume (gallons)	Bailer Volume No. Bails	Volume Purged (gallons)	Field pH	Field Temp.	Field Cond.	Time	Sample Description & Analysis
MW-8-2-050312-1830	MW-8-2	615.14	22.69	7.70	607.44	14.99 2.4	/	4.2	6.78	20.38	1.992	1815	MW-8-2 SW
							/						
							/						
							/						
							/						
							/						
							/						
							/						
							/						

Additional Comments: _____

Copies to: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

17700(7) PART C FMG-06-107
Revision 3, October 29, 2002

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 RCP Site 9-3J-139
 Ref. No.: 5654p

Date: 4/25/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-6-1
 Measurement Point: TDR
 Constructed Well Depth (ft): 17' bags
 Measured Well Depth (ft): 18.80'
 Depth of Sediment (ft): -

Screen Length (ft): 7-17'
 Depth to Pump Intake (ft)⁽¹⁾: 15'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (ml)⁽²⁾: 2.7
 Initial Depth to Water (ft): 2.23'

OVM = 0

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
819	78	3.08	0.85	6.62	9.57	3.59	-42	1.35	136	0.1	
824	↓	3.47	1.24	6.90	9.84	3.66	-84	0.00	57.8	0.2	
829	240 *	3.49	1.26	6.95	9.89	3.67	-91	0.00	34.8	0.3	
834		3.49	1.26	6.96	9.96	3.72	-94	0.00	35.8	1	
839		3.49	1.26	6.96	10.00	3.78	-94	0.00	34.0	1.2	
844		3.49	1.26	6.97	10.04	3.83	-94	0.00	37.7	1.6	
849		3.49	1.26	6.97	10.11	3.88	-94	0.00	39.8	2.0	
853		3.49	1.26	6.96	10.11	3.92	-94	0.00	46.5	2.2	
857		3.49	1.26	6.97	10.13	3.93	-94	0.00	39.5	2.5	
902		3.49	1.26	6.97	10.15	3.96	-94	0.00	39.8	2.9	1
907	↓	3.49	1.26	6.97	10.23	3.97	-94	0.00	46.3	3.1	

Notes:

*- calculated using 2L bottle & stopwatch

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

WELL PURGING FIELD INFORMATION FORM

JOB# 56543

SITE/PROJECT NAME: Bldg 8 BCP Site 9-30-139 WELL# MW-6-1

PURGE DATE (MM/DD/YY)
 SAMPLE DATE (MM/DD/YY)
 WATER VOL. IN CASING (LITRES/GALLONS)
 ACTUAL VOLUME PURGED (LITRES/GALLONS)

PURGING EQUIPMENT DEDICATED Y (CIRCLE ONE)
 SAMPLING EQUIPMENT DEDICATED Y (CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - BAILEY X- _____
 B - PERISTALTIC PUMP E - PURGE PUMP H - WATERRAE PURGING OTHER (SPECIFY) _____
 SAMPLING DEVICE B C - BLADDER PUMP F - LIPPER BOTTLE X- _____
 SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - PVC X- _____
 B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY) _____
 SAMPLING DEVICE E C - POLYPROPYLENE X- _____
 SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE F - SILICONE X- _____
 B - TYGON E - POLYETHYLENE G - COMBINATION PURGING OTHER (SPECIFY) _____
 SAMPLING DEVICE E C - ROPE X- _____ TEFLON/POLYPROPYLENE X- _____
 SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION (m/ft) GROUNDWATER ELEVATION (m/ft)
 DEPTH TO WATER (m/ft) WELL DEPTH (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

FIELD COMMENTS

SAMPLE APPEARANCE Good ODOR None COLOR Yellow-Clear TURBIDITY Cloudy-Clear
 WEATHER CONDITIONS WIND SPEED 0-5 DIRECTION SW PRECIPITATION Y/N OUTLOOK N
 SPECIFIC COMMENTS _____

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CAP PROTOCOLS
4/25/12 Thomas Bohlen Thomas Bohlen
 DATE PRINT SIGNATURE

EMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Rd 8 BCP site 9-32-139
 Rel. No.: 56543

Date: 4/25/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-6-2 DUP
 Measurement Point: TDR
 Constructed Well Depth (ft): 24.6
 Measured Well Depth (ft): 26.12
 Depth of Sediment (ft): -

Screen Length (ft): 14.6' - 24.6'
 Depth to Pump Intake (ft)⁽¹⁾: 19'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 3.7 gal
 Initial Depth to Water (ft): 3.52'

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
10:13		3.95	0.43	7.26	11.71	6.00	78	3.11	4.6	0	
10:18		4.02	0.50	7.03	11.68	8.5	53	0.00	2.5	0.2	
10:23		4.04	0.52	6.95	11.83	10.6	13	0.00	2.3	0.9	
10:28		4.04	0.52	6.95	11.85	10.7	16	0.00	1.7	1.1	
10:32		4.04	0.52	6.94	11.87	10.8	20	0.00	1.1	1.3	
10:37	250	4.05	0.53	6.95	11.92	10.8	23	0.00	0.0	1.8	
10:42		4.05		6.95	11.93	10.7	25	0.00	0.0	2.1	
10:47		4.05		6.94	11.96	10.7	27	0.00	0.0	2.5	
10:58		4.05		6.94	11.98	10.7	34	0.00	0.0	3.2	
11:08		4.05		6.95	12.02	10.7	36	0.00	0.0	4.0	1
11:20		4.05		6.94	12.06	10.7	41	0.00	0.0	4.6	
11:31		4.05		6.93	12.10	10.7	40	0.00	0.0	5.2	
11:36		4.05		6.94	12.12	10.7	42	0.00	0.0	5.5	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 BCP Site 9-3J-139
 Ref. No.: 56546

Date: 4/25/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-6-F-8
 Measurement Point: TOP
 Constructed Well Depth (ft): 15.4
 Measured Well Depth (ft): 14.32
 Depth of Sediment (ft): _____

Screen Length (ft): 8-154
 Depth to Pump Intake (ft)⁽¹⁾: 10'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (mL)⁽²⁾: 1.9 gal
 Initial Depth to Water (ft): 2.46

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
1644	227	2.82		6.97	13.00	14.3	66	0.68	83.7	0	
1649		2.84		6.92	12.69	14.2	76	0.00	27.3	0.3	
1654		2.84		6.91	12.67	14.0	79	0.00	15.5	0.6	
1701		2.84		6.93	12.60	13.9	82	0.00	8.3	1	
1706		2.84		6.94	12.63	13.7	83	0.00	5.9	1.3	
1711		2.84		6.95	13.60	13.6	84	0.00	2.2	1.5	
1716		2.84		6.97	12.56	13.1	84	0.00	1.9	2	1
1721		2.84		6.96	12.57	13.0	84	0.00	2.0	2.2	

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 BCP Site 9-30-139
 Ref. No.: 56346.24

Date: 4/30/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-1 10fd
 Measurement Point: TDR
 Constructed Well Depth (ft): 22.5'
 Measured Well Depth (ft): 20.26
 Depth of Sediment (ft): _____

Screen Length (ft): 15.5' - 22.5'
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (ml)⁽²⁾: 2.4 gal
 Initial Depth to Water (ft): 5.42

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml.)	No. of Well Screen Volumes Purged ⁽⁴⁾
1516		5.84	0.42	7.15	13.30	6.278	71.0	3.51	134.0	0	
1517		5.93	0.51	6.81	13.53	6.543	-53.8	1.22	55.0	0.2	
1520		5.96	0.54	6.75	13.50	6.624	-74.1	0.79	40.6	0.4	
1527		5.98	0.56	6.73	13.56	6.646	-83.7	0.67	38.8	0.8	
1532		6.06	0.64	6.74	13.56	6.643	-90.0	0.62	32.4	1.0	
1537		6.06		6.73	13.53	6.652	-94.0	0.60	30.5	1.7	
1542		6.06		6.71	13.52	6.662	-96.8	0.54	25.8	1.2	
1547		6.06		6.74	13.49	6.665	-100.5	0.52	20.0	1.4	
1552		6.06		6.74	13.48	6.663	-102.2	0.51	18.3	1.7	
1557		6.06		6.71	13.45	6.660	-106.2	0.51	13.7	1.9	
1602		6.06		6.71	13.44	6.659	-107.9	0.49	15.6	2.1	
1612		6.06		6.71	13.46	6.641	-112.5	0.51	16.0	2.2	
1622		6.06	↓	6.74	13.45	6.635	-119.4	0.51	11.7	2.4	1

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 BCP Site 9-30-139
 Rel. No.: 56546.04

Date: 4/30/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-1 2 of 2
 Measurement Point: DR
 Constructed Well Depth (ft): 21.5'
 Measured Well Depth (ft): 20.26'
 Depth of Sediment (ft): _____

Screen Length (ft): 15.5' - 21.5'
 Depth to Pump Intake (ft)⁽¹⁾: 17'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 2.4 gal
 Initial Depth to Water (ft): 5.42

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml.)	No. of Well Screen Volumes Purged ⁽⁴⁾
1632		6.06	0.64	6.72	13.45	6.622	-127.7	0.48	12.8	2.7	1
1640		6.06	0.64	6.72	13.47	6.618	-128.1	0.50	10.5	3.1	
1647		6.06	0.64	6.72	13.49	6.618	-130.2	0.49	11.0	3.2	
1652		6.06	0.64	6.72	13.48	6.619	-130.9	0.49	10.1	3.3	
1657		6.06	0.64	6.73	13.50	6.616	-132.4	0.49	9.8	3.4	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \cdot 12)(2.54)^3$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 BCP Site 9-30-139
 Ref. No.: 56-546-24

Date: 5/3/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-2 / 10f2
 Measurement Point: TOR
 Constructed Well Depth (ft): 23.0
 Measured Well Depth (ft): 22.69
 Depth of Sediment (ft): _____

Screen Length (ft): 7
 Depth to Pump Intake (ft)⁽¹⁾: 19
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (ft³)⁽²⁾: 2.4
 Initial Depth to Water (ft): 7.70

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml) ⁽⁴⁾	No. of Well Screen Volumes Purged ⁽⁴⁾
1655	76	8.88		7.59	20.77	2.094	146.4	7.65	5.9	0	
1700	↓	10.00		7.42	20.33	1.867	174.0	6.07	2.7	0.2	
1705	151	10.00		7.36	20.46	1.850	158.6	5.62	1.0	0.3	
1710		10.00		7.19	20.42	1.871	66.4	5.13	1.0	0.5	
1715		10.00		7.14	20.39	1.868	27.9	4.92	0.2	0.7	
1720		10.00		6.99	20.37	1.859	-19.3	4.53	0.0	0.9	
1725		10.00		6.94	20.38	1.867	-44.6	4.27	0.8	1.1	
1730		10.00		6.92	20.39	1.894	-57.7	4.11	1.0	1.2	
1740		10.00		6.87	20.38	1.935	-74.2	3.84	2.2	1.4	
1750		10.00		6.81	20.40	1.966	-82.7	3.59	0.5	1.9	
1800		10.00		6.80	20.40	1.985	-98.3	3.51	0.7	2.1	
1805		10.00		6.79	20.38	1.989	-98.5	3.49	0.4	2.3	
1810	↓	10.00		6.79	20.38	1.990	-99.0	3.48	0.3	2.5	1

Notes:

PID = 4.17 ppm

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi (D/2)^2 (5 \times 12) (2.54)^3$
- (3) The draw-down from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 8 BCP Site 9-30-139 WELL# MW-8-2

WELL PURGING INFORMATION
 PURGE DATE (MM DD YY) 05/03/12 SAMPLE DATE (MM DD YY) 05/03/12 WATER VOL IN CASING (LITRES/GALLONS) 124 ACTUAL VOLUME PURGED (LITRES/GALLONS) 142

PURGING AND SAMPLING EQUIPMENT
 PURGING EQUIPMENT... DEDICATED Y (CIRCLE ONE) SAMPLING EQUIPMENT... DEDICATED N (CIRCLE ONE)

PURGING DEVICE	<input checked="" type="checkbox"/> B	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILEY	X-	_____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERBAY		PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> B	C - BLADDER PUMP	F - DIPPER BOTTLE		X-	_____
						SAMPLING OTHER (SPECIFY)
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - PVC		X-	_____
		B - STAINLESS STEEL	E - POLYETHYLENE			PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - POLYPROPYLENE			X-	_____
						SAMPLING OTHER (SPECIFY)
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - POLYPROPYLENE	F - SILICONE	X-	_____
		B - TYGON	E - POLYETHYLENE	G - COMBINATION		PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - ROPE	X- _____ (SPECIFY)	TEFLON/POLYPROPYLENE	X-	_____
						SAMPLING OTHER (SPECIFY)

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 61514 (m/ft) GROUNDWATER ELEVATION _____ (m/ft)
 DEPTH TO WATER 770 (m/ft) WELL DEPTH 2300 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<u>7.0</u> (std)	<u>0.5</u> (ntu)	<u>150</u> (µm/cm AT 25°C)	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>75</u> (°C)
<u>7.0</u> (std)	<u>0.5</u> (ntu)	<u>150</u> (µm/cm AT 25°C)	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>75</u> (°C)
<u>7.0</u> (std)	<u>0.5</u> (ntu)	<u>150</u> (µm/cm AT 25°C)	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>75</u> (°C)
<u>7.0</u> (std)	<u>0.5</u> (ntu)	<u>150</u> (µm/cm AT 25°C)	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>75</u> (°C)
<u>7.0</u> (std)	<u>0.5</u> (ntu)	<u>150</u> (µm/cm AT 25°C)	<u>150</u> (mV)	<u>1.0</u> (mg/L)	<u>75</u> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good ODOUR Organic COLOUR Clear TURBIDITY _____
 WEATHER CONDITIONS WIND SPEED 0-5 DIRECTION SW PRECIPITATION Y/N OUTLOOK
 SPECIFIC COMMENTS Summary ~ 75°F - interior location

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CM PROTOCOLS
 DATE 5/3/12 PRINT Thomas Bohlen SIGNATURE Thomas Bohlen

EMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 RCP Site 9-32-139
 Ref. No.: 56846.24

Date: 4/27/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-3
 Measurement Point: TDR
 Constructed Well Depth (ft): 20.4
 Measured Well Depth (ft): 22.02
 Depth of Sediment (ft): 0.08

Screen Length (ft): 15.4 - 22.4 = 7'
 Depth to Pump Intake (ft)⁽¹⁾: 18'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (ml)⁽²⁾: 2.2 gal
 Initial Depth to Water (ft): 8.76'

4/27/12

4/30/12

5/1/12

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml) <u>gal</u>	No. of Well Screen Volumes Purged ⁽⁴⁾
1548		9.84		7.08	20.20	7.826	-98.7	3.26	21.8	0	
1553		10.69		7.06	20.44	6.213	-65.3	2.74	10.3	0.3	
1558		15.86		6.98	20.50	6.058	-13.6	2.72	6.3	1.1	
1603		17.25		6.84	20.57	6.022	7.8	1.89	9.3	1.6	
DRY	on 4/27/12									2.0	
1744		10.05		6.74	19.91	6.805	3.7	4.22	80.5	0	
1749		13.38		6.59	20.45	5.934	31.6	2.83	1.9	0.5	
1754		15.98		6.58	20.52	5.913	40.8	2.77	0.2	1.1	
1758		17.59		6.59	20.59	5.912	46.8	2.81	19.0	1.7	
DRY	on 4/30/12										
1536		10.44	-sampled @ 1540 on 5/1/12								

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length, $V_s = \pi \cdot (D/2)^2 \cdot (5 \cdot 12) \cdot (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s.

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 8 BCP Site 9-30-139

WELL# MW-8-3

WELL PURGING INFORMATION

10/4/13 10/1/12

PURGE DATE
(MM DD YY)

10/5/11 1/12

SAMPLE DATE
(MM DD YY)

1 1 1 2

WATER VOL. IN CASING
(LITRES/GALLONS)

1 1 3 7

ACTUAL VOLUME PURGED
(LITRES/GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT ... DEDICATED Y (CIRCLE ONE) SAMPLING EQUIPMENT ... DEDICATED N (CIRCLE ONE)

PURGING DEVICE: B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - BAILEY X- _____
B - PERISTALTIC PUMP E - PURGE PUMP H - WATERBAG PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE: B C - BLADDER PUMP F - DRIPPER BOTTLE X- _____
SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE: E A - TEFLON D - PVC X- _____
B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE: E C - POLYPROPYLENE X- _____
SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE: E A - TEFLON D - POLYPROPYLENE F - SILICONE X- _____
B - TYGON E - POLYETHYLENE G - COMBINATION PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE: E C - ROPE X- _____
(SPECIFY) _____ SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 1615.06 (m/ft) GROUNDWATER ELEVATION 1606.30 (m/ft)
DEPTH TO WATER 8.76 (m/ft) WELL DEPTH 22.40 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<u>7.0</u> (std)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>150</u> (mV)	<u>7.5</u> (mg/l)	<u>15</u> (°C)
<u>7.0</u> (std)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>150</u> (mV)	<u>7.5</u> (mg/l)	<u>15</u> (°C)
<u>7.0</u> (std)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>150</u> (mV)	<u>7.5</u> (mg/l)	<u>15</u> (°C)
<u>7.0</u> (std)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>150</u> (mV)	<u>7.5</u> (mg/l)	<u>15</u> (°C)
<u>7.0</u> (std)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>150</u> (mV)	<u>7.5</u> (mg/l)	<u>15</u> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE: Good ODDOR: none COLOR: none TURBIDITY: clear
WEATHER CONDITIONS: WIND SPEED: NA DIRECTION: NA PRECIPITATION Y/N: OUTLOOK
SPECIFIC COMMENTS: Interior location

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CM PROTOCOLS

5/1/12
DATE

Thomas Bohlen
PRINT

Thomas Bohlen
SIGNATURE

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

3785

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 BCP Site 9-32-139
 Ref. No.: 56546

Date: 4/25/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-4 1 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 21.8'
 Measured Well Depth (ft): 21.39'
 Depth of Sediment (ft): 0.41'

Screen Length (ft): 14.8 - 21.8 = 7'
 Depth to Pump Intake (ft)⁽¹⁾: 18'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (mL)⁽²⁾: 2.40
 Initial Depth to Water (ft): 6.67

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
1350	116	7.91	1.24	7.14	13.94	12.8	-46	1.38	1.3	0	
1358	↓	9.58	2.91	7.04	13.77	13.2	-48	0.00	1.5	0.3	
1403	227	10.20	3.53	7.12	13.82	12.2	-48	0.00	1.3	0.4	
1408	↓	10.46	3.79	7.15	13.85	11.9	-48	0.00	0.7	0.5	
1413	↓	10.95	4.28	7.21	13.83	11.8	-49	0.00	1.5	0.8	
1418	103	11.32	4.65	7.20	13.79	11.5	-50	0.08	1.0	1.0	
1423	↓	11.62	4.95	7.18	13.66	11.6	-51	0.10	1.1	1.1	
1428	↓	11.91	5.24	7.16	13.74	11.7	-51	0.05	0.3	1.2	
1433	↓	12.17	5.50	7.13	13.79	11.8	-52	0.00	0.3	1.3	
1438	↓	12.38	5.71	7.11	13.79	12.0	-53	0.00	0.2	1.5	
1446	↓	12.71	6.04	7.08	13.86	12.1	-53	0.00	0.0	1.8	
1454	↓	13.07	6.40	7.06	13.81	12.2	-54	0.00	0.0	2.1	
1503	↓	13.81	7.14	7.05	13.81	12.2	-54	0.00	0.0	2.3	

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5' \cdot 12) \cdot (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 R/P Site 9-32-139
 Ref. No.: 50546

Date: 4/25/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-4 2 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 21.8
 Measured Well Depth (ft): 21.39
 Depth of Sediment (ft): 0.41

Screen Length (ft): 14.8 - 21.8 = 7'
 Depth to Pump Intake (ft)⁽¹⁾: 17.42'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (ml)⁽²⁾: 2.4 gal
 Initial Depth to Water (ft): 6.67

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
1511	103	13.49	6.82	7.02	13.81	12.2	-53	0.00	0.0	2.8	1
1534	505	13.89		7.00	13.91	12.1	-52	0.00	0.0	3.1	
1540	↓	14.85		6.96	13.55	12.2	-46	0.00	0.0	3.9	
1550		15.35		6.96	13.41	12.0	-41	0.00	10.9	4.7	
1558		17.42		7.03	13.65	12.0	-48	0.00	18.5	6.0	
1802		7.65									

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12) \times (2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 8 BCP site 9-32-139

WELL# MW-8-4

WELL PURGING INFORMATION

042512
PURGE DATE
(MM/DD/YY)

042512
SAMPLE DATE
(MM/DD/YY)

24
WATER VOL IN CASING
(LITRES/GALLONS)

60
ACTUAL VOLUME PURGED
(GALRES/GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y N
(CIRCLE ONE) SAMPLING EQUIPMENT DEDICATED Y N
(CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - BAILEY X- _____
B - PERISTALTIC PUMP E - PURGE PUMP H - WATERBATH PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE B C - BLADDER PUMP F - DIPPER BOTTLE X- _____
SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - PVC X- _____
B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - POLYPROPYLENE X- _____
SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE F - SILICONE X- _____
B - TIGON E - POLYETHYLENE G - COMBINATION PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - ROPE X- _____
(SPECIFY) _____ SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 613.82 (m/ft)

GROUNDWATER ELEVATION 606.75 (m/ft)

DEPTH TO WATER 667 (m/ft)

WELL DEPTH 2180 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
(mV)	(ntu)	(µmhos/cm) AT 25°C	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm) AT 25°C	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm) AT 25°C	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm) AT 25°C	(mV)	(mg/L)	(°C)
(mV)	(ntu)	(µmhos/cm) AT 25°C	(mV)	(mg/L)	(°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good TASTE None COLOR Clear TURBIDITY Clear
WEATHER CONDITIONS WIND SPEED 0.5 DIRECTION N PRECIPITATION (mm/INCHES) N
SPECIFIC COMMENTS _____

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE REGULATIONS

4/25/12
DATE

Thomas Bohlen
PRINT

Thomas Bohlen
SIGNATURE

FOR REVISIONS, THIS FORM MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER.

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 8 BCP Site 9-30-139
 Ref. No.: 50346.24

Date: 4/30/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-8-003-B
 Measurement Point: TDR
 Constructed Well Depth (ft): 15'
 Measured Well Depth (ft): 14.36'
 Depth of Sediment (ft): _____

Screen Length (ft): _____
 Depth to Pump Intake (ft)⁽¹⁾: 12'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (ml)⁽²⁾: 1.6 gal
 Initial Depth to Water (ft): 4.83

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
1314	151	5.02	0.17	7.83	12.40	4.533	159.4	4.81	37.8	0	
1319	454	5.02		7.46	12.03	7.132	176.5	1.68	27.5	0.2	
1324	303	5.02		7.35	12.06	9.705	183.6	1.26	17.3	0.8	
1329		5.02		7.31	12.03	11.11	181.8	1.03	12.2	1.2	
1334		5.02		7.29	12.01	11.92	176.0	0.95	8.8	1.6	
1339		5.02		7.27	11.92	11.97	164.3	0.82	4.1	2.0	
1344		5.02		7.27	11.89	13.26	156.0	0.77	2.9	2.4	
1349		5.02		7.27	11.86	13.58	151.7	0.72	2.3	2.7	
1355		5.02		7.27	11.88	13.62	150.1	0.74	2.2	3.1	

Notes:

PID = 2.1 ppm boiler in well

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

WELL PURGING FIELD INFORMATION FORM

JOB# 56546 · 24

SITE/PROJECT NAME: Bldg 8 BCP site 9-32-139 WELL# MAN-8003B

WELL PURGING INFORMATION
 PURGE DATE (MM/DD/YY): 04/30/12 SAMPLE DATE (MM/DD/YY): 04/30/12 WATER VOL IN CASING (LITRES/GALLONS): 116 ACTUAL VOLUME PURGED (LITRES/GALLONS): 3.8

PURGING AND SAMPLING EQUIPMENT
 PURGING EQUIPMENT DEDICATED Y (CIRCLE ONE) SAMPLING EQUIPMENT DEDICATED Y (CIRCLE ONE)

PURGING DEVICE B A - SUBMERSIBLE PUMP D - GAS LIFT PUMP G - RAILIE X- _____
 B - PERISTALTIC PUMP F - FUDGE PUMP H - WATERBUBB PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE B C - BLADDER PUMP E - DIPPER BOTTLE X- _____
 SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYETHYLENE X- _____
 B - STAINLESS STEEL E - POLYETHYLENE PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - POLYPROPYLENE X- _____
 SAMPLING OTHER (SPECIFY) _____

PURGING DEVICE E A - TEFLON D - POLYPROPYLENE E - SILICONE X- _____
 B - TYGON E - POLYETHYLENE F - COMBINATION PURGING OTHER (SPECIFY) _____

SAMPLING DEVICE E C - ROPE X- _____
 (SPECIFY) _____ SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.15 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS
 WELL ELEVATION 610.94 (m/ft) GROUNDWATER ELEVATION _____ (m/ft)
 DEPTH TO WATER 14.85 (m/ft) WELL DEPTH 14.36 (m/ft)
 pH _____ (mV) TURBIDITY _____ (ntu) CONDUCTIVITY _____ (µmhos/cm AT 25°C) ORP _____ (mV) DO _____ (mg/L) SAMPLE TEMPERATURE _____ (°C)
 _____ (mV) _____ (ntu) _____ (µmhos/cm AT 25°C) _____ (mV) _____ (mg/L) _____ (°C)
 _____ (mV) _____ (ntu) _____ (µmhos/cm AT 25°C) _____ (mV) _____ (mg/L) _____ (°C)
 _____ (mV) _____ (ntu) _____ (µmhos/cm AT 25°C) _____ (mV) _____ (mg/L) _____ (°C)

FIELD COMMENTS
 SAMPLE APPEARANCE Good COLOR none TASTE clear TURBIDITY cloudy → clear
 WEATHER CONDITIONS WIND SPEED 0.5 DIRECTION NW PRECIPITATION (MM/CENTIMETERS) light rain
 SPECIFIC COMMENTS _____


VERIFY THAT SAMPLING DEVICES WERE IN ACCORDANCE WITH GCI STATE REGULATIONS
 DATE 4/30/12 NAME Thomas Bohlen SIGNATURE Thomas Bohlen

ALL MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

TestAmerica Buffalo

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

Client Information	Sampler: <i>Thomas Bohlen</i>	Lab PM: Deyo, Melissa L	Carrier Tracking No(s):	COC No: 480-23685-5992.1
	Client Contact: Mr. Christopher Boron	Phone: <i>716 844-7046</i>		E-Mail: melissa.deyo@testamericainc.com

Company: GZA GeoEnvironmental, Inc.	Due Date Requested:	Analysis Requested	Preservation Codes:												
Address: 535 Washington Street 11th Floor	TAT Requested (days):			Total Number of containers											
City: Buffalo	PO #: 4047065														
State, Zip: NY, 14203	WO #: 58507														
Phone:	Project #: 48004014														
Email: christopher.boron@gza.com	SSOW#:														
Project Name: 058507, GM-Lockport Groundwater Sampling	Site: <i>Bldg 8 BCP site 9-32-139</i>	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)		RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8280B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - ph 4-5 Z - other (specify)

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8280B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Special Instructions/Note:
MW-6-1-042512-0915	4/25/12	915	G	Water	X	X	X	X	X	X	X	X	X	X	X	X	
MW-6-2-042512-1130		1130	G	Water													
MW-8-4-042512-1800		1800	G	Water													
MW-6-F-8-042512-1730		1730	G	Water													
DUP			G	Water													
Trip Blank				Water													

Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
---	---

Deliverable Requested: I, II, III, IV, Other (specify) _____

Special Instructions/QC Requirements: _____


Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>Thomas Bohlen</i>	Date/Time: <i>4/25/12 / 1910</i>	Company: <i>GZA</i>	Received by: <i>Thomas Bohlen</i>
Relinquished by:	Date/Time:	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by:

Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:
--	-------------------	---

TestAmerica Buffalo

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



THE LEADER IN ENVIRONMENTAL TESTING

Client Information Client Contact: Mr. Christopher Boron	Sampler: <i>T. Bohlen</i>	Lab PM: Deyo, Melissa L	Carrier Tracking No(s):	COC No: 480-23685-5992.4
	Phone: <i>716 695-2300</i>	E-Mail: melissa.deyo@testamericainc.com		Page: Page 4 of 4

Company: GZA GeoEnvironmental, Inc.	Analysis Requested		Job #:	
Address: 535 Washington Street 11th Floor	Due Date Requested:	Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) RSK_175_CO2 - Carbon dioxide VFA_IC - Standard VFA Compounds 350.1 - Ammonia 6010B - (MOD) TAL Metals ICP 8260B - (MOD) TCL list OLM04.2 9060 - Total Organic Carbon RSK_175 - (MOD) Local Method SM4500_S2_D - Sulfide 353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E 2320B - Total Alkalinity		
City: Buffalo	TAT Requested (days):			Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2SO3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - ph 4-5 L - EDA Z - other (specify)
State, Zip: NY, 14203	PO #: 4047065			
Phone:	WO #: 58507			
Email: christopher.boron@gza.com	Project #: 48004014			
Project Name: 058507, GM-Lockport Groundwater Sampling	SSOW#:	Other:		
Site: <i>Bldg 8 BCP Site 9-21-139</i>				

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8260B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Total Number of Containers	Special Instructions/Note:
				Preservation Code:	X	X	N	N	S	D	A	A	A	CB	N	N		
<i>MW-8-2-050312-1830</i>	<i>050312</i>	<i>1830</i>	<i>G</i>	<i>Water</i>			<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>			<i>22</i>	
<i>Trip Blank</i>																		

Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>Thomas Bohlen</i>	Date/Time: <i>5/31/12 /</i>	Company:	Received by:
Relinquished by: <i>Juan Jimenez</i>	Date/Time: <i>5/31/12 19:00</i>	Company:	Received by:
Relinquished by:	Date/Time:	Company:	Received by:

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:
-------------------------------------	-------------------	---

INSTRUMENT CALIBRATION RECORD

PROJECT <u>Bldg 8 BCP Site 9-32-139</u>	PROJECT MANAGER <u>C. Boron</u>
LOCATION <u>Lockport, NY</u>	FIELD REP. <u>T. Bohlen</u>
CLIENT _____	DATE <u>4/25/12</u>

Instrument	Date Calibrated	By	Standard Used	Decontamination, Maintenance, or Repair Performed	Remarks
Horiba U-50	4/25/12	VB	Cal Solution	Cleaning & Calibration	OK
Mini Rae 3000 PID	"	"	Isobutane Gas	Calibration	OK
"	4/27/12	"	"	"	OK
YSI	"	"	Cal Solutions	Cleaning & Calibration	OK
Mini Rae 3000 PID	4/30/12	"	Cal Gas	Cal.	OK
YSI	"	"	Cal Solutions	Cleaning & Cal	OK
Mini Rae 3000 PID	5/3/12	"	Cal Gas	Cal.	OK
YSI	"	"	Cal Sol.	Cal.	OK

Other Remarks: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

1900 Brewerton Road
Mattydale, NY 13211
Toll-free: (877) 903-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 5781
Description YSI 6920
Calibrated 4/25/2012

Manufacturer YSI
Model Number 6920
Serial Number/ Lot Number 04E8620AA
Location New York
Department

State Certified
Status Pass
Temp °C 19.3
Humidity % 41

Calibration Specifications

Group # 1				Range Acc %		0.0000	
Group Name PH				Reading Acc %		3.0000	
Stated Accy Pct of Reading				Plus/Minus		0.00	
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
7.00 / 7.00	PH	7.00	PH	7.00	7.00	0.00%	Pass
4.00 / 4.00	PH	4.00	PH	4.00	4.00	0.00%	Pass
10.00 / 10.00	PH	10.00	PH	9.94	9.98	-0.20%	Pass

Group # 2				Range Acc %		0.0000	
Group Name Turbidity				Reading Acc %		3.0000	
Stated Accy Pct of Reading				Plus/Minus		0.00	
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
0.00 / 0.00	NTU	0.00	NTU	0.00	0.00	0.00%	Pass
126.00 / 126.00	NTU	126.00	NTU	126.00	126.00	0.00%	Pass

Group # 3				Range Acc %		0.0000	
Group Name Conductivity				Reading Acc %		3.0000	
Stated Accy Pct of Reading				Plus/Minus		0.0000	
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
1.413 / 1.413	ms/cm	1.413	ms/cm	1.413	1.413	0.00%	Pass

Group # 4				Range Acc %		0.0000	
Group Name Redox (ORP)				Reading Acc %		3.0000	
Stated Accy Pct of Reading				Plus/Minus		0.00	
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
240.00 / 240.00	mv	240.00	mv	240.00	240.00	0.00%	Pass

Group # 5				Range Acc %		0.0000	
Group Name Dissolved Oxygen Span				Reading Acc %		3.0000	
Stated Accy Pct of Reading				Plus/Minus		0.00	
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

1900 Brewerton Road
Mattydale, NY 13211
Toll-free: (877) 903-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 5781
Description YSI 6920
Calibrated 4/25/2012

Group # 5				Range Acc % 0.0000			
Group Name Dissolved Oxygen Span				Reading Acc % 3.0000			
Stated Accy Pct of Reading				Plus/Minus 0.00			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>Fnd As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
100.00 / 100.00	%	100.00	%	100.00	100.00	0.00%	Pass
Group # 6							
Group Name Dissolved Oxygen Zero							
Test Performed: No		As Found Result: Not Entered		As Left Result: Not Entered			

<u>Test Instruments Used During the Calibration</u>					<u>(As Of Cal Entry Date)</u>	
<u>Test Standard ID</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Model Number</u>	<u>Serial Number / Lot Number</u>	<u>Last Cal Date / Opened Date</u>	<u>Next Cal Date / Expiration Date</u>
NY COND 1.413 9084	NY COND 1.413	Aurical	SL20014-5G	9084		7/12/2012
NY ORP 240 MV 2981	NY ORP 240 mV	Hanna	SL50005-500	2981		1/31/2016
NY PH 10 2101326	NY PH 10	VWR	SL10010-5G	2101326		7/31/2012
NY PH 4	NY PH 4	VWR	SL10004-5G	2010169		9/30/2012
NY PH 7	NY PH 7	VWR	SL1007-5G	2011038		10/31/2012

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Joe Filippi

All instruments are calibrated by Pine Environmental Services, Inc. according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

Notify Pine Environmental Services, Inc. of any defect within 24 hours of receipt of equipment
Please call 866-960-7463 for Technical Assistance



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

2225 Tomlynn Street
Richmond, Va. 23230
Toll-free: (866) 801-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 15020
Description MiniRae 3000
Calibrated 4/23/2012

Manufacturer Rae Systems	State Certified
Model Number PGM-7320	Status Pass
Serial Number/ Lot Number 592-902204	Temp °C 18
Location Virginia	Humidity % 34
Department	

Calibration Specifications

Group # 1	Range Acc % 0.0000
Group Name Isobutylene	Reading Acc % 3.0000
Stated Accy Pct of Reading	Plus/Minus 0.00

<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>Fnd As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
100.00 / 100.00	PPM	100.00	PPM	100.00	100.00	0.00%	Pass

Test Instruments Used During the Calibration

(As Of Cal Entry Date)

<u>Test Standard ID</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Model Number</u>	<u>Serial Number / Lot Number</u>	<u>Last Cal Date/ Expiration Date</u> <u>Opened Date</u>
NY ISO 100 LOT# 0319FD12	NY ISO 100	American Gas Group	GP11015	0319FD12	4/30/2016

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Timothy Walsh

All instruments are calibrated by Pine Environmental Services, Inc. according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

Notify Pine Environmental Services, Inc. of any defect within 24 hours of receipt of equipment
Please call 866-960-7463 for Technical Assistance

SAMPLE COLLECTION DATA SHEET - GROUNDWATER SAMPLING PROGRAM

PROJECT NAME Bldg 10 BCP Site 9-32-140

SAMPLING CREW MEMBERS T. Bohlen

DATE OF SAMPLE COLLECTION 5/2/12 - 5/3/12

PROJECT NO. 56546.24

SUPERVISOR C. Boron

[Note: For 2" dia. well, 1 ft. = 0.14 gal (imp) or 0.16 gal (us)]

Sample I.D. Number	Well No.	Measuring Point Elev. (ft. AMSL)	Bottom Depth (ft. btoc)	Water Depth (ft. btoc)	Water Elevation (ft. AMSL)	Well Volume (gallons)	Bailer Volume No. Bails	Volume Purged (gallons)	Field pH	Field Temp.	Field Cond.	Time	Sample Description & Analysis
MW-10-2-050212-1000	MW-10-2	610.96	16.09	2.74	608.22	13.35' 2.2	/	4.2	6.41	13.05	9.288	1158	MW-10-2 GW
MW-10-3-050212-1400	MW-10-3	610.40	15.40	2.81	607.59	12.59' 2.1	/	4.2	6.81	11.09	0.729	1352	MW-10-3 GW
BLDG-10-MW1-050212-1620	BLDG-10-MW1	615.05	15.58	5.85	609.20	9.73' 1.6	/	2.2	6.55	19.73	1.953	1618	BLDG-10-MW1 GW
MW-9-101-A-050312-1215	MW-9-101A	615.00	12.54	5.12	609.88	7.42' 1.2	/	1.7	5.82	14.10	6.243	1210	MW-9-101-A GW
							/						
							/						
							/						
							/						

Additional Comments: _____

Copies to: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

1710012 (PART C) FMG 06-1-07
Revision 7 October 29, 2002

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 10 BCP Site 9-30-140
 Rel. No.: 56546.26

Date: 5/3/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-9-101-A
 Measurement Point: TOR
 Constructed Well Depth (ft): 12.54
 Measured Well Depth (ft): 9.22 - possible boiler in well
 Depth of Sediment (ft): -

Screen Length (ft): 5
 Depth to Pump Intake (ft)⁽¹⁾: 8'
 Well Diameter, D (in): 2
 Well Screen Volume, V_s (gal)⁽²⁾: 1.2
 Initial Depth to Water (ft): 5.12

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (gal)	No. of Well Screen Volumes Purged ⁽⁴⁾
11:40	151	5.20	0.08	6.57	14.22	6.280	146.3	8.63	0.0	0	
11:45	↓	5.20		6.22	14.31	6.255	216.4	7.04	0.0	0.2	
11:50	76	5.20		6.07	14.32	6.250	274.8	6.95	0.0	0.3	
11:55	↓	5.20		5.94	13.99	6.259	320.8	7.00	0.0	0.4	
12:00	303	5.20		5.89	14.09	6.243	350.9	6.95	0.0	0.8	
12:05	151	5.20		5.87	14.10	6.240	351.1	6.93	0.0	1.0	
12:10	↓	5.20	↓	5.82	14.10	6.243	351.5	6.90	0.0	1.2	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi \cdot (D/2)^2 \cdot (5' \cdot 12) \cdot (2.54)$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 10 RCP Site 9-32-140
 Ref No: 56346.24

Date: 5/2/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: RLDG-10-MW-1
 Measurement Point: TOP
 Constructed Well Depth (ft): 16.0'
 Measured Well Depth (ft): 15.58'
 Depth of Sediment (ft): _____

Screen Length (ft): 11'-16" = 5'
 Depth to Pump Intake (ft)⁽¹⁾: 13'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 1.6
 Initial Depth to Water (ft): 5.85

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mL)	No. of Well Screen Volumes Purged ⁽⁴⁾
1518	151	6.63	0.48	6.60	19.83	2.000	-0.2	3.75	6.5	0	
1523	76	7.05	1.20	6.53	19.75	1.974	-16.3	3.01	10.4	0.2	
1528	227	7.09	1.24	6.54	19.74	1.969	-19.4	3.20	7.8	0.3	
1533	151	7.09	1.24	6.56	19.74	1.958	-20.3	3.30	4.0	0.6	
1538		7.09	1.24	6.56	19.73	1.955	-20.5	3.29	3.9	0.8	
1543		7.09	1.24	6.56	19.73	1.951	-20.0	3.25	2.7	1.0	
1548		7.09	1.24	6.56	19.74	1.955	-20.7	3.23	2.1	1.2	
1553		7.09	1.24	6.56	19.74	1.953	-21.1	3.22	1.2	1.3	
1558		7.09	1.24	6.55	19.73	1.952	-21.3	3.19	1.0	1.4	
1603		7.09	1.24	6.55	19.76	1.952	-21.4	3.15	0.4	1.5	
1608		7.09	1.24	6.55	19.73	1.953	-21.7	3.16	0.2	1.7	1
1613		7.09	1.24	6.55	19.72	1.952	-21.8	3.16	0.3	1.9	
1618		7.09	1.24	6.55	19.73	1.953	-21.7	3.16	0.1	2.1	

AID Background = 1.1 ppm AID TOR = 598 ppm peak

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi (D/2)^2 (5'12") (2.54)$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s

WELL PURGING FIELD INFORMATION FORM

JOB# 56596-24

SITE/PROJECT NAME: Bldg 10 BCP Site 9-32-140 WELL# Bldg-10-MW-1

0150212
PURGE DATE
(MM DD YY)

0150212
SAMPLE DATE
(MM DD YY)

116
WATER VOL. IN CASING
(LITRES/GALLONS)

22
ACTUAL VOLUME PURGED
(LITRES/GALLONS)

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT... DEDICATED Y N
(CIRCLE ONE)

SAMPLING EQUIPMENT... DEDICATED Y N
(CIRCLE ONE)

PURGING DEVICE	<input checked="" type="checkbox"/> B	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILEY	X-	_____
		B - PERISTALTIC PUMP	F - PURGE PUMP	H - WATERBAG	X-	PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> B	C - BLADDER PUMP	E - Dripper Bottle		X-	_____
					X-	SAMPLING OTHER (SPECIFY)
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - PVC		X-	_____
		B - STAINLESS STEEL	E - POLYETHYLENE		X-	PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - POLYPROPYLENE			X-	_____
					X-	SAMPLING OTHER (SPECIFY)
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - POLYPROPYLENE	F - SILICONE	X-	_____
		B - TYGON	E - POLYETHYLENE	G - COMBINATION	X-	PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - ROPE	X- _____	TEFLON/POLYPROPYLENE	X-	_____
			(SPECIFY)		X-	SAMPLING OTHER (SPECIFY)

FILTERING DEVICES 0.15 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 615.50 (m/ft) GROUNDWATER ELEVATION _____ (m/ft)
 DEPTH TO WATER 5.85 (m/ft) WELL DEPTH 116.0 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<u>7.2</u> (nd)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>100</u> (mV)	<u>1.2</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (nd)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>100</u> (mV)	<u>1.2</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (nd)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>100</u> (mV)	<u>1.2</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (nd)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>100</u> (mV)	<u>1.2</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (nd)	<u>0.1</u> (ntu)	<u>150</u> (um/cm AT 25°C)	<u>100</u> (mV)	<u>1.2</u> (mg/L)	<u>15</u> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good (CHECK) Chemical (COLOR) Clear (TURBIDITY) Clear
 WEATHER CONDITIONS WIND SPEED NA DIRECTION NA PRECIPITATION Y/N NA OUTLOOK NA
 SPECIFIC COMMENTS - Interior location

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE PROTOCOLS

5/2/12
DATE

Thomas Bohler
PRINT

Thomas Bohler
SIGNATURE

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 10 BCP Site 9-30-140
 Ref No: 56546.24

Date: 5/2/12
 Personnel: T. Bohlen

Monitoring Well Data:

Well No.: MW-10-2 1 of 2
 Measurement Point: TOR
 Constructed Well Depth (ft): 16.80
 Measured Well Depth (ft): 16.09
 Depth of Sediment (ft): 0.71

Screen Length (ft): 9.8' - 16.8' = 7.0'
 Depth to Pump Intake (ft)⁽¹⁾: 14'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mt)⁽²⁾: 2.2 gal
 Initial Depth to Water (ft): 2.74'

inc. pump rate
dec. pump rate

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (mt) ⁽⁴⁾	No. of Well Screen Volumes Purged ⁽⁴⁾
1044	76	3.97	1.23	8.38	10.46	10.78	96.3	5.00	15.1	0	
1049	↓	4.71	1.97	7.77	12.94	10.46	-42.8	2.20	9.1	0.1	
1054	↓	5.82	3.08	7.77	12.54	7.961	-46.3	3.14	24.8	0.2	
1059	303	7.85	5.11	8.64	12.3	6.478	-0.9	5.52	22.0	0.9	
1104	↓	9.55	6.81	8.96	12.23	5.932	44.9	7.14	16.3	1.3	
1109	227	9.75	7.01	8.69	12.88	6.119	91.8	6.65	17.4	1.6	
1114	151	9.75	7.01	8.35	13.13	6.581	132.6	6.74	15.8	1.8	
1119	↓	9.75	7.01	7.82	13.12	7.425	171.3	5.69	15.8	2.1	
1124	↓	9.75	7.01	7.23	13.13	8.178	205.6	4.88	14.3	2.3	1
1129	↓	9.75	7.01	6.83	13.15	8.726	231.0	3.73	10.6	2.5	
1134	↓	9.75	7.01	6.67	13.18	8.958	236.9	3.06	23.6	2.7	
1139	↓	9.75	7.01	6.56	12.97	9.104	248.4	2.88	26.9	3.0	
1144	↓	9.75	7.01	6.51	13.15	9.195	248.0	2.54	14.1	3.2	

PID = 0.0 fpm

Notes:

- The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- The drawdown from the initial water level should not exceed 0.3 ft.
- Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s

WELL PURGING FIELD INFORMATION FORM

JOB# 516546-24

SITE/PROJECT NAME: Bldg 10 BCP Site 9-3d-140 WELL# MW-10-2

WELL PURGING INFORMATION

PURGE DATE (MM DD YY) 015102112 SAMPLE DATE (MM DD YY) 015102112 WATER VOL IN CASING (LITRES/GALLONS) 122 ACTUAL VOLUME PURGED (LITRES/GALLONS) 142

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y (CIRCLE ONE) SAMPLING EQUIPMENT DEDICATED Y (CIRCLE ONE)

PURGING DEVICE	<input checked="" type="checkbox"/> B	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAILER	X-	_____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERRA®		PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> B	C - BLADDER PUMP	F - DIPPER BOTTLE		X-	_____
						SAMPLING OTHER (SPECIFY)
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - PVC		X-	_____
		B - STAINLESS STEEL	E - POLYETHYLENE			PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - POLYPROPYLENE			X-	_____
						SAMPLING OTHER (SPECIFY)
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - POLYPROPYLENE	F - SILICONE	X-	_____
		B - TYGON	E - POLYETHYLENE	G - COMBINATION		PURGING OTHER (SPECIFY)
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - ROPE	X- _____ (SPECIFY)	TEFLON/POLYPROPYLENE	X-	_____
						SAMPLING OTHER (SPECIFY)

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION 611.26 (m/ft) GROUNDWATER ELEVATION _____ (m/ft)

DEPTH TO WATER 274 (m/ft) WELL DEPTH 116.80 (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<u>7.2</u> (std)	<u>0.2</u> (ntu)	<u>120</u> (µm/cm AT 25°C)	<u>120</u> (mV)	<u>1.0</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (std)	<u>0.2</u> (ntu)	<u>120</u> (µm/cm AT 25°C)	<u>120</u> (mV)	<u>1.0</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (std)	<u>0.2</u> (ntu)	<u>120</u> (µm/cm AT 25°C)	<u>120</u> (mV)	<u>1.0</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (std)	<u>0.2</u> (ntu)	<u>120</u> (µm/cm AT 25°C)	<u>120</u> (mV)	<u>1.0</u> (mg/L)	<u>15</u> (°C)
<u>7.2</u> (std)	<u>0.2</u> (ntu)	<u>120</u> (µm/cm AT 25°C)	<u>120</u> (mV)	<u>1.0</u> (mg/L)	<u>15</u> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good ODOOR none COLOR Clear TURBIDITY Clear

WEATHER CONDITIONS WIND SPEED 0-5 DIRECTION SW PRECIPITATION Y/N OUTLOOK overcast

SPECIFIC COMMENTS purge H₂O initially brown

CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE EPA PROTOCOLS

5/1/12 DATE Thomas Bohlen PRINT Thomas Bohlen SIGNATURE

EMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

MONITORING WELL RECORD FOR LOW-FLOW PURGING

Project Data:

Project Name: Bldg 10 BCP Site 9-32-140
 Ref. No.: 56-546.24

Date: 5/6/12
 Personnel: T. Bohner

Monitoring Well Data:

Well No.: MW-10-3
 Measurement Point: VOR
 Constructed Well Depth (ft): 15.80
 Measured Well Depth (ft): 15.40
 Depth of Sediment (ft): 0.4

Well Screen Length (ft): 8.8' - 15.8' = 7.0'
 Depth to Pump Intake (ft)⁽¹⁾: 13'
 Well Diameter, D (in): 2"
 Well Screen Volume, V_s (mL)⁽²⁾: 5.1 gal
 Initial Depth to Water (ft): 2.8'

Time	Pumping Rate (ml/min)	Depth to Water (ft)	Drawdown from Initial Water Level ⁽³⁾ (ft)	pH	Temperature °C	Conductivity (µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Volume Purged, V _p (ml)	No. of Well Screen Volumes Purged ⁽⁴⁾
1302	227	4.03	1.22	7.20	11.62	1.085	157.0	8.21	1.0	0	
1307	76	5.25	2.44	6.63	10.80	1.065	227.4	6.92	0.0	0.3	
1312	↓	5.25	2.44	6.58	11.29	1.065	271.2	6.16	0.0	0.4	
1317	227	5.25	2.44	6.55	11.18	1.033	286.5	6.56	0.0	0.8	
1322		5.25	2.44	6.53	11.24	0.955	313.6	6.33	0.0	1.1	
1327		5.25	2.44	6.66	11.04	0.835	328.4	7.20	0.7	1.3	
1332		5.25	2.44	6.66	11.13	0.817	331.8	6.91	1.3	1.5	
1337		5.25	2.44	6.69	11.05	0.766	337.8	7.19	0.0	1.8	
1342		5.25	2.44	6.74	11.14	0.738	338.1	7.72	1.2	2.1	1
1347		5.25	2.44	6.79	11.10	0.732	340.1	7.68	1.3	2.3	
1352	↓	5.25	2.44	6.81	11.09	0.729	340.4	7.67	1.3	2.5	

Notes:

- (1) The pump intake will be placed at the well screen mid-point or at a minimum of 2 ft above any sediment accumulated at the well bottom.
- (2) The well screen volume will be based on a 5-foot screen length. $V_s = \pi(D/2)^2(5 \times 12)(2.54)^3$
- (3) The drawdown from the initial water level should not exceed 0.3 ft.
- (4) Purging will continue until stabilization is achieved or until 20 well screen volumes have been purged (unless purge water remains visually turbid and appears to be clearing, or unless stabilization parameters are varying slightly outside of the stabilization criteria and appear to be stabilizing). No. of Well Screen Volumes Purged = V_p/V_s .

WELL PURGING FIELD INFORMATION FORM

JOB# 56546-24

SITE/PROJECT NAME: Bldg 10 BCP Site

WELL# MW-10-3

WELL PURGING INFORMATION

<u>050212</u> <small>PURGE DATE (MM DD YY)</small>	<u>050212</u> <small>SAMPLE DATE (MM DD YY)</small>	<u> </u> <u>21</u> <u>1</u> <small>WATER VOL INCREASING (LITRES GALLONS)</small>	<u> </u> <u>42</u> <small>ACTUAL VOLUME PURGED (LITRES GALLONS)</small>
---	--	---	--

PURGING AND SAMPLING EQUIPMENT

PURGING EQUIPMENT DEDICATED Y (CIRCLE ONE)

SAMPLING EQUIPMENT DEDICATED Y (CIRCLE ONE)

PURGING DEVICE	<input checked="" type="checkbox"/> B	A - SUBMERSIBLE PUMP	D - GAS LIFT PUMP	G - BAITER	X- _____
		B - PERISTALTIC PUMP	E - PURGE PUMP	H - WATERBAG	PURGING OTHER (SPECIFY) _____
SAMPLING DEVICE	<input checked="" type="checkbox"/> B	C - BLADDER PUMP	F - DIPPER BOTTLE		X- _____
					SAMPLING OTHER (SPECIFY) _____
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - PVC		X- _____
		B - STAINLESS STEEL	E - POLYETHYLENE		PURGING OTHER (SPECIFY) _____
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - POLYPROPYLENE			X- _____
					SAMPLING OTHER (SPECIFY) _____
PURGING DEVICE	<input checked="" type="checkbox"/> E	A - TEFLON	D - POLYPROPYLENE	F - SILICONE	X- _____
		B - TYGON	E - POLYETHYLENE	G - COMBINATION	PURGING OTHER (SPECIFY) _____
SAMPLING DEVICE	<input checked="" type="checkbox"/> E	C - ROPE	X- _____	TEFLON/POLYPROPYLENE	X- _____
			(SPECIFY)		SAMPLING OTHER (SPECIFY) _____

FILTERING DEVICES 0.45 A - IN-LINE DISPOSABLE B - PRESSURE C - VACUUM

FIELD MEASUREMENTS

WELL ELEVATION <u> </u> <u>610</u> <u>71</u> (m/ft)	GROUNDWATER ELEVATION <u> </u> <u> </u> (m/ft)
DEPTH TO WATER <u> </u> <u>28</u> <u>1</u> (m/ft)	WELL DEPTH <u> </u> <u>15</u> <u>8</u> <u>0</u> (m/ft)

pH	TURBIDITY	CONDUCTIVITY	ORP	DO	SAMPLE TEMPERATURE
<u> </u> (nd)	<u> </u> (ntu)	<u> </u> (µm/cm AT 25°C)	<u> </u> (mV)	<u> </u> (mg/L)	<u> </u> (°C)
<u> </u> (nd)	<u> </u> (ntu)	<u> </u> (µm/cm AT 25°C)	<u> </u> (mV)	<u> </u> (mg/L)	<u> </u> (°C)
<u> </u> (nd)	<u> </u> (ntu)	<u> </u> (µm/cm AT 25°C)	<u> </u> (mV)	<u> </u> (mg/L)	<u> </u> (°C)
<u> </u> (nd)	<u> </u> (ntu)	<u> </u> (µm/cm AT 25°C)	<u> </u> (mV)	<u> </u> (mg/L)	<u> </u> (°C)
<u> </u> (nd)	<u> </u> (ntu)	<u> </u> (µm/cm AT 25°C)	<u> </u> (mV)	<u> </u> (mg/L)	<u> </u> (°C)

FIELD COMMENTS

SAMPLE APPEARANCE Good (CHECK) none (COLOR) clear (TURBIDITY) clear

WEATHER CONDITIONS WIND SPEED 0-5 DIRECTION SW PRECIPITATION Y/N OUTLOOK p. cloudy

SPECIFIC COMMENTS _____

I CERTIFY THAT SAMPLING PROCEDURES WERE IN ACCORDANCE WITH APPLICABLE CM PROTOCOLS

5/2/12 DATE Thomas Bohlen PRINT Thomas Bohlen SIGNATURE

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER

10 Hazelwood Drive
 Amherst, NY 14228-2298
 Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record

Client Information		Sampler: <i>T. Bohlen</i>	Lab PM: Deyo, Melissa L	Carrier Tracking No(s):	COC No: 480-23685-5992.4
Client Contact: Mr. Christopher Boron		Phone: <i>716 685-2300</i>	E-Mail: melissa.deyo@testamericainc.com		Page: Page 4 of 4

Company: GZA GeoEnvironmental, Inc.	Analysis Requested				Job #:
--	---------------------------	--	--	--	--------

Address: 535 Washington Street 11th Floor	Due Date Requested:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8260B - (MOD) TCL list OL1004.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Total Number of containers	Preservation Codes:	
City: Buffalo	TAT Requested (days):														A - HCL	M - Hexane
State, Zip: NY, 14203	PO #: 4047065														B - NaOH	N - None
Phone:	WO #: 58507														C - Zn Acetate	O - AsNaO2
Email: christopher.boron@gza.com	Project #: 48004014														D - Nitric Acid	P - Na2O4S
Project Name: 058507, GM-Lockport Groundwater Sampling	SSOW#:	E - NaHSO4	Q - Na2SO3													
Site: <i>Bldg 10 BCP Site 9-32-140</i>		F - MeOH	R - Na2S2O3													
		G - Amchlor	S - H2SO4													
		H - Ascorbic Acid	T - TSP Dodecahydrate													
		I - Ice	U - Acetone													
		J - DI Water	V - MCAA													
		K - EDTA	W - ph 4-5													
		L - EDA	Z - other (specify)													

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8260B - (MOD) TCL list OL1004.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E	2320B - Total Alkalinity	Total Number of containers	Special Instructions/Note:
					X	X	N	N	S	D	A	A	A	CB	N	N		
MW-10-2-050212-1200	5/2/12	1200	G	Water			X	X	X	X	X	X	X	X	X	X		
MW-10-3-050212-1400		1400																
BLDG-10-MW-1-050212-1620		1620																
Trip Blank																		

Possible Hazard Identification	<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	<input type="checkbox"/> Archive For	Months
---------------------------------------	-------------------------------------	------------------------------------	--	-----------------------------------	----------------------------------	---------------------------------------	--	---	--	--------------------------------------	--------

Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:
--	---------------------------------------

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
----------------------------	-------	-------	---------------------

Relinquished by: <i>Thomas Bohlen</i>	Date/Time: 5/2/12 / 1800	Company: GZA	Received by: <i>Zachary J. Madison</i>	Date/Time: 5/2/12 1800	Company: BOF
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:
-------------------------------------	-------------------	---

INSTRUMENT CALIBRATION RECORD

PROJECT <u>Bldg 10 BCP Site 9-30-140</u>	PROJECT MANAGER <u>C. Boron</u>
LOCATION <u>Lockport, NY</u>	FIELD REP. <u>T. Bohlen</u>
CLIENT _____	DATE <u>5/2/12</u>

Instrument	Date Calibrated	By	Standard Used	Decontamination, Maintenance, or Repair Performed	Remarks
Mini Rae 3000 PID	5/2/12	VB	Cal Gas	Cal.	OK
Y SI	"	"	Cal Solutions	Cleaning & Cal	OK
Mini Rae 3000 PID	"	VB	Cal Gas	Cal	OK
Y SI	"	"	Cal Solutions	Cleaning & Cal	OK
Mini Rae 3000 PID	5/3/12	"	Cal Gas	Cal	OK
Y SI	"	"	Cal Sol	Cleaning & Cal	OK

Other Remarks: _____

FMG MODIFICATIONS MUST BE ACCOMPANIED BY A REVISION REQUEST FORM APPROVED BY THE PROJECT MANAGER



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

1900 Brewerton Road
Mattydale, NY 13211
Toll-free: (877) 903-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 5781
Description YSI 6920
Calibrated 4/25/2012

Manufacturer YSI
Model Number 6920
Serial Number/ Lot Number 04E8620AA
Location New York
Department

State Certified
Status Pass
Temp °C 19.3
Humidity % 41

Calibration Specifications

				Range Acc %			
				Reading Acc %			
				Plus/Minus			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
Group # 1				0.0000			
Group Name PH				3.0000			
Stated Accy Pct of Reading				0.00			
7.00 / 7.00	PH	7.00	PH	7.00	7.00	0.00%	Pass
4.00 / 4.00	PH	4.00	PH	4.00	4.00	0.00%	Pass
10.00 / 10.00	PH	10.00	PH	9.94	9.98	-0.20%	Pass
Group # 2				0.0000			
Group Name Turbidity				3.0000			
Stated Accy Pct of Reading				0.00			
0.00 / 0.00	NTU	0.00	NTU	0.00	0.00	0.00%	Pass
126.00 / 126.00	NTU	126.00	NTU	126.00	126.00	0.00%	Pass
Group # 3				0.0000			
Group Name Conductivity				3.0000			
Stated Accy Pct of Reading				0.000			
1.413 / 1.413	ms/cm	1.413	ms/cm	1.413	1.413	0.00%	Pass
Group # 4				0.0000			
Group Name Redox (ORP)				3.0000			
Stated Accy Pct of Reading				0.00			
240.00 / 240.00	mv	240.00	mv	240.00	240.00	0.00%	Pass
Group # 5				0.0000			
Group Name Dissolved Oxygen Span				3.0000			
Stated Accy Pct of Reading				0.00			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

1900 Brewerton Road
Mattydale, NY 13211
Toll-free: (877) 903-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 5781
Description YSI 6920
Calibrated 4/25/2012

Group # 5				Range Acc % 0.0000			
Group Name Dissolved Oxygen Span				Reading Acc % 3.0000			
Stated Accy Pct of Reading				Plus/Minus 0.00			
<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
100.00 / 100.00	%	100.00	%	100.00	100.00	0.00%	Pass
Group # 6							
Group Name Dissolved Oxygen Zero							
Test Performed: No		As Found Result: Not Entered		As Left Result: Not Entered			

<u>Test Instruments Used During the Calibration</u>					<u>(As Of Cal Entry Date)</u>	
<u>Test Standard ID</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Model Number</u>	<u>Serial Number / Lot Number</u>	<u>Last Cal Date / Opened Date</u>	<u>Next Cal Date / Expiration Date</u>
NY COND 1.413 9084	NY COND 1.413	Aurical	SL20014-5G	9084		7/12/2012
NY ORP 240 MV 2981	NY ORP 240 mV	Hanna	SL50005-500	2981		1/31/2016
NY PH 10 2101326	NY PH 10	VWR	SL10010-5G	2101326		7/31/2012
NY PH 4	NY PH 4	VWR	SL10004-5G	2010169		9/30/2012
NY PH 7	NY PH 7	VWR	SL1007-5G	2011038		10/31/2012

Notes about this calibration

Calibration Result Calibration Successful

Who Calibrated Joe Filippi

All instruments are calibrated by Pine Environmental Services, Inc. according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

**Notify Pine Environmental Services, Inc. of any defect within 24 hours of receipt of equipment
Please call 866-960-7463 for Technical Assistance**



INSTRUMENT CALIBRATION REPORT

Pine Environmental Services, Inc.

2225 Tomlynn Street
Richmond, Va. 23230
Toll-free: (866) 801-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 15020
Description MiniRae 3000
Calibrated 4/23/2012

Manufacturer Rae Systems	State Certified
Model Number PGM-7320	Status Pass
Serial Number/ Lot Number 592-902204	Temp °C 18
Location Virginia	Humidity % 34
Department	

Calibration Specifications

Group # 1	Range Acc % 0.0000
Group Name Isobutylene	Reading Acc % 3.0000
Stated Accy Pct of Reading	Plus/Minus 0.00

<u>Nom In Val / In Val</u>	<u>In Type</u>	<u>Out Val</u>	<u>Out Type</u>	<u>End As</u>	<u>Lft As</u>	<u>Dev%</u>	<u>Pass/Fail</u>
100.00 / 100.00	PPM	100.00	PPM	100.00	100.00	0.00%	Pass

Test Instruments Used During the Calibration

(As Of Cal Entry Date)

<u>Test Standard ID</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Model Number</u>	<u>Serial Number / Lot Number</u>	<u>Last Cal Date / Opened Date</u>	<u>Next Cal Date / Expiration Date</u>
NY ISO 100 LOT# 0319FD12	NY ISO 100	American Gas Group	GP11015	0319FD12		4/30/2016

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Timothy Walsh

All instruments are calibrated by Pine Environmental Services, Inc. according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

**Notify Pine Environmental Services, Inc. of any defect within 24 hours of receipt of equipment
Please call 866-960-7463 for Technical Assistance**

APPENDIX B
PREVIOUS SAMPLING EVENT ANALYTICAL RESULTS

TABLE 3

**ANALYTICAL RESULTS SUMMARY
BCP INVESTIGATIONS, BUILDING 7 GROUNDWATER
GM-LOCKPORT
LOCKPORT, NEW YORK
APRIL 2011**

<i>Location ID:</i>	MW-7-1	MW-7-2	MW-7-3	MW-7-4	MW-7-5
<i>Sample Name:</i>	MW-7-1-042711-1235	MW-7-2-042711-1410	MW-7-3-042711-1049	MW-7-4-042711-1550	DUP-042811-001
<i>Sample Date:</i>	4/27/2011	4/27/2011	4/27/2011	4/27/2011	4/28/2011 (Duplicate)

Parameters

<i>Volatile Organic Compounds</i>	<i>Units</i>					
cis-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	8.6	1.0 U	640
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	8800
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	200 U
Trichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	870
Vinyl chloride	µg/L	1.0 U	1.0 U	46	1.0 U	200 U

TABLE 3

**ANALYTICAL RESULTS SUMMARY
BCP INVESTIGATIONS, BUILDING 7 GROUNDWATER
GM-LOCKPORT
LOCKPORT, NEW YORK
APRIL 2011**

<i>Location ID:</i>	<i>MW-7-5</i>	<i>MW-7-6</i>	<i>MW-7-7</i>	<i>MW-7-8</i>
<i>Sample Name:</i>	<i>MW-7-5-042811-1040</i>	<i>MW-7-6-042711-1500</i>	<i>MW-7-7-042811-1505</i>	<i>MW-7-8-042811-1035</i>
<i>Sample Date:</i>	<i>4/28/2011</i>	<i>4/27/2011</i>	<i>4/28/2011</i>	<i>4/28/2011</i>

*Parameters**Volatile Organic Compounds**Units*

cis-1,2-Dichloroethene	µg/L	680	350	200 U
Tetrachloroethene	µg/L	8900	470	26000
trans-1,2-Dichloroethene	µg/L	7.4	2.7	200 U
Trichloroethene	µg/L	890	240	200 U
Vinyl chloride	µg/L	5.8	35	200 U

TABLE 3

ANALYTICAL RESULTS SUMMARY
BCP INVESTIGATIONS, BUILDING 7 GROUNDWATER
GM-LOCKPORT
LOCKPORT, NEW YORK
APRIL 2011

<i>Location ID:</i>	<i>MW-7-A-6</i>	<i>MW-7-C-2</i>	<i>MW-7-P-1</i>
<i>Sample Name:</i>	<i>MW-7-A-6-042811-1235</i>	<i>MW-7-G2-042911-1610</i>	<i>MW-7-P-1-042811-1340</i>
<i>Sample Date:</i>	<i>4/28/2011</i>	<i>4/29/2011</i>	<i>4/28/2011</i>

Parameters

<i>Volatile Organic Compounds</i>	<i>Units</i>			
cis-1,2-Dichloroethene	µg/L	16000	230	6.2
Tetrachloroethene	µg/L	140000	1.0 U	0.57 J
trans-1,2-Dichloroethene	µg/L	2000 U	1.0 U	4.9
Trichloroethene	µg/L	19000	1.0 U	2.1
Vinyl chloride	µg/L	2000 U	12	27

Notes:

J - Estimated.

U - Not detected.

TABLE 3

ANALYTICAL RESULTS SUMMARY
BCP INVESTIGATIONS, BUILDING 8 GROUNDWATER
GM-LOCKPORT, NEW YORK
APRIL 2011

Location ID:	MW-6-1	MW-6-2	MW-6-F-8	MW-8-1	MW-8-2	MW-8-3	MW-8-3	MW-8-003-B	MW-8-4	
Sample Name:	MW-6-1-042711-0945	MW-6-2-042711-1145	MW-6-F-8-042711-1320	MW-8-1-042911-0915	MW-8-2-042911-1130	DUP-050211-001	MW-8-3-050211-1245	MW-8-003-B-042811-1515	MW-8-4-050211-1330	
Sample Date:	4/27/2011	4/27/2011	4/27/2011	4/29/2011	4/29/2011	5/2/2011 (Duplicate)	5/2/2011	4/28/2011	5/2/2011	
Volatile Organic Compounds	Units									
cis-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	0.86 J	9300	5.0	4.3	190	68
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	40 U	1.9	1.7	300	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	40 U	1.0 U	1.0 U	5.0 U	1.0 U
Trichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	660	9.3	6.0	110	12
Vinyl chloride	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	270	1.0 U	1.0 U	19	17

Notes:

J = Estimated.

U = Not detected.

TABLE 3

ANALYTICAL RESULTS SUMMARY
BCP INVESTIGATIONS, BUILDING 10 GROUNDWATER
GM-LOCKPORT, NEW YORK
APRIL 2011

<i>Location ID:</i>		<i>Bldg10</i>	<i>MW-9-101-A</i>	<i>MW-10-2</i>	<i>MW-10-3</i>	<i>MW-10-3</i>
<i>Sample Name:</i>		<i>BLDG-10-MW-1-042911-1640</i>	<i>MW-9-101-A-042911-0900</i>	<i>MW-10-2-042911-1400</i>	<i>DUP-042911-001</i>	<i>MW-10-3-042911-1100</i>
<i>Sample Date:</i>		<i>4/29/2011</i>	<i>4/29/2011</i>	<i>4/29/2011</i>	<i>4/29/2011</i> <i>(Duplicate)</i>	<i>4/29/2011</i>
<i>Volatile Organic Compounds</i>	<i>Units</i>					
cis-1,2-Dichloroethene	µg/L	2000 U	4.0 U	1100	11	11
Tetrachloroethene	µg/L	120000	4.0 U	1100	13	13
trans-1,2-Dichloroethene	µg/L	16	4.0 U	10	1.0 U	1.0 U
Trichloroethene	µg/L	2800	4.0 U	1200	6.0	5.8
Vinyl chloride	µg/L	100	4.0 U	66	1.0 U	1.0 U

Notes:

U = Not detected.

TABLE 4
SUMMARY OF GROUND WATER INVESTIGATION ANALYTICAL RESULTS
ALL GROUND WATER DATA
DELPHI CORPORATION - WEST LOCKPORT COMPLEX, LOCKPORT, NY
ERM PROJECT NUMBER 0056607

sample designation date	SAMPLE DESIGNATION									NYSDEC Ambient Water Quality Standards and Guidance Values TOGS 1.1.1 (µg/L)
	MW-6-F-1 11/8/2006	MW-6-F-5 11/8/2006	TK-4 11/8/2006	TK-6 11/8/2006	MW-7-A-6 11/10/2006	MW-7-C-2 11/10/2006	MW-7-P-1 11/14/2006	MW-8-03-B 11/11/2006	MW-9-101-A 11/10/2006	
VOCs (µg/L)										
Acetone	39	20	----	----	----	NA	11	----	16	50.0
Benzene	33	800 D	----	----	----	NA	----	----	1.1	1.0
2-Butanone	5.5	11	----	----	----	NA	8.5	----	----	NS
Carbon Disulfide	----	----	----	----	----	NA	0.62 J	----	----	NS
Chloroform	----	----	----	----	----	NA	----	----	0.53 J	7.0
Cyclohexane	----	31	----	----	----	NA	----	----	1.8	NS
1,1-Dichloroethane	----	----	----	----	----	NA	0.85 J	----	----	5.0
1,1-Dichloroethene	----	----	----	----	270 J	NA	----	2.4	----	0.7
Cis-1,2-Dichloroethene	----	----	----	----	2,600	NA	120 D	630 D	1.3	5.0
Trans-1,2-Dichloroethene	----	----	----	----	----	NA	4.9	4.8	----	5.0
Ethylbenzene	1500 D	3800 D	----	----	----	NA	----	----	1.8	5.0
Isopropylbenzene	91	130 D	----	----	----	NA	----	----	1.3	5.0
Methylcyclohexane	33	12	----	----	----	NA	----	----	1.0	NS
Methylene Chloride	----	----	----	----	300 BJ	NA	----	----	0.78 BJ	5.0
Methyl tert-butyl ether	16.0	6000 D	----	----	----	NA	----	----	----	NS
Tetrachloroethene	----	----	----	----	150000 D	NA	----	970 BD	1.7	0.7
Toluene	23	1200 D	----	----	----	NA	----	----	1.6	5.0
1,1,2-Trichloroethane	----	----	----	----	220 J	NA	----	----	----	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	----	----	----	2.2	----	NA	----	----	----	5.0
Trichloroethene	----	----	----	----	38000 D	NA	2.1	390 D	0.74 J	5.0
Vinyl Chloride	----	----	----	----	2,500	NA	22	91	----	2.0
Total Xylenes	7400 D	14000 D	----	----	----	NA	----	----	1.8 J	5.0
SVOCs (µg/L)										
Acenaphthene	----	4 J	----	----	0.4 J	----	NA	0.3 J	2 J	20.0
Acenaphthylene	----	----	----	----	----	----	NA	----	0.4 J	NS
Anthracene	----	----	----	----	0.3 J	----	NA	----	0.4 J	50.0
Benzo (a) anthracene	----	----	----	----	0.4 J	----	NA	----	----	0.002
Benzo (a) pyrene	----	----	----	----	0.2 J	----	NA	----	----	ND
Chrysene	----	----	----	----	0.3 J	----	NA	----	----	0.002
2,4-Dimethylphenol	----	210 D	----	----	----	----	NA	----	----	50.0
Di-n-octyl phthalate	----	0.6 BJ	0.5 BJ	----	----	----	NA	----	----	50.0
Fluoranthene	----	0.5 J	----	----	0.5 J	----	NA	----	0.5 J	50.0
Fluorene	----	----	----	----	----	----	NA	----	2 J	50.0
2-Methylnaphthalene	----	320 D	----	----	2 J	----	NA	----	4 J	NS
2-Methylphenol	----	8 J	----	----	----	----	NA	----	----	NS
4-Methylphenol	----	59	----	----	----	----	NA	----	----	NS
Naphthalene	----	1300 D	----	----	4 J	----	NA	----	6 J	10.0
Phenanthrene	----	2 J	----	----	0.9 J	----	NA	----	2 J	50.0
Pyrene	----	----	----	----	0.4 J	----	NA	----	0.4 J	50.0
Metals (µg/L)										
Total Arsenic	12	40	----	----	----	----	----	----	----	25
Total Barium	180	510	51	30	840	13	14,400	100	81	1,000
Total Calcium	----	115,000	93,100	NA	NA	NA	NA	NA	NA	NS
Total Chromium	----	----	----	----	----	----	7.9	----	----	50
Total Copper	----	650	----	NA	NA	NA	NA	NA	NA	200
Total Hexavalent Chromium	----	----	----	----	----	----	----	----	----	50
Total Iron	----	22,400	----	NA	NA	220	NA	NA	NA	300
Total Lead	----	58	----	----	----	----	----	----	5.1	25
Total Magnesium	----	14,200	27,300	NA	NA	NA	NA	NA	NA	35,000
Total Manganese	----	570	27	NA	NA	NA	NA	NA	NA	300
Total Nickel	----	37	----	NA	NA	NA	NA	NA	NA	100
Total Potassium	----	7,900	----	NA	NA	NA	NA	NA	NA	NS
Total Sodium	----	512,000	436,000	NA	NA	NA	NA	NA	NA	20,000
Total Zinc	----	420	----	NA	NA	NA	NA	NA	NA	2,000
Other Analyses (µg/L)										
Sulfate	NA	NA	NA	NA	NA	972,000	NA	NA	NA	250,000
PCBs	NA	----	----	NA	NA	NA	NA	NA	NA	0.09

NOTES:

NYSDEC Ambient Water Quality Standards and Guidance Values - TOGS 1.1.1
VOCs - Volatile organic compounds determined by USEPA Method 8260
SVOCs - Semivolatile organic compounds determined by USEPA Method 8270
NA - Not Analyzed
NS - No Standard or Guidance Value given in TOGS 1.1.1
ND - Not Detected
BJ - Estimated value and analyte found in sample and associated blank.
D - Compound identified in an analysis at the secondary dilution factor.
J - Estimated value.
---- - Below the Reportable Limit
----* - Reportable Limit is Above the TOGS 1.1.1 Standard
µg/L - Micrograms per Liter
BOLD - Concentrations above the NYDEC Ambient Water Quality Standards and Guidance Values.

Table 1
 Groundwater Analytical Testing Results Summary
 Additional Downgradient Groundwater Monitoring Wells
 Delphi Lockport Complex
 Lockport, New York

Parameter	NYSDEC Class GA Criteria	MW-6-1			MW-6-2					MW-7-1		MW-7-2			MW-7-3		MW-7-4	
		Aug-08	Feb-08	Nov-07	Aug-08	Apr-08	Apr-08	Feb-08	Nov-07	Feb-08	Nov-07	Aug-08	Feb-08	Nov-07	Feb-08	Nov-07	Aug-08	
VOC - EPA Method 8260 TCL (ug/L)		Delphi NYSDEC																
Benzene	1																	3
1,2-Dichloroethenes (total)	5																	8
Trichloroethylene	5						4	4.2		25	56	110						
Toluene	5											7						

Notes:

1. Compounds detected in one or more samples are presented on this table.
2. Analytical testing completed by Free-Col Laboratory except the NYSDEC April 2008 split sample which was tested by Test America.
 Samples were analyzed for volatile organic compounds (VOCs) via EPA Method 8260 Target Compound List (TCL), only.
3. NYSDEC Class GA criteria obtained from Division of Water Technical and Operational Guidance Series (TOGS 1.1.1), June 1998.
4. ug/L = part per billion (ppb).
5. Blank indicates compound was not detected.
6. **BOLD** values exceeding guidance criteria.

Table 4
 Groundwater Sample Analytical Testing Results Summary
 Focused Environmental Assessment
 Delphi Thermal Building 10
 Lockport, New York

Parameter	NYSDEC Class GA Criteria	BLDG 10 MW-1
VOC - EPA Method 8260 (ug/l)		
Benzene	1	5
Acetone	50	20
4-methyl-2-pentanone	NV	59
1,1-Dichloroethene	5	480
1,2-Dichloroethenes (Total)	5	230
Toluene	5	44
Ethylbenzene	5	4
o-Xylene	5	15
m,p-xylene	5	46
Methylene Chloride	5	200
1,1,2,2-Tetrachloroethane	5	6
1,3-Dichlorobenzene	3	3
Tetrachloroethene	5	114,000
Trichloroethylene	5	200
Vinyl Chloride	1	220
cis-1,2-Dichloroethene	5	220
trans-1,2-Dichloroethene	5	15
1,1,2-Trichloroethane	1	77

Notes:

1. Compounds detected in one or more samples are presented on this table.
2. Analytical testing completed by Free-Col Laboratories.
3. NYSDEC Class GA criteria obtained from Division of Water Technical and Operational Guidance Series (TOGS 1.1.1), dated October 1993, revised June 1998, January 1999 errata sheet, and April 2000 addendum.
4. ug/kg = part per billion (ppb).
5. Blank indicates compound was not detected.
6. Shading indicates values exceeding guidance criteria.

APPENDIX C

TEST AMERICA ANALYTICAL LABORATORY REPORT

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-19202-1

Client Project/Site: 058507, GM-Lockport Groundwater
Sampling


For:

Conestoga-Rovers & Associates, Inc.

2055 Niagara Falls Blvd., Suite 3

Niagara Falls, New York 14304

Attn: Kathleen Willy



Authorized for release by:

5/22/2012 10:11:19 AM

Melissa Deyo

Project Manager I

melissa.deyo@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	5
Detection Summary	10
Client Sample Results	15
Surrogate Summary	27
QC Sample Results	28
QC Association Summary	56
Lab Chronicle	67
Certification Summary	73
Method Summary	74
Sample Summary	75
Chain of Custody	76
Receipt Checklists	82

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F	MS or MSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.

GC VOA

Qualifier	Qualifier Description
*	LCS or LCSD exceeds the control limits
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
*	LCS or LCSD exceeds the control limits
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	LCS or LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.

General Chemistry

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
F	MS or MSD exceeds the control limits
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F	MS or MSD exceeds the control limits
F	RPD of the MS and MSD exceeds the control limits
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
F	MS or MSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Job ID: 480-19202-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-19202-1

Receipt

The sample was received on 4/26/2012 5:50 PM; the sample arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C.

GC/MS VOA

No analytical or quality issues were noted.

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The method blank for batch 62347 contained Ethane, Ethene and Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method RSK-175: The laboratory control sample (LCS) and laboratory control sample duplicate (LSCD) for batch 62347 had recoveries outside on control limits. Since the results were biased high and the associated sample had no detections above the reporting limit, no corrective action was necessary.

No other analytical or quality issues were noted.

Metals

Method 6010B: The method blank for preparation batch 61766 contained Manganese above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of sample was not performed.

No other analytical or quality issues were noted.

General Chemistry

Method 353.2: The method blank for batch 61789 contained Nitrite above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method 9038: The method blank for batch 63103 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Job ID: 480-19297-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-19297-1

Receipt

The samples were received on 4/27/2012 5:20 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.8° C.

GC/MS VOA

No analytical or quality issues were noted.

IC

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Job ID: 480-19297-1 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

Method VFA-IC: The matrix spike / matrix spike duplicate (MS/MSD) recoveries associated with batch 63702 were outside control limits: (480-19297-3 MS). Matrix interference was suspected.

No other analytical or quality issues were noted.

GC VOA

Method RSK-175: The method blank for batch 62347 contained Ethane, Ethene and Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method RSK-175: The laboratory control sample (LCS) and laboratory control sample duplicate (LSCD) for batch 62347 had recoveries outside on control limits. Since the results were biased high and the associated sample had no detections above the reporting limit, no corrective action was necessary.

No other analytical or quality issues were noted.

Metals

Method 6010B: The method blank for preparation batch 62005 contained Manganese above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

General Chemistry

Method 9038: The method blanks for batch 63103 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method SM 4500 Cl- E: The method blank for batch 63758 contained Chloride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method SM 4500 S2 D: The matrix spike (MS) recovery for batch 62436 was outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Job ID: 480-19365-2

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-19365-2

Receipt

The samples were received on 4/30/2012 7:30 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.4° C and 2.9° C.

GC/MS VOA

Method 8260B: The following samples submitted for volatiles analysis were received with insufficient preservation (pH >2): MW-7-5-043012-1130 (480-19365-4) and TRIP BLANK (480-19365-5).

Method 8260B: The following samples was diluted due to the abundance of target analytes: MW-7-6-043012-0900 (480-19365-3), MW-7-6-043012-0900 (480-19365-3 MS), MW-7-6-043012-0900 (480-19365-3 MSD) and MW-7-5-043012-1130 (480-19365-4). Elevated reporting limits (RLs) are provided.

Method 8260B: The matrix spike duplicate (MSD) recoveries for batch 63572 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Job ID: 480-19365-2 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

No other analytical or quality issues were noted.

IC

Method VFA-IC: The matrix spike / matrix spike duplicate (MS/MSD) recoveries associated with batch 64493 were outside control limits: (480-19365-4 MS) and (480-19365-4 MSD). Matrix interference was suspected.

No other analytical or quality issues were noted.

GC VOA

Method RSK-175: The following sample was diluted due to the abundance of the target analyte Methane: MW-7-6-043012-0900 (480-19365-3). Elevated reporting limits (RLs) are provided.

Method RSK-175: The method blank for batch 62604 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blanks for batch 63649 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Job ID: 480-19420-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19420-1

Receipt

The samples were received on 5/1/2012 5:17 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.2° C.

GC/MS VOA

Method 8260B: The following samples were diluted due to the abundance of target analytes: MW-7-A-6-050112-0900 (480-19420-1), MW-7-7-050112-1330 (480-19420-2), MW-7-7-050112-1330 (480-19420-2 DL), (480-19420-2 MS) and (480-19420-2 MSD). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The following samples were diluted due to the abundance of target analytes: MW-7-A-6-050112-0900 (480-19420-1 DL) and MW-7-7-050112-1330 (480-19420-2). Elevated reporting limits (RLs) are provided.

Method RSK-175: The laboratory control sample duplicate (LSCD) for batch 62926 had recoveries outside on control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Job ID: 480-19420-1 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blanks for batch 64501 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Job ID: 480-19497-2

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19497-2

Receipt

The samples were received on 5/2/2012 6:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 6.9° C.

GC/MS VOA

Method 8260B: The following sample was diluted due to the abundance of target analytes: MW-7-8-050212-0730 (480-19497-5). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

IC

Method VFA-IC: The matrix spike (MS) recoveries associated with batch 64493 were outside control limits. Matrix interference was suspected.

No other analytical or quality issues were noted.

GC VOA

Method RSK-175: The following samples were diluted due to the abundance of target analytes: MW-7-8-050212-0730 (480-19497-5). Elevated reporting limits (RLs) are provided.

Method RSK-175: The method blank for batch 63265 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blank for batch 64501 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method SM 4500 S2 D: The matrix spike (MS) recovery for batch 62917 was outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Job ID: 480-19600-2

Laboratory: TestAmerica Buffalo

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Job ID: 480-19600-2 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

Narrative

Job Narrative 480-19600-2

Receipt

The samples were received on 5/3/2012 7:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.8° C.

GC/MS VOA

Method 8260B: The following sample was diluted due to the abundance of target analytes: MW-7-C-2-050312-1015 (480-19600-2 DL). Elevated reporting limits (RLs) are provided.

Method 8260B: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-7-D-1-050312-1530 (480-19600-3). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The following samples were diluted due to the abundance of target analytes: MW-7-C-2-050312-1015 (480-19600-2) and MW-7-D-1-050312-1530 (480-19600-3). Elevated reporting limits (RLs) are provided.

Method RSK-175: The method blank for batch 63265 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 350.1: The method blank for batch 63137 contained Ammonia above the reporting limit (RL). The associated samples contained detections for this analyte at concentrations greater than 10 times the value found in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 9038: The method blank for batch 64026 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Method SM4500 Cl-E: The method blank for batch 64027 contained sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-2-042612-1415

Lab Sample ID: 480-19202-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	4.0		1.0	0.46	ug/L	1		8260B	Total/NA
Methane	0.85	J B *	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.076		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	40.0		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.041	B	0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	1.6		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	109		1.0	0.32	mg/L	1		6010B	Total/NA
Nitrate	0.059		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	66.6	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	1.6		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	324		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	212		5.0	2.3	mg/L	5		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	3700		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-7-1-042712-1000

Lab Sample ID: 480-19297-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethane	0.81	J B *	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	0.64	J B *	1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	9.4	B *	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.28		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	111		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.42	B	0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	4.3		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	563		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.0092	J	0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	131	B	100	30.0	mg/L	20		9038	Total/NA
Total Organic Carbon	0.97	J	1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	288		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	1450		30.0	13.8	mg/L	30		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	6800		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-7-3-042712-1330

Lab Sample ID: 480-19297-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	8.6		1.0	0.81	ug/L	1		8260B	Total/NA
Vinyl chloride	43		1.0	0.90	ug/L	1		8260B	Total/NA
Ethane	6.0	B *	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	10	B *	1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	220	B *	100	22	ug/L	100		RSK-175	Total/NA
Iron	2.5		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	248		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.35	B	0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	50.2		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	4340		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	2.6		0.040	0.018	mg/L	2		350.1	Total/NA
Nitrate	0.38		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	727	B	250	75.0	mg/L	50		9038	Total/NA
Total Organic Carbon	1.3		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	280		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	6890	B	500	230	mg/L	500		SM 4500 Cl- E	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-3-042712-1330 (Continued)

Lab Sample ID: 480-19297-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfide	0.055	J	0.10	0.052	mg/L	1		SM 4500 S2 D	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	9100		2000	2000	ug/L	2		RSK-175	Total/NA

Client Sample ID: MW-7-4-042712-1415

Lab Sample ID: 480-19297-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	3.6		1.0	0.46	ug/L	1		8260B	Total/NA
Ethane	0.81	J B *	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	0.65	J B *	1.5	0.52	ug/L	1		RSK-175	Total/NA
Iron	0.27		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	34.3		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.017	B	0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	2.1		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	226		1.0	0.32	mg/L	1		6010B	Total/NA
Nitrate	0.11		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	72.2	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	0.68	J	1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	320		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	351		15.0	6.9	mg/L	15		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	3900		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19297-4

No Detections

Client Sample ID: MW-7-6-043012-0900

Lab Sample ID: 480-19365-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	480		10	8.1	ug/L	10		8260B	Total/NA
Tetrachloroethene	710		10	3.6	ug/L	10		8260B	Total/NA
Trichloroethene	290		10	4.6	ug/L	10		8260B	Total/NA
Vinyl chloride	55		10	9.0	ug/L	10		8260B	Total/NA
Ethane	6.3		1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	1.7		1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	420	B	100	22	ug/L	100		RSK-175	Total/NA
Iron	0.16		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	106		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.18		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	10.9		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	2450		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.051		0.020	0.0090	mg/L	1		350.1	Total/NA
Nitrate	0.057		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	264	B	150	45.0	mg/L	30		9038	Total/NA
Total Organic Carbon	1.3		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	288		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	4230		121	55.7	mg/L	121		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	8200		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-7-5-043012-1130

Lab Sample ID: 480-19365-4

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-5-043012-1130 (Continued)

Lab Sample ID: 480-19365-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	640		200	160	ug/L	200		8260B	Total/NA
Tetrachloroethene	8700		200	72	ug/L	200		8260B	Total/NA
Trichloroethene	760		200	92	ug/L	200		8260B	Total/NA
Ethane	1.0	J	1.5	0.49	ug/L		1	RSK-175	Total/NA
Ethene	1.3	J	1.5	0.52	ug/L		1	RSK-175	Total/NA
Methane	25	B	1.0	0.22	ug/L		1	RSK-175	Total/NA
Iron	0.12		0.050	0.019	mg/L		1	6010B	Total/NA
Magnesium	124		0.20	0.043	mg/L		1	6010B	Total/NA
Manganese	1.1		0.0030	0.00040	mg/L		1	6010B	Total/NA
Potassium	8.0		0.50	0.10	mg/L		1	6010B	Total/NA
Sodium	2530		1.0	0.32	mg/L		1	6010B	Total/NA
Ammonia	0.043		0.020	0.0090	mg/L		1	350.1	Total/NA
Nitrate	0.89		0.050	0.011	mg/L		1	353.2	Total/NA
Nitrite	0.039	J	0.050	0.020	mg/L		1	353.2	Total/NA
Sulfate	218	B	75.0	22.5	mg/L		15	9038	Total/NA
Total Organic Carbon	1.8		1.0	0.43	mg/L		1	9060	Total/NA
Total Alkalinity	320		5.0	0.79	mg/L		1	SM 2320B	Total/NA
Chloride	4600		121	55.7	mg/L		121	SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	11000		2000	2000	ug/L		2	RSK-175	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19365-5

No Detections

Client Sample ID: MW-7-A-6-050112-0900

Lab Sample ID: 480-19420-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	22000		2000	1600	ug/L	2000		8260B	Total/NA
Tetrachloroethene	140000		2000	720	ug/L	2000		8260B	Total/NA
Trichloroethene	26000		2000	920	ug/L	2000		8260B	Total/NA
Vinyl chloride	1800	J	2000	1800	ug/L		2000	8260B	Total/NA
Ethane	14	*	1.5	0.49	ug/L		1	RSK-175	Total/NA
Ethene	160	*	1.5	0.52	ug/L		1	RSK-175	Total/NA
Methane - DL	1100	*	50	11	ug/L		50	RSK-175	Total/NA
Iron	0.49		0.050	0.019	mg/L		1	6010B	Total/NA
Magnesium	95.4		0.20	0.043	mg/L		1	6010B	Total/NA
Manganese	0.92		0.0030	0.00040	mg/L		1	6010B	Total/NA
Potassium	2.7		0.50	0.10	mg/L		1	6010B	Total/NA
Sodium	226		1.0	0.32	mg/L		1	6010B	Total/NA
Ammonia	0.022		0.020	0.0090	mg/L		1	350.1	Total/NA
Sulfate	111	B	25.0	7.5	mg/L		5	9038	Total/NA
Total Organic Carbon	10.5		1.0	0.43	mg/L		1	9060	Total/NA
Total Alkalinity	472		5.0	0.79	mg/L		1	SM 2320B	Total/NA
Chloride	695		30.0	13.8	mg/L		30	SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	19000		2000	2000	ug/L		2	RSK-175	Total/NA

Client Sample ID: MW-7-7-050112-1330

Lab Sample ID: 480-19420-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	6000		400	320	ug/L	400		8260B	Total/NA
Trichloroethene	2600		400	180	ug/L	400		8260B	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-7-050112-1330 (Continued)

Lab Sample ID: 480-19420-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	960		400	360	ug/L	400		8260B	Total/NA
Tetrachloroethene - DL	120000		2000	720	ug/L	2000		8260B	Total/NA
Ethane	68	J *	75	25	ug/L	50		RSK-175	Total/NA
Ethene	130	*	75	26	ug/L	50		RSK-175	Total/NA
Methane	530	*	50	11	ug/L	50		RSK-175	Total/NA
Iron	0.080		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	151		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.0089		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	40.5		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	1030		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	1.8		0.020	0.0090	mg/L	1		350.1	Total/NA
Nitrate	0.088		0.050	0.011	mg/L	1		353.2	Total/NA
Nitrite	0.022	J	0.050	0.020	mg/L	1		353.2	Total/NA
Sulfate	451	B	150	45.0	mg/L	30		9038	Total/NA
Total Organic Carbon	14.1		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	42.0		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	687		30.0	13.8	mg/L	30		SM 4500 Cl- E	Total/NA
Sulfide	1.7		0.20	0.10	mg/L	2		SM 4500 S2 D	Total/NA
Acetic acid	6.1		1.0	0.15	mg/L	1		VFA-IC	Total/NA
Propionic acid	1.5		1.0	0.17	mg/L	1		VFA-IC	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19420-4

No Detections

Client Sample ID: MW-7-8-050212-0730

Lab Sample ID: 480-19497-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	67		4.0	3.2	ug/L	4		8260B	Total/NA
Tetrachloroethene	220		4.0	1.4	ug/L	4		8260B	Total/NA
Trichloroethene	130		4.0	1.8	ug/L	4		8260B	Total/NA
Ethane	21		15	4.9	ug/L	10		RSK-175	Total/NA
Ethene	7.8	J	15	5.2	ug/L	10		RSK-175	Total/NA
Methane	67	B	10	2.2	ug/L	10		RSK-175	Total/NA
Iron	4.0		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	170		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.15		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	38.2		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	896		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.25		0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	145	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	0.73	J	1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	60.0		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	2330		50.0	23.0	mg/L	50		SM 4500 Cl- E	Total/NA

Client Sample ID: MW-7-C-2-050312-1015

Lab Sample ID: 480-19600-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
trans-1,2-Dichloroethene	1.2		1.0	0.90	ug/L	1		8260B	Total/NA
Vinyl chloride	21		1.0	0.90	ug/L	1		8260B	Total/NA
cis-1,2-Dichloroethene - DL	370		5.0	4.1	ug/L	5		8260B	Total/NA
Ethane	9.6	J	15	4.9	ug/L	10		RSK-175	Total/NA
Ethene	8.0	J	15	5.2	ug/L	10		RSK-175	Total/NA
Methane	82	B	10	2.2	ug/L	10		RSK-175	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-C-2-050312-1015 (Continued)

Lab Sample ID: 480-19600-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Iron	0.93		0.050	0.019	mg/L	1			6010B	Total/NA
Magnesium	83.8		0.20	0.043	mg/L	1			6010B	Total/NA
Manganese	0.084		0.0030	0.00040	mg/L	1			6010B	Total/NA
Potassium	7.5		0.50	0.10	mg/L	1			6010B	Total/NA
Sodium	126		1.0	0.32	mg/L	1			6010B	Total/NA
Ammonia	0.39		0.020	0.0090	mg/L	1			350.1	Total/NA
Sulfate	525	B	100	30.0	mg/L	20			9038	Total/NA
Total Organic Carbon	0.67	J	1.0	0.43	mg/L	1			9060	Total/NA
Total Alkalinity	260		5.0	0.79	mg/L	1			SM 2320B	Total/NA
Chloride	181		10.0	4.6	mg/L	10			SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil	Fac	D	Method	Prep Type
Carbon dioxide	4800		1000	1000	ug/L	1			RSK-175	Total/NA

Client Sample ID: MW-7-D-1-050312-1530

Lab Sample ID: 480-19600-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Vinyl chloride	19		4.0	3.6	ug/L	4			8260B	Total/NA
Ethane	52		15	4.9	ug/L	10			RSK-175	Total/NA
Ethene	14	J	15	5.2	ug/L	10			RSK-175	Total/NA
Methane	2800	B	100	22	ug/L	100			RSK-175	Total/NA
Iron	61.2		0.050	0.019	mg/L	1			6010B	Total/NA
Magnesium	388		0.20	0.043	mg/L	1			6010B	Total/NA
Manganese	10.1		0.0030	0.00040	mg/L	1			6010B	Total/NA
Potassium	31.4		0.50	0.10	mg/L	1			6010B	Total/NA
Sodium	358		1.0	0.32	mg/L	1			6010B	Total/NA
Ammonia	170	B	2.0	0.90	mg/L	100			350.1	Total/NA
Sulfate	71.0	B	25.0	7.5	mg/L	5			9038	Total/NA
Total Organic Carbon	2.3		1.0	0.43	mg/L	1			9060	Total/NA
Total Alkalinity	244		5.0	0.79	mg/L	1			SM 2320B	Total/NA
Chloride	5890		121	55.7	mg/L	121			SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil	Fac	D	Method	Prep Type
Carbon dioxide	25000		5000	5000	ug/L	5			RSK-175	Total/NA

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-2-042612-1415

Lab Sample ID: 480-19202-1

Date Collected: 04/26/12 14:15

Matrix: Water

Date Received: 04/26/12 17:50

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/06/12 15:37	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/06/12 15:37	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/06/12 15:37	1
Trichloroethene	4.0		1.0	0.46	ug/L			05/06/12 15:37	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/06/12 15:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 137					05/06/12 15:37	1
4-Bromofluorobenzene (Surr)	100		73 - 120					05/06/12 15:37	1
Toluene-d8 (Surr)	106		71 - 126					05/06/12 15:37	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND	*	1.5	0.49	ug/L			04/30/12 18:17	1
Ethene	ND	*	1.5	0.52	ug/L			04/30/12 18:17	1
Methane	0.85	J B *	1.0	0.22	ug/L			04/30/12 18:17	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	3700		1000	1000	ug/L			05/04/12 10:00	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.076		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 18:05	1
Magnesium	40.0		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 18:05	1
Manganese	0.041	B	0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 18:05	1
Potassium	1.6		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 18:05	1
Sodium	109		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 18:05	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 13:40	1
Nitrate	0.059		0.050	0.011	mg/L			04/27/12 01:06	1
Nitrite	ND		0.050	0.020	mg/L			04/27/12 01:06	1
Sulfate	66.6	B	25.0	7.5	mg/L			05/03/12 22:02	5
Total Organic Carbon	1.6		1.0	0.43	mg/L			05/01/12 10:41	1
Total Alkalinity	324		5.0	0.79	mg/L			04/30/12 13:10	1
Chloride	212		5.0	2.3	mg/L			05/03/12 22:07	5
Sulfide	ND		0.10	0.052	mg/L			05/01/12 07:30	1
Acetic acid	ND		1.0	0.15	mg/L			04/30/12 04:52	1
Formic-acid	ND		1.0	0.11	mg/L			04/30/12 04:52	1
Lactic acid	ND		1.0	0.14	mg/L			04/30/12 04:52	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/30/12 04:52	1
Propionic acid	ND		1.0	0.17	mg/L			04/30/12 04:52	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/30/12 04:52	1

Client Sample ID: MW-7-1-042712-1000

Lab Sample ID: 480-19297-1

Date Collected: 04/27/12 10:00

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 01:03	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 01:03	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-1-042712-1000

Lab Sample ID: 480-19297-1

Date Collected: 04/27/12 10:00

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 01:03	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 01:03	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 01:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		66 - 137					05/08/12 01:03	1
4-Bromofluorobenzene (Surr)	102		73 - 120					05/08/12 01:03	1
Toluene-d8 (Surr)	103		71 - 126					05/08/12 01:03	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.81	J B *	1.5	0.49	ug/L			04/30/12 18:34	1
Ethene	0.64	J B *	1.5	0.52	ug/L			04/30/12 18:34	1
Methane	9.4	B *	1.0	0.22	ug/L			04/30/12 18:34	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	6800		1000	1000	ug/L			05/04/12 09:09	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.28		0.050	0.019	mg/L		04/28/12 08:45	04/28/12 16:41	1
Magnesium	111		0.20	0.043	mg/L		04/28/12 08:45	04/28/12 16:41	1
Manganese	0.42	B	0.0030	0.00040	mg/L		04/28/12 08:45	04/28/12 16:41	1
Potassium	4.3		0.50	0.10	mg/L		04/28/12 08:45	04/28/12 16:41	1
Sodium	563		1.0	0.32	mg/L		04/28/12 08:45	04/28/12 16:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.0092	J	0.020	0.0090	mg/L			05/01/12 13:06	1
Nitrate	ND		0.050	0.011	mg/L			04/27/12 21:28	1
Nitrite	ND		0.050	0.020	mg/L			04/27/12 21:28	1
Sulfate	131	B	100	30.0	mg/L			05/03/12 22:32	20
Total Organic Carbon	0.97	J	1.0	0.43	mg/L			04/30/12 21:00	1
Total Alkalinity	288		5.0	0.79	mg/L			04/30/12 13:10	1
Chloride	1450		30.0	13.8	mg/L			05/03/12 22:37	30
Sulfide	ND		0.10	0.052	mg/L			05/01/12 07:30	1
Acetic acid	ND		1.0	0.15	mg/L			05/10/12 02:27	1
Formic-acid	ND		1.0	0.11	mg/L			05/10/12 02:27	1
Lactic acid	ND		1.0	0.14	mg/L			05/10/12 02:27	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/10/12 02:27	1
Propionic acid	ND		1.0	0.17	mg/L			05/10/12 02:27	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/10/12 02:27	1

Client Sample ID: MW-7-3-042712-1330

Lab Sample ID: 480-19297-2

Date Collected: 04/27/12 13:30

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	8.6		1.0	0.81	ug/L			05/08/12 01:28	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 01:28	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 01:28	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 01:28	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-3-042712-1330

Lab Sample ID: 480-19297-2

Date Collected: 04/27/12 13:30

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	43		1.0	0.90	ug/L			05/08/12 01:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		66 - 137					05/08/12 01:28	1
4-Bromofluorobenzene (Surr)	102		73 - 120					05/08/12 01:28	1
Toluene-d8 (Surr)	101		71 - 126					05/08/12 01:28	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	6.0	B *	1.5	0.49	ug/L			04/30/12 18:51	1
Ethene	10	B *	1.5	0.52	ug/L			04/30/12 18:51	1
Methane	220	B *	100	22	ug/L			04/30/12 19:40	100
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	9100		2000	2000	ug/L			05/04/12 09:49	2

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	2.5		0.050	0.019	mg/L		04/28/12 08:45	04/28/12 16:44	1
Magnesium	248		0.20	0.043	mg/L		04/28/12 08:45	04/28/12 16:44	1
Manganese	0.35	B	0.0030	0.00040	mg/L		04/28/12 08:45	04/28/12 16:44	1
Potassium	50.2		0.50	0.10	mg/L		04/28/12 08:45	04/28/12 16:44	1
Sodium	4340		1.0	0.32	mg/L		04/28/12 08:45	04/28/12 16:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	2.6		0.040	0.018	mg/L			05/01/12 14:21	2
Nitrate	0.38		0.050	0.011	mg/L			04/27/12 22:29	1
Nitrite	ND		0.050	0.020	mg/L			04/27/12 22:29	1
Sulfate	727	B	250	75.0	mg/L			05/03/12 22:31	50
Total Organic Carbon	1.3		1.0	0.43	mg/L			04/30/12 22:01	1
Total Alkalinity	280		5.0	0.79	mg/L			04/30/12 13:10	1
Chloride	6890	B	500	230	mg/L			05/09/12 17:54	500
Sulfide	0.055	J	0.10	0.052	mg/L			05/01/12 07:30	1
Acetic acid	ND		1.0	0.15	mg/L			05/10/12 02:56	1
Formic acid	ND		1.0	0.11	mg/L			05/10/12 02:56	1
Lactic acid	ND		1.0	0.14	mg/L			05/10/12 02:56	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/10/12 02:56	1
Propionic acid	ND		1.0	0.17	mg/L			05/10/12 02:56	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/10/12 02:56	1

Client Sample ID: MW-7-4-042712-1415

Lab Sample ID: 480-19297-3

Date Collected: 04/27/12 14:15

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 01:53	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 01:53	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 01:53	1
Trichloroethene	3.6		1.0	0.46	ug/L			05/08/12 01:53	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 01:53	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-4-042712-1415

Lab Sample ID: 480-19297-3

Date Collected: 04/27/12 14:15

Matrix: Water

Date Received: 04/27/12 17:20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		66 - 137		05/08/12 01:53	1
4-Bromofluorobenzene (Surr)	103		73 - 120		05/08/12 01:53	1
Toluene-d8 (Surr)	102		71 - 126		05/08/12 01:53	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.81	J B *	1.5	0.49	ug/L			04/30/12 19:08	1
Ethene	0.65	J B *	1.5	0.52	ug/L			04/30/12 19:08	1
Methane	ND	*	1.0	0.22	ug/L			04/30/12 19:08	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	3900		1000	1000	ug/L			05/04/12 09:38	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.27		0.050	0.019	mg/L		04/28/12 08:45	04/28/12 16:50	1
Magnesium	34.3		0.20	0.043	mg/L		04/28/12 08:45	04/28/12 16:50	1
Manganese	0.017	B	0.0030	0.00040	mg/L		04/28/12 08:45	04/28/12 16:50	1
Potassium	2.1		0.50	0.10	mg/L		04/28/12 08:45	04/28/12 16:50	1
Sodium	226		1.0	0.32	mg/L		04/28/12 08:45	04/28/12 16:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/01/12 13:08	1
Nitrate	0.11		0.050	0.011	mg/L			04/27/12 22:30	1
Nitrite	ND		0.050	0.020	mg/L			04/27/12 22:30	1
Sulfate	72.2	B	25.0	7.5	mg/L			05/03/12 22:11	5
Total Organic Carbon	0.68	J	1.0	0.43	mg/L			05/01/12 00:00	1
Total Alkalinity	320		5.0	0.79	mg/L			04/30/12 13:10	1
Chloride	351		15.0	6.9	mg/L			05/03/12 22:39	15
Sulfide	ND		0.10	0.052	mg/L			05/01/12 07:30	1
Acetic acid	ND		1.0	0.15	mg/L			05/10/12 03:25	1
Formic-acid	ND		1.0	0.11	mg/L			05/10/12 03:25	1
Lactic acid	ND		1.0	0.14	mg/L			05/10/12 03:25	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/10/12 03:25	1
Propionic acid	ND		1.0	0.17	mg/L			05/10/12 03:25	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/10/12 03:25	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19297-4

Date Collected: 04/27/12 00:00

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 02:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 02:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 02:17	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 02:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 02:17	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	94		66 - 137		05/08/12 02:17	1			
4-Bromofluorobenzene (Surr)	100		73 - 120		05/08/12 02:17	1			

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19297-4

Date Collected: 04/27/12 00:00

Matrix: Water

Date Received: 04/27/12 17:20

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		71 - 126		05/08/12 02:17	1

Client Sample ID: MW-7-6-043012-0900

Lab Sample ID: 480-19365-3

Date Collected: 04/30/12 09:00

Matrix: Water

Date Received: 04/30/12 19:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	480		10	8.1	ug/L			05/09/12 00:47	10
Tetrachloroethene	710		10	3.6	ug/L			05/09/12 00:47	10
trans-1,2-Dichloroethene	ND		10	9.0	ug/L			05/09/12 00:47	10
Trichloroethene	290		10	4.6	ug/L			05/09/12 00:47	10
Vinyl chloride	55		10	9.0	ug/L			05/09/12 00:47	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		66 - 137		05/09/12 00:47	10
4-Bromofluorobenzene (Surr)	105		73 - 120		05/09/12 00:47	10
Toluene-d8 (Surr)	100		71 - 126		05/09/12 00:47	10

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	6.3		1.5	0.49	ug/L			05/02/12 16:39	1
Ethene	1.7		1.5	0.52	ug/L			05/02/12 16:39	1
Methane	420	B	100	22	ug/L			05/02/12 15:02	100

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	8200		1000	1000	ug/L			05/04/12 10:12	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.16		0.050	0.019	mg/L		05/02/12 08:00	05/02/12 19:56	1
Magnesium	106		0.20	0.043	mg/L		05/02/12 08:00	05/02/12 19:56	1
Manganese	0.18		0.0030	0.00040	mg/L		05/02/12 08:00	05/02/12 19:56	1
Potassium	10.9		0.50	0.10	mg/L		05/02/12 08:00	05/02/12 19:56	1
Sodium	2450		1.0	0.32	mg/L		05/02/12 08:00	05/02/12 19:56	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.051		0.020	0.0090	mg/L			05/02/12 11:15	1
Nitrate	0.057		0.050	0.011	mg/L			05/01/12 23:06	1
Nitrite	ND		0.050	0.020	mg/L			05/01/12 23:06	1
Sulfate	264	B	150	45.0	mg/L			05/08/12 18:06	30
Total Organic Carbon	1.3		1.0	0.43	mg/L			05/05/12 07:37	1
Total Alkalinity	288		5.0	0.79	mg/L			05/02/12 13:44	1
Chloride	4230		121	55.7	mg/L			05/08/12 17:46	121
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 02:34	1
Formic acid	ND		1.0	0.11	mg/L			05/16/12 02:34	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 02:34	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 02:34	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 02:34	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 02:34	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-5-043012-1130

Lab Sample ID: 480-19365-4

Date Collected: 04/30/12 11:30

Matrix: Water

Date Received: 04/30/12 19:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	640		200	160	ug/L			05/08/12 16:09	200
Tetrachloroethene	8700		200	72	ug/L			05/08/12 16:09	200
trans-1,2-Dichloroethene	ND		200	180	ug/L			05/08/12 16:09	200
Trichloroethene	760		200	92	ug/L			05/08/12 16:09	200
Vinyl chloride	ND		200	180	ug/L			05/08/12 16:09	200
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		66 - 137					05/08/12 16:09	200
4-Bromofluorobenzene (Surr)	111		73 - 120					05/08/12 16:09	200
Toluene-d8 (Surr)	109		71 - 126					05/08/12 16:09	200

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.0	J	1.5	0.49	ug/L			05/02/12 16:56	1
Ethene	1.3	J	1.5	0.52	ug/L			05/02/12 16:56	1
Methane	25	B	1.0	0.22	ug/L			05/02/12 16:56	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	11000		2000	2000	ug/L			05/04/12 10:28	2

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.12		0.050	0.019	mg/L		05/02/12 08:00	05/02/12 20:09	1
Magnesium	124		0.20	0.043	mg/L		05/02/12 08:00	05/02/12 20:09	1
Manganese	1.1		0.0030	0.00040	mg/L		05/02/12 08:00	05/02/12 20:09	1
Potassium	8.0		0.50	0.10	mg/L		05/02/12 08:00	05/02/12 20:09	1
Sodium	2530		1.0	0.32	mg/L		05/02/12 08:00	05/02/12 20:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.043		0.020	0.0090	mg/L			05/02/12 11:20	1
Nitrate	0.89		0.050	0.011	mg/L			05/01/12 23:07	1
Nitrite	0.039	J	0.050	0.020	mg/L			05/01/12 23:07	1
Sulfate	218	B	75.0	22.5	mg/L			05/08/12 17:05	15
Total Organic Carbon	1.8		1.0	0.43	mg/L			05/05/12 08:07	1
Total Alkalinity	320		5.0	0.79	mg/L			05/02/12 13:47	1
Chloride	4600		121	55.7	mg/L			05/08/12 17:46	121
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 03:03	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 03:03	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 03:03	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 03:03	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 03:03	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 03:03	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19365-5

Date Collected: 04/30/12 00:00

Matrix: Water

Date Received: 04/30/12 19:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 16:32	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 16:32	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19365-5

Date Collected: 04/30/12 00:00

Matrix: Water

Date Received: 04/30/12 19:30

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 16:32	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 16:32	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 16:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		66 - 137					05/08/12 16:32	1
4-Bromofluorobenzene (Surr)	115		73 - 120					05/08/12 16:32	1
Toluene-d8 (Surr)	109		71 - 126					05/08/12 16:32	1

Client Sample ID: MW-7-A-6-050112-0900

Lab Sample ID: 480-19420-1

Date Collected: 05/01/12 09:00

Matrix: Water

Date Received: 05/01/12 17:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	22000		2000	1600	ug/L			05/09/12 18:52	2000
Tetrachloroethene	140000		2000	720	ug/L			05/09/12 18:52	2000
trans-1,2-Dichloroethene	ND		2000	1800	ug/L			05/09/12 18:52	2000
Trichloroethene	26000		2000	920	ug/L			05/09/12 18:52	2000
Vinyl chloride	1800	J	2000	1800	ug/L			05/09/12 18:52	2000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		66 - 137					05/09/12 18:52	2000
4-Bromofluorobenzene (Surr)	90		73 - 120					05/09/12 18:52	2000
Toluene-d8 (Surr)	103		71 - 126					05/09/12 18:52	2000

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	14	*	1.5	0.49	ug/L			05/03/12 16:36	1
Ethene	160	*	1.5	0.52	ug/L			05/03/12 16:36	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	19000		2000	2000	ug/L			05/14/12 13:30	2

Method: RSK-175 - Dissolved Gases (GC) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methane	1100	*	50	11	ug/L			05/03/12 17:55	50

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.49		0.050	0.019	mg/L		05/03/12 08:15	05/03/12 17:45	1
Magnesium	95.4		0.20	0.043	mg/L		05/03/12 08:15	05/03/12 17:45	1
Manganese	0.92		0.0030	0.00040	mg/L		05/03/12 08:15	05/03/12 17:45	1
Potassium	2.7		0.50	0.10	mg/L		05/03/12 08:15	05/03/12 17:45	1
Sodium	226		1.0	0.32	mg/L		05/03/12 08:15	05/03/12 17:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.022		0.020	0.0090	mg/L			05/03/12 12:24	1
Nitrate	ND		0.050	0.011	mg/L			05/02/12 19:59	1
Nitrite	ND		0.050	0.020	mg/L			05/02/12 19:59	1
Sulfate	111	B	25.0	7.5	mg/L			05/14/12 14:51	5
Total Organic Carbon	10.5		1.0	0.43	mg/L			05/05/12 08:37	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-A-6-050112-0900

Lab Sample ID: 480-19420-1

Date Collected: 05/01/12 09:00

Matrix: Water

Date Received: 05/01/12 17:17

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	472		5.0	0.79	mg/L			05/02/12 14:03	1
Chloride	695		30.0	13.8	mg/L			05/08/12 17:40	30
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 18:47	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 18:47	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 18:47	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 18:47	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 18:47	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 18:47	1

Client Sample ID: MW-7-7-050112-1330

Lab Sample ID: 480-19420-2

Date Collected: 05/01/12 13:30

Matrix: Water

Date Received: 05/01/12 17:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	6000		400	320	ug/L			05/09/12 19:20	400
trans-1,2-Dichloroethene	ND		400	360	ug/L			05/09/12 19:20	400
Trichloroethene	2600		400	180	ug/L			05/09/12 19:20	400
Vinyl chloride	960		400	360	ug/L			05/09/12 19:20	400
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		66 - 137					05/09/12 19:20	400
4-Bromofluorobenzene (Surr)	89		73 - 120					05/09/12 19:20	400
Toluene-d8 (Surr)	102		71 - 126					05/09/12 19:20	400

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	120000		2000	720	ug/L			05/10/12 00:07	2000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		66 - 137					05/10/12 00:07	2000
4-Bromofluorobenzene (Surr)	89		73 - 120					05/10/12 00:07	2000
Toluene-d8 (Surr)	103		71 - 126					05/10/12 00:07	2000

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	68	J*	75	25	ug/L			05/03/12 16:53	50
Ethene	130	*	75	26	ug/L			05/03/12 16:53	50
Methane	530	*	50	11	ug/L			05/03/12 16:53	50
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/14/12 12:45	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.080		0.050	0.019	mg/L		05/03/12 08:15	05/03/12 17:48	1
Magnesium	151		0.20	0.043	mg/L		05/03/12 08:15	05/03/12 17:48	1
Manganese	0.0089		0.0030	0.00040	mg/L		05/03/12 08:15	05/03/12 17:48	1
Potassium	40.5		0.50	0.10	mg/L		05/03/12 08:15	05/03/12 17:48	1
Sodium	1030		1.0	0.32	mg/L		05/03/12 08:15	05/03/12 17:48	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-7-050112-1330

Lab Sample ID: 480-19420-2

Date Collected: 05/01/12 13:30

Matrix: Water

Date Received: 05/01/12 17:17

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	1.8		0.020	0.0090	mg/L			05/03/12 12:25	1
Nitrate	0.088		0.050	0.011	mg/L			05/02/12 22:14	1
Nitrite	0.022	J	0.050	0.020	mg/L			05/02/12 22:14	1
Sulfate	451	B	150	45.0	mg/L			05/14/12 16:41	30
Total Organic Carbon	14.1		1.0	0.43	mg/L			05/05/12 09:08	1
Total Alkalinity	42.0		5.0	0.79	mg/L			05/02/12 14:07	1
Chloride	687		30.0	13.8	mg/L			05/08/12 17:40	30
Sulfide	1.7		0.20	0.10	mg/L			05/03/12 12:10	2
Acetic acid	6.1		1.0	0.15	mg/L			05/15/12 19:17	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 19:17	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 19:17	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 19:17	1
Propionic acid	1.5		1.0	0.17	mg/L			05/15/12 19:17	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 19:17	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19420-4

Date Collected: 05/01/12 00:00

Matrix: Water

Date Received: 05/01/12 17:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/09/12 20:16	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/09/12 20:16	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/09/12 20:16	1
Trichloroethene	ND		1.0	0.46	ug/L			05/09/12 20:16	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/09/12 20:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		66 - 137					05/09/12 20:16	1
4-Bromofluorobenzene (Surr)	87		73 - 120					05/09/12 20:16	1
Toluene-d8 (Surr)	103		71 - 126					05/09/12 20:16	1

Client Sample ID: MW-7-8-050212-0730

Lab Sample ID: 480-19497-5

Date Collected: 05/02/12 07:30

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	67		4.0	3.2	ug/L			05/10/12 16:18	4
Tetrachloroethene	220		4.0	1.4	ug/L			05/10/12 16:18	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			05/10/12 16:18	4
Trichloroethene	130		4.0	1.8	ug/L			05/10/12 16:18	4
Vinyl chloride	ND		4.0	3.6	ug/L			05/10/12 16:18	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		66 - 137					05/10/12 16:18	4
4-Bromofluorobenzene (Surr)	101		73 - 120					05/10/12 16:18	4
Toluene-d8 (Surr)	121		71 - 126					05/10/12 16:18	4

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	21		15	4.9	ug/L			05/07/12 11:29	10

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-8-050212-0730

Lab Sample ID: 480-19497-5

Date Collected: 05/02/12 07:30

Matrix: Water

Date Received: 05/02/12 18:00

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethene	7.8	J	15	5.2	ug/L			05/07/12 11:29	10
Methane	67	B	10	2.2	ug/L			05/07/12 11:29	10
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/14/12 14:40	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	4.0		0.050	0.019	mg/L		05/03/12 10:15	05/03/12 20:48	1
Magnesium	170		0.20	0.043	mg/L		05/03/12 10:15	05/03/12 20:48	1
Manganese	0.15		0.0030	0.00040	mg/L		05/03/12 10:15	05/03/12 20:48	1
Potassium	38.2		0.50	0.10	mg/L		05/03/12 10:15	05/03/12 20:48	1
Sodium	896		1.0	0.32	mg/L		05/03/12 10:15	05/03/12 20:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.25		0.020	0.0090	mg/L			05/07/12 14:15	1
Nitrate	ND		0.050	0.011	mg/L			05/02/12 20:50	1
Nitrite	ND		0.050	0.020	mg/L			05/02/12 20:50	1
Sulfate	145	B	25.0	7.5	mg/L			05/14/12 14:51	5
Total Organic Carbon	0.73	J	1.0	0.43	mg/L			05/07/12 21:41	1
Total Alkalinity	60.0		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	2330		50.0	23.0	mg/L			05/11/12 18:48	50
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 21:42	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 21:42	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 21:42	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 21:42	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 21:42	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 21:42	1

Client Sample ID: MW-7-C-2-050312-1015

Lab Sample ID: 480-19600-2

Date Collected: 05/03/12 10:15

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	ND		1.0	0.36	ug/L			05/11/12 13:01	1
trans-1,2-Dichloroethene	1.2		1.0	0.90	ug/L			05/11/12 13:01	1
Trichloroethene	ND		1.0	0.46	ug/L			05/11/12 13:01	1
Vinyl chloride	21		1.0	0.90	ug/L			05/11/12 13:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		66 - 137		05/11/12 13:01	1
4-Bromofluorobenzene (Surr)	110		73 - 120		05/11/12 13:01	1
Toluene-d8 (Surr)	111		71 - 126		05/11/12 13:01	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	370		5.0	4.1	ug/L			05/13/12 11:16	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		66 - 137		05/13/12 11:16	5

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-C-2-050312-1015

Lab Sample ID: 480-19600-2

Date Collected: 05/03/12 10:15

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		73 - 120		05/13/12 11:16	5
Toluene-d8 (Surr)	102		71 - 126		05/13/12 11:16	5

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	9.6	J	15	4.9	ug/L			05/07/12 13:51	10
Ethene	8.0	J	15	5.2	ug/L			05/07/12 13:51	10
Methane	82	B	10	2.2	ug/L			05/07/12 13:51	10
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	4800		1000	1000	ug/L			05/14/12 12:58	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.93		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 17:57	1
Magnesium	83.8		0.20	0.043	mg/L		05/07/12 07:20	05/07/12 17:57	1
Manganese	0.084		0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 17:57	1
Potassium	7.5		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 17:57	1
Sodium	126		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 17:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.39		0.020	0.0090	mg/L			05/04/12 13:52	1
Nitrate	ND		0.050	0.011	mg/L			05/04/12 20:21	1
Nitrite	ND		0.050	0.020	mg/L			05/04/12 20:21	1
Sulfate	525	B	100	30.0	mg/L			05/10/12 16:33	20
Total Organic Carbon	0.67	J	1.0	0.43	mg/L			05/06/12 13:01	1
Total Alkalinity	260		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	181		10.0	4.6	mg/L			05/10/12 16:23	10
Sulfide	ND		0.10	0.052	mg/L			05/08/12 08:45	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 11:47	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 11:47	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 11:47	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 11:47	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 11:47	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 11:47	1

Client Sample ID: MW-7-D-1-050312-1530

Lab Sample ID: 480-19600-3

Date Collected: 05/03/12 15:30

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		4.0	3.2	ug/L			05/11/12 13:24	4
Tetrachloroethene	ND		4.0	1.4	ug/L			05/11/12 13:24	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			05/11/12 13:24	4
Trichloroethene	ND		4.0	1.8	ug/L			05/11/12 13:24	4
Vinyl chloride	19		4.0	3.6	ug/L			05/11/12 13:24	4
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	115		66 - 137		05/11/12 13:24	4			
4-Bromofluorobenzene (Surr)	112		73 - 120		05/11/12 13:24	4			

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-D-1-050312-1530

Lab Sample ID: 480-19600-3

Date Collected: 05/03/12 15:30

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	112		71 - 126		05/11/12 13:24	4

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	52		15	4.9	ug/L			05/07/12 14:08	10
Ethene	14	J	15	5.2	ug/L			05/07/12 14:08	10
Methane	2800	B	100	22	ug/L			05/07/12 15:23	100
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	25000		5000	5000	ug/L			05/14/12 13:35	5

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	61.2		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 17:59	1
Magnesium	388		0.20	0.043	mg/L		05/07/12 07:20	05/08/12 14:45	1
Manganese	10.1		0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 17:59	1
Potassium	31.4		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 17:59	1
Sodium	358		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 17:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	170	B	2.0	0.90	mg/L			05/04/12 14:24	100
Nitrate	ND		0.050	0.011	mg/L			05/04/12 20:22	1
Nitrite	ND		0.050	0.020	mg/L			05/04/12 20:22	1
Sulfate	71.0	B	25.0	7.5	mg/L			05/10/12 16:33	5
Total Organic Carbon	2.3		1.0	0.43	mg/L			05/06/12 13:32	1
Total Alkalinity	244		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	5890		121	55.7	mg/L			05/10/12 17:01	121
Sulfide	ND		0.10	0.052	mg/L			05/08/12 08:45	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 12:16	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 12:16	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 12:16	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 12:16	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 12:16	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 12:16	1

Surrogate Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		12DCE (66-137)	BFB (73-120)	TOL (71-126)
480-19202-1	MW-7-2-042612-1415	103	100	106
480-19297-1	MW-7-1-042712-1000	95	102	103
480-19297-2	MW-7-3-042712-1330	93	102	101
480-19297-3	MW-7-4-042712-1415	94	103	102
480-19297-4	TRIP BLANK	94	100	100
480-19365-3	MW-7-6-043012-0900	88	105	100
480-19365-3 MS	MW-7-6-043012-0900	94	104	102
480-19365-3 MSD	MW-7-6-043012-0900	93	108	102
480-19365-4	MW-7-5-043012-1130	92	111	109
480-19365-5	TRIP BLANK	98	115	109
480-19420-1	MW-7-A-6-050112-0900	117	90	103
480-19420-2	MW-7-7-050112-1330	110	89	102
480-19420-2 - DL	MW-7-7-050112-1330	110	89	103
480-19420-2 MS	MW-7-7-050112-1330	106	92	104
480-19420-2 MSD	MW-7-7-050112-1330	104	94	104
480-19420-4	TRIP BLANK	115	87	103
480-19497-5	MW-7-8-050212-0730	115	101	121
480-19600-2	MW-7-C-2-050312-1015	117	110	111
480-19600-2 - DL	MW-7-C-2-050312-1015	112	100	102
480-19600-3	MW-7-D-1-050312-1530	115	112	112
LCS 480-63255/28	Lab Control Sample	100	103	105
LCS 480-63414/31	Lab Control Sample	93	103	101
LCS 480-63474/4	Lab Control Sample	90	106	106
LCS 480-63572/4	Lab Control Sample	92	106	103
LCS 480-63640/3	Lab Control Sample	101	99	105
LCS 480-63732/3	Lab Control Sample	104	99	107
LCS 480-63819/4	Lab Control Sample	109	97	118
LCS 480-64020/4	Lab Control Sample	110	115	116
LCS 480-64247/5	Lab Control Sample	105	101	99
MB 480-63255/7	Method Blank	102	100	105
MB 480-63414/30	Method Blank	94	101	101
MB 480-63474/5	Method Blank	92	110	107
MB 480-63572/5	Method Blank	93	107	104
MB 480-63640/4	Method Blank	122	92	100
MB 480-63732/4	Method Blank	111	90	104
MB 480-63819/5	Method Blank	115	99	121
MB 480-64020/5	Method Blank	112	111	113
MB 480-64247/6	Method Blank	106	97	98

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-63255/7

Matrix: Water

Analysis Batch: 63255

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/06/12 12:02	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/06/12 12:02	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/06/12 12:02	1
Trichloroethene	ND		1.0	0.46	ug/L			05/06/12 12:02	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/06/12 12:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		66 - 137		05/06/12 12:02	1
4-Bromofluorobenzene (Surr)	100		73 - 120		05/06/12 12:02	1
Toluene-d8 (Surr)	105		71 - 126		05/06/12 12:02	1

Lab Sample ID: LCS 480-63255/28

Matrix: Water

Analysis Batch: 63255

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	28.3		ug/L		113	74 - 124
Tetrachloroethene	25.0	29.0		ug/L		116	74 - 122
trans-1,2-Dichloroethene	25.0	30.1		ug/L		120	73 - 127
Trichloroethene	25.0	27.8		ug/L		111	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		66 - 137
4-Bromofluorobenzene (Surr)	103		73 - 120
Toluene-d8 (Surr)	105		71 - 126

Lab Sample ID: MB 480-63414/30

Matrix: Water

Analysis Batch: 63414

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/07/12 23:49	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/07/12 23:49	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/07/12 23:49	1
Trichloroethene	ND		1.0	0.46	ug/L			05/07/12 23:49	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/07/12 23:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		66 - 137		05/07/12 23:49	1
4-Bromofluorobenzene (Surr)	101		73 - 120		05/07/12 23:49	1
Toluene-d8 (Surr)	101		71 - 126		05/07/12 23:49	1

Lab Sample ID: LCS 480-63414/31

Matrix: Water

Analysis Batch: 63414

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	27.3		ug/L		109	74 - 124
Tetrachloroethene	25.0	27.1		ug/L		108	74 - 122

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-63414/31

Matrix: Water

Analysis Batch: 63414

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
trans-1,2-Dichloroethene	25.0	28.5		ug/L		114	73 - 127
Trichloroethene	25.0	26.5		ug/L		106	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		66 - 137
4-Bromofluorobenzene (Surr)	103		73 - 120
Toluene-d8 (Surr)	101		71 - 126

Lab Sample ID: MB 480-63474/5

Matrix: Water

Analysis Batch: 63474

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 12:03	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 12:03	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 12:03	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 12:03	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 12:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		66 - 137		05/08/12 12:03	1
4-Bromofluorobenzene (Surr)	110		73 - 120		05/08/12 12:03	1
Toluene-d8 (Surr)	107		71 - 126		05/08/12 12:03	1

Lab Sample ID: LCS 480-63474/4

Matrix: Water

Analysis Batch: 63474

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	25.9		ug/L		104	74 - 124
Tetrachloroethene	25.0	28.9		ug/L		116	74 - 122
trans-1,2-Dichloroethene	25.0	27.3		ug/L		109	73 - 127
Trichloroethene	25.0	24.8		ug/L		99	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		66 - 137
4-Bromofluorobenzene (Surr)	106		73 - 120
Toluene-d8 (Surr)	106		71 - 126

Lab Sample ID: MB 480-63572/5

Matrix: Water

Analysis Batch: 63572

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 23:15	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 23:15	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 23:15	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 23:15	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 23:15	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-63572/5

Matrix: Water

Analysis Batch: 63572

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	93		66 - 137		05/08/12 23:15	1
4-Bromofluorobenzene (Surr)	107		73 - 120		05/08/12 23:15	1
Toluene-d8 (Surr)	104		71 - 126		05/08/12 23:15	1

Lab Sample ID: LCS 480-63572/4

Matrix: Water

Analysis Batch: 63572

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
cis-1,2-Dichloroethene	25.0	25.1		ug/L		100	74 - 124
Tetrachloroethene	25.0	27.2		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102	73 - 127
Trichloroethene	25.0	23.9		ug/L		96	74 - 123

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	92		66 - 137
4-Bromofluorobenzene (Surr)	106		73 - 120
Toluene-d8 (Surr)	103		71 - 126

Lab Sample ID: 480-19365-3 MS

Matrix: Water

Analysis Batch: 63572

Client Sample ID: MW-7-6-043012-0900

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec.
									Limits
cis-1,2-Dichloroethene	480		250	700		ug/L		88	74 - 124
Tetrachloroethene	710		250	898		ug/L		75	74 - 122
trans-1,2-Dichloroethene	ND		250	271		ug/L		108	73 - 127
Trichloroethene	290		250	522		ug/L		93	74 - 123

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	94		66 - 137
4-Bromofluorobenzene (Surr)	104		73 - 120
Toluene-d8 (Surr)	102		71 - 126

Lab Sample ID: 480-19365-3 MSD

Matrix: Water

Analysis Batch: 63572

Client Sample ID: MW-7-6-043012-0900

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
									Limits		
cis-1,2-Dichloroethene	480		250	720		ug/L		96	74 - 124	3	15
Tetrachloroethene	710		250	863	F	ug/L		61	74 - 122	4	20
trans-1,2-Dichloroethene	ND		250	266		ug/L		106	73 - 127	2	20
Trichloroethene	290		250	531		ug/L		97	74 - 123	2	16

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	93		66 - 137
4-Bromofluorobenzene (Surr)	108		73 - 120
Toluene-d8 (Surr)	102		71 - 126

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-63640/4

Matrix: Water

Analysis Batch: 63640

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/09/12 11:23	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/09/12 11:23	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/09/12 11:23	1
Trichloroethene	ND		1.0	0.46	ug/L			05/09/12 11:23	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/09/12 11:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	122		66 - 137		05/09/12 11:23	1
4-Bromofluorobenzene (Surr)	92		73 - 120		05/09/12 11:23	1
Toluene-d8 (Surr)	100		71 - 126		05/09/12 11:23	1

Lab Sample ID: LCS 480-63640/3

Matrix: Water

Analysis Batch: 63640

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	26.7		ug/L		107	74 - 124
Tetrachloroethene	25.0	24.6		ug/L		98	74 - 122
trans-1,2-Dichloroethene	25.0	27.3		ug/L		109	73 - 127
Trichloroethene	25.0	26.5		ug/L		106	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		66 - 137
4-Bromofluorobenzene (Surr)	99		73 - 120
Toluene-d8 (Surr)	105		71 - 126

Lab Sample ID: 480-19420-2 MS

Matrix: Water

Analysis Batch: 63640

Client Sample ID: MW-7-7-050112-1330

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	6000		10000	15700		ug/L		97	74 - 124
Tetrachloroethene	170000		10000	157000	E 4	ug/L		-102	74 - 122
trans-1,2-Dichloroethene	ND		10000	10600		ug/L		106	73 - 127
Trichloroethene	2600		10000	13000		ug/L		104	74 - 123

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	106		66 - 137
4-Bromofluorobenzene (Surr)	92		73 - 120
Toluene-d8 (Surr)	104		71 - 126

Lab Sample ID: 480-19420-2 MSD

Matrix: Water

Analysis Batch: 63640

Client Sample ID: MW-7-7-050112-1330

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
cis-1,2-Dichloroethene	6000		10000	16900		ug/L		109	74 - 124	7	15
Tetrachloroethene	170000		10000	166000	E 4	ug/L		-10	74 - 122	6	20
trans-1,2-Dichloroethene	ND		10000	11100		ug/L		111	73 - 127	4	20

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 480-19420-2 MSD

Matrix: Water

Analysis Batch: 63640

Client Sample ID: MW-7-7-050112-1330

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Trichloroethene	2600		10000	13400		ug/L		108	74 - 123	3	16

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		66 - 137
4-Bromofluorobenzene (Surr)	94		73 - 120
Toluene-d8 (Surr)	104		71 - 126

Lab Sample ID: MB 480-63732/4

Matrix: Water

Analysis Batch: 63732

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/09/12 23:04	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/09/12 23:04	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/09/12 23:04	1
Trichloroethene	ND		1.0	0.46	ug/L			05/09/12 23:04	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/09/12 23:04	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		66 - 137		05/09/12 23:04	1
4-Bromofluorobenzene (Surr)	90		73 - 120		05/09/12 23:04	1
Toluene-d8 (Surr)	104		71 - 126		05/09/12 23:04	1

Lab Sample ID: LCS 480-63732/3

Matrix: Water

Analysis Batch: 63732

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	27.9		ug/L		112	74 - 124
Tetrachloroethene	25.0	26.9		ug/L		108	74 - 122
trans-1,2-Dichloroethene	25.0	29.0		ug/L		116	73 - 127
Trichloroethene	25.0	28.0		ug/L		112	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		66 - 137
4-Bromofluorobenzene (Surr)	99		73 - 120
Toluene-d8 (Surr)	107		71 - 126

Lab Sample ID: MB 480-63819/5

Matrix: Water

Analysis Batch: 63819

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/10/12 11:24	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/10/12 11:24	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/10/12 11:24	1
Trichloroethene	ND		1.0	0.46	ug/L			05/10/12 11:24	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/10/12 11:24	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-63819/5

Matrix: Water

Analysis Batch: 63819

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	115		66 - 137		05/10/12 11:24	1
4-Bromofluorobenzene (Surr)	99		73 - 120		05/10/12 11:24	1
Toluene-d8 (Surr)	121		71 - 126		05/10/12 11:24	1

Lab Sample ID: LCS 480-63819/4

Matrix: Water

Analysis Batch: 63819

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
cis-1,2-Dichloroethene	25.0	25.3		ug/L		101	74 - 124
Tetrachloroethene	25.0	27.2		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	26.7		ug/L		107	73 - 127
Trichloroethene	25.0	25.4		ug/L		102	74 - 123

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	109		66 - 137
4-Bromofluorobenzene (Surr)	97		73 - 120
Toluene-d8 (Surr)	118		71 - 126

Lab Sample ID: MB 480-64020/5

Matrix: Water

Analysis Batch: 64020

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/11/12 11:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/11/12 11:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/11/12 11:17	1
Trichloroethene	ND		1.0	0.46	ug/L			05/11/12 11:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/11/12 11:17	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		66 - 137		05/11/12 11:17	1
4-Bromofluorobenzene (Surr)	111		73 - 120		05/11/12 11:17	1
Toluene-d8 (Surr)	113		71 - 126		05/11/12 11:17	1

Lab Sample ID: LCS 480-64020/4

Matrix: Water

Analysis Batch: 64020

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
cis-1,2-Dichloroethene	25.0	26.8		ug/L		107	74 - 124
Tetrachloroethene	25.0	27.3		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	26.2		ug/L		105	73 - 127
Trichloroethene	25.0	26.6		ug/L		106	74 - 123

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		66 - 137
4-Bromofluorobenzene (Surr)	115		73 - 120

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-64020/4
Matrix: Water
Analysis Batch: 64020

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

	LCS	LCS	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Toluene-d8 (Surr)</i>	116		71 - 126

Lab Sample ID: MB 480-64247/6
Matrix: Water
Analysis Batch: 64247

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	MB MB		<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>							
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/13/12 10:35	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/13/12 10:35	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/13/12 10:35	1
Trichloroethene	ND		1.0	0.46	ug/L			05/13/12 10:35	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/13/12 10:35	1

	MB	MB							
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>			<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>	
<i>1,2-Dichloroethane-d4 (Surr)</i>	106		66 - 137				05/13/12 10:35	1	
<i>4-Bromofluorobenzene (Surr)</i>	97		73 - 120				05/13/12 10:35	1	
<i>Toluene-d8 (Surr)</i>	98		71 - 126				05/13/12 10:35	1	

Lab Sample ID: LCS 480-64247/5
Matrix: Water
Analysis Batch: 64247

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	LCS LCS		<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
		<i>Result</i>	<i>Qualifier</i>				
cis-1,2-Dichloroethene	25.0	29.9		ug/L		120	74 - 124
Tetrachloroethene	25.0	27.4		ug/L		110	74 - 122
trans-1,2-Dichloroethene	25.0	31.1		ug/L		124	73 - 127
Trichloroethene	25.0	29.2		ug/L		117	74 - 123

	LCS	LCS	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	105		66 - 137
<i>4-Bromofluorobenzene (Surr)</i>	101		73 - 120
<i>Toluene-d8 (Surr)</i>	99		71 - 126

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 200-38245/3
Matrix: Water
Analysis Batch: 38245

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	MB MB		<i>RL</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>							
Carbon dioxide	ND		1000	1000	ug/L			05/04/12 08:23	1

Lab Sample ID: LCS 200-38245/2
Matrix: Water
Analysis Batch: 38245

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	LCS LCS		<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
		<i>Result</i>	<i>Qualifier</i>				
Carbon dioxide	5010	5150		ug/L		103	70 - 130

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: MB 200-38628/4
Matrix: Water
Analysis Batch: 38628

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/14/12 11:34	1

Lab Sample ID: LCS 200-38628/3
Matrix: Water
Analysis Batch: 38628

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Carbon dioxide	5010	5330		ug/L		106	70 - 130

Lab Sample ID: MB 480-62347/2
Matrix: Water
Analysis Batch: 62347

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.845	J	1.5	0.49	ug/L			04/30/12 17:16	1
Ethene	0.670	J	1.5	0.52	ug/L			04/30/12 17:16	1
Methane	0.511	J	1.0	0.22	ug/L			04/30/12 17:16	1

Lab Sample ID: LCS 480-62347/3
Matrix: Water
Analysis Batch: 62347

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	7.19	13.7	*	ug/L		191	71 - 147
Ethene	6.73	12.8	*	ug/L		190	71 - 147
Methane	3.88	7.21	*	ug/L		186	48 - 174

Lab Sample ID: LCSD 480-62347/4
Matrix: Water
Analysis Batch: 62347

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	13.6	*	ug/L		189	71 - 147	1	50
Ethene	6.73	12.9	*	ug/L		192	71 - 147	1	50
Methane	3.88	7.37	*	ug/L		190	48 - 174	2	50

Lab Sample ID: MB 480-62604/3
Matrix: Water
Analysis Batch: 62604

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/02/12 08:32	1
Ethene	ND		1.5	0.52	ug/L			05/02/12 08:32	1
Methane	0.522	J	1.0	0.22	ug/L			05/02/12 08:32	1

Lab Sample ID: LCS 480-62604/4
Matrix: Water
Analysis Batch: 62604

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	7.19	8.33		ug/L		116	71 - 147

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 480-62604/4
 Matrix: Water
 Analysis Batch: 62604

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	6.73	7.84		ug/L		116	71 - 147
Methane	3.88	4.65		ug/L		120	48 - 174

Lab Sample ID: LCSD 480-62604/5
 Matrix: Water
 Analysis Batch: 62604

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	8.43		ug/L		117	71 - 147	1	50
Ethane	6.73	7.90		ug/L		117	71 - 147	1	50
Methane	3.88	4.60		ug/L		119	48 - 174	1	50

Lab Sample ID: MB 480-62926/3
 Matrix: Water
 Analysis Batch: 62926

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/03/12 15:53	1
Ethane	ND		1.5	0.52	ug/L			05/03/12 15:53	1
Methane	ND		1.0	0.22	ug/L			05/03/12 15:53	1

Lab Sample ID: LCS 480-62926/2
 Matrix: Water
 Analysis Batch: 62926

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	14.4	16.0		ug/L		111	71 - 147
Ethane	13.5	15.2		ug/L		113	71 - 147
Methane	7.76	8.49		ug/L		109	48 - 174

Lab Sample ID: LCSD 480-62926/4
 Matrix: Water
 Analysis Batch: 62926

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	14.1	*	ug/L		196	71 - 147	13	50
Ethane	6.73	13.2	*	ug/L		196	71 - 147	14	50
Methane	3.88	7.92	*	ug/L		204	48 - 174	7	50

Lab Sample ID: MB 480-63265/2
 Matrix: Water
 Analysis Batch: 63265

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/07/12 07:56	1
Ethane	ND		1.5	0.52	ug/L			05/07/12 07:56	1
Methane	0.523	J	1.0	0.22	ug/L			05/07/12 07:56	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 480-63265/3
 Matrix: Water
 Analysis Batch: 63265

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	7.19	8.44		ug/L		117	71 - 147
Ethene	6.73	7.81		ug/L		116	71 - 147
Methane	3.88	4.65		ug/L		120	48 - 174

Lab Sample ID: LCSD 480-63265/4
 Matrix: Water
 Analysis Batch: 63265

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	8.44		ug/L		117	71 - 147	0	50
Ethene	6.73	7.76		ug/L		115	71 - 147	1	50
Methane	3.88	4.73		ug/L		122	48 - 174	2	50

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 480-61766/1-A
 Matrix: Water
 Analysis Batch: 62075

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 61766

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 17:10	1
Magnesium	ND		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 17:10	1
Manganese	0.000760	J	0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 17:10	1
Potassium	ND		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 17:10	1
Sodium	ND		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 17:10	1

Lab Sample ID: LCS 480-61766/2-A
 Matrix: Water
 Analysis Batch: 62075

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 61766

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	9.49		mg/L		95	80 - 120
Magnesium	10.0	9.58		mg/L		96	80 - 120
Manganese	0.200	0.201		mg/L		100	80 - 120
Potassium	10.0	9.78		mg/L		98	80 - 120
Sodium	10.0	9.78		mg/L		98	80 - 120

Lab Sample ID: MB 480-62005/1-A
 Matrix: Water
 Analysis Batch: 62217

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 62005

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		04/28/12 08:45	04/28/12 15:43	1
Magnesium	ND		0.20	0.043	mg/L		04/28/12 08:45	04/28/12 15:43	1
Manganese	0.000880	J	0.0030	0.00040	mg/L		04/28/12 08:45	04/28/12 15:43	1
Potassium	ND		0.50	0.10	mg/L		04/28/12 08:45	04/28/12 15:43	1
Sodium	ND		1.0	0.32	mg/L		04/28/12 08:45	04/28/12 15:43	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 480-62005/2-A

Matrix: Water

Analysis Batch: 62217

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62005

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	10.15		mg/L		101	80 - 120
Magnesium	10.0	10.07		mg/L		101	80 - 120
Manganese	0.200	0.207		mg/L		103	80 - 120
Potassium	10.0	10.24		mg/L		102	80 - 120
Sodium	10.0	10.35		mg/L		103	80 - 120

Lab Sample ID: MB 480-62531/1-A

Matrix: Water

Analysis Batch: 62800

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62531

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/02/12 08:00	05/02/12 19:40	1
Magnesium	ND		0.20	0.043	mg/L		05/02/12 08:00	05/02/12 19:40	1
Manganese	ND		0.0030	0.00040	mg/L		05/02/12 08:00	05/02/12 19:40	1
Potassium	ND		0.50	0.10	mg/L		05/02/12 08:00	05/02/12 19:40	1
Sodium	ND		1.0	0.32	mg/L		05/02/12 08:00	05/02/12 19:40	1

Lab Sample ID: LCS 480-62531/2-A

Matrix: Water

Analysis Batch: 62800

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62531

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	9.58		mg/L		96	80 - 120
Magnesium	10.0	9.24		mg/L		92	80 - 120
Manganese	0.200	0.196		mg/L		98	80 - 120
Potassium	10.0	9.43		mg/L		94	80 - 120
Sodium	10.0	9.34		mg/L		93	80 - 120

Lab Sample ID: 480-19365-3 MS

Matrix: Water

Analysis Batch: 62800

Client Sample ID: MW-7-6-043012-0900

Prep Type: Total/NA

Prep Batch: 62531

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	0.16		10.0	9.53		mg/L		94	75 - 125
Magnesium	106		10.0	113.8	4	mg/L		79	75 - 125
Manganese	0.18		0.200	0.372		mg/L		95	75 - 125
Potassium	10.9		10.0	21.33		mg/L		104	75 - 125
Sodium	2450		10.0	2443	4	mg/L		-61	75 - 125

Lab Sample ID: 480-19365-3 MSD

Matrix: Water

Analysis Batch: 62800

Client Sample ID: MW-7-6-043012-0900

Prep Type: Total/NA

Prep Batch: 62531

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Iron	0.16		10.0	9.77		mg/L		96	75 - 125	2	20
Magnesium	106		10.0	116.0	4	mg/L		101	75 - 125	2	20
Manganese	0.18		0.200	0.379		mg/L		99	75 - 125	2	20
Potassium	10.9		10.0	21.75		mg/L		108	75 - 125	2	20
Sodium	2450		10.0	2496	4	mg/L		464	75 - 125	2	20

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 480-62755/1-A

Matrix: Water

Analysis Batch: 63017

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62755

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/03/12 08:15	05/03/12 17:12	1
Magnesium	ND		0.20	0.043	mg/L		05/03/12 08:15	05/03/12 17:12	1
Manganese	ND		0.0030	0.00040	mg/L		05/03/12 08:15	05/03/12 17:12	1
Potassium	ND		0.50	0.10	mg/L		05/03/12 08:15	05/03/12 17:12	1
Sodium	ND		1.0	0.32	mg/L		05/03/12 08:15	05/03/12 17:12	1

Lab Sample ID: LCS 480-62755/2-A

Matrix: Water

Analysis Batch: 63017

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62755

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Iron	10.0	10.33		mg/L		103	80 - 120
Magnesium	10.0	10.09		mg/L		101	80 - 120
Manganese	0.200	0.204		mg/L		102	80 - 120
Potassium	10.0	10.25		mg/L		102	80 - 120
Sodium	10.0	10.22		mg/L		102	80 - 120

Lab Sample ID: MB 480-62828/1-A

Matrix: Water

Analysis Batch: 63029

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62828

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/03/12 10:15	05/03/12 19:39	1
Magnesium	ND		0.20	0.043	mg/L		05/03/12 10:15	05/03/12 19:39	1
Manganese	ND		0.0030	0.00040	mg/L		05/03/12 10:15	05/03/12 19:39	1
Potassium	ND		0.50	0.10	mg/L		05/03/12 10:15	05/03/12 19:39	1
Sodium	ND		1.0	0.32	mg/L		05/03/12 10:15	05/03/12 19:39	1

Lab Sample ID: LCS 480-62828/2-A

Matrix: Water

Analysis Batch: 63029

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62828

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Iron	10.0	9.75		mg/L		98	80 - 120
Magnesium	10.0	9.54		mg/L		95	80 - 120
Manganese	0.200	0.205		mg/L		103	80 - 120
Potassium	10.0	9.33		mg/L		93	80 - 120
Sodium	10.0	9.43		mg/L		94	80 - 120

Lab Sample ID: MB 480-63214/1-A

Matrix: Water

Analysis Batch: 63452

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63214

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 16:59	1
Magnesium	ND		0.20	0.043	mg/L		05/07/12 07:20	05/07/12 16:59	1
Manganese	ND		0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 16:59	1
Potassium	ND		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 16:59	1
Sodium	ND		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 16:59	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 480-63214/2-A

Matrix: Water

Analysis Batch: 63452

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63214

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	10.10		mg/L		101	80 - 120
Magnesium	10.0	10.01		mg/L		100	80 - 120
Manganese	0.200	0.205		mg/L		103	80 - 120
Potassium	10.0	9.77		mg/L		98	80 - 120
Sodium	10.0	9.72		mg/L		97	80 - 120

Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 480-62155/147

Matrix: Water

Analysis Batch: 62155

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 13:36	1

Lab Sample ID: LCS 480-62155/148

Matrix: Water

Analysis Batch: 62155

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.978		mg/L		98	90 - 110

Lab Sample ID: MB 480-62524/147

Matrix: Water

Analysis Batch: 62524

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/01/12 14:08	1

Lab Sample ID: MB 480-62524/75

Matrix: Water

Analysis Batch: 62524

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/01/12 12:53	1

Lab Sample ID: LCS 480-62524/148

Matrix: Water

Analysis Batch: 62524

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.996		mg/L		100	90 - 110

Lab Sample ID: LCS 480-62524/76

Matrix: Water

Analysis Batch: 62524

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	1.00		mg/L		100	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 350.1 - Nitrogen, Ammonia (Continued)

Lab Sample ID: MB 480-62682/3

Matrix: Water

Analysis Batch: 62682

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/02/12 11:08	1

Lab Sample ID: LCS 480-62682/4

Matrix: Water

Analysis Batch: 62682

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.961		mg/L		96	90 - 110

Lab Sample ID: 480-19365-3 MS

Matrix: Water

Analysis Batch: 62682

Client Sample ID: MW-7-6-043012-0900

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	0.051		0.200	0.232		mg/L		90	54 - 150

Lab Sample ID: 480-19365-3 DU

Matrix: Water

Analysis Batch: 62682

Client Sample ID: MW-7-6-043012-0900

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Ammonia	0.051			0.0478		mg/L		7	20

Lab Sample ID: MB 480-62905/3

Matrix: Water

Analysis Batch: 62905

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/03/12 12:21	1

Lab Sample ID: LCS 480-62905/4

Matrix: Water

Analysis Batch: 62905

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.988		mg/L		99	90 - 110

Lab Sample ID: MB 480-63137/147

Matrix: Water

Analysis Batch: 63137

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.0166	J	0.020	0.0090	mg/L			05/04/12 14:13	1

Lab Sample ID: LCS 480-63137/148

Matrix: Water

Analysis Batch: 63137

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	1.01		mg/L		101	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 350.1 - Nitrogen, Ammonia (Continued)

Lab Sample ID: MB 480-63387/3
 Matrix: Water
 Analysis Batch: 63387

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/07/12 14:12	1

Lab Sample ID: LCS 480-63387/4
 Matrix: Water
 Analysis Batch: 63387

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.964		mg/L		96	90 - 110

Method: 353.2 - Nitrogen, Nitrite

Lab Sample ID: MB 480-61789/27
 Matrix: Water
 Analysis Batch: 61789

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	0.0224	J	0.050	0.020	mg/L			04/27/12 00:35	1

Lab Sample ID: MB 480-61789/51
 Matrix: Water
 Analysis Batch: 61789

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			04/27/12 01:00	1

Lab Sample ID: LCS 480-61789/28
 Matrix: Water
 Analysis Batch: 61789

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.50		mg/L		100	90 - 110

Lab Sample ID: LCS 480-61789/52
 Matrix: Water
 Analysis Batch: 61789

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.51		mg/L		101	90 - 110

Lab Sample ID: MB 480-62012/3
 Matrix: Water
 Analysis Batch: 62012

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			04/27/12 22:12	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 353.2 - Nitrogen, Nitrite (Continued)

Lab Sample ID: LCS 480-62012/4
 Matrix: Water
 Analysis Batch: 62012

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.51		mg/L		101	90 - 110

Lab Sample ID: MB 480-62595/3
 Matrix: Water
 Analysis Batch: 62595

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			05/01/12 23:00	1

Lab Sample ID: LCS 480-62595/4
 Matrix: Water
 Analysis Batch: 62595

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.54		mg/L		103	90 - 110

Lab Sample ID: MB 480-62778/3
 Matrix: Water
 Analysis Batch: 62778

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			05/02/12 22:12	1

Lab Sample ID: LCS 480-62778/4
 Matrix: Water
 Analysis Batch: 62778

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.42		mg/L		95	90 - 110

Method: 9038 - Sulfate, Turbidimetric

Lab Sample ID: MB 480-63103/138
 Matrix: Water
 Analysis Batch: 63103

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.73	J	5.0	1.5	mg/L			05/03/12 21:51	1

Lab Sample ID: MB 480-63103/150
 Matrix: Water
 Analysis Batch: 63103

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.71	J	5.0	1.5	mg/L			05/03/12 22:31	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 9038 - Sulfate, Turbidimetric (Continued)

Lab Sample ID: LCS 480-63103/137
Matrix: Water
Analysis Batch: 63103

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	30.80		mg/L		103	90 - 110

Lab Sample ID: LCS 480-63103/149
Matrix: Water
Analysis Batch: 63103

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	30.71		mg/L		102	90 - 110

Lab Sample ID: MB 480-63649/25
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.69	J	5.0	1.5	mg/L			05/08/12 16:58	1

Lab Sample ID: MB 480-63649/44
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.84	J	5.0	1.5	mg/L			05/08/12 18:06	1

Lab Sample ID: LCS 480-63649/24
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	29.50		mg/L		98	90 - 110

Lab Sample ID: LCS 480-63649/43
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	30.28		mg/L		101	90 - 110

Lab Sample ID: MB 480-64026/28
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		5.0	1.5	mg/L			05/10/12 12:50	1

Lab Sample ID: MB 480-64026/36
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.83	J	5.0	1.5	mg/L			05/10/12 14:26	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 9038 - Sulfate, Turbidimetric (Continued)

Lab Sample ID: MB 480-64026/7

Matrix: Water

Analysis Batch: 64026

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		5.0	1.5	mg/L			05/10/12 11:47	1

Lab Sample ID: LCS 480-64026/35

Matrix: Water

Analysis Batch: 64026

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	31.68		mg/L		106	90 - 110

Lab Sample ID: LCS 480-64026/6

Matrix: Water

Analysis Batch: 64026

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	31.50		mg/L		105	90 - 110

Lab Sample ID: MB 480-64501/60

Matrix: Water

Analysis Batch: 64501

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	2.38	J	5.0	1.5	mg/L			05/14/12 14:41	1

Lab Sample ID: MB 480-64501/82

Matrix: Water

Analysis Batch: 64501

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	2.05	J	5.0	1.5	mg/L			05/14/12 16:38	1

Lab Sample ID: LCS 480-64501/59

Matrix: Water

Analysis Batch: 64501

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	31.45		mg/L		105	90 - 110

Lab Sample ID: LCS 480-64501/81

Matrix: Water

Analysis Batch: 64501

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	31.80		mg/L		106	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 9060 - Organic Carbon, Total (TOC)

Lab Sample ID: MB 480-62648/27
Matrix: Water
Analysis Batch: 62648

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/01/12 01:50	1

Lab Sample ID: LCS 480-62648/28
Matrix: Water
Analysis Batch: 62648

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	54.44		mg/L		91	90 - 110

Lab Sample ID: 480-19202-1 DU
Matrix: Water
Analysis Batch: 62648

Client Sample ID: MW-7-2-042612-1415
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Organic Carbon	1.6		1.61		mg/L		1	20

Lab Sample ID: MB 480-62649/3
Matrix: Water
Analysis Batch: 62649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			04/30/12 18:02	1

Lab Sample ID: LCS 480-62649/4
Matrix: Water
Analysis Batch: 62649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	60.60		mg/L		101	90 - 110

Lab Sample ID: 480-19297-1 DU
Matrix: Water
Analysis Batch: 62649

Client Sample ID: MW-7-1-042712-1000
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Organic Carbon	0.97	J	0.940	J	mg/L		3	20

Lab Sample ID: MB 480-63238/3
Matrix: Water
Analysis Batch: 63238

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/05/12 02:13	1

Lab Sample ID: LCS 480-63238/4
Matrix: Water
Analysis Batch: 63238

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	57.93		mg/L		97	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: 9060 - Organic Carbon, Total (TOC) (Continued)

Lab Sample ID: MB 480-63278/3
Matrix: Water
Analysis Batch: 63278

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/06/12 06:12	1

Lab Sample ID: LCS 480-63278/4
Matrix: Water
Analysis Batch: 63278

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	59.91		mg/L		100	90 - 110

Lab Sample ID: 480-19600-3 DU
Matrix: Water
Analysis Batch: 63278

Client Sample ID: MW-7-D-1-050312-1530
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Organic Carbon	2.3		2.45		mg/L		6	20

Lab Sample ID: MB 480-63638/3
Matrix: Water
Analysis Batch: 63638

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/07/12 19:14	1

Lab Sample ID: LCS 480-63638/4
Matrix: Water
Analysis Batch: 63638

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	57.35		mg/L		96	90 - 110

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 480-62526/3
Matrix: Water
Analysis Batch: 62526

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			04/30/12 13:10	1

Lab Sample ID: LCS 480-62526/4
Matrix: Water
Analysis Batch: 62526

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	936.0		mg/L		94	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: MB 480-62729/3

Matrix: Water

Analysis Batch: 62729

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			05/02/12 13:21	1

Lab Sample ID: LCS 480-62729/4

Matrix: Water

Analysis Batch: 62729

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	956.0		mg/L		96	90 - 110

Lab Sample ID: MB 480-63392/3

Matrix: Water

Analysis Batch: 63392

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			05/07/12 14:40	1

Lab Sample ID: LCS 480-63392/4

Matrix: Water

Analysis Batch: 63392

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	952.0		mg/L		95	90 - 110

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 480-63105/100

Matrix: Water

Analysis Batch: 63105

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/03/12 17:32	1

Lab Sample ID: MB 480-63105/130

Matrix: Water

Analysis Batch: 63105

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/03/12 21:56	1

Lab Sample ID: MB 480-63105/74

Matrix: Water

Analysis Batch: 63105

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/03/12 16:14	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: LCS 480-63105/129
Matrix: Water
Analysis Batch: 63105

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.83		mg/L		107	90 - 110

Lab Sample ID: LCS 480-63105/99
Matrix: Water
Analysis Batch: 63105

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.80		mg/L		107	90 - 110

Lab Sample ID: MB 480-63648/50
Matrix: Water
Analysis Batch: 63648

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/08/12 17:00	1

Lab Sample ID: MB 480-63648/73
Matrix: Water
Analysis Batch: 63648

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/08/12 17:40	1

Lab Sample ID: LCS 480-63648/72
Matrix: Water
Analysis Batch: 63648

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	24.91		mg/L		100	90 - 110

Lab Sample ID: MB 480-63758/7
Matrix: Water
Analysis Batch: 63758

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.504	J	1.0	0.46	mg/L			05/09/12 17:52	1

Lab Sample ID: LCS 480-63758/6
Matrix: Water
Analysis Batch: 63758

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.88		mg/L		108	90 - 110

Lab Sample ID: MB 480-64027/135
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 19:30	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: MB 480-64027/141
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 20:00	1

Lab Sample ID: MB 480-64027/30
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.722	J	1.0	0.46	mg/L			05/10/12 14:29	1

Lab Sample ID: MB 480-64027/55
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 15:55	1

Lab Sample ID: MB 480-64027/83
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 17:01	1

Lab Sample ID: LCS 480-64027/140
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.47		mg/L		106	90 - 110

Lab Sample ID: LCS 480-64027/54
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.16		mg/L		105	90 - 110

Lab Sample ID: LCS 480-64027/82
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.18		mg/L		105	90 - 110

Lab Sample ID: MB 480-64319/13
Matrix: Water
Analysis Batch: 64319

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/11/12 17:52	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: LCS 480-64319/12

Matrix: Water

Analysis Batch: 64319

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.82		mg/L		107	90 - 110

Method: SM 4500 S2 D - Sulfide, Total

Lab Sample ID: MB 480-62436/3

Matrix: Water

Analysis Batch: 62436

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/01/12 07:30	1

Lab Sample ID: LCS 480-62436/4

Matrix: Water

Analysis Batch: 62436

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.717		mg/L		96	90 - 110

Lab Sample ID: 480-19297-3 MS

Matrix: Water

Analysis Batch: 62436

Client Sample ID: MW-7-4-042712-1415

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	ND		0.500	0.570	F	mg/L		114	90 - 110

Lab Sample ID: 480-19297-2 DU

Matrix: Water

Analysis Batch: 62436

Client Sample ID: MW-7-3-042712-1330

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfide	0.055	J	ND		mg/L		NC	20

Lab Sample ID: MB 480-62917/3

Matrix: Water

Analysis Batch: 62917

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1

Lab Sample ID: LCS 480-62917/4

Matrix: Water

Analysis Batch: 62917

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.703		mg/L		94	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: SM 4500 S2 D - Sulfide, Total (Continued)

Lab Sample ID: 480-19497-5 MS
Matrix: Water
Analysis Batch: 62917

Client Sample ID: MW-7-8-050212-0730
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	ND		0.500	0.301	F	mg/L		60	90 - 110

Lab Sample ID: 480-19497-5 DU
Matrix: Water
Analysis Batch: 62917

Client Sample ID: MW-7-8-050212-0730
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfide	ND		ND		mg/L		NC	20

Lab Sample ID: MB 480-63515/3
Matrix: Water
Analysis Batch: 63515

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/08/12 08:45	1

Lab Sample ID: LCS 480-63515/4
Matrix: Water
Analysis Batch: 63515

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.726		mg/L		97	90 - 110

Lab Sample ID: 480-19600-2 MS
Matrix: Water
Analysis Batch: 63515

Client Sample ID: MW-7-C-2-050312-1015
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	ND		0.500	0.518		mg/L		104	90 - 110

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography

Lab Sample ID: MB 480-61976/28
Matrix: Water
Analysis Batch: 61976

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 23:03	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 23:03	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 23:03	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 23:03	1
Propionic acid	ND		1.0	0.17	mg/L			04/29/12 23:03	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 23:03	1

Lab Sample ID: LCS 480-61976/27
Matrix: Water
Analysis Batch: 61976

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	9.51		mg/L		95	80 - 120
Formic-acid	10.0	9.40		mg/L		94	80 - 120

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography (Continued)

Lab Sample ID: LCS 480-61976/27

Matrix: Water

Analysis Batch: 61976

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lactic acid	10.0	9.73		mg/L		97	80 - 120
n-Butyric Acid	10.0	9.57		mg/L		96	80 - 120
Propionic acid	10.0	9.76		mg/L		98	80 - 120
Pyruvic Acid	10.0	10.20		mg/L		102	80 - 120

Lab Sample ID: MB 480-63702/4

Matrix: Water

Analysis Batch: 63702

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			05/09/12 18:41	1
Formic-acid	ND		1.0	0.11	mg/L			05/09/12 18:41	1
Lactic acid	ND		1.0	0.14	mg/L			05/09/12 18:41	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/09/12 18:41	1
Propionic acid	ND		1.0	0.17	mg/L			05/09/12 18:41	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/09/12 18:41	1

Lab Sample ID: LCS 480-63702/3

Matrix: Water

Analysis Batch: 63702

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	9.84		mg/L		98	80 - 120
Formic-acid	10.0	9.94		mg/L		99	80 - 120
Lactic acid	10.0	9.63		mg/L		96	80 - 120
n-Butyric Acid	10.0	9.82		mg/L		98	80 - 120
Propionic acid	10.0	9.81		mg/L		98	80 - 120
Pyruvic Acid	10.0	10.30		mg/L		103	80 - 120

Lab Sample ID: 480-19297-3 MS

Matrix: Water

Analysis Batch: 63702

Client Sample ID: MW-7-4-042712-1415

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	ND		25.0	23.40		mg/L		94	80 - 120
Formic-acid	ND		25.0	23.60		mg/L		94	80 - 120
Lactic acid	ND		25.0	21.30		mg/L		85	80 - 120
n-Butyric Acid	ND		25.0	21.20		mg/L		85	80 - 120
Propionic acid	ND		25.0	17.50	F	mg/L		70	80 - 120
Pyruvic Acid	ND		25.0	27.80		mg/L		111	80 - 120

Lab Sample ID: 480-19297-3 MSD

Matrix: Water

Analysis Batch: 63702

Client Sample ID: MW-7-4-042712-1415

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetic acid	ND		25.0	23.80		mg/L		95	80 - 120	2	20
Formic-acid	ND		25.0	24.30		mg/L		97	80 - 120	3	20
Lactic acid	ND		25.0	21.90		mg/L		88	80 - 120	3	20
n-Butyric Acid	ND		25.0	22.00		mg/L		88	80 - 120	4	20
Propionic acid	ND		25.0	20.10		mg/L		80	80 - 120	14	20

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography (Continued)

Lab Sample ID: 480-19297-3 MSD

Matrix: Water

Analysis Batch: 63702

Client Sample ID: MW-7-4-042712-1415

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Pyruvic Acid	ND		25.0	30.80	F	mg/L		123	80 - 120	10	20

Lab Sample ID: MB 480-64493/4

Matrix: Water

Analysis Batch: 64493

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 18:18	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 18:18	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 18:18	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 18:18	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 18:18	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 18:18	1

Lab Sample ID: LCS 480-64493/3

Matrix: Water

Analysis Batch: 64493

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	10.20		mg/L		102	80 - 120
Formic-acid	10.0	9.78		mg/L		98	80 - 120
Lactic acid	10.0	9.81		mg/L		98	80 - 120
n-Butyric Acid	10.0	10.00		mg/L		100	80 - 120
Propionic acid	10.0	10.40		mg/L		104	80 - 120
Pyruvic Acid	10.0	10.50		mg/L		105	80 - 120

Lab Sample ID: 480-19365-4 MS

Matrix: Water

Analysis Batch: 64493

Client Sample ID: MW-7-5-043012-1130

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	ND		10.0	9.02		mg/L		90	80 - 120
Formic-acid	ND		10.0	10.30		mg/L		103	80 - 120
Lactic acid	ND		10.0	10.30		mg/L		103	80 - 120
n-Butyric Acid	ND		10.0	9.62		mg/L		96	80 - 120
Propionic acid	ND		10.0	ND	F	mg/L		0	80 - 120
Pyruvic Acid	ND		10.0	ND	F	mg/L		0	80 - 120

Lab Sample ID: 480-19365-4 MSD

Matrix: Water

Analysis Batch: 64493

Client Sample ID: MW-7-5-043012-1130

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetic acid	ND		10.0	10.80		mg/L		108	80 - 120	18	20
Formic-acid	ND		10.0	10.50		mg/L		105	80 - 120	2	20
Lactic acid	ND		10.0	9.50		mg/L		95	80 - 120	8	20
n-Butyric Acid	ND		10.0	7.54	F	mg/L		75	80 - 120	24	20
Propionic acid	ND		10.0	ND	F	mg/L		0	80 - 120	NC	20
Pyruvic Acid	ND		10.0	ND	F	mg/L		0	80 - 120	NC	20

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography (Continued)

Lab Sample ID: 480-19497-5 MS

Matrix: Water

Analysis Batch: 64493

Client Sample ID: MW-7-8-050212-0730

Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.
	Result	Qualifier	Added	Result	Qualifier				
Acetic acid	ND		10.0	9.52		mg/L		95	80 - 120
Formic-acid	ND		10.0	7.99		mg/L		80	80 - 120
Lactic acid	ND		10.0	6.91	F	mg/L		69	80 - 120
n-Butyric Acid	ND		10.0	9.80		mg/L		98	80 - 120
Propionic acid	ND		10.0	6.90	F	mg/L		69	80 - 120
Pyruvic Acid	ND		10.0	ND	F	mg/L		0	80 - 120

Lab Sample ID: MB 480-64494/28

Matrix: Water

Analysis Batch: 64494

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 05:58	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 05:58	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 05:58	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 05:58	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 05:58	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 05:58	1

Lab Sample ID: LCS 480-64494/27

Matrix: Water

Analysis Batch: 64494

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
Acetic acid	10.0	10.20		mg/L		102	80 - 120
Formic-acid	10.0	9.90		mg/L		99	80 - 120
Lactic acid	10.0	9.72		mg/L		97	80 - 120
n-Butyric Acid	10.0	9.60		mg/L		96	80 - 120
Propionic acid	10.0	10.20		mg/L		102	80 - 120
Pyruvic Acid	10.0	10.20		mg/L		102	80 - 120

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

GC/MS VOA

Analysis Batch: 63255

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	8260B	
LCS 480-63255/28	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63255/7	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63414

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	8260B	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	8260B	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	8260B	
480-19297-4	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-63414/31	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63414/30	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	8260B	
480-19365-5	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-63474/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63474/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63572

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	8260B	
480-19365-3 MS	MW-7-6-043012-0900	Total/NA	Water	8260B	
480-19365-3 MSD	MW-7-6-043012-0900	Total/NA	Water	8260B	
LCS 480-63572/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63572/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63640

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	8260B	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	8260B	
480-19420-2 MS	MW-7-7-050112-1330	Total/NA	Water	8260B	
480-19420-2 MSD	MW-7-7-050112-1330	Total/NA	Water	8260B	
480-19420-4	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-63640/3	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63640/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63732

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-2 - DL	MW-7-7-050112-1330	Total/NA	Water	8260B	
LCS 480-63732/3	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63732/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63819

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	8260B	
LCS 480-63819/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63819/5	Method Blank	Total/NA	Water	8260B	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

GC/MS VOA (Continued)

Analysis Batch: 64020

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	8260B	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	8260B	
LCS 480-64020/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64020/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 64247

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2 - DL	MW-7-C-2-050312-1015	Total/NA	Water	8260B	
LCS 480-64247/5	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64247/6	Method Blank	Total/NA	Water	8260B	

GC VOA

Analysis Batch: 38245

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	RSK-175	
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	RSK-175	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	RSK-175	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	RSK-175	
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	RSK-175	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	RSK-175	
LCS 200-38245/2	Lab Control Sample	Total/NA	Water	RSK-175	
MB 200-38245/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 38628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	RSK-175	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	RSK-175	
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	RSK-175	
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	RSK-175	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	RSK-175	
LCS 200-38628/3	Lab Control Sample	Total/NA	Water	RSK-175	
MB 200-38628/4	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 62347

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	RSK-175	
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	RSK-175	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	RSK-175	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	RSK-175	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	RSK-175	
LCS 480-62347/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-62347/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-62347/2	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 62604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	RSK-175	
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	RSK-175	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	RSK-175	
LCS 480-62604/4	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-62604/5	Lab Control Sample Dup	Total/NA	Water	RSK-175	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

GC VOA (Continued)

Analysis Batch: 62604 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-62604/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 62926

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	RSK-175	
480-19420-1 - DL	MW-7-A-6-050112-0900	Total/NA	Water	RSK-175	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	RSK-175	
LCS 480-62926/2	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 480-62926/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-62926/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 63265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	RSK-175	
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	RSK-175	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	RSK-175	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	RSK-175	
LCS 480-63265/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCS 480-63265/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-63265/2	Method Blank	Total/NA	Water	RSK-175	

Metals

Prep Batch: 61766

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	3005A	
LCS 480-61766/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-61766/1-A	Method Blank	Total/NA	Water	3005A	

Prep Batch: 62005

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	3005A	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	3005A	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	3005A	
LCS 480-62005/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-62005/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 62075

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	6010B	61766
LCS 480-61766/2-A	Lab Control Sample	Total/NA	Water	6010B	61766
MB 480-61766/1-A	Method Blank	Total/NA	Water	6010B	61766

Analysis Batch: 62217

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	6010B	62005
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	6010B	62005
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	6010B	62005
LCS 480-62005/2-A	Lab Control Sample	Total/NA	Water	6010B	62005
MB 480-62005/1-A	Method Blank	Total/NA	Water	6010B	62005

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Metals (Continued)

Prep Batch: 62531

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	3005A	
480-19365-3 MS	MW-7-6-043012-0900	Total/NA	Water	3005A	
480-19365-3 MSD	MW-7-6-043012-0900	Total/NA	Water	3005A	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	3005A	
LCS 480-62531/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-62531/1-A	Method Blank	Total/NA	Water	3005A	

Prep Batch: 62755

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	3005A	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	3005A	
LCS 480-62755/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-62755/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 62800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	6010B	62531
480-19365-3 MS	MW-7-6-043012-0900	Total/NA	Water	6010B	62531
480-19365-3 MSD	MW-7-6-043012-0900	Total/NA	Water	6010B	62531
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	6010B	62531
LCS 480-62531/2-A	Lab Control Sample	Total/NA	Water	6010B	62531
MB 480-62531/1-A	Method Blank	Total/NA	Water	6010B	62531

Prep Batch: 62828

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	3005A	
LCS 480-62828/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-62828/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 63017

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	6010B	62755
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	6010B	62755
LCS 480-62755/2-A	Lab Control Sample	Total/NA	Water	6010B	62755
MB 480-62755/1-A	Method Blank	Total/NA	Water	6010B	62755

Analysis Batch: 63029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	6010B	62828
LCS 480-62828/2-A	Lab Control Sample	Total/NA	Water	6010B	62828
MB 480-62828/1-A	Method Blank	Total/NA	Water	6010B	62828

Prep Batch: 63214

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	3005A	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	3005A	
LCS 480-63214/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-63214/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 63452

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	6010B	63214

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Metals (Continued)

Analysis Batch: 63452 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	6010B	63214
LCS 480-63214/2-A	Lab Control Sample	Total/NA	Water	6010B	63214
MB 480-63214/1-A	Method Blank	Total/NA	Water	6010B	63214

Analysis Batch: 63610

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	6010B	63214

General Chemistry

Analysis Batch: 61785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	353.2	

Analysis Batch: 61789

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	353.2	
LCS 480-61789/28	Lab Control Sample	Total/NA	Water	353.2	
LCS 480-61789/52	Lab Control Sample	Total/NA	Water	353.2	
MB 480-61789/27	Method Blank	Total/NA	Water	353.2	
MB 480-61789/51	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 61976

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	VFA-IC	
LCS 480-61976/27	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-61976/28	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 62012

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	353.2	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	353.2	
LCS 480-62012/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-62012/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 62020

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	353.2	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	353.2	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	353.2	

Analysis Batch: 62022

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	353.2	

Analysis Batch: 62155

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	350.1	
LCS 480-62155/148	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62155/147	Method Blank	Total/NA	Water	350.1	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

General Chemistry (Continued)

Analysis Batch: 62436

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	SM 4500 S2 D	
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	SM 4500 S2 D	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	SM 4500 S2 D	
480-19297-2 DU	MW-7-3-042712-1330	Total/NA	Water	SM 4500 S2 D	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	SM 4500 S2 D	
480-19297-3 MS	MW-7-4-042712-1415	Total/NA	Water	SM 4500 S2 D	
LCS 480-62436/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-62436/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 62524

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	350.1	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	350.1	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	350.1	
LCS 480-62524/148	Lab Control Sample	Total/NA	Water	350.1	
LCS 480-62524/76	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62524/147	Method Blank	Total/NA	Water	350.1	
MB 480-62524/75	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 62526

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	SM 2320B	
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	SM 2320B	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	SM 2320B	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	SM 2320B	
LCS 480-62526/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-62526/3	Method Blank	Total/NA	Water	SM 2320B	

Analysis Batch: 62595

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	353.2	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	353.2	
LCS 480-62595/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-62595/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 62596

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	353.2	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	353.2	

Analysis Batch: 62648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	9060	
480-19202-1 DU	MW-7-2-042612-1415	Total/NA	Water	9060	
LCS 480-62648/28	Lab Control Sample	Total/NA	Water	9060	
MB 480-62648/27	Method Blank	Total/NA	Water	9060	

Analysis Batch: 62649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	9060	
480-19297-1 DU	MW-7-1-042712-1000	Total/NA	Water	9060	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	9060	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

General Chemistry (Continued)

Analysis Batch: 62649 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	9060	
LCS 480-62649/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-62649/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 62682

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	350.1	
480-19365-3 DU	MW-7-6-043012-0900	Total/NA	Water	350.1	
480-19365-3 MS	MW-7-6-043012-0900	Total/NA	Water	350.1	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	350.1	
LCS 480-62682/4	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62682/3	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 62729

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	SM 2320B	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	SM 2320B	
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	SM 2320B	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	SM 2320B	
LCS 480-62729/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-62729/3	Method Blank	Total/NA	Water	SM 2320B	

Analysis Batch: 62778

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	353.2	
LCS 480-62778/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-62778/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 62782

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	353.2	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	353.2	
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	353.2	

Analysis Batch: 62783

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	353.2	
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	353.2	

Analysis Batch: 62905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	350.1	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	350.1	
LCS 480-62905/4	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62905/3	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 62917

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	SM 4500 S2 D	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	SM 4500 S2 D	
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	SM 4500 S2 D	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	SM 4500 S2 D	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

General Chemistry (Continued)

Analysis Batch: 62917 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	SM 4500 S2 D	
480-19497-5 DU	MW-7-8-050212-0730	Total/NA	Water	SM 4500 S2 D	
480-19497-5 MS	MW-7-8-050212-0730	Total/NA	Water	SM 4500 S2 D	
LCS 480-62917/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-62917/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 63103

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	9038	
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	9038	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	9038	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	9038	
LCS 480-63103/137	Lab Control Sample	Total/NA	Water	9038	
LCS 480-63103/149	Lab Control Sample	Total/NA	Water	9038	
MB 480-63103/138	Method Blank	Total/NA	Water	9038	
MB 480-63103/150	Method Blank	Total/NA	Water	9038	

Analysis Batch: 63105

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19202-1	MW-7-2-042612-1415	Total/NA	Water	SM 4500 Cl- E	
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	SM 4500 Cl- E	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	SM 4500 Cl- E	
LCS 480-63105/129	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
LCS 480-63105/99	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
MB 480-63105/100	Method Blank	Total/NA	Water	SM 4500 Cl- E	
MB 480-63105/130	Method Blank	Total/NA	Water	SM 4500 Cl- E	
MB 480-63105/74	Method Blank	Total/NA	Water	SM 4500 Cl- E	

Analysis Batch: 63137

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	350.1	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	350.1	
LCS 480-63137/148	Lab Control Sample	Total/NA	Water	350.1	
MB 480-63137/147	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 63184

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	353.2	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	353.2	

Analysis Batch: 63185

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	353.2	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	353.2	

Analysis Batch: 63238

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	9060	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	9060	
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	9060	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	9060	
LCS 480-63238/4	Lab Control Sample	Total/NA	Water	9060	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

General Chemistry (Continued)

Analysis Batch: 63238 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-63238/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 63278

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	9060	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	9060	
480-19600-3 DU	MW-7-D-1-050312-1530	Total/NA	Water	9060	
LCS 480-63278/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-63278/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 63387

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	350.1	
LCS 480-63387/4	Lab Control Sample	Total/NA	Water	350.1	
MB 480-63387/3	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 63392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	SM 2320B	
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	SM 2320B	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	SM 2320B	
LCS 480-63392/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-63392/3	Method Blank	Total/NA	Water	SM 2320B	

Analysis Batch: 63515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	SM 4500 S2 D	
480-19600-2 MS	MW-7-C-2-050312-1015	Total/NA	Water	SM 4500 S2 D	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	SM 4500 S2 D	
LCS 480-63515/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-63515/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 63638

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	9060	
LCS 480-63638/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-63638/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 63648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	SM 4500 Cl- E	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	SM 4500 Cl- E	
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	SM 4500 Cl- E	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	SM 4500 Cl- E	
LCS 480-63648/72	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
MB 480-63648/50	Method Blank	Total/NA	Water	SM 4500 Cl- E	
MB 480-63648/73	Method Blank	Total/NA	Water	SM 4500 Cl- E	

Analysis Batch: 63649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	9038	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	9038	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

General Chemistry (Continued)

Analysis Batch: 63649 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 480-63649/24	Lab Control Sample	Total/NA	Water	9038	
LCS 480-63649/43	Lab Control Sample	Total/NA	Water	9038	
MB 480-63649/25	Method Blank	Total/NA	Water	9038	
MB 480-63649/44	Method Blank	Total/NA	Water	9038	

Analysis Batch: 63702

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-1	MW-7-1-042712-1000	Total/NA	Water	VFA-IC	
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	VFA-IC	
480-19297-3	MW-7-4-042712-1415	Total/NA	Water	VFA-IC	
480-19297-3 MS	MW-7-4-042712-1415	Total/NA	Water	VFA-IC	
480-19297-3 MSD	MW-7-4-042712-1415	Total/NA	Water	VFA-IC	
LCS 480-63702/3	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-63702/4	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 63758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19297-2	MW-7-3-042712-1330	Total/NA	Water	SM 4500 CI- E	
LCS 480-63758/6	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-63758/7	Method Blank	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 64026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	9038	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	9038	
LCS 480-64026/35	Lab Control Sample	Total/NA	Water	9038	
LCS 480-64026/6	Lab Control Sample	Total/NA	Water	9038	
MB 480-64026/28	Method Blank	Total/NA	Water	9038	
MB 480-64026/36	Method Blank	Total/NA	Water	9038	
MB 480-64026/7	Method Blank	Total/NA	Water	9038	

Analysis Batch: 64027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	SM 4500 CI- E	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	SM 4500 CI- E	
LCS 480-64027/140	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
LCS 480-64027/54	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
LCS 480-64027/82	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/135	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/141	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/30	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/55	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/83	Method Blank	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 64319

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	SM 4500 CI- E	
LCS 480-64319/12	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-64319/13	Method Blank	Total/NA	Water	SM 4500 CI- E	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

General Chemistry (Continued)

Analysis Batch: 64493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-3	MW-7-6-043012-0900	Total/NA	Water	VFA-IC	
480-19365-4	MW-7-5-043012-1130	Total/NA	Water	VFA-IC	
480-19365-4 MS	MW-7-5-043012-1130	Total/NA	Water	VFA-IC	
480-19365-4 MSD	MW-7-5-043012-1130	Total/NA	Water	VFA-IC	
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	VFA-IC	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	VFA-IC	
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	VFA-IC	
480-19497-5 MS	MW-7-8-050212-0730	Total/NA	Water	VFA-IC	
LCS 480-64493/3	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-64493/4	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 64494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-2	MW-7-C-2-050312-1015	Total/NA	Water	VFA-IC	
480-19600-3	MW-7-D-1-050312-1530	Total/NA	Water	VFA-IC	
LCS 480-64494/27	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-64494/28	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 64501

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-1	MW-7-A-6-050112-0900	Total/NA	Water	9038	
480-19420-2	MW-7-7-050112-1330	Total/NA	Water	9038	
480-19497-5	MW-7-8-050212-0730	Total/NA	Water	9038	
LCS 480-64501/59	Lab Control Sample	Total/NA	Water	9038	
LCS 480-64501/81	Lab Control Sample	Total/NA	Water	9038	
MB 480-64501/60	Method Blank	Total/NA	Water	9038	
MB 480-64501/82	Method Blank	Total/NA	Water	9038	

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-2-042612-1415

Lab Sample ID: 480-19202-1

Date Collected: 04/26/12 14:15

Matrix: Water

Date Received: 04/26/12 17:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63255	05/06/12 15:37	JMB	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 10:00	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62347	04/30/12 18:17	JM	TAL BUF
Total/NA	Prep	3005A			61766	04/27/12 08:40	SS	TAL BUF
Total/NA	Analysis	6010B		1	62075	04/27/12 18:05	LH	TAL BUF
Total/NA	Analysis	353.2		1	61785	04/27/12 01:06	KS	TAL BUF
Total/NA	Analysis	353.2		1	61789	04/27/12 01:06	KS	TAL BUF
Total/NA	Analysis	VFA-IC		1	61976	04/30/12 04:52	KAC	TAL BUF
Total/NA	Analysis	350.1		1	62155	04/28/12 13:40	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62436	05/01/12 07:30	EGN	TAL BUF
Total/NA	Analysis	SM 2320B		1	62526	04/30/12 13:10	LYW	TAL BUF
Total/NA	Analysis	9060		1	62648	05/01/12 10:41	KAC	TAL BUF
Total/NA	Analysis	9038		5	63103	05/03/12 22:02	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		5	63105	05/03/12 22:07	PJQ	TAL BUF

Client Sample ID: MW-7-1-042712-1000

Lab Sample ID: 480-19297-1

Date Collected: 04/27/12 10:00

Matrix: Water

Date Received: 04/27/12 17:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63414	05/08/12 01:03	JMB	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 09:09	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62347	04/30/12 18:34	JM	TAL BUF
Total/NA	Prep	3005A			62005	04/28/12 08:45	SS	TAL BUF
Total/NA	Analysis	6010B		1	62217	04/28/12 16:41	LH	TAL BUF
Total/NA	Analysis	353.2		1	62020	04/27/12 21:28	KS	TAL BUF
Total/NA	Analysis	353.2		1	62022	04/27/12 21:28	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62436	05/01/12 07:30	EGN	TAL BUF
Total/NA	Analysis	350.1		1	62524	05/01/12 13:06	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62526	04/30/12 13:10	LYW	TAL BUF
Total/NA	Analysis	9060		1	62649	04/30/12 21:00	KAC	TAL BUF
Total/NA	Analysis	9038		20	63103	05/03/12 22:32	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		30	63105	05/03/12 22:37	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	63702	05/10/12 02:27	KAC	TAL BUF

Client Sample ID: MW-7-3-042712-1330

Lab Sample ID: 480-19297-2

Date Collected: 04/27/12 13:30

Matrix: Water

Date Received: 04/27/12 17:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63414	05/08/12 01:28	JMB	TAL BUF
Total/NA	Analysis	RSK-175		2	38245	05/04/12 09:49	MRV	TAL BUR

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-3-042712-1330

Lab Sample ID: 480-19297-2

Date Collected: 04/27/12 13:30

Matrix: Water

Date Received: 04/27/12 17:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	RSK-175		1	62347	04/30/12 18:51	JM	TAL BUF
Total/NA	Analysis	RSK-175		100	62347	04/30/12 19:40	JM	TAL BUF
Total/NA	Prep	3005A			62005	04/28/12 08:45	SS	TAL BUF
Total/NA	Analysis	6010B		1	62217	04/28/12 16:44	LH	TAL BUF
Total/NA	Analysis	353.2		1	62012	04/27/12 22:29	KS	TAL BUF
Total/NA	Analysis	353.2		1	62020	04/27/12 22:29	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62436	05/01/12 07:30	EGN	TAL BUF
Total/NA	Analysis	350.1		2	62524	05/01/12 14:21	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62526	04/30/12 13:10	LYW	TAL BUF
Total/NA	Analysis	9060		1	62649	04/30/12 22:01	KAC	TAL BUF
Total/NA	Analysis	9038		50	63103	05/03/12 22:31	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	63702	05/10/12 02:56	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		500	63758	05/09/12 17:54	PJQ	TAL BUF

Client Sample ID: MW-7-4-042712-1415

Lab Sample ID: 480-19297-3

Date Collected: 04/27/12 14:15

Matrix: Water

Date Received: 04/27/12 17:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63414	05/08/12 01:53	JMB	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 09:38	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62347	04/30/12 19:08	JM	TAL BUF
Total/NA	Prep	3005A			62005	04/28/12 08:45	SS	TAL BUF
Total/NA	Analysis	6010B		1	62217	04/28/12 16:50	LH	TAL BUF
Total/NA	Analysis	353.2		1	62012	04/27/12 22:30	KS	TAL BUF
Total/NA	Analysis	353.2		1	62020	04/27/12 22:30	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62436	05/01/12 07:30	EGN	TAL BUF
Total/NA	Analysis	350.1		1	62524	05/01/12 13:08	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62526	04/30/12 13:10	LYW	TAL BUF
Total/NA	Analysis	9060		1	62649	05/01/12 00:00	KAC	TAL BUF
Total/NA	Analysis	9038		5	63103	05/03/12 22:11	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		15	63105	05/03/12 22:39	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	63702	05/10/12 03:25	KAC	TAL BUF

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19297-4

Date Collected: 04/27/12 00:00

Matrix: Water

Date Received: 04/27/12 17:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63414	05/08/12 02:17	JMB	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-6-043012-0900

Lab Sample ID: 480-19365-3

Date Collected: 04/30/12 09:00

Matrix: Water

Date Received: 04/30/12 19:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		10	63572	05/09/12 00:47	LH	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 10:12	MRV	TAL BUR
Total/NA	Analysis	RSK-175		100	62604	05/02/12 15:02	MN	TAL BUF
Total/NA	Analysis	RSK-175		1	62604	05/02/12 16:39	MN	TAL BUF
Total/NA	Prep	3005A			62531	05/02/12 08:00	JM	TAL BUF
Total/NA	Analysis	6010B		1	62800	05/02/12 19:56	AH	TAL BUF
Total/NA	Analysis	353.2		1	62595	05/01/12 23:06	KS	TAL BUF
Total/NA	Analysis	353.2		1	62596	05/01/12 23:06	KS	TAL BUF
Total/NA	Analysis	350.1		1	62682	05/02/12 11:15	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 13:44	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 07:37	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		121	63648	05/08/12 17:46	JR	TAL BUF
Total/NA	Analysis	9038		30	63649	05/08/12 18:06	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/16/12 02:34	KAC	TAL BUF

Client Sample ID: MW-7-5-043012-1130

Lab Sample ID: 480-19365-4

Date Collected: 04/30/12 11:30

Matrix: Water

Date Received: 04/30/12 19:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		200	63474	05/08/12 16:09	RL	TAL BUF
Total/NA	Analysis	RSK-175		2	38245	05/04/12 10:28	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62604	05/02/12 16:56	MN	TAL BUF
Total/NA	Prep	3005A			62531	05/02/12 08:00	JM	TAL BUF
Total/NA	Analysis	6010B		1	62800	05/02/12 20:09	AH	TAL BUF
Total/NA	Analysis	353.2		1	62595	05/01/12 23:07	KS	TAL BUF
Total/NA	Analysis	353.2		1	62596	05/01/12 23:07	KS	TAL BUF
Total/NA	Analysis	350.1		1	62682	05/02/12 11:20	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 13:47	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 08:07	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		121	63648	05/08/12 17:46	JR	TAL BUF
Total/NA	Analysis	9038		15	63649	05/08/12 17:05	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/16/12 03:03	KAC	TAL BUF

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19365-5

Date Collected: 04/30/12 00:00

Matrix: Water

Date Received: 04/30/12 19:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63474	05/08/12 16:32	RL	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-A-6-050112-0900

Lab Sample ID: 480-19420-1

Date Collected: 05/01/12 09:00

Matrix: Water

Date Received: 05/01/12 17:17

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2000	63640	05/09/12 18:52	CDC	TAL BUF
Total/NA	Analysis	RSK-175		2	38628	05/14/12 13:30	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62926	05/03/12 16:36	JM	TAL BUF
Total/NA	Analysis	RSK-175	DL	50	62926	05/03/12 17:55	JM	TAL BUF
Total/NA	Prep	3005A			62755	05/03/12 08:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63017	05/03/12 17:45	LH	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 14:03	LYW	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 19:59	KS	TAL BUF
Total/NA	Analysis	353.2		1	62783	05/02/12 19:59	KS	TAL BUF
Total/NA	Analysis	350.1		1	62905	05/03/12 12:24	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 08:37	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		30	63648	05/08/12 17:40	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 18:47	KAC	TAL BUF
Total/NA	Analysis	9038		5	64501	05/14/12 14:51	JR	TAL BUF

Client Sample ID: MW-7-7-050112-1330

Lab Sample ID: 480-19420-2

Date Collected: 05/01/12 13:30

Matrix: Water

Date Received: 05/01/12 17:17

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		400	63640	05/09/12 19:20	CDC	TAL BUF
Total/NA	Analysis	8260B	DL	2000	63732	05/10/12 00:07	TRB	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 12:45	MRV	TAL BUR
Total/NA	Analysis	RSK-175		50	62926	05/03/12 16:53	JM	TAL BUF
Total/NA	Prep	3005A			62755	05/03/12 08:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63017	05/03/12 17:48	LH	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 14:07	LYW	TAL BUF
Total/NA	Analysis	353.2		1	62778	05/02/12 22:14	KS	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 22:14	KS	TAL BUF
Total/NA	Analysis	350.1		1	62905	05/03/12 12:25	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		2	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 09:08	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		30	63648	05/08/12 17:40	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 19:17	KAC	TAL BUF
Total/NA	Analysis	9038		30	64501	05/14/12 16:41	JR	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19420-4

Date Collected: 05/01/12 00:00

Matrix: Water

Date Received: 05/01/12 17:17

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63640	05/09/12 20:16	CDC	TAL BUF

Client Sample ID: MW-7-8-050212-0730

Lab Sample ID: 480-19497-5

Date Collected: 05/02/12 07:30

Matrix: Water

Date Received: 05/02/12 18:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		4	63819	05/10/12 16:18	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 14:40	MRV	TAL BUR
Total/NA	Analysis	RSK-175		10	63265	05/07/12 11:29	MN	TAL BUF
Total/NA	Prep	3005A			62828	05/03/12 10:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63029	05/03/12 20:48	AH	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 20:50	KS	TAL BUF
Total/NA	Analysis	353.2		1	62783	05/02/12 20:50	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	350.1		1	63387	05/07/12 14:15	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	9060		1	63638	05/07/12 21:41	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		50	64319	05/11/12 18:48	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 21:42	KAC	TAL BUF
Total/NA	Analysis	9038		5	64501	05/14/12 14:51	JR	TAL BUF

Client Sample ID: MW-7-C-2-050312-1015

Lab Sample ID: 480-19600-2

Date Collected: 05/03/12 10:15

Matrix: Water

Date Received: 05/03/12 19:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	64020	05/11/12 13:01	DC	TAL BUF
Total/NA	Analysis	8260B	DL	5	64247	05/13/12 11:16	JMB	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 12:58	MRV	TAL BUR
Total/NA	Analysis	RSK-175		10	63265	05/07/12 13:51	MN	TAL BUF
Total/NA	Prep	3005A			63214	05/07/12 07:20	SS	TAL BUF
Total/NA	Analysis	6010B		1	63452	05/07/12 17:57	MM	TAL BUF
Total/NA	Analysis	350.1		1	63137	05/04/12 13:52	KS	TAL BUF
Total/NA	Analysis	353.2		1	63184	05/04/12 20:21	KS	TAL BUF
Total/NA	Analysis	353.2		1	63185	05/04/12 20:21	KS	TAL BUF
Total/NA	Analysis	9060		1	63278	05/06/12 13:01	KAC	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	63515	05/08/12 08:45	EGN	TAL BUF
Total/NA	Analysis	9038		20	64026	05/10/12 16:33	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		10	64027	05/10/12 16:23	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64494	05/16/12 11:47	KAC	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Client Sample ID: MW-7-D-1-050312-1530

Lab Sample ID: 480-19600-3

Date Collected: 05/03/12 15:30

Matrix: Water

Date Received: 05/03/12 19:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		4	64020	05/11/12 13:24	DC	TAL BUF
Total/NA	Analysis	RSK-175		5	38628	05/14/12 13:35	MRV	TAL BUR
Total/NA	Analysis	RSK-175		10	63265	05/07/12 14:08	MN	TAL BUF
Total/NA	Analysis	RSK-175		100	63265	05/07/12 15:23	MN	TAL BUF
Total/NA	Prep	3005A			63214	05/07/12 07:20	SS	TAL BUF
Total/NA	Analysis	6010B		1	63452	05/07/12 17:59	MM	TAL BUF
Total/NA	Analysis	6010B		1	63610	05/08/12 14:45	LH	TAL BUF
Total/NA	Analysis	350.1		100	63137	05/04/12 14:24	KS	TAL BUF
Total/NA	Analysis	353.2		1	63184	05/04/12 20:22	KS	TAL BUF
Total/NA	Analysis	353.2		1	63185	05/04/12 20:22	KS	TAL BUF
Total/NA	Analysis	9060		1	63278	05/06/12 13:32	KAC	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	63515	05/08/12 08:45	EGN	TAL BUF
Total/NA	Analysis	9038		5	64026	05/10/12 16:33	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		121	64027	05/10/12 17:01	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64494	05/16/12 12:16	KAC	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Buffalo	Arkansas DEQ	State Program	6	88-0686
TestAmerica Buffalo	California	NELAC	9	1169CA
TestAmerica Buffalo	Connecticut	State Program	1	PH-0568
TestAmerica Buffalo	Florida	NELAC	4	E87672
TestAmerica Buffalo	Georgia	State Program	4	956
TestAmerica Buffalo	Georgia	State Program	4	N/A
TestAmerica Buffalo	Illinois	NELAC	5	100325 / 200003
TestAmerica Buffalo	Iowa	State Program	7	374
TestAmerica Buffalo	Kansas	NELAC	7	E-10187
TestAmerica Buffalo	Kentucky	State Program	4	90029
TestAmerica Buffalo	Kentucky (UST)	State Program	4	30
TestAmerica Buffalo	Louisiana	NELAC	6	02031
TestAmerica Buffalo	Maine	State Program	1	NY0044
TestAmerica Buffalo	Maryland	State Program	3	294
TestAmerica Buffalo	Massachusetts	State Program	1	M-NY044
TestAmerica Buffalo	Michigan	State Program	5	9937
TestAmerica Buffalo	Minnesota	NELAC	5	036-999-337
TestAmerica Buffalo	New Hampshire	NELAC	1	2337
TestAmerica Buffalo	New Hampshire	NELAC	1	68-00281
TestAmerica Buffalo	New Jersey	NELAC	2	NY455
TestAmerica Buffalo	New York	NELAC	2	10026
TestAmerica Buffalo	North Dakota	State Program	8	R-176
TestAmerica Buffalo	Oklahoma	State Program	6	9421
TestAmerica Buffalo	Oregon	NELAC	10	NY200003
TestAmerica Buffalo	Pennsylvania	NELAC	3	68-00281
TestAmerica Buffalo	Tennessee	State Program	4	TN02970
TestAmerica Buffalo	Texas	NELAC	6	T104704412-08-TX
TestAmerica Buffalo	USDA	Federal		P330-08-00242
TestAmerica Buffalo	Virginia	NELAC	3	460185
TestAmerica Buffalo	Virginia	State Program	3	278
TestAmerica Buffalo	Washington	State Program	10	C1677
TestAmerica Buffalo	West Virginia DEP	State Program	3	252
TestAmerica Buffalo	Wisconsin	State Program	5	998310390
TestAmerica Burlington	ACCLASS	DoD ELAP		ADE-1492
TestAmerica Burlington	Connecticut	State Program	1	PH-0751
TestAmerica Burlington	DE Haz. Subst. Cleanup Act (HSCA)	State Program	3	NA
TestAmerica Burlington	Florida	NELAC	4	E87467
TestAmerica Burlington	Louisiana	NELAC	6	176292
TestAmerica Burlington	Maine	State Program	1	VT00008
TestAmerica Burlington	Minnesota	NELAC	5	050-999-436
TestAmerica Burlington	New Hampshire	NELAC	1	200610
TestAmerica Burlington	New Jersey	NELAC	2	VT972
TestAmerica Burlington	New York	NELAC	2	10391
TestAmerica Burlington	Pennsylvania	NELAC	3	68-00489
TestAmerica Burlington	Rhode Island	State Program	1	LAO00298
TestAmerica Burlington	USDA	Federal		P330-11-00093
TestAmerica Burlington	Vermont	State Program	1	VT-4000
TestAmerica Burlington	Virginia	NELAC	3	460209

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Method Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL BUF
RSK-175	Dissolved Gases (GC)	RSK	TAL BUR
RSK-175	Dissolved Gases (GC)	RSK	TAL BUF
6010B	Metals (ICP)	SW846	TAL BUF
350.1	Nitrogen, Ammonia	MCAWW	TAL BUF
353.2	Nitrate	EPA	TAL BUF
353.2	Nitrogen, Nitrite	MCAWW	TAL BUF
9038	Sulfate, Turbidimetric	SW846	TAL BUF
9060	Organic Carbon, Total (TOC)	SW846	TAL BUF
SM 2320B	Alkalinity	SM	TAL BUF
SM 4500 Cl- E	Chloride, Total	SM	TAL BUF
SM 4500 S2 D	Sulfide, Total	SM	TAL BUF
VFA-IC	Volatile Fatty Acids, Ion Chromatography	TestAmerica SOP	TAL BUF

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TestAmerica SOP = TestAmerica, Inc., Standard Operating Procedure

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19202-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-19202-1	MW-7-2-042612-1415	Water	04/26/12 14:15	04/26/12 17:50
480-19297-1	MW-7-1-042712-1000	Water	04/27/12 10:00	04/27/12 17:20
480-19297-2	MW-7-3-042712-1330	Water	04/27/12 13:30	04/27/12 17:20
480-19297-3	MW-7-4-042712-1415	Water	04/27/12 14:15	04/27/12 17:20
480-19297-4	TRIP BLANK	Water	04/27/12 00:00	04/27/12 17:20
480-19365-3	MW-7-6-043012-0900	Water	04/30/12 09:00	04/30/12 19:30
480-19365-4	MW-7-5-043012-1130	Water	04/30/12 11:30	04/30/12 19:30
480-19365-5	TRIP BLANK	Water	04/30/12 00:00	04/30/12 19:30
480-19420-1	MW-7-A-6-050112-0900	Water	05/01/12 09:00	05/01/12 17:17
480-19420-2	MW-7-7-050112-1330	Water	05/01/12 13:30	05/01/12 17:17
480-19420-4	TRIP BLANK	Water	05/01/12 00:00	05/01/12 17:17
480-19497-5	MW-7-8-050212-0730	Water	05/02/12 07:30	05/02/12 18:00
480-19600-2	MW-7-C-2-050312-1015	Water	05/03/12 10:15	05/03/12 19:45
480-19600-3	MW-7-D-1-050312-1530	Water	05/03/12 15:30	05/03/12 19:45

Client Information	Sampler: F. Bohlen	Lab PM: Dayo, Melissa L	Carrier Tracking No(s):	COC No: 480-23685-5992.2
Client Contact: Mr. Christopher Boron	Phone: 716 645-2300	E-Mail: melissa.deyo@testamericainc.com		Page: 2 of 4
Company: GZA GeoEnvironmental, Inc.	Due Date Requested:			Job #:
Address: 535 Washington Street 11th Floor	TAT Requested (days):			
City: Buffalo				
State Zip: NY, 14203				
Phone: 4047065				
Email: christopher.boron@gza.com				
Project Name: 058507, GM-Loopport Groundwater Sampling				
Project #: 48004014				
SSOW#: Bids 7 BCP Site 9-30-138				

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastewater, A=air)	Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Analysis Requested										Total Number of containers	Special Instructions/Note:						
					Preservation Code	Matrix	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8260B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CI_E	2320B - Total Alkalinity										
MW-7-2-042612-1415	7/26/12	1415	G	Water			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
				Water																						
				Water																						
				Water																						
				Water																						
				Water																						
				Water																						
				Water																						
				Water																						
				Water																						

Possible Hazard Identification	<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	<input type="checkbox"/> Archive For	Months
Deliverable Requested: I, II, III, IV, Other (specify)							Special Instructions/QC Requirements:				
Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:								
Relinquished by: Thomas Bohlen	Date/Time: 7/26/12 1750	Company: GZA	Received by: Missy O'Keefe	Date/Time: 7/26/12 1750	Company: WVAF						
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:						
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:									

esi:America Buffalo
 1 Hazelwood Drive
 Bldg 7, NY 14228-2298
 Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record

TestAmerica
 THE LEADER IN ENVIRONMENTAL TESTING

Client Information
 Client Contact: Christopher Boron
 Company: ZA GeoEnvironmental, Inc.
 Address: 35 Washington Street 11th Floor
 City: Buffalo
 State: NY
 Zip: 14203
 Email: christopher.boron@gza.com
 Project Name: 58507, GM-Lockport Groundwater Sampling
 SSOW#: Bldg 7 BLP Site 9-30-138

Sampler: L. Bohlen
 Phone: 716 645-2300
 Lab P#: Melissa L
 Devo, Melissa L
 E-Mail: melissa.deyo@lestamericainc.com
 Carrier Tracking No(s):
 COC No: 480-23685-5992.3
 Page: Page 3 of 4
 Job #:

Due Date Requested:
 TAT Requested (days):
 PO #: 4047065
 WO #: 58507
 Project #: 48004014

Analysis Requested
 Field Filtered Sample (Yes or No)
 Perform MS/MSD (Yes or No)
 RSK_175_CO2 - Carbon dioxide
 VFA_IC - Standard VFA Compounds
 350.1 - Ammonia
 6010B - (MOD) TAL Metals ICP
 8250B - (MOD) TCL list OLM04.2
 9060 - Total Organic Carbon
 RSK_175 - (MOD) Local Method
 SM4500_S2_D - Sulfide
 353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_Cl_E
 2320B - Total Alkalinity

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, G=Solid, O=Volatile, B=Tristim A.A.)	Preservation Code	Total Number of containers	Special Instructions/Note:
MW-7-1-042712-1000	4/27/12	1000	G	Water			
MW-7-3-042712-1330		1330	G	Water			
MW-7-4-042712-1415		1415	G	Water			
Tip Blank				Water			

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For Months

Special Instructions/QC Requirements:

Received by: [Signature] Date: 4/27/12 Time: 1720
 Received by: [Signature] Date: 4/27/12 Time: 1720

Company: GZA

Custody Seals Intact: Yes No
 Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks:

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record

Client Information
 Client Contact: Mr. Christopher Boron
 Company: GZA GeoEnvironmental, Inc.
 Address: 535 Washington Street 11th Floor
 City: Buffalo
 State, Zip: NY, 14203
 Phone: 4047065
 Email: christopher.boron@gza.com
 Project Name: 058507, GM-Lockport Groundwater Sampling
 SSOV#: 48004014

Sampler: F. Boron
Phone: 716 685-2300
Lab PM: Deyo, Melissa L
E-Mail: melissa.deyo@testamericainc.com
Carrier Tracking No(s):

COC No: 480-23685-5992.4
Page: 4 of 4
Job #:

Due Date Requested:
TAT Requested (days):
PO #: 4047065
WFO #: 58507
Project #: 48004014

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W-water, S-solid, O-ovestrial, BT-Tissue A=All)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Total Number of containers	Special Instructions/Note:
MW-7-6-043012-0900 MS/MSD	4/30/12	900	G	Water	X	X	RSK_175_CO2 - Carbon dioxide VFA_IC - Standard VFA Compounds 350.1 - Ammonia 6010B - (MOD) TAL Metals ICP 8260B - (MOD) TCL list OLM04.2 9060 - Total Organic Carbon RSK_175 - (MOD) Local Method SM4500_S2_D - Sulfide 353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CL_E 2320B - Total Alkalinity	X	Only can VOCs be done for MS/MSD - #HOLDS all other SV
MW-7-5-043012-1130	4/30/12	1130	G	↓	X	X		X	
Tip Blank									

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (Specify)

Empty Kit Relinquished by: _____ **Date:** _____ **Time:** _____ **Method of Shipment:** _____

Relinquished by: Thomas Boron **Date/Time:** 4/30/12 / 7:30 **Company:** _____

Relinquished by: Adam Nicks **Date/Time:** 4/30/12 / 19:30 **Company:** _____

Custody Seals Intact: Yes No **Custody Seal No.:** _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Received by: _____ **Date/Time:** _____ **Company:** _____

Received by: _____ **Date/Time:** _____ **Company:** _____

Received by: _____ **Date/Time:** _____ **Company:** _____

Cooler Temperature(s) °C and Other Remarks:

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



Client Information	Sampler: T. Bohlen	Lab P.M.: Devo, Melissa L	CCC No.: 480-23685-5992.4
Company: GZA GeoEnvironmental, Inc.	Phone: 716 685-2300	E-Mail: melissa.devo@lestamericainc.com	Page: Page 4 of 4
Address: 535 Washington Street 11th Floor	City: Buffalo	State, Zip: NY, 14203	Job #:
Project Name: 058507, GM-Lockport Groundwater Sampling	Project #: 48004014	SSOW#:	Preservation Codes:
Email: Christopher.boron@gza.com	WO#: 58507	PO #: 4047065	A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amnol H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2CO3 Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydral U - Acetone V - WCAA W - pH 4.5 Z - other (specify)

Sample Identification	Sample Date	Sample Time	Sample Type (G=Comp, G=grab)	Matrix (Hydrate, Sulfide, Oxide, Aqueous)	Analysis Requested												Special Instructions/Note:			
					Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8260B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2 Nitrite, 9038, Nitrate Calc, SM4500_CL_E	2320B - Total Alkalinity		Total Number of containers		
MW-7-8-050212-0730	5/2/12	7:30	G	Water	X	X	N	N	N	S	D	A	A	A	A	CB	N	N	X	
TRIP Blank																				

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: _____ **Date:** _____ **Time:** _____ **Method of Shipment:** _____

Relinquished by: *Thomas Boron* **Date/Time:** 5/2/12 / 1800 **Company:** GZA

Relinquished by: _____ **Date/Time:** _____ **Company:** _____

Received by: *Anthony Watkins* **Date/Time:** 5/2/12 / 1800 **Company:** BOE

Received by: _____ **Date/Time:** _____ **Company:** _____

Custody Seals Intact: Yes No **Custody Seal No.:** _____

Cooler Temperature(s) °C and Other Remarks: _____

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



Client Information	Sampler: T. Bohlen	Lab PM:	Deyo, Melissa L	Carrier Tracking No(s):	COC No: 480-23685-5992.4
Client Contact: Mr. Christopher Boron	Phone: 716-685-2300	E-Mail:	melissa.deyo@testamericainc.com		Page: 4 of 4
Company: GZA Geoenvironmental, Inc.					Job #:

Address: 535 Washington Street 11th Floor	Due Date Requested:	Analysis Requested	
City: Buffalo	TAT Requested (days):	<input type="checkbox"/> Field Filtered Sample (Yes or No)	<input type="checkbox"/> Perform MS/MSD (Yes or No)
State, Zip: NY, 14203	PO #: 4047065	<input type="checkbox"/> RSK_175_CO2 - Carbon dioxide	<input type="checkbox"/> RSK_175 - (MOD) Local Method
Phone:	WO #: 58507	<input type="checkbox"/> VFA_IC - Standard VFA Compounds	<input type="checkbox"/> SM4500_S2_D - Sulfide
Email: christopher.boron@gza.com	Project #: 48004014	<input type="checkbox"/> 350.1 - Ammonia	<input type="checkbox"/> 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CI_E
Project Name: 058507, GM-Lockport Groundwater Sampling	SSOW#: 48004014	<input type="checkbox"/> 6010B - (MOD) TAL Metals ICP	<input type="checkbox"/> 2320B - Total Alkalinity
Site: Bldg 7 BCP Site 9-32-138		<input type="checkbox"/> 8260B - (MOD) TCL list OLM04.2	
		<input type="checkbox"/> 9060 - Total Organic Carbon	
		<input type="checkbox"/> Total Number of containers	

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=overhead, B=brine, A=air)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Special Instructions/Note:
MW-7-C-2-050312-1015	5/3/12	1015	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	RSK_175_CO2 - Carbon dioxide	
MW-7-P-1-050312-1530	↓	1530	↓	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	VFA_IC - Standard VFA Compounds	
TYP Blank						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	350.1 - Ammonia	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6010B - (MOD) TAL Metals ICP	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8260B - (MOD) TCL list OLM04.2	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9060 - Total Organic Carbon	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	RSK_175 - (MOD) Local Method	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	SM4500_S2_D - Sulfide	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CI_E	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2320B - Total Alkalinity	
						<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Total Number of containers	

Possible Hazard Identification	<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological
Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:					
Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		
Relinquished by: Thomas Bohlen	Date/Time: 5/3/12	19:46	Company:	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab	<input type="checkbox"/> Archive For _____ Months
Relinquished by: Jayna Nuda	Date/Time: 5/3/12	19:46	Company:	<input type="checkbox"/> Received by:	<input type="checkbox"/> Received by:	<input type="checkbox"/> Date/Time:
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:				

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 480-19202-1

Login Number: 19202

List Source: TestAmerica Buffalo

List Number: 1

Creator: Kinecki, Kenneth

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background		
The cooler's custody seal, if present, is intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the sample IDs on the containers and the COC.		
Samples are received within Holding Time.		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.		
If necessary, staff have been informed of any short hold time or quick TAT needs		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Sampling Company provided.		
Samples received within 48 hours of sampling.		
Samples requiring field filtration have been filtered in the field.		
Chlorine Residual checked.		



Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 480-19202-1

Login Number: 19202

List Number: 1

Creator: Marion, Greg T

List Source: TestAmerica Burlington

List Creation: 04/28/12 04:36 PM

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	487001
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.0°C IR GUN ID 154/CF=-0.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-19123-1

Client Project/Site: 058507, GM-Lockport Groundwater
Sampling


For:

Conestoga-Rovers & Associates, Inc.

2055 Niagara Falls Blvd., Suite 3

Niagara Falls, New York 14304

Attn: Kathleen Willy



Authorized for release by:

5/22/2012 9:50:31 AM

Melissa Deyo

Project Manager I

melissa.deyo@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	7
Client Sample Results	11
Surrogate Summary	21
QC Sample Results	22
QC Association Summary	44
Lab Chronicle	53
Certification Summary	58
Method Summary	59
Sample Summary	60
Chain of Custody	61
Receipt Checklists	65

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	LCS or LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.

General Chemistry

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
F	MS or MSD exceeds the control limits
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC exceeds the control limits.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
F	MS or MSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Job ID: 480-19123-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19123-1

Receipt

The samples were received on 4/25/2012 7:10 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

GC/MS VOA

No analytical or quality issues were noted.

IC

Method VFA-IC: The method blank for batch 61975 contained Pyruvic acid above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Method VFA-IC: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 61975 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

GC VOA

Method RSK-175: The method blank for batch 61731 contained Ethane, Ethene and Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

Method 6010B: The following sample was diluted due to the abundance of the target analyte Magnesium: MW-8-4-042512-1800 (480-19123-3). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

General Chemistry

Method 9038: The method blank for batch 61992 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Method 9038: The matrix spike (MS) recovery for batch 61992 was outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method 9038: The method blanks for batch 63103 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method SM 4500 CL- E: The method blanks for batch 61993 contained Chloride above the reporting limit. The associated samples contained detection that were greater than 10 times the result of the method blank; therefore, no corrective action was required.

Method SM 4500 CL- E: The matrix spike (MS) recovery for batch 61993 was outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method SM 4500 S2 D: The matrix spike (MS) recovery for batch 61729 was outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Job ID: 480-19365-1

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Job ID: 480-19365-1 (Continued)

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19365-1

Receipt

The samples were received on 4/30/2012 7:30 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.4° C and 2.9° C.

GC/MS VOA

Method 8260B: The following samples were diluted due to the abundance of target analytes: MW-8-003-B-043012-1400 (480-19365-1) and MW-8-003-B-043012-1400 (480-19365-1DL). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The method blank for batch 62604 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blanks for batch 63649 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Job ID: 480-19420-2

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19420-2

Receipt

The samples were received on 5/1/2012 5:17 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.2° C.

GC/MS VOA

No analytical or quality issues were noted.

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The laboratory control sample duplicate (LSCD) for batch 62926 had recoveries outside on control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Job ID: 480-19420-2 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blank for batch 63815 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Job ID: 480-19600-3

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19600-3

Receipt

The samples were received on 5/3/2012 7:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.8° C.

GC/MS VOA

Method 8260B: The following sample was diluted due to the abundance of target analytes: MW-8-S-1-050312-1830 (480-19600-4 DL). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

IC

Method VFA-IC: The matrix spike / matrix spike duplicate (MS/MSD) recoveries associated with batch 64494 were outside control limits. Matrix interference was suspected.

No other analytical or quality issues were noted.

GC VOA

Method RSK-175: The following sample was diluted due to the abundance of target analytes: MW-8-S-1-050312-1830 (480-19600-4). Elevated reporting limits (RLs) are provided.

Method RSK-175: The method blank for batch 63265 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blank for batch 64026 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Method SM4500 Cl-E: The method blank for batch 64027 contained sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-6-1-042512-0915

Lab Sample ID: 480-19123-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methane	17	B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	16.5		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	67.7		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	2.6		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	2.4		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	459		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.45		0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	104	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	3.8		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	392		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	1130		50.0	23.0	mg/L	50		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	13000		2000	2000	ug/L	2		RSK-175	Total/NA

Client Sample ID: MW-6-2-042512-1130

Lab Sample ID: 480-19123-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethane	0.79	J B	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	0.63	J B	1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	0.39	J B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.15		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	89.0		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.79		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	3.8		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	1700		1.0	0.32	mg/L	1		6010B	Total/NA
Nitrate	0.13		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	185	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	2.3		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	388		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	3800		121	55.7	mg/L	121		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	7200		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-8-4-042512-1800

Lab Sample ID: 480-19123-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	55		1.0	0.81	ug/L	1		8260B	Total/NA
Trichloroethene	15		1.0	0.46	ug/L	1		8260B	Total/NA
Vinyl chloride	18		1.0	0.90	ug/L	1		8260B	Total/NA
Ethane	1.0	J B	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	0.88	J B	1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	75	B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	1.0		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	272		1.0	0.22	mg/L	5		6010B	Total/NA
Manganese	1.9		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	8.5		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	1760		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.12		0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	259	B	50.0	15.0	mg/L	10		9038	Total/NA
Total Organic Carbon	1.6		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	300		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	3820	B	100	46.0	mg/L	100		SM 4500 Cl- E	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-4-042512-1800 (Continued)

Lab Sample ID: 480-19123-3

Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	5700		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-6-F-8-042512-1730

Lab Sample ID: 480-19123-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethane	0.84	J B	1.5	0.49	ug/L	1		RSK-175	Total/NA
Methane	32	B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.11		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	175		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	1.2		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	4.9		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	2160		1.0	0.32	mg/L	1		6010B	Total/NA
Sulfate	208	B	50.0	15.0	mg/L	10		9038	Total/NA
Total Organic Carbon	1.9		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	368		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	3730	B	100	46.0	mg/L	100		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	9000		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: DUP

Lab Sample ID: 480-19123-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Ethane	0.79	J B	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	0.69	J B	1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	0.46	J B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.14		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	87.4		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.77		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	4.0		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	1690		1.0	0.32	mg/L	1		6010B	Total/NA
Nitrate	0.12		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	150	B	100	30.0	mg/L	20		9038	Total/NA
Total Organic Carbon	2.3		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	360		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	3340	B	100	46.0	mg/L	100		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	8700		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19123-6

No Detections

Client Sample ID: MW-8-003-B-043012-1400

Lab Sample ID: 480-19365-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	440		5.0	2.3	ug/L	5		8260B	Total/NA
Vinyl chloride	73		5.0	4.5	ug/L	5		8260B	Total/NA
cis-1,2-Dichloroethene - DL	830		25	20	ug/L	25		8260B	Total/NA
Tetrachloroethene - DL	1600		25	9.0	ug/L	25		8260B	Total/NA
Ethane	1.3	J	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	6.4		1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	46	B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.14		0.050	0.019	mg/L	1		6010B	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-003-B-043012-1400 (Continued)

Lab Sample ID: 480-19365-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Magnesium	41.2		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.38		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	9.8		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	3060		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.16		0.020	0.0090	mg/L	1		350.1	Total/NA
Nitrate	0.50		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	154	B	75.0	22.5	mg/L	15		9038	Total/NA
Total Organic Carbon	1.3		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	160		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	4640		121	55.7	mg/L	121		SM 4500 Cl- E	Total/NA

Client Sample ID: MW-8-1-043012-1700

Lab Sample ID: 480-19365-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.85	J	1.0	0.81	ug/L	1		8260B	Total/NA
Ethane	9.2		1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	3.5		1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	86	B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.19		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	122		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.16		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	19.4		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	838		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	1.2		0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	613	B	150	45.0	mg/L	30		9038	Total/NA
Total Organic Carbon	0.60	J	1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	304		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	475		20.0	9.2	mg/L	20		SM 4500 Cl- E	Total/NA
Sulfide	2.1		0.50	0.26	mg/L	5		SM 4500 S2 D	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	8000		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-8-3-050112-1540

Lab Sample ID: 480-19420-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.3		1.0	0.81	ug/L	1		8260B	Total/NA
Tetrachloroethene	0.84	J	1.0	0.36	ug/L	1		8260B	Total/NA
Trichloroethene	5.9		1.0	0.46	ug/L	1		8260B	Total/NA
Ethane	1.4	J*	1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	2.4	*	1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	1.6	*	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.11		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	42.6		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	4.1		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	519		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	386		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	1.5		0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	105	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	6.4		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	360		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	1580		100	46.0	mg/L	100		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	6300		1000	1000	ug/L	1		RSK-175	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-S-2-050312-1830

Lab Sample ID: 480-19600-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
trans-1,2-Dichloroethene	34		1.0	0.90	ug/L			1	8260B	Total/NA
cis-1,2-Dichloroethene - DL	10000		130	100	ug/L			125	8260B	Total/NA
Trichloroethene - DL	190		130	58	ug/L			125	8260B	Total/NA
Vinyl chloride - DL	380		130	110	ug/L			125	8260B	Total/NA
Ethane	11	J	15	4.9	ug/L			10	RSK-175	Total/NA
Ethene	9.7	J	15	5.2	ug/L			10	RSK-175	Total/NA
Methane	260	B	10	2.2	ug/L			10	RSK-175	Total/NA
Iron	0.20		0.050	0.019	mg/L			1	6010B	Total/NA
Magnesium	47.3		0.20	0.043	mg/L			1	6010B	Total/NA
Manganese	0.021		0.0030	0.00040	mg/L			1	6010B	Total/NA
Potassium	17.1		0.50	0.10	mg/L			1	6010B	Total/NA
Sodium	286		1.0	0.32	mg/L			1	6010B	Total/NA
Ammonia	1.2		0.020	0.0090	mg/L			1	350.1	Total/NA
Sulfate	243	B	100	30.0	mg/L			20	9038	Total/NA
Total Organic Carbon	1.5		1.0	0.43	mg/L			1	9060	Total/NA
Total Alkalinity	372		5.0	0.79	mg/L			1	SM 2320B	Total/NA
Chloride	338		10.0	4.6	mg/L			10	SM 4500 Cl- E	Total/NA
Sulfide	0.60		0.10	0.052	mg/L			1	SM 4500 S2 D	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil	Fac	D	Method	Prep Type
Carbon dioxide	6800		1000	1000	ug/L			1	RSK-175	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19600-5

No Detections

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-6-1-042512-0915

Lab Sample ID: 480-19123-1

Date Collected: 04/25/12 09:15

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/01/12 23:49	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/01/12 23:49	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/01/12 23:49	1
Trichloroethene	ND		1.0	0.46	ug/L			05/01/12 23:49	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/01/12 23:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		66 - 137					05/01/12 23:49	1
4-Bromofluorobenzene (Surr)	104		73 - 120					05/01/12 23:49	1
Toluene-d8 (Surr)	101		71 - 126					05/01/12 23:49	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			04/26/12 20:01	1
Ethene	ND		1.5	0.52	ug/L			04/26/12 20:01	1
Methane	17	B	1.0	0.22	ug/L			04/26/12 20:01	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	13000		2000	2000	ug/L			05/04/12 09:44	2

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	16.5		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 21:41	1
Magnesium	67.7		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 21:41	1
Manganese	2.6		0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 21:41	1
Potassium	2.4		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 21:41	1
Sodium	459		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 21:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.45		0.020	0.0090	mg/L			04/28/12 11:57	1
Nitrate	ND		0.050	0.011	mg/L			04/26/12 22:01	1
Nitrite	ND		0.050	0.020	mg/L			04/26/12 22:01	1
Sulfate	104	B	25.0	7.5	mg/L			05/03/12 21:08	5
Total Organic Carbon	3.8		1.0	0.43	mg/L			04/30/12 22:47	1
Total Alkalinity	392		5.0	0.79	mg/L			04/27/12 13:50	1
Chloride	1130		50.0	23.0	mg/L			04/27/12 15:09	50
Sulfide	ND		0.10	0.052	mg/L			04/26/12 15:15	1
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 18:40	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 18:40	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 18:40	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 18:40	1
Propionic acid	ND		1.0	0.17	mg/L			04/29/12 18:40	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 18:40	1

Client Sample ID: MW-6-2-042512-1130

Lab Sample ID: 480-19123-2

Date Collected: 04/25/12 11:30

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/02/12 00:12	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/02/12 00:12	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-6-2-042512-1130

Lab Sample ID: 480-19123-2

Date Collected: 04/25/12 11:30

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/02/12 00:12	1
Trichloroethene	ND		1.0	0.46	ug/L			05/02/12 00:12	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/02/12 00:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		66 - 137					05/02/12 00:12	1
4-Bromofluorobenzene (Surr)	103		73 - 120					05/02/12 00:12	1
Toluene-d8 (Surr)	101		71 - 126					05/02/12 00:12	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.79	J B	1.5	0.49	ug/L			04/26/12 20:18	1
Ethene	0.63	J B	1.5	0.52	ug/L			04/26/12 20:18	1
Methane	0.39	J B	1.0	0.22	ug/L			04/26/12 20:18	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	7200		1000	1000	ug/L			05/04/12 08:46	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.15		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 21:44	1
Magnesium	89.0		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 21:44	1
Manganese	0.79		0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 21:44	1
Potassium	3.8		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 21:44	1
Sodium	1700		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 21:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 11:58	1
Nitrate	0.13		0.050	0.011	mg/L			04/27/12 00:25	1
Nitrite	ND		0.050	0.020	mg/L			04/27/12 00:25	1
Sulfate	185	B	25.0	7.5	mg/L			05/03/12 21:08	5
Total Organic Carbon	2.3		1.0	0.43	mg/L			04/30/12 23:48	1
Total Alkalinity	388		5.0	0.79	mg/L			04/27/12 13:50	1
Chloride	3800		121	55.7	mg/L			04/27/12 15:09	121
Sulfide	ND		0.10	0.052	mg/L			04/26/12 15:15	1
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 19:09	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 19:09	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 19:09	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 19:09	1
Propionic acid	ND		1.0	0.17	mg/L			04/29/12 19:09	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 19:09	1

Client Sample ID: MW-8-4-042512-1800

Lab Sample ID: 480-19123-3

Date Collected: 04/25/12 18:00

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	55		1.0	0.81	ug/L			05/02/12 00:36	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/02/12 00:36	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/02/12 00:36	1
Trichloroethene	15		1.0	0.46	ug/L			05/02/12 00:36	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-4-042512-1800

Lab Sample ID: 480-19123-3

Date Collected: 04/25/12 18:00

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	18		1.0	0.90	ug/L			05/02/12 00:36	1
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	101		66 - 137					05/02/12 00:36	1
4-Bromofluorobenzene (Surr)	107		73 - 120					05/02/12 00:36	1
Toluene-d8 (Surr)	104		71 - 126					05/02/12 00:36	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.0	J B	1.5	0.49	ug/L			04/26/12 20:35	1
Ethene	0.88	J B	1.5	0.52	ug/L			04/26/12 20:35	1
Methane	75	B	1.0	0.22	ug/L			04/26/12 20:35	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	5700		1000	1000	ug/L			05/04/12 08:51	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	1.0		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 21:47	1
Magnesium	272		1.0	0.22	mg/L		04/27/12 08:40	04/30/12 21:15	5
Manganese	1.9		0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 21:47	1
Potassium	8.5		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 21:47	1
Sodium	1760		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 21:47	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.12		0.020	0.0090	mg/L			04/28/12 11:59	1
Nitrate	ND		0.050	0.011	mg/L			04/26/12 22:03	1
Nitrite	ND		0.050	0.020	mg/L			04/26/12 22:03	1
Sulfate	259	B	50.0	15.0	mg/L			04/27/12 15:35	10
Total Organic Carbon	1.6		1.0	0.43	mg/L			05/01/12 02:51	1
Total Alkalinity	300		5.0	0.79	mg/L			04/27/12 13:50	1
Chloride	3820	B	100	46.0	mg/L			04/27/12 16:34	100
Sulfide	ND		0.10	0.052	mg/L			04/26/12 15:15	1
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 19:39	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 19:39	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 19:39	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 19:39	1
Propionic acid	ND		1.0	0.17	mg/L			04/29/12 19:39	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 19:39	1

Client Sample ID: MW-6-F-8-042512-1730

Lab Sample ID: 480-19123-4

Date Collected: 04/25/12 17:30

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/02/12 01:00	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/02/12 01:00	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/02/12 01:00	1
Trichloroethene	ND		1.0	0.46	ug/L			05/02/12 01:00	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/02/12 01:00	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-6-F-8-042512-1730

Lab Sample ID: 480-19123-4

Date Collected: 04/25/12 17:30

Matrix: Water

Date Received: 04/25/12 19:10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		66 - 137		05/02/12 01:00	1
4-Bromofluorobenzene (Surr)	103		73 - 120		05/02/12 01:00	1
Toluene-d8 (Surr)	100		71 - 126		05/02/12 01:00	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.84	J B	1.5	0.49	ug/L			04/26/12 20:52	1
Ethene	ND		1.5	0.52	ug/L			04/26/12 20:52	1
Methane	32	B	1.0	0.22	ug/L			04/26/12 20:52	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	9000		1000	1000	ug/L			05/04/12 08:55	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.11		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 21:50	1
Magnesium	175		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 21:50	1
Manganese	1.2		0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 21:50	1
Potassium	4.9		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 21:50	1
Sodium	2160		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 21:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 11:59	1
Nitrate	ND		0.050	0.011	mg/L			04/26/12 22:04	1
Nitrite	ND		0.050	0.020	mg/L			04/26/12 22:04	1
Sulfate	208	B	50.0	15.0	mg/L			04/27/12 15:36	10
Total Organic Carbon	1.9		1.0	0.43	mg/L			05/01/12 03:22	1
Total Alkalinity	368		5.0	0.79	mg/L			04/27/12 13:50	1
Chloride	3730	B	100	46.0	mg/L			04/27/12 16:34	100
Sulfide	ND		0.10	0.052	mg/L			04/26/12 15:15	1
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 20:08	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 20:08	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 20:08	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 20:08	1
Propionic acid	ND		1.0	0.17	mg/L			04/29/12 20:08	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 20:08	1

Client Sample ID: DUP

Lab Sample ID: 480-19123-5

Date Collected: 04/25/12 00:00

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/02/12 01:24	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/02/12 01:24	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/02/12 01:24	1
Trichloroethene	ND		1.0	0.46	ug/L			05/02/12 01:24	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/02/12 01:24	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1,2-Dichloroethane-d4 (Surr)	99		66 - 137		05/02/12 01:24	1			
4-Bromofluorobenzene (Surr)	107		73 - 120		05/02/12 01:24	1			

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: DUP

Lab Sample ID: 480-19123-5

Date Collected: 04/25/12 00:00

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	104		71 - 126		05/02/12 01:24	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.79	J B	1.5	0.49	ug/L			04/26/12 21:09	1
Ethene	0.69	J B	1.5	0.52	ug/L			04/26/12 21:09	1
Methane	0.46	J B	1.0	0.22	ug/L			04/26/12 21:09	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	8700		1000	1000	ug/L			05/04/12 09:04	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.14		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 21:52	1
Magnesium	87.4		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 21:52	1
Manganese	0.77		0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 21:52	1
Potassium	4.0		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 21:52	1
Sodium	1690		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 21:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 12:04	1
Nitrate	0.12		0.050	0.011	mg/L			04/27/12 00:26	1
Nitrite	ND		0.050	0.020	mg/L			04/27/12 00:26	1
Sulfate	150	B	100	30.0	mg/L			04/27/12 15:30	20
Total Organic Carbon	2.3		1.0	0.43	mg/L			05/01/12 03:52	1
Total Alkalinity	360		5.0	0.79	mg/L			04/27/12 13:50	1
Chloride	3340	B	100	46.0	mg/L			04/27/12 15:24	100
Sulfide	ND		0.10	0.052	mg/L			04/26/12 15:15	1
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 23:32	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 23:32	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 23:32	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 23:32	1
Propionic acid	ND	^	1.0	0.17	mg/L			04/29/12 23:32	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 23:32	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19123-6

Date Collected: 04/25/12 00:00

Matrix: Water

Date Received: 04/25/12 19:10

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/02/12 01:48	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/02/12 01:48	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/02/12 01:48	1
Trichloroethene	ND		1.0	0.46	ug/L			05/02/12 01:48	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/02/12 01:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		66 - 137		05/02/12 01:48	1
4-Bromofluorobenzene (Surr)	105		73 - 120		05/02/12 01:48	1
Toluene-d8 (Surr)	102		71 - 126		05/02/12 01:48	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-003-B-043012-1400

Lab Sample ID: 480-19365-1

Date Collected: 04/30/12 14:00

Matrix: Water

Date Received: 04/30/12 19:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		5.0	4.5	ug/L			05/08/12 14:10	5
Trichloroethene	440		5.0	2.3	ug/L			05/08/12 14:10	5
Vinyl chloride	73		5.0	4.5	ug/L			05/08/12 14:10	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	90		66 - 137					05/08/12 14:10	5
4-Bromofluorobenzene (Surr)	108		73 - 120					05/08/12 14:10	5
Toluene-d8 (Surr)	104		71 - 126					05/08/12 14:10	5

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	830		25	20	ug/L			05/09/12 00:24	25
Tetrachloroethene	1600		25	9.0	ug/L			05/09/12 00:24	25
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		66 - 137					05/09/12 00:24	25
4-Bromofluorobenzene (Surr)	108		73 - 120					05/09/12 00:24	25
Toluene-d8 (Surr)	106		71 - 126					05/09/12 00:24	25

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.3	J	1.5	0.49	ug/L			05/02/12 16:05	1
Ethane	6.4		1.5	0.52	ug/L			05/02/12 16:05	1
Methane	46	B	1.0	0.22	ug/L			05/02/12 16:05	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/04/12 10:04	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.14		0.050	0.019	mg/L		05/02/12 08:00	05/02/12 19:45	1
Magnesium	41.2		0.20	0.043	mg/L		05/02/12 08:00	05/02/12 19:45	1
Manganese	0.38		0.0030	0.00040	mg/L		05/02/12 08:00	05/02/12 19:45	1
Potassium	9.8		0.50	0.10	mg/L		05/02/12 08:00	05/02/12 19:45	1
Sodium	3060		1.0	0.32	mg/L		05/02/12 08:00	05/02/12 19:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.16		0.020	0.0090	mg/L			05/02/12 11:13	1
Nitrate	0.50		0.050	0.011	mg/L			05/01/12 23:05	1
Nitrite	ND		0.050	0.020	mg/L			05/01/12 23:05	1
Sulfate	154	B	75.0	22.5	mg/L			05/08/12 17:05	15
Total Organic Carbon	1.3		1.0	0.43	mg/L			05/05/12 05:38	1
Total Alkalinity	160		5.0	0.79	mg/L			05/02/12 13:34	1
Chloride	4640		121	55.7	mg/L			05/08/12 17:51	121
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 01:35	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 01:35	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 01:35	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 01:35	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 01:35	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 01:35	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-1-043012-1700

Lab Sample ID: 480-19365-2

Date Collected: 04/30/12 17:00

Matrix: Water

Date Received: 04/30/12 19:30

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	0.85	J	1.0	0.81	ug/L			05/08/12 14:34	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 14:34	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 14:34	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 14:34	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 14:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		66 - 137					05/08/12 14:34	1
4-Bromofluorobenzene (Surr)	110		73 - 120					05/08/12 14:34	1
Toluene-d8 (Surr)	107		71 - 126					05/08/12 14:34	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	9.2		1.5	0.49	ug/L			05/02/12 16:22	1
Ethene	3.5		1.5	0.52	ug/L			05/02/12 16:22	1
Methane	86	B	1.0	0.22	ug/L			05/02/12 16:22	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	8000		1000	1000	ug/L			05/04/12 10:08	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.19		0.050	0.019	mg/L		05/02/12 08:00	05/02/12 19:54	1
Magnesium	122		0.20	0.043	mg/L		05/02/12 08:00	05/02/12 19:54	1
Manganese	0.16		0.0030	0.00040	mg/L		05/02/12 08:00	05/02/12 19:54	1
Potassium	19.4		0.50	0.10	mg/L		05/02/12 08:00	05/02/12 19:54	1
Sodium	838		1.0	0.32	mg/L		05/02/12 08:00	05/02/12 19:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	1.2		0.020	0.0090	mg/L			05/02/12 11:14	1
Nitrate	ND		0.050	0.011	mg/L			05/01/12 21:35	1
Nitrite	ND		0.050	0.020	mg/L			05/01/12 21:35	1
Sulfate	613	B	150	45.0	mg/L			05/08/12 17:05	30
Total Organic Carbon	0.60	J	1.0	0.43	mg/L			05/05/12 07:08	1
Total Alkalinity	304		5.0	0.79	mg/L			05/02/12 13:41	1
Chloride	475		20.0	9.2	mg/L			05/08/12 17:08	20
Sulfide	2.1		0.50	0.26	mg/L			05/03/12 12:10	5
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 02:05	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 02:05	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 02:05	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 02:05	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 02:05	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 02:05	1

Client Sample ID: MW-8-3-050112-1540

Lab Sample ID: 480-19420-3

Date Collected: 05/01/12 15:40

Matrix: Water

Date Received: 05/01/12 17:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	5.3		1.0	0.81	ug/L			05/10/12 00:35	1
Tetrachloroethene	0.84	J	1.0	0.36	ug/L			05/10/12 00:35	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-3-050112-1540

Lab Sample ID: 480-19420-3

Date Collected: 05/01/12 15:40

Matrix: Water

Date Received: 05/01/12 17:17

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/10/12 00:35	1
Trichloroethene	5.9		1.0	0.46	ug/L			05/10/12 00:35	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/10/12 00:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		66 - 137					05/10/12 00:35	1
4-Bromofluorobenzene (Surr)	89		73 - 120					05/10/12 00:35	1
Toluene-d8 (Surr)	106		71 - 126					05/10/12 00:35	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.4	J *	1.5	0.49	ug/L			05/03/12 17:38	1
Ethene	2.4	*	1.5	0.52	ug/L			05/03/12 17:38	1
Methane	1.6	*	1.0	0.22	ug/L			05/03/12 17:38	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	6300		1000	1000	ug/L			05/14/12 12:50	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.11		0.050	0.019	mg/L		05/03/12 08:15	05/03/12 17:50	1
Magnesium	42.6		0.20	0.043	mg/L		05/03/12 08:15	05/03/12 17:50	1
Manganese	4.1		0.0030	0.00040	mg/L		05/03/12 08:15	05/03/12 17:50	1
Potassium	519		0.50	0.10	mg/L		05/03/12 08:15	05/03/12 17:50	1
Sodium	386		1.0	0.32	mg/L		05/03/12 08:15	05/03/12 17:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	1.5		0.020	0.0090	mg/L			05/03/12 12:26	1
Nitrate	ND		0.050	0.011	mg/L			05/02/12 20:01	1
Nitrite	ND		0.050	0.020	mg/L			05/02/12 20:01	1
Sulfate	105	B	25.0	7.5	mg/L			05/09/12 19:23	5
Total Organic Carbon	6.4		1.0	0.43	mg/L			05/05/12 09:38	1
Total Alkalinity	360		5.0	0.79	mg/L			05/02/12 14:10	1
Chloride	1580		100	46.0	mg/L			05/09/12 20:24	100
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 19:46	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 19:46	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 19:46	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 19:46	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 19:46	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 19:46	1

Client Sample ID: MW-8-S-2-050312-1830

Lab Sample ID: 480-19600-4

Date Collected: 05/03/12 18:30

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	ND		1.0	0.36	ug/L			05/11/12 13:48	1
trans-1,2-Dichloroethene	34		1.0	0.90	ug/L			05/11/12 13:48	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-S-2-050312-1830

Lab Sample ID: 480-19600-4

Date Collected: 05/03/12 18:30

Matrix: Water

Date Received: 05/03/12 19:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	121		66 - 137		05/11/12 13:48	1
4-Bromofluorobenzene (Surr)	111		73 - 120		05/11/12 13:48	1
Toluene-d8 (Surr)	114		71 - 126		05/11/12 13:48	1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	10000		130	100	ug/L			05/14/12 11:20	125
Trichloroethene	190		130	58	ug/L			05/14/12 11:20	125
Vinyl chloride	380		130	110	ug/L			05/14/12 11:20	125

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		66 - 137		05/14/12 11:20	125
4-Bromofluorobenzene (Surr)	98		73 - 120		05/14/12 11:20	125
Toluene-d8 (Surr)	99		71 - 126		05/14/12 11:20	125

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	11	J	15	4.9	ug/L			05/07/12 14:25	10
Ethene	9.7	J	15	5.2	ug/L			05/07/12 14:25	10
Methane	260	B	10	2.2	ug/L			05/07/12 14:25	10

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	6800		1000	1000	ug/L			05/14/12 13:06	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.20		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 18:02	1
Magnesium	47.3		0.20	0.043	mg/L		05/07/12 07:20	05/07/12 18:02	1
Manganese	0.021		0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 18:02	1
Potassium	17.1		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 18:02	1
Sodium	286		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 18:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	1.2		0.020	0.0090	mg/L			05/04/12 13:54	1
Nitrate	ND		0.050	0.011	mg/L			05/04/12 20:23	1
Nitrite	ND		0.050	0.020	mg/L			05/04/12 20:23	1
Sulfate	243	B	100	30.0	mg/L			05/10/12 16:33	20
Total Organic Carbon	1.5		1.0	0.43	mg/L			05/06/12 14:31	1
Total Alkalinity	372		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	338		10.0	4.6	mg/L			05/10/12 16:39	10
Sulfide	0.60		0.10	0.052	mg/L			05/08/12 08:45	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 12:45	1
Formic acid	ND		1.0	0.11	mg/L			05/16/12 12:45	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 12:45	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 12:45	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 12:45	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 12:45	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19600-5

Date Collected: 05/03/12 00:00

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/13/12 12:06	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/13/12 12:06	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/13/12 12:06	1
Trichloroethene	ND		1.0	0.46	ug/L			05/13/12 12:06	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/13/12 12:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		66 - 137		05/13/12 12:06	1
4-Bromofluorobenzene (Surr)	98		73 - 120		05/13/12 12:06	1
Toluene-d8 (Surr)	100		71 - 126		05/13/12 12:06	1

Surrogate Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		12DCE (66-137)	BFB (73-120)	TOL (71-126)
480-19123-1	MW-6-1-042512-0915	99	104	101
480-19123-2	MW-6-2-042512-1130	96	103	101
480-19123-3	MW-8-4-042512-1800	101	107	104
480-19123-4	MW-6-F-8-042512-1730	96	103	100
480-19123-5	DUP	99	107	104
480-19123-6	TRIP BLANK	98	105	102
480-19365-1	MW-8-003-B-043012-1400	90	108	104
480-19365-1 - DL	MW-8-003-B-043012-1400	93	108	106
480-19365-2	MW-8-1-043012-1700	91	110	107
480-19420-3	MW-8-3-050112-1540	110	89	106
480-19600-4	MW-8-S-2-050312-1830	121	111	114
480-19600-4 - DL	MW-8-S-2-050312-1830	107	98	99
480-19600-5	TRIP BLANK	111	98	100
LCS 480-62559/4	Lab Control Sample	92	99	99
LCS 480-63474/4	Lab Control Sample	90	106	106
LCS 480-63572/4	Lab Control Sample	92	106	103
LCS 480-63732/3	Lab Control Sample	104	99	107
LCS 480-64020/4	Lab Control Sample	110	115	116
LCS 480-64247/5	Lab Control Sample	105	101	99
LCS 480-64274/5	Lab Control Sample	105	100	97
MB 480-62559/5	Method Blank	99	108	106
MB 480-63474/5	Method Blank	92	110	107
MB 480-63572/5	Method Blank	93	107	104
MB 480-63732/4	Method Blank	111	90	104
MB 480-64020/5	Method Blank	112	111	113
MB 480-64247/6	Method Blank	106	97	98
MB 480-64274/6	Method Blank	107	98	99

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-62559/5

Matrix: Water

Analysis Batch: 62559

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/01/12 22:52	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/01/12 22:52	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/01/12 22:52	1
Trichloroethene	ND		1.0	0.46	ug/L			05/01/12 22:52	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/01/12 22:52	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		66 - 137		05/01/12 22:52	1
4-Bromofluorobenzene (Surr)	108		73 - 120		05/01/12 22:52	1
Toluene-d8 (Surr)	106		71 - 126		05/01/12 22:52	1

Lab Sample ID: LCS 480-62559/4

Matrix: Water

Analysis Batch: 62559

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	22.6		ug/L		90	74 - 124
Tetrachloroethene	25.0	23.4		ug/L		94	74 - 122
trans-1,2-Dichloroethene	25.0	21.8		ug/L		87	73 - 127
Trichloroethene	25.0	22.0		ug/L		88	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		66 - 137
4-Bromofluorobenzene (Surr)	99		73 - 120
Toluene-d8 (Surr)	99		71 - 126

Lab Sample ID: MB 480-63474/5

Matrix: Water

Analysis Batch: 63474

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 12:03	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 12:03	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 12:03	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 12:03	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 12:03	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		66 - 137		05/08/12 12:03	1
4-Bromofluorobenzene (Surr)	110		73 - 120		05/08/12 12:03	1
Toluene-d8 (Surr)	107		71 - 126		05/08/12 12:03	1

Lab Sample ID: LCS 480-63474/4

Matrix: Water

Analysis Batch: 63474

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	25.9		ug/L		104	74 - 124
Tetrachloroethene	25.0	28.9		ug/L		116	74 - 122

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-63474/4

Matrix: Water

Analysis Batch: 63474

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
trans-1,2-Dichloroethene	25.0	27.3		ug/L		109	73 - 127
Trichloroethene	25.0	24.8		ug/L		99	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		66 - 137
4-Bromofluorobenzene (Surr)	106		73 - 120
Toluene-d8 (Surr)	106		71 - 126

Lab Sample ID: MB 480-63572/5

Matrix: Water

Analysis Batch: 63572

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/08/12 23:15	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/08/12 23:15	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/08/12 23:15	1
Trichloroethene	ND		1.0	0.46	ug/L			05/08/12 23:15	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/08/12 23:15	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		66 - 137		05/08/12 23:15	1
4-Bromofluorobenzene (Surr)	107		73 - 120		05/08/12 23:15	1
Toluene-d8 (Surr)	104		71 - 126		05/08/12 23:15	1

Lab Sample ID: LCS 480-63572/4

Matrix: Water

Analysis Batch: 63572

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	25.1		ug/L		100	74 - 124
Tetrachloroethene	25.0	27.2		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	25.5		ug/L		102	73 - 127
Trichloroethene	25.0	23.9		ug/L		96	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		66 - 137
4-Bromofluorobenzene (Surr)	106		73 - 120
Toluene-d8 (Surr)	103		71 - 126

Lab Sample ID: MB 480-63732/4

Matrix: Water

Analysis Batch: 63732

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/09/12 23:04	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/09/12 23:04	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/09/12 23:04	1
Trichloroethene	ND		1.0	0.46	ug/L			05/09/12 23:04	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/09/12 23:04	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-63732/4

Matrix: Water

Analysis Batch: 63732

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	111		66 - 137		05/09/12 23:04	1
4-Bromofluorobenzene (Surr)	90		73 - 120		05/09/12 23:04	1
Toluene-d8 (Surr)	104		71 - 126		05/09/12 23:04	1

Lab Sample ID: LCS 480-63732/3

Matrix: Water

Analysis Batch: 63732

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
cis-1,2-Dichloroethene	25.0	27.9		ug/L		112	74 - 124
Tetrachloroethene	25.0	26.9		ug/L		108	74 - 122
trans-1,2-Dichloroethene	25.0	29.0		ug/L		116	73 - 127
Trichloroethene	25.0	28.0		ug/L		112	74 - 123

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	104		66 - 137
4-Bromofluorobenzene (Surr)	99		73 - 120
Toluene-d8 (Surr)	107		71 - 126

Lab Sample ID: MB 480-64020/5

Matrix: Water

Analysis Batch: 64020

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/11/12 11:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/11/12 11:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/11/12 11:17	1
Trichloroethene	ND		1.0	0.46	ug/L			05/11/12 11:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/11/12 11:17	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		66 - 137		05/11/12 11:17	1
4-Bromofluorobenzene (Surr)	111		73 - 120		05/11/12 11:17	1
Toluene-d8 (Surr)	113		71 - 126		05/11/12 11:17	1

Lab Sample ID: LCS 480-64020/4

Matrix: Water

Analysis Batch: 64020

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
cis-1,2-Dichloroethene	25.0	26.8		ug/L		107	74 - 124
Tetrachloroethene	25.0	27.3		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	26.2		ug/L		105	73 - 127
Trichloroethene	25.0	26.6		ug/L		106	74 - 123

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		66 - 137
4-Bromofluorobenzene (Surr)	115		73 - 120

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-64020/4
Matrix: Water
Analysis Batch: 64020

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

	LCS	LCS	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>Toluene-d8 (Surr)</i>	116		71 - 126

Lab Sample ID: MB 480-64247/6
Matrix: Water
Analysis Batch: 64247

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	MB MB		<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>							
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/13/12 10:35	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/13/12 10:35	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/13/12 10:35	1
Trichloroethene	ND		1.0	0.46	ug/L			05/13/12 10:35	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/13/12 10:35	1

	MB	MB						
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>		<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>	
<i>1,2-Dichloroethane-d4 (Surr)</i>	106		66 - 137			05/13/12 10:35	1	
<i>4-Bromofluorobenzene (Surr)</i>	97		73 - 120			05/13/12 10:35	1	
<i>Toluene-d8 (Surr)</i>	98		71 - 126			05/13/12 10:35	1	

Lab Sample ID: LCS 480-64247/5
Matrix: Water
Analysis Batch: 64247

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

<i>Analyte</i>	<i>Spike Added</i>	LCS LCS		<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec. Limits</i>
		<i>Result</i>	<i>Qualifier</i>				
cis-1,2-Dichloroethene	25.0	29.9		ug/L		120	74 - 124
Tetrachloroethene	25.0	27.4		ug/L		110	74 - 122
trans-1,2-Dichloroethene	25.0	31.1		ug/L		124	73 - 127
Trichloroethene	25.0	29.2		ug/L		117	74 - 123

	LCS	LCS	
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	105		66 - 137
<i>4-Bromofluorobenzene (Surr)</i>	101		73 - 120
<i>Toluene-d8 (Surr)</i>	99		71 - 126

Lab Sample ID: MB 480-64274/6
Matrix: Water
Analysis Batch: 64274

Client Sample ID: Method Blank
Prep Type: Total/NA

<i>Analyte</i>	MB MB		<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>Result</i>	<i>Qualifier</i>							
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/14/12 10:42	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/14/12 10:42	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/14/12 10:42	1
Trichloroethene	ND		1.0	0.46	ug/L			05/14/12 10:42	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/14/12 10:42	1

	MB	MB					
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>		<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>1,2-Dichloroethane-d4 (Surr)</i>	107		66 - 137			05/14/12 10:42	1
<i>4-Bromofluorobenzene (Surr)</i>	98		73 - 120			05/14/12 10:42	1
<i>Toluene-d8 (Surr)</i>	99		71 - 126			05/14/12 10:42	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-64274/5

Matrix: Water

Analysis Batch: 64274

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	29.4		ug/L		118	74 - 124
Tetrachloroethene	25.0	27.4		ug/L		110	74 - 122
trans-1,2-Dichloroethene	25.0	31.2		ug/L		125	73 - 127
Trichloroethene	25.0	29.0		ug/L		116	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	105		66 - 137
4-Bromofluorobenzene (Surr)	100		73 - 120
Toluene-d8 (Surr)	97		71 - 126

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 200-38245/3

Matrix: Water

Analysis Batch: 38245

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/04/12 08:23	1

Lab Sample ID: LCS 200-38245/2

Matrix: Water

Analysis Batch: 38245

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Carbon dioxide	5010	5150		ug/L		103	70 - 130

Lab Sample ID: MB 200-38628/4

Matrix: Water

Analysis Batch: 38628

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/14/12 11:34	1

Lab Sample ID: LCS 200-38628/3

Matrix: Water

Analysis Batch: 38628

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Carbon dioxide	5010	5330		ug/L		106	70 - 130

Lab Sample ID: MB 480-61731/3

Matrix: Water

Analysis Batch: 61731

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	0.810	J	1.5	0.49	ug/L			04/26/12 16:52	1
Ethene	0.647	J	1.5	0.52	ug/L			04/26/12 16:52	1
Methane	0.589	J	1.0	0.22	ug/L			04/26/12 16:52	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 480-61731/4
Matrix: Water
Analysis Batch: 61731

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	14.4	14.1		ug/L		98	71 - 147
Ethene	13.5	13.1		ug/L		97	71 - 147
Methane	7.76	7.73		ug/L		100	48 - 174

Lab Sample ID: LCSD 480-61731/5
Matrix: Water
Analysis Batch: 61731

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	14.4	14.6		ug/L		102	71 - 147	3	50
Ethene	13.5	13.6		ug/L		101	71 - 147	4	50
Methane	7.76	7.81		ug/L		101	48 - 174	1	50

Lab Sample ID: MB 480-62604/3
Matrix: Water
Analysis Batch: 62604

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/02/12 08:32	1
Ethene	ND		1.5	0.52	ug/L			05/02/12 08:32	1
Methane	0.522	J	1.0	0.22	ug/L			05/02/12 08:32	1

Lab Sample ID: LCS 480-62604/4
Matrix: Water
Analysis Batch: 62604

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	7.19	8.33		ug/L		116	71 - 147
Ethene	6.73	7.84		ug/L		116	71 - 147
Methane	3.88	4.65		ug/L		120	48 - 174

Lab Sample ID: LCSD 480-62604/5
Matrix: Water
Analysis Batch: 62604

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	8.43		ug/L		117	71 - 147	1	50
Ethene	6.73	7.90		ug/L		117	71 - 147	1	50
Methane	3.88	4.60		ug/L		119	48 - 174	1	50

Lab Sample ID: MB 480-62926/3
Matrix: Water
Analysis Batch: 62926

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/03/12 15:53	1
Ethene	ND		1.5	0.52	ug/L			05/03/12 15:53	1
Methane	ND		1.0	0.22	ug/L			05/03/12 15:53	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 480-62926/2
Matrix: Water
Analysis Batch: 62926

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	14.4	16.0		ug/L		111	71 - 147
Ethene	13.5	15.2		ug/L		113	71 - 147
Methane	7.76	8.49		ug/L		109	48 - 174

Lab Sample ID: LCSD 480-62926/4
Matrix: Water
Analysis Batch: 62926

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	14.1	*	ug/L		196	71 - 147	13	50
Ethene	6.73	13.2	*	ug/L		196	71 - 147	14	50
Methane	3.88	7.92	*	ug/L		204	48 - 174	7	50

Lab Sample ID: MB 480-63265/2
Matrix: Water
Analysis Batch: 63265

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/07/12 07:56	1
Ethene	ND		1.5	0.52	ug/L			05/07/12 07:56	1
Methane	0.523	J	1.0	0.22	ug/L			05/07/12 07:56	1

Lab Sample ID: LCS 480-63265/3
Matrix: Water
Analysis Batch: 63265

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	7.19	8.44		ug/L		117	71 - 147
Ethene	6.73	7.81		ug/L		116	71 - 147
Methane	3.88	4.65		ug/L		120	48 - 174

Lab Sample ID: LCSD 480-63265/4
Matrix: Water
Analysis Batch: 63265

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	7.19	8.44		ug/L		117	71 - 147	0	50
Ethene	6.73	7.76		ug/L		115	71 - 147	1	50
Methane	3.88	4.73		ug/L		122	48 - 174	2	50

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 480-61646/1-A
Matrix: Water
Analysis Batch: 62078

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 61646

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		04/27/12 08:40	04/27/12 20:53	1
Magnesium	ND		0.20	0.043	mg/L		04/27/12 08:40	04/27/12 20:53	1
Manganese	ND		0.0030	0.00040	mg/L		04/27/12 08:40	04/27/12 20:53	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: MB 480-61646/1-A

Matrix: Water

Analysis Batch: 62078

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 61646

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Potassium	ND		0.50	0.10	mg/L		04/27/12 08:40	04/27/12 20:53	1
Sodium	ND		1.0	0.32	mg/L		04/27/12 08:40	04/27/12 20:53	1

Lab Sample ID: LCS 480-61646/2-A

Matrix: Water

Analysis Batch: 62078

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 61646

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	9.22		mg/L		92	80 - 120
Magnesium	10.0	9.67		mg/L		97	80 - 120
Manganese	0.200	0.200		mg/L		100	80 - 120
Potassium	10.0	9.64		mg/L		96	80 - 120
Sodium	10.0	9.60		mg/L		96	80 - 120

Lab Sample ID: MB 480-62531/1-A

Matrix: Water

Analysis Batch: 62800

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62531

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/02/12 08:00	05/02/12 19:40	1
Magnesium	ND		0.20	0.043	mg/L		05/02/12 08:00	05/02/12 19:40	1
Manganese	ND		0.0030	0.00040	mg/L		05/02/12 08:00	05/02/12 19:40	1
Potassium	ND		0.50	0.10	mg/L		05/02/12 08:00	05/02/12 19:40	1
Sodium	ND		1.0	0.32	mg/L		05/02/12 08:00	05/02/12 19:40	1

Lab Sample ID: LCS 480-62531/2-A

Matrix: Water

Analysis Batch: 62800

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62531

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	9.58		mg/L		96	80 - 120
Magnesium	10.0	9.24		mg/L		92	80 - 120
Manganese	0.200	0.196		mg/L		98	80 - 120
Potassium	10.0	9.43		mg/L		94	80 - 120
Sodium	10.0	9.34		mg/L		93	80 - 120

Lab Sample ID: MB 480-62755/1-A

Matrix: Water

Analysis Batch: 63017

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 62755

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/03/12 08:15	05/03/12 17:12	1
Magnesium	ND		0.20	0.043	mg/L		05/03/12 08:15	05/03/12 17:12	1
Manganese	ND		0.0030	0.00040	mg/L		05/03/12 08:15	05/03/12 17:12	1
Potassium	ND		0.50	0.10	mg/L		05/03/12 08:15	05/03/12 17:12	1
Sodium	ND		1.0	0.32	mg/L		05/03/12 08:15	05/03/12 17:12	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LCS 480-62755/2-A

Matrix: Water

Analysis Batch: 63017

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 62755

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	10.33		mg/L		103	80 - 120
Magnesium	10.0	10.09		mg/L		101	80 - 120
Manganese	0.200	0.204		mg/L		102	80 - 120
Potassium	10.0	10.25		mg/L		102	80 - 120
Sodium	10.0	10.22		mg/L		102	80 - 120

Lab Sample ID: MB 480-63214/1-A

Matrix: Water

Analysis Batch: 63452

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 63214

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 16:59	1
Magnesium	ND		0.20	0.043	mg/L		05/07/12 07:20	05/07/12 16:59	1
Manganese	ND		0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 16:59	1
Potassium	ND		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 16:59	1
Sodium	ND		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 16:59	1

Lab Sample ID: LCS 480-63214/2-A

Matrix: Water

Analysis Batch: 63452

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 63214

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	10.10		mg/L		101	80 - 120
Magnesium	10.0	10.01		mg/L		100	80 - 120
Manganese	0.200	0.205		mg/L		103	80 - 120
Potassium	10.0	9.77		mg/L		98	80 - 120
Sodium	10.0	9.72		mg/L		97	80 - 120

Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 480-62155/27

Matrix: Water

Analysis Batch: 62155

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 11:39	1

Lab Sample ID: MB 480-62155/51

Matrix: Water

Analysis Batch: 62155

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			04/28/12 12:02	1

Lab Sample ID: LCS 480-62155/28

Matrix: Water

Analysis Batch: 62155

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.967		mg/L		97	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 350.1 - Nitrogen, Ammonia (Continued)

Lab Sample ID: LCS 480-62155/52
Matrix: Water
Analysis Batch: 62155

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.970		mg/L		97	90 - 110

Lab Sample ID: MB 480-62682/3
Matrix: Water
Analysis Batch: 62682

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/02/12 11:08	1

Lab Sample ID: LCS 480-62682/4
Matrix: Water
Analysis Batch: 62682

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.961		mg/L		96	90 - 110

Lab Sample ID: MB 480-62905/3
Matrix: Water
Analysis Batch: 62905

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/03/12 12:21	1

Lab Sample ID: LCS 480-62905/4
Matrix: Water
Analysis Batch: 62905

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	0.988		mg/L		99	90 - 110

Lab Sample ID: MB 480-63137/123
Matrix: Water
Analysis Batch: 63137

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/04/12 13:49	1

Lab Sample ID: LCS 480-63137/124
Matrix: Water
Analysis Batch: 63137

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	1.00		mg/L		100	90 - 110

Lab Sample ID: 480-19600-4 MS
Matrix: Water
Analysis Batch: 63137

Client Sample ID: MW-8-S-2-050312-1830
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.2		0.200	1.34	4	mg/L		91	54 - 150

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 350.1 - Nitrogen, Ammonia (Continued)

Lab Sample ID: 480-19600-4 DU
 Matrix: Water
 Analysis Batch: 63137

Client Sample ID: MW-8-S-2-050312-1830
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Ammonia	1.2		1.15		mg/L		1	20

Method: 353.2 - Nitrogen, Nitrite

Lab Sample ID: MB 480-61789/3
 Matrix: Water
 Analysis Batch: 61789

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			04/27/12 00:10	1

Lab Sample ID: LCS 480-61789/4
 Matrix: Water
 Analysis Batch: 61789

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.50		mg/L		100	90 - 110

Lab Sample ID: MB 480-62595/3
 Matrix: Water
 Analysis Batch: 62595

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			05/01/12 23:00	1

Lab Sample ID: LCS 480-62595/4
 Matrix: Water
 Analysis Batch: 62595

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.54		mg/L		103	90 - 110

Method: 9038 - Sulfate, Turbidimetric

Lab Sample ID: MB 480-61992/7
 Matrix: Water
 Analysis Batch: 61992

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	2.97	J	5.0	1.5	mg/L			04/27/12 15:09	1

Lab Sample ID: LCS 480-61992/6
 Matrix: Water
 Analysis Batch: 61992

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	28.19		mg/L		94	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 9038 - Sulfate, Turbidimetric (Continued)

Lab Sample ID: 480-19123-5 MS
Matrix: Water
Analysis Batch: 61992

Client Sample ID: DUP
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	150	B	20.0	195.6	4	mg/L		227	60 - 128

Lab Sample ID: 480-19123-5 DU
Matrix: Water
Analysis Batch: 61992

Client Sample ID: DUP
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfate	150	B	142.3		mg/L		5	20

Lab Sample ID: MB 480-63103/126
Matrix: Water
Analysis Batch: 63103

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.79	J	5.0	1.5	mg/L			05/03/12 21:08	1

Lab Sample ID: MB 480-63103/53
Matrix: Water
Analysis Batch: 63103

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	3.18	J	5.0	1.5	mg/L			05/03/12 15:13	1

Lab Sample ID: LCS 480-63103/125
Matrix: Water
Analysis Batch: 63103

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	30.0	30.88		mg/L		103	90 - 110

Lab Sample ID: LCS 480-63103/52
Matrix: Water
Analysis Batch: 63103

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	30.0	29.15		mg/L		97	90 - 110

Lab Sample ID: MB 480-63649/25
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.69	J	5.0	1.5	mg/L			05/08/12 16:58	1

Lab Sample ID: MB 480-63649/44
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.84	J	5.0	1.5	mg/L			05/08/12 18:06	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 9038 - Sulfate, Turbidimetric (Continued)

Lab Sample ID: LCS 480-63649/24
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	29.50		mg/L		98	90 - 110

Lab Sample ID: LCS 480-63649/43
Matrix: Water
Analysis Batch: 63649

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	30.28		mg/L		101	90 - 110

Lab Sample ID: MB 480-63815/7
Matrix: Water
Analysis Batch: 63815

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.59	J	5.0	1.5	mg/L			05/09/12 18:55	1

Lab Sample ID: LCS 480-63815/6
Matrix: Water
Analysis Batch: 63815

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	32.63		mg/L		109	90 - 110

Lab Sample ID: MB 480-64026/36
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.83	J	5.0	1.5	mg/L			05/10/12 14:26	1

Lab Sample ID: MB 480-64026/54
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.96	J	5.0	1.5	mg/L			05/10/12 15:33	1

Lab Sample ID: MB 480-64026/7
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	ND		5.0	1.5	mg/L			05/10/12 11:47	1

Lab Sample ID: LCS 480-64026/53
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	32.09		mg/L		107	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 9038 - Sulfate, Turbidimetric (Continued)

Lab Sample ID: LCS 480-64026/6
 Matrix: Water
 Analysis Batch: 64026

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	31.50		mg/L		105	90 - 110

Method: 9060 - Organic Carbon, Total (TOC)

Lab Sample ID: MB 480-62648/27
 Matrix: Water
 Analysis Batch: 62648

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/01/12 01:50	1

Lab Sample ID: MB 480-62648/3
 Matrix: Water
 Analysis Batch: 62648

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			04/30/12 13:36	1

Lab Sample ID: LCS 480-62648/28
 Matrix: Water
 Analysis Batch: 62648

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	54.44		mg/L		91	90 - 110

Lab Sample ID: LCS 480-62648/4
 Matrix: Water
 Analysis Batch: 62648

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	55.22		mg/L		92	90 - 110

Lab Sample ID: 480-19123-1 DU
 Matrix: Water
 Analysis Batch: 62648

Client Sample ID: MW-6-1-042512-0915
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Organic Carbon	3.8		3.94		mg/L		4	20

Lab Sample ID: MB 480-63238/3
 Matrix: Water
 Analysis Batch: 63238

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/05/12 02:13	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: 9060 - Organic Carbon, Total (TOC) (Continued)

Lab Sample ID: LCS 480-63238/4

Matrix: Water

Analysis Batch: 63238

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	57.93		mg/L		97	90 - 110

Lab Sample ID: MB 480-63278/3

Matrix: Water

Analysis Batch: 63278

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/06/12 06:12	1

Lab Sample ID: LCS 480-63278/4

Matrix: Water

Analysis Batch: 63278

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	59.91		mg/L		100	90 - 110

Lab Sample ID: 480-19600-4 MS

Matrix: Water

Analysis Batch: 63278

Client Sample ID: MW-8-S-2-050312-1830

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	1.5		20.0	18.97		mg/L		88	54 - 131

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 480-61950/3

Matrix: Water

Analysis Batch: 61950

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			04/27/12 13:50	1

Lab Sample ID: LCS 480-61950/4

Matrix: Water

Analysis Batch: 61950

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	928.0		mg/L		93	90 - 110

Lab Sample ID: 480-19123-3 MS

Matrix: Water

Analysis Batch: 61950

Client Sample ID: MW-8-4-042512-1800

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	300		200	552.0		mg/L		126	22 - 128

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: 480-19123-1 DU
Matrix: Water
Analysis Batch: 61950

Client Sample ID: MW-6-1-042512-0915
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Alkalinity	392		392.0		mg/L		0	20

Lab Sample ID: MB 480-62729/3
Matrix: Water
Analysis Batch: 62729

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			05/02/12 13:21	1

Lab Sample ID: LCS 480-62729/4
Matrix: Water
Analysis Batch: 62729

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	956.0		mg/L		96	90 - 110

Lab Sample ID: 480-19365-1 MS
Matrix: Water
Analysis Batch: 62729

Client Sample ID: MW-8-003-B-043012-1400
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	160		200	368.0		mg/L		104	22 - 128

Lab Sample ID: MB 480-63392/3
Matrix: Water
Analysis Batch: 63392

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			05/07/12 14:40	1

Lab Sample ID: LCS 480-63392/4
Matrix: Water
Analysis Batch: 63392

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	952.0		mg/L		95	90 - 110

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 480-61931/91
Matrix: Water
Analysis Batch: 61931

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			04/27/12 15:09	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: LCS 480-61931/90

Matrix: Water

Analysis Batch: 61931

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	24.88		mg/L		100	90 - 110

Lab Sample ID: MB 480-61993/7

Matrix: Water

Analysis Batch: 61993

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.03		1.0	0.46	mg/L			04/27/12 15:14	1

Lab Sample ID: LCS 480-61993/6

Matrix: Water

Analysis Batch: 61993

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	27.07		mg/L		108	90 - 110

Lab Sample ID: 480-19123-5 MS

Matrix: Water

Analysis Batch: 61993

Client Sample ID: DUP

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3340	B	20.0	3338	4	mg/L		-20	74 - 131

Lab Sample ID: 480-19123-5 DU

Matrix: Water

Analysis Batch: 61993

Client Sample ID: DUP

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	3340	B	3370		mg/L		0.8	20

Lab Sample ID: MB 480-63648/50

Matrix: Water

Analysis Batch: 63648

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/08/12 17:00	1

Lab Sample ID: LCS 480-63648/49

Matrix: Water

Analysis Batch: 63648

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	25.64		mg/L		103	90 - 110

Lab Sample ID: MB 480-63813/32

Matrix: Water

Analysis Batch: 63813

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/09/12 20:21	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: LCS 480-63813/31
Matrix: Water
Analysis Batch: 63813

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	25.76		mg/L		103	90 - 110

Lab Sample ID: MB 480-64027/135
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 19:30	1

Lab Sample ID: MB 480-64027/141
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 20:00	1

Lab Sample ID: MB 480-64027/30
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.722	J	1.0	0.46	mg/L			05/10/12 14:29	1

Lab Sample ID: MB 480-64027/55
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 15:55	1

Lab Sample ID: LCS 480-64027/140
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.47		mg/L		106	90 - 110

Lab Sample ID: LCS 480-64027/54
Matrix: Water
Analysis Batch: 64027

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.16		mg/L		105	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: SM 4500 S2 D - Sulfide, Total

Lab Sample ID: MB 480-61729/3

Matrix: Water

Analysis Batch: 61729

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			04/26/12 15:15	1

Lab Sample ID: LCS 480-61729/4

Matrix: Water

Analysis Batch: 61729

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.816		mg/L		109	90 - 110

Lab Sample ID: 480-19123-4 MS

Matrix: Water

Analysis Batch: 61729

Client Sample ID: MW-6-F-8-042512-1730

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	ND		0.500	0.396	F	mg/L		79	90 - 110

Lab Sample ID: 480-19123-5 DU

Matrix: Water

Analysis Batch: 61729

Client Sample ID: DUP

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfide	ND			ND		mg/L		NC	20

Lab Sample ID: MB 480-62917/3

Matrix: Water

Analysis Batch: 62917

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1

Lab Sample ID: LCS 480-62917/4

Matrix: Water

Analysis Batch: 62917

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.703		mg/L		94	90 - 110

Lab Sample ID: MB 480-63515/3

Matrix: Water

Analysis Batch: 63515

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/08/12 08:45	1

Lab Sample ID: LCS 480-63515/4

Matrix: Water

Analysis Batch: 63515

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.726		mg/L		97	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: SM 4500 S2 D - Sulfide, Total (Continued)

Lab Sample ID: 480-19600-4 DU
 Matrix: Water
 Analysis Batch: 63515

Client Sample ID: MW-8-S-2-050312-1830
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Sulfide	0.60		0.622		mg/L		3	20

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography

Lab Sample ID: MB 480-61975/4
 Matrix: Water
 Analysis Batch: 61975

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 11:23	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 11:23	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 11:23	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 11:23	1
Propionic acid	ND		1.0	0.17	mg/L			04/29/12 11:23	1
Pyruvic Acid	0.121	J	1.0	0.080	mg/L			04/29/12 11:23	1

Lab Sample ID: LCS 480-61975/3
 Matrix: Water
 Analysis Batch: 61975

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	9.43		mg/L		94	80 - 120
Formic-acid	10.0	9.47		mg/L		95	80 - 120
Lactic acid	10.0	9.69		mg/L		97	80 - 120
n-Butyric Acid	10.0	9.70		mg/L		97	80 - 120
Propionic acid	10.0	9.67		mg/L		97	80 - 120
Pyruvic Acid	10.0	10.10		mg/L		101	80 - 120

Lab Sample ID: 480-19123-4 MS
 Matrix: Water
 Analysis Batch: 61975

Client Sample ID: MW-6-F-8-042512-1730
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	ND		10.0	9.18		mg/L		92	80 - 120
Formic-acid	ND		10.0	9.12		mg/L		91	80 - 120
Lactic acid	ND		10.0	8.86		mg/L		89	80 - 120
n-Butyric Acid	ND		10.0	8.68		mg/L		87	80 - 120
Propionic acid	ND		10.0	6.85	F	mg/L		69	80 - 120
Pyruvic Acid	ND		10.0	4.99	F	mg/L		50	80 - 120

Lab Sample ID: 480-19123-4 MSD
 Matrix: Water
 Analysis Batch: 61975

Client Sample ID: MW-6-F-8-042512-1730
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetic acid	ND		10.0	9.92		mg/L		99	80 - 120	8	20
Formic-acid	ND		10.0	9.29		mg/L		93	80 - 120	2	20
Lactic acid	ND		10.0	9.17		mg/L		92	80 - 120	3	20
n-Butyric Acid	ND		10.0	8.58		mg/L		86	80 - 120	1	20
Propionic acid	ND		10.0	7.37	F	mg/L		74	80 - 120	7	20

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography (Continued)

Lab Sample ID: 480-19123-4 MSD

Matrix: Water

Analysis Batch: 61975

Client Sample ID: MW-6-F-8-042512-1730

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Pyruvic Acid	ND		10.0	4.62	F	mg/L		46	80 - 120	8	20

Lab Sample ID: MB 480-61976/28

Matrix: Water

Analysis Batch: 61976

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			04/29/12 23:03	1
Formic-acid	ND		1.0	0.11	mg/L			04/29/12 23:03	1
Lactic acid	ND		1.0	0.14	mg/L			04/29/12 23:03	1
n-Butyric Acid	ND		1.0	0.16	mg/L			04/29/12 23:03	1
Propionic acid	ND	^	1.0	0.17	mg/L			04/29/12 23:03	1
Pyruvic Acid	ND		1.0	0.080	mg/L			04/29/12 23:03	1

Lab Sample ID: LCS 480-61976/27

Matrix: Water

Analysis Batch: 61976

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	9.51		mg/L		95	80 - 120
Formic-acid	10.0	9.40		mg/L		94	80 - 120
Lactic acid	10.0	9.73		mg/L		97	80 - 120
n-Butyric Acid	10.0	9.57		mg/L		96	80 - 120
Propionic acid	10.0	9.76	^	mg/L		98	80 - 120
Pyruvic Acid	10.0	10.20		mg/L		102	80 - 120

Lab Sample ID: MB 480-64493/4

Matrix: Water

Analysis Batch: 64493

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 18:18	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 18:18	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 18:18	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 18:18	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 18:18	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 18:18	1

Lab Sample ID: LCS 480-64493/3

Matrix: Water

Analysis Batch: 64493

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	10.20		mg/L		102	80 - 120
Formic-acid	10.0	9.78		mg/L		98	80 - 120
Lactic acid	10.0	9.81		mg/L		98	80 - 120
n-Butyric Acid	10.0	10.00		mg/L		100	80 - 120
Propionic acid	10.0	10.40		mg/L		104	80 - 120
Pyruvic Acid	10.0	10.50		mg/L		105	80 - 120

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography (Continued)

Lab Sample ID: MB 480-64494/28

Matrix: Water

Analysis Batch: 64494

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 05:58	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 05:58	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 05:58	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 05:58	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 05:58	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 05:58	1

Lab Sample ID: LCS 480-64494/27

Matrix: Water

Analysis Batch: 64494

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	10.20		mg/L		102	80 - 120
Formic-acid	10.0	9.90		mg/L		99	80 - 120
Lactic acid	10.0	9.72		mg/L		97	80 - 120
n-Butyric Acid	10.0	9.60		mg/L		96	80 - 120
Propionic acid	10.0	10.20		mg/L		102	80 - 120
Pyruvic Acid	10.0	10.20		mg/L		102	80 - 120

Lab Sample ID: 480-19600-4 MS

Matrix: Water

Analysis Batch: 64494

Client Sample ID: MW-8-S-2-050312-1830

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	ND		10.0	9.58		mg/L		96	80 - 120
Formic-acid	ND		10.0	10.90		mg/L		109	80 - 120
Lactic acid	ND		10.0	10.10		mg/L		101	80 - 120
n-Butyric Acid	ND		10.0	9.38		mg/L		94	80 - 120
Propionic acid	ND		10.0	ND	F	mg/L		0	80 - 120
Pyruvic Acid	ND		10.0	ND	F	mg/L		0	80 - 120

Lab Sample ID: 480-19600-4 MSD

Matrix: Water

Analysis Batch: 64494

Client Sample ID: MW-8-S-2-050312-1830

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetic acid	ND		10.0	9.33		mg/L		93	80 - 120	3	20
Formic-acid	ND		10.0	10.80		mg/L		108	80 - 120	1	20
Lactic acid	ND		10.0	10.00		mg/L		100	80 - 120	1	20
n-Butyric Acid	ND		10.0	9.33		mg/L		93	80 - 120	1	20
Propionic acid	ND		10.0	ND	F	mg/L		0	80 - 120	NC	20
Pyruvic Acid	ND		10.0	ND	F	mg/L		0	80 - 120	NC	20

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

GC/MS VOA

Analysis Batch: 62559

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	8260B	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	8260B	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	8260B	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	8260B	
480-19123-5	DUP	Total/NA	Water	8260B	
480-19123-6	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-62559/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-62559/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	8260B	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	8260B	
LCS 480-63474/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63474/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63572

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1 - DL	MW-8-003-B-043012-1400	Total/NA	Water	8260B	
LCS 480-63572/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63572/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 63732

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	8260B	
LCS 480-63732/3	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63732/4	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 64020

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	8260B	
LCS 480-64020/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64020/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 64247

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-5	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-64247/5	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64247/6	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 64274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4 - DL	MW-8-S-2-050312-1830	Total/NA	Water	8260B	
LCS 480-64274/5	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64274/6	Method Blank	Total/NA	Water	8260B	

GC VOA

Analysis Batch: 38245

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	RSK-175	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	RSK-175	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

GC VOA (Continued)

Analysis Batch: 38245 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	RSK-175	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	RSK-175	
480-19123-5	DUP	Total/NA	Water	RSK-175	
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	RSK-175	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	RSK-175	
LCS 200-38245/2	Lab Control Sample	Total/NA	Water	RSK-175	
MB 200-38245/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 38628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	RSK-175	
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	RSK-175	
LCS 200-38628/3	Lab Control Sample	Total/NA	Water	RSK-175	
MB 200-38628/4	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 61731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	RSK-175	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	RSK-175	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	RSK-175	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	RSK-175	
480-19123-5	DUP	Total/NA	Water	RSK-175	
LCS 480-61731/4	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-61731/5	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-61731/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 62604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	RSK-175	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	RSK-175	
LCS 480-62604/4	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-62604/5	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-62604/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 62926

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	RSK-175	
LCS 480-62926/2	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-62926/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-62926/3	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 63265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	RSK-175	
LCS 480-63265/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-63265/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-63265/2	Method Blank	Total/NA	Water	RSK-175	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Metals

Prep Batch: 61646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	3005A	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	3005A	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	3005A	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	3005A	
480-19123-5	DUP	Total/NA	Water	3005A	
LCS 480-61646/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-61646/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 62078

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	6010B	61646
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	6010B	61646
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	6010B	61646
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	6010B	61646
480-19123-5	DUP	Total/NA	Water	6010B	61646
LCS 480-61646/2-A	Lab Control Sample	Total/NA	Water	6010B	61646
MB 480-61646/1-A	Method Blank	Total/NA	Water	6010B	61646

Analysis Batch: 62423

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	6010B	61646

Prep Batch: 62531

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	3005A	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	3005A	
LCS 480-62531/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-62531/1-A	Method Blank	Total/NA	Water	3005A	

Prep Batch: 62755

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	3005A	
LCS 480-62755/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-62755/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 62800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	6010B	62531
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	6010B	62531
LCS 480-62531/2-A	Lab Control Sample	Total/NA	Water	6010B	62531
MB 480-62531/1-A	Method Blank	Total/NA	Water	6010B	62531

Analysis Batch: 63017

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	6010B	62755
LCS 480-62755/2-A	Lab Control Sample	Total/NA	Water	6010B	62755
MB 480-62755/1-A	Method Blank	Total/NA	Water	6010B	62755

Prep Batch: 63214

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	3005A	
LCS 480-63214/2-A	Lab Control Sample	Total/NA	Water	3005A	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Metals (Continued)

Prep Batch: 63214 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-63214/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 63452

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	6010B	63214
LCS 480-63214/2-A	Lab Control Sample	Total/NA	Water	6010B	63214
MB 480-63214/1-A	Method Blank	Total/NA	Water	6010B	63214

General Chemistry

Analysis Batch: 61729

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	SM 4500 S2 D	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	SM 4500 S2 D	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	SM 4500 S2 D	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	SM 4500 S2 D	
480-19123-4 MS	MW-6-F-8-042512-1730	Total/NA	Water	SM 4500 S2 D	
480-19123-5	DUP	Total/NA	Water	SM 4500 S2 D	
480-19123-5 DU	DUP	Total/NA	Water	SM 4500 S2 D	
LCS 480-61729/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-61729/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 61785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	353.2	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	353.2	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	353.2	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	353.2	
480-19123-5	DUP	Total/NA	Water	353.2	

Analysis Batch: 61789

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	353.2	
480-19123-5	DUP	Total/NA	Water	353.2	
LCS 480-61789/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-61789/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 61790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	353.2	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	353.2	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	353.2	

Analysis Batch: 61931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	SM 4500 CI- E	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	SM 4500 CI- E	
LCS 480-61931/90	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-61931/91	Method Blank	Total/NA	Water	SM 4500 CI- E	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

General Chemistry (Continued)

Analysis Batch: 61950

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	SM 2320B	
480-19123-1 DU	MW-6-1-042512-0915	Total/NA	Water	SM 2320B	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	SM 2320B	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	SM 2320B	
480-19123-3 MS	MW-8-4-042512-1800	Total/NA	Water	SM 2320B	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	SM 2320B	
480-19123-5	DUP	Total/NA	Water	SM 2320B	
LCS 480-61950/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-61950/3	Method Blank	Total/NA	Water	SM 2320B	

Analysis Batch: 61975

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	VFA-IC	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	VFA-IC	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	VFA-IC	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	VFA-IC	
480-19123-4 MS	MW-6-F-8-042512-1730	Total/NA	Water	VFA-IC	
480-19123-4 MSD	MW-6-F-8-042512-1730	Total/NA	Water	VFA-IC	
LCS 480-61975/3	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-61975/4	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 61976

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-5	DUP	Total/NA	Water	VFA-IC	
LCS 480-61976/27	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-61976/28	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 61992

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	9038	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	9038	
480-19123-5	DUP	Total/NA	Water	9038	
480-19123-5 DU	DUP	Total/NA	Water	9038	
480-19123-5 MS	DUP	Total/NA	Water	9038	
LCS 480-61992/6	Lab Control Sample	Total/NA	Water	9038	
MB 480-61992/7	Method Blank	Total/NA	Water	9038	

Analysis Batch: 61993

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	SM 4500 Cl- E	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	SM 4500 Cl- E	
480-19123-5	DUP	Total/NA	Water	SM 4500 Cl- E	
480-19123-5 DU	DUP	Total/NA	Water	SM 4500 Cl- E	
480-19123-5 MS	DUP	Total/NA	Water	SM 4500 Cl- E	
LCS 480-61993/6	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
MB 480-61993/7	Method Blank	Total/NA	Water	SM 4500 Cl- E	

Analysis Batch: 62155

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	350.1	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	350.1	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	350.1	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

General Chemistry (Continued)

Analysis Batch: 62155 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	350.1	
480-19123-5	DUP	Total/NA	Water	350.1	
LCS 480-62155/28	Lab Control Sample	Total/NA	Water	350.1	
LCS 480-62155/52	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62155/27	Method Blank	Total/NA	Water	350.1	
MB 480-62155/51	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 62595

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	353.2	
LCS 480-62595/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-62595/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 62596

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	353.2	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	353.2	

Analysis Batch: 62597

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	353.2	

Analysis Batch: 62648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	9060	
480-19123-1 DU	MW-6-1-042512-0915	Total/NA	Water	9060	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	9060	
480-19123-3	MW-8-4-042512-1800	Total/NA	Water	9060	
480-19123-4	MW-6-F-8-042512-1730	Total/NA	Water	9060	
480-19123-5	DUP	Total/NA	Water	9060	
LCS 480-62648/28	Lab Control Sample	Total/NA	Water	9060	
LCS 480-62648/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-62648/27	Method Blank	Total/NA	Water	9060	
MB 480-62648/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 62682

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	350.1	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	350.1	
LCS 480-62682/4	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62682/3	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 62729

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	SM 2320B	
480-19365-1 MS	MW-8-003-B-043012-1400	Total/NA	Water	SM 2320B	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	SM 2320B	
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	SM 2320B	
LCS 480-62729/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-62729/3	Method Blank	Total/NA	Water	SM 2320B	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

General Chemistry (Continued)

Analysis Batch: 62782

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	353.2	

Analysis Batch: 62783

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	353.2	

Analysis Batch: 62905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	350.1	
LCS 480-62905/4	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62905/3	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 62917

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	SM 4500 S2 D	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	SM 4500 S2 D	
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	SM 4500 S2 D	
LCS 480-62917/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-62917/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 63103

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19123-1	MW-6-1-042512-0915	Total/NA	Water	9038	
480-19123-2	MW-6-2-042512-1130	Total/NA	Water	9038	
LCS 480-63103/125	Lab Control Sample	Total/NA	Water	9038	
LCS 480-63103/52	Lab Control Sample	Total/NA	Water	9038	
MB 480-63103/126	Method Blank	Total/NA	Water	9038	
MB 480-63103/53	Method Blank	Total/NA	Water	9038	

Analysis Batch: 63137

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	350.1	
480-19600-4 DU	MW-8-S-2-050312-1830	Total/NA	Water	350.1	
480-19600-4 MS	MW-8-S-2-050312-1830	Total/NA	Water	350.1	
LCS 480-63137/124	Lab Control Sample	Total/NA	Water	350.1	
MB 480-63137/123	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 63184

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	353.2	

Analysis Batch: 63185

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	353.2	

Analysis Batch: 63238

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	9060	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	9060	
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	9060	
LCS 480-63238/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-63238/3	Method Blank	Total/NA	Water	9060	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

General Chemistry (Continued)

Analysis Batch: 63278

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	9060	
480-19600-4 MS	MW-8-S-2-050312-1830	Total/NA	Water	9060	
LCS 480-63278/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-63278/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 63392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	SM 2320B	
LCS 480-63392/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-63392/3	Method Blank	Total/NA	Water	SM 2320B	

Analysis Batch: 63515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	SM 4500 S2 D	
480-19600-4 DU	MW-8-S-2-050312-1830	Total/NA	Water	SM 4500 S2 D	
LCS 480-63515/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-63515/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 63648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	SM 4500 CI- E	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	SM 4500 CI- E	
LCS 480-63648/49	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-63648/50	Method Blank	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 63649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	9038	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	9038	
LCS 480-63649/24	Lab Control Sample	Total/NA	Water	9038	
LCS 480-63649/43	Lab Control Sample	Total/NA	Water	9038	
MB 480-63649/25	Method Blank	Total/NA	Water	9038	
MB 480-63649/44	Method Blank	Total/NA	Water	9038	

Analysis Batch: 63813

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	SM 4500 CI- E	
LCS 480-63813/31	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-63813/32	Method Blank	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 63815

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	9038	
LCS 480-63815/6	Lab Control Sample	Total/NA	Water	9038	
MB 480-63815/7	Method Blank	Total/NA	Water	9038	

Analysis Batch: 64026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	9038	
LCS 480-64026/53	Lab Control Sample	Total/NA	Water	9038	
LCS 480-64026/6	Lab Control Sample	Total/NA	Water	9038	
MB 480-64026/36	Method Blank	Total/NA	Water	9038	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

General Chemistry (Continued)

Analysis Batch: 64026 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-64026/54	Method Blank	Total/NA	Water	9038	
MB 480-64026/7	Method Blank	Total/NA	Water	9038	

Analysis Batch: 64027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	SM 4500 CI- E	
LCS 480-64027/140	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
LCS 480-64027/54	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/135	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/141	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/30	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 480-64027/55	Method Blank	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 64493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19365-1	MW-8-003-B-043012-1400	Total/NA	Water	VFA-IC	
480-19365-2	MW-8-1-043012-1700	Total/NA	Water	VFA-IC	
480-19420-3	MW-8-3-050112-1540	Total/NA	Water	VFA-IC	
LCS 480-64493/3	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-64493/4	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 64494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-4	MW-8-S-2-050312-1830	Total/NA	Water	VFA-IC	
480-19600-4 MS	MW-8-S-2-050312-1830	Total/NA	Water	VFA-IC	
480-19600-4 MSD	MW-8-S-2-050312-1830	Total/NA	Water	VFA-IC	
LCS 480-64494/27	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-64494/28	Method Blank	Total/NA	Water	VFA-IC	

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-6-1-042512-0915

Lab Sample ID: 480-19123-1

Date Collected: 04/25/12 09:15

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	62559	05/01/12 23:49	DC	TAL BUF
Total/NA	Analysis	RSK-175		2	38245	05/04/12 09:44	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	61731	04/26/12 20:01	JM	TAL BUF
Total/NA	Prep	3005A			61646	04/27/12 08:40	SS	TAL BUF
Total/NA	Analysis	6010B		1	62078	04/27/12 21:41	MM	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	61729	04/26/12 15:15	EGN	TAL BUF
Total/NA	Analysis	353.2		1	61785	04/26/12 22:01	KS	TAL BUF
Total/NA	Analysis	353.2		1	61790	04/26/12 22:01	KS	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		50	61931	04/27/12 15:09	PJQ	TAL BUF
Total/NA	Analysis	SM 2320B		1	61950	04/27/12 13:50	LYW	TAL BUF
Total/NA	Analysis	VFA-IC		1	61975	04/29/12 18:40	RMM	TAL BUF
Total/NA	Analysis	350.1		1	62155	04/28/12 11:57	KS	TAL BUF
Total/NA	Analysis	9060		1	62648	04/30/12 22:47	KAC	TAL BUF
Total/NA	Analysis	9038		5	63103	05/03/12 21:08	PJQ	TAL BUF

Client Sample ID: MW-6-2-042512-1130

Lab Sample ID: 480-19123-2

Date Collected: 04/25/12 11:30

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	62559	05/02/12 00:12	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 08:46	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	61731	04/26/12 20:18	JM	TAL BUF
Total/NA	Prep	3005A			61646	04/27/12 08:40	SS	TAL BUF
Total/NA	Analysis	6010B		1	62078	04/27/12 21:44	MM	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	61729	04/26/12 15:15	EGN	TAL BUF
Total/NA	Analysis	353.2		1	61785	04/27/12 00:25	KS	TAL BUF
Total/NA	Analysis	353.2		1	61789	04/27/12 00:25	KS	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		121	61931	04/27/12 15:09	PJQ	TAL BUF
Total/NA	Analysis	SM 2320B		1	61950	04/27/12 13:50	LYW	TAL BUF
Total/NA	Analysis	VFA-IC		1	61975	04/29/12 19:09	RMM	TAL BUF
Total/NA	Analysis	350.1		1	62155	04/28/12 11:58	KS	TAL BUF
Total/NA	Analysis	9060		1	62648	04/30/12 23:48	KAC	TAL BUF
Total/NA	Analysis	9038		5	63103	05/03/12 21:08	PJQ	TAL BUF

Client Sample ID: MW-8-4-042512-1800

Lab Sample ID: 480-19123-3

Date Collected: 04/25/12 18:00

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	62559	05/02/12 00:36	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 08:51	MRV	TAL BUR

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-4-042512-1800

Lab Sample ID: 480-19123-3

Date Collected: 04/25/12 18:00

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	RSK-175		1	61731	04/26/12 20:35	JM	TAL BUF
Total/NA	Prep	3005A			61646	04/27/12 08:40	SS	TAL BUF
Total/NA	Analysis	6010B		1	62078	04/27/12 21:47	MM	TAL BUF
Total/NA	Analysis	6010B		5	62423	04/30/12 21:15	MM	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	61729	04/26/12 15:15	EGN	TAL BUF
Total/NA	Analysis	353.2		1	61785	04/26/12 22:03	KS	TAL BUF
Total/NA	Analysis	353.2		1	61790	04/26/12 22:03	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	61950	04/27/12 13:50	LYW	TAL BUF
Total/NA	Analysis	VFA-IC		1	61975	04/29/12 19:39	RMM	TAL BUF
Total/NA	Analysis	9038		10	61992	04/27/12 15:35	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		100	61993	04/27/12 16:34	PJQ	TAL BUF
Total/NA	Analysis	350.1		1	62155	04/28/12 11:59	KS	TAL BUF
Total/NA	Analysis	9060		1	62648	05/01/12 02:51	KAC	TAL BUF

Client Sample ID: MW-6-F-8-042512-1730

Lab Sample ID: 480-19123-4

Date Collected: 04/25/12 17:30

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	62559	05/02/12 01:00	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 08:55	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	61731	04/26/12 20:52	JM	TAL BUF
Total/NA	Prep	3005A			61646	04/27/12 08:40	SS	TAL BUF
Total/NA	Analysis	6010B		1	62078	04/27/12 21:50	MM	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	61729	04/26/12 15:15	EGN	TAL BUF
Total/NA	Analysis	353.2		1	61785	04/26/12 22:04	KS	TAL BUF
Total/NA	Analysis	353.2		1	61790	04/26/12 22:04	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	61950	04/27/12 13:50	LYW	TAL BUF
Total/NA	Analysis	VFA-IC		1	61975	04/29/12 20:08	RMM	TAL BUF
Total/NA	Analysis	9038		10	61992	04/27/12 15:36	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		100	61993	04/27/12 16:34	PJQ	TAL BUF
Total/NA	Analysis	350.1		1	62155	04/28/12 11:59	KS	TAL BUF
Total/NA	Analysis	9060		1	62648	05/01/12 03:22	KAC	TAL BUF

Client Sample ID: DUP

Lab Sample ID: 480-19123-5

Date Collected: 04/25/12 00:00

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	62559	05/02/12 01:24	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 09:04	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	61731	04/26/12 21:09	JM	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: DUP

Lab Sample ID: 480-19123-5

Date Collected: 04/25/12 00:00

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3005A			61646	04/27/12 08:40	SS	TAL BUF
Total/NA	Analysis	6010B		1	62078	04/27/12 21:52	MM	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	61729	04/26/12 15:15	EGN	TAL BUF
Total/NA	Analysis	353.2		1	61785	04/27/12 00:26	KS	TAL BUF
Total/NA	Analysis	353.2		1	61789	04/27/12 00:26	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	61950	04/27/12 13:50	LYW	TAL BUF
Total/NA	Analysis	VFA-IC		1	61976	04/29/12 23:32	KAC	TAL BUF
Total/NA	Analysis	9038		20	61992	04/27/12 15:30	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		100	61993	04/27/12 15:24	PJQ	TAL BUF
Total/NA	Analysis	350.1		1	62155	04/28/12 12:04	KS	TAL BUF
Total/NA	Analysis	9060		1	62648	05/01/12 03:52	KAC	TAL BUF

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19123-6

Date Collected: 04/25/12 00:00

Matrix: Water

Date Received: 04/25/12 19:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	62559	05/02/12 01:48	DC	TAL BUF

Client Sample ID: MW-8-003-B-043012-1400

Lab Sample ID: 480-19365-1

Date Collected: 04/30/12 14:00

Matrix: Water

Date Received: 04/30/12 19:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		5	63474	05/08/12 14:10	RL	TAL BUF
Total/NA	Analysis	8260B	DL	25	63572	05/09/12 00:24	LH	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 10:04	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62604	05/02/12 16:05	MN	TAL BUF
Total/NA	Prep	3005A			62531	05/02/12 08:00	JM	TAL BUF
Total/NA	Analysis	6010B		1	62800	05/02/12 19:45	AH	TAL BUF
Total/NA	Analysis	353.2		1	62595	05/01/12 23:05	KS	TAL BUF
Total/NA	Analysis	353.2		1	62596	05/01/12 23:05	KS	TAL BUF
Total/NA	Analysis	350.1		1	62682	05/02/12 11:13	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 13:34	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 05:38	KAC	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		121	63648	05/08/12 17:51	JR	TAL BUF
Total/NA	Analysis	9038		15	63649	05/08/12 17:05	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/16/12 01:35	KAC	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-1-043012-1700

Lab Sample ID: 480-19365-2

Date Collected: 04/30/12 17:00

Matrix: Water

Date Received: 04/30/12 19:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63474	05/08/12 14:34	RL	TAL BUF
Total/NA	Analysis	RSK-175		1	38245	05/04/12 10:08	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62604	05/02/12 16:22	MN	TAL BUF
Total/NA	Prep	3005A			62531	05/02/12 08:00	JM	TAL BUF
Total/NA	Analysis	6010B		1	62800	05/02/12 19:54	AH	TAL BUF
Total/NA	Analysis	353.2		1	62596	05/01/12 21:35	KS	TAL BUF
Total/NA	Analysis	353.2		1	62597	05/01/12 21:35	KS	TAL BUF
Total/NA	Analysis	350.1		1	62682	05/02/12 11:14	KS	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 13:41	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		5	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 07:08	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		20	63648	05/08/12 17:08	JR	TAL BUF
Total/NA	Analysis	9038		30	63649	05/08/12 17:05	JR	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/16/12 02:05	KAC	TAL BUF

Client Sample ID: MW-8-3-050112-1540

Lab Sample ID: 480-19420-3

Date Collected: 05/01/12 15:40

Matrix: Water

Date Received: 05/01/12 17:17

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63732	05/10/12 00:35	TRB	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 12:50	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	62926	05/03/12 17:38	JM	TAL BUF
Total/NA	Prep	3005A			62755	05/03/12 08:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63017	05/03/12 17:50	LH	TAL BUF
Total/NA	Analysis	SM 2320B		1	62729	05/02/12 14:10	LYW	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 20:01	KS	TAL BUF
Total/NA	Analysis	353.2		1	62783	05/02/12 20:01	KS	TAL BUF
Total/NA	Analysis	350.1		1	62905	05/03/12 12:26	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63238	05/05/12 09:38	KAC	TAL BUF
Total/NA	Analysis	SM 4500 Cl- E		100	63813	05/09/12 20:24	PJQ	TAL BUF
Total/NA	Analysis	9038		5	63815	05/09/12 19:23	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 19:46	KAC	TAL BUF

Client Sample ID: MW-8-S-2-050312-1830

Lab Sample ID: 480-19600-4

Date Collected: 05/03/12 18:30

Matrix: Water

Date Received: 05/03/12 19:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	64020	05/11/12 13:48	DC	TAL BUF
Total/NA	Analysis	8260B	DL	125	64274	05/14/12 11:20	CDC	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Client Sample ID: MW-8-S-2-050312-1830

Lab Sample ID: 480-19600-4

Date Collected: 05/03/12 18:30

Matrix: Water

Date Received: 05/03/12 19:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	RSK-175		1	38628	05/14/12 13:06	MRV	TAL BUR
Total/NA	Analysis	RSK-175		10	63265	05/07/12 14:25	MN	TAL BUF
Total/NA	Prep	3005A			63214	05/07/12 07:20	SS	TAL BUF
Total/NA	Analysis	6010B		1	63452	05/07/12 18:02	MM	TAL BUF
Total/NA	Analysis	350.1		1	63137	05/04/12 13:54	KS	TAL BUF
Total/NA	Analysis	353.2		1	63184	05/04/12 20:23	KS	TAL BUF
Total/NA	Analysis	353.2		1	63185	05/04/12 20:23	KS	TAL BUF
Total/NA	Analysis	9060		1	63278	05/06/12 14:31	KAC	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	63515	05/08/12 08:45	EGN	TAL BUF
Total/NA	Analysis	9038		20	64026	05/10/12 16:33	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		10	64027	05/10/12 16:39	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64494	05/16/12 12:45	KAC	TAL BUF

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19600-5

Date Collected: 05/03/12 00:00

Matrix: Water

Date Received: 05/03/12 19:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	64247	05/13/12 12:06	JMB	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Buffalo	Arkansas DEQ	State Program	6	88-0686
TestAmerica Buffalo	California	NELAC	9	1169CA
TestAmerica Buffalo	Connecticut	State Program	1	PH-0568
TestAmerica Buffalo	Florida	NELAC	4	E87672
TestAmerica Buffalo	Georgia	State Program	4	956
TestAmerica Buffalo	Georgia	State Program	4	N/A
TestAmerica Buffalo	Illinois	NELAC	5	100325 / 200003
TestAmerica Buffalo	Iowa	State Program	7	374
TestAmerica Buffalo	Kansas	NELAC	7	E-10187
TestAmerica Buffalo	Kentucky	State Program	4	90029
TestAmerica Buffalo	Kentucky (UST)	State Program	4	30
TestAmerica Buffalo	Louisiana	NELAC	6	02031
TestAmerica Buffalo	Maine	State Program	1	NY0044
TestAmerica Buffalo	Maryland	State Program	3	294
TestAmerica Buffalo	Massachusetts	State Program	1	M-NY044
TestAmerica Buffalo	Michigan	State Program	5	9937
TestAmerica Buffalo	Minnesota	NELAC	5	036-999-337
TestAmerica Buffalo	New Hampshire	NELAC	1	2337
TestAmerica Buffalo	New Hampshire	NELAC	1	68-00281
TestAmerica Buffalo	New Jersey	NELAC	2	NY455
TestAmerica Buffalo	New York	NELAC	2	10026
TestAmerica Buffalo	North Dakota	State Program	8	R-176
TestAmerica Buffalo	Oklahoma	State Program	6	9421
TestAmerica Buffalo	Oregon	NELAC	10	NY200003
TestAmerica Buffalo	Pennsylvania	NELAC	3	68-00281
TestAmerica Buffalo	Tennessee	State Program	4	TN02970
TestAmerica Buffalo	Texas	NELAC	6	T104704412-08-TX
TestAmerica Buffalo	USDA	Federal		P330-08-00242
TestAmerica Buffalo	Virginia	NELAC	3	460185
TestAmerica Buffalo	Virginia	State Program	3	278
TestAmerica Buffalo	Washington	State Program	10	C1677
TestAmerica Buffalo	West Virginia DEP	State Program	3	252
TestAmerica Buffalo	Wisconsin	State Program	5	998310390
TestAmerica Burlington	ACCLASS	DoD ELAP		ADE-1492
TestAmerica Burlington	Connecticut	State Program	1	PH-0751
TestAmerica Burlington	DE Haz. Subst. Cleanup Act (HSCA)	State Program	3	NA
TestAmerica Burlington	Florida	NELAC	4	E87467
TestAmerica Burlington	Louisiana	NELAC	6	176292
TestAmerica Burlington	Maine	State Program	1	VT00008
TestAmerica Burlington	Minnesota	NELAC	5	050-999-436
TestAmerica Burlington	New Hampshire	NELAC	1	200610
TestAmerica Burlington	New Jersey	NELAC	2	VT972
TestAmerica Burlington	New York	NELAC	2	10391
TestAmerica Burlington	Pennsylvania	NELAC	3	68-00489
TestAmerica Burlington	Rhode Island	State Program	1	LAO00298
TestAmerica Burlington	USDA	Federal		P330-11-00093
TestAmerica Burlington	Vermont	State Program	1	VT-4000
TestAmerica Burlington	Virginia	NELAC	3	460209

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Method Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL BUF
RSK-175	Dissolved Gases (GC)	RSK	TAL BUR
RSK-175	Dissolved Gases (GC)	RSK	TAL BUF
6010B	Metals (ICP)	SW846	TAL BUF
350.1	Nitrogen, Ammonia	MCAWW	TAL BUF
353.2	Nitrate	EPA	TAL BUF
353.2	Nitrogen, Nitrite	MCAWW	TAL BUF
9038	Sulfate, Turbidimetric	SW846	TAL BUF
9060	Organic Carbon, Total (TOC)	SW846	TAL BUF
SM 2320B	Alkalinity	SM	TAL BUF
SM 4500 Cl- E	Chloride, Total	SM	TAL BUF
SM 4500 S2 D	Sulfide, Total	SM	TAL BUF
VFA-IC	Volatile Fatty Acids, Ion Chromatography	TestAmerica SOP	TAL BUF

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TestAmerica SOP = TestAmerica, Inc., Standard Operating Procedure

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19123-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-19123-1	MW-6-1-042512-0915	Water	04/25/12 09:15	04/25/12 19:10
480-19123-2	MW-6-2-042512-1130	Water	04/25/12 11:30	04/25/12 19:10
480-19123-3	MW-8-4-042512-1800	Water	04/25/12 18:00	04/25/12 19:10
480-19123-4	MW-6-F-8-042512-1730	Water	04/25/12 17:30	04/25/12 19:10
480-19123-5	DUP	Water	04/25/12 00:00	04/25/12 19:10
480-19123-6	TRIP BLANK	Water	04/25/12 00:00	04/25/12 19:10
480-19365-1	MW-8-003-B-043012-1400	Water	04/30/12 14:00	04/30/12 19:30
480-19365-2	MW-8-1-043012-1700	Water	04/30/12 17:00	04/30/12 19:30
480-19420-3	MW-8-3-050112-1540	Water	05/01/12 15:40	05/01/12 17:17
480-19600-4	MW-8-S-2-050312-1830	Water	05/03/12 18:30	05/03/12 19:45
480-19600-5	TRIP BLANK	Water	05/03/12 00:00	05/03/12 19:45

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Chain of Custody Record

Client Information		Company: GZA GeoEnvironmental, Inc.		Lab PM: Devo, Melissa L		Carrier Tracking No(s):		COC No: 480-23685-5992.1											
Client Contact: Mr. Christopher Boron		Address: 535 Washington Street, 11th Floor		E-Mail: melissa.devo@testamericainc.com		Job #:		Page: 1 of 4											
City: Buffalo		State, Zip: NY, 14203		Phone: 716 844-7046		Due Date Requested:		Preservation Codes:											
PO #: 4047065		WO #: 58507		Project #: 48004014		TAT Requested (days):		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - ph 4-5 X - EDTA Z - other (specify)											
Project Name: 058507_GM-Lockport Groundwater Sampling		Site: Bldg 8 BCP site 9-30-139		SSOW#:		Field Filtered Sample (Yes or No)		Other:											
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=volatile, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No) <th>Perform MS/MSD (Yes or No) <th>RSK_175_CO2 - Carbon dioxide <th>VFA_IC - Standard VFA Compounds <th>350.1 - Ammonia <th>6010B - (MOD) TAL Metals ICP <th>8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th></th></th></th></th></th></th>	Perform MS/MSD (Yes or No) <th>RSK_175_CO2 - Carbon dioxide <th>VFA_IC - Standard VFA Compounds <th>350.1 - Ammonia <th>6010B - (MOD) TAL Metals ICP <th>8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th></th></th></th></th></th>	RSK_175_CO2 - Carbon dioxide <th>VFA_IC - Standard VFA Compounds <th>350.1 - Ammonia <th>6010B - (MOD) TAL Metals ICP <th>8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th></th></th></th></th>	VFA_IC - Standard VFA Compounds <th>350.1 - Ammonia <th>6010B - (MOD) TAL Metals ICP <th>8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th></th></th></th>	350.1 - Ammonia <th>6010B - (MOD) TAL Metals ICP <th>8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th></th></th>	6010B - (MOD) TAL Metals ICP <th>8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th></th>	8260B - (MOD) TCL list OLM04.2 <th>9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th></th>	9060 - Total Organic Carbon <th>RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th></th>	RSK_175 - (MOD) Local Method <th>SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th></th>	SM4500_S2_D - Sulfide <th>353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th></th>	353.2, 353.2 Nitrite, 9038, Nitrate, Calc, SM4500_CLE <th>2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th> </th>	2320B - Total Alkalinity <th>Total Number of Containers</th> <th>Special Instructions/Note:</th>	Total Number of Containers	Special Instructions/Note:	
MW-6-1-040512-0915	4/25/12	915	G	Water	X	X	X	X	X	X	X	X	X	X	X	X			
MW-6-2-040512-1130		1130	G	Water	X	X	X	X	X	X	X	X	X	X	X	X			
MW-8-4-040512-1800		1800	G	Water	X	X	X	X	X	X	X	X	X	X	X	X			
MW-6-F-8-042512-1730		1730	G	Water	X	X	X	X	X	X	X	X	X	X	X	X			
DUP				Water	X	X	X	X	X	X	X	X	X	X	X	X			
Trip Blank				Water	X	X	X	X	X	X	X	X	X	X	X	X			
				Water	X	X	X	X	X	X	X	X	X	X	X	X			
				Water	X	X	X	X	X	X	X	X	X	X	X	X			
				Water	X	X	X	X	X	X	X	X	X	X	X	X			
				Water	X	X	X	X	X	X	X	X	X	X	X	X			
				Water	X	X	X	X	X	X	X	X	X	X	X	X			
				Water	X	X	X	X	X	X	X	X	X	X	X	X			
Possible Hazard Identification										Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)									
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological										<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
Deliverable Requested: I, II, III, IV, Other (specify)										Special Instructions/QC Requirements:									
Empty Kit Relinquished by:					Date:					Method of Shipment:									
Relinquished by: Thomas Bohlen					Date/Time: 4/25/12 / 1910					Received by: <i>[Signature]</i>									
Relinquished by:					Date/Time:					Received by:									
Relinquished by:					Date/Time:					Received by:									
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No					Custody Seal No.:					Cooler Temperature(s) °C and Other Remarks:									



Chain of Custody Record

Client Information Client Contact: Mr. Christopher Boron Company: GZA GeoEnvironmental, Inc. Address: 535 Washington Street 11th Floor City: Buffalo State/Zip: NY, 14203 Phone: 4047065 Email: christopher.boron@gza.com Project Name: 058507_GM-Lockport Groundwater Sampling Site: Bldg 8 BCP Site 9-32-139		Lab PM: Deyo, Melissa L. E-Mail: melissa.deyo@testamericainc.com Carrier Tracking No(s): COC No: 480-23685-5992.4 Page: 4 of 7 Job #:	
Due Date Requested: TAT Requested (days): PO #: WO #: Project #: SSO#:		Analysis Requested Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> RSK_175_CO2 - Carbon dioxide VFA_IC - Standard VFA Compounds 350.1 - Ammonia 6010B - (MOD) TAL Metals ICP 8260B - (MOD) TCL list OLM04.2 9060 - Total Organic Carbon RSK_175 - (MOD) Local Method SM4500_S2_P - Sulfide 353.2_353.2_Nitrite_9038, Nitrate_Calc, SM4500_CL_E 2320B - Total Alkalinity Total Number of Containers:	
Sample Identification MW-8-003-B-04301d-1400 MW-8-1-04301d-1700 Trip Blank		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - ph 4-5 Z - other (specify)	
Sample Date Sample Time Sample Type (C=Comp, G=grab) Matrix (W=water, S=solid, O=wastoid, BT=tissue, A=Air)		Special Instructions/Note: Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)		Empty Kit Relinquished by: Relinquished by: Thomas Bohler Date/Time: 4/30/12 / 7:30 Relinquished by: Dawn Michon Date/Time: 4/30/12 / 19:30 Relinquished by:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.:		Method of Shipment: Received by: GZA Date/Time: 4/30/12 / 7:30 Received by: Dawn Michon Date/Time: 4/30/12 / 19:30 Received by:	
Cooler Temperature(s) °C and Other Remarks:			



Chain of Custody Record

Client Information Client Contact: Mr. Christopher Boron Company: GZA GeoEnvironmental, Inc. Address: 535 Washington Street 11th Floor City: Buffalo State, Zip: NY, 14203 Phone: 4047065 PO #: 4047065 WO #: 58507 Project #: 48004014 Project Name: GM-Lockport Groundwater Sampling Site: Bldg 8 BCP site 9-32-139		Lab P/M: Deyo, Melissa L E-Mail: melissa.deyo@testamericainc.com Carrier Tracking No(s): COC No: 480-23685-5992.4 Page 4 of 4 Job #:	
Due Date Requested: TAT Requested (days): PO #: WO #: Project #: Project Name: Site:		Analysis Requested Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> RSK_175_CO2_Carbon dioxide N N S D A A A A VFA_IC - Standard VFA Compounds X X X X X X 6010B - (MOD) TAL Metals ICP X X X X X X 8260B - (MOD) TCL list OLM04.2 X X X X X X 9060 - Total Organic Carbon X X X X X X RSK_175 - (MOD) Local Method X X X X X X SM4500_S2_D - Sulfide N N S D A A A A 353_2_353_2_Nitrite, Nitrate, Calc, SM4500_CLE N N S D A A A A 2320B - Total Alkalinity X X X X X X	
Sample Identification MW-8-3-050112-1540 Trip Blank		Total Number of containers: 20 Special Instructions/Note: Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements:	
Empty Kit Relinquished by: Relinquished by: Thomas Boron Relinquished by: Relinquished by:		Method of Shipment: Received by: [Signature] Date/Time: 5/11/12 17:17 Company: [Signature] Received by: Date/Time: Company: Received by: Date/Time: Company:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: 42°F	



Chain of Custody Record

Client Information Client Contact: Mr. Christopher Boron Company: GZA GeoEnvironmental, Inc. Address: 535 Washington Street, 11th Floor City: Buffalo State, Zip: NY, 14203 Phone: 4047065 Email: christopher.boron@gza.com Project Name: 058507_GM-Lockport Groundwater Sampling Site: Bldg 8 BCP Site 9-21-139		Lab PM: Deyo, Melissa L E-Mail: melissa.deyo@testamericainc.com Carrier Tracking No(s): COC No: 480-23685-5992.4 Page: Page 4 of 4 Job #:	
Due Date Requested: TAT Requested (days): PO #: WO #: Project #: SSOW#:	Sample Identification MW-8-2-050312-1830 Trip Blank	Sample Date: 050312 Sample Time: 18:30 Sample Type (C=comp, G=grab): G Matrix (W=water, S=solid, O=wastefield): Water	Analysis Requested Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> VFA_IC - Standard VFA Compounds <input checked="" type="checkbox"/> 350.1 - Ammonia <input checked="" type="checkbox"/> 6010B - (MOD) TAL Metals ICP <input checked="" type="checkbox"/> 8260B - (MOD) TCL list OLM4.2 <input checked="" type="checkbox"/> 9060 - Total Organic Carbon <input checked="" type="checkbox"/> RSK_175 - (MOD) Local Method <input checked="" type="checkbox"/> SM4500_S2_D - Sulfide <input checked="" type="checkbox"/> 353.2, 353.2, Nitrite, 9038, Nitrate, Calc, SM4500, Cl_E <input checked="" type="checkbox"/> 2320B - Total Alkalinity <input checked="" type="checkbox"/>
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Special Instructions/Note: Total Number of Containers: 2	
Deliverable Requested: <input type="checkbox"/> I, <input type="checkbox"/> II, <input type="checkbox"/> III, <input type="checkbox"/> IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by: Christopher Boron Relinquished by: Glen Minter		Received by: _____ Received by: _____ Received by: _____	
Date: 5/3/12 5/3/12 19:00		Date/Time: _____ Date/Time: _____ Date/Time: _____	
Relinquished by: _____ Company: _____		Relinquished by: _____ Company: _____	
Relinquished by: _____ Company: _____		Relinquished by: _____ Company: _____	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Cooler Temperature(s) °C and Other Remarks:	



Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 480-19123-1

Login Number: 19123

List Number: 1

Creator: Janish, Carl

List Source: TestAmerica Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	GZA
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	



Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 480-19123-1

Login Number: 19123

List Number: 1

Creator: Kirchner, Benjamin

List Source: TestAmerica Burlington

List Creation: 04/27/12 03:27 PM

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	792260
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.6°C, IR GUN ID 154, CF -0.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-19497-1

Client Project/Site: 058507, GM-Lockport Groundwater
Sampling


For:

Conestoga-Rovers & Associates, Inc.

2055 Niagara Falls Blvd., Suite 3

Niagara Falls, New York 14304

Attn: Kathleen Willy



Authorized for release by:

5/22/2012 10:23:02 AM

Melissa Deyo

Project Manager I

melissa.deyo@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	8
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	25
Lab Chronicle	29
Certification Summary	32
Method Summary	33
Sample Summary	34
Chain of Custody	35
Receipt Checklists	37

Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Job ID: 480-19497-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19497-1

Receipt

The samples were received on 5/2/2012 6:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 6.9° C.

GC/MS VOA

Method 8260B: The following samples were diluted due to the abundance of target analytes: MW-10-2-050212-1200 (480-19497-1), MW-10-2-050212-1200 (480-19497-1 DL), (480-19497-1 MS), (480-19497-1 MSD) and BLDG-10-MW-1-050212-1620 (480-19497-3). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The following samples were diluted due to the abundance of target analytes: MW-10-2-050212-1200 (480-19497-1). Elevated reporting limits (RLs) are provided.

Method RSK-175: The method blank for batch 63265 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blank for batch 63757 contained Sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method SM 4500 Cl- E: The method blank for batch 63758 contained Chloride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Job ID: 480-19600-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-19600-1

Receipt

The samples were received on 5/3/2012 7:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.8° C.

GC/MS VOA

Method 8260B: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-9-101-A-050312-1215 (480-19600-1). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Job ID: 480-19600-1 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

IC

No analytical or quality issues were noted.

GC VOA

Method RSK-175: The method blank for batch 63265 contained Methane above the method detection limit. These target analyte concentrations were less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 9038: The method blank for batch 64026 contained sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

Method SM4500 Cl-E: The method blank for batch 64027 contained sulfate above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-analysis of samples was not performed.

No other analytical or quality issues were noted.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: MW-10-2-050212-1200

Lab Sample ID: 480-19497-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
trans-1,2-Dichloroethene	26		2.0	1.8	ug/L	2		8260B	Total/NA
Vinyl chloride	60		2.0	1.8	ug/L	2		8260B	Total/NA
cis-1,2-Dichloroethene - DL	2100		40	32	ug/L	40		8260B	Total/NA
Tetrachloroethene - DL	330		40	14	ug/L	40		8260B	Total/NA
Trichloroethene - DL	810		40	18	ug/L	40		8260B	Total/NA
Ethane	10	J	15	4.9	ug/L	10		RSK-175	Total/NA
Ethene	8.4	J	15	5.2	ug/L	10		RSK-175	Total/NA
Methane	130	B	10	2.2	ug/L	10		RSK-175	Total/NA
Iron	0.15		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	92.7		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.27		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	10.8		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	1610		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.52		0.020	0.0090	mg/L	1		350.1	Total/NA
Sulfate	147	B	50.0	15.0	mg/L	10		9038	Total/NA
Total Organic Carbon	1.2		1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	240		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	1110	B	50.0	23.0	mg/L	50		SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Carbon dioxide	4100		1000	1000	ug/L	1		RSK-175	Total/NA

Client Sample ID: MW-10-3-050212-1400

Lab Sample ID: 480-19497-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	14		1.0	0.81	ug/L	1		8260B	Total/NA
Tetrachloroethene	14		1.0	0.36	ug/L	1		8260B	Total/NA
Trichloroethene	7.0		1.0	0.46	ug/L	1		8260B	Total/NA
Methane	0.47	J B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	0.075		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	17.5		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.00094	J	0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	2.4		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	44.7		1.0	0.32	mg/L	1		6010B	Total/NA
Nitrate	1.5		0.050	0.011	mg/L	1		353.2	Total/NA
Sulfate	74.0	B	25.0	7.5	mg/L	5		9038	Total/NA
Total Organic Carbon	0.52	J	1.0	0.43	mg/L	1		9060	Total/NA
Total Alkalinity	128		5.0	0.79	mg/L	1		SM 2320B	Total/NA
Chloride	91.0	B	4.0	1.8	mg/L	4		SM 4500 Cl- E	Total/NA

Client Sample ID: BLDG-10-MW-1-050212-1620

Lab Sample ID: 480-19497-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	150000		2000	720	ug/L	2000		8260B	Total/NA
Trichloroethene	2500		2000	920	ug/L	2000		8260B	Total/NA
Ethane	2.6		1.5	0.49	ug/L	1		RSK-175	Total/NA
Ethene	7.7		1.5	0.52	ug/L	1		RSK-175	Total/NA
Methane	12	B	1.0	0.22	ug/L	1		RSK-175	Total/NA
Iron	1.2		0.050	0.019	mg/L	1		6010B	Total/NA
Magnesium	80.8		0.20	0.043	mg/L	1		6010B	Total/NA
Manganese	0.32		0.0030	0.00040	mg/L	1		6010B	Total/NA
Potassium	4.7		0.50	0.10	mg/L	1		6010B	Total/NA
Sodium	76.8		1.0	0.32	mg/L	1		6010B	Total/NA
Ammonia	0.18		0.020	0.0090	mg/L	1		350.1	Total/NA

Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: BLDG-10-MW-1-050212-1620 (Continued)

Lab Sample ID: 480-19497-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Sulfate	195	B	50.0	15.0	mg/L	10			9038	Total/NA
Total Organic Carbon	4.4		1.0	0.43	mg/L	1			9060	Total/NA
Total Alkalinity	320		5.0	0.79	mg/L	1			SM 2320B	Total/NA
Chloride	115	B	5.0	2.3	mg/L	5			SM 4500 Cl- E	Total/NA
Acetic acid	0.67	J	1.0	0.15	mg/L	1			VFA-IC	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil	Fac	D	Method	Prep Type
Carbon dioxide	7900		1000	1000	ug/L	1			RSK-175	Total/NA

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19497-4

No Detections

Client Sample ID: MW-9-101-A-050312-1215

Lab Sample ID: 480-19600-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Methane	0.52	J B	1.0	0.22	ug/L	1			RSK-175	Total/NA
Magnesium	137		0.20	0.043	mg/L	1			6010B	Total/NA
Manganese	0.0023	J	0.0030	0.00040	mg/L	1			6010B	Total/NA
Potassium	21.5		0.50	0.10	mg/L	1			6010B	Total/NA
Sodium	748		1.0	0.32	mg/L	1			6010B	Total/NA
Nitrate	6.3		0.050	0.011	mg/L	1			353.2	Total/NA
Sulfate	1170	B	250	75.0	mg/L	50			9038	Total/NA
Total Organic Carbon	3.0		1.0	0.43	mg/L	1			9060	Total/NA
Total Alkalinity	200		5.0	0.79	mg/L	1			SM 2320B	Total/NA
Chloride	1440		30.0	13.8	mg/L	30			SM 4500 Cl- E	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil	Fac	D	Method	Prep Type
Carbon dioxide	4200		1000	1000	ug/L	1			RSK-175	Total/NA

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: MW-10-2-050212-1200

Lab Sample ID: 480-19497-1

Date Collected: 05/02/12 12:00

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	26		2.0	1.8	ug/L			05/10/12 14:46	2
Vinyl chloride	60		2.0	1.8	ug/L			05/10/12 14:46	2
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		66 - 137					05/10/12 14:46	2
4-Bromofluorobenzene (Surr)	98		73 - 120					05/10/12 14:46	2
Toluene-d8 (Surr)	118		71 - 126					05/10/12 14:46	2

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	2100		40	32	ug/L			05/11/12 11:34	40
Tetrachloroethene	330		40	14	ug/L			05/11/12 11:34	40
Trichloroethene	810		40	18	ug/L			05/11/12 11:34	40
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		66 - 137					05/11/12 11:34	40
4-Bromofluorobenzene (Surr)	101		73 - 120					05/11/12 11:34	40
Toluene-d8 (Surr)	120		71 - 126					05/11/12 11:34	40

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	10	J	15	4.9	ug/L			05/07/12 10:28	10
Ethene	8.4	J	15	5.2	ug/L			05/07/12 10:28	10
Methane	130	B	10	2.2	ug/L			05/07/12 10:28	10
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	4100		1000	1000	ug/L			05/14/12 14:04	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.15		0.050	0.019	mg/L		05/03/12 10:15	05/03/12 20:15	1
Magnesium	92.7		0.20	0.043	mg/L		05/03/12 10:15	05/03/12 20:15	1
Manganese	0.27		0.0030	0.00040	mg/L		05/03/12 10:15	05/03/12 20:15	1
Potassium	10.8		0.50	0.10	mg/L		05/03/12 10:15	05/03/12 20:15	1
Sodium	1610		1.0	0.32	mg/L		05/03/12 10:15	05/03/12 20:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.52		0.020	0.0090	mg/L			05/03/12 13:26	1
Nitrate	ND		0.050	0.011	mg/L			05/02/12 20:42	1
Nitrite	ND		0.050	0.020	mg/L			05/02/12 20:42	1
Sulfate	147	B	50.0	15.0	mg/L			05/09/12 18:26	10
Total Organic Carbon	1.2		1.0	0.43	mg/L			05/06/12 21:02	1
Total Alkalinity	240		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	1110	B	50.0	23.0	mg/L			05/09/12 19:49	50
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 20:15	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 20:15	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 20:15	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 20:15	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 20:15	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 20:15	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: MW-10-3-050212-1400

Lab Sample ID: 480-19497-2

Date Collected: 05/02/12 14:00

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	14		1.0	0.81	ug/L			05/11/12 11:57	1
Tetrachloroethene	14		1.0	0.36	ug/L			05/11/12 11:57	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/11/12 11:57	1
Trichloroethene	7.0		1.0	0.46	ug/L			05/11/12 11:57	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/11/12 11:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		66 - 137					05/11/12 11:57	1
4-Bromofluorobenzene (Surr)	101		73 - 120					05/11/12 11:57	1
Toluene-d8 (Surr)	120		71 - 126					05/11/12 11:57	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/07/12 11:59	1
Ethene	ND		1.5	0.52	ug/L			05/07/12 11:59	1
Methane	0.47	J B	1.0	0.22	ug/L			05/07/12 11:59	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	ND		1000	1000	ug/L			05/14/12 14:15	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.075		0.050	0.019	mg/L		05/03/12 10:15	05/03/12 20:18	1
Magnesium	17.5		0.20	0.043	mg/L		05/03/12 10:15	05/03/12 20:18	1
Manganese	0.00094	J	0.0030	0.00040	mg/L		05/03/12 10:15	05/03/12 20:18	1
Potassium	2.4		0.50	0.10	mg/L		05/03/12 10:15	05/03/12 20:18	1
Sodium	44.7		1.0	0.32	mg/L		05/03/12 10:15	05/03/12 20:18	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/03/12 13:27	1
Nitrate	1.5		0.050	0.011	mg/L			05/02/12 22:31	1
Nitrite	ND		0.050	0.020	mg/L			05/02/12 22:31	1
Sulfate	74.0	B	25.0	7.5	mg/L			05/09/12 19:37	5
Total Organic Carbon	0.52	J	1.0	0.43	mg/L			05/07/12 20:43	1
Total Alkalinity	128		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	91.0	B	4.0	1.8	mg/L			05/09/12 19:38	4
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 20:44	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 20:44	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 20:44	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 20:44	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 20:44	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 20:44	1

Client Sample ID: BLDG-10-MW-1-050212-1620

Lab Sample ID: 480-19497-3

Date Collected: 05/02/12 16:20

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		2000	1600	ug/L			05/10/12 15:32	2000
Tetrachloroethene	150000		2000	720	ug/L			05/10/12 15:32	2000

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: BLDG-10-MW-1-050212-1620

Lab Sample ID: 480-19497-3

Date Collected: 05/02/12 16:20

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		2000	1800	ug/L			05/10/12 15:32	2000
Trichloroethene	2500		2000	920	ug/L			05/10/12 15:32	2000
Vinyl chloride	ND		2000	1800	ug/L			05/10/12 15:32	2000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		66 - 137					05/10/12 15:32	2000
4-Bromofluorobenzene (Surr)	94		73 - 120					05/10/12 15:32	2000
Toluene-d8 (Surr)	114		71 - 126					05/10/12 15:32	2000

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	2.6		1.5	0.49	ug/L			05/07/12 12:16	1
Ethene	7.7		1.5	0.52	ug/L			05/07/12 12:16	1
Methane	12	B	1.0	0.22	ug/L			05/07/12 12:16	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	7900		1000	1000	ug/L			05/14/12 14:33	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	1.2		0.050	0.019	mg/L		05/03/12 10:15	05/03/12 20:20	1
Magnesium	80.8		0.20	0.043	mg/L		05/03/12 10:15	05/03/12 20:20	1
Manganese	0.32		0.0030	0.00040	mg/L		05/03/12 10:15	05/03/12 20:20	1
Potassium	4.7		0.50	0.10	mg/L		05/03/12 10:15	05/03/12 20:20	1
Sodium	76.8		1.0	0.32	mg/L		05/03/12 10:15	05/03/12 20:20	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	0.18		0.020	0.0090	mg/L			05/03/12 13:28	1
Nitrate	ND		0.050	0.011	mg/L			05/02/12 20:44	1
Nitrite	ND		0.050	0.020	mg/L			05/02/12 20:44	1
Sulfate	195	B	50.0	15.0	mg/L			05/09/12 19:37	10
Total Organic Carbon	4.4		1.0	0.43	mg/L			05/07/12 21:13	1
Total Alkalinity	320		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	115	B	5.0	2.3	mg/L			05/09/12 18:15	5
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1
Acetic acid	0.67	J	1.0	0.15	mg/L			05/15/12 21:13	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 21:13	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 21:13	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 21:13	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 21:13	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 21:13	1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19497-4

Date Collected: 05/02/12 00:00

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/10/12 15:55	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/10/12 15:55	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/10/12 15:55	1
Trichloroethene	ND		1.0	0.46	ug/L			05/10/12 15:55	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19497-4

Date Collected: 05/02/12 00:00

Matrix: Water

Date Received: 05/02/12 18:00

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vinyl chloride	ND		1.0	0.90	ug/L			05/10/12 15:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		66 - 137					05/10/12 15:55	1
4-Bromofluorobenzene (Surr)	94		73 - 120					05/10/12 15:55	1
Toluene-d8 (Surr)	113		71 - 126					05/10/12 15:55	1

Client Sample ID: MW-9-101-A-050312-1215

Lab Sample ID: 480-19600-1

Date Collected: 05/03/12 12:15

Matrix: Water

Date Received: 05/03/12 19:45

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		4.0	3.2	ug/L			05/11/12 12:37	4
Tetrachloroethene	ND		4.0	1.4	ug/L			05/11/12 12:37	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			05/11/12 12:37	4
Trichloroethene	ND		4.0	1.8	ug/L			05/11/12 12:37	4
Vinyl chloride	ND		4.0	3.6	ug/L			05/11/12 12:37	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		66 - 137					05/11/12 12:37	4
4-Bromofluorobenzene (Surr)	112		73 - 120					05/11/12 12:37	4
Toluene-d8 (Surr)	111		71 - 126					05/11/12 12:37	4

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	ND		1.5	0.49	ug/L			05/07/12 15:06	1
Ethene	ND		1.5	0.52	ug/L			05/07/12 15:06	1
Methane	0.52	J B	1.0	0.22	ug/L			05/07/12 15:06	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon dioxide	4200		1000	1000	ug/L			05/14/12 12:54	1

Method: 6010B - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 17:54	1
Magnesium	137		0.20	0.043	mg/L		05/07/12 07:20	05/07/12 17:54	1
Manganese	0.0023	J	0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 17:54	1
Potassium	21.5		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 17:54	1
Sodium	748		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 17:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/04/12 13:51	1
Nitrate	6.3		0.050	0.011	mg/L			05/04/12 21:14	1
Nitrite	ND		0.050	0.020	mg/L			05/04/12 21:14	1
Sulfate	1170	B	250	75.0	mg/L			05/10/12 16:43	50
Total Organic Carbon	3.0		1.0	0.43	mg/L			05/06/12 12:32	1
Total Alkalinity	200		5.0	0.79	mg/L			05/07/12 14:40	1
Chloride	1440		30.0	13.8	mg/L			05/10/12 16:23	30
Sulfide	ND		0.10	0.052	mg/L			05/08/12 08:45	1
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 11:18	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 11:18	1

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: MW-9-101-A-050312-1215

Lab Sample ID: 480-19600-1

Date Collected: 05/03/12 12:15

Matrix: Water

Date Received: 05/03/12 19:45

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 11:18	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 11:18	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 11:18	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 11:18	1

Surrogate Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		12DCE (66-137)	BFB (73-120)	TOL (71-126)
480-19497-1	MW-10-2-050212-1200	112	98	118
480-19497-1 - DL	MW-10-2-050212-1200	111	101	120
480-19497-1 MS	MW-10-2-050212-1200	104	95	112
480-19497-1 MSD	MW-10-2-050212-1200	108	101	117
480-19497-2	MW-10-3-050212-1400	113	101	120
480-19497-3	BLDG-10-MW-1-050212-1620	108	94	114
480-19497-4	TRIP BLANK	108	94	113
480-19600-1	MW-9-101-A-050312-1215	112	112	111
LCS 480-63819/4	Lab Control Sample	109	97	118
LCS 480-64011/4	Lab Control Sample	104	95	114
LCS 480-64020/4	Lab Control Sample	110	115	116
MB 480-63819/5	Method Blank	115	99	121
MB 480-64011/5	Method Blank	106	96	115
MB 480-64020/5	Method Blank	112	111	113

Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-63819/5

Matrix: Water

Analysis Batch: 63819

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/10/12 11:24	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/10/12 11:24	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/10/12 11:24	1
Trichloroethene	ND		1.0	0.46	ug/L			05/10/12 11:24	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/10/12 11:24	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		66 - 137		05/10/12 11:24	1
4-Bromofluorobenzene (Surr)	99		73 - 120		05/10/12 11:24	1
Toluene-d8 (Surr)	121		71 - 126		05/10/12 11:24	1

Lab Sample ID: LCS 480-63819/4

Matrix: Water

Analysis Batch: 63819

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	25.3		ug/L		101	74 - 124
Tetrachloroethene	25.0	27.2		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	26.7		ug/L		107	73 - 127
Trichloroethene	25.0	25.4		ug/L		102	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		66 - 137
4-Bromofluorobenzene (Surr)	97		73 - 120
Toluene-d8 (Surr)	118		71 - 126

Lab Sample ID: MB 480-64011/5

Matrix: Water

Analysis Batch: 64011

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/11/12 10:36	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/11/12 10:36	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/11/12 10:36	1
Trichloroethene	ND		1.0	0.46	ug/L			05/11/12 10:36	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/11/12 10:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		66 - 137		05/11/12 10:36	1
4-Bromofluorobenzene (Surr)	96		73 - 120		05/11/12 10:36	1
Toluene-d8 (Surr)	115		71 - 126		05/11/12 10:36	1

Lab Sample ID: LCS 480-64011/4

Matrix: Water

Analysis Batch: 64011

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	25.0	25.0		ug/L		100	74 - 124
Tetrachloroethene	25.0	27.1		ug/L		108	74 - 122

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-64011/4

Matrix: Water

Analysis Batch: 64011

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
trans-1,2-Dichloroethene	25.0	26.1		ug/L		104	73 - 127
Trichloroethene	25.0	24.7		ug/L		99	74 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		66 - 137
4-Bromofluorobenzene (Surr)	95		73 - 120
Toluene-d8 (Surr)	114		71 - 126

Lab Sample ID: 480-19497-1 MS

Matrix: Water

Analysis Batch: 64011

Client Sample ID: MW-10-2-050212-1200

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
cis-1,2-Dichloroethene	2100		1000	2940		ug/L		87	74 - 124
Tetrachloroethene	330		1000	1340		ug/L		102	74 - 122
trans-1,2-Dichloroethene	ND		1000	1080		ug/L		108	73 - 127
Trichloroethene	810		1000	1700		ug/L		90	74 - 123

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		66 - 137
4-Bromofluorobenzene (Surr)	95		73 - 120
Toluene-d8 (Surr)	112		71 - 126

Lab Sample ID: 480-19497-1 MSD

Matrix: Water

Analysis Batch: 64011

Client Sample ID: MW-10-2-050212-1200

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
cis-1,2-Dichloroethene	2100		1000	2840		ug/L		76	74 - 124	4	15
Tetrachloroethene	330		1000	1310		ug/L		98	74 - 122	3	20
trans-1,2-Dichloroethene	ND		1000	1030		ug/L		103	73 - 127	5	20
Trichloroethene	810		1000	1630		ug/L		82	74 - 123	4	16

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	108		66 - 137
4-Bromofluorobenzene (Surr)	101		73 - 120
Toluene-d8 (Surr)	117		71 - 126

Lab Sample ID: MB 480-64020/5

Matrix: Water

Analysis Batch: 64020

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			05/11/12 11:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			05/11/12 11:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			05/11/12 11:17	1
Trichloroethene	ND		1.0	0.46	ug/L			05/11/12 11:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			05/11/12 11:17	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-64020/5
Matrix: Water
Analysis Batch: 64020

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	112		66 - 137		05/11/12 11:17	1
4-Bromofluorobenzene (Surr)	111		73 - 120		05/11/12 11:17	1
Toluene-d8 (Surr)	113		71 - 126		05/11/12 11:17	1

Lab Sample ID: LCS 480-64020/4
Matrix: Water
Analysis Batch: 64020

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Tetrachloroethene	25.0	27.3		ug/L		109	74 - 122
trans-1,2-Dichloroethene	25.0	26.2		ug/L		105	73 - 127
Trichloroethene	25.0	26.6		ug/L		106	74 - 123

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	110		66 - 137
4-Bromofluorobenzene (Surr)	115		73 - 120
Toluene-d8 (Surr)	116		71 - 126

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 200-38628/4
Matrix: Water
Analysis Batch: 38628

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Carbon dioxide	ND		1000	1000	ug/L			05/14/12 11:34	1

Lab Sample ID: LCS 200-38628/3
Matrix: Water
Analysis Batch: 38628

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: MB 480-63265/2
Matrix: Water
Analysis Batch: 63265

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethane	ND		1.5	0.49	ug/L			05/07/12 07:56	1
Ethene	ND		1.5	0.52	ug/L			05/07/12 07:56	1
Methane	0.523	J	1.0	0.22	ug/L			05/07/12 07:56	1

Lab Sample ID: LCS 480-63265/3
Matrix: Water
Analysis Batch: 63265

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: RSK-175 - Dissolved Gases (GC) (Continued)

Lab Sample ID: LCS 480-63265/3
 Matrix: Water
 Analysis Batch: 63265

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethene	6.73	7.81		ug/L		116	71 - 147
Methane	3.88	4.65		ug/L		120	48 - 174

Lab Sample ID: LCSD 480-63265/4
 Matrix: Water
 Analysis Batch: 63265

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethene	7.19	8.44		ug/L		117	71 - 147	0	50
Ethene	6.73	7.76		ug/L		115	71 - 147	1	50
Methane	3.88	4.73		ug/L		122	48 - 174	2	50

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 480-62828/1-A
 Matrix: Water
 Analysis Batch: 63029

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 62828

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	ND		0.050	0.019	mg/L		05/03/12 10:15	05/03/12 19:39	1
Magnesium	ND		0.20	0.043	mg/L		05/03/12 10:15	05/03/12 19:39	1
Manganese	ND		0.0030	0.00040	mg/L		05/03/12 10:15	05/03/12 19:39	1
Potassium	ND		0.50	0.10	mg/L		05/03/12 10:15	05/03/12 19:39	1
Sodium	ND		1.0	0.32	mg/L		05/03/12 10:15	05/03/12 19:39	1

Lab Sample ID: LCS 480-62828/2-A
 Matrix: Water
 Analysis Batch: 63029

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 62828

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	10.0	9.75		mg/L		98	80 - 120
Magnesium	10.0	9.54		mg/L		95	80 - 120
Manganese	0.200	0.205		mg/L		103	80 - 120
Potassium	10.0	9.33		mg/L		93	80 - 120
Sodium	10.0	9.43		mg/L		94	80 - 120

Lab Sample ID: 480-19497-3 MS
 Matrix: Water
 Analysis Batch: 63029

Client Sample ID: BLDG-10-MW-1-050212-1620
 Prep Type: Total/NA
 Prep Batch: 62828

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	1.2		10.0	10.22		mg/L		91	75 - 125
Magnesium	80.8		10.0	88.75	4	mg/L		79	75 - 125
Manganese	0.32		0.200	0.504		mg/L		92	75 - 125
Potassium	4.7		10.0	14.06		mg/L		93	75 - 125
Sodium	76.8		10.0	85.49	4	mg/L		87	75 - 125

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 480-19497-3 MSD
Matrix: Water
Analysis Batch: 63029

Client Sample ID: BLDG-10-MW-1-050212-1620
Prep Type: Total/NA
Prep Batch: 62828

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Iron	1.2		10.0	10.24		mg/L		91	75 - 125	0	20
Magnesium	80.8		10.0	88.84	4	mg/L		80	75 - 125	0	20
Manganese	0.32		0.200	0.506		mg/L		92	75 - 125	0	20
Potassium	4.7		10.0	14.06		mg/L		93	75 - 125	0	20
Sodium	76.8		10.0	85.85	4	mg/L		90	75 - 125	0	20

Lab Sample ID: MB 480-63214/1-A
Matrix: Water
Analysis Batch: 63452

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 63214

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Iron	ND		0.050	0.019	mg/L		05/07/12 07:20	05/07/12 16:59	1
Magnesium	ND		0.20	0.043	mg/L		05/07/12 07:20	05/07/12 16:59	1
Manganese	ND		0.0030	0.00040	mg/L		05/07/12 07:20	05/07/12 16:59	1
Potassium	ND		0.50	0.10	mg/L		05/07/12 07:20	05/07/12 16:59	1
Sodium	ND		1.0	0.32	mg/L		05/07/12 07:20	05/07/12 16:59	1

Lab Sample ID: LCS 480-63214/2-A
Matrix: Water
Analysis Batch: 63452

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 63214

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
Iron	10.0	10.10		mg/L		101	80 - 120
Magnesium	10.0	10.01		mg/L		100	80 - 120
Manganese	0.200	0.205		mg/L		103	80 - 120
Potassium	10.0	9.77		mg/L		98	80 - 120
Sodium	10.0	9.72		mg/L		97	80 - 120

Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 480-62905/51
Matrix: Water
Analysis Batch: 62905

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ammonia	ND		0.020	0.0090	mg/L			05/03/12 13:08	1

Lab Sample ID: LCS 480-62905/52
Matrix: Water
Analysis Batch: 62905

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
		Result	Qualifier				Limits
Ammonia	1.00	1.00		mg/L		100	90 - 110

Lab Sample ID: MB 480-63137/123
Matrix: Water
Analysis Batch: 63137

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ammonia	ND		0.020	0.0090	mg/L			05/04/12 13:49	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 350.1 - Nitrogen, Ammonia (Continued)

Lab Sample ID: LCS 480-63137/124
 Matrix: Water
 Analysis Batch: 63137

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia	1.00	1.00		mg/L		100	90 - 110

Method: 353.2 - Nitrogen, Nitrite

Lab Sample ID: MB 480-62778/3
 Matrix: Water
 Analysis Batch: 62778

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			05/02/12 22:12	1

Lab Sample ID: LCS 480-62778/4
 Matrix: Water
 Analysis Batch: 62778

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.42		mg/L		95	90 - 110

Lab Sample ID: MB 480-63180/3
 Matrix: Water
 Analysis Batch: 63180

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite	ND		0.050	0.020	mg/L			05/04/12 21:07	1

Lab Sample ID: LCS 480-63180/4
 Matrix: Water
 Analysis Batch: 63180

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite	1.50	1.56		mg/L		104	90 - 110

Method: 9038 - Sulfate, Turbidimetric

Lab Sample ID: MB 480-63757/7
 Matrix: Water
 Analysis Batch: 63757

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.54	J	5.0	1.5	mg/L			05/09/12 17:58	1

Lab Sample ID: LCS 480-63757/6
 Matrix: Water
 Analysis Batch: 63757

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	30.62		mg/L		102	90 - 110

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 9038 - Sulfate, Turbidimetric (Continued)

Lab Sample ID: MB 480-64026/54
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	1.96	J	5.0	1.5	mg/L			05/10/12 15:33	1

Lab Sample ID: LCS 480-64026/53
Matrix: Water
Analysis Batch: 64026

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	30.0	32.09		mg/L		107	90 - 110

Method: 9060 - Organic Carbon, Total (TOC)

Lab Sample ID: MB 480-63278/19
Matrix: Water
Analysis Batch: 63278

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/06/12 16:33	1

Lab Sample ID: MB 480-63278/3
Matrix: Water
Analysis Batch: 63278

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/06/12 06:12	1

Lab Sample ID: LCS 480-63278/20
Matrix: Water
Analysis Batch: 63278

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	59.60		mg/L		99	90 - 110

Lab Sample ID: LCS 480-63278/4
Matrix: Water
Analysis Batch: 63278

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	59.91		mg/L		100	90 - 110

Lab Sample ID: MB 480-63638/3
Matrix: Water
Analysis Batch: 63638

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	ND		1.0	0.43	mg/L			05/07/12 19:14	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: 9060 - Organic Carbon, Total (TOC) (Continued)

Lab Sample ID: LCS 480-63638/4
 Matrix: Water
 Analysis Batch: 63638

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	60.0	57.35		mg/L		96	90 - 110

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 480-63392/3
 Matrix: Water
 Analysis Batch: 63392

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Alkalinity	ND		5.0	0.79	mg/L			05/07/12 14:40	1

Lab Sample ID: LCS 480-63392/4
 Matrix: Water
 Analysis Batch: 63392

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Alkalinity	1000	952.0		mg/L		95	90 - 110

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 480-63758/7
 Matrix: Water
 Analysis Batch: 63758

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.504	J	1.0	0.46	mg/L			05/09/12 17:52	1

Lab Sample ID: LCS 480-63758/6
 Matrix: Water
 Analysis Batch: 63758

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.88		mg/L		108	90 - 110

Lab Sample ID: MB 480-64027/135
 Matrix: Water
 Analysis Batch: 64027

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 19:30	1

Lab Sample ID: MB 480-64027/141
 Matrix: Water
 Analysis Batch: 64027

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 20:00	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: MB 480-64027/30
 Matrix: Water
 Analysis Batch: 64027

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.722	J	1.0	0.46	mg/L			05/10/12 14:29	1

Lab Sample ID: MB 480-64027/55
 Matrix: Water
 Analysis Batch: 64027

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.0	0.46	mg/L			05/10/12 15:55	1

Lab Sample ID: LCS 480-64027/140
 Matrix: Water
 Analysis Batch: 64027

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.47		mg/L		106	90 - 110

Lab Sample ID: LCS 480-64027/54
 Matrix: Water
 Analysis Batch: 64027

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.16		mg/L		105	90 - 110

Method: SM 4500 S2 D - Sulfide, Total

Lab Sample ID: MB 480-62917/3
 Matrix: Water
 Analysis Batch: 62917

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/03/12 12:10	1

Lab Sample ID: LCS 480-62917/4
 Matrix: Water
 Analysis Batch: 62917

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.703		mg/L		94	90 - 110

Lab Sample ID: MB 480-63515/3
 Matrix: Water
 Analysis Batch: 63515

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	ND		0.10	0.052	mg/L			05/08/12 08:45	1

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: SM 4500 S2 D - Sulfide, Total (Continued)

Lab Sample ID: LCS 480-63515/4
 Matrix: Water
 Analysis Batch: 63515

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfide	0.750	0.726		mg/L		97	90 - 110

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography

Lab Sample ID: MB 480-64493/4
 Matrix: Water
 Analysis Batch: 64493

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			05/15/12 18:18	1
Formic-acid	ND		1.0	0.11	mg/L			05/15/12 18:18	1
Lactic acid	ND		1.0	0.14	mg/L			05/15/12 18:18	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/15/12 18:18	1
Propionic acid	ND		1.0	0.17	mg/L			05/15/12 18:18	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/15/12 18:18	1

Lab Sample ID: LCS 480-64493/3
 Matrix: Water
 Analysis Batch: 64493

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	10.20		mg/L		102	80 - 120
Formic-acid	10.0	9.78		mg/L		98	80 - 120
Lactic acid	10.0	9.81		mg/L		98	80 - 120
n-Butyric Acid	10.0	10.00		mg/L		100	80 - 120
Propionic acid	10.0	10.40		mg/L		104	80 - 120
Pyruvic Acid	10.0	10.50		mg/L		105	80 - 120

Lab Sample ID: MB 480-64494/28
 Matrix: Water
 Analysis Batch: 64494

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetic acid	ND		1.0	0.15	mg/L			05/16/12 05:58	1
Formic-acid	ND		1.0	0.11	mg/L			05/16/12 05:58	1
Lactic acid	ND		1.0	0.14	mg/L			05/16/12 05:58	1
n-Butyric Acid	ND		1.0	0.16	mg/L			05/16/12 05:58	1
Propionic acid	ND		1.0	0.17	mg/L			05/16/12 05:58	1
Pyruvic Acid	ND		1.0	0.080	mg/L			05/16/12 05:58	1

Lab Sample ID: LCS 480-64494/27
 Matrix: Water
 Analysis Batch: 64494

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetic acid	10.0	10.20		mg/L		102	80 - 120
Formic-acid	10.0	9.90		mg/L		99	80 - 120
Lactic acid	10.0	9.72		mg/L		97	80 - 120
n-Butyric Acid	10.0	9.60		mg/L		96	80 - 120
Propionic acid	10.0	10.20		mg/L		102	80 - 120

QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method: VFA-IC - Volatile Fatty Acids, Ion Chromatography (Continued)

Lab Sample ID: LCS 480-64494/27

Matrix: Water

Analysis Batch: 64494

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Pyruvic Acid	10.0	10.20		mg/L		102	80 - 120

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

GC/MS VOA

Analysis Batch: 63819

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	8260B	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	8260B	
480-19497-4	TRIP BLANK	Total/NA	Water	8260B	
LCS 480-63819/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-63819/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 64011

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1 - DL	MW-10-2-050212-1200	Total/NA	Water	8260B	
480-19497-1 MS	MW-10-2-050212-1200	Total/NA	Water	8260B	
480-19497-1 MSD	MW-10-2-050212-1200	Total/NA	Water	8260B	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	8260B	
LCS 480-64011/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64011/5	Method Blank	Total/NA	Water	8260B	

Analysis Batch: 64020

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	8260B	
LCS 480-64020/4	Lab Control Sample	Total/NA	Water	8260B	
MB 480-64020/5	Method Blank	Total/NA	Water	8260B	

GC VOA

Analysis Batch: 38628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	RSK-175	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	RSK-175	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	RSK-175	
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	RSK-175	
LCS 200-38628/3	Lab Control Sample	Total/NA	Water	RSK-175	
MB 200-38628/4	Method Blank	Total/NA	Water	RSK-175	

Analysis Batch: 63265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	RSK-175	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	RSK-175	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	RSK-175	
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	RSK-175	
LCS 480-63265/3	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 480-63265/4	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 480-63265/2	Method Blank	Total/NA	Water	RSK-175	

Metals

Prep Batch: 62828

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	3005A	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	3005A	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	3005A	
480-19497-3 MS	BLDG-10-MW-1-050212-1620	Total/NA	Water	3005A	
480-19497-3 MSD	BLDG-10-MW-1-050212-1620	Total/NA	Water	3005A	
LCS 480-62828/2-A	Lab Control Sample	Total/NA	Water	3005A	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Metals (Continued)

Prep Batch: 62828 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 480-62828/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 63029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	6010B	62828
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	6010B	62828
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	6010B	62828
480-19497-3 MS	BLDG-10-MW-1-050212-1620	Total/NA	Water	6010B	62828
480-19497-3 MSD	BLDG-10-MW-1-050212-1620	Total/NA	Water	6010B	62828
LCS 480-62828/2-A	Lab Control Sample	Total/NA	Water	6010B	62828
MB 480-62828/1-A	Method Blank	Total/NA	Water	6010B	62828

Prep Batch: 63214

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	3005A	
LCS 480-63214/2-A	Lab Control Sample	Total/NA	Water	3005A	
MB 480-63214/1-A	Method Blank	Total/NA	Water	3005A	

Analysis Batch: 63452

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	6010B	63214
LCS 480-63214/2-A	Lab Control Sample	Total/NA	Water	6010B	63214
MB 480-63214/1-A	Method Blank	Total/NA	Water	6010B	63214

General Chemistry

Analysis Batch: 62778

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	353.2	
LCS 480-62778/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-62778/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 62782

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	353.2	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	353.2	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	353.2	

Analysis Batch: 62783

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	353.2	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	353.2	

Analysis Batch: 62905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	350.1	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	350.1	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	350.1	
LCS 480-62905/52	Lab Control Sample	Total/NA	Water	350.1	
MB 480-62905/51	Method Blank	Total/NA	Water	350.1	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

General Chemistry (Continued)

Analysis Batch: 62917

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	SM 4500 S2 D	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	SM 4500 S2 D	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	SM 4500 S2 D	
LCS 480-62917/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-62917/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 63137

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	350.1	
LCS 480-63137/124	Lab Control Sample	Total/NA	Water	350.1	
MB 480-63137/123	Method Blank	Total/NA	Water	350.1	

Analysis Batch: 63180

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	353.2	
LCS 480-63180/4	Lab Control Sample	Total/NA	Water	353.2	
MB 480-63180/3	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 63184

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	353.2	

Analysis Batch: 63278

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	9060	
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	9060	
LCS 480-63278/20	Lab Control Sample	Total/NA	Water	9060	
LCS 480-63278/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-63278/19	Method Blank	Total/NA	Water	9060	
MB 480-63278/3	Method Blank	Total/NA	Water	9060	

Analysis Batch: 63392

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	SM 2320B	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	SM 2320B	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	SM 2320B	
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	SM 2320B	
LCS 480-63392/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MB 480-63392/3	Method Blank	Total/NA	Water	SM 2320B	

Analysis Batch: 63515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	SM 4500 S2 D	
LCS 480-63515/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MB 480-63515/3	Method Blank	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 63638

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	9060	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	9060	
LCS 480-63638/4	Lab Control Sample	Total/NA	Water	9060	
MB 480-63638/3	Method Blank	Total/NA	Water	9060	

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

General Chemistry (Continued)

Analysis Batch: 63757

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	9038	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	9038	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	9038	
LCS 480-63757/6	Lab Control Sample	Total/NA	Water	9038	
MB 480-63757/7	Method Blank	Total/NA	Water	9038	

Analysis Batch: 63758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	SM 4500 Cl- E	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	SM 4500 Cl- E	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	SM 4500 Cl- E	
LCS 480-63758/6	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
MB 480-63758/7	Method Blank	Total/NA	Water	SM 4500 Cl- E	

Analysis Batch: 64026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	9038	
LCS 480-64026/53	Lab Control Sample	Total/NA	Water	9038	
MB 480-64026/54	Method Blank	Total/NA	Water	9038	

Analysis Batch: 64027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	SM 4500 Cl- E	
LCS 480-64027/140	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
LCS 480-64027/54	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
MB 480-64027/135	Method Blank	Total/NA	Water	SM 4500 Cl- E	
MB 480-64027/141	Method Blank	Total/NA	Water	SM 4500 Cl- E	
MB 480-64027/30	Method Blank	Total/NA	Water	SM 4500 Cl- E	
MB 480-64027/55	Method Blank	Total/NA	Water	SM 4500 Cl- E	

Analysis Batch: 64493

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19497-1	MW-10-2-050212-1200	Total/NA	Water	VFA-IC	
480-19497-2	MW-10-3-050212-1400	Total/NA	Water	VFA-IC	
480-19497-3	BLDG-10-MW-1-050212-1620	Total/NA	Water	VFA-IC	
LCS 480-64493/3	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-64493/4	Method Blank	Total/NA	Water	VFA-IC	

Analysis Batch: 64494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-19600-1	MW-9-101-A-050312-1215	Total/NA	Water	VFA-IC	
LCS 480-64494/27	Lab Control Sample	Total/NA	Water	VFA-IC	
MB 480-64494/28	Method Blank	Total/NA	Water	VFA-IC	

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: MW-10-2-050212-1200

Lab Sample ID: 480-19497-1

Date Collected: 05/02/12 12:00

Matrix: Water

Date Received: 05/02/12 18:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2	63819	05/10/12 14:46	DC	TAL BUF
Total/NA	Analysis	8260B	DL	40	64011	05/11/12 11:34	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 14:04	MRV	TAL BUR
Total/NA	Analysis	RSK-175		10	63265	05/07/12 10:28	MN	TAL BUF
Total/NA	Prep	3005A			62828	05/03/12 10:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63029	05/03/12 20:15	AH	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 20:42	KS	TAL BUF
Total/NA	Analysis	353.2		1	62783	05/02/12 20:42	KS	TAL BUF
Total/NA	Analysis	350.1		1	62905	05/03/12 13:26	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	9060		1	63278	05/06/12 21:02	KAC	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	9038		10	63757	05/09/12 18:26	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		50	63758	05/09/12 19:49	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 20:15	KAC	TAL BUF

Client Sample ID: MW-10-3-050212-1400

Lab Sample ID: 480-19497-2

Date Collected: 05/02/12 14:00

Matrix: Water

Date Received: 05/02/12 18:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	64011	05/11/12 11:57	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 14:15	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	63265	05/07/12 11:59	MN	TAL BUF
Total/NA	Prep	3005A			62828	05/03/12 10:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63029	05/03/12 20:18	AH	TAL BUF
Total/NA	Analysis	353.2		1	62778	05/02/12 22:31	KS	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 22:31	KS	TAL BUF
Total/NA	Analysis	350.1		1	62905	05/03/12 13:27	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	9060		1	63638	05/07/12 20:43	KAC	TAL BUF
Total/NA	Analysis	9038		5	63757	05/09/12 19:37	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		4	63758	05/09/12 19:38	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 20:44	KAC	TAL BUF

Client Sample ID: BLDG-10-MW-1-050212-1620

Lab Sample ID: 480-19497-3

Date Collected: 05/02/12 16:20

Matrix: Water

Date Received: 05/02/12 18:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		2000	63819	05/10/12 15:32	DC	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Client Sample ID: BLDG-10-MW-1-050212-1620

Lab Sample ID: 480-19497-3

Date Collected: 05/02/12 16:20

Matrix: Water

Date Received: 05/02/12 18:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	RSK-175		1	38628	05/14/12 14:33	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	63265	05/07/12 12:16	MN	TAL BUF
Total/NA	Prep	3005A			62828	05/03/12 10:15	SS	TAL BUF
Total/NA	Analysis	6010B		1	63029	05/03/12 20:20	AH	TAL BUF
Total/NA	Analysis	353.2		1	62782	05/02/12 20:44	KS	TAL BUF
Total/NA	Analysis	353.2		1	62783	05/02/12 20:44	KS	TAL BUF
Total/NA	Analysis	350.1		1	62905	05/03/12 13:28	KS	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	62917	05/03/12 12:10	EGN	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	9060		1	63638	05/07/12 21:13	KAC	TAL BUF
Total/NA	Analysis	9038		10	63757	05/09/12 19:37	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		5	63758	05/09/12 18:15	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64493	05/15/12 21:13	KAC	TAL BUF

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-19497-4

Date Collected: 05/02/12 00:00

Matrix: Water

Date Received: 05/02/12 18:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	63819	05/10/12 15:55	DC	TAL BUF

Client Sample ID: MW-9-101-A-050312-1215

Lab Sample ID: 480-19600-1

Date Collected: 05/03/12 12:15

Matrix: Water

Date Received: 05/03/12 19:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		4	64020	05/11/12 12:37	DC	TAL BUF
Total/NA	Analysis	RSK-175		1	38628	05/14/12 12:54	MRV	TAL BUR
Total/NA	Analysis	RSK-175		1	63265	05/07/12 15:06	MN	TAL BUF
Total/NA	Prep	3005A			63214	05/07/12 07:20	SS	TAL BUF
Total/NA	Analysis	6010B		1	63452	05/07/12 17:54	MM	TAL BUF
Total/NA	Analysis	350.1		1	63137	05/04/12 13:51	KS	TAL BUF
Total/NA	Analysis	353.2		1	63180	05/04/12 21:14	KS	TAL BUF
Total/NA	Analysis	353.2		1	63184	05/04/12 21:14	KS	TAL BUF
Total/NA	Analysis	9060		1	63278	05/06/12 12:32	KAC	TAL BUF
Total/NA	Analysis	SM 2320B		1	63392	05/07/12 14:40	LYW	TAL BUF
Total/NA	Analysis	SM 4500 S2 D		1	63515	05/08/12 08:45	EGN	TAL BUF
Total/NA	Analysis	9038		50	64026	05/10/12 16:43	PJQ	TAL BUF
Total/NA	Analysis	SM 4500 CI- E		30	64027	05/10/12 16:23	PJQ	TAL BUF
Total/NA	Analysis	VFA-IC		1	64494	05/16/12 11:18	KAC	TAL BUF

Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Buffalo	Arkansas DEQ	State Program	6	88-0686
TestAmerica Buffalo	California	NELAC	9	1169CA
TestAmerica Buffalo	Connecticut	State Program	1	PH-0568
TestAmerica Buffalo	Florida	NELAC	4	E87672
TestAmerica Buffalo	Georgia	State Program	4	956
TestAmerica Buffalo	Georgia	State Program	4	N/A
TestAmerica Buffalo	Illinois	NELAC	5	100325 / 200003
TestAmerica Buffalo	Iowa	State Program	7	374
TestAmerica Buffalo	Kansas	NELAC	7	E-10187
TestAmerica Buffalo	Kentucky	State Program	4	90029
TestAmerica Buffalo	Kentucky (UST)	State Program	4	30
TestAmerica Buffalo	Louisiana	NELAC	6	02031
TestAmerica Buffalo	Maine	State Program	1	NY0044
TestAmerica Buffalo	Maryland	State Program	3	294
TestAmerica Buffalo	Massachusetts	State Program	1	M-NY044
TestAmerica Buffalo	Michigan	State Program	5	9937
TestAmerica Buffalo	Minnesota	NELAC	5	036-999-337
TestAmerica Buffalo	New Hampshire	NELAC	1	2337
TestAmerica Buffalo	New Hampshire	NELAC	1	68-00281
TestAmerica Buffalo	New Jersey	NELAC	2	NY455
TestAmerica Buffalo	New York	NELAC	2	10026
TestAmerica Buffalo	North Dakota	State Program	8	R-176
TestAmerica Buffalo	Oklahoma	State Program	6	9421
TestAmerica Buffalo	Oregon	NELAC	10	NY200003
TestAmerica Buffalo	Pennsylvania	NELAC	3	68-00281
TestAmerica Buffalo	Tennessee	State Program	4	TN02970
TestAmerica Buffalo	Texas	NELAC	6	T104704412-08-TX
TestAmerica Buffalo	USDA	Federal		P330-08-00242
TestAmerica Buffalo	Virginia	NELAC	3	460185
TestAmerica Buffalo	Virginia	State Program	3	278
TestAmerica Buffalo	Washington	State Program	10	C1677
TestAmerica Buffalo	West Virginia DEP	State Program	3	252
TestAmerica Buffalo	Wisconsin	State Program	5	998310390
TestAmerica Burlington	ACLASS	DoD ELAP		ADE-1492
TestAmerica Burlington	Connecticut	State Program	1	PH-0751
TestAmerica Burlington	DE Haz. Subst. Cleanup Act (HSCA)	State Program	3	NA
TestAmerica Burlington	Florida	NELAC	4	E87467
TestAmerica Burlington	Louisiana	NELAC	6	176292
TestAmerica Burlington	Maine	State Program	1	VT00008
TestAmerica Burlington	Minnesota	NELAC	5	050-999-436
TestAmerica Burlington	New Hampshire	NELAC	1	200610
TestAmerica Burlington	New Jersey	NELAC	2	VT972
TestAmerica Burlington	New York	NELAC	2	10391
TestAmerica Burlington	Pennsylvania	NELAC	3	68-00489
TestAmerica Burlington	Rhode Island	State Program	1	LAO00298
TestAmerica Burlington	USDA	Federal		P330-11-00093
TestAmerica Burlington	Vermont	State Program	1	VT-4000
TestAmerica Burlington	Virginia	NELAC	3	460209

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Method Summary

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL BUF
RSK-175	Dissolved Gases (GC)	RSK	TAL BUR
RSK-175	Dissolved Gases (GC)	RSK	TAL BUF
6010B	Metals (ICP)	SW846	TAL BUF
350.1	Nitrogen, Ammonia	MCAWW	TAL BUF
353.2	Nitrate	EPA	TAL BUF
353.2	Nitrogen, Nitrite	MCAWW	TAL BUF
9038	Sulfate, Turbidimetric	SW846	TAL BUF
9060	Organic Carbon, Total (TOC)	SW846	TAL BUF
SM 2320B	Alkalinity	SM	TAL BUF
SM 4500 Cl- E	Chloride, Total	SM	TAL BUF
SM 4500 S2 D	Sulfide, Total	SM	TAL BUF
VFA-IC	Volatile Fatty Acids, Ion Chromatography	TestAmerica SOP	TAL BUF

Protocol References:

- EPA = US Environmental Protection Agency
- MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
- RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab
- SM = "Standard Methods For The Examination Of Water And Wastewater",
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TestAmerica SOP = TestAmerica, Inc., Standard Operating Procedure

Laboratory References:

- TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600
- TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990



Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 058507, GM-Lockport Groundwater Sampling

TestAmerica Job ID: 480-19497-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-19497-1	MW-10-2-050212-1200	Water	05/02/12 12:00	05/02/12 18:00
480-19497-2	MW-10-3-050212-1400	Water	05/02/12 14:00	05/02/12 18:00
480-19497-3	BLDG-10-MW-1-050212-1620	Water	05/02/12 16:20	05/02/12 18:00
480-19497-4	TRIP BLANK	Water	05/02/12 00:00	05/02/12 18:00
480-19600-1	MW-9-101-A-050312-1215	Water	05/03/12 12:15	05/03/12 19:45

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

10 Hazelwood Drive
 Amherst, NY 14228-2298
 Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record



Client Information
 Client Contact: Mr. Christopher Boron
 Company: GZA GeoEnvironmental, Inc.
 Address: 535 Washington Street 11th Floor
 City: Buffalo
 State, Zip: NY, 14203
 Phone: 4047065
 Email: christopher_boron@gza.com
 Project Name: 058507, GM-Lockport Groundwater Sampling
 Site: Bldg 10 BCP Site 9-32-140

Sampler: T. Bohlen
 Lab P#: Deyo, Melissa L
 E-Mail: melissa.deyo@lestamericainc.com
 Phone: 716 685-2300
 Carrier Tracking No(s):
 Job #: 480-23685-5992.4
 Page: Page 4 of 4
 COC No: 480-23685-5992.4

Due Date Requested:
 TAT Requested (days):
 PO #: 4047065
 MO #: 58507
 Project #: 48004014
 SSOWh:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, Overstabilized, etc.)	Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Analysis Requested												Total Number of containers		Special Instructions/Note:
					Yes	No	Yes	No	RSK_175_CO2 - Carbon dioxide	VFA_IC - Standard VFA Compounds	350.1 - Ammonia	6010B - (MOD) TAL Metals ICP	8260B - (MOD) TCL list OLM04.2	9060 - Total Organic Carbon	RSK_175 - (MOD) Local Method	SM4500_S2_D - Sulfide	353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_Cl_E	2320B - Total Alkalinity	Other:				
MM-10-2-050212-1200	5/12/12	800	G	Water					X	X	X	X	X	X	X	X	X	X	X				
MM-10-3-050212-1400	1400	1400	G	Water					X	X	X	X	X	X	X	X	X	X	X				
BLDG-10-MM-1-050212-1630	1630	1630	G	Water					X	X	X	X	X	X	X	X	X	X	X				
Trip Blank																							

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify)
 Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: Thomas Bohlen Date/Time: 5/12/12 / 1800 Company: GZA
 Relinquished by: _____ Date/Time: _____ Company: _____
 Relinquished by: _____ Date/Time: _____ Company: _____
 Custody Seals Intact: Yes No Custody Seal No.: _____
 Special Instructions/OC Requirements: _____
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Method of Shipment: _____
 Received by: _____ Date/Time: 5/12/12 1800 Company: BCUF
 Received by: _____ Date/Time: _____ Company: _____
 Cooler Temperature(s) °C and Other Remarks: _____

TestAmerica Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information
 Client Contact: M. Christopher Boron
 Company: GZA GeoEnvironmental, Inc.
 Address: 535 Washington Street 11th Floor
 City: Buffalo
 State Zip: NY, 14203
 Phone: 404.71065
 Email: christopher.boron@gza.com
 Project Name: 058507, GM-Lockport Groundwater Sampling
 Site: Bldg 10 RFP Site 9-32-140
 SSOW#: 48004014

Sampler: T. Bohlen
Phone: 716-685-2300
Lab PM: Deyo, Melissa L
E-Mail: melissa.deyo@testamericainc.com

Carrier Tracking No(s):
COC No.: 480-23685-5992.4
Page: Page 4 of 4
Job #:

Analysis Requested
 Due Date Requested:
 TAT Requested (days):
 PO #:
 WO #:
 Project #:
 SSOW#:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=soil, B=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Total Number of containers	Special Instructions/Note:
MW-9-101-A-050312-1215	5/31/12	1215	G	Water	X	N	RSK_175_CO2 - Carbon dioxide VFA_IC - Standard VFA Compounds 350.1 - Ammonia 6010B - (MOD) TAL Metals ICP 8260B - (MOD) TCL list OLM04.2 9060 - Total Organic Carbon RSK_175 - (MOD) Local Method SM4500_S2_D - Sulfide 353.2, 353.2_Nitrite, 9038, Nitrate_Calc, SM4500_CI_E 2320B - Total Alkalinity	20	
TRIP Blank									

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (Specify):
 Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Custody Seals Intact: Yes No
Custody Seal No.: _____
 Received by: _____ Date/Time: _____
 Received by: _____ Date/Time: _____
 Received by: _____ Date/Time: _____
 Received by: _____ Date/Time: _____
 Method of Shipment: _____
 Cooler Temperature(s) °C and Other Remarks:

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 480-19497-1

Login Number: 19497

List Number: 1

Creator: Janish, Carl

List Source: TestAmerica Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	GZA
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 480-19497-1

Login Number: 19497

List Number: 1

Creator: Marion, Greg T

List Source: TestAmerica Burlington

List Creation: 05/04/12 03:30 PM

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	487024,025
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.0°C IR GUN ID 154/CF=-0.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

APPENDIX D
DATA QUALITY ASSESSMENT & VERIFICATION REPORT



MEMORANDUM

TO: Denis Conley REF. NO.: 58507-256011

FROM: Kathleen Willy/amm/51 *text for tw* DATE: July 16, 2012

Revised: July 17, 2012

CC: Claire Mondello, Chris Boron E-Mail and Hard Copy If Requested

RE: Data Quality Assessment and Verification
Groundwater Monitoring
GM Components Holdings (GMCH) Facility
Lockport, New York
April-May 2012

The following details a quality assessment and validation of the analytical data resulting from the April-May 2012 collection of 81 groundwater samples including two (2) field duplicates and six (6) trip blanks from the GMCH Site in Lockport, New York. The sample summary detailing sample identification, sample location, quality control samples, and analytical parameters is presented in Table 1. Sample analysis was completed at TestAmerica Laboratories, Inc. (TestAmerica) in Amherst, New York in accordance with the methodologies presented in Table 2. Table 3 presents the validated analytical data.

The quality control criteria used to assess the data were established by the methods. Application of quality assurance criteria was consistent with following guidance documents:

- i) "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review", EPA-540/R-99/008, October 1999.
- ii) "USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review", USEPA 540/R-094-013, February 1994.

These guidelines are collectively referred to as "NFGs" in this Memorandum.

SAMPLE QUANTITATION

The laboratory reported detected concentrations of volatile organic compounds (VOC) below the laboratory's practical quantitation limit (PQL) but above the laboratory's method detection limit (MDL). The laboratory flagged these sample concentrations with a "J". These concentrations should be considered as estimated (J) values unless qualified otherwise in this memorandum

SAMPLE PRESERVATION AND HOLDING TIMES

Sample holding time periods and preservation requirements are summarized in the analytical methods. All sample extractions and/or analyses were performed within the specified holding times.

All samples were properly received and stored after collection.

METHOD BLANK SAMPLES

Method blank samples are prepared from a purified sample matrix and are processed concurrently with investigative samples to assess the presence and the magnitude of sample contamination introduced during sample analysis. Method blank samples are analyzed at a minimum frequency of one per analytical batch and target analytes should be non-detect.

The method blank samples were reported to be free from detectable levels of target analytes with the exception of low levels of methane, ethane, and ethene. Associated sample results with concentrations similar to that found in the method blank were qualified as non-detect (see Table 4). Sample results that were either non-detect or significantly greater than the concentration found in the method blank were not impacted, and no qualification of the data was necessary.

SURROGATE COMPOUNDS - ORGANIC ANALYSES

Individual sample performance for organic analyses was monitored by assessing the results of surrogate compound percent recoveries. Surrogate percent recoveries are reviewed against the laboratory developed control limits provided in the analytical report.

The surrogate recovery acceptance criteria were met for all samples indicating acceptable laboratory performance.

MATRIX SPIKE/MATRIX SPIKE DUPLICATE ANALYSES - ORGANIC ANALYSES

To assess the long term accuracy and precision of the analytical methods on various matrices, matrix spike/matrix spike duplicate (MS/MSD) percent recoveries and the relative percent difference (RPD) of the concentrations were determined. The organic MS/MSD percent recovery and RPD control limits are established by the laboratory.

Site specific MS/MSD analyses were performed as specified in Table 1 and all recoveries were within laboratory specified control limits with the exception of propionic acid and pyruvic acid. A summary of qualified results can be found in Table 5.

MATRIX SPIKE/MATRIX DUPLICATE ANALYSES - GENERAL CHEMISTRY

To evaluate the effects of sample matrices on the measurement procedures and accuracy of a particular analysis, samples are spiked with a known concentration of the analyte of concern and analyzed as MS samples. The established control limits for inorganic matrix spike recoveries are 75 to 125 percent. Spike recoveries are not assessed for samples having original concentrations significantly greater than the spike concentration (>four times).

Analytical precision is evaluated based on the analysis of duplicate samples. Laboratory duplicate results are assessed against a maximum RPD of 20 percent.

MS and duplicate analyses were performed at the required frequency for all general chemistry parameters. The results showed acceptable accuracy and precision on this sample matrix with the exception of sulfide and sulfate. A summary of qualified results can be found in Table 6.

LABORATORY CONTROL SAMPLE/LABORATORY CONTROL DUPLICATE ANALYSIS

The laboratory control sample and laboratory control duplicate (LCS/LCD) analyses serve as a monitor of the overall performance in all steps of the sample analysis and are analyzed with each sample batch. The LCS/LCD percent recoveries were evaluated against method and laboratory established control limits. Laboratory precision was verified by the relative percent difference (RPD) of the LCS/LCD when a matrix spike/matrix duplicate was not analyzed.

The LCS/LCD percent recoveries were within the laboratory control limits.

FIELD QUALITY ASSURANCE/QUALITY CONTROL

The field quality assurance/quality control consisted of two (2) field duplicate samples and six (6) trip blank samples.

Field Duplicate

Samples were collected in duplicate as summarized in Table 1 and submitted blind to the laboratory for analysis. All sample results outside estimated ranges of detection showed acceptable sampling and analytical precision.

Trip Blanks

To monitor potential cross-contamination of VOC during aqueous sample transportation and storage, a trip blank was submitted to the laboratory for VOC analysis with each shipping cooler containing multiple samples.

The trip blank samples were reported to be free from detectable levels of target analytes indicating contamination during transport and analysis was not a problem.

OVERALL ASSESSMENT

The data were found to exhibit acceptable levels of accuracy and precision based on the provided information and may be used with the qualifications noted.

TABLE 1
SAMPLE COLLECTION AND ANALYSIS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

Sample ID	Location ID	Collection Date (mm/dd/yy)	Collection Time (hr:min)	Analysis/Parameters													Comments
				TCL VOCs	TOC	Sulfate	Sulfide	Nitrite	Ammonia	Chloride	Volatiles Fatty Acids	Alkalinity	Metals	Hydrogen	Dissolved Gases		
MW-15-041812-0900	MW-15	04/18/12	9:00:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-11-041812-1245	MW-11	04/18/12	12:45:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-12-041812-1530	MW-12	04/18/12	3:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-13-041912-0845	MW-13	04/19/12	8:45:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-14-041912-1315	MW-14	04/19/12	1:15:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-10-041912-1520	MW-10	04/19/12	3:20:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
DUP-041912-0001	MW-13	04/19/12	4/19/2012	X	X	X	X	X	X	X	X	X	X	X	X	X	Field duplicate of sample MW-13-041912-0845
MW-4-042012-1300	MW-4	04/20/12	1:00:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-042012-1630	MW-7	04/20/12	4:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-6-1-042512-0915	MW-6-1	04/25/12	9:15:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-6-2-042512-1130	MW-6-2	04/25/12	11:30:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-8-4-042512-1800	MW-8-4	04/25/12	6:00:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-6-F-8-042512-1730	MW-6-F-8	04/25/12	5:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
DUP	MW-6-2	04/25/12	4/25/2012	X	X	X	X	X	X	X	X	X	X	X	X	X	Field duplicate of sample MW-6-2-042512-1130
TRIP BLANK	-	04/25/12	4/25/2012	X													Trip blank
MW-7-2-042612-1415	MW-7-2	04/26/12	2:15:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-1-042712-1000	MW-7-1	04/27/12	10:00:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-3-042712-1330	MW-7-3	04/27/12	1:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-4-042712-1415	MW-7-4	04/27/12	2:15:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
TRIP BLANK	-	04/27/12	4/27/2012	X													Trip blank
MW-8-003-B-043012-1400	MW-8-003-B	04/30/12	2:00:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-8-1-043012-1700	MW-8-1	04/30/12	5:00:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-6-043012-0900	MW-7-6	04/30/12	9:00:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	MS/MSD VOCs only
MW-7-5-043012-1130	MW-7-5	04/30/12	11:30:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
TRIP BLANK	-	04/27/12	4/27/2012	X													Trip blank
MW-7-A-6-050112-0900	MW-7-A-6	05/01/12	9:00:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-7-050112-1330	MW-7-7	05/01/12	1:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
MW-8-3-050112-1540	MW-8-3	05/01/12	3:40:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	X	
TRIP BLANK	-	04/27/12	4/27/2012	X													Trip blank

TABLE 1
SAMPLE COLLECTION AND ANALYSIS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

Sample ID	Location ID	Collection Date (mm/dd/yy)	Collection Time (hr:min)	Analysis/Parameters												Comments
				TCL VOCs	TOC	Sulfate	Sulfide	Nitrite	Ammonia	Chloride	Volatile Fatty Acids	Alkalinity	Metals	Hydrogen	Dissolved Gases	
MW-10-2-050212-1200	MW-10-2	05/02/12	12:00:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	
MW-10-3-050212-1400	MW-10-3	05/02/12	2:00:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	
BLDG-10-MW-1-050212-1620	MW-10-1	05/02/12	4:20:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	
TRIP BLANK	-	05/02/12	5/2/2012	X												Trip blank
MW-7-8-050212-0730	MW-7-8	05/02/12	7:30:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	
MW-9-101-A-050312-1215	MW-9-101-A	05/03/12	12:15:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-C-2-050312-1015	MW-7-C-2	05/03/12	10:15:00 AM	X	X	X	X	X	X	X	X	X	X	X	X	
MW-7-P-1-050312-1530	MW-7-P-1	05/03/12	3:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	
MW-8-2-050312-1830	MW-8-2	05/03/12	6:30:00 PM	X	X	X	X	X	X	X	X	X	X	X	X	
TRIP BLANK	-	04/25/12	4/25/2012	X												Trip blank

Notes:
 - Not applicable.
 MS/MSD Matrix spike/matrix spike duplicate
 TCL Target Compound List
 TOC Total Organic Carbon
 VOCs Volatile Organic Compounds

TABLE 2

**ANALYTICAL METHODS SUMMARY
GROUNDWATER SAMPLING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012**

<i>Parameter</i>	<i>Analytical Method</i>
VOCs	SW 846 8260 ⁽¹⁾
TOC	SW 846 9060 ⁽¹⁾
Sulfide	EPA 376.1 ⁽²⁾
Total Nitrogen (as ammonia)	EPA 350.1 ⁽²⁾
Chloride, Sulfate	EPA 300 ⁽²⁾
Nitrite, Nitrate	EPA 353.2 ⁽²⁾
Alkalinity	SM 2320 ⁽³⁾
Methane, Ethane, Ethene, Carbon dioxide	RSK 175 ⁽⁴⁾
Hydrogen	AM20GAX ⁽⁵⁾
Metals	SW 846 6010 ⁽¹⁾

Notes:

- 1 Referenced from "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions.
- 2 Methods referenced from "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983, with all subsequent revisions.
- 3 Referenced from "Standard Methods for the Examination of Water and Wastewater," 18th Edition, 1992, with all subsequent revisions.
- 4 EPA RSK175 - EPA Internal Standard Operating Procedure, Bryan Newell, R.S. Kerr Laboratory, Oklahoma, August 1994.
- 5 Microseeps Standard Operating Procedure (SOP).
- VOCs Volatile Organic Compounds.
- TOC Total organic carbon

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	MW-4	MW-6-1	MW-6-2	MW-6-2	MW-6-F-8	MW-7	MW-7-1	MW-7-2
<i>Sample ID:</i>	MW-4-042012-1300	MW-6-1-042512-0915	DUP	MW-6-2-042512-1130	MW-6-F-8-042512-1730	MW-7-042012-1630	MW-7-1-042712-1000	MW-7-2-042612-1415
<i>Sample Date:</i>	4/20/2012	4/25/2012	4/25/2012 (Duplicate)	4/25/2012	4/25/2012	4/20/2012	4/27/2012	4/26/2012

Parameters: *Units*

Volatile Organic Compounds

cis-1,2-Dichloroethene	µg/L	42000	1.0 U	1.0 U	1.0 U	1.0 U	43000	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.4	1.0 U	1.0 U	1.0 U	1.0 U	10000 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	160	1.0 U	1.0 U	1.0 U	1.0 U	10000 U	1.0 U	1.0 U
Trichloroethene	µg/L	18000	1.0 U	1.0 U	1.0 U	1.0 U	730000	1.0 U	4.0
Vinyl chloride	µg/L	9100	1.0 U	1.0 U	1.0 U	1.0 U	10000 U	1.0 U	1.0 U

Metals

Iron	mg/L	2.7	16.5	0.14	0.15	0.11	0.061	0.28	0.076
Magnesium	mg/L	138	67.7	87.4	89.0	175	67.1	111	40.0
Manganese	mg/L	1.5	2.6	0.77	0.79	1.2	0.024	0.42	0.041
Potassium	mg/L	15.6	2.4	4.0	3.8	4.9	13.2	4.3	1.6
Sodium	mg/L	1400	459	1690	1700	2160	193	563	109

Gas

Carbon dioxide	µg/L	9500	13000	8700	7200	9000	1600	6800	3700
Ethane	µg/L	650 J	1.5 U	1.5 U	1.5 U	1.5 U	17	1.5 U	1.5 U
Ethene	µg/L	2300	1.5 U	1.5 U	1.5 U	1.5 U	98	1.5 U	1.5 U
Hydrogen	nM	28	-	-	-	-	-	-	-
Methane	µg/L	3800	17	1.0 U	1.0 U	32	46	9.4	1.0 U

General Chemistry

Acetic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	4.2	1.0 U	1.0 U
Alkalinity, total (as CaCO ₃)	mg/L	320	392	360	388	368	240	288	324
Ammonia	mg/L	2.6	0.45	0.020 U	0.020 U	0.020 U	0.77	0.0092 J	0.020 U
Butanoic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.62 J	1.0 U	1.0 U
Chloride	mg/L	3580	1130	3340	3800	3730	416	1450	212

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	<i>MW-4</i>	<i>MW-6-1</i>	<i>MW-6-2</i>	<i>MW-6-2</i>	<i>MW-6-F-8</i>	<i>MW-7</i>	<i>MW-7-1</i>	<i>MW-7-2</i>
<i>Sample ID:</i>	<i>MW-4-042012-1300</i>	<i>MW-6-1-042512-0915</i>	<i>DUP</i>	<i>MW-6-2-042512-1130</i>	<i>MW-6-F-8-042512-1730</i>	<i>MW-7-042012-1630</i>	<i>MW-7-1-042712-1000</i>	<i>MW-7-2-042612-1415</i>
<i>Sample Date:</i>	<i>4/20/2012</i>	<i>4/25/2012</i>	<i>4/25/2012</i>	<i>4/25/2012</i>	<i>4/25/2012</i>	<i>4/20/2012</i>	<i>4/27/2012</i>	<i>4/26/2012</i>
			<i>(Duplicate)</i>					

Parameters: *Units*

General Chemistry (Cont'd)

Formic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Lactic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Nitrate (as N)	mg/L	0.050 U	0.050 U	0.12	0.13	0.050 U	0.050 U	0.050 U	0.059
Nitrite (as N)	mg/L	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
Propionic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U
Pyruvic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ	1.0 U	1.0 U	1.0 U
Sulfate	mg/L	282 J	104	150	185	208	332 J	131	66.6
Sulfide	mg/L	0.10 U	0.10 UJ	0.10 UJ	0.10 UJ	0.10 UJ	0.10 U	0.10 U	0.10 U
Total organic carbon (TOC)	mg/L	3.1	3.8	2.3	2.3	1.9	8.7	0.97 J	1.6

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	MW-7-3	MW-7-4	MW-7-5	MW-7-6	MW-7-7	MW-7-8	MW-7-A-6	
<i>Sample ID:</i>	MW-7-3-042712-1330	MW-7-4-042712-1415	MW-7-5-043012-1130	MW-7-6-043012-0900	MW-7-7-050112-1330	MW-7-8-050212-0730	MW-7-A-6-050112-0900	
<i>Sample Date:</i>	4/27/2012	4/27/2012	4/30/2012	4/30/2012	5/1/2012	5/2/2012	5/1/2012	
<i>Parameters:</i>	<i>Units</i>							
<i>Volatile Organic Compounds</i>								
cis-1,2-Dichloroethene	µg/L	8.6	1.0 U	640	480	6000	67	22000
Tetrachloroethene	µg/L	1.0 U	1.0 U	8700	710	120000	220	140000
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	200 U	10 U	400 U	4.0 U	2000 U
Trichloroethene	µg/L	1.0 U	3.6	760	290	2600	130	26000
Vinyl chloride	µg/L	43	1.0 U	200 U	55	960	4.0 U	1800 J
<i>Metals</i>								
Iron	mg/L	2.5	0.27	0.12	0.16	0.080	4.0	0.49
Magnesium	mg/L	248	34.3	124	106	151	170	95.4
Manganese	mg/L	0.35	0.017	1.1	0.18	0.0089	0.15	0.92
Potassium	mg/L	50.2	2.1	8.0	10.9	40.5	38.2	2.7
Sodium	mg/L	4340	226	2530	2450	1030	896	226
<i>Gas</i>								
Carbon dioxide	µg/L	9100	3900	11000	8200	1000 U	1000 U	19000
Ethane	µg/L	6.0	1.5 U	1.0 J	6.3	68 J	21	14
Ethene	µg/L	10	1.5 U	1.3 J	1.7	130	7.8 J	160
Hydrogen	nM	-	-	-	-	-	-	-
Methane	µg/L	220	1.0 U	25	420	530	67	1100
<i>General Chemistry</i>								
Acetic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	6.1	1.0 U	1.0 U
Alkalinity, total (as CaCO ₃)	mg/L	280	320	320	288	42.0	60.0	472
Ammonia	mg/L	2.6	0.020 U	0.043	0.051	1.8	0.25	0.022
Butanoic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloride	mg/L	6890	351	4600	4230	687	2330	695

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	MW-7-3	MW-7-4	MW-7-5	MW-7-6	MW-7-7	MW-7-8	MW-7-A-6
<i>Sample ID:</i>	MW-7-3-042712-1330	MW-7-4-042712-1415	MW-7-5-043012-1130	MW-7-6-043012-0900	MW-7-7-050112-1330	MW-7-8-050212-0730	MW-7-A-6-050112-0900
<i>Sample Date:</i>	4/27/2012	4/27/2012	4/30/2012	4/30/2012	5/1/2012	5/2/2012	5/1/2012

Parameters: *Units*

General Chemistry (Cont'd)

Formic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Lactic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Nitrate (as N)	mg/L	0.38	0.11	0.89	0.057	0.088	0.050 U	0.050 U
Nitrite (as N)	mg/L	0.050 U	0.050 U	0.039 J	0.050 U	0.022 J	0.050 U	0.050 U
Propionic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.5	1.0 U	1.0 U
Pyruvic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Sulfate	mg/L	727	72.2	218	264	451	145	111
Sulfide	mg/L	0.055 J	0.10 U	0.10 U	0.10 U	1.7	0.10 U	0.10 U
Total organic carbon (TOC)	mg/L	1.3	0.68 J	1.8	1.3	14.1	0.73 J	10.5

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	MW-7-C-2	MW-7-P-1	MW-8-1	MW-8-2	MW-8-3	MW-8-003-B	MW-8-4	
<i>Sample ID:</i>	MW-7-C-2-050312-1015	MW-7-P-1-050312-1530	MW-8-1-043012-1700	MW-8-2-050312-1830	MW-8-3-050112-1540	MW-8-003-B-043012-1400	MW-8-4-042512-1800	
<i>Sample Date:</i>	5/3/2012	5/3/2012	4/30/2012	5/3/2012	5/1/2012	4/30/2012	4/25/2012	
<i>Parameters:</i>	<i>Units</i>							
<i>Volatile Organic Compounds</i>								
cis-1,2-Dichloroethene	µg/L	370	4.0 U	0.85 J	10000	5.3	830	55
Tetrachloroethene	µg/L	1.0 U	4.0 U	1.0 U	1.0 U	0.84 J	1600	1.0 U
trans-1,2-Dichloroethene	µg/L	1.2	4.0 U	1.0 U	34	1.0 U	5.0 U	1.0 U
Trichloroethene	µg/L	1.0 U	4.0 U	1.0 U	190	5.9	440	15
Vinyl chloride	µg/L	21	19	1.0 U	380	1.0 U	73	18
<i>Metals</i>								
Iron	mg/L	0.93	61.2	0.19	0.20	0.11	0.14	1.0
Magnesium	mg/L	83.8	388	122	47.3	42.6	41.2	272
Manganese	mg/L	0.084	10.1	0.16	0.021	4.1	0.38	1.9
Potassium	mg/L	7.5	31.4	19.4	17.1	519	9.8	8.5
Sodium	mg/L	126	358	838	286	386	3060	1760
<i>Gas</i>								
Carbon dioxide	µg/L	4800	25000	8000	6800	6300	1000 U	5700
Ethane	µg/L	9.6 J	52	9.2	11 J	1.4 J	1.3 J	1.5 U
Ethene	µg/L	8.0 J	14 J	3.5	9.7 J	2.4	6.4	1.5 U
Hydrogen	nM	-	-	-	-	-	-	-
Methane	µg/L	82	2800	86	260	1.6	46	75
<i>General Chemistry</i>								
Acetic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Alkalinity, total (as CaCO ₃)	mg/L	260	244	304	372	360	160	300
Ammonia	mg/L	0.39	170	1.2	1.2	1.5	0.16	0.12
Butanoic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloride	mg/L	181	5890	475	338	1580	4640	3820

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	<i>MW-7-C-2</i>	<i>MW-7-P-1</i>	<i>MW-8-1</i>	<i>MW-8-2</i>	<i>MW-8-3</i>	<i>MW-8-003-B</i>	<i>MW-8-4</i>
<i>Sample ID:</i>	<i>MW-7-C-2-050312-1015</i>	<i>MW-7-P-1-050312-1530</i>	<i>MW-8-1-043012-1700</i>	<i>MW-8-2-050312-1830</i>	<i>MW-8-3-050112-1540</i>	<i>MW-8-003-B-043012-1400</i>	<i>MW-8-4-042512-1800</i>
<i>Sample Date:</i>	<i>5/3/2012</i>	<i>5/3/2012</i>	<i>4/30/2012</i>	<i>5/3/2012</i>	<i>5/1/2012</i>	<i>4/30/2012</i>	<i>4/25/2012</i>

Parameters: *Units*

General Chemistry (Cont'd)

Formic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Lactic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Nitrate (as N)	mg/L	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.50	0.050 U
Nitrite (as N)	mg/L	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
Propionic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyruvic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Sulfate	mg/L	525	71.0	613	243	105	154	259
Sulfide	mg/L	0.10 U	0.10 U	2.1	0.60	0.10 U	0.10 U	0.10 UJ
Total organic carbon (TOC)	mg/L	0.67 J	2.3	0.60 J	1.5	6.4	1.3	1.6

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	<i>MW-9-101-A</i>	<i>MW-10</i>	<i>MW-10-1</i>	<i>MW-10-2</i>	<i>MW-10-3</i>	<i>MW-11</i>	<i>MW-12</i>	
<i>Sample ID:</i>	<i>MW-9-101-A-050312-1215</i>	<i>MW-10-041912-1520</i>	<i>BLDG-10-MW-1-050212-1620</i>	<i>MW-10-2-050212-1200</i>	<i>MW-10-3-050212-1400</i>	<i>MW-11-041812-1245</i>	<i>MW-12-041812-1530</i>	
<i>Sample Date:</i>	<i>5/3/2012</i>	<i>4/19/2012</i>	<i>5/2/2012</i>	<i>5/2/2012</i>	<i>5/2/2012</i>	<i>4/18/2012</i>	<i>4/18/2012</i>	
Parameters:		Units						
Volatile Organic Compounds								
cis-1,2-Dichloroethene	µg/L	4.0 U	300	2000 U	2100	14	1.4	150
Tetrachloroethene	µg/L	4.0 U	77	150000	330	14	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	4.0 U	4.0 U	2000 U	26	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	4.0 U	150	2500	810	7.0	1.0 U	0.83 J
Vinyl chloride	µg/L	4.0 U	35	2000 U	60	1.0 U	2.6	120
Metals								
Iron	mg/L	0.050 U	0.32	1.2	0.15	0.075	0.20	12.7
Magnesium	mg/L	137	95.5	80.8	92.7	17.5	48.5	84.3
Manganese	mg/L	0.0023 J	2.4	0.32	0.27	0.00094 J	0.14	9.1
Potassium	mg/L	21.5	7.0	4.7	10.8	2.4	8.3	3.7
Sodium	mg/L	748	2110	76.8	1610	44.7	143	1250
Gas								
Carbon dioxide	µg/L	4200	5600	7900	4100	1000 U	2100	15000
Ethane	µg/L	1.5 U	9.1 J	2.6	10 J	1.5 U	1.5 U	11 J
Ethene	µg/L	1.5 U	9.2 J	7.7	8.4 J	1.5 U	1.5 U	11 J
Hydrogen	nM	-	1.0	-	-	-	12	0.76
Methane	µg/L	1.0 U	170	12	130	1.0 U	14	300
General Chemistry								
Acetic acid	mg/L	1.0 U	1.0 U	0.67 J	1.0 U	1.0 U	1.0 U	1.0 U
Alkalinity, total (as CaCO ₃)	mg/L	200	280	320	240	128	248	280
Ammonia	mg/L	0.020 U	0.11	0.18	0.52	0.020 U	0.27	1.8
Butanoic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloride	mg/L	1440	3790	115	1110	91.0	360	2900

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	<i>MW-9-101-A</i>	<i>MW-10</i>	<i>MW-10-1</i>	<i>MW-10-2</i>	<i>MW-10-3</i>	<i>MW-11</i>	<i>MW-12</i>
<i>Sample ID:</i>	<i>MW-9-101-A-050312-1215</i>	<i>MW-10-041912-1520</i>	<i>BLDG-10-MW-1-050212-1620</i>	<i>MW-10-2-050212-1200</i>	<i>MW-10-3-050212-1400</i>	<i>MW-11-041812-1245</i>	<i>MW-12-041812-1530</i>
<i>Sample Date:</i>	<i>5/3/2012</i>	<i>4/19/2012</i>	<i>5/2/2012</i>	<i>5/2/2012</i>	<i>5/2/2012</i>	<i>4/18/2012</i>	<i>4/18/2012</i>

Parameters: *Units*

General Chemistry (Cont'd)

Formic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Lactic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Nitrate (as N)	mg/L	6.3	0.050 U	0.050 U	0.050 U	1.5	0.095	0.050 U
Nitrite (as N)	mg/L	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
Propionic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Pyruvic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Sulfate	mg/L	1170	210	195	147	74.0	98.9	133
Sulfide	mg/L	0.10 U	0.10 U	0.10 U	0.10 U	0.10 U	0.053 J	0.10 UJ
Total organic carbon (TOC)	mg/L	3.0	2.3	4.4	1.2	0.52 J	1.3	3.7

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	MW-13	MW-13	MW-14	MW-15	
<i>Sample ID:</i>	DUP-041912-0001	MW-13-041912-0845	MW-14-041912-1315	MW-15-041812-0900	
<i>Sample Date:</i>	4/19/2012 (Duplicate)	4/19/2012	4/19/2012	4/18/2012	
<i>Parameters:</i>	<i>Units</i>				
<i>Volatile Organic Compounds</i>					
cis-1,2-Dichloroethene	µg/L	4.0 U	1.0 U	1.2	1.0 U
Tetrachloroethene	µg/L	4.0 U	1.0 U	1.0 U	8.1
trans-1,2-Dichloroethene	µg/L	4.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	4.0 U	1.0 U	1.0 U	0.65 J
Vinyl chloride	µg/L	4.0 U	1.0 U	1.1	1.0 U
<i>Metals</i>					
Iron	mg/L	5.7	5.8	0.14	0.050 U
Magnesium	mg/L	36.3	38.5	86.7	54.4
Manganese	mg/L	4.1	4.4	0.29	0.24
Potassium	mg/L	5.4	5.3	6.2	3.3
Sodium	mg/L	925	940	916	424
<i>Gas</i>					
Carbon dioxide	µg/L	4500	3700	2900	11000
Ethane	µg/L	8.6 J	8.2 J	8.6 J	1.5 U
Ethene	µg/L	8.0 J	15 U	8.3 J	1.5 U
Hydrogen	nM	0.79	0.50 J	6.7	0.82
Methane	µg/L	89	93	71	1.0 U
<i>General Chemistry</i>					
Acetic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U
Alkalinity, total (as CaCO ₃)	mg/L	352	360	328	384
Ammonia	mg/L	0.90	0.96	0.25	0.020 U
Butanoic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U
Chloride	mg/L	1490	1490	1720	962

TABLE 3
ANALYTICAL RESULTS SUMMARY
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012

<i>Sample Location:</i>	MW-13	MW-13	MW-14	MW-15	
<i>Sample ID:</i>	DUP-041912-0001	MW-13-041912-0845	MW-14-041912-1315	MW-15-041812-0900	
<i>Sample Date:</i>	4/19/2012	4/19/2012	4/19/2012	4/18/2012	
	(Duplicate)				
<i>Parameters:</i>	<i>Units</i>				
<i>General Chemistry (Cont'd)</i>					
Formic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U
Lactic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U
Nitrate (as N)	mg/L	0.068	0.081	0.050 U	0.73
Nitrite (as N)	mg/L	0.050 U	0.050 U	0.050 U	0.050 U
Propionic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U
Pyruvic acid	mg/L	1.0 U	1.0 U	1.0 U	1.0 U
Sulfate	mg/L	66.3	71.3	88.2	111
Sulfide	mg/L	0.10 U	0.10 U	0.10 U	0.10 UJ
Total organic carbon (TOC)	mg/L	4.0	4.0	1.5	2.0

Notes:

- - Not analyzed.

J - Estimated.

U - Not detected.

UJ - Not detected, estimated reporting limit

TABLE 4

**QUALIFIED SAMPLE RESULTS DUE TO ANALYTE CONCENTRATIONS IN THE METHOD BLANKS
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012**

<i>Parameter</i>	<i>Analysis Date</i>	<i>Analyte</i>	<i>Blank Result</i>	<i>Sample ID</i>	<i>Qualified Sample Result</i>	<i>Units</i>
Dissolved Gases	4/22/2012	Ethane	0.792 J	MW-11-041812-1245	1.5 U	µg/L
				MW-15-041812-0900	1.5 U	µg/L
Dissolved Gases	4/22/2012	Ethene	0.799 J	MW-11-041812-1245	1.5 U	µg/L
				MW-13-041912-0845	15 U	µg/L
				MW-15-041812-0900	1.5 U	µg/L
Dissolved Gases	4/22/2012	Methane	0.317 J	MW-15-041812-0900	1.0 U	µg/L
Dissolved Gases	4/26/2012	Ethane	0.810 J	DUP	1.5 U	µg/L
				MW-6-2-042512-1130	1.5 U	µg/L
				MW-6-F-8-042512-1730	1.5 U	µg/L
				MW-8-4-042512-1800	1.5 U	µg/L
Dissolved Gases	4/26/2012	Ethene	0.647 J	DUP	1.5 U	µg/L
				MW-6-2-042512-1130	1.5 U	µg/L
				MW-8-4-042512-1800	1.5 U	µg/L
Dissolved Gases	4/26/2012	Methane	0.589 J	DUP	1.0 U	µg/L
				MW-6-2-042512-1130	1.0 U	µg/L
Dissolved Gases	4/30/2012	Ethane	0.845 J	MW-7-1-042712-1000	1.5 U	µg/L
				MW-7-4-042712-1415	1.5 U	µg/L
Dissolved Gases	4/30/2012	Ethene	0.670 J	MW-7-1-042712-1000	1.5 U	µg/L
				MW-7-4-042712-1415	1.5 U	µg/L
Dissolved Gases	4/30/2012	Methane	0.511 J	MW-7-2-042612-1415	1.0 U	µg/L
Dissolved Gases	5/7/2012	Methane	0.523 J	MW-10-3-050212-1400	1.0 U	µg/L
				MW-9-101-A-050312-1215	1.0 U	µg/L

Notes:

J Estimated.
U Not detected.

TABLE 5

**QUALIFIED SAMPLE RESULTS DUE TO OUTLYING MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERIES
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012**

<i>Parameter</i>	<i>Associated Sample ID</i>	<i>Analyte</i>	<i>MS Recovery (percent)</i>	<i>MSD Recovery (percent)</i>	<i>RPD</i>	<i>Control Limits</i>		<i>Qualified Sample Result</i>	<i>Units</i>
						<i>Recovery (percent)</i>	<i>RPD (percent)</i>		
General Chemistry	MW-6-F-8-042512-1730	Propionic acid	69	74	7	80 - 120	20	1.0 UJ	mg/L
General Chemistry	MW-6-F-8-042512-1730	Pyruvic acid	50	46	8	80 - 120	20	1.0 UJ	mg/L

Notes:

MS Matrix Spike.

MSD Matrix Spike Duplicate.

RPD Relative Percent Difference.

UJ Not detected, estimated reporting limit.

TABLE 6

**QUALIFIED SAMPLE RESULTS DUE TO OUTLYING MATRIX SPIKE RECOVERIES
GROUNDWATER MONITORING
GM COMPONENTS HOLDINGS (GMCH) FACILITY
LOCKPORT, NEW YORK
APRIL-MAY 2012**

<i>Analyte</i>	<i>Spike ID</i>	<i>MS Recovery (percent)</i>	<i>Control Limits (percent)</i>	<i>Associated Samples</i>	<i>Qualified Sample Results</i>	<i>Units</i>
Sulfide	MW-12-041812-1530	79	90 - 110	MW-11-041812-1245	0.053 J	mg/L
				MW-12-041812-1530	0.10 UJ	mg/L
				MW-15-041812-0900	0.10 UJ	mg/L
Sulfate	MW-4-042012-1300	1	60 -128	MW-4-042012-1300	282 J	mg/L
				MW-7-042012-1630	232 J	mg/L
Sulfide	MW-6-F-8-042512-1730	79	90 - 110	DUP	0.10 UJ	mg/L
				MW-6-1-042512-0915	0.10 UJ	mg/L
				MW-6-2-042512-1130	0.10 UJ	mg/L
				MW-6-F-8-042512-1730	0.10 UJ	mg/L
				MW-8-4-042512-1800	0.10 UJ	mg/L

Notes:

J Estimated.
MS Matrix Spike.
UJ Not detected, estimated reporting limit.

APPENDIX E
ANAEROBIC BIODEGRADATION SCREENING TABLES

ANAEROBIC BIODEGRADATION SCREENING

MW-7-7 MNA Scorecard

Building 7 BCP Site

GM Component Holdings, LLC

Lockport, New York

Analysis	Concentration in Most Contaminated Zone	Value	Laboratory or Field Analysis Value (mg/L)	Score
DO	<0.5 mg/L	3	1.5	
DO	>5 mg/l	-3		
Nitrate	<1 mg/L	2	0.088	2
Iron II	>1 mg/l	2	0.08	
Sulfate	<20 mg/L	2	451	
Sulfide	>1 mg/L	3	1.7	3
Methane	<0.5 mg/L	0		
Methane	>0.5 mg/L	3	0.53	3
ORP	<50 mV	1		
ORP	<-100 mV	2	-189	2
pH	5< pH <9	0		
pH	5> pH >9	-2	9.5	-2
TOC	>20 mg/L	2	14.1	
Temp	> 20°C	1	10.5	
Carbon Dioxide	>2 times background (4.2)	1	ND	
Alkalinity	>2 times background (200)	1	42	
Chloride	>2 times background (1440)	2	687	
Hydrogen	>1 nM	3	NT	
Hydrogen	<1nM	0		
Volatile Fatty Acids	>0.1 mg/L	2	0.0076	
BTEX	>0.1 mg/L	2	ND	
PCE		0	120	
TCE	If Daughter Product	2	2.6	2
DCE	If Daughter Product	2	6	2
VC	If Daughter Product	2	0.96	2
1,1,1-TCA		0	ND	
DCA	If Daughter Product	2	ND	
Carbon Tetrachloride		0	ND	
Chloroethane	If Daughter Product	2	ND	
Ethene/Ethane	>0.01 mg/L or	2		
	>0.1 mg/L	3	0.13	3
Chloroform	If Daughter Product	2	ND	
Dichloromethane	If Daughter Product	2	ND	
			Total Score	17
Scoring Interpretation				
0 to 5	Inadequate evidence for anaerobic biodegradation* of chlorinated organics			
6 to 14	Limited evidence for anaerobic biodegradation* of chlorinated organics			
15 to 20	Adequate evidence for anaerobic biodegradation* of chlorinated organics			
>20	Strong evidence for anaerobic biodegradation* of chlorinated organics			
*reductive dechlorination				
Values Taken from EPA Document EPA/600/R-98/128 , <i>Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water</i> , 1998, Table 2.3 and Table 2.4				

- Notes:
 1. ND=not detected
 2. NT=not tested
 3. EM=Equipment malfunction

ANAEROBIC BIODEGRADATION SCREENING

MW-7-A-6 MNA Scorecard

Building 7 BCP Site

GM Component Holdings, LLC

Lockport, New York

Analysis	Concentration in Most Contaminated Zone	Value	Laboratory or Field Analysis Value (mg/L)	Score
DO	<0.5 mg/L	3	0.69	
DO	>5 mg/l	-3		
Nitrate	<1 mg/L	2	ND	
Iron II	>1 mg/l	2	0.49	
Sulfate	<20 mg/L	2	111	
Sulfide	>1 mg/L	3	ND	
Methane	<0.5 mg/L	0		
Methane	>0.5 mg/L	3	1.1	3
ORP	<50 mV	1	29.5	1
ORP	<-100 mV	2		
pH	5< pH <9	0	6.7	0
pH	5> pH >10	-2		
TOC	>20 mg/L	2	10.5	
Temp	> 20°C	1	12.2	
Carbon Dioxide	>2 times background (4.2)	1	19	1
Alkalinity	>2 times background (200)	1	472	1
Chloride	>2 times background (1440)	2	695	
Hydrogen	>1 nM	3	NT	
Hydrogen	<1nM	0		
Volatile Fatty Acids	>0.1 mg/L	2	ND	
BTEX	>0.1 mg/L	2	ND	
PCE		0	140	
TCE	If Daughter Product	2	26	2
DCE	If Daughter Product	2	22	2
VC	If Daughter Product	2	1.8	2
1,1,1-TCA		0	ND	
DCA	If Daughter Product	2	ND	
Carbon Tetrachloride		0	ND	
Chloroethane	If Daughter Product	2	ND	
Ethene/Ethane	>0.01 mg/L or	2		
	>0.1 mg/L	3	0.16	3
Chloroform	If Daughter Product	2	ND	
Dichloromethane	If Daughter Product	2	ND	
			Total Score	15
Scoring Interpretation				
0 to 5	Inadequate evidence for anaerobic biodegradation* of chlorinated organics			
6 to 14	Limited evidence for anaerobic biodegradation* of chlorinated organics			
15 to 20	Adequate evidence for anaerobic biodegradation* of chlorinated organics			
>20	Strong evidence for anaerobic biodegradation* of chlorinated organics			
*reductive dechlorination				
Values Taken from EPA Document EPA/600/R-98/128 , <i>Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water</i> , 1998, Table 2.3 and Table 2.4				

Notes:

1. ND=not detected
2. NT=not tested
3. EM=Equipment malfunction

ANAEROBIC BIODEGRADATION SCREENING

MW-8-2 MNA Scorecard

*Building 8 BCP Site
GM Component Holdings, LLC
Lockport, New York*

Analysis	Concentration in Most Contaminated Zone	Value	Laboratory or Field Analysis Value (mg/L)	Score
DO	<0.5 mg/L	3	3.5	
DO	>5 mg/l	-3		
Nitrate	<1 mg/L	2	ND	2
Iron II	>1 mg/l	2	0.2	
Sulfate	<20 mg/L	2	243	
Sulfide	>1 mg/L	3	0.6	
Methane	<0.5 mg/L	0	0.26	0
Methane	>0.5 mg/L	3		
ORP	<50 mV	1	-98.5	1
ORP	<-100 mV	2		
pH	5< pH <9	0	6.8	0
pH	5> pH >10	-2		
TOC	>20 mg/L	2	1.5	
Temp	> 20°C	1	20.4	1
Carbon Dioxide	>2 times background (4.2)	1	6.8	
Alkalinity	>2 times background (200)	1	372	
Chloride	>2 times background (1440)	2	338	
Hydrogen	>1 nM	3	NT	
Hydrogen	<1nM	0	NT	
Volatile Fatty Acids	>0.1 mg/L	2	ND	
BTEX	>0.1 mg/L	2	ND	
PCE		0	ND	
TCE	If Daughter Product	2	190	
DCE	If Daughter Product	2	10,034	2
VC	If Daughter Product	2	380.00	2
1,1,1-TCA		0	ND	
DCA	If Daughter Product	2	ND	
Carbon Tetrachloride		0	ND	
Chloroethane	If Daughter Product	2	ND	
Ethene/Ethane	>0.01 mg/L or	2	0.0097	
	>0.1 mg/L	3		
Chloroform	If Daughter Product	2	ND	
Dichloromethane	If Daughter Product	2	ND	
				8
Scoring Interpretation				
0 to 5	Inadequate evidence for anaerobic biodegradation* of chlorinated organics			
6 to 14	Limited evidence for anaerobic biodegradation* of chlorinated organics			
15 to 20	Adequate evidence for anaerobic biodegradation* of chlorinated organics			
>20	Strong evidence for anaerobic biodegradation* of chlorinated organics			
*reductive dechlorination				
Values Taken from EPA Document EPA/600/R-98/128 , <i>Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water</i> , 1998, Table 2.3 and Table 2.4				

Notes:
1. ND=not detected
2. NT=not tested
3. EM=Equipment malfunction

ANAEROBIC BIODEGRADATION SCREENING

BLDG-10-MW-1 MNA Scorecard

Building 10 BCP Site

GM Component Holdings, LLC

Lockport, New York

Analysis	Concentration in Most Contaminated Zone	Value	Laboratory or Field Analysis Value (mg/L)	Score
DO	<0.5 mg/L	3	3.2	
DO	>5 mg/l	-3		
Nitrate	<1 mg/L	2	ND	2
Iron II	>1 mg/l	2	1.2	2
Sulfate	<20 mg/L	2	195	
Sulfide	>1 mg/L	3	ND	
Methane	<0.5 mg/L	0	0.012	0
Methane	>0.5 mg/L	3		
ORP	<50 mV	1	-21.7	1
ORP	<-100 mV	2		
pH	5< pH <9	0	6.6	0
pH	5> pH >9	-2		
TOC	>20 mg/L	2	4.4	
Temp	> 20°C	1	19.7	
Carbon Dioxide	>2 times background (4.2)	1	7.9	
Alkalinity	>2 times background (200)	1	320	
Chloride	>2 times background (1440)	2	115	
Hydrogen	>1 nM	3	NT	
Hydrogen	<1nM	0		
Volatile Fatty Acids	>0.1 mg/L	2	0.67	2
BTEX	>0.1 mg/L	2	ND	
PCE		0	150	
TCE	If Daughter Product	2	2.5	2
DCE	If Daughter Product	2	ND	
VC	If Daughter Product	2	ND	
1,1,1-TCA		0	ND	
DCA	If Daughter Product	2	ND	
Carbon Tetrachloride		0	ND	
Chloroethane	If Daughter Product	2	ND	
Ethene/Ethane	>0.01 mg/L or	2	0.0077	
	>0.1 mg/L	3		
Chloroform	If Daughter Product	2	ND	
Dichloromethane	If Daughter Product	2	ND	
			Total Score	9
Scoring Interpretation				
0 to 5	Inadequate evidence for anaerobic biodegradation* of chlorinated organics			
6 to 14	Limited evidence for anaerobic biodegradation* of chlorinated organics			
15 to 20	Adequate evidence for anaerobic biodegradation* of chlorinated organics			
>20	Strong evidence for anaerobic biodegradation* of chlorinated organics			
*reductive dechlorination				
Values Taken from EPA Document EPA/600/R-98/128 , <i>Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water</i> , 1998, Table 2.3 and Table 2.4				

Notes:

1. ND=not detected
2. NT=not tested
3. EM=Equipment malfunction