

12 May 2009

Michael J. Hinton, P.E.
New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
270 Michigan Avenue
Buffalo, New York 14203-2999



RE: Final Focused Feasibility Study Report
Greif, Inc. Facility
Town of Tonawanda, Erie County, New York
NYSDEC VCP Number V00334-9

Dear Mr. Hinton:

Environmental Resources Management (ERM), on behalf of Sonoco Products Company (Sonoco), reviewed the conditional approval correspondence dated 4 August 2008 from the New York State Department of Environmental Conservation (NYSDEC) containing comments derived from NYSDEC and New York State Department of Health (NYSDOH) review of the Draft Focused Feasibility Study (FFS) Report for the Site dated June 2007. ERM, on behalf of Sonoco, offers the following response to NYSDEC and NYSDOH comments. To facilitate your review, regulatory comments are reiterated below in italic font followed by our response in bold font.

General:

1. *An aggressive groundwater monitoring program to ensure the groundwater contamination is not mobilized beyond the existing vertical and horizontal boundaries;*

ERM recently completed eight consecutive quarters of ground water monitoring at the Site as well as background fluorescence analysis (BFA) and fluorescent dye tracing (FDT) investigations to further evaluate ground water flow, contaminant fate and transport, and natural attenuation processes at the Site. The results of this extensive ground water investigation and monitoring effort are presented in a report entitled "Ground Water Monitoring Summary Report" which is presented in Appendix A of the Final FFS Report (enclosed). The ground

water investigation and monitoring effort documented that there has been no mobilization of affected ground water beyond existing vertical and horizontal boundaries. Additionally, ERM will be proposing monthly analysis of ground water samples during the upcoming in-situ thermal treatment remediation of the Former Varnish Underground Storage Tank (UST) Area.

ERM proposes semiannual ground water monitoring at the Site for two years after NYSDEC approval of the Final FFS Report. If semiannual ground water monitoring verifies that there continues to be no mobilization of affected ground water beyond existing vertical and horizontal boundaries, ERM proposes that additional ground water monitoring occur every fifth quarter thereafter. This approach will allow for collection of ground water samples during different seasons of subsequent years allowing for documentation of potential seasonal variations in ground water levels and contaminant concentrations. The post-remediation ground water monitoring program will be presented in an Operations, Maintenance, and Monitoring (OM&M) Plan. ERM anticipates that the OM&M Plan will be presented to the NYSDEC as an appendix of the Final Engineering Report.

2. *All references to TAGM 4046 cleanup goals are to be removed and replaced by the Part 375 Soil Cleanup Objectives (SCOs) for restricted commercial use.*

All references to TAGM 4046 cleanup goals have been removed and replaced with Part 375 SCOs for restricted commercial use.

Specific Comments:

1. *Section 1.4.5 Additional Investigation Activities – MW- 23, page 1-9 Provide the results of the background fluorescence dye-tracing investigation conducted to assess potential impacts on MW-23;*

The results of the BFA and FDT investigations are contained in the Ground Water Monitoring Summary Report presented in Appendix A of the enclosed Final FFS Report.

2. *Section 1.5.2.1 DNAPL Recovery System and Section 1.5.2.2 Low Vacuum Enhancement of DNAPL Recovery System IRM – Please update these sections to reflect the current site conditions;*

Michael J. Hinton, P.E.

Final Focused Feasibility Study Report – Greif, Inc. Facility, Tonawanda, New York

NYSDEC VCP Number V00334-9

12 May 2009

Page 3

These sections of the report text as well as FFS Report Table 1 and Figure 1-13 have been updated as requested to provide additional data collected since the initial submission of the FFS Report in June 2007 through shut-down of the DNAPL recovery system in May 2008.

3. Section 2.0 Summary of Remedial Investigation and Exposure Assessment-Please remove references to the EA RBC's. The state does not recognize them when evaluating state projects; and

All references to United States Environmental Protection Agency exposure assessment Risk-Based Concentrations (RBCs), including Draft FFS Report Appendix A in its entirety, have been removed from the enclosed Final FFS Report.

4. Section 3.0 REMEDIAL GOALS AND REMEDIAL ACTION OBJECTIVES, page 3-1- Include reference to the Part 375 SCOs for restricted commercial uses.

A reference to the Part 375 SCOs for restricted commercial use has been included in Section 3.0 of the enclosed Final FFS Report.

Please advise us if the enclosed Final FFS Report is acceptable to the NYSDEC.

Thank you for your assistance. Please contact me at 315-233-3035 or jon.fox@erm.com if you have any questions or comments.

Sincerely,



Jon S. Fox, P.G.
Senior Consultant

Enclosure

Michael J. Hinton, P.E.


Final Focused Feasibility Study Report - Greif, Inc. Facility, Tonawanda, New York

NYSDEC VCP Number V00334-9

12 May 2009

Page 4

Cc: Robert Powell, C.S.P., A.R.M. (Sonoco)
Pete Gruene (Palmetto Env. Mgmt. Solutions)
Patrick Wolfe (Greif)
Matt Forcucci (NYSDOH)
James D. Charles, Esq. (NYSDEC)
Richard Fedigan (NYSDOH)
Gregory Sutton, P.E. (NYSDEC)
A. Joseph White (NYSDEC)
Edward Hinchey, P.G. (ERM)
John Mohlin, P.E. (ERM)
Rob Sents (ERM)



Sonoco Products Company

Final Focused Feasibility Study Report

*Greif, Inc. Facility
Town of Tonawanda, Erie County, New York
NYSDEC Voluntary Cleanup Program # V00334-9*

May 2009

Prepared By:
Environmental Resources Management
5788 Widewaters Parkway
Dewitt, NY 13214

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 PURPOSE	1-1
1.2 SITE BACKGROUND	1-2
1.3 PROJECT BACKGROUND	1-3
1.4 HISTORICAL SITE INVESTIGATIONS	1-4
1.4.1 Phase II Investigation	1-4
1.4.2 Phase III Investigation	1-4
1.4.3 Remedial Investigation	1-5
1.4.4 Data Gap Investigation	1-7
1.4.5 Additional Investigation Activities - MW-23	1-8
1.5 INTERIM REMEDIAL MEASURES	1-10
1.5.1 DNAPL Recovery IRM Pilot Test	1-10
1.5.2 DNAPL Recovery IRM	1-10
1.5.2.1 DNAPL Recovery System	1-11
1.5.2.2 Low Vacuum Enhancement of DNAPL Recovery IRM	1-12
1.5.3 Soil Excavation IRM of Soil Boring GB-10/Former Drum Storage Area	1-15
2.0 SUMMARY OF REMEDIAL INVESTIGATION AND EXPOSURE ASSESSMENT	2-1
2.1 SOIL	2-1
2.1.1 Summary of Soil Exposure Pathways	2-3
2.2 GROUNDWATER	2-3
2.3 INTERPRETATION OF EXPOSURE ASSESSMENT	2-4
3.0 REMEDIAL GOALS AND REMEDIAL ACTION OBJECTIVES	3-1
3.1 IDENTIFICATION OF AREAS OF CONCERN	3-2
3.1.1 Former Varnish UST Area	3-2
3.1.2 Varnish Pit Area	3-3

3.2	IDENTIFICATION OF SCGS	3-3
3.3	MEDIA OF INTEREST	3-4
3.3.1	<i>Soil</i>	3-5
3.3.1.1	<i>VOCs</i>	3-5
3.3.1.2	<i>SVOCs</i>	3-6
3.3.1.3	<i>Metals</i>	3-6
3.3.1.4	<i>Qualitative Exposure Assessment</i>	3-6
3.3.2	<i>Remedial Action Objections for Soil</i>	3-7
3.3.3	<i>Extent of Affected Soil</i>	3-7
3.3.4	<i>Ground Water</i>	3-8
3.3.4.1	<i>VOCs</i>	3-8
3.3.4.2	<i>Qualitative Exposure Assessment</i>	3-11
3.3.5	<i>Remedial Action Objectives for Ground Water</i>	3-12
3.3.6	<i>Extent of Affected Ground Water</i>	3-12
4.0	TECHNOLOGY SCREENING	4-1
5.0	IDENTIFICATION AND EVALUATION OF REMEDIAL ACTION TECHNOLOGIES AND PRELIMINARY REMEDIAL ACTION ALTERNATIVES	5-1
5.1	COMMON ACTIONS	5-2
5.1.1	<i>Common Action No. 1: Indoor Air Sampling and Sub-Slab Depressurization</i>	5-2
5.1.2	<i>Common Action No. 2: Excavation and Off Site Disposal of the BG-10/FDSA Soil</i>	5-4
5.1.3	<i>Common Action No. 3: Low Vacuum Enhancement of DNAPL Recovery Operations</i>	5-4
5.2	ALTERNATIVE 1: NO ACTION	5-5
5.2.1	<i>Description</i>	5-5
5.2.2	<i>Evaluation</i>	5-5
5.2.2.1	<i>Protection of Human Health and Environment</i>	5-5
5.2.2.2	<i>Compliance with SCGs</i>	5-5
5.2.2.3	<i>Long-Term Effectiveness and Permanence</i>	5-6
5.2.2.4	<i>Reduction of Toxicity, Mobility or Volume</i>	5-6

	5.2.2.5	<i>Short-Term Effectiveness</i>	5-6
	5.2.2.6	<i>Implementability</i>	5-6
	5.2.2.7	<i>Cost</i>	5-6
5.3	ALTERNATIVE 2: EXCAVATION AND OFF-SITE DISPOSAL OF SOIL WITH MONITORED NATURAL ATTENUATION		5-6
	5.3.1	<i>Description</i>	5-7
	5.3.1.1	<i>Site Preparation and Mobilization</i>	5-7
	5.3.1.2	<i>Excavation of Grossly Affected Soil in the Former Varnish UST Area</i>	5-7
	5.3.1.3	<i>Ambient Air Monitoring</i>	5-9
	5.3.1.4	<i>Transportation and Off-Site Disposal</i>	5-9
	5.3.1.5	<i>Backfill and Site Restoration</i>	5-10
	5.3.1.6	<i>Preparation and Implementation of a SMP</i>	5-10
	5.3.1.7	<i>Common Action No.1: Sub-Slab Depressurization (SSD) Beneath the Building</i>	5-11
	5.3.1.8	<i>Common Action No.2: Excavation and Off-Site Disposal of the GB-10/Former Drum Storage Area (i.e., previously conducted soil excavation IRM)</i>	5-11
	5.3.1.9	<i>Common Action No.3: Low Vacuum Enhancement of DNAPL Recovery Operations</i>	5-11
	5.3.1.10	<i>Monitored Natural Attenuation of Ground Water</i>	5-11
	5.3.1.11	<i>Institutional Controls</i>	5-11
	5.3.2	<i>Evaluation</i>	5-12
	5.3.2.1	<i>Protection of Human Health and Environment</i>	5-12
	5.3.2.2	<i>Compliance with SCGs</i>	5-12
	5.3.2.3	<i>Long-Term Effectiveness and Permanence</i>	5-12
	5.3.2.4	<i>Reduction of Toxicity, Mobility or Volume</i>	5-13
	5.3.2.5	<i>Short-Term Effectiveness</i>	5-13
	5.3.2.6	<i>Implementability</i>	5-14
	5.3.2.7	<i>Cost</i>	5-14
5.4	ALTERNATIVE 3: IN-SITU THERMAL TREATMENT OF SOIL WITH MONITORED NATURAL ATTENUATION		5-14

5.4.1	<i>Description</i>	5-14
5.4.1.1	<i>In-Situ Thermal Treatment</i>	5-15
5.4.1.2	<i>Preparation and Implementation of a SMP</i>	5-16
5.4.1.3	<i>Common Action No.1: Sub-Slab Depressurization</i>	5-16
5.4.1.4	<i>Common Action No.2: Previous IRMs</i>	5-16
5.4.1.5	<i>Common Action No.3: DPE System</i>	5-16
5.4.1.6	<i>Monitored Natural Attenuation of Ground Water</i>	5-17
5.4.1.7	<i>Institutional Controls</i>	5-17
5.4.2	<i>Evaluation</i>	5-17
5.4.2.1	<i>Overall Protection of Human Health and the Environment</i>	5-17
5.4.2.2	<i>Compliance with SCGs</i>	5-18
5.4.2.3	<i>Long-Term Effectiveness and Permanence</i>	5-18
5.4.2.4	<i>Reduction in Toxicity, Mobility, or Volume</i>	5-19
5.4.2.5	<i>Short-Term Effectiveness</i>	5-19
5.4.2.6	<i>Implementability</i>	5-20
5.4.2.7	<i>Cost</i>	5-20
6.0	<i>RECOMMENDATION</i>	6-1
7.0	<i>REFERENCES</i>	7-1

LIST OF FIGURES

- 1-1 *Site Location Map*
- 1-2 *Site Layout Map*
- 1-3 *Location of Sampling Points*
- 1-4 *Static DNAPL Contours*
- 1-5 *Final Groundwater Drawdown Test#2 (DNAPL Pumping)*
- 1-6 *Final DNAPL Drawdown Test#2 (DNAPL Pumping)*
- 1-7 *Final Groundwater Drawdown Test#3 (DNAPL Pumping)*
- 1-8 *Final Groundwater Drawdown Test#4 (Groundwater and DNAPL Pumping)*
- 1-9 *Final DNAPL Drawdown Test#4 (Groundwater and DNAPL Pumping)*
- 1-10 *Final Groundwater Drawdown Test#5 (Low-Vacuum Enhanced DNAPL Extraction and Groundwater Pumping)*
- 1-11 *Final DNAPL Drawdown Test#5 (Low-Vacuum Enhanced DNAPL Extraction and Groundwater Pumping)*
- 1-12 *DNAPL Recovery System Schematic*
- 1-13 *DNAPL Recovery Results*
- 1-14 *SVE Piping Layout and Trench Cross-Sections*
- 1-15 *Remediation Building*
- 1-16 *SVE Pilot Test VOC Field Screening*
- 1-17 *Shallow Monitoring Well Average Vacuum Influence*

- 2-1 *Conceptual Site Model (CSM)*

- 3-1 *Extent of Soil Removed during Soil Excavation IRM*
- 3-2 *1,1,1-TCA Concentrations in Soil*
- 3-3 *Xylene Concentrations in Soil*
- 3-4 *TCE Concentrations in Soil*
- 3-5 *Grossly Affected Soil in the Former Varnish UST Area, Varnish Pit Area, and Short Truck Bay Area*
- 3-6 *April 2006 Shallow Wells Ground Water Concentration Map - 1,1,1 TCA > 5 ppb*
- 3-7 *July 2006 Shallow Wells Ground Water Concentration Map - 1,1,1 TCA > 5 ppb*
- 3-8 *April 2006 Shallow Wells Ground Water Concentration Map - TCE > 5 ppb*
- 3-9 *July 2006 Shallow Wells Ground Water Concentration Map - TCE > 5 ppb*
- 3-10 *April 2006 Intermediate Wells Ground Water Concentration Map - 1,1,1 TCA > 5 ppb*
- 3-11 *July 2006 Intermediate Wells Ground Water Concentration Map - 1,1,1 TCA > 5 ppb*
- 3-12 *April 2006 Intermediate Wells Ground Water Concentration Map - TCE > 5 ppb*
- 3-13 *July 2006 Intermediate Wells Ground Water Concentration Map - TCE > 5 ppb*

APPENDICES

- A **GROUND WATER MONITORING SUMMARY REPORT**
- B **REFERENCED NYSDEC CORRESPONDENCE**
- C **EVS DEPICTIONS**
- D **STATIC RESISTIVITY TESTING RESULTS**

LIST OF TABLES

- 1-1 *Summary of DNAPL IRM Recovery Results*
- 1-2 *Summary of System Operating Parameters*
- 1-3 *Summary of Vacuum Measurements*
- 1-4 *Summary of Vapor Analytical Data*
- 1-5 *Summary of Vapor Analytical Data - Aqueous Condensate*

- 3-1 *Pre- and Post-Excavation IRM Soil Concentrations*
- 3-2 *Soil and Ground Water Chemicals of Potential Concern*
- 3-3 *Potential SCGs*
- 3-4 *Summary of VOC Concentrations in Soil*
- 3-5 *Summary of SVOC Concentrations in Soil*
- 3-6 *Summary of Metal Concentrations in Soil*
- 3-7 *Summary of VOC Concentrations in Ground Water*
- 3-8 *Summary of Natural Attenuation Data - Ground Water*
- 3-9 *Summary of Natural Attenuation Screening Results*

- 4-1 *Evaluation of Potential Remedial Technologies*

- 5-1 *Evaluation of Compliance with Standards, Criteria, and Guidelines*
- 5-2 *Remedial Action Alternative 1 - Subslab Depressurization (SSD)*
- 5-3 *Remedial Action Alternative 2 - Excavation IRM*
- 5-4 *Remedial Action Alternative 3 - DPE System IRM*

ABBREVIATIONS AND ACRONYMS

AOC	Areas of Concern
ARAR	Applicable or Relevant and Appropriate Requirements
ASP	Analytical Services Protocol
BCP	Brownfield Cleanup Program
BGS	Below Ground Surface
BFA	Background Fluorescence Study
CAMP	Community Air Monitoring Plan
C&D	Construction and Demolition
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFM	Cubic Feet per Minute
CPI	Consumer Price Index
COPC	Chemicals of Potential Concern
CSM	Conceptual Site Model
DCA	Dichloroethane
DCE	Dichloroethene
DGI	Data Gap Investigation
DNAPL	Dense Non-Aqueous Phase Liquid
DO	Dissolved Oxygen
DPE	Dual Phase Extraction
ERH	Electro Resistive Heating
ERM	Environmental Resources Management
ET-DSP™	Electro-Thermal Dynamic Stripping Process
F	Fahrenheit
FDSA	Former Drum Storage Area
FDT	Fluorescent Dye Tracing
FID	Flame Ionization Detector
FFS	Focused Feasibility Study
FS	Feasibility Study
GAC	Granular Activated Carbon
GC-FID	Gas Chromatography - Flame Ionization Detector
GPM	Gallons Per Minute
GWRAO	Ground Water Remedial Action Objective
HASP	Health and Safety Plan
IRM	Interim Remedial Measure
LBS	Pounds
LNAPL	Light Non-Aqueous Phase Liquid
mg/kg	milligrams per kilogram (parts per million)
mg/l	milligrams per liter (parts per million)
ml	milliliters
MNA	Monitored Natural Attenuation
MW	Monitoring Well
NCP	National Contingency Plan
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health

NYSGS	New York State Geological Survey
O&M	Operation and Maintenance
OM&M	Operations, Maintenance, and Monitoring
ORP	Oxidation-Reduction Potential
PCB	Polychlorinated Biphenyl
PCE	Tetrachloroethene
PID	Photoionization Detector
ppb	parts per billion
PPE	Personal Protective Equipment
ppm	parts per million
PRAP	Proposed Remedial Action Plan
PVC	Polyvinyl Chloride
QAPP	Quality Assurance Project Plan
RAO	Remedial Action Objective
RBC	Risk-Based Concentration
RI	Remedial Investigation
RSCO	Recommended Soil Cleanup Objective
RW	Recovery Well
SC	Standards and Criteria
SCG	Standards, Criteria, and Guidance
SCO	Soil Clean-up Objectives
SAB	Staff Accounting Bulletin
SEC	Securities and Exchange Commission
SMP	Soil Management Plan
SMP	Site Management Plan
SRAO	Soil Remedial Action Objective
SSD	Sub-Slab Depressurizations
SVE	Soil Vacuum Extraction
SVOC	Semivolatile Organic Compound
TAGM	Technical and Administrative Guidance Memorandum
TBC	To Be Considered
TCA	Trichloroethane
TCE	Trichloroethene
TMB	Trimethylbenzene
TOGS	Technical Operations Guidance Series
TPH	Total Petroleum Hydrocarbons
µg/kg	micrograms per kilogram (parts per billion)
µg/L	micrograms per liter (parts per billion)
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey
UST	Underground Storage Tank
VCA	Voluntary Cleanup Agreement
VCP	Voluntary Cleanup Program
VMP	Vapor Monitoring Points
VOC	Volatile Organic Compound
W.C.	Water Column

EXECUTIVE SUMMARY

As part of a Voluntary Cleanup Agreement (VCA) between Sonoco Products Company and the New York State Department of Environmental Conservation (NYSDEC), Environmental Resources Management (ERM), prepared this Focused Feasibility Study (FFS) Report for the Greif, Inc. (Greif) Facility located at 2122 Colvin Boulevard in the Town of Tonawanda, Erie County, New York (the Site). This FFS Report evaluates remedial alternatives for soil and ground water containing volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs) in two Site Areas of Concern (AOCs):

- the Varnish Pit Area, which includes the Short Truck Bay Area; and
- the Former Varnish Underground Storage Tank (UST) Area.

Three remedial alternatives were evaluated in this report based on ERM's review of available data and previous discussions with the NYSDEC.

- *Alternative 1 – No Action.* Remedial Investigation/Feasibility Study guidance (USEPA, 1988) requires consideration of a No Action alternative. Under this alternative, no site modifications, remedial actions or monitoring would be implemented to prevent or eliminate human health and environmental risks.
- *Alternative 2 – Excavation and Off-Site Disposal of Soil and Monitored Natural Attenuation (MNA) of Ground Water.* This remedial alternative entails the excavation and off-Site disposal of affected soil in the Former Varnish UST Area, dense, non-aqueous phase liquid (DNAPL) recovery in the Varnish Pit Area, sub-slab depressurization (SSD) beneath a portion of the Site building, institutional controls, and MNA of affected ground water.
- *Alternative 3 – In-Situ Thermal Treatment of Affected Soil and Monitored Natural Attenuation of Ground Water.* This remedial alternative entails In-Situ Thermal Treatment of affected soil in the Former Varnish UST Area, DNAPL recovery in the Varnish Pit Area, SSD beneath a portion of the Site building, institutional controls, and MNA of affected ground water.

Each alternative was evaluated for the remediation of Chemicals of Potential Concern (COPCs) identified for Site soil and ground water at concentrations above applicable Standards, Criteria, and Guidance (SCGs). A conceptual design for each alternative was developed for cost estimating purposes. A detailed analysis of the alternatives was subsequently performed in accordance with the document entitled "Guidance for Conducting Remedial Investigations and Feasibility Studies under CERCLA" (USEPA, 1988) and NYSDEC's Draft DER- 10 entitled

“Technical Guidance for Site Investigation and Remediation” (NYSDEC, 2002). The criteria used for this evaluation included:

- overall protectiveness of human health and the environment;
- compliance with applicable SCGs;
- long-term effectiveness and permanence;
- reduction of toxicity, mobility, or volume;
- short-term effectiveness;
- implementability; and
- reasonableness of cost.

The remedial alternatives were evaluated individually and against each other using the above criteria, and a preferred alternative was identified. With the exception of implementability and cost, Alternative 1, No Action, would not effectively comply with six of the seven criteria outlined above. Alternatives 2 and 3 are equally protective of human health and the environment and equally address compliance with SCGs. Both alternatives are readily implementable and provide long term effectiveness essentially by eliminating source areas and monitoring natural attenuation processes. However, Alternative 3 is less obtrusive to ongoing manufacturing operations at the Site, has fewer short term impacts, and is less costly than Alternative 2. Therefore, the recommended alternative for the Site is Alternative 3.

1.0

INTRODUCTION

The Site is an active industrial Site used for the manufacture and processing of fiber drums and associated maintenance and administrative activities. Environmental activities are being performed at the Site pursuant to a VCA between Sonoco, Greif, Inc. (Greif) and the NYSDEC. The NYSDEC identified the Site as Voluntary Cleanup Program (VCP) Number V00334-9. This report contains the basic elements suggested for FFS reports as described in the United States Environmental Protection Agency (USEPA) document entitled *Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA* (USEPA, 1988) and the NYSDEC's Draft DER-10 guidance entitled "Technical Guidance for Site Investigation and Remediation" (NYSDEC, 2002).

1.1

PURPOSE

The purpose of this FFS Report is to present relevant Site information, Site requirements, and an assessment of remedial action alternatives to form a basis for selecting a preferred remedial action needed to address affected Site media to a degree consistent with the contemplated use of the Site. The primary objectives of the FFS Report are to:

- develop, screen, and evaluate remedial alternatives for addressing affected soil and ground water at the Site; and
- based on a detailed analysis of the alternatives, select a preferred remedial alternative that protects human health and the environment in a cost-effective manner.

This FFS Report begins with an overview of the Site and a summary of previous Site investigations, followed by the development, screening, and detailed analysis of remedial alternatives. The contents of the remaining sections are as follows.

- Section 2.0 discusses the exposure/risk assessment conducted for Site soil and ground water.
- Section 3.0 identifies Areas of Concern and presents Remedial Action Objectives (RAOs) for the Site soil and ground water.
- Section 4.0 describes the screening process that was used to select remedial technologies for further detailed analysis.
- Section 5.0 presents the detailed analysis of remedial alternatives, which is based on FFS evaluation criteria recommended by the USEPA and the NYSDEC.
- Section 6.0 presents recommendations for remedial action.

- Section 7.0 lists references cited in this FFS Report.

1.2

SITE BACKGROUND

The Site consists of an industrial building located on approximately 25 acres in the Town of Tonawanda, Erie County, New York. The Site is located in a mixed industrial/commercial/residential area approximately one-quarter mile south of Highway I-290 (Figure 1-1). Adjoining properties are as follows:

- North – vacant land (including a former railroad siding and a wooded area) and residential apartments;
- South – a local park/sports fields (Walter M. Kenney Field) and land recently developed into commercial office space;
- East – Colvin Boulevard with single family/duplex homes further east; and
- West – a business park adjacent to a major railroad line formerly traversed by two railroad spurs into the Site.

Figure 1-2 presents a map showing general Site layout and the locations of selected Site features. The building is surrounded by paved parking areas, storage areas, and landscaped areas. The Site is currently used for the manufacture of fiber drums, equipment maintenance, and administrative activities. The north, west and east sides of the Site are fenced to restrict access. There are two main gates on the east side of the Site where employees and visitors routinely enter and an unused, old gate on the west side of the Site at the location of an old railroad spur into the Site.

Based on information provided by Grief and ERM's review of Site plans, the building at the Site was originally constructed starting in 1948. From 1948 to 1985 the Site was owned and operated by Continental Fiber Drum and Continental Can Corporation. Historical manufacturing operations at this time consisted of the production of fiber drums but also included production of the metal lids and rims used in the fiber drums.

Sonoco Products Company acquired the Fiber Drum Division in 1985. The major existing manufacturing operations reportedly continued generally unchanged until the early 1990s. In 1995, the varnishing and degreasing processes on the metal utilized to produce the lids and rims used in the fiber drums, was discontinued. Greif subsequently acquired the Site in May 1998. The Site continues to be used for the manufacture of fiber drums and associated products. Secondary operations include equipment maintenance and administrative activities.

Surface water bodies consist of a small pond on the property adjacent to the Site south of the Site. Site topography is relatively flat with an average elevation of approximately 586 feet above mean sea level. The Site is situated approximately 3.5 miles east of the Niagara River and 1.1 miles south of Ellicott Creek in the Erie-Ontario Lowlands physiographic province of western New York State. Topographic relief within one-half mile of the Site is minimal (approximately 15 feet).

Surficial geology in the vicinity of the Site was previously mapped by the New York State Geological Survey (NYSGS) as lacustrine silt and clay (Cadwell et al., 1988). These deposits consist predominantly of varved or laminated, calcareous silt and clay deposited in proglacial lakes with variable thickness up to 100 meters (approximately 328 feet). Bedrock in the vicinity of the Site consists predominantly of dolostones, shales, and evaporites of the Upper Silurian Salina Group based on mapping performed by NYSGS (Rickard and Fisher, 1970).

1.3 PROJECT BACKGROUND

ERM performed subsurface investigation at the Site with the overall objective to evaluate the nature and extent of soil and ground water potentially affected by Site activities. Greif purchased the Site from Sonoco in the spring of 1998. Environmental investigations initially were performed in connection with the purchase of the Site. The scope of work associated with subsurface investigations generally included installation of soil borings, ground water monitoring wells, and collection of soil and ground water samples for analysis of selected parameters at an approved environmental laboratory.

Several volatile organic compounds (VOCs) and semivolatile organic compounds (SVOCs) of potential concern have been identified in Site soil and/or ground water. Environmental remediation activities are being performed at the Site pursuant to VCA Index Number B9-0574-00-03 between Sonoco, Greif, and the NYSDEC. The NYSDEC has identified the Site as VCP Number V00334-9. An outline of the history Site investigations, and Interim Remedial Measures (IRMs) conducted on Site are addressed in subsequent section of the report. A detailed account of the remedial activities are summarized in the Data Gap Investigation (DGI) Report dated December 2003 (ERM, 2003), DNAPL Recovery IRM Report (ERM, 2005) and Interim Report-Soil Excavation IRM (ERM, 2006).

1.4 *HISTORICAL SITE INVESTIGATIONS*

ERM performed subsurface investigation at the Site with the overall objective to evaluate the nature and extent of soil and ground water potentially affected by Site activities.

Several rounds of investigation have been conducted by ERM at the Site. Figure 1-3 presents a color-coded map showing the locations of all sampling points installed during the various investigative phases at the Site. Detailed descriptions of previous investigation activities are presented in the Work Plan for Remedial Investigation (ERM, 2000) and the Remedial Investigation (RI) Report (ERM, 2001). Subsequent portions of this section summarize previous investigation phases at the Site.

1.4.1 *Phase II Investigation*

The initial subsurface investigation at the Site performed by ERM was conducted in April 1998 and was designated the Phase II Investigation. The Phase II Investigation included the following main components:

- installation and sampling of seven soil borings using direct-push technology;
- installation and sampling of three temporary ground water monitoring wells;
- installation and sampling of three shallow soil borings using a hand auger;
- analysis of samples at an approved environmental laboratory for one or more parameters including VOCs, SVOCs, total petroleum hydrocarbons (TPH), and polychlorinated biphenyls (PCBs); and
- preparation of a report presenting the results of the Phase II investigation.

1.4.2 *Phase III Investigation*

ERM conducted a follow-up investigation at the Site in November and December 1998 to further evaluate the nature and extent of affected soil and ground water. This follow-up investigation was designated the Phase III investigation and focused on the areas of affected soil and ground water apparently concentrated near the southwestern portion of the building. The Phase III Investigation included the following main components:

- installation and sampling of 20 additional soil borings using direct-push and hollow-stem auger drilling technologies;

- installation and sampling of five permanent ground water monitoring wells and one temporary monitoring well inside the building;
- collection of water level data and ground water samples for laboratory analysis; and
- preparation of a report presenting the results of the Phase III investigation.

Data generated during the Phase II and Phase III investigations suggested that affected soil was limited predominantly to the southwestern portion of the Site beneath the main building in proximity to an abandoned varnish pit, the former varnish UST excavation, the Former Drum Storage Area (FDSA), and proximal to soil boring GB-10. Several VOCs were detected in soil samples collected from several soil borings installed at the Site during the Phase II and Phase III investigations. The predominant VOCs detected in Site soil include 1,1,1-trichloroethane (1,1,1-TCA), trichloroethene (TCE), and xylenes. Several SVOCs were detected in soil samples in two areas: 1) the former northern railroad spur into the Site; and 2) south of the FDSA.

1.4.3 Remedial Investigation

An RI was performed by ERM in the summer of 2001. The RI Report (ERM, 2001) included the following main components:

- a passive soil vapor survey;
- characterization of soil types;
- bedrock cores collected;
- soil boring installations and soil sampling and analysis;
- investigation of subsurface utilities;
- sampling and analysis of ground water samples from existing monitoring wells;
- installation and sampling of new shallow overburden ground water monitoring wells;
- installation and sampling of new intermediate overburden ground water monitoring wells;
- installation of new deep overburden ground water monitoring wells;
- collection of a sample from a concrete vault south of the Former Drum Storage Area; and
- visual inspection of the varnish pit.

Soil

The RI report identified potentially elevated concentrations of VOCs in the following areas;

- the Former Varnish UST Area;

- the FDSA;
- near soil boring GB-10;
- near soil boring GB-14;
- the Short Truck Bay Area; and
- the Varnish Pit Area.

The RI report also identified SVOCs at concentrations above unrestricted use clean-up objectives in the following areas:

- the Long Truck Bay Area (i.e., near sample location HA-3)
- the Former Varnish UST Area;
- east of the varnish pit (soil boring GB-27); and
- along the north side of the access road to the western portion of the Site (soil borings GB-10 and GB-33).

SVOCs in the Short Truck Bay and the Long Truck Bay are associated with railroad tracks that formerly entered the facility. Remediation of construction-related materials is not contemplated in the VCA. Therefore, remediation of SVOCs in the Short Truck Bay Area and the Long Truck Bay Area at the Site is not contemplated.

Ground Water

Based on regional topography and the spatial distribution of major surface water features, regional ground water flow direction beneath the Site is expected to be towards the north-northwest. Significant variation in moisture content and permeability was observed in the overburden units at the Site. This suggests ground water will tend to flow towards and into the more permeable units (fill and coarser overburden units).

Three distinct saturated zones have been identified at the Site that appear to be transmissive relative to the clay and/or bedrock units:

- shallow overburden (water locally perched in fill on top of the uppermost silty clay unit);
- intermediate overburden (silty sand beneath the upper silty clay unit); and
- deep overburden (silty sand on top of bedrock).

Several monitoring wells were installed adjacent to one another to provide data useful for evaluation of vertical hydraulic gradient. Comparison of water levels in these well couplets indicates there is a downward hydraulic gradient between overburden zones at the Site.

VOCs were detected in shallow overburden ground water samples collected during the Phase II and Phase III investigations. Review of the laboratory analytical results for ground water samples collected during the Phase III and RI investigations suggested that VOCs were not detected in ground water samples collected from the intermediate overburden ground water zone.

VOCs and SVOCs were not detected in intermediate or deep overburden ground water at concentrations above ambient water quality standards and guidance values prior to the DGI. Additional investigation of intermediate overburden ground water during the DGI resulted in discovery of affected intermediate ground water in the vicinity of the varnish pit. These and other results of the DGI are presented in subsequent sections of this report.

1.4.4 *Data Gap Investigation*

The DGI summarized environmental data and findings associated with DGI activities conducted at the Site between October and December 2002. Data collected during the DGI have eliminated previously existing data gaps. Investigation of site subsurface utilities and site ground water during the DGI was completed in conformance with the NYSDEC-approved Work Plan for RI (ERM, 2000) and the Addendum to the Work Plan for RI - DGE (ERM, 2002) with minor modifications as authorized by NYSDEC representatives.

Geologic units encountered during installation of DGI soil borings are consistent with units previously encountered at the Site. Review of soil boring logs indicates that Site geology can be characterized as consisting of the following stratigraphic units in descending order from ground surface to depth.

- A fill unit consisting predominantly of brown to gray or black sand, vitreous slag-like or limestone-like gravel, and/or ash-like material with lesser amounts of silt or silty clay (typically 2-12 feet thick);
- An orange-brown to red-brown silty clay/clay unit consisting predominantly of clay and silt, locally mottled gray, with occasional, apparently discontinuous lenses of silt or sand (typically 10-32 feet thick);
- A silty sand unit consisting predominantly of dark reddish-brown silt and sand (typically 6-18 feet thick)
- A lower, dark yellowish-brown silty clay unit with apparently discontinuous lenses of silty or silty sand (typically 18-40 feet thick);
- A lower, dark grayish-brown sand unit, typically silty, locally gravelly (typically 12 to 24 feet thick); and

- Bedrock consisting of hard, micritic dolostone (a calcium-magnesium carbonate rock) with lesser amounts of nodular anhydrite (an anhydrous calcium sulfate mineral).

ERM installed three soil borings and seven monitoring wells to evaluate possible migration of VOCs away from the subsurface sanitary pipe. Incorporation of DGI data into results from the RI suggest that VOCs have migrated a limited distance from the varnish pit along the subsurface sanitary pipe, possibly as a result of vapor-phase migration in relatively permeable backfill outside the pipe. Results from soil boring indicate that migration of VOCs laterally away from the pipe is insignificant and that remedial activities should be focused along the length of the pipe.

Review of laboratory analytical data indicates the total VOC content of the product/water mixture collected during installation of monitoring wells is 674,500 mg/kg VOCs as measured by USEPA Method 8260. Assuming other VOCs are not present in the product/water sample suggests approximately 67.5 percent of the mass of the sample is DNAPL with the remaining 32.5 percent consisting of water. The observation of DNAPL in the sample combined with the high concentration of VOCs in the product sample indicates there is a pool of DNAPL in close proximity to the varnish pit. The apparent absence of DNAPL and decreasing concentrations of VOCs with depth during Flam Ionization Detector (FID) field screening suggests that the pool of DNAPL is present at the base of the fill unit and is largely being contained at the contact between the overlying fill unit and the underlying upper silty clay/clay unit.

Based on the findings in the DGI, the distribution of VOC-affected ground water at the Site indicates the primary source areas were the varnish pit, the former varnish UST, and the FDSA. VOCs have not migrated off site and have not migrated a significant distance away from the defined source areas. Therefore, ground water remedial efforts should be focused in and around these source areas. Based on observed concentrations, the majority of contaminant mass in ground water at the Site is present in shallow overburden ground water. Available data suggest that natural attenuation processes may be capable of completing remediation of shallow ground water once source areas have been addressed.

1.4.5 *Additional Investigation Activities - MW-23*

Ground water monitoring was initiated during the investigation phase to assess possible migration of compounds of potential concern and to evaluate the status of natural attenuation in Site ground water. The Site currently has 25 monitoring wells, six vapor monitoring wells and five recovery wells. Four of the recovery wells are currently used as extraction wells for soil vapor in the Varnish Pit Area to provide temporary sub-slab

depressurization. The Varnish Pit Area was identified as an area of concern in the DGI and is the primary source area of affected ground water at the Site (ERM, 2003).

ERM conducted static ground water level measurements in the vicinity of the Varnish Pit Area to monitor influence during pilot testing of the DNAPL recovery system in September 2005. ERM inspected monitoring well MW-23 on 9 September 2005 and discovered a measurable amount of separate-phase LNAPL and ground water level. The aqueous phase in well MW-23 has never been sampled and it was infrequently checked, because it had been historically a "dry" well. The finding of LNAPL in MW-23 was subsequently reported to Sonoco, Greif, and the NYSDEC.

ERM inspected all Site wells for separate-phase liquids and started to regularly monitor interior wells to assess possible migration of separate-phase liquid on Site. No additional wells outside of the Varnish Pit Area were found to contain separate-phase liquids. ERM began to manually bail LNAPL and ground water from MW-23 on a weekly basis to bi-weekly basis starting on 11 November 2005 in an effort to monitor the recovery and recharge of liquids into the well. Ground water and LNAPL has continued to recharge into MW-23 to this date. As requested by the NYSDEC, liquid levels in MW-23 have been presented in Monthly Progress Reports since December 2005. The NYSDEC requested in July 2006 that an effort be made to investigate the source of water and LNAPL at MW-23.

ERM implemented a background fluorescence analysis (BFA) and fluorescent dye-tracing (FDT) investigation to evaluate ground water flow paths and velocities and to evaluate the potential source of ground water and LNAPL discovered in MW-23. Fluorescent dyes for tracing were selected based on BFA results. Dyes were placed into selected wells and trenches excavated specifically for FDT at the Site. Periodic ground water samples were collected from targeted monitoring wells and analyzed for dye concentrations. The FDT allowed an evaluation of the efficiency of the DNAPL Recovery IRM by tracing the ground water flow paths. The FDT data suggests that the dye placed into VMP-2 in the Varnish Pit Area was detected in ground water samples collected from wells MW-23, MW-13, and MW-14. These data suggest a direct connection between affected ground water in the Varnish Pit Area and down-gradient monitoring wells, including well MW-23. Detailed results of the BFA/FDT investigation are presented in Appendix A.

1.5 *INTERIM REMEDIAL MEASURES*

1.5.1 *DNAPL Recovery IRM Pilot Test*

ERM discovered the presence of a DNAPL pool in the vicinity of the Varnish Pit Area during performance of the DGI (ERM, 2003). The primary remedial objective of the DNAPL Recovery IRM was to facilitate protection of human health and the environment by addressing the source area through removal of DNAPL to the extent practicable. The IRM was designed primarily as a temporary or partial remedy for the Varnish Pit Area.

The IRM for this area consisted of DNAPL recovery from recovery wells through several stages of pumping and/or vacuum-enhanced recovery. Three stainless steel recovery wells were initially installed at locations of subsurface structural lows as mapped on the top of the native silty clay/clay unit. Three vapor monitoring points were installed to provide vacuum data and liquid level measurements during DNAPL recovery pilot test operations. The pilot test consisted of five distinct phases or tests:

1. high vacuum dual-phase extraction;
2. DNAPL pumping;
3. ground water pumping;
4. simultaneous DNAPL and ground water pumping; and
5. low vacuum enhanced DNAPL recovery.

Figure 1-4 is a map showing static DNAPL contours in the Varnish Pit Area measured on 14 September 2004. Review of Figure 1-4 suggests that DNAPL was present in the subsurface in a pool that was centered around the varnish pit. This indicated that the likely source of DNAPL in the subsurface was most-likely the varnish pit. The top of the DNAPL pool appeared to be mounded with the highest elevations on the south side of the pit. However, data was limited to the north and west of the pit. This geometry is comparable to the mapped geometry of ground water above the DNAPL. Figure 1-4 also shows that the lateral extent of DNAPL is greater than the limits of the varnish pit. The lack of DNAPL in wells VMP-1, MW-12, MW-13 and MW-14 suggested that the DNAPL had not migrated laterally to those locations.

1.5.2 *DNAPL Recovery IRM*

Following the pilot testing, ERM submitted the DNAPL Recovery IRM Pilot Test Report to the NYSDEC in May 2005 (ERM, 2005). ERM proposed a DNAPL pumping approach as the IRM for the Varnish Pit Area. Upon NYSDEC approval, ERM installed two additional six-inch

diameter stainless steel monitoring wells and three additional two-inch diameter stainless steel vapor monitoring points in the Varnish Pit Area. ERM constructed the DNAPL recovery system as outlined in a subsequent section of the report. The DNAPL recovery system relies on the gravity drainage of effective pore space and fractures in the overlying fill unit proximal to the varnish pit, which is semi-confined by the underlying upper silty clay/clay unit. The DNAPL recovery system was initially intended to recover DNAPL only. The system was then adjusted to recover heavily-affected ground water as well as DNAPL during November 2005. In the first 17 months of operation, the DNAPL recovery system recovered approximately 700 gallons of DNAPL and 3,100 gallons of affected ground water. The system was also subsequently enhanced to apply low vacuum to selected recovery wells. Pilot testing of the low vacuum enhancement to the system was initiated in March 2007. Final ground water drawdown and final DNAPL drawdown test results are presented on Figures 1-5, 1-6, 1-7, 1-8, 1-9, 1-10 and 1-11. The low vacuum enhancement stage of the remediation is discussed in detail in Section 1.5.2.2 of this report.

1.5.2.1 *DNAPL Recovery System*

ERM reviewed and assessed a variety of commercially available DNAPL pumping systems. Based on ERM's previous experience with DNAPL recovery systems and specifications provided by vendors, variable-speed, low-flow metering pumps were selected and installed at each recovery wellhead. The pumps are capable of pumping between 10 milliliters (ml) to 500 ml per minute. The metering pump was chosen over other pumps based on its variable speed ability, self-priming dry run capability, corrosion-resistant wetted materials, and typically long period of low-maintenance operation.

A seven-day programmable timer was installed to control each DNAPL pump. Each pump was installed within a metallic box above each recovery well that drained into the recovery well to provide secondary containment at the wellhead. A well seal with a vapor-tight lock and drain check valve were placed within the well casing to contain DNAPL vapors within the well. The well seal also contained a 2-inch diameter port with a sealed cap that is utilized to measure and record liquid levels, and also to accommodate soil vapor extraction piping. Piping from the DNAPL pump to the DNAPL storage was secondarily contained with corrosion resistant tubing installed within 2-inch and 4-inch diameter Schedule 80 PVC pipe. The DNAPL storage container was equipped with a high-liquid level switch that shut down the DNAPL product pumps when the storage container approached 90 percent of its nominal capacity. Major system components and the general layout of the liquid phase DNAPL recovery system are presented in Figure 1-12.

ERM conducted pilot testing with the system in August 2005, recovering 270 gallons of DNAPL during the pilot test. The efficient operation and maintenance (O&M) of the DNAPL product recovery system was routinely monitored to maximize efficiency. Information recorded and maintained during O&M has provided the data necessary to control and modify the system operation and provide data for determining system patterns and DNAPL recovery trends. As of 10 August 2008 a total of 1,481 gallons of DNAPL and 8,674 gallons of aqueous-phase liquid were recovered during 33 months of DNAPL recovery IRM activities.

ERM initiated quarterly ground water sampling events at the Site in January 2006, following the completion of the Soil Excavation IRM in the Boring GB-10/ FDSA AOCs. During the initial sampling event in January 2006, ERM collected a complete round of liquid level measurements from all Site wells and Vapor Monitoring Points (VMPs) prior to purging and sampling monitoring wells. ERM measured 4.6 feet of DNAPL in intermediate monitoring well MW-20, which is located within the Varnish Pit Area. ERM began to monitor and manually pump DNAPL from MW-20 and VMP-2 following the January 2006 sampling event. ERM installed an automated recovery system in MW-20 on 1 June 2006. The recovery system for MW-20 followed the same design used to recover DNAPL from recovery wells in the Varnish Pit Area. The system was run off a separate electrical panel from the DNAPL Recovery IRM System and utilized a programmable timer to run the metering pump for 10-minutes per day. DNAPL is recovered to a 55-gallon drum equipped with a high-level shut-off switch.

1.5.2.2 *Low Vacuum Enhancement of DNAPL Recovery IRM*

With the approval of the NYSDEC, ERM implemented low vacuum soil vapor extraction (SVE) at recovery wells proximal to the Varnish Pit Area to facilitate enhanced DNAPL recovery. ERM performed a comprehensive evaluation of off-gas treatment options for the SVE. An innovative vapor condensation technology was selected to address high concentrations in off-gas vapors based on vendor specifications, efficiency and overall O&M costs.

ERM initiated construction for the implementation of low vacuum enhancement of the DNAPL recovery system in December 2006. A sub-slab trench was installed from the Varnish Pit Area to the southern wall of the facility. The trench utilizes a steel form with steel grates covers to house the associated piping. This allowed easy access to the piping for repairs or to change the configuration of the piping, if deemed necessary. Pipe from the facility to the treatment building, which houses the SVE system and off-gas treatment equipment was insulated and directly

buried. Two 4-inch diameter PVC pipes run from the remedial building to the Varnish Pit Area and were manifolded to recovery wells (RW-1, RW-2, RW-4 and RW-5). Additional pipes were installed from the treatment building to the sub-slab trench and were capped just inside the facility. The extra piping can be used for future sub-slab depressurization (SSD) or to accommodate additional remedial efforts, if deemed appropriate. Figure 1-14 presents the piping layout from the Varnish Pit Area to the treatment building.

Construction of the treatment building was completed on 27 March 2007. ERM utilized the DNAPL and ground water recovery system discussed in Section 1.5.2.1 to effectively de-water the fill unit in the Varnish Pit Area to maximize the exposure of the unsaturated zone to the vacuum applied at the well heads. The layout of the low vacuum SVE system and the vapor condensation off-gas treatment equipment within the treatment building is presented as Figure 1-15.

The following describes the SVE extraction and vapor condensation off gas treatment process:

- soil vapor was drawn from the recovery wells through piping and to the two skid-mounted 30-horsepower air compressors equipped with 5-horsepower positive displacement blowers. Entrained liquids are separated at water knock out tanks. The system is capable of drawing 200-cubic feet per minute (CFM);
- the process vapor stream was compressed to 10 atmospheres by the compressor and then are cooled to approximately 95° Fahrenheit (F) in the after-cooler units;
- water vapor was removed from the process stream at the air-to-air heat exchanger;
- gas and vapor steam temperature was reduced to approximately -20 ° F in the refrigerated heat exchanger, where the majority of the chemical condensates and separates from the vapor stream. The liquid condensate was sent through an oil/ water separator, which directs the chemical and water to appropriate storage containers. The remaining process vapor stream was sent to a regenerative absorber, which removes additional chemical and water vapor and directs it back into the influent stream; and
- the remaining air stream was directed to two 350-lb granular activated carbon (GAC) drums in series to polish VOCs from the air stream prior to release to the atmosphere.

The low vacuum enhancement of the DNAPL recovery system was initiated on 28 March 2007. ERM monitored the system efficiency and area of influence for six days after start up. ERM also monitored VOC concentrations in the field utilizing a calibrated photoionization detector

(PID) with an 11.8 eV lamp, collected temperature, relative humidity, vacuum and/or air flow readings from sample ports at the following locations:

- influent vapor stream - prior to any treatment;
- pre-carbon - after vapor condensation (before GAC units);
- mid-carbon - between the two GAC units in series; and
- effluent - post-carbon polished.

A summary of data collected from the referenced sample ports is presented as Table 1-2. The VOC field screening data collected during the Pilot Test is graphically summarized in Figure 1-16. ERM measured liquid levels and collected subsurface vacuum readings at interior monitoring wells and vapor monitoring points. The vacuum data is summarized in Table 1-3. Subsurface vacuum data was mapped to evaluate the distribution of vacuum in the subsurface during the SVE start up (Figure 1-17). Review of Figure 1-17 suggests that an average vacuum influence of 0.05 inches water or greater occurred in a generally elliptical geometric oriented area of influence with its elongated axis trending northwest/southeast through the Varnish Pit Area. Influence was estimated at distances ranging from 25 to 85 feet from the dual phase extraction (DPE) recovery wells within the Varnish Pit Area.

ERM collected nine vapor samples and one aqueous condensate sample for laboratory analysis during the first six days of operation of the DPE. Samples were sent under proper chain of custody to a subcontracted laboratory for analysis for the Site-specific VOC list. The laboratory data is summarized in Tables 1-4 and Table 1-5. The total VOC concentration of the extracted soil vapors during the Pilot Testing ranged between 544,500,000 ug/M³ and 3,515,000 ug/M³. The effluent concentrations ranged between 18,304 ug/M³ one hour after start up decreasing to 582 ug/ M³ during the last day of Pilot Testing. The individual VOCs detected were consistent with VOCs detected in soil and ground water samples collected in the Varnish Pit Area, with a majority of the mass being derived from 1,1,1- TCA and TCE.

ERM continued operation of the DPE system, conducted routine O&M, and regularly inspected associated equipment and liquid storage containers since the start of the DPE on 28 March 2007 through termination of pumping and vapor condensation operations in May 2008. Through the first 34 days of operation, the low vacuum soil vapor extraction recovered 127 gallons of DNAPL (approximately 1,485 pounds) and 340 gallons of aqueous condensate. Updates on volumes of DNAPL and aqueous condensate were provided to the NYSDEC throughout the remediation in Monthly Progress Reports.

The recovery of DNAPL using pumping continued until 13 May 2008 when pumping of liquids from recovered wells was terminated with the approval of the NYSDEC. A total of 1,481 gallons of DNAPL and 8,674 gallons of aqueous-phase liquid were recovered during the 33 months of DNAPL recovery IRM activities. Approximately 967 gallons of DNAPL and 4,950 gallons of aqueous liquid were recovered by pumping. Approximately 514 gallons of DNAPL and 3,724 gallons of aqueous fluid were condensed from extracted vapors since initiation of low vacuum-enhanced DNAPL recovery on 28 March 2007. Extraction of vapors from recovery wells is ongoing in order to provide some level of sub-slab depressurization in the vicinity of the varnish pit. DNAPL recovery data from pumping and SVE recovery are summarized and presented in Table 1-1. A graphic summary of the DNAPL recovery during the DNAPL Recovery IRM is presented as Figure 1-13.

1.5.3 *Soil Excavation IRM of Soil Boring GB-10/Former Drum Storage Area*

ERM excavated VOC-affected soil located in the Soil Boring GB-10/FDSA AOCs at the Site as another component of the IRM. VOC-affected soil was excavated in substantial conformance with the IRM Work Plan approved by the NYSDEC on 13 August 2004 (NYSDEC 2004b).

Extensive remedial preparations were required to complete the NYSDEC-approved soil excavation IRM, including the installation of excavation controls to protect the structural integrity of the main facility building. Monitoring of the building structural components indicated that the installed excavation controls were successful in protecting the building from significant damage or subsidence. Previously unknown subsurface utilities, reportedly associated with a former water tower associated with the original fire protection system for the facility, were discovered and had to be removed prior to resuming the removal of grossly-affected soil. These previously unknown utilities acted as preferential pathways for migration of VOCs from the FDSA, resulting in a larger volume of grossly-affected soil than previously estimated.

The applicable remedial standard for the soil excavation IRM was removal of grossly-affected soil as evaluated in the field using the field screening approach outlined in the NYSDEC-approved IRM Work Plan (ERM, 2004a). A total of 1760.82 tons of grossly-affected soil was excavated and disposed off-Site as hazardous solid waste at a NYSDEC-permitted RCRA Subtitle C disposal facility. A small amount (5.99 tons) of non-hazardous solid surficial and vegetative debris from cleaning and grubbing operations was also transported and disposed off Site at a NYSDEC-permitted RCRA Subtitle D disposal facility. Significant volumes of ground water and some storm water entered the excavation and were managed as hazardous waste due to contact with grossly-affected

hazardous soil waste. A total volume of 14,575 gallons of water were removed from the excavation and transported off Site for disposal at a permitted hazardous waste transportation, storage and disposal facility.

NYSDEC on-Site personnel approved the final extent of the remedial soil excavation in the field, indicating that the primary remedial goal of removal of grossly-affected soil was achieved to the satisfaction of the NYSDEC. A confirmation soil sampling program was implemented to document remaining concentration of VOCs in soil in the GB-10/FSDA. Following completion of confirmation sampling activities and restoration of subsurface utilities, the excavated area was backfilled and compacted in one-foot lifts to its pre-existing grade with approved select structural fill or excavated clean soil as approved by the NYSDEC, a New York-licensed Professional Engineer, and Grief personnel.

Comparison of pre-IRM soil concentrations and laboratory analytical results from confirmation soil samples suggest approximately 3406 pounds of contaminant mass were permanently removed from the environment during the soil excavation IRM. Approximately 83 percent of the contaminant mass removed was TCE and 9 percent was xylenes. These data support the conclusion that the soil excavation IRM removed significant mass of VOCs from the GB-10/FSDA AOCs. These results are consistent with the conclusion that the soil excavation IRM successfully removed grossly-affected soil and achieved all applicable standards, criteria, and guidance established for this IRM as outlined in the NYSDEC-approved IRM Work Plan. Additional remediation of soil in the GB-10/FSDA is unwarranted based on relatively low remaining concentration of VOCs and the contemplated use of the property as defined in the VCA (restricted commercial).

Two new monitoring wells were installed in the GB-10/FSDA to evaluate ground water quality after completion of the soil IRM, and to provide updated data on ground water quality in the Varnish Pit Area.

2.0 *SUMMARY OF REMEDIAL INVESTIGATION AND EXPOSURE ASSESSMENT*

This section discusses the exposure assessment conducted for the Site soil and ground water. The assessment presented below was included in the DGI Report (ERM, 2003). To assist in review of this information, a conceptual site model (CSM) for potential exposures has also been prepared to visualize these mechanisms (Figure 2-1).

2.1 *SOIL*

Chemicals of potential concern (COPCs) in soil at the Site were initially determined in the exposure assessment by comparing the detected concentrations to the NYSDEC TAGM-4046 Recommended Soil Cleanup Objectives (RSCOs). At the time the exposure assessment was initially conducted, these were the applicable SCGs.¹ Comparison of the Site soil concentrations to the RSCOs indicated that 13 VOCs and seven SVOCs in Site soil exceeded the unrestricted use RSCOs. The NYSDEC subsequently requested in correspondence dated 4 August 2008 (NYSDEC, 2008a.) that ERM compare soil data to NYSDEC Part 375 Soil Cleanup Objectives (SCOs). The NYSDEC's Part 375-3 (NYSDEC, 2006) presents SCOs for organic compounds for both direct contact with soil and for protection of ground water.

The Site-specific RSCOs were originally used to screen VOCs and SVOCs of potential concern at the Site. The acceptable level for direct contact exposure is based on a residential exposure scenario, with children ages one to six ingesting soil. The acceptable level for protection of ground water is based on leaching of chemicals in soil to ground water where ground water concentrations must meet promulgated or proposed New York State ground water/drinking water quality standards. To further evaluate which chemicals may potentially pose a human health exposure via each of the above pathways at the Site, the maximum detected concentration of each of the chemicals of concern is compared to these two criteria. This comparison was conducted prior to the soil excavation IRM. Thus, this should be considered a conservative assessment as a significant amount of affected soil was removed during the Soil Excavation IRM.

Direct Contact with Soil

Applicable direct contact criteria for TCE, benzo(a)anthracene, and benzo(a)pyrene were each exceeded in at least one soil sample. As noted above, NYSDEC's direct contact Part 375 SCOs are based on incidental

¹ As discussed further in Section 4.3, NYSDEC has subsequently approved soil cleanup objectives (SCOs) for various site uses.

ingestion of soil by children in a residential setting. The Site is currently an active industrial Site that is fully fenced to restrict access to trespassers. There are no established criteria available to evaluate exposures to Site visitors or workers.

TCE was detected at a concentration greater than the NYSDEC residential direct contact level of 64,000 µg/kg in soil samples GB-10 (1-2'), GB-10 (14-15'), GB-20 (11-12'), and MW-20 (13-14'). Soil in the vicinity of sample location GB-10 was removed during the Soil Excavation IRM. Therefore, direct contact with subsurface soil in the vicinity of the samples GB-20 (11-12') and MW-20 (13-14') may represent a significant TCE exposure pathway for Site workers or visitors.

Benzo(a)anthracene was detected at concentrations greater than the NYSDEC residential direct contact level of 224 µg/kg in soil samples GB-1 (14-16'), GB-4 (10-12'), HA-3 (0-0.5'), HA-4 (1-3'), HA-7 (1-3'), and HA-8 (1-3'). Therefore, direct contact with subsurface soil in the vicinity of these sample locations may represent a significant benzo(a)anthracene exposure pathway for Site workers or visitors.

Benzo(a)pyrene was detected at concentrations greater than the NYSDEC residential direct contact level of 61 µg/kg in soil samples GB-1 (14-16'), GB-4 (10-12'), HA-3 (0-0.5'), HA-4 (1-3'), HA-7 (1-3'), and HA-8 (1-3'). Therefore, direct contact with subsurface soil in the vicinity of these samples may represent a significant benzo(a)pyrene exposure pathway for Site workers or visitors.

Volatilization of Chemicals in Soil to Indoor and Outdoor Air

Thirteen of the chemicals of potential concern in soil are VOCs. Inhalation of VOCs by Site workers and visitors may represent a complete exposure pathway if volatilization of a significant mass of VOCs from soil to ambient air is occurring. Currently, the New York State Department of Health (NYSDOH) has developed screening levels related to the soil vapor intrusion pathway for TCE, PCE and 1,1,1-TCA. However, these screening levels are for soil vapor and indoor air concentrations, not for soil or ground water. However, based on the concentrations of VOCs in soil and ground water beneath the Site building, there is a potential for this pathway to be present.

Leaching of Chemicals from Soil to Ground Water

Organic compounds present in soil at concentrations in excess of ground water protection criteria include all of the VOCs of potential concern (acetone, 2-butanone, 1,1-DCA, 1,1-DCE, 1,2-DCA, 1,2-DCE, ethylbenzene, PCE, toluene, 1,1,1-TCA, TCE, and xylene) and four of the SVOCs of

potential concern (benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, and naphthalene). The VOCs detected in soil in excess of the ground water protection criteria are also identified as chemicals of potential concern in ground water. Therefore, these 13 VOCs in soil may potentially affect ground water quality at the Site and are therefore further evaluated in Section 2.2.

None of the SVOCs that were detected at concentrations above the ground water protection criteria for soil were identified as chemicals of potential concern in Site ground water. Therefore, leaching of SVOC chemicals of potential concern in soil to ground water does not appear to represent a human exposure pathway.

2.1.1 *Summary of Soil Exposure Pathways*

Under current conditions, direct contact with TCE, benzo(a)anthracene, and benzo(a)pyrene at a limited number of subsurface locations may represent a significant direct contact human exposure pathway for Site workers or visitors.

The detection of 13 VOCs of potential concern in soil may allow a complete exposure pathway via volatilization from soil to ambient air and subsequent inhalation by Site workers and visitors. Sufficient information was not available to assess this exposure pathway using the NYSDOH screening matrix at the time of preparation of the draft FFS Report. However, this pathway has been evaluated further based on performance of a vapor intrusion evaluation as described in the report entitled "Vapor Intrusion Evaluation Report (ERM, 2008). The NYSDEC and NYSDOH have provided comments on this report (NYSDEC, 2008b).

The detection of 13 VOCs of potential concern in soil at concentrations above ground water protection criteria suggests the possibility that ground water quality may be negatively affected by leaching from soil. However, ground water is not used at or near the Site. Leaching of SVOCs from Site soil to ground water does not appear to be significant.

2.2 **GROUND WATER**

There are 22 VOCs that are considered COPCs in Site ground water. These VOCs were detected at concentrations that are greater than NYSDEC's Class GA ambient ground water quality standards and guidance values (TOGS-1.1.1; NYSDEC, 1998). However, as noted above, ground water is not currently used for any purpose at or near the Site. Therefore, the only potential exposure pathway for chemicals in Site ground water is volatilization to ambient air. As noted above, VOCs have not migrated off site. Volatilization of the VOCs of potential concern from

ground water to ambient air at the Site may represent a complete exposure pathway for Site workers and visitors via inhalation. Sufficient information was not available when this FFS Report was originally submitted to assess this pathway using the SCGs; therefore, this pathway was originally not evaluated further. However, this pathway has been evaluated further based on performance of a vapor intrusion evaluation as described in the report entitled "Vapor Intrusion Evaluation Report (ERM, 2008). The NYSDEC and NYSDOH have provided comments on this report (NYSDEC, 2008b).

2.3 *INTERPRETATION OF EXPOSURE ASSESSMENT*

A summary of potential human exposures to chemicals in soil and ground water via each pathway of potential concern is provided below.

Direct Contact with Soil

TCE, benzo(a)anthracene, and benzo(a)pyrene have been detected in one or more soil samples in excess of NYSDEC Part 375 SCOs residential direct contact levels. However, the Site is presently used for commercial/ industrial purposes and the contemplated use in the VCA is "restricted commercial", not residential. Under current conditions, direct contact with these three compounds in soil at a limited number of subsurface locations may represent a significant human exposure pathway for Site workers based on detected concentrations in excess of benchmark levels established for industrial settings (RBCs).

Inhalation of Chemicals in Soil

Thirteen VOCs were identified as chemicals of potential concern in soil based on detected concentrations in excess of applicable Part 375 SCOs. Therefore, the detection of these chemicals in Site soil may result in a complete exposure pathway in some areas of the Site if volatilization of a significant mass from soil to ambient air occurs followed by subsequent inhalation by Site workers and visitors. There are no soil criteria based on inhalation exposures; therefore, this pathway was not evaluated further. However, this pathway has been evaluated further based on subsequent performance of a vapor intrusion evaluation as described in the report entitled "Vapor Intrusion Evaluation Report (ERM, 2008). The NYSDEC and NYSDOH have provided comments on this report (NYSDEC, 2008b).

Leaching of Chemicals from Soil to Ground Water

Leaching of SVOCs from Site soil to ground water does not represent a complete exposure pathway. Leaching of volatile chemicals from Site soil

to ground water may represent a complete exposure pathway for 13 VOCs of potential concern based on some detections in excess of NYSDEC soil impact to ground water concentrations and the presence of these chemicals in shallow Site ground water. The specific VOCs of potential concern for this pathway include acetone, 2-butanone, 1,1-DCA, 1,1-DCE, 1,2-DCA, 1,2-DCE, ethylbenzene, PCE, toluene, 1,1,1-TCA, TCE, and xylenes.

Ingestion of Ground Water and Direct Contact with Ground Water

Ground water at the Site and in the vicinity of the Site is not currently used for drinking water or any other potable purposes based on the results of the well search. Therefore, ingestion of ground water and direct contact with ground water do not represent complete exposure pathways for Site workers or visitors. Affected ground water has not migrated off site.

Inhalation of Chemicals from Ground Water

Chemicals of potential concern in ground water based on detected concentrations in excess ambient ground water quality standards and guidance values include 22 VOCs. Specific VOCs include acetone, benzene, 2-butanone, chloroethane, chloroform, cis- and trans-1,2-DCE, 1,1-DCA, 1,2-DCA, 1,1-DCE, 1,2-DCE, ethylbenzene, methylene chloride, 4-methyl-2-pentanone, PCE, toluene, 1,1,1-TCA, 1,1,2-TCA, TCE, 1,2,4-TMB, vinyl chloride, and xylenes. The presence of these VOCs in on-site ground water may result in a complete exposure pathway if volatilization of a significant mass, escape from the subsurface, and subsequent inhalation by Site workers and visitors occurs. There are no ground water criteria based on inhalation exposures; therefore, this pathway was not evaluated further in the FFS Report. However, this pathway has been evaluated further based on subsequent performance of a vapor intrusion evaluation as described in the report entitled "Vapor Intrusion Evaluation Report (ERM, 2008). The NYSDEC and NYSDOH have provided comments on this report (NYSDEC, 2008b).

This section presents the remedial goals and remedial action objectives (RAOs) established for the Site media of interest (i.e., soil and ground water).

Remedial goals are typically derived from Title 6, New York Code of Rules and Regulations Part 375 (NYSDEC, 2006) and applicable NYSDEC guidance. The remedial goals for environmental remediation sites in New York as generally set forth in applicable NYSDEC guidance are:

- to be protective of public health and the environment, given the intended use of the site; and
- to include removal or elimination, to the extent feasible, of identifiable source of contamination regardless of the presumed risk or intended use of the site.

Guidance on developing RAOs is provided in NYSDEC TAGM Number 4030 (NYSDEC, 1990) and examples of RAOs are also set forth in DER-10 (NYSDEC, 2002). The RAOs are media-specific targets that are aimed at protecting public health and the environment. In the case of protection of human health, RAOs usually reflect the concentration of a COPC and the potential exposure route. Protection may be achieved by reducing potential exposure (e.g., use restrictions, limiting access) as well as by reducing concentrations. RAOs, which are established for protection of environmental receptors, are usually intended to preserve or restore a resource. As such, environmental RAOs are set for a media of interest and a target concentration level.

Media that are candidates for remedial evaluation are identified based on the nature and extent of contamination and applicable or relevant and appropriate SCGs. As discussed in Section 3.3, potential Site media of interest are soil and ground water as identified during Phase II, Phase III, RI, and DGI investigation activities. As identified in 6 NYCRR 375-1.10(c)(1)(ii), SCGs are provided in NYSDEC guidance. Recent NYSDEC guidance containing SCGs is draft DER-10 (NYSDEC, 2002). In addition to the SCGs listed in DER-10, an additional SCG will also be considered as requested by the NYSDEC in correspondence dated 4 August 2008 (NYSDEC, 2008a) – the NYSDEC Part 375 SCOs.

In addition to SCGs, certain site-specific factors are considered when developing the RAOs for media of interest. These site-specific factors relate to the affected media, types of constituents and potential routes of exposure.

3.1

IDENTIFICATION OF AREAS OF CONCERN

Six areas of concern (AOCs) were initially identified as exhibiting soil concentrations in excess of SCGs:

- the Varnish Pit Area;
- the Former Varnish UST Area;
- the Short Truck Bay Area;
- the Former Drum Storage Area (FDSA);
- near soil boring GB-10; and
- near soil boring GB-14.

For remedial evaluation purposes, the Short Truck Bay Area was combined with the Varnish Pit Area. The area near soil boring GB-14 does not contain affected soil at concentrations above Part 375 restricted commercial SCOs. Therefore, this area has been removed from further consideration.

As discussed in Section 1.4, VOCs and SVOCs were identified in soil and ground water in the FDSA and Soil Boring GB-10 Area. As discussed in Section 1.5.3, a Soil Excavation IRM (ERM, 2006) was performed in October 2005 in these areas (See Figure 3-1) to address the affected soil. The Soil Excavation IRM was successful in removing grossly-affected soil to the satisfaction of the NYSDEC. Based on the IRM activities conducted and NYSDEC's agreement that the soil in these AOCs have been adequately addressed (Appendix B), no further actions are proposed in the FDSA and Soil Boring GB-10 Area.

Based on the above, two AOCs remain:

- Varnish Pit Area\Short Truck Bay Area; and
- Former Varnish UST Area.

The extent of affected media in these AOCs is discussed in the following sections. The COPCs for the affected soil and ground water in the remaining AOCs are shown on Table 3-2. The following subsections provide a brief overview of the soil conditions in these AOCs. Ground water conditions are discussed in Section 3.3.4 on a Site-wide basis rather than an AOC basis.

3.1.1

Former Varnish UST Area

The RI and the DGI revealed that soil most affected by VOCs associated with varnish is generally located at depths between 7- to 18-feet bgs in the Former Varnish UST Area and is concentrated in the vicinity of soil boring GB-2. Soil affected by VOCs to a lesser degree is present at shallower

depths (generally 3- to 9-feet bgs) immediately adjacent to the west end of the building (i.e., near MW-10 and GT-2). This soil may be a continuing source of VOCs to adjacent soil and shallow overburden ground water in this area. The distribution of affected ground water at the Site is discussed in more detail in Section 3.3.3.

3.1.2 *Varnish Pit Area*

This AOC is located beneath the Site building in the area of a previously operational varnish pit. Soil in the vicinity of the former varnish pit is primarily affected by TCE and 1,1,1-TCA at depths generally ranging from just below floor level to a maximum of approximately 33-feet below the facility's main floor level. The most heavily-affected zone generally occurs between 6- to 22-feet below the facility's main floor level in the upper silty clay unit. This AOC is located inside the building where manufacturing operations are ongoing, resulting in significant logistical constraints on remedial activities.

The source for the aforementioned soil contamination is the presence of DNAPL in the vicinity of the varnish pit and some LNAPL in the vicinity of monitoring well MW-23. LNAPL near well MW-23 and DNAPL near the Varnish Pit Area were shown to be derived from the same parent material by high-resolution "fingerprint" analyses. Additionally, the results of the FDT investigation demonstrated that these areas are hydraulically connected.

As discussed in Section 1.5.2, recovery of DNAPL and LNAPL was conducted as an IRM. The purpose of this IRM was to recover as much mobile separate-phase product as possible and to minimize the potential for additional migration of DNAPL or LNAPL away from the Varnish Pit Area. Collection of small volumes of LNAPL from well MW-23 is currently occurring on a monthly basis as requested by the NYSDEC.

3.2 *IDENTIFICATION OF SCGS*

The NCP establishes applicable or relevant and appropriate requirements (ARARs) and defines "To Be Considered" (TBC) information as other advisories, criteria or guidance. Additionally, the NCP acknowledges that proposed standards issued by federal or state agencies, while not meeting the definition of an ARAR, should also be considered in remedial decisions (40 CFR Part 300.400(g)(3). The preamble to the NCP states that TBCs are to be used on an "as appropriate" basis.

SCGs incorporate both the CERCLA concepts of ARARs and TBCs. They include promulgated requirements and non-promulgated guidance, which govern activities that may affect the environment. The standards

and criteria are those cleanup standards, standards of control, and other substantive requirements, criteria, or limitations that are officially promulgated under federal or state law. Though guidance does not represent a legal requirement, it should be considered based on professional judgment when applicable to site conditions (NYSDEC, 2002).

Table 3-3 presents potential SCGs, which may govern remedial actions at the Site. This table lists: the citation; a description of the SCG; SCG type (i.e., chemical, action or location specific); and, reason the SCG is listed (e.g., remedy selection and/or remedial action) and how it applies to the remedy evaluation. Also, there is a TBC category identifying proposed SCGs that are also considered in the remedial alternative evaluation.

Certain SCGs are considered in the development of the Site media of interest RAOs. These SCGs are discussed in remedial requirements for the media of interest in the following sections. The relevance of the SCGs and TBCs to the remedial alternatives is discussed with the evaluation of each alternative in Section 5.0 (i.e., in the evaluation of the ability of each remedial action alternative to comply with the SCGs).

3.3 *MEDIA OF INTEREST*

Two environmental media were evaluated at the Site as potential media of interest requiring RAOs: soil and ground water. The sampling results for these media are discussed in Sections 3.3.1 and 3.3.2.

COPCs for soil and ground water were conservatively identified based on detected concentrations in excess of NYSDEC Part 375 SCOs. Table 3-2 presents the COPCs identified during the Site's remedial investigations (i.e., Phase II, Phase III, RI and DGI) with reference to Site-specific RSCOs. However, it should be noted that the RSCOs are applicable to an "unrestricted" use remediation. The contemplated use of the Site is "restricted commercial". Therefore, remediation of Site soil to the indicated RSCOs and remediation of ground water at the Site to class GA ground water quality standards would not be required to obtain a restricted commercial release under the VCA. Since the exposure/risk assessment was conducted, Part 375 Soil Cleanup Objectives (SCOs) have been proposed and the NYSDEC requested their application at the Site in correspondence dated 4 August 2008 (NYSDEC, 2008a). These SCOs will be used to assess soil remedial needs at the Site.

The soil concentrations at the Site have been compared to two values to determine Site remedial needs:

- the Track 1 Unrestricted Use SCOs for the Protection of Public Health (Part 375-3.8(a)) to assess areas where use restrictions will be needed; and
- the Track 2 Restricted Commercial SCOs for Protection of Public Health (Part 375-3.8(a)) to assess remedial needs for the Site soil.

3.3.1 Soil

The COPCs for the two AOCs are presented in Table 3-2.

3.3.1.1 VOCs

Table 3-4 presents a comparison of the VOCs detected in Site soil to the unrestricted and restricted commercial SCOs. Estimated analytical results are not compared against SCGs. As shown in Table 3-4 and summarized below, 13 VOCs were detected at concentrations in excess of their applicable Part 375 unrestricted soil objectives and 2 VOCs were detected at concentrations in excess of their applicable restricted commercial soil objectives. These are:

Compound	Number of Samples Exhibiting Concentrations > Residential Soil Cleanup Objectives	Number of Samples Exhibiting Concentrations > Restricted Commercial Soil Cleanup Objectives
Acetone	6	0
2-Butanone	1	0
cis-1,2-Dichloroethene	1	0
1,1-Dichloroethane	6	0
1,2-Dichloroethane	1	0
1,1-Dichloroethene	3	0
Ethylbenzene	2	0
Tetrachloroethene	1	0
Toluene	2	0
1,1,1-Trichloroethane	12	0
Trichloroethene	14	1
Vinyl Chloride	1	0
Xylenes (total)	6	1

Of the VOCs detected in Site soil, xylenes and TCE will drive remediation activities as they are the compounds that were detected at concentrations above restricted commercial SCOs. These VOCs in addition to 1,1,1-TCA were therefore selected for iso-concentration mapping, in concurrence with the NYSDEC, to illustrate VOC distributions in Site soil. Figures 3-2 through 3-4 present the distribution of these compounds (post-IRM) in Site soil.

3.3.1.2 SVOCs

Table 3-5 presents a comparison of the SVOCs detected in Site soil to unrestricted and restricted commercial SCOs. Estimated analytical results are not compared against SCGs. As shown in this table, five SVOCs were detected at concentrations in excess of their unrestricted SCOs and no SVOCs were detected at concentrations in excess of their restricted commercial SCOs. They are:

Compound	Number of Samples Exhibiting Concentrations in Excess of Unrestricted Soil Cleanup Objectives	Number of Samples Exhibiting Concentrations in Excess of Restricted Commercial Soil Cleanup Objectives
Benzo(a) anthracene	1	0
Benzo(b) fluoranthene	2	0
Benzo(a) pyrene	2	0
Chrysene	3	0
Naphthalene	1	0

3.3.1.3 Metals

Metals were not detected in Site soil in excess of the unrestricted and restricted commercial SCOs.

3.3.1.4 Qualitative Exposure Assessment

As discussed in Section 2.0, potential exposure pathways for Site soil are:

- direct contact with soil;
- volatilization of VOCs from Site soil with subsequent inhalation of indoor and outdoor air; and
- leaching of chemicals from soil into ground water.

The potential for direct contact exposures was assessed by comparing Site soil concentrations to the restricted commercial SCOs in Part 375.

Under initial Site conditions, direct contact with TCE in the Former Drum Storage Area (near soil boring GB-10) and xylenes in the Former Varnish UST Area (near soil boring GB-2) may have represented a direct contact risk for Site workers based on exceedances of the restricted commercial SCOs. The soil excavation IRM removed this risk in the vicinity of soil boring GB-10 as demonstrated by the results of confirmation soil samples

(Table 3-4). The proposed final remedy will remove this risk for xylenes in soil in the vicinity of soil boring GB-2 (see Section 5.4 of this report).

Currently, the New York State Department of Health (NYSDOH) has developed screening levels related to the soil vapor intrusion pathway for TCE, PCE and 1,1,1-TCA. However, these screening levels are for soil gas and indoor air concentrations, not soil or ground water. However, based on the concentrations of VOC COPCs in soil and ground water beneath the Site buildings, there is a potential for this pathway to be present as described in the Vapor Intrusion Evaluation Report (ERM, 2008a).

Of the VOC COPCs in ground water, 11 VOC COPCs were detected in Site ground water above class GA standards, which suggests that ground water quality may be negatively affected by leaching from soil. However, ground water is not used at the Site or proximal to the Site. Of the SVOCs COPCs in Site soil, none exceeded class GA standards. Thus, leaching of SVOCs from Site soil to ground water does not appear to be significant.

3.3.2 *Remedial Action Objectives for Soil*

Based on the evaluation discussed above and the draft NYSDEC guidance regarding development of RAOs in DER-10 (NYSDEC, 2002), the soil RAOs (SRAOs) for Site soil will be:

- SRAO1 - Prevent ingestion, direct contact, and/or inhalation of/with soil that poses a risk to public health and the environment given the intended use of the Site;
- SRAO2 - Prevent inhalation of or exposure from COPCs volatilizing from soil that poses a risk to public health and the environment given the intended use of the Site; and
- SRAO3 - Prevent the potential for vapor intrusion into indoor air, if needed.

The following section discusses the extent of affected Site soil to which these RAOs would apply.

3.3.3 *Extent of Affected Soil*

The extent of affected soil was determined by comparing the soil concentrations to the unrestricted SCOs and restricted commercial SCOs. This comparison was presented in Tables 3-4, 3-5 and 3-6. In addition, the aerial extent of xylene, TCE, and 1,1,1-TCA in Site soil is shown in Figures 3-2 to 3-4. These figures indicate exceedances of the unrestricted and restricted commercial SCOs. As shown in these figures, exceedances of the restricted commercial SCOs are limited.

In addition to comparison to the unrestricted SCO's and restricted commercial SCO's, an assessment of grossly-affected soil was also conducted. This was accomplished through evaluation of the analytical results, geology logs, field observations, and field screening results. This information was then input into the EVS software program to illustrate the 3-D distribution of grossly affected Site soil. An EVS depiction of this information is provided in Appendix C. The estimated distribution of grossly-affected soil in the Former Varnish UST Area and the Varnish Pit Area is presented in Figure 3-5. The extent of grossly-affected soil was initially used to assess remedial needs at the Site.

3.3.4 *Ground Water*

Residual DNAPL is present in the vicinity of the Varnish Pit Area in both shallow and intermediate monitoring wells. LNAPL is present in the vicinity of MW-23. Ground water in the vicinity of DNAPL and LNAPL has been affected by VOCs. Dissolved-phase VOCs were detected in shallow and intermediate overburden ground water at concentrations above ambient ground water quality standards and guidance values. VOCs were not detected in deep overburden ground water at concentrations in excess of ambient ground water standards.

The distribution of VOCs in Site ground water indicates the primary source areas were the Varnish Pit Area and the Former Varnish UST Area. The NYSDEC-approved Soil Excavation IRM completed for the FDSA/Soil Boring GB-10 Area removed much of the contaminant mass in these areas. Removal of one of the identified source areas will expedite remediation of shallow ground water to concentrations consistent with the contemplated use of the Site (restricted commercial). Based on observed concentrations, the majority of contaminant mass in ground water at the Site is present in shallow overburden ground water.

SVOCs were not detected in Site ground water at concentrations in excess of the class GA standards during the DGI. SVOC were not included in the ground water sampling protocol outlined in the NYSDEC approved IRM Work Plan (ERM, 2004a). Therefore, SVOCs are not considered ground water COPCs and are not evaluated in this document for remedial action.

3.3.4.1 *VOCs*

Table 3-7 presents a summary of VOCs detected in Site ground water during the five quarterly sampling events between January 2006 and January 2007 as comparison to the Class GA ground water standards. As shown in this table, a total of 20 VOCs have been detected at concentrations in excess of their class GA ground water standards during

the referenced sampling events; including the following:

- Benzene
- 2-butanone
- Chloroethane
- Chloroform
- 1,1- DCA;
- 1,2- DCA
- 1,1- DCE;
- cis-1,2-DCE;
- trans-1,2-DCE;
- ethylbenzene;
- methylene chloride;
- 4-Methyl-2-pentanone;
- 1,1,1- TCA;
- 1,1,2- TCA
- PCE
- toluene
- 1,2,4- Trimethylbenzene (TMB);
- TCE;
- vinyl chloride, and
- xylenes.

Field and laboratory analytical data relevant to the evaluation of natural attenuation processes in Site ground water was collected during the DGI and was also collected during quarterly ground water sampling events that were initiated in January 2006, following the completion of the soil excavation IRM of the FDSA/ Soil Boring GB-10. The data show evidence of natural attenuation of the chlorinated VOCs through reductive dechlorination. Chlorinated ethenes and ethanes such as TCE and 1, 1, 1-TCA attenuate through a number of mechanisms including adsorption, dispersion, volatilization and degradation. Mass loss of TCE and 1, 1, 1-TCA occurs through both biological and abiotic degradation pathways. For TCE and 1, 1, 1-TCA, biological degradation through reductive dechlorination is often the major degradation pathway. In reductive dechlorination, chlorine atoms are sequentially removed from chlorinated compounds with the production of lesser chlorinated daughter products:

TCE → cis-DCE → vinyl chloride → ethene

1, 1, 1-TCA → 1, 1-DCA → chloroethane → ethane

In addition to reductive dechlorination, the chlorinated daughter products (e.g., cis-DCE and 1,1-DCA) also biodegrade through other anaerobic and aerobic pathways, such as reductive oxidation and aerobic cometabolism. Vinyl chloride and chloroethane also biologically degrade aerobically.

Abiotic degradation pathways are also important attenuation mechanisms. 1,1,1-TCA degrades abiotically to acetic acid and 1,1-DCE, and chloroethane hydrolyzes to non-chlorinated products. Metal-catalyzed reductive degradation pathways may also be important for TCE, 1,1-DCE and other chlorinated compounds.

Cis-1,2-DCE and 1,1-DCA, which are the initial chlorinated daughter products of the reductive dechlorination of TCE and 1,1,1-TCA, respectively, are present in significant concentrations in Site ground water. 1,1-DCE and vinyl chloride are also present in Site ground water. The daughter products of the reductive dechlorination of TCE and 1,1,1-TCA have generally shown slight fluctuations through the first 6 rounds of quarterly sampling. There have been significant decreases in the concentrations of 1,1,1-TCA and TCE in MW-18 which can not be solely accredited to natural attenuation.

The ratios of chlorinated ethene biological daughter products to parent compounds have been consistently greater than a ratio of 1 or slightly below a ratio of 1 in MW-18, MW-12, MW-25 and MW-24. The ratios of chlorinated ethanes biological daughter products to parent compounds have consistently been greater than or equal to a ratio of 1 at the Site. Such ratios provide evidence that reductive dechlorination is slowly occurring in Site ground water.

Geochemical data indicate reducing conditions conducive to reductive dechlorination are generally present in ground water in both the shallow and intermediate zones. Oxidation reduction potential (ORP) measurements indicate that the conditions in both the shallow and intermediate ground water in the vicinity of the Varnish Pit are anaerobic and conducive to reductive dechlorination. In 6 rounds of quarterly sampling the ORP of ground water ranged between -130 and 212 mV in the shallow zone and -101 and -206 mV in the intermediate zone. Dissolved oxygen (DO) concentrations are higher than would be expected based on the ORP values and ranged between 0.00 and 6.38 mg/L during 6 rounds of quarterly sampling event. DO concentration may be higher than expected do to in-situ measurements and purging techniques employed during sampling. The other major electron acceptor, sulfate, continues to range from approximately 82 and 1960 mg/L in the shallow zone and 120 and 731 mg/L in the intermediate zone. Low concentration of ferrous iron, the product of the use of ferric iron as an electron acceptor, were detected in shallow ground water zone with concentrations ranging from 0.0 to 1.8 mg/l.

Data from the recent ground water sampling event shows evidence of continued natural attenuation of the chlorinated VOCs through reductive dechlorination. The relative stability of the reductive daughter products in

the shallow hydrogeologic unit suggests that the reductive dechlorination is slow. The trend of the reductive daughter products is similar in the intermediate hydrogeologic unit. Table 3-8 compares DGI MNA ground water data with the first round of quarterly MNA ground water data. The MNA evaluation in the DGI report also utilized the Wiedemeier et al. (1996), scoring criteria which awarded awards points based on the concentration of each analyte in the most-affected ground water at the Site. The points are added to determine a total score. Table 3-9 presents a summary of the parameters used, calculated mean background concentrations for the parameters, the calculated mean concentrations in ground water, specific evaluation criteria from Wiedemeier et al. (1996), and the number of points awarded. MNA evaluations documented in the DGI Report and recent Quarterly Ground Water Sampling Event Reports suggests that natural attenuation processes may be capable of completing remediation of shallow and intermediate ground water once source areas have been addressed.

3.3.4.2 *Qualitative Exposure Assessment*

Ground water at or near the Site is not currently used for drinking water or any other potable purposes based on the results of the well search. Therefore, ingestion of ground water and direct contact with ground water do not represent complete exposure pathways for Site workers or visitors. Affected ground water has not migrated off site.

Chemicals of potential concern in ground water based on detected concentrations in excess of the class GA ground water standards during the last two sampling events, October 2006 and January 2007, include 10 VOCs. Specific VOCs include:

- chloroethane
- chloroform
- 1,1- DCA;
- 1,1- DCE;
- cis-1,2-DCE;
- trans-1,2-DCE;
- methylene chloride;
- 1,1,1- TCA;
- TCE; and
- vinyl chloride.

The presence of these VOCs in on-site ground water may result in a complete exposure pathway if volatilization of a significant mass, escape from the subsurface, and subsequent inhalation by Site workers and visitors occurs.

3.3.5 *Remedial Action Objectives for Ground Water*

Based on the evaluation discussed above and the draft NYSDEC guidance regarding development of RAOs in DER-10 (NYSDEC, 2002), the RAOs for on-Site ground water are:

GWRAO1 - Prevent exposure to affected ground water that poses a risk to public health and the environment given the intended use of the Site;

GWRAO2 - Prevent or minimize further migration of the contaminant plume (plume containment); and

GWRAO3 - Prevent or minimize further migration of contaminants from source materials to ground water (source control).

3.3.6 *Extent of Affected Ground Water*

As discussed above, Site ground water exceeds Class GA standards for a number of VOCs. A depiction of Class GA exceedances for 1,1,1-TCA and TCE using the April and July 2006 sampling results is provided in Tables 3-6 to 3-9. In addition, an EVS depiction of this information is provided in Appendix C.

This section screens a variety of remedial technologies that may be employed individually or in combination to achieve the RAOs for Site media of interest. Remedial technologies that pass the evaluation process are organized into remedial alternatives. The remedial action alternatives for the Site are then presented and evaluated in detail in Section 5.0.

The remedial technologies considered for media of interest are general engineering approaches that would rely on ex-situ, in-situ or institutional/containment types of response actions that could meet one or more of the RAOs. The considered technologies were identified through a review of NYSDEC information, USEPA guidelines, relevant literature, off-Site conditions, and experience in developing feasibility studies and remedial action plans for similar types of environmental conditions.

The identified technologies underwent a screening against the following criteria: the ability to meet the RAOs, effectiveness, and implementability. Table 4-1 provides an evaluation of the potential remedial technologies screened for the Site. They are:

Type	Technology/Control
Institutional Controls	Access and Use Restrictions
Containment	Sub-Slab Depressurization (SSD)
In-Situ Treatment	In-Situ Thermal Treatment
Ex-Situ Treatment	Excavation and Off-Site Disposal
Natural Recovery	Monitored Natural Attenuation (MNA) of Off-Site Ground Water
Others	Ground Water Monitoring

Effectiveness considers how a technology would impact the Site in the short-term during its use and its ability to meet the RAOs in the long-term. Protection of human health and environment considers potential positive and adverse impacts that may result from the use of a particular technology. This evaluation incorporates elements of the NYSDEC guidance documents NYSDEC TAGM-4030 (NYSDEC, 1990) and the draft DER-10 (NYSDEC, 1990; NYSDEC, 2002) and the Guidance for Conducting Remedial Investigations and Feasibility Studies under CERCLA (USEPA, 1988).

The evaluation of implementability focused on institutional aspects associated with use of the remedial technology, along with constructability and O&M requirements. These subcategories are

consistent with the approach for remedial alternative evaluation in TAGM-4030. Institutional aspects involve permits or access approvals for on-site use, off-site work, and off-site treatment, storage and disposal services. Constructability, or technical feasibility, refers to the ability to construct, reliably operate and meet technical specifications or criteria, and the availability of specific equipment and technical specialty personnel to operate necessary process units.

The evaluation of effectiveness, implementability and ability to meet the RAOs further reduced the list of remedial technologies. Those exhibiting more favorable characteristics in the evaluated areas were carried forward. As shown in Table 4-1, all of the proposed remedial technologies for Site media of interest are carried forward for development of the remedial alternatives section.

IDENTIFICATION AND EVALUATION OF REMEDIAL ACTION TECHNOLOGIES AND PRELIMINARY REMEDIAL ACTION ALTERNATIVES

Using the seven criteria listed below, the remedial alternatives retained after the screening in Table 5-1 are fully described and evaluated in accordance with the NYSDEC Draft DER-10. The evaluative criteria are:

- overall protection of human health and the environment;
- compliance with SCGs;
- long-term effectiveness and permanence;
- reduction of toxicity, mobility or volume;
- short-term effectiveness;
- implementability; and
- cost.

The first two criteria, overall protection of human health and the environment and compliance with SCGs, are considered threshold criteria. Consequently, there is an expectation that each selected remedial action alternative would achieve these two criteria.

The next five evaluation criteria are referred to as balancing criteria. They offer a basis to compare the remedial action alternatives as part of the decision-making process that results in a recommended remedial action alternative.

Descriptions of the Common Actions and remedial action alternatives are provided in Sections 5.1 through 5.4. An evaluation of each of the above criterion for the Common Actions and the remedial action alternatives is provided with the remedial action alternative descriptions.

The associated costs for the alternatives are conceptual design cost estimates. Changes in the quantities of the media requiring remediation (e.g., extent of soil and ground water affected areas), detailed engineering, as well as other factors not foreseen at the time this report was prepared, could increase costs by as much as 50 percent or decrease costs by as much as 30 percent, as defined in Section 5.2.3.7 of Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA (USEPA, 1988). An inflation rate of two percent (2%) was used to determine future costs and an interest rate of seven percent (7%) was used to compute the present worth of all future costs. The inflation rate is consistent with the US Department of Labor Consumer Price Index (CPI) change between 2002 and 2003 (USDOL, 2003). The assumed interest rate, which corresponds to the current interest rate for a 30-year treasury bond, was selected to “produce an amount at which the environmental liability theoretically could be settled in an arm's length transaction with a third

party, or if such a rate is not readily determinable, the discount should not exceed the interest rate on “risk-free” monetary assets with maturities comparable to the environmental liability” in accordance with the US Securities and Exchange Commission (SEC) Staff Accounting Bulletin (SAB) No. 92 (SEC, 1993). SAB No. 92 provides generally accepted accounting principles for estimating and reporting environmental liability.

The alternatives undergoing detailed evaluation are:

- | | |
|----------------|---|
| Alternative 1: | No Action |
| Alternative 2: | Excavation and Off-Site Disposal of Soil with Monitored Natural Attenuation (MNA) of Ground Water |
| Alternative 3: | In-Situ Thermal Treatment of Soil with MNA of Ground Water |

5.1 COMMON ACTIONS

As discussed above, remedial action alternatives would be developed for Site soil and ground water. Common Actions have been developed that address one or more of these two media. Each of the remedial action alternatives evaluated in Sections 5.2 through 5.4, with the exception of No Action alternatives incorporates Common Actions. These Common Actions are designed to provide at least the minimum required protection of human health and the environment. However, most of the Common Actions discussed below include removal of COPCs from the Site, thus providing protection of human health and the environment. The Common Actions are:

- | | |
|-------------------|---|
| Common Action C1: | Indoor Air Sampling and Sub-Slab Depressurization |
| Common Action C2: | Excavation and Off-Site Disposal of the GB-10/FDSA Soil (i.e., the Soil Excavation IRM) |
| Common Action C3: | Low Vacuum Enhancement of DNAPL Recovery Operations |

5.1.1 *Common Action No. 1: Indoor Air Sampling and Sub-Slab Depressurization*

Air sampling was conducted to evaluate the potential for indoor and off-site soil vapor impacts. This entailed collection and analysis of the following samples for VOCs:

- sub-slab soil gas samples;
- indoor air samples;

- soil gas samples at the property boundary; and
- outdoor ambient air samples.

The details of the air sampling program were provided in the Vapor Intrusion Evaluation Report (ERM, 2008b).

Soil and ground water beneath and in the vicinity of the Site's building are both potential sources of VOCs in soil gas beneath this building. Although some of the remedial alternatives considered would address these potential soil gas source areas, mitigation of the soil gas, which has already accumulated beneath the Site building, will be included as a Common Action. Thus, the sub-slab depressurization system (SSD) described here is for a permanent remedy.

The vacuum extraction component of the DPE IRM system is currently in operation at the Site (see Section 1.5.1 and 5.1.3). This system will serve to provide temporary SSD prior to construction of a more permanent SSD system (Section 5.4.1.3).

The SSD system will consist of vertical and/or horizontal suction points installed through the floor slab. The suction points will be piped to externally-mounted vacuum blower(s) that will draw soil gas from beneath the building to an exhaust point(s) above the roof of the building. Minor cracks in the floor slab will also be sealed.

Data obtained from the DNAPL Pilot Test will be used to determine the optimum spacing of suction points, and the necessary vacuum blower size and quantity. For cost estimating purposes, it is assumed that a forty-foot spacing of suction points with an applied vacuum of four inches water column (w.c.) will generate a minimum vacuum of 0.004 inches w.c. across the entire building footprint. The anticipated in-line blower(s) should generate 10 cubic feet per minute (cfm) at four inches w.c. vacuum. It is anticipated that two vacuum blowers and six to ten suction points will be needed.

To create the suction points, a 3- to 8-inch hole will be cored through the floor slab, and a small void will be created by removing soil within the vicinity of the cored hole. A 2- to 6-inch Schedule 40 PVC pipe will be inserted into the hole, and the space between the pipe and the floor will be sealed. In addition, horizontal piping that has already been constructed and is in-place at the Site can be incorporated into the design.

The pipes will be run as inconspicuously as possible along floors, and ceilings, and will manifold together upstream of the inline vacuum blower(s). Appropriately sized vacuum equipment will be located inside the treatment building to reduce the potential for vapors to be released

into the Greif facility. The vacuum blower(s) exhaust will be delivered through an appropriately designed VOC off-gas treatment system if required as will be determined during an initial pilot test phase. When the installation is complete, a pressure field extension test will be performed. This test is similar to a communication test in that several holes will be drilled through the floor slab when the system is operating and the vacuum response will be measured. The goal is to confirm that a minimum 0.004 inches w.c. vacuum extends across the building footprint. Please note that the existing horizontal piping system has been pressure tested to 20 psi and was approved by the Region 9 NYSDEC Site Project manager.

Following installation, an Operations, Maintenance, and Monitoring (OM&M) Plan will be prepared for the SSD system, and the property owner will be instructed in the operation of the system. The SSD system will be visited monthly to collect field VOC measurements from the SSD outlet and ensure the proper operation of the SSD system. Vapor samples would also be collected on a semi-annual basis from the VOC off-gas treatment system (if required) and analyzed for a previously NYSDEC approved list of Site-specific VOC analyses. Samples would be collected from sample collection points on the VOC off-gas treatment system. Operation of the SSD system is estimated to be 10-12 years, which may be shortened or lengthened based on remedial action results and monitoring. For cost estimation purposes, it has been assumed that the SSD system would be operating 10 years following installation.

5.1.2 *Common Action No. 2: Excavation and Off Site Disposal of the GB-10/FDSA Soil*

As discussed in Section 1.5.3, pursuant to the VCA between Sonoco and the NYSDEC, a Soil Excavation IRM was performed on behalf of Sonoco at the FDSA and in and around Soil Boring GB-10 (See Figure 3-1). VOC-affected soils were excavated in substantial conformance with the IRM Work Plan approved by the NYSDEC in 2004. The applicable remedial standard for this soil excavation IRM at that time was removal of grossly-affected soil as evaluated in the field using the field screening approach outlined in the NYSDEC-approved IRM Work Plan (ERM, 2004a). The Soil Excavation IRM was successful in removing grossly affected soil to the satisfaction of on-Site NYSDEC representatives (Appendix B).

5.1.3 *Common Action No. 3: Low Vacuum Enhancement of DNAPL Recovery Operations*

As discussed in Section 1.5.1, a DNAPL Recovery IRM was performed beneath the Site building in the vicinity of the varnish pit. The purpose of this IRM was to recover DNAPL in the Varnish Pit Area, deplete the

source of LNAPL observed in the vicinity of MW-23, and control soil vapors beneath the sub-slab. Approximately 1481.4 gallons of DNAPL were recovered from the subsurface by pumping and vapor condensation portions of the DNAPL recovery system. The DPE system was converted to single-phase extraction of soil vapor on 13 May 2008. Soil vapor is still being extracted to provide temporary SSD in the vicinity of the varnish pit.

This Common Action entails continued O&M of soil vapor extraction equipment as described in Section 1.5.2.2. It is anticipated that this system will be operated until the more permanent SSD system is operational.

5.2 *ALTERNATIVE 1: NO ACTION*

5.2.1 *Description*

Section 300.430(e)(6) of the NCP recommends describing and evaluating a No Action Alternative as a measure of identifying the potential risks posed by a site if no remedial action were implemented. Pursuant to 6 NYCRR Part 375-1.10(c), a remedial program for a site listed on the Registry must not be inconsistent with the NCP. Accordingly, a No Action Alternative (Alternative 1) has been developed to fulfill the NCP requirement and is evaluated in this section.

Under this Alternative, no remedial actions would be implemented at the Site or within the Site. This alternative assumes that the IRMs were not conducted.

5.2.2 *Evaluation*

5.2.2.1 *Protection of Human Health and Environment*

Since this alternative would not include any remedial measures, this option would not be protective of human health and the environment.

5.2.2.2 *Compliance with SCGs*

A summary of the applicable SCGs is presented in Table 5-1. Since no remedial actions would be conducted under this alternative, none of the location-specific and a limited number of the action-specific SCGs are applicable to this alternative. The alternative would not comply with the applicable action- or chemical-specific SCGs.

Specifically, since it does not include DNAPL removal activity, it would not comply with the following DER-10 remedial goal for the Site “where an identifiable source of contamination exists at a site (i.e., DNAPL and

LNAPL), it should be removed or eliminated to the extent feasible, regardless of the presumed risk or intended use of the site.”

5.2.2.3 *Long-Term Effectiveness and Permanence*

Since this alternative does not provide for confirmation that natural attenuation of ground water continues to occur and does not provide for the removal of the DNAPL, it would not provide long-term effectiveness or permanence.

5.2.2.4 *Reduction of Toxicity, Mobility or Volume*

Through the biodegradation of chlorinated solvents that is currently occurring in shallow and intermediate ground water, this alternative would result in a decrease in the toxicity, mobility and volume of these chemicals in ground water. However, this alternative provides no means to confirm that natural attenuation will continue to occur and hence there is an overall reduction in VOC concentrations at this site. Furthermore, without DNAPL removal, reduction of toxicity, mobility and volume of contaminants would be limited. Therefore, there would be no reduction of toxicity, mobility or volume for chemicals in Site affected soil, ground water and DNAPL.

5.2.2.5 *Short-Term Effectiveness*

There are no short-term effects associated with this alternative since there are no actions included with this alternative.

5.2.2.6 *Implementability*

As there are no specific actions related to this alternative, it would be readily implementable.

5.2.2.7 *Cost*

There are no actions taken under this alternative. As such, there are no costs associated with the implementation of Alternative 1.

5.3 *ALTERNATIVE 2: EXCAVATION AND OFF-SITE DISPOSAL OF SOIL WITH MONITORED NATURAL ATTENUATION*

As previously discussed, the Site impacts include grossly affected soil in the Former Varnish UST Area and grossly affected soil with localized DNAPL and LNAPL in the Varnish Pit Area. This remedial alternative would entail excavation and off-site disposal of grossly affected soil in the

Former Varnish UST Area, DNAPL recovery for the varnish pit area, SSD beneath Site building and MNA of affected Site ground water.

5.3.1 *Description*

Alternative 2 includes the following remedial tasks and would incorporate the following Common Actions associated with soil discussed in Section 5.1:

- Site Preparation and Mobilization
- Excavation of Grossly Affected Soil in the Former Varnish UST Area
- Ambient Air Monitoring
- Transportation and Off-Site Disposal of Excavated Soil
- Backfill and Site Restoration
- Preparation and Implementation of a Site Management Plan (SMP)
- Common Action No.1
- Common Action No. 2
- Common Action No. 3
- MNA of Ground Water
- Institutional Controls

It is estimated that the time required to complete the excavation scenarios of Alternative 2 would range from three to six months following NYSDEC approval of the Remedial Design for this Site. Ground water monitoring, access and use restrictions and annual OM&M activities would continue beyond the six month timeframe.

Descriptions of the common actions considered for this alternative (i.e., Common Actions C1, C2 and C3) were provided in Sections 5.1.1, 5.1.2 and 5.1.3 respectively. Evaluation of these common actions is included along with the other tasks of this alternative.

5.3.1.1 *Site Preparation and Mobilization*

Construction equipment would be mobilized to the Site. This equipment would be used to excavate affected materials in the Former Varnish UST area. Site preparation and mobilization would be conducted in the form of clearing/weeding, relocation of existing utilities and provision of temporary facilities and utilities, as needed; mobilization of equipment to the Site; set up of staging, stockpiling and dewatering areas (if needed); and set up of the decontamination area.

5.3.1.2 *Excavation of Grossly Affected Soil in the Former Varnish UST Area*

Due to the close proximity of load-bearing foundation walls in the proposed excavation areas, structural excavation controls would be

required to protect the structural integrity of the foundation walls. It is envisioned that structural integrity protection would be provided by a combination of the following methods:

- installation of steel sheeting along excavation walls that are adjacent to the building's foundation walls; and
- excavation of cutback slopes on sides of the excavation that are not adjacent to the building's foundation walls or other features where protection of structural integrity is a consideration.

An ERM geologist will direct excavation of affected soil based on field evaluations and input from NYSDEC field personnel. A structural engineer will be consulted as appropriate regarding excavation near structures. Excavated soil will be examined in the field by an ERM geologist for visual and/or olfactory evidence of contamination, screened using a calibrated flame ionization detector (FID) or Photoionization Detector with an 11.4 eV or higher lamp (PID), and checked for the presence of separate-phase or residual-phase product using the soil/water agitation method. Two staging areas would be set up for the temporary storage of excavated materials within the work area: one for affected soil presumed hazardous wastes and one for presumed "clean" excavated material. Temporary staging areas would be constructed with a double layer of 6-mil polyethylene sheeting, and bermed on each side. Excavated materials would be deemed affected or "clean" based on field evaluation and segregated accordingly. Affected soil would be direct loaded or staged for transport and disposal off-site at a permitted facility. "Clean" excavated soil will be temporarily staged for characterization. ERM will collect samples of excavated "clean" soil to evaluate whether or not the material can be used as backfill.

ERM proposes to collect six confirmation soil samples from the Former Varnish UST Excavation to evaluate the effectiveness of the remedial soil excavation. ERM proposes to collect confirmation soil samples from the walls at an approximate depth of 12 feet bgs. Excavation floor samples will be collected from the floor at an estimated depth of approximately 17 feet bgs. However, actual confirmation soil sample locations and depths will be biased towards the areas that appear to contain the highest concentration of VOCs and/or SVOCs based on field evaluations by an ERM geologist.

Samples will be handled in conformance with the NYSDEC-approved Site-specific Quality Assurance Project Plan (QAPP; ERM, 2000) using proper chain of custody procedures and transported to the project laboratory for analysis. The project laboratory will be a NYSDOH-approved environmental laboratory certified to perform analyses using

NYSDEC's Analytical Services Protocol (ASP). Confirmation soil samples will be analyzed for the Site-specific COPCs.

5.3.1.3 *Ambient Air Monitoring*

ERM would implement Community Air Monitoring during intrusive activity as outlined in the site-specific Community Air Monitoring Plan (CAMP) which is an appendix in the NYSDEC-approved IRM Work Plan (ERM, 2004a). The site-specific CAMP was developed in accordance with the NYSDOH Generic CAMP contained in Appendix 1A of the Draft DER-10 (NYSDEC, 2002). During intrusive activity, ERM will monitor concentration of particulates and VOCs in ambient air in the work zone and at the perimeter of the Site. Real-time VOC concentrations in ambient air would be measured using a calibrated PID or FID and particulate concentrations would be measured with a calibrated electronic aerosol monitor.

During excavation, dust and VOC control measures such as water or BioSolve®, a water based biosurfactant, will be applied to disturbed areas if perimeter action levels established in the CAMP are exceeded. The degree to which these measures would be used would depend on sustained particulate levels and VOC concentration in ambient air at the perimeter of the Site as determined through the implementation of the CAMP.

Preventative measures would be taken with staged soils to minimize migration of fugitive VOCs and particulate. Staged soil will be covered at the end of each work day and during moderate or heavy precipitation events. Staged soils would remain covered during intervals when there was no excavation of soils or loading of trucks for offsite transport and disposal.

The site-specific Health and Safety Plan (HASP) includes air monitoring for particulates and VOCs in the work and exclusion zones. This plan identifies the level of personal protective equipment (PPE) required for the work, action levels for the work and exclusion zones, and PPE upgrades and engineering controls that correspond to action level exceedances.

5.3.1.4 *Transportation and Off-Site Disposal*

Presumed hazardous soil would be live loaded or temporarily staged in a staging area to await loading into dump trailers for transport and disposal off Site at a NYSDEC-permitted facility. Ground water, surface water within the excavation areas and decontamination fluids will be pumped

into an on-Site storage container for subsequent transport offsite to a permitted facility.

Excavated soil deemed “clean” will be staged and sampled for characterization purposes. Soil that does not meet the criteria to be used as backfill (i.e., the excavated soil contain compounds of potential concern at concentrations above unrestricted use SCOs) or is not approved by the NYSDEC will be evaluated on a case-by-case basis. Soil will be classified as non-hazardous or hazardous and subsequent transport offsite to a permitted facility. Construction related materials such as overlying asphalt, gravel and concrete classified as construction and demolition (C&D) debris will be transported of Site

5.3.1.5 *Backfill and Site Restoration*

Following soil removal and confirmatory sampling, the excavated areas would be backfilled and restored to their present grade. The excavation areas would be backfilled with approved fill from off-Site sources. In accordance with Draft DER-10, the source of fill material would be approved by the NYSDEC DER in advance, and bills of lading would be available for NYSDEC review (NYSDEC, 2002). Excavated soil that has been segregated and characterized as “clean” will be reuse as backfill in the excavation, following NYSDEC approval.

The excavated area at the former Varnish UST Area will be restored (topsoil, seeding or asphalt) to its pre-existing condition.

5.3.1.6 *Preparation and Implementation of a SMP*

Soil exhibiting chemicals at concentrations in excess of the restricted commercial SCOs would remain in the Varnish Pit Area and a barrier (concrete floor) would be maintained to prevent direct contact between Site occupants and the residual chemicals and minimize the potential for vapor intrusion. In addition, a Soils Management Plan (SMP) would be prepared as part of the SMP and implemented to eliminate the potential for construction worker exposure to chemicals present in the Site soil remaining after the selected remedial action is implemented. The goals of the SMP would be to ensure that: (1) disturbance of any remaining Site soil be conducted in a manner that would protect construction workers; and (2) any disturbed soil would be properly managed.

This action would address a portion of the soil RAOs related to preventing direct contact with soil. This action would address direct contact with soil in Site areas that present soil exceedances including soils underneath the Long Truck Bay Area located in the Site building.

5.3.1.7 ***Common Action No.1: Sub-slab Depressurization (SSD) Beneath the Building.***

Common Action No. 1 details are presented in Section 5.1.1. and associated costs are presented in Table 5-2.

5.3.1.8 ***Common Action No.2: Excavation and Off Site Disposal of the GB-10/Former Drum Storage Area (i.e., previously conducted soil excavation IRM)***

Common Action No. 2 details are presented in Section 5.1.2

5.3.1.9 ***Common Action No.3: Low Vacuum Enhancement of DNAPL Recovery Operations***

Common Action No. 3 details are presented in Section 5.1.3

5.3.1.10 ***Monitored Natural Attenuation of Ground Water***

Once VOC mass has been removed by from the Former Varnish UST Area via excavation and Varnish Pit Area (occurred during the DNAPL Recovery IRM), natural attenuation processes will continue to reduce mass and achieve the closure goals. Under this remedial action, the currently on-going NYSDEC-approved quarterly ground water monitoring plan would continue to be implemented in the Site to evaluate the effectiveness of the remedial actions and of natural attenuation. Samples will be analyzed for Site-specific VOCs and selected natural attenuation parameters semiannually during the first two years and every fifth quarter thereafter as required (for cost estimation purposes the ground water monitoring will be conducted for 8 years). The results of each ground water sampling event will be presented to the NYSDEC in a report. The quarterly ground water monitoring report will also evaluate the effectiveness of the remedial actions and natural attenuation processes on ground water quality.

5.3.1.11 ***Institutional Controls***

Under this alternative, Part 5 of the New York State Department of Health State Sanitary Code, which prevents installation of a private potable water supply well in areas that are served by a public water supply system, would continue to be enforced. This would prevent potable water consumption of affected Site ground water.

Institutional controls would be implemented to address the NYSDEC's requirement to issue a notice regarding chemicals present in Site soil

above the Track 1 SCOs. This would include soil remaining throughout the Site exhibiting concentrations in excess of the Track 1 SCOs. The institutional controls would include the provision that a SMP be implemented. The SMP will include an O&M of any SSDs, ground water monitoring, maintenance of any engineering controls, and annual certification that the institutional controls are in place and are effective. The SMP would specify the manner in which intrusive work can be done.

5.3.2 *Evaluation*

5.3.2.1 *Protection of Human Health and Environment*

This alternative would provide adequate protection of human health and the environment for the soil and ground water. The surface covers would prevent direct contact with soil at the Varnish Pit Area and the DNAPL Recovery IRM and SSD systems would address the potential inhalation risks posed by soil in this area. The excavation in the Former Varnish UST area will address direct contact and possible inhalation risks as grossly contaminated soils will be excavated in that area. With the removal of source areas through the removal of grossly contaminated soil and DNAPL removal, the source of ground water contamination would be removed and natural attenuation could proceed. Furthermore, because there are no ground water supply wells at the Site and inhalation risks posed by ground water are being addressed through SSD systems, this alternative would provide adequate protection of human health and environment for ground water.

5.3.2.2 *Compliance with SCGs*

A summary of the applicable SCGs for the soil and ground water is presented in Table 5-1. As shown in this table, this alternative would address the chemical-specific and action specific SCGs through soil covers, sub-slab depressurization systems, DPE recovery system, access and use restrictions and natural attenuation monitoring.

Specifically, since it includes IRM to remove DNAPL, it would comply with DER-10 remedial goal for the Site: "Where an identifiable source of contamination exists at a site (DNAPL and grossly contaminated soil), it should be removed or eliminated to the extent feasible, regardless of the presumed risk or intended use of the site".

5.3.2.3 *Long-Term Effectiveness and Permanence*

This alternative would be effective in the long term, and its continued effectiveness would be mandated through institutional controls and

monitoring. This alternative provides for the maintenance of the existing covers, confirmation that the degradation of chlorinated VOCs continues to occur, and O&M of the SSD system.

5.3.2.4 *Reduction of Toxicity, Mobility or Volume*

Through natural attenuation, this alternative would result in a decrease in the toxicity, mobility and volume of the net chemicals in shallow ground water. This reduction would be confirmed via ground water monitoring. However, natural attenuation could result in short-term increase in toxicity due to the potential for generation of vinyl chloride. Additionally, the mass of individual VOCs could increase temporarily as natural attenuation progresses. Reduction in toxicity, mobility and volume of chemicals in the Site soil at the Former Varnish UST would occur through excavation and through the SSD and DPE system at the Varnish Pit Area.

5.3.2.5 *Short-Term Effectiveness*

Grossly affected soils at the Former Varnish UST area will be removed upon implementation of the soil excavation. Implementation of the DPE IRM is currently reducing DNAPL size in the Varnish Pit Area.

This alternative would require the largest degree of earthwork, particularly with respect to excavation and restoration. Consequently, it presents the greatest potential for short-term impacts to the community from construction activities and off-Site transport. Similarly, this alternative presents the greatest degree of potential impact to remedial contractors and would require ongoing protection during earthwork activities. Furthermore, since excavation stability poses significant safety concerns, structural excavation controls will be required to protect the structural integrity of the foundation walls and to address safety concerns.

The potential for a temporary increase of risk to the community and workers due to particulate emissions (dust) during soil excavation would be controlled, if needed, by the use of dust control measures, such as water or BioSolve®, a water based biosurfactant. The degree to which these measures would be used would depend upon particulate and VOC levels in ambient air as determined site-specific CAMP. Workers would also be protected by respirators (if needed) and protective clothing.

Potential short-term risks to the community would be posed by this alternative from transportation of excavated soil to off-Site landfill disposal facilities. Potential exposure of spilled material to the community and the environment along the transportation route, as well as

truck related injuries and increased emissions from trucks would be potential concerns. Because approximately 100 to 130 truckloads would be required to transport excavated soil waste to an off-Site landfill disposal facility; there are significant potential short-term risks associated with the transportation of excavated materials from the Site to an off-Site landfill.

5.3.2.6 *Implementability*

The main components of this alternative (excavation and SSD installation) could be completed within six months of NYSDEC approval of the RD for this project. A similar excavation effort at the Former Drum Storage/GB-10 Area (ERM, 2005) was successfully implemented the Site. Common Action C3 is currently being implemented and Common Action C2 has been implemented as an IRM (ERM, 2006). Ground water monitoring, access and use restrictions, MNA monitoring and limited annual OM&M activities would continue beyond this time frame. All activities associated with this alternative are readily implementable.

5.3.2.7 *Cost*

Costs associated with Alternative 2 are presented in Table 5-3.

5.4 *ALTERNATIVE 3: IN-SITU THERMAL TREATMENT OF SOIL WITH MONITORED NATURAL ATTENUATION*

As previously discussed, the Site impacts include grossly-affected soil in the Former Varnish UST Area and grossly-affected soil with localized DNAPL and LNAPL in the Varnish Pit Area. This remedial alternative would entail In-Situ Thermal Treatment (ISTT) of the affected soil in the Former Varnish UST Area, DNAPL recovery for the varnish pit area, SSD beneath Site building and MNA of affected Site ground water.

5.4.1 *Description*

Alternative 3 includes the following remedial tasks and would incorporate the following Common Actions associated with soil discussed in Section 5.1:

- ISTT of Former Varnish UST Area soil
- Preparation and Implementation of a Site Management Plan (SMP)
- Common Action No.1
- Common Acton No. 2
- Common Action No. 3
- MNA of Ground Water
- Institutional Controls

It is estimated that the time required to complete the in situ heating scenario of Alternative 3 would range from four to six months following NYSDEC approval of the Remedial Design for this Site. Ground water monitoring, access and use restrictions and annual OM&M activities would continue beyond the six-month time frame.

Descriptions of the common actions considered for this alternative (i.e., Common Actions C1, C2, and C3) were provided in Sections 5.1.1, 5.1.2 and 5.1.3 respectively. Evaluation of these common actions is included along with the other tasks of this alternative.

5.4.1.1 *In-Situ Thermal Treatment*

ISTT combined with SVE will be implemented to treat the xylene-affected soil present at a concentration above 500 mg/kg. Remediation will occur by increasing the subsurface temperature such that the xylenes will volatilize in situ and then be captured by the SVE system. The heat generated will improve contaminant flow characteristics and facilitate subsequent separation and removal of the contaminants from the soils. The mixture of xylenes and water will be mobilized to the vapor phase, migrated toward the unsaturated zone, and be captured and treated by an SVE system. The remediation goal will be considered to be achieved once xylene concentrations in soil are less than 500 mg/kg.

The subsurface temperature will be increased to the boiling point of a xylene/water mixture, which is estimated to be around 80 degrees Celsius (°C). When a VOC is immersed in water or in contact with moist soil, the combined boiling point is in fact depressed per Dalton's Law of Partial Pressures (the boiling point of xylenes is approximately 120°C to 140°C).

Other contaminants, although not drivers for the remediation, may also decrease in concentration due to the heating. Some compounds (i.e., 1,1,1-trichloroethane) will be degraded in place by natural in situ processes that may include biodegradation and hydrolysis. Other compounds (i.e., benzene) will also be volatilized and captured by the SVE system.

It is anticipated that heating would be applied across soil in the Former Varnish UST Area to an estimated average depth of 20 feet bgs to produce a "hot plate" effect that would result in the vertical migration of steam upwards through the formation. This represents an aggressive source treatment designed to produce thorough recovery of VOCs in soil and ground water for treatment in the aboveground treatment processes.

Conceptually, an estimated four antennas spaced approximately 25 feet apart to define one or more cells across the area to be remediated (i.e., the area with soil xylene concentrations greater than 500 mg/kg). An SVE

system including piping, a vacuum extractor, a moisture separator, a condensate holding tank, and GAC or other off-gas treatment unit, would be located in the on-Site treatment building. Operation of the ISTT system would continue until soil sampling and analysis demonstrate that the soil cleanup objective for xylenes has been met. It is assumed that approximately four to six months of active heating will be required. Details regarding implementation of ISTT at the Site including a detailed remedial process description, RFH system equipment, system antenna layout, RFH system well applicators design, and other design considerations will be presented to the NYSDEC for review in the Site-specific Remedial Action Work Plan.

5.4.1.2 *Preparation and Implementation of a SMP*

Soil exhibiting chemicals at concentrations in excess of the restricted commercial SCOs would remain in the Varnish Pit Area and a barrier (concrete floor) would be maintained to prevent direct contact between Site occupants and the residual chemicals. In addition, a Soil Management Plan (SMP) would be prepared as part of the SMP and implemented to eliminate the potential for construction worker exposure to chemicals present in the Site soil remaining after the selected remedial action is implemented. The goals of the SMP would be to ensure that: (1) disturbance of any remaining Site soil be conducted in a manner that would protect construction workers; and (2) any disturbed soil would be properly managed.

This action would address a portion of the soil RAOs related to preventing direct contact with soil. This action would address direct contact with soil in Site areas that present soil exceedances including soils underneath the Long Truck Bay Area located in the Site building.

5.4.1.3 *Common Action No.1: Sub-slab Depressurization*

Additional detail regarding Common Action No. 1 is presented in Section 5.1.1.

5.4.1.4 *Common Action No.2: Previous IRMs*

Additional detail regarding Common Action No. 2 is presented in Section 5.1.2.

5.4.1.5 *Common Action No.3: DPE System*

Additional discussion regarding Common Action No. 3 details is presented in Section 5.1.3.

5.4.1.6 *Monitored Natural Attenuation of Ground Water*

Once VOC mass has been reduced from the Former Varnish UST Area and the Varnish Pit Area, natural attenuation processes will continue to reduce mass and achieve the closure goals. Under this remedial action, ground water monitoring will be implemented to evaluate the effectiveness of the remedial actions and natural attenuation. Samples will be analyzed for Site-specific VOCs and select natural attenuation parameters semiannually during the first two years after NYSDEC approval of this FFS Report and every five quarters thereafter.

Results for each sampling event will be submitted to the NYSDEC in Monthly Progress Reports. Ground water monitoring data will be used to evaluate the effectiveness of the remedial actions and natural attenuation processes on ground water quality.

5.4.1.7 *Institutional Controls*

Under this alternative, Part 5 of the New York State Department of Health State Sanitary Code, which prevents installation of a private potable water supply well in areas that are served by a public water supply system, would continue to be enforced. This would prevent potable water consumption of affected Site ground water.

Institutional controls consisting of a deed restriction will be implemented to address the NYSDEC's requirement to issue a notice regarding chemicals present in Site soil above the Track 1 SCOs. The institutional controls would also include the provision that a SMP be implemented. The SMP will include an O&M of the SSD, ground water monitoring, maintenance of any engineering controls, and annual certification by a New York-licensed Professional Engineer that the institutional controls are in place and are effective. The SMP would specify the manner in which intrusive work can be performed in areas covered by the institutional controls.

5.4.2 *Evaluation*

5.4.2.1 *Overall Protection of Human Health and the Environment*

This alternative would provide adequate protection of human health and the environment for the soil, and ground water. The surface covers (concrete floor) would prevent direct contact with soil at the Varnish Pit Area and the SSD systems would address the potential inhalation risks posed by soil in this area. In Situ Thermal Treatment is expected to achieve protection of human health and the environment through the

aggressive volatilization and boiling of the affected soils and ground water media at AOCs where this technology will be applied (Former Varnish UST Area). With the removal of source areas through the removal or treatment of affected soil and DNAPL removal, the source of ground water contamination would be removed and natural attenuation could proceed. Furthermore, because there are no ground water supply wells at the Site and inhalation risks posed by ground water are being addressed through SSD systems, this alternative would provide adequate protection of human health and environment.

5.4.2.2 *Compliance with SCGs*

A summary of the applicable SCGs for the ground water and soil vapor is presented in Table 5-1. As shown in this table, this alternative would address the chemical-specific and action specific SCGs through SSD, in-situ thermal treatment and natural attenuation monitoring.

Specifically, since it included an IRM to remove DNAPL at the Varnish Pit Area and in-situ thermal treatment at the Former Varnish UST Area, it would comply with the DER-10 remedial goal for the Site of “eliminating source areas regardless of the intended use”, these source areas are the Varnish Pit Area and the VOC-affected soil at the Former Varnish UST Area.

5.4.2.3 *Long-Term Effectiveness and Permanence*

The application of this alternative should have a significant and permanent effect on the mass and concentration of VOCs at the Site.

In-situ thermal treatments such as Electro-Resistive Heating (ERH) have been successfully employed at several locations since 1995, including a 25-day demonstration for DOE’s Savannah River site. PCE concentrations at this site were reduced in a 10-foot clay layer by up to 99%. ERH has also been deployed at Dover AFB in Delaware, Fort Richardson in Alaska, and at a former manufacturing plant in Skokie, Illinois. Results from the Fort Richardson site were positive, with approximately 90 percent removal of PCE and TCE over a 6-week period. ERH has also been deployed at the Interagency DNAPL Consortium Launch Complex 34 Demonstration site at Cape Canaveral, Florida. Static resistivity testing was conducted in two Site samples in July 2006 (see Appendix D), results from this analysis suggest that in-situ thermal technologies can achieve high VOC mass removal percentages.

In addition to the vacuum-enhanced DNAPL recovery system that operated at the Varnish Pit Area and application of the thermal treatment at the Former Varnish UST Area, long term effectiveness would also be

mandated through institutional controls and monitoring. This alternative provides for the maintenance of the existing covers, confirmation that the degradation of chlorinated VOCs continues to occur, and O&M of the SSD system.

5.4.2.4 *Reduction in Toxicity, Mobility, or Volume*

Alternative 3 will reduce the toxicity, mobility and volume of contamination through the mass removal of contaminants.

The DNAPL Recovery IRM reduced the DNAPL pool size in the Varnish Pit Area and ISTT is expected to achieve significant destruction of VOCs through volatilization and abiotic reduction of the affected soils and ground water media at the Former Varnish UST Area.

A potential concern with the application of heating is the potential for increased mobility of the contamination in the event of a power failure or equipment downtime. A condensate front is created along the propagating steam front created from the electro-thermal heating. A highly concentrated dissolved phase of PCE and TCE in the ground water can collect at this interface. A loss of heat in the formation can result in the condensate front collapsing and settling vertically back into the deeper soil matrix. The heating of the clays can also result in the downward migration of VOCs from beneath the active area of soil heating. An operations and management plan will be developed with the purpose of ensuring continuous operations and minimize the potential risks associated with power malfunction.

Through natural attenuation, this alternative would result in a decrease in the toxicity, mobility and volume of the net chemicals in shallow ground water. This reduction would be confirmed via ground water monitoring. However, natural attenuation could result in short-term increase in toxicity due to the potential for generation of vinyl chloride. Additionally, the mass of individual VOCs could increase temporarily as natural attenuation progresses. Reduction in toxicity, mobility and volume of chemicals in the Site soil at the Former Varnish UST Area would occur through excavation and through the SSD system at the Varnish Pit Area.

5.2.4.5 *Short-Term Effectiveness*

ISTT will effectively remove the bulk of source contamination in the Former Varnish UST Area. The expected time for remediation is approximately four to five months using RF heating. Real-time data will be used for evaluating the process efficiency. This feedback allows the short term effectiveness to be improved early in the remedial process.

The potential for a temporary increase of risk to the community and workers by the operation of a heating system in close proximity to an active facility poses some potential human health risks. Proper engineering controls and safeguards can be built into the equipment and protocols to prevent the chance of an accidental electrocution.

5.4.2.6 *Implementability*

Implementation of Alternative 3 can be limited by the availability of a RF heating vendor. However, the heating vendor has been contracted so this limitation should not apply to this remediation.

The main components of this alternative (ISTT and SSD installation) may be completed within nine months of NYSDEC approval of the remedial design. Common Actions C2 and C3 have been implemented as an IRM. Ground water monitoring, access and use restrictions, MNA monitoring and limited annual OM&M activities would continue beyond this time frame. All activities associated with this alternative are readily implementable.

5.4.2.7 *Cost*

Costs associated with Alternative 3 are presented in Table 5-4.

RECOMMENDATION

As discussed in Section 5.2 through 5.4, the remedial action alternatives are:

- Alternative 1: No Action
- Alternative 2: Excavation with MNA
- Alternative 3: ISTT with MNA

Each alternative was evaluated against the seven criteria identified in NYSDEC guidance for the selection of remedial actions (NYSDEC, 1990; NYSDEC, 2002). The evaluation of the seven criteria provides the basis for identifying a preferred remedial alternative, which will be presented in a Remedial Action Work Plan. Once the RI/FS is finalized and the PRAP issued, the NCP and NYSDEC guidance (NYSDEC, 1990; NYSDEC, 2002) also provide for public review as part of a modifying criteria to evaluate community acceptance of the preferred remedial alternative.

With the exception of implementability and cost, Alternative 1 would not effectively comply with any of the criteria outlined above. Therefore, this alternative is dropped from further consideration.

The main difference between Alternative 2 and Alternative 3 is the technology selected to address VOC-affected soil at the former Varnish UST Area. Alternative 2 encompasses excavation and off-site disposal and Alternative 3 encompasses ISTT.

In terms of implementability and short term effectiveness, soil excavation requires a significant amount of earthwork, consequently, it presents the greatest potential for short-term impacts to the community from construction activities and off-Site transport and would require ongoing protection during earthwork. Thermal treatment implementation requires lower to moderate amounts of earthwork but may have the potential for a temporary increase of risk to the community and workers due to operation of a heating system employing RF energy. A potential concern with the application of RF heating is the potential for increased mobility of the contamination in the event of a power failure or equipment downtime. However, this technology may provide superior long-term effectiveness than excavation and reduce potential for residual contaminant permanence through aggressive volatilization of soil and ground water VOCs. Furthermore, wastes generated with ISTT are minimal, while excavation and off-Site disposal generates significant amounts of waste material that is transported off-Site.

Following is a summary of the estimated costs for the three alternatives. The detailed cost estimates are provided in Tables 5-2 through 5-4.

No.	Remedial Action Alternative	Total Capital Costs	Total O&M NPV	Total NPV Cost
1	No Action	\$0	\$0	\$0
2	Excavation and Off-Site Disposal of Soil with MNA of Ground Water	\$5,100,276	\$1,071,507	\$6,171,782
3	In-Situ Thermal Treatment of Soil with MNA of Ground Water	\$4,484,620	\$1,071,507	\$5,556,127


Alternative 2 and 3 are equally protective of human health and the environment, equally address compliance with SCGs, are readily implementable, and provide long term effectiveness by addressing source areas and facilitating natural attenuation processes. However, Alternative 3 is less disruptive to the site owner, has fewer short term impacts, and is less costly than Alternative 2. Therefore, the recommended alternative for addressing Site media is Alternative 3.

- Cadwell, D.H., Connally, G.G., Fleisher, P.J., and Muller, E.H., 1988. Surficial Geologic Map of New York – Niagara Sheet. New York State Museum and Science Service Map and Chart Series Number 40, Albany, New York.
- ERM, 2000. Work Plan for Remedial Investigation, 2122 Colvin Boulevard, Tonawanda, New York. NYSDEC VCP Number V00334-9, ERM Project Number D6711.00, June 2000.
- ERM, 2001. Voluntary Remedial Investigation Report, Greif Bros. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number D6714.00, 28 November 2001.
- ERM, 2002. Addendum To The Work Plan For Remedial Investigation - Data Gap Investigation, Greif Bros. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number D6714.00, 28 June 2002.
- ERM, 2003. Data Gap Investigation Report, Greif Bros. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number 0001242, December 2003.
- ERM, 2004a. Interim Remedial Measure Work Plan – Greif Bros. Facility, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number 0016742, June 2004.
- ERM, 2004b. Correspondence from ERM to NYSDEC providing a response to NYSDEC comments dated 2 July 2004 on the Interim Remedial Measure Work Plan (27 July 2004).
- ERM 2005. DNAPL Recovery IRM Pilot Test Report, Greif Bros. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number 0021621, May 2005.
- ERM, 2006. Interim Report - Soil Excavation Interim Remedial Measure, Greif, Inc. Facility, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number 0017521, April 2006.

- ERM, 2008a. Comments on Draft Focused Feasibility Study Report. NYSDEC, Buffalo, 4 August 2008.
- ERM, 2008b. Vapor Intrusion Evaluation Report, Greif, Inc. Facility, Town of Tonawanda, Erie County, New York. NYSDEC VCP Number V00334-9, ERM Project Number 0070448, October, 2008.
- NYSDEC, 1990. Selection of Remedial Actions at Inactive Hazardous Waste Sites, Technical Administrative Guidance Memorandum #4030 (HWR-90-4030), Division of Environmental remediation, May 15, 1990.
- NYSDEC, 1994. Determination of Soil Cleanup Objectives and Cleanup Levels. NYSDEC Division of Hazardous Waste Remediation Technical and Administrative Guidance Memorandum Number 4046, April 1994 (latest amendment 20 December 2000).
- NYSDEC, 1998. Ambient Water Quality Standards and Guidance Values and Ground Water Effluent Limitations. NYSDEC Division of Water Technical and Operational Guidance Series Memorandum Number 1.1.1., June 1998 (latest amendment April 2000).
- NYSDEC, 2002. DER-10, Draft Technical Guidance for Site Investigation and Remediation, Division of Environmental Remediation, December 2002.
- NYSDEC, 2006. Title 6, New York Codes, Rules and Regulations Part 375: Environmental Remediation Programs. New York State Department of Environmental Conservation, Albany, 14 November 2006.
- NYSDEC, 2008(a). NYSDEC comments on Draft Focused Feasibility Study Report, Greif, Inc. Site, Town of Tonawanda, Erie County, New York. 4 August 2008.
- NYSDEC, 2008(b). NYSDEC comments on Vapor Intrusion Evaluation Report, Greif, Inc. Site, Town of Tonawanda, Erie County, New York. 23 December 2008.
- Rickard, L.V. and Fisher, D.W., 1970. Bedrock Geologic Map of New York - Niagara Sheet. New York State Museum and Science Service Map and Chart Series Number 15, Albany, New York.
- USEPA, 1988. Guidance for Conducting Remedial Investigations and Feasibility Studies under CERCLA, EPA/540/6-89/004, October 1988.

Wiedemeier, T.H., Swanson, M.A., Moutoux, D.E., Wilson, J.T., Kampbell, D.H., Hansen, J.E., and Haas, P., 1996. Overview of the technical protocol for natural attenuation of chlorinated aliphatic hydrocarbons in ground water under development for the U.S. Air Force Center for Environmental Excellence. Proceedings of the Symposium on Natural Attenuation of Chlorinated Organics in Ground Water, USEPA Document Number EPA/540/R-96/509, September 1996, pp. 37-61.


Figures



MAGNETIC

*Buffalo NE Quadrangle
New York
7.5 Minute Series*

SCALE 1 : 24,000



CONTOUR INTERVAL 20 FEET

Site Location Map
Grief Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR


Sonoco Products Company



ERM
5788 WIDEWATERS PARKWAY
DEWITT, NEW YORK 13214

SCALE NTS	FIGURE 1-1
DATE 5/07	

PROJECT W0051293





Site Layout Map
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company

ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=60'	FIGURE 1-2
	DATE 5/07	


PROJECT#051293






LEGEND

- VMP-3 ◉ Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 ◉ Recovery Well Location
- MW-12 ◉ Shallow Monitoring Well Location
- 578.00 — DNAPL Contour (feet amsl)
- 574.15 DNAPL Elevation (feet amsl)
- (7.12) Apparent DNAPL Thickness (feet)
- NM Not Measured
- (None) Drawdown Not Observed

Static DNAPL Contours 14 September 2004 Greif Facility Tonawanda, New York NYSDEC VCP# V00334-9		
PREPARED FOR Sonoco Products Company		
 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=20' DATE 5/07	FIGURE 1-4

PROJECT#003293



LEGEND

- VMP-3 Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 — Ground Water Drawdown Contour (feet)
- NM Not Measured


Final Ground Water Drawdown
Test #2 (DNAPL Pumping)
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company

ERM
5788 WIDEWATERS PARKWAY
DEWITT, NEW YORK 13214

SCALE	FIGURE
1"=20'	1-5
DATE	
5/07	

PROJECT#005193




LEGEND

- VMP-3 Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 Ground Water Drawdown Contour (feet)
- NM Not Measured

Final DNAPL Drawdown Test #2 (DNAPL Pumping) Greif Facility Tonawanda, New York NYSDEC VCP# V00334-9		
PREPARED FOR Sonoco Products Company		
ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=20'	FIGURE 1-6
	DATE 5/07	

PROJECT#005193




LEGEND

- VMP-3 Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 — Ground Water Drawdown Contour (feet)
- NM Not Measured

Final Ground Water Drawdown Test #3 (Ground Water Pumping) Greif Facility Tonawanda, New York NYSDEC VCP# V00334-9		
PREPARED FOR Sonoco Products Company		
ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=20'	FIGURE 1-7
	DATE 5/07	

PROJECT: W031293



LEGEND


- VMP-3 Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 — Ground Water Drawdown Contour (feet)
- NM Not Measured

Final Ground Water Drawdown
 Test #4 (Ground Water & DNAPL Pumping)
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# V00334-9

PREPARED FOR
 Sonoco Products Company

ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=20'	FIGURE
	DATE 5/07	1-8

PROJECT#0051293




LEGEND

- VMP-3 Vapor Monitoring Point Location
- x-x-x Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 — Ground Water Drawdown Contour (feet)
- NM Not Measured

Final Ground Water Drawdown Test #4 (Ground Water & DNAPL Pumping) Greif Facility Tonawanda, New York NYSDEC VCP# V00334-9		
PREPARED FOR Sonoco Products Company		
ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=20' DATE 5/07	FIGURE 1-9

PROJECT#003199



LEGEND

- VMP-3 Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 — Ground Water Drawdown Contour (feet)
- NM Not Measured

Final Ground Water Drawdown
Test #5 (Low-Vacuum Enhanced DNAPL
Extraction & Ground Water Pumping)
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company




ERM
5788 WIDEWATERS PARKWAY
DEWITT, NEW YORK 13214

SCALE
1"=20'
DATE
5/07

FIGURE
1-10

PROJECT#051293



LEGEND

- VMP-3 Vapor Monitoring Point Location
- x-x-x- Chain Link Fence
- RW-1 Recovery Well Location
- MW-12 Shallow Monitoring Well Location
- 1.46 Ground Water Drawdown (feet)
- 0.5 — Ground Water Drawdown Contour (feet)
- NM Not Measured

Final Ground Water Drawdown
 Test #5 (Ground Water & DNAPL Pumping)
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# V00334-9

PREPARED FOR
 Sonoco Products Company




ERM
 5788 MIDWATERS PARKWAY
 DEWITT, NEW YORK 13214


SCALE	FIGURE
1"=20'	1-11
DATE	
5/07	

PROJECT#W001293

GENERALIZED ELECTRICAL CONTROLS SCHEMATIC



GENERALIZED DNAPL RECOVERY SYSTEM SCHEMATIC



GENERALIZED ELECTRICAL NOTES:

- (A) Circuit Breaker
- (B) Intrinsically Safe Liquid Level Relay Switch Control
- (C) Programmable Timer
- (D) High Liquid Level Switch

GENERALIZED DNAPL RECOVERY SYSTEM NOTES:

- (1) Dial-A-Flow Metering Pump
- (2) Secondary Containment with Drain into Recovery Well
- (3) Foot Valve
- (4) Well Seal with Vapor Lock and Drain Check Valve
- (5) Secondarily-Contained Piping
- (6) DNAPL Product Removal Pump
- (7) Secondarily-Contained 500-Gallon Steel Waste Storage Container

GENERAL NOTE: All DNAPL recovery system electrical and construction work shall follow applicable codes, regulations and standards.


DNAPL Recovery
System Schematic
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9


PREPARED FOR
Sonoco Products Company

 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=20'	FIGURE 1-12
	DATE 5/07	


PROJECT #051293

**Figure 1-13 - Summary of Fluid Recovery
 DNAPL Recovery Interim Remedial Measure
 Greif Facility – Tonawanda, New York
 NYSDEC VCP Number V00334-9
 ERM Project Number 0051923**





Trench Cross-Sections



REMEDIATION BUILDING


PVC PIPING

STEEL SHEETING
(From IRM Excavation)


BUILDING EXTERIOR WALL

SVE Piping Layout & Trench Cross-Sections
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company




SCALE 1"=20'	FIGURE 1-14
DATE 4/07	




Remediation Building
Grief Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company

 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE	FIGURE
	NTS	1-15
	DATE	
	5/07	

PROJECT#0051293

Chart Title



—■— Influent VOCs (ppm) — Expon. (Influent VOCs (ppm))

SVE Pilot Test VOC Field Screening
Grief Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company




ERM
5788 WIDEWATERS PARKWAY
DEWITT, NEW YORK 13214

SCALE
NTS
DATE
5/07

FIGURE
1-16

PROJECT#0051293




LEGEND


- VMP-3 Vapor Monitoring Point Location
- RW-4 Recovery Well Location
- MW-14 Shallow Monitoring Well Location
- 0.5 Vacuum Contour (Inches of Water)
- 0.078 Vacuum Measurement (Inches of Water)

Shallow Monitoring Well Average Vacuum Influence Greif Facility Tonawanda, New York NYSDEC VCP# V00334-9		
PREPARED FOR Sonoco Products Company		
 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=40'	FIGURE 1-17
	DATE 05/07	

PROJECT #003915

Figure 2-1 Conceptual Site Model
 Greif Bros. Facility
 Tonawanda, NY
 P#0051923.04






LEGEND

- VMP-3 VAPOR MONITORING POINT LOCATION
- CHAIN LINK FENCE
- RW-1 RECOVERY WELL LOCATION
- MW-12 MONITORING WELL LOCATION
- GREIF-EX-CELL-BOTTOM(10ft) SOIL SAMPLE LOCATION (SAMPLE DEPTH IN FEET BELOW GRADE SURFACE)
- STEEL SHEETING COFFERDAM
- SOIL IRM EXCAVATION LIMITS
- FIRE SUPPRESSION LINE

Note: Base map obtained from WM. Schutt & Associates, P.C.
survey drawings updated on 12 January 2006.

Extent of IRM Soil and Confirmation Sample Locations Greif Facility Tonawanda, New York NYSDEC VCP# V00334-9							
PREPARED FOR Sonoco Products Company							
ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: small;">SCALE</td> <td style="font-size: small;">FIGURE</td> </tr> <tr> <td style="text-align: center;">1"=20'</td> <td style="text-align: center; font-size: large;">3-1</td> </tr> <tr> <td style="font-size: small;">DATE</td> <td style="font-size: small;">04/06</td> </tr> </table>	SCALE	FIGURE	1"=20'	3-1	DATE	04/06
SCALE	FIGURE						
1"=20'	3-1						
DATE	04/06						

PROJECT NUMBER



Post IRM Soil Sample Reference


EX-1	-----Greif-EX-Cell-N(8ft)
EX-2	-----Greif-EX-TP-02(6.5-7)
EX-3	-----Greif-EX-Cell-E(8ft)
EX-4	-----Greif-EX-Cell-W(8ft)
EX-5	-----Greif-EX-Cell-Bottom(10ft)
EX-6	-----Greif-EX-Cell-S(8ft)
EX-7	-----Greif-EX-TP-01(6-7ft)
EX-8	-----Greif-EX-SC-WestWall(4ft)
EX-9	-----Greif-EX-SC-Floor(6.5ft)
EX-10	-----Greif-EX-SC-EastWall(3ft)
EX-11	-----Greif-EX-SC-Pipe(5ft)
EX-12	-----Greif-EX-GB-10-EastWall(3ft)
EX-13	-----Greif-EX-GB-10-WestWall(3ft)
EX-14	-----Greif-EX-GB-10-Floor(7ft)
EX-15	-----Greif-EX-GB10-SouthWall(2.5ft)

- LEGEND**
- MW-3 Well Location
 - GB-37 Post IRM Soil Excavation Samples
 - Post IRM Soil Excavation
 - Steel Sheetting Cofferdam
 - 1,1,1-TCA Concentrations above 680 ug/Kg (Unrestricted SCD)
 - 1,1,1-TCA Concentrations above 500,000 ug/Kg (Restricted Commercial SCD)

1,1,1-TCA Concentrations in Soil
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company

	ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=40'	FIGURE 3-2
		DATE 4/07	



Post IRM Soil Sample Reference

EX-1	-----	Greif-EX-Cell-N(8ft)
EX-2	-----	Greif-EX-TP-02(6.5-7)
EX-3	-----	Greif-EX-Cell-E(8ft)
EX-4	-----	Greif-EX-Cell-W(8ft)
EX-5	-----	Greif-EX-Cell-Bottom(10ft)
EX-6	-----	Greif-EX-Cell-S(8ft)
EX-7	-----	Greif-EX-TP-01(6-7ft)
EX-8	-----	Greif-EX-SC-WestWall(4ft)
EX-9	-----	Greif-EX-SC-Floor(6.5ft)
EX-10	-----	Greif-EX-SC-EastWall(3ft)
EX-11	-----	Greif-EX-SC-Pipe(5ft)
EX-12	-----	Greif-EX-GB-10-EastWall(3ft)
EX-13	-----	Greif-EX-GB-10-WestWall(3ft)
EX-14	-----	Greif-EX-GB-10-Floor(7ft)
EX-15	-----	Greif-EX-GB10-SouthWall(2.5ft)

LEGEND

- MW-3 Well Location
- Post IRM Soil Excavation Samples
- GB-37 Soil Borings
- Post IRM Soil Excavation
- Steel Sheeting Cofferdam
- Xylene Concentrations above 1600 ug/Kg (Unrestricted SCD)
- Xylene Concentrations above 500,000 ug/Kg (Restricted Commercial SCD)

Xylene Concentrations in Soil
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company




SCALE 1"=40'	FIGURE 3-3
DATE 4/07	



MW-4
ND

MW-3
ND

GB-37
ND



Post IRM Soil Sample Reference


EX-1	-----	Greif-EX-Cell-N(8ft)
EX-2	-----	Greif-EX-TP-02(6.5-7)
EX-3	-----	Greif-EX-Cell-E(8ft)
EX-4	-----	Greif-EX-Cell-W(8ft)
EX-5	-----	Greif-EX-Cell-Bottom(10ft)
EX-6	-----	Greif-EX-Cell-S(8ft)
EX-7	-----	Greif-EX-TP-01(6-7ft)
EX-8	-----	Greif-EX-SC-WestWall(4ft)
EX-9	-----	Greif-EX-SC-Floor(6.5ft)
EX-10	-----	Greif-EX-SC-EastWall(3ft)
EX-11	-----	Greif-EX-SC-Pipe(5ft)
EX-12	-----	Greif-EX-GB-10-EastWall(3ft)
EX-13	-----	Greif-EX-GB-10-WestWall(3ft)
EX-14	-----	Greif-EX-GB-10-Floor(7ft)
EX-15	-----	Greif-EX-GB10-SouthWall(2.5ft)

- LEGEND**
- Well Location
 - Post IRM Soil Excavation Samples
 - Soil Borings
 - Post IRM Soil Excavation
 - Steel Sheetting Cofferdam
 - TCE Concentrations above 470 ug/Kg (Unrestricted SCD)
 - TCE Concentrations above 200,000 ug/Kg (Restricted Commercial SCD)

TCE Concentrations in Soil
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company

 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=40'	FIGURE 3-4
	DATE 4/07	




- LEGEND**
- Well Location
 - Post IRM Soil Excavation Samples
 - Soil Borings
 - Steel Sheeting Cofferdam
 - Grossly Affected Soil

Estimated Extent of
Grossly Affected Soil
Greif Facility
Tonawanda, New York
NYSDEC VCP# V00334-9

PREPARED FOR
Sonoco Products Company

ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1"=40'	FIGURE 3-5
	DATE 5/07	

PROJECT #0059125



Note: A non-detect result was assumed for MW-15, MW-16, MW-17, and MW-19 as these wells were not sampled, and historical results indicate non-detection levels. Results from MW-13 were applied to MW-23 as this well was not sampled, and product has been observed.



Shallow Wells Ground Water Concentration
 April 2006 111-TCA Concentrations > 5ppb
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# V00334-9

PREPARED FOR
 Sonoco Products Company

ERM
 5788 MIDWATERS PARKWAY
 DEWITT, NEW YORK 13214

SCALE	XX	FIGURE	3-6
DATE	5/07		

PROJECT NUMBER



Note: A non-detect result was assumed for MW-15, MW-16, MW-17, and MW-19 as these wells were not sampled, and historical results indicate non-detection levels. Results from MW-13 were applied to MW-23 as this well was not sampled, and product has been observed.


Shallow Wells Ground Water Concentration
 July 2006 111-TCA Concentrations > 5ppb
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# V00334-9

PREPARED FOR
 Sonoco Products Company

ERM
 5788 MIDWATERS PARKWAY
 DEWITT, NEW YORK 13214

SCALE	XX	FIGURE	3-7
DATE	5/07		


PROJECT #000001




Note: A non-detect result was assumed for MW-15, MW-16, MW-17, and MW-19 as these wells were not sampled, and historical results indicate non-detection levels. Results from MW-13 were applied to MW-23 as this well was not sampled, and product has been observed.

Shallow Wells Ground Water Concentration
 April 2006 TCE Concentrations > 5ppb
 Greif Brothers Facility
 Tonawanda, New York
 NYSDEC VCP# V00334-9

PREPARED FOR
 Sonoco Products Company

 ERM 5788 MIDWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE XX	FIGURE 3-8
	DATE 5/07	

PROJECT #000001




Note: A non-detect result was assumed for MW-15, MW-16, MW-17, and MW-19 as these wells were not sampled, and historical results indicate non-detection levels. Results from MW-13 were applied to MW-23 as this well was not sampled, and product has been observed.

Shallow Wells Ground Water Concentration
 July 2006 TCE Concentrations > 5ppb
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# 00334-9

PREPARED FOR Sonoco Products Company	
 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE XX
	FIGURE 3-9
	DATE 5/07

PROJECT #00334-9



Note: A non-detect result was assumed for MW-01, MW-02, MW-03, MW-04, MW-05, MW-06, MW-07, MW-08 as these wells were not sampled, and historical results indicate non-detection levels. Results from Dec. 11, 2002 were applied to MW-20 as this well was not sampled.


Intermediate Wells Ground Water Concentration
 April 2006 111-TCA Concentrations > 5ppb
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# 00334-9

PREPARED FOR
 Sonoco Products Company

ERM
 5788 MIDWATERS PARKWAY
 DEWITT, NEW YORK 13214

SCALE	XX	FIGURE	3-10
DATE	5/07		

PROJECT NUMBER



Note: A non-detect result was assumed for MW-01, MW-02, MW-03, MW-04, MW-05, MW-06, MW-07, MW-08 as these wells were not sampled, and historical results indicate non-detection levels. Results from Dec. 11, 2002 were applied to MW-20 as this well was not sampled.


Intermediate Wells Ground Water Concentration
 July 2006 111-TCA Concentrations > 5ppb
 Greif Facility
 Tonawanda, New York
 NYSDEC VCP# 00334-9

PREPARED FOR
 Sonoco Products Company


ERM
 5788 MIDWATERS PARKWAY
 DEWITT, NEW YORK 13214


SCALE	XX	FIGURE	3-11
DATE	5/07		

PROJECT NUMBER




Note: A non-detect result was assumed for MW-01, MW-02, MW-03, MW-04, MW-05, MW-06, MW-07, MW-08 as these wells were not sampled, and historical results indicate non-detection levels. Results from Dec. 11, 2002 were applied to MW-20 as this well was not sampled.

Intermediate Wells Ground Water Concentration April 2006 TCE Concentrations > 5ppb Greif Facility Tonawanda, New York NYSDEC VCP# 00334-9		
PREPARED FOR Sonoco Products Company		
 ERM 5788 MIDWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE XX	FIGURE 3-12
	DATE 5/07	



Note: A non-detect result was assumed for MW-01, MW-02, MW-03, MW-04, MW-05, MW-06, MW-07, MW-08 as these wells were not sampled, and historical results indicate non-detection levels. Results from Dec. 11, 2002 were applied to MW-20 as this well was not sampled.

Intermediate Wells Ground Water Concentration July 2006 TCE Concentrations > 5ppb Greif Facility Tonawanda, New York NYSDEC VCP# 00334-9		
PREPARED FOR Sonoco Products Company		
 ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE XX	FIGURE 3-13
	DATE 5/07	PROJECT NUMBER

Tables

TABLE 1-1
SUMMARY OF FLUID RECOVERY FROM PUMPING
DNAPL RECOVERY IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Volume Recovered (gallons)		RW-1 Thickness (feet)		RW-2 Thickness (feet)		RW-4 Thickness (feet)	
	DNAPL	Water	DNAPL	Water	DNAPL	Water	DNAPL	Water
Pilot Test	270.0	0.0	5.62	3.56	0.88	3.90	NI	NI
12-Sept-05	54.9	1.9	1.79	7.75	1.56	7.94	1.47	7.42
1-Nov-05	4.8	296.2	2.57	6.66	3.39	5.81	2.17	6.32
11-Nov-05	3.6	38.8	1.77	6.17	3.42	5.68	1.30	7.18
14-Nov-05	0.6	97.2	1.74	6.49	3.14	5.68	1.28	7.11
15-Nov-05	14.1	49.0	1.73	5.79	2.27	6.53	1.30	7.00
16-Nov-05	0.0	120.3	1.86	4.64	2.32	6.29	1.28	6.89
17-Nov-05	2.0	77.6	1.75	5.54	2.27	6.02	1.28	6.77
18-Nov-05	0.0	52.9	1.79	6.88	2.37	6.33	1.28	6.81
21-Nov-05	0.0	338.8	1.98	1.07	2.67	5.27	1.32	6.29
22-Nov-05	0.0	50.3	2.04	2.63	2.69	5.40	1.31	6.29
23-Nov-05	0.0	74.0	2.06	6.08	2.72	5.51	1.33	6.28
28-Nov-05	5.6	362.4	2.13	5.63	2.78	4.86	1.56	5.54
1-Dec-05	0.0	8.7	2.11	5.77	2.80	5.05	1.76	5.44
2-Dec-05	0.0	52.0	2.08	5.39	2.69	4.58	1.59	5.45
6-Dec-05	10.4	163.2	2.24	3.06	2.76	4.69	1.58	5.04
7-Dec-05	3.4	48.0	2.02	0.02	2.77	4.66	1.63	4.96
8-Dec-05	1.8	48.5	2.02	0.16	2.62	0.42	1.58	4.90
9-Dec-05	7.4	24.6	1.99	0.18	2.60	0.26	1.58	4.81
12-Dec-05	30.3	72.8	2.01	0.15	2.81	4.34	1.56	2.74
13-Dec-05	6.3	14.6	2.03	0.02	3.62	0.94	2.96	3.08
14-Dec-05	7.6	0.6	2.00	0.08	2.68	1.15	3.04	3.14
15-Dec-05	17.0	29.8	2.03	0.01	2.63	1.18	1.61	0.25
19-Dec-05	1.9	5.7	2.00	0.07	2.81	4.17	2.63	3.55
21-Dec-05	12.3	38.7	2.00	0.10	2.66	1.68	1.78	1.04
22-Dec-05	7.6	6.5	1.99	0.07	2.66	2.95	1.41	0.22
27-Dec-05	8.0	18.5	2.03	0.03	2.49	0.17	2.20	3.95
28-Dec-05	7.4	18.6	2.00	0.10	2.56	0.05	1.37	0.03
29-Dec-05	5.3	2.9	2.00	0.10	2.57	0.05	1.37	0.03
3-Jan-06	2.6	38.7	2.01	0.02	2.49	0.03	1.38	0.10
6-Jan-06	6.6	10.2	1.97	0.08	2.46	0.05	1.37	0.11
10-Jan-06	16.8	2.5	1.96	1.04	2.48	0.11	1.47	0.02
12-Jan-06	10.0	0.0	2.00	0.08	2.52	0.07	1.37	0.03
19-Jan-06	4.7	34.8	1.97	0.05	2.48	0.13	1.37	0.02
23-Jan-06	6.0	14.3	1.98	0.11	2.47	0.12	1.37	0.03
26-Jan-06	6.5	11.3	1.96	0.07	2.49	0.12	1.37	0.05
30-Jan-06	4.3	14.8	1.93	0.15	2.49	0.09	1.49	0.33
2-Feb-06	3.2	0.1	1.96	0.07	2.49	0.14	1.36	0.06
3-Feb-06	0.5	5.6	1.96	0.07	2.49	0.13	1.35	0.07
6-Feb-06	0.5	24.0	1.95	0.25	2.47	0.13	1.58	1.74

TABLE 1-1 (Continued)
SUMMARY OF DNAPL RECOVERY FROM PUMPING
DNAPL RECOVERY IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Volume Recovered (gallons)		RW-1 Thickness (feet)		RW-2 Thickness (feet)		RW-4 Thickness (feet)	
	DNAPL	Water	DNAPL	Water	DNAPL	Water	DNAPL	Water
9-Feb-06	3.5	18.9	1.94	0.07	2.47	0.12	1.34	0.06
13-Feb-06	7.2	9.8	1.95	0.08	2.53	0.08	1.36	0.04
16-Feb-06	3.9	8.6	1.96	0.07	2.50	0.42	1.35	0.07
20-Feb-06	4.0	12.8	1.92	0.11	2.49	1.62	1.34	0.14
27-Feb-06	5.3	13.2	1.93	0.10	2.51	4.41	1.35	0.05
3-Mar-06	2.6	32.0	1.93	0.17	2.42	0.16	1.35	0.03
7-Mar-06	2.6	21.6	1.94	0.09	2.42	0.08	1.35	0.10
10-Mar-06	0.0	5.8	1.94	0.01	2.43	0.05	1.36	0.11
13-Mar-06	1.4	12.2	1.93	0.17	2.38	0.18	1.35	0.04
16-Mar-06	0.7	12.3	1.94	0.08	2.39	0.19	1.35	0.05
20-Mar-06	2.4	11.7	1.48	0.06	2.02	0.20	1.05	2.33
23-Mar-06	4.0	16.2	1.46	0.14	1.99	0.17	0.82	0.03
30-Mar-06	4.9	15.7	1.46	0.07	1.96	0.23	0.80	0.07
3-April-06	3.5	31.3	1.46	0.12	1.96	0.18	0.80	0.04
7-Apr-06	4.8	15.5	1.46	0.07	1.96	0.20	0.81	0.04
11-Apr-06	4.0	6.9	1.46	0.13	1.96	0.20	0.80	0.04
13-Apr-06	2.2	7.9	1.47	0.12	1.96	0.18	0.80	0.02
17-Apr-06	1.1	21.4	1.45	0.08	1.96	0.23	0.80	0.08
21-Apr-06	3.2	13.7	1.44	0.14	1.96	0.16	0.80	0.02
28-Apr-06	4.3	21.9	1.46	0.07	2.01	0.07	0.80	0.10
09-May-06	10.2	32.8	1.46	0.04	1.99	0.19	0.80	0.05
11-May-06	2.4	9.4	1.46	0.13	2.04	0.12	0.80	0.05
16-May-06	3.7	13.1	1.44	0.10	2.00	0.20	0.80	0.08
19-May-06	2.6	11.2	1.46	0.07	2.01	0.19	0.80	0.08
23-May-06	2.6	13.1	1.45	0.13	1.97	0.15	0.80	0.05
25-May-06	4.0	4.4	NM	NM	NM	NM	NM	NM
1-June-06	0.5	19.5	1.46	0.09	2.04	0.04	0.80	0.03
6-June-06	1.4	1.8	1.46	0.08	2.06	0.10	0.79	0.03
8-June-06	1.0	16.8	1.46	0.09	2.05	0.10	0.78	0.07
12-June-06	1.0	13.0	1.45	0.10	2.00	0.19	0.80	0.05
15-June-06	0.6	12.6	1.43	0.10	2.10	0.08	0.79	0.05
19-June-06	0.6	12.4	1.43	0.15	2.06	0.12	0.80	0.02
23-June-06	0.6	11.0	1.46	0.07	0.96	0.12	0.80	0.04
26-June-06	3.9	5.4	0.10	0.03	1.96	1.6	0.31	1.23
30-June-06	5.9	16.0	0.00	0.08	0.36	2.3	0.00	0.00
3-Jul-06	2.9	9.6	0.06	0.10	0.24	1.74	0.28	1.38
17-Jul-06	1.0	8.5	0.06	2.18	0.30	6.64	0.55	5.55
25-Jul-06	1.0	18.6	0.06	1.68	0.34	6.64	0.58	5.52
27-Jul-06	1.0	28.8	0.00	0.08	0.36	6.62	0.58	0.00
31-Jul-06	1.0	40.4	0.00	0.08	0.23	3.63	0.65	2.63
3-Aug-06	1.0	20.2	NM	NM	NM	NM	NM	NM
7-Aug-06	1.0	19.1	0.00	0.10	0.23	0.52	0.00	0.20
11-Aug-06	1.1	12.4	0.00	0.16	0.24	1.50	0.00	0.09
14-Aug-06	0.0	5.0	0.00	0.30	0.25	3.72	0.00	0.12
25-Aug-06	3.2	32.2	NM	NM	NM	NM	NM	NM

TABLE 1-1 (Continued)
SUMMARY OF DNAPL RECOVERY FROM PUMPING
DNAPL RECOVERY IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Volume Recovered (gallons)		RW-1 Thickness (feet)		RW-2 Thickness (feet)		RW-4 Thickness (feet)	
	DNAPL	Water	DNAPL	Water	DNAPL	Water	DNAPL	Water
6-Sept-06	2.4	71.4	0.00	4.29	0.31	0.37	0.03	0.15
15-Sept-06	1.4	29.1	0.00	5.50	0.35	0.30	0.00	0.31
22-Sept-06	1.2	12.9	0.00	6.32	0.34	0.31	0.00	0.26
28-Sept-06	1.2	38.8	0.00	0.07	0.35	0.35	0.00	2.01
4-Oct-06	0.0	21.6	0.06	0.01	0.32	0.31	0.28	3.90
10-Oct-06	0.0	24.6	0.05	0.04	0.34	0.16	0.00	0.19
17-Oct-06	0.6	26.3	0.07	0.09	0.35	0.22	0.00	0.08
24-Oct-06	0.6	25.6	0.00	0.14	0.38	0.22	0.00	1.98
2-Nov-06	1.7	28.5	0.00	0.78	0.37	2.49	0.00	1.45
7-Nov-06	0.6	18.9	0.08	0.89	0.10	3.80	0.00	0.19
17-Nov-06	0.4	38.9	0.08	2.38	0.00	0.25	0.00	0.10
20-Nov-06	0.7	18.9	NM	NM	NM	NM	NM	NM
28-Nov-06	0.6	26.0	0.00	0.08	0.00	0.88	0.00	0.18
15-Dec-06	0.4	25.9	NM	NM	NM	NM	NM	NM
27-Dec-06	0.4	12.5	0.00	2.59	0.00	6.98	0.00	6.11
9-Jan-07	1.9	111.8	0.00	0.40	0.00	0.14	0.00	0.14
19-Jan-07	6.0	45.9	0.07	0.00	0.00	0.32	0.00	0.09
23-Jan-07	0.6	2.5	0.07	0.03	0.00	0.10	0.09	0.05
31-Jan-07	1.0	30.7	0.00	0.10	0.00	4.04	0.00	0.87
6-Feb-07	0.0	12.5	NM	NM	NM	NM	NM	NM
16-Feb-07	3.8	42.8	0.00	0.08	0.00	4.66	0.00	0.28
23-Feb-07	0.6	7.6	0.00	1.72	0.00	4.33	0.00	0.94
1-Mar-07	1.5	37.7	0.00	0.19	0.00	1.87	0.00	0.54
8-Mar-07	2.9	62.1	NM	NM	NM	NM	NM	NM
16-Mar-07	2.4	40.6	NM	NM	NM	NM	NM	NM
28-Mar-07	1.0	27.7	0.00	0.10	0.00	0.58	0.00	0.48
29-Mar-07	0.0	29.6	NM	NM	NM	NM	NM	NM
30-Mar-07	0.6	18.0	NM	NM	NM	NM	NM	NM
2-Apr-07	0.0	0.0	NM	NM	NM	NM	NM	NM
3-Apr-07	2.2	35.9	NM	NM	NM	NM	NM	NM
4-Apr-07	0.2	11.3	NM	NM	NM	NM	NM	NM
5-Apr-07	0.0	8.4	NM	NM	NM	NM	NM	NM
9-Apr-07	1.2	27.6	NM	NM	NM	NM	NM	NM
11-Apr-07	0.6	10.1	NM	NM	NM	NM	NM	NM
17-Apr-07	1.5	24.5	NM	NM	NM	NM	NM	NM
18-Apr-07	0.0	16.8	0.00	0.09	0.00	0.15	0.00	0.00
9-May-07	30.8	62.6	NM	NM	NM	NM	NM	NM
21-May-07	4.7	50.4	NM	NM	NM	NM	NM	NM
23-May-07	0.4	4.7	NM	NM	NM	NM	NM	NM
1-Jun-07	1.4	26.9	0.00	0.08	0.00	0.60	0.20	0.00
4-Jun-07	5.4	5.7	NM	NM	NM	NM	NM	NM

TABLE 1-1 (Continued)
SUMMARY OF DNAPL RECOVERY FROM PUMPING
DNAPL RECOVERY IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Volume Recovered (gallons)		RW-1 Thickness (feet)		RW-2 Thickness (feet)		RW-4 Thickness (feet)	
	DNAPL	Water	DNAPL	Water	DNAPL	Water	DNAPL	Water
14-Jun-07	NM	NM	0.00	0.12	0.28	0.08	0.00	0.88
18-Jun-07	10.7	41.0	NM	NM	NM	NM	NM	NM
25-Jun-07	6.7	13.4	NM	NM	NM	NM	NM	NM
29-Jun-07	2.1	1.0	NM	NM	NM	NM	NM	NM
10-Jul-07	8.3	50.5	0.00	0.07	0.17	0.51	0.00	0.09
24-Jul-07	24.1	13.6	0.00	0.13	0.18	6.80	0.00	0.05
6-Aug	15.8	17.0	NM	NM	NM	NM	NM	NM
17-Aug-07	30.2	38.2	0.00	0.24	0.00	0.34	0.00	1.17
27-Aug-07	30.8	18.4	NM	NM	NM	NM	NM	NM
31-Aug-07	1.9	10.3	0.00	0.11	0.00	0.35	0.00	1.09
10- Sept-07	4.4	14.5	0.00	0.79	0.00	2.10	0.00	1.99
25-Sept-07	27.1	39.0	0.00	0.07	0.00	0.39	0.00	0.72
3-Oct-07	1.1	46.7	NM	NM	NM	NM	NM	NM
9-Oct-07	3.2	26.8	0.00	0.07	0.00	0.36	0.00	0.08
22-Oct-07	3.2	29.1	0.00	0.52	0.00	0.21	0.00	0.43
26-Oct-07	2.2	16.4	0.00	0.00	0.00	0.00	0.00	NM
29-Oct-07	NM	NM	0.00	1.07	NM	NM	0.00	1.09
1-Nov-07	3.2	6.8	0.00	0.10	0.00	0.37	0.00	0.55
7-Nov-07	8.8	0.4	NM	NM	NM	NM	NM	0.79
15-Nov-07	3.4	2.1	0.00	0.09	0.00	0.37	0.00	1.17
4-Dec-07	5.3	14.1	NM	NM	NM	NM	0.00	1.33
13-Dec-07	1.7	40.7	0.00	4.03	0.00	0.37	0.00	0.48
17- Dec-07	0.7	48.0	0.00	0.07	0.00	0.36	0.00	0.62
27-Dec-07	0.8	31.5	0.00	1.22	0.00	0.36	0.00	0.73
17-Jan-08	2.9	50.0	0.00	0.98	0.00	0.30	0.00	0.09
24-Jan-08	3.0	38.8	NM	NM	NM	NM	NM	NM
4-Feb-08	2.6	32.7	0.00	0.09	0.00	0.34	0.00	0.73
14-Feb-08	1.3	47.4	0.00	0.10	0.00	0.40	0.00	1.22
20-Feb-08	1.0	13.5	0.00	0.10	0.00	0.36	0.00	1.19
28-Feb-08	0.0	1.7	0.00	0.09	0.00	3.80	0.00	1.35
6-Mar-08	0.8	10.5	0.00	1.17	0.00	3.00	0.00	0.79
17-Mar-08	0.0	0.00	0.00	1.91	0.00	4.88	0.00	1.45
24-Mar-08	1.2	5.0	0.00	1.00	0.00	3.40	0.00	1.49
9-Apr-08	1.2	56.8	0.00	0.39	0.00	0.35	0.00	1.53
16-Apr-08	2.4	4.3	0.00	0.09	0.00	3.89	0.00	1.53
25-Apr-08	2.5	15.0	0.00	0.19	0.00	0.35	0.00	1.59

TABLE 1-1 (Continued)
SUMMARY OF DNAPL RECOVERY FROM PUMPING
DNAPL RECOVERY IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Volume Recovered (gallons)		RW-1 Thickness (feet)		RW-2 Thickness (feet)		RW-4 Thickness (feet)	
	DNAPL	Water	DNAPL	Water	DNAPL	Water	DNAPL	Water
8-May-08	0.0	15.4	0.00	1.23	0.00	4.21	0.00	1.73
19-May-08	NA	NA	0.00	2.68	0.00	0.52	0.00	1.78
30-May-08	NA	NA	0.00	4.35	0.16	4.78	0.00	1.86
16-Jun-08	NA	NA	0.00	6.28	0.16	7.38	0.00	2.22
25-Jun-08	NA	NA	0.00	7.68	0.16	7.77	0.00	2.56
3-Jul-08	NA	NA	0.00	8.05	0.16	7.97	0.00	4.61
23-Jul-08	NA	NA	0.00	8.45	0.16	8.22	0.00	7.69
TOTALS	967.0	4,950.0						

NOTES:

- DNAPL and water recovery volumes are the volume of liquids recovered by pumping since the previous reading.
- Pilot test data reported at the end of the pilot test on 16 November 2004.
- Low vacuum enhancement was initiated on 28 March 2007.
- NI = Well not installed yet.
- NM = Not measured on this date.
- NA = Not applicable - pumping of liquids from wells was halted on 13 May 2008.
- Volume readings represent the volume recovered since the previous reading.

TABLE 1-1 (Continued)
SUMMARY OF FLUID RECOVERY FROM CONDENSED VAPORS
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Additional Volume of DNAPL Recovered (gallons)	Additional Volume of Aqueous Fluids Recovered (gallons)
28-Mar-07	17.7	NM
29-Mar-07	14.4	NM
30-Mar-07	14.3	NM
2-Apr-07	19.1	25.0
3-Apr-07	17.8	1.5
4-Apr-07	2.6	3.5
5-Apr-07	2.3	19.0
11-Apr-07	4.1	21.0
17-Apr-07	2.9	10.5
20-Apr-07	17.3	114.5
23-Apr-07	1.6	40.0
27-Apr-07	0.0	53.0
1-May-07	12.6	52.0
3-May-07	0.0	15.0
21-May-07	3.1	77.0
29-May-07	18.7	143.0
1-Jun-07	4.9	57.0
8-Jun-07	2.2	92.0
15-Jun-07	2.9	40.0
18-Jun-07	NM	50.0
25-Jun-07	3.5	NM
29-Jun-07	8.7	140.0
2-Jul-07	3.9	25.0
6-Jul-07	6.5	30.0
13-Jul-07	14.8	75.0
24-Jul-07	9.0	120.0
1-Aug-07	11.4	97.0
6-Aug-07	17.6	60.7
17-Aug-07	73.9	103.0
27-Aug-07	99.4	60.0
31-Aug-07	1.4	0.0
10-Sept-07	1.2	60.0
18-Sept-07	0.0	5.0
25-Sept-07	0.0	150.0
3-Oct-07	0.6	95.0
9-Oct-07	0.0	85.0
22-Oct-07	15.8	65.0
26-Oct-07	21.5	NM
1-Nov-07	2.5	NM
30-Nov-07	40.8	90.0
4-Dec-07	3.4	NM

TABLE 1-1 (Continued)
SUMMARY OF FLUID RECOVERY FROM CONDENSED VAPORS
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Date	Additional Volume of DNAPL Recovered (gallons)	Additional Volume of Aqueous Fluids Recovered (gallons)
13-Dec-07	ICE	80.0
17-Dec-07	ICE	120.0
27-Dec-07	ICE	NM
17-Jan-08	ICE	55.0
21-Jan-08	ICE	NM
30-Jan-08	ICE	95.0
14-Feb-08	ICE	80.0
20-Feb-08	ICE	100.0
28-Feb-08	ICE	100.0
6-Mar-08	ICE	249.0
17-Mar-08	ICE	90.0
4-Apr-08	ICE	100.0
9-Apr-08	ICE	120.0
16-Apr-08	ICE	30.0
22-Apr-08	ICE	85.0
25-Apr-08	ICE	20.0
30-Apr-08	20.0*	80.0
8-May-08	0.0	110.0
19-May-08	0.0**	35.0**
TOTALS	514.4	3,385.0

NOTES:

- ICE indicates the gauge in the DNAPL product condensate recovery tank has frozen in place due to water passing through the separator. Product recovery will be updated when the gauge is functioning.
- NM = Not measured on this date.
- * = The reported figure represents the total amount of product condensed from vapors between 4-Dec-07 and 30-Apr-2008.
- ** = Operation of vapor condensation system was terminated on 13-May-08; values reported are from 8-May-08 to 13-May-08.

TABLE 1-2
SUMMARY OF SYSTEM OPERATING PARAMETERS
LOW VACUUM ENHANCED DNAPL AND GROUND WATER RECOVERY
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

ELAPSED TIME (MINUTES)	Influent								Pre-Carbon				Mid- Carbon			Effluent		
	Flow	Temp	RH	VOCs	Vac No. 1	Vac No. 1	Vac No. 2	Vac No. 2	Flow	Temp	RH	VOCs	Flow	Temp	VOCs	Flow	Temp	VOCs
	(CFM)	(°F)	(%)	(ppm)	(in. Hg)	(in. H2O)	(in. Hg)	(in. H2O)	(PSI)	(°F)	(%)	(ppm)	(PSI)	(°F)	(ppm)	(PSI)	(°F)	(ppm)
4	250	52	NM	1952	0.93	12.64	0.94	12.78	0.00	44.0	NM	327.0	NM	42.0	5.7	0.00	40.0	4.3
15	190	51	48.7	2291	1.09	14.82	1.13	15.36	0.26	48.0	11.2	535.0	0.40	48.0	214.0	NM	NM	25.9
30	110	52	41.9	2319	0.57	7.75	0.51	6.93	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
60	150	59	34.7	2509	1.10	14.95	1.81	24.61	0.18	51.0	0.3	8.5	NM	NM	NM	NM	NM	NM
120	80	61	65.6	2679	0.20	2.72	0.41	5.57	0.00	54.0	0.9	3.7	0.38	52.0	2.7	0.00	44.0	2.3
150	80	61	24.5	3139	0.24	3.26	0.39	5.30	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
180	80	60	25.4	2979	0.23	3.13	0.82	11.15	0.00	54.0	0.5	3.9	0.40	42.0	3.0	0.00	43.0	3.1
240	80	62	27.1	1672	0.88	11.96	1.96	26.65	0.00	55.0	0.1	5.4	NM	NM	NM	0.00	44.0	4.6
300	NM	61	9.8	1798	0.79	10.74	1.16	15.77	0.00	57.0	0.2	0.0	0.39	61.0	2.3	0.00	53.0	2.6
360	80	62	83.8	1154	0.26	3.53	1.19	16.18	0.00	56.0	0.3	0.0	0.00	61.0	0.9	0.00	56.0	0.6
440	80	62	23.7	1052	0.88	11.96	1.75	23.79	0.00	58.0	0.1	0.0	NM	NM	NM	NM	NM	NM
945	80	62	35.9	1929	0.63	8.56	0.69	9.38	0.16	NM	4.4	8.1	0.56	55.0	0.4	0.00	52.0	3.5
10005	140	58	63.1	1512	1.29	17.54	0.99	13.46	0.18	55.0	3.5	2.6	NM	NM	NM	NM	NM	NM
1095	140	58	43.1	1592	1.21	16.45	0.63	8.56	0.22	49.0	2.4	1.2	0.51	49.0	0.0	0.00	44.0	0.0
1160	120	58	59.7	NM	0.68	9.24	0.76	10.33	0.19	49.0	0.9	0.7	0.49	49.0	0.3	0.00	44.0	0.1
1280	140	61	NM	1268	0.60	8.16	0.70	9.52	0.28	49	1.1	0.0	0.49	49.0	1.7	0.00	44.0	0.7
1340	140	60	23.0	1268	1.28	17.40	1.37	18.63	0.21	49	0.3	0.0	0.51	49.0	0.0	0.00	43.0	0.0
1380	140	61	63.7	1049	1.25	16.99	1.37	18.63	0.22	51	5.9	0.0	0.41	51.0	0.3	0.00	49.0	0.0
2415	150	55	48.5	1142	0.69	9.38	0.68	9.24	0.00	59	7.2	0.9	0.43	58	NM	0.00	53	1.2
2510	140	61	25.5	982	1.29	17.54	0.96	13.05	0.16	46	5.9	2.9	0.40	53	0.0	0.00	53	0.0
2570	140	61	47.3	1041	1.32	17.95	0.95	12.92	0.00	43	6.8	0.4	0.36	52	0.0	0.00	49	0.0
2665	140	61	41.6	1359	1.38	18.76	0.60	8.16	0.00	42	4.3	0.2	0.31	51	0.0	0.00	49	0.0
2795	130	59	51.2	1089	0.60	8.16	0.77	10.47	0.00	42	0.7	0.2	0.34	52	0.0	0.00	53	0.0
2955	120	61	51.7	1706	0.68	9.24	0.84	11.42	0.00	42	1.0	0.0	0.34	51	0.0	0.00	45	0.0
3986	140	56	32.1	1058	1.12	15.23	0.76	10.33	0.00	42	0.3	0.0	0.34	48	0.0	0.00	42	0.0
6590	140	61	37.1	498	0.68	9.24	1.12	15.23	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
6715	140	61	49.7	347	0.36	4.89	0.58	7.89	0.22	52	0.9	2.2	0.00	59	0.2	0.00	54	0.0
6755	140	61	60.8	363	0.38	5.17	0.40	5.44	0.00	52	0	0.4	0.18	61	0.2	0.00	56	0
6805	140	59	63.7	378	0.51	6.93	0.48	6.53	0.00	52	0.4	0.6	0.00	59	0.4	0.00	56	0.8
6865	140	60	62.6	425	0.49	6.66	0.44	5.98	0.00	48	0	0.4	0.00	50	0.1	0.00	50	0.2
6925	140	59	62.3	398	1.15	15.63	0.78	10.60	0.00	42	0	0.3	0.00	48	0.0	0.00	45	0
6985	120	61	61.9	470	0.36	4.89	0.58	7.89	0.16	43	0	0.2	0.00	47	0.3	0.00	44	0.1
7045	75	60	61.2	351	0.32	4.35	0.38	5.17	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
7105	140	59	59.1	401	0.48	6.53	0.56	7.61	0.00	42	0.8	0.4	0.27	48	0.3	0.00	44	0.4
7165	140	60	57.3	448	1.18	16.04	0.96	13.05	0.18	40	0	0	0.00	50	0.0	0.00	44	0.2
7405	120	62	51.4	803	0.67	9.11	0.58	7.89	0.00	52	0.3	0.3	0.00	52	0.4	0.00	49	0.4
7445	140	61	64.6	610	1.25	16.99	0.61	8.29	0.18	48	0.6	0.6	0.16	49	0.4	0.00	46	0.4

NOTES:

Elapsed time = time elapsed from the start of the test, or 0.

Influent- combined vapor stream prior to compressors

Vac No.1- vacuum on 4 inch diameter pipe manifolded to RW-1 and RW-2

Vac No.2- vacuum on 4 inch diameter pipe manifolded to RW-4 and RW-5

Pre-carbon- process air sample port after vapor condensation, before GAC units;

Mid-Carbon- process air between the two 350 lbs GAC units

Effluent- process air post carbon polish.

NM = Not measured.

TABLE 1-3
SUMMARY OF VACUUM MEASUREMENTS
LOW VACUUM ENHANCED DNAPL AND GROUND WATER RECOVERY
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

ELAPSED TIME (MINUTES)	MAGNEHELIC READINGS (inches H2O)																					
	RW-1	RW-2	RW-4	RW-5	VMP-1	VMP-2	VMP-3	VMP-4	VMP-5	VMP-6	MW-12	MW-13	MW-14	MW-18	MW-21S	MW-21I	MW-22	MW-23	MW-19	MW-24	MW-25	MW-3
22	10.33	8.43	15.50	14.95	0.10	2.40	NM	0.46	0.24	0.06	0.00	0.00	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM
103	8.16	NM	16.45	12.37	0.12	3.60	NM	0.26	0.60	0.03	0.01	0.00	0.01	NM	NM	NM	NM	NM	NM	NM	NM	NM
180	5.17	2.72	8.56	8.97	0.02	1.90	NM	0.10	0.08	0.02	0.01	0.00	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM
280	3.53	10.74	23.66	3.94	0.04	2.00	NM	0.30	0.30	0.05	0.03	0.25	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM
335	4.08	4.89	9.24	8.43	0.05	1.90	NM	0.23	0.20	0.02	0.03	0.15	0.00	NM	NM	NM	NM	NM	NM	NM	NM	NM
385	3.53	7.61	2.72	8.84	0.10	1.80	NM	0.35	0.28	0.05	0.02	0.35	0.01	NM	NM	NM	NM	NM	NM	NM	NM	NM
1010	13.05	8.56	19.03	17.13	NM	3.20	NM	NM	0.20	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
1045	NM	NM	NM	NM	0.14	NM	NM	0.30	NM	0.00	0.06	0.15	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
1120	4.49	7.21	18.22	8.70	0.10	3.20	NM	0.48	0.50	0.00	0.04	0.25	0.02	NM	NM	NM	NM	NM	NM	NM	NM	NM
1250	6.80	18.22	8.16	7.89	0.20	3.40	NM	0.50	0.20	0.68 P	NM	0.05	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
1475	5.44	9.24	18.49	6.93	0.14	3.20	NM	0.26	0.40	0.03	0.06	0.05	0.02	NM	NM	NM	NM	NM	NM	NM	NM	NM
2505	3.53	8.84	18.76	12.64	0.245	3.10	NM	0.41	2.30	0.015	0.105	0.145	0.125	NM	NM	NM	NM	NM	NM	NM	NM	NM
2610	NM	NM	NM	NM	NM	NM	0.045	NM	NM	NM	NM	NM	NM	0.000	NM	NM	NM	0.105	NM	NM	NM	NM
2765	4.21	18.22	18.76	8.02	0.240	3.10	NM	0.30	2.10	0.195 p	0.095	0.175	0.135	NM	0.030	0.005	0.000	0.095	NM	NM	NM	NM
2975	6.93	9.11	8.84	7.89	0.110	1.50	0.055	0.34	0.60	0.300 p	0.100	0.095	0.035	NM	0.040	0.000	0.000	0.025	NM	NM	NM	NM
6453	5.98	8.43	14.27	14.68	0.185	2.80	0.025 p	0.46	0.48	0.012	0.035	0.020	0.080	0.045	0.035	0.005	0.055	0.075	0.000	NM	NM	NM
6705	4.89	8.56	9.11	14.68	0.235	3.10	NM	0.57	0.51	0.025 p	0.060	0.045	0.045	NM	NM	NM	NM	NM	NM	NM	NM	NM
6828	5.44	17.67	9.24	14.68	0.250	3.10	0.020	0.29	0.53	0.215	0.105	0.035	0.085	0.035	0.055	0.015	0.105	0.115	0.205 p	0.000	0.000	NM
7191	6.93	17.40	7.89	14.55	0.175	1.60	0.095	0.29	0.53	0.135	0.025	0.035	0.040	0.000	0.030	0.015	0.032	0.050	0.000	NM	NM	0.015
Average	6.030	10.366	13.347	10.900	0.144	2.641	0.054	0.347	0.591	0.049	0.048	0.106	0.040	0.020	0.038	0.008	0.038	0.078	0.000	0.000	0.000	0.015
Median	5.438	8.701	14.275	8.973	0.135	3.100	0.050	0.300	0.480	0.025	0.037	0.050	0.020	0.018	0.035	0.005	0.032	0.085	0.000	0.000	0.000	0.015
Maxium	13.051	18.217	23.655	17.130	0.250	3.600	0.095	0.570	2.300	0.215	0.105	0.350	0.135	0.045	0.055	0.015	0.105	0.115	0.000	0.000	0.000	0.015
Minium	3.535	2.719	2.719	3.943	0.020	1.500	0.020	0.100	0.080	0.000	0.000	0.000	0.000	0.000	0.030	0.000	0.000	0.025	0.000	0.000	0.000	0.015

NOTES:
 Elapsed time = time elapsed from the start of the test, or 0.
 NM- not measured
 p- indicates there was a pressure in the well

TABLE 1-4
SUMMARY OF ANALYTICAL DATA - VAPOR
LOW VACUUM ENHANCED DNAPL AND GROUND WATER RECOVERY
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Sample Designation	Inf (Day 1 18:05)	Inf (Day 1 00:25)	Inf (Day 2 17:05)	Inf (Day 3 18:40)	Inf (Day 6 18:05)	PRE C (DAY 1 00:15)	PRE C (DAY 6 17:55)	EFF (DAY 1 00:00)	EFF (DAY 6 17:45)
Date Sampled	3/28/2007 18:05	3/29/2007 0:25	3/29/2007 17:05	3/30/2007 18:40	4/2/2007 18:05	3/29/2007 0:15	4/2/2007 17:55	3/29/2007 0:00	4/2/2007 17:45
VOCs (µg/M3)									
Acetone	---	---	---	---	---	---	---	---	---
Benzene	---	---	---	---	---	---	---	0.7	1.2
Chloroethane	---	---	---	---	---	---	---	---	---
Chloroform	---	---	---	---	---	---	---	---	---
1,1-Dichloroethane	4,500,000	610,000	300,000	69,000	20,000	5.7	---	89	1.5
1,2-Dichloroethane	---	---	---	---	---	---	---	---	---
1,1-Dichloroethene	10,000,000	1,300,000	1,200,000	120,000	52,000	23	14	250	2.5
cis-1,2-Dichloroethene	---	---	---	---	---	---	---	---	---
trans-1,2-Dichloroethene	---	---	---	---	---	---	---	---	---
Ethylbenzene	---	---	---	---	---	---	---	---	3.7
Methylene chloride	---	---	---	---	---	---	4.5	---	5.9
4-Methyl-2-pentanone	---	---	---	---	---	---	---	---	---
Methyl Ethyl Ketone	---	---	---	---	26,000	50	2.1	---	2.8
Tetrachloroethene	---	---	---	---	---	---	---	---	---
Toluene	---	---	---	38,000	57,000	---	2.1	64	3.1
1,1,1-Trichloroethane	460,000,000	82,000,000	32,000,000	6,000,000	2,500,000	650	14	12,000	250
1,1,2-Trichloroethane	---	---	---	---	---	---	---	---	---
Trichloroethene	70,000,000	33,000,000	11,000,000	2,800,000	860,000	280	17	5,900	280
1,2,4-Trimethylbenzene	---	---	---	---	---	---	---	---	1.5
Vinyl chloride	---	---	---	---	---	---	---	---	---
Xylene (total)	---	---	---	---	---	---	3.6	---	30
TOTAL VOCs	544,500,000	116,910,000	44,500,000	9,027,000	3,515,000	1,009	57.3	18,304	582
Field Screened (ppm)	2,509	1,052	1,049	1,706	418	2.6	0.0	2.2	0.0

NOTES:

- all analyte concentrations are reported in micrograms per cubic meter unless otherwise noted
- : the compound was not detected at a concentration above the laboratory practical quantitation limit.
- J = indicates an estimated value.
- Highlighted cells represent concentrations greater than the applicable standard or guidance value
- Inf: Influent sample port
- Eff: Effluent sample port
- Pre C: Pre-carbon polish
- NA: Not applicable

TABLE 1-5
SUMMARY OF ANALYTICAL DATA - AQUEOUS CONDENSATE
LOW VACUUM ENHANCED DNAPL AND GROUND WATER RECOVERY
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Sample Designation	Aqueous
Date Sampled	4/2/2007 16:45
VOCs (µg/L)	
Acetone	60,000
Benzene	---
2-Butanone	9,000
Chloroethane	---
Chloroform	400 J
1,1-Dichloroethane	26,000
1,2-Dichloroethane	2,200
1,1-Dichloroethene	14,000
cis-1,2-Dichloroethene	7,600
trans-1,2-Dichloroethene	---
Ethylbenzene	860
Methylene chloride	340 J
4-Methyl-2-pentanone	---
Methyl Ethyl Ketone	---
Tetrachloroethene	---
Toluene	420 J
1,1,1-Trichloroethane	690,000
1,1,2-Trichloroethane	---
Trichloroethene	540,000
1,2,4-Trimethylbenzene	---
Vinyl chloride	---
Xylene (total)	---
TOTAL VOCs	1,349,660

NOTES:

- all analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted
 ---- = the compound was not detected at a concentration above the laboratory practical quantitation limit.

J = indicates an estimated value.

Highlighted cells represent concentrations greater than the applicable standard or guidance value

NA- Not applicable

TABLE 3-1
PRE- AND POST-EXCAVATION IRM SOIL CONCENTRATIONS
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

COMPOUND OF POTENTIAL CONCERN (COPC)	PRE-IRM CONCENTRATIONS	POST-IRM CONCENTRATIONS	SITE-SPECIFIC UNRESTRICTED RSCOs
	(mg/kg or ppb)	(mg/kg or ppb)	(mg/kg or ppb)
VOCs			
Acetone	ND-160	ND-100	74
2-Butanone	ND-630	ND-18 J	152
1,1-DCA	ND-760	ND-200 D	101
1,2-DCA	ND-6	ND-14	47
1,1-DCE	ND-260	ND-86	219
1,2-DCE (total)	ND-48000	ND-4513	199 (1)
Ethylbenzene	ND-46000	ND-220	3713
PCE	ND-14	ND-73	935
Toluene	ND-380000	ND-90	1103
1,1,1-TCA	ND-17000	ND-45	513
TCE	ND-4000000	ND-14000	425
1,2,4-TMB	ND-29000	ND-44	8741
Xylenes	ND-280000	ND-1300	810
SVOCs			
Benzo(a)anthracene	ND-790	ND-220 J	224
Benzo(a)pyrene	ND-1100 J	ND-400 J	61
Benzo(b)fluoranthene	57 J-1300 J	ND-580 J	743
Benzo(k)fluoranthene	ND-400	ND-630 J	743
Chrysene	27 J-780	ND-200 J	270
Fluoranthene	ND-2100	ND-250 J	50000
Naphthalene	75 J-800 J	ND	8775

Notes:

(1) Trans only

TABLE 3-2

SOIL AND GROUND WATER CHEMICALS OF POTENTIAL CONCERN

GREIF FACILITY - TONAWANDA, NEW YORK

NYSDEC VCP NUMBER V00334-9

ERM PROJECT NUMBER 0051923

	Soil	Ground Water
Volatiles	Acetone	Acetone
	2-Butanone	Benzene
	1,1-Dichloroethane	2-Butanone (MEK)
	1,2-Dichloroethane	Chloroethane
	1,1-Dichloroethene	Chloroform
	1,2-Dichloroethene	cis-1,2-Dichloroethene
	Ethylbenzene	1,1-Dichloroethane
	Tetrachloroethene	1,2-Dichloroethane
	Toluene	1,1-Dichloroethene
	1,1,1-Trichloroethane	1,2-Dichloroethene (Total)
	Trichloroethene	Ethylbenzene
	1,2,4-Trimethylbenzene	Methylene Chloride
	Xylene (total)	4-Methyl-2-pentanone
		Tetrachloroethene
		Toluene
		trans-1,2-Dichloroethene
		1,1,1-Trichloroethane
		1,1,2-Trichloroethane
	Trichloroethene	
	1,2,4-Trimethylbenzene	
	Vinyl chloride	
	Xylene (total)	
Semivolatiles	Benzo(a)anthracene	None
	Benzo(a)pyrene	
	Benzo(b)fluoranthene	
	Benzo(k)fluoranthene	
	Chrysene	
	Fluoranthene	
	Naphthalene	

TABLE 3-3
POTENTIAL NEW YORK STATE STANDARDS, CRITERIA AND GUIDELINES (SCGs)
GREIF FACILITY- TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

<i>CITATION</i>	<i>DESCRIPTION</i>	<i>TYPE</i>	<i>POTENTIAL APPLICABILITY TO DEVELOPING REMEDIAL ACTION OBJECTIVES</i>	<i>POTENTIAL APPLICABILITY TO EVALUATING REMEDIAL ACTION ALTERNATIVES</i>
<i>STANDARDS AND CRITERIA (1)</i>				
6 NYCRR Part 364	Waste Transporter Permits	Action	Not applicable	This standard would relate to alternatives that involve waste removal.
6 NYCRR Part 370 through 373	Hazardous Waste Management Regulations	Action, Chemical	This standard relates to identification of hazardous waste at the Site. This along with 6 NYCRR Part 375 would be used to asses remedial needs for hazardous waste at the Site.	This standard would relate to the characterization and management of hazardous waste at the Site. This would include characterization of excavated soil at the Site.
6 NYCRR Part 376	Land Disposal Restrictions	Action, Chemical	Not applicable.	This standard relates to the management of hazardous waste removed during remedial action.
6 NYCRR Part 375-3 6 NYCRR Part 375-6	Brownfield Cleanup Program and Soil Cleanup Objectives	Action, Chemical	This standard along with 6 NYCRR Part 370 to 373 would be used to asses remedial needs for hazardous waste at the Site.	This standard relates to all Site remedial activities (i.e. remedy selection and remedial action).
OSHA; 29 CFR 1910	Guidelines/Requirements for Workers at Hazardous Waste Sites (Subpart 120) and Standards for Air Contaminants (Subpart 1).	Action	Not applicable.	May relate to certain remedial action activities

TABLE 3-3 (continued)
POTENTIAL NEW YORK STATE STANDARDS, CRITERIA AND GUIDELINES (SCGs)
GREIF FACILITY- TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

<i>CITATION</i>	<i>DESCRIPTION</i>	<i>TYPE</i>	<i>POTENTIAL APPLICABILITY TO DEVELOPING REMEDIAL ACTION OBJECTIVES</i>	<i>POTENTIAL APPLICABILITY TO EVALUATING REMEDIAL ACTION ALTERNATIVES</i>
OSHA; 29 CFR 1926	Safety and Health Regulations for Construction	Action	Not applicable	May relate to certain remedial action activities.
<i>Guidelines ⁽¹⁾</i>				
TAGM HWR-94-4046	Determination of Soil Cleanup Objectives and Cleanup Levels	Chemical	Guidance is applicable for the development of remedial action objectives for Site soil.	Guidance is applicable for evaluating the effectiveness of a remedial alternative.
NYSDOH Community Air Monitoring Plan for Intrusive Activities	Requirements real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust)	Action, Chemical	Not Applicable.	Would relate to any intrusive remedial activities (soil excavation and disposal).
NYSDOH Guidance for Evaluating Soil Vapor Intrusion	Guidance in identifying and addressing existing and potential human exposures to contaminated subsurface vapors associated with known or suspected VOCs contamination	Action, Chemical	Not Applicable	Guidance would be applicable for remedial action alternatives for buildings above impacted areas.

TABLE 3-3 (continued)
POTENTIAL NEW YORK STATE STANDARDS, CRITERIA AND GUIDELINES (SCGs)
GREIF FACILITY- TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

<i>CITATION</i>	<i>DESCRIPTION</i>	<i>TYPE</i>	<i>POTENTIAL APPLICABILITY TO DEVELOPING REMEDIAL ACTION OBJECTIVES</i>	<i>POTENTIAL APPLICABILITY TO EVALUATING REMEDIAL ACTION ALTERNATIVES</i>
NYSDEC TOGS 1.1.1	Ambient Water Quality Standards and Guidance Values	Action, Chemical	Guidance would be applicable for development of remedial action objectives for Site ground water and indirectly relate to developing remedial action objectives for Site soil.	Guidance would be applicable for remedial action alternatives that involve work associated with Site ground water.
<i>TO BE CONSIDERED (TBCs) ⁽²⁾</i>				
NYSDEC <i>Draft</i> DER-10	Technical Guidance for Site Investigation and Remediation	Action	Draft guidance relates to development of remedial action objectives.	Relates to all Site remedial action activities.
USEPA Region III Risk Based Concentration Tables (RBCs), Industrial/Commercial	Risk-based concentrations for contaminants in soil at industrial sites	Chemical	Not Applicable	Guidance would be applicable for remedial alternatives and activities that involve direct contact with Site media.

GLOSSARY OF ACRONYMS

CFR Code of Federal Regulations
DER Division of Environmental Remediation
NYSDEC New York State Department of Environmental Conservation
NYSDOH New York State Department of Health
NYCRR New York Code of Rules and Regulations
OSHA Occupational Safety and Health

TABLE 3-3 (continued)
POTENTIAL NEW YORK STATE STANDARDS, CRITERIA AND GUIDELINES (SCGs)
GREIF FACILITY- TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

SCG	Standards, Criteria and Guidance
TBC	To Be Considered Information
VOCs	Volatile Organic Compounds (VOCs)
USEPA	U. S. Environmental Protection Agency

Notes:

- (1) Standards and Criteria were obtained from NYSDEC Draft DER-10, Technical Guidance for Site Investigation and Remediation, December 2002.
- (2) Guidelines were obtained from NYSDEC Draft DER-10, Technical Guidance for Site Investigation and Remediation, December 2002.
- (3) TBCs are defined in this report as regulations and guidance documents that are not identified NYSDEC Draft DER-10, Technical Guidance for Site Investigation and Remediation, December 2002.

TABLE 3-4
SUMMARY OF VOC CONCENTRATIONS IN SOIL
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Sample Designation	NYSDEC Unrestricted Residential SCO	NYSDEC Restricted Commercial SCO	Former Varnish UST Area							Former Drum Storage Area (FDSA)															
			GB-1	GB-1	GB-2	GB-14	GB-15	GB-15	GB-45	GB-9	GB-10	GB-11	MW-1	GB-25	GB-25DL	GB-35	SC-FLR	SC-EWALL	SC-WWALL	SC-PIPE	GB-10-FLOOR	GB-10-WWAL	GB-10-EWALL	GB-10-SWALL	
			14-16 1998	20-24 1998	12-16 1998	13-14 1998	6-7 1998	14-15 1998	12-14 11/1/02	4-5 1998	14-15 1998	13-15 1998	9-11 1998	9-10 2001	9-10 2001	16 2001	6.5 12/8/05	3 12/8/05	4 12/8/05	5 12/12/05	7 12/12/05	3 12/15/05	3 12/15/05	2.5 12/15/05	
TCL VOCs (ug/kg)																									
Acetone	50	500000	---	---	---	ND	ND	ND	---	ND	ND	ND	ND	25 BJ	---	21 J	---	---	---	100	56	---	---	---	30 J
Acrolein	---	---	---	---	---	130	ND	ND	---	ND	ND	ND	ND	---	---	---	---	---	---	---	---	---	---	---	---
Benzene	60	45000	---	---	---	---	---	---	---	---	---	---	---	2 J	---	---	---	---	---	---	---	---	---	---	---
2-Butanone	120	500000	---	---	---	ND	ND	ND	330 J	ND	ND	ND	ND	---	---	---	---	---	---	18 J	---	---	---	---	---
Carbon disulfide	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chloroethane	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Chloroform	370	350000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cyclohexane	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
cis-1,2-Dichloroethene	250	500000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	19	---	---	2 J	760 J	230	100	4500	---
Dibromochloromethane	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
1,1-Dichloroethane	270	240000	---	---	---	2600	ND	ND	---	ND	ND	ND	ND	95	---	---	200 D	---	---	53 J	15	3 J	3 J	77	
1,2-Dichloroethane	10	30000	---	---	---	ND	ND	ND	---	ND	ND	ND	ND	1 J	---	---	14	---	---	---	---	---	---	---	---
1,1-Dichloroethene	330	500000	---	---	---	ND	ND	ND	---	ND	ND	ND	ND	12	---	---	86	---	---	---	5 J	---	---	20	
1,2-Dichloroethene (Total)	---	---	---	---	---	ND	ND	ND	---	5 J	1300 J	ND	ND	970 E	260 DJ	---	---	---	---	---	---	---	---	---	---
trans-1,2-Dichloroethene	190	500000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	13	
Ethylbenzene	1000	390000	12000	360 J	ND	ND	630	590	---	ND	2700	ND	ND	---	---	---	220	---	23	5 J	20	---	4 J	49	
Isopropylbenzene	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Methylcyclohexane	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5 BJ	---	---	---	---	---	---	---	---	---
Methylene chloride	50	500000	---	---	---	---	---	---	---	---	---	---	---	14 B	---	---	---	---	---	---	---	---	---	---	---
4-Methyl-2-pentanone	---	---	---	---	---	ND	ND	ND	---	ND	ND	ND	ND	---	---	---	---	---	---	---	---	---	---	---	---
Styrene	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Tetrachloroethene	750	25000	---	---	---	ND	ND	ND	---	ND	3300	ND	ND	---	---	---	---	---	---	---	34	5 J	8	73	
Toluene	700	500000	ND	ND	140000	ND	ND	ND	---	ND	2600	ND	ND	3 J	---	3 J	7	---	---	---	90	---	6	58	
1,1,1-Trichloroethane	680	500000	---	---	---	16000	ND	ND	360 J	ND	ND	ND	ND	3 J	---	---	30	---	4 J	---	3 J	---	---	---	
1,1,2-Trichloroethane	---	---	---	---	---	ND	ND	ND	---	ND	ND	ND	ND	---	---	---	---	---	---	---	---	---	---	---	---
1,2,4-Trimethylbenzene	---	---	13000	750 J	1100000	ND	380	ND	---	ND	11000	ND	ND	---	---	---	---	---	11	7	23	---	14	44	
Trichloroethane	---	---	---	---	---	ND	ND	ND	---	4 J	ND	ND	ND	---	---	---	---	---	---	---	---	---	---	---	
Trichloroethene	470	200000	---	---	---	21	ND	ND	8900	ND	210000.0	ND	ND	1400 E	590 DJ	---	39	48	---	7	14000	360	280	13000	
Trichlorofluoromethane	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Vinyl Chloride	20	13000	---	---	---	---	---	---	---	---	---	---	---	61	---	---	---	---	---	---	---	---	---	---	---
Xylenes (total)	1600	500000	51000	ND	2300000.0	ND	520	2800	---	ND	22000	ND	ND	---	---	2 J	1300	---	240	---	87	---	25	160	

NOTES:

VOC= Volatile Organic Compounds
B = For organics, indicates that the compound is found in the associated blank as well as the sample. For inorganics, indicates the concentration is less than the Contract Required Detection Limit (CRDL) but greater than or equal to the Instrument Detection Limit (IDL).
D= Indicates all compounds identified in an analysis at a secondary dilution factor.
E= Indicates compounds whose concentrations exceeded the calibration range of the GC/MS instrument for that specific analysis.
J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
ND= Non Detected
Black Highlighted cells indicate an exceedance of the NYSDEC Restricted Commercial SCO (analytes identified with "J" were not evaluated)
Orange Highlighted cells indicate exceedances of the NYSDEC Unrestricted Residential SCO (analytes identified with "J" were not evaluated)
--- Parameter was not analyzed for.

TABLE 3-5
SUMMARY OF SVOC CONCENTRATIONS IN SOIL
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

SAMPLE DESIGNATION	NYSDEC Unrestricted Residential SCO	NYSDEC Restricted Commercial SCO	Former Underground Storage Tank (FUST)					Varnish Pit (VP)					Long Truck Bay Area									
			GB-1	GB-2	GB-15	GB-15	GB-34	GB-17	GB-27	GB-30	MW-18	MW-20	HA-03	HA-04	HA-04	HA-05	HA-06	HA-07	HA-07	HA-08	HA-08	
			14-16	12-16	6-7	14-15	3	1-2	0-1	8-9	2-4	13-14	0-6	1-3	5-6	1-3	1-3	1-3	5-6	1-3	5-6	
Sample Date			1998	1998	1998	1998	2001	1998	2001	2001	10/30/2002	10/31/2002		10/29/2002	10/29/2002	10/29/2002	10/29/2002	10/29/2002	10/29/2002	10/29/2002	10/29/2002	
TCL SVOCs (UG/KG)																						
Anthracene	100000 ^a	500000 ^b	1800	ND	ND	ND	---	330 J	25 J	---	---	---	820 J	12000 J	880 J	32 J	810 J	5700 J	16 J	4400 J	---	
Acenaphthene	98000	500000 ^b	840	ND	ND	ND	---	750	---	---	---	---	ND	780	---	---	---	---	---	---	---	
Acenaphthylene	100000 ^a	500000 ^b	ND	ND	ND	ND	---	ND	---	---	---	---	810 J	8000	540 J	25 J	730 J	4000 J	16 J	3800 J	---	
Benzo(a) anthracene	1000 ^c	5600	2800	79 J	ND	ND	21 J	260 J	82 J	---	---	17 J	2900	22000	1600 J	110 J	3200 J	16000	62 J	15000	17 J	
Benzo(b) fluoranthene	1000 ^c	6000	3000	85 J	ND	ND	57 J	380	70 J	---	---	22 J	3500	27000	1300 J	130 J	2500 J	17000	56 J	17000	18 J	
Benzo(g,h,i) pylene	100000 ^a	500000 ^b	1200	ND	ND	ND	---	85 J	---	---	---	---	1800 J	5800 J	380 J	46 J	1100 J	5600 J	23 J	6900	---	
Benzo(k) fluoranthene	1700	5600	---	ND	ND	ND	---	120 J	46 J	---	---	---	1900 J	13000 J	1500 J	81 J	3000 J	9000 J	---	7800 J	---	
Benzo(a) pyrene	1000 ^c	1000 ^f	2400	67 J	ND	ND	---	ND	62 J	---	---	---	2900	21000	1400 J	100 J	3000 J	15000	60 J	15000	17 J	
Biphenyl	---	---	---	---	---	---	---	---	---	---	---	---	---	220 J	---	---	---	---	---	---	---	
Bis(2-ethylhexyl) phthalate	---	---	100 J	ND	---	---	90 J	---	---	50 J	36 J	110 J	ND	---	---	---	---	---	---	---	---	
Carbazole	---	---	2100	ND	---	---	---	---	---	---	---	---	ND	2000 J	150 J	---	---	810 J	---	400 J	---	
Chrysene	590	56000	2600	34 J	ND	ND	27 J	590	84 J	---	---	20 J	3000	22000	1600 J	130 J	3000 J	16000	---	14000	---	
Dibenzo(a,h)anthracene	330	560	330 J	ND	ND	ND	---	ND	---	---	---	---	ND	2600 J	130 J	16 J	420 J	2400 J	---	2900 J	---	
Dibenzofuran	---	---	510	ND	---	---	---	---	---	---	---	---	ND	2700 J	130 J	17 J	---	1000 J	---	660 J	---	
2,4-Dimethylphenol	---	---	---	---	---	---	62 J	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
3,3'-Dichlorobenzidine	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	180 J	---	---	---	
Di-n-butyl phthalate	---	---	ND	79 J	---	---	---	---	130 BJ	---	---	---	ND	---	---	---	---	---	---	---	---	
Di-n-octyl phthalate	---	---	---	---	---	---	---	---	44 J	11 J	---	---	---	---	---	---	---	---	---	---	---	
Fluoranthene	100000 ^a	500000 ^b	6100	ND	ND	83	---	1700	150 J	---	12 J	27 J	8000	79000	5400	260 J	8000	37000	150 J	34000	45 J	
Fluorene	100000 ^a	500000 ^b	840	180 J	ND	ND	---	970	---	---	---	---	ND	7900	440 J	15 J	320 J	3300 J	---	2100 J	---	
Indeno(1,2,3-cd)pyrene	500 ^c	5600	1300	ND	ND	ND	---	ND	---	---	---	---	1800 J	6400 J	390 J	42 J	1100 J	5700 J	22 J	6800 J	---	
2-Methylnaphthalene	---	---	140 J	460	---	---	---	---	47 J	---	---	14 J	ND	740 J	---	40 J	---	---	---	---	---	
2-Methylphenol	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
4-Methylphenol	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Naphthalene	12000	500000 ^b	480	19000	69 J	ND	75 J	510	18 J	---	21 J	19 J	ND	370 J	---	18 J	---	---	---	---	---	
Phenanthrene	100000 ^a	500000 ^b	5400	150 J	ND	51	96 J	3200	180 J	---	16 J	35 J	3700	41000	4400	190 J	3700 J	23000	74 J	16000	21 J	
Pyrene	100000 ^a	500000 ^b	5000	130 J	ND	72	54 J	1300	120 J	---	---	21 J	3900	40000	3400 J	190 J	5900 J	27000	120 J	26000	39 J	

NOTES:

- VOC= Volatile Organic Compounds
- B = For organics, indicates that the compound is found in the associated blank as well as the sample. For inorganics, indicates the concentration is less than the Contract Required Detection Limit (CRDL) but greater than or equal to the Instrument Detection Limit (IDL).
- D= Indicates all compounds identified in an analysis at a secondary dilution factor.
- E= Indicates compounds whose concentrations exceeded the calibration range of the GC/MS instrument for that specific analysis.
- J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- Black Highlighted cells indicate an exceedance of the NYSDEC Restricted Commercial SCO (analytes identified with "J" were not evaluated)
- Orange Highlighted cells indicate exceedances of the NYSDEC Unrestricted Residential SCO (analytes identified with "J" were not evaluated)
- ND= Non Detected
- Parameter was not analyzed for.
- NA = not applicable
- ^a = The SCOs for unrestricted use were capped at a maximum value of 100ppm, as discussed in the Technical Support Document.
- ^b = For constituents where the calculated soil cleanup objective was lower than the Contract Required Quantitation Limit (CRQL), the CRQL is used as the Track 1 value.
- ^c = For constituents where the calculated soil cleanup objective was lower than background, the background is used as the Track 1 value.

TABLE 3-5 (Continued)
SUMMARY OF SVOC CONCENTRATIONS IN SOIL
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

			Former Drum Storage Area (FDSA)																			
SAMPLE DESIGNATION	NYSDEC	NYSDEC	GB-4	GB-10	GB-33	GB-38	GB-38	GB-39	GB-39	GB-40	GB-40	GB-41	GB-41	GB-42	GB-42	GB-43						
SAMPLE DEPTH (feet)	Unrestricted	Restricted	10-12	7-8	3	3-4	13-14	3-4	13-14	3-4	13-14	3-4	13-14	3-4	13-14	3-4						
Sample Date	Residential	Commercial	1998	1998	2001	11/1/02	11/1/2002	11/1/2002	11/1/2002	11/1/2002	11/1/2002	11/1/2002	11/1/2002	11/1/2002	11/1/2002	11/1/2002						
SCO	SCO	SCO																				
TCL SVOCs (UG/KG)																						
Anthracene	100000 ^a	50000 ^b	460	ND	240	J	----	----	----	----	----	----	----	----	----	----						
Acenaphthene	98000	50000 ^b	200	J	ND	----	----	----	----	----	----	----	----	----	----	----						
Acenaphthylene	100000 ^a	50000 ^b	ND	ND	----	----	----	----	----	----	----	----	----	----	----	----						
Benzo(a) anthracene	1000 ^c	5600	790	ND	1100	J	----	----	160	J	1300	J	16	J	220	J	----	20	J	----		
Benzo(b) fluoranthene	1000 ^c	6000	1000	1300	1100	J	----	----	170	J	640	J	17	J	250	J	----	27	J	----		
Benzo(g,h,i) pylene	100000 ^a	50000 ^b	330	J	ND	300	J	----	----	330	J	----	66	J	----	----	----	----	----	----		
Benzo(k) fluoranthene	1700	5600	400	ND	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
Benzo(a) pyrene	1000 ^c	1000 ^d	750	1100	940	J	----	----	130	J	1000	J	13	J	200	J	----	19	J	----		
Biphenyl	----	----	----	----	----	----	----	----	----	----	----	----	430	J	----	----	----	----	----	----		
Bis(2-ethylhexyl) phthalate	----	----	110	J	----	----	21	J	----	----	----	----	23	J	12	J	28	J	25	J	14	J
Carbazole	----	----	850	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Chrysene	590	56000	780	1400	1200	J	----	140	J	150	J	----	17	J	220	J	----	23	J	----	----	----
Dibenzo(a,h)anthracene	330	560	98	J	ND	86	J	----	----	----	140	J	----	----	----	----	----	----	----	----	----	----
Dibenzofuran	----	----	130	J	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
2,4-Dimethylphenol	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
3,3'-Dichlorobenzidine	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Di-n-butyl phthalate	----	----	ND	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Di-n-octyl phthalate	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Fluoranthene	100000 ^a	50000 ^b	2100	2000	2000	----	160	J	230	J	2200	J	16	J	240	J	----	29	J	----	----	----
Fluorene	100000 ^a	50000 ^b	230	J	ND	----	----	----	210	J	----	----	----	----	----	----	----	----	----	----	----	----
Indeno(1,2,3-cd)pyrene	500 ^c	5600	340	J	ND	280	J	----	290	J	----	----	----	----	----	----	----	----	----	----	----	----
2-Methylnaphthalene	----	----	ND	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
2-Methylphenol	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
4-Methylphenol	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Naphthalene	12000	50000 ^b	80	J	800	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
Phenanthrene	100000 ^a	50000 ^b	1900	1300	870	J	----	----	140	J	1800	J	----	----	----	----	----	----	----	----	----	----
Pyrene	100000 ^a	50000 ^b	1600	2600	2500	----	190	J	280	J	2600	J	23	J	330	J	----	35	J	----	----	----

NOTES:

- VOC= Volatile Organic Compounds
- B = For organics, indicates that the compound is found in the associated blank as well as the sample. For inorganics, indicates the concentration is less than the Contract Required Detection Limit (CRDL) but greater than or equal to the Instrument Detection Limit (IDL).
- D= Indicates all compounds identified in an analysis at a secondary dilution factor.
- E= Indicates compounds whose concentrations exceeded the calibration range of the GC/MS instrument for that specific analysis.
- J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- Black Highlighted cells indicate an exceedance of the NYSDEC Restricted Commercial SCO (analytes identified with "J" were not evaluated)
- Orange Highlighted cells indicate exceedances of the NYSDEC Unrestricted Residential SCO (analytes identified with "J" were not evaluated)
- ND= Non Detected
- Parameter was not analyzed for.
- NA = not applicable
- ^a = The SCOs for unrestricted use were capped at a maximum value of 100ppm, as discussed in the Technical Support Document.
- ^b = For constituents where the calculated soil cleanup objective was lower than the Contract Required Quantitation Limit (CRQL), the CRQL is used as the Track 1 value.
- ^c = For constituents where the calculated soil cleanup objective was lower than background, the background is used as the Track 1 value.

TABLE 3-6
SUMMARY OF METAL CONCENTRATIONS IN SOIL
2001 REMEDIAL INVESTIGATION
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

SAMPLE DESIGNATION	NYSDEC Unrestricted Residential SCO	NYSDEC Restricted Commercial SCO	GB-27	GB-33	GB-35	GB-37	NYSDEC RSCO	EASTERN U.S. BACKGROUND
SAMPLE DEPTH (feet)			0-1	3	16	3-4		
Sample Date			2001	2001	2001	2001		
TAL METALS (MG/KG)								
Aluminum	----	----	17700	17700	20400	20000	SB	33000
Arsenic	16 ^c	16 ^f	10	6	2	5	7.5 or SB	3-12
Barium	350 ^c	400	155	125	145	133	300 or SB	15-600
Beryllium	14	590	4	1	1	1	0.16 or SB	0-1.75
Cadmium	2.5 ^c	9.3	----	----	----	1	1 or SB	0.1-1
Calcium	----	----	128000	7260	46300	37400	SB	130-35000
Chromium	----	----	6	24	28	25	10 or SB	1.5-40
Cobalt	----	----	13	14	14	12	30 or SB	2.5-60
Copper	270	270	8	22	21	20	25 or SB	1-50
Iron	----	----	10100	28100	30400	28000	2000 or SB	2000-50000
Lead	400	1,000	----	13	11	9	SB	4-500
Magnesium	----	----	4500	8820	16000	12800	SB	100-5000
Manganese	2,000 ^c	15,000	1170	746	553	594	SB	50-5000
Nickel	130	310	9	32	32	29	13 or SB	0.5-25
Potassium	----	----	1770	2180	4660	2890	SB	8500-43000
Sodium	----	----	512	136	254	128	SB	6000-8000
Vanadium	----	----	8	33	36	33	150 or SB	1-300
Zinc	2,200	890,000	11	69	66	61	20 or SB	9-50

NOTES:

---- = the analyte was not detected at a concentration above the reported method detection limit

- NYSDEC RSCO are recommended soil cleanup objectives or eastern U.S. background from NYSDEC TAGM-4046 Appendix A, Table 4

- SB = site background

C = For constituents where the calculated soil cleanup objective was lower than background, the background is used as the Track 1 Value.

TABLE 3-7
SUMMARY OF VOC CONCENTRATIONS IN GROUND WATER
QUARTERLY GROUND WATER MONITORING REPORT
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Sample Designation Ground Water Zone	MW-18 Int					MW-21I Int					MW-22 Int					MW-12 Shallow					MW-13 Shallow					NYSDEC Std µg/l
	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	
VOCs (µg/L)																										
Acetone	----	----	---	----	----	----	----	----	4 J	----	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	50
Benzene	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	3.1	----	---	----	----	1
2-Butanone	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	95	----	---	----	----	5
Chloroethane	110	35 J	17 J	----	7.6	----	----	----	----	----	----	----	---	----	----	6.6	----	---	----	----	1.6	----	---	----	----	5
Chloroform	----	----	---	20	----	----	----	----	----	----	----	----	---	----	----	1	----	---	----	----	50	----	---	----	----	7
1,1-Dichloroethane	2,100	2,100	1,200	750	420	----	----	----	----	----	5.1	1.8	1.6	1.8	2.0	1,900	2,000	2,600	2,000	2,900	9,200	8,300	9,600	9,000	10,000	5
1,2-Dichloroethane	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	5.5	----	---	----	----	140 E	----	---	----	----	0.6
1,1-Dichloroethene	250	190	120	97	55	----	----	----	----	----	4		0.41 J	----	.41J	390	450	520	450	540	15,000	12,000	16,000	14,000	18,000	5
cis-1,2-Dichloroethene	490	360	240	170	100	----	----	----	----	----	----	0.78 J	---	----	----	1,900	2,200	3,200	2,100	3,400	9,700	9,800	10,000	9,600	10,000	5
trans-1,2-Dichloroethene	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	47	49	61	37	62	300 E	----	420 J	----	350J	5
Ethylbenzene	74	23 J	14 J	7.3 J	3.4J	----	----	----	----	----	----	----	---	----	----	0.5 J	----	---	----	----	19	----	---	----	----	5
Methylene chloride	----	----	15 J	14 B	5.4B	----	----	----	----	----	----	----	---	----	----	----	----	54	34 B	65B	18	----	510 J	990	1400B	5
4-Methyl-2-pentanone	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	10	----	---	----	----	NS
Tetrachloroethene	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	5.7	----	---	----	----	0.7
Toluene	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	16	----	---	----	----	5
1,1,1-Trichloroethane	37,000	820	160	38	16	----	1.6	----	1.9	----	1.5	0.89 J	---	----	.62J	160	400	660	430	800	37,000	34,000	41,000	35,000	41,000	5
1,1,2-Trichloroethane	----	----	---	----	----	----	----	----	----	----	----	----	---	----	----	270	----	---	----	----	7.2	----	---	----	----	5
Trichloroethene	280	180	110	64	38	0.84 J	0.66 J	----	0.55 J	----	12	6.6	3.5	3.5	3.4	----	420	640	370	620	63,000	54,000	61,000	58,000	58,000	5
1,2,4-Trimethylbenzene	65	----	12 J	8.2 J	4.0J	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	27	----	---	----	----	5
Vinyl chloride	180	100	80	40	25	----	----	----	----	----	----	----	---	----	----	350	140	56	94	52	86	----	---	----	----	2
Xylene (total)	260	74 J	42 J	26 J	9.2J	----	----	----	----	----	----	----	---	----	----	----	----	---	----	----	67	----	---	----	----	5

NOTES:

- all analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted
- = compound was not detected above the laboratory quantitation limit.
- J = indicates an estimated value.
- E = indicated that the concentration exceeds the calibration range of the instrument, and the compound was not identified in the analysis at secondary dilution factor.
- *- Highlighted cells represent an exceedance of standard.
- NS- Not Specified

TABLE 3-7 (Continued)
SUMMARY OF VOLATILE ORGANIC COMPOUNDS DETECTIONS IN GROUND WATER-2006
QUARTERLY GROUND WATER MONITORING REPORT
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Sample Designation Ground Water Zone	MW-14 Shallow					MW-21S Shallow					MW-24 Shallow					MW-25 Shallow					NYSDEC Std µg/l	
	Date Sampled	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	1/31/06	4/18/06	7/11/06	10/11/06	1/10/07	1/30/06	4/18/06	7/11/06	10/11/06	1/10/07	1/30/06	4/18/06	7/11/06	10/11/06		1/10/07
VOCs (µg/L)																						
Acetone	----	----	---	----	----	----	----	---	4 J	----	----	----	---	----	----	----	----	---	----	----	----	50
Benzene	----	----	---	----	----	----	----	---	----	----	1.5	32	97	90	30J	----	----	1.1	----	----	1	
2-Butanone	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	----	----	----	----	----	5	
Chloroethane	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	1.6	0.72 J	0.40 J	----	.66J	5	
Chloroform	----	----	---	----	----	----	----	---	----	----	3.8	----	---	----	----	----	----	---	----	----	7	
1,1-Dichloroethane	2,800	2,600	2,500	2,300	2,400	0.57 J	----	---	----	----	----	30	---	58 J	42J	7.9	10	7.8	3.5	5.6	5	
1,2-Dichloroethane	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	0.6	
1,1-Dichloroethene	2,300	----	1,400	1,600	1,300	----	----	---	----	----	----	8.6	---	----	----	0.62 J	1.2	0.95 J	----	.92J	5	
cis-1,2-Dichloroethene	240	530 J	---	----	250J	----	----	---	----	----	270	3,300	---	7100	3900	12	18	18	20	25	5	
trans-1,2-Dichloroethene	----	----	---	----	----	----	----	---	----	----	1.3	12	---	----	25J	----	----	0.99 J	0.65 J	.91J	5	
Ethylbenzene	----	----	---	----	----	----	----	---	----	----	----	2.8 J	---	----	61B	----	----	---	----	----	5	
Methylene chloride	----	----	470 J	980	710B	----	----	---	----	----	----	2.9 J	---	100	----	----	----	---	----	----	5	
4-Methyl-2-pentanone	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	NS	
Tetrachloroethene	----	----	---	----	----	----	----	---	----	----	1.6	8	---	----	----	----	----	---	----	----	0.7	
Toluene	----	----	---	----	----	----	----	---	----	----	1	12	---	----	----	----	----	---	----	----	5	
1,1,1-Trichloroethane	120 J	----	---	----	----	5	4.5	3	1.9	----	0.79 J	2.2 J	---	----	----	11	4.8	9.5	0.58 J	.80J	5	
1,1,2-Trichloroethane	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	----	----	---	----	----	5	
Trichloroethene	66,000	52,000	45,000	46,000	41,000	12	1.6	0.91 J	0.55 J	----	430	6,700	---	9600	3800	1.5	2.1	3.1	----	3.9	5	
1,2,4-Trimethylbenzene	----	----	---	----	----	----	----	---	----	----	0.56 J	2.2 J	---	----	----	----	----	---	2.5	----	5	
Vinyl chloride	----	----	---	----	----	----	----	---	----	----	6.8	49	---	250	380	0.74 J	0.66 J	0.58 J	0.52 J	.82J	2	
Xylene (total)	----	----	---	----	----	----	----	---	----	----	1.8 J	8.1 J	---	----	----	----	----	---	----	----	5	

NOTES:

- all analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted
- = compound was not detected above the laboratory quantitation limit.
- J = indicates an estimated value.
- E = indicated that the concentration exceeds the calibration range of the instrument, and the compound was not identified in the analysis at secondary dilution factor.
- *- Highlighted cells represent an exceedance of standard.
- NS- Not Specified

TABLE 3-8
SUMMARY OF NATURAL ATTENUATION DATA- GROUND WATER
SOIL INTERM REMEDIAL MEASURE REPORT
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Well Designation	MW-18	MW-18	MW-20	MW-21I	MW-21I	MW-22	MW-22	MW-12	MW-12	MW-13	MW-13	MW-14	MW-14
Ground Water Zone	Int	Int	Int	Int	Int	Int	Int	Shallow	Shallow	Shallow	Shallow	Shallow	Shallow
Date Sampled	12/11/02	1/31/06	12/12/02	12/12/02	1/31/06	12/12/02	1/31/06	12/12/02	1/31/06	12/12/02	1/31/06	12/12/02	1/31/06
CONTAMINANTS													
L,1,1-Trichloroethane	170 J	37,000	30,000 J	10 J	----	320 J	1.5	340 J	160	38000 J	37,000	----	120 J
Trichloroethene	16	280	6,600	6	0.84 J	78	12	410	----	46,000	63,000	46,000	66,000
Xylenes (Total)	----	260	----	----	----	----	----	----	----	----	67	----	----
DAUGHTER PRODUCTS													
Acetic Acid (mg/L)	----	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Chloroethane	----	110	----	----	----	----	----	0.01	6.6	----	1.6	----	----
Ethane	----	----	----	----	----	----	----	----	----	----	2.1	----	----
Ethene	----	1.4	----	----	----	----	----	----	3.4	----	12	----	1.7
Methane	----	1.6	----	2.2	4.3	2.6	5.6	12	52	110	840	----	2.2
1,1-Dichloroethane	11	2,100	820 J	----	----	40	5.1	2,700	1,900	6,400	9,200	2,400	2,800
1,1-Dichloroethene	18	250	350 J	----	----	7	4.0	480	390	14,000	15,000	1,800	2,300
cis-1,2-Dichloroethene	4	490	----	4,000	----	----	----	4,000	1,900	7,000	9,700	----	240
Vinyl Chloride	----	180	----	----	----	----	----	230 J	350	----	86	----	----
ELECTRON DONORS													
Iron, Ferrous (mg/L)	0.4	0.2	0.1	0.0	0.5	0.2	0.7	0.0	1.3	0.0	1.4	0.9*	0.3
Manganese, manganous	47.3	NA	49.8	53.2	NA	62.4	NA	82.6	NA	857	NA	47.7	NA
Sulfide (mg/L)	----	----	----	----	----	----	----	----	2.4	----	----	----	----
ELECTRON ACCEPTORS													
Dissolved Oxygen (mg/L)	4.47	NM	3.0	1.16	0.00	0.09	0.00	0.98	3.02	1.01	4.44	1.81	1.63
Iron, Ferric (mg/L)	0.630	NA	0.98	2.300	NA	17,500	NA	1.130	NA	0.636	NA	*	NA
Manganese (total)	65.2	NA	92.5	168	NA	712	NA	73.2	NA	997	NA	60.4	NA
Nitrate (mg/L)	0.15 J	----	----	----	----	----	----	----	----	----	----	----	----
Sulfate (mg/L)	280	356	231	104	99.4	647 J	579	130	156	191	213	84.4	101
MISCELLANEOUS													
Alkalinity (as CaCO ₃)													
Bicarbonate Alkalinity (mg/L)	530	77.7	594	382	448.0	445	396.0	742	750.0	1,040	637.0	488	519.0
Carbonate Alkalinity (mg/L)	----	24.7	----	----	----	----	----	----	----	----	----	----	----
Hydroxide Alkalinity (mg/L)	----	----	----	----	----	----	----	----	----	----	----	----	----
Free Carbon Dioxide	NA	NM	NA	NA	22	NA	12	NA	69	NA	178	NA	79
Dissolved Carbon Dioxide	----	NA	----	----	NA	----	NA	----	NA	----	NA	----	NA
Dissolved Organic Carbon (mg/L)	3.8	8.0	3.8	6.9	5.0	3.9	4.3	4.1	8.3	13.2	24.2	3.0	6.6
Total Organic Carbon (mg/L)	3.3	NA	3.5	7.1	NA	3.2	NA	4.0	NA	12.4	NA	2.8	NA
Ammonia (mg N/L)	0.34	NA	0.12	0.14	NA	0.23	NA	----	NA	----	NA	----	NA
pH (standard units)	7.98	NM	7.6	7.69	7.63	7.68	7.85	7.30	7.31	6.96	6.80	7.56	7.09
Temperature (degrees C)	15.4	NM	16.1	17.7	17.2	15.9	15.9	18.2	18.4	17.6	17.6	18.3	18.4
Total Dissolved Solids (mg/L)	1,280	932	1160	687	551	1,160	1,180	1,050	1,050	1,690	1,760	670	739
Total Hardness (mg/L)	760	428	901	604	384	1,280	624	819	699	1,560	1,390	495	514
OTHER CATIONS													
Calcium	65,800	NA	57,200	44,400	NA	66,000	NA	55,100	NA	195,000	NA	64,000	NA
Magnesium	165,000	NA	169,000	89,100	NA	150,000	NA	177,000	NA	269,000	NA	104,000	NA
Potassium	5,980	NA	5020 J	4,200 J	NA	5,560 J	NA	4050 J	NA	3,480 J	NA	4,080 J	NA
Sodium	151,000	NA	121,000 J	77,300 J	NA	126,000 J	NA	101,000 J	NA	53,800 J	NA	45,000 J	NA
OTHER ANIONS													
Chloride (mg/L)	26.1	NA	26.2	17.7	NA	39.8	NA	144	NA	514	NA	63.8	NA

NOTES:
- ---- = not detected at a concentration greater than the practical quantitation limit
- all analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted
- mg/L = milligrams per liter
NM= Not measured or calculated due to failure of field equipment
Free Carbon Dioxide calculated using a Ion Chromatographic Method
Int= Intermediate Ground Water Zone
* - Ferrous iron result suspect due to validated total iron result; ferric iron not calculated

TABLE 3-9
SUMMARY OF NATURAL ATTENUATION SCREENING RESULTS
2006 SOIL IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

PARAMETER	CONCENTRATION IN MOST	POINTS	SHALLOW GW ^	INTERMEDIATE GW ^^
	<u>CONTAMINATED ZONE (MCZ)</u>	<u>POSSIBLE</u>	Background	Background
	(Screening Guidelines)		Concentration in MCZ	Concentration in MCZ
			Points Awarded	Points Awarded
Alkalinity	> 2 times background level	1	background = 438 mg/L * MW-13 = 1,040 mg/L +1 Point	background = 457 mg/L ** MW-18 = 530 mg/L +1 Point
BTEX	> 0.1 mg/L	2	NA GB-20 Xylenes = 1,600 ug/L +2 Points	NA none detected NA
Carbon Dioxide	> 2 times background level	1	NC MW-12 = 69 mg/L *** +1 Point	NC MW-21I = 16 mg/L *** +1 Point
Chloride	> 2 times background level	2	background = 148 mg/L * MW-13 = 514 mg/L +2 Points	background = 125 mg/L ** none above background NA
Chloroethane	Any Amount	2	NA MW-12 = 14 ug/L +2 Points	NA MW-18 = 110 ug/L +2 Points
Dichloroethene (cis isomer)	Any Amount	2	NA MW-13 = 9,700 ug/L +2 Points	NA MW-18 = 490 ug/L +2 Points
Dissolved Organic Carbon	> 20 mg/L	2	NA MW-13 = 24.1 mg/L +2 Points	NA none above 20 mg/L NA
Ethane/Ethylene	> 0.01 mg/L > 0.1 mg/L	2 3	NA MW-13 = 12 ug/L +1 Point	NA none above 0.01 mg/L NA
Iron (II)	> 1 mg/L	3	NA MW-12 = 1.4 mg/L +3 Point	NA none above 1 mg/L NA
Methane	> 0.1 but ≤ 1 mg/L > 1 mg/L	2 3	NA MW-13 = 0.84 mg/L +2 Points	NA none >0.1 mg/L NA
Nitrate	< 1 mg/L	2	NA MW-12 <0.050 mg/L +2 Points	NA MW-18 = 0.15 mg/L +2 Points

NOTES:

^ - MW-12, MW-13, MW-14 and GB-20 were wells within most contaminated zone (GW = ground water)

^^ - MW-18, MW-20, MW-21I, and MW-22 were wells within most contaminated zone (GW = ground water)

NA - not applicable

NC - cannot be calculated using the nomograph evaluation method due to high TDS

* - calculated by taking mean of MW-16, MW-17, and MW-19

** - calculated by taking mean of MW-2, MW-3, MW-4, MW-5, and MW-6

*** - based on an anomaly in calculated free carbon dioxide at these points in comparison to the other points using the nomograph evaluation method

TABLE 3-9 (Continued)
SUMMARY OF NATURAL ATTENUATION SCREENING RESULTS
2006 SOIL IRM
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0001242

PARAMETER	CONCENTRATION IN MOST	POINTS	SHALLOW GW ^	INTERMEDIATE GW ^^
	CONTAMINATED ZONE (MCZ)	POSSIBLE	Background	Background
	(Screening Guidelines)		Concentration in MCZ	Concentration in MCZ
			Points Awarded	Points Awarded
ORP	≥ -100 mV but < 50 mV	1	NA	NA
	< -100 mV	2	mean = -74 mV	mean = -108 mV
			+1 Point	+2 Point
Oxygen	< 0.5 mg/L	3	NA	NA
	>1 mg/L	-3	mean = 3 mg/L	mean = 0 mg/L
			- 3 Points	+ 3 Points
pH	NA	NA	NA	NA
	(yet must be in range of 5-9 for the reductive pathway to be tolerated)		all in range of 5-9	all in range of 5-9
			NA	NA
Sulfate	< 20 mg/L	2	NA	NA
			none <20 mg/L	none <20 mg/L
			NA	NA
Sulfide	> 1 mg/L	3	NA	NA
			none >1 mg/L	none >1 mg/L
			NA	NA
Temperature	> 68 degrees F	1	NA	NA
			none >68 degrees F	none >68 degrees F
			NA	NA
Trichloroethene	Any Amount	2	NA	NA
			Material released	MW-18 = 280 ug/L
			NA	NA
Vinyl Chloride	Any Amount	2	NA	NA
			MW-12 = 230 ug/L	MW-18 = 180 ug/L
			+2 Points	+2 Points
Volatile fatty acids	> 0.1 mg/L	2	NA	NA
(Acetic Acid)			none detected	none detected
			NA	NA
TOTAL POINTS			20 Points	15 Points

NOTES:

^ - MW-12, MW-13, MW-14 and GB-20 were wells within most contaminated shallow zone (GW = ground water)

^^ - MW-18, MW-20, MW-21I, and MW-22 were wells within most contaminated intermediate zone (GW = ground water)

NA - not applicable

NC - cannot be calculated using the nomograph evaluation method due to high TDS

* - calculated by taking mean of MW-16, MW-17, and MW-19 (data from DGI Report, 2004)

** - calculated by taking mean of MW-2, MW-3, MW-4, MW-5, and MW-6 (data from DGI Report, 2004)

*** - based on an anomaly in calculated free carbon dioxide at these points in comparison to the other points using the nomograph evaluation method

**TABLE 4-1
EVALUATION OF POTENTIAL REMEDIAL TECHNOLOGIES
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923**

TECHNOLOGY	DESCRIPTION	ABILITY TO MEET RAOs*	EFFECTIVENESS	IMPLEMENTABILITY	Technology Carried Forward?
Sub-Slab Depressurization	This technology involves the installation of subsurface piping to collect soil gas. The collected vapors are then transferred to the atmosphere through emission controls, if needed. The sub-slab depressurization system utilizes a blower and controls to create vacuum	This technology meets the following RAOs: SRAO3	Sub-slab depressurization is effective in collecting soil gas from beneath slabs. Systems of this type have been used for years to mitigate intrusion of radon gas into enclosed structures.	Due to the compact nature of these systems, installation and their use at the Site Building (currently in use) would be implementable as the first floor has enough space to fit the compact footprint required for SSD. Portions of the System Interim Remedial Measure can be used for this system.	Yes
Low Vacuum Enhanced, DNAPL Recovery	This technology involves the installation of a series of recovery wells or trenches. DNAPL pumping may be accomplished with one or two pumps. In the single pump configuration, one pump withdraws both water and NAPL. The dual-pump configuration uses one pump located below the water table to remove ground water and a second located in the NAPL layer to recover NAPL. DNAPL recovery is augmented by application of low flow vacuum, which involves installation of an air compressor and associated piping and off-gas treatment.	This technology meet the following RAOs: SRAO2, SRAO3, GWRAO1, GWRAO2, and GWRAO3	Low-vacuum enhancement is effective in augmenting free product recovery. This is a full-scale technology that has been used for years in free product recovery. Aqueous and DNAPL wastes are stored and sent off-Site for disposal. Off-gas treatment is accomplished via a variety of applicable techniques.	This technology is currently being implemented as an IRM at the Site (Varnish Pit Area), with the use of vapor condensation and G-AC polishing for off-gas treatment.	Yes
Institutional Controls	This technology involves filing a deed restriction on the Site limiting the Site use to Commercial Use, creation of a Site Management Plan to guide future excavation activities where appropriate and remedial technology O&M activities. This technology would also rely on existing State Sanitary code restrictions for the installation of water supply wells in areas served by public water supply.	This technology meets the following RAOs: SRAO1 and GWRAO1	This technology would need to be used in conjunction with other technologies to be effective	This technology is readily implementable	Yes
Soil Excavation	This technology involves the excavation of the grossly affected soil identified in the Former Varnish UST Area. Soil excavation cannot be conducted to address affected soil beneath the Site building (Varnish Pit Area) as the facility is currently active.	This technology meets the following RAOs: SRAO1, SRAO2 and SRAO3	Based on the satisfactory results from the soil excavation IRM conducted at the GB-10/Former Storage Drum Area, soil excavation at the Former Varnish UST Area would also be an effective technology.	Soil excavation would require clearing of the area and mobilization of heavy equipment. There are no space constraints at the Site that prevent mobilization of heavy equipment. This technology can be implemented in the Former Varnish UST Area, although the excavation would be limited by the building wall and foundation. However, this technology would not be applicable to the Varnish Pit area as it would entail active excavation of a large area in an active building.	Yes
Monitored Natural Attenuation	Relies on natural processes to breakdown ground water contaminants. Natural attenuation processes include physical, chemical, or biological processes that, under favorable conditions, act without human intervention to reduce mass, toxicity, mobility, volume or concentration of contaminants in ground water. These processes include biodegradation, dispersion, dilution, sorption, volatilization, and chemical or biological stabilization, transformation, or destruction of contaminants. Ground water samples are collected to track contaminants trends and breakdown byproducts to monitor progress of natural attenuation processes.	This technology meets the following RAOs: GWRAO1, and GWRAO2	Available quarterly monitoring data indicate that conditions for biodegradation of VOCs in shallow and intermediate overburden ground water are appropriate. Once the source areas (Former Varnish UST Area soil and Varnish Pit area DNAPL) have been addressed, natural attenuation processes will continue to reduce mass and may achieve the remedial goals.	MNA is readily implementable. Demonstration of MNA requires significant sampling frequency and parameters, which is currently underway at the site.	Yes
In-Situ Thermal Treatment	This technology mobilizes volatile chemicals through soil and ground water by applying heat. The heated chemicals are mobilized toward underground wells where they are collected and piped to the ground surface where they can be treated above ground by one of the many treatment methods available. Several in-situ thermal treatment technologies include steam injection forces or injects steam underground through wells drilled in the affected area hot water injection also (similar to steam injection except that hot water is injected through the wells instead of steam) electrical resistance heating (delivers an electric current underground through wells made of steel), and radio frequency heating (typically involves placing an antenna that emits radio waves in a well).	This technology meets the following RAOs: SRAO1-3, and GWRAO1-3	In-Situ thermal treatment technologies such as Electrical Resistance Heating (ERH) have been successfully employed at several locations in recent years achieving >90% reduction of VOC mass in short period of operation (4-6 months). Static Resistivity testing results using Site soil (i.e. bench-scale testing) indicate that ERH can effectively remove VOCs at the Former Varnish UST Area and the Varnish Pit Area (Appendix D).	In-Situ thermal Treatment would require moderate earthwork and mobilization of drilling equipment. There are no space constraints that prevent such work in the Former Varnish UST Area. This technology could be implemented in the Varnish Pit Area (inside the active building) only to a limited extent as it requires moderate disruption and earthwork (fundamentally drilling).	Yes

(*) **Soil RAOs**

SRAO1 - Prevent ingestion, direct contact, and/or inhalation of/with soil that exceeds applicable SCGs;
SRAO2 - Prevent inhalation of or exposure to COPCs volatilizing from soil that poses risk to public health and the environment given the intended use of the Site; and
SRAO3 - Prevent the potential for vapor intrusion into indoor air, if applicable.

(*) **Ground water RAOs**

GWRAO1 - Prevent exposure to contaminated groundwater that poses risk to public health and the environment given the intended use of the Site;
GWRAO2 - Prevent or minimize further migration of the contaminant plume (plume containment).
GWRAO3 - Prevent or minimize further migration of contaminants from source materials to ground water (source control).

TABLE 5-1
EVALUATION OF COMPLIANCE WITH STANDARDS, CRITERIA, AND GUIDELINES
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

CITATION	DESCRIPTION	TYPE	ALTERNATIVES			MANNER OF COMPLIANCE
			1	2	3	
STANDARDS AND CRITERIA (1)						
6 NYCRR Part 364	Waste Transporter Permits	Action	--	✓	✓	Alternatives 1, and 2 would include removal of Site soil and DNAPL that is a listed hazardous waste or a potentially characteristic hazardous waste. Under these alternatives, any hazardous waste generated would be transported using permitted hazardous waste transporters. All wastes will be properly contained during transport so as to prevent leaking, blowing or any other type of discharge into the environment. All hazardous waste shipments would be manifested in compliance with all applicable requirements of NYCRR Part 372. No listed hazardous waste or a potentially characteristic hazardous waste would be generated under Alternatives 1.
6 NYCRR Part 370 through 373	Hazardous Waste Management Regulations	Action, Chemical	--	✓	✓	As noted above, hazardous and potentially hazardous waste is present at the Site in the form of soil and DNAPL. Under Alternatives 1 and 2, hazardous waste would be removed. All removed hazardous waste would be managed under regulations for generator notification, identification, and manifesting. This SCG would not apply to alternatives that do not remove hazardous waste.No listed hazardous waste or a potentially characteristic hazardous waste would be generated under Alternatives 1.
6 NYCRR Part 376	Land Disposal Restrictions	Action, Chemical	--	✓	✓	As noted above, hazardous and potentially hazardous waste is present at the Site in the form of soil and DNAPL. Under Alternatives 2 and 3 hazardous waste would be removed. If feasible, all characteristic hazardous waste would be treated on-site to meet the applicable universal treatment standards prior to off-site land disposal. No listed hazardous waste or a potentially characteristic hazardous waste would be generated under Alternatives 1.
6 NYCRR Part 375-3,6	Brownfield Cleanup Program and Soil Cleanup Objectives	Action, Chemical	NC	✓	✓	Alternative 2 and 3 comply with this standard as both alternatives include remedial technologies that will be protective of the human health and environment. In both alternatives the selection of a remedy will take into account the current, intended, and reasonably anticipated future land uses of the site and its surroundings. Track 1 Unrestricted Soil Cleanup Objectives will be used to assess areas where restrictions will be used and Track 2 Restricted Commercial Soil Cleanup Objectives will be used to assess remedial needs for Site soil. Alternative 1 would not be protective of the human health and the environment.
OSHA; 29 CFR 1910	Guidelines/Requirements for Workers at Hazardous Waste Sites (Subpart 120) and Standards for Air Contaminants (Subpart 1).	Action	--	✓	✓	All alternatives will include preparation and implementation of a HASP that will address the requirement of this regulation.
OSHA; 29 CFR 1926	Safety and Health Regulations for Construction	Action	--	✓	✓	The HASP prepared for the alternatives will include provisions for construction safety.
Guidelines (1)						
TAGM HWR-94-4046	Determination of Soil Cleanup Objectives and Cleanup Levels	Chemical	NC	✓	✓	This guidance document will be used to evaluate the effectiveness of remedial actions, to identify excavated soils that may be used as backfill in Alternative 2, and to identify source areas, however, since the clean-up objective for soil is to removal grossly contaminated soil, compliance with this guideline as it relates to soil clean-up objectives would not be applicable to Alternative 2 and 3.
NYSDOH Community Air Monitoring Plan for Intrusive Activities	Requirements real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust)	Action, Chemical	--	✓	✓	Air monitoring conducted during intrusive activities will address the requirements of this document. Fugitive dust and particulate suppression controls will be employed, if necessary.
NYSDOH Guidance for Evaluating Soil Vapor Intrusion	Guidance in identifying and addressing existing and potential human exposures to contaminated subsurface vapors associated with known or suspected VOCs contamination	Action, Chemical	NC	✓	✓	Alternatives 2 and 3 include an air monitoring program to assess and monitor potential for vapor intrusion and incorporate operation of a sub-slab depressurization system to address potential harmful vapors emanating from site soil inside the building.
NYSDEC TOGS 1.1.1	Ambient Water Quality Standards and Guidance Values	Action, Chemical	NC	✓	✓	Alternative 2 and 3 comply with this guideline as both alternatives include technologies that address all groundwater RAOs by addressing source removal and monitoring of natural attenuation processes.
To Be Considered (TBCs) (2)						
NYSDEC Draft DER-10	Technical Guidance for Site Investigation and Remediation	Action	NC	✓	✓	Development of remedial goals, objectives and alternatives conducted in accordance with this draft document, remedial design and O&M would address the requirements of this document once finalized.
EPA Region III Risk Based Concentration Tables (RBCs), Industrial/Commercial	Risk-based concentrations for contaminants in soil at industrial sites	Chemical	NC	✓	✓	Alternatives 2 and 3 incorporate a Site Management Plan. This guidance will be considered in the development of the Site Management Plan. Alternative 1 does not encompass a Site Management Plan.

Notes:

Alternatives

- 1: No Action
2: Excavation and Off-Site Disposal, SSD System, DNAPL DPE system and MNA
3: In-Situ Thermal Treatment, SSD System, DNAPL DPE system and MNA

- (1) Standards and Criteria were obtained from NYSDEC Draft DER-10, Technical Guidance for Site Investigation and Remediation, December 2002.
(2) Guidance were obtained from NYSDEC Draft DER-10, Technical Guidance for Site Investigation and Remediation, December 2002.
(3) TBCs are defined in this report as regulations and guidance documents that are not identified NYSDEC Draft DER-10, Technical Guidance for Site Investigation and Remediation, December 2002.
✓ Alternative complies with this SCG.
NC Alternative does not comply with this SCG.
PC Alternative partially complies with this SCG. See manner of compliance column and PS text for additional detail.
-- SCG is not applicable to this alternative.

GLOSSARY OF ACRONYMS

NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
NYCRR	New York Code of Rules and Regulations
OSHA	Occupational Safety and Health
SCG	Standards, Criteria and Guidance
TBC	To Be Considered Information
USEPA	U. S. Environmental Protection Agency
DER	Division of Environmental Remediation

TABLE 5-2
COMMON ACTION NO. 1 - AIR MONITORING PROGRAM AND
SUBSLAB DEPRESURIZATION (SSD)
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

ITEM	Units	Unit Cost	Quantity	Cost	Ref
<u>CAPITAL COSTS</u>					
Equipment Purchasing: Blower sensors, gauges, carbon drums	ls	\$ 70,000	1	\$ 70,000	1
Piping, connections, floor penetrations/seals	ls	\$ 35,000	1	\$ 35,000	1
Contractor Labor and Expenses	ls	\$ 40,000	1	\$ 40,000	1
Indoor Air Sampling Program Work Plan Preparation	ls	\$ 15,000	1	\$ 15,000	1
Indoor Air Sampling	ls	\$ 25,000	1	\$ 25,000	1
Subtotal Common Action Capital Costs				\$ 185,000	
				<i>Project Management (8%)</i>	\$ 14,800
				<i>Mobilization/demobilization (10%)</i>	\$ 9,250
				<i>Construction Management (10%)</i>	\$ 18,500
				<i>Design and Reporting (15%)</i>	\$ 27,750
				<i>Contingency (15%)</i>	\$ 27,750
Total Common Action No. 1 Capital Cost				\$ 283,050	
<u>LONG TERM COST</u>					
SSD Operation and Maintenance and Air Monitoring (annual costs)					
Equipment parts and manpower maintenance	yr	\$ 30,000	1	\$ 30,000	1
Electrical usage	yr	\$ 10,000	1	\$ 10,000	1
Annual Air Monitoring	yr	\$ 20,000	1	\$ 20,000	2
Off-gas treatment changeout and disposal	yr	\$ 7,000	1	\$ 7,000	1
Annual Operation and Maintenance Cost				\$ 67,000	
Operation and Maintenance Cost Present Value (10 yr, 2% inflation, 7% discount rate)				\$ 517,356	

Notes

- 1 ERM estimate based on prior experience with comparable tasks
- 2 Assuming two (2) indoor air sample, one (1) background air sample, two (2) soil gas property boundary samples, two (2) subslab soil gas samples and two (2) off-gas treatment air samples

TABLE 5-3

**REMEDIAL ACTION ALTERNATIVE 2 - EXCAVATION AND OFF SITE DISPOSAL OF SOIL
WITH MONITORED NATURAL ATTENUATION OF GROUND WATER
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923**

Item Description	Units	Unit Cost	Quantity	Cost	Ref
<u>PREVIOUSLY INCURRED COSTS (IRMs)</u>					9
Common Acton No. 2 - Excavation IRM	ls	\$ 1,168,812	1	\$ 1,168,812	8
Common Action No. 3 - DNAPL Recovery Sytem IRM	ls	\$ 425,000	1	\$ 425,000	8,11
<u>CAPITAL COSTS</u>					
Excavation of Impacted Soil in the Former Varnish UST Area					
Insurance	ls	\$ 12,650	1	\$ 12,650	1
Confirmatory Sampling - Soil	samples	\$ 292	10	\$ 2,915	1
Confirmatory Sampling - Water	samples	\$ 292	5	\$ 1,458	1
Install Excavation Controls	ls	\$ 314,105	1	\$ 314,105	1
Structural Eng. Oversight	hr	\$ 715	90	\$ 64,350	1
Excavation ("Clean" Soil)	CY	\$ 33	800	\$ 26,400	3
Excavation (Affected Soil)	CY	\$ 39	1285	\$ 49,473	3
Loading (Affected Soil)	CY	\$ 12	1285	\$ 14,842	3
Dewatering	gal	\$ 138	80	\$ 11,000	1
Temp. Services	ls	\$ 24,200	1	\$ 24,200	1
Seed & Straw	sf	\$ 0	12000	\$ 4,620	1
Health & Safety	hr	\$ 165	90	\$ 14,850	2
Expenses, Surveying, Equipment Rental	ls	\$ 121,092	1	\$ 121,092	1
Transportation and Off-Site Disposal of Excavated Soil					
Insurance	ls	\$ 11,000	1	\$ 11,000	1
10,000-gallon Frac Cont.	ls	\$ 3,960	1	\$ 3,960	1
Lab - Soil	samples	\$ 292	10	\$ 2,915	1
Lab - Ground Water	samples	\$ 292	5	\$ 1,460	1
Liquid T&D	gal	\$ 0.72	30000	\$ 21,450	1
Haz Soil T&D	tons	\$ 209.00	1500	\$ 313,500	3
Non-Haz Soil T&D	tons	\$ 57	500	\$ 28,600	3
Backfill and Site Restoration	ls	\$ 39,600	1	\$ 39,600	1
Preparation of Site Management Plan (SMP)	ls	\$ 15,000	1	\$ 15,000	2
Common Action No.1 - SSD	ls	\$ 283,050	1	\$ 283,050	4
Common Action No. 3 - DNAPL Recovery Sytem IRM			1		
Additional DNAPL Recovery	ls	\$ 1,020,762	1	\$ 1,020,762	10
Institutional Controls (Deed Restriction)	ls	\$ 15,000	1	\$ 15,000	2
			Grand Total	\$ 2,418,251	
			Mobilization/Demobilization (5%)	\$ 120,913	5
			Project Management (6%)	\$ 145,095	5
			Remedial Design (12%)	\$ 290,190	5
			Construction Management (8%)	\$ 193,460	5
			Reporting (4%)	\$ 96,730	5
			Contingency (10%)	\$ 241,825	5
			Total Remedial Action Capital Costs	\$ 5,100,276	

TABLE 5-3 (Continued)

**REMEDIAL ACTION ALTERNATIVE 2 - EXCAVATION AND OFF SITE DISPOSAL OF SOIL
WITH MONITORED NATURAL ATTENUATION OF GROUNDWATER
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923**

LONG TERM O&M COSTS

SSD Operation and Maintenance and Air Monitoring (annual costs)

Equipment parts and manpower maintenance	yr	\$	30,000	1	\$	30,000	2
Electrical usage	yr	\$	10,000	1	\$	10,000	2
Air Monitoring	yr	\$	20,000	1	\$	20,000	6
Off-gas treatment changeout and disposal	yr	\$	7,000	1	\$	7,000	2

Annual SSD O&M Costs \$ 67,000

Operation and Maintenance Cost Present Value (10 yr, 2% inflation, 7% discount rate) \$ 517,356

Maintain Engineering Controls	ls	\$	38,609	1	\$	38,609	2
Deed restriction certification, negotiations, meetings during 10 years from 2007, \$5,000 per year, 2% inflation rate, 7% discount rate)							

Site Management Plan Implementation	ls	\$	19,174	1	\$	19,174	2
Prepare and conduct SMP work in Year 3, and 12 (\$15,000 Year 3 effort, \$10,000 for subsequent efforts, 2% inflation, 7% discount rate)							

Ground Water Sampling and Reporting (Monitoring Natural Attenuation, MNA)

Quarterly monitoring and reporting for 4 years. Analysis of Site COPC parameters, natural attenuation parameters and ethene, ethane, methane annually (\$80,000 per year, 2% inflation, 7% discount rate)	ls	\$	283,676	1	\$	283,676	7
---	----	----	---------	---	----	---------	---

Annual monitoring subsequently for 8 years for Site COPC parameters, and natural attenuation parameters (\$40,000 per year, 2% inflation, 7% discount rate)	ls	\$	212,692	1	\$	212,692	7
---	----	----	---------	---	----	---------	---

Subtotal MNA Present Value \$ 496,368

Total Present Value of Long Term Operation and Maintenance Costs \$ 1,071,507

TOTAL PRESENT WORTH OF COSTS \$ 6,171,782

Notes:

- 1 Estimate based on previous Site IRM excavation at the GB-10/Former Drum Storage Area (of similar characteristics)
- 2 ERM estimate based on prior experience with comparable tasks
- 3 Estimated grossly affected soil and "clean" soil excavation volume based EVS visualization software, historic soil boring data and prior excavation Site experience
- 4 See Table 6-2 Common Action No. 1 - SSD System Cost Breakdown
- 5 Recommended Percentages for Technical Services (USEPA, 2000)
- 6 Assuming two (2) indoor air sample, one (1) background air sample, two (2) soil gas property boundary samples, two (2) subslab soil gas samples and two (2) off-gas treatment air samples
- 7 One round of sampling includes sampling of 10 monitoring wells, average of \$600 dollars per analytical sample, \$4,000 in equipment rental, \$5,000 in man power sampling and \$5,000 for MNA evaluation and reporting
- 8 Approximate costs incurred through 30 May 2007. Portion of the Remedial Alternative already completed per the approved IRM (GB-10/FDSA excavation, and enhanced DPE system DNAPL extraction)
- 9 Incurred costs will not be used to calculate EPA recommended percentage based technical services amounts
- 10 Includes O&M costs, review and analysis of system performance, and decommissioning.
- 11 Costs incurred to date include project management, installation of Recovery Wells and Monitoring Wells, DNAPL Recovery Test Pilot, Pilot Test Report and DNAPL Recovery

TABLE 5-4
**REMEDIAL ACTION ALTERNATIVE 3 - IN-SITU THERMAL TREATMENT OF SOIL WITH
 MONITORED NATURAL ATTENUATION OF GROUND WATER
 GREIF FACILITY - TONAWANDA, NEW YORK
 NYSDEC VCP NUMBER V00334-9
 ERM PROJECT NUMBER 0051923**

Item Description	Units	Unit Cost	Quantity	Cost	Ref
<u>PREVIOUSLY INCURRED COSTS (IRMs)</u>					10
Common Acton No. 2 - Excavation IRM	ls	\$ 1,168,812	1	\$ 1,168,812	8
Common Action No. 3 - DNAPL Recovery Sytem IRM	ls	\$ 425,000	1	\$ 425,000	8,12
				Total IRM Incurred Costs \$	1,593,812
<u>CAPITAL COSTS</u>					
In-Situ Thermal Treatment (ET-DSP) Cost Elements					
Insurance	ls	\$ 12,650	1	\$ 12,650	2
Confirmatory Sampling - Soil	samples	\$ 292	10	\$ 2,915	2
Confirmatory Sampling - Water	samples	\$ 292	5	\$ 1,458	2
Vendor Modeling and Remedial Design	ls	\$ 10,385	1	\$ 10,385	1
Acceptenace Testing	ls	\$ 5,480	1	\$ 5,480	1
Permitting	ls	\$ 5,750	1	\$ 5,750	1
System Installation	ls	\$ 181,426	1	\$ 181,426	1
Drilling - Electrodes	ft	\$ 58	271	\$ 15,583	1
Drilling - Extraction Wells	ft	\$ 75	128	\$ 9,568	1
Drilling - Sensor Wells	ft	\$ 52	128	\$ 6,624	1
Energy	kWh	\$ 0	475000	\$ 43,700	1
Operation and Maintenance	ls	\$ 52,406	1	\$ 52,406	1
Install DPE/MPE System	ls	\$ 57,500	1	\$ 57,500	1
Operation (5 months)	ls/month	\$ 5,750	5	\$ 28,750	1
Waste Disposal	ls	\$ 5,750	1	\$ 5,750	1
Site Restoration	ls	\$ 10,000	1	\$ 10,000	2
Health & Safety	hr	\$ 200	90	\$ 18,000	2
Health & Safety Expenses	ls	\$ 5,000	1	\$ 5,000	2
Preparation of Site Management Plan (SMP)	ls	\$ 15,000	1	\$ 15,000	2
Common Action No.1 - SSD	ls	\$ 221,850	1	\$ 283,050	2,4
Common Action No. 3 - DNAPL Recovery Sytem IRM					
Additional DNAPL Recovery	ls	\$ 1,020,762	1	\$ 1,020,762	11
Institutional Controls (Deed Restriction)	ls	\$ 15,000	1	\$ 15,000	2
				Grand Total \$	1,806,755
				Mobilization/Demobilization (5%) \$	90,338
				Project Management (6%) \$	108,405
				Remedial Design (12%) \$	216,811
				Construction Management (8%) \$	144,540
				Reporting (4%) \$	72,270
				Contingency (25%) \$	451,689 9
Total Remedial Action Capital Costs				\$	4,484,620

TABLE 5-4 (Continued)

REMEDIAL ACTION ALTERNATIVE 3 - IN-SITU THERMAL TREATMENT OF SOIL WITH
 MONITORED NATURAL ATTENUATION OF GROUND WATER
 GREIF FACILITY - TONAWANDA, NEW YORK
 NYSDEC VCP NUMBER V00334-9
 ERM PROJECT NUMBER 0051923

LONG TERM O&M COSTS

SSD Operation and Maintenance and Air Monitoring (annual costs)

Equipment parts and manpower maintenance	yr	\$	30,000	1	\$	30,000	2
Electrical usage	yr	\$	10,000	1	\$	10,000	2
Air Monitoring	yr	\$	20,000	1	\$	20,000	6
Off-gas treatment changeout and disposal	yr	\$	7,000	1	\$	7,000	2

Annual SSD O&M Costs \$ 67,000

Operation and Maintenance Cost Present Value (10 yr, 2% inflation, 7% discount rate) \$ 517,356

Maintain Engineering Controls

Deed restriction certification, negotiations, meetings during 10 years from 2007, \$5,000 per year, 2% inflation rate, 7% discount rate)	ls	\$	38,609	1	\$	38,609	2
--	----	----	--------	---	----	--------	---

Site Management Plan Implementation

Prepare and conduct SMP work in Year 3, and 12 (\$15,000 Year 3 effort, \$10,000 for subsequent efforts, 2% inflation, 7% discount rate)	ls	\$	19,174	1	\$	19,174	2
--	----	----	--------	---	----	--------	---

Ground Water Sampling and Reporting (Monitoring Natural Attenuation, MNA)

Quarterly monitoring and reporting for 4 years. Analysis of Site COPC parameters, natural attenuation parameters and ethene, ethane, methane annually (\$80,000 per year, 2% inflation, 7% discount rate)	ls	\$	283,676	1	\$	283,676	7
---	----	----	---------	---	----	---------	---

Annual monitoring subsequently for 8 years for Site COPC parameters, and natural attenuation parameters (\$40,000 per year, 2% inflation, 7% discount rate)	ls	\$	212,692	1	\$	212,692	7
---	----	----	---------	---	----	---------	---

Subtotal MNA Present Value \$ 496,368

Total Present Value of Long Term Operation and Maintenance Costs \$ 1,071,507

TOTAL PRESENT WORTH OF COSTS \$ 5,556,127

Notes:

- 1 Estimate based on In-Situ Thermal Technology (ET-DSP) proposal provided by McMillan McGee for the Former Varnish UST Area
- 2 ERM estimate based on prior experience with comparable tasks.
- 4 See Table 6-2 Common Action No. 1 - SSD System Cost Breakdown
- 5 Recommended Percentages for Technical Services (USEPA, 2000)
- 6 Assuming two (2) indoor air samples, one (1) background air sample, two (2) soil gas property boundary samples, two (2) subslab soil gas samples and two (2) off-gas treatment air samples
- 7 One round of sampling includes sampling of 10 monitoring wells, average of \$600 dollars per analytical sample, \$4,000 in equipment rental, \$5,000 in man power sampling and \$5,000 for MNA evaluation and reporting
- 8 Actual costs incurred through 26 February 2006. Portion of the Remedial Alternative already completed per the approved IRM (GB-10/FDSA excavation, and enhanced DPE system DNAPL extraction)
- 9 Contingency estimated at 25% to cover costs for implementation of either ET-DSP, RFH, ERH or comparable technologies
- 10 Incurred costs will not be used to calculate EPA recommended percentage based technical services amounts
- 11 Includes O&M costs, review and analysis of system performance, and decommissioning.
- 12 Costs incurred to date include project management, installation of Recovery Wells and Monitoring Wells, DNAPL Recovery Test Pilot, Pilot Test Report and DNAPL Recovery

Appendix A
Ground Water Monitoring Summary Report

14 April 2009

Michael Hinton, P.E.
New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
270 Michigan Avenue
Buffalo, New York 14203-2999

RE: Ground Water Monitoring Summary Report
Greif, Inc. Facility - Tonawanda, New York
NYSDEC VCP Number V00334-9



Dear Mr. Hinton:

Environmental Resources Management (ERM), on behalf of Sonoco Products Company (Sonoco), conducted eight consecutive quarters of ground water monitoring at the Greif, Inc. (Greif) Facility located at 2122 Colvin Boulevard in the Town of Tonawanda, Erie County, New York (the Site). Ground water monitoring was conducted through a Voluntary Cleanup Agreement between Sonoco and the New York State Department of Environmental Conservation (NYSDEC) for the purpose of evaluation of monitored natural attenuation (MNA) processes in Site ground water. This report presents the results of the eighth quarterly ground water monitoring event performed in October 2007. In addition, this report also contains a section providing a summary of the results of all eight quarters to provide a comprehensive review of the ground water monitoring effort.

As part of its review of the Focused Feasibility Study (FFS) Report for the Site dated June 2007, the NYSDEC requested the results of background fluorescence analysis (BFA) and fluorescent dye tracing (FDT) ground water investigations recently performed at the Site by ERM. The results of the BFA and FDT investigations are also provided in this report. Accordingly, this report contains four main sections:

- October 2007 Event;
- Summary of Eight Consecutive Quarters;
- BFA and FDT Investigations; and
- Summary and Conclusions.

OCTOBER 2007 EVENT

ERM followed the ground water sampling protocol outlined in the Workplan for Remedial Investigation (ERM, 2000), the Addendum to the Work Plan for Remedial Investigation (ERM, 2002), and approved modifications outlined in correspondence from ERM to the NYSDEC dated 31 January 2006. Ground water was collected from the following monitoring wells for laboratory analyses of selected parameters:

Shallow Ground Water Zone

- MW-12;
- MW-13;
- MW-14;
- MW-21-S;
- MW-24; and
- MW-25.

Intermediate Ground Water Zone

- MW-18;
- MW-21-I; and
- MW-22.

Shallow monitoring well MW-23 and intermediate monitoring well MW-20 were not sampled for laboratory analyses due to the presence of light, non-aqueous phase liquid (LNAPL) and dense non-aqueous phase liquid (DNAPL), respectively.

Each of the monitoring wells sampled had a minimum of three well volumes of ground water purged from the well (or were purged until the monitoring well was dry). Each of the monitoring wells was given time to recover to facilitate the collection of representative ground water samples. Samples were collected using dedicated polyethylene bailers. Ground water samples were collected and handled according to procedures outlined in the NYSDEC-approved Quality Assurance Project Plan (QAPP; ERM, 2000) and were transported under proper chain of custody to Severn Trent Laboratories located in Amherst, New York (STL-Buffalo). STL-Buffalo is a New York State Department of Health (NYSDOH)-approved environmental laboratory.

STL-Buffalo analyzed ground water samples for Site-specific volatile organic compounds (VOCs) of potential concern identified in Table 6-5 of the Data Gap Investigation (DGI) Report (ERM, 2003). The samples were analyzed by United States Environmental Protection Agency (USEPA) Method 8260. Ground water samples were also analyzed for the following parameters useful in the evaluation of natural attenuation processes:

- common degradation products not listed in USEPA Method 8260 (methane, ethane, and ethene);
- common electron acceptors (dissolved oxygen, sulfate); and
- dissolved organic carbon.

Dissolved oxygen (DO), oxidation reduction potential (ORP), conductivity, temperature, and pH were measured in the field with a calibrated Horiba U-22 meter. Several MNA parameters that were collected through the first five rounds of quarterly sampling at the site were removed from the sampling protocol, based on a technical review by an ERM biochemist and as approved by the NYSDEC.

Results are discussed below by ground water zone (i.e., shallow or intermediate) due to the existence of distinct hydrogeologic units at the Site as described in the Remedial Investigation Report (ERM, 2001).

Shallow Ground Water

Ground water level measurements and other data were obtained from existing monitoring wells, recovery wells, and vapor monitoring points. Field data and sampling information for the October 2007 sampling event were recorded on ERM ground water sampling records (Attachment A). Table 1 (Attachment B) presents shallow ground water elevation data. Figure 1 (Attachment C) presents a shallow ground water contour map for the October 2007 sampling event. The estimated ground water flow direction at the Site during the referenced sampling event was generally towards the north. However, ground water was depressed in the Varnish Pit Area due to DNAPL Recovery IRM operations at that time. Shallow ground water contours around the Varnish Pit demonstrate that operation of the DNAPL recovery system established a hydraulic influence in the vicinity of the Varnish Pit.

A copy of the laboratory analytical report for the October 2007 ground water sampling event is presented in Attachment D. Laboratory analytical

results for the October 2007 sampling event are summarized in Table 2 (Attachment B). Review of Table 2 indicates that a total of 16 VOCs were detected in shallow ground water at the Site during the October 2007 sampling event, 12 VOCs were at concentrations above ambient ground water quality standards or guidance values (NYSDEC, 1998). These results are generally consistent with previous ground water sampling events. Specific VOCs detected at concentrations above applicable standards or guidance values include:

- benzene;
- 1,1-dichloroethane (1,1- DCA);
- 1,2-dichloroethane (1,2- DCA);
- 1,1-dichloroethene (1,1- DCE);
- cis-1,2-dichloroethene (cis-1,2-DCE);
- trans-1,2-dichloroethene (trans-1,2- DCE);
- methylene chloride;
- tetrachloroethene (PCA);
- toluene;
- 1,1,1-trichloroethane (1,1,1- TCA);
- trichloroethene (TCE); and
- vinyl chloride.

A measurable but small amount of DNAPL was observed in vapor monitoring point VMP-5 and recovery well RW-4 during the October 2007 quarterly sampling event. A measureable but small amount of LNAPL was observed in shallow monitoring well MW-23.

Intermediate Ground Water

Intermediate ground water level measurements were obtained from existing monitoring wells. Intermediate ground water elevation data are presented in Table 1 (Attachment B). Figure 2 (Attachment C) presents an intermediate ground water contour map for the October 2007 sampling event. Review of ground water level data indicates that the estimated lateral direction of intermediate ground water flow during the October 2007 ground water sampling event is generally towards north-northeast. This flow direction is generally consistent with previous sampling events. However, a cone of depression was evident proximal to MW-20 due to pumping that was occurring from MW-20 at the time of sampling. The cone of depression demonstrates that operation of the DNAPL recovery system had established a hydraulic influence in the vicinity of the well.

Review of Table 2 indicates that a total of eight VOCs were detected in intermediate ground water at the Site during the October 2007 sampling event. Seven of the VOCs in intermediate ground water were detected at concentrations above ambient ground water quality standards and guidance values (NYSDEC, 1998). These results are generally consistent with previous ground water sampling events. Specific VOCs detected at concentrations above applicable standards or guidance values include:

- chloroethane;
- 1,1-DCA;
- 1,1-DCE;
- cis-1,2-DCE;
- 1,1,1-TCA;
- TCE; and
- vinyl chloride.

A small thickness of DNAPL was observed in intermediate monitoring well MW-20 during the October 2007 quarterly sampling event.

Evaluation of Natural Attenuation Data - October 2007

Field and laboratory analytical data relevant to the evaluation of natural attenuation processes in Site ground water for the October 2007 sampling event are summarized in Table 3 (Attachment B). ERM reviewed the Site-specific MNA sample parameters prior to the April 2007 quarterly sampling event and suggested eliminating the following analyses from future quarterly sampling events protocol:

- sulfide;
- ferrous iron;
- nitrate;
- total alkalinity;
- free carbon dioxide; and
- total hardness.

Their removal was recommended because historical sampling results demonstrated that there was insignificant variation in these parameters over the first five quarters.

Ground water sampling results from the October 2007 sampling events show evidence of natural attenuation of chlorinated VOCs through reductive dechlorination. At MW-18 in the intermediate zone, cis-1, 2-DCE and 1,1-DCA, which are the initial daughter products of the reductive dechlorination of TCE and 1,1,1-TCA, respectively, are the primary VOCs. Vinyl chloride, the final chlorinated daughter product of TCE and 1,1,1-TCA, was also present at MW-18. Additionally, 1,1-DCE, the abiotic degradation product of 1,1,1-TCA, is also present at MW-18. The daughter products of the reductive dechlorination of TCE and 1,1,1-TCA show a decreasing trend through eight rounds of quarterly sampling. The decrease in concentration of 1,1,1-TCA and TCE between January 2006 and October 2007 does not appear to be attributed solely to biological natural attenuation mechanisms due to the decreasing concentrations of the reductive daughter products 1,1-DCA, 1,1-DCE and vinyl chloride. Other natural attenuation mechanisms such as dilution or dispersion may be active. Figure 3 presents the trends of select VOCs in MW-18. Ratios of biological daughter products to parent compounds have shown fluctuations for both the ethenes and ethanes in MW-18, yet have remained greater than a ratio of 1.5 since the July 2006 sampling event. These ratios provide evidence of reductive dechlorination at MW-18.

Fluctuations in concentrations of both parent and daughter products have been observed in shallow monitoring wells MW-12 and MW-13. Figure 4 summarizes representative select VOC trends in monitoring wells MW-12. VOC concentrations fluctuated in MW-12 and MW-13 with no obvious trend. The ratios of biological daughter products to parent compounds have shown fluctuations for both the ethenes and ethanes in MW-12 and MW-13. Both ratios of biological daughter products of ethenes and ethanes in MW-13 have remained below a ratio of 1 suggesting reductive dechlorination in the vicinity of MW-13 is very slow or non-reductive. The ratio of ethene biological daughter to parent compounds in the vicinity of MW-12 has been consistently above 2.39 and the ratio of ethanes has fluctuated between 0.8 and 5.0. These ratios suggest that the rate of reductive dechlorination in the vicinity of MW-12 is variable.

The concentrations of initial daughter products of the reductive dechlorination of TCE have remained relatively stable in the vicinity of MW-14. The concentration of TCE has been consistently decreasing in MW-14. This ratio of daughter to parent compounds has been consistently 0.05 or less, which suggests that the reductive dechlorination in the vicinity of MW-14 is not responsible for the decreasing concentration of TCE;

dilution or some other non-biological natural attenuation mechanism is the likely cause of decreasing TCE when ratios are this low. The parent compound 1,1,1-TCA is not present in ground water above the laboratory detection limit at MW-14; however, the degradation daughter compounds are present and have shown slight fluctuations in concentration.

The concentration of vinyl chloride has continued to increase in ground water collected from MW-24. Cis-1, 2-DCE, another chlorinated daughter product of TCE and 1,1,1-TCA, shows slight fluctuations with a general increasing trend in MW-24 since January 2006. Figure 5 presents trends of select VOCs in MW-24. Benzene and TCE concentrations have shown varying concentrations, with no obvious trend. The ratios of biological daughter products to parent compounds have shown slight fluctuations for ethenes in MW-24, however the ratio has been above 1.0 since the October 2006 quarterly sampling event. These ratios provide evidence of reductive dechlorination in the vicinity of MW-24.

Geochemical data indicate that conditions conducive to reductive dechlorination are generally present in ground water in both the shallow and intermediate zones. In October 2007, ORP values ranged between -183 and 4 mV in the shallow zone and -77 and 10 mV in the intermediate zone. DO concentrations ranged between 1.01 and 2.21 mg/L during October 2007 sampling event. These DO results may be anomalous resulting from agitation of ground water with meter and/or bailers. The other major electron acceptor, sulfate, continues to range from approximately 119 and 2960 mg/L in the shallow zone and 186 and 759 mg/L in the intermediate zone, with little change from the July 2007 sampling event.

SUMMARY OF EIGHT CONSECUTIVE QUARTERS

Ground water data through the October 2007 event shows evidence of continued natural attenuation of the chlorinated VOCs through reductive dechlorination in ground water, particularly up-gradient of the Varnish Pit Area. The relative stability of the ratios of reductive daughter products to parent compounds suggests that reductive dechlorination rates in the southwestern portion of the Site are generally slow in the shallow hydrogeologic unit. The ratios of reductive daughter products to parent compounds for ethenes have been relatively stable and below 0.4. These ratios suggest that reductive dechlorination north of the varnish pit area is very slow or non-reductive. The reductive conditions in this area have

likely increased with time as the mass of the source area was continually reduced during DNAPL recovery operations and subsequent vapor extraction.

The trend of the reductive daughter products is similar in the intermediate hydrogeologic unit. TCE concentrations in intermediate monitoring well MW-18 have dramatically decreased through October 2007 sampling event and the ratio of reductive daughter products to parent compounds have consistently been above 1.5 for both ethenes and ethanes since July 2007. The detected concentrations in monitoring well MW-22 and MW-21I have been relatively stable and with only minor exceedances above ambient ground water quality standards or guidance values (NYSDEC, 1998).

BFA AND FDT INVESTIGATIONS

The BFA and FDT investigations (Appendix E) demonstrate the importance of preferential pathways in the upper silty clay unit. A majority of contaminant mass that remains at the Site is contained within this geologic unit. Dye was encountered in monitoring wells more rapidly than predicted based on measured saturated hydraulic conductivity measurements of the upper silty clay unit. These data are interpreted to indicate that dye traveled along preferential flow paths during the FDT investigation. Macropores and fractures in the silty clay unit, confirmed in examination of soil cores during previous rounds of investigation at the Site, are interpreted to be the predominant preferential flow paths at the Site. Subsurface structures and utilities may be locally important preferential pathways as well.

The BFA showed that the COC distribution follows the general ground water flow direction and affected ground water deviates by refraction in the horizontal plane. This refraction implies pronounced preferential flow paths and heterogeneities in the subsurface.

Five organic fluorescent dyes were injected at different locations at the Site. The FDT study also showed that the dye sulforhodamine G injected in vapor monitoring point VMP-2 located within Varnish Pit Area reached 12 wells proximal to the injection point including monitoring well MW-23. Pyranine, injected into a trench in the Former Varnish UST Area, was not detected in monitoring well MW-23 indicating that there is no apparent hydraulic connection between the Former Varnish UST Area and well

MW-23. These results are consistent with LNAPL in monitoring well MW-23 being derived from the Varnish Pit Area and not the Former Varnish UST Area. The FDT study indicates that linear ground water flow velocity along preferential ground water flows is much faster than would have been suspected based on measured saturated hydraulic conductivity measurements of the upper silty clay unit (10^{-8} cm/s).

SUMMARY AND CONCLUSIONS

Review and analysis of ground water level data indicates that the ground water flow direction across areas of interest at the site is generally towards the north. Available data indicates that VOCs have not migrated off Site in ground water. The results of eight consecutive quarters of ground water monitoring demonstrate that natural attenuation processes are generally active in Site ground water at variable rates. The predominant mechanism for attenuation of chlorinated VOCs in Site ground water is reductive dechlorination; however, other non-biological mechanisms such as dilution and dispersion also appear to be operative. Attenuation rates appear to decrease slightly north of the varnish pit based on an evaluation of parent to daughter ratios.

The BFA and FDT investigations demonstrate the importance of preferential pathways in the upper silty clay unit. A large majority of contaminant mass that remains at the Site is contained within this unit. Selected dyes were encountered in monitoring wells much more quickly than suspected based on measured saturated hydraulic conductivity measurements of the upper silty clay unit. These data are interpreted to indicate that dyes traveled along preferential flow paths during the BFA and FDT investigations. Macropores and fractures in the silty clay unit are interpreted to be the predominant preferential flow paths at the Site.

Five organic fluorescent dyes were injected at different locations at the Site. The FDT study confirms that linear ground water flow velocity along preferential ground water flows is much faster than would have been suspected based on measured saturated hydraulic conductivity measurements of the upper silty clay unit (10^{-8} cm/s). Additionally, The FDT study also showed that the dye sulforhodamine G injected in the Varnish Pit Area was detected in monitoring well MW-23. Pyranine, injected into a trench in the Former Varnish UST Area, was not detected in monitoring well MW-23 suggesting that there is no apparent hydraulic

Michael Hinton, P.E.

Ground Water Monitoring Summary Report - Greif Facility, Tonawanda, New York

NYSDEC VCP Number V00334-9

14 April 2009

Page 10

connection between the Former Varnish UST Area and well MW-23. These results are consistent with LNAPL in monitoring well MW-23 being derived from the Varnish Pit Area and not the Former Varnish UST Area.

The conclusions contained in this report are based on available data and information and are subject to modification if additional data or information becomes available.

Please contact the undersigned if you have any questions or comments regarding this report.

Sincerely,



Robert Sents
Project Geologist



Jon S. Fox, P.G.
Senior Consultant

Attachment A - Ground Water Sampling Records - October 2007

Attachment B - Tables

Attachment C - Figures

Attachment D - Laboratory Analytical Report - October 2007

Attachment E - BFA/FDT Investigation Report

Cc: Robert Powell, C.S.P., A.R.M. (Sonoco Products Co.)
Pete Gruene (Palmetto Env. Mgmt. Solutions)
Matt Forcucci (NYSDOH)
Joseph Ryan, Esq. (NYSDEC)
Gregory Sutton, P.E. (NYSDEC)
A. Joseph White (NYSDEC)
Patrick Wolfe (Greif)

Michael Hinton, P.E.

Ground Water Monitoring Summary Report - Greif Facility, Tonawanda, New York

NYSDEC VCP Number V00334-9

14 April 2009

Page 11

Ed Hinchey, P.G. (ERM)

John Mohlin, P.E. (ERM)

REFERENCES CITED

ERM, 2000. Work Plan for Remedial Investigation, 2122 Colvin Boulevard, Tonawanda, New York. ERM Project Number D6713.00.01, June 2000.

ERM, 2001. Voluntary Remedial Investigation Report, Greif Bros. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. ERM Project Number D6714.00, 28 November 2001.

ERM, 2002. Addendum to the Work Plan for Remedial Investigation - Data Gap Investigation, Greif Bros. Facility, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. ERM Project Number D6714.00, 28 June 2002.

ERM, 2003. Data Gap Investigation Report, Greif Bros. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. ERM Project Number 001242, December 2003.

ERM, 2007. Focused Feasibility Study Report, Greif, Inc. Site, 2122 Colvin Boulevard, Town of Tonawanda, Erie County, New York. ERM Project Number 0051923, June 2007.

NYSDEC, 1998. Ambient Water Quality Standards, Guidance Values, and Ground Water Effluent Limitations. NYSDEC Division of Water Technical and Operations Guidance Series Memorandum Number 1.1.1, June 1998 (latest amendment April 2000).

ATTACHMENT A
OCTOBER 2007 GROUNDWATER SAMPLING RECORDS

GROUND WATER SAMPLING RECORD

SITE Grief
 PROJECT NUMBER: 0019900
 SAMPLE ID: Grief-MW-12 (10/07)
 WELL ID: MW-12
 SAMPLERS: R. Sonts

DATE Oct. 2007
 Time Onsite: _____
 Time Offsite: _____

Depth of well (from top of casing) 15.89 Time: _____
 Static water level (from top of casing) 7.42 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method: _____ Well Volume Calculation: _____
 Airlift Low-Flow Pump 2 in. well: 9.47 ft. of water x 0.16 = 1.36 gal. x 3 = 4.07 gal.
 Bailer Peristaltic Pump 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 Submersible Ded. Pump 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.
 Volume of water removed: ~4.5 gal. >3 volumes: yes no _____ purged dry? yes _____ no

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.39</u>	<u>2.04</u>	<u>3.3</u>	<u>4.03</u>	<u>20.7</u>	<u>0</u>	<u>0.1</u>	<u>1.3</u>	<u>134</u>
1 Volume	<u>7.37</u>	<u>2.05</u>	<u>1.6</u>	<u>3.96</u>	<u>20.7</u>	<u>0</u>	<u>0.1</u>	<u>1.3</u>	<u>87</u>
2 Volumes	<u>7.31</u>	<u>2.00</u>	<u>2.61</u>	<u>2.13</u>	<u>19.0</u>	<u>1</u>	<u>0.1</u>	<u>1.3</u>	<u>-14</u>
3 Volumes	<u>7.38</u>	<u>2.02</u>	<u>3.08</u>	<u>1.96</u>	<u>18.7</u>	<u>0</u>	<u>0.1</u>	<u>1.3</u>	<u>4</u>

Sampling

Time of Sample Collection: 15:30

Collection Method: Disposable bailer Analyses: VOCs - 8260 503.1 Other _____
 _____ Teflon bailer _____ SVOCs
 _____ Dedicated pump _____ Metals
 _____ Submersible Pump _____ PCB/Pest
 _____ Low-Flow Sampling MNA
 _____ Other: _____ _____ Other

Observations

Weather/Temperature: _____
 Sample Description: _____
 Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments:

GROUND WATER SAMPLING RECORD

SITE Grief DATE Oct. 2007
 PROJECT NUMBER: 0019900
 SAMPLE ID: Grief-MW-215 (10/07)
 WELL ID: MW-215 Time Onsite: _____ Time Offsite: _____
 SAMPLERS: R. Sontz _____

Depth of well (from top of casing) 15.56 Time: _____
 Static water level (from top of casing) 12.17 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method: _____ **Well Volume Calculation:** 1 volume 3 volumes
 Airlift Low-Flow Pump 2 in. well: 3.39 ft. of water x 0.16 = 0.54 gal. x 3 = 1.62 gal.
 Bailer Peristaltic Pump 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 Submersible Ded. Pump 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.

Volume of water removed: 21.0 gal. >3 volumes: yes _____ no purged dry? yes no

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.28</u>	<u>1.09</u>	<u>5.6</u>	<u>3.42</u>	<u>18.8</u>	<u>0</u>	<u>0.0</u>	<u>0.70</u>	<u>192</u>
1 Volume	<u>7.41</u>	<u>0.995</u>	<u>33.3</u>	<u>2.19</u>	<u>18.8</u>	<u>0</u>	<u>0.0</u>	<u>0.04</u>	<u>219</u>
2 Volumes			<u>Day</u>						
3 Volumes									

Sampling

Time of Sample Collection: 13:30

Collection Method: Disposable bailer Teflon bailer Dedicated pump Submersible Pump Low-Flow Sampling Other: _____
Analyses: VOCs - 8260 503.1 SVOCs Metals PCB/Pest MNA Other _____
Analytical Method: _____

Observations

Weather/Temperature: _____
 Sample Description: _____
 Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments:

GROUND WATER SAMPLING RECORD

SITE Grief DATE Oct. 2007
 PROJECT NUMBER: 0019900
 SAMPLE ID: Grief-MW-ZII (10/07)
 WELL ID: MW-ZII Time Onsite: _____ Time Offsite: _____
 SAMPLERS: R. Sonts _____

Depth of well (from top of casing) 34.98 (silty) Time: _____
 Static water level (from top of casing) 14.53 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method: _____ Well Volume Calculation: _____ 1 volume _____ 3 volumes _____
 Airlift _____ Low-Flow Pump 2 in. well: 20.43 ft. of water x 0.16 = 3.27 gal. x 3 = 9.8 gal.
 Bailer _____ Peristaltic Pump 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 Submersible _____ Ded. Pump 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.
 Volume of water removed: _____ gal. >3 volumes: yes _____ no _____ purged dry? yes _____ no _____

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.35</u>	<u>0.981</u>	<u>3.5</u>	<u>2.08</u>	<u>18.5</u>	<u>0</u>	<u>0.6</u>	<u>0.63</u>	<u>198</u>
1 Volume	<u>7.41</u>	<u>1.13</u>	<u>939.0</u>	<u>0.87</u>	<u>17.5</u>	<u>1</u>	<u>0.7</u>	<u>0.70</u>	<u>10</u>
2 Volumes									
3 Volumes									

Sampling

Time of Sample Collection: 13:45
 Collection Method: _____ Analyses: _____ Analytical Method: _____
 Disposable bailer _____ VOCs - 8260 _____ 503.1 _____ Other _____
 _____ Teflon bailer _____ _____ SVOCs _____
 _____ Dedicated pump _____ _____ Metals _____
 _____ Submersible Pump _____ _____ PCB/Pest _____
 _____ Low-Flow Sampling _____ MNA _____
 _____ Other: _____ _____ Other _____

Observations

Weather/Temperature: _____
 Sample Description: _____
 Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments:

GROUND WATER SAMPLING RECORD

SITE Grief DATE Oct. 2007
 PROJECT NUMBER: 0019900
 SAMPLE ID: Grief-mw-22 (10/07) ms/msd
 WELL ID: MW-22 Time Onsite: _____ Time Offsite: _____
 SAMPLERS: R. Sents _____

Depth of well (from top of casing) 29.83 Time: _____
 Static water level (from top of casing) 14.51 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method: _____ Airlift _____ Low-Flow Pump _____
 Bailer _____ Peristaltic Pump _____
 _____ Submersible _____ Ded. Pump _____

Well Volume Calculation: 1 volume 3 volumes
 2 in. well: 1543 ft. of water x 0.16 = 2.45 gal. x 3 = 7.4 gal.
 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.

Volume of water removed: ~7.5 gal. >3 volumes: yes no _____ purged dry? yes _____ no

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.64</u>	<u>1.87</u>	<u>4.6</u>	<u>2.27</u>	<u>17.2</u>	<u>0</u>	<u>0.1</u>	<u>1.2</u>	<u>196</u> → <u>196</u>
1 Volume	<u>7.64</u>	<u>2.05</u>	<u>835</u>	<u>0.98</u>	<u>16.0</u>	<u>1</u>	<u>0.1</u>	<u>1.3</u>	<u>-80</u>
2 Volumes	<u>7.63</u>	<u>1.94</u>	<u>248</u>	<u>0.91</u>	<u>15.4</u>	<u>1</u>	<u>0.1</u>	<u>1.2</u>	<u>-58</u>
3 Volumes	<u>7.58</u>	<u>1.86</u>	<u>484</u>	<u>0.96</u>	<u>15.8</u>	<u>1</u>	<u>0.1</u>	<u>1.2</u>	<u>-77</u>

Sampling

Time of Sample Collection: 14:16

Collection Method: Disposable bailer _____
 _____ Teflon bailer _____
 _____ Dedicated pump _____
 _____ Submersible Pump _____
 _____ Low-Flow Sampling _____
 _____ Other: _____

Analyses: VOCs - 8260 _____ 503.1 _____
 _____ SVOCs _____
 _____ Metals _____
 _____ PCB/Pest _____
 MNA _____
 _____ Other _____

Analytical Method: _____ Other _____

Observations

Weather/Temperature: _____
 Sample Description: _____
 Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments:

GROUND WATER SAMPLING RECORD

SITE Grief
 PROJECT NUMBER: 0019800
 SAMPLE ID: Grief MW-14 (10/07)
 WELL ID: MW-14
 SAMPLERS: R. Sontz

DATE Oct. 2007
 Time Onsite: _____
 Time Offsite: _____

Depth of well (from top of casing) 16.71 Time: _____
 Static water level (from top of casing) 10.87 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method:

Airlift Low-Flow Pump
 Bailer Peristaltic Pump
 Submersible Ded. Pump

Well Volume Calculation:

1 volume 3 volumes
 2 in. well: 5.84 ft. of water x 0.16 = 0.93 gal. x 3 = 2.8 gal.
 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.

Volume of water removed:

21.5 gal. >3 volumes: yes _____ no purged dry? yes no _____

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.30</u>	<u>1.46</u>	<u>183</u>	<u>6.19</u>	<u>18.3</u>	<u>0</u>	<u>0.1</u>	<u>0.9</u>	<u>165</u>
1 Volume	<u>7.37</u>	<u>1.47</u>	<u>566</u>	<u>2.21</u>	<u>18.6</u>	<u>0</u>	<u>0.1</u>	<u>0.9</u>	<u>73</u>
2 Volumes			<u>Dry</u>						
3 Volumes									

Sampling

Time of Sample Collection: 16:00

Collection Method:

Disposable bailer
 Teflon bailer
 Dedicated pump
 Submersible Pump
 Low-Flow Sampling
 Other: _____

Analyses:

VOCs - 8260
 SVOCs
 Metals
 PCB/Pest
 MNA
 Other _____

Analytical Method:

8260 503.1 Other _____

Observations

Weather/Temperature: _____

Sample Description: _____

Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments: _____

GROUND WATER SAMPLING RECORD

SITE Grief
 PROJECT NUMBER: 0019900
 SAMPLE ID: Grief-MW-13 (10/07)
 WELL ID: MW-13
 SAMPLERS: R. Sents

DATE Oct. 2007
 Time Onsite: _____
 Time Offsite: _____

Depth of well (from top of casing) 16.46 Time: _____
 Static water level (from top of casing) 6.12 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method:

Airlift Low-Flow Pump
 Bailer Peristaltic Pump
 Submersible Ded. Pump

Well Volume Calculation:

1 volume 3 volumes
 2 in. well: 16.34 ft. of water x 0.16 = 1.65 gal. x 3 = 4.9 gal.
 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.

Volume of water removed:

~3.5 gal.

>3 volumes: yes _____ no purged dry? yes no _____

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>6.90</u>	<u>3.44</u>	<u>1.5</u>	<u>1.30</u>	<u>19.0</u>	<u>1</u>	<u>0.2</u>	<u>2.2</u>	<u>-153</u>
1 Volume	<u>6.94</u>	<u>3.52</u>	<u>84.9</u>	<u>1.69</u>	<u>18.4</u>	<u>1</u>	<u>0.3</u>	<u>2.3</u>	<u>-173</u>
2 Volumes	<u>6.97</u>	<u>3.49</u>	<u>425</u>	<u>2.01</u>	<u>17.8</u>	<u>1</u>	<u>0.2</u>	<u>2.3</u>	<u>-183</u>
3 Volumes				<u>Dry</u>					

Sampling

Time of Sample Collection: 15:10

Collection Method:

Disposable bailer
 Teflon bailer
 Dedicated pump
 Submersible Pump
 Low-Flow Sampling
 Other: _____

Analyses:

VOCs -
 SVOCs
 Metals
 PCB/Pest
 MNA
 Other _____

Analytical Method:

8260 _____ 503.1 _____ Other _____

Observations

Weather/Temperature: _____

Sample Description: _____

Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments:

Purge water grayish in color w/ strong "solvent-like" odor

GROUND WATER SAMPLING RECORD

SITE Grief
 PROJECT NUMBER: 0019800
 SAMPLE ID: Grief-MW-25 (10/07)
 WELL ID: MW-25
 SAMPLERS: R. Sents

DATE Oct. 2007
 Time Onsite: _____
 Time Offsite: _____

Depth of well (from top of casing) 14.32 (silty) Time: _____
 Static water level (from top of casing) 4.23 Time: _____
 Water level after purging (from top of casing) _____ Time: _____
 Water level before sampling (from top of casing) _____ Time: _____

Purging Method:

Airlift Low-Flow Pump
 Bailer Peristaltic Pump
 Submersible Ded. Pump

Well Volume Calculation:

2 in. well:	<u>10.09</u> ft. of water x 0.16 =	<u>1.6</u> gal. x 3 = <u>4.8</u> gal.
3 in. well:	_____ ft. of water x 0.36 =	_____ gal. x 3 = _____ gal.
4 in. well:	_____ ft. of water x 0.65 =	_____ gal. x 3 = _____ gal.
6 in. well:	_____ ft. of water x 1.47 =	_____ gal. x 3 = _____ gal.

Volume of water removed: _____ gal.

>3 volumes: yes _____ no _____ purged dry? yes _____ no _____

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.35</u>	<u>3.37</u>	<u>25.7</u>	<u>2.47</u>	<u>20.2</u>	<u>1</u>	<u>0.2</u>	<u>2.2</u>	<u>96</u>
1 Volume	<u>7.22</u>	<u>3.74</u>	<u>999+</u>	<u>1.19</u>	<u>20.0</u>	<u>1</u>	<u>0.2</u>	<u>2.4</u>	<u>6</u>
2 Volumes	<u>7.27</u>	<u>3.73</u>	<u>999+</u>	<u>1.54</u>	<u>20.0</u>	<u>1</u>	<u>0.2</u>	<u>2.4</u>	<u>-11</u>
3 Volumes	<u>7.23</u>	<u>3.58</u>	<u>999+</u>	<u>1.01</u>	<u>20.0</u>	<u>0</u>	<u>0.2</u>	<u>2.3</u>	<u>-10</u>

Sampling

Time of Sample Collection: 11:30

Collection Method:

Disposable bailer
 Teflon bailer
 Dedicated pump
 Submersible Pump
 Low-Flow Sampling
 Other: _____

Analyses:

VOCs -
 SVOCs
 Metals
 PCB/Pest
 MNA
 Other _____

Analytical Method:

8260 503.1 Other _____

Observations

Weather/Temperature: _____

Sample Description: _____

Free Product? yes _____ no _____ describe _____

Sheen? yes _____ no _____ describe _____

Odor? yes _____ no _____ describe _____

Comments:

GROUND WATER SAMPLING RECORD

SITE Grief
 PROJECT NUMBER: 0019800
 SAMPLE ID: Grief MW-24 (10/07)
 WELL ID: MW-24
 SAMPLERS: R. Sents

DATE Oct. 2007
 Time Onsite: _____
 Time Offsite: _____

Depth of well (from top of casing) 14.23 Time: _____
 Static water level (from top of casing) 2.66 Time: _____
 Water level after purging (from top of casing) Time: _____
 Water level before sampling (from top of casing) Time: _____

Purging Method:

Airlift Low-Flow Pump
 Bailer Peristaltic Pump
 Submersible Ded. Pump

Well Volume Calculation:

1 volume 3 volumes
 2 in. well: 11.57 ft. of water x 0.16 = 1.85 gal. x 3 = 5.6 gal.
 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.

Volume of water removed:

_____ gal. >3 volumes: yes _____ no _____ purged dry? yes _____ no _____

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>7.01</u>	<u>3.80</u>	<u>31.2</u>	<u>0.89</u>	<u>19.6</u>	<u>1</u>	<u>0.2</u>	<u>2.4</u>	<u>-52</u>
1 Volume	<u>6.82</u>	<u>4.11</u>	<u>638</u>	<u>1.53</u>	<u>20.1</u>	<u>1</u>	<u>0.2</u>	<u>2.7</u>	<u>-33</u>
2 Volumes	<u>6.82</u>	<u>4.11</u>	<u>505</u>	<u>2.06</u>	<u>20.3</u>	<u>0</u>	<u>0.2</u>	<u>2.6</u>	<u>-29</u>
3 Volumes	<u>6.82</u>	<u>3.96</u>	<u>109.0</u>	<u>1.12</u>	<u>20.5</u>	<u>0</u>	<u>0.2</u>	<u>2.5</u>	<u>-27</u>

Sampling

Time of Sample Collection: 11:45

Collection Method:

Disposable bailer
 Teflon bailer
 Dedicated pump
 Submersible Pump
 Low-Flow Sampling
 Other: _____

Analyses:

VOCs -
 SVOCs
 Metals
 PCB/Pest
 MNA
 Other _____

Analytical Method:

8260 503.1 Other _____

Observations

Weather/Temperature: _____

Sample Description: _____

Free Product? yes _____ no _____ describe _____
 Sheen? yes _____ no _____ describe _____
 Odor? yes _____ no _____ describe _____

Comments:

GROUND WATER SAMPLING RECORD

SITE Grief
 PROJECT NUMBER: 0019900
 SAMPLE ID: Geo: FMW-18 (10/07)
 WELL ID: MW-18
 SAMPLERS: R. Sents

DATE Oct. 2007
 Time Onsite: _____
 Time Offsite: _____

Depth of well (from top of casing) 28.48 Time: _____
 Static water level (from top of casing) 9.81 Time: _____
 Water level after purging (from top of casing) Time: _____
 Water level before sampling (from top of casing) Time: _____

Purging Method:

Airlift
 Bailer
 Submersible

Low-Flow Pump
 Peristaltic Pump
 Ded. Pump

Well Volume Calculation:

1 volume 3 volumes
 2 in. well: 18.99 ft. of water x 0.16 = 3.0 gal. x 3 = 9.0 gal.
 3 in. well: _____ ft. of water x 0.36 = _____ gal. x 3 = _____ gal.
 4 in. well: _____ ft. of water x 0.65 = _____ gal. x 3 = _____ gal.
 6 in. well: _____ ft. of water x 1.47 = _____ gal. x 3 = _____ gal.

Volume of water removed:

~ 7.5 gal.

>3 volumes: yes _____ no purged dry? yes no _____

Field Tests:

	pH	Cond.	Turb.	DO	Temp.	DEP	SAL	TDS	ORP
units	-	mg/cm	NTU	g/L	C F	-	-	g/L	mV
Initial	<u>9.72</u>	<u>0.728</u>	<u>280.0</u>	<u>7.03</u>	<u>16.8</u>	<u>0</u>	<u>0.0</u>	<u>0.47</u>	<u>78</u>
1 Volume	<u>7.86</u>	<u>2.03</u>	<u>374.0</u>	<u>1.85</u>	<u>14.7</u>	<u>0</u>	<u>0.1</u>	<u>1.3</u>	<u>-1</u>
2 Volumes	<u>7.66</u>	<u>2.18</u>	<u>999+</u>	<u>1.82</u>	<u>14.8</u>	<u>0</u>	<u>0.1</u>	<u>6.4</u>	<u>-7</u>
3 Volumes			<u>Dry</u>						

Sampling

Time of Sample Collection: 11:05

Collection Method:

Disposable bailer
 Teflon bailer
 Dedicated pump
 Submersible Pump
 Low-Flow Sampling
 Other: _____

Analyses:

VOCs -
 SVOCs
 Metals
 PCB/Pest
 MNA
 Other

Analytical Method:

8260 503.1 Other _____

Observations

Weather/Temperature: _____

Sample Description: _____

Free Product? yes _____ no _____ describe _____

Sheen? yes _____ no _____ describe _____

Odor? yes _____ no _____ describe _____

Comments:

Paige water turbid, tan in color

ATTACHMENT B
TABLES

TABLE 1
SUMMARY OF GROUND WATER ELEVATION DATA
QUARTERLY GROUND WATER MONITORING REPORT
GREIF BROS. FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0019800

MONITORING WELL / VAPOR POINT DESIGNATION GROUND WATER ZONE	MW-12 Shallow	MW-13 Shallow	MW-14 Shallow	MW-15 Shallow	MW-16 Shallow	MW-17 Shallow	MW-21-S Shallow	MW-19 Shallow	MW-24 Shallow	MW-25 Shallow	MW-23 Shallow	VMP-1 Shallow	VMP-2 Shallow	VMP-3 Shallow	VMP-4 Shallow	VMP-5 Shallow	VMP-6 Shallow
GROUND	587.19	587.15	587.22	585.82	586.3	586.77	587.3	583.92	585.6	586.67	587.15	587.26	587.92	583.65	587.27	587.17	587.25
TOP OF CASING	586.84	586.84	586.84	585.3	586.05	586.22	586.88	583.17	585.38	586.72	586.70	587.06	587.13	583.34	586.78	586.71	586.92
TOP OF SCREEN	580.88	580.46	580.21	581.15	581.47	581.76	580.5	575.59	580.98	582.17	582.00	582.06	582.13	578.34	581.78	581.71	582.25
BOTTOM OF WELL	570.88	570.46	570.21	571.15	571.47	571.76	570.5	565.59	570.98	572.17	572.00	577.06	577.14	573.34	576.78	571.71	577.25
WATER LEVEL DATA	DATE																
	12/4/1998	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
	12/9/1998	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
	9/20/1999	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
	9/12/2001	578.6	579.21	573.5	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
	12/9/2002	580.88	580.78	576.99	573.14	581.2	575.08	DRY	572.11	NI	NI	DRY	NI	NI	NI	NI	NI
	1/30/2006	581.33	581.45	578.15	NM	NM	NM	573.32	576.51	584.45	582.21	573.02	581.33	NW	578.91	580.72	579.08
	4/17/2006	581.18	581.43	576.78	582.03	583.97	579.38	573.48	575.44	582.66	582.23	572.28	581.04	577.47	580.04	578.37	578.58
	7/10/2006	581.22	581.24	576.34	582.47	582.27	580.29	572.97	575.25	582.54	580.78	572.70	580.71	578.85	580.36	578.06	578.64
	10/10/2006	579.95	581.29	577.47	582.73	583.52	580.49	574.13	575.89	582.86	582.24	573.10	581.12	578.91	580.74	578.00	578.53
	1/9/2007	581.23	581.43	577.51	584.28	583.82	581.00	574.58	575.39	583.33	582.60	574.88	581.06	578.94	580.52	577.76	578.53
	4/18/2007	580.77	581.47	573.95	NM	584.34	579.18	575.14	575.48	584.07	582.64	573.48	579.27	578.84	578.15	Dry	577.04
	7/10/2007	579.78	578.11	576.22	583.94	581.62	578.43	573.38	575.77	582.54	581.89	573.76	580.00	578.95	580.15	Dry	574.40
	10/8/2007	579.42	580.72	575.97	580.40	582.38	581.67	574.17	574.38	582.72	582.49	575.05	580.58	578.81	579.53	< 576.76	573.79
MONITORING WELL / VAPOR POINT DESIGNATION GROUND WATER ZONE	RW-1 Shallow	RW-2 Shallow	RW-3 Shallow	RW-4 Shallow	RW-5 Shallow	MW-2 Int.	MW-3 Int.	MW-4 Int.	MW-5 Int.	MW-6 Int.	MW-7, MW-7A Int.	MW-1, MW-1A Int.	MW-18 Int.	MW-21-I Int.	MW-22 Int.	MW-20 Int.	
GROUND	587.11	587.13	583.69	587.10	587.13	NM	NM	NM	NM	584.7	585.52	NM	583.62	587.3	587.2	587.1	
TOP OF CASING	586.80	586.78	583.19	586.85	586.77	583.85	586.41	585.19	585.19	584.42	585.43	586.52	582.71	586.35	586.77	586.31	
TOP OF SCREEN	581.72	581.74	578.19	582.60	582.27	565.26	562.08	567.83	567.83	565.89	560.03	567.13	564.36	560.81	562.96	564.67	
BOTTOM OF WELL	571.72	571.74	568.19	572.60	572.27	555.26	552.08	557.83	557.83	555.39	549.53	557.13	554.36	550.81	552.96	554.67	
WATER LEVEL DATA	DATE																
	12/4/1998	NI	NI	NI	NI	NI	563.00	569.17	569.87	569.87	NI	NI	570.88	NI	NI	NI	
	12/9/1998	NI	NI	NI	NI	NI	569.93	569.14	571.78	571.78	NI	NI	569.67	NI	NI	NI	
	9/20/1999	NI	NI	NI	NI	NI	569.50	569.17	571.47	571.47	NI	NI	571.34	NI	NI	NI	
	9/12/2001	NI	NI	NI	NI	NI	572.72	570.22	574.69	574.69	570.00	571.29	572.91	NI	NI	NI	
	12/9/2002	NI	NI	NI	NI	NI	572.87	570.57	574.95	574.95	574.96	572.18	572.57	572.53	571.80	571.08	
	1/30/2006	573.80	574.32	576.43	574.17	574.05	NM	NM	NM	NM	NM	574.30	575.21	574.41	570.95	572.60	
	4/17/2006	573.25	573.93	575.3	573.23	574.32	576.13	571.88	574.25	578.57	574.33	575.13	573.49	573.19	572.60	573.35	
	7/10/2006	572.80	577.78	578.64	575.87	574.32	576.03	571.87	574.27	577.17	578.70	574.28	575.07	573.86	572.83	572.44	
	10/10/2006	571.81	572.20	576.69	572.54	574.65	576.26	572.05	575.43	NM	579.58	574.67	575.32	574.19	573.03	572.79	
	1/9/2007	572.12	571.84	576.25	572.49	574.75	576.62	572.40	574.85	577.66	579.08	575.09	578.50	574.66	572.93	573.12	
	4/18/2007	571.81	571.85	NM	572.45	573.00	576.77	572.82	575.33	578.19	NM	575.03	575.81	574.68	573.79	573.24	
	7/10/2007	571.79	572.38	576.38	572.44	573.30	572.09	572.09	NM	577.26	576.70	574.45	575.19	573.88	572.94	572.59	
	10/8/2007	571.79	572.06	577.31	572.43	573.04	570.77	570.71	572.84	576.47	576.92	573.30	574.30	572.90	571.83	572.26	

NOTES:
- NM = not measured
- All ground water elevations are reported in feet above mean sea level based on survey data
- NI = well or vapor monitoring point not installed as of this date
- Int= Intermediate Ground Water Zone
NW- no water present in well
NM- not measured, due to surface water influence or obstruction over well

TABLE 2
SUMMARY OF VOLATILE ORGANIC COMPOUNDS DETECTED IN GROUND WATER
QUARTERLY GROUND WATER MONITORING - OCTOBER 2007
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0019800

Sample Designation	MW-18	MW-21I	MW-22	MW-12	MW-13	MW-14	MW-21S	MW-24	MW-25	NYSDEC
Ground Water Zone	Int	Int	Int	Shallow	Shallow	Shallow	Shallow	Shallow	Shallow	Standard
Date Sampled	9-Oct-07	9-Oct-07	9-Oct-07	9-Oct-07	9-Oct-07	9-Oct-07	9-Oct-07	9-Oct-07	9-Oct-07	
VOCs (µg/L)										
Acetone	---	---	---	---	---	---	---	---	---	50
Benzene	---	---	---	---	---	---	---	52	0.56J	1
2-Butanone	---	---	---	---	---	---	---	---	---	---
Chloroethane	7.6	---	---	---	---	---	---	---	---	5
Chloroform	---	---	---	---	---	---	---	1.4	---	7
1,1-Dichloroethane	130	---	7.4	1,500	9,800	2,000	---	36	4.9	5
1,2-Dichloroethane	---	---	---	---	---	---	---	2.6	---	0.6
1,1-Dichloroethene	20	---	1.6	300	16,000	1,000	---	23	1.3	5
cis-1,2-Dichloroethene	41	0.52J	1.6	2,000	14,000	1,500	0.70J	5,600	78	5
trans-1,2-Dichloroethene	---	---	---	38J	---	---	---	50	4.5	5
Ethylbenzene	---	---	---	---	---	---	---	3.8	---	5
Methylene chloride	1.5 BJ	---	---	77	1,500	930	---	---	---	5
4-Methyl-2-pentanone	---	---	---	---	---	---	---	---	---	NA
Tetrachloroethene	---	---	---	---	---	---	---	1.8	---	5
Toluene	---	---	---	---	---	---	---	9.4	---	5
1,1,1-Trichloroethane	23	---	4.7	650	38,000	---	1.1	2.2	1.2	5
1,1,2-Trichloroethane	---	---	---	---	---	---	---	---	---	5
Trichloroethene	23	0.92J	6.4	610	53,000	33,000	0.76J	6,200	29	5
1,2,4-Trimethylbenzene	---	---	---	---	---	---	---	1.3	---	5
Vinyl chloride	9	---	---	40	---	---	---	720	3.4	2
Xylene (total)	---	---	---	---	---	---	---	3.3	---	5

NOTES:

- all analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted

--- = the compound was not detected at a concentration above the laboratory practical quantitation limit.

J = indicates an estimated value.

B = analyte is found in the associated blank at a maximum concentration of 0.71 J µg/L

Highlighted cells represent concentrations greater than the applicable standard or guidance value

NA- Not applicable

TABLE 3
SUMMARY OF GROUND WATER NATURAL ATTENUATION DATA
QUARTERLY GROUND WATER MONITORING - OCTOBER 2007
GREIF FACILITY - TONAWANDA, NY
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0019800

Well Designation Ground Water Zone Date Sampled	MW-18 Int 9-Oct-07	MW-211 Int 9-Oct-07	MW-22 Int 9-Oct-07	MW-12 Shallow 9-Oct-07	MW-13 Shallow 9-Oct-07	MW-14 Shallow 9-Oct-07	MW-21S Shallow 9-Oct-07	MW-24 Shallow 9-Oct-07	MW-25 Shallow 9-Oct-07
PRIMARY CONTAMINANTS									
1,1,1-Trichloroethane	23	---	4.7	650	38,000	---	1.1	2.2	1.2
Trichloroethene	23	0.92 J	6.4	610	53,000	33,000	0.76 J	6,200	29
Xylenes (Total)	---	---	---	---	---	---	---	3.3	---
DAUGHTER PRODUCTS									
Chloroethane	7.6	---	---	---	---	---	---	---	---
Ethane	---	---	---	---	---	---	---	---	---
Ethene	---	---	---	---	---	---	---	---	---
Methane	1.5	2.6	3.9	5.4	250	1.6	---	840	220
1,1-Dichloroethane	130	---	7.4	1,500	9,800	2,000	---	36	4.9
1,2-Dichloroethane	---	---	---	---	---	---	---	2.6	---
1,1-Dichloroethene	20	---	1.6	300	16,000	1,000	---	23	1.3
cis-1,2-Dichloroethene	41	0.52 J	1.6	2,000	14,000	1,500	0.70 J	5,600	78
trans-1,2-Dichloroethene	---	---	---	38 J	---	---	---	50	4.5
Vinyl Chloride	9	---	---	40	---	---	---	720	3.4
ELECTRON ACCEPTORS									
Dissolved Oxygen (mg/L)	1.82	0.87	0.96	1.96	2.01	2.21	2.19	1.12	1.01
Sulfate (mg/L)	281	186	759	281	180	146	119	1370	2960
MISCELLANEOUS									
Dissolved Organic Carbon (mg/L)	6.30	5.10	4.00	5.60	13.00	3.70	3.00	11.10	4.10
Oxidation Reduction Potential (mV)	-7	10	-77	4	-183	73	219	-27	-10
pH (standard units)	7.66	7.41	7.58	7.38	6.97	7.37	7.41	6.82	7.23
Temperature (degrees C)	14.80	17.50	15.80	18.70	17.80	18.60	18.80	20.50	20.00
Total Dissolved Solids (mg/L)	1.40	0.70	1.20	1.30	2.30	0.90	0.64	2.50	2.30
DAUGHTER TO PARENT RATIOS									
Ratio Daughter/Parent Ethanes 11DCE/111TCA (uM/L)	1.80	---	0.00	0.95	3.38	---	0.00	21.62	2.24
Ratio Daughter/Parent Ethenes cis 1,2 DCE+ vinyl chloride/ PCE+TCE (uM/L)	3.24	0.57	0.25	3.34	0.26	0.05	0.92	1.02	2.81

NOTES:

- all analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

--- = compound was not detected above the laboratory quantitation limit.


J = indicates an estimated value.

- mg/L = milligrams per liter.

- uM/ L= micromoles per liter

Int= Intermediate Ground Water Zone


ATTACHMENT C
FIGURES



Notes:
 Ground water elevation data collected during operation of DNAPL recovery system.
 Base map obtained from WM. Schutt & Associates, P.C. survey drawings updated on 12 January 2006

- LEGEND**
- NM Not Measured
 - VMP-3 Well Location
 - 580.00 Ground Water Contour (feet amsl)
 - 577.96 Ground Water Elevation (feet amsl)
 - Generalized Direction of Ground Water Flow

SHALLOW GROUND WATER CONTOUR PLOT - 8 October 2007 GRIEF FACILITY- TONAWANDA NEW YORK	
PREPARED FOR SONOCO PRODUCTS COMPANY	
ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1" = 50.5' DATE 11/07
FIGURE 1	PROJECT #070121



MW-4
572.84

MW-3
570.71

MW-2
570.77

MW-22
572.26

MW-211
571.83

MW-20
571.24

MW-18
572.90

MW-7A
573.30

MW-1A
574.30

MW-6
576.92

MW-5
576.47

574

572

572

574

576

LEGEND

NM- Not Measured

VMP-3 Well Location

580.00 Ground Water Contour (feet amsl)

577.96 Ground Water Elevation (feet amsl)

Generalized Direction of Ground Water Flow

Note: Base map obtained from WM. Schutt & Associates, P.C.
survey drawings updated on 12 January 2006

INTERMEDIATE GROUND WATER CONTOUR PLOT - 8 October 2007 GREIF FACILITY- TONAWANDA NEW YORK		
PREPARED FOR SONOCO PRODUCTS COMPANY		
ERM 5788 WIDEWATERS PARKWAY DEWITT, NEW YORK 13214	SCALE 1" = 50.5'	FIGURE 2
	DATE 11/07	

PROJECT #0201461

FIGURE 3
SUMMARY OF VOC TRENDS IN GROUND WATER: MW-18
QUARTERLY GROUND WATER MONITORING
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9




FIGURE 4
SUMMARY OF VOC TRENDS IN GROUND WATER: MW-12
QUARTERLY GROUND WATER MONITORING
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9






FIGURE 5
SUMMARY OF VOC TRENDS IN GROUND WATER: MW-24
QUARTERLY GROUND WATER MONITORING
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9



ATTACHMENT D
OCTOBER 2007 LABORATORY ANALYTICAL REPORT




ANALYTICAL REPORT

Job#: A07-B603

Project#: NY1A8821
Site Name: ERM - GREIF BROTHERS
Task: ERM GREIF BROS. AQUEOUS SAMPLING

Mr. Jon Fox
ERM
5788 Widewaters Pkwy
Dewitt, NY 13214

TestAmerica Laboratories Inc.



Brian J. Fischer
Project Manager

11/08/2007



TestAmerica Buffalo Current Certifications

As of 6/15/2007

STATE	Program	Cert # / Lab ID
Arkansas	SDWA, CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA, NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP, SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania*	Registration, NELAP CWA, RCRA	68-00281
Tennessee	SDWA	02970
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington	CWA, RCRA	C1677
West Virginia	CWA, RCRA	252
Wisconsin	CWA, RCRA	998310390

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

SAMPLE SUMMARY

<u>LAB SAMPLE ID</u>	<u>CLIENT SAMPLE ID</u>	<u>MATRIX</u>	<u>SAMPLED</u>		<u>RECEIVED</u>	
			<u>DATE</u>	<u>TIME</u>	<u>DATE</u>	<u>TIME</u>
A7B60301	GREIF-DUP (10-07)	WATER	10/09/2007		10/09/2007	17:40
A7B60307	GREIF-MW-12 (10-07)	WATER	10/09/2007	15:30	10/09/2007	17:40
A7B60308	GREIF-MW-13 (10-07)	WATER	10/09/2007	15:10	10/09/2007	17:40
A7B60309	GREIF-MW-14 (10-07)	WATER	10/09/2007	16:00	10/09/2007	17:40
A7B60302	GREIF-MW-18 (10-07)	WATER	10/09/2007	11:05	10/09/2007	17:40
A7B60306	GREIF-MW-21I (10-07)	WATER	10/09/2007	13:45	10/09/2007	17:40
A7B60305	GREIF-MW-21S (10-07)	WATER	10/09/2007	13:30	10/09/2007	17:40
A7B60310	GREIF-MW-22 (10-07)	WATER	10/09/2007	14:10	10/09/2007	17:40
A7B60310MS	GREIF-MW-22 (10-07)	WATER	10/09/2007	14:10	10/09/2007	17:40
A7B60310SD	GREIF-MW-22 (10-07)	WATER	10/09/2007	14:10	10/09/2007	17:40
A7B60304	GREIF-MW-24 (10-07)	WATER	10/09/2007	11:30	10/09/2007	17:40
A7B60303	GREIF-MW-254 (10-07)	WATER	10/09/2007	11:45	10/09/2007	17:40
A7B60311	GREIF-TB (10-07)	WATER	10/09/2007		10/09/2007	17:40

METHODS SUMMARY

Job#: A07-B603Project#: NY1A8821
Site Name: ERM - GREIF BROTHERS

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
METHOD 8260 - SELECT VOLATILE ORGANICS	SW8463 8260
DISSOLVED GASES - ETHANE, ETHENE, AND METHANE	OTHER RSK175
Soluble Organic Carbon	SW8463 9060
Sulfate	MCAWW 375.4

References:

MCAWW "Methods for Chemical Analysis of Water and Wastes", EPA/600/4-79-020 (Mar 1983) with updates and supplements EPA/600/4-91-010 (Jun 1991), EPA/600/R-92-129 (Aug 1992) and EPA/600/R-93-100 (Aug 1993)

OTHER Non-Standard Protocol and Method Defined by State, Client QAPP or Developed by Laboratory

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

SDG NARRATIVE

Job#: A07-B603Project#: NY1A8821
Site Name: ERM - GREIF BROTHERSGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A07-B603

Sample Cooler(s) were received at the following temperature(s); 2@2.0 °C
Lab to filter for Soluble Organic Carbon.

Based on comparison of historical results, the sample aliquots for MW-24 and MW-25 were switched. Sample results and ID's have been rectified in the LIMS system and in the final data package.

GC/MS Volatile Data

No deviations from protocol were encountered during the analytical procedures.

GC Volatile Data

No deviations from protocol were encountered during the analytical procedures.

Wet Chemistry Data

No deviations from protocol were encountered during the analytical procedures.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this Sample Data package and in the electronic data deliverables has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature."

Brian J. Fischer
Project Manager

Date

Date: 11/08/2007
Time: 14:28:03

Dilution Log w/Code Information
For Job A07-B603

7/63 Page: 1
Rept: AN1266R

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Parameter (Inorganic)/Method (Organic)</u>	<u>Dilution</u>	<u>Code</u>
GREIF-DUP(10-07)	A7B60301	8260	800.00	008
GREIF-DUP(10-07)	A7B60301	RSK175	50.00	008
GREIF-DUP(10-07)	A7B60301	Sulfate	5.00	008
GREIF-MW-18(10-07)	A7B60302	8260	2.00	008
GREIF-MW-18(10-07)	A7B60302	Sulfate	20.00	008
GREIF-MW-25(10-07)	A7B60303	RSK175	100.00	008
GREIF-MW-25(10-07)	A7B60303	Sulfate	82.00	008
GREIF-MW-24(10-07)	A7B60304	RSK175	100.00	008
GREIF-MW-24(10-07)	A7B60304	Sulfate	50.00	008
GREIF-MW-24(10-07)	A7B60304DL	8260	80.00	008
GREIF-MW-21S(10-07)	A7B60305	Sulfate	5.00	008
GREIF-MW-21I(10-07)	A7B60306	Sulfate	5.00	008
GREIF-MW-12(10-07)	A7B60307	8260	40.00	008
GREIF-MW-12(10-07)	A7B60307	Sulfate	8.00	008
GREIF-MW-13(10-07)	A7B60308	8260	800.00	008
GREIF-MW-13(10-07)	A7B60308	RSK175	20.00	008
GREIF-MW-13(10-07)	A7B60308	Sulfate	5.00	008
GREIF-MW-14(10-07)	A7B60309	8260	500.00	008
GREIF-MW-14(10-07)	A7B60309	Sulfate	5.00	008
GREIF-MW-22(10-07)	A7B60310	Sulfate	20.00	008
GREIF-MW-22(10-07)	A7B60310MS	Sulfate	40.00	008
GREIF-MW-22(10-07)	A7B60310SD	Sulfate	40.00	008

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

- ND or U Indicates compound was analyzed for, but not detected.
- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- 1 Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.
- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- G Indicates a value greater than or equal to the project reporting limit but less than the laboratory quantitation limit
- * Indicates the spike or duplicate analysis is not within the quality control limits.
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Date: 11/08/2007
Time: 13:07:01

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN0326

Client ID	Lab ID	GREIF-DUP(10-07)		GREIF-MW-12(10-07)		GREIF-MW-13(10-07)		GREIF-MW-14(10-07)	
Job No		A07-B603	A7B60301	A07-B603	A7B60307	A07-B603	A7B60308	A07-B603	A7B60309
Sample Date		10/09/2007		10/09/2007		10/09/2007		10/09/2007	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	ND	4000	ND	200	ND	4000	ND	2500
Benzene	UG/L	ND	800	ND	40	ND	800	ND	500
2-Butanone	UG/L	ND	4000	ND	200	ND	4000	ND	2500
Chloroethane	UG/L	ND	800	ND	40	ND	800	ND	500
Chloroform	UG/L	ND	800	ND	40	ND	800	ND	500
1,1-Dichloroethane	UG/L	9800	800	1500	40	9800	800	2000	500
1,2-Dichloroethane	UG/L	ND	800	ND	40	ND	800	ND	500
1,1-Dichloroethene	UG/L	16000	800	300	40	16000	800	1000	500
cis-1,2-Dichloroethene	UG/L	12000	800	2000	40	14000	800	1500	500
trans-1,2-Dichloroethene	UG/L	ND	800	38 J	40	ND	800	ND	500
Ethylbenzene	UG/L	ND	800	ND	40	ND	800	ND	500
Methylene chloride	UG/L	1500 B	800	77 B	40	1500 B	800	930 B	500
4-Methyl-2-pentanone	UG/L	ND	4000	ND	200	ND	4000	ND	2500
Tetrachloroethene	UG/L	ND	800	ND	40	ND	800	ND	500
Toluene	UG/L	ND	800	ND	40	ND	800	ND	500
1,1,1-Trichloroethane	UG/L	39000	800	650	40	38000	800	ND	500
1,1,2-Trichloroethane	UG/L	ND	800	ND	40	ND	800	ND	500
Trichloroethene	UG/L	53000	800	610	40	53000	800	33000	500
1,2,4-Trimethylbenzene	UG/L	ND	800	ND	40	ND	800	ND	500
Vinyl chloride	UG/L	ND	800	40	40	ND	800	ND	500
Total Xylenes	UG/L	ND	2400	ND	120	ND	2400	ND	1500
IS/SURROGATE(S)									
Chlorobenzene-D5	%	90	50-200	89	50-200	93	50-200	91	50-200
1,4-Difluorobenzene	%	93	50-200	93	50-200	96	50-200	92	50-200
1,4-Dichlorobenzene-D4	%	84	50-200	83	50-200	86	50-200	83	50-200
Toluene-D8	%	99	71-126	102	71-126	103	71-126	99	71-126
p-Bromofluorobenzene	%	100	73-120	101	73-120	104	73-120	99	73-120
1,2-Dichloroethane-D4	%	94	66-137	95	66-137	98	66-137	95	66-137

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
Time: 14:28:44

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN1246

Client ID		GREIF-MW-18(10-07)		GREIF-MW-21(10-07)		GREIF-MW-21S(10-07)		GREIF-MW-22(10-07)	
Job No	Lab ID	A07-B603	A7B60302	A07-B603	A7B60306	A07-B603	A7B60305	A07-B603	A7B60310
Sample Date		10/09/2007		10/09/2007		10/09/2007		10/09/2007	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	ND	10	ND	5.0	ND	5.0	ND	5.0
Benzene	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
2-Butanone	UG/L	ND	10	ND	5.0	ND	5.0	ND	5.0
Chloroethane	UG/L	7.6	2.0	ND	1.0	ND	1.0	ND	1.0
Chloroform	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
1,1-Dichloroethane	UG/L	130	2.0	ND	1.0	ND	1.0	7.4	1.0
1,2-Dichloroethane	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
1,1-Dichloroethene	UG/L	20	2.0	ND	1.0	ND	1.0	1.6	1.0
cis-1,2-Dichloroethene	UG/L	41	2.0	0.52 J	1.0	0.70 J	1.0	1.6	1.0
trans-1,2-Dichloroethene	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
Ethylbenzene	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
Methylene chloride	UG/L	1.5 BJ	2.0	ND	1.0	ND	1.0	ND	1.0
4-Methyl-2-pentanone	UG/L	ND	10	ND	5.0	ND	5.0	ND	5.0
Tetrachloroethene	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
Toluene	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
1,1,1-Trichloroethane	UG/L	23	2.0	ND	1.0	1.1	1.0	4.7	1.0
1,1,2-Trichloroethane	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
Trichloroethene	UG/L	23	2.0	0.92 J	1.0	0.76 J	1.0	6.4	1.0
1,2,4-Trimethylbenzene	UG/L	ND	2.0	ND	1.0	ND	1.0	ND	1.0
Vinyl chloride	UG/L	9.0	2.0	ND	1.0	ND	1.0	ND	1.0
Total Xylenes	UG/L	ND	6.0	ND	3.0	ND	3.0	ND	3.0
IS/SURROGATE(S)									
Chlorobenzene-D5	%	99	50-200	86	50-200	100	50-200	89	50-200
1,4-Difluorobenzene	%	100	50-200	84	50-200	102	50-200	91	50-200
1,4-Dichlorobenzene-D4	%	95	50-200	83	50-200	95	50-200	81	50-200
Toluene-D8	%	96	71-126	101	71-126	97	71-126	104	71-126
p-Bromofluorobenzene	%	97	73-120	104	73-120	98	73-120	105	73-120
1,2-Dichloroethane-D4	%	90	66-137	99	66-137	90	66-137	101	66-137

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
Time: 14:28:44

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN1246

Client ID		GREIF-MW-24(10-07)		GREIF-MW-24(10-07)		GREIF-MW-25(10-07)			
Job No	Lab ID	A07-B603	A7860304	A07-B603	A7860304DL	A07-B603	A7860303		
Sample Date		10/09/2007		10/09/2007		10/09/2007			
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	ND	5.0	ND	400	ND	5.0	NA	
Benzene	UG/L	52	1.0	56 DJ	80	0.56 J	1.0	NA	
2-Butanone	UG/L	ND	5.0	ND	400	ND	5.0	NA	
Chloroethane	UG/L	ND	1.0	ND	80	ND	1.0	NA	
Chloroform	UG/L	1.4	1.0	ND	80	ND	1.0	NA	
1,1-Dichloroethane	UG/L	36	1.0	ND	80	4.9	1.0	NA	
1,2-Dichloroethane	UG/L	2.6	1.0	ND	80	ND	1.0	NA	
1,1-Dichloroethene	UG/L	23	1.0	ND	80	1.3	1.0	NA	
cis-1,2-Dichloroethene	UG/L	1900 E	1.0	5600 D	80	78	1.0	NA	
trans-1,2-Dichloroethene	UG/L	50	1.0	ND	80	4.5	1.0	NA	
Ethylbenzene	UG/L	3.8	1.0	ND	80	ND	1.0	NA	
Methylene chloride	UG/L	ND	1.0	ND	80	ND	1.0	NA	
4-Methyl-2-pentanone	UG/L	ND	5.0	ND	400	ND	5.0	NA	
Tetrachloroethene	UG/L	1.8	1.0	ND	80	ND	1.0	NA	
Toluene	UG/L	9.4	1.0	ND	80	ND	1.0	NA	
1,1,1-Trichloroethane	UG/L	2.2	1.0	ND	80	1.2	1.0	NA	
1,1,2-Trichloroethane	UG/L	ND	1.0	ND	80	ND	1.0	NA	
Trichloroethene	UG/L	1700 E	1.0	6200 D	80	29	1.0	NA	
1,2,4-Trimethylbenzene	UG/L	1.3	1.0	ND	80	ND	1.0	NA	
Vinyl chloride	UG/L	620 E	1.0	720 D	80	3.4	1.0	NA	
Total Xylenes	UG/L	3.3	3.0	ND	240	ND	3.0	NA	
IS/SURROGATE(S)									
Chlorobenzene-D5	%	93	50-200	110	50-200	87	50-200	NA	
1,4-Difluorobenzene	%	97	50-200	110	50-200	88	50-200	NA	
1,4-Dichlorobenzene-D4	%	87	50-200	106	50-200	84	50-200	NA	
Toluene-D8	%	101	71-126	100	71-126	101	71-126	NA	
p-Bromofluorobenzene	%	101	73-120	102	73-120	102	73-120	NA	
1,2-Dichloroethane-D4	%	93	66-137	94	66-137	97	66-137	NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

11/63

Date: 11/08/2007
Time: 14:28:44

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Rept: AN1246

Client ID Job No Sample Date		Lab ID		GREIF-DUP(10-07) A07-B603 A7B60301 10/09/2007		GREIF-MW-12(10-07) A07-B603 A7B60307 10/09/2007		GREIF-MW-13(10-07) A07-B603 A7B60308 10/09/2007		GREIF-MW-14(10-07) A07-B603 A7B60309 10/09/2007	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	ND	75	ND	1.5	ND	30	ND	1.5	ND	1.5
Ethene	UG/L	ND	75	ND	1.5	ND	30	ND	1.5	ND	1.5
Methane	UG/L	160	50	5.4	1.0	250	20	1.6	1.0		

Client ID Job No Sample Date		Lab ID		GREIF-MW-18(10-07) A07-B603 A7B60302 10/09/2007		GREIF-MW-21(10-07) A07-B603 A7B60306 10/09/2007		GREIF-MW-21S(10-07) A07-B603 A7B60305 10/09/2007		GREIF-MW-22(10-07) A07-B603 A7B60310 10/09/2007	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	ND	1.5	ND	1.5	ND	1.5	ND	1.5	ND	1.5
Ethene	UG/L	ND	1.5	ND	1.5	ND	1.5	ND	1.5	ND	1.5
Methane	UG/L	1.5	1.0	2.6	1.0	ND	1.0	3.9	1.0		

Client ID Job No Sample Date		Lab ID		GREIF-MW-24(10-07) A07-B603 A7B60304 10/09/2007		GREIF-MW-25(10-07) A07-B603 A7B60303 10/09/2007					
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	ND	150	ND	150	NA		NA		NA	
Ethene	UG/L	ND	150	ND	150	NA		NA		NA	
Methane	UG/L	840	100	220	100	NA		NA		NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
Time: 14:40:37

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
WET CHEMISTRY ANALYSIS

Rept: AN1246

Client ID Job No Sample Date		Lab ID		GREIF-DUP(10-07) A07-B603 A7B60301 10/09/2007		GREIF-MW-12(10-07) A07-B603 A7B60307 10/09/2007		GREIF-MW-13(10-07) A07-B603 A7B60308 10/09/2007		GREIF-MW-14(10-07) A07-B603 A7B60309 10/09/2007	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Soluble Organic Carbon	MG/L	14.3	1.0	5.6	1.0	13.0	1.0	3.7	1.0	190	25.0
Sulfate	MG/L	190	25.0	281	40.0	180	25.0	146	25.0		

Client ID Job No Sample Date		Lab ID		GREIF-MW-18(10-07) A07-B603 A7B60302 10/09/2007		GREIF-MW-21I(10-07) A07-B603 A7B60306 10/09/2007		GREIF-MW-21S(10-07) A07-B603 A7B60305 10/09/2007		GREIF-MW-22(10-07) A07-B603 A7B60310 10/09/2007	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Soluble Organic Carbon	MG/L	6.3	1.0	5.1	1.0	3.0	1.0	4.0	1.0	652	100
Sulfate	MG/L	652	100	186	25.0	119	25.0	759	100		

Client ID Job No Sample Date		Lab ID		GREIF-MW-24(10-07) A07-B603 A7B60304 10/09/2007		GREIF-MW-25(10-07) A07-B603 A7B60303 10/09/2007					
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Soluble Organic Carbon	MG/L	11.1	1.0	4.1	1.0	NA		NA			
Sulfate	MG/L	1370	250	2960	410	NA		NA			

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Batch Quality Control Data

Date: 10/22/2007 16:11:25
 Batch No: A7B16207

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B60310

A7B60310MS

A7B60310SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery			% RPD	QC LIMITS	
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD	Avg		RPD	REC.
WET CHEMISTRY ANALYSIS												
METHOD 375.4 - SULFATE	MG/L	758.7	1191	1196	400.0	400.0	108	110	109	2	27.0	60-128
METHOD 9060 - SOLUBLE ORGANIC CARBON	MG/L	4.00	22.97	23.55	20.00	20.00	95	98	97	3	20.0	54-131

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Lab Sample ID: A7B63901 A7B63901MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9038 - SULFATE	Mg/L	0	34.81	20.00	174 *	60-128

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16125

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B63902

A7B63902MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9038 - SULFATE	MG/L	21.63	38.04	20.00	82	60-128

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Lab Sample ID: A7B70301 A7B70301MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	0	16.20	20.00	81	54-131

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16171

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B70309

A7B70309MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	20.73	35.82	20.00	75	54-131

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Lab Sample ID: A7B73101 A7B73101MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9038 - SULFATE	MG/L	49.26	68.29	20.00	95	60-128

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16171

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B73505

A7B73505MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS TOTAL ORGANIC CARBON	MG/L	0.563	14.18	20.00	68	54-131

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16329

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B75502

A7B75502MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	1.56	17.28	20.00	78	54-131

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16329

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B75503

A7B75503MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	0	16.60	20.00	83	54-131

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16329

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B75601

A7B75601MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	0	18.75	20.00	94	54-131

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date: 10/22/2007 16:11:25
Batch No: A7B16329

MS/MSD Batch QC Results

Rept: AN1392

Lab Sample ID: A7B75603

A7B75603MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	0	16.60	20.00	83	54-131

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Lab Sample ID: A7B75611 A7B75611MS

Analyte	Units of Measure	Concentration		Spike Amount	% Recovery MS	QC LIMITS
		Sample	Matrix Spike			
WET CHEMISTRY ANALYSIS METHOD 9060 - TOTAL ORGANIC CARBON	MG/L	0	19.03	20.00	95	54-131

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Chronology and QC
Summary Package

Date: 11/08/2007
Time: 13:07:21

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN0326

Client ID		VBLK03		vblk02		vblk04			
Job No	Lab ID	A07-B603	A7B1670402	A07-B603	A7B1666702	A07-B603	A7B1677602		
Sample Date									
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	ND	5.0	ND	5.0	ND	5.0	NA	
Benzene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
2-Butanone	UG/L	ND	5.0	ND	5.0	ND	5.0	NA	
Chloroethane	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Chloroform	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
1,1-Dichloroethane	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
1,2-Dichloroethane	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
1,1-Dichloroethene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
cis-1,2-Dichloroethene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
trans-1,2-Dichloroethene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Ethylbenzene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Methylene chloride	UG/L	0.54 J	1.0	0.68 J	1.0	0.71 J	1.0	NA	
4-Methyl-2-pentanone	UG/L	ND	5.0	ND	5.0	ND	5.0	NA	
Tetrachloroethene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Toluene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
1,1,1-Trichloroethane	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
1,1,2-Trichloroethane	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Trichloroethene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
1,2,4-Trimethylbenzene	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Vinyl chloride	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	
Total Xylenes	UG/L	ND	3.0	ND	3.0	ND	3.0	NA	
IS/SURROGATE(S)									
Chlorobenzene-D5	%	94	50-200	94	50-200	97	50-200	NA	
1,4-Difluorobenzene	%	95	50-200	97	50-200	99	50-200	NA	
1,4-Dichlorobenzene-D4	%	91	50-200	87	50-200	93	50-200	NA	
Toluene-D8	%	96	71-126	95	71-126	107	71-126	NA	
p-Bromofluorobenzene	%	98	73-120	95	73-120	106	73-120	NA	
1,2-Dichloroethane-D4	%	90	66-137	89	66-137	97	66-137	NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

28/63

Date: 11/08/2007
Time: 13:07:21

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN0326

Client ID	Lab ID	GREIF-MW-22(10-07) A07-B603 A7B60310MS 10/09/2007		GREIF-MW-22(10-07) A07-B603 A7B60310SD 10/09/2007		MSB03 A07-B603 A7B1670401		msb02 A07-B603 A7B1666701	
Job No	Sample Date	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	ND	5.0	ND	5.0	120	5.0	3.3 J	5.0
Benzene	UG/L	23	1.0	24	1.0	25	1.0	22	1.0
2-Butanone	UG/L	ND	5.0	ND	5.0	110	5.0	ND	5.0
Chloroethane	UG/L	ND	1.0	ND	1.0	27	1.0	ND	1.0
Chloroform	UG/L	ND	1.0	ND	1.0	25	1.0	ND	1.0
1,1-Dichloroethane	UG/L	5.0	1.0	11	1.0	24	1.0	ND	1.0
1,2-Dichloroethane	UG/L	ND	1.0	ND	1.0	24	1.0	ND	1.0
1,1-Dichloroethene	UG/L	21	1.0	23	1.0	25	1.0	20	1.0
cis-1,2-Dichloroethene	UG/L	1.3	1.0	1.3	1.0	26	1.0	ND	1.0
trans-1,2-Dichloroethene	UG/L	ND	1.0	ND	1.0	26	1.0	ND	1.0
Ethylbenzene	UG/L	ND	1.0	ND	1.0	25	1.0	ND	1.0
Methylene chloride	UG/L	ND	1.0	ND	1.0	19 B	1.0	1.4 B	1.0
4-Methyl-2-pentanone	UG/L	ND	5.0	ND	5.0	120	5.0	ND	5.0
Tetrachloroethene	UG/L	ND	1.0	ND	1.0	26	1.0	ND	1.0
Toluene	UG/L	24	1.0	25	1.0	25	1.0	23	1.0
1,1,1-Trichloroethane	UG/L	3.1	1.0	6.0	1.0	25	1.0	ND	1.0
1,1,2-Trichloroethane	UG/L	ND	1.0	ND	1.0	25	1.0	ND	1.0
Trichloroethene	UG/L	29	1.0	32	1.0	26	1.0	23	1.0
1,2,4-Trimethylbenzene	UG/L	ND	1.0	ND	1.0	25	1.0	ND	1.0
Vinyl chloride	UG/L	ND	1.0	ND	1.0	24	1.0	ND	1.0
Total Xylenes	UG/L	ND	3.0	ND	3.0	ND	3.0	ND	3.0
IS/SURROGATE(S)									
Chlorobenzene-D5	%	94	50-200	89	50-200	96	50-200	91	50-200
1,4-Difluorobenzene	%	96	50-200	91	50-200	96	50-200	95	50-200
1,4-Dichlorobenzene-D4	%	88	50-200	84	50-200	96	50-200	86	50-200
Toluene-D8	%	95	71-126	99	71-126	101	71-126	103	71-126
p-Bromofluorobenzene	%	96	73-120	100	73-120	104	73-120	102	73-120
1,2-Dichloroethane-D4	%	91	66-137	95	66-137	93	66-137	98	66-137

NA = Not Applicable ND = Not Detected

TestAmerica Lab

29/63

Date: 11/08/2007
Time: 13:07:21

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN0326

Client ID		msb04							
Job No		A07-B603		A7B1677601					
Sample Date									
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	2.7 J	5.0	NA		NA		NA	
Benzene	UG/L	25	1.0	NA		NA		NA	
2-Butanone	UG/L	ND	5.0	NA		NA		NA	
Chloroethane	UG/L	ND	1.0	NA		NA		NA	
Chloroform	UG/L	ND	1.0	NA		NA		NA	
1,1-Dichloroethane	UG/L	ND	1.0	NA		NA		NA	
1,2-Dichloroethane	UG/L	ND	1.0	NA		NA		NA	
1,1-Dichloroethene	UG/L	27	1.0	NA		NA		NA	
cis-1,2-Dichloroethene	UG/L	ND	1.0	NA		NA		NA	
trans-1,2-Dichloroethene	UG/L	ND	1.0	NA		NA		NA	
Ethylbenzene	UG/L	ND	1.0	NA		NA		NA	
Methylene chloride	UG/L	1.0 B	1.0	NA		NA		NA	
4-Methyl-2-pentanone	UG/L	ND	5.0	NA		NA		NA	
Tetrachloroethene	UG/L	ND	1.0	NA		NA		NA	
Toluene	UG/L	25	1.0	NA		NA		NA	
1,1,1-Trichloroethane	UG/L	ND	1.0	NA		NA		NA	
1,1,2-Trichloroethane	UG/L	ND	1.0	NA		NA		NA	
Trichloroethene	UG/L	26	1.0	NA		NA		NA	
1,2,4-Trimethylbenzene	UG/L	ND	1.0	NA		NA		NA	
Vinyl chloride	UG/L	ND	1.0	NA		NA		NA	
Total Xylenes	UG/L	ND	3.0	NA		NA		NA	
IS/SURROGATE(S)									
Chlorobenzene-D5	%	104	50-200	NA		NA		NA	
1,4-Difluorobenzene	%	105	50-200	NA		NA		NA	
1,4-Dichlorobenzene-D4	%	99	50-200	NA		NA		NA	
Toluene-D8	%	101	71-126	NA		NA		NA	
p-Bromofluorobenzene	%	102	73-120	NA		NA		NA	
1,2-Dichloroethane-D4	%	92	66-137	NA		NA		NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
Time: 13:07:21

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
METHOD 8260 - SELECT VOLATILE ORGANICS

Rept: AN0326

Client ID	Lab ID	GREIF-TB(10-07)							
Job No		A07-B603	A7B60311						
Sample Date		10/09/2007							
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone	UG/L	ND	5.0	NA		NA		NA	
Benzene	UG/L	ND	1.0	NA		NA		NA	
2-Butanone	UG/L	ND	5.0	NA		NA		NA	
Chloroethane	UG/L	ND	1.0	NA		NA		NA	
Chloroform	UG/L	ND	1.0	NA		NA		NA	
1,1-Dichloroethane	UG/L	ND	1.0	NA		NA		NA	
1,2-Dichloroethane	UG/L	ND	1.0	NA		NA		NA	
1,1-Dichloroethene	UG/L	ND	1.0	NA		NA		NA	
cis-1,2-Dichloroethene	UG/L	0.76 J	1.0	NA		NA		NA	
trans-1,2-Dichloroethene	UG/L	ND	1.0	NA		NA		NA	
Ethylbenzene	UG/L	ND	1.0	NA		NA		NA	
Methylene chloride	UG/L	ND	1.0	NA		NA		NA	
4-Methyl-2-pentanone	UG/L	ND	5.0	NA		NA		NA	
Tetrachloroethene	UG/L	ND	1.0	NA		NA		NA	
Toluene	UG/L	ND	1.0	NA		NA		NA	
1,1,1-Trichloroethane	UG/L	ND	1.0	NA		NA		NA	
1,1,2-Trichloroethane	UG/L	ND	1.0	NA		NA		NA	
Trichloroethene	UG/L	0.57 J	1.0	NA		NA		NA	
1,2,4-Trimethylbenzene	UG/L	ND	1.0	NA		NA		NA	
Vinyl chloride	UG/L	ND	1.0	NA		NA		NA	
Total Xylenes	UG/L	ND	3.0	NA		NA		NA	
---IS/SURROGATE(S)---									
Chlorobenzene-D5	%	94	50-200	NA		NA		NA	
1,4-Difluorobenzene	%	98	50-200	NA		NA		NA	
1,4-Dichlorobenzene-D4	%	85	50-200	NA		NA		NA	
Toluene-D8	%	95	71-126	NA		NA		NA	
p-Bromofluorobenzene	%	95	73-120	NA		NA		NA	
1,2-Dichloroethane-D4	%	89	66-137	NA		NA		NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
 Time: 13:07:25

ERM - GREIF BROS.
 ERM GREIF BROS. AQUEOUS SAMPLING
 DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Rept: AN0326

Client ID Job No Sample Date		Lab ID		Method Blank(VBLK__) A07-B603 A7B1627903		Method Blank(VBLK__) A07-B603 A7B1628002		Method Blank(VBLK__) A07-B603 A7B1636802	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	ND	1.5	ND	1.5	ND	1.5	NA	
Ethene	UG/L	ND	1.5	ND	1.5	ND	1.5	NA	
Methane	UG/L	ND	1.0	ND	1.0	ND	1.0	NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
 Time: 13:07:25

ERM - GREIF BROS.
 ERM GREIF BROS. AQUEOUS SAMPLING
 DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Rept: AN0326

Client ID Job No Sample Date		Lab ID		GREIF-MW-22(10-07) A07-B603 A7B60310MS 10/09/2007		GREIF-MW-22(10-07) A07-B603 A7B60310SD 10/09/2007		Matrix Spike Blank A07-B603 A7B1627901		Matrix Spike Blank A07-B603 A7B1628001	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	4.9	1.5	6.2	1.5	7.6	1.5	8.1	1.5		
Ethene	UG/L	4.6	1.5	5.7	1.5	7.5	1.5	7.7	1.5		
Methane	UG/L	6.9	1.0	7.6	1.0	4.3	1.0	4.6	1.0		

Client ID Job No Sample Date		Lab ID		Matrix Spike Blank A07-B603 A7B1636801					
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	7.1	1.5	NA		NA		NA	
Ethene	UG/L	6.9	1.5	NA		NA		NA	
Methane	UG/L	4.3	1.0	NA		NA		NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

33/63

Date: 11/08/2007
 Time: 13:07:25

ERM - GREIF BROS.
 ERM GREIF BROS. AQUEOUS SAMPLING
 DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Rept: AN0326

Client ID		GREIF-TB(10-07)							
Job No		A07-B603		A7B60311					
Sample Date		10/09/2007							
Lab ID									
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Ethane	UG/L	ND	1.5	NA		NA		NA	
Ethene	UG/L	ND	1.5	NA		NA		NA	
Methane	UG/L	1.1	1.0	NA		NA		NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

Date: 11/08/2007
Time: 13:07:33

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
WET CHEMISTRY ANALYSIS

Rept: AN0326

Client ID		MBLK		MBLK		Method Blank		Method Blank	
Job No		A07-B603		A07-B603		A07-B603		A07-B603	
Sample Date		A7B1612502		A7B1620702		A7B1617102		A7B1632902	
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Sulfate	MG/L	ND	5.0	ND	5.0	NA		NA	
Soluble Organic Carbon	MG/L	NA		NA		ND	1.0	ND	1.0

NA = Not Applicable ND = Not Detected

TestAmerica Lab

35/63

Date: 11/08/2007
Time: 13:07:33

ERM - GREIF BROS.
ERM GREIF BROS. AQUEOUS SAMPLING
WET CHEMISTRY ANALYSIS

Rept: AN0326

Client ID		GREIF-MW-22(10-07)		GREIF-MW-22(10-07)		LCS		LCS	
Job No	Lab ID	A07-B603	A7B60310MS	A07-B603	A7B60310SD	A07-B603	A7B1612501	A07-B603	A7B1617101
Sample Date		10/09/2007		10/09/2007					
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Soluble Organic Carbon	MG/L	23.0	1.0	23.6	1.0	NA		54.3	1.0
Sulfate	MG/L	1190	200	1200	200	30.8	5.0	NA	

Client ID		LCS		LCS					
Job No	Lab ID	A07-B603	A7B1620701	A07-B603	A7B1632901				
Sample Date									
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Sulfate	MG/L	30.6	5.0	NA		NA		NA	
Soluble Organic Carbon	MG/L	NA		56.3	1.0	NA		NA	

NA = Not Applicable ND = Not Detected

TestAmerica Lab

36/63

Date : 11/08/2007 13:07:36

E R M
SAMPLE DATE 10/09/2007

Rept: AN0364

Client Sample ID: GREIF-MW-22(10-07) GREIF-MW-22(10-07) GREIF-MW-22(10-07)
Lab Sample ID: A7B60310 A7B60310MS A7B60310SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery			QC LIMITS		
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD	Avg	% RPD	RPD	REC.
METHOD 8260 - SELECT VOLATILE ORGANICS												
1,1-Dichloroethene	UG/L	1.64	20.7	23.4	25.0	25.0	76	87	82	13	16.0	65-142
Trichloroethene	UG/L	6.41	29.0	32.4	25.0	25.0	91	104	98	13	16.0	71-120
Benzene	UG/L	0	22.7	24.2	25.0	25.0	91	97	94	6	13.0	67-126
Toluene	UG/L	0	23.5	25.4	25.0	25.0	94	102	98	8	18.0	69-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

TestAmerica Laboratories Inc.

37/63

Client Sample ID: VBLK03
Lab Sample ID: A7B1670402MSB03
A7B1670401

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
METHOD 8260 - SELECT VOLATILE ORGANICS					
1,1-Dichloroethene	UG/L	25.3	25.0	101	65-142
Trichloroethene	UG/L	25.6	25.0	102	71-120
Benzene	UG/L	24.7	25.0	99	67-126
Toluene	UG/L	25.1	25.0	100	69-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Client Sample ID: vblk02
Lab Sample ID: A7B1666702msb02
A7B1666701

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
METHOD 8260 - SELECT VOLATILE ORGANICS					
1,1-Dichloroethene	UG/L	19.6	25.0	78	65-142
Trichloroethene	UG/L	22.9	25.0	92	71-120
Benzene	UG/L	22.3	25.0	89	67-126
Toluene	UG/L	23.2	25.0	93	69-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Client Sample ID: vblk04
Lab Sample ID: A7B1677602msb04
A7B1677601

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
METHOD 8260 - SELECT VOLATILE ORGANICS					
1,1-Dichloroethene	UG/L	27.0	25.0	108	65-142
Trichloroethene	UG/L	25.7	25.0	103	71-120
Benzene	UG/L	24.7	25.0	99	67-126
Toluene	UG/L	25.1	25.0	101	69-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date : 11/08/2007 13:07:39

E R M
SAMPLE DATE 10/09/2007

Rept: AN0364

Client Sample ID: GREIF-MW-22(10-07) GREIF-MW-22(10-07) GREIF-MW-22(10-07)
 Lab Sample ID: A7B60310 A7B60310MS A7B60310SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery			QC LIMITS		
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD	Avg	% RPD	RPD	REC.
DISSOLVED GASES - ETHANE, ETHENE, AND ME												
Methane	UG/L	3.90	6.89	7.55	3.85	3.85	78	95	87	20	50.0	37-168
Ethane	UG/L	0	4.91	6.22	7.27	7.27	68	86	77	23	50.0	41-176
Ethene	UG/L	0	4.57	5.70	6.78	6.78	67	84	76	22	50.0	39-177

41/63

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Client Sample ID: Method Blank(VBLK__) Matrix Spike Blank
Lab Sample ID: A7B1627903 A7B1627901

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
DISSOLVED GASES - ETHANE, ETHENE, AND ME					
Methane	UG/L	4.32	3.85	112	65-144
Ethane	UG/L	7.59	7.27	104	63-154
Ethene	UG/L	7.53	6.78	111	70-156

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Client Sample ID: Method Blank(VBLK__) Matrix Spike Blank
Lab Sample ID: A7B1628002 A7B1628001

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
DISSOLVED GASES - ETHANE, ETHENE, AND ME					
Methane	UG/L	4.64	3.85	121	65-144
Ethane	UG/L	8.12	7.27	112	63-154
Ethene	UG/L	7.73	6.78	114	70-156

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Client Sample ID: Method Blank(VBLK__) Matrix Spike Blank
Lab Sample ID: A7B1636802 A7B1636801

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
DISSOLVED GASES - ETHANE, ETHENE, AND ME					
Methane	UG/L	4.26	3.85	111	65-144
Ethane	UG/L	7.07	7.27	97	63-154
Ethene	UG/L	6.90	6.78	102	70-156

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date : 11/08/2007 13:07:52

E R M
SAMPLE DATE 10/09/2007

Rept: AN0364

Client Sample ID: GREIF-MW-22(10-07) GREIF-MW-22(10-07) GREIF-MW-22(10-07)
 Lab Sample ID: A7B60310 A7B60310MS A7B60310SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery			QC LIMITS		
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD	Avg	% RPD	RPD	REC.
WET CHEMISTRY ANALYSIS												
METHOD 375.4 - SULFATE	MG/L	758.7	1191	1196	400.0	400.0	108	110	109	2	27.0	60-128
METHOD 9060 - SOLUBLE ORGANIC CARBON	MG/L	4.00	22.97	23.55	20.00	20.00	95	98	97	3	20.0	54-131

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Date : 11/08/2007 13:07:52

E R M

Rept: AN0364

Client Sample ID: MBLK
Lab Sample ID: A7B1612502

LCS
A7B1612501

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
WET CHEMISTRY ANALYSIS METHOD 375.4 - SULFATE	MG/L	30.78	30.00	103	90-110

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

TestAmerica Laboratories Inc.

46/63

Client Sample ID: MBLK
Lab Sample ID: A7B1620702

LGS
A7B1620701

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
WET CHEMISTRY ANALYSIS METHOD 375.4 - SULFATE	MG/L	30.62	30.00	102	90-110

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date : 11/08/2007 13:07:52

E R M

Rept: AN0364

Client Sample ID: Method Blank
Lab Sample ID: A7B1632902

LCS
A7B1632901

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
WET CHEMISTRY ANALYSIS METHOD 9060 - SOLUBLE ORGANIC CARBON	MG/L	56.33	60.00	94	90-110

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

TestAmerica Laboratories Inc.

49/63

Date: 11/08/2007
 Time: 13:07:56

E R M
 SAMPLE CHRONOLOGY

Rept: AN0574
 Page: 1

METHOD 8260 - SELECT VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	GREIF-DUP(10-07) A07-B603 A7B60301	GREIF-MW-12(10-07) A07-B603 A7B60307	GREIF-MW-13(10-07) A07-B603 A7B60308	GREIF-MW-14(10-07) A07-B603 A7B60309	GREIF-MW-18(10-07) A07-B603 A7B60302
Sample Date	10/09/2007	10/09/2007 15:30	10/09/2007 15:10	10/09/2007 16:00	10/09/2007 11:05
Received Date	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40
Extraction Date					
Analysis Date	10/19/2007 01:07	10/19/2007 03:34	10/19/2007 03:59	10/19/2007 04:24	10/19/2007 13:08
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	WATER	WATER	WATER	WATER	WATER
Dilution Factor	800.0	40.0	800.0	500.0	2.0
Sample wt/vol	0.005 LITERS	0.005 LITERS	0.005 LITERS	0.005 LITERS	0.005 LITERS
% Dry					

Date: 11/08/2007
Time: 14:48:22

E R M
SAMPLE CHRONOLOGY

Rept: AN0374
Page: 2

METHOD 8260 - SELECT VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	GREIF-MW-211(10-07) A07-B603 A7B60306	GREIF-MW-21S(10-07) A07-B603 A7B60305	GREIF-MW-22(10-07) A07-B603 A7B60310	GREIF-MW-24(10-07) A07-B603 A7B60304	GREIF-MW-24(10-07) A07-B603 A7B60304DL
Sample Date	10/09/2007 13:45	10/09/2007 13:30	10/09/2007 14:10	10/09/2007 11:30	10/09/2007 11:45
Received Date	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40
Extraction Date					
Analysis Date	10/19/2007 14:47	10/20/2007 10:52	10/19/2007 04:48	10/19/2007 02:21	10/20/2007 10:27
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	WATER	WATER	WATER	WATER	WATER
Dilution Factor	1.0	1.0	1.0	1.0	80.0
Sample wt/vol	0.005 LITERS	0.005 LITERS	0.005 LITERS	0.005 LITERS	0.005 LITERS
% Dry					

Date: 11/08/2007
Time: 14:48:22

E R M
SAMPLE CHRONOLOGY

Rept: AN0374
Page: 3

METHOD 8260 - SELECT VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	GREIF-MW-25(10-07) A07-B603 A7B60303				
Sample Date	10/09/2007 11:45				
Received Date	10/09/2007 17:40				
Extraction Date					
Analysis Date	10/19/2007 13:33				
Extraction HT Met?	-				
Analytical HT Met?	YES				
Sample Matrix	WATER				
Dilution Factor	1.0				
Sample wt/vol	0.005 LITERS				
% Dry					

NA = Not Applicable

TestAmerica Laboratories Inc.

52/63

Client Sample ID: Method Blank LCS
Lab Sample ID: A7B1617102 A7B1617101

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
WET CHEMISTRY ANALYSIS METHOD 9060 - SOLUBLE ORGANIC CARBON	MG/L	54.29	60.00	90	90-110

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

Date: 11/08/2007
Time: 13:07:56

E R M
QC SAMPLE CHRONOLOGY

Rept: AN0374
Page: 4

METHOD 8260 - SELECT VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	GREIF-TB(10-07) A07-B603 A7B60311				
Sample Date	10/09/2007				
Received Date	10/09/2007 17:40				
Extraction Date					
Analysis Date	10/19/2007 06:02				
Extraction HT Met?	-				
Analytical HT Met?	YES				
Sample Matrix	WATER				
Dilution Factor	1.0				
Sample wt/vol	0.005 LITERS				
% Dry					

NA = Not Applicable

TestAmerica Laboratories Inc.

53/63

Date: 11/08/2007
 Time: 13:07:56

E R M
 QC SAMPLE CHRONOLOGY

Rept: AN0374
 Page: 5

METHOD 8260 - SELECT VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	GREIF-MW-22(10-07) A07-B603 A7B60310MS	GREIF-MW-22(10-07) A07-B603 A7B60310SD	MSB03 A07-B603 A7B1670401	msb02 A07-B603 A7B1666701	msb04 A07-B603 A7B1677601
Sample Date	10/09/2007 14:10	10/09/2007 14:10			
Received Date	10/09/2007 17:40	10/09/2007 17:40			
Extraction Date					
Analysis Date	10/19/2007 05:13	10/19/2007 05:38	10/19/2007 11:23	10/18/2007 20:42	10/20/2007 09:22
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	YES	YES	-	-	-
Sample Matrix	WATER	WATER	WATER	WATER	WATER
Dilution Factor	1.0	1.0	1.0	1.0	1.0
Sample wt/vol	0.005 LITERS	0.005 LITERS	0.005 LITERS	0.005 LITERS	0.005 LITERS
% Dry					

Date: 11/08/2007
Time: 13:07:56

E R M
QC SAMPLE CHRONOLOGY

Rept: AN0374
Page: 6

METHOD 8260 - SELECT VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	VBLK03 A07-B603 A7B1670402	vblk02 A07-B603 A7B1666702	vblk04 A07-B603 A7B1677602		
Sample Date					
Received Date					
Extraction Date					
Analysis Date	10/19/2007 12:38	10/18/2007 21:56	10/20/2007 09:47		
Extraction HT Met?	-	-	-		
Analytical HT Met?	-	-	-		
Sample Matrix	WATER	WATER	WATER		
Dilution Factor	1.0	1.0	1.0		
Sample wt/vol	0.005 LITERS	0.005 LITERS	0.005 LITERS		
% Dry					

Date: 11/08/2007
 Time: 13:07:59

E R M
 SAMPLE CHRONOLOGY

Rept: ANC374
 Page: 1

DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Client Sample ID Job No & Lab Sample ID	GREIF-DUP(10-07) A07-B603 A7B60301	GREIF-MW-12(10-07) A07-B603 A7B60307	GREIF-MW-13(10-07) A07-B603 A7B60308	GREIF-MW-14(10-07) A07-B603 A7B60309	GREIF-MW-18(10-07) A07-B603 A7B60302
Sample Date	10/09/2007	10/09/2007 15:30	10/09/2007 15:10	10/09/2007 16:00	10/09/2007 11:05
Received Date	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40
Extraction Date					
Analysis Date	10/14/2007 11:52	10/13/2007 20:11	10/13/2007 20:29	10/13/2007 20:46	10/15/2007 11:44
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	WATER	WATER	WATER	WATER	WATER
Dilution Factor	50.0	1.0	20.0	1.0	1.0
Sample wt/vol	0.001 LITERS	0.001 LITERS	0.001 LITERS	0.001 LITERS	0.001 LITERS
% Dry					

Date: 11/08/2007
Time: 14:48:36

E R M
SAMPLE CHRONOLOGY

Rept: AN0374
Page: 2

DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Client Sample ID Job No & Lab Sample ID	GREIF-MW-21I(10-07) A07-B603 A7B60306	GREIF-MW-21S(10-07) A07-B603 A7B60305	GREIF-MW-22(10-07) A07-B603 A7B60310	GREIF-MW-24(10-07) A07-B603 A7B60304	GREIF-MW-25(10-07) A07-B603 A7B60303
Sample Date	10/09/2007 13:45	10/09/2007 13:30	10/09/2007 14:10	10/09/2007 11:30	10/09/2007 11:45
Received Date	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40	10/09/2007 17:40
Extraction Date					
Analysis Date	10/13/2007 19:53	10/13/2007 19:35	10/13/2007 21:04	10/14/2007 12:10	10/13/2007 18:05
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	YES	YES	YES	YES	YES
Sample Matrix	WATER	WATER	WATER	WATER	WATER
Dilution Factor	1.0	1.0	1.0	100.0	100.0
Sample wt/vol	0.001 LITERS	0.001 LITERS	0.001 LITERS	0.001 LITERS	0.001 LITERS
% Dry					

57163

Date: 11/08/2007
Time: 13:07:59

E R M
QC SAMPLE CHRONOLOGY

Rept: AN0374
Page: 3

DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Client Sample ID Job No & Lab Sample ID	GREIF-TB(10-07) A07-B603 A7B60311				
Sample Date	10/09/2007				
Received Date	10/09/2007 17:40				
Extraction Date					
Analysis Date	10/13/2007 21:58				
Extraction HT Met?	-				
Analytical HT Met?	YES				
Sample Matrix	WATER				
Dilution Factor	1.0				
Sample wt/vol	0.001 LITERS				
% Dry					

Date: 11/08/2007
 Time: 13:07:59

E R M
 QC SAMPLE CHRONOLOGY

Rept: AN0374
 Page: 4

DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Client Sample ID Job No & Lab Sample ID	GREIF-MW-22(10-07) A07-B603 A7B60310MS	GREIF-MW-22(10-07) A07-B603 A7B60310SD	Matrix Spike Blank A07-B603 A7B1627901	Matrix Spike Blank A07-B603 A7B1628001	Matrix Spike Blank A07-B603 A7B1636801
Sample Date	10/09/2007 14:10	10/09/2007 14:10			
Received Date	10/09/2007 17:40	10/09/2007 17:40			
Extraction Date					
Analysis Date	10/13/2007 21:22	10/13/2007 21:40	10/13/2007 09:54	10/13/2007 19:17	10/14/2007 10:31
Extraction HT Met?	-	-	-	-	-
Analytical HT Met?	YES	YES	-	-	-
Sample Matrix	WATER	WATER	WATER	WATER	WATER
Dilution Factor	1.0	1.0	1.0	1.0	1.0
Sample wt/vol	0.001 LITERS	0.001 LITERS	0.001 LITERS	0.001 LITERS	0.001 LITERS
% Dry					

Date: 11/08/2007
 Time: 13:07:59

E R M
 QC SAMPLE CHRONOLOGY

Rept: AN0374
 Page: 5

DISSOLVED GASES - ETHANE, ETHENE, AND METHANE

Client Sample ID Job No & Lab Sample ID	Method Blank(VBLK__) A07-B603 A7B1627903	Method Blank(VBLK__) A07-B603 A7B1628002	Method Blank(VBLK__) A07-B603 A7B1636802		
Sample Date					
Received Date					
Extraction Date					
Analysis Date	10/13/2007 09:27	10/13/2007 18:59	10/14/2007 10:14		
Extraction HT Met?	-	-	-		
Analytical HT Met?	-	-	-		
Sample Matrix	WATER	WATER	WATER		
Dilution Factor	1.0	1.0	1.0		
Sample wt/vol	0.001 LITERS	0.001 LITERS	0.001 LITERS		
% Dry					

NA = Not Applicable

TestAmerica Laboratories Inc.

60/63

Date: 11/08/2007 14:45:48
 Jobno: A07-B603

E R M
 SAMPLE CHRONOLOGY

Rept: AN0369

Lab ID	Sample ID	Units	Analyte	Method	Dilution Factor	Sample Date	Receive Date	TCLP Date	THT	Analysis Date	AHT	Matrix
A7B60301	GREIF-DUP(10-07)	MG/L	Sulfate	375.4	5.00	10/09/2007	10/09 17:40	NA	NA	10/11 16:16	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60307	GREIF-MW-12(10-07)	MG/L	Sulfate	375.4	8.00	10/09/2007 15:30	10/09 17:40	NA	NA	10/11 17:40	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 15:30	10/09 17:40	NA	NA	10/15 21:16	Yes	WATER
A7B60308	GREIF-MW-13(10-07)	MG/L	Sulfate	375.4	5.00	10/09/2007 15:10	10/09 17:40	NA	NA	10/11 16:17	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 15:10	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60309	GREIF-MW-14(10-07)	MG/L	Sulfate	375.4	5.00	10/09/2007 16:00	10/09 17:40	NA	NA	10/11 16:17	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 16:00	10/09 17:40	NA	NA	10/15 21:16	Yes	WATER
A7B60302	GREIF-MW-18(10-07)	MG/L	Sulfate	375.4	20.00	10/09/2007 11:05	10/09 17:40	NA	NA	10/11 17:40	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 11:05	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60306	GREIF-MW-211(10-07)	MG/L	Sulfate	375.4	5.00	10/09/2007 13:45	10/09 17:40	NA	NA	10/11 16:16	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 13:45	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60305	GREIF-MW-21S(10-07)	MG/L	Sulfate	375.4	5.00	10/09/2007 13:30	10/09 17:40	NA	NA	10/11 16:16	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 13:30	10/09 17:40	NA	NA	10/15 21:16	Yes	WATER
A7B60310	GREIF-MW-22(10-07)	MG/L	Sulfate	375.4	20.00	10/09/2007 14:10	10/09 17:40	NA	NA	10/12 18:30	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 14:10	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60304	GREIF-MW-24(10-07)	MG/L	Sulfate	375.4	50.00	10/09/2007 11:30	10/09 17:40	NA	NA	10/11 19:52	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 11:30	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60303	GREIF-MW-25(10-07)	MG/L	Sulfate	375.4	82.00	10/09/2007 11:45	10/09 17:40	NA	NA	10/11 20:50	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 11:45	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER

AHT = Analysis Holding Time Met
 THT = TCLP Holding Time Met
 NA = Not Applicable

TestAmerica Laboratories Inc.

Date: 11/08/2007 13:08:08
 Jobno: AC7-B603

E R M
 QC CHRONOLOGY

Rept: AN0369

Lab ID	Sample ID	Units	Analyte	Method	Dilution Factor	Sample Date	Receive Date	TCLP Date	THT	Analysis Date	AHT	Matrix
A7B60310MS	GREIF-MW-22(10-07)	MG/L	Sulfate	375.4	40.00	10/09/2007 14:10	10/09 17:40	NA	NA	10/12 18:57	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 14:10	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B60310SD	GREIF-MW-22(10-07)	MG/L	Sulfate	375.4	40.00	10/09/2007 14:10	10/09 17:40	NA	NA	10/12 18:57	Yes	WATER
		MG/L	Soluble Organic Carbon	9060	1.00	10/09/2007 14:10	10/09 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B1612502	MBLK	MG/L	Sulfate	375.4	1.00	-	- 17:40	NA	NA	10/11 14:51	Yes	WATER
A7B1620702	MBLK	MG/L	Sulfate	375.4	1.00	-	- 17:40	NA	NA	10/12 14:33	Yes	WATER
A7B1617102	Method Blank	MG/L	Soluble Organic Carbon	9060	1.00	-	- 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B1632902	Method Blank	MG/L	Soluble Organic Carbon	9060	1.00	-	- 17:40	NA	NA	10/15 21:16	Yes	WATER
A7B1612501	LCS	MG/L	Sulfate	375.4	1.00	-	- 17:40	NA	NA	10/11 14:51	Yes	WATER
A7B1617101	LCS	MG/L	Soluble Organic Carbon	9060	1.00	-	- 17:40	NA	NA	10/12 15:48	Yes	WATER
A7B1620701	LCS	MG/L	Sulfate	375.4	1.00	-	- 17:40	NA	NA	10/12 14:33	Yes	WATER
A7B1632901	LCS	MG/L	Soluble Organic Carbon	9060	1.00	-	- 17:40	NA	NA	10/15 21:16	Yes	WATER

AHT = Analysis Holding Time Met
 THT = TCLP Holding Time Met
 NA = Not Applicable

TestAmerica Laboratories Inc.

62/63

ATTACHMENT E
BACKGROUND FLUORESCENCE ANALYSIS AND
FLUORESCENT DYE TRACING INVESTIGATION REPORT

Sonoco Products Company

DRAFT
BFA & FDT REPORT

Greif, Inc. Facility
Town of Tonawanda, Erie County New York

March 2009

Prepared By:

Environmental Resources Management
5788 Widewaters Parkway
DeWitt, New York 13214

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 BACKGROUND FLOURESCENCE	1-1
1.2 ORGANIC FLOURESCENT DYES	1-2
1.3 SITE DESCRIPTION AND BACKGROUND	1-3
2.0 FIELD WORK AND LABORATORY ANALYSES	2-1
3.0 FLUORESCENT DYE-TRACING (FDT) RESULTS	3-1
4.0 SUMMARY AND CONCLUSIONS	4-1

List of Figures

- 2-1 Site Layout and Dye Injection Locations**
- 3-1 First Appearance of Dye in Monitoring Wells**
- 3-2 Main Dye Concentrations in Monitoring Wells**

List of Tables

- 3-1 Emission Peaks Chart**
- 3-2 Synchroscan Correlation Chart**
- 3-3 FDT Timeline**

Appendices

- A Similar BFA Synchroscans**
- B Fluorescent Dye-Tracing (FDT)Synchroscans**
- C Breakthrough Curves - RFI VS. TIME**

EXECUTIVE SUMMARY

Environmental Resources Management conducted a Background Fluorescence Analysis (BFA) and Fluorescent Dye-Tracing (FDT) study at the Greif Inc. Facility located in the Town of Tonawanda, New York (the Site). Data collected during the studies were used to evaluate the distribution of affected ground water from known areas of concern at the Site to evaluate potential sources of light non-aqueous phase liquid in monitoring well MW-23.

The BFA showed that the COC distribution follows the general ground water flow direction and affected ground water deviates by refraction in the horizontal plane. This refraction implies pronounced preferential flow paths, and heterogeneities in the subsurface, probably caused by one or more conditions including subsurface utility lines, construction infilling, or macropores and fractures in the upper silty clay unit.

Five organic fluorescent dyes were injected at different locations at the site on 11 January 2007. The FDT study also showed that the dye sulforhodamine G injected in vapor monitoring point VMP-2 located within Varnish Pit Area reached 12 wells proximal to the injection point including monitoring well MW-23. Pyranine, injected into a trench in the Former Varnish UST Area, was not detected in monitoring well MW-23. These results are consistent with LNAPL in monitoring well MW-23 being derived from the Varnish Pit Area and not the Former Varnish UST Area. The FDT study indicates that linear ground water flow velocity along preferential ground water flows is much faster than would have been suspected based on measured saturated hydraulic conductivity measurements of the upper silty clay unit (10^{-8} cm/s).

1.0 INTRODUCTION

Environmental Resources Management (ERM) conducted a Background Fluorescence Analysis (BFA) and Fluorescent Dye-Tracing (FDT) study at the Greif Inc. (Greif) Facility located at 2122 Colvin Boulevard in the Town of Tonawanda, Erie County, New York (the Site). The Site is being remediated by Sonoco Products Company (Sonoco) through a Voluntary Cleanup Agreement (VCA) between Sonoco and the New York Department of Environmental Conservation (NYSDEC). The BFA investigation was utilized to evaluate the background fluorescence of Site ground water and to select organic fluorescent dye to be used as tracers to evaluate distribution of affected ground water from known source areas to evaluate potential sources of the light non-aqueous phase liquid (LNAPL) observed in monitoring well MW-23 based on an inquiry from the NYSDEC regarding the source of LNAPL. Dyes were selected based on the results of the BFA and injected in selected locations. Ground water samples were collected using standard sampling techniques and were analyzed using fluorescence spectroscopy. This report summarizes field work, laboratory operations, and findings of the BFA/FDT investigation.

1.1 BACKGROUND FLOURESCENCE

Most organic compounds including naturally occurring organic compounds and volatile organic compounds (VOCs) emit characteristic fluorescence at specific wavelengths depending on the nature of the compound. The degree of fluorescence intensity will vary based on the wavelength emitted. Continuous fluorescence synchroscans characterize the organic compounds present in a sample according to the predominant fluorescent wavelength and intensity. The intensity indicated by a synchroscan is the sum of organic substances (naturally occurring and anthropogenic) emitting at this specific wavelength. However, the dominant substance contributes most to the overall intensity.

The x-axes of a synchroscan indicate the emission wavelength from 320 to 720 nanometres (nm) and the y-axes indicate the relative fluorescence intensity (RFI). In general, high fluorescence intensity is comparable to areas high in organic content as RFI is directly related to the dissolved organic carbon found at a specific well. Fluorescence spectrometry is more sensitive than typical laboratory analysis. Compounds may be resolved with BFA that are not reported in laboratory reports. It is important to note that an area of high fluorescence does not necessarily

mean there is a high VOC concentration. A VOC may not exhibit significant fluorescence or could be present at very low concentrations (i.e., much lower than our current ppb levels). BFA is an additional tool that provides a unique perspective to the location, characterisation and delineation of the contaminants of concern.

1.2 *ORGANIC FLOURESCENT DYES*

Organic fluorescent dyes have been qualitatively used for more than 150 years to trace water flow because of their ease of handling, cost-effectiveness, low detection limits and non-toxic properties. These water-soluble organic substances include a large range of hydrologic tracers, all with different characteristic fluorescence "signatures". To successfully conduct a FDT test in a contaminated aquifer, the physical and chemical behavior of the fluorescent dyes being used and the background fluorescence of ground water need be evaluated.

Continuous fluorescence synchroscans measured with a spectro-fluorometer characterize the organic compounds present in a sample according to the predominant fluorescent wavelength and intensity. The intensity indicated by a synchroscan is the sum of all organic substances emitting at the specific emission wavelength. The dominant substance contributes most to the overall intensity.

1.3 *SITE DESCRIPTION AND BACKGROUND*

The Site is currently used for the manufacture and processing of fibre drums and associated equipment maintenance and administrative activities. ERM was retained by Sonoco in 1998 to conduct environmental investigation activities at the Site. ERM's work was later expanded to include remedial design and related activities. The following major phases of environmental investigation and remediation have been completed at the Site:

- 1998 – Phase II/Phase III soil boring and monitoring well installations;
- 2001- Remedial Investigation passive soil vapor sampling, soil boring and monitoring well installations, soil and ground water sampling, sampling of water from the concrete vault in the former drum storage area and visual inspection of the varnish pit
- 2002 – Data Gap Investigation;

- 2004- Dense non-aqueous phase liquid (DNAPL) recovery interim remedial measure (IRM) pilot testing;
- 2004- Soil Excavation IRM of former drum storage area and soil boring GB-10 completed;
- 2005- DNAPL Recovery IRM system installed and pumping phase of operation started;
- 2006 - Low vacuum applied to DNAPL recovery system;
- 2006- Focused Feasibility Study (FFS) initiated to evaluate remedial alternatives for the Site
- 2006 and 2007- Quarterly ground water monitoring; and
- 2007 - Fluorescent Dye-Tracing evaluation of sub-slab ground water and source evaluation of light non-aqueous phase liquid in MW-23.;
- 2008 -Vapor intrusion evaluation.

The following documents prepared by ERM present detailed summaries of the investigation and remedial activities at the Site:

- Work Plan for Remedial Investigation dated (ERM, 2000);
- Voluntary Remedial Investigation Report (ERM, 2001);
- Addendum to The Work Plan For Remedial Investigation - Data Gap Investigation (ERM, 2002);
- Data Gap Investigation Report (ERM, 2003);
- Interim Remedial Measure Work Plan (ERM, 2004);
- DNAPL Recovery IRM Pilot Test Report (ERM, 2005);
- Interim Report - Soil Excavation Interim Remedial Measure (ERM, 2006);

Several VOCs and semi-volatile organic compounds (SVOCs) of potential concern have been identified in Site soil and ground water. The main chemicals of potential concern are 1,1,1-trichloroethane (1,1,1-TCA), trichloroethene (TCE), 1,1-dichloroethane (1,1- DCA), 1,1-Dichloroethene (1,1- DCE), cis-1,2-dichloroethene (cis-1,2-DCE) and xylenes.

Surficial geology in the vicinity of the Site was previously mapped by the New York State Geological Survey (NYSGS) as lacustrine silt and clay (Cadwell et al., 1988). These deposits consist predominantly of laminated, calcareous silt and clay deposited in proglacial lakes with variable thickness up to 100 meters. Sand or silty sand units are locally present. Bedrock in the vicinity of the Site consists predominantly of dolostones, shales, and evaporites of the Upper Silurian Salina Group based on mapping performed by NYSGS (Rickard and Fisher, 1970).

2.0 FIELD WORK AND LABORATORY ANALYSES

BFA Sampling and Preparation

Ground water samples were collected at the Site on 19 April 2006 by ERM personnel using standard sampling techniques. Figure 2-1 presents the general Site layout, including well locations. Following purging of each well, the glass sample vials were preconditioned with sampling water prior to collection of the samples for background fluorescence analysis. All vials were stored in a cooler to prevent photo-degradation of the fluorescent organic compounds immediately after sample collection. After the samples were received by Nano Trace Laboratory in Dewitt, New York on 20 April 2006, all samples were filtered at the laboratory using acid-washed Whatman GMF 0.45- μ m glass fibre filters as means of sample preservation. All samples were analyzed within two days.

BFA Analytical

All filtered samples were analyzed using a Suprasil quartz cell on a Shimadzu RF-5301 spectrofluorophotometer with the following settings: excitation and emission slit adjusted both to 10/10, and a response time of 3, with a delta between excitation and emission wavelength of 21 nm. Between each sample run, Milli-Q water was analyzed to assess the instrumental background and to assure that the cell was clean prior to the next analysis. The reproducibility of fluorescence analyses during this investigation was within 3%. Synchroscans of similar ground waters are presented in Appendix A.

Dye Injection

Five organic dyes were selected for the Site by comparing each dye's specific characteristic fluorescence signature to the existing background fluorescence of Site ground water. Selection dye using this approach ensures the positive identification of the dyes during the FDT analysis. Each of the organic dyes were injected at the Site in pre-selected areas to determine the source of the ground water and LNAPL in MW-23. Figure 2-1 presents the Site layout and injection locations of each of the selected dyes. Peristaltic pumps were utilized to inject a dye in a recovery well (RW-3) in a truck bay on the south side of the facility and a dye into a vapor monitoring point (VMP-2) located in the Varnish Pit Area (VPA).

Three dyes were injected into shallow 2 feet deep trench excavated outside the facility. Two trenches were located along the west side of the facility, one trench inject in the former Varnish UST Area and a second 5 feet west of the facilities fire suppression blow off pipe. The third trench injection was located hydrogeologically up-gradient of the facility proximal to MW-6. Dyes were allowed 24 hours to infiltrate the matrix prior to backfilling.

Ground water samples were collected according a Site-specific sample schedule and analyzed as outlined in the subsequent section. The reproducibility of analyzed samples during this FDT study was 3%. FDT Synchroscans are presented in Appendix B. Breakthrough curves of RFI vs. Time are presented in Appendix C.

3.0 RESULTS

3.1 BACKGROUND FLOURESCENCE ANALYSIS

Thirty-three samples were collected at the Site for BFA. RFI, values varied from 0 to 4830 RFI. Natural ground water systems with high organic acid contents, such as wetland waters, rarely have an RFI greater than 700. Whereas, “clean”, water by unaffected by anthropogenic chemicals typically have background levels around 20 RFI.

Table 3-1 summarizes the total RFI of the samples. Peaks between 357-364 nm and 349 nm correspond to the area with the greatest concentration of DOC. Noteworthy is the broad variety of different fluorescent synchroscans, which suggests this aquifer is very heterogeneous. Many wells show a mixture of waters from multiple adjacent wells, but many of the source waters are refracted from the expected flow path estimated from the conventional hydrological gradient (generally south to north). Estimated ground water flow direction in the shallow saturated zone is generally to the north. Estimated ground water flow direction in the intermediate ground water zone is generally to the north-northeast. Refraction in the BFA data implies pronounced preferential flow paths, and heterogeneities in the subsurface, probably caused by subsurface utilities, construction infilling, or fractures and macro pores in the predominantly fine-grained soil matrix.

Some significant tracer peaks are present. Nevertheless, only six sets of wells had nearly identical fluorescence signatures (See Appendix A), whereas all of them except MW-22 and MW-23 showed some similarities in peak distributions with each other. A summary of the different Synchroscan relationships is presented in Table 3-2.

3.2 FLOURESCENT DYE STUDY

Five fluorescent dyes were selected based on the results of the BFA and injected in selected areas on 11 January 2007. Twenty-one of the sample locations were sampled on high frequency for two weeks following the dye injection to evaluate potential fast flowing preferential flow paths. A sample schedule was developed to run four months, incorporating all non-injection wells at the site. A total of 448 samples were collected and analyzed by fluorescence spectroscopy during the FDT investigation.

During the 125-day monitoring period Sulforhodamine G (SRG) dye was detected in 14 Site wells, including MW-23. (SRG) was injected into VMP-2 just south of the Varnish Pit Area. The other four dyes were not detected in any sample. Table 3-3 presents a timeline for the travel times from the injection of SRG through the first detection of the dye within the wells and the number of days for the peak concentration to reach the well and the corresponding RFIs. Figures 3-1 and Figure 3-2 illustrate the travel time from the injection well to the observation well for the initial detection of dye and the main concentration of dye, respectively.

The FDT was useful in evaluating the source of LNAPL and water in monitoring well MW-23 (the Varnish Pit Area). SRG dye injected within the Varnish Pit Area was detected in 14 wells including MW-23. SRG reached MW-23 in 36 days, with the highest concentration reach the well within 81 days. A linear ground water velocity for the area of 0.52 m/day is calculated based on travel times of the dye moving between the injection well VMP-2 and MW-23 located 42-meters (138-feet) to the north. The average Darcy velocity at the Site calculated using saturated hydraulic conductivity data was estimated to be 4.7×10^0 cm/sec. Based on the significant difference in velocities, it is evident that ground water is moving much faster along preferential flow paths in the silty clay matrix.

Figure 3-1 presents the first appearance of SRG in monitoring wells, which also suggests ground water movement along preferential flow paths in the upper silty clay matrix at the Site. The timing of appearance of SRG in various monitoring wells shows strong preferential flow paths to the northeast, southwest (against or at least lateral to mapped ground water flow direction), and to the west-north west.

Based of the data collected the source of the LNAPL in MW-23 is the Varnish Pit Area, as dyes injected in the other known areas of concern at the Site and upgradient of the study area were not detected in the MW-23 during the observation time. SRG injected adjacent to the Varnish Pit Area was detected in a relatively short time frame.

Of the five dyes introduced at the site, four dyes were not detected within the observation time of the FDT. The dyes may not have reached any of the wells within the observation time of the FDT or there may not be a direct connection between injection point and the ground water at the various sampling locations.

4.0 SUMMARY AND CONCLUSION

A detailed BFS/FDT investigation was performed at the Site in response to an inquiry from the NYSDEC regarding the source of LNAPL observed in monitoring well MW-23. One of five organic dyes was detected in site monitoring wells. The observed distribution and detection of SRG dye indicates that ground water flow in the vicinity of the Varnish Pit Area occurs predominantly along preferential flow paths at flow velocities that are much quicker compared to flow velocities estimated based on measured saturated hydraulic conductivity of the upper silty clay unit. The generally northerly direction of ground water flow was confirmed although detections of SRG in multiple directions from the Varnish Pit Area injection point (VMP-2) were observed. The detection of SRG in well MW-23 and the non-detection of dyes injected at other locations, including the Former Varnish UST Area, is consistent with the LNAPL observed in well MW-23 being derived from the Varnish Pit Area.

Figures




Figure 2-1- Layout of the facility and wells utilized in the FDT. The figure also illustrates the injection location with amount of dye injected at each specific location.




Figure 3-1- Travel times from the injection wells to the initial detection of SRG within a given well.




Figure 3-2 Travel times from the injection wells to the peak concentration of SRG within a given well.

Tables

Table 3-1: The table summarizes all peaks and elevated areas found between 320 nm and 720 nm. The fields highlighted in yellow represent the dominant peaks whereas the number indicates the relative fluorescence intensity (RFI). The RFI emission values are proportional to dissolved organic carbon concentration values.

Well ID	Wavelength												
	323-324	329-333	349	357-364	367-372	401-404	411-415	419-424	436	445-452	476	486	489-494
MW-1A								482		550			
MW-3				55									
MW-4		121		156									
MW-5		1902		1936								399	
MW-6		100		148						22			
MW-7				386			419			409			
MW-8				84						10			
MW-9					85					44			
MW-10				573									
MW-11				51									
MW-12				141						53			44
MW-13	219			210					56				41
MW-15					219					169			148
MW-16					263					192			
MW-17				329						280			
MW-18		533		582			318					130	
MW-19				55						33			36
MW-20													
MW-21S				113		122				94			
MW-21I				133		140							
MW-22					72							23	
MW-23		4212	4765										
MW-24				764								164	
MW-25				187			206						
RW-2				544			251	251					
RW-3					237					181			
RW-4				882			464						
RW-5													
VMP-1				190						98			91
VMP-2	635			894									
VMP-3													
VMP-5		457		603									
VMP-6				587		360				309	247		

Table 3-2: This color coded table summarizes correlations between the different wells at the Greif Site. The fields highlighted in red represent nearly identical synchronoscans; blue represent similar fluorescence synchronoscans that are adjacent to the observation well; and mint represent similar fluorescence synchronoscans that are significantly further away from the observation well.

identical peak pattern adjacent similar synchronoscans similar synchronoscans further away

Well IDs	MW-1A	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13	MW-15	MW-16	MW-17	MW-18	MW-19
MW-1A	Grey					Blue		Blue						Mint	Mint		
MW-3		Grey	Blue	Mint						Mint							
MW-4		Blue	Grey	Red	Blue					Mint							
MW-5		Mint	Red	Grey	Blue					Mint	Mint	Mint					
MW-6			Blue	Blue	Grey		Mint							Mint			
MW-7	Blue					Grey		Blue						Mint	Mint		
MW-8					Mint		Grey									Blue	
MW-9	Blue					Blue		Grey									
MW-10									Grey								Blue
MW-11		Mint	Mint	Mint						Grey							
MW-12			Mint	Mint							Grey			Mint	Mint		
MW-13				Mint								Grey					
MW-15						Blue					Blue			Grey	Mint	Mint	Blue
MW-16	Mint				Mint	Mint					Mint			Blue	Grey		Mint
MW-17	Mint					Mint	Blue							Blue		Grey	
MW-18																	Grey
MW-19									Blue				Mint	Mint			Grey
MW-20												Blue					
MW-21s	Mint							Mint			Mint					Blue	
MW-21i	Mint							Mint			Mint					Blue	
MW-22																	
MW-23																	
MW-24															Mint	Mint	
MW-25	Blue									Blue							
RW-2												Blue					Red
RW-3	Blue					Blue		Blue			Blue		Red		Mint		
RW-4																	
RW-5																	
VMP-1				Mint					Mint		Blue						Mint
VMP-2												Blue					
VMP-3						Blue						Blue			Mint	Blue	
VMP-5												Blue				Blue	
VMP-6								Blue		Blue	Blue	Blue			Mint		

Table 3-3: FDT Timeline

Dye Injected	Location of Injection	Date/ Time of Injection
1500 g PYR	MW-10	1/11/2007 9:35
100 g URA	RW-3	1/11/2007 10:40
800 g EOS	trench/pool	1/11/2007 9:45
100 g SRG	VMP-2	1/11/2007 11:05
1000 g RWT	trench	1/11/2007 9:20

Note:
hydraulic gradient 0.01
effective porosity 0.4937

Well Ids	Dye Detected	First Appearance	Days After Injection	Maximum Peak Appearance	Maximum Peak (days)	RFI of Maximum Peak Intensity	RFI Estimated Detection Limit
MW-12	SRG	23-Jan-07	12	26-Jan-07	15	3952	39
MW-13	SRG	17-Jan-07	6	2-Apr-07	81	198	17
MW-14	SRG	19-Jan-07	8	9-Feb-07	29	646	12
MW-20	SRG	2-Apr-07	81	2-Apr-07	81	3586	35
MW-22	SRG	17-Jan-07	6	31-Jan-07	20	429	12
MW-23	SRG	16-Feb-07	36	2-Apr-07	81	3688	86
MW-24	SRG	17-Feb-07	37	19-Feb-07	39	288	60
RW-1	SRG	15-Jan-07	4	8-Mar-07	87	9235	154
RW-2	SRG	23-Jan-07	12	16-Feb-07	36	4796	72
RW-5	SRG	19-Jan-07	8	19-Jan-07	8	205	72
VMP-1	SRG	17-Jan-07	6	2-Apr-07	81	3627	25
VMP-3	SRG	19-Jan-07	8	23-Jan-07	12	374	32
VMP-5	SRG	19-Jan-07	8	2-Apr-07	81	395	66
VMP-6	SRG	26-Jan-07	15	1-Mar-07	49	923	69
500-gal	SRG	23-Jan-07	12	9-May-07	109	13095	122

Well Ids	Maximum Peak Concentration ppb (=ug/L)	Distance From Injection to Target (M)	First Appearance Velocity (mm/day)	Main peak Velocity (mm/day)	Velocity ft/day	Hydraulic Conductivity cm/s
MW-12	6.05	11.21	934	747	2.45	4.3E-02
MW-13	0.17	16.97	2828	210	0.69	1.2E-02
MW-14	0.88	15.15	1894	522	1.71	3.0E-02
MW-20	5.48	3.94	49	49	0.16	2.8E-03
MW-22	0.54	18.48	3080	924	3.03	5.3E-02
MW-23	5.56	35.76	993	441	1.45	2.5E-02
MW-24	0.24	38.18	1032	979	3.21	5.6E-02
RW-1	14.21	3.63	908	42	0.14	2.4E-03
RW-2	7.33	2.42	202	67	0.22	3.8E-03
RW-5	0.09	5.45	681	681	2.23	3.9E-02
VMP-1	5.56	6.67	1112	82	0.27	4.7E-03
VMP-3	0.42	13.64	1705	1137	3.73	6.5E-02
VMP-5	0.40	7.27	909	90	0.29	5.1E-03
VMP-6	1.23	19.09	1273	390	1.28	2.2E-02
500-gal	20.35	n/a	n/a	n/a	n/a	n/a

Appendix A
Similar BFA Synchroscans




Figure A1: Comparison between well MW-4 (intermediate well) and MW-5 (intermediate well). The concentrations in MW-5 are significantly higher than in MW-4, which supports the general ground water flow (Figure 1.2). Furthermore it suggests that the ground water velocity is slow, but that enough volume causes the concentrations in MW-4 to drop or that the concentration in MW-5 does not change that much and some of it is dissolved by the main ground water flow and transported downgradient to MW-4. Non-biodegradable natural matter or traces of light non-aqueous phase liquids (LNAPLs) cause the high emission intensities around 320 nm.




Figure A2: Comparison between well MW-15 (shallow well) and RW-3 (shallow well). Both concentrations similar, which suggests that the ground water is transported quickly between the two wells.




Figure A3: Comparison between well MW-18 (intermediate well) and MW-25 (shallow well).




Figure A4: Comparison between well MW-21s (shallow well) and MW-21i (intermediate well).




Figure A5: Comparison between well VMP-1 (shallow well) and VMP-3 (shallow well).




Figure A6: Comparison between well VMP-2 (shallow well) and VMP-5 (shall

Appendix B
FDT – Synchroscans




Figure B1: Sulforhodamine G dye reached this well 12 days after dye injection. The maximum concentration of the dye arrived three days later.




Figure B2 (close-up of Figure A1): The first sample often shows higher background fluorescence than consecutive samples.




Figure B3: Sulforhodamine G dye reached this well 6 days after dye injection. The maximum concentration of the dye arrived 75 days later.




Figure B4: Sulforhodamine G dye reached this well 8 days after dye injection. The maximum concentration of the dye arrived at the well 21 days later.




Figure B5 (close-up of Figure B4): The first sample often shows higher background fluorescence than consecutive samples.




Figure B6: Sulforhodamine G dye reached this well 81 days after dye injection and the maximum in concentration of the dye arrived the same day. The "dye first arrival" and "peak concentration" travel times are similar; the arrival time appear to be the same based the frequency of sampling events. These similarities in arrival time suggest the injection and monitoring well are interconnected by a faster flowing preferential ground water flow path.




Figure B7: Sulforhodamine G dye reached this well 6 days after dye injection. The maximum concentration of dye arrived 14 days later.




Figure B8: Close up of Figure B7.




Figure B9: Sulforhodamine G dye reached this well 36 days after dye injection. The maximum concentration of the dye arrived 45 days later. The origin of the ground water in monitoring well MW-23 was the main focus of this fluorescent dye-tracing (FDT) test. Water originating adjacent to the varnish pit (VMP-2) reached MW-23 in slightly more than a month.




Figure B10: close-up of Figure B9.




Figure B11: Sulforhodamine G dye reached this well 37 days after dye injection. The maximum concentration of the dye arrived two days later.




Figure B12: Sulforhodamine G dye reached this well 4 days after dye injection. The maximum concentration of dye arrived 83 days later.




Figure B13: Sulforhodamine G dye reached this well 12 days after dye injection. The maximum concentration of dye arrived 24 days later.




Figure B14: Sulforhodamine G dye reached this well 8 days after dye injection and the maximum concentration of dye arrived the same day.




Figure B15: Sulforhodamine G dye reached this well 6 days after dye injection. The maximum concentration of dye arrived 75 days later.




Figure B16: Close-up of figure B15




Figure B17: Sulforhodamine G dye reached this well 8 days after dye injection. The main concentration of dye arrived four days later.




Figure B18: Sulforhodamine G dye reached this well 8 days after dye injection. The maximum concentration of dye arrived 73 days later.




Figure B19: Sulforhodamine G dye reached this well 15 days after dye injection. The maximum concentration of dye arrived 34 days later.




Figure B20: Sulforhodamine G dye was first detected in the liquid storage tank for the DNAPL Recovery IRM Pumping System 12 days after dye injection. However, the dye concentration had not reached its maximum after 109 days when the observation period of the dye test was ended. The liquid recovery tank collected the total fluids being pumped from recovery wells RW-1, RW-2, RW-4 and RW-5 throughout the FDT.

Appendix C
Breakthrough Curves – RFI vs. Time




Figure C1: The dye breakthrough curve shows that the maximum dye concentration reached this well 15 days after dye injection.




Figure C2: The dye breakthrough curve shows that the maximum dye concentration reached this well 81 days after dye injection.




Figure C3: The dye breakthrough curve shows that the maximum dye concentration reached this well 29 days after dye injection.




Figure C4: The dye breakthrough curve shows that the maximum dye concentration reached this well 81 days after dye injection.




Figure C5: The dye breakthrough curve shows that the maximum dye concentration reached this well 20 days after dye injection.




Figure C6: The dye breakthrough curve shows that the maximum dye concentration reached this well 81 days after dye injection.




Figure C7: The dye breakthrough curve shows that the maximum dye concentration reached this well 39 days after dye injection.




Figure C8: The dye breakthrough curve shows an increasing dye concentration through 87 days of observation following the dye injection.




Figure C9: The dye breakthrough curve shows that the maximum dye concentration reached this well 36 days after dye injection.




Figure E10: The dye breakthrough curve shows that the maximum dye concentration reached this well 8 days after dye injection.




Figure C11: The dye breakthrough curve shows that the maximum dye concentration reached this well 81 days after dye injection.




Figure C12: The dye breakthrough curve shows that the maximum dye concentration reached this well 12 days after dye injection.




Figure C13: The dye breakthrough curve shows that the maximum dye concentration reached this well 81 days after dye injection.




Figure C14: The dye breakthrough curve shows that the maximum dye concentration reached this well 49 days after dye injection.





Figure E15: The dye breakthrough curve shows an increasing dye concentration in the liquid recovery tank for the DNAPL Recovery IRM System throughout the observation period of the dye-tracing test. The system was pumping total fluids from recovery wells RW-1, RW-2, RW-4 and RW-5 directly to the 500-gallon liquid recovery tank throughout the FDT. A maximum dye concentration was not reached during the observation period.

Appendix B
NYSDEC Correspondence

New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 9
270 Michigan Avenue, Buffalo, New York, 14203-2999
Phone: (716) 851-7220 • FAX: (716) 851-7226
Website: www.dec.state.ny.us



Denise M. Sheehan
Commissioner

December 27, 2005

Mr. Peter H. Gruene
Palmetto Environmental Management Solutions, LLC
1421 Winyah Way
Hartsville, South Carolina 29550

Dear Mr. Gruene:

Greif Bros. Facility Site #V-00334-9
Soil Excavation Interim Remedial Measure
Substantial Completion
Soil Boring GB-10/Former Drum Storage Area
Town of Tonawanda, Erie County

The New York State Department of Environmental Conservation (NYSDEC) staff along with representatives of your consultant ERM and contractor Pinto Construction performed a final site inspection on December 22, 2005. This inspection determined that the Soil Boring GB-10/Former Drum Storage Area phase of the approved IRM work plan has been substantially completed. The following items were identified as required to complete this phase of the IRM:

- Restoration of disturbed areas to the satisfaction of Greif Bros, and
- Installation of the groundwater monitoring well(s) as indicated in the approved work plan.

This substantial completion determination applies solely to the Soil Boring GB-10/Former Drum storage area phase of the approved work plan. The Varnish Pit/Short Truck Bay IRM DNAPL recovery phase is still ongoing and completion of this phase of the approved IRM work plan is dependent on the DNAPL recovery progress. The third IRM area, Former Varnish UST, was removed from the approved IRM work plan and will be evaluated as part of the feasibility study for the site.

Therefore, in accordance with Section 6 of the approved work plan, an IRM Report documenting the work performed in completing the Soil Boring GB-10/Former Drum Storage Area phase shall be prepared and identified as an interim report. The information regarding the Varnish Pit/Short truck Bay DNAPL phase shall be added to the IRM Report after the DNAPL and vapor phase removal are determined to be complete.


Project No. 0017521
Order Name "CORRESPONDENCE"
Sent by SF
Served

Mr. Peter H. Gruene
Page 2

This Interim IRM Report for the Soil Boring GB-10/Former Drum Storage Area shall be submitted no later than March 31, 2006.

If you have any questions, please contact me at (716)851-7220.

Sincerely,


A handwritten signature in black ink, appearing to read "Michael J. Hinton", with a long horizontal flourish extending to the right.


Michael J. Hinton P.E.
Division of Environmental Remediation

//ms

cc: Mr. Gregory Sutton, Division of Environmental Remediation
Mr. Joseph Ryan, Esq., Division of Environmental Enforcement
Mr. Matthew Forcucci, New York State Department of Health
Mr. Mark VanValkenburg, New York State Department of Health
Mr. Jon Fox, Environmental Resources Management
Mr. Robert Powell, Sonoco Products Company


Appendix C
EVS Depictions





Former Varnish UST Area

Depth



Former Drum Storage Area

Vertical Exaggeration = 2

Former Varnish UST Area

Depth




Former Drum Storage Area

Vertical Exaggeration = 2

Apr_06_111-TCA.above.5.ppb

Geif Bros. Facility Tonawanda, NY



Apr_06_111-TCA

30,000 µg/L

10,000 µg/L

3,000 µg/L

1,000 µg/L

300 µg/L

100 µg/L

30 µg/L


10 µg/L

3 µg/L

1 µg/L

Vertical Exaggeration = 2
Anisotropy = 2


Apr_06_111-TCA above 5 ppb
Greif Bros. Facility
Tonawanda, NY



,Apr_06_TCE above 5 ppb
Greif Bros. Facility
Tonawanda, NY



,Apr_06_TCE above 5 ppb
Greif Bros. Facility
Tonawanda, NY




Vertical Exaggeration = 2
Anisotropy = 10

,Apr_06_TCE above 5 ppb
Greif Bros. Facility
Tonawanda, NY



Apr_06_111-TCA above 5 ppb


**Greif Bros. Facility
Tonawanda, NY**



**Vertical Exaggeration = 2
Anisotropy = 10**

Apr_06_111-TCA above 5 ppb
Greif Bros. Facility
Tonawanda, NY

Apr_06_111-TCA




Vertical Exaggeration = 2
Anisotropy = 10

July_06_111-TCA above 5 ppb
Greif Bros. Facility
Tonawanda, NY




July_06_111-TGA-above-5 ppb

Greif Bros. Facility
Tonawanda, NY



Vertical Exaggeration = 2
Anisotropy = 2

July_06_111-TGA-above-5 ppb
Greif Bros. Facility
Tonawanda, NY



July_06_111-TGA

30,000 ug/L

10,000 ug/L

3,000 ug/L

1,000 ug/L

300 ug/L

100 ug/L

30 ug/L


10 ug/L

3 ug/L


1 ug/L

Vertical Exaggeration = 2
Anisotropy = 10


July_06_111-TCA above 5 ppb
Greif Bros. Facility
Tonawanda, NY



,July_06_TCE above 5 ppb
Greif Bros. Facility
Tonawanda, NY




July_06_TCE above 5 ppb
Greif Bros. Facility
Tonawanda, NY



Vertical Exaggeration = 2
Anisotropy = 2

,July_06_TCE above 5 ppb
Greif Bros. Facility
Tonawanda, NY



Vertical Exaggeration = 2
Anisotropy = 2

Appendix D
Static Resistivity Testing Results

APPENDIX D
STATIC RESISTIVITY TESTING SUMMARY
GREIF BROS. FACILITY - TONAWANDA, NY
NYSDEC VCP NUMBER V00334-9
ERM PROJECT NUMBER 0051923

Technician: Scott McKean

ERB-1	29.65	Former Varnish UST Area (Outside E. side of warehouse)
ERB-2	34.54	Varnish Pit (Inside warehouse, SE corner)

Well Name	Depth	P	Description
ERB-1	0	1357.27	Topsoil (Dessicated - not representative)
ERB-1	2	28.33	Fine sand and silt, moist
ERB-1	4	48.70	Fine sand and silt with clay, moist
ERB-1	6	30.86	Fine sand and silt with clay, moist
ERB-1	8	32.64	Fine sand and silt with clay, wet
ERB-1	10	21.46	Fine sand and silt with clay, wet
ERB-1	12	15.93	Wet clay

ERB-2	0	28.59	Silt and medium/coarse sand, wet
ERB-2	2	55.94	Silt and medium sand, moist
ERB-2	4	83.35	Silt and medium/coarse sand with gravel, wet
ERB-2	6	46.58	Silt and fine/medium sand, wet
ERB-2	8	9.14	Silt and fine/medium sand, wet
ERB-2	10	5.03	Clay and silt with coarse sand, moist
ERB-2	12	7.20	Clay with silt and coarse sand, moist

Depth	P
2.00	42.14
4.00	66.03
6.00	38.72
8.00	20.89
10.00	13.25
12.00	11.57