

TABLE 1
SUMMARY OF UNVALIDATED ANALYTICAL RESULTS RECEIVED IN APRIL 2015
GROUND WATER SAMPLING EVENT - MARCH 2015
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Sample Designation	APW-3	MW-3	MW-12	MW-13	DUP	MW-14	MW-18	MW-21I	MW-21S	Standard or Guidance Value
Collection Date	31-Mar-15	31-Mar-15	30-Mar-15	30-Mar-15	30-Mar-15	30-Mar-15	30-Mar-15	30-Mar-15	30-Mar-15	
VOCs (µg/L)										
Acetone	<10	<2.0	<2.0	<410	<410	<2.0	<2.0	<2.0	<2.0	50
Benzene	<1.4	<0.27	<0.27	<54	<54	0.71	<0.27	<0.27	<0.27	1
2-Butanone	<15	<3.0	<3.0	<590	<590	<3.0	104	<3.0	<3.0	5
Chloroethane	<2.5	<0.49	0.91 J	<98	<98	1.5 J	<0.49	<0.49	<0.49	5
Chloroform	<2.0	<0.40	0.70 J	<81	<81	<0.40	<0.40	<0.40	<0.40	7
1,1-Dichloroethane	1010	<0.28	651	7960	8330	1800	11.6	<0.28	<0.28	5
1,2-Dichloroethane	<1.5	<0.31	2.7	82.2 J	79.7 J	0.36 J	<0.31	<0.31	<0.31	0.6
1,1-Dichloroethene	207	<0.28	313	8400	8740	892	1.3	<0.28	<0.28	5
cis-1,2-Dichloroethene	3.4 J	<0.31	818	10100	10700	1290	2.1	<0.31	<0.31	5
trans-1,2-Dichloroethene	<2.4	<0.48	31.1	257	274	16	<0.48	<0.48	<0.48	5
Ethylbenzene	<1.2	<0.24	<0.24	<48	<48	6.3	<0.24	<0.24	<0.24	5
Methylene chloride	<1.3	<0.27	<0.27	<54	<54	<0.27	<0.27	<0.27	<0.27	5
4-Methyl-2-pentanone	<3.8	<0.77	<0.77	<150	<150	<0.77	0.94 J	<0.77	<0.77	NS
Tetrachloroethene	<1.0	<0.21	<0.21	<41	<41	2.9	<0.21	<0.21	<0.21	0.7
Toluene	<1.5	<0.29	<0.29	<59	<59	13.3	<0.29	<0.29	<0.29	5
1,1,1-Trichloroethane	756	<0.42	183	20500	22000	1.6	3.2	<0.42	<0.42	5
1,1,2-Trichloroethane	<1.6	<0.32	<0.32	<65	<65	<0.32	<0.32	<0.32	<0.32	5
Trichloroethene	<1.2	<0.25	327	33800	35500	32200	2.2	1.0	84 J	5
1,2,4-Trimethylbenzene	<1.4	<0.29	<0.29	<57	<57	<0.29	<0.29	<0.29	<0.29	5
Vinyl chloride	<2.3	<0.45	50	202	177 J	8	<0.45	<0.45	<0.45	2
o-Xylene	<1.1	<0.22	<0.22	<43	<43	6.8	<0.22	<0.22	<0.22	5
Xylene (total)	<1.1	<0.22	<0.22	<43	<43	10.7	<0.22	<0.22	<0.22	5
Other (µg/L)										
Dissolved Organic Carbon	10300	7000	7700	17900	17900	10300	680000	4300	4800	NS
Ethane	<3.1	<3.1	<3.1	<3.1	<3.1	<3.1	<0.31	<3.1	<3.1	NS
Ethene	<1.8	<1.8	<1.8	23.8	20.2	<1.8	<1.8	<1.8	<1.8	NS
Methane	<4.1	<4.1	13	461	305	<4.1	39.5	<4.1	<4.1	NS
Sulfate	104000	347000	321000	108000	108000	67400	29500	89600	48600	250000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard.

J = Indicates an estimated value.

NS = No standard or guidance value.

<= Analyte was Non-detect.

DUP = MW-13

TABLE 1 (Continued)
SUMMARY OF UNVALIDATED ANALYTICAL RESULTS RECEIVED IN APRIL 2015
GROUND WATER SAMPLING EVENT - MARCH 2015
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Sample Designation	MW-22	MW-24	MW-25	MW-27	Standard or Guidance Value
Collection Date	30-Mar-15	31-Mar-15	31-Mar-15	31-Mar-15	
VOCs (µg/L)					
Acetone	<2.0	<20	<2.0	<2.0	50
Benzene	<0.27	19.1	<0.27	<0.27	1
2-Butanone	<3.0	<30	<3.0	<3.0	5
Chloroethane	<0.49	<4.9	<0.49	<0.49	5
Chloroform	<0.40	<4.0	<0.40	<0.40	7
1,1-Dichloroethane	92.2	26.2	2.70	18	5
1,2-Dichloroethane	<0.31	<3.1	<0.31	<0.31	0.6
1,1-Dichloroethene	3.3	11.3	<0.28	4.4	5
cis-1,2-Dichloroethene	2.9	1770.0	6.00	1.6	5
trans-1,2-Dichloroethene	<0.48	11.6	<0.48	<0.48	5
Ethylbenzene	<0.24	<2.4	<0.24	<0.24	5
Methylene chloride	<0.27	<2.7	<0.27	<0.27	5
4-Methyl-2-pentanone	<0.77	<7.7	<0.77	<0.77	NS
Tetrachloroethene	<0.21	<2.1	<0.21	<0.21	0.7
Toluene	<0.29	<2.9	<0.29	<0.29	5
1,1,1-Trichloroethane	<0.42	9.2 J	<0.42	4.4	5
1,1,2-Trichloroethane	<0.32	<3.2	<0.32	<0.32	5
Trichloroethene	36.10	1480.00	<0.25	8.00	5
1,2,4-Trimethylbenzene	<0.29	<2.9	<0.29	<0.29	5
Vinyl chloride	1.3	424	5.6	<0.45	2
o-Xylene	<0.22	<2.2	<0.22	<0.22	5
p/m-Xylene	<0.22	<2.2	<0.22	<0.22	5
Other (µg/L)					
Dissolved Organic Carbon	7400	8600	10000	8700	NS
Ethane	<3.1	42.2	3.2 J	<3.1	NS
Ethene	<1.8	88.2	2.4 J	<1.8	NS
Methane	4.9 J	301	320	<4.1	NS
Sulfate	570000	194000	2300000	111000	250000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard.

J = Indicates an estimated value.

NS = No standard or guidance value.

<= Analyte was Non-detect.

DUP = MW-13

TABLE 4
SUMMARY OF UNVALIDATED ANALYTICAL RESULTS RECEIVED IN JULY 2016
GROUND WATER SAMPLING EVENT - MAY 2016
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Sample Designation	APW-3	MW-12	MW-13	MW-14	MW-18	MW-19	Standard or Guidance Value
Collection Date	26-May-16	26-May-16	26-May-16	26-May-16	26-May-16	26-May-16	
VOCs (µg/L)							
Acetone	<100	<100	<120	<1200	<5	<5	50
Benzene	<10	<10	9.0 J	<120	<0.50	<1	1
2-Butanone	<100	<100	<120	<1200	<5	<5	5
Chloroethane	<50	<50	<62	<620	1.4 J	<2.5	5
Chloroform	<50	<50	26 J	<620	<2.5	<2.5	7
1,1-Dichloroethane	1600	950	8300	2000	17	<2.5	5
1,2-Dichloroethane	<10	<10	78	<120	<0.5	<0.5	0.6
1,1-Dichloroethene	420	260	8400	930	0.66	<0.5	5
cis-1,2-Dichloroethene	<50	1200	9000	1100	1.6 J	<2.5	5
trans-1,2-Dichloroethene	<50	27 J	280	<620	<2.5	<2.5	5
Ethylbenzene	<50	<50	<62	<620	<2.5	<2.5	5
Methylene chloride	<50	<50	<62	<620	<2.5	<2.5	5
4-Methyl-2-pentanone	<100	<100	<120	<1200	<5	<5	NS
Tetrachloroethene	<10	<10	5.2 J	<120	<0.5	<0.5	5
Toluene	<50	<50	<62	<620	<2.5	<2.5	5
1,1,1-Trichloroethane	1200	140	14000	<620	1.8 J	<2.5	5
1,1,2-Trichloroethane	<30	<30	<62	<380	<1.5	<1.5	5
Trichloroethene	<10	240	38000	35000	0.98	<0.5	5
1,2,4-Trimethylbenzene	<50	<50	<62	<620	<2.5	<2.5	5
Vinyl chloride	<20	86	160	<250	0.81 J	<1	2
o-Xylene	<50	<50	21 J	<620	<2.5	<2.5	5
Xylene (total)	<50	<50	21 J	<620	<2.5	<2.5	5
Other (µg/L)							
Total Organic Carbon	5460	3470	14600	2800	10000	1830	NS
Ethane	<0.500	1.23	2.07	<0.500	<0.500	<0.500	NS
Ethene	<0.500	3.32	25.70	0.897	1.99	<0.500	NS
Methane	0.882	71.1	487	2.51	4680	2.43	NS
Total Dissolved Solids	830000	1200000	1500000	740000	1000000	690000	250000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard.

J = Indicates an estimated value.

NS = No standard or guidance value.

<= Analyte was Non-detect.

TABLE 4 (Continued)
SUMMARY OF UNVALIDATED ANALYTICAL RESULTS RECEIVED IN JULY 2016
GROUND WATER SAMPLING EVENT - MAY 2016
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Sample Designation	MW-20	DUP-01	MW-22	MW-24	MW-25	MW-26	MW-27	Standard or Guidance Value
Collection Date	27-May-16	26-May-16	26-May-16	26-May-16	26-May-16	26-May-16	26-May-16	
VOCs (µg/L)								
Acetone	<5000	<5000	<5	<100	<5	<5	<5	50
Benzene	<500	<500	<0.5	7.4 J	0.25 J	<0.5	<0.5	1
2-Butanone	<5000	<5000	<5	<100	<5	<5	<5	5
Chloroethane	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
Chloroform	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	7
1,1-Dichloroethane	15000	15000	5.70	<50	3.30	2.0 J	26.00	5
1,2-Dichloroethane	<500	<500	<0.5	<10	<0.5	<0.5	<0.5	0.6
1,1-Dichloroethene	12000	12000	0.47 J	4.5 J	<0.5	<0.5	5.70	5
cis-1,2-Dichloroethene	<2500	<2500	5.20	900.00	15.00	<2.5	2.3 J	5
trans-1,2-Dichloroethene	<2500	<2500	<2.5	<50	<2.5	<0.5	<2.5	5
Ethylbenzene	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
Methylene chloride	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
4-Methyl-2-pentanone	<5000	<5000	<5	<100	<5	<5	<5	NS
Tetrachloroethene	<500	<500	<0.5	<10	<0.5	<0.5	<0.5	0.7
Toluene	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
1,1,1-Trichloroethane	650000	770000	<2.5	<50	<2.5	1.5 J	4.40	5
1,1,2-Trichloroethane	<1500	<1500	<1.5	<30	<1.5	<1.5	<1.5	5
Trichloroethene	170000	170000	28	820	<0.5	<0.5	12.00	5
1,2,4-Trimethylbenzene	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
Vinyl chloride	<1000	<1000	0.11 J	230	13	<1	<1	2
o-Xylene	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
p/m-Xylene	<2500	<2500	<2.5	<50	<2.5	<2.5	<2.5	5
Other (µg/L)								
Total Organic Carbon	41000	41100	2260	7310	3130	2410	4150	NS
Ethane	21.90	22.30	0.54	71.10	4.19	<0.500	<0.500	NS
Ethene	3.64	3.66	<0.500	66.40	2.76	<0.500	<0.500	NS
Methane	8.71	11.60	8.32	421.00	314.00	673.00	<0.500	NS
Total Dissolved Solids	1600000	1600000	1300000	1700000	4800000	2200000	760000	250000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard.

J = Indicates an estimated value.

NS = No standard or guidance value.

<= Analyte was Non-detect.

Table 4
Summary of Unvalidated Analytical Results Received in September 2017
Groundwater Sampling Event - August 2017
Greif Facility - Tonawanda, New York
NYSDEC VCP NUMBER V00334-9

Sample Designation	APW-3	MW-12	MW-13	MW-14	DUP	MW-18	MW-19	Standard or Guidance Value
Collection Date	23-Aug-17	23-Aug-17	23-Aug-17	23-Aug-17	23-Aug-17	23-Aug-17	23-Aug-17	
VOCs (µg/L)								
Acetone	29 U	15 U	730 U	730 U	730 U	1.5 U	1.5 U	50
Benzene	3.2 U	1.6 U	80 U	80 U	80 U	0.16 U	0.16 U	1
2-Butanone	39 U	19 U	970 U	970 U	970 U	1.9 U	1.9 U	5
Chloroethane	14 U	7 U	350 U	350 U	350 U	0.7 U	0.7 U	5
Chloroform	14 U	7 U	350 U	350 U	350 U	0.7 U	0.7 U	7
1,1-Dichloroethane	1400	780	6600	2000	2000	9.1	0.7 U	5
1,2-Dichloroethane	2.6 U	1.3 U	66 U	66 U	66 U	0.13 U	0.3 U	0.6
1,1-Dichloroethene	730	210	5500	960	920	0.59	0.17 U	5
cis-1,2-Dichloroethene	14 U	960	7400	930 J	980 J	0.81 J	0.7 U	5
trans-1,2-Dichloroethene	14 U	24 J	350 U	350 U	350 U	0.7 U	0.7 U	5
Ethylbenzene	14 U	7 U	350 U	350 U	350 U	0.7 U	0.7 U	5
Methylene chloride	14 U	7 U	350 U	350 U	350 U	0	0.7 U	5
4-Methyl-2-pentanone	20 U	10 U	500 U	500 U	500 U	0.7 U	1 U	NS
Tetrachloroethene	3.6 U	1.8 U	90 U	90 U	90 U	0.18 U	0.18 U	5
Toluene	14 U	7 U	350 U	350 U	350 U	0.7 U	0.7 U	5
1,1,1-Trichloroethane	1800	99	12000	350 U	350 U	3.4	0.7 U	5
1,1,2-Trichloroethane	10 U	5 U	250 U	250 U	250 U	0.5 U	0.5 U	5
Trichloroethene	3.5 U	210	42000	41000	40000	2.8	0.18 U	5
1,2,4-Trimethylbenzene	14 U	7 U	350 U	350 U	350 U	0.7	0.7 U	5
Vinyl chloride	18 J	69	110 J	36 U	36 U	0.22 J	0.07 U	2
Xylene (total)	14 U	7 U	350 U	350 U	350 U	0.7 U	0.7 U	5
Other (µg/L)								
Total Organic Carbon	4200	2490	10400	2120	2060	8160	1480	NS
Ethane	4.49	1.39	1.22	0.5 U	0.5 U	0.5 U	0.5 U	NS
Ethene	7.39	3.49	18.50	1.130	1.030	0.5 U	0.5 U	NS
Methane	1760.000	81.3	415	4.05	3.82	806	2.19	NS
Total Dissolved Solids	860000	1200000	1600000	730000	700000	780000	690000	500000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard or guidance.

J = Indicates an estimated value.

NS = No standard or guidance value.

U = Indicates compound was analyzed for, but not detected.

Table 4 (Continued)
 Summary of Unvalidated Analytical Results Received in September 2017
 Groundwater Sampling Event - August 2017
 Greif Facility - Tonawanda, New York
 NYSDEC VCP NUMBER V00334-9

Sample Designation	MW-20	MW-22	MW-24	MW-25	MW-26	MW-27	Standard or Guidance Value
Collection Date	23-Aug-17	23-Aug-17	22-Aug-17	22-Aug-17	23-Aug-17	23-Aug-17	
VOCs (µg/L)							
Acetone	670 J	1.5 U	7.3 U	1.5 U	1.5 U	1.5 U	50
Benzene	32 U	0.16 U	3.2	0.37 J	0.34 J	0.16 U	1
2-Butanone	390 U	1.9 U	9.7 U	1.9 U	1.9 U	1.9 U	5
Chloroethane	140 U	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
Chloroform	140 U	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	7
1,1-Dichloroethane	15000	4.2	3.5 U	3.1	2.8	22	5
1,2-Dichloroethane	110	0.13 U	0.66 U	0.13 U	0.13 U	0.13 U	0.6
1,1-Dichloroethene	9600	0.24 J	1.5 J	0.17 U	0.17 U	2.4	5
cis-1,2-Dichloroethene	140 U	5.00	330	10	0.7 U	1.2 J	5
trans-1,2-Dichloroethene	140 U	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
Ethylbenzene	150 J	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
Methylene chloride	140 U	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
4-Methyl-2-pentanone	200 U	1 U	5 U	1 U	1 U	1 U	NS
Tetrachloroethene	43 J	0.18 U	0.9 U	0.18 U	0.18 U	0.18 U	0.7
Toluene	140 U	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
1,1,1-Trichloroethane	620000	0.7 U	3.5 U	0.7 U	1.4 J	1.8 J	5
1,1,2-Trichloroethane	100 U	0.5 U	2.5 U	0.5 U	0.5 U	0.5 U	5
Trichloroethene	180000 E	19	240	0.18 U	0.18 U	6.1	5
1,2,4-Trimethylbenzene	140 U	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
Vinyl chloride	23 J	0.18 J	160	13	0.07 U	0.7 U	2
Xylene (total)	590 J	0.7 U	3.5 U	0.7 U	0.7 U	0.7 U	5
Other (µg/L)							
Total Organic Carbon	32400	1770	9090	1100	1980	3290	NS
Ethane	22.80	0.5 U	33.50	4.59	0.70	0.5 U	NS
Ethene	3.65	0.5 U	30.60	2.48	0.5 U	0.5 U	NS
Methane	12.70	12.80	222.00	451.00	2220.00	1.04	NS
Total Dissolved Solids	1700000	1300000	1200000	4600000	2300000	740000	500000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard or guidance.

J = Indicates an estimated value.

NS = No standard or guidance value.

U = Indicates compound was analyzed for, but not detected.

TABLE 1
SUMMARY OF UNVALIDATED ANALYTICAL RESULTS RECEIVED IN OCTOBER 2018
GROUND WATER SAMPLING EVENT - OCTOBER 2018
GREIF FACILITY - TONAWANDA, NEW YORK
NYSDEC VCP NUMBER V00334-9

Sample Designation	APW-3	MW-12	DUP-01	MW-13	MW-14	MW-18	MW-19	MW-20	MW-22	MW-24	MW-25	MW-26	MW-27	Standard or Guidance Value
Collection Date	10-Oct-18	11-Oct-18	11-Oct-18	11-Oct-18	11-Oct-18	11-Oct-18	10-Oct-18	11-Oct-18	11-Oct-18	10-Oct-18	10-Oct-18	10-Oct-18	10-Oct-18	
VOCs (µg/L)														
Acetone	<5.0	<25	<25	<1200	<1200	2.0 J	<5	<10000	<5	<10	<5	1.7 J	<5	50
Benzene	0.31 J	<2.5	<2.5	<120	<120	<0.50	<0.50	<1000	<0.5	2.2	0.28 J	0.34 J	<0.5	1
2-Butanone	<5.0	<25	<25	<1200	<1200	<5	<5	<10000	<5	<10	<5	<5	<5	5
Chloroethane	4	<12	<12	<620	<620	<2.5	<2.5	<6200	<2.5	<5.0	<2.5	<2.5	<2.5	5
Chloroform	4.2	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	7
1,1-Dichloroethane	840	520	410	4500	1900	9.7	<2.5	17000	10	2.0 J	3	5.6	23	5
1,2-Dichloroethane	1.7	1.4 J	1.1 J	78 J	<120	<0.5	<0.5	<1000	<0.5	<1.0	<0.5	<0.5	<0.5	0.6
1,1-Dichloroethene	600	120	88	5200	910	0.47 J	<0.5	12000	0.40 J	1	<0.5	0.46 J	3	5
1,2-Dichloroethene, Total	15	640	490	5200	800	1.2 J	<2.5	<5000	6.6	240	6.8	<2.5	1.3 J	5
cis-1,2-Dichloroethene	15	620	480	5200	800	1.2 J	<2.5	<5000	6.6	240	6.8	<2.5	1.3 J	5
trans-1,2-Dichloroethene	<2.5	18	14	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<0.5	<2.5	5
Ethylbenzene	<2.5	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	5
Methylene chloride	<2.5	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	5
4-Methyl-2-pentanone	<5.0	<25	<5	<1200	<1200	<5	<5	<10000	<5	<10	<5	<5	<5	NS
Tetrachloroethene	<0.50	<2.5	<2.5	<120	<120	<0.5	<0.5	<1000	<0.5	<1.0	<0.5	<0.5	<0.5	0.7
Toluene	<2.5	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	5
1,1,1-Trichloroethane	1400	76	48	10000	<620	<2.5	<2.5	820000	<2.5	<5.0	<2.5	1.8 J	1.9 J	5
1,1,2-Trichloroethane	<1.5	<7.5	<7.5	<380	<380	<1.5	<1.5	<3000	<1.5	<3.0	<1.5	<1.5	<1.5	5
Trichloroethene	1.2	110	72	25000	36000	1.1	<0.5	160000	10	150	<0.5	<0.5	4.7	5
1,2,4-Trimethylbenzene	<2.5	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	5
Vinyl chloride	33	54	44	120 J	<250	0.38 J	<1	<2000	0.19 J	86	6.2	<1	<1	2
o-Xylene	<2.5	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	5
p/m-Xylene	<2.5	<12	<12	<620	<620	<2.5	<2.5	<5000	<2.5	<5.0	<2.5	<2.5	<2.5	5
Other (µg/L)														
Dissolved Organic Carbon	5300	2900	3000	7000	2100	13000	1800	36000	2000	8800	1600	2100	3800	NS
Ethane	7.27	2.72	1.02	2	<0.500	<0.500	<0.500	27.5	<0.500	12.6	4.82	0.72	<0.500	NS
Ethene	10.1	9.31	8.45	30.5	1.03	1.73	<0.500	4.94	<0.500	9.01	1.45	<0.500	<0.500	NS
Methane	1670	138	140	653	3.86	183	1.24	15.5	13.5	52.6	468	2140	1.32	NS
Sulfate	74600	258000	254000	116000	76000	250000	76300	482000	642000	391000	2580000	1400000	103000	250000

NOTES:

All analyte concentrations are reported in micrograms per liter (parts per billion) unless otherwise noted.

Bold Represents an exceedance of standard.

J = Indicates an estimated value.

NS = No standard or guidance value.

<= Analyte was Non-detect.