


New York State Office of People with Developmental Disabilities – Gowanda Site

4 Industrial Place, Gowanda, NY

GROUNDWATER CHARACTERIZATION REPORT-JUNE 2022 (Q2 2022)



Bergmann

Office:

280 East Broad Street, Suite 200
Rochester, NY 14604

Phone: 585.232.5135

www.bergmannpc.com

Issued: October 11, 2022

Revised: January 19, 2023

DASNY Project No.: 3136109999



TABLE OF CONTENTS

1.0	INTRODUCTION	4
1.1	Scope of Work	4
1.2	Site Background.....	4
2.0	GROUNDWATER SAMPLING OVERVIEW AND METHODS	6
2.1	Well Maintenance Activities	6
2.2	Groundwater Field Monitoring and Sampling Activities.....	6
3.0	LOCAL GROUNDWATER FLOW CHARACTERIZATION	7
4.0	LABORATORY ANALYSIS	8
4.1	Laboratory Analysis on Groundwater Samples	8
4.2	Monitoring Well Groundwater Analysis Summary	8
4.3	Sentry Well Groundwater Analysis Summary	9
4.4	Recovery Well Groundwater Analysis Summary	10
4.5	Quality Assurance and Quality Control Samples.....	11
5.0	REMEDIATION SYSTEM EFFICIENCY.....	12
5.1	Impact of the GTS Recovery Wells	12
5.2	Extent of Impacted Groundwater	13



Tables

- Table 1: Groundwater Elevations and Field Measurements – June 2022
- Table 2: June 2022 Analytical Results Summary
- Table 3: Historic Groundwater Analytical Results Summary
- Table 4: Percent Reduction in Total Groundwater VOCs
- Table 5: Full Analytical Results Summary Table

Figures

- Figure 1: June 2022 Groundwater Contour Map
- Figure 2: June 2022 Distribution of Groundwater Analytical Results: Monitoring Wells
- Figure 3: June 2022 Distribution of Groundwater Analytical Results: Recovery Wells

Charts

- Chart 1: DR-1, MW-1, and MW-11 Groundwater Volatile Organic Compound Concentrations
- Chart 2: DR-2 and MW-12 Groundwater Volatile Organic Compound Concentrations
- Chart 3: DR-3 and MW-14 Groundwater Volatile Organic Compound Concentrations
- Chart 4: DR-4 and MW-15 Groundwater Volatile Organic Compound Concentrations
- Chart 5: G-1 and MW-17 Groundwater Volatile Organic Compound Concentrations
- Chart 6: G-2 and MW-7 Groundwater Volatile Organic Compound Concentrations
- Chart 7: G-3 and MW-17 Groundwater Volatile Organic Compound Concentrations

Appendices

- Appendix A: Laboratory Analytical Results Report - June 2022 Sampling Event
- Appendix B: Field Forms



1.0 INTRODUCTION

Bergmann is submitting this groundwater characterization report for the second quarter 2022 sampling event, conducted on June 16th and 17th, 2022, on behalf of the Dormitory Authority of the State of New York (DASNY) and the New York State Office of People with Developmental Disabilities (OPWDD) for activities conducted at the former Gowanda Day Habilitation Center facility at 4 Industrial Place, Gowanda, NY. The OPWDD, as the volunteer, entered into a Voluntary Cleanup Agreement (VCA) with the New York State Department of Environmental Conservation (NYSDEC) to conduct investigations and implement remedial measures in accordance with VCA Site No. V-00463-9, effective August 16, 2001.

1.1 SCOPE OF WORK

This report documents the site-wide groundwater monitoring and laboratory analytical sampling event conducted on June 16th and June 17th, 2022. Field measurements, sampling procedures and laboratory analysis were conducted in accordance with the October 2006 Operations, Monitoring and Maintenance (OM&M) Manual and as modified with NYSDEC approval. During this sampling event, groundwater from nineteen (19) of twenty-one (21) site-related groundwater monitoring wells and all seven (7) groundwater recovery wells were sampled for laboratory analysis. Monitoring wells MW-4 and MW-17 had hornet nests present, and so were not accessible at the time of the sampling event. Of the eight (8) monitoring wells determined by the NYSDEC and Bergmann personnel in 2008 to be outside the area of impact by the Groundwater Treatment System (GTS), all were sampled. Monitoring well MW-21 was added to the well sampling plan permanently by NYSDEC to monitor groundwater migration off-site.

The prior groundwater sampling event was conducted in March 2022 and included analysis of groundwater samples from all twenty-one (21) of twenty-one (21) site-related groundwater monitoring wells and all seven (7) groundwater recovery wells.

1.2 SITE BACKGROUND

The Gowanda Day Habilitation site consists of a 5.94-acre parcel located at 4 Industrial Place, Gowanda, New York. The building, previously used by several manufacturing operations, was built in stages between circa 1948 and 1987 and was renovated in 1987-1988. New York State agencies occupied the building since 1982. New York State acquired the parcel in 1989. The building was most recently operated by the OPWDD, which at that time was known as the Western New York Developmental Disabilities Services Office, as a Day Habilitation Center for mental care clients. In April 2001, on-site operations ceased. The nature and extent of contamination at the Gowanda Day Habilitation Center was detailed as part of the 2003 Site Investigation and 2004 Supplemental Site Investigation Reports. Trichloroethene (TCE) was the most commonly detected compound. TCE degradation products cis-1,2, Dichloroethene (Cis-1,2-DCE), trans-1,2-Dichloroethene (Trans-1,2-DCE) and Vinyl Chloride (VC) were also detected.

Following Interim Remedial Measure (IRM) system installation, the Groundwater Treatment System (GTS) and the Soil Vapor Extraction System (SVES) were activated on May 10, 2005, recovering 2-5 gallons per minute (gpm) of groundwater. An additional groundwater recovery well, designated G-3, was installed outside the building and adjacent to MW-17 in November 2008. The GTS portion consists of seven (7) groundwater recovery wells (four dual phase recovery wells and three groundwater-only recovery wells), an air compressor, a network of controller-less pneumatic pumps and an air stripper treatment system to process recovered groundwater. Recovered groundwater was pumped to the equalization tank for settling of the sediment and transferred to the air stripper using a consistent flow rate. Air discharge from the air stripper was routed to the



SVE for treatment prior to discharge. Groundwater was discharged to the village of Gowanda Sewage Treatment Plant (STP).

In January 2008, the building was decommissioned. The GTS was winterized with the addition of heat tape and insulation to conveyance lines and the installation of an independently operated suspended heater in the treatment area for the GTS and SVES (former Machine Shop). Quarterly groundwater sampling with Operation and Maintenance of the remediation system has been ongoing since 2002.

In January 2014, the condition of the SVE and GTS was discussed with the NYSDEC representative, and it was agreed that these systems would be inactivated to allow for groundwater level recovery during the preparation of an In-Situ Chemical Oxidation (ISCO) Remedial Action Plan (RAP) for the implementation of an ISCO treatment. Bergmann submitted an ISCO RAP for groundwater treatment to the NYSDEC to address the remaining contamination at the Site in lieu of costly repair of the SVE and GTS. The SVE and GTS equipment will remain on-site in the event that re-activation is required in the future. The ISCO was implemented in May 2015 and a second round of injections in September 2015. An ISCO Report was prepared and submitted under a separate cover.



2.0 GROUNDWATER SAMPLING OVERVIEW AND METHODS

2.1 WELL MAINTENANCE ACTIVITIES

During the June 2022 site visit, all monitoring wells except MW-4 and MW-17 were accessible, and the integrity of the wells was not compromised. Monitoring wells MW-4 and MW-17 had hornet nests present, and so were not accessible at the time of the sampling event. Repairs or maintenance to the network of groundwater monitoring wells or recovery wells has not been required since June 2007, with the exception of the redevelopment activities performed on August 19, 2015, and removal of asphalt from several flush mount wells located on Torrance Place for sampling access. All protective casings and flush-mount curb boxes were found to be intact and secure. Exterior monitoring wells are secured with locking stick-up protective casings. The monitoring wells within the building are secured with flush-mount roadway covers. Well maintenance was not performed during the June 2022 sampling event.

2.2 GROUNDWATER FIELD MONITORING AND SAMPLING ACTIVITIES

Groundwater measurements and sampling activities were conducted in accordance with the October 2006 OM&M Manual. The depths to groundwater in groundwater monitoring wells are measured quarterly to track site-wide changes in the water table elevation and to allow for adjustment at recovery wells. Past operation of the recovery wells was intended to establish hydraulic containment of the impacted groundwater plume beneath the former Day Habilitation building and improve recovery and treatment of impacted groundwater. Groundwater samples were collected from nineteen (19) of the twenty-one (21) site-related groundwater monitoring wells for laboratory analysis on June 16th and June 17th, 2022. Monitoring wells MW-4 and MW-17 had hornet nests present, and so were not accessible at the time of the sampling event. Depth to groundwater measurements were obtained from 26 wells (including recovery wells).

Groundwater samples were collected from monitoring wells after each well was gauged. Sample parameters including turbidity, temperature, pH, oxygen, and conductivity were determined by analyzing a quantity of groundwater in a cup using a YSI Quatro prior to sampling. Groundwater samples were collected from recovery wells using dedicated bailers, to allow for an accurate representation of groundwater without collecting sediment from within the wells. Sampling was performed based on discussion and direction from a telephone conversation with David Szymanski (NYSDEC project manager at the time) in January 2018 in which no noticeable changes in test results were noticed comparing bailing and slow purge methods. This was first noted in Q3 2018 and is also noted in the approved PRR dated 2019. A single duplicate sample and a field blank sample were collected and submitted for laboratory analysis.

Bergmann delivered the groundwater samples to FedEx. The samples were then transported by FedEx via a chain-of-custody protocol to Alpha Analytical's NYSELAP certified laboratory located in Westborough, Massachusetts. The samples were then tested for Volatile Organic Compounds (VOCs), using EPA Method 8260C. Analytical results for each individual monitoring well have been posted in Table 3 for comparative purposes from sampling events completed 2012 – 2022.



3.0 LOCAL GROUNDWATER FLOW CHARACTERIZATION

The Site water table potentiometric surface pattern and groundwater flow direction was determined for June 2022 using elevations measured at each well. Groundwater elevations and well reference elevations were calculated using depth to water values obtained on June 16th and June 17th, 2022. The well gauging values and groundwater elevations are provided in Table 1 – Groundwater Elevations and Field Measurements – June 2022.

The June 2022 groundwater table map shows a flow pattern similar to groundwater flow pattern observed historically since 2002. Groundwater at the Site is flowing in a northerly direction. Torrance Place is hydraulically down-gradient from the Day Habilitation Center building. It is noted that the residential properties along Torrance Place utilize municipal/public water. The June 2022 depths to groundwater range from 6.70 feet (ft) below top of outer casing (btoc) at MW-1 and MW-2, to 13.70 ft. btoc at MW-6. The average depth to groundwater at the wells measured was 9.92 ft btoc, which is an increase from the average depth to water of the previous sampling event in March of 2022 (9.11 ft btoc).

The site-wide average depth to water table increased by approximately 0.81 ft when compared to the previous sampling event from March 2022. This increase in the elevation of groundwater appears to be seasonal.

Measured depth to water at all gauged monitoring and recovery wells is presented in Table 1 and June 2022 Groundwater Elevation Contours are presented on Figure 1 – June 2022 Groundwater Elevation Contour Map.



4.0 LABORATORY ANALYSIS

4.1 LABORATORY ANALYSIS ON GROUNDWATER SAMPLES

Laboratory analysis was completed on the groundwater samples from nineteen (19) monitoring wells and seven (7) recovery wells collected June 16th and June 17th, 2022. Samples were analyzed for VOCs via EPA Method 8260C. Analysis was performed in accordance with the October 2006 OM&M Manual. The following chlorinated VOCs (CVOCs) were analyzed for:

- Trichloroethene (TCE)
- 1,1,1 Trichloroethane (TCA)
- Cis-1,2-Dichloroethene (Cis-DCE)
- Trans-1,2-Dichloroethene (Trans-1,2-DCE)
- Vinyl Chloride (VC)

CVOCs values, as present throughout this report, in the text, charts, and Tables 2, 3, and 4, are not representative of CVOCs detected, but are exclusively representative of the sum of TCE, Cis-DCE TRANS-1,2-DCE, VC, and TCA detected.

Additionally, 1,1-Dichloroethene was detected in samples taken from MW-11 and MW-12. This substance is considered a degradation product. Tetrachloroethene was detected in the sample taken from MW-5 and 1,2,4-Trichlorobenzene was detected at the sample taken from MW-3.

4.2 MONITORING WELL GROUNDWATER ANALYSIS SUMMARY

The June 2022 analytical results indicate detection of four (4) chlorinated VOCs in monitoring well samples: TCE, Cis-DCE, VC and Trans-1,2-DCE. Chlorinated VOCs were detected in groundwater samples from fourteen (14) of the nineteen (19) monitoring wells sampled. Analytical results are summarized in Table 2 – June 2022 Analytical Results Summary, which compares detected VOCs and applicable NYSDEC Class GA Standards for each analyte. The complete laboratory analytical report is provided in Appendix A – Laboratory Analytical Results Report June 2022 Sampling Event. Table 3 – Historic Groundwater Analysis Results Summary includes the historical CVOC concentrations at each well since the groundwater monitoring of the wells began in 2002.

VOCs were not detected in groundwater from five (5) of the sampled monitoring wells.

Groundwater samples from nine (9) monitoring wells had detectable chlorinated VOCs at concentrations above applicable Class GA Standards. The monitoring well with the highest CVOCs, MW-1, with a value of 529.40 parts per billion (ppb), is located in the area of historically greatest impacted groundwater.

Concentrations in seven (7) of the nineteen (19) monitoring well groundwater samples increased when compared to the March 2022 sampling event while concentrations in seven (7) of the nineteen (19) monitoring well groundwater samples decreased. Concentrations of CVOCs in five (5) monitoring wells remains unchanged. The current sampling analytical results indicate an average site-wide decrease in CVOCs of approximately 86.83% since the activation of the GTS in May 2005.

The area of highest concentration of CVOCs groundwater is in the area centered between monitoring wells MW-1 and MW-11, which has historically concentrations of CVOCs have been detected and is inferred as the source area of impacted groundwater.

In the source area of the plume (MW-1, MW-6, MW-7, MW-11, MW-12, MW-14, MW-15, and MW-17) the analytical results shows a contaminant reduction in CVOC concentrations by an average of approximately 83.57% monitoring of these wells since 2002.



The CVOC concentrations increased at monitoring well MW-1 relative to the prior sampling event. The CVOC concentration at monitoring well MW-1 for the June 2022 sampling event was 529.40 parts per billion (ppb), an increase from the March 2022 value of 382.59 ppb. Since activation of the GTS, detected VOCs at MW-1 have decreased by 31.07%.

Monitoring well MW-11 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at MW-11 for the June 2022 sampling event is 200.1 ppb, a decrease from the March 2022 value of 420.6 ppb. Since activation of the GTS in May 2005, detected VOCs at MW-11 have decreased by 95.69%.

Monitoring well MW-12 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at MW-12 for the June 2022 sampling event is 168.10 ppb, a decrease from the March 2022 value of 271.90 ppb. MW-12 is nearest to recovery well DR-2, in close proximity to the center of the building. Since activation of the GTS in May 2005, detected VOCs at MW-12 have decreased by 98.67%.

Monitoring well MW-13 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at monitoring well MW-13 for the June 2022 sampling event was 2.06 ppb, a decrease from the March 2022 sampling event, which was 5.11 ppb. Since activation of the GTS, detected VOCs at MW-13 have decreased by 99.35%.

Monitoring well MW-14 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at MW-14 for the June 2022 sampling event is 31.00 ppb, a decrease from the March 2022 value of 104.45 ppb. MW-14 is nearest to recovery well DR-3. Since activation of the GTS in May 2005 detected VOCs at MW-14 have decreased by 90.16%

Monitoring well MW-15 increased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at MW-15 for the June 2022 sampling event was 14.10 ppb, an increase from the March 2022 sampling event, which was 9.4 ppb. MW-15 is nearest to recovery well DR-4. Since activation of the GTS in May 2005, the detected VOCs at MW-15 have decreased by 98.07%.

Six (6) groundwater monitoring wells are located along the subject property's north perimeter, down-gradient from the area of impacted groundwater (.MW-5, MW-6, MW-7, MW-16, MW-17, and MW-21). The current analytical data exhibit an overall decrease in targeted CVOCs at the sampled monitoring wells along the north perimeter, compared to the March 2022 sampling event.

Monitoring wells MW-18, MW-19R and MW-21 are located off-site along Torrance Place. These three (3) wells are considered to be beyond the radius of influence for the Day Habilitation groundwater treatment system. The current analytical results indicate a CVOC concentration of 9.43 ppb for MW-18. Monitoring well MW-21 was added to the sampling list at the request of the NYSDEC beginning with the June 2015 sampling event. It was first noted that during the August 2017 sampling event, wells MW-19R and MW-21 were not sampled because they were inaccessible. It was observed that the wells were likely paved over by a re-sealing the Torrance Place road surface. These wells were uncovered after the July 2019 sampling event, and subsequent sampling events. Well MW-19R had a CVOC concentration of 0.32 ppb, and well MW-21 had a CVOC concentration of 6.35 ppb during the June 2022 sampling event.

Laboratory analytical reports are included in Appendix A. Monitoring well locations and distribution of analytical results are shown on Figure 2 – June 2022 Distribution of Groundwater Analytical Results: Monitoring Wells.

4.3 SENTRY WELL GROUNDWATER ANALYSIS SUMMARY

Sentry groundwater monitoring wells monitor a separate occurrence of contaminated groundwater at the Gowanda Electronics site (NYSDEC Site 905025), immediately east of Industrial Place and east of the Day Habilitation Center property. The eastern sentry wells sampled for this event were MW-19R and MW-20. Sentry well MW-4 was inaccessible at the time of the sampling event due to the presence of a hornet nest. The current results indicate 0.32 ppb for MW-19R and non-detect for MW-20.



The Gowanda Electronics impacted groundwater plume may be migrating to an area near Industrial Place and has intermittently impacted MW-19R. The Gowanda Electronics impacted groundwater plume does not appear to extend to the Day Habilitation Center property, based on consistent non-detect values at the eastern sentry wells. Conversely, impacted groundwater from the Day Habilitation Center does not appear to extend off-site to the east toward Industrial Place. A ISCO injection application was implemented for the Gowanda Electronics site in March 2014.

Laboratory analytical results are included in Appendix A. Sentry well locations and analytical results are shown on Figure 2.

4.4 RECOVERY WELL GROUNDWATER ANALYSIS SUMMARY

During the June 2022 sampling event, all of the seven (7) recovery wells were sampled.

The June 2022 analytical results indicate detection of chlorinated VOCs in all seven (7) recovery well samples that include: TCE, Cis-DCE, VC and Trans-1,2-DCE. CVOCs detected in the seven (7) recovery wells for which past data is available have decreased overall since activation of the GTS in May 2002. The average decrease in CVOCs for the current sampling event is 88.34% relative to concentrations prior to GTS activation in 2002. Relative percent increase in CVOCs for all monitoring wells and recovery wells are shown on Table 4 – Percent Reductions in Total Groundwater CVOCs.

Recovery well DR-1 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at DR-1 for the June 2022 sampling event is 341.00 ppb, a decrease from the March 2022 value of 663.50 ppb. The current sampling event indicates a decrease in CVOCs at DR-1 of 95.74% since activation of the GTS. Recovery well DR-1 is located closest to MW-1 in an area of historically highest concentrations.

Recovery well DR-2 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at DR-2 for the June 2022 sampling event is 100.15 ppb, a decrease from the March 2022 value of 129.15 ppb. The current sampling event indicates a decrease in CVOCs at DR-2 of 95.00% since activation of the GTS.

Recovery well DR-3 increased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at DR-3 for the June 2022 sampling event is 85.71 ppb, an increase from the March 2022 value of 75.20 ppb. The current sampling event indicates a decrease in CVOCs at DR-3 of 94.16% since activation of the GTS.

Recovery well DR-4 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at DR-4 for the June 2022 sampling event is 24.4 ppb, a decrease from the March 2022 value of 29.0 ppb. The current sampling event indicates a decrease in CVOCs at DR-4 of 98.62% since activation of the GTS.

Recovery well G-1 decreased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at G-1 for the June 2022 sampling event was 41.98 ppb, a decrease from the March 2022 value of 47.21 ppb. The current sampling event indicates a decrease in CVOCs at G-1 of 92.29% since activation of the GTS.

Recovery well G-2 increased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at G-2 for the June 2022 sampling event was 67.69 ppb, an increase from the March 2022 value of 45.35 ppb. The current sampling event indicates a decrease in CVOCs at G-2 of 82.42% since activation of the GTS.

Recovery well G-3 increased in targeted chlorinated VOCs relative to the prior sampling event. The CVOC concentration at G-3 for the June 2022 sampling event was 160.51 ppb, an increase from the March 2022 value



of 153.75 ppb. The current sampling event indicates a decrease in CVOCs at G-3 of 60.17% since activation of the GTS.

Laboratory analytical results are included in Appendix A. Recovery well locations and analytical results are shown on Figure 3 – June 2022 Distribution of Groundwater Analytical Results: Recovery Wells.

4.5 QUALITY ASSURANCE AND QUALITY CONTROL SAMPLES

An equipment blank was collected. The analytical results for this equipment blank were non-detect for all parameters including acetone. A trip blank was supplied by the laboratory for the June 2022 sampling event and was analyzed, and was non-detect for CVOCs. A field duplicate (labeled as MW-X) was taken from MW-5. The results of this field duplicate were generally consistent with the results of the sample labeled MW-5.

The laboratory report noted that the samples were received in a cooler with ice, but the ice was melted, and the samples were received above the required temperature range. The melting of the coolers ice is potentially a result of the method of transport to the analytical laboratory, which was performed by FedEx. To remedy the potential for temperature range issues in future sampling events, the laboratory's dedicated courier will be utilized.

Headspace was noted in the sample containers submitted for MW-15. This headspace was potentially a result of sampling collector error. To remedy the potential for headspace in future sampling containers in future sampling events, sampling collector will properly verify that the containers do not have headspace immediately after the collection of samples.

Laboratory analytical results are included in Appendix A.



5.0 REMEDIATION SYSTEM EFFICIENCY

5.1 IMPACT OF THE GTS RECOVERY WELLS

Groundwater analytical charts for the seven (7) sampled recovery wells and the nearest relative monitoring well were created to illustrate the impact of the GTS on recovery wells at the Day Habilitation Center.

Chart 1 compares the sample results from the sampled groundwater recovery wells (DR-1, DR-2, DR-3, DR-4, G-1, G-2, G-3). Since activation of the GTS in May 2005, all seven (7) sampled groundwater recovery wells have demonstrated a general decrease in CVOC concentration.

Chart 2 displays the relationship between monitoring wells MW-1, MW-11, and recovery well DR-1. The current CVOCs at MW-1 (529.40 ppb) show an increase from the March 2022 sampling event (382.59 ppb). The current CVOCs at MW-11 (200.1 ppb) shows a decrease from the March 2022 sampling event (420.6 ppb). The current CVOCs at DR-1 (341.00 ppb) show a decrease from the March 2022 sampling event (663.50 ppb).

Chart 3 compares analytical results between recovery well DR-2 and MW-12. These wells are located north of the wells outlined in Chart 1 and represent the northern limit of the highest concentration within the impacted area. The current CVOCs at MW-12 (168.10 ppb) show a decrease from the March 2022 sampling event (271.90 ppb). The current CVOCs at recovery well DR-2 (100.15 ppb) show a decrease from the March 2022 sampling event (129.15 ppb).

Chart 4 compares the relationship between wells DR-3 and MW-14 which are located in the central portion of the Gowanda Day Habilitation building. The current CVOCs at MW-14 (31.00 ppb) show a decrease from the March 2022 sampling event (104.45 ppb). The current CVOCs at recovery well DR-3 (85.71 ppb) show an increase from the March 2022 sampling event (75.20 ppb).

Chart 5 compares analytical results between recovery well DR-4 and MW-15. These wells are located at the center-north portion of the building. The current CVOCs at MW-15 (14.10 ppb) show an increase from the March 2022 sampling event (9.4 ppb). The current CVOCs at recovery well DR-4 (24.4 ppb) show a decrease from the March 2022 sampling event (29.0 ppb).

Chart 6 compares analytical results between recovery well G-1 and monitoring well MW-17. The recovery well is located in the northern portion of the building and MW-17 is located along the northern property line. MW-17 was not sampled at the time of the sampling event due to the presence of a hornet nest. The March 2022 sampling event CVOCs at recovery well MW-17 (85.32 ppb) showed an increase from the November 2021 sampling event (85.27 ppb). The current CVOCs at recovery well G-1 (41.98 ppb) show a decrease from the March 2022 sampling event (47.21 ppb).

Chart 7 compares analytical results between recovery well G-2 and MW-7 which are located in the northeastern portion of the building. This area is at the apparent western perimeter of the plume . Recovery well G-2 had a CVOC concentration of 67.69 ppb, which shows an increase from the March 2022 sampling event (45.35 ppb). The June 2022 CVOCs of MW-7 (30.26 ppb) show a decrease from the March 2022 sampling event (33.06 ppb).

Chart 8 compares analytical results between recovery well G-3 which is located at the northeastern portion of the building and MW-17 which is located along the northern property boundary of the plume. This area is at the western perimeter of the plume. MW-17 was not sampled at the time of the sampling event due to the presence of a hornet nest. The March 2022 CVOCs at monitoring well MW-17 (85.32 ppb) showed an increase from the November 2021 sampling event (85.27 ppb). The current CVOCs at recovery well G-3 (160.51 ppb) show an increase from the March 2022 sampling event (153.75 ppb).



5.2 EXTENT OF IMPACTED GROUNDWATER

The area of highest impacted groundwater is consistent with prior sampling events. The bulk of the contaminant mass appears to be concentrated beneath the building in the source area, in the vicinity of monitoring well MW-1 and MW-11, extending north to recovery well DR-2. Concentration of VOCs in the source area have been reduced as a result of historic cleanup activities.

When operating, the GTS maintained an area of hydraulic containment for recovery wells within the source area of the plume. The GTS was successful in hydraulically containing most of the contaminant plume on the property and minimizing further migration. The GTS was not operating during this monitoring period and overall sample results are similar to previous quarterly sampling results. Therefore, residual CVOCs in the plume have not migrated and appear to be stabilized when compared to sample results with the operation of the GTS during previous monitoring events.

VOCs were not sampled at MW-19R and MW-21 during the July 2019 and March 2018 sampling events due to being paved over and inaccessible, as first reported by Bergmann in the August 2017 Sampling Report. These two (2) monitoring wells have since been uncovered and began to be sampled again starting with the August 2019 sampling event. VOCs were not sampled at MW-4 and MW-17 during the June 2022 sampling even due to the presence of hornet nests in these wells. The analytical results are summarized in Table 5.

The redevelopment of wells was performed in the fall of 2015 to remove sediment from wells at the Site after the ISCO injections. Overall reduction of contaminants in the majority of the monitoring and recovery wells has occurred due to completed remediation at the Site when compared to pre-remediation levels during the past fifteen (15) years of sampling.

5.3 FUTURE GROUNDWATER MONITORING AND ANALYSIS ACTIVITIES

The condition of the SVE and GTS was discussed with the NYSDEC representative, and it was agreed upon that these remediation systems would be inactivated to allow for groundwater level recovery during the implementation of an ISCO groundwater treatment and subsequent sampling events. Bergmann performed an ISCO injection application in May (round 1) and September (round 2) 2015 to address the remaining residual contamination at the Site in lieu of costly repair of the SVE and GTS. The SVE and GTS equipment remains on site in the event that re-activation is required in the future. However, system components may need repair and/or replacement prior to re-activation.

The next site-wide groundwater sampling and laboratory analysis event is scheduled for Q3 2022. All monitoring wells are expected to be sampled, and those two (2) occupied by hornet nests at the time of the Q2 2022 sampling event will be inspected on the first day on-site, and appropriate measures will be taken to allow for sampling during the Q3 sampling event. Future groundwater sampling events will be conducted to track the effects of the ISCO injections on impacted groundwater and to evaluate seasonal changes in water table elevations. In addition, the evaluation of groundwater flow direction and movement of plume at the site will be monitored and recorded during future sampling events.

TABLES

Table 1 Groundwater Elevations and Field Measurements June 2022

Gowanda Day Habilitation Center
 4 Industrial Place, Gowanda, New York
 VCA # V-00463-9

	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10
Casing Elevation*	778.23	778.08	778.38	778.43	778.61	781.10	780.94	781.33	782.61	780.02
Depth to Groundwater (btoc)	6.70	6.70	6.90	NS	11.40	13.70	13.50	10.40	10.10	7.80
Groundwater Elevation	771.53	771.38	771.48	NS	767.21	767.40	767.44	770.93	772.51	772.22
Well Diameter	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"
Product Thickness	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND
Well Depth (btoc)	16.02	17.15	16.30	15.78	13.95	22.88	21.80	17.65	20.96	19.44
Bottom of Well Elevation	762.21	760.93	762.08	762.65	764.66	758.22	759.14	763.68	761.65	760.58
Thickness of Water Column	9.32	10.45	9.40	NS	2.55	9.18	8.30	7.25	10.86	11.64
Minimum Purge Volume (gal)	1.52	1.70	1.53	NS	0.42	1.50	1.4	1.18	1.77	1.9
3 Volumes	4.56	5.11	4.60	NS	1.25	4.49	4.06	3.55	5.31	5.69
Actual volume purged	4.75	5.25	4.75	NS	1.25	4.50	4.25	3.75	5.50	5.75
Comments	Flush = -0.29'	Flush = -0.30'	Flush = -0.23'	Flush = -0.34'	Flush = -0.24'	Stickup=2.17'	Stickup=2.17'	Stickup=2.84'	Stickup=2.05'	Stickup=2.56'

	MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18	MW-19R	MW-20	MW-21
Casing Elevation	778.58	778.50	778.39	778.43	778.38	780.43	779.85	776.39	774.2	778.04	774.76
Depth to Groundwater (btoc)	7.09	7.65	7.90	11.00	11.05	12.30	NS	9.70	8.5	10.05	10.02
Groundwater Elevation	771.49	770.85	770.49	767.43	767.33	768.13	NS	766.69	765.7	767.99	764.74
Well Diameter	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"
Product Thickness	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Well Depth (btoc)	15.48	17.38	17.40	18.15	19.80	23.26	25.18	25.0	17.67	14.75	15.82
Bottom of Well Elevation	763.10	761.12	760.99	760.28	758.58	757.17	754.67	751.39	756.53	763.29	758.94
Thickness of Water Column	8.39	9.73	9.50	7.15	8.75	10.96	NS	15.30	9.17	4.70	5.80
Minimum Purge Volume (gal)	1.37	1.59	1.55	1.17	1.43	1.8	NS	2.49	1.5	0.8	0.9
3 Volumes	4.10	4.76	4.65	3.50	4.28	5.36	NS	7.48	4.48	2.30	2.84
Actual volume purged	4.25	5.00	4.75	3.50	4.33	5.50	NS	7.50	4.50	2.50	3.00
Comments	Flush = -0.23'	Flush = -0.35'	Flush = -0.48'	Flush = -0.39'	Flush = -0.38	Stickup=2.26'	Stickup=1.18'	Flush =-0.26'	Flush ='0.36'	Flush=-0.43'	Flush =-.71'

	DR-1	DR-2	DR-3	DR-4	G-1	G-2	G-3
Casing Elevation	779.66	779.93	779.78	779.64	779.83	779.72	779.42
Depth to Groundwater (btoc)	8.32	7.90	12.09	12.00	12.20	12.1	11.00
Groundwater Elevation	771.34	772.03	767.69	767.64	767.63	767.62	768.42
Well Diameter	4"	4"	4"	4"	4"	4"	4"
Product Thickness	ND	ND	ND	ND	ND	ND	ND
Well Depth (btoc)	18.06	18.06	20.45	19.69	22.98	20.72	18.15
Bottom of Well Elevation	761.6	761.87	759.33	759.95	756.85	759	761.27
Thickness of Water Column	9.74	10.16	8.36	7.69	10.78	8.62	7.15
Minimum Purge Volume (gal)	6.36	6.63	5.46	5.02	7.04	5.63	4.67
3 Volumes	19.081	19.90	16.38	15.06	21.12	16.89	14.01
Actual volume purged	19.25	20.00	16.5	15.25	21.25	17.00	14.25
Comments	Stickup=0.85'	Stickup=1.06'	Stickup=0.95'	Stickup=0.84'	Stickup=1.03'	Stickup=0.86'	Vaulted well

NOTES

btoc = Below top of casing (inner riser)

All measurements are in feet, referenced to Mean Sea Level

NS = Not Sampled

ND = No floating product encountered

Minimum purge volume = 3 X well volume, 0.163 gallon per foot in a 2" diameter well. 0.653 gallon per foot in a 4" diameter well.

Monitoring well MW-19 was removed and the area restored on July 23, 2003 immediately after the well was developed, purged of 3 volumes and sampled.

The borehole for MW-19 was backfilled with a cement-bentonite grout after the PVC screening and casing was successfully removed.

Wells MW-19R, MW-20 and MW-21 were installed in October 2004.

Table 2 June 2022 Analytical Results Summary

Gowanda Day Habilitation Center

4 Industrial Place, Gowanda, New York

VCA # V-00463-9

Monitoring Well MW-1

Sampling Events

Sample Date 6/16/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		320.00	400.00	5.0
CIS		58.00	120.00	5.0
TRANS		4.20	5.30	5.0
VC		0.39	4.10	2.0
TCA		ND	ND	5.0
Total VOCs		382.59	529.40	

Monitoring Well MW-2

Sampling Events

Sample Date: 6/16/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		ND	ND	5.0
CIS		ND	ND	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		ND	ND	

Monitoring Well MW-3

Sampling Events

Sample Date: 6/17/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.25	0.29	5.0
CIS		ND	0.75	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		0.25	1.04	

ND = Non-detect

Total VOCs values are not the total VOCs detected, but the sum of TCE, CIS, TRANS, VC, and TCA detected.

NS = Not Sampled. No analysis performed during this sampling event.

Results expressed as parts per billion (ppb).

Bold results exceed NYSDEC TOGS 1.1.1 Class GA, June 1998 re-issue (MTBE = April 2000 Addendum Guidance Value)**Monitoring Well MW-4**

Sampling Events

Sample Date: N/A

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		ND	NS	5.0
CIS		ND	NS	5.0
TRANS		ND	NS	5.0
VC		ND	NS	2.0
TCA		ND	NS	5.0
Total VOCs		ND	NS	

Monitoring Well MW-5

Sampling Events

Sample Date: 6/17/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.60	1.00	5.0
CIS		ND	ND	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		0.60	1.00	

Monitoring Well MW-6

Sampling Events

Sample Date: 6/17/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.21	ND	5.0
CIS		47.00	42.00	5.0
TRANS		ND	ND	5.0
VC		45.00	47.00	2.0
TCA		ND	ND	5.0
Total VOCs		92.21	89.00	

Table 2 June 2022 Analytical Results Summary

Gowanda Day Habilitation Center

4 Industrial Place, Gowanda, New York

VCA # V-00463-9

Monitoring Well MW-7

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	0.51	0.77	5.0	
CIS	32.00	29.00	5.0	
TRANS	ND	ND	5.0	
VC	0.55	0.49	2.0	
TCA	ND	ND	5.0	
Total VOCs	33.06	30.26		

Sample Date: 6/17/2022

Monitoring Well MW-8

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	ND	ND	5.0	
CIS	ND	ND	5.0	
TRANS	ND	ND	5.0	
VC	ND	ND	2.0	
TCA	ND	ND	5.0	
Total VOCs	ND	ND		

Sample Date: 6/17/2022

Monitoring Well MW-9

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	ND	ND	5.0	
CIS	ND	ND	5.0	
TRANS	ND	ND	5.0	
VC	ND	ND	2.0	
TCA	ND	ND	5.0	
Total VOCs	ND	ND		

Sample Date: 6/17/2022

ND = Non-detect

Total VOCs values are not the total VOCs detected, but the sum of TCE, CIS, TRANS, VC, and TCA detected.

NS = Not Sampled. No analysis performed during this sampling event.

Results expressed as parts per billion (ppb).

Bold results exceed NYSDEC TOGS 1.1.1 Class GA, June 1998 re-issue (MTBE = April 2000 Addendum Guidance Value)**Monitoring Well MW-10**

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	ND	ND	5.0	
CIS	ND	ND	5.0	
TRANS	ND	ND	5.0	
VC	ND	ND	2.0	
TCA	ND	ND	5.0	
Total VOCs	ND	ND		

Sample Date: 6/17/2022

Monitoring Well MW-11

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	320.00	95.00	5.0	
CIS	90.00	98.00	5.0	
TRANS	8.30	3.30	5.0	
VC	2.30	3.80	2.0	
TCA	ND	ND	5.0	
Total VOCs	420.60	200.10		

Sample Date: 6/16/2022

Monitoring Well MW-12

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	21.00	25.00	5.0	
CIS	240.00	140.00	5.0	
TRANS	2.20	1.40	5.0	
VC	8.70	1.70	2.0	
TCA	ND	ND	5.0	
Total VOCs	271.90	168.10		

Sample Date: 6/16/2022

Table 2 June 2022 Analytical Results Summary

Gowanda Day Habilitation Center

4 Industrial Place, Gowanda, New York

VCA # V-00463-9

Monitoring Well MW-13

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.99	1.20	5.0
CIS		4.00	0.86	5.0
TRANS		ND	ND	5.0
VC		0.12	ND	2.0
TCA		ND	ND	5.0
Total VOCs		5.11	2.06	

Sample Date: 6/16/2022

Monitoring Well MW-14

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		9.10	20.00	5.0
CIS		92.00	11.00	5.0
TRANS		0.85	ND	5.0
VC		2.50	ND	2.0
TCA		ND	ND	5.0
Total VOCs		104.45	31.00	

Sample Date: 6/16/2022

Monitoring Well MW-15

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		5.90	8.70	5.0
CIS		3.50	5.40	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		9.40	14.10	

Sample Date: 6/17/2022

ND = Non-detect

Total VOCs values are not the total VOCs detected, but the sum of TCE, CIS, TRANS, VC, and TCA detected.

NS = Not Sampled. No analysis performed during this sampling event.

Results expressed as parts per billion (ppb).

Bold results exceed NYSDEC TOGS 1.1.1 Class GA, June 1998 re-issue (MTBE = April 2000 Addendum Guidance Value)

Monitoring Well MW-16

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.30	0.29	5.0
CIS		34.00	41.00	5.0
TRANS		ND	ND	5.0
VC		0.72	0.50	2.0
TCA		ND	ND	5.0
Total VOCs		35.02	41.79	

Sample Date: 6/17/2022

Monitoring Well MW-17

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		11.00	NS	5.0
CIS		74.00	NS	5.0
TRANS		ND	NS	5.0
VC		0.32	NS	2.0
TCA		ND	NS	5.0
Total VOCs		85.32	NS	

Sample Date: NS

Monitoring Well MW-18

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.68	0.50	5.0
CIS		3.20	8.80	5.0
TRANS		ND	ND	5.0
VC		ND	0.13	2.0
TCA		ND	ND	5.0
Total VOCs		3.88	9.43	

Sample Date: 6/17/2022

Table 2 June 2022 Analytical Results Summary

Gowanda Day Habilitation Center

4 Industrial Place, Gowanda, New York

VCA # V-00463-9

Monitoring Well MW-19R

Sample Date: 6/17/2022

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		0.30	0.32	5.0
CIS		ND	ND	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		0.30	0.32	

Monitoring Well MW-20

Sample Date: 6/17/2022

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		ND	ND	5.0
CIS		ND	ND	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		ND	ND	

Monitoring Well MW-21

Sample Date: 6/17/2022

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		1.20	1.40	5.0
CIS	6.40		4.80	5.0
TRANS		ND	ND	5.0
VC		0.16	0.15	2.0
TCA		ND	ND	5.0
Total VOCs		7.76	6.35	

ND = Non-detect

Total VOCs values are not the total VOCs detected, but the sum of TCE, CIS, TRANS, VC, and TCA detected.

NS = Not Sampled. No analysis performed during this sampling event.

Results expressed as parts per billion (ppb).

Bold results exceed NYSDEC TOGS 1.1.1 Class GA, June 1998 re-issue (MTBE = April 2000 Addendum Guidance Value)

Table 2 June 2022 Analytical Results Summary

Gowanda Day Habilitation Center

4 Industrial Place, Gowanda, New York

VCA # V-00463-9

Recovery Well DR-1

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	510.00	260.00		5.0
CIS	130.00	79.00		5.0
TRANS	3.50	ND		5.0
VC	20.00	2.00		2.0
TCA	ND	ND		5.0
Total VOCs	663.50	341.00		

Sample Date: 6/16/2022

Recovery Well DR-4

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	22.00	18.00		5.0
CIS	7.00	6.40		5.0
TRANS	ND	ND		5.0
VC	ND	ND		2.0
TCA	ND	ND		5.0
Total VOCs	29.00	24.40		

Sample Date: 6/16/2022

Recovery Well DR-2

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	24.00	17.00		5.0
CIS	100.00	77.00		5.0
TRANS	0.95	0.75		5.0
VC	4.20	5.40		2.0
TCA	ND	ND		5.0
Total VOCs	129.15	100.15		

Sample Date: 6/16/2022

Recovery Well G-1

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	8.60	5.40		5.0
CIS	38.00	36.00		5.0
TRANS	ND	ND		5.0
VC	0.61	0.58		2.0
TCA	ND	ND		5.0
Total VOCs	47.21	41.98		

Sample Date: 6/16/2022

Recovery Well DR-3

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	25.00	23.00		5.0
CIS	48.00	61.00		5.0
TRANS	1.20	0.93		5.0
VC	1.00	0.78		2.0
TCA	ND	ND		5.0
Total VOCs	75.20	85.71		

Sample Date: 6/16/2022

Recovery Well G-2

Sampling Events

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE	0.52	0.39		5.0
CIS	44.00	66.00		5.0
TRANS	ND	ND		5.0
VC	0.83	1.30		2.0
TCA	ND	ND		5.0
Total VOCs	45.35	67.69		

Sample Date: 6/16/2022

ND = Non-detect

Total VOCs values are not the total VOCs detected, but the sum of TCE, CIS, TRANS, VC, and TCA detected.

NS = Not Sampled. No analysis performed during this sampling event.

Results expressed as parts per billion (ppb).

Bold results exceed NYSDEC TOGS 1.1.1 Class GA, June 1998 re-issue (MTBE = April 2000 Addendum Guidance Value)

Table 2 June 2022 Analytical Results Summary

Gowanda Day Habilitation Center

4 Industrial Place, Gowanda, New York

VCA # V-00463-9

Recovery Well G-3

Sampling Events

Sample Date: 6/17/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		22.00	19.00	5.0
CIS		130.00	140.00	5.0
TRANS		1.20	1.30	5.0
VC		0.55	0.21	2.0
TCA		ND	ND	5.0
Total VOCs		153.75	160.51	

Duplicate Blank (MW-5)

Sampling Events

Sample Date: 6/17/2022

Analyte	in ppb	Jun 2022	NYS Guidance Value
TCE		1.20	5.0
CIS		ND	5.0
TRANS		ND	5.0
VC		ND	2.0
TCA		ND	5.0
Total VOCs		1.20	

Equipment Blank

Sampling Events

Sample Date: 6/17/2022

Analyte	in ppb	Mar 2022	Jun 2022	NYS Guidance Value
TCE		ND	ND	5.0
CIS		ND	ND	5.0
TRANS		ND	ND	5.0
VC		ND	ND	2.0
TCA		ND	ND	5.0
Total VOCs		ND	ND	

ND = Non-detect

Total VOCs values are not the total VOCs detected, but the sum of TCE, CIS, TRANS, VC, and TCA detected.

NS = Not Sampled. No analysis performed during this sampling event.

Results expressed as parts per billion (ppb).

Bold results exceed NYSDEC TOGS 1.1.1 Class GA, June 1998 re-issue (MTBE = April 2000 Addendum Guidance Value)

Table 3 Historic Groundwater Analysis Results Summary

Gowanda Day Habilitation Center
4 Industrial Place, Gowanda, New York
VCA # V-00463-9

Monitoring Well Number	MONITORING WELLS																																						
	Total VOCs Jun 2022 (ppb)	Total VOCs Mar 2022 (ppb)	Total VOCs Nov 2021 (ppb)	Total VOCs Sep 2021 (ppb)	Total VOCs Mar 2021 (ppb)	Total VOCs Nov 2020 (ppb)	Total VOCs July 2020 (ppb)	Total VOCs Feb 2020 (ppb)	Total VOCs Oct 2019 (ppb)	Total VOCs Aug 2019 (ppb)	Total VOCs July 2018 (ppb)	Total VOCs Aug 2018 (ppb)	Total VOCs May 2018 (ppb)	Total VOCs April 2018 (ppb)	Total VOCs Nov 2017 (ppb)	Total VOCs Aug 2017 (ppb)	Total VOCs Nov 2016 (ppb)	Total VOCs Sep 2016 (ppb)	Total VOCs Jun 2015 (ppb)	Total VOCs Nov 2015 (ppb)	Total VOCs Aug 2015 (ppb)	Total VOCs Jun 2014 (ppb)	Total VOCs Mar 2014 (ppb)	Total VOCs Nov 2014 (ppb)	Total VOCs Sep 2014 (ppb)	Total VOCs Jun 2013 (ppb)	Total VOCs Mar 2013 (ppb)	Total VOCs Nov 2013 (ppb)	Total VOCs Aug 2013 (ppb)	Total VOCs Jun 2012 (ppb)	Total VOCs Mar 2012 (ppb)	Total VOCs Nov 2012 (ppb)							
MW-1	529.40	382.59	980.46	404.62	928.9	344.7	1020.0	991.8	993.5	1009	698	1,081	1,080	1,190	1,110	374	1013	1,210	1,467	838	580	1,530	1,470	350	300	420	990	990	1,740	830	910	1,440	528	889					
MW-2	ND	ND	ND	ND	0.29	ND	ND	ND	0.28	ND	ND	ND	ND	ND	NS	NS																							
MW-3	1.04	0.25	ND	ND	1.31	1.14	ND	0.3	ND	0.28	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							
MW-4	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-5	1.00	0.60	1.20	1.50	0.79	1.60	ND	0.51	0.42	0.47	0.52	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND							
MW-6	89.00	92.21	112.0	95.00	78.00	81.20	66.0	79.41	64.8	99.1	92.64	86.63	81	84	77	76	100	91	87	120	100	120	96	86	81	110	110	96	94	130	99	93	99	86.7	85.7				
MW-7	30.26	33.06	29.15	102.37	94.74	173.67	ND	73.89	1.16	65.58	39	27.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS																								
MW-9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS																								
MW-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS																								
MW-11	200.10	420.6	495.4	386.9	490.7	546.5	584.0	1274	604.5	699.3	937.4	1,059	489.3	282	489	1,160	470	525	646	445	550	1,060	444	500	451	375	450	710	880	510	570	790	498	617					
MW-12	168.10	271.90	125.4	65.88	65.88	60.05	84	147.03	116.54	54	54.48	79	53	25	100	113	31	40	7.1	7.8	15.8	28.8	52	97	120	126	136	200	212	173	149.3	186.6	142	86.5	148.22				
MW-13	2.06	5.11	1.83	0.95	2.40	1.34	ND	2.7	3.4	2.1	0.50	1.38	ND	ND	ND	ND	NS	NS																					
MW-14	31.00	104.45	91.86	84.40	20.80	63.4	13.0	18.2	34	33	26.5	25.9	30.7	22.3	22.8	28	38	22.1	76	100	57	81	96	52	94	68	68	54	73	94	71	47	39.7	76.6	31.00				
MW-15	14.10	9.47	15.6	24.86	14.2	1.17	37.43	25.62	14.4	31.53	37.61	21	4.1	43	32	36	14	20	42	31	13	6.8	11	23.8	9.8	32	31	6.1	ND	6.8	7	ND	12.9	26.26	6.25				
MW-16	417.93	35.02	31.75	22.56	14.0	1.12	37.43	25.62	14.4	31.53	37.61	21	4.1	43	32	36	14	20	42	31	13	6.8	11	23.8	9.8	32	31	6.1	ND	6.8	7	ND	12.9	26.26	6.25				
MW-17	17.63	83.92	23.06	17.36	5.74	274.00	260.2	14.0	193.01	54.42	27.7	265	112.5	5	22	30	375	465	425	460	410	ND	320	394	410	539	567	420	400	21.3	430	331	29.11	29.11					
MW-18	9.43	3.88	6.42	6.33	1.55	7.13	ND	2.27	0.73	1.6	3.1	2.8	ND	ND	ND	ND	6.3	ND	10	26	6.9	ND	ND	ND	ND	ND	ND	ND	ND										
MW-19B	0.32	0.30	0.29	0.34	0.50	0.36	ND	0.26	0.19	0.28	0.6	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	ND	ND																
MW-20	ND	ND	ND	ND	0.35	ND	0.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
MW-21	6.35	7.76	15.27	19.16	5.60	32.04	11.0	5.9	23.5	24.49	18.33	NS	NS	NS	NS	NS	NS	NS	17	39	8.7	20	20	10	NS	NS	NS	NS	NS	NS	NS								
MW-X (DUP)	1.20	109.45	6.5	ND	152.4	100.5	13.0	2.4	3.3	1118.9	1118.9	914.6	ND	434	NS	490	DWS	1,705	879	550	1,720	410	360	407	300	400	870	990	1,850	540	186.8	1,450	521	913					
EB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND											

Recovery Well Number	RECOVERY WELLS																																			
	Total VOCs Jun 2022 (ppb)	Total VOCs Mar 2022 (ppb)	Total VOCs Nov 2021 (ppb)	Total VOCs Sep 2021 (ppb)	Total VOCs Mar 2021 (ppb)	Total VOCs Nov 2020 (ppb)	Total VOCs July 2020 (ppb)	Total VOCs Feb 2020 (ppb)	Total VOCs Oct 2019 (ppb)	Total VOCs Aug 2019 (ppb)	Total VOCs July 2018 (ppb)	Total VOCs August 2018 (ppb)	Total VOCs May 2018 (ppb)	Total VOCs April 2018 (ppb)	Total VOCs Nov 2017 (ppb)	Total VOCs Aug 2017 (ppb)	Total VOCs Nov 2016 (ppb)	Total VOCs Sep 2016 (ppb)	Total VOCs Jun 2015 (ppb)	Total VOCs Nov 2015 (ppb)	Total VOCs Aug 2015 (ppb)	Total VOCs Jun 2014 (ppb)	Total VOCs Mar 2014 (ppb)	Total VOCs Nov 2014 (ppb)	Total VOCs Sep 2014 (ppb)	Total VOCs Jun 2013 (ppb)	Total VOCs Mar 2013 (ppb)	Total VOCs Nov 2013 (ppb)	Total VOCs Aug 2013 (ppb)	Total VOCs Jun 2012 (ppb)	Total VOCs Mar 2012 (ppb)	Total VOCs Nov 2012 (ppb)				
DR-1	341.00	663.50	598.6	98.05	485.3	117.8	909.0	1222.0	1123.6	912.6	1038	1,832	1,310	1,319	1,070	1540	1,970	617	610	910	319	160	NS	21.7	63	55	76	132	87	73	82	43	29.38	673		
DR-2	100.15	129.15	251.3	162.4	144.2	111.6	116.0	129.7	137.8	185.9	192	156	216	162	128	130	181	199	137	218	215	199	187	291	259	162	224	231	207	302	256	293	19	229.9	305.3	
DR-3	85.71	75.20	94.88	85.26	66.77	81.73	63.0	81.8	67.7	99.7	101	91	73	87	125.4	34	48	NS	98	154	62	45	76	83	55	181	210	83	89	123	62	73	42	116.96	24.9	
DR-4	24.40	29.0	34.6	34.1	31.9	42.34	29.9	30.5	32.4	40.6	46.6	40	37.2	48	31.2	31.6	46	52	79	95	63	94	110	71	147	156	148	96	64	68	79	37	90	122.6	ND	
G-1	41.98	47.21	53.68	51.83	45.82	100.60	53.0	37.6	50.1	70	78.7	50.4	77	40	22	70	73.5	85	105.6	59.7	80.3	ND	68	146	101	105	90	78	96.2	69.1	55.8	52.6	68.55	65.58		
G-2	67.69	45.35	52.67	45.4	64.38	37.46	54.0	30.9	18.8	90.49	90	69	25	68	50	46	8.5	NS	ND	NS	NS	28	NS	48	34	37	52	14	68	81	50	132.2	75.3	41.9		
G-3	160.51	153.75	185.8	226.0	177.73	236.35	235.0	272.36	335.52	305.34	309.65	15	322	NS	NS	NS	NS	293	404	420	262	370	NS	NS	82	NS	82	NS								

TABLE 5

FIGURES

DASNY
Gowanda Day
Habilitation Center

4 Industrial Place
Gowanda, New York



Bergmann Associates, Architects, Engineers,
Landscape Architects & Surveyors, D.P.C.
280 East Broad Street
Suite 200
Rochester, NY 14604
office: 585.232.5135
fax: 585.232.4652
www.bergmannpc.com

REVISIONS			
NO.	DATE	DESCRIPTION	REV. CKD

Copyright © Bergmann Associates,
Architects, Engineers, Landscape
Architects & Surveyors, D.P.C.

Note:
Unauthorized alteration or addition to this
drawing is a violation of the New York State
Education Law Article 145, Section 7209.

Project Manager:	Checked By:
J. O'BRIEN	J. O'BRIEN
Designed By:	Drawn By:
	C. WOOD
Date Issued:	Scale:
08/19/2022	1" = 60'
Project Number:	
14263.07	

JUNE 2022
WATER LEVEL
CONTOUR MAP

Drawing Number:

FIGURE 1






Figure 2

June 2022
Distribution of
Groundwater
Analytical Results:
Monitoring Wells



DASNY

Gowanda Day
Habilitation Center

4 Industrial Place
Gowanda, NY



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

Figure 3

**June 2022
Distribution of
Groundwater
Analytical Results:
Recovery Wells**



CHARTS




BERGMANN

ARCHITECTS ENGINEERS PLANNERS


Groundwater Recovery Wells

DR-1, DR-2, DR-3, DR-4, G-1, G-2, and G-3






MW-1, DR-1 and MW-11






MW-1, DR-1 and MW-11






MW-12 and DR-2






MW-14 and DR-3






MW-15 and DR-4






MW-17 and G-1






MW-7 and G-2





MW-17 and G-3



APPENDICES

APPENDIX A:
Laboratory Analytical Results Report -
June 2022 Sampling Event



ANALYTICAL REPORT

Lab Number:	L2232615
Client:	Bergmann Associates 280 E Broad Street Rochester, NY 14604
ATTN:	Ariadna Cheremeteff
Phone:	(585) 498-7950
Project Name:	Q2 GOWANDA 2022
Project Number:	Not Specified
Report Date:	07/05/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2232615-01	MW-1	WATER	GOWANDA, NY	06/16/22 15:10	06/18/22
L2232615-02	MW-3	WATER	GOWANDA, NY	06/17/22 06:15	06/18/22
L2232615-03	MW-5	WATER	GOWANDA, NY	06/17/22 06:59	06/18/22
L2232615-04	MW-6	WATER	GOWANDA, NY	06/17/22 14:25	06/18/22
L2232615-05	MW-7	WATER	GOWANDA, NY	06/17/22 10:30	06/18/22
L2232615-06	MW-8	WATER	GOWANDA, NY	06/17/22 09:13	06/18/22
L2232615-07	MW-9	WATER	GOWANDA, NY	06/17/22 09:35	06/18/22
L2232615-08	MW-10	WATER	GOWANDA, NY	06/17/22 09:00	06/18/22
L2232615-09	MW-11	WATER	GOWANDA, NY	06/16/22 14:05	06/18/22
L2232615-10	MW-12	WATER	GOWANDA, NY	06/16/22 13:22	06/18/22
L2232615-11	MW-13	WATER	GOWANDA, NY	06/16/22 13:30	06/18/22
L2232615-12	MW-14	WATER	GOWANDA, NY	06/16/22 12:35	06/18/22
L2232615-13	MW-15	WATER	GOWANDA, NY	06/16/22 11:58	06/18/22
L2232615-14	MW-16	WATER	GOWANDA, NY	06/17/22 09:45	06/18/22
L2232615-15	MW-18	WATER	GOWANDA, NY	06/17/22 08:06	06/18/22
L2232615-16	MW-19R	WATER	GOWANDA, NY	06/17/22 07:35	06/18/22
L2232615-17	MW-20	WATER	GOWANDA, NY	06/17/22 06:40	06/18/22
L2232615-18	MW-21	WATER	GOWANDA, NY	06/17/22 08:18	06/18/22
L2232615-19	DR-1	WATER	GOWANDA, NY	06/16/22 13:58	06/18/22
L2232615-20	DR-2	WATER	GOWANDA, NY	06/16/22 13:10	06/18/22
L2232615-21	DR-3	WATER	GOWANDA, NY	06/16/22 14:32	06/18/22
L2232615-22	DR-4	WATER	GOWANDA, NY	06/16/22 12:20	06/18/22
L2232615-23	G-1	WATER	GOWANDA, NY	06/16/22 11:54	06/18/22
P2232615-14	G-2	WATER	GOWANDA, NY	06/16/22 11:20	06/18/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2232615-25	G-3	WATER	GOWANDA, NY	06/17/22 16:30	06/18/22
L2232615-26	MW-X	WATER	GOWANDA, NY	06/17/22 16:30	06/18/22
L2232615-27	FIELD BLANK	WATER	GOWANDA, NY	06/17/22 17:00	06/18/22
L2232615-28	TRIP BLANK	WATER	GOWANDA, NY	06/17/22 00:00	06/18/22
L2232615-29	MW-2	WATER	GOWANDA, NY	06/16/22 15:53	06/20/22

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

The samples were received via Express Ship in a cooler with ice; however, the ice was melted and the samples were above the required temperature range. Per client authorization of the exceedance, all requested analyses were performed.

In reference to question 1a / A:

L2232615-13: Headspace was noted in the sample containers submitted for TCL Volatiles - EPA 8260C. The analysis was performed at the client's request.

Volatile Organics

L2232615-13: The sample was received in the proper acid-preserved containers; however, upon analysis, the pH was determined to be greater than 2, and thus the method required holding time was exceeded.

L2232615-13: Headspace was noted in the sample container utilized for analysis.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Steven Gniadek

Title: Technical Director/Representative

Date: 07/05/22

ORGANICS

VOLATILES



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-01	D	Date Collected:	06/16/22 15:10
Client ID:	MW-1		Date Received:	06/18/22
Sample Location:	GOWANDA, NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 06/30/22 03:59

Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethane	ND		ug/l	6.2	1.8	2.5
Chloroform	ND		ug/l	6.2	1.8	2.5
Carbon tetrachloride	ND		ug/l	1.2	0.34	2.5
1,2-Dichloropropane	ND		ug/l	2.5	0.34	2.5
Dibromochloromethane	ND		ug/l	1.2	0.37	2.5
1,1,2-Trichloroethane	ND		ug/l	3.8	1.2	2.5
Tetrachloroethene	ND		ug/l	1.2	0.45	2.5
Chlorobenzene	ND		ug/l	6.2	1.8	2.5
Trichlorofluoromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dichloroethane	ND		ug/l	1.2	0.33	2.5
1,1,1-Trichloroethane	ND		ug/l	6.2	1.8	2.5
Bromodichloromethane	ND		ug/l	1.2	0.48	2.5
trans-1,3-Dichloropropene	ND		ug/l	1.2	0.41	2.5
cis-1,3-Dichloropropene	ND		ug/l	1.2	0.36	2.5
Bromoform	ND		ug/l	5.0	1.6	2.5
1,1,2,2-Tetrachloroethane	ND		ug/l	1.2	0.42	2.5
Benzene	ND		ug/l	1.2	0.40	2.5
Toluene	ND		ug/l	6.2	1.8	2.5
Ethylbenzene	ND		ug/l	6.2	1.8	2.5
Chloromethane	ND		ug/l	6.2	1.8	2.5
Bromomethane	ND		ug/l	6.2	1.8	2.5
Vinyl chloride	4.1		ug/l	2.5	0.18	2.5
Chloroethane	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethene	ND		ug/l	1.2	0.42	2.5
trans-1,2-Dichloroethene	5.3	J	ug/l	6.2	1.8	2.5
Trichloroethene	400		ug/l	1.2	0.44	2.5
1,2-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-01	D	Date Collected:	06/16/22 15:10
Client ID:	MW-1		Date Received:	06/18/22
Sample Location:	GOWANDA, NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl tert butyl ether	ND		ug/l	6.2	1.8	2.5
p/m-Xylene	ND		ug/l	6.2	1.8	2.5
o-Xylene	ND		ug/l	6.2	1.8	2.5
cis-1,2-Dichloroethene	120		ug/l	6.2	1.8	2.5
Styrene	ND		ug/l	6.2	1.8	2.5
Dichlorodifluoromethane	ND		ug/l	12	2.5	2.5
Acetone	ND		ug/l	12	3.6	2.5
Carbon disulfide	ND		ug/l	12	2.5	2.5
2-Butanone	ND		ug/l	12	4.8	2.5
4-Methyl-2-pentanone	ND		ug/l	12	2.5	2.5
2-Hexanone	ND		ug/l	12	2.5	2.5
Bromochloromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dibromoethane	ND		ug/l	5.0	1.6	2.5
1,2-Dibromo-3-chloropropane	ND		ug/l	6.2	1.8	2.5
Isopropylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,3-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl Acetate	ND		ug/l	5.0	0.58	2.5
Cyclohexane	ND		ug/l	25	0.68	2.5
1,4-Dioxane	ND		ug/l	620	150	2.5
Freon-113	ND		ug/l	6.2	1.8	2.5
Methyl cyclohexane	ND		ug/l	25	0.99	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-02
Client ID: MW-3
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 06:15
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 11:33
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.29	J	ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-02	Date Collected:	06/17/22 06:15
Client ID:	MW-3	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	0.75	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	1.3	J	ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	104		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-03
 Client ID: MW-5
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 06:59
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 11:59
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.18	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.0		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-03	Date Collected:	06/17/22 06:59
Client ID:	MW-5	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-04
Client ID: MW-6
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 14:25
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 12:26
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	47	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-04	Date Collected:	06/17/22 14:25
Client ID:	MW-6	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	42		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	106		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-05
Client ID: MW-7
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 10:30
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 12:52
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.49	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.77		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-05	Date Collected:	06/17/22 10:30
Client ID:	MW-7	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	29		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	103		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-06
 Client ID: MW-8
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 09:13
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 17:16
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-06	Date Collected:	06/17/22 09:13
Client ID:	MW-8	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-07
 Client ID: MW-9
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 09:35
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/30/22 11:11
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-07	Date Collected:	06/17/22 09:35
Client ID:	MW-9	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.3	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	91		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	88		70-130
Dibromofluoromethane	114		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-08
 Client ID: MW-10
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 09:00
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 13:53
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-08	Date Collected:	06/17/22 09:00
Client ID:	MW-10	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	89		70-130
Dibromofluoromethane	110		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-09
 Client ID: MW-11
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 14:05
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/30/22 03:33
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	3.8		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.22	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	3.3		ug/l	2.5	0.70	1
Trichloroethene	95		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-09	Date Collected:	06/16/22 14:05
Client ID:	MW-11	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	98		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	104		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-10
Client ID: MW-12
Sample Location: GOWANDA, NY

Date Collected: 06/16/22 13:22
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/28/22 19:17
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	1.7		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.39	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	1.4	J	ug/l	2.5	0.70	1
Trichloroethene	25		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-10	Date Collected:	06/16/22 13:22
Client ID:	MW-12	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	140		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	106		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-11
 Client ID: MW-13
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 13:30
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 19:44
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	1.2	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-11	Date Collected:	06/16/22 13:30
Client ID:	MW-13	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	0.86	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	105		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-12
 Client ID: MW-14
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 12:35
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 20:10
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	20	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-12	Date Collected:	06/16/22 12:35
Client ID:	MW-14	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	11		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-13
 Client ID: MW-15
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 11:58
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 20:36
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	8.7	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-13	Date Collected:	06/16/22 11:58
Client ID:	MW-15	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	5.4		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	108		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-14
 Client ID: MW-16
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 09:45
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 13:18
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.50	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.29	J	ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-14	Date Collected:	06/17/22 09:45
Client ID:	MW-16	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	41		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	109		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-15
Client ID: MW-18
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 08:06
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 13:45
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.13	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.50		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-15	Date Collected:	06/17/22 08:06
Client ID:	MW-18	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	8.8		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-16
Client ID: MW-19R
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 07:35
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 14:11
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.42	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.32	J	ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-16	Date Collected:	06/17/22 07:35
Client ID:	MW-19R	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.7	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	109		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-17
 Client ID: MW-20
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 06:40
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 14:38
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-17	Date Collected:	06/17/22 06:40
Client ID:	MW-20	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	103		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-18
 Client ID: MW-21
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 08:18
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 14:13
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.15	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.4		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-18	Date Collected:	06/17/22 08:18
Client ID:	MW-21	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	4.8		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	2.3	J	ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	89		70-130
Dibromofluoromethane	115		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-19	D	Date Collected:	06/16/22 13:58
Client ID:	DR-1		Date Received:	06/18/22
Sample Location:	GOWANDA, NY		Field Prep:	Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 06/29/22 14:32

Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethane	ND		ug/l	6.2	1.8	2.5
Chloroform	ND		ug/l	6.2	1.8	2.5
Carbon tetrachloride	ND		ug/l	1.2	0.34	2.5
1,2-Dichloropropane	ND		ug/l	2.5	0.34	2.5
Dibromochloromethane	ND		ug/l	1.2	0.37	2.5
1,1,2-Trichloroethane	ND		ug/l	3.8	1.2	2.5
Tetrachloroethene	ND		ug/l	1.2	0.45	2.5
Chlorobenzene	ND		ug/l	6.2	1.8	2.5
Trichlorofluoromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dichloroethane	ND		ug/l	1.2	0.33	2.5
1,1,1-Trichloroethane	ND		ug/l	6.2	1.8	2.5
Bromodichloromethane	ND		ug/l	1.2	0.48	2.5
trans-1,3-Dichloropropene	ND		ug/l	1.2	0.41	2.5
cis-1,3-Dichloropropene	ND		ug/l	1.2	0.36	2.5
Bromoform	ND		ug/l	5.0	1.6	2.5
1,1,2,2-Tetrachloroethane	ND		ug/l	1.2	0.42	2.5
Benzene	ND		ug/l	1.2	0.40	2.5
Toluene	ND		ug/l	6.2	1.8	2.5
Ethylbenzene	ND		ug/l	6.2	1.8	2.5
Chloromethane	ND		ug/l	6.2	1.8	2.5
Bromomethane	ND		ug/l	6.2	1.8	2.5
Vinyl chloride	2.0	J	ug/l	2.5	0.18	2.5
Chloroethane	ND		ug/l	6.2	1.8	2.5
1,1-Dichloroethene	ND		ug/l	1.2	0.42	2.5
trans-1,2-Dichloroethene	ND		ug/l	6.2	1.8	2.5
Trichloroethene	260		ug/l	1.2	0.44	2.5
1,2-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-19	D	Date Collected:	06/16/22 13:58
Client ID:	DR-1		Date Received:	06/18/22
Sample Location:	GOWANDA, NY		Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,4-Dichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl tert butyl ether	ND		ug/l	6.2	1.8	2.5
p/m-Xylene	ND		ug/l	6.2	1.8	2.5
o-Xylene	ND		ug/l	6.2	1.8	2.5
cis-1,2-Dichloroethene	79		ug/l	6.2	1.8	2.5
Styrene	ND		ug/l	6.2	1.8	2.5
Dichlorodifluoromethane	ND		ug/l	12	2.5	2.5
Acetone	ND		ug/l	12	3.6	2.5
Carbon disulfide	ND		ug/l	12	2.5	2.5
2-Butanone	ND		ug/l	12	4.8	2.5
4-Methyl-2-pentanone	ND		ug/l	12	2.5	2.5
2-Hexanone	ND		ug/l	12	2.5	2.5
Bromochloromethane	ND		ug/l	6.2	1.8	2.5
1,2-Dibromoethane	ND		ug/l	5.0	1.6	2.5
1,2-Dibromo-3-chloropropane	ND		ug/l	6.2	1.8	2.5
Isopropylbenzene	ND		ug/l	6.2	1.8	2.5
1,2,3-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
1,2,4-Trichlorobenzene	ND		ug/l	6.2	1.8	2.5
Methyl Acetate	ND		ug/l	5.0	0.58	2.5
Cyclohexane	ND		ug/l	25	0.68	2.5
1,4-Dioxane	ND		ug/l	620	150	2.5
Freon-113	ND		ug/l	6.2	1.8	2.5
Methyl cyclohexane	ND		ug/l	25	0.99	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	113		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-20
 Client ID: DR-2
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 13:10
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 21:02
 Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	5.4		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.18	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	0.75	J	ug/l	2.5	0.70	1
Trichloroethene	17		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-20	Date Collected:	06/16/22 13:10
Client ID:	DR-2	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	77		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	109		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-21
 Client ID: DR-3
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 14:32
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/30/22 10:52
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.78	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	0.93	J	ug/l	2.5	0.70	1
Trichloroethene	23		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-21	Date Collected:	06/16/22 14:32
Client ID:	DR-3	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	61		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.7	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	87		70-130
Dibromofluoromethane	114		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-22
 Client ID: DR-4
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 12:20
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 21:21
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	18	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-22	Date Collected:	06/16/22 12:20
Client ID:	DR-4	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	6.4		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	108		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-23
 Client ID: G-1
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 11:54
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 21:44
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.58	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	5.4		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-23	Date Collected:	06/16/22 11:54
Client ID:	G-1	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	36		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	106		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-24
 Client ID: G-2
 Sample Location: GOWANDA, NY

Date Collected: 06/16/22 11:20
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/28/22 22:07
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	1.3		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.39	J	ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-24	Date Collected:	06/16/22 11:20
Client ID:	G-2	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	66		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.7	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	113		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-25
Client ID: G-3
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 16:30
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 15:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.21	J	ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	0.28	J	ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	1.3	J	ug/l	2.5	0.70	1
Trichloroethene	19		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-25	Date Collected:	06/17/22 16:30
Client ID:	G-3	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	140		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	109		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-26
Client ID: MW-X
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 16:30
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 15:57
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.18	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.2		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-26	Date Collected:	06/17/22 16:30
Client ID:	MW-X	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	111		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-27
Client ID: FIELD BLANK
Sample Location: GOWANDA, NY

Date Collected: 06/17/22 17:00
Date Received: 06/18/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/29/22 16:23
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-27	Date Collected:	06/17/22 17:00
Client ID:	FIELD BLANK	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	109		70-130

Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-28
 Client ID: TRIP BLANK
 Sample Location: GOWANDA, NY

Date Collected: 06/17/22 00:00
 Date Received: 06/18/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 06/29/22 16:50
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-28	Date Collected:	06/17/22 00:00
Client ID:	TRIP BLANK	Date Received:	06/18/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	90		70-130
Dibromofluoromethane	109		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

SAMPLE RESULTS

Lab ID: L2232615-29
Client ID: MW-2
Sample Location: GOWANDA, NY

Date Collected: 06/16/22 15:53
Date Received: 06/20/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 06/30/22 03:06
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	1	
Chloroform	ND	ug/l	2.5	0.70	1	
Carbon tetrachloride	ND	ug/l	0.50	0.13	1	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	1	
Dibromochloromethane	ND	ug/l	0.50	0.15	1	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	1	
Tetrachloroethene	ND	ug/l	0.50	0.18	1	
Chlorobenzene	ND	ug/l	2.5	0.70	1	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	1	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	1	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	1	
Bromodichloromethane	ND	ug/l	0.50	0.19	1	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	1	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	1	
Bromoform	ND	ug/l	2.0	0.65	1	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	1	
Benzene	ND	ug/l	0.50	0.16	1	
Toluene	ND	ug/l	2.5	0.70	1	
Ethylbenzene	ND	ug/l	2.5	0.70	1	
Chloromethane	ND	ug/l	2.5	0.70	1	
Bromomethane	ND	ug/l	2.5	0.70	1	
Vinyl chloride	ND	ug/l	1.0	0.07	1	
Chloroethane	ND	ug/l	2.5	0.70	1	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	1	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	1	
Trichloroethene	ND	ug/l	0.50	0.18	1	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	1	



Project Name: Q2 GOWANDA 2022

Lab Number: L2232615

Project Number: Not Specified

Report Date: 07/05/22

SAMPLE RESULTS

Lab ID:	L2232615-29	Date Collected:	06/16/22 15:53
Client ID:	MW-2	Date Received:	06/20/22
Sample Location:	GOWANDA, NY	Field Prep:	Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.0	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
1,4-Dioxane	ND		ug/l	250	61.	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	114		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/28/22 20:58
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	22-24		Batch:	WG1657205-5	
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/28/22 20:58
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 22-24			Batch:	WG1657205-5	
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/28/22 20:58
Analyst: AJK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 22-24			Batch:	WG1657205-5	

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	114		70-130
Dibromofluoromethane	108		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 08:55
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	02-06,14-17,25-28			Batch:	WG1657252-5
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	



Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 08:55
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02-06,14-17,25-28				Batch:	WG1657252-5
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 08:55
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02-06,14-17,25-28				Batch:	WG1657252-5

Surrogate	%Recovery	Acceptance Criteria	
		Qualifier	Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	105		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 20:59
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	01,09,29	Batch:	WG1657500-5		
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 20:59
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	01,09,29		Batch:	WG1657500-5	
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 20:59
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,09,29				Batch: WG1657500-5	

Surrogate	%Recovery	Acceptance Criteria	
		Qualifier	
1,2-Dichloroethane-d4	108		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	107		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/28/22 12:16
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	10-13,20		Batch:	WG1657513-5	
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/28/22 12:16
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	10-13,20		Batch:	WG1657513-5	
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/28/22 12:16
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 10-13,20				Batch: WG1657513-5	

Surrogate	%Recovery	Acceptance Criteria	
		Qualifier	
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	108		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 10:12
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	08,18-19		Batch:	WG1657543-5	
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 10:12
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	08,18-19		Batch:	WG1657543-5	
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/29/22 10:12
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 08,18-19				Batch: WG1657543-5	

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	84		70-130
Dibromofluoromethane	110		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/30/22 08:12
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	07,21		Batch:	WG1657932-5	
Methylene chloride	ND	ug/l	2.5	0.70	
1,1-Dichloroethane	ND	ug/l	2.5	0.70	
Chloroform	ND	ug/l	2.5	0.70	
Carbon tetrachloride	ND	ug/l	0.50	0.13	
1,2-Dichloropropane	ND	ug/l	1.0	0.14	
Dibromochloromethane	ND	ug/l	0.50	0.15	
1,1,2-Trichloroethane	ND	ug/l	1.5	0.50	
Tetrachloroethene	ND	ug/l	0.50	0.18	
Chlorobenzene	ND	ug/l	2.5	0.70	
Trichlorofluoromethane	ND	ug/l	2.5	0.70	
1,2-Dichloroethane	ND	ug/l	0.50	0.13	
1,1,1-Trichloroethane	ND	ug/l	2.5	0.70	
Bromodichloromethane	ND	ug/l	0.50	0.19	
trans-1,3-Dichloropropene	ND	ug/l	0.50	0.16	
cis-1,3-Dichloropropene	ND	ug/l	0.50	0.14	
Bromoform	ND	ug/l	2.0	0.65	
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50	0.17	
Benzene	ND	ug/l	0.50	0.16	
Toluene	ND	ug/l	2.5	0.70	
Ethylbenzene	ND	ug/l	2.5	0.70	
Chloromethane	ND	ug/l	2.5	0.70	
Bromomethane	ND	ug/l	2.5	0.70	
Vinyl chloride	ND	ug/l	1.0	0.07	
Chloroethane	ND	ug/l	2.5	0.70	
1,1-Dichloroethene	ND	ug/l	0.50	0.17	
trans-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Trichloroethene	ND	ug/l	0.50	0.18	
1,2-Dichlorobenzene	ND	ug/l	2.5	0.70	
1,3-Dichlorobenzene	ND	ug/l	2.5	0.70	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/30/22 08:12
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	07,21	Batch:	WG1657932-5		
1,4-Dichlorobenzene	ND	ug/l	2.5	0.70	
Methyl tert butyl ether	ND	ug/l	2.5	0.70	
p/m-Xylene	ND	ug/l	2.5	0.70	
o-Xylene	ND	ug/l	2.5	0.70	
cis-1,2-Dichloroethene	ND	ug/l	2.5	0.70	
Styrene	ND	ug/l	2.5	0.70	
Dichlorodifluoromethane	ND	ug/l	5.0	1.0	
Acetone	ND	ug/l	5.0	1.5	
Carbon disulfide	ND	ug/l	5.0	1.0	
2-Butanone	ND	ug/l	5.0	1.9	
4-Methyl-2-pentanone	ND	ug/l	5.0	1.0	
2-Hexanone	ND	ug/l	5.0	1.0	
Bromochloromethane	ND	ug/l	2.5	0.70	
1,2-Dibromoethane	ND	ug/l	2.0	0.65	
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5	0.70	
Isopropylbenzene	ND	ug/l	2.5	0.70	
1,2,3-Trichlorobenzene	ND	ug/l	2.5	0.70	
1,2,4-Trichlorobenzene	ND	ug/l	2.5	0.70	
Methyl Acetate	ND	ug/l	2.0	0.23	
Cyclohexane	ND	ug/l	10	0.27	
1,4-Dioxane	ND	ug/l	250	61.	
Freon-113	ND	ug/l	2.5	0.70	
Methyl cyclohexane	ND	ug/l	10	0.40	

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 06/30/22 08:12
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s):	07,21	Batch:	WG1657932-5		

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	95		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	88		70-130
Dibromofluoromethane	110		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 22-24 Batch: WG1657205-3 WG1657205-4								
Methylene chloride	100		100		70-130	0		20
1,1-Dichloroethane	99		95		70-130	4		20
Chloroform	98		94		70-130	4		20
Carbon tetrachloride	100		99		63-132	1		20
1,2-Dichloropropane	91		89		70-130	2		20
Dibromochloromethane	85		82		63-130	4		20
1,1,2-Trichloroethane	90		92		70-130	2		20
Tetrachloroethene	93		90		70-130	3		20
Chlorobenzene	95		95		75-130	0		20
Trichlorofluoromethane	75		72		62-150	4		20
1,2-Dichloroethane	98		96		70-130	2		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	94		94		67-130	0		20
trans-1,3-Dichloropropene	93		90		70-130	3		20
cis-1,3-Dichloropropene	90		85		70-130	6		20
Bromoform	72		70		54-136	3		20
1,1,2,2-Tetrachloroethane	93		90		67-130	3		20
Benzene	93		91		70-130	2		20
Toluene	98		98		70-130	0		20
Ethylbenzene	100		98		70-130	2		20
Chloromethane	92		88		64-130	4		20
Bromomethane	44		41		39-139	7		20
Vinyl chloride	86		81		55-140	6		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 22-24 Batch: WG1657205-3 WG1657205-4								
Chloroethane	67		65		55-138	3		20
1,1-Dichloroethene	110		100		61-145	10		20
trans-1,2-Dichloroethene	100		98		70-130	2		20
Trichloroethene	86		83		70-130	4		20
1,2-Dichlorobenzene	91		88		70-130	3		20
1,3-Dichlorobenzene	93		91		70-130	2		20
1,4-Dichlorobenzene	92		89		70-130	3		20
Methyl tert butyl ether	85		83		63-130	2		20
p/m-Xylene	100		95		70-130	5		20
o-Xylene	95		95		70-130	0		20
cis-1,2-Dichloroethene	95		94		70-130	1		20
Styrene	95		90		70-130	5		20
Dichlorodifluoromethane	86		82		36-147	5		20
Acetone	84		78		58-148	7		20
Carbon disulfide	110		100		51-130	10		20
2-Butanone	86		83		63-138	4		20
4-Methyl-2-pentanone	71		68		59-130	4		20
2-Hexanone	76		72		57-130	5		20
Bromochloromethane	96		96		70-130	0		20
1,2-Dibromoethane	93		92		70-130	1		20
1,2-Dibromo-3-chloropropane	65		62		41-144	5		20
Isopropylbenzene	100		97		70-130	3		20
1,2,3-Trichlorobenzene	73		70		70-130	4		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> <i>Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> <i>Limits</i>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 22-24 Batch: WG1657205-3 WG1657205-4								
1,2,4-Trichlorobenzene	79		74		70-130	7		20
Methyl Acetate	88		82		70-130	7		20
Cyclohexane	100		99		70-130	1		20
1,4-Dioxane	66		62		56-162	6		20
Freon-113	100		100		70-130	0		20
Methyl cyclohexane	90		87		70-130	3		20

Surrogate	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	Acceptance Criteria
1,2-Dichloroethane-d4	103		102		70-130
Toluene-d8	108		108		70-130
4-Bromofluorobenzene	104		106		70-130
Dibromofluoromethane	99		100		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-06,14-17,25-28 Batch: WG1657252-3 WG1657252-4								
Methylene chloride	91		93		70-130	2		20
1,1-Dichloroethane	98		100		70-130	2		20
Chloroform	91		93		70-130	2		20
Carbon tetrachloride	100		100		63-132	0		20
1,2-Dichloropropane	94		92		70-130	2		20
Dibromochloromethane	94		95		63-130	1		20
1,1,2-Trichloroethane	99		100		70-130	1		20
Tetrachloroethene	100		100		70-130	0		20
Chlorobenzene	92		94		75-130	2		20
Trichlorofluoromethane	110		120		62-150	9		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	99		100		67-130	1		20
Bromodichloromethane	98		97		67-130	1		20
trans-1,3-Dichloropropene	95		97		70-130	2		20
cis-1,3-Dichloropropene	95		97		70-130	2		20
Bromoform	100		96		54-136	4		20
1,1,2,2-Tetrachloroethane	110		110		67-130	0		20
Benzene	95		96		70-130	1		20
Toluene	92		94		70-130	2		20
Ethylbenzene	91		93		70-130	2		20
Chloromethane	97		100		64-130	3		20
Bromomethane	61		78		39-139	24	Q	20
Vinyl chloride	100		110		55-140	10		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-06,14-17,25-28 Batch: WG1657252-3 WG1657252-4								
Chloroethane	95		98		55-138	3		20
1,1-Dichloroethene	92		99		61-145	7		20
trans-1,2-Dichloroethene	97		100		70-130	3		20
Trichloroethene	83		84		70-130	1		20
1,2-Dichlorobenzene	97		97		70-130	0		20
1,3-Dichlorobenzene	94		93		70-130	1		20
1,4-Dichlorobenzene	97		94		70-130	3		20
Methyl tert butyl ether	92		93		63-130	1		20
p/m-Xylene	95		95		70-130	0		20
o-Xylene	95		95		70-130	0		20
cis-1,2-Dichloroethene	93		94		70-130	1		20
Styrene	90		95		70-130	5		20
Dichlorodifluoromethane	100		100		36-147	0		20
Acetone	110		100		58-148	10		20
Carbon disulfide	93		96		51-130	3		20
2-Butanone	110		100		63-138	10		20
4-Methyl-2-pentanone	99		100		59-130	1		20
2-Hexanone	100		100		57-130	0		20
Bromochloromethane	100		100		70-130	0		20
1,2-Dibromoethane	99		98		70-130	1		20
1,2-Dibromo-3-chloropropane	99		97		41-144	2		20
Isopropylbenzene	90		89		70-130	1		20
1,2,3-Trichlorobenzene	96		99		70-130	3		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> <i>Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> <i>Limits</i>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02-06,14-17,25-28 Batch: WG1657252-3 WG1657252-4								
1,2,4-Trichlorobenzene	94		96		70-130	2		20
Methyl Acetate	100		100		70-130	0		20
Cyclohexane	110		110		70-130	0		20
1,4-Dioxane	100		104		56-162	4		20
Freon-113	110		110		70-130	0		20
Methyl cyclohexane	98		98		70-130	0		20

Surrogate	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	Acceptance Criteria
1,2-Dichloroethane-d4	104		106		70-130
Toluene-d8	99		98		70-130
4-Bromofluorobenzene	96		93		70-130
Dibromofluoromethane	102		103		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,09,29 Batch: WG1657500-3 WG1657500-4								
Methylene chloride	88		95		70-130	8		20
1,1-Dichloroethane	98		100		70-130	2		20
Chloroform	92		99		70-130	7		20
Carbon tetrachloride	100		110		63-132	10		20
1,2-Dichloropropane	92		95		70-130	3		20
Dibromochloromethane	85		93		63-130	9		20
1,1,2-Trichloroethane	83		94		70-130	12		20
Tetrachloroethene	99		100		70-130	1		20
Chlorobenzene	88		92		75-130	4		20
Trichlorofluoromethane	100		110		62-150	10		20
1,2-Dichloroethane	97		110		70-130	13		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	92		98		67-130	6		20
trans-1,3-Dichloropropene	84		92		70-130	9		20
cis-1,3-Dichloropropene	89		95		70-130	7		20
Bromoform	82		94		54-136	14		20
1,1,2,2-Tetrachloroethane	88		100		67-130	13		20
Benzene	90		94		70-130	4		20
Toluene	88		90		70-130	2		20
Ethylbenzene	87		91		70-130	4		20
Chloromethane	100		100		64-130	0		20
Bromomethane	47		53		39-139	12		20
Vinyl chloride	100		100		55-140	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,09,29 Batch: WG1657500-3 WG1657500-4								
Chloroethane	100		100		55-138	0		20
1,1-Dichloroethene	92		93		61-145	1		20
trans-1,2-Dichloroethene	95		100		70-130	5		20
Trichloroethene	87		83		70-130	5		20
1,2-Dichlorobenzene	91		97		70-130	6		20
1,3-Dichlorobenzene	90		94		70-130	4		20
1,4-Dichlorobenzene	93		96		70-130	3		20
Methyl tert butyl ether	77		91		63-130	17		20
p/m-Xylene	90		95		70-130	5		20
o-Xylene	90		95		70-130	5		20
cis-1,2-Dichloroethene	90		99		70-130	10		20
Styrene	85		95		70-130	11		20
Dichlorodifluoromethane	100		110		36-147	10		20
Acetone	100		120		58-148	18		20
Carbon disulfide	93		94		51-130	1		20
2-Butanone	88		100		63-138	13		20
4-Methyl-2-pentanone	68		85		59-130	22	Q	20
2-Hexanone	81		94		57-130	15		20
Bromochloromethane	100		110		70-130	10		20
1,2-Dibromoethane	86		95		70-130	10		20
1,2-Dibromo-3-chloropropane	76		91		41-144	18		20
Isopropylbenzene	85		88		70-130	3		20
1,2,3-Trichlorobenzene	80		90		70-130	12		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> <i>Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> <i>Limits</i>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,09,29 Batch: WG1657500-3 WG1657500-4								
1,2,4-Trichlorobenzene	82		91		70-130	10		20
Methyl Acetate	87		110		70-130	23	Q	20
Cyclohexane	100		110		70-130	10		20
1,4-Dioxane	78		94		56-162	19		20
Freon-113	110		110		70-130	0		20
Methyl cyclohexane	98		95		70-130	3		20

Surrogate	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	Acceptance Criteria
1,2-Dichloroethane-d4	107		106		70-130
Toluene-d8	95		95		70-130
4-Bromofluorobenzene	93		93		70-130
Dibromofluoromethane	107		105		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10-13,20 Batch: WG1657513-3 WG1657513-4								
Methylene chloride	93		91		70-130	2		20
1,1-Dichloroethane	100		97		70-130	3		20
Chloroform	94		92		70-130	2		20
Carbon tetrachloride	100		100		63-132	0		20
1,2-Dichloropropane	92		92		70-130	0		20
Dibromochloromethane	94		90		63-130	4		20
1,1,2-Trichloroethane	93		92		70-130	1		20
Tetrachloroethene	100		100		70-130	0		20
Chlorobenzene	92		91		75-130	1		20
Trichlorofluoromethane	110		100		62-150	10		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	98		96		67-130	2		20
trans-1,3-Dichloropropene	92		90		70-130	2		20
cis-1,3-Dichloropropene	94		92		70-130	2		20
Bromoform	88		92		54-136	4		20
1,1,2,2-Tetrachloroethane	98		96		67-130	2		20
Benzene	93		92		70-130	1		20
Toluene	92		91		70-130	1		20
Ethylbenzene	91		90		70-130	1		20
Chloromethane	98		99		64-130	1		20
Bromomethane	80		74		39-139	8		20
Vinyl chloride	110		100		55-140	10		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10-13,20 Batch: WG1657513-3 WG1657513-4								
Chloroethane	120		120		55-138	0		20
1,1-Dichloroethene	95		97		61-145	2		20
trans-1,2-Dichloroethene	98		95		70-130	3		20
Trichloroethene	82		84		70-130	2		20
1,2-Dichlorobenzene	95		94		70-130	1		20
1,3-Dichlorobenzene	93		92		70-130	1		20
1,4-Dichlorobenzene	97		94		70-130	3		20
Methyl tert butyl ether	87		88		63-130	1		20
p/m-Xylene	95		95		70-130	0		20
o-Xylene	95		95		70-130	0		20
cis-1,2-Dichloroethene	96		94		70-130	2		20
Styrene	95		90		70-130	5		20
Dichlorodifluoromethane	100		99		36-147	1		20
Acetone	96		89		58-148	8		20
Carbon disulfide	94		93		51-130	1		20
2-Butanone	82		88		63-138	7		20
4-Methyl-2-pentanone	86		84		59-130	2		20
2-Hexanone	92		90		57-130	2		20
Bromochloromethane	100		100		70-130	0		20
1,2-Dibromoethane	92		94		70-130	2		20
1,2-Dibromo-3-chloropropane	92		88		41-144	4		20
Isopropylbenzene	90		89		70-130	1		20
1,2,3-Trichlorobenzene	90		89		70-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10-13,20 Batch: WG1657513-3 WG1657513-4									
1,2,4-Trichlorobenzene	90		89		70-130		1		20
Methyl Acetate	100		99		70-130		1		20
Cyclohexane	110		110		70-130		0		20
1,4-Dioxane	96		92		56-162		4		20
Freon-113	110		110		70-130		0		20
Methyl cyclohexane	94		94		70-130		0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	106		107		70-130
Toluene-d8	97		97		70-130
4-Bromofluorobenzene	91		95		70-130
Dibromofluoromethane	107		105		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 08,18-19 Batch: WG1657543-3 WG1657543-4								
Methylene chloride	110		110		70-130	0		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		110		70-130	10		20
Carbon tetrachloride	110		110		63-132	0		20
1,2-Dichloropropane	96		96		70-130	0		20
Dibromochloromethane	98		89		63-130	10		20
1,1,2-Trichloroethane	93		84		70-130	10		20
Tetrachloroethene	110		100		70-130	10		20
Chlorobenzene	100		99		75-130	1		20
Trichlorofluoromethane	130		130		62-150	0		20
1,2-Dichloroethane	93		94		70-130	1		20
1,1,1-Trichloroethane	110		110		67-130	0		20
Bromodichloromethane	99		100		67-130	1		20
trans-1,3-Dichloropropene	80		79		70-130	1		20
cis-1,3-Dichloropropene	94		95		70-130	1		20
Bromoform	85		80		54-136	6		20
1,1,2,2-Tetrachloroethane	85		82		67-130	4		20
Benzene	100		100		70-130	0		20
Toluene	96		94		70-130	2		20
Ethylbenzene	98		98		70-130	0		20
Chloromethane	100		110		64-130	10		20
Bromomethane	84		88		39-139	5		20
Vinyl chloride	120		120		55-140	0		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 08,18-19 Batch: WG1657543-3 WG1657543-4								
Chloroethane	130		130		55-138	0		20
1,1-Dichloroethene	130		130		61-145	0		20
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	100		99		70-130	1		20
1,2-Dichlorobenzene	100		100		70-130	0		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	100		100		70-130	0		20
Methyl tert butyl ether	89		88		63-130	1		20
p/m-Xylene	105		105		70-130	0		20
o-Xylene	105		100		70-130	5		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Styrene	110		110		70-130	0		20
Dichlorodifluoromethane	96		93		36-147	3		20
Acetone	87		84		58-148	4		20
Carbon disulfide	130		130		51-130	0		20
2-Butanone	85		82		63-138	4		20
4-Methyl-2-pentanone	80		81		59-130	1		20
2-Hexanone	85		74		57-130	14		20
Bromochloromethane	120		120		70-130	0		20
1,2-Dibromoethane	95		88		70-130	8		20
1,2-Dibromo-3-chloropropane	77		76		41-144	1		20
Isopropylbenzene	93		90		70-130	3		20
1,2,3-Trichlorobenzene	94		89		70-130	5		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 08,18-19 Batch: WG1657543-3 WG1657543-4									
1,2,4-Trichlorobenzene	95		87		70-130		9		20
Methyl Acetate	83		84		70-130		1		20
Cyclohexane	95		95		70-130		0		20
1,4-Dioxane	86		88		56-162		2		20
Freon-113	130		120		70-130		8		20
Methyl cyclohexane	97		96		70-130		1		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	92		93		70-130
Toluene-d8	94		93		70-130
4-Bromofluorobenzene	88		84		70-130
Dibromofluoromethane	107		109		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 07,21 Batch: WG1657932-3 WG1657932-4								
Methylene chloride	120		110		70-130	9		20
1,1-Dichloroethane	110		100		70-130	10		20
Chloroform	110		100		70-130	10		20
Carbon tetrachloride	120		110		63-132	9		20
1,2-Dichloropropane	98		94		70-130	4		20
Dibromochloromethane	84		81		63-130	4		20
1,1,2-Trichloroethane	79		76		70-130	4		20
Tetrachloroethene	100		97		70-130	3		20
Chlorobenzene	100		98		75-130	2		20
Trichlorofluoromethane	140		120		62-150	15		20
1,2-Dichloroethane	98		92		70-130	6		20
1,1,1-Trichloroethane	110		110		67-130	0		20
Bromodichloromethane	100		98		67-130	2		20
trans-1,3-Dichloropropene	76		74		70-130	3		20
cis-1,3-Dichloropropene	96		95		70-130	1		20
Bromoform	82		79		54-136	4		20
1,1,2,2-Tetrachloroethane	86		86		67-130	0		20
Benzene	100		100		70-130	0		20
Toluene	92		86		70-130	7		20
Ethylbenzene	95		90		70-130	5		20
Chloromethane	110		110		64-130	0		20
Bromomethane	110		100		39-139	10		20
Vinyl chloride	130		120		55-140	8		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 07,21 Batch: WG1657932-3 WG1657932-4								
Chloroethane	140	Q	130		55-138	7		20
1,1-Dichloroethene	140		130		61-145	7		20
trans-1,2-Dichloroethene	120		110		70-130	9		20
Trichloroethene	100		96		70-130	4		20
1,2-Dichlorobenzene	100		98		70-130	2		20
1,3-Dichlorobenzene	100		99		70-130	1		20
1,4-Dichlorobenzene	100		98		70-130	2		20
Methyl tert butyl ether	88		85		63-130	3		20
p/m-Xylene	105		95		70-130	10		20
o-Xylene	100		95		70-130	5		20
cis-1,2-Dichloroethene	120		110		70-130	9		20
Styrene	105		100		70-130	5		20
Dichlorodifluoromethane	100		95		36-147	5		20
Acetone	94		87		58-148	8		20
Carbon disulfide	130		120		51-130	8		20
2-Butanone	85		80		63-138	6		20
4-Methyl-2-pentanone	75		76		59-130	1		20
2-Hexanone	80		80		57-130	0		20
Bromochloromethane	120		110		70-130	9		20
1,2-Dibromoethane	89		79		70-130	12		20
1,2-Dibromo-3-chloropropane	82		78		41-144	5		20
Isopropylbenzene	93		86		70-130	8		20
1,2,3-Trichlorobenzene	94		88		70-130	7		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 07,21 Batch: WG1657932-3 WG1657932-4									
1,2,4-Trichlorobenzene	93		91		70-130		2		20
Methyl Acetate	89		90		70-130		1		20
Cyclohexane	99		94		70-130		5		20
1,4-Dioxane	108		96		56-162		12		20
Freon-113	140	Q	120		70-130		15		20
Methyl cyclohexane	100		99		70-130		1		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	95		93		70-130
Toluene-d8	89		87		70-130
4-Bromofluorobenzene	91		93		70-130
Dibromofluoromethane	110		111		70-130

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Serial_No:07052212:21
Lab Number: L2232615
Report Date: 07/05/22

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2232615-01A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-01B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-01C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-02A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-02B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-02C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-03A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-03B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-03C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-04A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-04B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-04C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-05A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-05B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-05C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-06A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-06B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-06C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-07A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-07B	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-07C	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)
L2232615-08A	Vial HCl preserved	B	NA	4.7	Y	Absent			NYTCL-8260-R2(14)

*Values in parentheses indicate holding time in days

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2232615-08B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-08C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-09A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-09B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-09C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-10A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-10B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-10C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-11A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-11B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-11C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-12A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-12B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-12C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-13A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-13B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-13C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-14A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-14B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-14C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-15A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-15B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-15C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-16A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-16B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-16C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-17A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-17B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)

*Values in parentheses indicate holding time in days

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2232615-17C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-18A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-18B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-18C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-19A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-19B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-19C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-20A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-20B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-20C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-21A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-21B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-21C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-22A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-22B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-22C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-23A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-23B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-23C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-24A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-24B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-24C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-25A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-25B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-25C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-26A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-26B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-26C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)

*Values in parentheses indicate holding time in days

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2232615-27A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-27B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-27C	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-28A	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-28B	Vial HCl preserved	B	NA		4.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-29A	Vial HCl preserved	A	NA		6.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-29B	Vial HCl preserved	A	NA		6.7	Y	Absent		NYTCL-8260-R2(14)
L2232615-29C	Vial HCl preserved	A	NA		6.7	Y	Absent		NYTCL-8260-R2(14)

*Values in parentheses indicate holding time in days

Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

Data Qualifiers

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



Project Name: Q2 GOWANDA 2022
Project Number: Not Specified

Lab Number: L2232615
Report Date: 07/05/22

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at its own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene

EPA 625/625.1: alpha-Terpineol

EPA 8260C/8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270D/8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine. SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C**, **SM4500CN-CE**, EPA 180.1, **SM2130B**, **SM4500CI-D**, **SM2320B**, **SM2540C**, **SM4500H-B**, **SM4500NO2-B**

EPA 332: Perchlorate; **EPA 524.2**: THMs and VOCs; **EPA 504.1**: EDB, DBCP.

Microbiology: **SM9215B**; **SM9223-P/A**, **SM9223B-Colilert-QT**, **SM9222D**.

Non-Potable Water

SM4500H,B, EPA 120.1, **SM2510B**, **SM2540C**, **SM2320B**, **SM4500CL-E**, **SM4500F-BC**, **SM4500NH3-BH**: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, **EPA 351.1**, **SM4500NO3-F**, **EPA 353.2**: Nitrate-N, **SM4500P-E**, **SM4500P-B**, **E**, **SM4500SO4-E**, **SM5220D**, EPA 410.4, **SM5210B**, **SM5310C**, **SM4500CL-D**, EPA 1664, **EPA 420.1**, **SM4500-CN-CE**, **SM2540D**, EPA 300: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045**: PCB-Oil.

Microbiology: **SM9223B-Colilert-QT**; **Enterolert-QT**, **SM9221E**, EPA 1600, **EPA 1603**, **SM9222D**.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8**: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg. **EPA 522**, **EPA 537.1**.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

ALPHA ANALYTICAL	NEW YORK	Service Centers	Page of	Date Rec'd in Lab 6/18/22	ALPHA Job # L22C615					
	CHAIN OF CUSTODY	Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105								
	Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288								
Client Information		Project Information		Deliverables						
Client: Bergman N		Project Name: Q2 2022 Gowanda		<input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other						
Address: 280 E Brook St Roxbury, NY 14683		Project Location: Gowanda, NY		<input type="checkbox"/> Same as Client Info PO #						
Phone: 601-743-4112		Project # 1								
Fax:		Turn-Around Time								
Email: TJ.BERGMAN@BERGMANPL.COM		Standard <input checked="" type="checkbox"/>	Due Date:							
These samples have been previously analyzed by Alpha <input type="checkbox"/>										
Other project specific requirements/comments:										
Please specify Metals or TAL.										
ALPHA Lab ID (Lab Use Only) 22C615 - 01	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS NYRL-8260	Sample Filtration			
		Date	Time				<input type="checkbox"/> Done	<input type="checkbox"/> Lab to do		
		01	MW-1	6/16/22	15:0		<input type="checkbox"/> Preservation	<input type="checkbox"/> Lab to do		
		02	MW-2				(Please Specify below)			
		03	MW-3	6/17/22	06:15					
		04	MW-4							
		05	MW-5	6/17/22	06:59					
		06	MW-6	6/17/22	14:25					
		07	MW-7	6/17/22	16:30				Sample Specific Comments	
		08	MW-8	6/17/22	09:13					
09	MW-9	6/17/22	09:35							
10	MW-10	6/17/22	09:00							
Preservative Code:		Container Code		Westboro: Certification No: MA955		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)				
A = None		P = Plastic		Mansfield: Certification No: MA015						
B = HCl		A = Amber Glass								
C = HNO ₃		V = Vial								
D = H ₂ SO ₄		G = Glass								
E = NaOH		B = Bacteria Cup								
F = MeOH		C = Cube								
G = NaHSO ₄		O = Other								
H = Na ₂ S ₂ O ₃		E = Encore								
K/E = Zn Ac/NaOH		D = BOD Bottle								
O = Other										
Form No: 01-25 HC (rev. 30-Sept-2013)		Relinquished By: 	Date/Time: 6/17/22 18:15	Received By: 	Date/Time: 6/18/22 10:00					

NEW YORK CHAIN OF CUSTODY		Service Centers		Page	Date Rec'd in Lab	6/18/12	ALPHA Job # 1232615
		Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105	2 of				
Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193		Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288		Project Information		Deliverables	Billing Information
Client Information		Project Name: Q77022, Gowanda Project Location: Gowanda, NY		<input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other		<input type="checkbox"/> Same as Client Info PO #	
Client: Bergman		(Use Project name as Project #) <input type="checkbox"/>		Regulatory Requirement		Disposal Site Information	
Address: 180 E Brook St Westborough, MA 01581		Project Manager: ARLENE CHERNOVSKY		<input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge		Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other	
Phone: 607-793-4712		Turn-Around Time					
Fax:		Standard <input checked="" type="checkbox"/>		Due Date:			
Email: tpb@ENCBergman.com		Rush (only if pre approved) <input type="checkbox"/>		# of Days:			
These samples have been previously analyzed by Alpha <input type="checkbox"/>							
Other project specific requirements/comments:							
Please specify Metals or TAL.							
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	ANALYSIS	
		Date	Time			NYPL 8260	
32615 - 01	MW-11	6/16/12	1405	T0	w		
10	MW-12	6/16/12	1322	T0	w		
11	MW-13	6/16/12	1333	T0	w		
12	MW-14	6/16/12	1235	T0	v		
13	MW-15	6/16/12	1158	T0	w		
14	MW-16	6/17/12	0945	T0	v		
	MW-17						
15	MW-18	6/17/12	0806	T0	w		
16	MW-19 R	6/17/12	0735	T0	w		
17	MW-20	6/17/12	640	T0	w		
Preservative Code:	Container Code	Westboro: Certification No: MA935		Container Type			
A = None	P = Plastic	Mansfield: Certification No: MA015		Preservative			
B = HCl	A = Amber Glass						
C = HNO ₃	V = Vial						
D = H ₂ SO ₄	G = Glass						
E = NaOH	B = Bacteria Cup						
F = MeOH	C = Cube						
G = NaHSO ₄	O = Other						
H = Na ₂ S ₂ O ₃	E = Encore						
K/E = Zn Ac/NaOH	D = BOD Bottle						
O = Other							
Relinquished By:		Date/Time		Received By:		Date/Time	
<i>[Signature]</i>		6/17/12 1815		<i>C. Megha Murphy</i>		6/17/12 1815	
Form No: 01-25 HC (rev. 30-Sept-2013)							

	NEW YORK CHAIN OF CUSTODY	Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14200: 275 Cooper Ave, Suite 105	Page	Date Rec'd in Lab <i>6/18/22</i>	ALPHA Job # <i>L2232615</i>
			of		
Project Information Project Name: <i>Q3 2022, Goettl DA</i> Project Location: <i>Gowanda, NY</i> Project # <i></i>			Deliverables	Billing Information	
			<input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other	<input type="checkbox"/> Same as Client Info PO #	
Client Information Client: <i>Baymon</i> Address: <i>280 E 3rd St Rochester, NY 14603</i> Phone: <i>601-743-1412</i> Fax: <i></i> Email: <i>305444@baymon.com</i>			Regulatory Requirement	Disposal Site Information	
			<input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge	Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:	
These samples have been previously analyzed by Alpha <input type="checkbox"/>			ANALYSIS	Sample Filtration	
Other project specific requirements/comments: Please specify Metals or TAL:			<i>NYT218260</i>	<input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below)	
				Sample Specific Comments	
ALPHA Lab ID: (Lab Use Only)		Sample ID <i>MW-1, PR-1, DR-2, DR-3, DR-4, G-1, G-2, G-3, MW-X, Field Blank, TRP Blank</i>	Collection Date Time <i>6/17/22 0818, 6/16/22 1358, 6/16/22 1310, 6/16/22 1932, 6/16/22 1720, 6/16/22 1154, 6/16/22 1120, 6/17/22 1630, n, 6/17/22 1300</i>	Sample Matrix <i>w, v, v, v, v, w, w, w, w</i>	Sampler's Initials <i>A, J, J, J, J, J, J, J, J</i>
Preservative Code: <i>28</i>		Container Code <i>P = Plastic, A = Amber Glass, V = Vial, G = Glass, B = Bacteria Cup, C = Cube, O = Other, E = Encore, D = BOD Bottle</i>	Westboro: Certification No: MA935 <i>1700</i>	Container Type Preservative	Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)
Form No: 01-25 HC (rev. 30-Sept-2013)		Relinquished By: <i>[Signature]</i>	Date/Time <i>6/17/22 1315</i>	Received By: <i>Angela Murphy 6/18/22 10:00</i>	

NEW YORK  CHAIN OF CUSTODY		Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105	Page of	Date Rec'd in Lab <i>6/20/22</i>	ALPHA Job # <i>L2232615</i>
Client Information Client: <i>Bergman</i> Address: <i>780 E Broad St #200</i> <i>Rochester, NY 14604</i> Phone: <i>601-743-1412</i> Fax: Email: <i>JVB31ENP@bergman.com</i>		Project Information Project Name: <i>Q1 Gavanday 2022</i> Project Location: <i>Gavanday NY</i> Project # (Use Project name as Project #) <input type="checkbox"/>		Deliverables <input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other	Billing Information <input type="checkbox"/> Same as Client Info PO #
				Regulatory Requirement <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge	Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:
		Turn-Around Time: Standard <input type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		ANALYSIS <i>3-1-2022</i>	
				Sample Filtration <input type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do (Please Specify below)	
				Sample Specific Comments <i>A sample goes w/ other two Chain of Custodies associated w/ this project</i>	
ALPHA Lab ID: (Lab Use Only) <i>32615-24</i>		Collection Date Time <i>6/16/22 15:53</i>		Sample Matrix <i>w</i>	
				Sampler's Initials <i>JP</i>	
				Container Type	
				Preservative	
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ I/E = Zn Ac/NaOH O = Other		Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015	
Relinquished By: <i>[Signature]</i>		Date/Time <i>6/18/2022 11:00</i>		Received By: <i>[Signature]</i>	
				Date/Time <i>6/18/22 10:30</i>	
Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)					
Form No: 01-25 HC (rev. 30-Sept-2013)					



ORIGIN ID:ELMA (607) 743-1412
JUSTIN O'BRIEN
BERGMANN ASSOCIATES
280 E BROAD ST APT 602
ROCHESTER, NY 14604
UNITED STATES US

SHIP DATE: 18JUN22
ACTWGT: 11.20 LB
CAD: 6998274/SSFE2321
DIMS: 13x9x7 IN
BILL THIRD PARTY

Part # 11569745/58002-R00 01/23

TO **ALPHA ANALYTICAL**

8 WALKUP DR

WESTBOROUGH MA 01581

(508) 888-8220

TRN#
PO#

REF#

DEPT#



TRK#
0201 **2744 9450 9161**

MON - 20 JUN 10:30A
PRIORITY OVERNIGHT

AHS
01581
MA-US BOS

XE BBFA





FIELD FORMS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-1
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 6.7
 Depth to bottom of the well: 16.02
 Length of water column in well: 9.32

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.5192

3 Well volumes (= length water column X gal/foot X 3): 4.56

Actual volume purged prior to sampling: 4.75

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1101.5	NTU								
Temperature	18.2	°C								
pH	6.9									
Conductivity	0.618	SPC ms/cm								
Oxygen	52	DO mg/L								
Salinity										

Time sample was collected: 15:10

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
 ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-2
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 6.7
 Depth to bottom of the well: 17.15
 Length of water column in well: 10.45

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.70

3 Well volumes (= length water column X gal/foot X 3): 5.11

Actual volume purged prior to sampling: 5.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	361.7	NTU								
Temperature	15.7	°C								
pH	6.7									
Conductivity	0.457	SPC ms/cm								
Oxygen	42.8	DO mg/L								
Salinity										

Time sample was collected: 15:53

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q22022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
 ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-3
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 6.9
 Depth to bottom of the well: 16.30
 Length of water column in well: 9.40

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.53

3 Well volumes (= length water column X gal/foot X 3): 4.60

Actual volume purged prior to sampling: 4.75

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	161.22	NTU								
Temperature	18	°C								
pH	7									
Conductivity	0.412	SPC ms/cm								
Oxygen	27.4	DO mg/L								
Salinity										

Time sample was collected: 6:15

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 40 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-4
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: NS
 Depth to bottom of the well: 15.78
 Length of water column in well: #####

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: #####

3 Well volumes (= length water column X gal/foot X 3): #####

Actual volume purged prior to sampling: NS

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	NTU									
Temperature	°C									
pH										
Conductivity	SPC ms/cm									
Oxygen	DO mg/L									
Salinity										

Time sample was collected: NS

COMMENTS Wasp/hornets nest present.

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
 ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-5
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 11.4
 Depth to bottom of the well: 13.95
 Length of water column in well: 2.55

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 0.42

3 Well volumes (= length water column X gal/foot X 3): 1.25

Actual volume purged prior to sampling: 1.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1673.9	NTU								
Temperature	14.8	°C								
pH	7.04									
Conductivity	0.473	SPC ms/cm								
Oxygen	70.1	DO mg/L								
Salinity										

Time sample was collected: 6:59

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-6
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 13.7
 Depth to bottom of the well: 22.88
 Length of water column in well: 9.18

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.50
 3 Well volumes (= length water column X gal/foot X 3): 4.49
 Actual volume purged prior to sampling: 4.50
 Sampling Methodology: Hand bailing
 Sampling Equipment: Bailer
 Well Recharged? N/A
 Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1743	NTU								
Temperature	14.2	°C								
pH	7.1									
Conductivity	0.174	SPC ms/cm								
Oxygen	5.82	DO mg/L								
Salinity										

Time sample was collected: 14:25

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-7
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 13.5
 Depth to bottom of the well: 21.8
 Length of water column in well: 8.3

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.4

3 Well volumes (= length water column X gal/foot X 3): 4.06

Actual volume purged prior to sampling: 4.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	2412	NTU								
Temperature	14.6	°C								
pH	6.7									
Conductivity	0.618	SPC ms/cm								
Oxygen	35.7	DO mg/L								
Salinity										

Time sample was collected: 10:30

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-8
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 10.4
 Depth to bottom of the well: 17.65
 Length of water column in well: 7.25

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.18

3 Well volumes (= length water column X gal/foot X 3): 3.545

Actual volume purged prior to sampling: 3.75

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	211.43	NTU								
Temperature	17.8	°C								
pH	9.8									
Conductivity	0.735	SPC ms/cm								
Oxygen	29	DO mg/L								
Salinity										

Time sample was collected: 9:13

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-9
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 10.1
 Depth to bottom of the well: 20.96
 Length of water column in well: 10.86

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.77

3 Well volumes (= length water column X gal/foot X 3): 5.311

Actual volume purged prior to sampling: 5.50

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	2931.6	NTU								
Temperature	14.5	°C								
pH	6.93									
Conductivity	1.27	SPC ms/cm								
Oxygen	53.6	DO mg/L								
Salinity										

Time sample was collected: 9:35

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-10
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 7.8
 Depth to bottom of the well: 19.44
 Length of water column in well: 11.64

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.9

3 Well volumes (= length water column X gal/foot X 3): 5.69

Actual volume purged prior to sampling: 5.75

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1384.8	NTU								
Temperature	13.8	°C								
pH	6.81									
Conductivity	6.81	SPC ms/cm								
Oxygen	28	DO mg/L								
Salinity										

Time sample was collected: 9:00

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-11
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 7.09
 Depth to bottom of the well: 15.48
 Length of water column in well: 8.39

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.3676
 3 Well volumes (= length water column X gal/foot X 3): 4.1027

Actual volume purged prior to sampling: 4.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1546.3	NTU								
Temperature	11.8	°C								
pH	6.98									
Conductivity	0.683	SPC ms/cm								
Oxygen	31.5	DO mg/L								
Salinity										

Time sample was collected: 14:05

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-12
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 7.65
 Depth to bottom of the well: 17.38
 Length of water column in well: 9.73

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.59
 3 Well volumes (= length water column X gal/foot X 3): 4.76
 Actual volume purged prior to sampling: 5
 Sampling Methodology: Hand bailing
 Sampling Equipment: Bailer
 Well Recharged? N/A
 Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	956.8	NTU								
Temperature	13.1	°C								
pH	6.67									
Conductivity	0.585	SPC ms/cm								
Oxygen	30.2	DO mg/L								
Salinity										

Time sample was collected: 13:22

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-13
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 7.9
 Depth to bottom of the well: 17.40
 Length of water column in well: 9.50

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.5485

3 Well volumes (= length water column X gal/foot X 3): 4.6455

Actual volume purged prior to sampling: 4.75

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1036.90	NTU								
Temperature	12.9	°C								
pH	6.81									
Conductivity	0.484	SPC ms/cm								
Oxygen	43.7	DO mg/L								
Salinity										

Time sample was collected: 13:30

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2021
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
 ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-14
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 11
 Depth to bottom of the well: 18.15
 Length of water column in well: 7.15

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.17
 3 Well volumes (= length water column X gal/foot X 3): 3.50
 Actual volume purged prior to sampling: 3.5
 Sampling Methodology: Hand bailing
 Sampling Equipment: Bailer
 Well Recharged? N/A
 Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	640.32	NTU								
Temperature	13.8	°C								
pH	6.86									
Conductivity	0.677	SPC ms/cm								
Oxygen	54.00	DO mg/L								
Salinity										

Time sample was collected: 12:35

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-15
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 11.05
 Depth to bottom of the well: 19.80
 Length of water column in well: 8.75

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.4263

3 Well volumes (= length water column X gal/foot X 3): 4.28

Actual volume purged prior to sampling: 4.5

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged?

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	3035.7	NTU								
Temperature	13.9	°C								
pH	6.9									
Conductivity	0.555	SPC ms/cm								
Oxygen	45.70	DO mg/L								
Salinity										

Time sample was collected: 11:50

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 48 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-16
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 12.3
 Depth to bottom of the well: 23.26
 Length of water column in well: 10.96

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.7865

3 Well volumes (= length water column X gal/foot X 3): 5.3594

Actual volume purged prior to sampling: 5.5

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	2205.3	NTU								
Temperature	14.2	°C								
pH	6.72									
Conductivity	4.432	SPC ms/cm								
Oxygen	6.23	DO mg/L								
Salinity										

Time sample was collected: 9:45

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-17
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: NS
 Depth to bottom of the well: 25.18
 Length of water column in well: #####

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: #####

3 Well volumes (= length water column X gal/foot X 3): #####

Actual volume purged prior to sampling: NS

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	NTU									
Temperature	°C									
pH										
Conductivity	SPC ms/cm									
Oxygen	DO mg/L									
Salinity										

Time sample was collected: NS

COMMENTS Wasp/hornets nest present.

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-18
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 9.7
 Depth to bottom of the well: 25.0
 Length of water column in well: 15.3

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 2.4939

3 Well volumes (= length water column X gal/foot X 3): 7.48

Actual volume purged prior to sampling: 7.5

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged?

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	2556.8	NTU								
Temperature	14.3	°C								
pH	7.78									
Conductivity	8.25	SPC ms/cm								
Oxygen	81.3	DO mg/L								
Salinity										

Time sample was collected: 8:06

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-19R
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 8.5
 Depth to bottom of the well: 17.67
 Length of water column in well: 9.17

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 1.5
 3 Well volumes (= length water column X gal/foot X 3): 4.48
 Actual volume purged prior to sampling: 5
 Sampling Methodology: Hand bailing
 Sampling Equipment: Bailer
 Well Recharged? N/A
 Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1293.4	NTU								
Temperature	15.9	°C								
pH	6.83									
Conductivity	0.793	SPC ms/cm								
Oxygen	69.5	DO mg/L								
Salinity										

Time sample was collected: 7:35

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-20
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 10.05
 Depth to bottom of the well: 14.75
 Length of water column in well: 4.7

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 0.7661

3 Well volumes (= length water column X gal/foot X 3): 2.2983

Actual volume purged prior to sampling: 2.5

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	46.95	NTU								
Temperature	15.5	°C								
pH	7.14									
Conductivity	0.858	SPC ms/cm								
Oxygen	46.8	DO mg/L								
Salinity										

Time sample was collected: 6:40

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2021
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: MW-21
 Location:
 Casing Diameter: 2"

Depth to water, below top of casing: 10.02
 Depth to bottom of the well: 15.82
 Length of water column in well: 5.8

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 0.9454

3 Well volumes (= length water column X gal/foot X 3): 2.84

Actual volume purged prior to sampling: 3

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1827.8	NTU								
Temperature	14.3	°C								
pH	7.78									
Conductivity	8.25	SPC ms/cm								
Oxygen	81.5	DO mg/L								
Salinity										

Time sample was collected: 8:18

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: DR-1
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 8.32
 Depth to bottom of the well: 18.06
 Length of water column in well: 9.74

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 6.3602

3 Well volumes (= length water column X gal/foot X 3): 19.081

Actual volume purged prior to sampling: 19.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1014.4	NTU								
Temperature	12.9	°C								
pH	7.18									
Conductivity	57.6	SPC ms/cm								
Oxygen	12.9	DO mg/L								
Salinity										

Time sample was collected: 13:58

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: DR-2
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 7.9
 Depth to bottom of the well: 18.06
 Length of water column in well: 10.16

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 6.6345

3 Well volumes (= length water column X gal/foot X 3): 19.90

Actual volume purged prior to sampling: 20

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	415.9	NTU								
Temperature	12.8	°C								
pH	7.06									
Conductivity	0.64	SPC ms/cm								
Oxygen	46.30	DO mg/L								
Salinity										

Time sample was collected: 13:10

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: DR-3
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 12.09
 Depth to bottom of the well: 20.45
 Length of water column in well: 8.36

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 5.5

3 Well volumes (= length water column X gal/foot X 3): 16.377

Actual volume purged prior to sampling: 16.5

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1215	NTU								
Temperature	13	°C								
pH	6.85									
Conductivity	0.665	SPC ms/cm								
Oxygen	72.50	DO mg/L								
Salinity										

Time sample was collected: 14:32

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: DR-4
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 12
 Depth to bottom of the well: 19.69
 Length of water column in well: 7.69

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 5.02

3 Well volumes (= length water column X gal/foot X 3): 15.06

Actual volume purged prior to sampling: 15.25

Sampling Methodology:

Sampling Equipment: Hand bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1426.2	NTU								
Temperature	13.6	°C								
pH	6.89									
Conductivity	0.675	SPC ms/cm								
Oxygen	53.3	DO mg/L								
Salinity										

Time sample was collected: 12:20

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q1 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 degrees F
 Personnel: Justin L. O'Brien

BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: G-1
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 12.2
 Depth to bottom of the well: 22.98
 Length of water column in well: 10.78

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 7.0393

3 Well volumes (= length water column X gal/foot X 3): 21.118

Actual volume purged prior to sampling: 21.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	258.77	NTU								
Temperature	11.8	°C								
pH	7.03									
Conductivity	0.616	SPC ms/cm								
Oxygen	50.4	DO mg/L								
Salinity										

Time sample was collected: 11:54

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/16/2022
 Weather: 79 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: G-2
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 12.1
 Depth to bottom of the well: 20.72
 Length of water column in well: 8.62

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 5.6289

3 Well volumes (= length water column X gal/foot X 3): 16.887

Actual volume purged prior to sampling: 17

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	768.56	NTU								
Temperature	15.6	°C								
pH	7.4									
Conductivity	0.617	SPC ms/cm								
Oxygen	43.1	DO mg/L								
Salinity										

Time sample was collected: 11:20

COMMENTS

GROUNDWATER SAMPLING WORKSHEET

PROJECT NAME: Gowanda Q2 2022
 Project Number: 14263.07
 Site Location: Gowanda, New York
 Sample Date: 6/17/2022
 Weather: 72 Degrees F
 Personnel: Justin L. O'Brien



BERGMANN
ARCHITECTS ENGINEERS PLANNERS

GROUNDWATER SAMPLE POINT

Well Number: G-3
 Location:
 Casing Diameter: 4"

Depth to water, below top of casing: 11
 Depth to bottom of the well: 18.15
 Length of water column in well: 7.15

Well Dia.	Volume/Foot
1"	0.041 gal/foot
2"	0.163 gal/foot
4"	0.653 gal/foot
6"	1.469 gal/foot
8"	2.611 gal/foot

Volume of water in well casing, gallons: 4.67

3 Well volumes (= length water column X gal/foot X 3): 14.01

Actual volume purged prior to sampling: 14.25

Sampling Methodology: Hand bailing

Sampling Equipment: Bailer

Well Recharged? N/A

Required Analysis:

FIELD PARAMETER MEASUREMENTS

Parameter:	Accumulated Volume Purged in Gallons									
Turbidity	1034	NTU								
Temperature	1.5	°C								
pH	7.07									
Conductivity	0.561	SPC ms/cm								
Oxygen	7.23	DO mg/L								
Salinity										

Time sample was collected: 16:30

COMMENTS
