


**VOLUNTARY CLEANUP PROGRAM**



**VOLUNTARY INVESTIGATION  
& INTERIM REMEDIAL MEASURE  
WORK PLAN**

**FOR**

**FORMER FRESH & CLEAN LAUNDRY  
22-26 RAILROAD AVENUE  
GLEN HEAD, NEW YORK 11545**

**Site No.: V-00606-1**

**Index No.: W1-0936-02-09**

**PREPARED FOR**

**NEW YORK STATE DEPARTMENT OF  
ENVIRONMENTAL CONSERVATION  
625 BROADWAY  
ALBANY, NEW YORK 12233-7016**

**PREPARED BY**

**Environmental Services Inc.**

**March 2008**



Environmental Services Inc.  
40 Zorn Blvd • Yaphank • NY 11980

Nassau: (516) 485-8282

Suffolk: (631) 395-9888

Fax: (631) 395-9893

Mr. Joseph Jones  
New York State Dept of Environmental Conservation  
Division of Environmental Remediation  
Remedial Bureau A  
625 Broadway, 11<sup>th</sup> Floor  
Albany, NY 12233-7015

March 22, 2008

**Re: Interim Report for The Glen Head Building (Former Fresh and Clean)  
Site No. V00606-1**

Dear Mr. Joseph Jones,

**Background**

The former Fresh and Clean Laundry site located at 22-26 Railroad Ave. in the town of Glenn Head, New York entered into the Voluntary Clean Up Program. Environmental Services Inc. (ESI) submitted to your department a work plan that was subsequently approved. Task 1 of the work plan consisted of an initial investigation to determine through confirmatory sampling what extractions and where were necessary. It was determined that CP-1 through 4 as well as SD-1 required remediation. Task 2 within this work plan consisted of remediating the on site sanitary system as well as one on site storm water drain. The remediation of the sanitary system consisted of (4) sanitary drains CP-1, CP-2, CP-3 and CP-4 as well as the storm water drain SD-1.

After remediation endpoint samples were collected and indicated the following:

- CP-1, CP-2, CP-3 and CP-4 endpoint samples were collected at 25 – 26 feet below grade. No compounds over TAGM 4046 were detected.
- SD-1 endpoint sample was collected and also demonstrated no compounds over TAGM 4046 Guidelines.

In continuation of the approved work plan Task 3 (Vertical Delineation) through the center of the cesspool drainage structures was completed. This task was to verify whether contaminants may have followed alternate pathways. Direct push technology equipment was utilized.

After completing Task 3 the findings were as follows:

- CP-1 soil samples were collected at 32, 36 and 40 feet below grade. No compounds over TAGM 4046 were detected.
- CP-2 soil samples were collected at 36, 46 and 60 feet below grade. No compounds over TAGM 4046 were detected.

- CP-3 soil samples were collected at 29, 33 and 37 feet below grade. No compounds over TAGM 4046 were detected.
- CP-4 soil samples were collected at 29, 33 and 37 feet below grade. No compounds over TAGM 4046 were detected.

Task 3 of the work plan was completed successfully. Task 4 of the work plan was to complete soil and gas sampling. This task was performed in conjunction with the completion of Task 6 (*Installation of Three Groundwater Monitoring Wells*). Analytical results for soil/gas as well as endpoint samples and soil boring samples are enclosed for your review.

Task 6 (*Groundwater Investigation*) was completed and the analytical findings for groundwater samples collect from the three monitoring wells were reviewed. Of the three groundwater monitoring wells a few compounds were slightly over regulatory compliance. However after careful review of all the data compiled to date including but not limited to the initial investigation conducted by the NYSDEC and the groundwater analytical results from MW-1, 2 and 3 we have determined that a greater vertical investigation of groundwater profiling to a deeper depth may be warranted.


Based on the findings of all the compiled data of the soil samples collected previously through the center of the sanitary systems leaching pools submitted to you under separate cover, ESI recommends surveying the groundwater wells first to determine the actual groundwater flow direction. This will further determine weather the need for vertical profiling of groundwater to deeper depths is actually warranted as per Task Six of the approved work plan.

Based on the levels of groundwater contamination at the interface and the facts and findings of previous clean soil samples and a successful soil remediation, ESI recommends eliminating the possibility of contamination from off-site migration.

ESI requests that the NYSDEC provides written notification indicating the approval of our recommendations as listed in Task Six of the approved work plan.

Should you have any questions or comments regarding this matter please contact me at (631) 395-9888.

Sincerely,  
**Environmental Services Inc.**



Joseph Parisi  
Project Coordinator

Cc: Vincent P. Taranto, P.C.



Glen Head Elementary School


Residential

Glen Head School Maintenance Bldg

Cesspool

Projected Groundwater Flow Direction

School Street



Wooded area

Commercial Properties

A-1 Sign (basement)

Rally Education

Former Fresh & Clean Dry Cleaners

House of De Gau (Hair and Nail Salon)

MW-3

Schematic - Not to scale  
Delineated from old survey

Rail Road Avenue

CP-1 ● Location of cesspool to be remediated and soil boring installation

MW-1 ⊗ Proposed Monitoring Well

Long Island Rail Road

Figure 9 - Location Map of Proposed IRM, Soil Borings and Monitoring Wells

Report Date: 11/5/2007  
 Client Project ID: Fresh & Clean  
 York Project No.: 07100871

L195  
 MW-1  
 2  
 3

**Environmental Services Inc.**  
 40 Zorn Blvd.  
 Yaphank, NY 11980  
 Attention: Joe Parisi

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 10/24/07. The project was identified as your project "Fresh & Clean".

The analysis was conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			MW 1				
Collection Date			10/23/07				
York Sample ID			07100871-01				
Matrix			WATER				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
Volatiles, 8260 List	SW846-8260	ug/L	---	---	11/03/07	11:03	SS
1,1,1,2-Tetrachloroethane			Not detected	5.0	11/03/07	11:03	SS
1,1,1-Trichloroethane			Not detected	5.0	11/03/07	11:03	SS
1,1,2,2-Tetrachloroethane			Not detected	5.0	11/03/07	11:03	SS
1,1,2-Trichloroethane			Not detected	5.0	11/03/07	11:03	SS
1,1-Dichloroethane			Not detected	5.0	11/03/07	11:03	SS
1,1-Dichloroethylene			Not detected	5.0	11/03/07	11:03	SS
1,1-Dichloropropylene			Not detected	5.0	11/03/07	11:03	SS
1,2,3-Trichlorobenzene			Not detected	5.0	11/03/07	11:03	SS
1,2,3-Trichloropropane			Not detected	5.0	11/03/07	11:03	SS
1,2,3-Trimethylbenzene			Not detected	5.0	11/03/07	11:03	SS
1,2,4-Trichlorobenzene			Not detected	5.0	11/03/07	11:03	SS
1,2,4-Trimethylbenzene			Not detected	5.0	11/03/07	11:03	SS
1,2-Dibromo-3-chloropropane			Not detected	5.0	11/03/07	11:03	SS

**YORK**

Client Sample ID			MW 1				
Collection Date			10/23/07				
York Sample ID			07100871-01				
Matrix			WATER				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
1,2-Dibromoethane			Not detected	5.0	11/03/07	11:03	SS
1,2-Dichlorobenzene			Not detected	5.0	11/03/07	11:03	SS
1,2-Dichloroethane			Not detected	5.0	11/03/07	11:03	SS
1,2-Dichloroethylene (Total)			Not detected	5.0	11/03/07	11:03	SS
1,2-Dichloropropane			Not detected	5.0	11/03/07	11:03	SS
1,3,5-Trimethylbenzene			Not detected	5.0	11/03/07	11:03	SS
1,3-Dichlorobenzene			Not detected	5.0	11/03/07	11:03	SS
1,3-Dichloropropane			Not detected	5.0	11/03/07	11:03	SS
1,4-Dichlorobenzene			Not detected	5.0	11/03/07	11:03	SS
1-Chlorohexane			Not detected	5.0	11/03/07	11:03	SS
2,2-Dichloropropane			Not detected	5.0	11/03/07	11:03	SS
2-Chlorotoluene			Not detected	5.0	11/03/07	11:03	SS
4-Chlorotoluene			Not detected	5.0	11/03/07	11:03	SS
Benzene			Not detected	5.0	11/03/07	11:03	SS
Bromobenzene			Not detected	5.0	11/03/07	11:03	SS
Bromochloromethane			Not detected	5.0	11/03/07	11:03	SS
Bromodichloromethane			Not detected	5.0	11/03/07	11:03	SS
Bromoform			Not detected	5.0	11/03/07	11:03	SS
Bromomethane			Not detected	5.0	11/03/07	11:03	SS
Carbon tetrachloride			Not detected	5.0	11/03/07	11:03	SS
Chlorobenzene			Not detected	5.0	11/03/07	11:03	SS
Chloroethane			Not detected	5.0	11/03/07	11:03	SS
Chloroform			Not detected	5.0	11/03/07	11:03	SS
Chloromethane			Not detected	5.0	11/03/07	11:03	SS
cis-1,3-Dichloropropylene			Not detected	5.0	11/03/07	11:03	SS
Dibromochloromethane			Not detected	5.0	11/03/07	11:03	SS
Dibromomethane			Not detected	5.0	11/03/07	11:03	SS
Dichlorodifluoromethane			Not detected	5.0	11/03/07	11:03	SS
Ethylbenzene			Not detected	5.0	11/03/07	11:03	SS
Hexachlorobutadiene			Not detected	5.0	11/03/07	11:03	SS
Isopropylbenzene			Not detected	5.0	11/03/07	11:03	SS
Methylene chloride			Not detected	5.0	11/03/07	11:03	SS
MTBE			Not detected	5.0	11/03/07	11:03	SS
Naphthalene			Not detected	5.0	11/03/07	11:03	SS
n-Butylbenzene			Not detected	5.0	11/03/07	11:03	SS
n-Propylbenzene			Not detected	5.0	11/03/07	11:03	SS
o-Xylene			Not detected	5.0	11/03/07	11:03	SS
p- & m-Xylenes			Not detected	5.0	11/03/07	11:03	SS
p-Isopropyltoluene			Not detected	5.0	11/03/07	11:03	SS
sec-Butylbenzene			Not detected	5.0	11/03/07	11:03	SS
Styrene			Not detected	5.0	11/03/07	11:03	SS
tert-Butylbenzene			Not detected	5.0	11/03/07	11:03	SS
Tetrachloroethylene			140	5.0	11/03/07	11:03	SS
Toluene			Not detected	5.0	11/03/07	11:03	SS
trans-1,3-Dichloropropylene			Not detected	5.0	11/03/07	11:03	SS
Trichloroethylene			Not detected	5.0	11/03/07	11:03	SS
Trichlorofluoromethane			Not detected	5.0	11/03/07	11:03	SS
Vinyl chloride			Not detected	5.0	11/03/07	11:03	SS

**YORK**

<b>Client Sample ID</b>			<b>MW 2</b>				
<b>Collection Date</b>			<b>10/23/07</b>				
<b>York Sample ID</b>			<b>07100871-02</b>				
<b>Matrix</b>			<b>WATER</b>				
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Results</b>	<b>MDL</b>	<b>Analysis Date</b>	<b>Analysis Time</b>	<b>Analyst</b>
<b>Volatiles, 8260 List</b>	SW846-8260	ug/L	---	---	11/03/07	08:23	SS
1,1,1,2-Tetrachloroethane			Not detected	5.0	11/03/07	08:23	SS
1,1,1-Trichloroethane			Not detected	5.0	11/03/07	08:23	SS
1,1,2,2-Tetrachloroethane			Not detected	5.0	11/03/07	08:23	SS
1,1,2-Trichloroethane			Not detected	5.0	11/03/07	08:23	SS
1,1-Dichloroethane			Not detected	5.0	11/03/07	08:23	SS
1,1-Dichloroethylene			Not detected	5.0	11/03/07	08:23	SS
1,1-Dichloropropylene			Not detected	5.0	11/03/07	08:23	SS
1,2,3-Trichlorobenzene			Not detected	5.0	11/03/07	08:23	SS
1,2,3-Trichloropropane			Not detected	5.0	11/03/07	08:23	SS
1,2,3-Trimethylbenzene			Not detected	5.0	11/03/07	08:23	SS
1,2,4-Trichlorobenzene			Not detected	5.0	11/03/07	08:23	SS
1,2,4-Trimethylbenzene			Not detected	5.0	11/03/07	08:23	SS
1,2-Dibromo-3-chloropropane			Not detected	5.0	11/03/07	08:23	SS
1,2-Dibromoethane			Not detected	5.0	11/03/07	08:23	SS
1,2-Dichlorobenzene			Not detected	5.0	11/03/07	08:23	SS
1,2-Dichloroethane			Not detected	5.0	11/03/07	08:23	SS
1,2-Dichloroethylene (Total)			Not detected	5.0	11/03/07	08:23	SS
1,2-Dichloropropane			Not detected	5.0	11/03/07	08:23	SS
1,3,5-Trimethylbenzene			Not detected	5.0	11/03/07	08:23	SS
1,3-Dichlorobenzene			Not detected	5.0	11/03/07	08:23	SS
1,3-Dichloropropane			Not detected	5.0	11/03/07	08:23	SS
1,4-Dichlorobenzene			Not detected	5.0	11/03/07	08:23	SS
1-Chlorohexane			Not detected	5.0	11/03/07	08:23	SS
2,2-Dichloropropane			Not detected	5.0	11/03/07	08:23	SS
2-Chlorotoluene			Not detected	5.0	11/03/07	08:23	SS
4-Chlorotoluene			Not detected	5.0	11/03/07	08:23	SS
Benzene			Not detected	5.0	11/03/07	08:23	SS
Bromobenzene			Not detected	5.0	11/03/07	08:23	SS
Bromochloromethane			Not detected	5.0	11/03/07	08:23	SS
Bromodichloromethane			Not detected	5.0	11/03/07	08:23	SS
Bromoform			Not detected	5.0	11/03/07	08:23	SS
Bromomethane			Not detected	5.0	11/03/07	08:23	SS
Carbon tetrachloride			Not detected	5.0	11/03/07	08:23	SS
Chlorobenzene			Not detected	5.0	11/03/07	08:23	SS
Chloroethane			Not detected	5.0	11/03/07	08:23	SS
Chloroform			Not detected	5.0	11/03/07	08:23	SS
Chloromethane			Not detected	5.0	11/03/07	08:23	SS
cis-1,3-Dichloropropylene			Not detected	5.0	11/03/07	08:23	SS
Dibromochloromethane			Not detected	5.0	11/03/07	08:23	SS
Dibromomethane			Not detected	5.0	11/03/07	08:23	SS
Dichlorodifluoromethane			Not detected	5.0	11/03/07	08:23	SS
Ethylbenzene			Not detected	5.0	11/03/07	08:23	SS
Hexachlorobutadiene			Not detected	5.0	11/03/07	08:23	SS
Isopropylbenzene			Not detected	5.0	11/03/07	08:23	SS
Methylene chloride			Not detected	5.0	11/03/07	08:23	SS

Client Sample ID			MW 2				
Collection Date			10/23/07				
York Sample ID			07100871-02				
Matrix			WATER				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
MTBE			Not detected	5.0	11/03/07	08:23	SS
Naphthalene			Not detected	5.0	11/03/07	08:23	SS
n-Butylbenzene			Not detected	5.0	11/03/07	08:23	SS
n-Propylbenzene			Not detected	5.0	11/03/07	08:23	SS
o-Xylene			Not detected	5.0	11/03/07	08:23	SS
p- & m-Xylenes			Not detected	5.0	11/03/07	08:23	SS
p-Isopropyltoluene			Not detected	5.0	11/03/07	08:23	SS
sec-Butylbenzene			Not detected	5.0	11/03/07	08:23	SS
Styrene			Not detected	5.0	11/03/07	08:23	SS
tert-Butylbenzene			Not detected	5.0	11/03/07	08:23	SS
Tetrachloroethylene	✓		170	5.0	11/03/07	08:23	SS
Toluene			Not detected	5.0	11/03/07	08:23	SS
trans-1,3-Dichloropropylene			Not detected	5.0	11/03/07	08:23	SS
Trichloroethylene			Not detected	5.0	11/03/07	08:23	SS
Trichlorofluoromethane			Not detected	5.0	11/03/07	08:23	SS
Vinyl chloride			Not detected	5.0	11/03/07	08:23	SS

Client Sample ID			MW 3				
Collection Date			10/23/07				
York Sample ID			07100871-03				
Matrix			WATER				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
Volatiles, 8260 List	SW846-8260	ug/L	---	---	10/31/07	13:50	SS
1,1,1,2-Tetrachloroethane			Not detected	25	10/31/07	13:50	SS
1,1,1-Trichloroethane			Not detected	25	10/31/07	13:50	SS
1,1,2,2-Tetrachloroethane			Not detected	25	10/31/07	13:50	SS
1,1,2-Trichloroethane			Not detected	25	10/31/07	13:50	SS
1,1-Dichloroethane			Not detected	25	10/31/07	13:50	SS
1,1-Dichloroethylene			Not detected	25	10/31/07	13:50	SS
1,1-Dichloropropylene			Not detected	25	10/31/07	13:50	SS
1,2,3-Trichlorobenzene			Not detected	25	10/31/07	13:50	SS
1,2,3-Trichloropropane			Not detected	25	10/31/07	13:50	SS
1,2,3-Trimethylbenzene			Not detected	25	10/31/07	13:50	SS
1,2,4-Trichlorobenzene			Not detected	25	10/31/07	13:50	SS
1,2,4-Trimethylbenzene			29	25	10/31/07	13:50	SS
1,2-Dibromo-3-chloropropane			Not detected	25	10/31/07	13:50	SS
1,2-Dibromoethane			Not detected	25	10/31/07	13:50	SS
1,2-Dichlorobenzene			Not detected	25	10/31/07	13:50	SS
1,2-Dichloroethane			Not detected	25	10/31/07	13:50	SS
1,2-Dichloroethylene (Total)			Not detected	25	10/31/07	13:50	SS
1,2-Dichloropropane			Not detected	25	10/31/07	13:50	SS
1,3,5-Trimethylbenzene			Not detected	25	10/31/07	13:50	SS
1,3-Dichlorobenzene			Not detected	25	10/31/07	13:50	SS
1,3-Dichloropropane			Not detected	25	10/31/07	13:50	SS
1,4-Dichlorobenzene			Not detected	25	10/31/07	13:50	SS
1-Chlorohexane			Not detected	25	10/31/07	13:50	SS

**YORK**



<b>Client Sample ID</b>			<b>MW 3</b>				
<b>Collection Date</b>			10/23/07				
<b>York Sample ID</b>			07100871-03				
<b>Matrix</b>			<b>WATER</b>				
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Results</b>	<b>MDL</b>	<b>Analysis Date</b>	<b>Analysis Time</b>	<b>Analyst</b>
2,2-Dichloropropane			Not detected	25	10/31/07	13:50	SS
2-Chlorotoluene			Not detected	25	10/31/07	13:50	SS
4-Chlorotoluene			Not detected	25	10/31/07	13:50	SS
Benzene			Not detected	25	10/31/07	13:50	SS
Bromobenzene			Not detected	25	10/31/07	13:50	SS
Bromochloromethane			Not detected	25	10/31/07	13:50	SS
Bromodichloromethane			Not detected	25	10/31/07	13:50	SS
Bromoform			Not detected	25	10/31/07	13:50	SS
Bromomethane			Not detected	25	10/31/07	13:50	SS
Carbon tetrachloride			Not detected	25	10/31/07	13:50	SS
Chlorobenzene			Not detected	25	10/31/07	13:50	SS
Chloroethane			Not detected	25	10/31/07	13:50	SS
Chloroform			Not detected	25	10/31/07	13:50	SS
Chloromethane			Not detected	25	10/31/07	13:50	SS
cis-1,3-Dichloropropylene			Not detected	25	10/31/07	13:50	SS
Dibromochloromethane			Not detected	25	10/31/07	13:50	SS
Dibromomethane			Not detected	25	10/31/07	13:50	SS
Dichlorodifluoromethane			Not detected	25	10/31/07	13:50	SS
Ethylbenzene			Not detected	25	10/31/07	13:50	SS
Hexachlorobutadiene			Not detected	25	10/31/07	13:50	SS
Isopropylbenzene			Not detected	25	10/31/07	13:50	SS
Methylene chloride			Not detected	25	10/31/07	13:50	SS
MTBE			Not detected	25	10/31/07	13:50	SS
Naphthalene			110	25	10/31/07	13:50	SS
n-Butylbenzene			Not detected	25	10/31/07	13:50	SS
n-Propylbenzene			Not detected	25	10/31/07	13:50	SS
o-Xylene			Not detected	25	10/31/07	13:50	SS
p- & m-Xylenes			Not detected	25	10/31/07	13:50	SS
p-Isopropyltoluene			Not detected	25	10/31/07	13:50	SS
sec-Butylbenzene			Not detected	25	10/31/07	13:50	SS
Styrene			Not detected	25	10/31/07	13:50	SS
tert-Butylbenzene			Not detected	25	10/31/07	13:50	SS
Tetrachloroethylene			550	25	10/31/07	13:50	SS
Toluene			Not detected	25	10/31/07	13:50	SS
trans-1,3-Dichloropropylene			Not detected	25	10/31/07	13:50	SS
Trichloroethylene			Not detected	25	10/31/07	13:50	SS
Trichlorofluoromethane			Not detected	25	10/31/07	13:50	SS
Vinyl chloride			Not detected	25	10/31/07	13:50	SS

**Units Key:** For Waters/Liquids: mg/L = ppm ; ug/L = ppb


For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

Report Date: 11/5/2007  
Client Project ID: Fresh & Clean  
York Project No.: 07100871

**Notes for York Project No. 07100871**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:



Robert Q. Bradley  
Managing Director

Date: 11/5/2007



*CP-4  
Soil Borings*

December 11, 2006

Environmental Services, Inc.  
Joe Parisi  
133 Commack Road  
Mastic Beach, NY 11951

Re: **Fresh and Clean Peterman**

Dear Mr. Parisi:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on December 6, 2006. Long Island Analytical Laboratories analyzed the samples on December 8, 2006 for the following:

CLIENT ID	ANALYSIS
CP4 29' BGS End Point	EPA 8260, EPA 8270, Total (8) Metals
CP4 33' BGS End Point	EPA 8260, EPA 8270, Total (8) Metals
CP4 37' BGS End Point	EPA 8260, EPA 8270, Total (8) Metals
SD-1 End Point	EPA 8260, EPA 8270, Total (8) Metals

Samples received at 8°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

***Long Island Analytical Laboratories, Inc.***

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 29' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125665
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 29' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125665
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 29' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125665
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG ISLAND ANALYTICAL LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

**"TOMORROWS ANALYTICAL SOLUTIONS TODAY"**

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 29' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125665
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 29' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125665
Date extracted: 12/7, 12/8/06	Matrix: Soil
Date analyzed: 12/7, 12/8/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	7.72
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	<1.65
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 33' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125666
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 33' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125666
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 33' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125666
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

LONG ISLAND ANALYTICAL LABORATORIES INC. = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG ISLAND ANALYTICAL LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 33' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125666
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 33' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125666
Date extracted: 12/7, 12/8/06	Matrix: Soil
Date analyzed: 12/7, 12/8/06	ELAP #: 11693


### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	8.66
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.13
MERCURY, Hg	0.020 mg/kg	0.022
LEAD, Pb	1.65 mg/kg	1.91
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 37' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125667
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 37' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125667
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 37' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125667
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

**"TOMORROWS ANALYTICAL SOLUTIONS TODAY"**

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com




Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 37' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125667
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLORO BENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (CP4 37' BGS End Point)
Date received: 12/6/06	Laboratory ID: 1125667
Date extracted: 12/7, 12/8/06	Matrix: Soil
Date analyzed: 12/7, 12/8/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	11.5
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	1.70
MERCURY, Hg	0.020 mg/kg	0.022
LEAD, Pb	1.65 mg/kg	1.94
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (SD-1 End Point)
Date received: 12/6/06	Laboratory ID: 1125668
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (SD-1 End Point)
Date received: 12/6/06	Laboratory ID: 1125668
Date extracted: 12/7/06	Matrix: Soil
Date analyzed: 12/7/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



**"TOMORROWS ANALYTICAL SOLUTIONS TODAY"**

1 of 16 pages

CP-3 -  
SOIL BORINGS

December 11, 2006

Environmental Services, Inc.  
Joe Parisi  
133 Commack Road  
Mastic Beach, NY 11951

Re: **Fresh and Clean Peterman**

Dear Mr. Parisi:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on December 5, 2006. Long Island Analytical Laboratories analyzed the samples on December 8, 2006 for the following:

CLIENT ID	ANALYSIS
CP-3 29' Bgs Endpoint	EPA 8260, EPA 8270, Total (8) Metals
CP-3 33' Bgs Endpoint	EPA 8260, EPA 8270, Total (8) Metals
CP-3 37' Bgs Endpoint	EPA 8260, EPA 8270, Total (8) Metals

Samples received at 13°C.

H: Sample not preserved, corrected upon receipt

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

***Long Island Analytical Laboratories, Inc.***

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 29' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125601
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 29' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125601
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 29' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125601
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG ISLAND ANALYTICAL LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 29' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125601
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	824
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

*Michael Veraldi*  
 Michael Veraldi-Laboratory Director



110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 29' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125601
Date extracted: 12/6, 12/8/06	Matrix: Soil
Date analyzed: 12/6, 12/8/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	12.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.38
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 33' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125602
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 33' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125602
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 33' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125602
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	58
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG ISLAND ANALYTICAL LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 33' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125602
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	718
Di-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 33' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125602
Date extracted: 12/6, 12/8/06	Matrix: Soil
Date analyzed: 12/6, 12/8/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	12.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.12
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010

  
 Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 37' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125603
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROETHANE	95-50-1	5 ug/kg	<5
1,3-DICHLOROETHANE	541-73-1	5 ug/kg	<5
1,4-DICHLOROETHANE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 37' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125603
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 37' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125603
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

LONG ISLAND ANALYTICAL LABORATORIES INC. = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 37' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125603
Date extracted: 12/6/06	Matrix: Soil
Date analyzed: 12/6/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: ESI	Client ID: Fresh & Clean Peterman (CP-3 37' Bgs Endpoint)
Date received: 12/5/06	Laboratory ID: 1125603
Date extracted: 12/6, 12/8/06	Matrix: Soil
Date analyzed: 12/6, 12/8/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	10.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.64
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS  
 EST 4020th Blvd  
 YAPHANK, NY 11980

CONTACT: **DE PARIS!**  
 PHONE: 631 345 9888  
 FAX: 631 345 9893

PROJECT LOCATION:  
**Fresh Clean Peckerman**

TERMS & CONDITIONS: Accounts are payable in full within thirty days, outstanding balances accrue service charges of 1.5% per month.

SAMPLES RECEIVED AT  
**13 °C**

SAMPLER (SIGNATURE)  
**TROY KENNY**

SAMPLER NAME (PRINT)  
**TROY KENNY**

DATE  
**12/4/06**

TIME  
**8:26**

SAMPLE(S) SEALED  
 YES  NO

CORRECT CONTAINER(S)  
 YES  NO

0029018

LABORATORY ID # <small>For Laboratory Use Only</small>	MATRIX	TYPE	PRES.	PH UNITS	RES. CHLORINE PPM	SAMPLE # - LOCATION	ANALYSIS REQUIRED	# OF CONTAINERS
1. 11256001	S	G	ICE	-	-	CP3 29' BGS END POINT	✓	2 UVA 1502
2. 11256002	S	G	ICE	-	-	CP3 33' BGS END POINT	✓	2 UVA 1502
3. 11256003	S	G	ICE	-	-	CP3 37' BGS END POINT	✓	2 UVA 1502
4.								
5.								
6.								
7.								
8.								
9.								
10.								
11.								
12.								
13.								
14.								

MATRIX: S=SOIL; SL=SLUDGE; L=LIQUID; DW=DRINKING WATER;  
 A=AIR; W=WIFE; PC=PAINT CHIPS; BM=BULK MATERIAL,  
 O=OIL  
 TYPE: G=GRAB; C=COMPOSITE; SS=SPLIT SPOON  
 PRES: ICE, HCL, H<sub>2</sub>SO<sub>4</sub>, NAOH, NA<sub>2</sub>S<sub>2</sub>O<sub>3</sub>

TURNAROUND REQUIRED:  
 NORMAL  STAT

COMMENTS / INSTRUCTIONS  
 Flag "H"  
 put in fridge 12/5/06 @ 8:19A

RELINQUISHED BY (SIGNATURE) <i>Shade's</i>	DATE 12/5/06	PRINTED NAME Shade's	RECEIVED BY (SIGNATURE) <i>Shade's</i>	DATE 12/5/06	PRINTED NAME T. Shugre
RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY SAMPLE CUSTODIAN <i>Shade's</i>	DATE 12/5/06	PRINTED NAME T. Shugre



"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

1 of 16 pages

CP-2  
SOIL BORING

December 6, 2006

Environmental Services, Inc.  
Joe Parisi  
133 Commack Road  
Mastic Beach, NY 11951

Re: Fresh + Clean - Peterman

Dear Mr. Parisi:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on December 4, 2006. Long Island Analytical Laboratories analyzed the samples on December 5, 2006 for the following:

CLIENT ID	ANALYSIS
CP-2-36' BGS End Point	EPA 8260, EPA 8270, Total (8) Metals
CP-2-46' BGS End Point	EPA 8260, EPA 8270, Total (8) Metals
CP-2-60' BGS End Point	EPA 8260, EPA 8270, Total (8) Metals

Samples received at 8°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories Inc. is a NELAP accredited laboratory. All reported results meet the requirements of the NELAP standards unless noted above. Report shall not be reproduced except in full, without the written approval of the laboratory. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

***Long Island Analytical Laboratories, Inc.***

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-36' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125521
Date extracted: 12/4/06	Matrix: Soil
Date analyzed: 12/4/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-36' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125521
Date extracted: 12/4/06	Matrix: Soil
Date analyzed: 12/4/06	ELAP #: 11693

## EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	7
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-36' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125521
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	44
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-36' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125521
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	132
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	3,693
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	214
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-36' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125521
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	12.4
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.65
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-46' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125522
Date extracted: 12/4/06	Matrix: Soil
Date analyzed: 12/4/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-46' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125522
Date extracted: 12/4/06	Matrix: Soil
Date analyzed: 12/4/06	ELAP #: 11693

## EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	8
TOLUENE	108-88-3	5 ug/kg	5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-46' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125522
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-46' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125522
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	566
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-46' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125522
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	7.80
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.62
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-60' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125523
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-60' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125523
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-60' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125523
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG ISLAND ANALYTICAL LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-60' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125523
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

*Michael Veraldi*

Michael Veraldi-Laboratory Director

Client: Environmental Services, Inc.	Client ID: Fresh + Clean – Peterman (CP-2-60' BGS End Point)
Date received: 12/4/06	Laboratory ID: 1125523
Date extracted: 12/5/06	Matrix: Soil
Date analyzed: 12/5/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	16.8
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.83
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	2.13
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



110 Colin Drive • Holbrook, New York 11741 • Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: **ESTABLISHMENT**  
**40 Zorn Blvd**  
**YAPPA, NY 11980**

CONTACT: **JOE PARISI**  
 PHONE: **631-395-9888**  
 FAX: **631-395-9893**

SAMPLER (SIGNATURE): **TROY KENNY** DATE: **11/30/06** TIME: **8:30** SAMPLE(S) SEALED: **YES**

SAMPLER NAME (PRINT): **TROY KENNY** DATE: **11/30/06** TIME: **8:30** CONNECT CONTAINER(S) YES/NO: **YES**

PROJECT LOCATION: **FRESH + CLEAN - PETERMAN**

LABORATORY ID # **1125521** ANALYSIS REQUIRED: **8 BGS METH**

LABORATORY ID # **1125522** ANALYSIS REQUIRED: **8 BGS METH**

LABORATORY ID # **1125523** ANALYSIS REQUIRED: **8 BGS METH**

0029001

408298614

LABORATORY ID #	MATRIX	TYPE	PRES.	PH UNITS	RES. CHLORINE PPM	SAMPLE # - LOCATION	SAMPLES RECEIVED AT	TEMP °C	ANALYSIS REQUIRED	# OF CONTAINERS
1. 1125521	S	G	ICE	-	-	CP-2-36' BGS END POINT	8	8	+	2 LIDS
2. 1125522	S	G	ICE	✓	✓	CP-2-46' BGS END POINT	8	8	+	2 LIDS
3. 1125523	S	G	ICE	✓	✓	CP-2-60' BGS END POINT	8	8	+	2 LIDS
4.										1 WATSON
5.										
6.										
7.										
8.										
9.										
10.										
11.										
12.										
13.										
14.										

MATRIX: S=SOIL; SL=SLUDGE; L=LIQUID; DW=DRINKING WATER; A=AIR; W=WIPE; PC=PAINT CHIPS; BM=BULK MATERIAL; O=OIL

TYPE: G=GRAB; C=COMPOSITE; SS=SPLIT SPOON

PRES: ICE, HCL, H<sub>2</sub>SO<sub>4</sub>, NAOH, NA<sub>2</sub>S<sub>2</sub>O<sub>3</sub>

TURN/ROUND REQUIRED:  NORMAL  STAT

BY: **1 / 1**

COMMENTS / INSTRUCTIONS:

RELINQUISHED BY (SIGNATURE): **Troy Kenny** DATE: **12-4-06** TIME: **9:05 AM** PRINTED NAME: **Troy Kenny**

RECEIVED BY (SIGNATURE): **Troy Kenny** DATE: **12/14/06** TIME: **9:58 AM** PRINTED NAME: **Troy Kenny**



*CP-1  
SOIL BORING*

November 22, 2006

Environmental Services, Inc.  
Joe Parisi  
133 Commack Road  
Mastic Beach, NY 11951

Re: **Fresh & Clean Peterman**

Dear Mr. Parisi:

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on November 17, 2006. Long Island Analytical Laboratories analyzed the samples on November 21, 2006 for the following:

CLIENT ID	ANALYSIS
CP-1 SB 32' BGS	EPA 8260, EPA 8270, Total (8) Metals
CP-1 SB 36' BGS	EPA 8260, EPA 8270, Total (8) Metals
CP-1 SB 40' BGS	EPA 8260, EPA 8270, Total (8) Metals

Samples received at 8°C.

If you have any questions or require further information, please call at your convenience. Long Island Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

***Long Island Analytical Laboratories, Inc.***

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 32' BGS)
Date received: 11/17/06	Laboratory ID: 1124855
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com




Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 32' BGS)
Date received: 11/17/06	Laboratory ID: 1124855
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

## EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	11
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 32' BGS)
Date received: 11/17/06	Laboratory ID: 1124855
Date extracted: 11/21/06	Matrix: Soil
Date analyzed: 11/21/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	49
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 32' BGS)
Date received: 11/17/06	Laboratory ID: 1124855
Date extracted: 11/21/06	Matrix: Soil
Date analyzed: 11/21/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 32' BGS)
Date received: 11/17/06	Laboratory ID: 1124855
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693


### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	22.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.63
MERCURY, Hg	0.020 mg/kg	0.027
LEAD, Pb	1.65 mg/kg	3.32
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 36' BGS)
Date received: 11/17/06	Laboratory ID: 1124856
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROBENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROBENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROBENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

**"TOMORROWS ANALYTICAL SOLUTIONS TODAY"**

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 36' BGS)
Date received: 11/17/06	Laboratory ID: 1124856
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	<5
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 36' BGS)
Date received: 11/17/06	Laboratory ID: 1124856
Date extracted: 11/21/06	Matrix: Soil
Date analyzed: 11/21/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 36' BGS)
Date received: 11/17/06	Laboratory ID: 1124856
Date extracted: 11/21/06	Matrix: Soil
Date analyzed: 11/21/06	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINITROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLOROPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 36' BGS)
Date received: 11/17/06	Laboratory ID: 1124856
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693


### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	12.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	5.07
MERCURY, Hg	0.020 mg/kg	<0.020
LEAD, Pb	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010




---

 Michael Veraldi-Laboratory Director


**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 40' BGS)
Date received: 11/17/06	Laboratory ID: 1124857
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

### EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
BENZENE	71-43-2	5 ug/kg	<5
BROMOBENZENE	108-86-1	5 ug/kg	<5
BROMOCHLOROMETHANE	74-97-5	5 ug/kg	<5
BROMODICHLOROMETHANE	75-27-4	5 ug/kg	<5
BROMOFORM	75-25-2	5 ug/kg	<5
BROMOMETHANE	74-83-9	5 ug/kg	<5
n-BUTYLBENZENE	104-51-8	5 ug/kg	<5
sec-BUTYLBENZENE	135-98-8	5 ug/kg	<5
tert-BUTYLBENZENE	98-06-6	5 ug/kg	<5
CARBON TETRACHLORIDE	56-23-5	5 ug/kg	<5
CHLOROBENZENE	108-90-7	5 ug/kg	<5
CHLORODIBROMOMETHANE	124-48-1	5 ug/kg	<5
CHLOROETHANE	75-00-3	5 ug/kg	<5
CHLOROFORM	67-66-3	5 ug/kg	<5
CHLOROMETHANE	74-87-3	5 ug/kg	<5
2-CHLOROTOLUENE	95-49-8	5 ug/kg	<5
4-CHLOROTOLUENE	106-43-4	5 ug/kg	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	5 ug/kg	<5
1,2-DIBROMOETHANE	106-93-4	5 ug/kg	<5
DIBROMOMETHANE	74-95-3	5 ug/kg	<5
1,2-DICHLOROENZENE	95-50-1	5 ug/kg	<5
1,3-DICHLOROENZENE	541-73-1	5 ug/kg	<5
1,4-DICHLOROENZENE	106-46-7	5 ug/kg	<5
DICHLORODIFLUOROMETHANE	75-71-8	5 ug/kg	<5
1,1-DICHLOROETHANE	75-34-3	5 ug/kg	<5
1,2-DICHLOROETHANE	107-06-2	5 ug/kg	<5
1,1-DICHLOROETHENE	75-35-4	5 ug/kg	<5
cis-1,2-DICHLOROETHENE	156-59-2	5 ug/kg	<5
trans-1,2-DICHLOROETHENE	156-60-5	5 ug/kg	<5
1,2-DICHLOROPROPANE	78-87-5	5 ug/kg	<5
1,3-DICHLOROPROPANE	142-28-9	5 ug/kg	<5
2,2-DICHLOROPROPANE	594-20-7	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com


Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 40' BGS)
Date received: 11/17/06	Laboratory ID: 1124857
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

## EPA METHOD 8260

Parameter	CAS No.	MDL	Results ug/kg
1,1-DICHLOROPROPENE	563-58-6	5 ug/kg	<5
ETHYLBENZENE	100-41-4	5 ug/kg	<5
HEXACHLOROBUTADIENE	87-68-3	5 ug/kg	<5
ISOPROPYLBENZENE	98-82-8	5 ug/kg	<5
p-ISOPROPYLTOLUENE	99-87-6	5 ug/kg	<5
METHYLENE CHLORIDE	75-09-2	5 ug/kg	<5
NAPHTHALENE	91-20-3	5 ug/kg	<5
n-PROPYLBENZENE	103-65-1	5 ug/kg	<5
STYRENE	100-42-5	5 ug/kg	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	5 ug/kg	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	5 ug/kg	<5
TETRACHLOROETHENE	127-18-4	5 ug/kg	10
TOLUENE	108-88-3	5 ug/kg	<5
1,2,3-TRICHLOROBENZENE	87-61-6	5 ug/kg	<5
1,2,4-TRICHLOROBENZENE	120-82-1	5 ug/kg	<5
1,1,1-TRICHLOROETHANE	71-55-6	5 ug/kg	<5
1,1,2-TRICHLOROETHANE	79-00-5	5 ug/kg	<5
TRICHLOROETHENE	79-01-6	5 ug/kg	<5
TRICHLOROFLUOROMETHANE	75-69-4	5 ug/kg	<5
1,2,3-TRICHLOROPROPANE	96-18-4	5 ug/kg	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	5 ug/kg	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	5 ug/kg	<5
VINYL CHLORIDE	75-01-4	5 ug/kg	<5
ACETONE	62-64-1	50 ug/kg	<50
CARBON DISULFIDE	75-15-0	5 ug/kg	<5
2-BUTANONE (MEK)	78-93-3	10 ug/kg	<10
VINYL ACETATE	108-05-4	5 ug/kg	<5
2-HEXANONE	591-78-6	5 ug/kg	<5
p & m-XYLENE	1330-20-7	10 ug/kg	<10
o-XYLENE	95-47-6	5 ug/kg	<5
MTBE	1634-05-4	5 ug/kg	<5

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 40' BGS)
Date received: 11/17/06	Laboratory ID: 1124857
Date extracted: 11/21/06	Matrix: Soil
Date analyzed: 11/21/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
PHENOL	108-95-1	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
4-METHYLPHENOL	106-44-5	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	<40
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
ACENAPHTHENE	83-32-9	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 40' BGS)
Date received: 11/17/06	Laboratory ID: 1124857
Date extracted: 11/21/06	Matrix: Soil
Date analyzed: 11/21/06	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
3-NITROANILINE	99-09-2	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	<500
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	<500
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	<40
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh & Clean Peterman (CP-1 SB 40' BGS)
Date received: 11/17/06	Laboratory ID: 1124857
Date extracted: 11/17/06	Matrix: Soil
Date analyzed: 11/17/06	ELAP #: 11693

### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	13.9
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	2.31
MERCURY, Hg	0.020 mg/kg	0.029
LEAD, Pb	1.65 mg/kg	2.02
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010

*Michael Veraldi*  
 Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



110 Colin Drive • Holbrook, New York 11741 • Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: **EST 4029th Blvd, NY 11988, SYRACUSE, NY**  
 CONTACT: **JOE HARRIS**  
 PHONE: **631 395 9888**  
 FAX: **631 395 9893**  
 PROJECT LOCATION: **Fresh Clean Refekman**

SAMPLER (SIGNATURE): **TROY KENNY** DATE: **11/16/06 1PM** SAMPLE(S) SEALED: **YES/NO**  
 SAMPLER NAME (PRINT): **TROY KENNY** DATE: **11/16/06 1PM** CORRECT CONTAINER(S): **YES/NO**

0028780



LABORATORY ID # <small>For Laboratory Use Only</small>	MATRIX	TYPE	PRES.	PH UNITS	RES. CHLORINE PPM	SAMPLE # - LOCATION	SAMPLES RECEIVED AT 8 °C	ANALYSIS REQUIRED	# OF CONTAINERS
1. 1124855	S	G	ICE	-	-	CP-1 SB-32' BGS	8:30 AM	X	2
2. 1124856	S	G	ICE	↓	↓	CP-1 SB 36' BGS	8:30 AM	X	2
3. 1124857	S	G	ICE	↓	↓	CP-1 SB 40' BGS	8:30 AM	X	2
4.									
5.									
6.									
7.									
8.									
9.									
10.									
11.									
12.									
13.									
14.									

TURNAROUND REQUIRED:  NORMAL  STAT

BY: **1/1**

COMMENTS / INSTRUCTIONS:

RELINQUISHED BY (SIGNATURE): **[Signature]** DATE: **11-17** TIME: **10:00** PRINTED NAME: **Stefan...**

RECEIVED BY (SIGNATURE): **[Signature]** DATE: **11/17/06** TIME: **10:02A** PRINTED NAME: **T-Sugrue**

RELINQUISHED BY (SIGNATURE): **[Signature]** DATE: **11-17** TIME: **10:00** PRINTED NAME: **1/1**

RECEIVED BY (SIGNATURE): **[Signature]** DATE: **11/17/06** TIME: **10:47A** PRINTED NAME: **T-Sugrue**

CP-1  
ENDPOINT

# Technical Report

prepared for

**Environmental Services Inc.**  
133 Commack Road  
Mastic Beach, NY 11951  
Attention: Joe Parisi

Report Date: 3/14/2006  
*Re: Client Project ID: Fresh & Clean*  
York Project No.: 06030344

CT License No. PH-0723

New York License No. 10854





Report Date: 3/14/2006  
 Client Project ID: Fresh & Clean  
 York Project No.: 06030344

**Environmental Services Inc.**  
 133 Commack Road  
 Mastic Beach, NY 11951  
 Attention: Joe Parisi

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 03/10/06. The project was identified as your project "Fresh & Clean".

The analysis was conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			CP-1 End Point 26'				
Collection Date			03/09/06				
York Sample ID			06030344-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
<b>BNA-8270 List</b>	SW846-8270C	ug/Kg	---	---	03/14/06	08:59	SW
1,2,4-Trichlorobenzene			Not detected	165	03/14/06	08:59	SW
1,2-Dichlorobenzene			Not detected	165	03/14/06	08:59	SW
1,3-Dichlorobenzene			Not detected	165	03/14/06	08:59	SW
1,4-Dichlorobenzene			Not detected	165	03/14/06	08:59	SW
2,4,5-Trichlorophenol			Not detected	165	03/14/06	08:59	SW
2,4,6-Trichlorophenol			Not detected	165	03/14/06	08:59	SW
2,4-Dichlorophenol			Not detected	165	03/14/06	08:59	SW
2,4-Dimethylphenol			Not detected	165	03/14/06	08:59	SW
2,4-Dinitrophenol			Not detected	165	03/14/06	08:59	SW
2,4-Dinitrotoluene			Not detected	165	03/14/06	08:59	SW
2,6-Dinitrotoluene			Not detected	165	03/14/06	08:59	SW
2-Chloronaphthalene			Not detected	165	03/14/06	08:59	SW
2-Chlorophenol			Not detected	165	03/14/06	08:59	SW

Client Sample ID			CP-1 End Point 26'				
Collection Date			03/09/06				
York Sample ID			06030344-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
2-Methylnaphthalene			Not detected	165	03/14/06	08:59	SW
2-Methylphenol			Not detected	165	03/14/06	08:59	SW
2-Nitroaniline			Not detected	165	03/14/06	08:59	SW
2-Nitrophenol			Not detected	165	03/14/06	08:59	SW
3,3'-Dichlorobenzidine			Not detected	165	03/14/06	08:59	SW
3-Methylphenol			Not detected	165	03/14/06	08:59	SW
3-Nitroaniline			Not detected	165	03/14/06	08:59	SW
4,6-Dinitro-2-methylphenol			Not detected	165	03/14/06	08:59	SW
4-Bromophenyl phenyl ether			Not detected	165	03/14/06	08:59	SW
4-Chloro-3-methyl phenol			Not detected	165	03/14/06	08:59	SW
4-Chloroaniline			Not detected	165	03/14/06	08:59	SW
4-Chlorophenyl phenyl ether			Not detected	165	03/14/06	08:59	SW
4-Methylphenol			Not detected	165	03/14/06	08:59	SW
4-Nitroaniline			Not detected	165	03/14/06	08:59	SW
4-Nitrophenol			Not detected	165	03/14/06	08:59	SW
Acenaphthene			Not detected	165	03/14/06	08:59	SW
Acenaphthylene			Not detected	165	03/14/06	08:59	SW
Aniline			Not detected	165	03/14/06	08:59	SW
Anthracene			Not detected	165	03/14/06	08:59	SW
Benzidine			Not detected	165	03/14/06	08:59	SW
Benzo(a)anthracene			Not detected	165	03/14/06	08:59	SW
Benzo(a)pyrene			Not detected	165	03/14/06	08:59	SW
Benzo(b)fluoranthene			Not detected	165	03/14/06	08:59	SW
Benzo(g,h,i)perylene			Not detected	165	03/14/06	08:59	SW
Benzo(k)fluoranthene			Not detected	165	03/14/06	08:59	SW
Benzyl alcohol			Not detected	165	03/14/06	08:59	SW
Bis(2-chloroethoxy)methane			Not detected	165	03/14/06	08:59	SW
Bis(2-chloroethyl)ether			Not detected	165	03/14/06	08:59	SW
Bis(2-chloroisopropyl)ether			Not detected	165	03/14/06	08:59	SW
Bis(2-ethylhexyl)phthalate			440	165	03/14/06	08:59	SW
Butyl benzyl phthalate			Not detected	165	03/14/06	08:59	SW
Chrysene			Not detected	165	03/14/06	08:59	SW
Dibenz(a,h)anthracene			Not detected	165	03/14/06	08:59	SW
Dibenzofuran			Not detected	165	03/14/06	08:59	SW
Diethylphthalate			Not detected	165	03/14/06	08:59	SW
Dimethylphthalate			Not detected	165	03/14/06	08:59	SW
Di-n-butylphthalate			Not detected	165	03/14/06	08:59	SW
Di-n-octylphthalate			Not detected	165	03/14/06	08:59	SW
Fluoranthene			Not detected	165	03/14/06	08:59	SW
Fluorene			Not detected	165	03/14/06	08:59	SW
Hexachlorobenzene			Not detected	165	03/14/06	08:59	SW
Hexachlorobutadiene			Not detected	165	03/14/06	08:59	SW

Client Sample ID			CP-1 End Point 26'				
Collection Date			03/09/06				
York Sample ID			06030344-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
Hexachlorocyclo pentadiene			Not detected	165	03/14/06	08:59	SW
Hexachloroethane			Not detected	165	03/14/06	08:59	SW
Indeno(1,2,3-cd)pyrene			Not detected	165	03/14/06	08:59	SW
Isophorone			Not detected	165	03/14/06	08:59	SW
Naphthalene			Not detected	165	03/14/06	08:59	SW
Nitrobenzene			Not detected	165	03/14/06	08:59	SW
N-Nitrosodi-n- propylamine			Not detected	165	03/14/06	08:59	SW
N- Nitrosodiphenylamine			Not detected	165	03/14/06	08:59	SW
Pentachlorophenol			Not detected	165	03/14/06	08:59	SW
Phenanthrene			Not detected	165	03/14/06	08:59	SW
Phenol			Not detected	165	03/14/06	08:59	SW
Pyrene			Not detected	165	03/14/06	08:59	SW
Pyridine			Not detected	165	03/14/06	08:59	SW
<b>Nassau Co. DOH Volatiles</b>	SW846-8260	ug/kg	---	---	03/13/06	14:20	SS
1,1,1,2- Tetrachloroethane			Not detected	10	03/13/06	14:20	SS
1,1,1-Trichloroethane			Not detected	10	03/13/06	14:20	SS
1,1,2,2- Tetrachloroethane			Not detected	10	03/13/06	14:20	SS
1,1,2-Trichloroethane			Not detected	10	03/13/06	14:20	SS
1,1-Dichloroethane			Not detected	10	03/13/06	14:20	SS
1,1-Dichloroethylene			Not detected	10	03/13/06	14:20	SS
1,1-Dichloropropylene			Not detected	10	03/13/06	14:20	SS
1,2,3-Trichlorobenzene			Not detected	10	03/13/06	14:20	SS
1,2,3-Trichloropropane			Not detected	10	03/13/06	14:20	SS
1,2,4-Trichlorobenzene			Not detected	10	03/13/06	14:20	SS
1,2,4-Trimethylbenzene			Not detected	10	03/13/06	14:20	SS
1,2-Dibromo-3- chloropropane			Not detected	10	03/13/06	14:20	SS
1,2-Dibromoethane			Not detected	10	03/13/06	14:20	SS
1,2-Dichlorobenzene			Not detected	10	03/13/06	14:20	SS
1,2-Dichloroethane			Not detected	10	03/13/06	14:20	SS
1,2-Dichloropropane			Not detected	10	03/13/06	14:20	SS
1,3,5-Trimethylbenzene			Not detected	10	03/13/06	14:20	SS
1,3-Dichlorobenzene			Not detected	10	03/13/06	14:20	SS
1,3-Dichloropropane			Not detected	10	03/13/06	14:20	SS
1,4-Dichlorobenzene			Not detected	10	03/13/06	14:20	SS
2,2-Dichloropropane			Not detected	10	03/13/06	14:20	SS
2-Chlorotoluene			Not detected	10	03/13/06	14:20	SS
4-Chlorotoluene			Not detected	10	03/13/06	14:20	SS
Acetone			Not detected	10	03/13/06	14:20	SS
Benzene			Not detected	10	03/13/06	14:20	SS
Bromobenzene			Not detected	10	03/13/06	14:20	SS
Bromochloromethane			Not detected	10	03/13/06	14:20	SS
Bromodichloromethane			Not detected	10	03/13/06	14:20	SS

<b>Client Sample ID</b>			<b>CP-1 End Point 26'</b>				
<b>Collection Date</b>			<b>03/09/06</b>				
<b>York Sample ID</b>			<b>06030344-01</b>				
<b>Matrix</b>			<b>SOIL</b>				
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Results</b>	<b>MDL</b>	<b>Analysis Date</b>	<b>Analysis Time</b>	<b>Analyst</b>
Bromoform			Not detected	10	03/13/06	14:20	SS
Carbon tetrachloride			Not detected	10	03/13/06	14:20	SS
Chlorobenzene			Not detected	10	03/13/06	14:20	SS
Chloroform			Not detected	10	03/13/06	14:20	SS
cis-1,2-Dichloroethylene			Not detected	10	03/13/06	14:20	SS
cis-1,3-Dichloropropylene			Not detected	10	03/13/06	14:20	SS
Dibromochloromethane			Not detected	10	03/13/06	14:20	SS
Dibromomethane			Not detected	10	03/13/06	14:20	SS
Ethylbenzene			Not detected	10	03/13/06	14:20	SS
Hexachlorobutadiene			Not detected	10	03/13/06	14:20	SS
Isopropylbenzene			Not detected	10	03/13/06	14:20	SS
Methylene chloride			Not detected	10	03/13/06	14:20	SS
Naphthalene			Not detected	10	03/13/06	14:20	SS
n-Butylbenzene			Not detected	10	03/13/06	14:20	SS
n-Propylbenzene			Not detected	10	03/13/06	14:20	SS
o-Xylene			Not detected	10	03/13/06	14:20	SS
p- & m-Xylenes			Not detected	10	03/13/06	14:20	SS
p-Isopropyltoluene			Not detected	10	03/13/06	14:20	SS
sec-Butylbenzene			Not detected	10	03/13/06	14:20	SS
Styrene			Not detected	10	03/13/06	14:20	SS
tert-Butylbenzene			Not detected	10	03/13/06	14:20	SS
Tetrachloroethylene			Not detected	10	03/13/06	14:20	SS
Toluene			Not detected	10	03/13/06	14:20	SS
trans-1,2-Dichloroethylene			Not detected	10	03/13/06	14:20	SS
trans-1,3-Dichloropropylene			Not detected	10	03/13/06	14:20	SS
Trichloroethylene			Not detected	10	03/13/06	14:20	SS
Trichlorofluoromethane			Not detected	10	03/13/06	14:20	SS
Vinyl chloride			Not detected	10	03/13/06	14:20	SS
<b>Total RCRA Metals</b>	<b>SW846</b>	<b>mg/kg</b>	<b>---</b>	<b>---</b>	<b>03/14/06</b>	<b>10:57</b>	<b>MW</b>
Arsenic, total			Not detected	1.00	03/14/06	10:57	MW
Barium, total			21.5	0.50	03/14/06	10:57	MW
Cadmium, total			Not detected	0.50	03/14/06	10:57	MW
Chromium, total			3.56	0.50	03/14/06	10:57	MW
Lead, total			3.30	0.50	03/14/06	10:57	MW
Selenium, total			Not detected	1.00	03/14/06	10:57	MW
Silver, total			Not detected	0.50	03/14/06	10:57	MW
Mercury	SW846-7471	mg/kg	Not detected	0.10	03/14/06	12:02	AA

# YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615  
(203) 325-1371 FAX (203) 357-0166

# Field Chain-of-Custody Record

Page     of    

Company Name  
ESI

133 Comack Rd  
Mastic Beach NY  
11951

Report To:  
ESI

Invoice To:  
ESI

Project ID/No.

Fresh & Clean

\_\_\_\_\_  
Samples Collected By (Signature)

\_\_\_\_\_  
Name (Printed)

0070344

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air OTHER		
	CP-1 End Point 26'	3/9/06	X			Nassau County Health VOC's - SiOC + MeTals	2 VOC's / 80Z
	CP-3 End Point 25'	3/9/06	X			Nassau County Health VOC's - SiOC + MeTals	2 VOC's / 80Z

48 HRS TAT

### Chain-of-Custody Record

Bottles Relinquished from Lab by \_\_\_\_\_ Date/Time \_\_\_\_\_

Bottles Received in Field by \_\_\_\_\_ Date/Time \_\_\_\_\_

Comments/Special Instructions \_\_\_\_\_

31006 1258 1258  
Date/Time

311006 17  
Date/Time

Sample Relinquished by Bleah... Date/Time \_\_\_\_\_

Sample Received in LAB by \_\_\_\_\_ Date/Time \_\_\_\_\_

Turn-Around Time \_\_\_\_\_ Standard \_\_\_\_\_ RUSH(define) \_\_\_\_\_

C.P. 2  
END point

# Technical Report

prepared for

**Environmental Services Inc.**  
133 Commack Road  
Mastic Beach, NY 11951  
Attention: Joe Parisi

Report Date: 3/15/2006  
**Re: Client Project ID: Former Fresh & Clean**  
York Project No.: 06030246

CT License No. PH-0723

New York License No. 10854



Report Date: 3/15/2006  
 Client Project ID: Former Fresh & Clean  
 York Project No.: 06030246

**Environmental Services Inc.**  
 133 Commack Road  
 Mastic Beach, NY 11951  
 Attention: Joe Parisi

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 03/08/06. The project was identified as your project "Former Fresh & Clean."

The analysis was conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables .

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

### Analysis Results

Client Sample ID			CP-2 End Point				
Collection Date			03/07/06				
York Sample ID			06030246-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
BNA-8270 List	SW846-8270C	ug/Kg	---	---	03/15/06	12:06	SW
1,2,4-Trichlorobenzene			Not detected	165	03/15/06	12:06	SW
1,2-Dichlorobenzene			Not detected	165	03/15/06	12:06	SW
1,3-Dichlorobenzene			Not detected	165	03/15/06	12:06	SW
1,4-Dichlorobenzene			Not detected	165	03/15/06	12:06	SW
2,4,5-Trichlorophenol			Not detected	165	03/15/06	12:06	SW
2,4,6-Trichlorophenol			Not detected	165	03/15/06	12:06	SW
2,4-Dichlorophenol			Not detected	165	03/15/06	12:06	SW
2,4-Dimethylphenol			Not detected	165	03/15/06	12:06	SW
2,4-Dinitrophenol			Not detected	165	03/15/06	12:06	SW
2,4-Dinitrotoluene			Not detected	165	03/15/06	12:06	SW
2,6-Dinitrotoluene			Not detected	165	03/15/06	12:06	SW
2-Chloronaphthalene			Not detected	165	03/15/06	12:06	SW
2-Chlorophenol			Not detected	165	03/15/06	12:06	SW
2-Methylnaphthalene			Not detected	165	03/15/06	12:06	SW
2-Methylphenol			Not detected	165	03/15/06	12:06	SW
2-Nitroaniline			Not detected	165	03/15/06	12:06	SW

**YORK**

<b>Client Sample ID</b>			<b>CP-2 End Point</b>				
<b>Collection Date</b>			<b>03/07/06</b>				
<b>York Sample ID</b>			<b>06030246-01</b>				
<b>Matrix</b>			<b>SOIL</b>				
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Results</b>	<b>MDL</b>	<b>Analysis Date</b>	<b>Analysis Time</b>	<b>Analyst</b>
2-Nitrophenol			Not detected	165	03/15/06	12:06	SW
3,3'-Dichlorobenzidine			Not detected	165	03/15/06	12:06	SW
3-Methylphenol			Not detected	165	03/15/06	12:06	SW
3-Nitroaniline			Not detected	165	03/15/06	12:06	SW
4,6-Dinitro-2-methylphenol			Not detected	165	03/15/06	12:06	SW
4-Bromophenyl phenyl ether			Not detected	165	03/15/06	12:06	SW
4-Chloro-3-methyl phenol			Not detected	165	03/15/06	12:06	SW
4-Chloroaniline			Not detected	165	03/15/06	12:06	SW
4-Chlorophenyl phenyl ether			Not detected	165	03/15/06	12:06	SW
4-Methylphenol			Not detected	165	03/15/06	12:06	SW
4-Nitroaniline			Not detected	165	03/15/06	12:06	SW
4-Nitrophenol			Not detected	165	03/15/06	12:06	SW
Acenaphthene			Not detected	165	03/15/06	12:06	SW
Acenaphthylene			Not detected	165	03/15/06	12:06	SW
Aniline			Not detected	165	03/15/06	12:06	SW
Anthracene			Not detected	165	03/15/06	12:06	SW
Benzidine			Not detected	165	03/15/06	12:06	SW
Benzo(a)anthracene			Not detected	165	03/15/06	12:06	SW
Benzo(a)pyrene			Not detected	165	03/15/06	12:06	SW
Benzo(b)fluoranthene			Not detected	165	03/15/06	12:06	SW
Benzo(g,h,i)perylene			Not detected	165	03/15/06	12:06	SW
Benzo(k)fluoranthene			Not detected	165	03/15/06	12:06	SW
Benzyl alcohol			Not detected	165	03/15/06	12:06	SW
Bis(2-chloroethoxy)methane			Not detected	165	03/15/06	12:06	SW
Bis(2-chloroethyl)ether			Not detected	165	03/15/06	12:06	SW
3is(2-chloroisopropyl)ether			Not detected	165	03/15/06	12:06	SW
Bis(2-ethylhexyl)phthalate			Not detected	165	03/15/06	12:06	SW
Butyl benzyl phthalate			Not detected	165	03/15/06	12:06	SW
Chrysene			Not detected	165	03/15/06	12:06	SW
Dibenz(a,h)anthracene			Not detected	165	03/15/06	12:06	SW
Dibenzofuran			Not detected	165	03/15/06	12:06	SW
Diethylphthalate			Not detected	165	03/15/06	12:06	SW
Dimethylphthalate			Not detected	165	03/15/06	12:06	SW
Di-n-butylphthalate			Not detected	165	03/15/06	12:06	SW
Di-n-octylphthalate			Not detected	165	03/15/06	12:06	SW
Fluoranthene			Not detected	165	03/15/06	12:06	SW
Fluorene			Not detected	165	03/15/06	12:06	SW
Hexachlorobenzene			Not detected	165	03/15/06	12:06	SW
Hexachlorobutadiene			Not detected	165	03/15/06	12:06	SW
Hexachlorocyclopentadiene			Not detected	165	03/15/06	12:06	SW
Hexachloroethane			Not detected	165	03/15/06	12:06	SW
Indeno(1,2,3-cd)pyrene			Not detected	165	03/15/06	12:06	SW
Isophorone			Not detected	165	03/15/06	12:06	SW
Naphthalene			Not detected	165	03/15/06	12:06	SW
Nitrobenzene			Not detected	165	03/15/06	12:06	SW
N-Nitrosodi-n-propylamine			Not detected	165	03/15/06	12:06	SW
N-Nitrosodiphenylamine			Not detected	165	03/15/06	12:06	SW
Pentachlorophenol			Not detected	165	03/15/06	12:06	SW
Phenanthrene			Not detected	165	03/15/06	12:06	SW
Phenol			Not detected	165	03/15/06	12:06	SW

**YORK**



<b>Client Sample ID</b>			<b>CP-2 End Point</b>				
<b>Collection Date</b>			03/07/06				
<b>York Sample ID</b>			06030246-01				
<b>Matrix</b>			SOIL				
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Results</b>	<b>MDL</b>	<b>Analysis Date</b>	<b>Analysis Time</b>	<b>Analyst</b>
Pyrene			Not detected	165	03/15/06	12:06	SW
Pyridine			Not detected	165	03/15/06	12:06	SW
<b>Nassau Co. DOH Volatiles</b>	SW846-8260	ug/kG	---	---	03/14/06	09:16	SS
1,1,1,2-Tetrachloroethane			Not detected	25	03/14/06	09:16	SS
1,1,1-Trichloroethane			Not detected	25	03/14/06	09:16	SS
1,1,2,2-Tetrachloroethane			Not detected	25	03/14/06	09:16	SS
1,1,2-Trichloroethane			Not detected	25	03/14/06	09:16	SS
1,1-Dichloroethane			Not detected	25	03/14/06	09:16	SS
1,1-Dichloroethylene			Not detected	25	03/14/06	09:16	SS
1,1-Dichloropropylene			Not detected	25	03/14/06	09:16	SS
1,2,3-Trichlorobenzene			Not detected	25	03/14/06	09:16	SS
1,2,3-Trichloropropane			Not detected	25	03/14/06	09:16	SS
1,2,4-Trichlorobenzene			Not detected	25	03/14/06	09:16	SS
1,2,4-Trimethylbenzene			Not detected	25	03/14/06	09:16	SS
1,2-Dibromo-3-chloropropane			Not detected	25	03/14/06	09:16	SS
1,2-Dibromoethane			Not detected	25	03/14/06	09:16	SS
1,2-Dichlorobenzene			Not detected	25	03/14/06	09:16	SS
1,2-Dichloroethane			Not detected	25	03/14/06	09:16	SS
1,2-Dichloropropane			Not detected	25	03/14/06	09:16	SS
1,3,5-Trimethylbenzene			Not detected	25	03/14/06	09:16	SS
1,3-Dichlorobenzene			Not detected	25	03/14/06	09:16	SS
1,3-Dichloropropane			Not detected	25	03/14/06	09:16	SS
1,4-Dichlorobenzene			Not detected	25	03/14/06	09:16	SS
2,2-Dichloropropane			Not detected	25	03/14/06	09:16	SS
2-Chlorotoluene			Not detected	25	03/14/06	09:16	SS
4-Chlorotoluene			Not detected	25	03/14/06	09:16	SS
Acetone			Not detected	25	03/14/06	09:16	SS
Benzene			Not detected	25	03/14/06	09:16	SS
Bromobenzene			Not detected	25	03/14/06	09:16	SS
Bromochloromethane			Not detected	25	03/14/06	09:16	SS
Bromodichloromethane			Not detected	25	03/14/06	09:16	SS
Bromoform			Not detected	25	03/14/06	09:16	SS
Carbon tetrachloride			Not detected	25	03/14/06	09:16	SS
Chlorobenzene			Not detected	25	03/14/06	09:16	SS
Chloroform			Not detected	25	03/14/06	09:16	SS
cis-1,2-Dichloroethylene			Not detected	25	03/14/06	09:16	SS
cis-1,3-Dichloropropylene			Not detected	25	03/14/06	09:16	SS
Dibromochloromethane			Not detected	25	03/14/06	09:16	SS
Dibromomethane			Not detected	25	03/14/06	09:16	SS
Ethylbenzene			Not detected	25	03/14/06	09:16	SS
Hexachlorobutadiene			Not detected	25	03/14/06	09:16	SS
Isopropylbenzene			Not detected	25	03/14/06	09:16	SS
Methylene chloride			Not detected	25	03/14/06	09:16	SS
Naphthalene			35	25	03/14/06	09:16	SS
n-Butylbenzene			Not detected	25	03/14/06	09:16	SS
n-Propylbenzene			Not detected	25	03/14/06	09:16	SS
o-Xylene			Not detected	25	03/14/06	09:16	SS
p- & m-Xylenes			Not detected	25	03/14/06	09:16	SS
p-Isopropyltoluene			Not detected	25	03/14/06	09:16	SS


<b>Client Sample ID</b>			<b>CP-2 End Point</b>				
<b>Collection Date</b>			03/07/06				
<b>York Sample ID</b>			06030246-01				
<b>Matrix</b>			SOIL				
<b>Parameter</b>	<b>Method</b>	<b>Units</b>	<b>Results</b>	<b>MDL</b>	<b>Analysis Date</b>	<b>Analysis Time</b>	<b>Analyst</b>
sec-Butylbenzene			Not detected	25	03/14/06	09:16	SS
Styrene			Not detected	25	03/14/06	09:16	SS
tert-Butylbenzene			Not detected	25	03/14/06	09:16	SS
Tetrachloroethylene			Not detected	25	03/14/06	09:16	SS
Toluene			Not detected	25	03/14/06	09:16	SS
trans-1,2-Dichloroethylene			Not detected	25	03/14/06	09:16	SS
trans-1,3-Dichloropropylene			Not detected	25	03/14/06	09:16	SS
Trichloroethylene			Not detected	25	03/14/06	09:16	SS
Trichlorofluoromethane			Not detected	25	03/14/06	09:16	SS
Vinyl chloride			Not detected	25	03/14/06	09:16	SS
<b>Total RCRA Metals</b>	SW846	mg/kg	---	---	03/13/06	11:29	MW
Arsenic, total			Not detected	1.00	03/13/06	11:29	MW
Barium, total			21.9	0.50	03/13/06	11:29	MW
Cadmium, total			1.01	0.50	03/13/06	11:29	MW
Chromium, total			2.75	0.50	03/13/06	11:29	MW
Lead, total			12.8	0.50	03/13/06	11:29	MW
Selenium, total			Not detected	1.00	03/13/06	11:29	MW
Silver, total			Not detected	0.50	03/13/06	11:29	MW
Mercury	SW846-7471	mg/kg	Not detected	0.10	03/09/06	16:53	AA

Units Key: For Waters/Liquids: mg/L = ppm ; ug/L = ppb For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

**Notes for York Project No. 06030246**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:

  
 Robert Q. Bradley  
 Managing Director

Date: 3/15/2006

# YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615  
(203) 325-1371 FAX (203) 357-0166

## Field Chain-of-Custody Record

Page \_\_\_ of \_\_\_

*Joseph Parisi*

Company Name

Report To:

Invoice To:

Project ID/No.

Samples Collected By (Signature)

*ESTI*  
*133 COMM MARK RD*  
*MARLE BRIDGE CT 06457*

*ESTI*

*ESTI*

*Former Fresh + Learn*

*Joseph Parisi*

Joseph Parisi  
Name (Printed)

Sample No.

Location/ID

Date Sampled

Water

Soil

Air

OTHER

ANALYSES REQUESTED

Container Description(s)

*CP-2 END POINT*

*03.07.06*

*Y*

*HA534U COUNTY HEALTH VOC'S - SVOC & METALS -*

*2 VOLS 1802*

Sample No.	Location/ID	Date Sampled	Sample Matrix				ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air	OTHER		

### Chain-of-Custody Record

Bottles Relinquished from Lab by

Sample Relinquished by

Date/Time

Sample Received by

Date/Time

Bottles Received in Field by

Sample Relinquished by

Date/Time

Sample Received in LAB by

Date/Time

Comments/Special Instructions

*AMM*

*3/8/06*

*Joseph Parisi*

*3/8/06*

Turn-Around Time

Standard RUSH(dr )

CP-3  
ENDPOINT

# Technical Report

prepared for

**Environmental Services Inc.**  
133 Commack Road  
Mastic Beach, NY 11951  
Attention: Joe Parisi

Report Date: 3/14/2006  
*Re: Client Project ID: Fresh & Clean*  
York Project No.: 06030344

CT License No. PH-0723

New York License No. 10854



Client Sample ID			CP-3 End Point 25'				
Collection Date			03/09/06				
York Sample ID			06030344-02				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
BNA-8270 List	SW846-8270C	ug/Kg	---	---	03/14/06	10:37	SW
1,2,4-Trichlorobenzene			Not detected	830	03/14/06	10:37	SW
1,2-Dichlorobenzene			Not detected	830	03/14/06	10:37	SW
1,3-Dichlorobenzene			Not detected	830	03/14/06	10:37	SW
1,4-Dichlorobenzene			Not detected	830	03/14/06	10:37	SW
2,4,5-Trichlorophenol			Not detected	830	03/14/06	10:37	SW
2,4,6-Trichlorophenol			Not detected	830	03/14/06	10:37	SW
2,4-Dichlorophenol			Not detected	830	03/14/06	10:37	SW
2,4-Dimethylphenol			Not detected	830	03/14/06	10:37	SW
2,4-Dinitrophenol			Not detected	830	03/14/06	10:37	SW
2,4-Dinitrotoluene			Not detected	830	03/14/06	10:37	SW
2,6-Dinitrotoluene			Not detected	830	03/14/06	10:37	SW
2-Chloronaphthalene			Not detected	830	03/14/06	10:37	SW
2-Chlorophenol			Not detected	830	03/14/06	10:37	SW
2-Methylnaphthalene			Not detected	830	03/14/06	10:37	SW
2-Methylphenol			Not detected	830	03/14/06	10:37	SW
2-Nitroaniline			Not detected	830	03/14/06	10:37	SW
2-Nitrophenol			Not detected	830	03/14/06	10:37	SW
3,3'-Dichlorobenzidine			Not detected	830	03/14/06	10:37	SW
3-Methylphenol			Not detected	830	03/14/06	10:37	SW
3-Nitroaniline			Not detected	830	03/14/06	10:37	SW
4,6-Dinitro-2-methylphenol			Not detected	830	03/14/06	10:37	SW
4-Bromophenyl phenyl ether			Not detected	830	03/14/06	10:37	SW
4-Chloro-3-methyl phenol			Not detected	830	03/14/06	10:37	SW
4-Chloroaniline			Not detected	830	03/14/06	10:37	SW
4-Chlorophenyl phenyl ether			Not detected	830	03/14/06	10:37	SW
4-Methylphenol			Not detected	830	03/14/06	10:37	SW
4-Nitroaniline			Not detected	830	03/14/06	10:37	SW
4-Nitrophenol			Not detected	830	03/14/06	10:37	SW
Acenaphthene			Not detected	830	03/14/06	10:37	SW
Acenaphthylene			Not detected	830	03/14/06	10:37	SW
Aniline			Not detected	830	03/14/06	10:37	SW
Anthracene			Not detected	830	03/14/06	10:37	SW
Benzidine			Not detected	830	03/14/06	10:37	SW
Benzo(a)anthracene			Not detected	830	03/14/06	10:37	SW
Benzo(a)pyrene			Not detected	830	03/14/06	10:37	SW
Benzo(b)fluoranthene			Not detected	830	03/14/06	10:37	SW
Benzo(g,h,i)perylene			Not detected	830	03/14/06	10:37	SW
Benzo(k)fluoranthene			Not detected	830	03/14/06	10:37	SW
Benzyl alcohol			Not detected	830	03/14/06	10:37	SW
Bis(2-chloroethoxy)methane			Not detected	830	03/14/06	10:37	SW
Bis(2-chloroethyl)ether			Not detected	830	03/14/06	10:37	SW
Bis(2-chloroisopropyl)ether			Not detected	830	03/14/06	10:37	SW
(2-ethylhexyl)phthalate			6200.	830	03/14/06	10:37	SW

Client Sample ID			CP-3 End Point 25'				
Collection Date			03/09/06				
York Sample ID			06030344-02				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
Butyl benzyl phthalate			Not detected	830	03/14/06	10:37	SW
Chrysene			Not detected	830	03/14/06	10:37	SW
Dibenz(a,h)anthracene			Not detected	830	03/14/06	10:37	SW
Dibenzofuran			Not detected	830	03/14/06	10:37	SW
Diethylphthalate			Not detected	830	03/14/06	10:37	SW
Dimethylphthalate			Not detected	830	03/14/06	10:37	SW
Di-n-butylphthalate			Not detected	830	03/14/06	10:37	SW
Di-n-octylphthalate			Not detected	830	03/14/06	10:37	SW
Fluoranthene			Not detected	830	03/14/06	10:37	SW
Fluorene			Not detected	830	03/14/06	10:37	SW
Hexachlorobenzene			Not detected	830	03/14/06	10:37	SW
Hexachlorobutadiene			Not detected	830	03/14/06	10:37	SW
Hexachlorocyclo pentadiene			Not detected	830	03/14/06	10:37	SW
Hexachloroethane			Not detected	830	03/14/06	10:37	SW
Indeno(1,2,3-cd)pyrene			Not detected	830	03/14/06	10:37	SW
Isophorone			Not detected	830	03/14/06	10:37	SW
Naphthalene			Not detected	830	03/14/06	10:37	SW
Nitrobenzene			Not detected	830	03/14/06	10:37	SW
N-Nitrosodi-n- propylamine			Not detected	830	03/14/06	10:37	SW
N-Nitrosodiphenylamine			Not detected	830	03/14/06	10:37	SW
Pentachlorophenol			Not detected	830	03/14/06	10:37	SW
Phenanthrene			Not detected	830	03/14/06	10:37	SW
Phenol			Not detected	830	03/14/06	10:37	SW
Pyrene			Not detected	830	03/14/06	10:37	SW
Pyridine			Not detected	830	03/14/06	10:37	SW
<b>Nassau Co. DOH Volatiles</b>	SW846-8260	ug/kg	---	---	03/13/06	09:16	SS
1,1,1,2-Tetrachloroethane			Not detected	25	03/13/06	09:16	SS
1,1,1-Trichloroethane			Not detected	25	03/13/06	09:16	SS
1,1,2,2-Tetrachloroethane			Not detected	25	03/13/06	09:16	SS
1,1,2-Trichloroethane			Not detected	25	03/13/06	09:16	SS
1,1-Dichloroethane			Not detected	25	03/13/06	09:16	SS
1,1-Dichloroethylene			Not detected	25	03/13/06	09:16	SS
1,1-Dichloropropylene			Not detected	25	03/13/06	09:16	SS
1,2,3-Trichlorobenzene			Not detected	25	03/13/06	09:16	SS
1,2,3-Trichloropropane			Not detected	25	03/13/06	09:16	SS
1,2,4-Trichlorobenzene			Not detected	25	03/13/06	09:16	SS
1,2,4-Trimethylbenzene			Not detected	25	03/13/06	09:16	SS
1,2-Dibromo-3- chloropropane			Not detected	25	03/13/06	09:16	SS
1,2-Dibromoethane			Not detected	25	03/13/06	09:16	SS
1,2-Dichlorobenzene			Not detected	25	03/13/06	09:16	SS
1,2-Dichloroethane			Not detected	25	03/13/06	09:16	SS
1,2-Dichloropropane			Not detected	25	03/13/06	09:16	SS
1,3,5-Trimethylbenzene			Not detected	25	03/13/06	09:16	SS
1,3-Dichlorobenzene			Not detected	25	03/13/06	09:16	SS
1,3-Dichloropropane			Not detected	25	03/13/06	09:16	SS

Client Sample ID			CP-3 End Point 25'				
Collection Date			03/09/06				
York Sample ID			06030344-02				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
1,4-Dichlorobenzene			Not detected	25	03/13/06	09:16	SS
2,2-Dichloropropane			Not detected	25	03/13/06	09:16	SS
2-Chlorotoluene			Not detected	25	03/13/06	09:16	SS
4-Chlorotoluene			Not detected	25	03/13/06	09:16	SS
Acetone			Not detected	25	03/13/06	09:16	SS
Benzene			Not detected	25	03/13/06	09:16	SS
Bromobenzene			Not detected	25	03/13/06	09:16	SS
Bromochloromethane			Not detected	25	03/13/06	09:16	SS
Bromodichloromethane			Not detected	25	03/13/06	09:16	SS
Bromoform			Not detected	25	03/13/06	09:16	SS
Carbon tetrachloride			Not detected	25	03/13/06	09:16	SS
Chlorobenzene			Not detected	25	03/13/06	09:16	SS
Chloroform			Not detected	25	03/13/06	09:16	SS
cis-1,2-Dichloroethylene			Not detected	25	03/13/06	09:16	SS
cis-1,3-Dichloropropylene			Not detected	25	03/13/06	09:16	SS
Dibromochloromethane			Not detected	25	03/13/06	09:16	SS
Dibromomethane			Not detected	25	03/13/06	09:16	SS
Ethylbenzene			Not detected	25	03/13/06	09:16	SS
Hexachlorobutadiene			Not detected	25	03/13/06	09:16	SS
Isopropylbenzene			Not detected	25	03/13/06	09:16	SS
Methylene chloride			Not detected	25	03/13/06	09:16	SS
Naphthalene			Not detected	25	03/13/06	09:16	SS
n-Butylbenzene			Not detected	25	03/13/06	09:16	SS
n-Propylbenzene			Not detected	25	03/13/06	09:16	SS
o-Xylene			Not detected	25	03/13/06	09:16	SS
p- & m-Xylenes			Not detected	25	03/13/06	09:16	SS
p-Isopropyltoluene			Not detected	25	03/13/06	09:16	SS
sec-Butylbenzene			Not detected	25	03/13/06	09:16	SS
Styrene			Not detected	25	03/13/06	09:16	SS
tert-Butylbenzene			Not detected	25	03/13/06	09:16	SS
Tetrachloroethylene			Not detected	25	03/13/06	09:16	SS
Toluene			Not detected	25	03/13/06	09:16	SS
trans-1,2-Dichloroethylene			Not detected	25	03/13/06	09:16	SS
trans-1,3-Dichloropropylene			Not detected	25	03/13/06	09:16	SS
Trichloroethylene			Not detected	25	03/13/06	09:16	SS
Trichlorofluoromethane			Not detected	25	03/13/06	09:16	SS
Vinyl chloride			Not detected	25	03/13/06	09:16	SS
<b>Total RCRA Metals</b>	SW846	mg/kg	---	---	03/14/06	10:57	MW
Arsenic, total			Not detected	1.00	03/14/06	10:57	MW
Barium, total			18.0	0.50	03/14/06	10:57	MW
Cadmium, total			Not detected	0.50	03/14/06	10:57	MW
Chromium, total			0.86	0.50	03/14/06	10:57	MW
Lead, total			8.51	0.50	03/14/06	10:57	MW
Selenium, total			Not detected	1.00	03/14/06	10:57	MW
Silver, total			Not detected	0.50	03/14/06	10:57	MW
Mercury	SW846-7471	mg/kg	Not detected	0.10	03/14/06	12:02	AA


Units Key: For Waters/Liquids: mg/L = ppm ; ug/L = ppb For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

Report Date: 3/14/2006  
Client Project ID: Fresh & Clean  
York Project No.: 06030344

**Notes for York Project No. 06030344**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:



Robert Q. Bradley  
Managing Director

Date: 3/14/2006



# YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615  
 (203) 325-1371 FAX (203) 357-0166

Page \_\_\_ of \_\_\_

## Field Chain-of-Custody Record

00070304

<b>Company Name</b> ESI 133 Commack Rd Mastic Beach NY 11951	<b>Report To:</b> ESI	<b>Invoice To:</b> ESI	<b>Project ID/No.</b> Fresh E Clean	<b>Samples Collected By (Signature)</b> _____	<b>Name (Printed)</b> _____
--	--------------------------	---------------------------	--	--	--------------------------------

Sample No.	Location/ID	Date Sampled	Sample Matrix				ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air	OTHER		
	CP-1 End Point 26'	3/9/06		X			Nassau County Health VOC's - SVOC + Metals	2 VOA's 1 8OZ
	CP-3 End Point 25'	3/9/06		X			Nassau County Health VOC's - SVOC + Metals	2 VOA's 1 8OZ

**Chain-of-Custody Record**

Bottles Relinquished from Lab by \_\_\_\_\_ Date/Time \_\_\_\_\_

Bottles Relinquished in Field by \_\_\_\_\_ Date/Time \_\_\_\_\_

Sample Relinquished by \_\_\_\_\_ Date/Time \_\_\_\_\_

Sample Received by \_\_\_\_\_ Date/Time \_\_\_\_\_

Sample Received in Lab by \_\_\_\_\_ Date/Time \_\_\_\_\_

**Comments/Special Instructions**

Standard \_\_\_\_\_ RUSH(define) \_\_\_\_\_

Turn-Around Time \_\_\_\_\_

# Technical Report

prepared for

**Environmental Services Inc.**  
133 Commack Road  
Mastic Beach, NY 11951  
Attention: Joe Parisi

Report Date: 3/21/2006  
*Re: Client Project ID: Fresh & Clean*  
York Project No.: 06030416

CT License No. PH-0723

New York License No. 10854



Report Date: 3/21/2006  
 Client Project ID: Fresh & Clean  
 York Project No.: 06030416

**Environmental Services Inc.**  
 133 Commack Road  
 Mastic Beach, NY 11951  
 Attention: Joe Parisi

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 03/15/06. The project was identified as your project "Fresh & Clean".

The analysis was conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			CP-4 Endpoint 26'				
Collection Date			03/13/06				
York Sample ID			06030416-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
<b>BNA-8270 List</b>	SW846-8270C	ug/Kg	---	---	03/21/06	08:35	SW
1,2,4-Trichlorobenzene			Not detected	165	03/21/06	08:35	SW
1,2-Dichlorobenzene			Not detected	165	03/21/06	08:35	SW
1,3-Dichlorobenzene			Not detected	165	03/21/06	08:35	SW
1,4-Dichlorobenzene			Not detected	165	03/21/06	08:35	SW
2,4,5-Trichlorophenol			Not detected	165	03/21/06	08:35	SW
2,4,6-Trichlorophenol			Not detected	165	03/21/06	08:35	SW
2,4-Dichlorophenol			Not detected	165	03/21/06	08:35	SW
2,4-Dimethylphenol			Not detected	165	03/21/06	08:35	SW
2,4-Dinitrophenol			Not detected	165	03/21/06	08:35	SW
2,4-Dinitrotoluene			Not detected	165	03/21/06	08:35	SW
2,6-Dinitrotoluene			Not detected	165	03/21/06	08:35	SW
2-Chloronaphthalene			Not detected	165	03/21/06	08:35	SW
2-Chlorophenol			Not detected	165	03/21/06	08:35	SW

**YORK**

Client Sample ID			CP-4 Endpoint 26'				
Collection Date			03/13/06				
York Sample ID			06030416-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
2-Methylnaphthalene			Not detected	165	03/21/06	08:35	SW
2-Methylphenol			Not detected	165	03/21/06	08:35	SW
2-Nitroaniline			Not detected	165	03/21/06	08:35	SW
2-Nitrophenol			Not detected	165	03/21/06	08:35	SW
3,3'-Dichlorobenzidine			Not detected	165	03/21/06	08:35	SW
3-Methylphenol			Not detected	165	03/21/06	08:35	SW
3-Nitroaniline			Not detected	165	03/21/06	08:35	SW
4,6-Dinitro-2-methylphenol			Not detected	165	03/21/06	08:35	SW
4-Bromophenyl phenyl ether			Not detected	165	03/21/06	08:35	SW
4-Chloro-3-methyl phenol			Not detected	165	03/21/06	08:35	SW
4-Chloroaniline			Not detected	165	03/21/06	08:35	SW
4-Chlorophenyl phenyl ether			Not detected	165	03/21/06	08:35	SW
4-Methylphenol			Not detected	165	03/21/06	08:35	SW
4-Nitroaniline			Not detected	165	03/21/06	08:35	SW
4-Nitrophenol			Not detected	165	03/21/06	08:35	SW
Acenaphthene			Not detected	165	03/21/06	08:35	SW
Acenaphthylene			Not detected	165	03/21/06	08:35	SW
Aniline			Not detected	165	03/21/06	08:35	SW
Anthracene			Not detected	165	03/21/06	08:35	SW
Benzidine			Not detected	165	03/21/06	08:35	SW
Benzo(a)anthracene			Not detected	165	03/21/06	08:35	SW
Benzo(a)pyrene			Not detected	165	03/21/06	08:35	SW
Benzo(b)fluoranthene			Not detected	165	03/21/06	08:35	SW
Benzo(g,h,i)perylene			Not detected	165	03/21/06	08:35	SW
Benzo(k)fluoranthene			Not detected	165	03/21/06	08:35	SW
Benzyl alcohol			Not detected	165	03/21/06	08:35	SW
Bis(2-chloroethoxy)methane			Not detected	165	03/21/06	08:35	SW
Bis(2-chloroethyl)ether			Not detected	165	03/21/06	08:35	SW
Bis(2-chloroisopropyl)ether			Not detected	165	03/21/06	08:35	SW
Bis(2-ethylhexyl)phthalate			Not detected	165	03/21/06	08:35	SW
Butyl benzyl phthalate			Not detected	165	03/21/06	08:35	SW
Chrysene			Not detected	165	03/21/06	08:35	SW
Dibenz(a,h)anthracene			Not detected	165	03/21/06	08:35	SW
Dibenzofuran			Not detected	165	03/21/06	08:35	SW
Diethylphthalate			Not detected	165	03/21/06	08:35	SW
Dimethylphthalate			Not detected	165	03/21/06	08:35	SW
Di-n-butylphthalate			Not detected	165	03/21/06	08:35	SW
Di-n-octylphthalate			Not detected	165	03/21/06	08:35	SW
Fluoranthene			Not detected	165	03/21/06	08:35	SW
Fluorene			Not detected	165	03/21/06	08:35	SW
Hexachlorobenzene			Not detected	165	03/21/06	08:35	SW
Hexachlorobutadiene			Not detected	165	03/21/06	08:35	SW
Hexachlorocyclopentadiene			Not detected	165	03/21/06	08:35	SW
Hexachloroethane			Not detected	165	03/21/06	08:35	SW
Indeno(1,2,3-cd)pyrene			Not detected	165	03/21/06	08:35	SW
Isophorone			Not detected	165	03/21/06	08:35	SW
Naphthalene			Not detected	165	03/21/06	08:35	SW
Nitrobenzene			Not detected	165	03/21/06	08:35	SW
N-Nitrosodi-n-propylamine			Not detected	165	03/21/06	08:35	SW

**YORK**

Client Sample ID			CP-4 Endpoint 26'				
Collection Date			03/13/06				
York Sample ID			06030416-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
N-Nitrosodiphenylamine			Not detected	165	03/21/06	08:35	SW
Pentachlorophenol			Not detected	165	03/21/06	08:35	SW
Phenanthrene			Not detected	165	03/21/06	08:35	SW
Phenol			Not detected	165	03/21/06	08:35	SW
Pyrene			Not detected	165	03/21/06	08:35	SW
Pyridine			Not detected	165	03/21/06	08:35	SW
<b>Nassau Co. DOH Volatiles</b>	SW846-8260	ug/kG	---	---	03/17/06	10:49	SS
1,1,1,2-Tetrachloroethane			Not detected	10	03/17/06	10:49	SS
1,1,1-Trichloroethane			Not detected	10	03/17/06	10:49	SS
1,1,2,2-Tetrachloroethane			Not detected	10	03/17/06	10:49	SS
1,1,2-Trichloroethane			Not detected	10	03/17/06	10:49	SS
1,1-Dichloroethane			Not detected	10	03/17/06	10:49	SS
1,1-Dichloroethylene			Not detected	10	03/17/06	10:49	SS
1,1-Dichloropropylene			Not detected	10	03/17/06	10:49	SS
1,2,3-Trichlorobenzene			Not detected	10	03/17/06	10:49	SS
1,2,3-Trichloropropane			Not detected	10	03/17/06	10:49	SS
1,2,4-Trichlorobenzene			Not detected	10	03/17/06	10:49	SS
1,2,4-Trimethylbenzene			Not detected	10	03/17/06	10:49	SS
1,2-Dibromo-3-chloropropane			Not detected	10	03/17/06	10:49	SS
1,2-Dibromoethane			Not detected	10	03/17/06	10:49	SS
1,2-Dichlorobenzene			Not detected	10	03/17/06	10:49	SS
1,2-Dichloroethane			Not detected	10	03/17/06	10:49	SS
1,2-Dichloropropane			Not detected	10	03/17/06	10:49	SS
1,3,5-Trimethylbenzene			Not detected	10	03/17/06	10:49	SS
1,3-Dichlorobenzene			Not detected	10	03/17/06	10:49	SS
1,3-Dichloropropane			Not detected	10	03/17/06	10:49	SS
1,4-Dichlorobenzene			Not detected	10	03/17/06	10:49	SS
2,2-Dichloropropane			Not detected	10	03/17/06	10:49	SS
2-Chlorotoluene			Not detected	10	03/17/06	10:49	SS
4-Chlorotoluene			Not detected	10	03/17/06	10:49	SS
Acetone			Not detected	10	03/17/06	10:49	SS
Benzene			Not detected	10	03/17/06	10:49	SS
Bromobenzene			Not detected	10	03/17/06	10:49	SS
Bromochloromethane			Not detected	10	03/17/06	10:49	SS
Bromodichloromethane			Not detected	10	03/17/06	10:49	SS
Bromoform			Not detected	10	03/17/06	10:49	SS
Carbon tetrachloride			Not detected	10	03/17/06	10:49	SS
Chlorobenzene			Not detected	10	03/17/06	10:49	SS
Chloroform			Not detected	10	03/17/06	10:49	SS
cis-1,2-Dichloroethylene			Not detected	10	03/17/06	10:49	SS
cis-1,3-Dichloropropylene			Not detected	10	03/17/06	10:49	SS
Dibromochloromethane			Not detected	10	03/17/06	10:49	SS
Dibromomethane			Not detected	10	03/17/06	10:49	SS
Ethylbenzene			Not detected	10	03/17/06	10:49	SS
Hexachlorobutadiene			Not detected	10	03/17/06	10:49	SS
Isopropylbenzene			Not detected	10	03/17/06	10:49	SS
Methylene chloride			Not detected	10	03/17/06	10:49	SS
Naphthalene			Not detected	10	03/17/06	10:49	SS


Client Sample ID			CP-4 Endpoint 26'				
Collection Date			03/13/06				
York Sample ID			06030416-01				
Matrix			SOIL				
Parameter	Method	Units	Results	MDL	Analysis Date	Analysis Time	Analyst
n-Butylbenzene			Not detected	10	03/17/06	10:49	SS
n-Propylbenzene			Not detected	10	03/17/06	10:49	SS
o-Xylene			Not detected	10	03/17/06	10:49	SS
p- & m-Xylenes			Not detected	10	03/17/06	10:49	SS
p-Isopropyltoluene			Not detected	10	03/17/06	10:49	SS
sec-Butylbenzene			Not detected	10	03/17/06	10:49	SS
Styrene			Not detected	10	03/17/06	10:49	SS
tert-Butylbenzene			Not detected	10	03/17/06	10:49	SS
Tetrachloroethylene			Not detected	10	03/17/06	10:49	SS
Toluene			Not detected	10	03/17/06	10:49	SS
trans-1,2-Dichloroethylene			Not detected	10	03/17/06	10:49	SS
trans-1,3-Dichloropropylene			Not detected	10	03/17/06	10:49	SS
Trichloroethylene			Not detected	10	03/17/06	10:49	SS
Trichlorofluoromethane			Not detected	10	03/17/06	10:49	SS
Vinyl chloride			Not detected	10	03/17/06	10:49	SS
<b>Total RCRA Metals</b>	SW846	mg/kg	---	---	03/16/06	06:58	MW
Arsenic, total			Not detected	1.00	03/16/06	06:58	MW
Barium, total			18.8	0.50	03/16/06	06:58	MW
Cadmium, total			Not detected	0.50	03/16/06	06:58	MW
Chromium, total			0.82	0.50	03/16/06	06:58	MW
Lead, total			2.06	0.50	03/16/06	06:58	MW
Selenium, total			Not detected	1.00	03/16/06	06:58	MW
Silver, total			Not detected	0.50	03/16/06	06:58	MW
Mercury	SW846-7471	mg/kg	Not detected	0.10	03/16/06	11:54	AA

Units Key: For Waters/Liquids: mg/L = ppm ; ug/L = ppb For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

### Notes for York Project No. 06030416

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:

  
Robert Q. Bradley  
Managing Director

Date: 3/21/2006



ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615 (203) 325-1371 FAX (203) 357-0166

# Field Chain-of-Custody Record

Page \_\_\_ of \_\_\_

Company Name: EST  
 133 Commack Rd  
 Massic Beach NY

Report To: EST  
 Invoice To: EST  
 Project ID/No.: Fresh & Clean

Samples Collected By (Signature): Joseph Parisi  
 Name (Printed): Joseph Parisi

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air		
	CP-4 End point 26'	3/13/06		X			MASSACHUSETTS county Health Dept Methods VOC'S - SVOC'S 1802

**Chain-of-Custody Record**

Bottles Relinquished from Lab by: [Signature] Date/Time: \_\_\_\_\_  
 Sample Relinquished by: [Signature] Date/Time: 3/14/06 2:54 p

Bottles Received in Field by: [Signature] Date/Time: \_\_\_\_\_  
 Sample Received in LAB by: [Signature] Date/Time: \_\_\_\_\_

Comments/Special Instructions

Turn-Around Time: \_\_\_\_\_ Standard \_\_\_\_\_ RUSH(define) \_\_\_\_\_

Storm DRAIN - 1  
END POINT

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (SD-1 End Point)
Date received: 12/6/06	Laboratory ID: 1125668
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

### EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
N-NITROSODIMETHYLAMINE	62-75-9	40 ug/kg	<40
PHENOL	108-95-2	40 ug/kg	<40
ANILINE	62-53-3	40 ug/kg	<40
2-CHLOROPHENOL	95-57-8	40 ug/kg	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	40 ug/kg	<40
1,3-DICHLOROBENZENE	541-73-1	40 ug/kg	<40
1,4-DICHLOROBENZENE	106-46-7	40 ug/kg	<40
BENZYL ALCOHOL	100-51-6	40 ug/kg	<40
1,2-DICHLOROBENZENE	95-50-1	40 ug/kg	<40
2-METHYLPHENOL	95-48-7	40 ug/kg	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	40 ug/kg	<40
HEXACHLOROETHANE	67-72-1	40 ug/kg	<40
3+4-METHYLPHENOL	15831-10-4	40 ug/kg	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	40 ug/kg	<40
NITROBENZENE	98-95-3	40 ug/kg	<40
ISOPHORONE	78-59-1	40 ug/kg	<40
2-NITROPHENOL	88-75-5	40 ug/kg	<40
2,4-DIMETHYLPHENOL	105-67-9	40 ug/kg	<40
BENZOIC ACID	65-80-8	40 ug/kg	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	40 ug/kg	<40
2,4-DICHLOROPHENOL	102-83-2	40 ug/kg	<40
1,2,4-TRICHLOROBENZENE	120-82-1	40 ug/kg	<40
NAPHTHALENE	91-20-3	40 ug/kg	<40
4-CHLOROANILINE	106-47-8	40 ug/kg	59
HEXACHLOROBUTADIENE	87-68-3	40 ug/kg	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	40 ug/kg	<40
2-METHYLNAPHTHALENE	91-57-6	40 ug/kg	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	66 ug/kg	<66
2,4,6-TRICHLOROPHENOL	88-06-2	40 ug/kg	<40
2,4,5-TRICHLOROPHENOL	95-95-4	40 ug/kg	<40
2-CHLORONAPHTHALENE	91-58-7	40 ug/kg	<40
2-NITROANILINE	88-74-4	40 ug/kg	<40
DIMETHYLPHTHALATE	131-11-3	40 ug/kg	<40
ACENAPHTHYLENE	208-96-8	40 ug/kg	<40
2,6-DINITROTOLUENE	606-20-2	40 ug/kg	<40
3-NITROANILINE	99-09-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



**ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com



Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (SD-1 End Point)
Date received: 12/6/06	Laboratory ID: 1125668
Date extracted: 12/8/06	Matrix: Soil
Date analyzed: 12/8/06	ELAP #: 11693

## EPA METHOD 8270

Parameter	CAS No.	MDL	Results ug/kg
ACENAPHTHENE	83-32-9	40 ug/kg	<40
2,4-DINITROPHENOL	51-28-5	40 ug/kg	<40
DIBENZOFURAN	132-64-9	40 ug/kg	<40
4-NITROPHENOL	100-02-7	40 ug/kg	<40
2,4-DINTROTOLUENE	121-14-2	40 ug/kg	<40
FLUORENE	86-73-7	40 ug/kg	<40
DIETHYLPHTHALATE	84-66-2	40 ug/kg	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	40 ug/kg	<40
4-NITROANILINE	100-01-6	40 ug/kg	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	40 ug/kg	<40
N-NITROSODIPHENYLAMINE	86-30-6	40 ug/kg	<40
AZOBENZENE	103-33-3	40 ug/kg	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	40 ug/kg	<40
HEXACHLOROBENZENE	118-74-1	40 ug/kg	<40
PENTACHLORPHENOL	87-86-5	40 ug/kg	<40
PHENANTHRENE	85-01-8	40 ug/kg	<40
ANTHRACENE	120-12-7	40 ug/kg	<40
CARBAZOLE	86-74-8	40 ug/kg	<40
Di-n-BUTYLPHTHALATE	84-74-2	500 ug/kg	706
FLUORANTHENE	206-44-0	40 ug/kg	<40
PYRENE	129-00-0	40 ug/kg	<40
BUTYLBENZYLPHTHALATE	85-68-7	40 ug/kg	463
BENZO-a-ANTHRACENE	56-55-3	40 ug/kg	<40
CHRYSENE	218-01-9	40 ug/kg	<40
3,3-DICHLOROBENZIDINE	91-94-1	40 ug/kg	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	500 ug/kg	5,241
DI-n-OCTYLPHTHALATE	117-84-0	40 ug/kg	161
BENZO-b-FLUOROANTHENE	205-99-2	40 ug/kg	<40
BENZO-k- FLUOROANTHENE	207-08-9	40 ug/kg	<40
BENZO-a-PYRENE	50-32-8	40 ug/kg	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	40 ug/kg	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	40 ug/kg	<40
BENZO-g,h,i-PERYLENE	191-24-2	40 ug/kg	<40

MDL = Minimum Detection Limit.

Calculated on a wet weight basis



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: Environmental Services, Inc.	Client ID: Fresh and Clean Peterman (SD-1 End Point)
Date received: 12/6/06	Laboratory ID: 1125668
Date extracted: 12/7, 12/8/06	Matrix: Soil
Date analyzed: 12/7, 12/8/06	ELAP #: 11693


### METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
ARSENIC, As	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	12.0
CADMIUM, Cd	1.00 mg/kg	<1.00
CHROMIUM, Cr	1.65 mg/kg	3.31
MERCURY, Hg	0.020 mg/kg	0.052
LEAD, Pb	1.65 mg/kg	2.97
SELENIUM, Se	1.65 mg/kg	<1.65

MDL = Minimum Detection Limit.

Calculated on a wet weight basis

Performed by SW-846 Method 6010



Michael Veraldi-Laboratory Director



**LONG  
ISLAND  
ANALYTICAL  
LABORATORIES INC.**

110 Colin Drive • Holbrook, New York 11741

"TOMORROWS ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

# YORK

ANALYTICAL LABORATORIES, INC.

soil GAS

## Technical Report

prepared for:

**Environmental Services Inc.**  
40 Zorn Blvd.  
Yaphank, NY 11980  
Attention: Joe Parisi

Report Date: 7/25/2007  
**Re: Client Project ID: Fresh & Clean**  
York Project No.: 07070678

CT License No. PH-0723

New York License No. 10854



# YORK

ANALYTICAL LABORATORIES, INC.

soil GAS

## Technical Report

prepared for:

**Environmental Services Inc.**  
40 Zorn Blvd.  
Yaphank, NY 11980  
Attention: Joe Parisi

Report Date: 7/25/2007  
**Re: Client Project ID: Fresh & Clean**  
York Project No.: 07070678

CT License No. PH-0723

New York License No. 10854



Report Date: 7/25/2007  
 Client Project ID: Fresh & Clean  
 York Project No.: 07070678

**Environmental Services Inc.**  
 40 Zorn Blvd.  
 Yaphank, NY 11980  
 Attention: Joe Parisi

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 07/23/07. The project was identified as your project "Fresh & Clean".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			SB-1 Can 23		SB-2 Can 33	
York Sample ID			07070678-01		07070678-02	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, TO-14 List</b>	EPA TO-14A	ppbv	---	---	---	---
1,1,1-Trichloroethane			Not detected	1.8	Not detected	1.1
1,1,2,2-tetrachloroethane			Not detected	1.8	Not detected	1.1
1,1,2-Trichloroethane			Not detected	1.8	Not detected	1.1
1,1-Dichloroethane			Not detected	1.8	Not detected	1.1
1,1-Dichloroethylene			Not detected	1.8	Not detected	1.1
1,2,4-Trichlorobenzene			Not detected	1.8	Not detected	1.1
1,2,4-Trimethylbenzene			3.5	1.8	16	1.1
1,2-Dibromoethane			Not detected	1.8	Not detected	1.1
1,2-Dichlorobenzene			Not detected	1.8	Not detected	1.1
1,2-Dichloroethane			Not detected	1.8	Not detected	1.1
1,2-Dichloropropane			Not detected	1.8	Not detected	1.1
1,2-Dichlorotetrafluoroethane			Not detected	1.8	Not detected	1.1
1,3,5-Trimethylbenzene			Not detected	1.8	4.6	1.1
1,3-Dichlorobenzene			Not detected	1.8	Not detected	1.1
1,4-Dichlorobenzene			Not detected	1.8	Not detected	1.1
3-Chloropropene			Not detected	1.8	Not detected	1.1

**YORK**

Report Date: 7/25/2007  
 Client Project ID: Fresh & Clean  
 York Project No.: 07070678

**Environmental Services Inc.**  
 40 Zorn Blvd.  
 Yaphank, NY 11980  
 Attention: Joe Parisi

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 07/23/07. The project was identified as your project "Fresh & Clean".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			SB-1 Can 23		SB-2 Can 33	
York Sample ID			07070678-01		07070678-02	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, TO-14 List</b>	EPA TO-14A	ppbv	---	---	---	---
1,1,1-Trichloroethane			Not detected	1.8	Not detected	1.1
1,1,2,2-tetrachloroethane			Not detected	1.8	Not detected	1.1
1,1,2-Trichloroethane			Not detected	1.8	Not detected	1.1
1,1-Dichloroethane			Not detected	1.8	Not detected	1.1
1,1-Dichloroethylene			Not detected	1.8	Not detected	1.1
1,2,4-Trichlorobenzene			Not detected	1.8	Not detected	1.1
1,2,4-Trimethylbenzene			3.5	1.8	16	1.1
1,2-Dibromoethane			Not detected	1.8	Not detected	1.1
1,2-Dichlorobenzene			Not detected	1.8	Not detected	1.1
1,2-Dichloroethane			Not detected	1.8	Not detected	1.1
1,2-Dichloropropane			Not detected	1.8	Not detected	1.1
1,2-Dichlorotetrafluoroethane			Not detected	1.8	Not detected	1.1
1,3,5-Trimethylbenzene			Not detected	1.8	4.6	1.1
1,3-Dichlorobenzene			Not detected	1.8	Not detected	1.1
1,4-Dichlorobenzene			Not detected	1.8	Not detected	1.1
3-Chloropropene			Not detected	1.8	Not detected	1.1

**YORK**

Client Sample ID			SB-1 Can 23		SB-2 Can 33	
York Sample ID			07070678-01		07070678-02	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
4-Ethyltoluene			Not detected	1.8	Not detected	1.1
Benzene			2.1	1.8	16	1.1
Benzyl Chloride			Not detected	1.8	Not detected	1.1
Bromomethane			Not detected	1.8	Not detected	1.1
Carbon Tetrachloride			Not detected	1.8	Not detected	1.1
Chlorobenzene			Not detected	1.8	Not detected	1.1
Chloroethane			Not detected	1.8	Not detected	1.1
Chloroform			Not detected	1.8	Not detected	1.1
Chloromethane			Not detected	1.8	Not detected	1.1
cis-1,2-Dichloroethylene			Not detected	1.8	Not detected	1.1
cis-1,3-Dichloropropylene			Not detected	1.8	Not detected	1.1
Dichlorodifluoromethane			Not detected	1.8	Not detected	1.1
Ethylbenzene			3.8	1.8	20	1.1
Freon-113			Not detected	1.8	Not detected	1.1
Hexachloro-1,3-Butadiene			Not detected	1.8	Not detected	1.1
Methylene Chloride			Not detected	1.8	Not detected	1.1
o-Xylene			3.8	1.8	19	1.1
p- & m-Xylenes			6.4	1.8	32	1.1
Styrene			Not detected	1.8	Not detected	1.1
Tetrachloroethylene			130	1.8	42	1.1
Toluene			23	1.8	150	1.1
trans-1,3-Dichloropropylene			Not detected	1.8	Not detected	1.1
Trichloroethylene			12	1.8	4.9	1.1
Trichlorofluoromethane			Not detected	1.8	Not detected	1.1
Vinyl Chloride			Not detected	1.8	Not detected	1.1
<b>Volatiles, TO-14 List</b>	EPA TO14A	ug/cu.m.	---	---	---	---
1,1,1-Trichloroethane			Not detected	9.75	Not detected	6.08
1,1,2,2-tetrachloroethane			Not detected	12.3	Not detected	7.67
1,1,2-Trichloroethane			Not detected	9.75	Not detected	6.08
1,1-Dichloroethane			Not detected	7.20	Not detected	4.49
1,1-Dichloroethylene			Not detected	7.11	Not detected	4.44
1,2,4-Trichlorobenzene			Not detected	14.6	Not detected	9.10
1,2,4-Trimethylbenzene			17.5	8.78	80.0	5.48
1,2-Dibromoethane			Not detected	13.7	Not detected	8.55
1,2-Dichlorobenzene			Not detected	10.5	Not detected	6.58
1,2-Dichloroethane			Not detected	7.20	Not detected	4.49
1,2-Dichloropropane			Not detected	8.25	Not detected	5.15
1,2-Dichlorotetrafluoroethane			Not detected	8.78	Not detected	5.48
1,3,5-Trimethylbenzene			Not detected	8.78	23.0	5.48
1,3-Dichlorobenzene			Not detected	10.7	Not detected	6.69
1,4-Dichlorobenzene			Not detected	10.6	Not detected	6.63
3-Chloropropene			Not detected	13.2	Not detected	8.22
4-Ethyltoluene			Not detected	8.87	Not detected	5.53
Benzene			6.82	5.71	52.0	3.56
Benzyl Chloride			Not detected	10.1	Not detected	6.30
Bromomethane			Not detected	6.94	Not detected	4.33
Carbon Tetrachloride			Not detected	11.2	Not detected	7.01
Chlorobenzene			Not detected	8.25	Not detected	5.15
Chloroethane			Not detected	4.74	Not detected	2.96
Chloroform			Not detected	8.69	Not detected	5.43
Chloromethane			Not detected	3.69	Not detected	2.30

**YORK**

Client Sample ID			SB-1 Can 23		SB-2 Can 33	
York Sample ID			07070678-01		07070678-02	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
4-Ethyltoluene			Not detected	1.8	Not detected	1.1
Benzene			2.1	1.8	16	1.1
Benzyl Chloride			Not detected	1.8	Not detected	1.1
Bromomethane			Not detected	1.8	Not detected	1.1
Carbon Tetrachloride			Not detected	1.8	Not detected	1.1
Chlorobenzene			Not detected	1.8	Not detected	1.1
Chloroethane			Not detected	1.8	Not detected	1.1
Chloroform			Not detected	1.8	Not detected	1.1
Chloromethane			Not detected	1.8	Not detected	1.1
cis-1,2-Dichloroethylene			Not detected	1.8	Not detected	1.1
cis-1,3-Dichloropropylene			Not detected	1.8	Not detected	1.1
Dichlorodifluoromethane			Not detected	1.8	Not detected	1.1
Ethylbenzene			3.8	1.8	20	1.1
Freon-113			Not detected	1.8	Not detected	1.1
Hexachloro-1,3-Butadiene			Not detected	1.8	Not detected	1.1
Methylene Chloride			Not detected	1.8	Not detected	1.1
o-Xylene			3.8	1.8	19	1.1
p- & m-Xylenes			6.4	1.8	32	1.1
Styrene			Not detected	1.8	Not detected	1.1
Tetrachloroethylene			130	1.8	42	1.1
Toluene			23	1.8	150	1.1
trans-1,3-Dichloropropylene			Not detected	1.8	Not detected	1.1
Trichloroethylene			12	1.8	4.9	1.1
Trichlorofluoromethane			Not detected	1.8	Not detected	1.1
Vinyl Chloride			Not detected	1.8	Not detected	1.1
<b>Volatiles, TO-14 List</b>	EPA TO14A	ug/cu.m.	---	---	---	---
1,1,1-Trichloroethane			Not detected	9.75	Not detected	6.08
1,1,2,2-tetrachloroethane			Not detected	12.3	Not detected	7.67
1,1,2-Trichloroethane			Not detected	9.75	Not detected	6.08
1,1-Dichloroethane			Not detected	7.20	Not detected	4.49
1,1-Dichloroethylene			Not detected	7.11	Not detected	4.44
1,2,4-Trichlorobenzene			Not detected	14.6	Not detected	9.10
1,2,4-Trimethylbenzene			17.5	8.78	80.0	5.48
1,2-Dibromoethane			Not detected	13.7	Not detected	8.55
1,2-Dichlorobenzene			Not detected	10.5	Not detected	6.58
1,2-Dichloroethane			Not detected	7.20	Not detected	4.49
1,2-Dichloropropane			Not detected	8.25	Not detected	5.15
1,2-Dichlorotetrafluoroethane			Not detected	8.78	Not detected	5.48
1,3,5-Trimethylbenzene			Not detected	8.78	23.0	5.48
1,3-Dichlorobenzene			Not detected	10.7	Not detected	6.69
1,4-Dichlorobenzene			Not detected	10.6	Not detected	6.63
3-Chloropropene			Not detected	13.2	Not detected	8.22
4-Ethyltoluene			Not detected	8.87	Not detected	5.53
Benzene			6.82	5.71	52.0	3.56
Benzyl Chloride			Not detected	10.1	Not detected	6.30
Bromomethane			Not detected	6.94	Not detected	4.33
Carbon Tetrachloride			Not detected	11.2	Not detected	7.01
Chlorobenzene			Not detected	8.25	Not detected	5.15
Chloroethane			Not detected	4.74	Not detected	2.96
Chloroform			Not detected	8.69	Not detected	5.43
Chloromethane			Not detected	3.69	Not detected	2.30

**YORK**



Client Sample ID			SB-1 Can 23		SB-2 Can 33	
York Sample ID			07070678-01		07070678-02	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
cis-1,2-Dichloroethylene			Not detected	7.11	Not detected	4.44
cis-1,3-Dichloropropylene			Not detected	8.69	Not detected	5.43
Dichlorodifluoromethane			Not detected	8.87	Not detected	5.53
Ethylbenzene			16.8	7.73	88.3	4.82
Freon-113			Not detected	13.7	Not detected	8.55
Hexachloro-1,3-Butadiene			Not detected	12.5	Not detected	7.78
Methylene Chloride			Not detected	6.23	Not detected	3.89
o-Xylene			16.8	7.73	83.9	4.82
p- & m-Xylenes			28.3	7.73	141	4.82
Styrene			Not detected	7.64	Not detected	4.77
Tetrachloroethylene			897	12.1	290	7.56
Toluene			88.2	6.76	575	4.22
trans-1,3-Dichloropropylene			Not detected	8.87	Not detected	5.53
Trichloroethylene			65.6	9.57	26.8	5.97
Trichlorofluoromethane			Not detected	10.0	Not detected	6.25
Vinyl Chloride			Not detected	4.57	Not detected	2.85

Client Sample ID			SB-3 Can 2		SB-4 Can 24	
York Sample ID			07070678-03		07070678-04	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, TO-14 List</b>	EPA TO-14A	ppbv	---	---	---	---
1,1,1-Trichloroethane			Not detected	0.90	Not detected	1.2
1,1,2,2-tetrachloroethane			Not detected	0.90	Not detected	1.2
1,1,2-Trichloroethane			Not detected	0.90	Not detected	1.2
1,1-Dichloroethane			Not detected	0.90	Not detected	1.2
1,1-Dichloroethylene			Not detected	0.90	Not detected	1.2
1,2,4-Trichlorobenzene			Not detected	0.90	Not detected	1.2
1,2,4-Trimethylbenzene			7.5	0.90	7.3	1.2
1,2-Dibromoethane			Not detected	0.90	Not detected	1.2
1,2-Dichlorobenzene			Not detected	0.90	Not detected	1.2
1,2-Dichloroethane			Not detected	0.90	Not detected	1.2
1,2-Dichloropropane			Not detected	0.90	Not detected	1.2
1,2-Dichlorotetrafluoroethane			Not detected	0.90	Not detected	1.2
1,3,5-Trimethylbenzene			2.3	0.90	2.3	1.2
1,3-Dichlorobenzene			Not detected	0.90	Not detected	1.2
1,4-Dichlorobenzene			Not detected	0.90	Not detected	1.2
3-Chloropropene			Not detected	0.90	Not detected	1.2
4-Ethyltoluene			Not detected	0.90	Not detected	1.2
Benzene			8.8	0.90	8.6	1.2
Benzyl Chloride			Not detected	0.90	Not detected	1.2
Bromomethane			Not detected	0.90	Not detected	1.2
Carbon Tetrachloride			Not detected	0.90	Not detected	1.2
Chlorobenzene			Not detected	0.90	Not detected	1.2
Chloroethane			Not detected	0.90	Not detected	1.2
Chloroform			Not detected	0.90	Not detected	1.2
Chloromethane			Not detected	0.90	Not detected	1.2
cis-1,2-Dichloroethylene			75	0.90	Not detected	1.2
cis-1,3-Dichloropropylene			Not detected	0.90	Not detected	1.2

**YORK**

Client Sample ID			SB-1 Can 23		SB-2 Can 33	
York Sample ID			07070678-01		07070678-02	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
cis-1,2-Dichloroethylene			Not detected	7.11	Not detected	4.44
cis-1,3-Dichloropropylene			Not detected	8.69	Not detected	5.43
Dichlorodifluoromethane			Not detected	8.87	Not detected	5.53
Ethylbenzene			16.8	7.73	88.3	4.82
Freon-113			Not detected	13.7	Not detected	8.55
Hexachloro-1,3-Butadiene			Not detected	12.5	Not detected	7.78
Methylene Chloride			Not detected	6.23	Not detected	3.89
o-Xylene			16.8	7.73	83.9	4.82
p- & m-Xylenes			28.3	7.73	141	4.82
Styrene			Not detected	7.64	Not detected	4.77
Tetrachloroethylene			897	12.1	290	7.56
Toluene			88.2	6.76	575	4.22
trans-1,3-Dichloropropylene			Not detected	8.87	Not detected	5.53
Trichloroethylene			65.6	9.57	26.8	5.97
Trichlorofluoromethane			Not detected	10.0	Not detected	6.25
Vinyl Chloride			Not detected	4.57	Not detected	2.85

Client Sample ID			SB-3 Can 2		SB-4 Can 24	
York Sample ID			07070678-03		07070678-04	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
<b>Volatiles, TO-14 List</b>	EPA TO-14A	ppbv	---	---	---	---
1,1,1-Trichloroethane			Not detected	0.90	Not detected	1.2
1,1,2,2-tetrachloroethane			Not detected	0.90	Not detected	1.2
1,1,2-Trichloroethane			Not detected	0.90	Not detected	1.2
1,1-Dichloroethane			Not detected	0.90	Not detected	1.2
1,1-Dichloroethylene			Not detected	0.90	Not detected	1.2
1,2,4-Trichlorobenzene			Not detected	0.90	Not detected	1.2
1,2,4-Trimethylbenzene			7.5	0.90	7.3	1.2
1,2-Dibromoethane			Not detected	0.90	Not detected	1.2
1,2-Dichlorobenzene			Not detected	0.90	Not detected	1.2
1,2-Dichloroethane			Not detected	0.90	Not detected	1.2
1,2-Dichloropropane			Not detected	0.90	Not detected	1.2
1,2-Dichlorotetrafluoroethane			Not detected	0.90	Not detected	1.2
1,3,5-Trimethylbenzene			2.3	0.90	2.3	1.2
1,3-Dichlorobenzene			Not detected	0.90	Not detected	1.2
1,4-Dichlorobenzene			Not detected	0.90	Not detected	1.2
3-Chloropropene			Not detected	0.90	Not detected	1.2
4-Ethyltoluene			Not detected	0.90	Not detected	1.2
Benzene			8.8	0.90	8.6	1.2
Benzyl Chloride			Not detected	0.90	Not detected	1.2
Bromomethane			Not detected	0.90	Not detected	1.2
Carbon Tetrachloride			Not detected	0.90	Not detected	1.2
Chlorobenzene			Not detected	0.90	Not detected	1.2
Chloroethane			Not detected	0.90	Not detected	1.2
Chloroform			Not detected	0.90	Not detected	1.2
Chloromethane			Not detected	0.90	Not detected	1.2
cis-1,2-Dichloroethylene			75	0.90	Not detected	1.2
cis-1,3-Dichloropropylene			Not detected	0.90	Not detected	1.2

**YORK**

Client Sample ID			SB-3 Can 2		SB-4 Can 24	
York Sample ID			07070678-03		07070678-04	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
Dichlorodifluoromethane			Not detected	0.90	Not detected	1.2
Ethylbenzene			7.6	0.90	7.3	1.2
Freon-113			Not detected	0.90	Not detected	1.2
Hexachloro-1,3-Butadiene			Not detected	0.90	Not detected	1.2
Methylene Chloride			85	0.90	91	1.2
o-Xylene			7.7	0.90	7.8	1.2
p- & m-Xylenes			12	0.90	12	1.2
Styrene			Not detected	0.90	Not detected	1.2
Tetrachloroethylene			96	0.90	23	1.2
Toluene			69	0.90	56	1.2
trans-1,3-Dichloropropylene			Not detected	0.90	Not detected	1.2
Trichloroethylene			28	0.90	Not detected	1.2
Trichlorofluoromethane			7.7	0.90	9.4	1.2
Vinyl Chloride			Not detected	0.90	Not detected	1.2
<b>Volatiles, TO-14 List</b>	EPA TO14A	ug/cu.m.	---	---	---	---
1,1,1-Trichloroethane			Not detected	4.99	Not detected	6.43
1,1,2,2-tetrachloroethane			Not detected	6.30	Not detected	8.11
1,1,2-Trichloroethane			Not detected	4.99	Not detected	6.43
1,1-Dichloroethane			Not detected	3.69	Not detected	4.75
1,1-Dichloroethylene			Not detected	3.64	Not detected	4.69
1,2,4-Trichlorobenzene			Not detected	7.47	Not detected	9.61
1,2,4-Trimethylbenzene			37.5	4.50	36.5	5.79
1,2-Dibromoethane			Not detected	7.02	Not detected	9.03
1,2-Dichlorobenzene			Not detected	5.40	Not detected	6.95
1,2-Dichloroethane			Not detected	3.69	Not detected	4.75
1,2-Dichloropropane			Not detected	4.23	Not detected	5.44
1,2-Dichlorotetrafluoroethane			Not detected	4.50	Not detected	5.79
1,3,5-Trimethylbenzene			11.5	4.50	11.5	5.79
1,3-Dichlorobenzene			Not detected	5.49	Not detected	7.06
1,4-Dichlorobenzene			Not detected	5.45	Not detected	7.01
3-Chloropropene			Not detected	6.75	Not detected	8.68
4-Ethyltoluene			Not detected	4.55	Not detected	5.85
Benzene			28.6	2.92	27.9	3.76
Benzyl Chloride			Not detected	5.18	Not detected	6.66
Bromomethane			Not detected	3.56	Not detected	4.57
Carbon Tetrachloride			Not detected	5.76	Not detected	7.41
Chlorobenzene			Not detected	4.23	Not detected	5.44
Chloroethane			Not detected	2.43	Not detected	3.13
Chloroform			Not detected	4.45	Not detected	5.73
Chloromethane			Not detected	1.89	Not detected	2.43
cis-1,2-Dichloroethylene			302	3.64	Not detected	4.69
cis-1,3-Dichloropropylene			Not detected	4.45	Not detected	5.73
Dichlorodifluoromethane			Not detected	4.55	Not detected	5.85
Ethylbenzene			33.6	3.96	32.2	5.10
Freon-113			Not detected	7.02	Not detected	9.03
Hexachloro-1,3-Butadiene			Not detected	6.39	Not detected	8.22
Methylene Chloride			300	3.19	322	4.11
o-Xylene			34.0	3.96	34.5	5.10
p- & m-Xylenes			53.0	3.96	53.0	5.10
Styrene			Not detected	3.91	Not detected	5.04
Tetrachloroethylene			662	6.21	159	7.99

**YORK**

Client Sample ID			SB-3 Can 2		SB-4 Can 24	
York Sample ID			07070678-03		07070678-04	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
Dichlorodifluoromethane			Not detected	0.90	Not detected	1.2
Ethylbenzene			7.6	0.90	7.3	1.2
Freon-113			Not detected	0.90	Not detected	1.2
Hexachloro-1,3-Butadiene			Not detected	0.90	Not detected	1.2
Methylene Chloride			85	0.90	91	1.2
o-Xylene			7.7	0.90	7.8	1.2
p- & m-Xylenes			12	0.90	12	1.2
Styrene			Not detected	0.90	Not detected	1.2
Tetrachloroethylene			96	0.90	23	1.2
Toluene			69	0.90	56	1.2
trans-1,3-Dichloropropylene			Not detected	0.90	Not detected	1.2
Trichloroethylene			28	0.90	Not detected	1.2
Trichlorofluoromethane			7.7	0.90	9.4	1.2
Vinyl Chloride			Not detected	0.90	Not detected	1.2
<b>Volatiles, TO-14 List</b>	EPA TO14A	ug/cu.m.	---	---	---	---
1,1,1-Trichloroethane			Not detected	4.99	Not detected	6.43
1,1,2,2-tetrachloroethane			Not detected	6.30	Not detected	8.11
1,1,2-Trichloroethane			Not detected	4.99	Not detected	6.43
1,1-Dichloroethane			Not detected	3.69	Not detected	4.75
1,1-Dichloroethylene			Not detected	3.64	Not detected	4.69
1,2,4-Trichlorobenzene			Not detected	7.47	Not detected	9.61
1,2,4-Trimethylbenzene			37.5	4.50	36.5	5.79
1,2-Dibromoethane			Not detected	7.02	Not detected	9.03
1,2-Dichlorobenzene			Not detected	5.40	Not detected	6.95
1,2-Dichloroethane			Not detected	3.69	Not detected	4.75
1,2-Dichloropropane			Not detected	4.23	Not detected	5.44
1,2-Dichlorotetrafluoroethane			Not detected	4.50	Not detected	5.79
1,3,5-Trimethylbenzene			11.5	4.50	11.5	5.79
1,3-Dichlorobenzene			Not detected	5.49	Not detected	7.06
1,4-Dichlorobenzene			Not detected	5.45	Not detected	7.01
3-Chloropropene			Not detected	6.75	Not detected	8.68
4-Ethyltoluene			Not detected	4.55	Not detected	5.85
Benzene			28.6	2.92	27.9	3.76
Benzyl Chloride			Not detected	5.18	Not detected	6.66
Bromomethane			Not detected	3.56	Not detected	4.57
Carbon Tetrachloride			Not detected	5.76	Not detected	7.41
Chlorobenzene			Not detected	4.23	Not detected	5.44
Chloroethane			Not detected	2.43	Not detected	3.13
Chloroform			Not detected	4.45	Not detected	5.73
Chloromethane			Not detected	1.89	Not detected	2.43
cis-1,2-Dichloroethylene			302	3.64	Not detected	4.69
cis-1,3-Dichloropropylene			Not detected	4.45	Not detected	5.73
Dichlorodifluoromethane			Not detected	4.55	Not detected	5.85
Ethylbenzene			33.6	3.96	32.2	5.10
Freon-113			Not detected	7.02	Not detected	9.03
Hexachloro-1,3-Butadiene			Not detected	6.39	Not detected	8.22
Methylene Chloride			300	3.19	322	4.11
o-Xylene			34.0	3.96	34.5	5.10
p- & m-Xylenes			53.0	3.96	53.0	5.10
Styrene			Not detected	3.91	Not detected	5.04
Tetrachloroethylene			662	6.21	159	7.99

**YORK**

Client Sample ID			SB-3 Can 2		SB-4 Can 24	
York Sample ID			07070678-03		07070678-04	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
Toluene			265	3.46	215	4.46
trans-1,3-Dichloropropylene			Not detected	4.55	Not detected	5.85
Trichloroethylene			153	4.91	Not detected	6.31
Trichlorofluoromethane			44.0	5.13	53.7	6.60
Vinyl Chloride			Not detected	2.34	Not detected	3.01

**Units Key:** For Waters/Liquids: mg/L = ppm ; ug/L = ppb For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

**Notes for York Project No. 07070678**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:   
 Robert Q. Bradley  
 Managing Director

Date: 7/25/2007

Client Sample ID			SB-3 Can 2		SB-4 Can 24	
York Sample ID			07070678-03		07070678-04	
Matrix			AIR		AIR	
Parameter	Method	Units	Results	MDL	Results	MDL
Toluene			265	3.46	215	4.46
trans-1,3-Dichloropropylene			Not detected	4.55	Not detected	5.85
Trichloroethylene			153	4.91	Not detected	6.31
Trichlorofluoromethane			44.0	5.13	53.7	6.60
Vinyl Chloride			Not detected	2.34	Not detected	3.01

**Units Key:** For Waters/Liquids: mg/L = ppm ; ug/L = ppb For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

### Notes for York Project No. 07070678

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:   
 Robert Q. Bradley  
 Managing Director

Date: 7/25/2007

**YORK**

# **YORK**

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615  
(203) 325-1371 FAX (203) 357-0166

## **Field Chain-of-Custody Record**

Page 3 of     

07010078

Company Name EST Report To: EST Invoice To: EST Project ID/No. Fresh + Clean

140 ZORN Blvd  
Yaphank NY

TPDY KENNY  
Samples Collected By (Signature)

Troy Kenney  
Name (Printed)

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air OTHER		
SB-1	CAN 23	7/19/07		<input checked="" type="checkbox"/>		VOC'S METHOD TO-14	summa canisters
SB-2	can 33	7/19/07		<input checked="" type="checkbox"/>		VOC'S METHOD TO-14	
SB-3	can 2	7/19/07		<input checked="" type="checkbox"/>		VOC'S METHOD TO-14	
SB-4	can 24	7/19/07		<input checked="" type="checkbox"/>		VOC'S METHOD TO-14	↓

### **Chain-of-Custody Record**

Bottles Relinquished from Lab by [Signature] Date/Time 7/23/07 1:40pm Sample Received by [Signature] Date/Time 7/23 430

Bottles Relinquished in Field by [Signature] Date/Time 7/23/07 1:40pm Sample Relinquished by [Signature] Date/Time 7/23 430

Comments/Special Instructions Turn-Around Time Standard      RUSH(define)

# YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615  
 (203) 325-1371 FAX (203) 357-0166

## Field Chain-of-Custody Record

Page      of     

Company Name: ESI      Report To: ESI      Invoice To: ESI      Project ID/No.: Fresh + Clean  
40 ZORN BLVD      YAPHANK NY      TROY KENNY      Samples Collected By (Signature): Troy Kenny  
7070678      Name (Printed): Troy Kenny

Sample No.	Location/ID	Date Sampled	Sample Matrix			ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air		
	SB-1 can 23	7/19/07			✓	VOC'S method TO-14	summa canisters
	SB-2 can 33	7/19/07			✓	VOC'S method TO-14	
	SB-3 can 2	7/19/07			✓	VOC'S method TO-14	
	SB-4 can 24	7/19/07			✓	VOC'S method TO-14	

**Chain-of-Custody Record**  
 Bottles Relinquished from Lab by: [Signature]      Date/Time: 7/23/07 1:40pm  
 Sample Relinquished by: [Signature]      Date/Time: 7/23/07 7:30  
 Bottles Received in Field by: [Signature]      Date/Time: 7/23/07 7:28  
 Sample Received in LAB by: [Signature]      Date/Time: 7/23/07 4:30

Comments/Special Instructions: \_\_\_\_\_  
 Turn-Around Time: \_\_\_\_\_ Standard \_\_\_\_\_ RUSH(define) \_\_\_\_\_