

New York State Department of Environmental Conservation Emission Reduction Credit Registry

Pursuant to the New York State Clean Air Compliance Act and 6NYCRR Subparts 231-2 and 231-10, Notice is hereby given of the following listing of ERCs, registered which are available for offsets as of June 16, 2020.

Contact: ERC Unit, NYS DEC, 625 Broadway, 11th Floor, Albany NY 12233-3254, 518-402-8403

Contaminant Region	Available (TPY)* Nonattainment Area	Facility Name DEC ID	Contact Telephone #	Comments
VOC 1	0.00 Severe Ozone	Alcan Packaging 1-2820-00185	Mr. Coil 773-399-8599	8.80 tpy transferred to Alcan Packaging #1-4728-04190
VOC 1	15.29 Severe Ozone	Alcan Packaging 1-2820-00185	Mr. Coil 773-399-8599	69.20 tpy transferred to Alcan Packaging #1-4728-04190
VOC**** 1	43.73 Severe Ozone	Northville E. Setauket Terminal 1-4722-01658	Mr. Ripp 631-753-4220	24.03 transferred to Element Markets
	0.00 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213	24.03 transferred to Philadelphia Energy Solutions (PA)
VOC 1	8.40 Severe Ozone	FiberMark/Arcon Coating 1-2820-01862	Mr. Kraft 215-536-4000	Emission point(s) shutdown 2.8 tpy DEC retained
VOC 1	5.325 Severe Ozone	Marglo Pack. Corp. 1-2824-00898	Mr. Glassman 718-649-2800	Emission point(s) shutdown 1.775tpy DEC retain
VOC 1	0.00 Severe Ozone	Northrop Grumman Corp. 1-2824-00112	Mr. Cofman 516-575-4680	42.55 tpy transferred to Caithness LI Energy #1-4722-04426
VOC 1	0.00 Severe Ozone	TRW INC., Steering Wheel Systems 1-4722-00898	Mr. Ferrentino 518-465-1010	7 tpy transferred to Ramapo Energy & re-transferred to Calpine # 1-4722-02441
	0.00 Severe Ozone	Ramapo Energy	Mr. Marchmont 508-786-7214	7 tpy committed to Calpine # 1-4722-02441
VOC 1	0.00 Severe Ozone	TRW INC., Steering Wheel Systems 1-4722-00898	Mr. Ferrentino 518-465-1010	1 tpy transferred to Ramapo Energy & re-transferred to Calpine # 1-4722-02441
	0.00 Severe Ozone	Ramapo Energy	Mr. Marchmont 508-786-7214	1 tpy committed to Calpine # 1-4722-02441
VOC 1	3.34 Severe Ozone	Adchem Industries, Inc. 1-2822-00620	Mr. Pufahl 631-727-6000	Facility shutdown 1.11 tpy DEC retain
VOC 1	0.00 Severe Ozone	Arkay Packaging Corp. 1-4734-00016	Ms. Triglia 631-297-3345	9.86 tpy transferred to Elements Markets

		9.86	Elements Markets, LLC	Mr. Lack 281-207-7213	
	Severe Ozone				
VOC	1	0.00	Sprague Energy Corp.	Mr. Johnson 516-622-7110	11.81(6.00 and 5.81) tpy transferred to Carbo industries, Inc.
	Severe Ozone		1-2820-01104		
		0.00	Carbo industries, Inc.	Mr. Wieting 516-229-3600	11.81 retired, OOC # R1-20130603-74
	Severe Ozone		1-2820-01085		
VOC	1	0.00	Uniflex Holdings, Inc.	Mr. Remillard 781-817-8970	58 tpy committed To CPV Energy Center #3-3356-00136
	Severe Ozone		1-2822-00367		
VOC	1	1.70	Freeport Power Plant#2	Mr. Bianco 516-377-2200	Emission Points Shutdown 0.60 tpy DEC retain
	Severe Ozone		1-2820-00358		
VOC	1	0.00	Printpack, Seal-it	Mr. Wiederhold 404-691-5830	Facility shutdown 19.77 tpy transferred to Koch Supply
	Severe Ozone		1-4720-01685		
		0.00	Koch Supply & Trading, LP	Mr. Porter 316-828-6250	19.77 tpy transferred to Tenaska, Inc. (PA)
	Severe Ozone				
VOC	1	0.00	PE Bay Shore LLC	Mr. Murphy 315-448-2266	Facility Shutdown 4.07 transferred to Element Markets
	Severe Ozone		1-4728-00141		
		0.00	Element Markets, LLC	Mr. Lack 281-207-7213	4.07 tpy transferred to Monroe Energy, LLC (PA)
	Severe Ozone				
VOC	1	0.00	Aladdin Packaging, LLC	Mr. Endzweig 631-273-4747	Facility shutdown 81.30 used as offsets
	Severe Ozone		1-4728-00618		
VOC	1	0.00	Montauk Generating Fac.	Mr. Flannery 516-545-4875	Facility shutdown 1.16 tpy transferred To Element Markets
	Severe Ozone		1-4724-00036		
		0.00	Element Markets, LLC	Mr. Lack 281-207-7213	1.16 tpy transferred to Monroe Energy (Broker) LLC
	Severe Ozone				
		1.16	Monroe Energy (Broker), LLC	Mr. Torell 610-364-8399	
	Severe Ozone				
VOC	1	0.00	Glenwood Combustion Turbine Fac.,	Mr. Flannery 516-545-4875	Emission Points shutdown 9.42 tpy transferred To Element Markets
	Severe Ozone		1-2822-00481		
		0.00	Element Markets, LLC	Mr. Lack 281-207-7213	9.42 tpy transferred to Monroe Energy (Broker) LLC
	Severe Ozone				
		9.42	Monroe Energy (Broker), LLC	Mr. Torell 610-364-8399	
	Severe Ozone				
VOC	1	0.072	National Grid – EF Barrett Power Station,	Mr. Flannery 516-545-4875	Emission Points shutdown
	Severe Ozone		1-2820-00553		
VOC	2	0.00	Con Ed. – 59 th St.	Mr. Cartagena 212-460-6275	7.42 tpy committed to ConEd East River #2-6206-00012
	Severe Ozone		2-6202-00032		

VOC	2	Severe Ozone	0.00	Con Ed. – Astoria 2-6301-00006	Mr. Cartagena 212-460-6275	11.87 tpy committed to ConEd East River #2-6206-00012
VOC	2	Severe Ozone	0.00	P&G Port Ivory Plant 2-6401-00004	Ms. Clancy 973-690-3487	0.60 tpy transferred to Port Auth. Of NY & NJ
VOC	2	Severe Ozone	69.22	Betts Ave. Municipal Incinerator 2-6304-00093	Mr. Bekowies 212-837-8383	Facility shutdown
VOC	2	Severe Ozone	47.14	Green point Municipal Incinerator 2-6101-00022	Mr. Bekowies 212-837-8383	Facility shutdown
VOC	2	Severe Ozone	149.00	SW Brooklyn Municipal Incinerator 2-6106-00002	Mr. Bekowies 212-837-8383	Emission point(s) shutdown
VOC	2	Severe Ozone	0.00	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968	2.43 tpy committed to ConEd East River #2-6206-00012
VOC	2	Severe Ozone	0.00	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858	Future Facility Shutdown 35.34 tpy committed To # 2-6206-00012 (East River)
VOC	2	Severe Ozone	0.00	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Guastafeste 212-460-4858	12.86 tpy transferred to NRG Power Marketing Inc.
		Severe Ozone	12.86	NRG Power Marketing Inc.	Mr. Karalus 612-373-5307	
VOC	2	Severe Ozone	7.83	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223	Emission point(s) shutdown
VOC	2	Severe Ozone	0.00	Astoria Generating Station – Orion 2-6301-00185	Mr. Webb 410-234-0994	85.22 tpy of PA (Leonard Acd.) ERCs were transferred
		Severe Ozone	85.22	Astoria Generating Station – Orion 2-6301-00185	Mr. Webb 410-234-0994	
VOC	2	Severe Ozone	132.00	Newtown Creek WPCP 2-6101-00025	Mr. Lopez 718-595-5049	
VOC	2	Severe Ozone	0.10	East River Housing Corp. 2-6206-00096	Mr. Jacob 212-677-5858	Emission Point(s) Shutdown
VOC	2	Severe Ozone	0.00	GATX SI, Inc. 2-6401-00042	Mr. Dahl 312-621-8452	93.69 tpy transferred to Element Markets, Inc.
		Severe Ozone	16.84	Elements Markets, LLC	Mr. Lack 281-207-7213	57 tpy transferred to PSEG Energy resources & trading (CT)
		Severe Ozone	19.85	National Grid Generation LLC	Mr. Flannery 516-545-4875	19.85 tpy transferred To National Grid Generation LLC

VOC	2	Severe Ozone	6.90	Arrow Lock Mfg. Co. 2-6105-00250	Mr. Shah 718-927-2772 x240	Facility shutdown 2.3 tpy DEC retain
VOC	2	Severe Ozone	0.00	Tanagraphics 2-6205-00088	Ms. Jurist 212-255-6876	14.49 tpy committed to Tanaseybert 2-6202-01677
VOC	2	Severe Ozone	0.00	Seybert-Nichol's Printing 2-6205-00087	Mr. Steinberg 212-548-7836	10.53 tpy committed to Tanaseybert 2-6202-01677
VOC	2	Severe Ozone	0.00	Kenner Printing Co. Inc. 2-6205-00119	Mr. Steinberg 212-548-7836	8.28 tpy committed to Tanaseybert 2-6202-01677
VOC	2	Severe Ozone	0.00	Digital Now 2-6205-01660	Ms. Kahanec 212-453-9266	0.85 tpy committed to Tanaseybert 2-6202-01677
VOC	2	Severe Ozone	3.20	American Sugar Refining, Inc. 2-6101-00152	Mr. Demone 732-590-1177	Facility shutdown 1.01 tpy DEC retain
VOC	2	Severe Ozone	48.60	Poletti Power Project 2-6301-00084	Mr. Ramos 914-681-6682	Emission Source shutdown
VOC	2	Severe Ozone	0.00	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Lambalot 203-509-2577	Facility shutdown 11.18 tpy transferred to Element Markets, Inc.
		Severe Ozone	0.00	Elements Markets, LLC	Mr. Lack 281-207-7213	11.18 tpy transferred to Monroe Energy, LLC (PA)
VOC	2	Severe Ozone	0.01	Astoria Gas Turbine Power 2-6301-00191	Mr. Cartagena 917-612-5224	Emission Source shutdown
VOC	2	Severe Ozone	0.00	National Grid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875	Facility shutdown 9.27 tpy transferred To Element Markets
		Severe Ozone	0.00	Element Markets, LLC	Mr. Lack 281-207-7213	9.27 tpy transferred to Monroe Energy (Broker) LLC
		Severe Ozone	9.27	Monroe Energy (Broker), LLC	Mr. Torell 610-364-8399	
VOC	2	Severe Ozone	0.00	Interstate Brands Corporation 2-6307-00276	Mr. Davis 816-502-4023	Facility shutdown 22.78 tpy transferred to Koch Supply & Trading, LP
		Severe Ozone	0.00	Koch Supply & Trading, LP	Ms. Barnthouse 316-828-7270	22.78 tpy transferred to Tenaska, Inc. (PA)
VOC	2	Severe Ozone	15.50	N. Shores Towers Appt. total energy plant 2-6206-00096	Mr. Castro 718-423-3335	Emission Sources Shutdown

VOC	2	Severe Ozone	0.30	Tallman Island Wastewater Treatment Plant 2-6302-00012	Ms. Elardo 718-595-6924	Emission sources shutdown
VOC	3	Moderate Ozone	0.00	Genpak Corp.-Middletown 3-3309-00064	Mr. Postulka 518-798-9511	69.00 tpy temporarily unavailable for use
VOC	3	Moderate Ozone	5.60	Harlem Valley Psychiatric Center 3-1326-00023	Mr. Bard 518-473-5823	Source Reduction
VOC	3	Severe Ozone	0.00	General Motors Corp. 3-5534-00104	Mr. Pordon 313-556-0791	178.58 tpy DEC retained 100 tpy committed to Vulcraft of NY, INC 170 tpy committed to ConEd East River #2-6206-00012 258.76 tpy transferred to PG & E Energy trading 145 tpy committed to Astoria Energy, LLC, #2-6301-00647 from PG & E 45 tpy committed to GenOn, Bowline LLC from PG & E 68.76 transferred to FPL Energy (PA) from PG & E
			0.00	PG & E Energy trading		145 tpy committed to Astoria Energy, LLC, #2-6301-00647 45 tpy committed to GenOn, Bowline LLC 68.76 transferred to FPL Energy (PA)
			0.00	GenOn Bowline LLC	Mr. Konary 617-529-3874	Name Change 12/03/10 Name change to GenOn Emissions, LLC
			45.00	GenOn Emissions, LLC	Mr. Lack 281-207-7213	
			28.76	FPL Energy	Mr. Busa 561-691-7171	40 tpy committed to Caithness LI Energy, # 1-4722-04426
VOC	3	Moderate Ozone	2.44	IBM-Poughkeepsie Fac. 3-1346-00035	Mr. Brannen 914-433-1509	Emission points shutdown
VOC	3	Severe Ozone	0.78	Wyeth-Ayerst/Lederle 3-3924-00025	Mr. Kontaxis 914-732-2500	Emission point shutdown
VOC	3	Severe Ozone	0.00	Tesa tape Inc. 3-3352-00111	Mr. Rigano 704-553-4664	35.95 DEC retained 107.85 Transferred to Element Markets, LLC
		Severe Ozone	8.75	Element Markets, LLC	Mr. Lack 281-207-7213	4.50 tpy transferred to Philadelphia Ship Repair LLC., PA 40.00 tpy transferred to Monroe Energy LLC., PA 54.60 tpy transferred to Philadelphia Ship Repair LLC., PA
VOC	3	Severe Ozone	1.27	St. John's Riverside Hospital 3-5518-00222	Mr. Doerr 914-964-4211	Emission point shutdown 00.42 DEC retained

VOC	3	Ozone Transport Region	0.10	A.G. Properties of Kingston, LLC 3-5154-00153	Mr. Ginsberg 845-383-0400	Facility shutdown
VOC	3	Severe Ozone	1.55	Wyeth Ayerst Pharmaceutical 3-3924-00025	Mr. Alexandro 914-732-2160	Emission point shutdown 00.51 DEC retained
VOC	3	Severe Ozone	0.00	Lovett Generating Station 3-3928-00010	Mr. Konary 617-529-3874	Facility shutdown Name change to GenOn Emissions, LLC
		Severe Ozone	27.20	GenOn Emissions, LLC	Mr. Lack 281-207-7213	
VOC	3	Moderate Ozone	14.72	Metal Container Corp. 3-3348-00084	Mr. Kimutis 845-567-5637	107.9 used for internal offsets 4.53 used for internal offsets 67.85 used for internal offsets
VOC	4	Marginal Ozone	1.161	Schenectady Int. Inc. 4-4228-00056	Mr. Windish 518-370-4200	Emission points shutdown
VOC	4	Marginal Ozone	0.00	PG&E Energy Trading	Mr. Arcone 301-280-6607	41.10 tpy committed to Athens Gen. Fac.
VOC	4	Marginal Ozone	107.00	Glens Falls Lehigh Portland Cement Co 4-1926-00001	Mr. Matz 610-366-4752	Emission points shutdown
VOC	4	Marginal Ozone	0.07	Knolls Atomic Power Lab. 4-4224-00024	Mr. Seepo 518-395-6366	Source reduction
VOC	4	Marginal Ozone	4.60	BASF Corporation 4-3814-00006	Ms. Roque 973-426-2662	Facility shutdown
VOC	4	Marginal Ozone	45.74	General Electric Power System 4-4215-00015	Mr. Oldi 518-385-3505	Facility shutdown
VOC	4	Marginal Ozone	7.45	Von Roll Isola USA, Inc. 4-4215-00099	Ms. Mellon 518-344-7140	Facility shutdown
VOC	4	Marginal Ozone	0.00	Bennington Paperboard Co. 4-3828-00006	Mr. Doerr 740-862-3594	42.20 transferred to Panda Liberty/ Patriot Plant., PA
VOC	4	Ozone Transport Region	0.00	Norbord Industries 4-1230-00019	Mr. Towles 864-697-1250	Facility shutdown 15.56 tpy transferred to Element Markets, Inc.
		Ozone Transport Region	0.00	Elements Markets, LLC	Mr. Lack 281-207-7213	15.56 tpy transferred To BEMIS company, Inc.
		Ozone Transport Region	15.56	BEMIS company, Inc.	Mr. Kubicek 927-527-7695	
VOC			0.00	Holcim (US) Inc.	Mr. Graves	Facility shutdown

	4	Ozone Transport Region	4-1926-00021	518-943-4040	20 tpy transferred to Element Markets, LLC
		20.00 Ozone Transport Region	Element Markets, LLC	Mr. Lack 281-207-7200	
VOC		0.00	Karg Brothers	Mr. Wood	30.68 tpy committed to Vulcraft of NY, INC
	5	Ozone Transport Region	5-1708-00012	607-762-7016	
VOC		0.00	Graphic Packaging Corp.	Mr. Hollod	106 tpy committed to Besicorp-Recycling # 4-3814-00061
	5	Marginal Ozone	5-4115-00004	770-644-3223	82 tpy committed to Besicorp-Power # 4-3814-00052
		116.00	Evolution Markets, LLC	Mr. Ammirato	308.97 tpy transferred to Evolution Markets
		Marginal Ozone		914-323-0255	90 tpy transferred to Moxie Freedom, PA 102.97 tpy transferred to Lackawanna Energy Center (PA)
VOC		0.35	Pactiv LLC.	Mr. Pettit	Emission point shutdown
	5	Ozone Transport Region	5-0942-00014	518-562-6110	
VOC		0.34	Mohawk Paper Mills, Inc.	Mr. Milner	Emission point(s) shutdown
	5	Marginal Ozone	5-4154-00003	518-237-1740	
VOC		13.40	Mallinckrodt Anesthesiology	Ms. Zeigler	Emission point shutdown
	5	Ozone Transport Region	5-5320-00006	314-654-6347	
VOC		0.00	General Elect.- Ft. Edward	Mr. West	31.48 tpy committed to Vulcraft of NY, INC
	5	Ozone Transport Region	5-5330-00009	518-746-5560	
VOC		35.30	Pliant Solutions Corp.	Mr. Shuder	Facility shutdown
	5	Ozone Transport Region	5-5330-00016	757-820-0114	
VOC		0.00	International Paper-Corinth	Mr. Lienert	Facility shutdown
	5	Ozone Transport Region	5-4126-00007	901-419-3895	32.10 tpy transferred to Element Markets, LLC
		32.10	Element Markets, LLC	Mr. Lack	
		Ozone Transport Region		281-207-7200	
VOC		0.00	F.E. Hale Mfg. Co.	Mr. Benson	Facility shutdown
	6	Ozone Transport Region	6-2130-00004	315-894-5490	43 tpy transferred to Element Markets, LLC
		0	Element Markets, LLC	Mr. Lack	43 tpy transferred to American Packaging Corporation
		Ozone Transport Region		281-207-7200	
		43.00	American Packaging Corp	Mr. Foerster	
		Ozone Transport Region	8-2622-00202	920-623-1008	
VOC		0.337	Anitec Image Corp.	Mr. Markle	114.02 tpy committed To Athens Gen. Fac.
	7	Ozone Transport Region	7-0302-00064	607-774-3375	
VOC		3.02	Lockheed Martin Corp.	Mr. Maciel	Emission point(s) shutdown
	7	Ozone Transport Region	7-3132-00010	315-456-1714	

VOC	0.00	Binghamton Cogen. Plant	Mr. Potts	19.00 tpy committed to Athens Gen. Fac.
7	Ozone Transport Region	7-0302-00079	609-625-7699	
VOC	6.32	Syracuse Power Co.	Mr. Ingalls	Facility shutdown
7	Ozone Transport Region	7-3132-00049	315-471-4420	
VOC	20.56	Syracuse Terminal (Hess)	Mr. Haid	Facility shutdown
7	Ozone Transport Region	7-3115-00014	732-750-6555	
VOC	0.00	Intelicoat Technologies	Mr. Stratton	45.21 tpy committed to Flexo Trans. Inc., # 9140200574
7	Ozone Transport Region	7-0346-00003	413-539-5318	
VOC	75.00	Marsellus Casket Co.	Mr. Vredenburg	Facility shutdown
7	Ozone Transport Region	7-3126-00093	713-525-9054	
VOC	1.00	St. Joseph=s Hospital	Mr. Scicchitamo	Emission point(s) shutdown
7	Ozone Transport Region	7-2626-00047	315-448-5737	
VOC	31.08	Sunoco, Inc. Syracuse Term.	Mr. McGill	Facility shutdown
7	Ozone Transport Region	7-3115-00150	215-246-8267	
VOC	0.80	Owens-Brockway Glass Cont. Inc.	Mr. Tussing	Facility shutdown
7	Ozone Transport Region	7-3558-00014	419-247-8682	
VOC	0.00	Westover Generating Station,	Mr. Irwin	Facility shutdown
7	Ozone Transport Region	7-0346-00045	315-536-2359 x3423	7.92 tpy transferred to Greenidge Generation LLC
	0.00	Greenidge Generation LLC	Mr. Irwin	7.92 tpy transferred to Element Markets, LLC
	Ozone Transport Region	8-5736-00004	315-536-2359 x3423	
	0.00	Element Markets, LLC	Mr. Lack	7.92 tpy transferred to Hill Top Energy Center, LLC
	Ozone Transport Region		281-207-7213	
	0.00	Hill Top Energy Center, LLC	Mr. Kwok	7.92 tpy transferred to Hill Top Energy Center (PA)
	Ozone Transport Region		917-589-0012	
VOC	3.50	Erdle Perforating Co.	Mr. Rick	Emission point(s) shutdown
8	Ozone Transport Region	8-2626-00047	716-247-4700	
VOC	0.00	Eastman Kodak Co.	Ms. Karatas	60.20 retired, CAA-02-2011-1209
8	Ozone Transport Region	8-2614-00205	716-477-5992	
VOC	1.60	NYSOMH -Rochester Psychiatric Center	Mr. Bard	Emission point(s) shutdown
8	Ozone Transport Region	8-2614-00341	518-473-5823	
VOC	0.00	ITT Automotive Inc.	Mr. Johnson	18.89 tpy committed to Vulcraft of NY, INC
8	Ozone Transport Region	8-2614-00192	716-277-3534	
VOC	0.00	Eastman Kodak Co.	Mr. Spiegel	9.40 retired, CAA-02-2011-1209
8	Ozone Transport Region	8-2626-00017	716-726-2038	
VOC	0.00	Eastman Kodak Co.	Ms. Karatas	39.60 retired, CAA-02-2011-1209

	8	Ozone Transport Region	8-2626-00017	716-477-5992	
VOC		1.58	E I DuPont Co.-Driving Pk.	Mr. Olson	Emission point(s) shutdown
	8	Ozone Transport Region	8-2614-00197	716-879-4662	
VOC		0.00	Imation Enterprises Corp.	Mr. Metzger	56.71 tpy committed to Athens Gen. Fac.
	8	Ozone Transport Region	8-2614-00057	612-704-5461	
VOC		0.00	Eastman Kodak Co.	Ms. Karatas	1.90 retired, CAA-02-2011-1209
	8	Ozone Transport Region	8-2614-00205	716-477-5992	
VOC		4.40	RG&E, Beebee Station	Ms. Selbig	Emission Unit shutdown
	8	Ozone Transport Region	8-2614-00448	716-771-2145	
VOC		3.48	Monroe-Livingston Landfill	Mr. Moriera	Emission point(s) Shutdown
	8	Ozone Transport Region	8-2656-00008	603-929-3443	
VOC		16.10	RG&E, Russell Station	Ms. Sahler	Facility shutdown
	8	Ozone Transport Region	8-2628-00068	585-724-8684	
VOC		3.50	Monroe-Livingston Landfill	Mr. Chraston	Emission point(s) Shutdown
	8	Ozone Transport Region	8-2656-00008	585-889-9460	
VOC		15.21	Greenidge Generation LLC	Mr. Irwin	Emission sources shutdown
	8	Ozone Transport Region	8-5736-00004	315-536-2359	
VOC		16.00	Weber Knapp Co.	Mr. Monsen	Emission point(s) shutdown
	9	Ozone Transport Region	9-0608-00087	716-484-9135	
VOC		0.00	Dowcraft Corp.	Gene Sadowski	9.05 tpy committed to Athens Gen. Fac.
	9	Ozone Transport Region	9-0638-00018	716-665-6210	
VOC		0.40	Delphi Harrison Th. Sys.	Ms. Harper	Emission point(s) shutdown
	9	Marginal Ozone	9-2909-00018	716-439-2955	29.53 tpy transferred to Element Markets, LLC
		0.03	Element Markets, LLC	Mr. Lack	29.5 tpy transferred to American Packaging Corporation
		29.50	American Packaging Corp	Mr. Foerster	
		Marginal Ozone	8-2622-00202	920-623-1008	
VOC		0.00	Delphi Harrison Th. Sys.	Ms. Harper	Source Reduction
	9	Marginal Ozone	9-2909-00018	716-439-2955	47.6 tpy transferred to Elements Markets, LLC
		0.00	Element Markets, LLC	Mr. Lack	38.88 tpy transferred to BEMIS company, Inc.
		Marginal Ozone		281-207-7213	8.72 tpy transferred to Hill Top Energy Center, LLC
		38.88	BEMIS company, Inc.	Mr. Kubicek	
		Marginal Ozone		927-527-7695	
		0.00	Hill Top Energy Center,	Mr. Kwok	8.72 tpy transferred to Hill Top Energy Center (PA)

		Marginal Ozone	LLC	917-589-0012	
VOC	9	0.00	Bush Industries Inc.	Mr. Newman	Source Reduction
		Ozone Transport Region	9-0454-00001	716-665-2000	175.7 transferred to Element Markets, LLC
		0.00	Element Markets, LLC	Mr. Lack	174 tpy transferred to Perdue AgriBusiness (PA)
		Ozone Transport Region		281-207-7213	1.7 tpy transferred to Perdue AgriBusiness (PA)
VOC	9	74.12	CWM Chemical serv. Inc.	Mr. Hino	Emission Point(s) shutdown
		Ozone Transport Region	9-2934-00022	716-754-0278	
VOC	9	0.00	TitanX Engine Cooling, Inc.	Mr. Anderson	Emission Point(s) shutdown
		Ozone Transport Region	9-0699-00056	716-665-2620	41.4 tpy transferred to Element Markets, LLC
		41.40	Element Markets, LLC	Mr. Lack	
		Ozone Transport Region		281-207-7200	
VOC	9	0.00	Occidental Chemical Corp.	Ms. Desmukh	Facility shutdown
		Marginal Ozone	9-2912-00041	972-404-3217	88.3 tpy transferred to American Packaging Corp. #8-2622-00202
		7.80	American Packaging Corp	Mr. Foerster	80.5 tpy used as offsets
		Marginal Ozone	8-2622-00202	920-623-1008	
VOC	9	7.50	The Colad Group, Inc.	Mr. Pelz	35.00 tpy committed to Athens Gen. Fac.
		Marginal Ozone	9-1402-00009	716-849-1776	
VOC	9	19.07	Dunlop Tire Corporation	Mr. Pyanowski	Emission point(s) shutdown
		Marginal Ozone	9-1464-00030	716-879-8274	137.93 tpy used as offsets
VOC	9	0.00	Bethlehem Steel Corp.	Mr. Ossman	Facility shutdown
		Marginal Ozone	9-1409-00003	610-694-2060	200 tpy transferred to St. Lawrence Cement (Holcim) and committed to Greenport Project DEC ID #4-1040-00011
		0.00	Holcim (US) Inc.	Ms. Garakani	105 tpy transferred to Tecumseh Redevelop. Inc.
		Marginal Ozone	4-1040-00011	734-529-4233	200 tpy transferred to Element Markets, LLC
		137.61	Element Markets, LLC	Mr. Lack	62.39 tpy transferred to Crown Cork & Seal
		Marginal Ozone		281-207-7200	
		105.00	Tecumseh Redevelop Inc.	Mr. Nagel	
		Marginal Ozone		716-856-0635	
		0.00	Crown Cork & Seal	Mr. Antry	62.39 tpy used as offsets
		Marginal Ozone	7-4928-00064	215-698-5308	
VOC	9	1.10	Limestone Compressor Fac.	Mr. Young	Emission Point(s) shutdown
		Ozone Transport Region	9-0942-40027	814-871-8657	

VOC		1.80	UCAR Carbon company	Ms. Bolton	Facility shutdown
	9	Marginal Ozone	9-2911-00185	931-380-4215	
VOC		34.75	Dinaire, LLC	Mr. Schmitt	Facility shutdown
	9	Marginal Ozone	9-1402-00218	716-894-1201	
VOC		13.83	United Refining Company	Mr. Roy	Emission Point(s) shutdown
	9	Marginal Ozone	9-1464-00007	814-726-4859	
VOC		0.00	Prestolite Electric Inc.	Mr. Koch	4.5 tpy committed to Prestolite (P00001)
	9	Ozone Transport Region	9-5620-00027	716-492-1700	
VOC		22.70	Medina Power Company	Mr. Pecnik	Facility shutdown
	9	Ozone Transport Region	9-0484-00017	716-532-3371	
VOC		4.22	Saint-Gobain Abrasives	Mr. Fogarty	Facility shutdown
	9	Marginal Ozone	9-2940-00048	508-795-5860	
VOC		0.00	SGL Carbon LLC	Mr. Higgs	Facility shutdown
	9	Marginal Ozone	9-2911-00038	704-593-5165	127.52 tpy transferred to Element Markets, LLC
		0.02	Element Markets, LLC	Mr. Lack	127.5 tpy transferred to American Packaging Corporation
				281-207-7200	
		127.5	American Packaging Corp	Mr. Foerster	
			8-2622-00202	920-623-1008	
VOC		29.53	The Goodyear Tire and Rubber Co.	Mr. Jones	Emission Point(s) shutdown
	9	Marginal Ozone	9-2911-00036	716-236-2635	
VOC		1.77	Caraustar Mill/Buffalo Paperboard	Mr. Cohen	Facility shutdown
	9	Marginal Ozone	9-2909-00062	770-799-3844	
VOC		13.45	Arcelormittal Lackawanna LLC	Mr. Nagel	Facility shutdown
	9	Marginal Ozone	9-1499-00067	330-659-9102	
VOC		0.00	QG Printing Corporation	Mr. Estock	Facility shutdown
	9	Marginal Ozone	9-1430-00213	414-566-7617	400 tpy transferred to Mid-Atlantic Develop(PA) 55 tpy transferred to American Craft Brewing, PA 106.10 transferred to LI Land Dev., LLC, PA
VOC		0.00	SGK Ventures Frewsburg Fac.	Mr. Stalkamp	Facility shutdown
	9	Ozone Transport Region	9-1499-00067	312-683-9454	21.56 tpy transferred Element Markets
		0.00	Element Markets, LLC	Mr. Lack	21.56 tpy transferred To BEMIS company, Inc.
				281-207-7213	
		21.56	BEMIS company, Inc.	Mr. Kubicek	

		Ozone Transport Region		927-527-7695	
VOC	9	21.11 Ozone Transport Region	Huntley Power LLC 9-1464-00130	Mr. Cartagena 917-612-5224	Facility shutdown
VOC	PA	0.00 Severe Ozone	Progress Lighting Inc., Philadelphia, PA	Mr. Marchmont 508-786-7214	31.5 tpy transferred to Ramapo Energy
		0.00 Severe Ozone	American National Power	Mr. Mussleman 508-382-9356	Ramapo changed name to ANP 31.50 tpy transferred to Element Markets
		0.50 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213	31.00 tpy transferred To BEMIS company, Inc.
		31.00 Severe Ozone	BEMIS company, Inc.	Mr. Kubicek 927-527-7695	
VOC	PA	0.00 Severe Ozone	3M Company, Bristol, PA	Mr. Slade 914-681-6387	41 tpy committed to NYPA Poletti site
VOC	PA	0.00 Severe Ozone	Leonardo Academy Inc., PA	Mr. Svendsen 410-230-3500	85.22 tpy committed to Astoria Generating, #2-6301-00185
VOC	PA	0.00 Severe Ozone	Avery Dennison Corp., PA	Mr. Hribar 440-358-4832	73.02 tpy committed to GenOn Bowline
		0.00 Severe Ozone	GenOn Bowline LLC	Mr. Konary 617-529-3874	Name Change 12/3/10 Name change to GenOn Emissions, LLC
		73.02 Severe Ozone	GenOn Emissions, LLC	Mr. Lack 281-207-7213	
VOC	PA	0.00 Severe Ozone	3M Company, Bristol, PA	Mr. Marchmont 508-786-7214	31 tpy transferred to Ramapo Energy(ANP)
		0.00 Severe Ozone	American National Power	Mr. Mussleman 508-382-9356	5 tpy transferred to Calpine # 1-4722-02441 26 tpy transferred to Element Markets, LLC
		0.00 Severe Ozone	Element Markets, LLC	Mr. Lack 281-207-7213	26.00 tpy transferred To BEMIS company, Inc.
		26.00 Severe Ozone	BEMIS company, Inc.	Mr. Kubicek 927-527-7695	
VOC	PA	0.00 Moderate Ozone	LTV Steel Company, PA	Mr. Kane 607-974-6568	140 tpy committed to Corning Inc.
VOC	PA	0.00 Moderate Ozone	Newcomer Products Inc., PA	Mr. Proia 607-529-9000	19.00 tpy committed to Vulcraft of NY, #8-0728-00033
VOC	PA	0.00 Moderate Ozone	Cogentrix of PA., PA		31.61 transferred to Air Resources Group (ARG)
		0.00 Moderate Ozone	Air Resources Group (ARG)	Mr. Alexander (518) 452-7000	31.61 transferred to Holcim (US) Inc. 4-1040-00011
		0.00 Moderate Ozone	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233	31.61 tpy transferred to Element Markets, LLC
		0.00 Moderate Ozone	Element Markets, LLC	Mr. Lack 281-207-7200	31.61 tpy transferred to Crown Cork & Seal
		0.00 Moderate Ozone	Crown Cork & Seal 7-4928-00064	Mr. Antry 215-698-5308	31.61 tpy used as offsets

VOC	PA	Severe Ozone	0.00	3M Company, Bristol, PA	Ms. Frazier 617-456-2200	136 tpy transferred to CVEC#3-1326-00275
VOC	PA	Severe Ozone	0.00	Arbill Industries Inc., PA	Mr. Remillard 781-817-8970	17 tpy committed to CPV Energy Center #3-3356-00136

NOx	1	Severe Ozone	20.50	National Grid (Formerly KeySpan Gen. LLC.) 1-4722-00107	Mr. Teetz 516-391-6133	Name change (2007)
NOx	1	Severe Ozone	253.80	National Grid (Formerly KeySpan Gen. LLC.) 1-2822-00481	Mr. Teetz 516-391-6133	Name change (2007) 225 tpy transferred to Morgan Stanley
		Severe Ozone	0.00	Morgan Stanley	Mr. Woods 212-761-8895	78.36 tpy transferred to Bronx Zoo, # 2-6005- 00125 146.64 transferred to Caithness LI II, LLC #1-4722-04426
		Severe Ozone	146.64	Caithness Long Island II, LLC	Mr. Grace 917-472-4593	
NOx	1	Severe Ozone	0.00	Zapco Energy Tactics Corp. - Oceanside LGRF 1-2820-02479	Mr. Antignano 516-563-6336	Emission point(s) shutdown 7.35 tpy DEC retained 15.86 tpy transferred to Morgan Stanley 6.24 tpy transferred to KeySpan
		Severe Ozone	0.00	Morgan Stanley	Mr. Woods 212-761-8895	15.86 tpy transferred to Bronx Zoo, # 2-6005- 00125
		Severe Ozone	6.24	National Grid (Formerly KeySpan Gen. LLC.) 1-2820-02479	Mr. Teetz 516-391-6133	Name change (2007)
NOx	1	Severe Ozone	0.00	Zapco Energy Tactics Corp. - Old Bethpage LGRF 1-2824-00077	Mr. Smith (Spagnoli Road Energy) 516-512-7415	64.8 tpy committed to Spagnoli Rd. Energy center # 1-4726-01500 through KeySpan
		Severe Ozone	0.00	National Grid (Formerly KeySpan Gen. LLC.) 1-2824-00077	Mr. Teetz 516-391-6133	Name change (2007)
		Severe Ozone	64.80	National Grid (Spagnoli Rd. Energy Centre) 1-2824-00077	Mr. Teetz 516-391-6133	
NOx			0.00	Zapco Energy Tactics Corp. -Old Bethpage LGRF		Facility shutdown

	1	Severe Ozone	1-2824-00077		8.35 tpy DEC retained 25.06 tpy transferred to Morgan Stanley
		0.00 Severe Ozone	Morgan Stanley	Mr. Woods 212-761-8895	10.00 tpy transferred to Bristol-Myers (CT) 15.06 tpy transferred to Bronx Zoo, # 2-6005-00125
NOx		10.30	Central Islip Psychiatric Center	Mr. Bard	Source Reduction
	1	Severe Ozone	1-4728-00244	518-473-5823	
NOx		0.00	Zapco Energy Tactics Corp.	Mr. Antignano	4.01 tpy retained by DEC
	1	Severe Ozone	1-2820-00951	516-563-6336	10.2 tpy committed to Spagnoli Rd. Energy center # 1-4726-01500 1.82 tpy transferred to KeySpan
		1.82	National Grid (Formerly KeySpan Gen. LLC.)	Mr. Teetz	Name change (2007)
		Severe Ozone	1-2820-00951	516-391-6133	
		10.20	National Grid (Spagnoli Rd. Energy Centre)	Mr. Teetz	
		Severe Ozone	1-2820-00951	516-391-6133	
NOx		0.00	Environmental Waste Incineration, Inc.	Mr. Walker	Facility shutdown
	1	Severe Ozone	1-2809-00088	215-766-7230	38.25 tpy retained by DEC
NOx		0.00	TRW INC, Steering Wheel Systems	Mr. Ferrentino	Facility shutdown
	1	Severe Ozone	1-4722-00898	518-465-1010	1.9 tpy DEC retained 5.7 tpy committed to GenOn Bowline LLC
		0.00	GenOn, Bowline LLC	Mr. Konary 617-529-3874	Name Change 12/3/10 Name change to GenOn Emissions, LLC
		5.70	GenOn Emissions, LLC	Mr. Lack 281-207-7213	
		Severe Ozone			
NOx		59.10	NYSOMH - Kings Park Psychiatric Center	Mr. Bard	19.7 tpy DEC retained
	1	Severe Ozone	1-4734-00103	518-473-5823	
NOx		0.00	Smithtown West Energy Generating	Mr. Woods	Emission point(s) shutdown
	1	Severe Ozone	1-4734-00169	212-761-8895	4.28 tpy DEC retained 12.82 tpy transferred to Morgan Stanley
		0.00	Morgan Stanley		12.82 tpy transferred to Bronx Zoo, # 2-6005-00125
		Severe Ozone			

NOx		0.00	Brookhaven Landfill Gas Recovery (Wehran Energy Corp.)	Mr. Wehran, Jr.	23 tpy transferred to Kleen Energy System(CT)
	1	Severe Ozone	1-4722-00799	201-327-0215	56.15 tpy transferred to Shell energy (US)
		Severe Ozone	0.00	Shell Energy North America (US) L.P. Mr. Martin 713-767-5419	56.15 tpy transferred to Plainfield Renew. Energy, CT
NOx	1	Severe Ozone	0.00	Covanta Babylon Inc. 1-4720-00777	Source Reduction 141 tpy transferred to Shell energy (US)
		Severe Ozone	0.00	Shell Energy North America (US) L.P. Mr. Martin 713-767-5419	37.95 tpy transferred to Plainfield Renew. Energy, CT 103.05 tpy transferred to CPV Shore, LLC
		Severe Ozone	0.00	CPV Shore, LLC Mr. Freeman 240-723-2312	103.05 tpy transferred to Wood bridge Energy Center, NJ
NOx	1	Severe Ozone	54.40	Freeport Power Plant#2 1-2820-00358	Emission Points Shutdown 18.10 tpy DEC retain
NOx	1	Severe Ozone	14.60	Suffolk County Dev. Ctr. 1-4726-00428	Mr. Bard 518-473-5823
NOx	1	Severe Ozone	0.00	PE Bay Shore LLC 1-4728-00141	Facility Shutdown 29.55 & 13.66 tpy transferred to CPV Shore, LLC
		Severe Ozone	2.94	CPV Shore, LLC Mr. Freeman 240-723-2328	29.55 & 10.72 tpy transferred to Wood bridge Energy Center, NJ
NOx	1	Severe Ozone	8.54	Montauk Generating Fac. 1-4724-00036	Mr. Flannery 516-545-4875 Facility shutdown
NOx	1	Severe Ozone	0.00	Glenwood Combustion Turbine Fac., 1-2822-00481	Mr. Flannery 516-545-4875 Emission Points shutdown
		Severe Ozone	0.00	Elements Markets, LLC Mr. Lack 281-207-7213	112.64 tpy transferred To Element Markets LLC 112.64 tpy transferred To NTE Connecticut, LLC
		Severe Ozone	112.64	NTE Connecticut, LLC Mr. Mirabito 904-436-6898	
NOx	1	Severe Ozone	12.10	National Grid – EF Barrett Power Station 1-2820-00553	Mr. Flannery 516-545-4875 Emission Points shutdown
NOx	2	Severe Ozone	682.12	Con Ed.- Astoria 2-6301-00006	Mr. Cartagena 212-460-6275 133 tpy committed to GenOn Bowline LLC 148.9 tpy committed to Brookhaven Energy 425 tpy committed to Astoria Energy, LLC, #2-6301-00647
		Severe Ozone	0.00	Ramapo Energy	116.1 tpy transferred to Ramapo Energy. 116.1 tpy transferred to Morgan Stanley
			0.00	Morgan Stanley	42 tpy committed to Calpine, # 1-4722-02441

		Severe Ozone			25 tpy committed to Bethpage Energy Center # 1-2824-00947 49.10 tpy transferred to Bronx Zoo, # 2-6005-00125
		0.00	GenOn, Bowline LLC	Mr. Konary 617-529-3874	Name Change 12/03/10 Name change to GenOn Emissions, LLC
		133.00	GenOn Emissions, LLC	Mr. Lack 281-207-7213	
		0.00	Brookhaven Energy		148.9 tpy transferred to J.P. Morgan Energy
		0.00	J.P. Morgan Vent. Energy Corp.	Mr. Woods 212-834-3568	118 tpy committed to Caithness LI Energy # 1-4722-04426 30.90 tpy transferred to Koch Supply and Trading, LP
		42.00	Calpine Stony Brook Energy Center		
		30.90	Koch Supply & Trading, LP	Mr. Locke 713-544-7998	
NOx	2	316.30	Con Ed.- 59 th St. 2-6202-00032	Mr. Cartagena 212-460-6275	Emission point(s) shutdown
NOx	2	38.24	Greenpoint Municipal Incinerator 2-6101-00022	Mr. Bekowies 212-837-8383	Facility shutdown
NOx	2	189.00	SW Brooklyn Municipal Incinerator 2-6106-00002	Mr. Bekowies 212-837-8383	Emission point(s) shutdown
NOx	2	126.22	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968	Emission point(s) shutdown
NOx	2	481.30	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858	Facility shutdown 193.02 committed to # 2-6206-00012 (East River)
NOx	2	0.00	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Guastafeste 212-460-4858	25.82 tpy transfer to NRG Power Marketing Inc.
		25.82	NRG Power Marketing Inc.	Mr. Karalus 612-373-5307	
NOx	2	355.84	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223	Emission point(s) shutdown
NOx	2	11.03	St. John=s University 2-6306-00067	Mr. Zweifler 718-990-2520	Source Reduction 17.44 used for netting
NOx	2	294.40	Newtown Creek WPCP 2-6101-00025	Mr. Lopez 718-595-5049	115.5 DEC retained 50.7 tpy committed to Fountain Ave. Landfill #2-6105-00687
NOx	2	80.00	Visy Paper 2-6403-00107	Mr. Davey 718-370-1114	Emission point(s) shutdown

NOx	2	21.4	East River Housing Corp. 2-6206-00096	Mr. Jacob 212-677-5858	1 tpy transferred to CVEC#3-1326-00275
NOx	2	220.00	Betts Ave. Municipal Incinerator 2-6304-00093	Mr. Nabavi 917-237-5958	Facility shutdown
NOx	2	2.80	Arrow Lock Mfg. Co. 2-6105-00250	Mr. Shah 718-927-2772 x240	Facility shutdown 1.0 tpy DEC retain
NOx	2	0.00	Kings Plaza Total Energy 2-6105-00301	Mr. Williams 609-654-6166	186 tpy transferred to Kleen Energy System (CT)
NOx	2	0.00	Warbasse Houses & Power Plant 2-6107-00141	Mr. Sellitti 718-372-8764	27.2 tpy transferred To Elements Markets
		0.00	Elements Markets, LLC	Mr. Lack 281-207-7213	1.0 tpy transferred to Kleen Energy, CT 21.38 tpy transferred to Merck, Sharpe & Dohme Corp., PA
		4.82	CPV Shore, LLC	Mr. Freeman 240-723-2312	4.82 tpy transferred to CPV Shore, LLC
NOx	2	15.64	Long Island Jewish Med. Center 2-6307-00290	Mr. LaBonne 516-734-3030	26.8 used for netting 5.21 tpy DEC retain
NOx	2	59.30	American Sugar Refining, Inc., 2-6101-00152	Mr. Demone 732-590-1177	Facility shutdown 19.7 tpy DEC retain
NOx	2	0.00	Simsmetal East LLC. 2-6304-00268	Mr. Witte 908-964-8812	33.44 tpy committed to Northeast Dredging Equipment Co.
NOx	2	1239.72	Poletti Power Project 2-6301-00084	Mr. Ramos 914-681-6682	Emission Source shutdown 125 tpy transferred to PSEG Energy resources & trading (CT) 41.78 tpy transferred to Lotus Danbury LMS100, LLC (CT) 147.5 tpy transferred to North Bergen Liberty Generating Station (NJ)
NOx	2	0.00	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Witte 908-964-8812	34.12 tpy committed to Northeast Dredging Equipment Co.
NOx	2	11.18	Astoria Gas Turbine Power 2-6301-00191	Mr. Cartagena 917-612-5224	Emission Source shutdown
NOx	2	49.84	National Grid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875	Facility shutdown 87.36 tpy transferred To Element Markets

		0.00	Element Markets, LLC	Mr. Lack	50.36 tpy transferred To NTE Connecticut, LLC 7 tpy transferred to Monroe Energy (Broker), LLC 1 tpy transferred to Monroe Energy, LLC (PA) 29 tpy transferred to Cogen Technologies Linden Venture, LP (NJ)
	Severe Ozone			281-207-7213	
		50.36	NTE Connecticut, LLC	Mr. Mirabito	
	Severe Ozone			904-436-6898	
		0.00	Monroe Energy (Broker), LLC	Mr. Torell	7 tpy transferred to Element Markets, LLC
	Severe Ozone			610-364-8399	
		7.00	Element Markets, LLC	Mr. Lack	
	Severe Ozone			281-207-7213	
NOx		0.00	Terranext Eastchester Hts.	Mr. Woodruff	Source Reduction
2	Severe Ozone		2-6002-00465	347-221-0070	12.10 tpy transferred to CPV Shore, LLC
		0.00	CPV Shore, LLC	Mr. Freeman	12.10 tpy transferred to Wood bridge Energy Center, NJ
	Severe Ozone			240-723-2328	
NOx		0.00	Interstate Brands Corporation	Mr. Davis	Facility shutdown
2	Severe Ozone		2-6307-00276	816-502-4023	2.16 tpy transferred to Koch Supply & Trading, LP
		2.16	Koch Supply & Trading, LP	Ms. Barnthouse	
	Severe Ozone			316-828-7270	
NOx		18.63	N. Shores Towers Appt. total energy plant	Mr. Castro	Emission Sources Shutdown
2	Severe Ozone		2-6206-00096	718-423-3335	40.87 used for netting
NOx		0.00	St. Barnabas Hospital	Mr. DiGirolomo	Emission Sources Shutdown
2	Severe Ozone		2-6005-00232	718-690-6556	18.08 tpy transferred to North Bergen Liberty Generating Station (NJ)
NOx		42.40	Tallman Island Wastewater Treatment Plant	Ms. Elardo	Emission sources shutdown
2	Severe Ozone		2-6302-00012	718-595-6924	
NOx		42.00	Harlem Valley Psychiatric Center	Mr. Bard	Source Reduction /Facility shutdown
3	Moderate Ozone		3-1326-00023	518-473-5823	
NOx		2.93	Wyeth-Ayerst/Lederle	Mr. Kontaxis	Emission point shutdown
3	Severe Ozone		3-3924-00025	914-732-2500	
NOx		0.052	IBM-Poughkeepsie Fac.	Mr. Brannen	Emission points shutdown
3	Moderate Ozone		3-1346-00035	914-433-1509	
NOx		13.10	Hudson River Psychiatric Center	Mr. Bard	Source Reduction

	3	Moderate Ozone	3-1346-00030	518-473-5823	
NOx		0.00	BICC Cable Corporation	Mr. Sniffen	1.95 DEC retained
	3	Severe Ozone	3-5518-00067	281-207-7213	5.90 transferred to Elements Markets
		0.00	Element Markets, LLC	Mr. Lack	5.90 tpy transferred to CPV Shore, LLC
		5.90	CPV Shore, LLC	Mr. Freeman	
		Severe Ozone		240-723-2312	
NOx		0.00	Tesa Tape Inc.	Mr. Rigano	1.48 DEC retained
	3	Severe Ozone	3-3352-00111	704-553-4664	4.42 Transferred to Element Markets, LLC
		0.00	Element Markets, LLC	Mr. Lack	4.42 tpy transferred to Merck, Sharpe & Dohme Corp., PA
		Severe Ozone		281-207-7213	
NOx		0.00	Algonquin Gas Stony Pt.	Mr. Wooden	Future Emission units shutdown
	3	Severe Ozone	3-3928-00001	617-560-1345	14.08 tpy committed for netting
NOx		6.52	St. John's Riverside Hospital,	Mr. Doerr	Emission point shutdown
	3	Severe Ozone	3-5518-00025	914-964-4211	2.17 DEC retained
NOx		17.00	A.G. Properties of Kingston, LLC,	Mr. Ginsberg	Facility shutdown
	3	Ozone Transport Region	3-5154-00153	845-383-0400	
NOx		1.04	Wyeth Ayerst Pharmaceutical,	Mr. Alexandro	Emission point shutdown
	3	Severe Ozone	3-3924-00025	914-732-2160	00.35 DEC retained
NOx		0.00	Lovett Generating Station,	Mr. Konary	Facility shutdown
	3	Severe Ozone	3-3928-00010	617-529-3874	643 tpy transferred to Element Markets, LLC
		643.00	Element Markets, LLC	Mr. Lack	Name change to GenOn Emissions, LLC
		Severe Ozone		281-207-7213	
		3566.20	GenOn Emissions, LLC	Mr. Lack	
		Severe Ozone		281-207-7213	
NOx		0.59	Cibro Pet. Prod. Inc.	Mr. Harvey	
	4	Marginal Ozone	4-0101-00070	518-761-0750	
NOx		2.10	Schenectady Int. Inc.	Mr. Windish	Emission points shutdown
	4	Marginal Ozone	4-4228-00056	518-370-4200	
NOx		2003.00	Glens Falls Lehigh Portland Cement Co	Mr. Matz	Emission points shutdown
	4	Marginal Ozone	4-1926-00001	610-366-4752	
NOx		0.00	Fiber glass Industries Inc.	Mr. Lierheimer	Source Reduction
	4	Marginal Ozone	4-2701-00013	518-842-4000	62.20 tpy transferred to Air Resources Group. (ARG)
		0.00	Air Resources Group.	Mr. Alexander	62.20 tpy transferred to St. Lawrence Cement (Holcim) and

	Marginal Ozone	(ARG)	(518) 452-7000	committed to Greenport Project DEC ID #4-1040-00011
	0.00	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233	62.20 tpy transferred to Element Markets Emissions, LLC
	62.20	Element Markets Emissions, LLC	Mr. Lack 281-207-7200	
NOx	392.67	PSEG Power New York Inc.	Mr. Verqura	Facility shutdown, 446.20 tpy committed for netting.
4	Marginal Ozone	4-0122-00044	518-436-5027	
NOx	10.57	Knolls Atomic Power Lab.	Mr. Seepo	Source reduction
4	Marginal Ozone	4-4224-00024	518-395-6366	
NOx	52.60	BASF Corporation	Ms. Roque	Facility shutdown
4	Marginal Ozone	4-3814-00006	973-426-2662	
NOx	7.57	G. E. Power System	Mr. Oldi	Facility shutdown
4	Marginal Ozone	4-4215-00015	518-385-3505	
NOx	0.00	Bennington Paperboard Co.	Mr. Doerr	65.40 tpy transferred to Burgess Biopower (NH)
4	Marginal Ozone	4-3828-00006	740-862-3594	
NOx	0.00	Norbord Industries	Mr. Towles	178.24 tpy transferred to CVEC#3-1326-00275
4	Ozone Transport Region	4-1230-00019	864-697-1250	
NOx	0.00	Holcim (US) Inc.	Mr. Graves	Facility shutdown
4	Ozone Transport Region	4-1926-00021	518-943-4040	1789.00 tpy transferred to Element Markets Emissions, LLC
	1789.00	Element Markets Emissions, LLC	Mr. Lack 281-207-7200	
NOx	20.63	Peckham Materials Corp.	Mr. Yaremko	Emission point(s) shutdown
5	Ozone Transport Region	5-5344-00009	914-949-2000	
NOx	0.00	Georgia Pacific Corp.	Mr. Frenia	142.87 tpy transferred to CVEC#3-1326-00275
5	Ozone Transport Region	5-0913-00004	518-562-6490	
NOx	59.20	General Electric Silicone	Ms. Arisman	Emission point(s) shutdown
5	Marginal Ozone	5-4154-00002	518-233-3540	
NOx	56.36	Pactiv Corporation	Mr. Pettit	Emission point(s) shutdown
5	Ozone Transport Region	5-0942-00014	518-562-6110	
NOx	61.50	Mohawk Paper Mills, Inc.	Mr. Milner	Emission point(s) shutdown
5	Marginal Ozone	5-4154-00003	518-237-1740	
NOx	0.00	International Paper- Corinth	Mr. Lienert	Facility shutdown
5	Ozone Transport Region	5-4126-00007	901-419-3895	161.20 tpy transferred to Element Markets LLC
	74.20	Element Markets, LLC	Mr. Lack 281-207-7200	87 tpy transferred to Invenergy Thermal Development LLC
	Ozone Transport Region			
	87.00	Invenergy Thermal	Mr. King	

	Ozone Transport Region	Development LLC	312-582-1419	
NOx	59.70	NYSOMH - Mohawk Valley Psychiatric Center	Mr. Bard	
6	Ozone Transport Region	6-3016-00138	518-473-5823	
NOx	226.10	Magan-Racine Facility	Mr. Megan	Facility shutdown
6	Ozone Transport Region	6-4022-00021	352-793-6565	
NOx	22.20	NYSOMH - St. Lawrence Psychiatric Center	Mr. Bard	
6	Ozone Transport Region	6-4012-00016	518-473-5823	
NOx	35.80	GLDC/Former Griffiss Air Force Base Steam Plant	Ms. Lemaire	Emission point(s) shutdown
6	Marginal Ozone	6-3013-00229	315-330-4092	
NOx	134.00	Anitec Image Corp.	Mr. Markle	Emission point(s) shutdown
7	Ozone Transport Region	7-0302-00064	607-774-3375	
NOx	297.00	NiMo Power Corp.	Mr. Russo	233 tpy used by Corning Inc.
7	Ozone Transport Region	7-3512-00030	315-428-6798	
NOx	0.00	Fibertek Energy Fac.	Mr. Schintzius	560 tpy committed to Athens Gen. Fac.
7	Ozone Transport Region	7-3132-00052	315-487-4346	
NOx	233.00	Heritage Power LLC	Mr. Dreisbach	From Bethlehem Steel Corp., PA
7	Ozone Transport Region	7-3556-00097	518-385-9122	
NOx	55.53	Syracuse Power Co.	Mr. Ingalls	Facility shutdown
7	Ozone Transport Region	7-3132-00049	315-471-4420	
NOx	496.00	Owens-Brockway Glass Container Inc.	Mr. Tussing	Facility shutdown
7	Ozone Transport Region	7-3558-00014	419-247-8682	
NOx	85.30	Cornell Uni. Cent. Energy Plant	Ms. Brown	Emission point(s) shutdown
7	Ozone Transport Region	7-5007-00030	607-254-8687	
NOx	0.00	Westover Generating Station	Mr. Irwin	Facility shutdown
7	Ozone Transport Region	7-0346-00045	315-536-2359 x3423	1046.40 tpy transferred to Greenidge Generation LLC
	346.10	Greenidge Generation LLC	Mr. Irwin	69 tpy transferred to High Acres Landfill
	Ozone Transport Region	8-5736-00004	315-536-2359 x3423	47.30 tpy transferred to Riga/Mill Seat Landfill 91 tpy transferred to Invenergy Thermal Development(PA) 177 tpy used as offsets by Greenidge 316 tpy transferred to NRG Canal 3 Development LLC (MA)
	47.30	Riga/Mill Seat Landfill	Mr. Garland	

		Ozone Transport Region	8-2648-00014	585-753-7511	
		69.00	High Acres Landfill	Ms. Zayatz	
		Ozone Transport Region	8-9908-00162	716-286-03554	
NOx		0.00	SUNY - Brockport	Ms. Boyle	24.00 tpy committed to Guardian Glass
	8	Ozone Transport Region	8-2652-00024	518-443-5146	
NOx		64.00	NYSEG-Hickling Generating Station	Mr. Malecki	
	8	Ozone Transport Region	8-4638-00011	607-762-7763	
NOx		14.70	E I DuPont Co.-Driving Pk.	Mr. Olson	Emission point(s) shutdown
	8	Ozone Transport Region	8-2614-00197	716-879-4662	
NOx		159.20	University of Rochester	Mr. Stillman	source reduction
	8	Ozone Transport Region	8-2699-00059	716-275-2056	
NOx		41.50	NYSOMH-Rochester Psychiatric Center	Mr. Bard	
	8	Ozone Transport Region	8-2614-00341	518-473-5823	
NOx		783.00	RG&E, Beebee Station	Ms. Selbig	18 tpy committed to Besicorp-Recycling # 4-3814-00061
	8	Ozone Transport Region	8-2614-00448	716-771-2145	242 tpy committed to Besicorp-Power # 4-3814-00052
NOx		187.03	Corning Inc.- Fall brook plant	Mr. Ritter	Facility Shutdown
	8	Ozone Transport Region	8-4603-00008	607-974-7247	
NOx		0.00	Monroe-Livingston Landfill	Mr. Moriera	10.60 tpy transferred to High Acres Landfill
	8	Ozone Transport Region	8-2656-00008	603-929-3443	00.40 tpy transferred to Riga/Mill Seat Landfill
		0.40	Riga/Mill Seat Landfill	Mr. Garland	
		Ozone Transport Region	8-2648-00014	585-753-7511	
		10.60	High Acres Landfill	Ms. Zayatz	
		Ozone Transport Region	8-9908-00162	716-286-03554	
NOx		2026.30	RG&E, Russell Station	Ms. Sahler	Facility shutdown
	8	Ozone Transport Region	8-2628-00068	585-724-8684	
NOx		0.00	Monroe-Livingston Landfill	Mr. Chraston	Emission point(s)
	8	Ozone Transport Region	8-2656-00008	585-889-9460	Shutdown, 15 tpy transferred to Riga/Mill Seat Landfill
		15.00	Riga/Mill Seat Landfill	Mr. Garland	
		Ozone Transport Region	8-2648-00014	585-753-7511	
NOx		438.02	Greenidge Generation LLC	Mr. Irwin	Emission sources shutdown
	8	Ozone Transport Region	8-5736-00004	315-536-2359	

NOx	9	5.00	Delphi Harrison Th. Sys.	Ms. Harper	Emission point(s) shutdown
		Marginal Ozone	9-1402-00286	716-439-2955	
NOx	9	0.00	GM Powertrain-Tonawanda	Mr. Pordon	99.00 tpy committed to Corning Inc. # 6- 4030-00002
		Marginal Ozone	9-1464-00048	313-556-0791	
NOx	9	24.60	Delphi Harrison Th. Sys.	Ms. Harper	Source Reduction
		Marginal Ozone	9-2909-00018	716-439-2955	
NOx	9	71.54	Occidental Chemical Corp.	Ms. Desmukh	Facility shutdown
		Marginal Ozone	9-2912-00041	972-404-3217	
NOx	9	37.00	LFG Energy Inc.	Mr. Zeliff	Source Reduction
		Marginal Ozone	9-1432-00281	716-759-0366	
NOx	9	0.00	Bethlehem Steel Corp.	Mr. Ossman	Facility shutdown
		Marginal Ozone	9-1409-00003	610-694-2060	1300 tpy transferred to St. Lawrence Cement (Holcim) and committed to Greenport Project DEC ID #4-1040-00011
					459 tpy transferred to Tecumseh Redevelop. Inc.
		0.00	Holcim (US) Inc.	Ms. Garakani	216.60 tpy transferred to Burgess Biopower (NH)
		Marginal Ozone	4-1040-00011	734-529-4233	250 tpy transferred to Element Markets Emissions, LLC
					833.40 tpy transferred to Element Markets Emissions, LLC
		459.00	Tecumseh Redevelop. Inc.	Mr. Nagel	
		Marginal Ozone		716-856-0635	
		0.00	Element Markets Emissions, LLC	Mr. Lack	250 tpy transferred to Invenergy Thermal Development LLC
		Marginal Ozone		281-207-7200	
		250.00	Invenergy Thermal Development LLC	Mr. King	
		Marginal Ozone		312-582-1419	
		833.40	Element Markets Emissions, LLC	Mr. Lack	
		Marginal Ozone		281-207-7200	
NOx	9	30.40	Limestone Compressor Fac.	Mr. Young	Emission Point(s) shutdown
		Ozone Transport Region	9-0942-40027	814-871-8657	
NOx	9	17.30	UCAR Carbon company	Ms. Bolton	Facility shutdown
		Marginal Ozone	9-2911-00185	931-380-4215	
NOx	9	67.00	American Ref-fuel company of Niagara	Mr. Gleason	Emission Point(s) shutdown
		Marginal Ozone	9-2911-00113	716-278-8509	
NOx	9	132.24	E.I. DuPont	Mr. Jain	Emission Point(s) shutdown
		Marginal Ozone	9-2911-00030	716-278-5502	

NOx		165.10	Medina Power Company	Mr. Pecnik	Facility shutdown
	9	Ozone Transport Region	9-0484-00017	716-532-3371	
NOx		19.73	Saint-Gobain Abrasives	Mr. Fogarty	Facility shutdown
	9	Marginal Ozone	9-2940-00048	508-795-5860	
NOx		12.21	SGL Carbon LLC	Mr. Higgs	Facility shutdown
	9	Marginal Ozone	9-2911-00038	704-593-5165	
NOx		18.32	The Goodyear Tire and Rubber Co.	Mr. Jones	Emission Point(s) shutdown
	9	Marginal Ozone	9-2911-00036	716-236-2635	
NOx		0.00	Samuel A. Carlson Generating Station	Mr. Oelbracht	Future Emission Point shutdown/ Curtailment
	9	Ozone Transport Region	9-0608-00053	516-377-2200	125 tpy will be available upon EU shutdown
NOx		40.54	Caraustar Mill/Buffalo Paperboard	Mr. Cohen	Facility shutdown
	9	Marginal Ozone	9-2909-00062	770-799-3844	
NOx		33.50	Arcelormittal Lackawanna LLC	Mr. Nagel	Facility shutdown
	9	Marginal Ozone	9-1499-00067	330-659-9102	
NOx		0.00	SGK Ventures Frewsburg Fac.	Mr. Stalkamp	Facility shutdown
	9	Ozone Transport Region	9-1499-00067	312-683-9454	2.37 tpy transferred to Element Markets
		2.37	Element Markets, LLC	Mr. Lack	
		Ozone Transport Region		281-207-7213	
NOx		728.09	Huntley Power LLC	Mr. Cartagena	Facility shutdown
	9	Ozone Transport Region	9-1464-00130	917-612-5224	
NOx		0.00	Wisvest-Connecticut, LLC., CT	Mr. Beres	207 tpy committed to GenOn Bowline
	CT	Severe Ozone			
		0.00	GenOn, Bowline LLC	Mr. Konary	Name Change 12/3/10
		Severe Ozone		617-529-3874	Name change to GenOn Emissions, LLC
		207.00	GenOn Emissions, LLC	Mr. Lack	
		Severe Ozone		281-207-7213	
NOx		0.00	USX Corp., PA	Mr. Marchmont	200 tpy transferred to Ramapo Energy
	PA	Severe Ozone		508-786-7214	
		0.00	American National Power	Mr. Mussleman	Ramapo changed name to ANP
		Severe Ozone		508-382-9356	200 tpy transferred to Element Markets
		0.00	Element Markets, LLC	Mr. Lack	200 tpy transferred To National Grid Generation LLC
		Severe Ozone		281-207-7213	
		200.00	National Grid Generation LLC	Mr. Flannery	
		Severe Ozone		516-545-4875	
NOx		0.00	Bethlehem Steel Corp., PA	Mr. Neal	145 tpy committed to Wawayanda Energy # 3-3356-00109
	PA	Moderate Ozone		617-557-5333	
NOx		0.00	Cogentrix of PA., PA		658.72 transferred to Air Resources Group (ARG)

	PA	Moderate Ozone			
		Moderate Ozone	0.00	Air Resources Group (ARG)	Mr. Alexander (518) 452-7000
		Moderate Ozone	0.00	Holcim (US) Inc. 4-1040-00011	Ms. Garakani 734-529-4233
		Moderate Ozone	658.72	Element Markets Emissions, LLC	Mr. Lack 281-207-7200
NOx	CT	Severe Ozone	0.00	Wisvest-Connecticut, LLC., CT	Mr. Slade
NOx	PA	Severe Ozone	0.00	Sony Electronics Inc., PA	Mr. Remillard 781-817-8970
NOx	PA	Severe Ozone	0.00	Corning Asahi Video Inc., PA	Mr. Ritter 607-974-7247

PM-10	2	Moderate	0.86	Con Ed.- 59 th St. 2-6202-00032	Mr. Cartagena 212-460-6275
PM-10	2	Moderate	0.00	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968
PM-10	2	Moderate	0.00	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858
PM-10	2	Moderate	1.40	East River Housing Corp. 2-6206-00096	Mr. Jacob 212-677-5858

PM-2.5	2		93.60	Poletti Power Project 2-6301-00084	Mr. Ramos 914-681-6682
PM-2.5	2		44.71	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223
PM-2.5	2		0.00	NYOFCO Sludge Pellet. Facility 2-6007-00140	Mr. Lambalot 203-509-2577
			25.76	Koch Supply & Trading, LP	Ms. Evensen 316-828-7496
PM-2.5	2		12.81	National Grid Far Rockaway Power Station 2-6308-00040	Mr. Flannery 516-545-4875
PM-2.5	3		0.00	Lovett Generating Station, 3-3928-00010	Mr. Konary 617-529-3874
			336.30	GenOn Emissions, LLC	Mr. Lack 281-207-7213

CO	1	Moderate	8.32	Zapco Energy Tactics Corp. 1-2820-02479	Mr. Jansen 516-924-5300	Emission point(s) shutdown
CO	1	Moderate	34.52	Zapco Energy Tactics Corp. 1-2824-00077	Mr. Antignano 516-563-6336	Emission point(s) shutdown
CO	1	Moderate	16.03	Zapco Energy Tactics Corp. 1-2820-00951	Mr. Antignano 516-563-6336	Emission point(s) shutdown
CO	1	Moderate	6.35	Environmental Waste Incineration, Inc. 1-2809-00088	Mr. Walker 215-766-7230	Facility shutdown
CO	2	Moderate	125.62	Con Ed.- Astoria 2-6301-00006	Mr. Cartagena 212-460-6275	145 tpy committed to Astoria Energy, LLC, #2-6301-00647
CO	2	Moderate	48.00	Con Ed.- 59 th St. 2-6202-00032	Mr. Cartagena 212-460-6275	Emission point(s) shutdown
CO	2	Moderate	4.00	Hershey Choc. & Conf. Corp. 2-6304-00481	Mr. Simmons 717-534-7540	Emission point(s) shutdown
CO	2	Moderate	0.00	P&G Port Ivory Plant 2-6401-00004	Ms. Clancy 973-690-3487	15.90 tpy transferred to Port Auth. of NY & NJ
CO	2	Moderate	40.84	SW Brooklyn Municipal Incinerator 2-6106-00002	Mr. Bekowies 212-837-8383	18.16 tpy used by Freshkill Landfill
CO	2	Moderate	81.70	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-3968	Emission point(s) shutdown
CO	2	Moderate	86.63	Con Ed.- Waterside 2-6206-00038	Mr. Cartagena 212-460-4858	Facility shutdown 120.27 committed to # 2-6206-00012 (East River)
CO	2	Moderate	0.00	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Guastafeste 212-460-4858	12.79 tpy transfer to NRG Power Marketing Inc.
		Moderate	12.79	NRG Power Marketing Inc.	Mr. Karalus 612-373-5307	

SO2**	1		1.04	Glenwood Combustion Turbine Fac. 1-2822-00481	Mr. Flannery 516-545-4875	Emission Points. Shutdown
SO2**	2		460.34	Con Ed.- Hudson Ave. 2-6101-00042	Mr. Ogunsola 212-460-1223	Emission point(s) shutdown
SO2**			15.10	NYOFCO Sludge Pellet. Facility	Mr. Lambalot	Facility shutdown

	2		2-6007-00140	203-509-2577	
SO2**		1.00	National Grid Far Rockaway Power Station	Mr. Flannery	Facility shutdown
	2		2-6308-00040	516-545-4875	
SO2**		0.00	Lovett Generating Station	Mr. Konary	Facility shutdown
	3		3-3928-00010	617-529-3874	Name change to GenOn Emissions, LLC
		10178.00	GenOn Emissions, LLC	Mr. Lack 281-207-7213	

* (TPY) - tons per year

** SO2 ERCs can only be available for use as precursors for PM2.5 non-attainment

*** As of January 29, 2016, Reduction Date for the creation of the newly approved ERCs will be listed for all the ERCs placed in the registry.

**** Original ERCs of 84.94 tpy was changed to 67.76 tpy, to be consistent with the facility's Air Permit dated 1/5/2016.

Total ERCs TPY

Bold entries - additions this week	VOC	2389.035
	NOx	24172.512
	PM-10	2.26
	PM-2.5	513.18
	SO2**	10655.48
	CO	464.80

NOTE: THIS REGISTRY IS FOR INFORMATIONAL PURPOSES ONLY. THE DEPARTMENT IS NOT RESPONSIBLE FOR ANY ERRORS AND OMISSIONS. PAI INFORMATION CONTAINED HEREIN ARE SOLELY RESPONSIBLE FOR VERIFYING LEGAL OWNERSHIP AND THE VALIDITY OF ERCs. REPORTED TRANSFERS ARE NOTED AS A COURTESY AND NO ATTEMPT HAS BEEN MADE TO VERIFY THAT REPORTED ERCs TRANSFERS ARE VALID OR EFFECTIVE AS A MATTER

redits (ERCs)

d by the NYSDEC,

d by the NYSDEC,

[illegible]

July 1, 2012***
October 13, 2011***

September 19,
2013***

--

--

--	--

--

--

--

March 18, 2011***

March 31, 2015***

March 1, 2016***

July 1, 2012***
October 13, 2011***

September 18, 2013***

March 31, 2015***
March 1, 2016***

RTIES USING THE
 SFERS OF ERCs ARE
 OF LAW.

TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	

FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	

FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	

TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	

FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	

TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	

FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	

TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	

FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	

TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	

TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	

TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	

TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	

TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
TRUE	

TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
TRUE	
TRUE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	
FALSE	
TRUE	
TRUE	
FALSE	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

For this to work a space has been placed in column B between each table

The formulas below will flip values if something other than a number, blank, PA, or CT is placed in column B of the

When rows are inserted the conditional formatting of the Registry will need to be updated, however, this sheet will k

To do this select Conditional Formatting from the ribbon then Manage Rules. Then select show formatting rules for Worksheet, depending on which sheet you are currently working on. Select and delete all but the first rule then in t and click OK.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

[illegible]

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

Nonattainment Area	Nox	VOC	CO	PM-10	PM-2.5	SO2
Attainment (OTR)	8781.13	545.287				
Marginal Ozone	4709.18	855.021				
Moderate Ozone	713.872	22.76				
Severe Ozone	9968.33	965.967				
Moderate			464.8	2.26		
No Classification					513.18	10655.48
Total	24172.512	2389.035	464.8	2.26	513.18	10655.48