

## **State Pollutant Discharge Elimination System (SPDES) Priority Ranking List 2015**

The New York State Department of Environmental Conservation (NYS DEC) is providing the Environmental Benefit Permit Strategy (EBPS) priority rankings in conformance with section 17-0817(6) of the Environmental Conservation Law. The lists are based on a ranking system that prioritizes permits for full technical review and, when necessary, modification. The full technical review is conducted in one of nine regional offices or the central office, depending on the location of the discharge and whether the permit has been assigned to the central office based on USEPA designation as a major discharge or state designation as a centralized significant industrial permit.

The EBPS priority ranking system should not be confused with the SPDES permit renewal process. Most permits are renewed prior to expiration by a separate administrative procedure. At times, these renewals will be delayed to address necessary modifications to the permit.

The 2015 SPDES permit lists can be viewed at the NYS DEC website:

<http://www.dec.ny.gov/permits/6054.html>. The lists are based on ranking scores and reflect the priority list for each office. The ranking scores are updated on a continuous basis due to the discovery of new information and the issuance of modifications that eliminate the factors which go into each score. Each of the ranking lists includes the factors that make up each of the scores for each of the permits on the lists. The top 10% of each list represents a workload objective during this fiscal year. Additional information describing the EBPS process follows the ranking lists, and is also available by contacting the Bureau of Water Permits at (518) 402-8111 or by e-mail at [barbara.horton@dec.ny.gov](mailto:barbara.horton@dec.ny.gov), or at the address listed below.

Any interested party may provide, at any time, substantive comments requesting a change in a permit's rank based on the grounds that newly discovered material information exists; that a material change in environmental conditions has occurred; or that relevant technology or applicable law or regulations have changed since the issuance of the existing permit. All such requests shall be in writing and contain facts or reasons supporting the request. Comments must be sent to Director, Bureau of Water Permits, Division of Water, NYS DEC, 625 Broadway, Albany, NY 12233-3505.

# EBPS ENB List - April 2013

## Ranking Factors

Code	Description
1A	Permit needs a primary modification to conform to the State CSO/SSO Strategy; e.g. submission of a Facility Plan to control or eliminate CSOs known to be contributing to a water quality problem.
1B	Permit needs a secondary modification to conform to the State CSO/SSO Strategy; e.g. minor update in language to conform to an element of the State CSO Strategy.
2A	Permit needs a primary modification as part of a Department or Department accepted EPA initiative (e.g., significant issue regarding watershed TMDL implementation, multimedia permitting, DNA, etc)
2B	Permit needs a secondary modification as part of a Department or Department accepted EPA initiative (e.g., minor issue regarding watershed TMDL implementation, multimedia permitting, DNA, etc)
3A	Permit needs to be modified to add industrial pretreatment requirements of primary importance (e.g. inclusion of a mini pretreatment program to resolve a significant negative impact on the WWTP)
3B	Permit needs to be modified to add industrial pretreatment requirements of secondary importance (e.g. change in permit language to conform to federal regulations)
4A	Permit needs to be modified to add industrial BMP, PMP, or storm water requirements of primary importance (e.g. stormwater discharges from an industry are known to contain toxics)
4B	Permit needs to be modified to add industrial BMP, PMP, or storm water requirements of secondary importance (e.g. regulatory requirement not associated with the discharge of toxics)
5A	Permit needs to be modified for one effluent limit parameter: Bioaccumulative/Persistent/Toxic (PCB, Dioxin, etc - Refer to Attachment 5 of EBPS Guidance)
5B	Permit needs to be modified for one effluent limit parameter: parameter change for completed stream reclassification, new WQ standard or important substance relative to WQ
5C	Permit needs to be modified for one effluent limit parameter: other minor parameter (e.g. water treatment chemicals, pH, Temp., Suspended Solids, action level, etc., not associated with WQ.
6A	Permit needs to be adjusted for a new wastewater treatment technology requirement for a parameter not identified in No.5 above: Bioaccumulative/Persistent/Toxic (PCB, Dioxin, etc - Refer to Attachment 5)
6B	Permit needs to be adjusted for a new wastewater treatment technology requirement for a parameter not identified in No.5 above: Change in BPJ evaluation
07	Permit needs to be adjusted due to Consent Order or Permit non-compliance issues:
08	Permit is for an existing facility which triggers antidegradation:
09	Permit appears on an EPA 304(I) toxic list and requires an Individual Control Strategy (ICS)
10	Permit is municipal STP project on the State Revolving Fund loan list:
11	Permit need toxicity testing
12	Permit generated substantial public concern
13	Permit is a power plant needing modification for fish impingement or other fish and wildlife studies.
14	Longevity Score, Class 01, 07, 09, and 10: Enter the year when last Long Form Application with comprehensive effluent sampling was submitted.
99	Others

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>PORT AUTH OF NY &amp; NJ-LA GUARDIA AIRPORT</b>	<b>NY0008133</b>	<b>QUEENS</b>	<b>342</b>	<b>1 / 858</b>	<b>Central (#2)</b>
<u>Factor:</u> 07	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Consent Order requires the permittee to request a permit modification.	
12	100	10	10		
14	42	3	14	Longevity - updated on 3/27/15	
4A	100	10	10	The BMP should include specific airport requirements.	
<b>TONAWANDA COKE CORP</b>	<b>NY0002399</b>	<b>TONAWANDA</b>	<b>255</b>	<b>2 / 858</b>	<b>Central (#9)</b>
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> EPA administrative order Docket No.: CWA-02-2010-3012 and DEC Region 9 sampling data for 11/04-05/2009	
12	50	5	10	RWE (Jerry Palumbo) email of 12/22/2009 stated that this facility have been a focus of concern by a local citizen group and forwarded two EPA Reg.2 administrative orders, one under CWA and the other under RCRA	
13	10	1	10	Discussed with Mike Calaban on 12/30/09 - This facility has cooling water intake structure needing for fish impingement or other fish and wildlife studies	
14	145	5	29	Longevity - updated on 3/27/15	
<b>AUBURN - C STP</b>	<b>NY0021903</b>	<b>AUBURN</b>	<b>240</b>	<b>3 / 858</b>	<b>Central (#7)</b>
<u>Factor:</u> 14	<u>Score:</u> 145	<u>Multiplier:</u> 5	<u>Points:</u> 29	<u>Reason:</u> Longevity - updated on 3/27/15	
3A	50	5	10	Facility accepting well drilling wastewater as part of its pretreatment program.	
5B	25	5	5	TDS effluent limit needed	
5C	10	5	2	Chloride effluent limit evaluation	
5C	10	5	2	Barium effluent limit evaluation	
<b>INDIAN POINT 2 LLC AND INDIAN POINT 3 LLC</b>	<b>NY0004472</b>	<b>CORTLANDT</b>	<b>225</b>	<b>4 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> MOD-FISH IMPING&THERMAL	
14	70	5	14	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	5	1	5	TRC	
<b>IBM CORP SOUTH RD FACILITY</b>	<b>NY0005541</b>	<b>POUGHKEEPSIE</b>	<b>225</b>	<b>5 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Based on the once-through cooling water design flow of this facility, a BTA asesment neds to be initiated for this facility. F&W will prepare a Request for Information .	
14	50	5	10	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
99	25	5	5	Metal mask manufacturing (Metal Mask), which is a categorical wastewater source to the IWTF has been eliminated as of 12/4/14. Permit should be modified at next permit action toreflect removal of this wastewater and subsequent 20% reduction in wastewater.	
<b>DOLGEVILLE WWTP</b>	<b>NY0024554</b>	<b>MANHEIM</b>	<b>215</b>	<b>6 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> CO:TOXIC, POSSIBLE EXPANS	
11	25	5	5		
14	145	5	29	Longevity - updated on 3/27/15	
2A	5	1	5		
5B	25	5	5	Chlorine @ 0.64 mg/l needs re-evaluation.	
5B	5	1	5	Flow needs increase.	
<b>NORLITE LLC</b>	<b>NY0004880</b>	<b>COHOES</b>	<b>197</b>	<b>7 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 11	<u>Score:</u> 50	<u>Multiplier:</u> 10	<u>Points:</u> 5	<u>Reason:</u> Toxicity testing	
14	27	3	9	Longevity - updated on 3/27/15	
5A	100	10	10	Mercury	
5C	20	10	2	Silver and Titanium	
<b>DANSKAMMER GENERATING STATION</b>	<b>NY0006262</b>	<b>NEWBURGH</b>	<b>195</b>	<b>8 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 13	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Thermal Mixing zone needs to be added based on 6NYCRR Part 704.3. Studies completed, modification required as per Additional Requirement #4	
14	95	5	19	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
<b>ONEIDA CO WATER POLLUTION CONTROL PLANT</b>	<b>NY0025780</b>	<b>UTICA</b>	<b>195</b>	<b>9 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 11	<u>Score:</u> 50	<u>Multiplier:</u> 10	<u>Points:</u> 5	<u>Reason:</u> WET testing showed 100% mortality in 100% effluent.	
14	145	5	29	Longevity - updated on 3/27/15	
<b>CATSKILL QUARRY</b>	<b>NY0006874</b>	<b>CATSKILL</b>	<b>194</b>	<b>10 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 07	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> 006 - Temporary discharge, overflow discharges to wetland, non-permanent pH adjustment equipment	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>CATSKILL QUARRY</b>	NY0006874	CATSKILL	194	10 / 858	Central (#4)
14	39	3	13		
2B	5	1	5		Minor issue re DNA
4A	50	5	10		Needs updated BMPs, including SWPPP requirements
<b>BINGHAMTON JOHNSON CITY STP</b>	NY0024414	VESTAL	190	11 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 40	<u>Multiplier:</u> 5	<u>Points:</u> 8	<u>Reason:</u>	Longevity - updated on 3/27/15
2A	100	10	10		Chesapeake Bay tributary strategy
5A	50	5	10		NEW MERCURY STANDARD
<b>V/KIRYAS JOEL WWTP</b>	NY0250520	MONROE	184	12 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 69	<u>Multiplier:</u> 3	<u>Points:</u> 23	<u>Reason:</u>	Longevity - updated on 3/27/15
4B	25	5	5		Need low priority MMP.
5B	50	10	5		TDS WQBEL.
5B	25	5	5		ADD TECH LIMIT FOR P
5B	15	1	15		DO, pH, TRC WQBELs (5+5+5 = 15).
<b>JFK INTERNATIONAL AIRPORT</b>	NY0008109	QUEENS	179	13 / 858	Central (#2)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u>	modify WET acute action level to WET limit at outfalls 004, 010 & 022 per 09/02/2009 letter. Send reminder letter to retest 4 quarters in 2014
12	100	10	10		
14	24	3	8		Longevity - updated on 3/27/15
5B	25	5	5		CBOD NEEDS LIMIT SET
5B	25	5	5		GLYCOLS NEEDS LIMIT SET
<b>ROSETON GENERATING STATION</b>	NY0008231	NEWBURGH	170	14 / 858	Central (#3)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u>	MOD-FISH IMPING&THERMAL
14	70	5	14		Longevity - updated on 3/27/15
<b>BOWLINE GENERATING STATION</b>	NY0008010	HAVERSTRAW	170	15 / 858	Central (#3)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u>	MOD-FISH IMPING&THERMAL
14	65	5	13		Longevity - updated on 3/27/15
5B	5	1	5		CHLORINE
<b>LOCKHEED MARTIN</b>	NY0002101	SALINA	170	16 / 858	Central (#7)
<u>Factor:</u> 08	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u>	On PWL list for pathogens
14	120	5	24		Longevity - updated on 3/27/15
5B	25	5	5		Pathogens
<b>ALBANY COUNTY SEWER DISTRICT - SOUTH PLANT</b>	NY0026867	ALBANY	170	17 / 858	Central (#4)
<u>Factor:</u> 10	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u>	Facility on SRF list for disinfection project.
14	95	5	19		Longevity - updated on 3/27/15
1A	50	5	10		Permit needs schedule for implementation of CSO facilities after LTCP approval.
<b>GM POWERTRAIN - MASSENA PLANT</b>	NY0000540	MASSENA	167	18 / 858	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 55	<u>Multiplier:</u> 5	<u>Points:</u> 11	<u>Reason:</u>	Longevity - updated on 3/27/15
4A	100	10	10		PCB PMP NEEDED
5A	10	1	10		EVAL PCB MONITORING FREQ
6B	2	1	2		REVISE 2/MO TO 1/2 WKS
<b>ALBANY COUNTY SEWER DISTRICT - NORTH PLANT</b>	NY0026875	COLONIE	155	19 / 858	Central (#4)
<u>Factor:</u> 10	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u>	On SRF list for disinfection facility installation.
14	80	5	16		Longevity - updated on 3/27/15
1A	50	5	10		Permit needs a schedule of CSO implementation measures after the LTCP is approved.
<b>OAKWOOD BEACH WASTEWATER TREATMENT PLANT</b>	NY0026174	STATEN ISLAND	150	20 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u>	Longevity - updated on 3/27/15
4B	25	5	5		MS4 Requirements need updating.
5A	50	5	10		NEW MERCURY STANDARD
5B	25	5	5		New Marine Ammonia WQ Standard
<b>AMSTERDAM - C WASTEWATER TREATMENT PLANT</b>	NY0020290	AMSTERDAM	150	21 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 145	<u>Multiplier:</u> 5	<u>Points:</u> 29	<u>Reason:</u>	Longevity - updated on 3/27/15
1B	5	1	5		Follow-up on I/I study

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>NORTH TONAWANDA STP</b>	NY0026280	NORTH TONAWANDA	150	22 / 858	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
1A	50	5	10	SSA	
1A	10	1	10	TOGS for Type I SSO needs to be added to the permit.	
1B	20	2	10		
99	10	2	5	Permit needs updated pages including General Requirements	
<b>BAY PARK SEWAGE TREATMENT PLANT</b>	NY0026450	HEMPSTEAD	145	23 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 95	<u>Multiplier:</u> 5	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	New Marine Ammonia WQ Standard	
5B	25	5	5	New dilution ratio (from 10:1 to 6:1). As a result, limits for TRC, copper and other parameters may change. Also, WET testing dilution ratio will be changed.	
<b>GARLOCK SEALING TECHNOLOGIES</b>	NY0000078	PALMYRA	140	24 / 858	Central (#8)
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> According to renewal application, two unpermitted outfalls at the facility.	
14	90	5	18	Longevity - updated on 3/27/15	
<b>HUNTLEY STEAM GENERATING STATION</b>	NY0001023	TONAWANDA	140	25 / 858	Central (#9)
<u>Factor:</u> 12	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit is subject of a lawsuit.	
14	40	5	8	Longevity - updated on 3/27/15	
<b>SENECA PLATERS INC</b>	NY0202673	ELMA	137	26 / 858	Central (#9)
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> BOD and TSS violations	
14	87	3	29	Longevity - updated on 3/27/15	
<b>CONEY ISLAND WASTEWATER TREATMENT PLANT</b>	NY0026182	BROOKLYN	135	27 / 858	Central (#2)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> ADD PAERDEGAT BASIN LTCP	
14	50	5	10	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia Standard	
<b>JAMAICA WASTEWATER TREATMENT PLANT</b>	NY0026115	QUEENS	135	28 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	Marine ammonia standard	
<b>NORTH RIVER WASTEWATER TREATMENT PLANT</b>	NY0026247	MANHATTAN	135	29 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>RED HOOK WASTEWATER TREATMENT PLANT</b>	NY0027073	BROOKLYN	135	30 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia Standard	
<b>NEWTOWN CREEK WASTEWATER TREATMENT PLANT</b>	NY0026204	BROOKLYN	135	31 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDAR	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>BOWERY BAY WASTWATER TREATMENT PLANT</b>	NY0026158	QUEENS	135	32 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>TALLMAN ISLAND WASTEWATER TREATMENT PLANT</b>	NY0026239	QUEENS	135	33 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>PORT RICHMOND WASTEWATER TREATMENT PLANT</b>	NY0026107	STATEN ISLAND	135	34 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>HUNTS POINT WWTP</b>	NY0026191	BRONX	135	35 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HUNTS POINT WWTP	NY0026191	BRONX	135	35 / 858	Central (#2)
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
WARDS ISLAND WASTEWATER TREATMENT PLANT	NY0026131	MANHATTAN	135	36 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New marine ammonia standard	
OLEAN STP	NY0027162	OLEAN	135	37 / 858	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 125	<u>Multiplier:</u> 5	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	5	1	5	NEW CHLORINE STD	
5B	5	1	5	NEW AMMONIA STD	
COEYMANS SANITARY LANDFILL	NY0242101	COEYMANS	132	38 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	need to update PQL for chlorine.	
5B	25	5	5	need to update for revised ammonia standard.	
5B	25	5	5	WQ review needs to account for class A(TS) on Hannacrois Creek downstream.	
I3 ELECTRONICS, INC.	NY0003808	UNION	130	39 / 858	Central (#7)
<u>Factor:</u> 12	<u>Score:</u> 50	<u>Multiplier:</u> 10	<u>Points:</u> 5	<u>Reason:</u> Acceptance of landfill leachate	
14	55	5	11	Longevity - updated on 3/27/15	
5B	10	5	2	Phosphorus evaluation	
5B	10	5	2	Nitrogen evaluation	
5C	5	1	5	Add monthly avg flow monitoring to better quantify discharges and to facilitate calculation of SPDES fees	
ALCOA MASSENA OPERATIONS (WEST PLANT)	NY0001732	MASSENA	129	40 / 858	Central (#6)
<u>Factor:</u> 12	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Public Concern	
14	45	5	9	Longevity - updated on 3/27/15	
4B	25	5	5	NEED PCB PMP	
5A	10	1	10	EVAL 11/25/02 REP 001 PCB	
5B	25	5	5	EVAL 11/25/02 REP 001 BAP	
5B	5	1	5	EVAL 11/25/02 REP 001 BAP	
6A	5	1	5	EVAL PRODUCTION DECREASE	
6B	2	1	2	EVAL 3/28/03 REP 004 CN	
6B	2	1	2	EVAL 11/25/02 REP 001 CN	
BROOKLYN NAVY YARD COGENERATION PLANT	NY0251577	BROOKLYN	127	41 / 858	Central (#2)
<u>Factor:</u> 13	<u>Score:</u> 100	<u>Multiplier:</u> 10	<u>Points:</u> 10	<u>Reason:</u> Permit is undergoing final BTA determination and will need to be modified to address final decision	
14	27	3	9	Longevity - updated on 3/27/15	
WARWICK STP	NY0023680	WARWICK	126	42 / 858	Central (#3)
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Temperature issue	
14	69	3	23	Longevity - updated on 3/27/15	
4B	5	1	5		
5C	2	1	2	temperature	
ROCKAWAY WASTEWATER TREATMENT PLANT	NY0026221	QUEENS	125	43 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	Marine ammonia standard	
OWLS HEAD WASTEWATER TREATMENT PLANT	NY0026166	BROOKLYN	125	44 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
26TH WARD WASTEWATER TREATMENT PLANT	NY0026212	BROOKLYN	125	45 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
5B	25	5	5	New Marine Ammonia WQ Standard	
KERRY BIO-SCIENCE	NY0004243	NORWICH	125	46 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 125	<u>Multiplier:</u> 5	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>OYSTER BAY SEWAGE TREATMENT PLANT</b>	NY0021822	OYSTER BAY	125	47 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 95	<u>Multiplier:</u> 5	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	New Marine Ammonia WQ Standard	
5C	5	1	5	Percent removal needs evaluation.	
<b>CLINTON SEWAGE TREATMENT PLANT</b>	NY0021385	KIRKLAND	125	48 / 858	Central (#6)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u>	
14	110	5	22	Longevity - updated on 3/27/15. Permit under public comment; comment period extended to June 2015.	
2B	10	1	10	Update for DNA requirements	
<b>NOVELIS CORPORATION</b>	NY0002143	SCRIBA	125	49 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 95	<u>Multiplier:</u> 5	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	2	1	2	REVISED MONITORING - VOCS	
5C	2	1	2	REVISED MONITORING - SI	
5C	2	1	2	REVISED MONITORING-SB1668	
5C	2	1	2	REVISED MONITORING-PHENOL	
5C	2	1	2	REVISED MONITORING - MN	
5C	2	1	2	REVISED MONITORING - SB	
5C	2	1	2	REVISED MONITORING - P	
5C	2	1	2	REVISED MONITORING - NI	
5C	2	1	2	REVISED MONITORING - MG	
5C	2	1	2	REVISED MONITORING - MBAS	
5C	2	1	2	REVISED MONITORING - DO	
5C	2	1	2	REVISED MONITORING - CN	
5C	2	1	2	REVISED MONITORING - PB	
5C	2	1	2	REVISED MONITORING - AS	
99	2	1	2	Permittee noted that outfalls have been modified.	
<b>N Y AIR NAT'L GUARD - 174TH FIGHTER WING</b>	NY0244066	DEWITT	125	50 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 3	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	25	5	5		
99	25	5	5	Update permit pages including the last page, and other Parts 750 conditions.	
<b>GLOBALFOUNDRIES EAST FISHKILL FACILITY-HUDSON VALLEY RESE</b>	NY0005096	EAST FISHKILL	120	51 / 858	Central (#3)
<u>Factor:</u> 12	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Environmental Advocates commented on the permit renewal in January 2008.	
14	40	5	8	Longevity - updated on 3/27/15	
5B	50	10	5	Total Dissolved Solids limit needs to be added to the permit. TDS was found to be the source of chronic toxicity.	
99	25	5	5	Modifications were made to the treatment plant in 2010.	
<b>CANAJOHARIE - V STP</b>	NY0023485	CANAJOHARIE	120	52 / 858	Central (#4)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Toxicity testing should be performed. Facility also accepts leachate.	
14	95	5	19	Longevity - updated on 3/27/15	
2A	5	1	5	Permit needs DNA language.	
4B	5	1	5	Storm water BMPs for WWTPs required.	
5A	10	1	10	Needs low-level Mercury testing	
<b>ROCKLAND COUNTY SEWER DISTRICT NO 1</b>	NY0031895	ORANGETOWN	120	53 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 95	<u>Multiplier:</u> 5	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	Toxicity Action Levels need to be limits	
<b>OCCIDENTAL DUREZ DIVISION WALCK RD PLANT</b>	NY0001198	NORTH TONAWANDA	120	54 / 858	Central (#9)
<u>Factor:</u> 11	<u>Score:</u> 10	<u>Multiplier:</u> 2	<u>Points:</u> 5	<u>Reason:</u>	
14	50	5	10	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
99	10	2	5	Needs updated permit pages	
<b>BAILEY MANUFACTURING COMPANY LLC</b>	NY0202959	HANOVER	119	55 / 858	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 69	<u>Multiplier:</u> 3	<u>Points:</u> 23	<u>Reason:</u> Longevity - updated on 3/27/15	
6B	50	5	10	Permit needs to be adjusted for a new wastewater treatment technology requirement for the following parameters: Aluminum, Antimony, Arsenic, Beryllium, Cadmium, Copper, Iron, Manganese, Nickel, Slnium, Mercury, Silver, and Thallium	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>WHEELABRATOR WESTCHESTER LP</b>	<b>NY0109690</b>	<b>PEEKSKILL</b>	<b>118</b>	<b>56 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 13	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u>	
14	63	3	21	Longevity - updated on 3/27/15	
4A	5	1	5		
<b>EASTMAN BUSINESS PARK</b>	<b>NY0001643</b>	<b>ROCHESTER</b>	<b>115</b>	<b>57 / 858</b>	<b>Central (#8)</b>
<u>Factor:</u> 12	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Public concern	
14	55	5	11	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
<b>GLENS FALLS STP</b>	<b>NY0029050</b>	<b>GLENS FALLS</b>	<b>115</b>	<b>58 / 858</b>	<b>Central (#5)</b>
<u>Factor:</u> 11	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u> need WET testing.	
14	40	5	8	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
<b>PORT TERMINAL LTD</b>	<b>NY0260738</b>	<b>BETHLEHEM</b>	<b>112</b>	<b>59 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> PERMIT OUTFALL 003	
07	10	1	10	PERMIT OUTFALL 002	
11	5	1	5	Toxicity testing needed	
14	27	3	9	Longevity - updated on 3/27/15	
4A	10	1	10	ADD BMP	
5C	20	10	2	METALS/SS 001/002/003	
5C	10	5	2	002-TSS/TDS/CN(A)&(T)/BOD	
5C	10	5	2	003-TSS/TDS/CN(A)&(T)/BOD	
6B	10	5	2	001-TSS/TDS/CN(A)&(T)/BOD	
<b>BIRD ISLAND STP</b>	<b>NY0028410</b>	<b>BUFFALO</b>	<b>110</b>	<b>60 / 858</b>	<b>Central (#9)</b>
<u>Factor:</u> 14	<u>Score:</u> 35	<u>Multiplier:</u> 5	<u>Points:</u> 7	<u>Reason:</u> Longevity - updated on 3/27/15	
1B	50	5	10		
99	25	5	5	Permit needs updated pages and a new WQ evaluation.	
<b>ALLIED WASTE NIAGARA FALLS LANDFILL</b>	<b>NY0094251</b>	<b>NIAGARA FALLS</b>	<b>110</b>	<b>61 / 858</b>	<b>Central (#9)</b>
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> WET - testing	
14	33	3	11	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STD REVIEW	
5A	10	1	10	Benzenehexachloride, Beta	
5A	10	1	10	Benzenehexachloride, Alpha	
6B	2	1	2	RE-EVAL ALUMINUM AL	
<b>SABIC INNOVATIVE PLASTICS US LLC</b>	<b>NY0007072</b>	<b>BETHLEHEM</b>	<b>109</b>	<b>62 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 14	<u>Score:</u> 55	<u>Multiplier:</u> 5	<u>Points:</u> 11	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STD REVIEW	
5C	2	1	2	NEW POLLUTANT-ISOBUTANOL	
6B	2	1	2	PERM REQUEST MOD-NEW WTC	
<b>LEPRINO FOODS</b>	<b>NY0157295</b>	<b>BARTON</b>	<b>107</b>	<b>63 / 858</b>	<b>Central (#7)</b>
<u>Factor:</u> 14	<u>Score:</u> 87	<u>Multiplier:</u> 3	<u>Points:</u> 29	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	20	10	2		
<b>LL FUEL STORAGE LLC</b>	<b>NY0234231</b>	<b>FALLSBURGH</b>	<b>107</b>	<b>64 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 3	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
4A	10	1	10	Stormwater BMPs need to be added.	
5B	5	1	5	Xylenes AL needs adjusting downward.	
5B	5	1	5	Toluene AL needs adjusting downward.	
5B	5	1	5	Ethylbenzene AL needs adjusting downward.	
5B	5	1	5	Benzene AL needs adjusting downward.	
5C	2	1	2	pH violations.	
<b>SPECIAL METALS CORPORATION</b>	<b>NY0007129</b>	<b>NEW HARTFORD</b>	<b>106</b>	<b>65 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 14	<u>Score:</u> 54	<u>Multiplier:</u> 3	<u>Points:</u> 18	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10		
5C	2	1	2	REDUCE SAMPLING FREQUENCY	
<b>RENSSELAER CO SD 1 WWTP</b>	<b>NY0087971</b>	<b>NORTH GREENBUSH</b>	<b>105</b>	<b>66 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 10	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> STP ON SRF LIST	
12	5	1	5	Concern over CSO discharges to the Hudson River and dry weather overflows.	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>RENSELAER CO SD 1 WWTP</b>	<b>NY0087971</b>	<b>NORTH GREENBUSH</b>	<b>105</b>	<b>66 / 858</b>	<b>Central (#4)</b>
14	70	5	14	Longevity - updated on 3/27/15	
1B	25	5	5	BMP #6 - Dry weather overflows are prohibited - is missing from the permit.	
<b>CARMEL TERMINALS INC</b>	<b>NY0235083</b>	<b>CARMEL</b>	<b>105</b>	<b>67 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 3	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
2B	5	1	5	DNA requirements need to be added.	
4B	5	1	5	Storm water BMPs need updating.	
5B	5	1	5	Xylenes AL needs to be adjusted downward.	
5B	5	1	5	Toluene AL needs to be adjusted downward.	
5B	5	1	5	Ethylbenzene AL needs to be adjusted downward.	
5B	5	1	5	Benzene AL needs to be adjusted downward.	
<b>COBLESKILL-V-WATER POLL CONTROL PLANT</b>	<b>NY0024201</b>	<b>COBLESKILL</b>	<b>105</b>	<b>68 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 14	<u>Score:</u> 105	<u>Multiplier:</u> 5	<u>Points:</u> 21	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>AVNET INC (FORMER IMPERIAL SCHRADE SITE)</b>	<b>NY0008087</b>	<b>WAWARSING</b>	<b>105</b>	<b>69 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 14	<u>Score:</u> 105	<u>Multiplier:</u> 5	<u>Points:</u> 21	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>FARMINGTON T STP</b>	<b>NY0023531</b>	<b>VICTOR</b>	<b>105</b>	<b>70 / 858</b>	<b>Central (#8)</b>
<u>Factor:</u> 4B	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u>	
5B	25	5	5	Disinfection and TRC limit required.	
5B	5	1	5	STR RECL-AMMONIA LIMIT	
99	50	5	10	Longevity. Permit also needs updated permit pages including General Requirements.	
<b>FORMER IFG FACILITY</b>	<b>NY0000566</b>	<b>SALINA</b>	<b>104</b>	<b>71 / 858</b>	<b>Central (#7)</b>
<u>Factor:</u> 14	<u>Score:</u> 54	<u>Multiplier:</u> 3	<u>Points:</u> 18	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
<b>NORTHPORT STP</b>	<b>NY0024881</b>	<b>HUNTINGTON</b>	<b>100</b>	<b>72 / 858</b>	<b>Central (#1)</b>
<u>Factor:</u> 10	<u>Score:</u> 25	<u>Multiplier:</u> 5	<u>Points:</u> 5	<u>Reason:</u> Nitrogen Upgrade underway	
14	45	3	15	Longevity - updated on 3/27/15	
4B	5	1	5	I&I is excessive	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>OGDENSBURG -C WWT PLANT</b>	<b>NY0029831</b>	<b>OGDENSBURG</b>	<b>100</b>	<b>73 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 14	<u>Score:</u> 40	<u>Multiplier:</u> 5	<u>Points:</u> 8	<u>Reason:</u> Longevity - updated on 3/27/15	
1A	50	5	10	need LTCP implementation schedule and post construction monitoring.	
5A	10	1	10	need Mercury language	
<b>VERNON SEWAGE TREATMENT PLANT PROPERTY</b>	<b>NY0020249</b>	<b>VERNON</b>	<b>100</b>	<b>74 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 14	<u>Score:</u> 100	<u>Multiplier:</u> 5	<u>Points:</u> 20	<u>Reason:</u>	
<b>GOVERNEUR STP</b>	<b>NY0020117</b>	<b>GOVERNEUR</b>	<b>100</b>	<b>75 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 14	<u>Score:</u> 70	<u>Multiplier:</u> 5	<u>Points:</u> 14	<u>Reason:</u>	
1A	30	3	10		
<b>MARKIN TUBING</b>	<b>NY0084689</b>	<b>COVINGTON</b>	<b>99</b>	<b>76 / 858</b>	<b>Central (#9)</b>
<u>Factor:</u> 14	<u>Score:</u> 87	<u>Multiplier:</u> 3	<u>Points:</u> 29	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	10	5	2	Update site flow diagram (see Dan Judd in R9)	
5C	2	1	2	Permit needs modified to include action level (0.2 - 0.5 mg/l) of TRC due to the use of WTC - Purobrom. The QBEL of TRC is 1 mg/l.	
<b>ST LAWRENCE POWER PROJECT</b>	<b>NY0000728</b>	<b>MASSENA</b>	<b>97</b>	<b>77 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 14	<u>Score:</u> 87	<u>Multiplier:</u> 3	<u>Points:</u> 29	<u>Reason:</u> Longevity - updated on 3/27/15	
4A	10	1	10	need updated PCB minimization program language.	
<b>PETROLEUM FUEL &amp; TERMINAL CO-RENSELAER</b>	<b>NY0006220</b>	<b>RENSELAER</b>	<b>96</b>	<b>78 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 14	<u>Score:</u> 87	<u>Multiplier:</u> 3	<u>Points:</u> 29	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	2	1	2	ADD BMP	
5C	5	1	5	add effluent limit or action level for ethylbenzene	
6B	2	1	2	ADD HYRDO TEST WATER	
<b>YORKTOWN HEIGHTS STP</b>	<b>NY0026743</b>	<b>YORKTOWN</b>	<b>95</b>	<b>79 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 07	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Copper and design flow	
14	45	5	9	Longevity - updated on 3/27/15	
<b>SUFFERN - V STP</b>	<b>NY0022748</b>	<b>RAMAPO</b>	<b>95</b>	<b>80 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SUFFERN - V STP	NY0022748	RAMAPO	95	80 / 858	Central (#3)
5A	50	5	10	permit need Mercury Minimization Program and Mercury limit.	
CHATHAM - V STP	NY0023582	CHATHAM	95	81 / 858	Central (#4)
Factor: 14	Score: 75	Multiplier: 5	Points: 15	Reason: Longevity - updated on 3/27/15	
5A	10	1	10	need Mercury language in permit.	
99	10	1	10	Permittee request for flow increase due to recently completed plant upgrades.	
XEROX JOSEPH C WILSON CTR FOR TECHNOLOGY	NY0002402	WEBSTER	93	82 / 858	Central (#8)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the permit renewal in 2008.	
14	33	3	11	Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
99	5	1	5	Permittee requested modification of monitoring requirements for "utility vault waters."	
NYSEG AFTON ASH SITE	NY0108227	AFTON	92	83 / 858	Central (#7)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the administrative renewal in 2009.	
14	87	3	29	Longevity - updated on 3/27/15	
BUCKEYE PIPE LINE CO	NY0156311	SENETT	92	84 / 858	Central (#7)
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity - updated on 3/27/15	
4B	25	5	5		
5C	10	5	2		
HUNTER - T LANDFILL	NY0103187	HUNTER	92	85 / 858	Central (#4)
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: Short-term P and FC monitoring in compliance schedule not complied with	
07	10	1	10	Dissolved Oxygen violations	
07	10	1	10	Ammonia violations	
14	57	3	19	Longevity - updated on 3/27/15	
5B	5	1	5	EVAL P MONITORING DATA	
NEXANS ENERGY USA INC	NY0007943	CHESTER	91	86 / 858	Central (#3)
Factor: 14	Score: 69	Multiplier: 3	Points: 23	Reason: Longevity - updated on 3/27/15	
5C	2	1	2	EXAM SHORT TERM-ZN	
5C	2	1	2	EXAM SHORT TERM-SN	
5C	2	1	2	EXAM SHORT TERM-PB	
5C	2	1	2	EXAM SHORT TERM-MBAS	
5C	2	1	2	EXAM SHORT TERM-FE	
5C	2	1	2	EXAM SHORT TERM-CU	
5C	2	1	2	EXAM SHORT TERM-AL	
5C	2	1	2	EXAM SHORT TERM-624	
5C	2	1	2	EXAM SHORT TERM-606	
5C	2	1	2	EXAM MONITOR ONLY-TDS	
5C	2	1	2	EXAM MONITOR ONLY-DO	
SAPUTO DAIRY FOODS USA LLC	NY0068292	DELHI	90	87 / 858	Central (#4)
Factor: 14	Score: 90	Multiplier: 3	Points: 30	Reason: Longevity - updated on 3/27/15	
AMHERST SD #16 STP	NY0025950	AMHERST	90	88 / 858	Central (#9)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
CLEAN WATER OF NEW YORK INC	NY0200484	STATEN ISLAND	89	89 / 858	Central (#2)
Factor: 12	Score: 10	Multiplier: 1	Points: 10	Reason: Public concern	
14	27	3	9	Longevity - updated on 3/27/15	
5B	50	10	5	New ELG for Oil and Grease	
5C	2	1	2	OTHER MINOR PARAMETERS	
WEBER ASH DISPOSAL SITE	NY0106542	FENTON	87	90 / 858	Central (#7)
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
WELCH ALLYN JORDAN RD FACILITY	NY0000787	SKANEATELES	87	91 / 858	Central (#7)
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
VILLAGE OF PHILMONT WWTP	NY0030996	CLAVERACK	87	92 / 858	Central (#4)
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
OSWEGO CO ENERGY RECOVERY FAC	NY0155519	VOLNEY	86	93 / 858	Central (#7)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>OSWEGO CO ENERGY RECOVERY FAC</b>	NY0155519	VOLNEY	86	93 / 858	Central (#7)
99	50	10	5	Permit needs modification for fish management or other Fish & Wildlife studies associated with intake.	
<b>LIBERTY WWTF</b>	NY0030074	LIBERTY	85	94 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 85	<u>Multiplier:</u> 5	<u>Points:</u> 17	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>OSWEGO - C EAST SIDE STP</b>	NY0029114	OSWEGO	85	95 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 20	<u>Multiplier:</u> 5	<u>Points:</u> 4	<u>Reason:</u> Longevity - updated on 3/27/15	
1B	50	5	10		
99	15	5	3	Update permit with General Conditions	
<b>FINCH PAPER LLC</b>	NY0005525	GLENS FALLS	85	96 / 858	Central (#5)
<u>Factor:</u> 14	<u>Score:</u> 85	<u>Multiplier:</u> 5	<u>Points:</u> 17	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>LIMA - V STP</b>	NY0022420	LIMA	85	97 / 858	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 3	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
99	10	1	10	Permit needs updating to correct typos, update forms, etc.	
<b>CHOBANI CORPORATE CAMPUS</b>	NY0004146	NORWICH	85	98 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15	
99	40	5	8	Other - Ownership issue	
<b>MACKENZIE-CHILDS AURORA LLC</b>	NY0244236	LEDYARD	84	99 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 30	<u>Multiplier:</u> 3	<u>Points:</u> 10	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STD	
5C	2	1	2	REVISE LOC OF OUTFALL OO4	
5C	2	1	2	ADD 2 SAN. OUTFALLS -NMR	
<b>KEYSPAN GAS OPERATIONS EAST - HOLTSMVILLE LNG PLANT</b>	NY0109193	BROOKHAVEN	83	100 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 33	<u>Multiplier:</u> 3	<u>Points:</u> 11	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STD REVIEW	
<b>ITT FTC / GOULDS PUMPS</b>	NY0001694	SENECA FALLS	82	101 / 858	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	25	5	5		
<b>BUCKEYE RENSSELAER TERMINAL</b>	NY0005690	EAST GREENBUSH	82	102 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
4A	5	1	5	BMPs need updating.	
5B	5	1	5	Xylenes AL needs adjusting downward.	
5B	5	1	5	Toluene AL needs adjusting downward.	
5B	5	1	5	Ethylbenzene AL needs adjusting downward.	
5B	5	1	5	Benzene AL needs adjusting downward.	
<b>HIGH STREET FT COVINGTON STP</b>	NY0027863	FORT COVINGTON	82	103 / 858	Central (#5)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	25	5	5	Remove outfalls 002, 003, and 004 as they are diverted for treatment through outfall 001.	
<b>WATERTOWN BULK PLANT</b>	NY0216071	PAMELIA	82	104 / 858	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 78	<u>Multiplier:</u> 3	<u>Points:</u> 26	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	2	1	2	ADD BMP	
5C	2	1	2	ADD MTBE WHEN GAS @ FACIL	
<b>SUPERIOR PLUS ENERGY SERVICES - CORTLAND</b>	NY0244139	CORTLANDVILLE	81	106 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 51	<u>Multiplier:</u> 3	<u>Points:</u> 17	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	10	2	5		
99	20	2	10	Mercury	
<b>MOMENTIVE PERFORMANCE MATERIALS</b>	NY0008605	WATERFORD	80	107 / 858	Central (#5)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Adjust permit based on LUP	
11	5	1	5	Convert WET requirements to new format	
14	55	5	11	Longevity - updated on 3/27/15	
6B	10	5	2	Evaluate results of several completed compliance schedule monitoring programs	
<b>CEDARHURST WATER POLLUTION CONTROL PLANT</b>	NY0022462	HEMPSTEAD	80	108 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	10	1	10	Reduce limit based on updated PQL	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>CEDARHURST WATER POLLUTION CONTROL PLANT</b>	NY0022462	HEMPSTEAD	80	108 / 858	Central (#1)
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>PRAXAIR INC</b>	NY0108251	NIAGARA FALLS	80	109 / 858	Central (#9)
<u>Factor:</u> 13	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Permit requires modification to include biological conditions to meet §704.5.	
14	24	3	8	Longevity - updated on 3/27/15	
5C	2	1	2	ADD MONITORING-TSS	
5C	2	1	2	ADD MONITORING-TDS	
5C	2	1	2	ADD MONITORING-O&G	
<b>CSX TRANSPORTATION DEWITT YARD</b>	NY0033901	MANLIUS	79	110 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 48	<u>Multiplier:</u> 3	<u>Points:</u> 16	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	5	1	5	ADD BMP	
5C	2	1	2	ADD DNA REQUIREMENT	
6B	2	1	2	LIMIT ETHYLBENZENE 002	
6B	2	1	2	LIMIT ETHYLBENZENE 001	
6B	2	1	2	ADD LIMIT TEST WATER PH	
6B	2	1	2	ADD LIMIT RESIDUAL CHLORE	
6B	2	1	2	ADD LIMIT OIL & GREASE	
6B	2	1	2	ADD LIMIT FOR XYLENE	
6B	2	1	2	ADD LIMIT FOR TOLUENE	
6B	2	1	2	ADD LIMIT FOR PH	
6B	2	1	2	ADD LIMIT FOR ETHYLEBENZE	
6B	2	1	2	ADD LIMIT FOR BENZENE	
<b>BUCKEYE TERMINALS LLC - BINGHAMTON TERMINAL</b>	NY0156396	VESTAL	77	112 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 3	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	2	1	2	ADD MTBE	
<b>NOCO ENERGY CORP</b>	NY0258644	NEWSTEAD	76	113 / 858	Central (#9)
<u>Factor:</u> 14	<u>Score:</u> 51	<u>Multiplier:</u> 3	<u>Points:</u> 17	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	25	5	5		
<b>BELGRAVE WPCD</b>	NY0026841	NORTH HEMPSTEAD	75	114 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 50	<u>Multiplier:</u> 5	<u>Points:</u> 10	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	New Marine Ammonia WQ Standard	
<b>SI GROUP INC - ROTTERDAM JUNCTION FACILITY</b>	NY0005801	ROTTERDAM	75	115 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	Evaluate dilution study and apply to permit	
5B	5	1	5	Evaluate endocrine study and apply to permit	
<b>BERGEN POINT WWTP</b>	NY0104809	BABYLON	75	116 / 858	Central (#1)
<u>Factor:</u> 10	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u>	
14	30	5	6	Longevity - updated on 3/27/15	
2A	10	1	10		
<b>R E SMITH FUEL DIV MAIN BROTHERS</b>	NY0224936	CATSKILL	75	117 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 3	<u>Points:</u> 25	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>METROPOLITAN SYRACUSE WWTP</b>	NY0027081	SYRACUSE	75	118 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 75	<u>Multiplier:</u> 5	<u>Points:</u> 15	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>HONEYWELL INTERNATIONAL INC</b>	NY0002275	GEDDES	74	119 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 24	<u>Multiplier:</u> 3	<u>Points:</u> 8	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STANDARD	
<b>SI GROUP INC CONGRESS</b>	NY0260525	SCHENECTADY	74	120 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 24	<u>Multiplier:</u> 3	<u>Points:</u> 8	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	50	5	10	NEW MERCURY STD	
<b>NORTH CASTLE S D 2 STP</b>	NY0109584	NORTH CASTLE	74	122 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 24	<u>Multiplier:</u> 3	<u>Points:</u> 8	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	50	10	5	Cn needs to be added to permit limit page	
<b>C H SPRAGUE-RENSELAER TERMINAL</b>	NY0007722	EAST GREENBUSH	73	123 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 69	<u>Multiplier:</u> 3	<u>Points:</u> 23	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	2	1	2	ADD BMP	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region			
C H SPRAGUE-RENSSELAER TERMINAL 5C	2	1	2	NY0007722	EAST GREENBUSH	73	123 / 858	Central (#4)
ADD MTBE WHEN GAS @ FACIL								
RUBY MOUNTAIN GARNET MINE				NY0034959	JOHNSBURG	72	124 / 858	Central (#5)
<u>Factor:</u> 14	<u>Score:</u> 72	<u>Multiplier:</u> 3	<u>Points:</u> 24	<u>Reason:</u> Longevity - updated on 3/27/15				
PINELAWN POWER				NY0271462	BABYLON	71	125 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 27	<u>Multiplier:</u> 3	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15				
4A	24	3	8					
99	20	2	10	Needs updated permit pages with General Conditions				
CWM CHEMICAL SERVICES - MODEL CITY SITE				NY0072061	PORTER	70	126 / 858	Central (#9)
<u>Factor:</u> 12	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Public concern				
14	60	5	12	Longevity				
PORT WASHINGTON WATER POLLUTION CONTROL PLANT				NY0026778	NORTH HEMPSTEAD	70	127 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15				
5B	25	5	5	New Marine Ammonia WQ Standard				
SUFFOLK STP #1/PORT JEFFERSON SEWER DIST				NY0021750	BROOKHAVEN	70	128 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15				
5B	25	5	5	New Marine Ammonia WQ Standard				
HORNELL - C WATER POLLUTION CONTROL PLANT				NY0023647	HORNELL	70	129 / 858	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15				
5B	25	5	5	A PQL of 0.032 mg/L for sulfide is now attainable, thus compliance with 2 lb/d WQBEL is now measurable.				
LAWRENCE STP				NY0020354	HEMPSTEAD	70	130 / 858	Central (#1)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Permittee's flow is greater than 1 MGD.				
14	40	5	8	Longevity - updated on 3/27/15				
5B	25	5	5	New Marine Ammonia WQ Standard				
L DIVER 1A BRINE DISPOSAL WELL				NY0229725	PEMBROKE	69	131 / 858	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 69	<u>Multiplier:</u> 3	<u>Points:</u> 23	<u>Reason:</u> Longevity - updated on 3/27/15				
NORTH ALBANY TERMINAL CO - GLENMONT TERMINAL				NY0004839	BETHLEHEM	69	132 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 69	<u>Multiplier:</u> 3	<u>Points:</u> 23	<u>Reason:</u> Longevity - updated on 3/27/15				
GEORGE M TAYLOR & SON				NY0248304	AMENIA	69	133 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 69	<u>Multiplier:</u> 3	<u>Points:</u> 23	<u>Reason:</u> Longevity - updated on 3/27/15				
METRO-NORTH RAILROAD HARMON YARD				NY0006866	CORTLANDT	68	134 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 33	<u>Multiplier:</u> 3	<u>Points:</u> 11	<u>Reason:</u> Longevity - updated on 3/27/15				
5A	10	1	10	REGIONAL CONCERN				
5B	25	5	5	Evaluate Outfall 002 Cu data after 2009 upgrades for WQBEL or modified effluent limit				
LOCKHEED MARTIN - IBM OWEGO				NY0244597	OWEGO	68	135 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 63	<u>Multiplier:</u> 3	<u>Points:</u> 21	<u>Reason:</u> Longevity - updated on 3/27/15				
4B	5	1	5	ADD BMP				
BEAVER FALLS LLC				NY0236101	CROGHAN	68	136 / 858	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 63	<u>Multiplier:</u> 3	<u>Points:</u> 21	<u>Reason:</u> Longevity - updated on 3/27/15				
5B	5	1	5	SET Q LIMIT <50 MGD (316B				
BLIND BROOK WWTP				NY0026719	RYE	67	137 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 40	<u>Multiplier:</u> 5	<u>Points:</u> 8	<u>Reason:</u> Longevity - updated on 3/27/15				
5B	25	5	5	New Marine Ammonia WQ Standard				
5C	2	1	2	Phosphorus monitoring necessary				
ASHBY FUEL OIL				NY0251046	POUGHKEEPSIE	67	138 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 63	<u>Multiplier:</u> 3	<u>Points:</u> 21	<u>Reason:</u> Longevity - updated on 3/27/15				
5C	2	1	2	settleable solids				
5C	2	1	2	RELAX MONITORING FREQ				
CALVERTON SEWER DISTRICT & WWTF				NY0025453	RIVERHEAD	67	139 / 858	Central (#1)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15				
4B	10	5	2	ADD BMP				
NATIONAL PIPE & PLASTICS				NY0107409	VESTAL	67	140 / 858	Central (#7)
<u>Factor:</u> 07	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> BOD and TSS violations over the past year (3-2010 through 2-2011).				

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NATIONAL PIPE & PLASTICS	NY0107409	VESTAL	67	140 / 858	Central (#7)
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity - updated on 3/27/15	
4B	10	1	10	stormwater sampling needs to be performed by the facility	
FERRO ELECTRONIC MATERIALS - PENN YAN FACILITY	NY0002097	TORREY	67	141 / 858	Central (#8)
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity - updated on 3/27/15	
4B	10	1	10	stormwater sampling needs to be performed by the facility	
KINGSTON PT TERMINAL	NY0250406	KINGSTON	67	142 / 858	Central (#3)
Factor: 14	Score: 42	Multiplier: 3	Points: 14	Reason: Longevity - updated on 3/27/15	
4B	25	5	5	Permit will need updated BMP and full review. Updated score will include this permit in the next round of reachable permits.	
RENSSELAER COGEN FACILITY	NY0242586	RENSSELAER	66	143 / 858	Central (#4)
Factor: 14	Score: 66	Multiplier: 3	Points: 22	Reason: Longevity - updated on 3/27/15	
99	0	0	0	Facility not yet constructed (2009)	
UNITED REFINING ROCHESTER TERMINAL	NY0003352	ROCHESTER	66	144 / 858	Central (#8)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity - updated on 3/27/15	
4A	10	2	5		
99	20	2	10	Needs to perform priority pollutant scans to include new low level mercury. Additionally, permit pages need to be organized and to include updated pages.	
PORT CHESTER WASTE WATER TREATMENT FACILITY	NY0026786	RYE	65	145 / 858	Central (#3)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity - updated on 3/27/15	
5B	25	5	5	New Marine Ammonia WQ Standard	
SUFFOLK SEWER DIST #6/KINGS PARK	NY0023311	SMITHTOWN	65	146 / 858	Central (#1)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity - updated on 3/27/15	
5B	25	5	5	New Marine Ammonia WQ Standard	
V-GREENPORT WASTEWATER TREATMENT PLANT	NY0020079	SOUTHOLD	65	147 / 858	Central (#1)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity - updated on 3/27/15	
5B	25	5	5	New Marine Ammonia WQ Standard	
WESTERN RAMAPO ADVANCED WWTP	NY0270598	RAMAPO	65	148 / 858	Central (#3)
Factor: 14	Score: 60	Multiplier: 5	Points: 12	Reason: Longevity - updated on 3/27/15	
5C	5	1	5	Settleable solids should be 2/day.	
NEWBURGH WWTP	NY0026310	NEWBURGH	65	149 / 858	Central (#3)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the 2008 renewal.	
14	55	5	11	Longevity - updated on 3/27/15	
1B	5	1	5	Facility has secondary bypass which blends into outfall.	
WESTMORE FUEL CO	NY0251488	RYE	65	150 / 858	Central (#3)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	
5C	2	1	2	Settleable Solids	
SARANAC LAKE STP	NY0021733	ST ARMAND	65	151 / 858	Central (#5)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity - updated on 3/27/15	
5A	10	1	10	permit need mercury language.	
GOUVERNEUR MINERALS DIV # 4 MINE	NY0110779	DIANA	65	152 / 858	Central (#6)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	
4B	2	1	2	ADD BMP	
BROOKHAVEN COMBUSTION TURBINE	NY0225282	BROOKHAVEN	65	153 / 858	Central (#1)
Factor: 14	Score: 30	Multiplier: 3	Points: 10	Reason: Longevity - updated on 3/27/15	
4A	25	5	5		
99	10	2	5	Permit needs updated pages to include General Requirements	
HYDRAMEC INC	NY0095052	SCIO	64	154 / 858	Central (#9)
Factor: 14	Score: 39	Multiplier: 3	Points: 13	Reason: Longevity - updated on 3/27/15	
4B	25	5	5	ADD BMP	
FORTISTAR NORTH TONAWANDA INC	NY0204820	NORTH TONAWANDA	63	155 / 858	Central (#9)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	
GLOBAL COMPANIES LLC - ALBANY TERMINAL	NY0021016	ALBANY	63	156 / 858	Central (#4)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BURKE OIL & HEATING HAWTHORNE TERMINAL	NY0248355	MOUNT PLEASANT	63	157 / 858	Central (#3)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	
ANDERMAN'S FUEL OIL STORAGE YARD	NY0234486	FALLSBURGH	63	158 / 858	Central (#3)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	
PANCO PETROLEUM COMPANY	NY0235067	STONY POINT	63	159 / 858	Central (#3)
Factor: 14	Score: 63	Multiplier: 3	Points: 21	Reason: Longevity - updated on 3/27/15	
MOTT'S LLP	NY0000523	WILLIAMSON	63	160 / 858	Central (#8)
Factor: 14	Score: 18	Multiplier: 3	Points: 6	Reason: Longevity - updated on 3/27/15	
4A	25	5	5		
99	20	2	10	Update permit with new templates	
JCI JONES CHEMICALS	NY0072079	CALEDONIA	63	161 / 858	Central (#8)
Factor: 14	Score: 33	Multiplier: 3	Points: 11	Reason: Longevity - updated on 3/27/15	
4A	10	2	5		
99	20	2	10	Update permit pages	
NORTHROP GRUMMAN SYSTEMS CORPORATION	NY0096792	OYSTER BAY	62	162 / 858	Central (#1)
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity - updated on 3/27/15	
4B	5	1	5	Addition of WTC and cooling water discharge description to permit	
REVERE COPPER PRODUCTS INC	NY0005665	ROME	62	163 / 858	Central (#6)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason:	
14	57	3	19	Longevity - updated on 3/27/15	
LOCKHEED MARTIN CORP/ FRENCH ROAD FACILITY	NY0121894	UTICA	62	164 / 858	Central (#6)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason:	
14	57	3	19	Longevity - updated on 3/27/15	
WYETH PHARMACEUTICALS	NY0033421	CHAMPLAIN	61	165 / 858	Central (#5)
Factor: 14	Score: 36	Multiplier: 3	Points: 12	Reason: Longevity - updated on 3/27/15	
5B	25	5	5	PHOSPHORUS-L CHAMPLAIN	
BROWNVILLE STP	NY0031232	BROWNVILLE	61	166 / 858	Central (#6)
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: CO FOR PLANT UPGRADE	
14	51	3	17		
FRANKLINVILLE WASTEWATER TREATMENT PLANT	NY0028991	FRANKLINVILLE	60	167 / 858	Central (#9)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity - updated on 3/27/15	
5B	5	1	5	TRC LIMIT NECESSARY (NEW POLICY)	
5B	5	1	5	NH3 LIMIT NECESS (NEW REGS)	
WATKINS GLEN - V STP	NY0020524	DIX	60	168 / 858	Central (#8)
Factor: 14	Score: 60	Multiplier: 5	Points: 12	Reason: Longevity - updated on 3/27/15	
ISLECHEM LLC	NY0001201	GRAND ISLAND	60	169 / 858	Central (#9)
Factor: 14	Score: 60	Multiplier: 5	Points: 12	Reason: Longevity - updated on 3/27/15	
GENERAL ELECTRIC STEAM TURBINE GENERATOR GLOBAL	NY0007056	SCHENECTADY	60	170 / 858	Central (#4)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity - updated on 3/27/15	
5A	10	1	10	REGIONAL CONCERN	
VILLAGE OF GRANVILLE WWTP	NY0021547	GRANVILLE	60	171 / 858	Central (#5)
Factor: 14	Score: 60	Multiplier: 5	Points: 12	Reason: Longevity - updated on 3/27/15	
NARROWS GENERATING STATION	NY0200808	BROOKLYN	60	172 / 858	Central (#2)
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity - updated on 3/27/15	
GOWANUS GENERATING STATION	NY0201006	BROOKLYN	60	173 / 858	Central (#2)
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity - updated on 3/27/15	
CATSKILL AQUEDUCT OUTLET IN KENSICO RESERVOIR	NY0264652	MOUNT PLEASANT	60	174 / 858	Central (#3)
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity - updated on 3/27/15	
KEYMARK CORP PLANT	NY0072451	MOHAWK	60	175 / 858	Central (#4)
Factor: 14	Score: 55	Multiplier: 5	Points: 11	Reason: Longevity - updated on 3/27/15	
4A	5	1	5	Current BMP requirements are outdated and insufficient.	
MOTOR COMPONENTS LLC	NY0004081	HORSEHEADS	60	176 / 858	Central (#8)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the permit renewal on 9/1/09.	
14	50	5	10	Longevity - updated on 3/27/15	

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>MOTOR COMPONENTS LLC</b>	NY0004081	HORSEHEADS	60	176 / 858	Central (#8)
5C	5	1	5	Check lead levels in the discharge.	
<b>CLOSED LANDFILL</b>	NY0257869	WILNA	60	177 / 858	Central (#6)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> Needs toxicity testing.	
14	45	3	15	Longevity - updated on 3/27/15	
4A	10	1	10	Needs storm water BMPs.	
<b>CHEMUNG CO SEWER DISTRICT #1 STP</b>	NY0036986	ELMIRA	60	178 / 858	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 35	<u>Multiplier:</u> 5	<u>Points:</u> 7	<u>Reason:</u> Longevity - updated on 3/27/15	
5B	25	5	5	Coliform levels impacting the Chemung River, downstream from this discharge, and contributing to coliform violations in a CSO area. The permit should require disinfection.	
<b>CON ED-74TH STREET STA</b>	NY0005177	MANHATTAN	60	179 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 35	<u>Multiplier:</u> 5	<u>Points:</u> 7	<u>Reason:</u> Longevity - updated on 3/27/15	
5A	25	5	5	Permit Review of Mercury sampling may require modification as required by Mercury TOGS 1.3.10	
<b>REYNOLDS METALS ST LAWRENCE REDUCTION PLANT</b>	NY0000132	MASSENA	60	180 / 858	Central (#6)
<u>Factor:</u> 14	<u>Score:</u> 60	<u>Multiplier:</u> 5	<u>Points:</u> 12	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>GOSHEN (V) WWTF</b>	NY0031518	GOSHEN	60	181 / 858	Central (#3)
<u>Factor:</u> 14	<u>Score:</u> 45	<u>Multiplier:</u> 5	<u>Points:</u> 9	<u>Reason:</u> Longevity - updated on 3/27/15	
3A	10	1	10	NEED PRETREAT MINI SCHEDULE	
5A	5	1	5	need Mercury language and limit.	
<b>FULTON - C STP</b>	NY0026301	FULTON	60	182 / 858	Central (#7)
<u>Factor:</u> 11	<u>Score:</u> 5	<u>Multiplier:</u> 1	<u>Points:</u> 5	<u>Reason:</u> WET Testing required as per TOGS 1.3.2	
12	5	1	5	Environmental Advocates commented on the renewal of the permit in 2009.	
14	40	5	8	Longevity - updated on 3/27/15	
4A	5	1	5	Permit needs Mercury PMP and reduced limit as per TOGS 1.3.10	
5A	5	1	5	Permit needs reduced limit for mercury. Current limit of 200ng/l should be reduced to 50ng/l	
<b>REENERGY CHATEAUGAY LLC</b>	NY0230634	CHATEAUGAY	59	183 / 858	Central (#5)
<u>Factor:</u> 14	<u>Score:</u> 54	<u>Multiplier:</u> 3	<u>Points:</u> 18	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	5	1	5		
<b>SPRAGUE ENERGY CORP</b>	NY0028843	RENSSELAER	59	184 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
4B	2	1	2	needs BMP requirements	
<b>CON ED-EAST 60TH STREET STEAM PLANT</b>	NY0200778	MANHATTAN	59	185 / 858	Central (#2)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	2	1	2	Permittee requested change to permit to update description of wastewater Type (Outfall 001), add definitions and addition of fire supression systemn discharge.	
<b>AEP BREWERTON TERMINAL</b>	NY0105431	HASTINGS	57	186 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>HAMPTON CORNERS MINE</b>	NY0245879	GROVELAND	57	187 / 858	Central (#8)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>INTERTEK TESTING SERVICES</b>	NY0108995	CORTLANDVILLE	57	188 / 858	Central (#7)
<u>Factor:</u> 14	<u>Score:</u> 57	<u>Multiplier:</u> 3	<u>Points:</u> 19	<u>Reason:</u> Longevity - updated on 3/27/15	
<b>EMPIRE POWER PLANT</b>	NY0267546	RENSSELAER	57	189 / 858	Central (#4)
<u>Factor:</u> 14	<u>Score:</u> 55	<u>Multiplier:</u> 5	<u>Points:</u> 11	<u>Reason:</u> Longevity - updated on 3/27/15	
5C	2	1	2	TSS ans Set Solids ned to be canged to Monitor to address stormwater issues unique to the site	
<b>CAYUGA OPERATING COMPANY, LLC</b>	NY0001333	LANSING	57	190 / 858	Central (#7)
<u>Factor:</u> 12	<u>Score:</u> 10	<u>Multiplier:</u> 1	<u>Points:</u> 10	<u>Reason:</u> Substantial concern re ash landfill leachate noted during 2015 administrative renewal.	
14	40	5	8	Longevity - updated on 3/27/15	
5B	5	1	5	Outfall 013 requires boron limit.	
5C	2	1	2	Outfall 013 requires updated iron TBEL	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LAKE PLACID WPCP	NY0022187	NORTH ELBA	55	191 / 858	Central (#5)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
SCA TISSUE N A	NY0007226	MOREAU	55	192 / 858	Central (#5)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
R G & E RUSSELL STATION	NY0000612	GREECE	55	193 / 858	Central (#8)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
VILLAGE OF MINOA STP	NY0025461	MANLIUS	55	194 / 858	Central (#7)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
BATAVIA - C STP	NY0026514	BATAVIA	55	195 / 858	Central (#8)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
WASHINGTON MILLS ELECTRO MINERALS	NY0203335	NIAGARA FALLS	55	196 / 858	Central (#9)
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
5C	2	1	2	ADD TSS	
5C	2	1	2	ADD TDS	
5C	2	1	2	ADD PH	
5C	2	1	2	ADD BORON	
5C	2	1	2	ADD ALUMINUM	
6B	2	1	2	REVISED BPJ TSS	
6B	2	1	2	REVISED ALUMINUM	
6B	2	1	2	REVISE BORON	
TITANX ENGINE COOLING INC	NY0003395	JAMESTOWN	55	197 / 858	Central (#9)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
OCSD#1 HARRIMAN SEWAGE TREATMENT PLANT	NY0027901	WOODBURY	55	198 / 858	Central (#3)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
DANNEMORA STP	NY0022195	SARANAC	55	199 / 858	Central (#5)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
POUGHKEEPSIE STP	NY0026255	POUGHKEEPSIE	55	200 / 858	Central (#3)
Factor: 12 Score: 5 Multiplier: 1 Points: 5 Reason: Environmental Advocates commented on the 2008 administrative renewal.					
14	50	5	10	Longevity - updated on 3/27/15	
PORT JERVIS STP	NY0026522	PORT JERVIS	55	201 / 858	Central (#3)
Factor: 07 Score: 10 Multiplier: 1 Points: 10 Reason: Currently Dept. is persuding enforcement actions for non-compliance to current permit.					
11	5	1	5		
14	40	5	8	Longevity - updated on 3/27/15	
NFB CARBON PRODUCTS LLC	NY0000906	NIAGARA FALLS	55	202 / 858	Central (#9)
Factor: 14 Score: 55 Multiplier: 5 Points: 11 Reason: Longevity - updated on 3/27/15					
TOWN OF WALWORTH SEWER DISTRICT #1 WWTP	NY0025704	WALWORTH	55	203 / 858	Central (#8)
Factor: 14 Score: 30 Multiplier: 5 Points: 6 Reason: Longevity - updated on 3/27/15					
99	25	5	5	Permit pages need to be updated to include General Requirements	
NOCO ENERGY CORP	NY0105678	TONAWANDA	54	204 / 858	Central (#9)
Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity - updated on 3/27/15					
CON ED - ASTORIA FACILITY	NY0201219	QUEENS	54	205 / 858	Central (#2)
Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity - updated on 3/27/15					
CUTCO CUTLERY CORPORATION	NY0101583	OLEAN	54	206 / 858	Central (#9)
Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity - updated on 3/27/15					
INDEPENDENCE STATION	NY0233196	SCRIBA	54	207 / 858	Central (#7)
Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity - updated on 3/27/15					
SULLIVAN COUNTY LANDFILL	NY0259942	THOMPSON	54	208 / 858	Central (#3)
Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity - updated on 3/27/15					
KINDER MORGAN LIQUIDS TERMINALS LLC	NY0004961	STATEN ISLAND	53	209 / 858	Central (#2)
Factor: 14 Score: 48 Multiplier: 3 Points: 16 Reason: Longevity - updated on 3/27/15					
5B	5	1	5		
CAROUSEL CENTER MALL	NY0232386	SYRACUSE	52	210 / 858	Central (#7)
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
4B	25	5	5	ADD BMP	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>NEWARK WASTEWATER TREATMENT FACILITY</b>	NY0029475	ARCADIA	52	211 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
5B 5 1 5 002-FECAL COLIFORM					
5B 5 1 5 002-CHLORINE LIMIT					
5C 2 1 2 NEW OUTF-BYPASS/GOLF COUR					
<b>INTERFACE SOLUTIONS</b>	NY0257826	CROGHAN	52	213 / 858	Central (#6)
<u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Toxicity testing					
14 45 3 15 Longevity - updated on 3/27/15					
5C 2 1 2 ZINC					
<b>WEST VERNON TERMINAL</b>	NY0007633	MOUNT VERNON	51	214 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>QUILL UNIT 762-1 SWD</b>	NY0261602	AURELIUS	51	215 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>TECH CITY</b>	NY0260134	ULSTER	51	216 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>COLUMBIA GAS GREENWOOD STORAGE FIELD</b>	NY0161926	GREENWOOD	51	217 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
99 15 3 5 Annular pressure needs to be changed from 100PSI to 300PSI to conform with USEPA well permit.					
<b>WHEELABRATOR HUDSON FALLS</b>	NY0202215	KINGSBURY	51	218 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>ITHACA AREA WASTEWATER TREATMENT FAC</b>	NY0026638	ITHACA	50	219 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>PHOENIX - V STP</b>	NY0020664	SCHROEPEL	50	220 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
5B 5 1 5 CL DISIN MAY BE YEAR ROUN					
<b>NORWICH - C WASTEWATER TREATMENT PLANT</b>	NY0021423	NORWICH	50	221 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>FMC CORP AGRICULTURAL PRODUCTS GROUP</b>	NY0000345	ROYALTON	50	222 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 5 1 5 UPDATE BMP RQMNT					
<b>FRANK E VAN LARE WASTEWATER TREATMENT</b>	NY0028339	ROCHESTER	50	223 / 858	Central (#8)
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> STP ON SRF					
14 45 5 9 Longevity - updated on 3/27/15					
<b>HUDSON - C STP</b>	NY0022039	HUDSON	50	224 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>INTERNATIONAL PAPER TICONDEROGA MILL</b>	NY0004413	TICONDEROGA	50	225 / 858	Central (#5)
<u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Toxicity testing					
14 40 5 8 Longevity - updated on 3/27/15					
5B 5 1 5 REVIEW CLUSTER RULE					
<b>EAST DELAWARE TUNNEL OUTLET</b>	NY0264687	NEVERSINK	50	226 / 858	Central (#3)
<u>Factor:</u> 5A <u>Score:</u> 50 <u>Multiplier:</u> 5 <u>Points:</u> 10 <u>Reason:</u> NEW MERCURY STD					
<b>ORANGETOWN SD WWTP</b>	NY0026051	ORANGETOWN	50	227 / 858	Central (#3)
<u>Factor:</u> 07 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u>					
14 40 5 8 Longevity - updated on 3/27/15					
<b>BEACON STP</b>	NY0025976	BEACON	50	228 / 858	Central (#3)
<u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Toxicity testing for 4 quarters once every 5 years required.					
14 40 5 8 Longevity - updated on 3/27/15					
5B 5 1 5 ZINC					
<b>GLOVERSVILLE-JOHNSTOWN JOINT WWTP</b>	NY0026042	JOHNSTOWN	50	229 / 858	Central (#5)
<u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the permit renewal.					
14 40 5 8 Longevity - updated on 3/27/15					
5A 5 1 5 NEW MERCURY STANDARD					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ARTHUR KILL GENERATING STATION	NY0005100	STATEN ISLAND	50	230 / 858	Central (#2)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity - updated on 3/27/15	
ATHENS GENERATING PLANT	NY0261009	ATHENS	50	231 / 858	Central (#4)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity - updated on 3/27/15	
SOS FUEL COMPANY	NY0260347	TUXEDO	50	232 / 858	Central (#3)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity - updated on 3/27/15	
5C	2	1	2	Settleable Solids	
SOMERSET OPERATING COMPANY LLC	NY0104213	SOMERSET	50	233 / 858	Central (#9)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity - updated on 3/27/15	
5C	5	1	5	Add Total Residual Oxidant Limit to permit (for Sodium Bromide WTC) to replace, or in addition to, TRC limit.	
JAMESTOWN STP	NY0027570	POLAND	50	234 / 858	Central (#9)
Factor: 14	Score: 50	Multiplier: 5	Points: 10	Reason: Longevity - updated on 3/27/15	
CASTLE PORT MORRIS-939 E 138TH ST	NY0007668	BRONX	50	235 / 858	Central (#2)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity - updated on 3/27/15	
5C	2	1	2	ADDED NEW STORAGE TANK	
LONG BEACH WATER POLLUTION CONTROL PLANT	NY0020567	LONG BEACH	50	236 / 858	Central (#1)
Factor: 11	Score: 5	Multiplier: 1	Points: 5	Reason: Needs WET testing	
14	40	5	8	Longevity - updated on 3/27/15	
4B	5	1	5	Needs MMP	
OMNIAFILTRA LLC	NY0002755	CROGHAN	50	237 / 858	Central (#6)
Factor: 14	Score: 45	Multiplier: 5	Points: 9	Reason: Longevity - updated on 3/27/15	
5C	5	1	5	Add monitoring of Monthly Avg flow	
DUNKIRK STEAM GENERATING STATION	NY0002321	DUNKIRK	50	238 / 858	Central (#9)
Factor: 14	Score: 40	Multiplier: 5	Points: 8	Reason: Longevity - updated on 3/27/15	
2A	10	1	10	Mercury minimization program needs to be added for Outfall 003.	
RICHARD M FLYNN POWER PLANT	NY0225746	BROOKHAVEN	49	239 / 858	Central (#1)
Factor: 14	Score: 24	Multiplier: 3	Points: 8	Reason: Longevity - updated on 3/27/15	
5B	25	5	5	ADD NITROGEN TO 001	
CHEMUNG CO ELMIRA SWR DIST BAKER RD WWTF	NY0246948	CHEMUNG	49	240 / 858	Central (#8)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
5A	10	1	10	ADD DIELDRIN	
5C	2	1	2	ADD TOTAL PHENOLICS	
5C	2	1	2	ADD SELENIUM	
5C	2	1	2	ADD BIS-2-ETHYLHEXYL PHTH	
5C	2	1	2	ADD ARSENIC	
5C	2	1	2	ADD ACETONE	
5C	2	1	2	3-METHYLPHENOL, 4-METHYLPHENOL	
HERITAGENERGY INC	NY0248339	WAWARSING	49	241 / 858	Central (#3)
Factor: 14	Score: 24	Multiplier: 3	Points: 8	Reason: Longevity - updated on 3/27/15	
5B	25	5	5	Settleable Solids limit is added in compliance with the new guidance limitations for a oil/petroleum storage facility with oil/water separator	
SHORTSVILLE PLANT- GREAT LAKES KRAUT CO	NY0000426	MANCHESTER	49	242 / 858	Central (#8)
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: exceedances of pH and DO limitations at the internal monitoring locations	
14	39	3	13	Longevity - updated on 3/27/15	
CORNING HOSPITAL	NY0246701	CORNING	48	243 / 858	Central (#8)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity - updated on 3/27/15	
FILLMORE GREENHOUSES INC	NY0258741	HUME	48	244 / 858	Central (#9)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity - updated on 3/27/15	
EMPIRE PETRO CORP	NY0264032	THOMPSON	48	245 / 858	Central (#3)
Factor: 14	Score: 48	Multiplier: 3	Points: 16	Reason: Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>UNITED METRO TERM-498 KINGSLAND AVE</b>	<b>NY0007676</b>	<b>BROOKLYN</b>	<b>48</b>	<b>246 / 858</b>	<b>Central (#2)</b>
<u>Factor:</u> 07 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> the permittee installed additional seven (7) major storage tanks (sizes ranging from 451,000 gallons to 1,011,000 gallons) between 2005 and 2006 without notifying the Department.					
14	36	3	12	Longevity - updated on 3/27/15	
5C	2	1	2	ADDITIONAL TANKS ADDED	
<b>RAVENSWOOD STEAM PLANT</b>	<b>NY0201227</b>	<b>QUEENS</b>	<b>48</b>	<b>247 / 858</b>	<b>Central (#2)</b>
<u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>NEWSDAY</b>	<b>NY0136751</b>	<b>HUNTINGTON</b>	<b>48</b>	<b>248 / 858</b>	<b>Central (#1)</b>
<u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>HADCO - OWEGO</b>	<b>NY0072231</b>	<b>OWEGO</b>	<b>47</b>	<b>249 / 858</b>	<b>Central (#7)</b>
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	2	1	2	TIN	
5C	2	1	2	TEMPERATURE	
5C	2	1	2	OIL & GREASE	
5C	2	1	2	NICKEL	
5C	2	1	2	LEAD	
5C	2	1	2	IRON	
5C	2	1	2	FLUORIDE	
5C	2	1	2	CYANIDE	
5C	2	1	2	COPPER	
5C	2	1	2	CBOD5	
<b>HONEYWELL FRICTION MATERIALS</b>	<b>NY0006734</b>	<b>GREEN ISLAND</b>	<b>46</b>	<b>250 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
4B	5	1	5	ADD BMP	
5C	2	1	2	MONITORING NEEDED-TSS	
5C	2	1	2	MONITORING NEEDED-SS	
6B	2	1	2	REASSESS BPJ-ZINC	
6B	2	1	2	REASSESS BPJ-PHENOL	
6B	2	1	2	REASSESS BPJ-IRON	
6B	2	1	2	REASSESS BPJ-CYANIDE	
6B	2	1	2	REASSESS BPJ-ALUMINUM	
<b>CORNING INC CANTON PLANT</b>	<b>NY0085006</b>	<b>DEKALB</b>	<b>46</b>	<b>251 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5A	10	1	10	REGIONAL CONCERN	
<b>PVS CHEMICAL SOLUTIONS INC</b>	<b>NY0110043</b>	<b>BUFFALO</b>	<b>46</b>	<b>252 / 858</b>	<b>Central (#9)</b>
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5A	10	1	10	REGIONAL CONCERN	
<b>U S ARMY WATERVLIET ARSENAL</b>	<b>NY0023361</b>	<b>WATERVLIET</b>	<b>46</b>	<b>253 / 858</b>	<b>Central (#4)</b>
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
99	10	1	10	Permittee request removal of outfalls 05A and 05B.	
<b>PENN YAN STP</b>	<b>NY0029726</b>	<b>MILO</b>	<b>45</b>	<b>254 / 858</b>	<b>Central (#8)</b>
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>GENESEO - V STP</b>	<b>NY0030635</b>	<b>GENESEO</b>	<b>45</b>	<b>255 / 858</b>	<b>Central (#8)</b>
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>HIGHLAND FALLS WWTP</b>	<b>NY0022586</b>	<b>HIGHLANDS</b>	<b>45</b>	<b>256 / 858</b>	<b>Central (#3)</b>
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>BOONVILLE WWTP</b>	<b>NY0020494</b>	<b>BOONVILLE</b>	<b>45</b>	<b>257 / 858</b>	<b>Central (#6)</b>
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> STP ON SRF LIST					
14	30	3	10	Longevity - updated on 3/27/15	
5B	5	1	5	MORE FLOW,ADD PHOSPHORUS	
5B	5	1	5	CHANGE NH3 FOR RECLASS	
<b>HAMILTON - V WATER POLLUTION CONTROL PLANT</b>	<b>NY0020672</b>	<b>HAMILTON</b>	<b>45</b>	<b>258 / 858</b>	<b>Central (#7)</b>
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WATERFORD STP	NY0029173	WATERFORD	45	259 / 858	Central (#5)
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> STP ON SRF					
14                      40                      5                      8                      Longevity - updated on 3/27/15					
LAPP INSULATORS LLC	NY0000779	LE ROY	45	260 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
WEST SIDE WASTEWATER TREATMENT FACILITY	NY0029106	OSWEGO	45	261 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
NIAGARA FALLS STP	NY0026336	NIAGARA FALLS	45	262 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
SUFFOLK SEWER DISTRICT #21/SUNY STONY BROOK SD	NY0206644	BROOKHAVEN	45	263 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
OCCIDENTAL CHEMICAL CORP - NIAGARA PLANT	NY0003336	NIAGARA FALLS	45	264 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
KIAMESHA LAKE SD STP	NY0030724	THOMPSON	45	265 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
ARKEMA INC	NY0068225	YORK	45	266 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
WORLD KITCHEN LLC - PRESSWARE PLANT	NY0246506	CORNING	45	267 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
ASTORIA GAS TURBINE POWER	NY0201235	QUEENS	45	268 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
COUNTY PETROLEUM PRODUCTS, INC.	NY0260355	LIBERTY	45	269 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
CROTON AQUEDUCT-SHAFT 24 & 25	NY0200859	MANHATTAN	45	270 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
NEW WINDSOR STP	NY0022446	NEW WINDSOR	45	271 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
HOLLINGSWORTH & VOSE-EASTON MILL	NY0006807	EASTON	45	272 / 858	Central (#5)
<u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on 2008 Adm. Renewal.					
14                      40                      5                      8                      Longevity - updated on 3/27/15					
BREWSTER - V STP	NY0026581	SOUTHEAST	45	273 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
CHEMOURS NIAGARA	NY0003328	NIAGARA FALLS	45	274 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
SUNOCO TONAWANDA TERMINAL	NY0023621	TONAWANDA	45	275 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
BUCKEYE TERMINALS LLC - GENEVA TERMINAL	NY0001031	FAYETTE	45	276 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
GRIFFISS INTERNATIONAL AIRPORT	NY0257061	ROME	45	277 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
TRI-MUNICIPAL WWTP	NY0149209	POUGHKEEPSIE	45	278 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
5A                      5                      1                      5                      permit need Mercury language.					
PAWLING ENGINEERED PRODUCTS	NY0004618	PAWLING	43	280 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
4B                      10                      5                      2                      Industrial BMP					
GREAT LAKES CHEESE OF NEW YORK INC	NY0215775	ADAMS	43	281 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
4B                      5                      1                      5                      Evaluate need for BMP requirements					
6B                      2                      1                      2                      Establish design flow limit					
SUPERIOR PLUS ENERGY SERVICES - DEPOSIT	NY0244384	SANFORD	42	282 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
5B                      5                      1                      5                      ADD MTBE MONITORING 001&A					
5C                      2                      1                      2                      ADD DNR					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SUPERIOR PLUS ENERGY SERVICES - DEPOSIT 6B 2 1 2 CHANGE 001A AL TO BPJ	NY0244384	SANFORD	42	282 / 858	Central (#7)
BETHEL - T LANDFILL Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15	NY0264679	BETHEL	42	283 / 858	Central (#3)
DEDECO INTERNATIONAL Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15	NY0264296	FREMONT	42	284 / 858	Central (#3)
GRAHAMSVILLE HYDROELECTRIC FACILITY Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15	NY0264784	NEVERSINK	42	285 / 858	Central (#3)
ASTORIA LNG STORAGE FACILITY Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15	NY0201154	QUEENS	42	286 / 858	Central (#2)
STEVE'S CAR WASH Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15	NY0261475	GHENT	42	288 / 858	Central (#4)
VICTOR - V STP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0022713	VICTOR	40	289 / 858	Central (#8)
SAINT-GOBAIN CERAMIC MATERIALS INC Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15 5A 10 1 10 REGIONAL CONCERN	NY0001716	WHEATFIELD	40	290 / 858	Central (#9)
CADDELL DRY DOCK & REPAIR CO INC Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15 4A 10 1 10 Industrial BMP	NY0033090	STATEN ISLAND	40	291 / 858	Central (#2)
BUCHANAN GAS TURBINE SITE Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15 4B 2 1 2 ADD BMP 6B 2 1 2 ADD HYRDO TEST WATER	NY0234826	CORTLANDT	40	292 / 858	Central (#3)
NYS NIAGARA POWER PROJECT Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0000736	LEWISTON	40	293 / 858	Central (#9)
GREENPORT - T SD 1 STP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0030988	GREENPORT	40	294 / 858	Central (#4)
CON ED-59TH ST STATION Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0005134	MANHATTAN	40	295 / 858	Central (#2)
SCHENECTADY - C STP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0020516	SCHENECTADY	40	296 / 858	Central (#4)
WETZEL ROAD WASTEWATER TREATMENT PLANT Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0027618	CLAY	40	297 / 858	Central (#7)
ST JOHNSVILLE - V STP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0024333	ST JOHNSVILLE	40	298 / 858	Central (#4)
TUPPER LAKE WWTF Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0029939	TUPPER LAKE	40	299 / 858	Central (#5)
HOLLEY - V STP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0023256	MURRAY	40	300 / 858	Central (#8)
RENSSELAER -C COMBINED SEWER OVERFLOWS Factor: 12 Score: 10 Multiplier: 1 Points: 10 Reason: Public concern 14 30 3 10 Longevity - updated on 3/27/15	NY0026026	RENSSELAER	40	301 / 858	Central (#4)
TICONDEROGA SEWER DIST #5 WPCP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0036706	TICONDEROGA	40	302 / 858	Central (#5)
GENERAL ELECTRIC COMPANY - TDIS Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0007048	FORT EDWARD	40	303 / 858	Central (#5)
GM COMPONENTS HOLDINGS LLC - LOCKPORT Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0000558	LOCKPORT	40	304 / 858	Central (#9)
GUILDERLAND - T NOTT RD STP Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0022225	GUILDERLAND	40	305 / 858	Central (#4)
KINGSTON WWTF Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15	NY0029351	KINGSTON	40	306 / 858	Central (#3)

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HOOSICK FALLS - V STP	NY0024821	HOOSICK	40	307 / 858	Central (#4)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
NATIONAL GRID - FAR ROCKAWAY STATION	NY0005924	QUEENS	40	308 / 858	Central (#2)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
NORTHPORT POWER STATION	NY0005941	HUNTINGTON	40	309 / 858	Central (#1)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
GLENWOOD COMBUSTION TURBINE FACILITY	NY0005916	NORTH HEMPSTEAD	40	310 / 858	Central (#1)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
EF BARRETT POWER STATION	NY0005908	HEMPSTEAD	40	311 / 858	Central (#1)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
SAUGERTIES (V) DOCK STREET STP	NY0031208	SAUGERTIES	40	312 / 858	Central (#3)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
LIVINGSTON MANOR STP	NY0025437	ROCKLAND	40	313 / 858	Central (#3)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
LEROY - V WWTP	NY0030546	LE ROY	40	314 / 858	Central (#8)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
ASTORIA GENERATING STATION	NY0005118	QUEENS	40	315 / 858	Central (#2)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
ROUSES POINT WWTP	NY0021831	CHAMPLAIN	40	316 / 858	Central (#5)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
CON ED-EAST RIVER GENERATING STATION	NY0005126	MANHATTAN	40	317 / 858	Central (#2)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
RIVERVIEW BUSINESS PARK LLC	NY0032468	VOLNEY	40	318 / 858	Central (#7)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
VILLAGE OF MALONE WASTE WATER TREATMENT PLANT	NY0030376	MALONE	40	319 / 858	Central (#5)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
TOWN OF BETHLEHEM - CEDAR HILL WPCP	NY0025739	BETHLEHEM	40	320 / 858	Central (#4)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
EAST GREENBUSH WWTP	NY0026034	EAST GREENBUSH	40	321 / 858	Central (#4)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
WASHINGTON CO SEWER DIST #2	NY0183695	FORT EDWARD	40	322 / 858	Central (#5)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
CAMDEN WASTEWATER TREATMENT PLANT	NY0021377	CAMDEN	40	323 / 858	Central (#6)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
SENECA FALLS WASTEWATER TREATMENT	NY0033308	SENECA FALLS	40	324 / 858	Central (#8)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
DANSVILLE - V STP	NY0024384	NORTH DANSVILLE	40	325 / 858	Central (#8)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
HERKIMER CO SD WWTF	NY0036528	GERMAN FLATTS	40	326 / 858	Central (#6)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
FITZPATRICK NUCLEAR POWER PLANT	NY0020109	SCRIBA	40	327 / 858	Central (#7)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
ST LAWRENCE ZINC COMPANY LLC-BALMAT	NY0001791	FOWLER	40	328 / 858	Central (#6)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
OSWEGO HARBOR POWER	NY0002186	OSWEGO	40	329 / 858	Central (#7)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
CHATEAUGAY STP	NY0024830	CHATEAUGAY	40	330 / 858	Central (#5)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
CORNWALL WWTP	NY0022144	CORNWALL	40	331 / 858	Central (#3)
Factor: 14 Score: 40 Multiplier: 5 Points: 8 Reason: Longevity - updated on 3/27/15					
DUNN PAPER - NATURAL DAM	NY0000191	GOVERNEUR	40	332 / 858	Central (#6)
Factor: 14 Score: 35 Multiplier: 5 Points: 7 Reason: Longevity - updated on 3/27/15					
5C 5 1 5 Permittee exceeded zinc action level					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BROOKHAVEN NATIONAL LABORATORY	NY0005835	BROOKHAVEN	40	333 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
GMMM WESTOVER	NY0003875	UNION	40	334 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ENDICOTT (V) WATER POLLUTION CONTROL PLANT	NY0027669	UNION	40	335 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
GREENIDGE STATION	NY0001325	TORREY	40	336 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ONEONTA WASTEWATER TREATMENT PLANT	NY0031151	ONEONTA	40	337 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
FONDA FULTONVILLE WASTEWATER TREAT PLANT	NY0032433	MOHAWK	40	338 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
FELIX SCHOELLER TECHNICAL PAPERS	NY0000515	RICHLAND	40	339 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ECSD NO 6 LACKAWANNA WASTEWATER TREATMENT PLANT	NY0022136	LACKAWANNA	40	340 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ECSD NO 3 SOUTHTOWNS ADVANCED WASTEWATER TREATMENT PL	NY0095401	HAMBURG	40	341 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
EXXONMOBIL GREENPOINT REMEDIATION PROJECT	NY0267724	BROOKLYN	40	342 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
BURROWS PAPER CORP LYONSDALE	NY0002372	LYONSDALE	40	343 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
HERKIMER WATER POLL CTRL FAC	NY0020486	HERKIMER	40	344 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ROME MUNICIPAL SEWAGE TREATMENT PLANT	NY0030864	ROME	40	345 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ALBION JOINT MUNICIPAL INDUSTRIAL STP	NY0028401	GAINES	40	346 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity					
VESTAL TERMINAL	NY0157252	VESTAL	39	347 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
WELCH ALLYN INC	NY0106674	SKANEATELES	39	348 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
CORTLAND ASPHALT PRODUCTS	NY0244805	CORTLANDVILLE	39	349 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
ENTERPRISE HARFORD MILLS TERMINAL	NY0071111	HARFORD	39	350 / 858	Central (#7)
<u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern					
14 27 3 9 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 2 1 2 <u>Reason:</u> ADD BMP					
SYRACUSE HANCOCK INTERNATIONAL AIRPORT	NY0244074	DEWITT	39	351 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
DTE TONAWANDA LLC	NY0259055	TONAWANDA	39	352 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
FISHKILL JOINT LANDFILL LEACHATE COLLECTION	NY0264237	FISHKILL	39	353 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
THE VIRTIS CO	NY0218855	GARDINER	38	354 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 2 1 2 <u>Reason:</u> ADD BMP					
OMEGA WIRE INC - WILLIAMSTOWN NY FACILITY	NY0106780	WILLIAMSTOWN	38	355 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 5 1 5 <u>Reason:</u> ADD BMP					
J B WASTE OIL CO - 18 41ST STREET	NY0200824	QUEENS	38	356 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 2 1 2 <u>Reason:</u> ADD BMP					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BIG FLATS TERMINAL	NY0109363	BIG FLATS	38	357 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5C 2 1 2 CHAN OUTFALL # & HYDRO TE					
CITGO VESTAL TERMINAL	NY0032620	VESTAL	38	358 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5C 2 1 2 ADD MTBE					
BAYSIDE FUEL OIL DEPOT-1776 SHORE PKWY	NY0006297	BROOKLYN	38	359 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5C 2 1 2 Settleable solids					
BAYSIDE FUEL OIL DEPOT CORPORATION - N 12TH ST	NY0006301	BROOKLYN	38	360 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5C 2 1 2 Settleable solids					
BINGHAMTON CO-GENERATION PLANT	NY0232840	BINGHAMTON	37	362 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
5C 10 5 2 CHANGE MONITORING REQUIRE					
TROY - C COMBINED SEWER OVERFLOWS	NY0099309	TROY	37	363 / 858	Central (#4)
<u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern					
14 27 3 9 Longevity - updated on 3/27/15					
GREEN ISLAND - V CSO	NY0033031	GREEN ISLAND	37	364 / 858	Central (#4)
<u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern					
14 27 3 9 Longevity - updated on 3/27/15					
ALBANY - C COMBINED SEWER OVERFLOWS	NY0025747	ALBANY	37	365 / 858	Central (#4)
<u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern					
14 27 3 9 Longevity - updated on 3/27/15					
WATERVLIET - V COMBINED SEWER OVERFLOWS	NY0030899	WATERVLIET	37	366 / 858	Central (#4)
<u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern					
14 27 3 9 Longevity - updated on 3/27/15					
STIEFEL LABORATORIES INC	NY0191973	DURHAM	37	367 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
5B 5 1 5 Barium has been detected in the effluent in the of 154 ug/l.					
5C 2 1 2 Arsenic has been detected in the effluent.					
DUNKIRK FLY ASH LANDFILL	NY0202711	POMFRET	36	368 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
RAMAPO VALLEY WELL FIELD	NY0248258	RAMAPO	36	369 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
ROYAL METAL PRODUCTS	NY0110485	GREENVILLE	36	370 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
ROSETON TERMINAL	NY0165328	NEWBURGH	36	371 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
COLD SPRINGS TERMINAL LLC	NY0104043	LYSANDER	36	372 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
PARADISE FUEL TERMINAL	NY0102211	OSSINING	36	373 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
YELLOW FREIGHT-MAYBROOK TERMINAL	NY0108472	MONTGOMERY	36	374 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
RYAN OIL INC	NY0250031	LA GRANGE	36	376 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
RHI MONOFRACTION LLC	NY0078506	ELLCOTT	36	377 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
VICTOR INSULATORS	NY0000744	VICTOR	36	378 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
MOOG INC	NY0090191	ELMA	36	379 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NEW HAMBURG TERMINAL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0101338	POUGHKEEPSIE	36	380 / 858	Central (#3)
ORANGE COUNTY TERMINALS <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0248029	DEERPARK	36	381 / 858	Central (#3)
APEX OIL - RENSSELAER TERMINAL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0028444	RENSSELAER	36	382 / 858	Central (#4)
NEW YORK AIR BRAKE <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0216135	WATERTOWN	36	383 / 858	Central (#6)
CITGO PETROLEUM GLENMONT TERMINAL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0212105	BETHLEHEM	36	384 / 858	Central (#4)
SUNOCO SYRACUSE TED PARK TERMINAL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0231924	VAN BUREN	36	385 / 858	Central (#7)
PELHAM MANOR TERMINAL <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0103632	PELHAM	36	386 / 858	Central (#3)
CORNING INC - FALLBROOK PLANT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0003981	CORNING	36	387 / 858	Central (#8)
NYC DEP-JAMAICA WATER SUPPLY WELLS <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0201375	QUEENS	36	388 / 858	Central (#2)
TBG COGEN FACILITY <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0270407	OYSTER BAY	36	389 / 858	Central (#1)
TOMSON CONVERTER STATION <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0271438	BROOKHAVEN	36	390 / 858	Central (#1)
FOTOCUT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15 4B 2 1 2 ADD BMP	NY0155632	NELSON	35	391 / 858	Central (#7)
ARKPORT BULK PLANT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15 5C 2 1 2 CHNG OUTFALL # & HYDRO TE	NY0229512	HORNELLSVILLE	35	392 / 858	Central (#8)
U S SALT - WATKINS GLEN REFINERY <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0002330	READING	35	394 / 858	Central (#8)
PLATTSBURGH WATER POLLUTION CONTROL PLANT <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0026018	PLATTSBURGH	35	395 / 858	Central (#5)
APC PAPER COMPANY OF NEW YORK <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0003042	NORFOLK	35	396 / 858	Central (#6)
GREATER ATLANTIC BEACH WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023523	HEMPSTEAD	35	397 / 858	Central (#1)
RIVERHEAD SEWER DISTRICT WWTF <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020061	RIVERHEAD	35	398 / 858	Central (#1)
AMPHENOL CORP - AEROSPACE OPERATIONS <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0003824	SIDNEY	35	399 / 858	Central (#4)
GMMM JENNISON LLC <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0003867	BAINBRIDGE	35	400 / 858	Central (#7)
STONY POINT STP <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0028851	STONY POINT	35	401 / 858	Central (#3)
PEROXYCHEM LLC <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0000337	TONAWANDA	35	402 / 858	Central (#9)
OSSINING WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0108324	OSSINING	35	403 / 858	Central (#3)
CAYUGA HEIGHTS-V WASTEWATER TREATMENT PL <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020958	ITHACA	35	404 / 858	Central (#7)
NEWFANE -T- WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0027774	NEWFANE	35	405 / 858	Central (#9)

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CEDAR CREEK WPCP	NY0026859	HEMPSTEAD	35	406 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
WALLKILL STP	NY0024422	WALLKILL	35	407 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
NINE MILE PT NUCLEAR STATION LLC	NY0001015	SCRIBA	35	408 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
LAKE GEORGE STP	NY0094366	LAKE GEORGE	35	409 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
LEROY R SUMMERSON WWTF	NY0027561	CORTLAND	35	410 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
CORNING - C WWTP	NY0025721	CORNING	35	411 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
R E GINNA NUCLEAR POWER PLANT	NY0000493	ONTARIO	35	412 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
HAYERSTRAW JOINT REGIONAL STP	NY0028533	HAYERSTRAW	35	413 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
CHEMUNG CO ELMIRA SEWER DISTRICT	NY0035742	SOUTHPORT	35	414 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
CATSKILL - V WWTP	NY0020389	CATSKILL	35	415 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
OWEGO - T STP 2	NY0025798	OWEGO	35	416 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
SODUS POINT - V STP	NY0028088	SODUS	35	417 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
TOWN OF ONTARIO STP	NY0027171	ONTARIO	35	418 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
WEST VALLEY DEMONSTRATION PROJECT	NY0000973	ASHFORD	35	419 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
PAINTED POST SEWAGE TREATMENT	NY0025712	ERWIN	35	420 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
BP PRODUCTS N AMERICA BROOKLYN TERMINAL	NY0004596	BROOKLYN	35	421 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	5	1	5	Permit modification to separate uncontaminated stormwater. Need to add new outfall(s) for uncontaminated stormwater discharge. Awaiting wetlands determination.	
ECSD NO 3 BLASDELL VILLAGE SEWAGE TREATMENT PLANT	NY0020681	HAMBURG	35	422 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
TONAWANDA ENGINE PLANT-GENERAL MOTORS POWERTRAIN	NY0000574	TONAWANDA	35	423 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
TONAWANDA WASTEWATER TREATMENT FACILITY	NY0026395	TONAWANDA	35	424 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
GOODYEAR DUNLOP TIRES NORTH AMERICA LTD	NY0101575	TONAWANDA	35	425 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	15	3	5	Include monitoring for TRC	
LLOYD HIGHLAND SEWER DIST STP	NY0024295	LLOYD	35	426 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
SOUTH FALLSBURG WWTP	NY0024520	FALLSBURGH	35	427 / 858	Central (#3)
<u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> modify WET action level to WET limit per 6/5/12 letter from DEC to permittee					
14	30	5	6		
NIAGARA COUNTY SEWER DISTRICT #1 WWTP	NY0027979	WHEATFIELD	35	428 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity					
BRISTOL-MYERS SQUIBB COMPANY	NY0233251	DEWITT	34	429 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
5A	10	1	10	REGIONAL CONCERN	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>FRESENIUS KABI USA LLC</b>	NY0258636	GRAND ISLAND	34	430 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
5C                    2                    1                    2                    WTC					
5C                    2                    1                    2                    PHENOLS					
5C                    2                    1                    2                    MERCURY					
5C                    2                    1                    2                    FLOW					
5C                    2                    1                    2                    DEHP					
<b>COHOES - C COMBINED SEWER OVERFLOWS</b>	NY0031046	COHOES	34	431 / 858	Central (#4)
<u>Factor:</u> 12 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> Public concern					
14                    24                    3                    8                    Longevity - updated on 3/27/15					
<b>ROCHESTER TERMINAL</b>	NY0162884	ROCHESTER	34	432 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
5C                    2                    1                    2                    TANK TEST LIMITS-XYLENE					
5C                    2                    1                    2                    TANK TEST LIMITS-TOLUENE					
5C                    2                    1                    2                    TANK TEST LIMITS-ETHYLBENZENE					
5C                    2                    1                    2                    TANK TEST LIMITS-CHLORINE					
5C                    2                    1                    2                    TANK TEST LIMITS-BENZENE					
<b>CAYUGA SALT MINE</b>	NY0101290	LANSING	34	433 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
99                    10                    2                    5                    Needs updated permit pages.					
<b>LOVETT SWM FACILITY</b>	NY0166456	STONY POINT	33	435 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>BOWMAN ANDROS PRODUCTS LLC</b>	NY0000353	YATES	33	436 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>SUPERIOR PLUS ENERGY SERVICES</b>	NY0218090	MARCY	33	438 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>BATAVIA BULK PLANT</b>	NY0228877	BATAVIA	33	439 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>PENN-YORK GAS STORAGE FIELD</b>	NY0243787	INDEPENDENCE	33	440 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>SUBURBAN HEATING OIL PARTNERS LLC - CAMPBELL BULK PLANT</b>	NY0228354	CAMPBELL	33	441 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>VALLEY OIL BULK TERMINAL-CLAVERACK</b>	NY0242209	CLAVERACK	33	442 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>SCLAFANI PETROLEUM</b>	NY0251453	CARMEL	33	443 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>OMEGA WIRE INC</b>	NY0121860	CAMDEN	33	444 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>109TH AIRLIFT WING</b>	NY0023442	GLENVILLE	33	445 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>AMETEK ROTRON</b>	NY0086495	WOODSTOCK	33	446 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>ULSTER BUSINESS COMPLEX LLC</b>	NY0108138	ULSTER	33	447 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>ARC TERMINALS BROOKLYN</b>	NY0006131	BROOKLYN	33	448 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>GRASSLANDS SUBSTATION &amp; LINES</b>	NY0268003	GREENBURGH	33	449 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>TECUMSEH REDEVELOPMENT INC</b>	NY0269310	LACKAWANNA	33	450 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>SHAFT 9 DELAWARE AQUEDUCT</b>	NY0268089	KENT	33	451 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>CON ED-11TH STREET CONDUIT</b>	NY0201138	BROOKLYN	33	452 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ASTORIA ENERGY LLC & ASTORIA ENERGY II LLC	NY0267538	QUEENS	33	453 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
NEW YORK STATE DAM AT WATERFORD/COHOES	NY0265438	WATERFORD	33	454 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
MULTI AQUACULTURE SYSTEMS NET PEN GROWOUT SITE	NY0226726	SOUTHOLD	33	455 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
LOSURDO FOODS INC	NY0121142	OSWEGATCHIE	33	456 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
PULASKI - V STP	NY0020257	RICHLAND	33	457 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
DEERPARK OIL	NY0264334	DEERPARK	33	458 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
VANDERBILT MINERALS LLC - GOVERNEUR MINERAL DIVISION	NY0002984	FOWLER	33	459 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
ROCHESTER WEST TERMINAL	NY0001538	GATES	32	461 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	2	1	2	CHN OUTFALL # & HYDRO TES	
EMPIRE CHEESE	NY0003646	CUBA	32	462 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	2	1	2	MON REQ - UOD MUST CHANGE	
BUCKEYE ALBANY TERMINAL LLC	NY0028592	ALBANY	32	463 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	2	1	2	ETHANOL (SEE 7/20/05 LTR)	
BUCKEYE TERMINALS LLC - BRONX TERMINAL	NY0007650	BRONX	32	464 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	2	1	2	ADDED NEW STORAGE TANK	
WESTERN NEW YORK NUCLEAR SERVICE CENTER	NY0269271	ASHFORD	32	465 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
99	2	1	2	change contact person on Page 1 of the permit	
REMINGTON STEAM PLANT	NY0245097	GERMAN FLATTS	31	466 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
5C	2	1	2	DELETE TRC REQUIREMENTS	
99	2	1	2	Consider combining this permit and NY0005082 into one.	
COVANTA NIAGARA I, LLC	NY0106259	NIAGARA FALLS	30	467 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
MID-STATE CORRECTIONAL FACILITY	NY0235733	MARCY	30	468 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
ROCHESTER TERMINAL - NORTH ALBANY TERMINAL CO LLC	NY0028550	GATES	30	469 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
BEACON TECHNOLOGY CENTER	NY0005754	FISHKILL	30	471 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
COVIDIEN LP	NY0110141	ARGYLE	30	472 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
ITHACA TOMPKINS REGIONAL AIRPORT	NY0213730	LANSING	30	473 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
BUFFALO NIAGARA INTERNATIONAL AIRPORT	NY0171409	CHEEKTOWAGA	30	474 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
INTERFACE SOLUTIONS	NY0006491	HOOSICK	30	475 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
WEST BABYLON GT FACILITY	NY0225991	BABYLON	30	476 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
EAST HAMPTON GT FACILITY	NY0226017	EAST HAMPTON	30	477 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MERCURY AIRCRAFT	NY0108979	URBANA	30	478 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
99                      0                      0                      0                      NEEDS DISCHARGE NOTICE					
UNIVERSITY OF ROCHESTER	NY0002836	ROCHESTER	30	479 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
BAYSIDE FUEL OIL DEPOT - SMITH	NY0028606	BROOKLYN	30	482 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
BAYSIDE FUEL OIL DEPOT-1100 GRAND ST	NY0007641	BROOKLYN	30	483 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
HYLAND LANDFILL	NY0269620	ANGELICA	30	484 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
SHAFT 17 DELAWARE AQUEDUCT	NY0268224	NORTH CASTLE	30	485 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
COOPERSTOWN WWTP	NY0023591	OTSEGO	30	486 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
HICKLING STATION	NY0003859	CORNING	30	487 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
EAST ONEIDA LAKE SD WWT FAC	NY0036790	VIENNA	30	488 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
NEW PALTZ (V) WWT FACILITY	NY0030082	NEW PALTZ	30	489 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
ULSTER SEWER DISTRICT SEWAGE TREATMENT PLANT	NY0021563	ULSTER	30	490 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
NISKAYUNA - T SD 6 WWTP	NY0023973	NISKAYUNA	30	491 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
LIFE TECHNOLOGIES CORPORATION	NY0000400	GRAND ISLAND	30	492 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
FORMER CARBORUNDUM COMPLEX	NY0001988	WHEATFIELD	30	493 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
ERWIN - T WWTP	NY0023906	ERWIN	30	494 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
NORWOOD - V WASTEWATER TREATMENT PLANT	NY0021369	NORFOLK	30	495 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
MOHAWK VIEW WATER POLLUTION CONTROL PLANT	NY0027758	COLONIE	30	496 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
CAITHNESS LONG ISLAND ENERGY CENTER	NY0271471	BROOKHAVEN	30	497 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
IRVING TISSUE INC FT EDWARD OPERATIONS	NY0006050	FORT EDWARD	30	498 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
POUGHKEEPSIE (T) ARLINGTON WWTP	NY0026271	POUGHKEEPSIE	30	499 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
ADAMS WWT FACILITY	NY0034771	ADAMS	30	501 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
POTSDAM WATER POLL CNTL PLANT	NY0020818	POTSDAM	30	502 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
MAMARONECK WWTP	NY0026701	MAMARONECK	30	503 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
MASSENA WASTEWATER TREATMENT PLANT	NY0031194	MASSENA	30	504 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
CANASTOTA - V WPCP	NY0029807	LENOX	30	505 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
CON EDISON - HUDSON AVE STATION	NY0005151	BROOKLYN	30	506 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 5 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
POTSDAM SPECIALTY PAPER INC	NY0103390	POTSDAM	30	507 / 858	Central (#6)
Factor: 14	Score: 30	Multiplier: 5	Points: 6	Reason: Longevity - updated on 3/27/15	
SACKETS HARBOR STP	NY0027014	HOUNSFIELD	30	508 / 858	Central (#6)
Factor: 14	Score: 30	Multiplier: 5	Points: 6	Reason: Longevity - updated on 3/27/15	
GREAT NECK WATER POLLUTION CONTROL DISTRICT STP	NY0026999	NORTH HEMPSTEAD	30	509 / 858	Central (#1)
Factor: 14	Score: 30	Multiplier: 5	Points: 6	Reason: Longevity - updated on 3/27/15	
WATERTOWN WATER POL CONTL FAC	NY0025984	WATERTOWN	30	510 / 858	Central (#6)
Factor: 14	Score: 30	Multiplier: 5	Points: 6	Reason: Longevity - updated on 3/27/15	
SOUTHOLD GT FACILITY	NY0226009	SOUTHOLD	30	511 / 858	Central (#1)
Factor: 14	Score: 30	Multiplier: 3	Points: 10	Reason: Longevity - updated on 3/27/15	
MONTAUK INTERNAL COMBUSTION FACILITY	NY0226025	EAST HAMPTON	30	512 / 858	Central (#1)
Factor: 14	Score: 30	Multiplier: 3	Points: 10	Reason: Longevity - updated on 3/27/15	
SOUTHAMPTON GT FACILITY	NY0226033	SOUTHAMPTON	30	513 / 858	Central (#1)
Factor: 14	Score: 30	Multiplier: 3	Points: 10	Reason: Longevity - updated on 3/27/15	
WEST CARTHAGE WATER POL CTRL FAC	NY0025151	CHAMPION	30	514 / 858	Central (#6)
Factor: 12	Score: 5	Multiplier: 1	Points: 5	Reason: Environmental Advocates commented on the permit renewal in 2008.	
14	0	5	0	Longevity - updated on 3/27/15	
5A	25	5	5	Permittee treats industrial waste containing PCBs and DDT. Monitoring with most sensitive method(s) required.	
GLEN COVE WASTEWATER TREATMENT FACILITY	NY0026620	GLEN COVE	30	515 / 858	Central (#1)
Factor: 14	Score: 5	Multiplier: 5	Points: 1	Reason:	
5B	25	5	5	Permit has a modified effluent limit for copper	
USDOE KNOLLS ATOMIC POWER LABORATORY	NY0005851	NISKAYUNA	29	517 / 858	Central (#4)
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: Consent order executed 12/10, also likely that VOCs were discharged from Outfall 004 during 10/25/10 discharge.	
12	10	1	10	H2/G2 Area discharge on 10/25/10 from Outfall 004 generated substantial concern of public and municipal officials.	
14	9	3	3		
HP HOOD LAFARGEVILLE PLANT	NY0002607	ORLEANS	27	519 / 858	Central (#6)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
SGK VENTURES FREWSBURG FACILITY	NY0171832	CARROLL	27	520 / 858	Central (#9)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
SYRACUSE LLC	NY0231681	GEDDES	27	521 / 858	Central (#7)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
LYONSDALE BIOMASS LLC	NY0216119	LYONSDALE	27	522 / 858	Central (#6)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
INDECK OLEAN ENERGY CENTER	NY0245089	OLEAN	27	523 / 858	Central (#9)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
FULTON MUNICIPAL WATER TREATMENT FACILITY	NY0243931	FULTON	27	524 / 858	Central (#7)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
SUNOCO PARTNERS M & T ROCHESTER TERMINAL	NY0002551	ROCHESTER	27	525 / 858	Central (#8)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
WESTCHESTER COUNTY AIRPORT	NY0075132	HARRISON	27	526 / 858	Central (#3)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
PAWLING TERMINALS INC	NY0235041	PAWLING	27	527 / 858	Central (#3)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
DUTCHESS OIL & PROPANE	NY0234800	NORTHEAST	27	528 / 858	Central (#3)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
WAGNER CENTURY OIL COMPANY	NY0234907	CALLICOON	27	529 / 858	Central (#3)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
FREEPORT POWER PLANT #2	NY0226416	HEMPSTEAD	27	531 / 858	Central (#1)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	
866 U N PLAZA	NY0201120	MANHATTAN	27	532 / 858	Central (#2)
Factor: 14	Score: 27	Multiplier: 3	Points: 9	Reason: Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
TEXTRON INC	NY0000469	WHEATFIELD	27	533 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
CORNING INC SULLIVAN PARK	NY0003972	ERWIN	27	534 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
CJ KRANTZ INC ORGANIC RECYCLING CENTER	NY0243752	AMHERST	27	535 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
CHICAGO PNEUMATIC TOOL CO	NY0108537	FRANKFORT	27	536 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
ASTORIA CENTRAL WTF	NY0201243	QUEENS	27	537 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
INERGY MIDSTREAM SAVONA LPG FACILITY	NY0004278	BATH	27	538 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
PORT JEFFERSON POWER STATION	NY0005932	BROOKHAVEN	27	539 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
PCORE ELECTRIC COMPANY INC	NY0247308	LE ROY	27	540 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
POLETTI POWER PROJECT	NY0267503	QUEENS	27	541 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
METRO NORTH RR BREWSTER YARD	NY0075078	SOUTHEAST	27	542 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
SHANDAKEN TUNNEL OUTLET	NY0268151	SHANDAKEN	27	543 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
PLEASANT VALLEY WINERY	NY0001007	URBANA	27	544 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
ELLENVILLE STP	NY0034002	WAWARSING	27	545 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
CASTLETON ENERGY CENTER	NY0268518	SCHODACK	27	546 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
UTICA TERMINAL	NY0098248	UTICA	27	547 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
PILOT TRAVEL CENTER	NY0271535	BATH	27	548 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
FLORELLE TISSUE CORPORATION	NY0002658	HOUNSFIELD	27	550 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
	99	2	1	2	
ANHEUSER BUSCH BALDWINVILLE BREWERY	NY0028509	LYSANDER	26	551 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
	4B	2	1	2	ADD STORMWATER BMP NONTOX
KNOLLS ATOMIC POWER LABORATORY (KAPL) - KESSELRING SITE	NY0005843	MILTON	26	552 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
	5C	2	1	2	HIGH-AMMONIA GROUNDWATER
DUNDEE WASTEWATER TREATMENT PLANT	NY0025445	STARKEY	25	553 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
CANTON WASTEWATER TREATMENT PLANT	NY0236586	CANTON	25	554 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
NEW ROCHELLE STP	NY0026697	NEW ROCHELLE	25	555 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
PALMYRA - V STP	NY0025101	PALMYRA	25	556 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
CITY OF SHERRILL STP	NY0022110	SHERRILL	25	557 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
ALFRED WASTEWATER TREATMENT PLANT	NY0022357	ALFRED	25	558 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 25 <u>Multiplier:</u> 5 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WALDEN STP	NY0030490	MONTGOMERY	25	559 / 858	Central (#3)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity - updated on 3/27/15					
MIDDLETOWN STP	NY0026328	MIDDLETOWN	25	560 / 858	Central (#3)
Factor: 10 Score: 5 Multiplier: 1 Points: 5 Reason: SRF list					
14 20 5 4 Longevity - updated on 3/27/15					
BETHLEHEM ENERGY CENTER	NY0005959	BETHLEHEM	25	561 / 858	Central (#4)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity - updated on 3/27/15					
WEBSTER-T STP/WW BRADLEY POLLUTION CONTROL FACILITY	NY0021610	WEBSTER	25	562 / 858	Central (#8)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity - updated on 3/27/15					
LAFARGE RAVENA PLANT	NY0005037	COEYMANS	25	563 / 858	Central (#4)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity - updated on 3/27/15					
NEWTON FALLS PAPER MANUFACTURING PLANT	NY0001856	CLIFTON	25	564 / 858	Central (#6)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity - updated on 3/27/15					
LOWVILLE MUNICIPAL POLL CTRL FAC	NY0020125	LOWVILLE	25	565 / 858	Central (#6)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity - updated on 3/27/15					
SARATOGA CO SEWER DIST #1	NY0028240	HALFMOON	25	566 / 858	Central (#5)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason:					
BREWERTON WATER POLLUTION CONTROL PLANT	NY0027596	CICERO	25	567 / 858	Central (#7)
Factor: 14 Score: 25 Multiplier: 5 Points: 5 Reason: Longevity					
CARGILL SALT CO- WATKINS GLEN PLANT	NY0002241	DIX	24	568 / 858	Central (#8)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
HAZLITT'S RED CAT CELLARS	NY0001147	NAPLES	24	569 / 858	Central (#8)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
KRAFT FOODS GROUP INC CAMPBELL PLANT	NY0004308	CAMPBELL	24	570 / 858	Central (#8)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
MAYER BROTHERS SOMERSET	NY0061913	SOMERSET	24	571 / 858	Central (#9)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
SHAWANGUNK WALLKILL SEWER DISTRICT	NY0021521	SHAWANGUNK	24	572 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
OGDENSBURG ENERGY FACILITY	NY0236179	OGDENSBURG	24	573 / 858	Central (#6)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
MEENAN OIL CO	NY0025569	CORTLANDT	24	574 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
ENVIRO WASTE OIL RECOVERY TERMINAL	NY0101753	CARMEL	24	575 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
EFFRON FUEL OIL CORP TERMINAL	NY0071897	POUGHKEEPSIE	24	576 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
MEENAN OIL	NY0235059	SOUTHEAST	24	577 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
LAKELAND MERIT ARMSTRONG INC	NY0248002	SOUTHEAST	24	578 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
FALLSBURG TERMINALS	NY0247901	FALLSBURGH	24	579 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
LIBERTY BULK PLANT	NY0234770	LIBERTY	24	580 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
ALLEGANY GENERATING STATION	NY0242896	HUME	24	581 / 858	Central (#9)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
EASTERN ALLOYS INC	NY0110744	MONTGOMERY	24	582 / 858	Central (#3)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
CSX SELKIRK YARD	NY0072371	BETHLEHEM	24	583 / 858	Central (#4)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
SOUTH OSWEGO TERMINAL	NY0063592	OSWEGO	24	584 / 858	Central (#7)
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SENECA FOODS MARION PLANT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0063398	MARION	24	585 / 858	Central (#8)
VON ROLL USA INC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0074489	ROTTERDAM	24	586 / 858	Central (#4)
AMERICAN FELT & FILTER CO <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0004421	NEW WINDSOR	24	587 / 858	Central (#3)
EMERSUB 15 LLC - ITHACA OU-1 <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0002933	ITHACA	24	588 / 858	Central (#7)
INDECK-CORINTH ENERGY CENTER <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0230286	CORINTH	24	589 / 858	Central (#5)
GLOBAL COMPANIES - SOUTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0005347	NEW WINDSOR	24	590 / 858	Central (#3)
BUCKEYE ROCHESTER SOUTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0095389	ROCHESTER	24	591 / 858	Central (#8)
UTICA COMBINED SEWER OVERFLOWS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0031429	UTICA	24	592 / 858	Central (#6)
BUCKEYE TERMINALS LLC - BROOKLYN TERMINAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110001	BROOKLYN	24	593 / 858	Central (#2)
SYRACUSE HAULERS WASTE REMOVAL INC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110311	DEWITT	24	594 / 858	Central (#7)
POLKVILLE CRUSHED STONE <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0245046	CORTLANDVILLE	24	595 / 858	Central (#7)
JMT FACILITY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0162540	SWEDEN	24	596 / 858	Central (#8)
NORTH COUNTRY DAIRY LLC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0002763	LAWRENCE	24	597 / 858	Central (#6)
ALBANY INTERNATIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0212245	COLONIE	24	599 / 858	Central (#4)
CUTLER HAMMER <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0246174	HORSEHEADS	24	600 / 858	Central (#8)
STEWART AIR NATIONAL GUARD BASE <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0250457	NEWBURGH	24	601 / 858	Central (#3)
ALEXANDRIA BAY WWTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022501	ALEXANDRIA	24	602 / 858	Central (#6)
ERWIN MANUFACTURING COMPLEX <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0107221	ERWIN	24	603 / 858	Central (#8)
GLENWOOD BLACK START GT FACILITY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0005894	OYSTER BAY	24	604 / 858	Central (#1)
STEWART INTERNATIONAL AIRPORT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0234915	NEWBURGH	24	606 / 858	Central (#3)
REENERGY BLACK RIVER LLC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0206938	LE RAY	24	607 / 858	Central (#6)
INTERNATIONAL PAPER HUDSON RIVER MILLS DEVELOPMENT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0004405	CORINTH	24	608 / 858	Central (#5)
380 DEVELOPMENT LLC PROPERTY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0004502	STATEN ISLAND	24	609 / 858	Central (#2)
NYS EMPIRE STATE PLAZA <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0104060	ALBANY	24	610 / 858	Central (#4)
GE GLOBAL RESEARCH CENTER <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0007030	NISKAYUNA	24	611 / 858	Central (#4)
DELAWARE AQUEDUCT - SHAFT #6, 6B CHELSEA PUMP STATION <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0272663	WAPPINGER	24	612 / 858	Central (#3)

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
NORTHSTAR FACILITY	NY0007170	CHAZY	21	614 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
WORLD FINANCIAL CENTER	NY0109932	MANHATTAN	21	615 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
AIR PRODUCTS & CHEMICALS	NY0072532	BETHLEHEM	21	616 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
MINETTO - T WPCP	NY0036749	MINETTO	21	617 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
MOUNT VERNON TERMINAL	NY0004588	MOUNT VERNON	21	618 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
KNOWLTON TECHNOLOGIES LLC	NY0000957	WATERTOWN	21	619 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
GLOBAL COMPANIES - CARGO TERMINAL	NY0006815	NEW WINDSOR	21	620 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
GOETHALS MOBILE PK-2701 GOETHALS RD N	NY0200352	STATEN ISLAND	21	621 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
GLOBAL COMPANIES LLC - NEWBURGH TERMINAL	NY0233781	NEW WINDSOR	21	622 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
COTTRELL PAPER COMPANY INC	NY0007161	MILTON	21	623 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
OORAH CATSKILL RETREAT	NY0069957	GILBOA	21	624 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
LOCKWOOD ASH DISPOSAL LANDFILL	NY0107069	TORREY	21	625 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
WYETH PHARMACEUTICALS	NY0004600	ORANGETOWN	21	626 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
SCHWEITZER-MAUDUIT	NY0006157	ANCRAM	21	627 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
RAVENA - V VAN HOESON ST OVERFLOW	NY0102512	COEYMANS	21	628 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
FRIESLAND CAMPINA DOMO	NY0262838	DELHI	21	629 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
TULLY ENVIRONMENTAL INC	NY0201278	QUEENS	21	630 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
BROOKLYN BOTTLING CO OF MILTON WWTP	NY0008613	MARLBOROUGH	21	631 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
WILLIAMSON - T STP	NY0108723	WILLIAMSON	21	632 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
OAK MITSUI TECHNOLOGIES	NY0097845	HOOSICK	21	633 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
CARRIER CORP THOMPSON RD SITE	NY0001163	DEWITT	21	634 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
SHIRLEY JACKSON PROPERTY	NY0265691	BOLTON	21	635 / 858	
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
LEHIGH NORTHEAST CEMENT CO - CEMENTON TERMINAL	NY0007242	CATSKILL	21	636 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
LITTLE FALLS WASTEWATER TREATMENT PLANT	NY0022403	LITTLE FALLS	20	637 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
YONKERS JOINT WWTP	NY0026689	YONKERS	20	638 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
RAVENSWOOD GENERATING STATION	NY0005193	QUEENS	20	639 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 20 <u>Multiplier:</u> 5 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MONTICELLO STP	NY0022454	THOMPSON	20	640 / 858	Central (#3)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
EVANS CHEMETICS	NY0001406	WATERLOO	20	641 / 858	Central (#8)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
LEWISTON MASTER SD	NY0027766	LEWISTON	20	642 / 858	Central (#9)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
U S GYPSUM CO OAKFIELD PLANT	NY0001562	OAKFIELD	20	643 / 858	Central (#8)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
INTERFACE SOLUTIONS INC	NY0003344	VOLNEY	20	644 / 858	Central (#7)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
FREDONIA WASTEWATER TREATMENT PLANT	NY0026409	DUNKIRK	20	645 / 858	Central (#9)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
WALLOOMSAC RECYCLING	NY0005061	HOOSICK	20	646 / 858	Central (#4)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
ROTTERDAM SEWER DIST #2	NY0020141	ROTTERDAM	20	647 / 858	Central (#4)
Factor: 14 Score: 20 Multiplier: 5 Points: 4 Reason: Longevity - updated on 3/27/15					
LACKAWANNA PLANT- REPUBLIC STEEL	NY0243876	HAMBURG	18	648 / 858	Central (#9)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
JCI JONES CHEMICALS INC	NY0005266	WARWICK	18	649 / 858	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
THOMPSON MELODY LAKE SEWER DISTRICT STP	NY0030708	THOMPSON	18	650 / 858	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
L C RANOUS #1	NY0160521	CALEDONIA	18	651 / 858	Central (#8)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CANAJOHARIE-V- WATER FILTRATION PLANT	NY0261033	PALATINE	18	652 / 858	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
MORTON SALT INC	NY0000418	GAINESVILLE	18	653 / 858	Central (#9)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
RAVENA COEYMANS JUNIOR SENIOR HIGH SCHOOLS CAMPUS	NY0102962	COEYMANS	18	654 / 858	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
BAY SIDE MOTOR INN AND MARINA	NY0192325	SPRINGFIELD	18	655 / 858	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
GORHAM - T STP	NY0160814	GORHAM	18	656 / 858	Central (#8)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
ULSTER WHITTIER SEWER DIS STP	NY0021571	ULSTER	18	657 / 858	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
WASHINGTONVILLE - V WWTF	NY0023671	BLOOMING GROVE	18	658 / 858	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
LEFFERTS OIL FLUSHING TERMINAL	NY0032816	QUEENS	18	659 / 858	Central (#2)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
FRIENDSHIP DAIRIES LLC	NY0002518	FRIENDSHIP	18	660 / 858	Central (#9)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
RICHFIELD SPRINGS WASTEWATER TREATMENT PLANT	NY0031411	RICHFIELD	18	661 / 858	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
MOHAWK INNOVATIVE TECHNOLOGY INC	NY0268313	COLONIE	18	662 / 858	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CEDAR ACRES TRAILER PARK	NY0222861	SCHODACK	18	663 / 858	Central (#4)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
AMERICAN SUGAR REFINING INC	NY0006629	YONKERS	18	664 / 858	Central (#3)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
RETSOF REALTY STORMWATER OUTFALLS	NY0000167	YORK	18	665 / 858	Central (#8)
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MIDLAND ASPHALT MATERIALS - LYONS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0161942	LYONS	15	666 / 858	Central (#8)
TAMARAC ELEMENTARY MIDDLE HIGH SCHOOL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0261343	BRUNSWICK	15	667 / 858	Central (#4)
COUNTRY ACRES MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0191922	PITTSTOWN	15	668 / 858	Central (#4)
US ARMY GARRISON <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023761	HIGHLANDS	15	669 / 858	Central (#3)
PINE HILL WWTP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0026557	SHANDAKEN	15	670 / 858	Central (#3)
THERM INC <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0244261	ITHACA	15	671 / 858	Central (#7)
JOHN P BUCKLEY WATER FILTRATION PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0205401	TROY	15	672 / 858	Central (#4)
INTERNATIONAL WIRE GROUP INC-CAMDEN OPERATIONS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0001490	CAMDEN	15	673 / 858	Central (#6)
7-ELEVEN STORE #35115 <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0227706	PHELPS	15	674 / 858	Central (#8)
SCHODACK CONVENIENT STORE-GASOLINE PUMPS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0223921	SCHODACK	15	675 / 858	Central (#4)
GREAT LAKES INDUSTRIAL DEVELOPMENT LLC <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0001368	HAMBURG	15	676 / 858	Central (#9)
CBS CORPORATION <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0004103	HORSEHEADS	15	677 / 858	Central (#8)
MEDINA WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021873	RIDGEWAY	15	678 / 858	Central (#8)
HUNTINGTON SEWER DISTRICT STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021342	HUNTINGTON	15	679 / 858	Central (#1)
WATERLOO - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022365	WATERLOO	15	680 / 858	Central (#8)
WEBER KNAPP CO MAIN MFG PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0003387	JAMESTOWN	15	681 / 858	Central (#9)
BUCKEYE ROCHESTER NORTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110078	ROCHESTER	15	682 / 858	Central (#8)
HUNTLEY FLY ASH LANDFILL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0203483	TONAWANDA	15	683 / 858	Central (#9)
FLEISCHMANN'S VINEGAR CO INC <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0002585	ROSE	15	684 / 858	Central (#8)
MOHAWK FINE PAPERS INC WATERFORD FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0006912	WATERFORD	15	685 / 858	Central (#5)
DELHI - V STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020265	DELHI	15	686 / 858	Central (#4)
WHITEHALL STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024929	WHITEHALL	15	687 / 858	Central (#5)
PEEKSKILL WASTE WATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0100803	PEEKSKILL	15	688 / 858	Central (#3)
CITY OF DUNKIRK WWTP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0027961	DUNKIRK	15	689 / 858	Central (#9)
ONONDAGA CO OAK ORCHARD STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030317	CLAY	15	690 / 858	Central (#7)
BALDWINSVILLE SENECA KNOLLS STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030571	LYSANDER	15	691 / 858	Central (#7)

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MEADOWBROOK LIMESTONE WWTP	NY0027723	MANLIUS	15	692 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
AVON - V WWTP	NY0024449	AVON	15	693 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
LOCKHEED MARTIN MISSION SYSTEMS AND TRAINING	NY0004057	OWEGO	15	694 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
HOLLINGSWORTH & VOSE GREENWICH MILL	NY0006785	GREENWICH	15	695 / 858	Central (#5)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
WALTON - V WWTP	NY0027154	WALTON	15	696 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
NYCDOS - FRESH KILLS LANDFILL	NY0200867	STATEN ISLAND	15	697 / 858	Central (#2)
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
BUCKEYE MARCY TERMINAL	NY0218367	MARCY	12	698 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
FREEPORT POWER PLANT #1	NY0226530	HEMPSTEAD	12	699 / 858	Central (#1)
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
PRAXAIR INC	NY0000281	TONAWANDA	12	701 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
FORD BROS WHOLESALE MEATS	NY0074101	ASHFORD	12	702 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
WATCHTOWER BIBLE & TRACT SOCIETY	NY0025925	SHAWANGUNK	12	703 / 858	Central (#3)
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
CLAYTON STP	NY0027545	CLAYTON	12	704 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
MOENCH TANNING CO	NY0002950	PERSIA	10	705 / 858	Central (#9)
<u>Factor:</u> 5A <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> REGIONAL CONCERN					
LAKEVILLE WASTEWATER TREATMENT PLANT	NY0032328	LIVONIA	10	706 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					
OLIN CORPORATION CHLOR-ALKALI PRODUCTS	NY0001635	NIAGARA FALLS	10	707 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					
BINGHAMTON SEWER SYSTEM OVERFLOWS	NY0024406	BINGHAMTON	10	708 / 858	Central (#7)
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> STP ON SRF					
14 5 5 1 Longevity - updated on 3/27/15					
GENEVA-C MARSH CREEK STP	NY0027049	GENEVA	10	709 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					
SIDNEY - V STP	NY0029271	SIDNEY	10	710 / 858	Central (#4)
<u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					
CRUCIBLE INDUSTRIES	NY0000825	GEDDES	10	711 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 10 <u>Multiplier:</u> 5 <u>Points:</u> 2 <u>Reason:</u>					
DANSVILLE TRAVEL CENTER	NY0160547	NORTH DANSVILLE	9	713 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
INTERNATIONAL WIRE GROUP SHERRILL OPERATIONS	NY0257176	SHERRILL	6	714 / 858	Central (#6)
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					
JAMESTOWN ELECTRO PLATING WORKS	NY0003433	JAMESTOWN	5	715 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
LOCKPORT WASTEWATER TREATMENT PLANT	NY0027057	LOCKPORT	5	716 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
NW QUADRANT PURE WATERS DIST WWTP	NY0028231	GREECE	5	717 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
OWEGO - V STP	NY0029262	OWEGO	5	718 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
OWEGO - T SD 1	NY0022730	OWEGO	5	719 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BATH WASTEWATER TREATMENT PLANT	NY0021431	BATH	5	720 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
CANANDAIGUA - C STP	NY0025968	CANANDAIGUA	5	721 / 858	Central (#8)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u>					
NORWICH PHARMACEUTICALS INC	NY0004138	NORTH NORWICH	5	722 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u>					
VILLAGE OF MIDDLEPORT WWTF	NY0022331	HARTLAND	5	723 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u>					
ONEIDA - C STP	NY0026956	ONEIDA	5	724 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 5 <u>Multiplier:</u> 5 <u>Points:</u> 1 <u>Reason:</u>					
GREENE TECHNOLOGIES INC	NY0086479	GREENE	3	725 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
CHOBANI, LLC	NY0004189	COLUMBUS	3	726 / 858	Central (#7)
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
DRESSER-RAND COMPANY - OLEAN OPERATIONS	NY0094781	OLEAN	3	727 / 858	Central (#9)
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>					
TIMBERFISH TECHNOLOGIES AT FIVE AND 20 DISTILLERY	NY0275824	WESTFIELD	3	728 / 858	
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SUNY AT STONY BROOK <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15 5C 10 5 2 REQUEST TO CHANGE SIC COD	NY0109291	BROOKHAVEN	37	4 / 2200	Region #1
SCAVENGER WASTE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0199079	EAST HAMPTON	36	5 / 2200	Region #1
MIDDLE COUNTRY AUTO SPA/CENTEREACH CAR WASH <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0266981	BROOKHAVEN	33	6 / 2200	Region #1
METAVAC OPTICS MFG PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0225401	BROOKHAVEN	27	7 / 2200	Region #1
FOREST LABORATORIES INC PROPERTY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226424	SMITHTOWN	24	8 / 2200	Region #1
SOUTHAMPTON HOSPITAL <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0065374	SOUTHAMPTON	24	9 / 2200	Region #1
QUAIL RUN CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0065391	BABYLON	24	10 / 2200	Region #1
DSW PLAZA AT LAKE GROVE <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0196363	BROOKHAVEN	24	12 / 2200	Region #1
WOODCREST ESTATES <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0210684	BROOKHAVEN	24	13 / 2200	Region #1
BELLHAVEN NURSING CENTER <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0211826	BROOKHAVEN	24	14 / 2200	Region #1
OAK RIDGE HOLLOW <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0273465	BROOKHAVEN	24	15 / 2200	Region #1
FAIRFIELD AT MASTIC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0273490	BROOKHAVEN	24	16 / 2200	Region #1
SUFFOLK SEWER DISTR #23 STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0080667	BROOKHAVEN	21	17 / 2200	Region #1
SHELTER ISLAND HEIGHTS PROPERTY OWNERS CORP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021814	SHELTER ISLAND	21	18 / 2200	Region #1
SAG HARBOR STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0028908	SOUTHAMPTON	21	19 / 2200	Region #1
SUFFOLK COUNTY COMMUNITY COLLEGE <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079481	BROOKHAVEN	21	20 / 2200	Region #1
SUFFOLK SEWER DIST #28 <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0091081	SMITHTOWN	21	21 / 2200	Region #1
ROCKVILLE CENTRE POWER PLANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0225665	HEMPSTEAD	21	22 / 2200	Region #1
TOWN OF BROOKHAVEN SEWER DISTRICT #2 <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0277827	BROOKHAVEN	21	23 / 2200	Region #1
ADVANCED ENERGY SYSTEMS INC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267333	BROOKHAVEN	21	24 / 2200	Region #1
MOONEY POND (AKA BRETTON WOODS CONDOMINIUM STP 0 <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0065366	BROOKHAVEN	21	25 / 2200	Region #1
OAK TREE FARM DAIRY <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0070106	HUNTINGTON	21	26 / 2200	Region #1
YARDARM BEACH CONDOMINIUM <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0074365	SOUTHAMPTON	21	27 / 2200	Region #1
DOWLING COLLEGE <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0077356	ISLIP	21	28 / 2200	Region #1
VILLAGE IN THE WOODS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0078123	BROOKHAVEN	21	29 / 2200	Region #1
COLLEGE OAKS GARDEN APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079367	BROOKHAVEN	21	30 / 2200	Region #1

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BLUE RIDGE CONDOMINIUMS AND GOLF CLUB	NY0079448	BROOKHAVEN	21	31 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
OAK HOLLOW NURSING CENTER	NY0079456	BROOKHAVEN	21	32 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SMITH HAVEN MALL	NY0080446	BROOKHAVEN	21	33 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
TOWN HALL	NY0088447	BROOKHAVEN	21	34 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
NESCONSET CENTER FOR NURSING & REHABILITATION	NY0193470	SMITHTOWN	21	35 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
GURWIN JEWISH GERIATRIC CENTER	NY0197777	HUNTINGTON	21	36 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SAYVILLE NURSING & REHABILITATION CENTER	NY0220990	ISLIP	21	37 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SPRUCE PONDS GARDEN APTS	NY0252972	ISLIP	21	38 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
STRATHMORE ON THE GREEN	NY0253065	BROOKHAVEN	21	39 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
FAIRFIELD AT SELDEN	NY0253081	BROOKHAVEN	21	40 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
GURWIN JEWISH ASSISTED LIVING	NY0253111	HUNTINGTON	21	41 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
AFFINITY SKILLED LIVING AND REHABILITATION CENTER	NY0253120	ISLIP	21	42 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
HAMPTONS CENTER FOR REHABILITATION AND NURSING	NY0253138	SOUTHAMPTON	21	43 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
PARK MEADOW STP	NY0253146	SMITHTOWN	21	44 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
BROWNING HOTEL	NY0253162	BROOKHAVEN	21	45 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
STONE RIDGE ESTATES AT DIX HILLS HOMEOWNERS ASSOC INC	NY0253171	HUNTINGTON	21	46 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
HILTON GARDENS INN & OFFICE BLDG	NY0253219	ISLIP	21	47 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
GREENVIEW COMMONS	NY0253227	ISLIP	21	48 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SAYVILLE VILLAS	NY0253235	ISLIP	21	49 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
EAGLES WALK	NY0253286	SOUTHAMPTON	21	50 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
MIRROR POND	NY0253308	BROOKHAVEN	21	51 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SENIOR HOUSING @ EAST MORICHES	NY0253375	BROOKHAVEN	21	52 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
MEDFORD CARE CENTER	NY0253383	BROOKHAVEN	21	53 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
INN AT EASTWIND	NY0253421	RIVERHEAD	21	54 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CHATHAM HOLTSVILLE RI UTILITY LLC	NY0253430	BROOKHAVEN	21	55 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CABRINI GARDENS SENIOR CITIZEN HOUSING	NY0253502	BROOKHAVEN	21	56 / 2200	Region #1
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					

**EBPS ENB List -**

**July, 2015**

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SADDLE COVE APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0253529	ISLIP	21	57 / 2200	Region #1
BRISTAL ESTATES/ENCORE ATLANTIC SHORES <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0253537	BROOKHAVEN	21	58 / 2200	Region #1
FAIRFIELD AT RONKONKOMA <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0253545	BROOKHAVEN	21	59 / 2200	Region #1
BROADWAY KNOLLS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0254495	ISLIP	21	60 / 2200	Region #1
ST ANNE'S GARDENS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0266329	ISLIP	21	61 / 2200	Region #1
RESIDENCE INN <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0266337	ISLIP	21	62 / 2200	Region #1
MEDICAL OFFICES AT MEDFORD <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0266418	BROOKHAVEN	21	63 / 2200	Region #1
VINEYARD AT MORICHES <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0254819	BROOKHAVEN	21	64 / 2200	Region #1
CANDLEWOOD LAUNDROMAT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267325	ISLIP	21	65 / 2200	Region #1
DUNES AT WESTHAMPTON CONDOS <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0277487	SOUTHAMPTON	21	66 / 2200	Region #1
LUITPOLD PHARMACEUTICALS INC <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0109550	BROOKHAVEN	18	67 / 2200	Region #1
R S M ELECTRON POWER <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0078221	BABYLON	18	68 / 2200	Region #1
SUFFOLK SD #13/WINDWATCH STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0077429	ISLIP	18	69 / 2200	Region #1
US INTERNAL REVENUE ADP CENTER <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079413	BROOKHAVEN	18	70 / 2200	Region #1
NORTHPORT VA MEDICAL CENTER <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0069159	HUNTINGTON	18	71 / 2200	Region #1
CARBO INDUSTRIES PROPERTY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0028495	HEMPSTEAD	18	72 / 2200	Region #1
TALLMADGE WOODS COUNTY STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0221678	BROOKHAVEN	18	74 / 2200	Region #1
PALL CORP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226343	NORTH HEMPSTEAD	18	75 / 2200	Region #1
FOREST LABORATORIES INC <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0195987	SMITHTOWN	18	76 / 2200	Region #1
FISHERS ISLAND SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0199214	SOUTHOLD	18	77 / 2200	Region #1
APEX REHABILITATION & CARE CTR <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0070297	HUNTINGTON	18	78 / 2200	Region #1
TOWN HOUSE VILLAGE S <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0077241	ISLIP	18	79 / 2200	Region #1
WINDBROOKE HOMES CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0077411	ISLIP	18	80 / 2200	Region #1
WOODHULL GARDENS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079341	BROOKHAVEN	18	81 / 2200	Region #1
NORTH ISLE VILLAGE <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079430	BROOKHAVEN	18	82 / 2200	Region #1
LAKE GROVE APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079499	BROOKHAVEN	18	83 / 2200	Region #1

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
STONY HOLLOW STP	NY0079529	BROOKHAVEN	18	84 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
SUFFOLK CENTER FOR REHABILITATION AND NURSING	NY0080454	BROOKHAVEN	18	85 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
MIDDLE ISLAND CO-OP APARTMENTS	NY0080632	BROOKHAVEN	18	86 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
HOLIDAY INN	NY0080705	ISLIP	18	87 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
SOUTHAMPTON COMMONS	NY0179213	SOUTHAMPTON	18	88 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
LAKE POINTE COOPERATIVE	NY0180548	BROOKHAVEN	18	89 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
ROUGH RIDERS LANDING	NY0195995	EAST HAMPTON	18	90 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
MACARTHUR PLAZA OFFICE PARK	NY0197432	ISLIP	18	91 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
VALLEY FORGE MOBILE HOME PARK	NY0065331	ISLIP	18	92 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
ROCKY POINT GARDEN APTS	NY0065382	BROOKHAVEN	18	93 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
BIRCHWOOD GLEN OWNERS CORP	NY0065463	BROOKHAVEN	18	94 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
GREENS AT HALF HOLLOW	NY0068071	HUNTINGTON	18	95 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
WOODHAVEN HOME FOR ADULTS	NY0068144	BROOKHAVEN	18	96 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
SOMERSET WOODS ASSN	NY0074250	BABYLON	18	97 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
KENSINGTON GARDENS/ST JAMES HEALTHCARE CENTER	NY0074292	SMITHTOWN	18	98 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
SUNRISE GARDEN APARTMENTS	NY0077259	ISLIP	18	100 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
BIRCHWOOD ON THE GREEN	NY0077283	ISLIP	18	101 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
HEATHERWOOD HOUSE AT LAKELAND	NY0077321	ISLIP	18	102 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
HERITAGE GARDENS @ BRENTWOOD	NY0077348	ISLIP	18	103 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
SOUTHERN MEADOWS APARTMENTS	NY0077364	ISLIP	18	104 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
LEXINGTON VILLAGE CONDOMINIUMS	NY0077399	ISLIP	18	105 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
STRATFORD GREENS	NY0077461	ISLIP	18	106 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
HEATHERWOOD HOUSE AT RONKONKOMA	NY0079375	BROOKHAVEN	18	107 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
HOMESTEAD VILLAGE APTS	NY0079383	BROOKHAVEN	18	108 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
THE VILLAS AT PINE HILLS	NY0079405	BROOKHAVEN	18	109 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
ARTIST LAKE CONDO	NY0079502	BROOKHAVEN	18	110 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CEDAR LODGE NURSING HOME <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0080586	BROOKHAVEN	18	111 / 2200	Region #1
CALVERTON HILLS HOMEOWNERS ASSN <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0080616	BROOKHAVEN	18	112 / 2200	Region #1
BIRCHWOOD AT SPRING LAKE <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0196762	BROOKHAVEN	18	113 / 2200	Region #1
LAKES AT SETAUKET <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0198323	BROOKHAVEN	18	114 / 2200	Region #1
WATERWAYS AT BAY POINTE PROPERTY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0198480	BROOKHAVEN	18	115 / 2200	Region #1
CROWNE PLAZA LONG ISLAND <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0209597	BROOKHAVEN	18	116 / 2200	Region #1
EASTPORT MEADOWS <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0278289	BROOKHAVEN	18	117 / 2200	Region #1
MILL POND ESTATES <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0278432	BROOKHAVEN	18	118 / 2200	Region #1
PALL CORPORATION <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15 5C 2 1 2	NY0108154	SMITHTOWN	17	119 / 2200	Region #1
SUFFOLK STP #9/COLLEGE PARK SEWER DISTR <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0065447	BROOKHAVEN	15	120 / 2200	Region #1
SUFFOLK SD #12 / BIRCHWOOD SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079511	BROOKHAVEN	15	121 / 2200	Region #1
SUFFOLK LAUNDRY SERVICES <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0206270	SOUTHAMPTON	15	122 / 2200	Region #1
NEW HYDE PARK OIL TERMINAL <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0109398	HEMPSTEAD	15	123 / 2200	Region #1
SUFFOLK STP #7-W/WOODSIDE-MEDFORD SD <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0076988	BROOKHAVEN	15	124 / 2200	Region #1
YAPANK COUNTY CENTER WWTF <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0085693	BROOKHAVEN	15	125 / 2200	Region #1
HUNTINGTON CRESCENT CLUB <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0227315	HUNTINGTON	15	126 / 2200	Region #1
LONG ISLAND AQUARIUM <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226459	RIVERHEAD	15	127 / 2200	Region #1
SUFFOLK CO NOB HILL SD#15 STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0077330	ISLIP	15	129 / 2200	Region #1
SUFFOLK STRATHMORE HUNTINGTON SD#5 STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0070033	HUNTINGTON	15	130 / 2200	Region #1
EAGLE ROCK APARTMENTS AT NESCONSET <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0074322	SMITHTOWN	15	131 / 2200	Region #1
CRESCENT CLUB APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079537	BROOKHAVEN	15	132 / 2200	Region #1
U S NONWOVENS CORP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267279	ISLIP	15	133 / 2200	Region #1
SPIN CITY SUPER LAUNDROMAT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267422	ISLIP	15	134 / 2200	Region #1
BRISTAL EAST NORTHPORT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0278793	HUNTINGTON	15	135 / 2200	Region #1
EMERALD GREENS APARTMENTS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0077453	ISLIP	15	136 / 2200	Region #1
GLOBAL COMPANIES LLC - INWOOD TERMINAL <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0199508	HEMPSTEAD	12	137 / 2200	Region #1

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
GLOBAL COMPANIES LLC - GLENWOOD TERMINAL <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0108651	OYSTER BAY	12	138 / 2200	Region #1
OSWEGO OIL SERVICE CORP PROPERTY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0206342	HEMPSTEAD	12	139 / 2200	Region #1
MEENAN RETAIL SALES BLDG <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0206181	HEMPSTEAD	12	140 / 2200	Region #1
CARBO INDUSTRIES INWOOD PROPERTY <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030872	HEMPSTEAD	12	141 / 2200	Region #1
TIFFEN MFG CORP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0107760	SMITHTOWN	12	142 / 2200	Region #1
SOUTHAMPTON COAL AND PRODUCE <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0227170	SOUTHAMPTON	12	143 / 2200	Region #1
LIRR SPEONK DIESEL YARD <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226955	SOUTHAMPTON	12	144 / 2200	Region #1
LI RAIL ROAD - OYSTER BAY YARD <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0227030	OYSTER BAY	12	145 / 2200	Region #1
RASON ASPHALT PLANT <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267236	GLEN COVE	12	146 / 2200	Region #1
BUCKEYE PARTNERS LP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0006823	HEMPSTEAD	12	147 / 2200	Region #1
SUFFOLK SEWER DISTRICT #11 STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079324	BROOKHAVEN	12	148 / 2200	Region #1
LONG ISLAND AMERICAN WATER PLANT #6 <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0106879	HEMPSTEAD	12	149 / 2200	Region #1
SCSD #24, SUFFOLK COUNTY (GABRESKI) AIRPORT STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226971	SOUTHAMPTON	12	150 / 2200	Region #1
SUFFOLK STP #20-E/WM FLOYD SEWER DISTR <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226688	BROOKHAVEN	12	151 / 2200	Region #1
SUFFOLK STP #7/TWELVE PINES-MEDFORD SD <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0080683	BROOKHAVEN	12	152 / 2200	Region #1
NEW YORK INSTITUTE OF TECHNOLOGY STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0101826	OYSTER BAY	12	153 / 2200	Region #1
ATRIA EAST NORTHPORT (AKA LARKFIELD GARDENS) <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0209325	HUNTINGTON	12	154 / 2200	Region #1
GREENVIEW COURT SR CITZENS APTS 48 UNITS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226254	ISLIP	12	155 / 2200	Region #1
DUTCHMAN'S COVE TOWNHOUSES <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226599	ISLIP	12	156 / 2200	Region #1
WOODBRIIDGE AT HAMPTON BAYS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226777	SOUTHAMPTON	12	157 / 2200	Region #1
SPRINGHORN AT BLUE POINT CONDOMINIUM <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226963	BROOKHAVEN	12	158 / 2200	Region #1
SUNRISE OF SMITHTOWN <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0226998	SMITHTOWN	12	159 / 2200	Region #1
CENACLE MANOR <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0237736	BROOKHAVEN	12	160 / 2200	Region #1
FAIRWAY MANOR <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0238406	ISLIP	12	161 / 2200	Region #1
COUNTRY VIEW ESTATES <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0238848	BROOKHAVEN	12	162 / 2200	Region #1
STONEHURST III <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0239011	BROOKHAVEN	12	163 / 2200	Region #1

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
LAQUINTA INN & SUITES	NY0254487	ISLIP	12	164 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
VICTORIAN HOMES OF MEDFORD STP	NY0226858	BROOKHAVEN	12	165 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SUNRISE ASSISTED LIVING OF DIX HILLS	NY0226882	HUNTINGTON	12	166 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
BROADWAY WEST	NY0227056	ISLIP	12	167 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SUNRISE OF HOLBROOK	NY0227226	ISLIP	12	168 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
HOLIDAY INN EXPRESS HOTEL	NY0227285	ISLIP	12	169 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
FAIRFIELD VILLAS @ MEDFORD	NY0227323	BROOKHAVEN	12	170 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SMITHTOWN GALLERIA	NY0252824	SMITHTOWN	12	171 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
VICTORIAN GARDENS	NY0253090	BROOKHAVEN	12	172 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
EXIT 63 DEVELOPMENT	NY0253154	BROOKHAVEN	12	173 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
MEDFORD POND APARTMENT	NY0254509	BROOKHAVEN	12	174 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SETAUKET MEADOWS	NY0254517	BROOKHAVEN	12	175 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
PINEWOOD GARDENS IN SAYVILLE	NY0254525	ISLIP	12	176 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
MARRIOTT AT FAIRFIELD INN	NY0254541	BROOKHAVEN	12	177 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
WESTHAMPTON OLD COUNTRY SENIOR HOUSING	NY0254550	SOUTHAMPTON	12	178 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
VILLAGE AT LAKE GROVE	NY0254720	BROOKHAVEN	12	179 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
LAKEVIEW WOODS @ BAYPORT	NY0255386	ISLIP	12	180 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
MEMORIAL SLOAN-KETTERING CENTER PROPERTY	NY0266353	SMITHTOWN	12	181 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SUNRISE OF EAST SETAUKET	NY0266442	BROOKHAVEN	12	182 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
COUNTRY VIEW ESTATES AT SMITHTOWN	NY0272906	SMITHTOWN	12	183 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
US NONWOVENS INC	NY0267431	ISLIP	12	184 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
MEDFORD HAMLET ASSISTED LIVING	NY0253511	BROOKHAVEN	12	185 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
VICTORIA GARDENS	NY0065340	SMITHTOWN	12	186 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
BROOKHAVEN MEMORIAL HOSPITAL	NY0074730	BROOKHAVEN	12	187 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
UNITED RIVERHEAD TERMINAL	NY0032760	RIVERHEAD	9	188 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
OCEAN BEACH SEWAGE TREATMENT PLANT	NY0020168	ISLIP	9	189 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
GENERAL TERMINALS	NY0226378	SMITHTOWN	9	190 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
GLOBAL COMPANIES - COMMANDER TERMINAL	NY0005878	OYSTER BAY	9	191 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
SOUTHAMPTON CAR WASH	NY0227111	SOUTHAMPTON	9	193 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
RCF FUEL OIL CORP	NY0266612	SOUTHAMPTON	9	194 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
ROBO CAR WASH PROPERTY	NY0227200	BROOKHAVEN	9	195 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
BOHEMIA AUTO WASH	NY0237817	ISLIP	9	196 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
WAVERLY PARK CONDOMINIUMS	NY0077381	BROOKHAVEN	9	197 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
HAWTHORNE COURT	NY0077402	ISLIP	9	198 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
ISLAND VIEW APARTMENTS	NY0252981	BROOKHAVEN	9	199 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
WILLOW PONDS ON THE SOUND	NY0253197	RIVERHEAD	9	200 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
PRESERVE AT CONNETQUOT STATE PARK	NY0254479	ISLIP	9	201 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
COURTYARDS AT SOUTHAMPTON	NY0254941	SOUTHAMPTON	9	202 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
SUFFOLK SD#18/HAUPPAUGE INDUSTRL PRK STP	NY0136964	SMITHTOWN	9	204 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
THE ORCHARD AT BULLS HEAD INN	NY0279501	SOUTHAMPTON	9	205 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
SEAWANHAKA CORINTHIAN YACHT CLUB PROPERTY	NY0088510	OYSTER BAY	9	207 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
SUFFOLK CO PARKLAND SD#14 STP	NY0065358	ISLIP	9	208 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
WILDWOOD ESTATES AKA COUNTRY VIEW ESTATES	NY0279617	BROOKHAVEN	9	209 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
SHOREHAM COMBUSION TURBINE FACILITY	NY0026344	BROOKHAVEN	9	210 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
DORADE STP @ WHISPERING PINES	NY0066559	BROOKHAVEN	9	211 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
MELVILLE MALL STP	NY0068080	HUNTINGTON	9	212 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
RSM ELECTRON POWER INC.	NY0267481	SMITHTOWN	9	213 / 2200	Region #1
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
LONG ISLAND MACARTHUR AIRPORT	NY0173703	ISLIP	6	214 / 2200	Region #1
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					
UPS-NASSAU	NY0109258	HEMPSTEAD	6	215 / 2200	Region #1
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					
DBD REALTY GROUP PROPERTY	NY0266949	HEMPSTEAD	6	216 / 2200	Region #1
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					
SLOMINS INC PROPERTY	NY0110591	OYSTER BAY	6	217 / 2200	Region #1
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					
CARC LLC	NY0266795	SMITHTOWN	6	218 / 2200	Region #1
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SUFFOLK COUNTY STP #20-W, LEISURE VILLAGE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0079359	BROOKHAVEN	6	219 / 2200	Region #1
SUFFOLK SD#22/HAUPPAUGE COUNTY CTR STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0066028	SMITHTOWN	6	220 / 2200	Region #1
PLUM ISLAND ANIMAL DISEASE CTR <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0008117	SOUTHOLD	6	221 / 2200	Region #1
LIDO BOULEVARD WELL FIELD <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0106721	HEMPSTEAD	6	222 / 2200	Region #1
DEER PARK CAR WASH <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0227218	BABYLON	6	223 / 2200	Region #1
HOLTSVILLE TERMINAL, NORTHVILLE IND CORP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110086	BROOKHAVEN	6	224 / 2200	Region #1
PORTION ROAD LAUNDROMAT <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267082	BROOKHAVEN	6	225 / 2200	Region #1
FAIRFIELD VILLAGE GARDEN APARTMENTS AKA GROTON AT FAIRFIE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0074314	SMITHTOWN	6	226 / 2200	Region #1
BROOKWOOD ON THE LAKE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0136492	BROOKHAVEN	6	227 / 2200	Region #1
GREENWOOD AT OAKDALE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0210382	ISLIP	6	228 / 2200	Region #1
EAST PATCHOGUE SENIOR APT COMPLEX AKA CONIFER VILLAGE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0253316	BROOKHAVEN	6	229 / 2200	Region #1
CHELMSFORD WEALD CONDOMINIUMS <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0254452	BROOKHAVEN	6	230 / 2200	Region #1
MANOR RUN-SILVER PONDS <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0210269	BROOKHAVEN	6	231 / 2200	Region #1
STONINGTON @ PORT JEFFERSON <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0210161	BROOKHAVEN	6	232 / 2200	Region #1
AVERY VILLAGE <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0136930	BROOKHAVEN	6	233 / 2200	Region #1
PORT JEFFERSON LIRR STATION <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0225771	BROOKHAVEN	6	234 / 2200	Region #1
OAKCREEK COMMONS <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0272990	ISLIP	6	235 / 2200	Region #1
EXPRESSWAY 55 CAR WASH <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0237370	ISLIP	3	236 / 2200	Region #1
GREENWOOD VILLAGE <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0194212	BROOKHAVEN	3	237 / 2200	Region #1
MONTAUK MANOR PROPERTY <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0195952	EAST HAMPTON	3	238 / 2200	Region #1
LIDO BLVD WELL FIELD <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0225916	HEMPSTEAD	3	239 / 2200	Region #1
STREBELS LAUNDRY INC <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0086029	SOUTHAMPTON	3	240 / 2200	Region #1
DATA DEVICE CORPORATION <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0178152	ISLIP	3	241 / 2200	Region #1
PATCHOGUE STP <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023922	BROOKHAVEN	3	242 / 2200	Region #1
JONES BEACH STATE PARK <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030104	HEMPSTEAD	3	243 / 2200	Region #1
SUFFOLK CO COMMNTY COLLEGE EASTERN CAMPUS WWTP <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0078131	SOUTHAMPTON	3	244 / 2200	Region #1

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
PICCOZZI PROPERTY	NY0267180	SHELTER ISLAND	3	245 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
EDGEWOOD ENERGY LLC	NY0267198	ISLIP	3	246 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
SHOREHAM ENERGY LLC	NY0267171	BROOKHAVEN	3	247 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
SETAUKET TERMINAL - NORTHVILLE IND CORP	NY0025828	BROOKHAVEN	3	248 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
SAGAMORE HILLS CONDOMINIUMS	NY0065455	BROOKHAVEN	3	249 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
HEATHERWOOD HOUSE AT HOLBROOK	NY0077372	ISLIP	3	250 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
PAUMANACK VILLAGE STP	NY0137065	HUNTINGTON	3	251 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
SUNRISE VILLAGE	NY0195758	ISLIP	3	252 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
HIDDEN PONDS	NY0196282	SMITHTOWN	3	253 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
FOX MEADOWS CONDOMINIUM	NY0196339	BROOKHAVEN	3	254 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
ISLANDIA SHOPPING CENTER	NY0220493	SMITHTOWN	3	255 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
GLO N GO SELF SERVICE CAR WASH	NY0237493	ISLIP	3	256 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>					
WASH N ROLL CAR WASH	NY0237515	ISLIP	0	257 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 0 <u>Multiplier:</u> 3 <u>Points:</u> 0 <u>Reason:</u>					
WESTHAMPTON NURSING HOME	NY0210901	SOUTHAMPTON	0	258 / 2200	Region #1
<u>Factor:</u> 14 <u>Score:</u> 0 <u>Multiplier:</u> 3 <u>Points:</u> 0 <u>Reason:</u>					

**EBPS ENB List -**

**July, 2015**

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WCS - NEW YORK AQUARIUM	NY0200328	BROOKLYN	33	3 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
VANBRO CORPORATION	NY0007145	STATEN ISLAND	33	4 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
FRED M SCHILDWACHTER & SONS	NY0087874	BRONX	30	5 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
NYC DOS-SI 3 GARAGE BORO REPAIR SHOP	NY0200271	STATEN ISLAND	30	6 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
QUEENS DISTRICT 5/5A GARAGE	NY0200841	QUEENS	27	7 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
ARVERNE BY THE SEA	NY0267716	QUEENS	24	8 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
AMTRAK - LIC VENTILATION BUILDING	NY0267732	QUEENS	24	9 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
NEW YORK PLAZA BUILDING	NY0072281	MANHATTAN	24	10 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
HOME DEPOT - #1249	NY0200476	STATEN ISLAND	15	12 / 56	Region #2
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
HIDDEN VALLEY ESTATES - SD NO 1 STP	NY0034436	MOUNT HOPE	109	1 / 1441	Region #3
Factor: 14 5C	Score: 84 25	Multiplier: 3 5	Points: 28 5	Reason: Longevity - updated on 3/27/15 TRC	
GREEN HAVEN CORRECTIONAL FACILITY	NY0071153	EAST FISHKILL	87	2 / 1441	Region #3
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
WOODSTOCK STP	NY0109711	WOODSTOCK	87	3 / 1441	Region #3
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
TACONIC DDSO	NY0098868	AMENIA	87	4 / 1441	Region #3
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
LAKE HUNTINGTON SEWER DIST	NY0030694	COCHECTON	87	5 / 1441	Region #3
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
WILDWOOD STP	NY0037117	WAPPINGER	84	6 / 1441	Region #3
Factor: 14	Score: 84	Multiplier: 3	Points: 28	Reason: Longevity - updated on 3/27/15	
NEW PALTZ OHIOVILLE SEWER DIST 6 STP	NY0109886	NEW PALTZ	84	7 / 1441	Region #3
Factor: 14	Score: 84	Multiplier: 3	Points: 28	Reason: Longevity - updated on 3/27/15	
POUGHKEEPSIE CORP CENTER	NY0218723	POUGHKEEPSIE	81	8 / 1441	Region #3
Factor: 14	Score: 81	Multiplier: 3	Points: 27	Reason: Longevity - updated on 3/27/15	
TIVOLI WWTF	NY0022098	RED HOOK	81	9 / 1441	Region #3
Factor: 14	Score: 81	Multiplier: 3	Points: 27	Reason: Longevity - updated on 3/27/15	
NYS OTISVILLE CORRECTIONAL FACILITY	NY0033154	MOUNT HOPE	78	10 / 1441	Region #3
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity - updated on 3/27/15	
PORT JERVIS OIL-WATER SEPARATOR	NY0069604	PORT JERVIS	78	11 / 1441	Region #3
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity - updated on 3/27/15	
VALLEY DALE STP	NY0077593	PLEASANT VALLEY	78	12 / 1441	Region #3
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity - updated on 3/27/15	
FIRTHCLIFF SEWER DISTRICT SEWAGE TREATMENT PLANT	NY0022152	CORNWALL	78	13 / 1441	Region #3
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity - updated on 3/27/15	
WAWARSING NAPANOCH SIMPRO AREA STP	NY0029718	WAWARSING	75	14 / 1441	Region #3
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
KNOLLS OF DOVER	NY0032158	DOVER	75	15 / 1441	Region #3
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
VILLAGE OF FISHKILL STP	NY0060992	FISHKILL	75	16 / 1441	Region #3
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
LIBERTY LOOMIS SEWER DIST STP	NY0030261	LIBERTY	75	17 / 1441	Region #3
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
ROCKLAND ROSCOE STP	NY0034983	ROCKLAND	75	18 / 1441	Region #3
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
BEDFORD HILLS CORRECTIONAL FACILITY	NY0101885	BEDFORD	74	19 / 1441	Region #3
Factor: 14 5C	Score: 54 20	Multiplier: 3 10	Points: 18 2	Reason: Longevity - updated on 3/27/15 Temperature	
FLORIDA-V STP	NY0020273	WARWICK	74	20 / 1441	Region #3
Factor: 14 3A	Score: 24 50	Multiplier: 3 5	Points: 8 10	Reason: Longevity - updated on 3/27/15 CIU	
JEFFERSONVILLE WWTP	NY0109029	DELAWARE	72	21 / 1441	Region #3
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity - updated on 3/27/15	
COUNTRY CLUB ESTATES STP	NY0034606	POUGHKEEPSIE	72	22 / 1441	Region #3
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity - updated on 3/27/15	
CALLANAN INDUSTRIES PORT EWEN FACILITY	NY0007781	ESOPUS	72	23 / 1441	Region #3
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity - updated on 3/27/15	
VILLAGE OF MONTGOMERY STP	NY0026433	MONTGOMERY	71	24 / 1441	Region #3
Factor: 14 3A	Score: 21 50	Multiplier: 3 5	Points: 7 10	Reason: Longevity - updated on 3/27/15 CIU	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
EMERALD GREEN-LAKE LOUISE MARIE S&W DIST <u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035645	THOMPSON	69	25 / 1441	Region #3
GLOBAL COMPANIES - NORTH TERMINAL <u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity - updated on 3/27/15	NY0093572	NEW WINDSOR	69	26 / 1441	Region #3
COUNTRY MANOR STP <u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity - updated on 3/27/15	NY0029017	CARMEL	69	27 / 1441	Region #3
MIDPOINT PARK SD/ROYAL RIDGE <u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035637	WAPPINGER	69	28 / 1441	Region #3
THE VALLEY VIEW CENTER FOR NURSING CARE AND REHABILITATIO <u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022101	GOSHEN	69	29 / 1441	Region #3
EASTVIEW SUBSTATION <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity - updated on 3/27/15 4B 5 1 5 BMP needed	NY0251551	GREENBURGH	65	30 / 1441	Region #3
PLEASANTVILLE CENTRAL SUBSTATION <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity - updated on 3/27/15 4B 5 1 5 BMP needed	NY0251569	MOUNT PLEASANT	65	31 / 1441	Region #3
TILCON - WEST NYACK STONE PROCESSING <u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110612	CLARKSTOWN	63	32 / 1441	Region #3
SWAN LAKE SD STP <u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030252	LIBERTY	63	33 / 1441	Region #3
DUNWOODIE CENTRAL SUBSTATION <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15 2A 25 5 5 4B 25 5 5	NY0250929	YONKERS	62	34 / 1441	Region #3
BEDFORD SERVICE CENTER <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity - updated on 3/27/15	NY0234451	BEDFORD	60	35 / 1441	Region #3
LILY POND FILTRATION SYSTEM <u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15	NY0259446	LIBERTY	57	36 / 1441	Region #3
MAHOPAC STP <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15 5C 1 1 1 Temperature	NY0026590	CARMEL	55	37 / 1441	Region #3
MTA METRO NORTH WHITE PLAINS REPAIR FACILITY <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15 4A 10 1 10	NY0264270	NORTH CASTLE	55	38 / 1441	Region #3
MILTON WASTEWATER TREATMENT FAC <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0259829	MARLBOROUGH	54	39 / 1441	Region #3
BREAKNECK POND CAMPGROUND <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0215333	HAVERSTRAW	54	40 / 1441	Region #3
CARMEL SD #2 STP <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0031356	CARMEL	54	41 / 1441	Region #3
SOUTHLAND CORPORATION <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0248606	WAPPINGER	54	42 / 1441	Region #3
WOODSTOCK GUILD SYSTEM 3 <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0149306	WOODSTOCK	54	43 / 1441	Region #3
WILD OAKS SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0065706	LEWISBORO	54	44 / 1441	Region #3
SOUTHEAST BREWSTER HEIGHTS SEWER DIS 1 <u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110353	SOUTHEAST	54	45 / 1441	Region #3
WASSAIC YARD & STATION <u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity - updated on 3/27/15 4B 5 1 5 BMP Plan	NY0260126	AMENIA	53	46 / 1441	Region #3
U & A CONSTRUCTION CORP <u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15	NY0259993	ORANGETOWN	51	47 / 1441	Region #3

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
PUTNAM NATIONAL GOLF CLUB	NY0260371	CARMEL	51	48 / 1441	Region #3
Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity - updated on 3/27/15					
WHITE PLAINS SUBSTATION	NY0265039	WHITE PLAINS	49	49 / 1441	Region #3
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
4A	10	1	10		
CEDAR STREET SUBSTATION	NY0267805	NEW ROCHELLE	49	50 / 1441	Region #3
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
4A	10	1	10		
ROTRON-OLIVE PLANT	NY0260401	OLIVE	48	52 / 1441	Region #3
Factor: 14 Score: 48 Multiplier: 3 Points: 16 Reason: Longevity - updated on 3/27/15					
FAIR ST DPW FACILITY	NY0264041	PATTERSON	48	53 / 1441	Region #3
Factor: 14 Score: 48 Multiplier: 3 Points: 16 Reason: Longevity - updated on 3/27/15					
GOSHEN QUARRY	NY0264954	GOSHEN	47	54 / 1441	Region #3
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15					
4B	5	1	5		
DOVER RIDGE ESTATES	NY0164933	BEEKMAN	45	55 / 1441	Region #3
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
SURPRISE LAKE CAMP	NY0096008	PHILIPSTOWN	42	56 / 1441	Region #3
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15					
VALLEY VIEW PARK	NY0098043	WALLKILL	39	57 / 1441	Region #3
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
PERKIN ELMER INC	NY0270491	WOODSTOCK	39	58 / 1441	Region #3
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
RUSHMORE/BRIGADOON WWTP	NY0247561	WOODBURY	39	59 / 1441	Region #3
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
TITUSVILLE WASTEWATER TREATMENT PLANT	NY0264989	LA GRANGE	38	60 / 1441	Region #3
Factor: 10 Score: 5 Multiplier: 1 Points: 5 Reason: State Revolving Fund Loan List					
14	33	3	11		Longevity - updated on 3/27/15
GABRIEL MFG CO INC	NY0214591	STONY POINT	36	61 / 1441	Region #3
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					
YONKERS DPW SERVICE BLDG	NY0105571	YONKERS	36	62 / 1441	Region #3
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					
CARMEL SD 6 IVY HILLS STP	NY0031828	CARMEL	36	63 / 1441	Region #3
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					
GLASCO SEWER DISTRICT WWTP	NY0145564	SAUGERTIES	36	64 / 1441	Region #3
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					
HIGHLANDS SEWER IMPROVEMENT AREA	NY0149411	HIGHLANDS	30	66 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
GARDINER SEWER DIST 1 STP	NY0109096	GARDINER	30	67 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
KINGSTON WATER TREATMENT PLANT	NY0166260	WOODSTOCK	30	68 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
WAPPINGERS FLEETWOOD MANOR SEWER DIS	NY0021601	WAPPINGER	30	69 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
CATSKILL FISH HATCHERY	NY0035327	ROCKLAND	30	70 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
VANDEBURGH COVE SEWER DISTRICT NO 1	NY0099295	RHINEBECK	30	72 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
PATTERSON HAMLET WWTP	NY0265080	PATTERSON	30	73 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
ARTIFICIAL WETLAND WTS	NY0264008	LLOYD	30	74 / 1441	Region #3
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FOX HILL COMMUNITY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0264776	MONTGOMERY	30	75 / 1441	Region #3
CAMPUS AT FIELD CORNERS <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0259314	SOUTHEAST	30	76 / 1441	Region #3
SAGAMOR SEWER DISTRICT WWTF <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0263982	EAST FISHKILL	30	79 / 1441	Region #3
WINDSOR ESTATES WWTP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0215198	HAMPTONBURGH	30	80 / 1441	Region #3
PAWLING JOINT SEWER DISTRICT WWTP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0165891	PAWLING	30	81 / 1441	Region #3
UNITED PARCEL DISTRIBUTION CENTER <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0149489	LA GRANGE	30	82 / 1441	Region #3
MOUNTAIN DALE WWTP <u>Factor:</u> 11 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> CHRONIC WET LIMITS ARE REQUIRED PER RPD, BUT NO ADDITIONAL TESTING IS REQUIRED UNLESS PERMIT MODIFIED, RENEWED OR 2016, AS ALL REQUIREMENTS HAVE BEEN SATISFACTORILY MET. 14 24 3 8 Longevity - updated on 3/27/15	NY0145696	FALLSBURGH	29	83 / 1441	Region #3
GLENWOOD HILLS SEWER DIST 5 <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0215457	BLOOMING GROVE	27	84 / 1441	Region #3
WAWAYANDA ROBINN MEADOWS SEWER DIS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0029149	WAWAYANDA	27	85 / 1441	Region #3
HOPEWELL HAMLET SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0267953	EAST FISHKILL	27	86 / 1441	Region #3
MONTGOMERY-T STP DIST # 1 <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0247782	MONTGOMERY	27	89 / 1441	Region #3
FOUR CORNERS SEWER DISTRICT WWTP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0270610	EAST FISHKILL	27	90 / 1441	Region #3
BUS GARAGE <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15 4B 5 1 5 Needs BMP plan	NY0149195	CORTLANDT	26	91 / 1441	Region #3
DEFOREST LAKE FILTRATION PLANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15 4B 5 1 5 BMP Plan	NY0037265	CLARKSTOWN	26	93 / 1441	Region #3
IBM STERLING FOREST OFFICE BUILDING <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15 4A 10 1 10 BMP needed and permit needs update re: SIC, Class etc.	NY0021695	WARWICK	25	94 / 1441	Region #3
MONROE-V WTP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0094064	MONROE	24	95 / 1441	Region #3
HYDE PARK GREENFIELDS SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0097896	HYDE PARK	24	96 / 1441	Region #3
MARLBORO STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0109720	MARLBOROUGH	24	97 / 1441	Region #3
THOMPSON SACKETT LAKE SEWER DIS STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030716	THOMPSON	24	98 / 1441	Region #3
LAGRANGE NOXON KNOLLS SD STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0026085	LA GRANGE	24	99 / 1441	Region #3
TENNANAH LAKE TOWNHOUSE AND VILLAS <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0145505	FREMONT	24	100 / 1441	Region #3
DUTCHESS QUARRY & SUPPLY CO INC <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0006173	PLEASANT VALLEY	24	101 / 1441	Region #3
TILCON - CLINTON POINT QUARRY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0005649	POUGHKEEPSIE	24	102 / 1441	Region #3

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
BOICEVILLE WWTP	NY0274038	OLIVE	24	103 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
DILLON FARMS SEWER DISTRICT	NY0214507	THOMPSON	24	104 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
SAUGERTIES MALDEN-ON-HUDSON S D STP	NY0145556	SAUGERTIES	24	105 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
NEWBURGH NOB HILL SEWER DIST	NY0145599	NEWBURGH	24	106 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
HAMLET SEWAGE TREATMENT	NY0031224	TUXEDO	24	107 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
KENT MANOR CONDOMINIUMS	NY0207322	KENT	24	108 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
ROMBOUT STP	NY0060976	FISHKILL	24	109 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
RHINEBECK-V WASTEWATER TREATMENT PLANT	NY0110281	RHINEBECK	24	110 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
HILLVIEW RESERVOIR	NY0270831	YONKERS	24	111 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
TUXEDO PARK STP	NY0031216	TUXEDO	24	112 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
MILLBROOK SEWAGE TREATMENT PLANT	NY0025429	WASHINGTON	24	113 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
CALLICOON SEWER DISTRICT	NY0110574	DELAWARE	24	114 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
ROSEMOND ESTATES	NY0101052	FALLSBURGH	24	115 / 1441	Region #3
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
V-BLOOMINGBURG STP	NY0208426	MAMAKATING	23	116 / 1441	Region #3
Factor: 11 Score: 5 Multiplier: 1 Points: 5 Reason: FACILITY WILL AT MINIMUM BE RECOMMENDED FOR ENFORCEABLE CHRONIC WET LIMITS ON THE BASIS OF THE FIRST TEST. WET TESTING IS GOING TO BE ADDED TO THE ORDER.					
14	18	3	6	Longevity - updated on 3/27/15	
BUCHANAN ELECTRICAL SUBSTATION	NY0267911	CORTLANDT	22	117 / 1441	Region #3
Factor: 14 Score: 12 Multiplier: 3 Points: 4 Reason: Longevity - updated on 3/27/15					
4A	10	1	10		
OTISVILLE FEDERAL CORRECTIONAL FACILITY	NY0037397	MOUNT HOPE	21	118 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
BLOOMING GROVE TAPPAN HOMES SEWER DIST	NY0062251	BLOOMING GROVE	21	119 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CARMEL HILLSDALE ESTATES STP	NY0030678	CARMEL	21	120 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
BETHEL KAUNEONGA LAKE STP	NY0099368	BETHEL	21	121 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
PRAXAIR SURFACE TECHNOLOGIES	NY0007579	ORANGETOWN	21	122 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
MACK BROTHERS	NY0005622	GOSHEN	21	123 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
BLACKBERRY HILL SANITARY SD STP	NY0062570	SOUTHEAST	21	125 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
BREWSTER TRANSIT READY MIX	NY0264431	SOUTHEAST	21	126 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CARMEL SEWER DIST 4 STP	NY0105252	CARMEL	21	127 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
WOODBURY VALLEY FORGE SEWER DIS 1 STP	NY0020478	WOODBURY	21	128 / 1441	Region #3
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
AVON WWTP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023493	FALLSBURGH	21	129 / 1441	Region #3
DEEP GREEN OF NEW YORK SOIL RECYCLING FACILITY <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024261	NEW WINDSOR	18	130 / 1441	Region #3
COLD SPRING WWTP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022721	PHILIPSTOWN	18	138 / 1441	Region #3
CRAWFORD PINE BUSH STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110019	CRAWFORD	18	139 / 1441	Region #3
SPRAIN BROOK CENTRAL SUBSTATION <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15 4B 5 1 5 Needs BMP Plan	NY0251291	YONKERS	17	140 / 1441	Region #3
WARWICK SEWER DIS 1 STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021890	WARWICK	15	141 / 1441	Region #3
MAYBROOK STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023272	MONTGOMERY	15	142 / 1441	Region #3
OAKRIDGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030767	LEWISBORO	15	143 / 1441	Region #3
NYCDEP - GRAHAMSVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0026549	NEVERSINK	15	144 / 1441	Region #3
MAYBROOK TRAVEL CENTER <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0145718	MONTGOMERY	15	145 / 1441	Region #3
ROSENDALE WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0109061	ROSENDALE	15	146 / 1441	Region #3
KERHONKSON WWTF - KERHONKSON SD <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0109924	WAWARSING	15	147 / 1441	Region #3
NARROWSBURG SEWER DISTRICT STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110205	TUSTEN	15	148 / 1441	Region #3
WAWAYANDA RIDGEBURY LAKE ACRES SEWER DIS <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0062278	WAWAYANDA	15	149 / 1441	Region #3
LOCH SHELDRAKE WWTP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024538	FALLSBURGH	15	150 / 1441	Region #3
CITY OF MOUNT VERNON DPW GARAGE <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0260312	MOUNT VERNON	15	151 / 1441	Region #3
CAMP SMITH TRAINING SITE <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030503	CORTLANDT	15	154 / 1441	Region #3
DALTON FARMS WWTP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0214531	BEEKMAN	15	155 / 1441	Region #3
VA HUDSON VALLEY HEALTH CARE SYSTEM <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021326	CORTLANDT	15	156 / 1441	Region #3
WOODBINE YARD <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0264024	RAMAPO	15	157 / 1441	Region #3
CONTINENTAL BUCHANAN LLC <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0006645	CORTLANDT	12	158 / 1441	Region #3
RIVERSIDE ESTATES <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0032409	FALLSBURGH	12	161 / 1441	Region #3
WILLOW GROVE TRAILER PARK <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0105139	HAVERSTRAW	12	162 / 1441	Region #3
REED FARMS STP <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0145858	SOUTHEAST	12	163 / 1441	Region #3
STRATFORD FARMS <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0218944	POUGHKEEPSIE	12	164 / 1441	Region #3
ENNIS MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15	NY0218952	PLEASANT VALLEY	12	165 / 1441	Region #3

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CAMP HORIM	NY0248533	WAWARSING	12	166 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
BUCHANAN - V STP	NY0029971	CORTLANDT	12	167 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
CHADWICK LAKE WATER FILTRATION PLANT	NY0165921	NEWBURGH	12	168 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
HIGHWAY DEPT MAINTENANCE GARAGE	NY0259811	CARMEL	9	171 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
THE WALTER HOVING HOME	NY0145459	PHILIPSTOWN	9	173 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
TILCON QUARRIES HAVERSTRAW PLANT	NY0005231	HAVERSTRAW	8	174 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
4B	5	1	5	Needs BMP Plan	
MACOLLO LLC	NY0251241	HURLEY	3	175 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>					
PINEBROOK ESTATES STP	NY0034584	HYDE PARK	0	176 / 1441	Region #3
<u>Factor:</u> 14 <u>Score:</u> 0 <u>Multiplier:</u> 3 <u>Points:</u> 0 <u>Reason:</u>					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
COEYMANS-RAVENA WATER POLLUTION CONTROL FACILITY	NY0022772	COEYMANS	112	1 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15					
1B 25 5 5					
COLONIE - T MOHAWK VIEW WTP & WELL FIELD	NY0102148	COLONIE	111	2 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15					
5C 10 5 2					Potassium permanganate needs to be added as a water treatment chemical for zebra mussle control.
5C 10 5 2					chlorine dioxide needs to be approved for use as a chemical for zebra mussle control
5C 2 1 2					two storm water outfalls need to be added to permit without monitoring. They were constructed when the facility was upgraded. It doesn't seem like they would need BMPs because all loading areas are covered, a sump can contain spills from largest truck, an
5C 2 1 2					This is to add outfalls to permits for the weepholes from the freeze dry beds. Sampling was conducted for aluminum and total chlorine. Both were below permit limits. These weeps would likely be added without monitoring.
CASTLETON ON HUDSON - V STP	NY0030970	SCHODACK	87	3 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15					
RICHMONDVILLE - V STP	NY0022519	RICHMONDVILLE	87	4 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15					
VALATIE SEWAGE TREATMENT PLANT	NY0021806	KINDERHOOK	87	5 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15					
LINDE LLC	NY0084271	BETHLEHEM	82	6 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 5 1 5					
5C 2 1 2					
FALKE'S QUARRY	NY0223506	PRATTSVILLE	78	7 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity - updated on 3/27/15					
AMRI RENSSELAER	NY0241148	RENSSELAER	76	8 / 847	Region #4
<u>Factor:</u> 13 <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u>					
14 66 3 22					Longevity - updated on 3/27/15
COLUMBIA COUNTY COMMERCE CENTER	NY0240401	CLAVERACK	72	9 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity - updated on 3/27/15					
PINE RIDGE ESTATES	NY0036757	COEYMANS	66	10 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity - updated on 3/27/15					
VOORHEESVILLE - V SD 1 STP	NY0030139	NEW SCOTLAND	66	11 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity - updated on 3/27/15					
EAST SCHODACK WASTEWATER TREATMENT PLT	NY0242012	SCHODACK	65	12 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity - updated on 3/27/15					
5B 5 1 5					evaluation of the use of UOD instead of BOD given change in filter technology employed at facility.
CAPITAL DISTRICT SALT STORAGE	NY0241652	ALBANY	63	13 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity - updated on 3/27/15					
ALBANY ASU	NY0260860	BETHLEHEM	58	14 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15					
4B 5 1 5					
5C 2 1 2					
SCHOHARIE BUSINESS PARK	NY0249572	SCHOHARIE	57	15 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15					
CURTIS MOBILE HOME PARK	NY0192104	SCHODACK	57	16 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15					
NYS SUMMIT SHOCK CORRECTIONAL FACILITY	NY0030660	FULTON	57	17 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15					
SHARON SPRINGS STP	NY0033588	SHARON	57	18 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15					
GERMANTOWN WWTP	NY0260479	GERMANTOWN	57	19 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FRENCH WOODS ENRICHMENT CENTER	NY0260762	HANCOCK	54	20 / 847	Region #4
Factor: 14 Score: 54 Multiplier: 3 Points: 18 Reason: Longevity - updated on 3/27/15					
FLEISCHMANN'S WWTP	NY0261521	MIDDLETOWN	54	21 / 847	Region #4
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
99 15 3 5 Score added to comply with longevity scoring requirements in updated TOGS 1.2.2. As per the guidelines in the updated TOGS, the facility's longevity score should be 45, but this computer program has not been updated to reflect the new multipliers.					
CAIRO WWTP	NY0260819	CAIRO	51	22 / 847	Region #4
Factor: 14 Score: 51 Multiplier: 3 Points: 17 Reason: Longevity - updated on 3/27/15					
MOUNTAINSIDE FARMS INC	NY0084590	ROXBURY	51	23 / 847	Region #4
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					
99 15 1 15 Total score should be 45 based on January 2012 TOGS 1.2.2					
SEWARD - T STP	NY0212199	SEWARD	50	24 / 847	Region #4
Factor: 10 Score: 5 Multiplier: 1 Points: 5 Reason: SRF					
14 45 3 15 Longevity - updated on 3/27/15					
STOCKPORT WATER DIST #2	NY0268615	STOCKPORT	48	25 / 847	Region #4
Factor: 14 Score: 48 Multiplier: 3 Points: 16 Reason: Longevity - updated on 3/27/15					
POTIC RESERVOIR WTP	NY0261076	COXSACKIE	48	26 / 847	Region #4
Factor: 14 Score: 48 Multiplier: 3 Points: 16 Reason: Longevity - updated on 3/27/15					
SOUTH ALBANY SEWER DIST STP	NY0191825	BETHLEHEM	47	27 / 847	Region #4
Factor: 14 Score: 42 Multiplier: 3 Points: 14 Reason: Longevity - updated on 3/27/15					
5B 5 1 5 evaluation of the use of UOD instead of BOD given change in filter technology employed at facility.					
VALLEY FALLS WWTP	NY0261360	PITTSBURY	45	28 / 847	Region #4
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
ANDES SEWAGE TREATMENT PLANT	NY0262854	ANDES	45	29 / 847	Region #4
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
PRATTSVILLE STP	NY0263028	PRATTSVILLE	45	30 / 847	Region #4
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
DUANESBURG SEWER DIST 1 STP	NY0261271	DUANESBURG	45	31 / 847	Region #4
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
WINDHAM WASTEWATER TREATMENT PLANT	NY0262935	WINDHAM	45	32 / 847	Region #4
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
TANNERSVILLE - V STP	NY0026573	HUNTER	45	33 / 847	Region #4
Factor: 14 Score: 45 Multiplier: 3 Points: 15 Reason: Longevity - updated on 3/27/15					
SLEEPY HOLLOW LAKE STP	NY0025291	ATHENS	39	35 / 847	Region #4
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
COXSACKIE - V WTR TRT PLT	NY0268267	COXSACKIE	39	37 / 847	Region #4
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
COUNTRYSIDE MART - MOBIL GAS CONVENIENCE	NY0268275	DUANESBURG	39	38 / 847	Region #4
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
HUNTER - V WASTEWATER TREATMENT PLANT	NY0241075	JEWETT	39	39 / 847	Region #4
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
COLUMBIA CO ASSOC FOR RETARDED CITIZENS	NY0261530	CLAVERACK	39	40 / 847	Region #4
Factor: 14 Score: 39 Multiplier: 3 Points: 13 Reason: Longevity - updated on 3/27/15					
STAMFORD - V STP	NY0021555	STAMFORD	39	41 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
99 9 3 3 Total score should be 33 based on January 2012 TOGS 1.2.2.					
NATIONAL GYPSUM COMPANY	NY0122980	EAST GREENBUSH	38	42 / 847	Region #4
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity - updated on 3/27/15					
5B 5 1 5 BENZENE					
GOLF COURSE ROAD SEWAGE WORKS FACILITY	NY0261092	COPAQUE	36	44 / 847	Region #4
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
MARIAVILLE LAKE SEWER DISTRICT # 2	NY0268437	DUANESBURG	36	45 / 847	Region #4
Factor: 14 Score: 36 Multiplier: 3 Points: 12 Reason: Longevity - updated on 3/27/15					
CROSSGATES MALL	NY0107930	GUILDERLAND	33	46 / 847	Region #4
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity - updated on 3/27/15					
ATHENS - V WTR TRT PLT	NY0102041	ATHENS	33	47 / 847	Region #4
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity - updated on 3/27/15					
99 0 0 0 FACILITY DOES NOT DISCHAR					
MIDDLEBURGH - V STP	NY0192309	MIDDLEBURGH	33	48 / 847	Region #4
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity - updated on 3/27/15					
COUNTRY INN & SUITES	NY0263010	HARTWICK	33	49 / 847	Region #4
Factor: 14 Score: 33 Multiplier: 3 Points: 11 Reason: Longevity - updated on 3/27/15					
GUILDERLAND - T NE INDUSTRIAL PARK	NY0022217	GUILDERLAND	32	50 / 847	Region #4
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
5B 5 1 5 REANAL AMMONIA WINTER LIM					
TOWN OF GREENVILLE WWTP	NY0094854	GREENVILLE	30	51 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
ATHENS - V BRICKROW STP	NY0020877	ATHENS	30	53 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
SCHOHARIE - V STP	NY0023655	SCHOHARIE	30	54 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
ATHENS - V MAIN STP	NY0020869	ATHENS	30	55 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
COXSACKIE - V STP	NY0033545	COXSACKIE	30	56 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
CATAMOUNT SKI RESORT	NY0268569	COPAKE	30	57 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
CASS RESIDENTIAL CENTER	NY0031836	RENSELAERVILLE	30	58 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
DENVER SEWER CORP WWTP-ROXBURY RUN VILL	NY0099562	ROXBURY	30	59 / 847	Region #4
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
ATLAS COPCO COMPTEC	NY0084999	NEW SCOTLAND	28	60 / 847	Region #4
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
4B 5 1 5					
5C 2 1 2					
NORTH/SOUTH LAKE CAMPGROUND	NY0033570	HUNTER	27	61 / 847	Region #4
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
HANCOCK - V STP	NY0089702	HANCOCK	27	62 / 847	Region #4
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
ULTIMATE WISHY WASH CAR WASH	NY0122891	DUANESBURG	27	63 / 847	Region #4
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
99 0 0 0 GOING TO RECYCLE					
GREENVILLE WATER TREATMENT PLANT	NY0261416	GREENVILLE	27	64 / 847	Region #4
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
NEW BALTIMORE - T SD STP	NY0109151	NEW BALTIMORE	26	65 / 847	Region #4
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
4B 2 1 2 ADD BMP					
ALBANY - C FEURA BUSH WTR TRT PLT	NY0100145	BETHLEHEM	26	66 / 847	Region #4
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
5C 2 1 2					
MARGARETVILLE - V STP	NY0026531	MIDDLETOWN	24	67 / 847	Region #4
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
HUNTER HIGHLANDS WWTP	NY0061131	HUNTER	24	68 / 847	Region #4
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CATSKILL - T SD 4	NY0205044	CATSKILL	24	69 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
NYC DEP-GRAND GORGE STP	NY0026565	ROXBURY	24	70 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
BRACE RESIDENTIAL CENTER	NY0029955	MASONVILLE	24	71 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
RAVENA - V WTR TRT PLT	NY0106992	COEYMANS	24	72 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
BETHLEHEM - T VLY WTR TREAT PLT & RESERVOIR	NY0099651	NEW SCOTLAND	24	73 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
WATERVLIET - C WATER TREATMENT PLANT	NY0100153	COLONIE	24	74 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
SCHODACK LANDING SEWERS	NY0268852	SCHODACK	24	75 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ROLLING HILLS MOBILE HOME PARK	NY0078328	COEYMANS	24	77 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
ROCK SALT STORAGE FACILITY - TROY	NY0260843	TROY	23	78 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
4B	5	1	5		
LIVINGSTON TOWN HIGHWAY GARAGE	NY0268844	LIVINGSTON	21	79 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
CAMP MACHNE TASHBAR	NY0263061	HUNTER	21	80 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
CENTRAL BRIDGE SEWER DIST WWTP	NY0263087	ESPERANCE	21	81 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
HILLSDALE SEWER PROJECT	NY0268771	HILLSDALE	21	82 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
BERNE WASTEWATER PROJECT	NY0268976	BERNE	21	85 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
HANNAFORD SUPERMARKET	NY0269085	DUANESBURG	21	86 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
STOCKPORT - T KINGS ACRES STP	NY0031291	STOCKPORT	18	88 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
SEWAGE SYSTEM HAMLET OF RENSSELAERVILLE	NY0240770	RENSSELAERVILLE	18	89 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
PLEASANT STREET SEWER DISTRICT #2	NY0107051	NEW SCOTLAND	18	90 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
NYS NEW BALTIMORE SERVICE AREA	NY0027359	NEW BALTIMORE	18	92 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
GILBERTSVILLE-MT UPTON CENTRAL SCHOOL	NY0249319	BUTTERNUTS	18	93 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u>					
COLONIE LOCOMOTIVE SHOPS	NY0088188	COLONIE	15	94 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
BREWERY OMMEGANG	NY0260509	MIDDLEFIELD	15	95 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
COLUMBIA GREENE COMMUNITY COLLEGE	NY0030392	GREENPORT	15	98 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
MONTGOMERY CO SD 1	NY0107565	PALATINE	15	99 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 5 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
HOBART - V WWTP	NY0029254	STAMFORD	15	100 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
ROBERT W HARROLD EDUCATION CENTER	NY0097446	MASONVILLE	12	101 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ROTTERDAM SQUARE MALL	NY0109614	ROTTERDAM	12	102 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
CAMP FRENCH WOODS	NY0100480	HANCOCK	12	103 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
ALTAMONT - V STP	NY0031534	GUILDERLAND	12	104 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
CAPSTONE CENTER FOR REHABILITATION AND NURSING	NY0088293	AMSTERDAM	6	106 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					
NYS PATTERSONVILLE SERVICE AREA	NY0027391	FLORIDA	3	107 / 847	Region #4
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
GREENWICH STP <u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15	NY0131555	GREENWICH	87	1 / 578	Region #5
WORD OF LIFE CAMP <u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity - updated on 3/27/15	NY0130273	CHESTER	78	2 / 578	Region #5
3-J FUELS TRUCK SALES/SERVICE CENTER <u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15	NY0230766	CHAMPLAIN	75	3 / 578	Region #5
FREDERICK'S POINT SEWER DISTRICT NO 2 <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0265365	DRESDEN	72	4 / 578	Region #5
TOWN OF BOLTON WWTP <u>Factor:</u> 14 <u>Score:</u> 69 <u>Multiplier:</u> 3 <u>Points:</u> 23 <u>Reason:</u> Longevity - updated on 3/27/15 99 0 0 0 30	NY0093688	BOLTON	69	5 / 578	Region #5
RIVERVIEW LANDING STP <u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity - updated on 3/27/15	NY0131768	CLIFTON PARK	63	6 / 578	Region #5
NEW COUNTRY TOYOTA & SCION OF CLIFTON PARK <u>Factor:</u> 14 <u>Score:</u> 63 <u>Multiplier:</u> 3 <u>Points:</u> 21 <u>Reason:</u> Longevity - updated on 3/27/15	NY0251771	HALFMOON	63	7 / 578	Region #5
SCHROON LAKE WWTP <u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020231	SCHROON	57	8 / 578	Region #5
WESTPORT WWTP <u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020222	WESTPORT	57	9 / 578	Region #5
WARRENSBURG SEWER DISTRICT # 1 <u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15	NY0248720	WARRENSBURG	57	10 / 578	Region #5
HAMLET OF CHAZY SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15	NY0255971	CHAZY	45	11 / 578	Region #5
KEESEVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15 6A 5 1 5 Mercury minimization 99 5 1 5 SPDES permit modification required to authorize permittee's request for increased flow limit.	NY0025097	AUSABLE	43	12 / 578	Region #5
TOWN OF HAGUE SEWER DISTRICT # 1 <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15	NY0265217	HAGUE	42	13 / 578	Region #5
NYS DOT MAINTENANCE SUBHEADQUARTERS <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15	NY0248665	HALFMOON	39	14 / 578	Region #5
ROYAL ANCHORAGE SEWER DISTRICT NO 1 <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0265594	PUTNAM	36	15 / 578	Region #5
VILLAGE OF BROADALBIN WWTF <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0251739	BROADALBIN	33	17 / 578	Region #5
LYON MOUNTAIN SEWER DIST WWTP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15 5B 5 1 5 NH3,PHOS,STREAM RECLASS	NY0239577	DANNEMORA	32	18 / 578	Region #5
SPECULATOR - V STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0026484	LAKE PLEASANT	30	19 / 578	Region #5
CHATEAUGAY FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035343	CHATEAUGAY	30	20 / 578	Region #5
NORTHAMPTON SACANDAGA PARK SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030066	NORTHAMPTON	30	21 / 578	Region #5
BRAINARDSVILLE S. D. #1 WWTP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0255726	BELLMONT	30	22 / 578	Region #5
ADIRONDACK FISH CULTURE STATION <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035335	SANTA CLARA	30	23 / 578	Region #5
HADLEY SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020184	HADLEY	27	24 / 578	Region #5
FOREST HILLS MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0034711	MILTON	27	25 / 578	Region #5

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SCHUYLERVILLE STP	NY0031941	SARATOGA	26	26 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
5C 2 1 2 NEED FLOW LIMIT					
CORINTH STP	NY0020397	CORINTH	24	27 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
HULETT'S LANDING SEWER DISTRICT NO 1	NY0248983	DRESDEN	24	28 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
BLOOMINGDALE STP	NY0020991	ST ARMAND	24	29 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
STILLWATER STP	NY0093637	STILLWATER	24	30 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
FORT ANN STP	NY0030627	FORT ANN	24	31 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
AUSABLE FORKS COMMUNITY WWTF	NY0201910	JAY	24	32 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
WADHAMS SEWER DISTRICT WWTF	NY0217760	WESTPORT	24	33 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
WASHINGTON CORRECTIONAL FACILITY	NY0202070	FORT ANN	24	34 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason:					
NYS GREAT MEADOW CORRECTIONAL FACILITY	NY0035041	FORT ANN	24	35 / 578	Region #5
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason:					
PERU VALCOUR SD STP	NY0183636	PERU	21	36 / 578	Region #5
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
WATERFORD WATER WORKS	NY0265667	WATERFORD	21	37 / 578	Region #5
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
PERU STP	NY0023949	PERU	21	38 / 578	Region #5
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
VILLAGE OF MAYFIELD WWTP	NY0252042	MAYFIELD	18	39 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CHAMPLAIN STP	NY0032204	CHAMPLAIN	18	40 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
WILLSBORO SEWER DISTRICT NO. 1 WASTEWATER TREATMENT FAC	NY0239682	WILLSBORO	18	41 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
NYS ALTONA CORRECTIONAL FACILITY	NY0183512	ALTONA	18	42 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
MOHAWK RIVER COUNTRY CLUB & CHATEAU	NY0130826	CLIFTON PARK	18	43 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
ST REGIS FALLS WWTP	NY0255858	WAVERLY	18	44 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
WINEBROOK HILLS SD WWTP	NY0023132	NEWCOMB	18	45 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CADYVILLE WASTEWATER TREATMENT PLANT	NY0255751	PLATTSBURGH	18	47 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CROWN POINT SD #1 WWTF	NY0239844	CROWN POINT	18	49 / 578	Region #5
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
PORT HENRY/MORIAH JOINT WWTF	NY0022969	MORIAH	15	50 / 578	Region #5
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity - updated on 3/27/15					
SUNSET BAY VACATION RESORT	NY0022527	MAYFIELD	15	51 / 578	Region #5
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity - updated on 3/27/15					
NORTHWAY MOBILE HOME PARK	NY0131423	PERTH	15	52 / 578	Region #5
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity - updated on 3/27/15					
INDIAN LAKE SD	NY0023329	INDIAN LAKE	15	53 / 578	Region #5
Factor: 14 Score: 15 Multiplier: 3 Points: 5 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CHAUMONT WWTP <u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257851	LYME	60	2 / 548	Region #6
HERRINGS - V STP <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15	NY0236306	WILNA	45	3 / 548	Region #6
HINCKLEY RESERVOIR WATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0218481	TRENTON	27	4 / 548	Region #6
CAPE VINCENT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021393	CAPE VINCENT	27	5 / 548	Region #6
POTSDAM SEWER DISTRICT NO 1 STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023337	POTSDAM	27	6 / 548	Region #6
WATERTOWN SD #1 <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0099091	WATERTOWN	27	8 / 548	Region #6
CLAYTON/DEPAUVILLE SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0215791	CLAYTON	27	9 / 548	Region #6
DEFERIT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020931	WILNA	27	10 / 548	Region #6
ORLEANS LAFARGEVILLE STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0121070	ORLEANS	27	11 / 548	Region #6
OWL WIRE AND CABLE INC - ROME FACILITY <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0006548	ROME	24	12 / 548	Region #6
WATERVILLE STP <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0028461	MARSHALL	24	13 / 548	Region #6
REDWOOD SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0215911	THERESA	24	14 / 548	Region #6
WORTHINGTON STEEL - ROME <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0000850	ROME	24	15 / 548	Region #6
HAMMOND -V SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0033561	HAMMOND	24	16 / 548	Region #6
ORISKANY FALLS WWTP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020923	AUGUSTA	21	17 / 548	Region #6
NYS VAN HORNESVILLE STATE FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035408	STARK	21	18 / 548	Region #6
PORT LEYDEN STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030341	LEYDEN	21	19 / 548	Region #6
EDWARDS STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023809	EDWARDS	21	20 / 548	Region #6
BRASHER FALLS SEWER DIST STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030732	BRASHER	21	21 / 548	Region #6
VILLAGE OF ANTWERP WWTP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0235890	ANTWERP	21	22 / 548	Region #6
MADRID WATER POLL CNTRL PLANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024635	MADRID	21	23 / 548	Region #6
NYS ROME FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035394	ROME	21	24 / 548	Region #6
HEUVELTON WATER POLL CTRL PLANT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0027146	OSWEGATCHIE	21	25 / 548	Region #6
EVANS MILLS WASTEWATER TREATMENT FAC <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024660	LE RAY	21	26 / 548	Region #6
DEKALB JUNCTION SEWAGE TREATMENT PLT <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0034762	DEKALB	21	27 / 548	Region #6
COLTON STP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022012	COLTON	21	28 / 548	Region #6

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ORLEANS/ALEXANDRIA JOINT WWTP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0258059	ALEXANDRIA	21	29 / 548	Region #6
PHILADELPHIA WWTP <u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0033022	PHILADELPHIA	21	30 / 548	Region #6
NYS GLENFIELD SEWER DIST <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020281	MARTINSBURG	18	31 / 548	Region #6
VILLAGE OF REMSEN WWTF <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0235776	REMSEN	18	32 / 548	Region #6
FINE - T WANAKENA SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0034533	FINE	18	33 / 548	Region #6
VILLAGE HERMON WASTEWATER TREATMENT <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257532	HERMON	18	34 / 548	Region #6
RENSELAER FALLS (V) WWTP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257613	CANTON	18	35 / 548	Region #6
ORLEANS THOUSAND ISLAND PARK STP <u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030686	ORLEANS	18	37 / 548	Region #6
LYONS FALLS WASTEWATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257737	WEST TURIN	15	38 / 548	Region #6
OLD FORGE SEWER DISTRICT WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021351	WEBB	15	39 / 548	Region #6
GRIFFISS CENTRAL HEAT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0256986	ROME	15	40 / 548	Region #6
TABERG SEWER DISTRICT WASTEWATER TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257001	ANNSVILLE	15	41 / 548	Region #6
CONSTABLEVILLE STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110418	WEST TURIN	15	42 / 548	Region #6
CROGHAN STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0206768	CROGHAN	15	43 / 548	Region #6
WADDINGTON WWTF <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030180	WADDINGTON	15	44 / 548	Region #6
VILLAGE OF THERESA WWTF <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0207004	THERESA	15	45 / 548	Region #6
FORESTPORT SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0236756	FORESTPORT	15	46 / 548	Region #6
LISBON SEWAGE TREATMENT FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257559	LISBON	15	47 / 548	Region #6
NORTH LAWRENCE & NICHOLVILLE STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0110116	LAWRENCE	15	48 / 548	Region #6
DEXTER STP <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0031461	BROWNVILLE	15	49 / 548	Region #6
MORRISTOWN (V) WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0206997	MORRISTOWN	15	50 / 548	Region #6
GOVERNEUR (T) WASTEWATER SYSTEM <u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15	NY0236438	GOVERNEUR	15	51 / 548	Region #6
NORFOLK SD 1 <u>Factor:</u> 12 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> Environmental Advocates commented on the permit renewal in 2009. 14 6 3 2 Longevity - updated on 3/27/15	NY0023604	NORFOLK	11	52 / 548	Region #6
REMINGTON ARMS CO <u>Factor:</u> 5A <u>Score:</u> 10 <u>Multiplier:</u> 1 <u>Points:</u> 10 <u>Reason:</u> REGIONAL CONCERN	NY0005282	GERMAN FLATTS	10	53 / 548	Region #6
COPENHAGEN VILLAGE WWTP <u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15	NY0257711	DENMARK	9	54 / 548	Region #6
CLARK MILLS SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15	NY0029076	KIRKLAND	6	55 / 548	Region #6

**EBPS ENB List -**

**July, 2015**

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CASTORLAND WASTEWATER TREATMENT FAC	NY0033511	DENMARK	3	56 / 548	Region #6
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
CITY OF ONEIDA WATER TREATMENT PLANT	NY0100846	ANNSVILLE	3	57 / 548	Region #6
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
BEAVER FALLS SEWER DISTRICT	NY0270091	CROGHAN	3	58 / 548	Region #6
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CORNER LAUNDRY	NY0213705	SANDY CREEK	66	1 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 66 <u>Multiplier:</u> 3 <u>Points:</u> 22 <u>Reason:</u> Longevity - updated on 3/27/15					
SOUTH OTSELIC FISH HATCHERY	NY0244431	OTSELIC	54	2 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 54 <u>Multiplier:</u> 3 <u>Points:</u> 18 <u>Reason:</u> Longevity - updated on 3/27/15					
TESSY PLASTICS CORP	NY0244872	ELBRIDGE	42	4 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15					
NICHOLS ELEM SCHOOL	NY0262315	NICHOLS	42	6 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15					
HURON CAMPUS	NY0262706	UNION	40	7 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
99 5 1 5 <u>Reason:</u> Permittee notified DEC that "several outfalls have become inactive and processes have been relocated or removed."					
NICHOLS (T) STP	NY0262480	NICHOLS	39	8 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
ONONDAGA COUNTY DOT FACILITY AT JAMESVILLE	NY0261785	DEWITT	39	9 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
PIT STOP TRAVEL CENTER	NY0262374	CORTLANDVILLE	39	10 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
MORRISVILLE VILLAGE WASTEWATER TP	NY0261742	EATON	39	11 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
KIRKWOOD WD NO 4, WELL 3	NY0231088	KIRKWOOD	39	12 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15					
CORNELL UNIVERSITY MAIN CAMPUS	NY0231878	ITHACA	36	13 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
LANSING RESIDENTIAL CENTER	NY0098302	LANSING	36	14 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
HIDDEN VALLEY TRAILER PARK	NY0244368	SENNETT	36	15 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
INTERSTATE 81 INFORMATION CENTER	NY0244554	KIRKWOOD	33	16 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
GLENDALE TECHNOLOGY PARK	NY0003905	UNION	33	17 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
GREEN HAVEN COMMUNITY	NY0213845	SANDY CREEK	33	18 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15					
JOHNSON CITY - V OVERFLOWS	NY0023981	UNION	30	20 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
SALMON RIVER FISH HATCHERY	NY0109053	ALBION	30	21 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15					
MORRISVILLE STATE COLLEGE - AQUACULTURE CENTER	NY0213942	EATON	30	23 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u>					
MARATHON - V STP	NY0028363	MARATHON	27	24 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
OXFORD - V STP	NY0156876	OXFORD	27	25 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
JORDAN STP	NY0105007	ELBRIDGE	27	26 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
VILLAGE OF DEPOSIT WPCP	NY0029211	SANFORD	27	28 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
TOWN OF VIRGIL SEWER DISTRICT #1 WWTP	NY0027197	VIRGIL	27	29 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
FRAZER AND JONES CO DIV EASTERN CO	NY0232491	GEDDES	27	30 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CHITTENANGO - V STP	NY0021539	SULLIVAN	24	32 / 610	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
CAYUGA - V STP	NY0025241	AURELIUS	24	33 / 610	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
MEXICO - V STP	NY0036617	MEXICO	24	34 / 610	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
PARISH - V STP	NY0107654	PARISH	24	35 / 610	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
CORNELL UNIVERSITY LAKE SOURCE COOLING FACILITY	NY0244741	ITHACA	24	36 / 610	Region #7
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
PARKWOOD SEWER DISTRICT	NY0213934	BINGHAMTON	21	37 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CENTRAL SQUARE - V STP	NY0035131	HASTINGS	21	38 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
WEEDSPORT (V) WWTP	NY0020559	BRUTUS	21	39 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
COUNTRY ACRES MOBILE HOME PARK	NY0104710	DRYDEN	21	40 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SUNY AT MORRISVILLE	NY0029700	EATON	21	41 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CHENANGO NORTHGATE WWTP	NY0213781	CHENANGO	21	42 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
PRIDE MANOR PARK (MHP)	NY0155331	CONKLIN	21	43 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
MADISON MARKETPLACE	NY0262021	MADISON	21	44 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
PORT BYRON (V) WWTP	NY0020338	MENTZ	21	45 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SONG MOUNTAIN SKI RESORT	NY0154814	PREBLE	21	46 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
BRENNAN BEACH RV RESORT LLC	NY0216321	RICHLAND	21	47 / 610	Region #7
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
SANFORD - T OQUAGA LAKE STP	NY0110795	SANFORD	18	48 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CLEVELAND - V STP	NY0214370	CONSTANTIA	18	49 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
MORAVIA - V STP	NY0022756	MORAVIA	18	50 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
CUYLER - T SD #1	NY0090867	CUYLER	18	51 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
TULLY - V STP	NY0026824	TULLY	18	52 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
FOREST MANOR MHP	NY0152161	FENTON	18	53 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
GREENE - V STP	NY0021407	GREENE	18	54 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
BAINBRIDGE - V STP	NY0030597	BAINBRIDGE	18	55 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
SKANEATELES (V) WWTP	NY0094480	SKANEATELES	18	56 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					
GROTON - V STP	NY0025585	GROTON	18	57 / 610	Region #7
Factor: 14 Score: 18 Multiplier: 3 Points: 6 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
FREEVILLE - V STP	NY0110493	DRYDEN	18	58 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
BIG BAY SEWER DISTRICT STP	NY0216291	WEST MONROE	18	60 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
PENN CAN TRUCK STOP & RESTAURANT	NY0154822	WEST MONROE	18	61 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 18 <u>Multiplier:</u> 3 <u>Points:</u> 6 <u>Reason:</u> Longevity - updated on 3/27/15					
CHENANGO HEIGHTS DISPOSAL	NY0153206	CHENANGO	15	62 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
FENTON - T PORTER HOLLOW RD SD	NY0156299	FENTON	15	63 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
IWGBWD - JORDAN FACILITY	NY0105881	ELBRIDGE	15	64 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
CAMP BRIHAT	NY0032344	GEORGETOWN	15	65 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
CONIFER MOBILE VILLAGE	NY0033456	SCHROEPEL	15	66 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
WAVERLY - V STP	NY0031089	BARTON	15	68 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
NEWFIELD - T SD 1	NY0110752	NEWFIELD	15	69 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
AURORA - V STP	NY0023558	LEDYARD	12	71 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
MARCELLUS - V STP	NY0020532	MARCELLUS	12	72 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
TOWN OF CHENANGO SEWER DISTRICT # 10	NY0233200	CHENANGO	12	73 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
UNION SPRINGS - V STP	NY0024228	SPRINGPORT	12	76 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
NYS GREEN LAKES STATE PARK	NY0032506	MANLIUS	12	78 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SOUTHERN CAYUGA MIDDLE & SENIOR HIGH SCHS	NY0231916	VENICE	12	79 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
SHERBURNE - V STP	NY0021466	SHERBURNE	12	80 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> longevity					
ONEIDA FISH HATCHERY	NY0216348	CONSTANTIA	9	81 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
HUHTAMAKI INC	NY0001902	FULTON	9	82 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
OSWEGO - T SLEEPY HOLLOW STP	NY0029238	OSWEGO	9	83 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
BEACONVIEW VILLAGE	NY0155730	DRYDEN	9	85 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
COUNTRY GARDENS APARTMENTS	NY0213632	DRYDEN	9	86 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
SMYRNA (V) WASTEWATER TREATMENT FACILITY	NY0244287	SMYRNA	9	87 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
TRUMANSBURG - V STP	NY0024902	ULYSSES	9	88 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity - updated on 3/27/15					
BASS LAKE RESORT	NY0087858	PARISH	9	89 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 9 <u>Multiplier:</u> 3 <u>Points:</u> 3 <u>Reason:</u> Longevity, update score 4/20/2015					
WASHINGTON HEIGHTS MOBILE HOME PARK	NY0262269	ULYSSES	6	90 / 610	Region #7
<u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
WHITNEY POINT STP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> updating tracking system	NY0262552	TRIANGLE	6	91 / 610	Region #7
METALICO ALUMINUM RECOVERY INC <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u>	NY0261947	DEWITT	6	92 / 610	Region #7
FORT BREWERTON SD WWTP <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> longevity (updated 04/13/2015)	NY0245062	HASTINGS	6	93 / 610	Region #7
VIRGINIA CITY MOBILE HOME PARK <u>Factor:</u> 14 <u>Score:</u> 6 <u>Multiplier:</u> 3 <u>Points:</u> 2 <u>Reason:</u> longevity	NY0244571	FENTON	6	94 / 610	Region #7
DRYDEN - V STP <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15	NY0029190	DRYDEN	3	95 / 610	Region #7
MACCORMICK CENTER <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>	NY0075361	CAROLINE	3	96 / 610	Region #7
CAZENOVIA WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>	NY0028525	CAZENOVIA	3	97 / 610	Region #7
MANTH-BROWNELL INC <u>Factor:</u> 14 <u>Score:</u> 0 <u>Multiplier:</u> 3 <u>Points:</u> 0 <u>Reason:</u>	NY0244414	SULLIVAN	0	98 / 610	Region #7

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
<b>SHELBY ETHANOL PLANT</b>	NY0271497	SHELBY	202	1 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
4A 50 5 10 Facility requires substantial permit modifications.					
5B 25 5 5 Oil and Grease					
5B 25 5 5 Ethylbenzene					
5B 25 5 5 Toluene					
5B 25 5 5 Xylene					
5B 25 5 5 Benzene					
<b>MT MORRIS-V STP</b>	NY0030741	MOUNT MORRIS	95	2 / 635	Region #8
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> ON SRF LIST					
14 90 3 30 Longevity - updated on 3/27/15					
<b>MARION - T STP</b>	NY0031569	MARION	95	3 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15					
99 20 2 10					
<b>OAKFIELD - V STP</b>	NY0023639	OAKFIELD	93	4 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 93 <u>Multiplier:</u> 3 <u>Points:</u> 31 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>HONEOYE FALLS - V STP</b>	NY0025259	MENDON	87	5 / 635	Region #8
<u>Factor:</u> 10 <u>Score:</u> 5 <u>Multiplier:</u> 1 <u>Points:</u> 5 <u>Reason:</u> SRF LOAN LIST					
14 57 3 19 Longevity - updated on 3/27/15					
5B 25 5 5 Disinfection and TRC limit required.					
<b>PAINTED POST OPERATION</b>	NY0021008	ERWIN	87	6 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 87 <u>Multiplier:</u> 3 <u>Points:</u> 29 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>HONEOYE LAKE COUNTY SD STP</b>	NY0107255	RICHMOND	78	7 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 78 <u>Multiplier:</u> 3 <u>Points:</u> 26 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>INTERLAKEN - V STP</b>	NY0029289	COVERT	75	8 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>CORFU - V STP</b>	NY0108430	PEMBROKE	75	9 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>MONROE CO SHOREMONT WTR TREAT PLT</b>	NY0063673	GREECE	75	10 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>MONTOUR FALLS - V STP</b>	NY0021865	MONTOUR	75	11 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 75 <u>Multiplier:</u> 3 <u>Points:</u> 25 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>MACEDON - V STP</b>	NY0023612	MACEDON	72	12 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>SODUS - V STP</b>	NY0021482	SODUS	72	13 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 72 <u>Multiplier:</u> 3 <u>Points:</u> 24 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>RUSHVILLE - V STP</b>	NY0161071	GORHAM	61	14 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
99 25 5 5 Permittee requested capacity increase 2008					
<b>DARIEN WASTEWATER TREATMENT FACILITY</b>	NY0228346	DARIEN	60	15 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 60 <u>Multiplier:</u> 3 <u>Points:</u> 20 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>JUNIUS-T FL OUTLET CENTER WWTP</b>	NY0245623	JUNIUS	57	16 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 57 <u>Multiplier:</u> 3 <u>Points:</u> 19 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>TURNBULL MFG CO INC</b>	NY0246034	EAST BLOOMFIELD	51	17 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 51 <u>Multiplier:</u> 3 <u>Points:</u> 17 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>SAVANNAH-T WWTP COMBINED SEWER DISTRICT</b>	NY0162663	SAVANNAH	46	18 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15					
5B 5 1 5 MODIFY CBOD DUE TO RECLAS					
5B 5 1 5 MODIFY AMMONIA RECLASS					
<b>KANONA TRUCK STOP</b>	NY0159930	BATH	45	19 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					
<b>NYS GROVELAND CORRECTIONAL FACILITY</b>	NY0030279	GROVELAND	45	20 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SENECA COUNTY SEWER DISTRICT #2 -W/ 2 WWTPS <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15	NY0246972	ROMULUS	45	21 / 635	Region #8
TROUPSBURG WWTP <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15	NY0246999	TROUPSBURG	42	22 / 635	Region #8
RED CREEK REGIONAL WWTP <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15	NY0246930	WOLCOTT	42	23 / 635	Region #8
CLYDE - V STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15 3A 10 1 10 COPPER IN SLUDGE	NY0023965	GALEN	40	24 / 635	Region #8
BONDUELLE USA INC - OAKFIELD FACILITY <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15	NY0063681	OAKFIELD	39	25 / 635	Region #8
ELBA - V STP <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020907	ELBA	39	26 / 635	Region #8
CAMP MONTEREY SHOCK INCARCERATION FAC <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0098418	ORANGE	36	27 / 635	Region #8
BYRON SD STP <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0160971	BYRON	36	28 / 635	Region #8
O-AT-KA MILK PRODUCTS COOP INC <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15 5C 2 1 2 DAILY TEMP MONITORING	NY0002810	BATAVIA	35	29 / 635	Region #8
NUNDA - V STP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0108421	NUNDA	33	30 / 635	Region #8
MIZKAN AMERICAS INC LYNDONVILLE PLANT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0002577	YATES	33	31 / 635	Region #8
CLIFTON SPRINGS - V WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020311	MANCHESTER	33	32 / 635	Region #8
JASPER-T WWTP <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0247251	JASPER	33	33 / 635	Region #8
HARBEC PLASTICS INC <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0247201	ONTARIO	33	34 / 635	Region #8
VILLAGE OF BERGEN SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15 5B 5 1 5 MODIFY AMMONIA RECLASS	NY0110434	BERGEN	32	35 / 635	Region #8
ADDISON - V STP <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020320	ADDISON	30	36 / 635	Region #8
U S VETERANS ADMINISTRATION MEDICAL CENTER <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024287	CANANDAIGUA	30	37 / 635	Region #8
BATH FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035424	URBANA	30	38 / 635	Region #8
UNION SCRAP PROCESSING INC <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0098817	CHILI	30	39 / 635	Region #8
PAVILION (HAMLET) SANITARY SEWAGE DISPOSAL SYSTEM <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0247197	PAVILION	30	40 / 635	Region #8
BULLY HILL VINEYARDS <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0098566	URBANA	27	42 / 635	Region #8
WOLCOTT - V STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020303	WOLCOTT	27	43 / 635	Region #8
MANCHESTER SHORTSVILLE STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0030813	MANCHESTER	27	44 / 635	Region #8
WAYLAND - V STP <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0032999	WAYLAND	27	45 / 635	Region #8
HEMLOCK LAKE - SHORELINE, OUTLET, DAM & COMPLEX <u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0228478	LIVONIA	27	46 / 635	Region #8

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
SOUTH CORNING - V WWTP	NY0110531	CORNING	27	47 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
CALEDONIA FISH HATCHERY	NY0035432	CALEDONIA	27	48 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
SPRINGWATER-T WWTP	NY0246450	SPRINGWATER	27	49 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
GROVELAND STATION STP	NY0247227	GROVELAND	27	50 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 27 <u>Multiplier:</u> 3 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15					
MIZKAN AMERICAS INC	NY0088625	SODUS	24	51 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
SENECA COUNTY SEWER DISTRICT #1 STP	NY0160407	OVID	24	52 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
SENECA FOODS CORP	NY0072257	GENEVA	24	53 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
BALDWIN RICHARDSON FOODS DISTRIBUTION CENTER	NY0076058	WILLIAMSON	24	54 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
SENECA FOODS- LEICESTER PLANT	NY0073113	LEICESTER	24	55 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
YANCEY'S FANCY INC	NY0069388	PEMBROKE	24	56 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
CAHOON FARMS	NY0104001	HURON	24	57 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
TOWN OF YORK WWTF	NY0023990	YORK	24	58 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
BONDUELLE USA INC - BERGEN FACILITY	NY0078794	BERGEN	24	59 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
LYONS - V STP	NY0022551	LYONS	24	60 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
LYNDONVILLE - V WATER TREATMENT PLT	NY0161683	YATES	24	61 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
BLOOMFIELD - V STP	NY0024007	EAST BLOOMFIELD	24	62 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 24 <u>Multiplier:</u> 3 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15					
CANISTEO - V STP	NY0023248	CANISTEO	21	63 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
ALEXANDER - V STP	NY0110523	ALEXANDER	21	64 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 21 <u>Multiplier:</u> 3 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15					
PHELPS - V STP	NY0024651	PHELPS	15	65 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 15 <u>Multiplier:</u> 3 <u>Points:</u> 5 <u>Reason:</u> Longevity - updated on 3/27/15					
VILLAGE OF LYNDONVILLE WWTP	NY0024678	YATES	12	66 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					
FLYING J TRAVEL PLAZA #693	NY0246077	PEMBROKE	12	67 / 635	Region #8
<u>Factor:</u> 14 <u>Score:</u> 12 <u>Multiplier:</u> 3 <u>Points:</u> 4 <u>Reason:</u> Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
ELECTRIC AVE SEWAGE PUMP STATION	NY0204072	HAMBURG	156	1 / 775	Region #9
Factor: 07	Score: 10	Multiplier: 1	Points: 10	Reason: CONSENT ORDER	
10	5	1	5	SRF PROJECT	
14	81	3	27	Longevity - updated on 3/27/15	
1A	10	1	10	TOGS for Type I SSO needs to be added to the permit.	
2A	50	5	10	303D LISTED WATER	
SILVER CREEK WWTP	NY0022411	HANOVER	150	2 / 775	Region #9
Factor: 14	Score: 150	Multiplier: 5	Points: 30	Reason: Longevity - updated on 3/27/15	
ERIE CO SD 4 OVERFLOW RETENTION FACILITY	NY0110698	CHEEKTOWAGA	97	3 / 775	Region #9
Factor: 10	Score: 5	Multiplier: 1	Points: 5	Reason: ON SRF LIST	
14	42	3	14	Longevity - updated on 3/27/15	
1A	50	5	10	SSO	
ELMA SD #5 - ELMA MEADOWS SUBDIVISION	NY0033995	ELMA	87	4 / 775	Region #9
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
SHERMAN WASTEWATER TREATMENT PLT	NY0036315	SHERMAN	87	5 / 775	Region #9
Factor: 14	Score: 87	Multiplier: 3	Points: 29	Reason: Longevity - updated on 3/27/15	
TOWN OF ELMA SEWER DISTRICT NO 7 - POND BROOK TOWNHOMES	NY0203360	ELMA	84	6 / 775	Region #9
Factor: 14	Score: 84	Multiplier: 3	Points: 28	Reason: Longevity - updated on 3/27/15	
FRIENDSHIP STP	NY0029301	FRIENDSHIP	84	7 / 775	Region #9
Factor: 14	Score: 84	Multiplier: 3	Points: 28	Reason: Longevity - updated on 3/27/15	
ELMA SD #4 BRIGGSWOOD	NY0032051	ELMA	81	8 / 775	Region #9
Factor: 14	Score: 81	Multiplier: 3	Points: 27	Reason: Longevity - updated on 3/27/15	
SOUTH & CENTER CHAUTAUQUA LAKE WWTP	NY0106895	ELLCOTT	80	9 / 775	Region #9
Factor: 14	Score: 80	Multiplier: 5	Points: 16	Reason: Longevity - updated on 3/27/15	
ELMA SD #1 JERGE SUBDIVISION	NY0023019	ELMA	78	10 / 775	Region #9
Factor: 14	Score: 78	Multiplier: 3	Points: 26	Reason: Longevity - updated on 3/27/15	
ALDEN STP	NY0020541	ALDEN	75	11 / 775	Region #9
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
CRANERIDGE SEWER DIST #1	NY0036714	CONCORD	75	12 / 775	Region #9
Factor: 14	Score: 75	Multiplier: 3	Points: 25	Reason: Longevity - updated on 3/27/15	
LINDE INC	NY0085294	BUFFALO	72	13 / 775	Region #9
Factor: 14	Score: 72	Multiplier: 3	Points: 24	Reason: Longevity - updated on 3/27/15	
NORTH CHAUTAUQUA LAKE SD WWTP	NY0020826	CHAUTAUQUA	70	14 / 775	Region #9
Factor: 14	Score: 70	Multiplier: 5	Points: 14	Reason: Longevity - updated on 3/27/15	
RIPLEY WATER POLLUTION CONTROL FACILITY	NY0025381	RIPLEY	69	15 / 775	Region #9
Factor: 14	Score: 69	Multiplier: 3	Points: 23	Reason: Longevity - updated on 3/27/15	
NIAGARA SPECIALTY METALS INC	NY0001899	NEWSTEAD	66	16 / 775	Region #9
Factor: 14	Score: 66	Multiplier: 3	Points: 22	Reason: Longevity - updated on 3/27/15	
OVERFLOW RETENTION FACILITY PLANT 6	NY0203734	WEST SENECA	62	17 / 775	Region #9
Factor: 14	Score: 12	Multiplier: 3	Points: 4	Reason: Longevity - updated on 3/27/15	
1A	50	5	10	SSO	
LEWISTON STP	NY0024481	LEWISTON	62	18 / 775	Region #9
Factor: 1B	Score: 57	Multiplier: 3	Points: 19	Reason:	
1B	5	1	5		
TOWN OF RANDOLPH SEWER DISTRICT	NY0258202	RANDOLPH	60	19 / 775	Region #9
Factor: 14	Score: 60	Multiplier: 3	Points: 20	Reason: Longevity - updated on 3/27/15	
BONNE VAL SUBDIVISION	NY0204650	GREAT VALLEY	57	20 / 775	Region #9
Factor: 14	Score: 57	Multiplier: 3	Points: 19	Reason: Longevity - updated on 3/27/15	
CATT CO DPW BARN	NY0258431	ALLEGANY	54	21 / 775	Region #9
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity - updated on 3/27/15	
ERIE CO S D NO 1 SANITARY OVERFLOWS	NY0091731	CHEEKTOWAGA	54	22 / 775	Region #9
Factor: 14	Score: 54	Multiplier: 3	Points: 18	Reason: Longevity - updated on 3/27/15	
BROCTON SEWAGE TREATMENT PLANT	NY0023507	PORTLAND	51	23 / 775	Region #9
Factor: 14	Score: 51	Multiplier: 3	Points: 17	Reason: Longevity - updated on 3/27/15	

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CAMERON COMPRESSION SYSTEMS <u>Factor:</u> 14 <u>Score:</u> 48 <u>Multiplier:</u> 3 <u>Points:</u> 16 <u>Reason:</u> Longevity - updated on 3/27/15	NY0171611	CHEEKTOWAGA	48	24 / 775	Region #9
AKRON SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 5 <u>Points:</u> 9 <u>Reason:</u> Longevity - updated on 3/27/15	NY0031003	NEWSTEAD	45	25 / 775	Region #9
ECSD #5 CLARENCE RESEARCH PARK <u>Factor:</u> 14 <u>Score:</u> 45 <u>Multiplier:</u> 3 <u>Points:</u> 15 <u>Reason:</u> Longevity - updated on 3/27/15	NY0167169	CLARENCE	45	26 / 775	Region #9
CON-WAY CENTRAL EXPRESS - XB0 <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15	NY0109878	TONAWANDA	42	27 / 775	Region #9
HOUGHTON SD STP <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15	NY0024431	CANEADEA	42	28 / 775	Region #9
TOWN OF HANOVER SEWER DIST #1 STP <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u> Longevity - updated on 3/27/15	NY0105104	HANOVER	42	29 / 775	Region #9
CITY OF OLEAN WATER SUPPLY SYSTEM <u>Factor:</u> 14 <u>Score:</u> 42 <u>Multiplier:</u> 3 <u>Points:</u> 14 <u>Reason:</u>	NY0258890	OLEAN	42	30 / 775	Region #9
SPRINGVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0021474	CONCORD	40	31 / 775	Region #9
ERIE CO SD 2 STP <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022543	EVANS	40	32 / 775	Region #9
WILSON STP <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020419	WILSON	40	33 / 775	Region #9
GOWANDA STP <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0032093	COLLINS	40	34 / 775	Region #9
EAST AURORA STP <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0028436	AURORA	40	35 / 775	Region #9
GRAND ISLAND SD 2 <u>Factor:</u> 14 <u>Score:</u> 40 <u>Multiplier:</u> 5 <u>Points:</u> 8 <u>Reason:</u> Longevity - updated on 3/27/15	NY0027693	GRAND ISLAND	40	36 / 775	Region #9
VILLAGE OF PERRY STP <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15	NY0022985	PERRY	39	37 / 775	Region #9
ELLCOTTVILLE WWTP <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15	NY0023574	ELLCOTTVILLE	39	38 / 775	Region #9
LILY DALE SD WWT FACILITY <u>Factor:</u> 14 <u>Score:</u> 39 <u>Multiplier:</u> 3 <u>Points:</u> 13 <u>Reason:</u> Longevity - updated on 3/27/15	NY0100242	POMFRET	39	39 / 775	Region #9
KISSING BRIDGE SEWER DISTRICT #2 <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0243493	CONCORD	36	40 / 775	Region #9
SPRINGBROOK SHORES WWTP <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0269328	ELMA	36	41 / 775	Region #9
VILLAGE OF CASTILE WWTP <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0269336	CASTILE	36	42 / 775	Region #9
REDLAND QUARRIES NY INC-LOCKPORT QUARRY <u>Factor:</u> 14 <u>Score:</u> 36 <u>Multiplier:</u> 3 <u>Points:</u> 12 <u>Reason:</u> Longevity - updated on 3/27/15	NY0003077	LOCKPORT	36	43 / 775	Region #9
V - WELLSVILLE WASTEWATER TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 35 <u>Multiplier:</u> 5 <u>Points:</u> 7 <u>Reason:</u> Longevity - updated on 3/27/15	NY0020621	WELLSVILLE	35	44 / 775	Region #9
ERIE CO SD 3 MOUNTAIN MEADOWS PARK <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0103012	HOLLAND	33	46 / 775	Region #9
CHERRY CREEK SEWAGE TREATMENT PLANT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0204081	CHERRY CREEK	33	47 / 775	Region #9
CHAUTAUQUA HEIGHTS SEWER DISTRICT <u>Factor:</u> 14 <u>Score:</u> 33 <u>Multiplier:</u> 3 <u>Points:</u> 11 <u>Reason:</u> Longevity - updated on 3/27/15	NY0269450	CHAUTAUQUA	33	48 / 775	Region #9
CHAUTAUQUA FISH HATCHERY <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0035441	CHAUTAUQUA	30	49 / 775	Region #9
GREAT VALLEY SEWER DIST #4 <u>Factor:</u> 14 <u>Score:</u> 30 <u>Multiplier:</u> 3 <u>Points:</u> 10 <u>Reason:</u> Longevity - updated on 3/27/15	NY0203548	GREAT VALLEY	30	50 / 775	Region #9

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
CANASERAGA WWTP	NY0269573	BURNS	30	51 / 775	Region #9
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
WARSAW STP	NY0021504	WARSAW	30	52 / 775	Region #9
Factor: 14 Score: 30 Multiplier: 5 Points: 6 Reason: Longevity - updated on 3/27/15					
NIAGARA FALLS NEW WTP-(PASNY SITE)	NY0243281	NIAGARA FALLS	30	53 / 775	Region #9
Factor: 14 Score: 30 Multiplier: 3 Points: 10 Reason: Longevity - updated on 3/27/15					
ERIE CO SEWER DIST NO 3 HOLLAND WWTP	NY0108103	HOLLAND	29	54 / 775	Region #9
Factor: 10 Score: 5 Multiplier: 1 Points: 5 Reason: MOD IS ON 1997 SRF PLAN					
14 24 3 8 Longevity - updated on 3/27/15					
CATTARAUGUS STP	NY0025861	NEW ALBION	27	55 / 775	Region #9
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
PORTVILLE WASTEWATER TREATMENT PLANT	NY0020966	PORTVILLE	27	56 / 775	Region #9
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
MODERN LANDFILL INC	NY0243698	LEWISTON	27	57 / 775	Region #9
Factor: 14 Score: 27 Multiplier: 3 Points: 9 Reason: Longevity - updated on 3/27/15					
NYS RANDOLPH FISH HATCHERY	NY0035459	COLD SPRING	24	58 / 775	Region #9
Factor: 14 Score: 24 Multiplier: 3 Points: 8 Reason: Longevity - updated on 3/27/15					
ASHLAND ADVANCED MATERIALS	NY0275387	NIAGARA FALLS	21	59 / 775	Region #9
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
MOOG SPACE AND DEFENSE GROUP	NY0203700	WHEATFIELD	21	60 / 775	Region #9
Factor: 14 Score: 21 Multiplier: 3 Points: 7 Reason: Longevity - updated on 3/27/15					
CHAUTAUQUA UTILITY DIST STP	NY0029769	CHAUTAUQUA	15	61 / 775	Region #9
Factor: 14 Score: 15 Multiplier: 5 Points: 3 Reason: Longevity - updated on 3/27/15					
ATTICA WASTEWATER TREATMENT PLANT	NY0021849	ATTICA	15	62 / 775	Region #9
Factor: 14 Score: 15 Multiplier: 5 Points: 3 Reason:					
ARCADE STP	NY0026948	ARCADE	15	63 / 775	Region #9
Factor: 14 Score: 15 Multiplier: 5 Points: 3 Reason: Longevity					
BELMONT STP	NY0031844	AMITY	12	64 / 775	Region #9
Factor: 14 Score: 12 Multiplier: 3 Points: 4 Reason: Longevity - updated on 3/27/15					
WESTFIELD STP	NY0021334	WESTFIELD	10	65 / 775	Region #9
Factor: 14 Score: 10 Multiplier: 5 Points: 2 Reason: Longevity					
WILLIAMSVILLE - V SANITARY SEWER COLLECTION SYSTEM	NY0202631	AMHERST	9	66 / 775	Region #9
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
SOMERSET-BARKER SD STP	NY0030651	SOMERSET	9	67 / 775	Region #9
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
ALDEN SD #2 STP	NY0021857	ALDEN	9	68 / 775	Region #9
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
BOLIVAR WWTP	NY0022381	BOLIVAR	9	69 / 775	Region #9
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
LIMESTONE WWTP	NY0029068	CARROLLTON	9	70 / 775	Region #9
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
LITTLE VALLEY STP	NY0104795	LITTLE VALLEY	9	71 / 775	Region #9
Factor: 14 Score: 9 Multiplier: 3 Points: 3 Reason: Longevity - updated on 3/27/15					
VESUVIUS USA CORPORATION BUFFALO PLANT	NY0030881	HAMBURG	6	72 / 775	Region #9
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					
GASPORT SD 1 STP	NY0029963	ROYALTON	6	73 / 775	Region #9
Factor: 14 Score: 6 Multiplier: 3 Points: 2 Reason: Longevity - updated on 3/27/15					
TOWN OF HUME STP	NY0203858	HUME	3	74 / 775	Region #9
Factor: 14 Score: 3 Multiplier: 3 Points: 1 Reason: Longevity - updated on 3/27/15					
SOUTH DAYTON STP	NY0204846	DAYTON	3	75 / 775	Region #9
Factor: 14 Score: 3 Multiplier: 3 Points: 1 Reason: Longevity - updated on 3/27/15					
TOWN OF OTTO SD #1 STP	NY0258270	OTTO	3	76 / 775	Region #9
Factor: 14 Score: 3 Multiplier: 3 Points: 1 Reason: Longevity - updated on 3/27/15					

EBPS ENB List -

July, 2015

Facility Name	SPDES #	Town	Total Score	Ranking	Region
E I DUPONT YERKES PLANT	NY0001601	TONAWANDA	3	77 / 775	Region #9
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u> Longevity - updated on 3/27/15					
CUBA STP	NY0023515	CUBA	3	78 / 775	Region #9
<u>Factor:</u> 14 <u>Score:</u> 3 <u>Multiplier:</u> 3 <u>Points:</u> 1 <u>Reason:</u>					