

PERMIT Under the Environmental Conservation Law (ECL)

IDENTIFICATION INFORMATION

| Permit Type: | Air State Facility |
|--------------|--|
| Permit ID: | 3-1326-00025/00023 |
| | Effective Date: 10/18/2016 Expiration Date: 10/17/2026 |

- Permit Issued To:Hunt USA LLC 19 Dog Tail Corners Rd Wingdale, NY 12594
- Contact: TODD GAZZOLI Hunt USA LLC 19 DOG TAIL CORNERS RD WINGDALE, NY 12594 (845) 832-6601
- Facility: HUNT COUNTRY FURNITURE 19 Dog Tail Corners Rd Wingdale, NY 12594

Description:

Hunt Country Furniture manufactures hardwood furniture, and operations at the facility include cutting, planing, sanding, staining, and coating. Air emission sources include spray booths, a drying booth, machining operations, and a wood boiler. The facility is subject to 6NYCRR Parts 200, 201, 212, 227, and 228, and 40 CFR 63 Subpart JJ.

Emissions of volatile organic compounds from the facility are limited to 47.5 tons per year, which is below the major source threshold of 50 tons per year. Therefore, the facility is not subject to Title V permitting requirements.

By acceptance of this permit, the permittee agrees that the permit is contingent upon strict compliance with the ECL, all applicable regulations, the General Conditions specified and any Special Conditions included as part of this permit.

| GEORGE A SWEIKERT |
|--------------------------|
| NYSDEC - REGION 3 |
| 21 S PUTT CORNERS RD |
| NEW PALTZ, NY 12561-1696 |
| |

 Authorized Signature:
 Date:
 /



Notification of Other State Permittee Obligations

Item A: Permittee Accepts Legal Responsibility and Agrees to Indemnification

The permittee expressly agrees to indemnify and hold harmless the Department of Environmental Conservation of the State of New York, its representatives, employees and agents ("DEC") for all claims, suits, actions, and damages, to the extent attributable to the permittee's acts or omissions in connection with the compliance permittee's undertaking of activities in connection with, or operation and maintenance of, the facility or facilities authorized by the permit whether in compliance or not in any compliance with the terms and conditions of the permit. This indemnification does not extend to any claims, suits, actions, or damages to the extent attributable to DEC's own negligent or intentional acts or omissions, or to any claims, suits, or actions naming the DEC and arising under article 78 of the New York Civil Practice Laws and Rules or any citizen suit or civil rights provision under federal or state laws.

Item B: Permittee's Contractors to Comply with Permit

The permittee is responsible for informing its independent contractors, employees, agents and assigns of their responsibility to comply with this permit, including all special conditions while acting as the permittee's agent with respect to the permitted activities, and such persons shall be subject to the same sanctions for violations of the Environmental Conservation Law as those prescribed for the permittee.

Item C: Permittee Responsible for Obtaining Other Required Permits

The permittee is responsible for obtaining any other permits, approvals, lands, easements and rights-of-way that may be required to carry out the activities that are authorized by this permit.

Item D: No Right to Trespass or Interfere with Riparian Rights

This permit does not convey to the permittee any right to trespass upon the lands or interfere with the riparian rights of others in order to perform the permitted work nor does it authorize the impairment of any rights, title, or interest in real or personal property held or vested in a person not a party to the permit.



PAGE LOCATION OF CONDITIONS

PAGE

DEC GENERAL CONDITIONS General Provisions

- 4 1 Facility Inspection by the Department
- 4 2 Relationship of this Permit to Other Department Orders and Determinations
- 4 3 Applications for permit renewals, modifications and transfers
- 4 4 Permit modifications, suspensions or revocations by the Department Facility Level
- 5 5 Submission of application for permit modification or renewal-REGION 3 HEADQUARTERS



DEC GENERAL CONDITIONS **** General Provisions **** GENERAL CONDITIONS - Apply to ALL Authorized Permits.

Condition 1: Facility Inspection by the Department Applicable State Requirement: ECL 19-0305

Item 1.1:

The permitted site or facility, including relevant records, is subject to inspection at reasonable hours and intervals by an authorized representative of the Department of Environmental Conservation (the Department) to determine whether the permittee is complying with this permit and the ECL. Such representative may order the work suspended pursuant to ECL 71-0301 and SAPA 401(3).

Item 1.2:

The permittee shall provide a person to accompany the Department's representative during an inspection to the permit area when requested by the Department.

Item 1.3:

A copy of this permit, including all referenced maps, drawings and special conditions, must be available for inspection by the Department at all times at the project site or facility. Failure to produce a copy of the permit upon request by a Department representative is a violation of this permit.

Condition 2: Relationship of this Permit to Other Department Orders and Determinations Applicable State Requirement: ECL 3-0301 (2) (m)

Item 2.1:

Unless expressly provided for by the Department, issuance of this permit does not modify, supersede or rescind any order or determination previously issued by the Department or any of the terms, conditions or requirements contained in such order or determination.

Condition 3: Applications for permit renewals, modifications and transfers Applicable State Requirement: 6 NYCRR 621.11

Item 3.1:

The permittee must submit a renewal application at least 180 days before expiration of permits for both Title V and State Facility Permits.

Item 3.2:

Permits are transferrable with the approval of the department unless specifically prohibited by the statute, regulation or another permit condition. Applications for permit transfer should be submitted prior to actual transfer of ownership.

Condition 4: Permit modifications, suspensions or revocations by the Department Applicable State Requirement: 6 NYCRR 621.13

Item 4.1:

The Department reserves the right to exercise all available authority to modify, suspend, or revoke this permit in accordance with 6NYCRR Part 621. The grounds for modification, suspension or revocation include:

DEC Permit Conditions



a) materially false or inaccurate statements in the permit application or supporting papers;

b) failure by the permittee to comply with any terms or conditions of the permit;

c) exceeding the scope of the project as described in the permit application;

d) newly discovered material information or a material change in environmental conditions, relevant technology or applicable law or regulations since the issuance of the existing permit; e) noncompliance with previously issued permit conditions, orders of the commissioner, any provisions of the Environmental Conservation Law or regulations of the Department related to the permitted activity.

**** Facility Level ****

Condition 5: Submission of application for permit modification or renewal-REGION 3 HEADQUARTERS Applicable State Requirement: 6 NYCRR 621.6 (a)

Item 5.1:

Submission of applications for permit modification or renewal are to be submitted to: NYSDEC Regional Permit Administrator Region 3 Headquarters

Division of Environmental Permits 21 South Putt Corners Road New Paltz, NY 12561-1696 (845) 256-3054



Facility DEC ID: 3132600025

Permit Under the Environmental Conservation Law (ECL)

ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

IDENTIFICATION INFORMATION

Permit Issued To:Hunt USA LLC 19 Dog Tail Corners Rd Wingdale, NY 12594

Facility: HUNT COUNTRY FURNITURE 19 Dog Tail Corners Rd Wingdale, NY 12594

Authorized Activity By Standard Industrial Classification Code: 2599 - FURNITURE AND FIXTURES, NEC

Permit Effective Date: 10/18/2016

Permit Expiration Date: 10/17/2026



Facility DEC ID: 3132600025

PAGE LOCATION OF CONDITIONS

| IGE | FEDERALLY ENFORCEABLE CONDITIONS |
|-----|--|
| | Facility Level |
| 6 | 1 6 NYCRR 200.7: Maintenance of Equipment |
| 6 | 2 6 NYCRR 202-1.1: Required Emissions Tests |
| 6 | 3 6 NYCRR 201-7.1: Facility Permissible Emissions |
| 7 | *4 6 NYCRR 201-7.1: Capping Monitoring Condition |
| 8 | 21 6 NYCRR 211.2: Visible Emissions Limited |
| 8 | 6 6 NYCRR 212-2.4 (b): Compliance Demonstration |
| 9 | 7 6 NYCRR 228-1.3 (a): Compliance Demonstration |
| 10 | 8 40CFR 63.800(b)(3), Subpart JJ: Compliance Demonstration |
| 10 | Emission Unit Level |
| | Emission Unit Lever |
| | EU=A-00001 |
| 10 | 9 6 NYCRR 228-1.3 (b) (1): Compliance Demonstration |
| 10 | 10 6 NYCRR 228-1.3 (d): Surface Coating - Handling, storage and disposal |
| 11 | 11 6 NYCRR 228-1.4 (c) (3): Compliance Demonstration |
| 12 | 12 6 NYCRR 228-1.4 (c) (3): Compliance Demonstration |
| 13 | 13 6 NYCRR 228-1.4 (c) (3). Compliance Demonstration |
| 15 | 15 0 NTCKK 228-1.0 (a). Compliance Demonstration |
| | EU=A-00002,EP=00010 |
| 14 | 14 6 NYCRR 227-1.3 (a): Compliance Demonstration |
| | EU=A-00002,EP=00010,Proc=004,ES=00010 |
| 14 | 15 6 NYCRR 227-1.2 (a) (4): Compliance Demonstration |
| | STATE ONLY ENFORCEABLE CONDITIONS |
| | Facility Level |
| 17 | 16 ECL 19-0301: Contaminant List |
| 18 | 17 6 NYCRR 201-1.4: Malfunctions and start-up/shutdown activities |
| 19 | 18 6 NYCRR Subpart 201-5: Emission Unit Definition |
| 19 | 19 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits |
| 19 | 20 6 NYCRR 201-5.3 (c): Compliance Demonstration |
| 20 | 5 6 NYCRR 211.1: Air pollution prohibited |
| 20 | 22 6 NYCRR 212-2.1 (a): Compliance Demonstration |
| | Emission Unit Level |
| 21 | 23 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit |
| | |
| 22 | 24 6 NYCRR Subpart 201-5: Process Definition By Emission Unit |

NOTE: * preceding the condition number indicates capping.



Facility DEC ID: 3132600025

FEDERALLY ENFORCEABLE CONDITIONS Renewal 1/FINAL **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Sealing - 6 NYCRR 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

Item C: Maintenance of Equipment - 6 NYCRR 200.7

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.



Facility DEC ID: 3132600025

Item D: Unpermitted Emission Sources - 6 NYCRR 201-1.2

(a) Except as otherwise provided by this Part, construction or operation of a new, modified or existing air contamination source without a registration or permit issued pursuant to this Part is prohibited.

(b) If an existing facility or emission source was subject to the permitting requirements of this Part at the time of construction or modification, and the owner or operator failed to apply for a permit or registration as described in this Part, the owner or operator must apply for a permit or registration in accordance with the provisions of this Part. The facility or emission source is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing emission sources.

Item E: Recycling and Salvage - 6 NYCRR 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

Item F: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8 No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

Item G: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a) The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item H: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR 201-3.3 (a) The owner and/or operator of an emission source or unit

Facility DEC ID: 3132600025

that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

Item I: Required Emission Tests - 6 NYCRR 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

Item J: Open Fires Prohibitions - 6 NYCRR 215.2 Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b) All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to



Facility DEC ID: 3132600025

emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS The following conditions are federally enforceable.

Condition 1: Maintenance of Equipment Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 200.7

Item 1.1:

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

Condition 2: Required Emissions Tests Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 202-1.1

Item 2.1:

For the purpose of ascertaining compliance or non-compliance with any air pollution control code, rule or regulation, the commissioner may require the person who owns such air contamination source to submit an acceptable report of measured emissions within a stated time.

Condition 3: Facility Permissible Emissions Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 201-7.1

Item 3.1:

The sum of emissions from the emission units specified in this permit shall not equal or exceed the following

Potential To Emit (PTE) rate for each regulated contaminant:

| CAS No: 0NY998-00-0 | PTE: | 95,000 | pounds per year |
|---------------------|------|--------|-----------------|
| Name: VOC | | | |

Condition 4: Capping Monitoring Condition

Air Pollution Control Permit Conditions Page 6 FINAL

Renewal 1



Facility DEC ID: 3132600025

Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 201-7.1

Item 4.1:

Under the authority of 6 NYCRR Part 201-7, this condition contains an emission cap for the purpose of limiting emissions from the facility, emission unit or process to avoid being subject to the following applicable requirement(s) that the facility, emission unit or process would otherwise be subject to:

6 NYCRR Subpart 201-6

Item 4.2:

Operation of this facility shall take place in accordance with the approved criteria, emission limits, terms, conditions and standards in this permit.

Item 4.3:

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

Item 4.4:

On an annual basis, unless otherwise specified below, beginning one year after the granting of an emissions cap, the responsible official shall provide a certification to the Department that the facility has operated all emission units within the limits imposed by the emission cap. This certification shall include a brief summary of the emissions subject to the cap for that time period and a comparison to the threshold levels that would require compliance with an applicable requirement.

Item 4.5:

The emission of pollutants that exceed the applicability thresholds for an applicable requirement, for which the facility has obtained an emissions cap, constitutes a violation of Part 201 and of the Act.

Item 4.6:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s): CAS No: 0NY998-00-0 VOC

Item 4.7:

Compliance Demonstration shall include the following monitoring:

Capping: Yes Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE Monitoring Description: In order to cap out of Title V permitting requirements,

the facility shall limit VOC emissions to 47.5 tons in any consecutive 12 month period. The VOC content in all coating, gluing, cleaning, and washoff materials purchased



Facility DEC ID: 3132600025

shall be utilized to calculate VOC emissions. A record of monthly and rolling 12 month VOC emissions shall be kept to demonstrate compliance with the VOC limit.

Parameter Monitored: VOC Upper Permit Limit: 47.5 tons per year Monitoring Frequency: MONTHLY Averaging Method: ANNUAL MAXIMUM ROLLED MONTHLY Reporting Requirements: ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2017. Subsequent reports are due every 12 calendar month(s).

Condition 21: Visible Emissions Limited Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 211.2

Item 21.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.

Condition 6: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 212-2.4 (b)

Item 6.1:

The Compliance Demonstration activity will be performed for the facility: The Compliance Demonstration applies to:

| Emission Unit: A-00001 | Emission Point: 00001 |
|--|-----------------------|
| Emission Unit: A-00001 | Emission Point: 00002 |
| Emission Unit: A-00001 | Emission Point: 00004 |
| Emission Unit: A-00001 | Emission Point: 00005 |
| Emission Unit: A-00001 | Emission Point: 00006 |
| Emission Unit: A-00001 | Emission Point: 00007 |
| Emission Unit: A-00001 | Emission Point: 00008 |
| Regulated Contaminant(s): CAS No: 0NY075-00-0 | PARTICULATES |

Item 6.2:

Compliance Demonstration shall include the following monitoring:



Facility DEC ID: 3132600025

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description: No facility owner or operator shall cause or allow emissions of particulates that exceed 0.050 grains per

cubic foot of exhaust gas, expressed at standard conditions on a dry gas basis. Emission testing will be conducted if directed by the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.050 grains per dscf Reference Test Method: EPA Method 5 Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Averaging Method: 1-HOUR AVERAGE Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 7: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement: 6 NYCRR 228-1.3 (a)

Item 7.1:

The Compliance Demonstration activity will be performed for the facility: The Compliance Demonstration applies to:

| Emission Unit: A-00001 | Emission Point: 00001 |
|------------------------|-----------------------|
| Emission Unit: A-00001 | Emission Point: 00002 |
| Emission Unit: A-00001 | Emission Point: 00004 |
| Emission Unit: A-00001 | Emission Point: 00005 |
| Emission Unit: A-00001 | Emission Point: 00006 |
| Emission Unit: A-00001 | Emission Point: 00007 |
| Emission Unit: A-00001 | Emission Point: 00008 |

Item 7.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall cause or allow emissions to the outdoor atmosphere having an average opacity of 20 percent or greater for any consecutive six minute period from any emission source subject to Part 228-1. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation to ascertain compliance with this limit.



Facility DEC ID: 3132600025

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent Reference Test Method: Method 9 Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Averaging Method: 6 MINUTE AVERAGE Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 8: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:40CFR 63.800(b)(3), Subpart JJ

Item 8.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s):

| CAS No: 000067-56-1 | METHYL ALCOHOL |
|---------------------|--------------------------|
| CAS No: 000098-82-8 | BENZENE, (1-METHYLETHYL) |
| CAS No: 000100-41-4 | ETHYLBENZENE |
| CAS No: 000108-10-1 | 2-PENTANONE, 4-METHYL |
| CAS No: 000108-88-3 | TOLUENE |
| CAS No: 001330-20-7 | XYLENE, M, O & P MIXT. |
| CAS No: 0NY100-00-0 | TOTAL HAP |

Item 8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

> Emissions of hazardous air pollutants (HAP) associated with the manufacture of wood furnitire are limited to 5 tons of any individual HAP and to 12.5 tons of total HAP in any consecutive 12 month period. The owner or operator shall maintain records of all HAP emissions, and these records must be kept for at least five years.

If the emission limits are met, the facility is not subject to any other provision of 40 CFR 63 Subpart JJ -National Emission Standards for Wood Furniture Manufacturing Operations.

Monitoring Frequency: MONTHLY Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**** Emission Unit Level ****

| Condition 9: | Compliance Demonstration | | |
|--------------|--------------------------------|---------------------------|--|
| | Effective between the dates of | 10/18/2016 and 10/17/2026 | |

Applicable Federal Requirement:6 NYCRR 228-1.3 (b) (1)

Facility DEC ID: 3132600025

Item 9.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001

Item 9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of any emission source subject to Part 228-1 must maintain and, upon request, provide the department with a certification from the coating supplier or manufacturer which lists the parameters used to determine the actual VOC content of each applied coating used at the facility. In addition, purchase, usage, and/or production records of the coating material, including solvents, must be maintained in a format acceptable to the department.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 10: Surface Coating - Handling, storage and disposal Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 228-1.3 (d)

Item 10.1:

This Condition applies to Emission Unit: A-00001

Item 10.2:

Within the work area(s) associated with a coating line, the owner or operator of a facility must:

(1) use closed, non-leaking containers to store or dispose of cloth or other absorbent applicators impregnated with VOC solvents that are used for surface preparation, cleanup or coating removal;

(2) store in closed, non-leaking containers spent or fresh VOC solvents to be used for surface preparation, cleanup or coating removal;

(3) not use VOC solvents to cleanup spray equipment unless equipment is used to collect the cleaning compounds and to minimize VOC evaporation;

(4) not use open containers to store or dispense surface coatings and/or inks unless production, sampling, maintenance or inspection procedures require operational access. This provision does not apply to the actual device or equipment designed for the purpose of applying a coating material to a substrate. These devices may include, but are not limited to: spray guns, flow coaters, dip tanks, rollers, knife coaters, and extrusion coaters;

(5) not use open containers to store or dispose of spent surface coatings, or spent VOC solvents;



Facility DEC ID: 3132600025

(6) minimize spills during the handling and transfer of coatings and VOC solvents; and

(7) clean hand held spray guns by one of the following:

(i) an enclosed spray gun cleaning system that is kept closed when not in use;

(ii) non-atomized discharge of VOC solvent into a paint waste container that is kept closed when not in use;

(iii) disassembling and cleaning of the spray gun in a vat that is kept closed when not in use; or

(iv) atomized spray into a paint waste container that is fitted with a device designed to capture atomized VOC solvent emissions.

Condition 11: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement: 6 NYCRR 228-1.4 (c) (3)

Item 11.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001

Regulated Contaminant(s): CAS No: 0NY998-00-0 VOC

Item 11.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS Monitoring Description:

The facility may not use a sealer with a VOC content greater than 1.9 pounds of VOC per pound of solids, as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL Process Material: SEALER Parameter Monitored: VOC CONTENT Upper Permit Limit: 1.9 pounds of VOC per pound of solids Monitoring Frequency: SINGLE OCCURRENCE Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -SEE MONITORING DESCRIPTION Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 12: Compliance Demonstration



Facility DEC ID: 3132600025

Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 228-1.4 (c) (3)

Item 12.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001

Regulated Contaminant(s): CAS No: 0NY998-00-0 VOC

Item 12.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: WORK PRACTICE INVOLVING SPECIFIC OPERATIONS Monitoring Description: The facility may not use a topcoat with a VOC content greater than 1.8 pounds of VOC per pound of solids, as applied.

Work Practice Type: PARAMETER OF PROCESS MATERIAL Process Material: COATING Parameter Monitored: VOC CONTENT Upper Permit Limit: 1.8 pounds of VOC per pound of solids Monitoring Frequency: SINGLE OCCURRENCE Averaging Method: MAXIMUM - NOT TO EXCEED STATED VALUE -SEE MONITORING DESCRIPTION Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 13: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 228-1.6 (a)

Item 13.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00001

Item 13.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

> Upon request by the Department, the owner or operator of an emission source subject to 6 NYCRR Part 228-1 must determine the actual VOC content of an as applied coating by measuring the volatile content, water content, density, volume of solids, and weight of solids in accordance with EPA Reference Test Method 311 or Method 24, included in



Facility DEC ID: 3132600025

Appendix A of 40 CFR parts 63 and 60 respectively, to demonstrate compliance with the requirements of Part 228-1.

An alternate sampling method that has been approved by both the Department and the Administrator may be used when Method 311 and/or Method 24 are not appropriate.

Reference Test Method: EPA Reference Test Method 311 or 24 Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 14: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 227-1.3 (a)

Item 14.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: A-00002 Emission Point: 00010

Item 14.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person shall operate a stationary combustion installation which exhibits greater than 20 percent opacity (six minute average), except for one six-minute period per hour of not more than 27 percent opacity. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation during facility operation.

Parameter Monitored: OPACITY Upper Permit Limit: 20 percent Reference Test Method: Method 9 Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Averaging Method: 6 MINUTE AVERAGE Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE

Condition 15: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable Federal Requirement:6 NYCRR 227-1.2 (a) (4)

Item 15.1:

The Compliance Demonstration activity will be performed for:



Facility DEC ID: 3132600025

| Emission Unit: A-00002 | Emission Point: 00010 |
|--|------------------------|
| Process: 004 | Emission Source: 00010 |
| Regulated Contaminant(s): CAS No: 0NY075-00-0 | PARTICULATES |

Item 15.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING Monitoring Description: As specified in Table 1 of Subpart 227-1, the permissible emission rate of particulates is 0.6 pounds per million BTU, from any stationary combustion installation burning solid fuel with a total heat input in the range of 1 to 10 million BTU per hour. Emission testing will be conducted if directed by the Department.

Parameter Monitored: PARTICULATES Upper Permit Limit: 0.6 pounds per million Btus Reference Test Method: EPA Method 5 Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Averaging Method: 1-HOUR AVERAGE Reporting Requirements: ONCE / BATCH OR MONITORING OCCURRENCE



Facility DEC ID: 3132600025

STATE ONLY ENFORCEABLE CONDITIONS **** Facility Level ****

NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined in 6 NYCRR subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

(a) The affirmative defense of emergency shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:

(1) an emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;

(2) the equipment at the facility was being properly operated and maintained;


(3) during the period of the emergency the facility owner or operator took all reasonable steps to minimize the levels of emissions that exceeded the emission standards, or other requirements in the permit; and

(4) the facility owner or operator notified the department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.

(b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.

(c) This provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

Item B: **Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)** Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records.



Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

Item C: General Provisions for State Enforceable Permit Terms and Condition - 6 NYCRR Part 201-5

> Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

STATE ONLY APPLICABLE REQUIREMENTS The following conditions are state only enforceable.

Condition 16: Contaminant List Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement: ECL 19-0301

Item 16.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 000050-00-0 Name: FORMALDEHYDE

CAS No: 000067-56-1 Name: METHYL ALCOHOL

CAS No: 000098-82-8 Name: BENZENE, (1-METHYLETHYL)

CAS No: 000100-41-4 Name: ETHYLBENZENE



Facility DEC ID: 3132600025

CAS No: 000108-10-1 Name: 2-PENTANONE, 4-METHYL

CAS No: 000108-88-3 Name: TOLUENE

CAS No: 001330-20-7 Name: XYLENE, M, O & P MIXT.

CAS No: 0NY075-00-0 Name: PARTICULATES

CAS No: 0NY100-00-0 Name: TOTAL HAP

CAS No: 0NY998-00-0 Name: VOC

Condition 17: Malfunctions and start-up/shutdown activities Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement: 6 NYCRR 201-1.4

Item 17.1:

(a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.

(b) The facility owner or operator shall compile and maintain records of all equipment malfunctions, maintenance, or start-up/shutdown activities when they can be expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when requested to do so, or when so required by a condition of a permit issued for the corresponding air contamination source. Such reports shall state whether any violations occurred and, if so, whether they were unavoidable, include the time, frequency and duration of the maintenance and/or start-up/shutdown activities, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous stack monitoring and quarterly reporting requirements need not submit additional reports for equipment maintenance or start-up/shutdown activities for the facility to the department.

(c) In the event that emissions of air contaminants in excess of any emission standard in this Subchapter occur due to a malfunction, the facility owner or operator shall compile and maintain records of the malfunction and notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, identification of air contaminants, and an estimate of the emission rates.

(d) The department may also require the owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level



Facility DEC ID: 3132600025

concentration of each air contaminant emitted and the effect of such emissions.

(e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

Condition 18: Emission Unit Definition Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement: 6 NYCRR Subpart 201-5

Item 18.1:

The facility is authorized to perform regulated processes under this permit for: Emission Unit: A-00001 Emission Unit Description:

This emission unit consists of spray booths for the application of coatings and a conveyorized tunnel for drying.

Building(s): MAIN

Item 18.2:

The facility is authorized to perform regulated processes under this permit for: Emission Unit: A-00002 Emission Unit Description: This emission unit consists of a wood fired boiler for heating the facility and woodworking machines used for cutting, planing, and sanding.

Building(s): MAIN

Condition 19: Renewal deadlines for state facility permits Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement:6 NYCRR 201-5.2 (c)

Item 19.1:

The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

Condition 20: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement:6 NYCRR 201-5.3 (c)

Item 20.1:

The Compliance Demonstration activity will be performed for the Facility.



Facility DEC ID: 3132600025

Item 20.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Any reports or submissions required by this permit shall be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources NYS Dept. of Environmental Conservation Region 3 21 South Putt Corners Rd. New Paltz, NY 12561

Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION

Condition 5: Air pollution prohibited Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement:6 NYCRR 211.1

Item 5.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

Condition 22: Compliance Demonstration Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement:6 NYCRR 212-2.1 (a)

Item 22.1:

The Compliance Demonstration activity will be performed for the Facility.

Regulated Contaminant(s): CAS No: 000050-00-0 FORMALDEHYDE

Item 22.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The facility owner or operator shall limit the actual annual emissions of formaldehyde from all process operations to 100 pounds per year. A record of formaldehyde emissions must be kept.



Facility DEC ID: 3132600025

Monitoring Frequency: ANNUALLY Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**** Emission Unit Level ****

Condition 23: Emission Point Definition By Emission Unit Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 23.1:

The following emission points are included in this permit for the cited Emission Unit:

| Emission Unit: A-00001 | | |
|---|--|----------------|
| Emission Point: 00001 Height (ft.): 25 NYTMN (km.): 4612.48 | Diameter (in.): 24 NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00002 Height (ft.): 25 | Diameter (in.): 24 | |
| NYTMN (km.): 4612.48 | NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00003 | | |
| Height (ft.): 25 NYTMN (km.): 4612.48 | Diameter (in.): 24 NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00004 Height (ft.): 25 | Diameter (in.): 24 | |
| NYTMN (km.): 4612.48 | NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00005 | | |
| Height (ft.): 25 NYTMN (km.): 4612.48 | Diameter (in.): 24 NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00006 | | |
| Height (ft.): 25 NYTMN (km.): 4612.48 | Diameter (in.): 24 NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00007 | | |
| Height (ft.): 25 NYTMN (km.): 4612.48 | Diameter (in.): 24 NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00008 | | |
| Height (ft.): 25 NYTMN (km.): 4612.48 | Diameter (in.): 24 NYTME (km.): 621.569 | Building: MAIN |

Item 23.2:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: A-00002



Facility DEC ID: 3132600025

| Emission Point: 00009 Height (ft.): 50 | Diameter (in.): 24 | |
|---|--|----------------|
| NYTMN (km.): 4612.48 | NYTME (km.): 621.569 | Building: MAIN |
| Emission Point: 00010 Height (ft.): 50 NYTMN (km.): 4612.48 | Diameter (in.): 20 NYTME (km.): 621.569 | Building: MAIN |

Condition 24: Process Definition By Emission Unit Effective between the dates of 10/18/2016 and 10/17/2026

Applicable State Requirement:6 NYCRR Subpart 201-5

Item 24.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: A-00001 Process: 001 Process Description: Surface coating involves the application of stains, sealers, and topcoats in spray booths.

Emission Source/Control: 0001A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 0002A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 0004A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 0005A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 0006A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 0007A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 0008A - Control Control Type: MAT OR PANEL FILTER

Emission Source/Control: 00001 - Process

Emission Source/Control: 00002 - Process

Emission Source/Control: 00004 - Process

Emission Source/Control: 00005 - Process

Emission Source/Control: 00006 - Process



Facility DEC ID: 3132600025

Emission Source/Control: 00007 - Process

Emission Source/Control: 00008 - Process

Item 24.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: A-00001 Process: 002 Process Description: Furniture passes though a conveyorized tunnel booth for drying after coating applications. Propane is used to heat the booth during cold weather.

Emission Source/Control: 00003 - Process

Item 24.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: A-00002 Process: 003 Process Description: Machining operations generate sawdust that exhausts to a custom built cyclone.

Emission Source/Control: 0009A - Control Control Type: SINGLE CYCLONE

Emission Source/Control: 00009 - Process

Item 24.4:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: A-00002 Process: 004 Process Description: The boiler is fueled with wood waste scraps.

Emission Source/Control: 00010 - Combustion Design Capacity: 8 million Btu per hour



Facility DEC ID: 3132600025